



- GENERAL NOTES**
1. SEE SHEET S3.3 FOR TYPICAL SLAB DETAILS
 2. f_c : 4000 P.S.I. f_y : 60,000 P.S.I.
 3. SLAB THICKNESS : 8"
 4. DROP PANELS @ EA. COLUMN : 8'-0" x 6'-0" x 14" (TOTAL) SEE DETAIL S3.1
 5. COLUMNS BELOW : 16" x 16"
 6. --- DENOTES EXTEND REINFORCING STEEL TO NEXT BAY. SEE NOTE ON S3.10.1 FOR MORE INFO.

RFI ROSSER FABRAP INTERNATIONAL
Comprehensive Services for Building Design and Technology
Atlanta Savannah Tampa

Revisions		
No	Date	Description
1	05-21-89	ADDENDUM POSTED, TABULAR FOR CONSTRUCTION

ROSSER FABRAP INTERNATIONAL
Criminal Justice Architecture, Technology, Planning, Interiors, Mechanical, Electrical, Plumbing, Security & Civil Engineering

JUSTICE SYSTEMS INCORPORATED
Criminal Justice Operations, Programming

JOHNSON & NIELSEN
Structural Engineering

WEST - VALLEY - DETENTION - CENTER
FOR THE COUNTY OF SAN BERNARDINO, CALIFORNIA

HARRY MAYS, COUNTY ADMINISTRATION OFFICER

FLOYD TIDWELL, SHERIFF

BOARD OF SUPERVISORS
John Roberts, Chairman, West District
Richard C. Brown, Second District
Richard C. Brown, Third District
Richard C. Brown, Fourth District
Richard C. Brown, Fifth District



CRIME LAB - FLOOR
REINFORCING PLAN
LEVEL 2

Job No. S3.9.1
Date

DISREGARD ALL DIMENSIONS ON STRUCTURAL DRAWINGS. REFER TO ARCHITECTURAL DRAWINGS FOR DIMENSIONING.

S32 FDN.
S3.16 ROOF



