




IRVINE • SACRAMENTO • SAN DIEGO • SAN JOSE • DALLAS • SAN ANTONIO

## EXHIBIT E

# CRITERIA DOCUMENT DRAWINGS

County of San Bernardino  
303 W. 5<sup>th</sup> Street Design Build Project

NOT FOR BID



**CODE ANALYSIS**

**BUILDING INFORMATION**

**OCCUPANCY:** B: BUSINESS (OFFICE ADMINISTRATION OFFICE)  
 (OFFICE B)  
 D: COMMERCIAL STORAGE (PUBLIC PARKING GARAGE)  
**ACCESSORY OCCUPANCY (SECTION 602.3):** A-3: ASSEMBLY (LESS THAN 10% FLOOR AREA)  
**CONSTRUCTION TYPE:** I-B  
**FIRE PROTECTION:** AUTOMATIC FIRE SPRINKLER SYSTEM PER NFPA 13  
**FIRE ALARM SYSTEM:** EMERGENCY VOICEMAIL/ANN COMMUNICATION SYSTEM PER NFPA 72  
**ALLOWABLE AND NUMBER OF STORED TABLES (TABLE 504.5):** A: 70 / 4 STORES  
 D: 70 / 4 STORES  
**ALLOWABLE BUILDING AREA (TABLE 504.5):** B: 89,000 SF  
 D: 79,000 SF  
**BUILDING HEIGHT:** 32'-0"  
**NUMBER OF STORIES:** TWO (2)  
**BUILDING AREA:** 23,750 SF (FIRST FLOOR)  
 11,750 SF (TOTAL GROSS FLOOR AREA)

**OCCUPANCY LOAD CALCULATION BASED ON GROSS FLOOR AREA**

**PER CBC CH 2 DEFINITION AND TABLE 1024A**

DIRECTION	AREA (SQ FT)	OCCUPANT FACTOR	OCCUPANTS
A-1 ASSEMBLY WITHOUT FIXED SEATING	400	1.10	27
D-2 ACCESSORY STORAGE AREAS	2,350	1.00	15
D-2 PARKING GARAGES	25,410	1.00	103

DIRECTION	AREA (SQ FT)	OCCUPANT FACTOR	OCCUPANTS
A-1 ASSEMBLY WITHOUT FIXED SEATING	1,200	1.10	94
B BUSINESS AREAS	22,550	1.00	150

**FIRE RESISTANCE RATING REQUIREMENTS**

BASED ON TYPE I-B AND OCCUPANCY GROUPS A, S, AND D-2  
 TYPE I BUILDING OR STRUCTURE SHALL BE CONSTRUCTED OF NONCOMBUSTIBLE MATERIALS EXCEPT AS PERMITTED BY CBC SECTION 603 (REQUIRED SEPARATION OF OCCUPANCIES/TABLE 504.5)

SEPARATION OCCUPANCY GROUP	SEPARATION REQUIREMENT
A SPACES AND D-2 SPACES + 1 HOUR	
B SPACES AND D-2 SPACES + 1 HOUR	
A SPACES AND B SPACES + NO SEPARATION REQUIREMENT	

**FIRE RESISTANCE RATING REQUIREMENTS FOR BUILDING ELEMENTS (TABLE 708)**

ELEMENT	RATING
PRIMARY STRUCTURE FRAME	0
EXTerior BEARING WALLS	0
Interior BEARING WALLS	0
EXTERIOR NON-BEARING WALLS	0
INTERIOR NON-BEARING WALLS	0
FLOOR CONSTRUCTION	0
ROOF CONSTRUCTION	0


**FIRE RESISTANCE RATING REQUIREMENTS FOR EXTERIOR WALLS (SECTION 708.5)**

MINIMUM AREA OF WALL PROTECTION BASED ON FIRE EXPOSURE DISTANCE AND HEIGHT OF EXTERIOR WALL (SECTION 708.5)	FIRE SEPARATION DISTANCE	ALLOWABLE EXPOSURE	PROTECTION	PERCENT OPENING
NO HOUR PROTECTED	0'-0"	0'-0"		NO LIMIT
NO PROTECTION REQUIRED	0'-0"	0'-0"		NO LIMIT
NORTH ELEVATION	+ 20'-0"	UNPROTECTED	(UNPERMITTED)	NOT PERMITTED
EAST ELEVATION	+ 30'-0"	UNPROTECTED	(UNPERMITTED)	NOT PERMITTED
SOUTH ELEVATION	0'-0"	UNPROTECTED	(UNPERMITTED)	NOT PERMITTED
WEST ELEVATION	+ 30'-0"	UNPROTECTED	(UNPERMITTED)	NOT PERMITTED

**GENERAL NOTES**

1. DETERMINE PLUMBING FIXTURE CALCULATIONS PER CURRENT CBC
2. TO PROVIDE AT LEAST 2 FEET AS REQUIRED BY OCCUPANT LOAD WHEN
3. OCCUPANT LOAD EXCEEDS 100 PERSONS PER 1,000 SQUARE FEET
4. VERIFY ANY EXISTING NON-COMPLYING CONDITIONS THAT PRODUCE UNREASONABLE TO AMEND AND CONFORM TO CURRENT CODE.





### CODE ANALYSIS

BUILDING INFORMATION			
OCCUPANCY (SECTION 102):	B: BUSINESS		
(SECTION 102.02):	B-1: OFFICE		
ACCESSORY OCCUPANCY (SECTION 103.2):	A-3: ASSEMBLY		
	2ND FLOOR A-3 SP: TOTAL 2ND FLOOR FLOOR AREA OF 13,726 SF x 0.558 = 7,658 SF		
CONSTRUCTION TYPE:	I-B		
FIRE ALARM SYSTEM:	AUTOMATIC FIRE SPRINKLER SYSTEM PER NFPA 13		
FIRE PROTECTION:	EMERGENCY VOICEMAIL/COMMUNICATION SYSTEM (EMERGENCY)		
ALLOWABLE AND NUMBER OF STORED TABLES (SEAS AND SEAS):	A: 70' x 4' STORES D: 70' x 4' STORES		
ALLOWABLE BUILDING AREA (TABLE SEAS):	B: 81,000 SF D: 70,000 SF		
BUILDING HEIGHT: NUMBER OF STORES:	2: 2		
BUILDING AREA:	23,726 SF (FIRST FLOOR) + 13,726 SF (SECOND FLOOR) = 37,452 SF (TOTAL GROSS FLOOR AREA)		
OCCUPANCY LOAD CALCULATION BASED ON GROSS FLOOR AREA PER OSC CH 2 SEPARATION AND TABLE SEAS			
AREA (SQ FT)	OCCUPANT FACTOR	OCCUPANTS	
A-3 ASSEMBLY WITHOUT FIXED SEATING	400	1.10	27
FIRST FLOOR			
B-2 ACCESSORY STORAGE AREAS	2,300	1.300	15
B-2 FILING GARAGES	35,410	1.300	103
B-1 ASSEMBLY WITHOUT FIXED SEATING	1,320	1.10	94
B-1 BUSINESS	25,500	1.10	192
SECOND FLOOR			
FIRE RESISTANCE RATING REQUIREMENTS			
BASED ON TYPE I-B AND OCCUPANCY GROUPS A, S, AND S-2			
TYPE I BUILDING OR STRUCTURE SHALL BE CONSTRUCTED OF NONCOMBUSTIBLE MATERIALS EXCEPT AS PERMITTED BY OSC SECTION 603			
REQUIRED SEPARATION OF OCCUPANCY TABLE SEAS			
BETWEEN OCCUPANCY GROUP:			
A SPACES AND S-2 SPACES = 1 HOUR			
B SPACES AND S-2 SPACES = 1 HOUR			
A SPACES AND S-2 SPACES = NO SEPARATION REQUIREMENT			
FIRE RESISTANCE RATING REQUIREMENTS FOR BUILDING ELEMENTS (TABLE SEAS)			
PRIMARY STRUCTURE FRAME:	0		
EXTERIOR BEARING WALLS:	0		
INTERIOR BEARING WALLS:	0		
EXTERIOR NONBEARING WALLS:	0		
INTERIOR NONBEARING WALLS:	0		
FLOOR CONSTRUCTION:	0		
ROOF CONSTRUCTION:	0		
FIRE RESISTANCE RATING REQUIRED FOR EXTERIOR WALLS (SECTION 703)			
1 HOUR PROTECTED:	0		
NO PROTECTION REQUIRED:	0		
MINIMUM AREA OF WALL OPENINGS BASED ON FIRE SEPARATION DISTANCE AND TABLE SEAS			
SEPARATION DISTANCE	FIRE SEPARATION PROTECTION	ALLOWABLE OPENING PERCENT	PERCENT OPENING
NORTH ELEVATION	≥ 20'-0"	UNPROTECTED	NO LIMIT
EAST ELEVATION	≥ 20'-0"	UNPROTECTED	NO LIMIT
SOUTH ELEVATION	0'-0"	UNPROTECTED	NOT PERMITTED
WEST ELEVATION	≥ 20'-0"	UNPROTECTED	NO LIMIT
GENERAL NOTES			
1. DETERMINE PLUMBING FIXTURE CALCULATIONS PER CURRENT OSC			
2. PROVIDE AT LEAST 2 FEET AS REQUIRED BY OCCUPANT LOAD WHEN			
3. PROVIDE ALL NECESSARY ACCESSIBLE AND SAFE AREAS AND ACCESSIBLE SEATING ACCESSIBLE SPACES			
4. VERIFY ALL EXISTING NON-COMPLYING CONDITIONS THAT PROVIDE UNREASONABLE TO AMEND AND CONFORM TO CURRENT CODE.			

SECOND FLOOR CODE ANALYSIS | 01



### CRITERIA DOCUMENT DRAWINGS

ARCHITECTURE: ARCHITECTURE  
 ARCHITECTURE: ARCHITECTURE  
 ARCHITECTURE: ARCHITECTURE

949-261-1001 Office  
 949-261-1007 Fax  
 LPADesign@earthlink.com


1301 California Avenue, Suite 100  
 Irvine, California 92617

303 W. 5TH STREET  
 SAN BERNARDINO, CA 92401

Developed for  
 COUNTY OF SAN BERNARDINO

Revision	Date

Scale:	1/2" = 1'-0"
Checked By:	ME/MG
Published:	09/10/2005
Design:	01/01/05
<b>SECOND FLOOR CODE ANALYSIS</b>	
<b>A0.02</b>	



EXISTING FIRST FLOOR LAYOUT | 01

**LEGEND**

	EXISTING WALL
	WALL TO BE DEMOLISHED
	DOOR TO BE DEMOLISHED
	FENCE TO BE DEMOLISHED
	GLAZING ASSEMBLY TO BE DEMOLISHED
	DEMOLISH ALL NON-STRUCTURAL ASSEMBLIES, MATERIALS, AND EQUIPMENT


**LPA**  
 LANDSCAPE ARCHITECTURE PLANNING  
 949-261-1001 Office  
 949-261-1191 Fax  
 LPAdesign@earthlink.net  
 2391 California Avenue, Suite 100  
 Irvine, California 92617

**CRITERIA DOCUMENT DRAWINGS**  
 303 W. 5TH STREET  
 SAN BERNARDINO, CA 92401  
 Developed for  
 COUNTY OF SAN BERNARDINO

Revision	Date

This document and all other project documents, plans, drawings, and designs are the property of LPA. No part of this document may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage and retrieval system, without the prior written consent of LPA. LPA shall not be held responsible for any errors or omissions in this document. The user of this document shall be responsible for verifying the accuracy of the information contained herein. LPA shall not be held responsible for any damages, including consequential damages, arising from the use of this document. LPA shall not be held responsible for any delays or interruptions in the performance of its services, including but not limited to, strikes, labor disputes, or other events beyond its control.

Job Number: 0204  
 Date Published: 06/10/2025  
 Checked By: MFM  
 Scale: 1/8" = 1'-0"  
**EXISTING FIRST FLOOR LAYOUT**  
**A1.01**



EXISTING SECOND FLOOR LAYOUT | 01

LEGEND

- EXISTING WALL
- WALL TO BE DEMOLISHED
- DOOR TO BE DEMOLISHED
- FENCE TO BE DEMOLISHED
- GLAZING ASSEMBLY TO BE DEMOLISHED
- DEMOLISH ALL NON-STRUCTURAL ASSEMBLIES, MATERIALS, AND EQUIPMENT



**LPA**  
 LANDSCAPE ARCHITECTURE  
 949-261-1001 Office  
 949-260-1197 Fax  
 LPAnet@lpaarchitect.com  
 2391 California Avenue, Suite 100  
 Irvine, California 92617


CRITERIA DOCUMENT DRAWINGS

303 W. 5TH STREET  
 SAN BERNARDINO, CA 92401  
 Developed for  
 COUNTY OF SAN BERNARDINO

Revision	Date

This document and all other project documents, plans, drawings, and designs have been prepared by LPA and are the property of LPA. No part of this document may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, recording, or by any information storage and retrieval system, without the prior written permission of LPA. LPA shall not be held responsible for any errors or omissions in this document. LPA shall not be held responsible for any damage or injury to persons or property resulting from the use of this document. LPA shall not be held responsible for any damage or injury to persons or property resulting from the use of this document. LPA shall not be held responsible for any damage or injury to persons or property resulting from the use of this document.

JOB NUMBER: 22034  
 DATE PUBLISHED: 06/10/2025  
 CHECKED BY: MFM/AG  
 SCALE: 1/8" = 1'-0"  
**EXISTING  
 SECOND FLOOR  
 LAYOUT**  
**A1.02**



GENERAL NOTES

- 1. REMOVE ALL EXISTING ROOFING AND INSULATION MATERIAL TO EXPOSE STRUCTURAL DECK.
- 2. REMOVE ALL EXISTING ROOF FINISH METAL COPING.

LEGEND

- CONSTRUCTION ELEMENT BELOW ROOF (FOR REFERENCE)

EXISTING ROOF PLAN LAYOUT | 01




**L.P.A.** LANDSCAPE ARCHITECTURE ASSOCIATES  
 949-251-1001 Office  
 949-251-1100 Fax  
 LPAnet@lpaassociates.com  
 2391 California Avenue, Suite 100  
 Irvine, California 92617

CRITERIA DOCUMENT DRAWINGS  
 303 W. 5TH STREET  
 SAN BERNARDINO, CA 92401  
 Developed for  
 COUNTY OF SAN BERNARDINO

Revision	Date


This document and all other project documents shall remain the property of L.P.A. No part of this document shall be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage and retrieval system, without the prior written consent of L.P.A. All other project documents shall remain the property of L.P.A. All other project documents shall remain the property of L.P.A. All other project documents shall remain the property of L.P.A.

JOB NUMBER: 02204  
 DATE PUBLISHED: 06/10/2025  
 CHECKED BY: MFMW  
 SCALE: 1/8" = 1'-0"  
 EXISTING  
 ROOF PLAN  
 LAYOUT  
 A1.03



- GENERAL NOTES**
1. AT ALL LOCATIONS WHERE EXISTING BLANK SPACES LEFT AND REMOVED FOR RELOCATION OF NEW FOUNDATION FOOTINGS OR NEW FOUNDATION FOOTING, PROVIDE PROPER STRENGTHENING TO MAINTAIN THE EXISTING FOUNDATION STRENGTH.
  2. PROVIDE MINIMUM 18" CLEARANCE FROM ALL EXISTING FOUNDATION WALLS TO NEW FOUNDATION WALLS AND EXISTING FOUNDATION WALLS TO NEW FOUNDATION WALLS.
  3. PROVIDE 30" MIN. CLEARANCE FROM ALL EXISTING FOUNDATION WALLS TO NEW FOUNDATION WALLS AND EXISTING FOUNDATION WALLS TO NEW FOUNDATION WALLS.

PARKING LOT COUNTS	
PROPOSED	102 TOTAL STALLS
BY	STANDARD PARKING STALLS
BY	ACCESSIBLE PARKING STALLS



PROPOSED SITE AND FIRST FLOOR LAYOUT 01


**LPA**  
 LANDSCAPE ARCHITECTURE  
 333 W. 5TH STREET  
 SAN BERNARDINO, CA 92401  
 909-261-1001 Fax  
 909-261-1000 Phone  
 LANDSCAPE@LPA.COM  
 1393 California Avenue, Suite 100  
 Irvine, California 92617

**CRITERIA DOCUMENT DRAWINGS**  
 333 W. 5TH STREET  
 SAN BERNARDINO, CA 92401  
 Developed for  
 COUNTY OF SAN BERNARDINO

Revision	Date	By	Checked By	Scale

This document and all other project documents, including drawings, are prepared in accordance with the California Building Code, California Fire Code, California Electrical Code, California Mechanical Code, California Plumbing Code, California Title 24, California Energy Code, and all other applicable codes and standards. The user of this document is advised that the user assumes all liability for the use of this document and that the user is not to be held liable for any damages, including consequential damages, arising from the use of this document. The user is advised that the user is not to be held liable for any damages, including consequential damages, arising from the use of this document. The user is advised that the user is not to be held liable for any damages, including consequential damages, arising from the use of this document.

Job Number: 2204  
 Date Published: 06/10/2025  
 Checked By: JWC/MG  
 Scale: 1"=30'-0"  
**PROPOSED SITE AND FIRST FLOOR LAYOUT**  
 A2.01



PROPOSED SECOND FLOOR LAYOUT | 01



GENERAL NOTES

1. PROVIDE NEW ELEVATOR HOISTWAY TO ACCOMMODATE ELEVATOR CAB MEETING ALL CURRENT CODES FOR ACCESSIBILITY AND SURVEY COMPLIANCE AS REQUIRED BY ALL.
2. PROVIDE TRAVEL CORRIDOR SYSTEM AND RELEVANT BOARDING WITHIN THE ELEVATOR CORE AND 2ND FLOOR LANDINGS AS REQUIRED BY CODE.
3. CONSIDER ALL EXISTING STAIRS TO REMAIN COMPLY WITH CURRENT CODES FOR ACCESSIBILITY AND EGRESS AS REQUIRED BY ALL.
4. PROVIDE ALL PROPOSED STAIRS, GUARDRAILS, AND HANDRAILS IN CONFORMANCE WITH CURRENT CODES FOR ACCESSIBILITY AND EGRESS.
5. REMOVE ALL EXISTING PLUMBING FIXTURES, TOILET PARTITIONS, AND REMOVED STAIRS METALS WITHIN THE CORE WITH CURRENT CODE AND CODE VERIFY WITH AN INDEPENDENT OCCUPANT LOAD FACTORS FROM CODE TABLES FOR CODE TABLE AS SHALL BE ANALYZED PERFORMING.
6. VERIFY EGRESS RAMP OF TRAVEL DISTANCE FROM MOST REMOTE POINT OF THE FLOOR TO EGRESS TO NOT EXCEED MAXIMUM ALLOWABLE PER CODE. NOTE THAT AREAS UNDERneath BUILDING OVERHANGS ARE NOT PERMITTED FOR EGRESS.
7. PROVIDE FOR EGRESS CONSTRUCTION FOR ENCLOSED LOBBIES, STAIRWELL ELEVATOR SHUFFLE AND MECHANICAL SHAFTS.
8. PROVIDE NEW ELEVATOR TO STAIRWAY FOR ACCESSIBILITY AND EGRESS.
9. PROVIDE THE REQUIRED NUMBER, SIZE, LOCATIONS, AND ARRANGEMENT OF AREAS IN COMPLIANCE WITH CODE REQUIREMENTS FOR ACCESSIBILITY AND EGRESS.
10. PROVIDE NEW CORRIDOR SYSTEMS PER REQUIREMENTS FOR ACCESSIBILITY AND EGRESS.
11. PROVIDE NEW CORRIDOR SYSTEMS PER REQUIREMENTS FOR ACCESSIBILITY AND EGRESS.
12. PROVIDE NEW CORRIDOR SYSTEMS PER REQUIREMENTS FOR ACCESSIBILITY AND EGRESS.
13. PROVIDE NEW CORRIDOR SYSTEMS PER REQUIREMENTS FOR ACCESSIBILITY AND EGRESS.
14. PROVIDE NEW CORRIDOR SYSTEMS PER REQUIREMENTS FOR ACCESSIBILITY AND EGRESS.
15. PROVIDE NEW CORRIDOR SYSTEMS PER REQUIREMENTS FOR ACCESSIBILITY AND EGRESS.
16. PROVIDE NEW CORRIDOR SYSTEMS PER REQUIREMENTS FOR ACCESSIBILITY AND EGRESS.
17. PROVIDE NEW CORRIDOR SYSTEMS PER REQUIREMENTS FOR ACCESSIBILITY AND EGRESS.
18. PROVIDE NEW CORRIDOR SYSTEMS PER REQUIREMENTS FOR ACCESSIBILITY AND EGRESS.
19. PROVIDE NEW CORRIDOR SYSTEMS PER REQUIREMENTS FOR ACCESSIBILITY AND EGRESS.
20. PROVIDE NEW CORRIDOR SYSTEMS PER REQUIREMENTS FOR ACCESSIBILITY AND EGRESS.
21. PROVIDE NEW CORRIDOR SYSTEMS PER REQUIREMENTS FOR ACCESSIBILITY AND EGRESS.
22. PROVIDE NEW CORRIDOR SYSTEMS PER REQUIREMENTS FOR ACCESSIBILITY AND EGRESS.
23. PROVIDE NEW CORRIDOR SYSTEMS PER REQUIREMENTS FOR ACCESSIBILITY AND EGRESS.
24. PROVIDE NEW CORRIDOR SYSTEMS PER REQUIREMENTS FOR ACCESSIBILITY AND EGRESS.
25. PROVIDE NEW CORRIDOR SYSTEMS PER REQUIREMENTS FOR ACCESSIBILITY AND EGRESS.
26. PROVIDE NEW CORRIDOR SYSTEMS PER REQUIREMENTS FOR ACCESSIBILITY AND EGRESS.
27. PROVIDE NEW CORRIDOR SYSTEMS PER REQUIREMENTS FOR ACCESSIBILITY AND EGRESS.
28. PROVIDE NEW CORRIDOR SYSTEMS PER REQUIREMENTS FOR ACCESSIBILITY AND EGRESS.
29. PROVIDE NEW CORRIDOR SYSTEMS PER REQUIREMENTS FOR ACCESSIBILITY AND EGRESS.
30. PROVIDE NEW CORRIDOR SYSTEMS PER REQUIREMENTS FOR ACCESSIBILITY AND EGRESS.
31. PROVIDE NEW CORRIDOR SYSTEMS PER REQUIREMENTS FOR ACCESSIBILITY AND EGRESS.
32. PROVIDE NEW CORRIDOR SYSTEMS PER REQUIREMENTS FOR ACCESSIBILITY AND EGRESS.
33. PROVIDE NEW CORRIDOR SYSTEMS PER REQUIREMENTS FOR ACCESSIBILITY AND EGRESS.
34. PROVIDE NEW CORRIDOR SYSTEMS PER REQUIREMENTS FOR ACCESSIBILITY AND EGRESS.
35. PROVIDE NEW CORRIDOR SYSTEMS PER REQUIREMENTS FOR ACCESSIBILITY AND EGRESS.
36. PROVIDE NEW CORRIDOR SYSTEMS PER REQUIREMENTS FOR ACCESSIBILITY AND EGRESS.
37. PROVIDE NEW CORRIDOR SYSTEMS PER REQUIREMENTS FOR ACCESSIBILITY AND EGRESS.
38. PROVIDE NEW CORRIDOR SYSTEMS PER REQUIREMENTS FOR ACCESSIBILITY AND EGRESS.
39. PROVIDE NEW CORRIDOR SYSTEMS PER REQUIREMENTS FOR ACCESSIBILITY AND EGRESS.
40. PROVIDE NEW CORRIDOR SYSTEMS PER REQUIREMENTS FOR ACCESSIBILITY AND EGRESS.
41. PROVIDE NEW CORRIDOR SYSTEMS PER REQUIREMENTS FOR ACCESSIBILITY AND EGRESS.
42. PROVIDE NEW CORRIDOR SYSTEMS PER REQUIREMENTS FOR ACCESSIBILITY AND EGRESS.
43. PROVIDE NEW CORRIDOR SYSTEMS PER REQUIREMENTS FOR ACCESSIBILITY AND EGRESS.
44. PROVIDE NEW CORRIDOR SYSTEMS PER REQUIREMENTS FOR ACCESSIBILITY AND EGRESS.
45. PROVIDE NEW CORRIDOR SYSTEMS PER REQUIREMENTS FOR ACCESSIBILITY AND EGRESS.
46. PROVIDE NEW CORRIDOR SYSTEMS PER REQUIREMENTS FOR ACCESSIBILITY AND EGRESS.
47. PROVIDE NEW CORRIDOR SYSTEMS PER REQUIREMENTS FOR ACCESSIBILITY AND EGRESS.
48. PROVIDE NEW CORRIDOR SYSTEMS PER REQUIREMENTS FOR ACCESSIBILITY AND EGRESS.
49. PROVIDE NEW CORRIDOR SYSTEMS PER REQUIREMENTS FOR ACCESSIBILITY AND EGRESS.
50. PROVIDE NEW CORRIDOR SYSTEMS PER REQUIREMENTS FOR ACCESSIBILITY AND EGRESS.

- SHARED SPACE
- PROPOSED
- FUTURE
- PROPOSED
- FUTURE
- FLEX SPACE

LEGEND

- EXISTING WALL
- NEW CONCRETE WALL
- NEW DOOR
- NEW GLAZING ASSEMBLY


CRITERIA DOCUMENT DRAWINGS  
 303 W. 5TH STREET  
 SAN BERNARDINO, CA 92401  
 Developed for  
 COUNTY OF SAN BERNARDINO

LPA  
 LANDSCAPE ARCHITECTURE PLANNING  
 140-251-1001 Office  
 140-250-1193 Fax  
 LPADesign@lpafirm.com  
 2391 California Avenue, Suite 100  
 Irvine, California 92614

Revision	Date	Job Number	Scale
		0204	1/4" = 1'-0"
		06/10/2025	
		MEP&G	

PROPOSED  
 SECOND FLOOR  
 LAYOUT  
 A2.02





GENERAL NOTES

1. PROVIDE NEW 4" WIDE WALKWAYS FROM ANY ROOF ACCESS TO ALL EQUIPMENT AT ROOF. WALKWAYS TO BE CONSISTENT WITH NEW ROOFING MATERIAL.
2. LOCATE EDGE OF WALKING PATHS DURING EQUIPMENT 6" MIN FROM EDGE OF ROOF. WALKING HEIGHT TO BE LESS THAN 6" ABOVE FINISH SURFACE OF ROOF OR EQUIPMENT RINGS ARE CLOSER THAN 10" OF WALKING SURFACE TO ROOF.
3. INTERIOR WALKING PATHS ARE TO BE PROTECTED WITH 42" HIGH GUARDRAILS OR OTHER FORM OF FALL PROTECTION.
4. FINISH EDGE OF ROOF PROVIDED AT MIN. HIGH FINISH GUARDRAIL OR OTHER FORM OF FALL PROTECTION TO PROVIDE MIN. 10" PER FOOT SLOPE TO DRAIN. INCLUDING AT VALLEYS WHERE ALL DRAINING SURFACES MEET. PROVIDE SLOPE TO DRAIN AWAY AND NEW WALKWAYS TO BE MADE BY FILLING AROUND WITH 4" MINIMUM SPACING AND 2" PER FOOT SLOPE TO DRAIN AT ALL VERTICAL SURFACES.
5. PROVIDE ROOF INSULATION THROUGHOUT OF MINIMUM R-VALUE REQUIRED TO COMPLY WITH EQUIPMENT FACTORY CODES.
6. PROVIDE ALL EXTERIOR ROOF FINISH METAL COATING WITH MIN. 75% SOLIDS TO MATCH EXISTING WALL SURFACE. NEW ROOF FINISHES TO MATCH EXISTING WALL SURFACE. PROVIDE 1" MINIMUM OVERLAP OF FINISHES OVER TOP OF ROOFING MATERIAL.
7. PROVIDE NEW EQUIPMENT TRAYS OR CURBS OF SUFFICIENT HEIGHT TO ALLOW FOR MINIMUM CLEARANCE OF OVERHEAD POWER LINES AND INSULATION OF POWER LINES OVER CURBS.
8. PROVIDE A MINIMUM ROOF FLASHING AROUND ALL PERS.
9. FLASH ALL ROOF PENETRATIONS PRE ROOFING W/FR FLASHING DETAILS USING UL580 FLASH FLASHING.
10. PROVIDE MECHANICAL SERVICES MINIMUM 18" OF CLEAR FOR SERVICE MAINTENANCE.
11. PROVIDE CLEAR AND EVEN WALKING SPACE AT ENCLOSED MECHANICAL EQUIPMENT.
12. PROVIDE CLEAR WIDTH BETWEEN PHOTOVOLTAIC ARRAY EQUIPMENT IF INCLUDED AS REQUIRED.

LEGEND

- CONSTRUCTION ELEMENT BELOW ROOF (FOR REFERENCE)

PROPOSED ROOF PLAN LAYOUT | 01



CRITERIA DOCUMENT DRAWINGS  
 303 W. 5TH STREET  
 SAN BERNARDINO, CA 92401  
 Developed for  
 COUNTY OF SAN BERNARDINO

L.P.A. LANDSCAPE ARCHITECTURE PLANNING  
 149-261-1001 Office  
 149-261-1101 Fax  
 LPAnet@lpa.net  
 2351 California Avenue, Suite 100  
 Irvine, California 92617

Revision	Date

This document and all other project documents, plans, drawings, and specifications are prepared under the authority of the County of San Bernardino and are subject to the terms and conditions of the contract between the County and the architect. The architect shall be responsible for the design and construction of the project. The architect shall not be responsible for the design and construction of the project if the project is not approved by the County of San Bernardino. All plans and specifications are subject to the terms and conditions of the contract between the County and the architect. L.P.A. is not responsible for any construction errors or omissions.


Job Number	10004
Date Published	06/10/2025
Checked By	MFAG
Scale	1/8" = 1'-0"

PROPOSED ROOF PLAN LAYOUT


A2.03

GENERAL NOTES

1. REMOVE ALL VEGETATION ON EXTERIOR WALLS. CLEAN ALL EXTERIOR WALLS.
2. PROVIDE CHARPY RESISTANT COATINGS COMPATIBLE WITH EACH EXTERIOR MATERIAL ON ALL EXPOSED SURFACES UP TO 10'-0" MEASURE ABOVE GRADE LEVEL.
3. PROVIDE FACTORY FINISH OR COATING WITH HIGH PERFORMANCE PAINT AT ALL EXTERIOR STRUCTURAL STEEL AT ALL EXPOSED STRUCTURAL STEEL AND COAT WITH HIGH PERFORMANCE PAINT.
4. PROVIDE TAPERED SAFETY GLAZING AT ALL LOCATIONS WHERE REQUIRED BY CODE AND/OR NEW GLAZING SYSTEM IS ON EXTERIOR SIDE OF AN OVERHANG OR WHERE IT IS BELOW WITH THE OVERHANG LESS THAN 18" ABOVE AND HORIZONTALITY WITHIN 3/8" OF A RAINFALL.
5. PROVIDE SHOWER OF FLUTES 6" BY 1" PANEL BLOCK, IN RECTANGULAR HORIZONTAL POSITION ON ALL EXPOSED SURFACES AT ALL WALLS AT EXTERIOR BLOCK.
6. PROVIDE ARCHITECTURALLY EXPRESSED STRUCTURAL STEEL AT ALL EXPOSED JOINTS AND DETAILS AT BUILDING EXTERIOR.
7. REPLACE ALL EXTERIOR LIGHT FIXTURES.



PROPOSED EAST ELEVATION 02



PROPOSED NORTH ELEVATION 01

LEGEND

- EXISTING CUR/WALL
- NEW CONCRETE WALL (REFER PER NOTES NOT SHOWN FOR CLARITY)
- NEW ARCHITECTURAL SECURITY FEATURE

CRITERIA DOCUMENT DRAWINGS

**LPA**  
 LANDSCAPE ARCHITECTURE PLANNING  
 303 W. 5TH STREET  
 SAN BERNARDINO, CA 92401  
 949-251-1001 Office  
 949-251-1191 Fax  
 LPAnet@lpaonline.com  
 2391 California Avenue, Suite 100  
 Irvine, California 92617

303 W. 5TH STREET  
 SAN BERNARDINO, CA 92401  
 Developed for  
 COUNTY OF SAN BERNARDINO


Revision	Date	Job Number	Scale
		0204	1/8" = 1'-0"
		06/10/2025	
		Checked By	MP/MG
		Scale	1/8" = 1'-0"
PROPOSED ELEVATIONS			
A3.01			

This document and all other project documents, plans, drawings, and designs constitute the entire work of the project. All project documents are copyright material of the County of San Bernardino and are the property of LPA, Inc. Any use or reproduction without the written consent of LPA, Inc. is strictly prohibited. LPA, Inc. shall not be liable for copyright infringement, trademark infringement, or other legal claims arising from the use of this document. All project documents shall be the property of the County of San Bernardino and shall remain the property of the County of San Bernardino. All project documents shall be the property of the County of San Bernardino. All project documents shall be the property of the County of San Bernardino. All project documents shall be the property of the County of San Bernardino.




GENERAL NOTES

1. PROVIDE ROOF & WALL INSULATION THICKNESS OF MINIMUM VALUES REQUIRED TO COMPLY WITH CURRENT ENERGY CODE.
2. PROVIDE CONTINUOUS WEATHERSTRIPPING AT ALL WINDOW, WALL PENETRATIONS AND AT TOP AND BASE OF INTER WALLS. INSTALLATION SHALL CONFORM TO ALL APPLICABLE CODES.
3. AT ALL LOCATIONS WHERE EXISTING WEATHERSTRIPPING IS DISRUPTED BY REQUIRED CONSTRUCTION, PATCH AND REPAIR TO PROVIDE CONTINUOUS WEATHERSTRIPPING.
4. IN ALL LOCATIONS WHERE EXISTING SLAB ON GRADE IS CUT AND REPAIRED FOR INSTALLATION OF NEW FOUNDATION FOOTINGS OR SLAB, PROVIDE NEW VERTICAL BARRIER AT UNDERLIE OF SLAB ON GRADE AND PROVIDE PROPER TRANSITION/PANCREATION AT EDGE OF NEW WEATHERSTRIPPING.
5. AT VERTICAL WALLS OF ELEVATOR SH, PROVIDE SLIDING SHUTTERS AND PROVIDE PROPER TRANSITION/PANCREATION AT EDGE OF NEW WEATHERSTRIPPING.
6. ALL EXISTING EXTERIOR PLASTER AND INTERIOR GYPSUM BOARD/CORNER JOINTS AT FINE AND SECOND COORS TO BE DEMOLISHED AND REPLACED BY THE INSTALLATION OF ORIGINAL GYPSUM BOARD/JOINTS. PROVIDE PROTECTIVE BOARDING FOR ALL EXPOSED INTERIOR WALLS TO BE DEMOLISHED DUE TO NOTIFICATION OF STRUCTURAL ENGINEERING CONSULTANTS FOR SECONDARY REPAIRS.



PROPOSED WEST ELEVATION 02



PROPOSED LONGITUDINAL SECTION 01

LEGEND

CRITERIA DOCUMENT DRAWINGS

LANDSCAPE ARCHITECTURE ASSOCIATES  
 LANDSCAPE ARCHITECTURE PLANNING  
 949-261-1001 Office  
 949-260-1197 Fax  
 LPAA@landscapearchitects.com  
 2391 California Avenue, Suite 100  
 Irvine, California 92617

303 W. 5TH STREET  
 SAN BERNARDINO, CA 92401  
 Developed for  
 COUNTY OF SAN BERNARDINO

Revision	Date	Job Number	0204
		Date Published	06/10/2025
		Checked By	MPAG
		Scale	1/8" = 1'-0"
		PROJECT SECTIONS	
		A4.01	

This document and all other project documents, plans, drawings, and specifications shall be prepared, approved, and sealed in accordance with the provisions of the California Building Code, the California Fire Code, and the California Electrical Code. The contractor shall be responsible for obtaining all necessary permits and for complying with all applicable codes and regulations. The contractor shall also be responsible for obtaining all necessary approvals from the County of San Bernardino. The contractor shall also be responsible for obtaining all necessary approvals from the County of San Bernardino. The contractor shall also be responsible for obtaining all necessary approvals from the County of San Bernardino.