



Conditions of Approval

Record: PROJ-2020-00205

Description:

CONDITIONAL USE PERMIT TO DEVELOP A 59,855 SQ. FT. THREE STORY BUILDING AS A MINI-STORAGE FACILITY AND ANCILLARY OFFICE BUILDING ON 1.47 ACRES, AND A VARIANCE TO INCREASE THE FLOOR AREA RATIO FROM 0.5:1 TO 1.13:1, ON PROPERTY ZONED CG-SCP AND POLICY PLANNED FOR COMMERCIAL LAND USES; LOCATED ON THE SOUTH SIDE OF HIGHWAY 189, APPROXIMATELY 500 FEET NORTHEAST OF THE INTERSECTION OF NORTH BAY ROAD AND HIGHWAY 189.

Informational

County Fire - Community Safety

1. Permit Expiration: Construction permits, including Fire Condition Letters, shall automatically expire and become invalid unless the work authorized by such permit is commenced within 180 days after its issuance, or if the work authorized by such permit is suspended or abandoned for a period of 180 days after the time the work is commenced. Suspension or abandonment shall mean that no inspection by the Department has occurred with 180 days of any previous inspection. After a construction permit or Fire Condition Letter, becomes invalid and before such previously approved work recommences, a new permit shall be first obtained and the fee to recommence work shall be one-half the fee for the new permit for such work, provided no changes have been made or will be made in the original construction documents for such work, and provided further that such suspension or abandonment has not exceeded one year. A request to extend the Fire Condition Letter or Permit may be made in writing PRIOR TO the expiration date justifying the reason that the Fire Condition Letter should be extended.
2. Additional Requirements: In addition to the Fire requirements stated herein, other onsite and offsite improvements may be required which cannot be determined from tentative plans at this time and would have to be reviewed after more complete improvement plans and profiles have been submitted to this office.
3. Access – 150+ feet: Roadways exceeding one hundred fifty (150) feet in length shall be approved by the Fire Department. These shall be extended to within one hundred fifty (150) feet of and shall give reasonable access to all portions of the exterior walls of the first story of any building.
4. Jurisdiction: The above referenced project is under the jurisdiction of the San Bernardino County Fire Department herein "Fire Department". Prior to any construction occurring on any parcel, the applicant shall contact the Fire Department for verification of current fire protection requirements. All new construction shall comply with the current California Fire Code requirements and all applicable status, codes, ordinances and standards of the Fire Department.
5. Sprinkler Installation Letter: The applicant shall submit a letter to the Fire Department agreeing and committing to installation of a fire protection system prior to the building inspection for drywall and insulation.
6. Fire Safety Overlay: The County General Plan designates this property as being within the Fire Safety Review Area and all future construction shall adhere to all applicable standards and requirements of the overlay district.
7. Access – 30% slope: Where the natural grade between the access road and building is in excess of thirty percent (30%), an access road shall be provided within one hundred and fifty (150) feet of all buildings. Where such access cannot be provided, a fire protection system shall be installed. Plans shall be submitted to and approved by the Fire Department.

Land Use Services - Land Development

8. Tributary Drainage: Adequate provisions should be made to intercept and conduct the tributary off site - on site drainage flows around and through the site in a manner, which will not adversely affect adjacent or downstream properties at the time the site is developed.
9. Erosion Control Installation: Erosion control devices must be installed and maintained at all perimeter openings and slopes throughout the construction of the project. No sediment is to leave the job site.
10. Additional Drainage Requirements: In addition to drainage requirements stated herein, other "on-site" and/or "off-site" improvements may be required which cannot be determined from tentative plans at this time and would have to be reviewed after more complete improvement plans and profiles have been submitted to this office.



Conditions of Approval

On-going

Public Health– Environmental Health Services

11. Refuse Storage and Disposal: All refuse generated at the premises shall at all times be stored in approved containers and shall be placed in a manner so that environmental public health nuisances are minimized. All refuse not containing garbage shall be removed from the premises at least 1 time per week, or as often as necessary to minimize public health nuisances. Refuse containing garbage shall be removed from the premises at least 2 times per week, or as often if necessary to minimize public health nuisances, by a permitted hauler to an approved solid waste facility in conformance with San Bernardino County Code Chapter 8, Section 33.0830 et. seq.
12. Noise Levels: Noise level shall be maintained at or below County Standards, Development Code Section 83.01.080.

Land Use Services – Planning

13. Development Impact Fees: Additional fees may be required prior to issuance of development permits. Fees shall be paid as specified in adopted fee ordinances.
14. Clear Sight Triangle: Adequate visibility for vehicular and pedestrian traffic shall be provided at clear sight triangles at all 90 degree angle intersections of public rights-of-way and private driveways. All signs, structures and landscaping located within any clear sight triangle shall comply with the height and location requirements specified by County Development Code (SBCC§ 83.02.030) or as otherwise required by County Traffic.
15. Continuous Effect/Revocation: All of the conditions of this project approval are continuously in effect throughout the operative life of the project for all approved structures and approved land uses/activities. Failure of the property owner or developer to comply with any or all of the conditions at any time may result in a public hearing and possible revocation of the approved land use, provided adequate notice, time and opportunity is provided to the property owner, developer or other interested party to correct the non-complying situation.
16. Revisions: Any proposed change to the approved Project and/or conditions of approval shall require that an additional land use application (e.g. Revision to an Approved Action) be submitted to County Land Use Services for review and approval.
17. Construction Hours: Construction will be limited to the hours of 7:00 a.m. to 7:00 p.m., Monday through Saturday in accordance with the County of San Bernardino Development Code standards. No construction activities are permitted outside of these hours or on Sundays and Federal holidays.
18. Cultural Resources: During grading or excavation operations, should any potential paleontological or archaeological artifacts be unearthed or otherwise discovered, the San Bernardino County Museum shall be notified and the uncovered items shall be preserved and curated, as required. For information, contact the County Museum, Community and Cultural Section, telephone (909) 798-8570.
19. Extension of Time: Extensions of time to the expiration date (listed above or as otherwise extended) may be granted in increments each not to exceed an additional three years beyond the current expiration date. An application to request consideration of an extension of time may be filed with the appropriate fees no less than thirty days before the expiration date. Extensions of time may be granted based on a review of the application, which includes a justification of the delay in construction and a plan of action for completion. The granting of such an extension request is a discretionary action that may be subject to additional or revised conditions of approval or site plan modifications. (SBCC §86.06.060)
20. Lighting: Lighting shall comply with Table 83-7 “Shielding Requirements for Outdoor Lighting in the Mountain Region and Desert Region” of the County’s Development Code (i.e. “Dark Sky” requirements). All lighting shall be limited to that necessary for maintenance activities and security purposes. This is to allow minimum obstruction of night sky remote area views. No light shall project onto adjacent roadways in a manner that interferes with on-coming traffic. All signs proposed by this project shall only be lit by steady, stationary, shielded light directed at the sign, by light inside the sign, by direct stationary neon lighting or in the case of an approved electronic message center sign, an alternating message no more than once every five seconds.
21. Building Lighting: No building lighting is permitted along the westerly sides of the structure, except as may be required by the Fire Department.



Conditions of Approval

22. On-going Condition: Mitigation Measure CR-2: If significant pre-contact and/or post-contact cultural resources, as defined by CEQA (as amended, 2015), are discovered and avoidance cannot be ensured, the archaeologist shall develop a Monitoring and Treatment Plan, the drafts of which shall be provided to SMBMI for review and comment, as detailed within TCR-1. The archaeologist shall monitor the remainder of the project and implement the Plan accordingly.
23. Grading/Land Disturbance Condition: Mitigation Measure TCR-2: Any and all archaeological/cultural documents created as a part of the project (isolate records, site records, survey reports, testing reports, etc.) shall be supplied to the applicant and Lead Agency for dissemination to SMBMI. The Lead Agency and/or applicant shall, in good faith, consult with SMBMI throughout the life of the project.
24. Underground Utilities: No new above-ground power or communication lines shall be extended to the site. All required utilities shall be placed underground in a manner that complies with the California Public Utilities Commission General Order 128, and avoids disturbing any existing/natural vegetation or the site appearance.
25. Performance Standards: The approved land uses shall operate in compliance with the general performance standards listed in the County Development Code Chapter 83.01, regarding air quality, electrical disturbance, fire hazards (storage of flammable or other hazardous materials), heat, noise, vibration, and the disposal of liquid waste.
26. Additional Permits: The developer shall ascertain compliance with all laws, ordinances, regulations and any other requirements of Federal, State, County and Local agencies that may apply for the development and operation of the approved land use. These may include but are not limited to: a. FEDERAL: N/A b. STATE: Caltrans District 8 c. COUNTY: Land Development; Building and Safety; Environmental Health; Special Districts, and; Public Works. d. LOCAL: Waste Hauler.
27. GHG - Operational Standards: The developer shall implement the following as greenhouse gas (GHG) mitigation during the operation of the approved project: a. Waste Stream Reduction. The “developer” shall provide to all tenants and project employees County-approved informational materials about methods and need to reduce the solid waste stream and listing available recycling services. b. Vehicle Trip Reduction. The “developer” shall provide to all tenants and project employees County-approved informational materials about the need to reduce vehicle trips and the program elements this project is implementing. Such elements may include: participation in established ride-sharing programs, creating a new ride-share employee vanpool, designating preferred parking spaces for ride sharing vehicles, designating adequate passenger loading and unloading for ride sharing vehicles with benches in waiting areas, and/or providing a web site or message board for coordinating rides. c. Provide Educational Materials. The developer shall provide to all tenants and staff education materials and other publicity about reducing waste and available recycling services. The education and publicity materials/program shall be submitted to County Planning for review and approval. d. Landscape Equipment. The developer shall require in the landscape maintenance contract and/or in onsite procedures that a minimum of 20% of the landscape maintenance equipment shall be electric-powered.
28. Construction Noise: The following measures shall be adhered to during the construction phase of the project: - All construction equipment shall be muffled in accordance with manufacturer’s specifications. - All construction staging shall be performed as far as possible from occupied dwellings. The location of staging areas shall be subject to review and approval by the County prior to the issuance of grading and/or building permits. - All stationary construction equipment shall be placed in a manner so that emitted noise is directed away from sensitive receptors (e.g. residences and schools) nearest the project site.
29. Project Account: The Project account number is PROJ-2020-00205. This is an actual cost project with a deposit account to which hourly charges are assessed by various county agency staff (e.g. Land Use Services, Public Works, and County Counsel). Upon notice, the “developer” shall deposit additional funds to maintain or return the account to a positive balance. The “developer” is responsible for all expense charged to this account. Processing of the project shall cease, if it is determined that the account has a negative balance and that an additional deposit has not been made in a timely manner. A minimum balance of \$1,500.00 must be in the project account at the time the Condition Compliance Review is initiated. Sufficient funds must remain in the account to cover the charges during each compliance review. All fees required for processing shall be paid in full prior to final inspection, occupancy and operation of the approved use.



Conditions of Approval

30. **Continuous Maintenance:** The Project property owner shall continually maintain the property so that it is visually attractive and not dangerous to the health, safety and general welfare of both on-site users (e.g. employees) and surrounding properties. The property owner shall ensure that all facets of the development are regularly inspected, maintained and that any defects are timely repaired. Among the elements to be maintained, include but are not limited to: a) Annual maintenance and repair: The developer shall conduct inspections for any structures, fencing/walls, driveways, and signs to assure proper structural, electrical, and mechanical safety. b) Graffiti and debris: The developer shall remove graffiti and debris immediately through weekly maintenance. c) Landscaping: The developer shall maintain landscaping in a continual healthy thriving manner at proper height for required screening. Drought-resistant, fire retardant vegetation shall be used where practicable. Where landscaped areas are irrigated it shall be done in a manner designed to conserve water, minimizing aerial spraying. d) Dust control: The developer shall maintain dust control measures on any undeveloped areas where landscaping has not been provided. e) Erosion control: The developer shall maintain erosion control measures to reduce water runoff, siltation, and promote slope stability. f) External Storage: The developer shall maintain external storage, loading, recycling and trash storage areas in a neat and orderly manner, and fully screened from public view. Outside storage shall not exceed the height of the screening walls. g) Metal Storage Containers: The developer shall NOT place metal storage containers in loading areas or other areas unless specifically approved by this or subsequent land use approvals. h) Screening: The developer shall maintain screening that is visually attractive. All trash areas, loading areas, mechanical equipment (including roof top) shall be screened from public view. i) Signage: The developer shall maintain all on-site signs, including posted area signs (e.g. "No Trespassing") in a clean readable condition at all times. The developer shall remove all graffiti and repair vandalism on a regular basis. Signs on the site shall be of the size and general location as shown on the approved site plan or subsequently a County-approved sign plan. j) Lighting: The developer shall maintain any lighting so that they operate properly for safety purposes and do not project onto adjoining properties or roadways. Lighting shall adhere to applicable glare and night light rules. k) Parking and on-site circulation: The developer shall maintain all parking and on-site circulation requirements, including surfaces, all markings and traffic/directional signs in an un-faded condition as identified on the approved site plan. Any modification to parking and access layout requires the Planning Division review and approval. The markings and signs shall be clearly defined, un-faded and legible; these include parking spaces, disabled space and access path of travel, directional designations and signs, stop signs, pedestrian crossing, speed humps and "No Parking", "Carpool", and "Fire Lane" designations. l) Fire Lanes: The developer shall clearly define and maintain in good condition at all times all markings required by the Fire Department, including "No Parking" designations and "Fire Lane" designations.
31. **Project Approval Description (CUP/MUP):** This Conditional Use Permit is conditionally approved to construct a 59,855 sq. ft. multi-story mini-storage facility with variances from existing Development Code criteria related to front building setback, building height, and floor area ratio on approximately 1.47 acres, in compliance with the San Bernardino County Code (SBCC), California Building Codes (CBC), the San Bernardino County Fire Code (SBCFC), the following Conditions of Approval, the approved site plan, and all other required and approved reports and displays (e.g. elevations). The developer shall provide a copy of the approved conditions and the approved site plan to every current and future project tenant, lessee, and property owner to facilitate compliance with these Conditions of Approval and continuous use requirements for the Project.
32. **Expiration:** This project permit approval shall expire and become void if it is not "exercised" within 36 months of the effective date of this approval, unless an extension of time is approved. The permit is deemed "exercised" when either: (a.) The permittee has commenced actual construction or alteration under a validly issued building permit, or (b.) The permittee has substantially commenced the approved land use or activity on the project site, for those portions of the project not requiring a building permit. (SBCC §86.06.060) (c.) Occupancy of approved land use, occupancy of completed structures and operation of the approved and exercised land use remains valid continuously for the life of the project and the approval runs with the land, unless one of the following occurs: - Construction permits for all or part of the project are not issued or the construction permits expire before the structure is completed and the final inspection is approved. - The land use is determined by the County to be abandoned or non-conforming. - The land use is determined by the County to be not operating in compliance with these conditions of approval, the County Code, or other applicable laws, ordinances or regulations. In these cases, the land use may be subject to a revocation hearing and possible termination. PLEASE NOTE: This will be the ONLY notice given of this approval's expiration date. The developer is responsible to initiate any Extension of Time application.



Conditions of Approval

Prior to Land Disturbance

Land Use Services - Building and Safety

33. Geotechnical (Soil) Report Required Before Grading: A geotechnical (soil) report shall be submitted to the Building and Safety Division for review and approval prior to issuance of grading permits or land disturbance.
34. Wall Plans: Submit plans and obtain separate building permits for any required retaining walls.
35. Grading/Land Disturbance Condition: County Standard Procedure No. G-2 requires that a slope stability analysis be conducted by a California Professional Geologist or Professional Engineer prior to grading. A geologic report and/or engineering report, prepared and signed by the appropriate design professional, would need to be submitted to the County Geologist for review and approval.
36. Hillside and Grading Standards: The County Hillside Grading Standards apply to slopes of 15% or greater. The County Conditional Grading Compliance (83.04) also applies to slopes with gradients of 15% or greater.

Land Use Services - Land Development

37. Grading Plans: Grading and erosion control plans shall be prepared in accordance with the County's guidance documents (which can be found here: <https://lus.sbcounty.gov/land-development-home/grading-and-erosion-control/>) and submitted for review with approval obtained prior to construction. All drainage and WQMP improvements shall be shown on the grading plans according to the approved final drainage study and WQMP reports. Fees for grading plans will be collected upon submittal to the Land Development Division and are determined based on the amounts of cubic yards of cut and fill. Fee amounts are subject to change in accordance with the latest approved fee schedule.
38. FEMA Flood Zone: The Project is located within Flood Zone X-Unshaded according to FEMA Panel Number 7995H dated 08/28/2008. No elevation requirements. The requirements may change based on the recommendations of a drainage study accepted by the Land Development Division and the most current Flood Map prior to issuance of grading permit.
39. Drainage Improvements: A Registered Civil Engineer (RCE) shall investigate and design adequate drainage improvements to intercept and conduct the off-site and on-site drainage flows around and through the site in a safety manner, which will not adversely affect adjacent or downstream properties. Submit drainage study for review and obtain approval. A \$750 deposit for drainage study review will be collected upon submittal to the Land Development Division. Deposit amounts are subject to change in accordance with the latest approved fee schedule.
40. On-site Flows: On-site flows need to be directed to the nearest County road or drainage facilities unless a drainage acceptance letter is secured from the adjacent property owners and provided to Land Development.
41. Regional Board Permit: Construction projects involving one or more acres must be accompanied by Regional Board permit WDID #. Construction activity includes clearing, grading, or excavation that results in the disturbance of at least one (1) acre of land total.
42. NPDES Permit: An NPDES permit - Notice of Intent (NOI) - is required on all grading of one (1) acre or more prior to issuance of a grading/construction permit. Contact your Regional Water Quality Control Board for specifics. www.swrcb.ca.gov

Land Use Services – Planning

43. Grading/Land Disturbance Condition: The following Caltrans comments shall be completed and correspondence accepting such from Caltrans shall be provided to Planning prior to issuance of a Grading permit: Future review of site grading plans including retaining wall construction details will be required. Site drainage plans detailing runoff quantities and detention basin calculations where necessary will also be required. Water quality management information demonstrating site runoff compliance to NPDES requirements will be required as well. When available, submit plans and supporting documents and studies for review and approval.
44. Grading/Land Disturbance Condition: Mitigation Measure BIO-1: Nesting bird surveys shall be conducted prior to any construction activities taking place during the nesting season to avoid potentially taking any birds or active nests. In general, impacts to all bird species (common and special status) can be avoided by conducting work outside of the nesting season (generally March 15th to September 15th), and conducting a worker awareness training program. However, if all work cannot be conducted outside of the nesting season, preconstruction surveys shall be conducted and provided to the County Planning Division and shall focus on direct and indirect



Conditions of Approval

evidence of nesting, including nest locations, nesting stages, and nest behavior. Surveys shall evaluate all suitable areas including trees, shrubs, bare ground, burrows, cavities, and structures. A project-specific Nesting Bird Management Plan should be prepared to determine suitable buffers.

45. Grading/Land Disturbance Condition: Mitigation Measure CR-1: In the event that cultural resources are discovered during project activities, all work in the immediate vicinity of the find (within a 60-foot buffer) shall cease and a qualified archaeologist meeting Secretary of Interior standards shall be hired to assess the find. Work on the other portions of the project outside of the buffered area may continue during this assessment period. Additionally, the San Manuel Band of Mission Indians Cultural Resources Department (SMBMI) shall be contacted, as detailed within TCR-1, regarding any pre-contact and/or post contact finds and be provided information after the archaeologist makes his/her initial assessment of the nature of the find, so as to provide Tribal input with regards to significance and treatment.
46. Grading/Land Disturbance Condition: Mitigation Measure CR-2: If significant pre-contact and/or post-contact cultural resources, as defined by CEQA (as amended, 2015), are discovered and avoidance cannot be ensured, the archaeologist shall develop a Monitoring and Treatment Plan, the drafts of which shall be provided to SMBMI for review and comment, as detailed within TCR-1. The archaeologist shall monitor the remainder of the project and implement the Plan accordingly.
47. Grading/Land Disturbance Condition: Mitigation Measures TCR-1: The San Manuel Band of Mission Indians Cultural Resources Department (SMBMI) shall be contacted of any pre-contact cultural resources discovered during project implementation, and be provided information regarding the nature of the find, so as to provide Tribal input with regards to significance and treatment. Should the find be deemed significant, as defined by CEQA (as amended, 2015), a Cultural Resources Monitoring and Treatment Plan shall be created by the archaeologist, in coordination with SMBMI, and all subsequent finds shall be subject to this Plan. This Plan shall allow for a monitor to be present that represents SMBMI for the remainder of the project, should SMBMI elect to place a monitor on-site.
48. State Agency Condition: Mitigation Measure T-1: The applicant shall provide documentation to the County Planning Division that the following items have been reviewed and accepted by Caltrans prior to permit issuance, as identified in their correspondence to the County, dated December 8, 2021: Traffic Analysis: 1) Given the highway configuration at this location, preparation and review of a complete Traffic Impact Study will be required. This Study should also include the traffic safety review analysis and vehicle miles traveled (VMT) analysis for Caltrans review. 2) Traffic analysis should also include the evaluation of a left-turn pocket for use for access to the property where proposed. A left-turn pocket should also be included in all analysis scenarios. 3) Provide a detailed highway layout plan that shows the proposed driveways, sidewalks, curbs and gutters, ADA ramps, existing and proposed lane configurations, existing and proposed signing and striping, existing and proposed right of way, and all roadway dimensions. 4) Include a Truck Turning Template to demonstrate site accessibility at driveway locations proposed that will accommodate vehicles and trailers expected to use the proposed storage facility.
49. Caltrans: Caltrans correspondence of August 17, 2023, has also suggested the following items: 1) Left turn and right turn pocket for the "Existing Driveway" should be evaluated in the Traffic Impact Analysis; 2) There are options for the new driveway (added Driveway): Left turn and right turn pocket for full access or right-in/right-out only or emergency access only; 3) Intersection control modification may be required at these driveways, and; 4) No wall in the State Right-of-Way to avoid the need for a Maintenance Agreement, and subject to the appropriate HDM Design standards.

Public Works – Surveyor

50. Corner Records Required Before Grading: Pursuant to Sections 8762(b) and/or 8773 of the Business and Professions Code, a Record of Survey or Corner Record shall be filed under any of the following circumstances:
 - a. Monuments set to mark property lines or corners;
 - b. Performance of a field survey to establish property boundary lines for the purposes of construction staking, establishing setback lines, writing legal descriptions, or for boundary establishment/mapping of the subject parcel;
 - c. Any other applicable circumstances pursuant to the Business and Professions Code that would necessitate filing of a Record of Survey.



Conditions of Approval

51. Monument Disturbed by Grading: If any activity on this project will disturb ANY land survey monumentation, including but not limited to vertical control points (benchmarks), said monumentation shall be located and referenced by or under the direction of a licensed land surveyor or registered civil engineer authorized to practice land surveying PRIOR to commencement of any activity with the potential to disturb said monumentation, and a corner record or record of survey of the references shall be filed with the County Surveyor pursuant to Section 8771(b) Business and Professions Code.

Public Health– Environmental Health Services

52. Vector Control Requirement: The project area has a high probability of containing vectors. A vector survey shall be conducted to determine the need for any required control programs. A vector clearance application shall be submitted to the appropriate Mosquito & Vector Control Program. For information, contact EHS Mosquito & Vector Control Program at (800) 442-2283 or West Valley Mosquito & Vector at (909) 635-0307.

Prior to Issuance

County Fire - Community Safety

53. Combustible Protection: Prior to combustibles being placed on the project site an approved all-weather fire apparatus access surface and operable fire hydrants with acceptable fire flow shall be installed. The topcoat of asphalt does not have to be installed until final inspection and occupancy.
54. Fire Fee: The required fire fees shall be paid to the San Bernardino County Fire Department/Community Safety Division.
55. Fire Flow Test: Your submittal did not include a flow test report to establish whether the public water supply is capable of meeting your project fire flow demand. You will be required to produce a current flow test report from your water purveyor demonstrating that the fire flow demand is satisfied. This requirement shall be completed prior to combination inspection by Building and Safety.
56. Haz-Mat Approval: The applicant shall contact the San Bernardino County Fire Department/Hazardous Materials Division (909) 386-8401 for review and approval of building plans, where the planned use of such buildings will or may use hazardous materials or generate hazardous waste materials.
57. Primary Access Paved: Prior to building permits being issued to any new structure, the primary access road shall be paved or an all-weather surface and shall be installed as specified in the General Requirement conditions, including width, vertical clearance and turnouts.
58. Solar: Solar / Photovoltaic System Plans. Plans shall be submitted online through EZOP to the Fire Department for review and approval. Plans must be submitted and approved prior to Conditional Compliance Release of Building.
59. Surface: Fire apparatus access roads shall be designed and maintained to support the imposed loads of fire apparatus and shall be surfaced so as to provide all-weather driving capabilities. Road surface shall meet the approval of the Fire Chief prior to installation. All roads shall be designed to 85% compaction and/or paving and hold the weight of Fire Apparatus at a minimum of 80K pounds.
60. Water System: Prior to any land disturbance, the water systems shall be designed to meet the required fire flow for this development and shall be approved by the Fire Department. The required fire flow shall be determined by using California Fire Code. The Fire Flow for this project shall be: 2,625 GPM for a two hour duration at 20 psi residual operating pressure. Fire Flow is based on a 59,855 sq. ft. structure.
61. Water System Commercial: A water system approved and inspected by the Fire Department is required. The system shall be operational, prior to any combustibles being stored on the site. Fire hydrants shall be spaced no more than three hundred (300) feet apart (as measured along vehicular travel-ways) and no more than three hundred (300) feet from any portion of a structure.
62. Building Plans: Building plans shall be submitted to the Fire Department for review and approval.
63. Access: The development shall have a minimum of two points of vehicular access. These are for fire/emergency equipment access and for evacuation routes. a. Single Story Road Access Width. All buildings shall have access provided by approved roads, alleys and private drives with a minimum twenty-six (26) foot unobstructed width and vertically to fourteen (14) feet six (6) inches in height. Other recognized standards may be more restrictive by requiring wider access provisions. b. Multi-Story Road Access Width. Buildings three (3) stories in height or more shall have a minimum access of thirty (30) feet unobstructed width and vertically to fourteen (14) feet six (6) inches in height.



Conditions of Approval

Land Use Services - Building and Safety

64. Construction Plans: Any building, sign, or structure to be added to, altered (including change of occupancy/use), constructed, or located on site, will require professionally prepared plans based on the most current adopted County and California Building Codes, submitted for review and approval by the Building and Safety Division.
65. Temporary Use Permit: A Temporary Structures (TS) permit for non-residential structures for use as office, retail, meeting, assembly, wholesale, manufacturing, and/ or storage space will be required. A Temporary Use Permit (PTUP) for the proposed structure by the Planning Division must be approved prior to the TS Permit approval. A TS permit is renewed annually and is only valid for a maximum of five (5) years.

Land Use Services - Land Development

66. Road Dedication: The developer shall submit for review and obtain approval from the Land Use Services Department the following dedications:

State Highway 189 (Mountain Major Highway – 80’):

Road Dedication. An additional 20-foot grant of easement is required to provide a half-width right-of-way of 40 feet.

67. Caltrans Review: Obtain comments from Caltrans for access requirements and working within their right-of-way.

Land Use Services - Planning

68. Signs: All proposed on-site signs shall be shown on a separate plan, including location, scaled and dimensioned elevations of all signs with lettering type, size, and copy. Scaled and dimensioned elevations of buildings that propose signage shall also be shown. The applicant shall submit sign plans to County Planning for all existing and proposed signs on this site. The applicant shall submit for approval any additions or modifications to the previously approved signs. All signs shall comply with SBCC Chapter 83.13, Sign Regulations, SBCC §83.07.040, Glare and Outdoor Lighting Mountain and Desert Regions, and SBCC Chapter 82.19, Open Space Overlay as it relates to Scenic Highways (§82.19.040), in addition to the following minimum standards: a. All signs shall be lit only by steady, stationary shielded light; exposed neon is acceptable. b. All sign lighting shall not exceed 0.5 foot-candle. c. No sign or stationary light source shall interfere with a driver's or pedestrian's view of public right-of-way or in any other manner impair public safety. d. Monument signs shall not exceed four feet above ground elevation and shall be limited to one sign per street frontage.
69. Issuance/Building Permit Condition: The following Caltrans comments shall be completed and correspondence accepting such from Caltrans shall be provided to Planning prior to issuance of a Building Permit: 1) Given the highway configuration at this location, preparation and review of a complete Traffic Impact Study will be required. This Study should also include the traffic safety review analysis and vehicle miles traveled (VMT) analysis for Caltrans review. 2) Traffic analysis should also include the evaluation of a left-turn pocket for use for access to the property where proposed. A left-turn pocket should also be included in all analysis scenarios. 3) Provide a detailed highway layout plan that shows the proposed driveways, sidewalks, curbs and gutters, ADA ramps, existing and proposed lane configurations, existing and proposed signing and striping, existing and proposed right of way, and all roadway dimensions. 4) Include a Truck Turning Template to demonstrate site accessibility at driveway locations proposed that will accommodate vehicles and trailers expected to use the proposed storage facility.
70. Caltrans: Caltrans correspondence of August 17, 2023, has also suggested the following items: 1) Left turn and right turn pocket for the “Existing Driveway” should be evaluated in the Traffic Impact Analysis; 2) There are options for the new driveway (added Driveway): Left turn and right turn pocket for full access or right-in/right-out only or emergency access only; 3) Intersection control modification may be required at these driveways, and; 4) No wall in the State Right-of-Way to avoid the need for a Maintenance Agreement, and subject to the appropriate HDM Design standards.



Conditions of Approval

71. Issuance/Building Permit Condition: Mitigation Measure TCR-2: Any and all archaeological/cultural documents created as a part of the project (isolate records, site records, survey reports, testing reports, etc.) shall be supplied to the applicant and Lead Agency for dissemination to SMBMI. The Lead Agency and/or applicant shall, in good faith, consult with SMBMI throughout the life of the project.
72. Lot Line Adjustment/Lot Merger: A Lot Line Adjustment or Lot Merger shall be submitted to the Planning Division, approved by the County Surveyor, and recorded prior to issuance of Building Permits. This action is intended to combine the two existing lots into one lot.

Public Health– Environmental Health Services

73. Preliminary Acoustical Information: Submit preliminary acoustical information demonstrating that the proposed project maintains noise levels at or below San Bernardino County Noise Standard(s), San Bernardino Development Code Section 83.01.080. The purpose is to evaluate potential future on-site and/or adjacent off-site noise sources. If the preliminary information cannot demonstrate compliance to noise standards, a project specific acoustical analysis shall be required. Submit information/analysis to the EHS for review and approval. For information and acoustical checklist, contact EHS at (800) 442-2283.
74. Sewer Service Verification Letter: Applicant shall procure a verification letter from the sewer service provider identified. This letter shall state whether or not sewer connection and service shall be made available to the project by the sewer provider. The letter shall reference the Assessor's Parcel Number(s).
75. Sewage Disposal: Method of sewage disposal shall be sewer service provided by Lake Arrowhead CSD or an EHS approved onsite wastewater treatment system (OWTS) that conforms to the Local Agency Management Program (LAMP).
76. Existing Wells: If wells are found on-site, evidence shall be provided that all wells are: (1) properly destroyed, by an approved C57 contractor and under permit from the County OR (2) constructed to EHS standards, properly sealed and certified as inactive OR (3) constructed to EHS standards and meet the quality standards for the proposed use of the water (industrial and/or domestic). Evidence, such as a well certification, shall be submitted to EHS for approval.
77. Water Service Verification Letter: Applicant shall procure a verification letter from the water service provider. This letter shall state whether or not water connection and service shall be made available to the project by the water provider. This letter shall reference the File Index Number and Assessor's Parcel Number(s). For projects with current active water connections, a copy of water bill with project address may suffice.
78. Water Purveyor: Water purveyor shall be Lake Arrowhead CSD or EHS approved.

Prior to Final Inspection

County Fire - Community Safety

79. Above Ground Storage Tank: The applicant shall submit an Application for an Above Ground Storage Tank detailed plans to the San Bernardino County Fire Department for review and approval prior to any installation on-site. The required Fees shall be paid at time of plan submittal.
80. Combustible Vegetation: Combustible vegetation shall be removed as follows: a. Where the average slope of the site is less than 15% - Combustible vegetation shall be removed a minimum distance of thirty (30) feet from all structures or to the property line, whichever is less. b. Where the average slope of the site is 15% or greater - Combustible vegetation shall be removed a minimum one hundred (100) feet from all structures or to the property line, whichever is less.
81. Commercial Addressing: Commercial and industrial developments of 100,000 sq. ft or less shall have the street address installed on the building with numbers that are a minimum six (6) inches in height and with a three quarter (3/4) inch stroke. The street address shall be visible from the street. During the hours of darkness, the numbers shall be electrically illuminated (internal or external). Where the building is two hundred (200) feet or more from the roadway, additional non-illuminated contrasting six (6) inch numbers shall be displayed at the property access entrances.



Conditions of Approval

82. Fire Alarm - Manual: A manual, automatic or manual and automatic fire alarm system complying with the California Fire Code, NFPA and all applicable codes is required. The applicant shall hire a Fire Department approved fire alarm contractor. The fire alarm contractor shall submit three (3) sets of detailed plans to the Fire Department for review and approval. The required fees shall be paid at the time of plan submittal.
83. Fire Lanes: The applicant shall submit a fire lane plan to the Fire Department for review and approval. Fire lane curbs shall be painted red. The "No Parking, Fire Lane" signs shall be installed on public/private roads in accordance with the approved plan.
84. Fire Sprinkler-NFPA #13: An automatic fire sprinkler system complying with NFPA Pamphlet #13 and the Fire Department standards is required. The applicant shall hire a Fire Department approved fire sprinkler contractor. The fire sprinkler contractor shall submit plans to the with hydraulic calculation and manufacturers specification sheets to the Fire Department for approval and approval. The contractor shall submit plans showing type of storage and use with the applicable protection system. The required fees shall be paid at the time of plan submittal.
85. Hydrant Marking: Blue reflective pavement markers indicating fire hydrant locations shall be installed as specified by the Fire Department. In areas where snow removal occurs or non-paved roads exist, the blue reflective hydrant marker shall be posted on an approved post along the side of the road, no more than three (3) feet from the hydrant and at least six (6) feet high above the adjacent road.
86. Key Box: An approved Fire Department key box is required. In commercial, industrial and multi-family complexes, all swing gates shall have an approved fire department Knox Lock.
87. Material Identification Placards: The applicant shall install Fire Department approved material identification placards on the outside of all buildings and/or storage tanks that store or plan to store hazardous or flammable materials in all locations deemed appropriate by the Fire Department. Additional placards shall be required inside the buildings when chemicals are segregated into separate areas. Any business with an N.F.P.A. 704 rating of 2-3-3 or above shall be required to install an approved key box vault on the premises, which shall contain business access keys and a business plan.
88. Roof Certification: A letter from a licensed structural (or truss) engineer shall be submitted with an original wet stamp at time of fire sprinkler plan review, verifying the roof is capable of accepting the point loads imposed on the building by the fire sprinkler system design.
89. Street Sign: This project is required to have an approved street sign (temporary or permanent). The street sign shall be installed on the nearest street corner to the project. Installation of the temporary sign shall be prior any combustible material being placed on the construction site. Prior to final inspection and occupancy of the first structure, the permanent street sign shall be installed.
90. Fire Extinguishers: Hand portable fire extinguishers are required. The location, type, and cabinet design shall be approved by the Fire Department.

Prior to Occupancy

County Fire - Community Safety

91. Inspection by the Fire Department: Permission to occupy or use the building (certificate of Occupancy or shell release) will not be granted until the Fire Department inspects, approves and signs off on the Building and Safety job card for "fire final".

Land Use Services - Land Development

92. Drainage Improvements: All required drainage improvements shall be completed by the applicant. The private Registered Civil Engineer (RCE) shall inspect improvements outside the County right-of-way and certify that these improvements have been completed according to the approved plans.
93. LDD Requirements: All LDD requirements shall be completed by the applicant prior to occupancy.
94. Caltrans Approval: Obtain approval from Caltrans for access requirements and working within their right-of-way.



Conditions of Approval

Land Use Services – Planning

95. Condition Compliance: Prior to occupancy/use, all conditions shall be completed to the satisfaction of County Planning with appropriate authorizing approvals from each reviewing agency.
96. Fees Paid: Prior to final inspection by Building and Safety Division and/or issuance of a Certificate of Conditional Use by the Planning Division, the applicant shall pay in full all fees required under actual cost job number PROJ-2020-00205.
97. Installation of Improvements: All required on-site improvements shall be installed per approved plans.
98. Landscaping/Irrigation: All landscaping, dust control measures, all fences, etc. as delineated on the approved Landscape Plan shall be installed. The developer shall submit the Landscape Certificate of Completion verification as required in SBCC Section 83.10.100. Supplemental verification should include photographs of the site and installed landscaping.
99. Screen Rooftop: All roof top mechanical equipment is to be screened from ground vistas.
100. Shield Lights: Any lights used to illuminate the site shall include appropriate fixture lamp types as listed in SBCC Table 83-7 and be hooded and designed so as to reflect away from adjoining properties and public thoroughfares and in compliance with SBCC Chapter 83.07, "Glare and Outdoor Lighting" (i.e. "Dark Sky Ordinance).
101. GHG - Installation/Implementation Standards: The developer shall submit for review and obtain approval from County Planning of evidence that all applicable GHG performance standards have been installed, implemented properly and that specified performance objectives are being met to the satisfaction of County Planning and County Building and Safety. These installations/procedures include the following: a) Design features and/or equipment that cumulatively increases the overall compliance of the project to exceed Title 24 minimum standards by five percent. b) All interior building lighting shall support the use of fluorescent light bulbs or equivalent energy-efficient lighting. c) Installation of both the identified mandatory and optional design features or equipment that have been constructed and incorporated into the facility/structure.



Conditions of Approval

If you would like additional information regarding any of the conditions in this document, please contact the department responsible for applying the condition and be prepared to provide the Record number above for reference. Department contact information has been provided below.

Department/Agency	Office/Division	Phone Number
Land Use Services Dept.	San Bernardino Govt. Center	(909) 387-8311
(All Divisions)	High Desert Govt. Center	(760) 995-8140
Web Site	http://cms.sbcounty.gov/lus/Home.aspx	
County Fire	San Bernardino Govt. Center	(909) 387-8400
(Community Safety)	High Desert Govt. Center	(760) 995-8190
Web Site	https://www.sbcounty.org/	
County Fire	Hazardous Materials	(909) 386-8401
	Flood Control	(909) 387-7995
Dept. of Public Works	Solid Waste Management	(909) 386-8701
	Surveyor	(909) 387-8149
	Traffic	(909) 387-8186
Web Site	http://cms.sbcounty.gov/dpw/Home.aspx	
Dept. of Public Health	Environmental Health Services	(800) 442-2283
Web Site	https://wp.sbcounty.gov/dph/programs/ehs/	
Local Agency Formation Commission (LAFCO)		(909) 388-0480
Web Site	http://www.sbclafco.org/	
	Water and Sanitation	(760) 955-9885
Special Districts	Administration, Park and Recreation, Roads, Streetlights, Television Districts, and Other	(909) 386-8800
External Agencies (Caltrans, U.S. Army, etc.)	See condition text for contact information...	