

APPENDIX A: AIR QUALITY IMPACT ANALYSIS



Glen Helen Specific Plan Amendment

AIR QUALITY IMPACT ANALYSIS

COUNTY OF SAN BERNARDINO

PREPARED BY:

Haseeb Qureshi
hqureshi@urbanxroads.com

Michael Tirohn
mtirohn@urbanxroads.com

Shannon Wong
swong@urbanxroads.com

AUGUST 12, 2024

TABLE OF CONTENTS

TABLE OF CONTENTS.....	I
APPENDICES.....	II
LIST OF EXHIBITS.....	II
LIST OF TABLES	II
LIST OF ABBREVIATED TERMS	IV
EXECUTIVE SUMMARY	1
ES.1 Summary of Findings.....	1
ES.2 Regulatory Requirements	1
SCAQMD Rules.....	2
1 INTRODUCTION.....	5
1.1 Site Location.....	5
1.2 Project Description.....	5
2 AIR QUALITY SETTING	9
2.1 South Coast Air Basin	9
2.2 Regional Climate	9
2.3 Wind Patterns and Project Location	10
2.4 Criteria Pollutants	11
2.5 Existing Air Quality	18
2.6 Regional Air Quality	21
2.7 Local Air Quality	21
2.8 Regulatory Background.....	22
2.9 Regional Air Quality Improvement	26
3 PROJECT AIR QUALITY IMPACT.....	37
3.1 Introduction	37
3.2 Standards of Significance	37
3.3 Models Employed To Analyze Air Quality.....	38
3.4 Construction Emissions.....	38
3.5 Operational Emissions	42
3.6 Localized Significance.....	47
3.7 Construction-Source Emissions LST Analysis	51
3.8 Operational-Source Emissions LST Analysis.....	52
3.9 CO “Hot Spot” Analysis	53
3.10 AQMP	55
3.11 Toxic Air Contaminants	57
3.12 Potential Impacts to Sensitive Receptors	57
3.13 Odors.....	58
3.14 Cumulative Impacts	59
4 REFERENCES.....	62
5 CERTIFICATIONS.....	66

APPENDICES

APPENDIX 2.1: STATE/FEDERAL ATTAINMENT STATUS OF CRITERIA POLLUTANTS	
APPENDIX 3.1: CALEEMOD CONSTRUCTION EMISSIONS MODEL OUTPUTS	
APPENDIX 3.2: CALEEMOD PROPOSED SUBAREA A EMISSIONS MODEL OUTPUTS	
APPENDIX 3.3: CALEEMOD PROPOSED SUBAREA B EMISSIONS MODEL OUTPUTS	
APPENDIX 3.4: CALEEMOD PROPOSED SUBAREA C EMISSIONS MODEL OUTPUTS	
APPENDIX 3.5: ON-SITE CARGO HANDLING EMISSIONS CALCULATIONS	
APPENDIX 3.6: CALEEMOD LOCALIZED EMISSIONS MODEL OUTPUTS	
APPENDIX 3.7: AERMOD MODEL OUTPUTS	

LIST OF EXHIBITS

EXHIBIT 1-A: GLEN HELEN SPECIFIC PLAN LAND USE MAP	6
EXHIBIT 1-B: PROJECT STUDY AREA	7
EXHIBIT 2-A: DPM AND DIESEL VEHICLE MILES TREND.....	34
EXHIBIT 3-B: RECEPTOR LOCATIONS	50

LIST OF TABLES

TABLE ES-1: SUMMARY OF CEQA SIGNIFICANCE FINDINGS	1
TABLE 2-1: CRITERIA POLLUTANTS	11
TABLE 2-2: AMBIENT AIR QUALITY STANDARDS (1 OF 2)	19
TABLE 2-2: AMBIENT AIR QUALITY STANDARDS (2 OF 2)	20
TABLE 2-3: ATTAINMENT STATUS OF CRITERIA POLLUTANTS IN THE SCAB	21
TABLE 2-4: PROJECT AREA AIR QUALITY MONITORING SUMMARY 2020-2022.....	22
TABLE 2-5: SCAB O ₃ TREND.....	27
TABLE 2-6: SCAB AVERAGE 24-HOUR CONCENTRATION PM ₁₀ TREND (BASED ON FEDERAL STANDARD) ¹	28
TABLE 2-7: SCAB ANNUAL AVERAGE CONCENTRATION PM ₁₀ TREND (BASED ON STATE STANDARD) ¹ .	29
TABLE 2-8: SCAB 24-HOUR AVERAGE CONCENTRATION PM _{2.5} TREND (BASED ON FEDERAL STANDARD) ¹	29
TABLE 2-9: SCAB ANNUAL AVERAGE CONCENTRATION PM _{2.5} TREND (BASED ON STATE STANDARD) ¹ .	30
TABLE 2-10: SCAB 8-HOUR AVERAGE CONCENTRATION CO TREND ¹	31
TABLE 2-11: SCAB 1-HOUR AVERAGE CONCENTRATION NO ₂ TREND (BASED ON FEDERAL STANDARD)	32
TABLE 2-12: SCAB 1-HOUR AVERAGE CONCENTRATION NO ₂ TREND (BASED ON STATE STANDARD) ...	32
TABLE 3-1: MAXIMUM DAILY REGIONAL EMISSIONS THRESHOLDS.....	37
TABLE 3-2: CONSTRUCTION TRIP ASSUMPTIONS	39
TABLE 3-3: CONSTRUCTION DURATION	39
TABLE 3-4: CONSTRUCTION EQUIPMENT ASSUMPTIONS.....	40
TABLE 3-5: OVERALL CONSTRUCTION EMISSIONS SUMMARY – WITHOUT MITIGATION	40
TABLE 3-6: PASSENGER CAR FLEET MIX	43
TABLE 3-7: TRUCK FLEET MIX	44
TABLE 3-8: SUMMARY OF PEAK OPERATIONAL EMISSIONS	45
TABLE 3-9: LOCALIZED SIGNIFICANCE SUMMARY PEAK CONSTRUCTION – WITHOUT MITIGATION	51

TABLE 3-10: LOCALIZED SIGNIFICANCE SUMMARY PEAK CONSTRUCTION – WITHOUT MITIGATION (SUBAREA C)	51
TABLE 3-11: LOCALIZED SIGNIFICANCE SUMMARY PEAK OPERATIONS	52
TABLE 3-12: LOCALIZED SIGNIFICANCE SUMMARY PEAK OPERATIONS (SUBAREA C)	53
TABLE 3-13: CO MODEL RESULTS.....	54
TABLE 3-14: TRAFFIC VOLUMES.....	55

LIST OF ABBREVIATED TERMS

%	Percent
°F	Degrees Fahrenheit
(1)	Reference
µg/m ³	Microgram per Cubic Meter
<i>1992 CO Plan</i>	<i>1992 Federal Attainment Plan for Carbon Monoxide</i>
<i>1993 CEQA Handbook</i>	<i>SCAQMD's CEQA Air Quality Handbook (1993)</i>
<i>2020-2045 RTP/SCS</i>	<i>2020-2045 Regional Transportation Plan/Sustainable Communities Strategy</i>
AB 2595	California Clean Air Act
AQIA	Air Quality Impact Analysis
AQMP	Air Quality Management Plan
BACT	Best Available Control Technology
C ₂ H ₃ Cl	Vinyl Chloride
CAA	Federal Clean Air Act
CAAQS	California Ambient Air Quality Standards
CalEEMod	California Emissions Estimator Model
CalEPA	California Environmental Protection Agency
CALGreen	California Green Building Standards Code
CAPCOA	California Air Pollution Control Officers Association
CARB	California Air Resources Board
CCR	California Code of Regulations
CEC	California Energy Commission
CEQA	California Environmental Quality Act
<i>CEQA Guidelines</i>	<i>CEQA Statute and Guidelines</i>
County	County of San Bernardino
CO	Carbon Monoxide
COHb	Carboxyhemoglobin
EC	Elemental Carbon
EIR	Environmental Impact Report
EMFAC	Emissions FAcTtor Model
EPA	Environmental Protection Agency
EV	Electric Vehicle
GHG	Greenhouse Gas
H ₂ S	Hydrogen Sulfide
HDT	Heavy-Duty Trucks
HHDT	Heavy-Heavy-Duty Trucks

HI	Hazard Index
hp	Horsepower
lbs	Pounds
lbs/day	Pounds Per Day
LDA	Light Duty Auto
LDT1/LDT2	Light-Duty Trucks
LHDT1/LHDT2	Light-Heavy-Duty Trucks
LST	Localized Significance Threshold
<i>LST Methodology</i>	<i>Final Localized Significance Threshold Methodology</i>
MICR	Maximum Individual Cancer Risk
MM	Mitigation Measures
mph	Miles Per Hour
MWELO	California Department of Water Resources' Model Water Efficient
N ₂	Nitrogen
N ₂ O	Nitrous Oxide
NAAQS	National Ambient Air Quality Standards
NO	Nitric Oxide
NO ₂	Nitrogen Dioxide
NO _x	Nitrogen Oxides
O ₂	Oxygen
O ₃	Ozone
O ₂ Deficiency	Chronic Hypoxemia
ODC	Ozone Depleting Compounds
Pb	Lead
PM	Particulate Matter
PM ₁₀	Particulate Matter 10 microns in diameter or less
PM _{2.5}	Particulate Matter 2.5 microns in diameter or less
ppm	Parts Per Million
Project	Glen Helen Specific Plan Amendment
RECLAIM	Regional Clean Air Incentives Market
ROG	Reactive Organic Gases
SB	Senate Bill
SCAB	South Coast Air Basin
SCAG	Southern California Association of Governments
SCAQMD	South Coast Air Quality Management District
sf	Square Feet
SIPs	State Implementation Plans

SO ₂	Sulfur Dioxide
SO ₄	Sulfates
SO _x	Sulfur Oxides
SRA	Source Receptor Area
TAC	Toxic Air Contaminant
Title 24	California Building Code
TITLE I	Non-Attainment Provisions
TITLE II	Mobile Sources Provisions
VMT	Vehicle Miles Traveled
VOC	Volatile Organic Compounds
vph	Vehicles Per Hour

This page intentionally left blank

EXECUTIVE SUMMARY

ES.1 SUMMARY OF FINDINGS

The results of this *Glen Helen Specific Plan Amendment Air Quality Impact Analysis* (AQIA) are summarized below based on the significance criteria in Section 3 of this report consistent with Appendix G of the *Guidelines for Implementation of the California Environmental Quality Act* (CEQA Guidelines) (1). Table ES-1 shows the findings of significance for each potential air quality impact under the California Environmental Quality Act (CEQA).

TABLE ES-1: SUMMARY OF CEQA SIGNIFICANCE FINDINGS

Analysis	Report Section	Significance Findings	
		Unmitigated	Mitigated
Regional Construction Emissions	3.4	<i>Less Than Significant</i>	<i>n/a</i>
Localized Construction Emissions	3.7	<i>Less Than Significant</i>	<i>n/a</i>
Regional Operational Emissions	3.5	<i>Less Than Significant</i>	<i>n/a</i>
Localized Operational Emissions	3.8	<i>Less Than Significant</i>	<i>n/a</i>
CO “Hot Spot” Analysis	3.9	<i>Less Than Significant</i>	<i>n/a</i>
Air Quality Management Plan	3.10	<i>Less Than Significant</i>	<i>n/a</i>
Sensitive Receptors	3.12	<i>Less Than Significant</i>	<i>n/a</i>
Odors	3.13	<i>Less Than Significant</i>	<i>n/a</i>
Cumulative Impacts	3.14	<i>Less Than Significant</i>	<i>n/a</i>

ES.2 REGULATORY REQUIREMENTS

There are numerous requirements that development projects must comply with by law, and that were put in place by federal, State, and local regulatory agencies for the improvement of air quality.

Any operation or activity that might cause the emission of any smoke, fly ash, dust, fumes, vapors, gases, or other forms of air pollution, which can cause damage to human health, vegetation, or

other forms of property, or can cause excessive soiling on any other parcel shall conform to the requirements of the South Coast Air Quality Management District (SCAQMD).

SCAQMD RULES

SCAQMD Rules that are currently applicable during construction activity for this Project are described below.

SCAQMD RULE 402

A person shall not discharge from any source whatsoever such quantities of air contaminants or other material that cause injury, detriment, nuisance, or annoyance to any considerable number of persons or to the public, or that endanger the comfort, repose, health, or safety of any such persons or the public, or that cause, or have a natural tendency to cause, injury or damage to business or property. The provisions of this rule do not apply to odors emanating from agricultural operations necessary for the growing of crops or the raising of fowl or animals.

Odor Emissions. All uses shall be operated in a manner such that no offensive odor is perceptible at or beyond the property line of that use.

SCAQMD RULE 403

This rule is intended to reduce the amount of particulate matter entrained in the ambient air as a result of anthropogenic (human-made) fugitive dust sources by requiring actions to prevent and reduce fugitive dust emissions. Rule 403 applies to any activity or human-made condition capable of generating fugitive dust and requires best available control measures to be applied to earth moving and grading activities.

Dust Control, Operations. Any operation or activity that might cause the emission of any smoke, fly ash, dust, fumes, vapors, gases, or other forms of air pollution, which can cause damage to human health, vegetation, or other forms of property, or can cause excessive soiling on any other parcel, shall conform to the requirements of the SCAQMD.

SCAQMD RULE 1113

This rule serves to limit the VOC content of architectural coatings used on projects in the South Coast Air Basin. This rule applies to any person who supplies, sells, offers for sale, or manufactures any architectural coating for use on projects.

SCAQMD RULE 1301

This rule is intended to provide that pre-construction review requirements to ensure that new or relocated facilities do not interfere with progress in attainment of the National Ambient Air Quality Standards (NAAQS), while future economic growth within the South Coast Air Basin is not unnecessarily restricted. The specific air quality goal is to achieve no net increases from new or modified permitted sources of nonattainment air contaminants or their precursors. Rule 1301 also limits emission increases of ammonia, and Ozone Depleting Compounds (ODCs) from new, modified or relocated facilities by requiring the use of Best Available Control Technology (BACT).

SCAQMD RULE 1401

A person shall not discharge into the atmosphere from any single source of emission whatsoever any air contaminant for a period or periods aggregating more than three minutes in any 1 hour that is as dark or darker in shade as that designated No. 1 on the Ringelmann Chart, as published by the United States (U.S.) Bureau of Mines.

SCAQMD RULE 2305

The SCAQMD adopted Rule 2305, the Warehouse Indirect Source Rule, on May 7, 2021. Owners and operators associated with warehouses 100,000 square feet (sf) or larger are required to directly reduce nitrogen oxides (NO_x) and particulate matter emissions, or to otherwise facilitate emission and exposure reductions of these pollutants in nearby communities. The rule imposes a “Warehouse Points Compliance Obligation” (WPCO) on warehouse operators. Operators satisfy the WPCO by accumulating “Warehouse Actions and Investments to Reduce Emissions Points” (WAIRE Points) in a given 12-month period. WAIRE Points are awarded by implementing measures to reduce emissions listed on the WAIRE Menu, or by implementing a custom WAIRE Plan approved by the SCAQMD.

This page intentionally left blank

1 INTRODUCTION

This report presents the results of the AQIA prepared by Urban Crossroads, Inc., for the proposed Glen Helen Specific Plan Amendment Project (Project). The purpose of this AQIA is to evaluate the potential impacts to air quality associated with construction and operation of the Project and recommend measures to mitigate impacts considered potentially significant in comparison to thresholds established by the SCAQMD.

1.1 SITE LOCATION


The proposed Project is located at located south of the Interstate 215 (I-215) and Interstate 15 interchange in the County of San Bernardino.

1.2 PROJECT DESCRIPTION

The Project consists of three out of the six Subareas located within the Glen Helen Specific Plan (GHSP) including: North Glen Helen, Devore, and Sycamore Flats. The proposed amendment would rezone 79 acres of Destination Recreation (DR), 31.8 acres of Commercial/Trailer Services (C/TS) and 48.7 acres of Single-Family Residential (SFR-SF) to Corridor Industrial (CI). Of this area, 79 acres would be used for truck trailer parking. The GHSP Land Use Map is shown on Exhibit 1-A.

- Within the North Glen Helen (Subarea A), the proposed amendment would rezone 79 acres of Destination Recreation (DR) to Corridor Industrial (CI) to be used for truck trailer parking. (2,912 new actual trips compared to the adopted GHSP)
- Within the Devore (Subarea B), the proposed amendment would rezone 19.2 acres of Commercial/Traveler Services (C/TS) to 19.2 acres designated for Corridor Industrial (CI). (-10,972 new actual trips compared to the adopted GHSP)
- Within the Sycamore Flats (Subarea C), the proposed amendment would rezone 12.6 acres of Commercial/Traveler Services (C/TS) to Corridor Industrial (CI) and 48.7 acres designated for Single-Family Residential (SFR-SF) would be modified to include a Corridor Industrial (CI) Overlay. (-6,795 actual new trips compared to the adopted GHSP)

EXHIBIT 1-A: GLEN HELEN SPECIFIC PLAN LAND USE MAP



Glen Helen Specific Plan

Proposed Use Designations

- Commercial/Destination Entertainment (C/DE)
- Commercial/Traveler Services (C/TS)
- Corridor Industrial (CI)
- Destination Recreation (DR)
- Existing Road/Railroad (E/RR)
- Road Control (FC)

- Heavy Industrial (HI)
- Open Space/Passive Recreation (OS/P)
- Open Space/Active Recreation (OS/A)
- Open Space/Habitat Preserve (OS/H)
- Open Space/Public Safety (OS/PS)
- Public Facility (PF)
- Single Family Residential Sycamore Flats (SFR-SF)
- Special Use Areas (SUA)
- Proposed Land Use Changes

Corridor Industrial Overlay (CI)



EXHIBIT 1-B: PROJECT STUDY AREA



LEGEND:

- Glen Helen Specific Plan Boundary
- North Glen Helen (Subarea A)
- Devore (Subarea B)
- Sycamore Flats (Subarea C)

This page intentionally left blank

2 AIR QUALITY SETTING

This section provides an overview of the existing air quality conditions in the Project area and region.

2.1 SOUTH COAST AIR BASIN

The Project site is located in the South Coast Air Basin (SCAB) within the jurisdiction of SCAQMD (2). The SCAQMD was created by the 1977 Lewis-Presley Air Quality Management Act, which merged four county air pollution control bodies into one regional district. Under the Act, the SCAQMD is responsible for bringing air quality in areas under its jurisdiction into conformity with federal and state air quality standards. As stated, the Project site is located within the SCAB, a 6,745-square-mile subregion of the SCAQMD, which includes the non-desert portions of Los Angeles, Riverside, and San Bernardino Counties, and all of Orange County.

The SCAB is bounded by the Pacific Ocean to the west and the San Gabriel, San Bernardino, and San Jacinto Mountains to the north and east, and the San Diego Air Basin to the south.

2.2 REGIONAL CLIMATE

The regional climate has a substantial influence on air quality in the SCAB. In addition, the temperature, wind, humidity, precipitation, and amount of sunshine influence the air quality.

The annual average temperatures throughout the SCAB vary from the low to mid 60s (degrees Fahrenheit [°F]). Due to a decreased marine influence, the eastern portion of the SCAB shows greater variability in average annual minimum and maximum temperatures. January is the coldest month throughout the SCAB, with average minimum temperatures of 47°F in downtown Los Angeles and 36°F in San Bernardino. All portions of the SCAB have recorded maximum temperatures above 100°F.

Although the climate of the SCAB can be characterized as semi-arid, the air near the land surface is quite moist on most days because of the presence of a marine layer. This shallow layer of sea air is an important modifier of SCAB climate. Humidity restricts visibility in the SCAB, and the conversion of sulfur dioxide (SO₂) to sulfates (SO₄) is heightened in air with high relative humidity. The marine layer provides an environment for that conversion process, especially during the spring and summer months. The annual average relative humidity within the SCAB is 71% along the coast and 59% inland. Since the ocean effect is dominant, periods of heavy early morning fog are frequent and low stratus clouds are a characteristic feature. These effects decrease with distance from the coast.

More than 90% of the SCAB's rainfall occurs from November through April. The annual average rainfall varies from approximately nine inches in Riverside to fourteen inches in downtown Los Angeles. Monthly and yearly rainfall totals are extremely variable. Summer rainfall usually consists of widely scattered thunderstorms near the coast and slightly heavier shower activity in the eastern portion of the SCAB with frequency being higher near the coast.

Due to its generally clear weather, about three-quarters of available sunshine is received in the SCAB. The remaining one-quarter is absorbed by clouds. The ultraviolet portion of this abundant radiation is a key factor in photochemical reactions. On the shortest day of the year, there are approximately 10 hours of possible sunshine, and on the longest day of the year, there are approximately 14½ hours of possible sunshine.

The importance of wind to air pollution is considerable. The direction and speed of the wind determines the horizontal dispersion and transport of the air pollutants. During the late autumn to early spring rainy season, the SCAB is subjected to wind flows associated with the traveling storms moving through the region from the northwest. This period also brings five to ten periods of strong, dry offshore winds, locally termed “Santa Anas” each year. During the dry season, which coincides with the months of maximum photochemical smog concentrations, the wind flow is bimodal, typified by a daytime onshore sea breeze and a nighttime offshore drainage wind. Summer wind flows are created by the pressure differences between the relatively cold ocean and the unevenly heated and cooled land surfaces that modify the general northwesterly wind circulation over southern California. Nighttime drainage begins with the radiational cooling of the mountain slopes. Heavy, cool air descends the slopes and flows through the mountain passes and canyons as it follows the lowering terrain toward the ocean. Another characteristic wind regime in the SCAB is the “Catalina Eddy,” a low level cyclonic (counterclockwise) flow centered over Santa Catalina Island which results in an offshore flow to the southwest. On most spring and summer days, some indication of an eddy is apparent in coastal sections.

In the SCAB, there are two distinct temperature inversion structures that control vertical mixing of air pollution. During the summer, warm high-pressure descending (subsiding) air is undercut by a shallow layer of cool marine air. The boundary between these two layers of air is a persistent marine subsidence/inversion. This boundary prevents vertical mixing which effectively acts as an impervious lid to pollutants over the entire SCAB. The mixing height for the inversion structure is normally situated 1,000 to 1,500 feet above mean sea level.

A second inversion-type forms in conjunction with the drainage of cool air off the surrounding mountains at night followed by the seaward drift of this pool of cool air. The top of this layer forms a sharp boundary with the warmer air aloft and creates nocturnal radiation inversions. These inversions occur primarily in the winter, when nights are longer and onshore flow is weakest. They are typically only a few hundred feet above mean sea level. These inversions effectively trap pollutants, such as nitrogen oxides (NO_x) and carbon monoxide (CO) from vehicles, as the pool of cool air drifts seaward. Winter is therefore a period of high levels of primary pollutants along the coastline.

2.3 WIND PATTERNS AND PROJECT LOCATION

The distinctive climate of the Project area and the SCAB is determined by its terrain and geographical location. The SCAB is located in a coastal plain with connecting broad valleys and low hills, bounded by the Pacific Ocean in the southwest quadrant with high mountains forming the remainder of the perimeter.

Wind patterns across the south coastal region are characterized by westerly and southwesterly onshore winds during the day and easterly or northeasterly breezes at night. Winds are characteristically light although the speed is somewhat greater during the dry summer months than during the rainy winter season.

2.4 CRITERIA POLLUTANTS

Criteria pollutants are pollutants that are regulated through the development of human health based and/or environmentally based criteria for setting permissible levels. Criteria pollutants, their typical sources, and health effects are identified below (3):

TABLE 2-1: CRITERIA POLLUTANTS

Criteria Pollutant	Description	Sources	Health Effects
CO	CO is a colorless, odorless gas produced by the incomplete combustion of carbon-containing fuels, such as gasoline or wood. CO concentrations tend to be the highest during the winter morning, when little to no wind and surface-based inversions trap the pollutant at ground levels. Because CO is emitted directly from internal combustion engines, unlike ozone (O ₃), motor vehicles operating at slow speeds are the primary source of CO in the SCAB. The highest ambient CO concentrations are generally found near congested transportation corridors and intersections.	Any source that burns fuel such as automobiles, trucks, heavy construction equipment, farming equipment, and residential heating.	Individuals with a deficient blood supply to the heart are the most susceptible to the adverse effects of CO exposure. The effects observed include earlier onset of chest pain with exercise, and electrocardiograph changes indicative of decreased oxygen (O ₂) supply to the heart. Inhaled CO has no direct toxic effect on the lungs but exerts its effect on tissues by interfering with O ₂ transport and competing with O ₂ to combine with hemoglobin present in the blood to form carboxyhemoglobin (COHb). Hence, conditions with an increased demand for O ₂ supply can be adversely affected by exposure to CO. Individuals most at risk include fetuses, patients with diseases involving heart and blood vessels, and patients with chronic hypoxemia (O ₂ deficiency) as seen at high altitudes.
SO ₂	SO ₂ is a colorless, extremely irritating gas or liquid. It enters the atmosphere as a pollutant	Coal or oil burning power plants and industries,	A few minutes of exposure to low levels of SO ₂ can result in airway constriction in some

Criteria Pollutant	Description	Sources	Health Effects
	mainly as a result of burning high sulfur-content fuel oils and coal and from chemical processes occurring at chemical plants and refineries. When SO ₂ oxidizes in the atmosphere, it forms SO ₄ . Collectively, these pollutants are referred to as sulfur oxides (SO _x).	refineries, diesel engines.	asthmatics, all of whom are sensitive to its effects. In asthmatics, increase in resistance to air flow, as well as reduction in breathing capacity leading to severe breathing difficulties, are observed after acute exposure to SO₂. In contrast, healthy individuals do not exhibit similar acute responses even after exposure to higher concentrations of SO₂. Animal studies suggest that despite SO₂ being a respiratory irritant, it does not cause substantial lung injury at ambient concentrations. However, very high levels of exposure can cause lung edema (fluid accumulation), lung tissue damage, and sloughing off of cells lining the respiratory tract. Some population-based studies indicate that the mortality and morbidity effects associated with fine particles show a similar association with ambient SO₂ levels. In these studies, efforts to separate the effects of SO₂ from those of fine particles have not been successful. It is not clear whether the two pollutants act synergistically, or one pollutant alone is the predominant factor.
NO _x	NO _x consist of nitric oxide (NO), nitrogen dioxide (NO ₂) and nitrous oxide (N ₂ O) and are formed when nitrogen (N ₂) combines with O ₂ . Their lifespan in the atmosphere ranges from	Any source that burns fuel such as automobiles, trucks, heavy construction equipment, farming	Population-based studies suggest that an increase in acute respiratory illness, including infections and respiratory symptoms in children (not infants), is

Criteria Pollutant	Description	Sources	Health Effects
	one to seven days for nitric oxide and nitrogen dioxide, to 170 years for nitrous oxide. NO_x is typically created during combustion processes and are major contributors to smog formation and acid deposition. NO₂ is a criteria air pollutant and may result in numerous adverse health effects; it absorbs blue light, resulting in a brownish-red cast to the atmosphere and reduced visibility. Of the seven types of nitrogen oxide compounds, NO₂ is the most abundant in the atmosphere. As ambient concentrations of NO₂ are related to traffic density, commuters in heavy traffic may be exposed to higher concentrations of NO₂ than those indicated by a regional monitoring station.	equipment, and residential heating.	associated with long-term exposure to NO₂ at levels found in homes with gas stoves, which are higher than ambient levels found in Southern California. Increase in resistance to air flow and airway contraction is observed after short-term exposure to NO₂ in healthy subjects. Larger decreases in lung functions are observed in individuals with asthma or chronic obstructive pulmonary disease (e.g., chronic bronchitis, emphysema) than in healthy individuals, indicating a greater susceptibility of these sub-groups. In animals, exposure to levels of NO₂ considerably higher than ambient concentrations result in increased susceptibility to infections, possibly due to the observed changes in cells involved in maintaining immune functions. The severity of lung tissue damage associated with high levels of O₃ exposure increases when animals are exposed to a combination of O₃ and NO₂.
O ₃	O₃ is a highly reactive and unstable gas that is formed when VOCs and NO_x, both byproducts of internal combustion engine exhaust, undergo slow photochemical reactions in the presence of sunlight. O₃ concentrations are generally highest during the summer months when direct sunlight, light wind, and warm temperature conditions are favorable to the formation of this pollutant.	Formed when reactive organic gases (ROG) and NO_x react in the presence of sunlight. ROG sources include any source that burns fuels, (e.g., gasoline, natural gas, wood, oil) solvents, petroleum processing and	Individuals exercising outdoors, children, and people with pre-existing lung disease, such as asthma and chronic pulmonary lung disease, are considered to be the most susceptible sub-groups for O₃ effects. Short-term exposure (lasting for a few hours) to O₃ at levels typically observed in Southern California can result in breathing pattern changes, reduction of breathing capacity, increased

Criteria Pollutant	Description	Sources	Health Effects
		storage, and pesticides.	susceptibility to infections, inflammation of the lung tissue, and some immunological changes. Elevated O₃ levels are associated with increased school absences. In recent years, a correlation between elevated ambient O₃ levels and increases in daily hospital admission rates, as well as mortality, has also been reported. An increased risk for asthma has been found in children who participate in multiple outdoor sports and live in communities with high O₃ levels. O₃ exposure under exercising conditions is known to increase the severity of the responses described above. Animal studies suggest that exposure to a combination of pollutants that includes O₃ may be more toxic than exposure to O₃ alone. Although lung volume and resistance changes observed after a single exposure diminish with repeated exposures, biochemical and cellular changes appear to persist, which can lead to subsequent lung structural changes.
Particulate Matter	PM ₁₀ : A major air pollutant consisting of tiny solid or liquid particles of soot, dust, smoke, fumes, and aerosols. Particulate matter pollution is a major cause of reduced visibility (haze) which is caused by the scattering of light and consequently the significant reduction in air clarity. The size of the particles (10 microns or smaller, about 0.0004 inches or less) allows them to easily enter the lungs where they	Sources of PM ₁₀ include road dust, windblown dust, and construction. Also formed from other pollutants (acid rain, NO _x , SO _x , organics). Incomplete combustion of any fuel.	A consistent correlation between elevated ambient fine particulate matter (PM ₁₀ and PM _{2.5}) levels and an increase in mortality rates, respiratory infections, number and severity of asthma attacks and the number of hospital admissions has been observed in different parts of the United States and various areas around the world. In

Criteria Pollutant	Description	Sources	Health Effects
	may be deposited, resulting in adverse health effects. Additionally, it should be noted that PM₁₀ is considered a criteria air pollutant. PM_{2.5}: A similar air pollutant to PM₁₀ consisting of tiny solid or liquid particles which are 2.5 microns or smaller (which is often referred to as fine particles). These particles are formed in the atmosphere from primary gaseous emissions that include SO₄ formed from SO₂ release from power plants and industrial facilities and nitrates that are formed from NO_x release from power plants, automobiles, and other types of combustion sources. The chemical composition of fine particles highly depends on location, time of year, and weather conditions. PM_{2.5} is a criteria air pollutant.	PM_{2.5} comes from fuel combustion in motor vehicles, equipment, and industrial sources, residential and agricultural burning. Also formed from reaction of other pollutants (acid rain, NO_x, SO_x, organics).	recent years, some studies have reported an association between long-term exposure to air pollution dominated by fine particles and increased mortality, reduction in lifespan, and an increased mortality from lung cancer. Daily fluctuations in PM_{2.5} concentration levels have also been related to hospital admissions for acute respiratory conditions in children, to school and kindergarten absences, to a decrease in respiratory lung volumes in children without asthma, and to increased medication use in children and adults with asthma. Recent studies show lung function growth in children is reduced with long term exposure to particulate matter. The elderly, people with pre-existing respiratory or cardiovascular disease, and children appear to be more susceptible to the effects of high levels of PM₁₀ and PM_{2.5}.
VOC	VOCs are hydrocarbon compounds (any compound containing various combinations of hydrogen and carbon atoms) that exist in the ambient air. VOCs contribute to the formation of smog through atmospheric photochemical reactions and/or may be toxic. Compounds of carbon (also known as organic compounds) have different levels of reactivity; that is, they do not react at the same speed or do not form O₃ to the same extent when exposed to photochemical processes. VOCs often have an odor, and some examples include	Organic chemicals are widely used as ingredients in household products. Paints, varnishes, and wax all contain organic solvents, as do many cleaning, disinfecting, cosmetic, degreasing, and hobby products. Fuels are made up of organic chemicals. All of these products can	Breathing VOCs can irritate the eyes, nose, and throat, can cause difficulty breathing and nausea, and can damage the central nervous system as well as other organs. Some VOCs can cause cancer. Not all VOCs have all these health effects, though many have several.

Criteria Pollutant	Description	Sources	Health Effects
	gasoline, alcohol, and the solvents used in paints. Exceptions to the VOC designation include CO, carbon dioxide, carbonic acid, metallic carbides or carbonates, and ammonium carbonate. VOCs are a criteria pollutant since they are a precursor to O ₃ , which is a criteria pollutant. The terms VOC and ROG (see below) are used interchangeably.	release organic compounds while you are using them, and, to some degree, when they are stored.	
ROG	Similar to VOC, ROGs are also precursors in forming O ₃ and consist of compounds containing methane, ethane, propane, butane, and longer chain hydrocarbons, which are typically the result of some type of combustion/decomposition process. Smog is formed when ROG and NO _x react in the presence of sunlight. ROGs are a criteria pollutant since they are a precursor to O ₃ , which is a criteria pollutant. The terms ROG and VOC (see previous) are used interchangeably.	Sources similar to VOCs.	Health effects similar to VOCs.
Lead (Pb)	Pb is a heavy metal that is highly persistent in the environment and considered a criteria pollutant. In the past, the primary source of Pb in the air was emissions from vehicles burning leaded gasoline. The major sources of Pb emissions are ore and metals processing, particularly Pb smelters, and piston-engine aircraft operating on leaded aviation gasoline. Other stationary sources include waste incinerators, utilities, and lead-acid battery manufacturers. It should be noted that the Project does not include operational activities such as metal processing or Pb acid battery manufacturing. As such,	Metal smelters, resource recovery, leaded gasoline, deterioration of Pb paint.	Fetuses, infants, and children are more sensitive than others to the adverse effects of Pb exposure. Exposure to low levels of Pb can adversely affect the development and function of the central nervous system, leading to learning disorders, distractibility, inability to follow simple commands, and lower intelligence quotient. In adults, increased Pb levels are associated with increased blood pressure. Pb poisoning can cause anemia, lethargy, seizures, and death; although it appears that there are no direct effects of Pb on the

Criteria Pollutant	Description	Sources	Health Effects
	the Project is not anticipated to generate a quantifiable amount of Pb emissions.		respiratory system. Pb can be stored in the bone from early age environmental exposure, and elevated blood Pb levels can occur due to breakdown of bone tissue during pregnancy, hyperthyroidism (increased secretion of hormones from the thyroid gland) and osteoporosis (breakdown of bony tissue). Fetuses and breast-fed babies can be exposed to higher levels of Pb because of previous environmental Pb exposure of their mothers.
Odor	Odor means the perception experienced by a person when one or more chemical substances in the air come into contact with the human olfactory nerves (4).	Odors can come from many sources including animals, human activities, industry, nature, and vehicles.	Offensive odors can potentially affect human health in several ways. First, odorant compounds can irritate the eye, nose, and throat, which can reduce respiratory volume. Second, studies have shown that the VOCs that cause odors can stimulate sensory nerves to cause neurochemical changes that might influence health, for instance, by compromising the immune system. Finally, unpleasant odors can trigger memories or attitudes linked to unpleasant odors, causing cognitive and emotional effects such as stress.

2.5 EXISTING AIR QUALITY

Existing air quality is measured at established SCAQMD air quality monitoring stations. Monitored air quality is evaluated in the context of ambient air quality standards. These standards are the levels of air quality that are considered safe, with an adequate margin of safety, to protect the public health and welfare. National Ambient Air Quality Standards (NAAQS) and California Ambient Air Quality Standards (CAAQS) currently in effect are shown in Table 2-2 (5).

The determination of whether a region's air quality is healthful or unhealthful is determined by comparing contaminant levels in ambient air samples to the state and federal standards. At the time of this AQIA, the most recent state and federal standards were updated by CARB on May 4, 2016, and are presented in Table 2-2. The air quality in a region is considered to be in attainment by the state if the measured ambient air pollutant levels for O₃, CO (except 8-hour Lake Tahoe), SO₂ (1 and 24 hour), NO₂, PM₁₀, and PM_{2.5} are not to be exceeded. All others are not to be equaled or exceeded. It should be noted that the three-year period is presented for informational purposes and is not the basis for how the state assigns attainment status. Attainment status for a pollutant means that the SCAQMD meets the standards set by the EPA or the California EPA (CalEPA). Conversely, nonattainment means that an area has monitored air quality that does not meet the NAAQS or CAAQS standards. In order to improve air quality in nonattainment areas, a State Implementation Plan (SIP) is drafted by CARB. The SIP outlines the measures that the state will take to improve air quality. Once nonattainment areas meet the standards and additional redesignation requirements, the EPA will designate the area as a maintenance area (6).

TABLE 2-2: AMBIENT AIR QUALITY STANDARDS (1 OF 2)

Ambient Air Quality Standards						
Pollutant	Averaging Time	California Standards ¹		National Standards ²		
		Concentration ³	Method ⁴	Primary ^{3,5}	Secondary ^{3,6}	Method ⁷
Ozone (O ₃) ⁸	1 Hour	0.09 ppm (180 µg/m ³)	Ultraviolet Photometry	—	Same as Primary Standard	Ultraviolet Photometry
	8 Hour	0.070 ppm (137 µg/m ³)		0.070 ppm (137 µg/m ³)		
Respirable Particulate Matter (PM10) ⁹	24 Hour	50 µg/m ³	Gravimetric or Beta Attenuation	150 µg/m ³	Same as Primary Standard	Inertial Separation and Gravimetric Analysis
	Annual Arithmetic Mean	20 µg/m ³		—		
Fine Particulate Matter (PM2.5) ⁹	24 Hour	—	—	35 µg/m ³	Same as Primary Standard	Inertial Separation and Gravimetric Analysis
	Annual Arithmetic Mean	12 µg/m ³	Gravimetric or Beta Attenuation	12.0 µg/m ³	15 µg/m ³	
Carbon Monoxide (CO)	1 Hour	20 ppm (23 mg/m ³)	Non-Dispersive Infrared Photometry (NDIR)	35 ppm (40 mg/m ³)	—	Non-Dispersive Infrared Photometry (NDIR)
	8 Hour	9.0 ppm (10 mg/m ³)		9 ppm (10 mg/m ³)	—	
	8 Hour (Lake Tahoe)	6 ppm (7 mg/m ³)		—	—	
Nitrogen Dioxide (NO ₂) ¹⁰	1 Hour	0.18 ppm (339 µg/m ³)	Gas Phase Chemiluminescence	100 ppb (188 µg/m ³)	—	Gas Phase Chemiluminescence
	Annual Arithmetic Mean	0.030 ppm (57 µg/m ³)		0.053 ppm (100 µg/m ³)	Same as Primary Standard	
Sulfur Dioxide (SO ₂) ¹¹	1 Hour	0.25 ppm (655 µg/m ³)	Ultraviolet Fluorescence	75 ppb (196 µg/m ³)	—	Ultraviolet Fluorescence; Spectrophotometry (Pararosaniline Method)
	3 Hour	—		—	0.5 ppm (1300 µg/m ³)	
	24 Hour	0.04 ppm (105 µg/m ³)		0.14 ppm (for certain areas) ¹¹	—	
	Annual Arithmetic Mean	—		0.030 ppm (for certain areas) ¹¹	—	
Lead ^{12,13}	30 Day Average	1.5 µg/m ³	Atomic Absorption	—	—	High Volume Sampler and Atomic Absorption
	Calendar Quarter	—		1.5 µg/m ³ (for certain areas) ¹²	Same as Primary Standard	
	Rolling 3-Month Average	—		0.15 µg/m ³		
Visibility Reducing Particles ¹⁴	8 Hour	See footnote 14	Beta Attenuation and Transmittance through Filter Tape	No National Standards		
Sulfates	24 Hour	25 µg/m ³	Ion Chromatography			
Hydrogen Sulfide	1 Hour	0.03 ppm (42 µg/m ³)	Ultraviolet Fluorescence			
Vinyl Chloride ¹²	24 Hour	0.01 ppm (26 µg/m ³)	Gas Chromatography			

See footnotes on next page ...

See footnotes on next page ...

For more information please call ARB-PIO at (916) 322-2990

California Air Resources Board (5/4/16)

TABLE 2-2: AMBIENT AIR QUALITY STANDARDS (2 OF 2)

1. California standards for ozone, carbon monoxide (except 8-hour Lake Tahoe), sulfur dioxide (1 and 24 hour), nitrogen dioxide, and particulate matter (PM₁₀, PM_{2.5}, and visibility reducing particles), are values that are not to be exceeded. All others are not to be equaled or exceeded. California ambient air quality standards are listed in the Table of Standards in Section 70200 of Title 17 of the California Code of Regulations.
2. National standards (other than ozone, particulate matter, and those based on annual arithmetic mean) are not to be exceeded more than once a year. The ozone standard is attained when the fourth highest 8-hour concentration measured at each site in a year, averaged over three years, is equal to or less than the standard. For PM₁₀, the 24 hour standard is attained when the expected number of days per calendar year with a 24-hour average concentration above 150 $\mu\text{g}/\text{m}^3$ is equal to or less than one. For PM_{2.5}, the 24 hour standard is attained when 98 percent of the daily concentrations, averaged over three years, are equal to or less than the standard. Contact the U.S. EPA for further clarification and current national policies.
3. Concentration expressed first in units in which it was promulgated. Equivalent units given in parentheses are based upon a reference temperature of 25°C and a reference pressure of 760 torr. Most measurements of air quality are to be corrected to a reference temperature of 25°C and a reference pressure of 760 torr; ppm in this table refers to ppm by volume, or micromoles of pollutant per mole of gas.
4. Any equivalent measurement method which can be shown to the satisfaction of the ARB to give equivalent results at or near the level of the air quality standard may be used.
5. National Primary Standards: The levels of air quality necessary, with an adequate margin of safety to protect the public health.
6. National Secondary Standards: The levels of air quality necessary to protect the public welfare from any known or anticipated adverse effects of a pollutant.
7. Reference method as described by the U.S. EPA. An "equivalent method" of measurement may be used but must have a "consistent relationship to the reference method" and must be approved by the U.S. EPA.
8. On October 1, 2015, the national 8-hour ozone primary and secondary standards were lowered from 0.075 to 0.070 ppm.
9. On December 14, 2012, the national annual PM_{2.5} primary standard was lowered from 15 $\mu\text{g}/\text{m}^3$ to 12.0 $\mu\text{g}/\text{m}^3$. The existing national 24-hour PM_{2.5} standards (primary and secondary) were retained at 35 $\mu\text{g}/\text{m}^3$, as was the annual secondary standard of 15 $\mu\text{g}/\text{m}^3$. The existing 24-hour PM₁₀ standards (primary and secondary) of 150 $\mu\text{g}/\text{m}^3$ also were retained. The form of the annual primary and secondary standards is the annual mean, averaged over 3 years.
10. To attain the 1-hour national standard, the 3-year average of the annual 98th percentile of the 1-hour daily maximum concentrations at each site must not exceed 100 ppb. Note that the national 1-hour standard is in units of parts per billion (ppb). California standards are in units of parts per million (ppm). To directly compare the national 1-hour standard to the California standards the units can be converted from ppb to ppm. In this case, the national standard of 100 ppb is identical to 0.100 ppm.
11. On June 2, 2010, a new 1-hour SO₂ standard was established and the existing 24-hour and annual primary standards were revoked. To attain the 1-hour national standard, the 3-year average of the annual 99th percentile of the 1-hour daily maximum concentrations at each site must not exceed 75 ppb. The 1971 SO₂ national standards (24-hour and annual) remain in effect until one year after an area is designated for the 2010 standard, except that in areas designated nonattainment for the 1971 standards, the 1971 standards remain in effect until implementation plans to attain or maintain the 2010 standards are approved.
Note that the 1-hour national standard is in units of parts per billion (ppb). California standards are in units of parts per million (ppm). To directly compare the 1-hour national standard to the California standard the units can be converted to ppm. In this case, the national standard of 75 ppb is identical to 0.075 ppm.
12. The ARB has identified lead and vinyl chloride as 'toxic air contaminants' with no threshold level of exposure for adverse health effects determined. These actions allow for the implementation of control measures at levels below the ambient concentrations specified for these pollutants.
13. The national standard for lead was revised on October 15, 2008 to a rolling 3-month average. The 1978 lead standard (1.5 $\mu\text{g}/\text{m}^3$ as a quarterly average) remains in effect until one year after an area is designated for the 2008 standard, except that in areas designated nonattainment for the 1978 standard, the 1978 standard remains in effect until implementation plans to attain or maintain the 2008 standard are approved.
14. In 1989, the ARB converted both the general statewide 10-mile visibility standard and the Lake Tahoe 30-mile visibility standard to instrumental equivalents, which are "extinction of 0.23 per kilometer" and "extinction of 0.07 per kilometer" for the statewide and Lake Tahoe Air Basin standards, respectively.

For more information please call ARB-PIO at (916) 322-2990

California Air Resources Board (5/4/16)

2.6 REGIONAL AIR QUALITY

Air pollution contributes to a wide variety of adverse health effects. The EPA has established NAAQS for seven of the most common air pollutants: CO, Pb, O₃, PM₁₀, PM_{2.5}, NO₂, and SO₂ which are known as criteria pollutants. The SCAQMD monitors levels of various criteria pollutants at 35 permanent monitoring stations and 2 single-pollutant source Pb air monitoring sites throughout the air district (7). On January 25, 2024, CARB adopted the proposed 2023 amendments to the state and national area designations. See Table 2-3 for attainment designations for the SCAB (8). Appendix 2.1 provides geographic representation of the state and federal attainment status for applicable criteria pollutants within the SCAB.

TABLE 2-3: ATTAINMENT STATUS OF CRITERIA POLLUTANTS IN THE SCAB

Criteria Pollutant	State Designation	Federal Designation
O ₃ – 1-hour standard	Nonattainment	--
O ₃ – 8-hour standard	Nonattainment	Nonattainment
PM ₁₀	Nonattainment	Attainment
PM _{2.5}	Nonattainment	Nonattainment
CO	Attainment	Unclassifiable/Attainment
NO ₂	Attainment	Unclassifiable/Attainment
SO ₂	Attainment	Unclassifiable/Attainment
Pb ¹	Attainment	Unclassifiable/Attainment

Note: See Appendix 2.1 for a detailed map of State/National Area Designations within the SCAB

-- = The national 1-hour O₃ standard was revoked effective June 15, 2005.

¹Because the proposed Project is not anticipated to generate a quantifiable quantity of Pb emissions, this threshold is not included in the impact analysis presented in this report.

2.7 LOCAL AIR QUALITY

The SCAQMD has designated general forecast areas and air monitoring areas (referred to as Source Receptor Areas [SRA]) throughout the district in order to provide information regarding air quality conditions to Southern California residents. The Project site is located within SRA 34. Within SRA 34, the SCAQMD Central San Bernardino Valley 1 monitoring station, located approximately 8.26 miles southwest of the Project site, is the nearest long-term air quality monitoring station and reports air quality statistics for O₃, CO, NO₂, PM_{2.5} and PM₁₀.

The most recent three (3) years of data available is shown in Table 2-4 and identifies the number of days ambient air quality standards were exceeded for the study area, which is considered to be representative of the local air quality at the Project site. Data for O₃, CO, NO₂, PM₁₀, and PM_{2.5} for 2020 through 2022 was obtained from the SCAQMD Air Quality Data Tables (9). Additionally, data for SO₂ has been omitted as attainment is regularly met in the SCAB and few monitoring stations measure SO₂ concentrations.

¹ The Federal nonattainment designation for lead is only applicable towards the Los Angeles County portion of the SCAB.

TABLE 2-4: PROJECT AREA AIR QUALITY MONITORING SUMMARY 2020-2022

Pollutant	Standard	Year		
		2020	2021	2022
O ₃				
Maximum Federal 1-Hour Concentration (ppm)		0.151	0.125	0.144
Maximum Federal 8-Hour Concentration (ppm)		0.111	0.103	0.107
Number of Days Exceeding State 1-Hour Standard	> 0.09 ppm	56	44	44
Number of Days Exceeding State/Federal 8-Hour Standard	> 0.070 ppm	89	83	70
CO				
Maximum Federal 1-Hour Concentration	> 35 ppm	1.7	1.9	1.6
Maximum Federal 8-Hour Concentration	> 20 ppm	1.2	1.4	1.0
NO ₂				
Maximum Federal 1-Hour Concentration	> 0.100 ppm	0.066	0.067	0.069
Annual Federal Standard Design Value		0.019	0.019	0.018
PM ₁₀				
Maximum Federal 24-Hour Concentration (µg/m ³)	> 150 µg/m ³	61	73	62
Annual Federal Arithmetic Mean (µg/m ³)		35.8	32.1	31.5
Number of Days Exceeding Federal 24-Hour Standard	> 150 µg/m ³	0	0	0
Number of Days Exceeding State 24-Hour Standard	> 50 µg/m ³	6	4	8
PM _{2.5}				
Maximum Federal 24-Hour Concentration (µg/m ³)	> 35 µg/m ³	46.1	55.1	38.1
Annual Federal Arithmetic Mean (µg/m ³)	> 12 µg/m ³	11.95	12.07	10.89
Number of Days Exceeding Federal 24-Hour Standard	> 35 µg/m ³	1	2	1

ppm = Parts Per Million

µg/m³ = Microgram per Cubic MeterSource: Data for O₃, CO, NO₂, PM₁₀, and PM_{2.5} was obtained from SCAQMD Air Quality Data Tables.

2.8 REGULATORY BACKGROUND

2.8.1 FEDERAL REGULATIONS

The EPA is responsible for setting and enforcing the NAAQS for O₃, CO, NO_x, SO₂, PM₁₀, and Pb (10). The EPA has jurisdiction over emissions sources that are under the authority of the federal government including aircraft, locomotives, and emissions sources outside state waters (Outer Continental Shelf). The EPA also establishes emission standards for vehicles sold in states other than California. Automobiles sold in California must meet the stricter emission requirements of CARB.

The Federal Clean Air Act (CAA) was first enacted in 1955 and has been amended numerous times in subsequent years (1963, 1965, 1967, 1970, 1977, and 1990). The CAA establishes the federal air quality standards, the NAAQS, and specifies future dates for achieving compliance (11). The CAA also mandates that states submit and implement SIPs for local areas not meeting these

standards. These plans must include pollution control measures that demonstrate how the standards will be met.

The 1990 amendments to the CAA that identify specific emission reduction goals for areas not meeting the NAAQS require a demonstration of reasonable further progress toward attainment and incorporate additional sanctions for failure to attain or to meet interim milestones. The sections of the CAA most directly applicable to the development of the Project site include Title I (Non-Attainment Provisions) and Title II (Mobile Source Provisions) (12) (13). Title I provisions were established with the goal of attaining the NAAQS for the following criteria pollutants O₃, NO₂, SO₂, PM₁₀, CO, PM_{2.5}, and Pb. The NAAQS were amended in July 1997 to include an additional standard for O₃ and to adopt a NAAQS for PM_{2.5}. Table 2-3 (previously presented) provides the NAAQS within the SCAB.

Mobile source emissions are regulated in accordance with Title II provisions. These provisions require the use of cleaner burning gasoline and other cleaner burning fuels such as methanol and natural gas. Automobile manufacturers are also required to reduce tailpipe emissions of hydrocarbons and NO_x. NO_x is a collective term that includes all forms of NO_x which are emitted as byproducts of the combustion process.

2.8.2 CALIFORNIA REGULATIONS

CARB

CARB, which became part of CalEPA in 1991, is responsible for ensuring implementation of the California Clean Air Act (AB 2595), responding to the federal CAA, and for regulating emissions from consumer products and motor vehicles. AB 2595 mandates achievement of the maximum degree of emissions reductions possible from vehicular and other mobile sources in order to attain the state ambient air quality standards by the earliest practical date. CARB established the CAAQS for all pollutants for which the federal government has NAAQS and, in addition, establishes standards for SO₄, visibility, hydrogen sulfide (H₂S), and vinyl chloride (C₂H₃Cl). However, at this time, H₂S and C₂H₃Cl are not measured at any monitoring stations in the SCAB because they are not considered to be a regional air quality problem. Generally, the CAAQS are more stringent than the NAAQS (14) (10).

Local air quality management districts, such as the SCAQMD, regulate air emissions from stationary sources such as commercial and industrial facilities. All air pollution control districts have been formally designated as attainment or non-attainment for each CAAQS.

Serious non-attainment areas are required to prepare Air Quality Management Plans (AQMP) that include specified emission reduction strategies in an effort to meet clean air goals. These plans are required to include:

- Application of Best Available Retrofit Control Technology to existing sources;
- Developing control programs for area sources (e.g., architectural coatings and solvents) and indirect sources (e.g. motor vehicle use generated by residential and commercial development);
- A District permitting system designed to allow no net increase in emissions from any new or modified permitted sources of emissions;

- Implementing reasonably available transportation control measures and assuring a substantial reduction in growth rate of vehicle trips and miles traveled;
- Significant use of low emissions vehicles by fleet operators;
- Sufficient control strategies to achieve a 5% or more annual reduction in emissions or 15% or more in a period of three years for ROG_s, NO_x, CO and PM₁₀. However, air basins may use an alternative emission reduction strategy that achieves a reduction of less than 5% per year under certain circumstances.

TITLE 24 ENERGY EFFICIENCY STANDARDS AND CALIFORNIA GREEN BUILDING STANDARDS

California Code of Regulations (CCR) Title 24 Part 6: The California Energy Code was first adopted in 1978 in response to a legislative mandate to reduce California's energy consumption.

The standards are updated periodically to allow consideration and possible incorporation of new energy efficient technologies and methods. CCR, Title 24, Part 11: California Green Building Standards Code (CALGreen) is a comprehensive and uniform regulatory code for all residential, commercial, and school buildings that went in effect on August 1, 2009, and is administered by the California Building Standards Commission.

CALGreen is updated on a regular basis, with the most recent approved update consisting of the 2022 California Green Building Code Standards that became effective on January 1, 2023. The CEC anticipates that the 2022 energy code will provide \$1.5 billion in consumer benefits and reduce GHG emissions by 10 million metric tons (15). The Project would be required to comply with the applicable standards in place at the time plan check submittals are made. These require, among other items (16):

NONRESIDENTIAL MANDATORY MEASURES

- Short-term bicycle parking. If the new project or an additional alteration is anticipated to generate visitor traffic, provide permanently anchored bicycle racks within 200 feet of the visitors' entrance, readily visible to passers-by, for 5% of new visitor motorized vehicle parking spaces being added, with a minimum of one two-bike capacity rack (5.106.4.1.1).
- Long-term bicycle parking. For new buildings with tenant spaces that have 10 or more tenant-occupants, provide secure bicycle parking for 5% of the tenant-occupant vehicular parking spaces with a minimum of one bicycle parking facility (5.106.4.1.2).
- EV charging stations. New construction shall facilitate the future installation of EV supply equipment. The compliance requires empty raceways for future conduit and documentation that the electrical system has adequate capacity for the future load. The number of spaces to be provided for is contained in Table 5.106.5.3.3 (5.106.5.3). Additionally, Table 5.106.5.4.1 specifies requirements for the installation of raceway conduit and panel power requirements for medium- and heavy-duty EV supply equipment for warehouses, grocery stores, and retail stores.
- Outdoor light pollution reduction. Outdoor lighting systems shall be designed to meet the backlight, upright and glare ratings per Table 5.106.8 (5.106.8).
- Construction waste management. Recycle and/or salvage for reuse a minimum of 65% of the nonhazardous construction and demolition waste in accordance with Section 5.408.1.1, 5.405.1.2, or 5.408.1.3; or meet a local construction and demolition waste management ordinance, whichever is more stringent (5.408.1).

- Excavated soil and land clearing debris. 100% of trees, stumps, rocks and associated vegetation and soils resulting primarily from land clearing shall be reused or recycled. For a phased project, such material may be stockpiled on site until the storage site is developed (5.408.3).
- Recycling by Occupants. Provide readily accessible areas that serve the entire building and are identified for the depositing, storage, and collection of non-hazardous materials for recycling, including (at a minimum) paper, corrugated cardboard, glass, plastics, organic waste, and metals or meet a lawfully enacted local recycling ordinance, if more restrictive (5.410.1).
- Water conserving plumbing fixtures and fittings. Plumbing fixtures (water closets and urinals) and fittings (faucets and showerheads) shall comply with the following:
 - a) Water Closets. The effective flush volume of all water closets shall not exceed 1.28 gallons per flush (5.303.3.1)
 - b) Urinals. The effective flush volume of wall-mounted urinals shall not exceed 0.125 gallons per flush (5.303.3.2.1). The effective flush volume of floor-mounted or other urinals shall not exceed 0.5 gallons per flush (5.303.3.2.2).
 - c) Showerheads. Single showerheads shall have a minimum flow rate of not more than 1.8 gallons per minute and 80 psi (5.303.3.3.1). When a shower is served by more than one showerhead, the combined flow rate of all showerheads and/or other shower outlets controlled by a single valve shall not exceed 1.8 gallons per minute at 80 psi (5.303.3.3.2).
 - d) Faucets and fountains. Nonresidential lavatory faucets shall have a maximum flow rate of not more than 0.5 gallons per minute at 60 psi (5.303.3.4.1). Kitchen faucets shall have a maximum flow rate of not more than 1.8 gallons per minute at 60 psi (5.303.3.4.2). Wash fountains shall have a maximum flow rate of not more than 1.8 gallons per minute (5.303.3.4.3). Metering faucets shall not deliver more than 0.20 gallons per cycle (5.303.3.4.4). Metering faucets for wash fountains shall have a maximum flow rate not more than 0.20 gallons per cycle (5.303.3.4.5).
- Outdoor potable water uses in landscaped areas. Nonresidential developments shall comply with a local water efficient landscape ordinance or the current California Department of Water Resources' Model Water Efficient Landscape Ordinance (MWELO), whichever is more stringent (5.304.1).
- Water meters. Separate submeters or metering devices shall be installed for new buildings or additions in excess of 50,000 sf or for excess consumption where any tenant within a new building or within an addition that is projected to consume more than 1,000 gallons per day (GPD) (5.303.1.1 and 5.303.1.2).
- Outdoor water uses in rehabilitated landscape projects equal or greater than 2,500 sf. Rehabilitated landscape projects with an aggregate landscape area equal to or greater than 2,500 sf requiring a building or landscape permit (5.304.3).
- Commissioning. For new buildings 10,000 sf and over, building commissioning shall be included in the design and construction processes of the building project to verify that the building systems and components meet the owner's or owner representative's project requirements (5.410.2).

2.8.3 AQMP

Currently, the NAAQS and CAAQS are exceeded in most parts of the SCAB. In response, the SCAQMD has adopted a series of AQMP to meet the state and federal ambient air quality standards (17). AQMPs are updated regularly to ensure an effective reduction in emissions, accommodate growth, and to minimize any negative fiscal impacts of air pollution control on the economy. A detailed discussion on the AQMP and Project consistency with the AQMP is provided in Section 3.10.


2.9 REGIONAL AIR QUALITY IMPROVEMENT

The Project is within the jurisdiction of the SCAQMD. In 1976, California adopted the Lewis Air Quality Management Act which created SCAQMD from a voluntary association of air pollution control districts in Los Angeles, Orange, Riverside, and San Bernardino counties. The geographic area of which SCAQMD consists of is known as the SCAB. SCAQMD develops comprehensive plans and regulatory programs for the region to attain federal standards by dates specified in federal law. The agency is also responsible for meeting state standards by the earliest date achievable, using reasonably available control measures.

SCAQMD rule development through the 1970s and 1980s resulted in dramatic improvement in SCAB air quality. Nearly all control programs developed through the early 1990s relied on (i) the development and application of cleaner technology; (ii) add-on emission controls, and (iii) uniform CEQA review throughout the SCAB. Industrial emission sources have been significantly reduced by this approach and vehicular emissions have been reduced by technologies implemented at the state level by CARB.

As discussed above, the SCAQMD is the lead agency charged with regulating air quality emission reductions for the entire SCAB. SCAQMD created AQMPs which represent a regional blueprint for achieving healthful air on behalf of the 16 million residents of the SCAB. The 2012 AQMP states, “the remarkable historical improvement in air quality since the 1970s is the direct result of Southern California’s comprehensive, multiyear strategy of reducing air pollution from all sources as outlined in its AQMPs” (18).


Emissions of O₃, NO_x, VOC, and CO have been decreasing in the SCAB since 1975 and are projected to continue to decrease through 2020 (19). These decreases result primarily from motor vehicle controls and reductions in evaporative emissions. Although vehicle miles traveled (VMT) in the SCAB continue to increase, NO_x and VOC levels are decreasing because of the mandated controls on motor vehicles and the replacement of older polluting vehicles with lower-emitting vehicles. NO_x emissions from electric utilities have also decreased due to use of cleaner fuels and renewable energy. O₃ contour maps show that the number of days exceeding the 8-hour NAAQS has generally decreased between 1980 and 2020. For 2020, there was an overall decrease in exceedance days compared with the 1980 period. However, as shown in Table 2-5, O₃ levels have increased in the past three years due to higher temperatures and stagnant weather conditions. Notwithstanding, O₃ levels in the SCAB have decreased substantially over the last 30 years with the current maximum measured concentrations being approximately one-third of concentrations within the late 70s (20).

TABLE 2-5: SCAB O₃ TREND

Source: 2020 SCAQMD, Historical O₃ Air Quality Trends (1976-2020)


The overall trends of PM₁₀ and PM_{2.5} levels in the air (not emissions) show an overall improvement since 1975. Direct emissions of PM₁₀ have remained somewhat constant in the SCAB and direct emissions of PM_{2.5} have decreased slightly since 1975. Area wide sources (fugitive dust from roads, dust from construction, and other sources) contribute the greatest amount of direct particulate matter emissions.

As with other pollutants, the most recent PM₁₀ statistics show an overall improvement as illustrated in Tables 2-6 and 2-7. During the period for which data are available, the 24-hour national annual average concentration for PM₁₀ decreased by approximately 46%, from 103.7 microgram per cubic meter (µg/m³) in 1988 to 55.5 µg/m³ in 2020 (21). Although the values are below the federal standard, it should be noted that there are days within the year where the concentrations would exceed the threshold. The 24-hour state annual average for emissions for PM₁₀, have decreased by approximately 64%, from 93.9 µg/m³ in 1989 to 33.9 µg/m³ in 2020 (21). Although data in the late 1990s show some variability, this is probably due to the advances in meteorological science rather than a change in emissions. Similar to the ambient concentrations, the calculated number of days above the 24-hour PM₁₀ standards has also shown an overall drop.

TABLE 2-6: SCAB AVERAGE 24-HOUR CONCENTRATION PM₁₀ TREND (BASED ON FEDERAL STANDARD)¹

Source: 2020 CARB, iADAM: Top Four Summary: PM₁₀ 24-Hour Averages (1988-2020)


¹ Some years have been omitted from the table as insufficient data (or no) data has been reported. Years with reported value of "0" have also been omitted.

TABLE 2-7: SCAB ANNUAL AVERAGE CONCENTRATION PM₁₀ TREND (BASED ON STATE STANDARD)¹

Source: 2020 CARB, iADAM: Top Four Summary: PM₁₀ 24-Hour Averages (1988-2020)


¹ Some years have been omitted from the table as insufficient data (or no) data has been reported. Years with reported value of "0" have also been omitted.

Tables 2-8 and 2-9 show the most recent annual and 24-hour average PM_{2.5} concentrations in the SCAB. Overall, the national and state annual average concentrations have decreased by almost 50% and 31% respectively (21). It should be noted that the SCAB is currently designated as nonattainment for the state and federal PM_{2.5} standards.

TABLE 2-8: SCAB 24-HOUR AVERAGE CONCENTRATION PM_{2.5} TREND (BASED ON FEDERAL STANDARD)¹

Source: 2020 CARB, iADAM: Top Four Summary: PM_{2.5} 24-Hour Averages (1999-2020)

¹ Some years have been omitted from the table as insufficient data (or no) data has been reported. Years with reported value of "0" have also been omitted.

TABLE 2-9: SCAB ANNUAL AVERAGE CONCENTRATION PM_{2.5} TREND (BASED ON STATE STANDARD)¹

Source: 2020 CARB, iADAM: Top Four Summary: PM_{2.5} 24-Hour Averages (1999-2020)

¹ Some years have been omitted from the table as insufficient data (or no) data has been reported. Years with reported value of "0" have also been omitted.


While the 2012 AQMP PM₁₀ attainment demonstration and the 2015 associated supplemental SIP submission indicated that attainment of the 24-hour standard was predicted to occur by the end of 2015, it could not anticipate the effect of the ongoing drought on the measured PM_{2.5}.

The 2006 to 2010 base period used for the 2012 attainment demonstration had near-normal rainfall. While the trend of PM_{2.5}-equivalent emission reductions continued through 2015, the severe drought conditions contributed to the PM_{2.5} increases observed after 2012. As a result of the disrupted progress toward attainment of the federal 24-hour PM_{2.5} standard, SCAQMD submitted a request and the EPA approved, in January 2016, a "bump up" to the nonattainment classification from "moderate" to "serious," with a new attainment deadline as soon as practicable, but not beyond December 31, 2019. As of March 14, 2019, the EPA approved portions of a SIP revision submitted by California to address CAA requirements for the 2006 24-hour PM_{2.5} NAAQS in the Los Angeles-SCAB Serious PM_{2.5} nonattainment area. The EPA also approved 2017 and 2019 motor vehicle emissions budgets for transportation conformity purposes and inter-pollutant trading ratios for use in transportation conformity analyses (22).

In December 2022, the SCAQMD released the Final 2022 AQMP. The 2022 AQMP continues to evaluate current integrated strategies and control measures to meet the NAAQS, as well as explore new and innovative methods to reach its goals. Some of these approaches include utilizing incentive programs, recognizing existing co-benefit programs from other sectors, and developing a strategy with fair-share reductions at the federal, state, and local levels (23). Similar to the 2016 AQMP, the 2022 AQMP incorporates scientific and technological information and planning assumptions, including the 2020-2045 Regional Transportation Plan/Sustainable Communities Strategy (2020-2045 RTP/SCS) and updated emission inventory methodologies for various source categories (24).

The most recent CO concentrations in the SCAB are shown in Table 2-10 (21). CO concentrations in the SCAB have decreased markedly — a total decrease of more about 80% in the peak 8-hour concentration from 1986 to 2012. It should be noted 2012 is the most recent year where 8-hour CO averages and related statistics are available in the SCAB. The number of exceedance days has also declined. The entire SCAB is now designated as attainment for both the state and national CO standards. Ongoing reductions from motor vehicle control programs should continue the downward trend in ambient CO concentrations.

TABLE 2-10: SCAB 8-HOUR AVERAGE CONCENTRATION CO TREND¹



Source: 2020 CARB, iADAM: Top Four Summary: CO 8-Hour Averages (1986-2012)


¹ The most recent year where 8-hour concentration data is available is 2012.

Part of the control process of the SCAQMD's duty to greatly improve the air quality in the SCAB is the uniform CEQA review procedures required by SCAQMD's *CEQA Air Quality Handbook (1993) (1993 CEQA Handbook)* (25). The single threshold of significance used to assess Project direct and cumulative impacts has in fact "worked" as evidenced by the track record of the air quality in the SCAB dramatically improving over the course of the past decades. As stated by the SCAQMD, the District's thresholds of significance are based on factual and scientific data and are therefore appropriate thresholds of significance to use for this Project.

The most recent NO₂ data for the SCAB is shown in Tables 2-11 and 2-12 (21). Over the last 50 years, NO₂ values have decreased significantly; the peak 1-hour national and state averages for 2020 is approximately 80% lower than what it was during 1963. The SCAB attained the State 1-hour NO₂ standard in 1994, bringing the entire state into attainment. A new state annual average standard of 0.030 ppm was adopted by CARB in February 2007 (26). The new standard is just barely exceeded in the SCAQMD. NO₂ is formed from NO_x emissions, which also contribute to O₃. As a result, the majority of the future emission control measures would be implemented as part


of the overall O₃ control strategy. Many of these control measures would target mobile sources, which account for more than three-quarters of California's NO_x emissions. These measures are expected to bring the SCAQMD into attainment of the state annual average standard.

TABLE 2-11: SCAB 1-HOUR AVERAGE CONCENTRATION NO₂ TREND (BASED ON FEDERAL STANDARD)



Source: 2020 CARB, iADAM: Top Four Summary: CO 1-Hour Averages (1963-2020)

TABLE 2-12: SCAB 1-HOUR AVERAGE CONCENTRATION NO₂ TREND (BASED ON STATE STANDARD)



Source: 2020 CARB, iADAM: Top Four Summary: CO 1-Hour Averages (1963-2020)

2.9.1 TOXIC AIR CONTAMINANTS (TAC) TRENDS

In 1984, as a result of public concern for exposure to airborne carcinogens, CARB adopted regulations to reduce the amount of TAC emissions resulting from mobile and area sources, such


as cars, trucks, stationary sources, and consumer products. According to the *Ambient and Emission Trends of Toxic Air Contaminants in California* journal article (27) which was prepared for CARB, results show that between 1990-2012, ambient concentration and emission trends for the seven TACs responsible for most of the known cancer risk associated with airborne exposure in California have declined significantly (between 1990 and 2012). The seven TACs studied include those that are derived from mobile sources: diesel particulate matter (DPM), benzene (C_6H_6), and 1,3-butadiene (C_4H_6); those that are derived from stationary sources: perchloroethylene (C_2Cl_4) and hexavalent chromium ($Cr(VI)$); and those derived from photochemical reactions of emitted VOCs: formaldehyde (CH_2O) and acetaldehyde (C_2H_4O)². The decline in ambient concentration and emission trends of these TACs are a result of various regulations CARB has implemented to address cancer risk.

MOBILE SOURCE TACs

CARB introduced two programs that aimed at reducing mobile emissions for light and medium duty vehicles through vehicle emissions controls and cleaner fuel. In California, light-duty vehicles sold after 1996 are equipped with California's second-generation On-Board Diagnostic (OBD-II) system. The OBD-II system monitors virtually every component that can affect the emission performance of the vehicle to ensure that the vehicle remains as clean as possible over its entire life and assists repair technicians in diagnosing and fixing problems with the computerized engine controls. If a problem is detected, the OBD-II system illuminates a warning lamp on the vehicle instrument panel to alert the driver. This warning lamp typically contains the phrase "Check Engine" or "Service Engine Soon." The system would also store important information about the detected malfunction so that a repair technician can accurately find and fix the problem. CARB has recently developed similar OBD requirements for heavy-duty vehicles over 14,000 pounds (lbs). CARB's phase II Reformulated Gasoline Regulation (RFG-2), adopted in 1996, also led to a reduction of mobile source emissions. Through such regulations, benzene levels declined 88% from 1990-2012. 1,3-Butadiene concentrations also declined 85% from 1990-2012 as a result of the use of reformulated gasoline and motor vehicle regulations (27).

In 2000, CARB's Diesel Risk Reduction Plan (DRRP) recommended the replacement and retrofit of diesel-fueled engines and the use of ultra-low-sulfur (<15 ppm) diesel fuel. As a result of these measures, DPM concentrations have declined 68% since 2000, even though the state's population increased 31% and the amount of diesel vehicles miles traveled increased 81%, as shown in Exhibit 2-B. With the implementation of these diesel-related control regulations, CARB expects a DPM decline of 71% for 2000-2020.

² It should be noted that ambient DPM concentrations are not measured directly. Rather, a surrogate method using the coefficient of haze (COH) and elemental carbon (EC) is used to estimate DPM concentrations.

EXHIBIT 2-A: DPM AND DIESEL VEHICLE MILES TREND**California Population, Gross State Product (GSP),
Diesel Cancer Risk, Diesel Vehicle-Miles-Traveled (VMT)**

Source: 2020 CARB

DIESEL REGULATIONS

CARB and the Ports of Los Angeles and Long Beach have adopted several iterations of regulations for diesel trucks that are aimed at reducing DPM. More specifically, CARB Drayage Truck Regulation (28), CARB statewide On-road Truck and Bus Regulation (29), and the Ports of Los Angeles and Long Beach Clean Truck Program (CTP) require accelerated implementation of “clean trucks” into the statewide truck fleet (30). In other words, older more polluting trucks would be replaced with newer, cleaner trucks as a function of these regulatory requirements.

Moreover, the average statewide DPM emissions for Heavy Duty Trucks (HDT), in terms of grams of DPM generated per mile traveled, would dramatically be reduced due to the aforementioned regulatory requirements.

Diesel emissions identified in this analysis would therefore overstate future DPM emissions since not all the regulatory requirements are reflected in the modeling.

CANCER RISK TRENDS

Based on information available from CARB, overall cancer risk throughout the SCAB has had a declining trend since 1990. In 1998, following an exhaustive 10-year scientific assessment process, CARB identified particulate matter from diesel-fueled engines as a toxic air contaminant. The SCAQMD initiated a comprehensive urban toxic air pollution study called the Multiple Air Toxics Exposure Study (MATES). DPM accounts for more than 70% of the cancer risk.

In January 2018, as part of the overall effort to reduce air toxics exposure in the SCAB, SCAQMD began conducting the MATES V Program. MATES V field measurements were conducted at ten fixed sites (the same sites selected for MATES III and IV) to assess trends in air toxics levels. MATES V also included measurements of ultrafine particles (UFP) and black carbon (BC) concentrations, which can be compared to the UFP levels measured in MATES IV (31). The final report for the MATES V study was published August 2021. In addition to new measurements and updated modeling results, several key updates were implemented in MATES V. First, MATES V estimates cancer risks by taking into account multiple exposure pathways, which includes inhalation and non-inhalation pathways. This approach is consistent with how cancer risks are estimated in South Coast AQMD's programs such as permitting, Air Toxics Hot Spots (AB2588), and CEQA. Previous MATES studies quantified the cancer risks based on the inhalation pathway only. Second, along with cancer risk estimates, MATES V includes information on the chronic non-cancer risks from inhalation and non-inhalation pathways for the first time. Cancer risks and chronic non-cancer risks from MATES II through IV measurements have been re-examined using current Office of Environmental Health Hazard Assessment (OEHHA) and CalEPA risk assessment methodologies and modern statistical methods to examine the trends over time (32).

MATES-V calculated cancer risks based on monitoring data collected at ten fixed sites within the SCAB. None of the fixed monitoring sites are within the local area of the Project site. However, MATES-V has extrapolated the excess cancer risk levels throughout the SCAB by modeling the specific grids. The Project is located within a quadrant of the geographic grid of the MATES-V model which predicted a cancer risk of 288 in one million for the area containing the Project site. DPM is included in this cancer risk along with all other TAC sources. As in previous MATES iterations, DPM is the largest contributor to overall air toxics cancer risk. However, the average levels of DPM in MATES V are 53% lower at the 10 monitoring sites compared to MATES IV. Cumulative Project generated TACs are limited to DPM.

This page intentionally left blank

3 PROJECT AIR QUALITY IMPACT

3.1 INTRODUCTION

This study quantifies air quality emissions generated by construction and operation of the Project and addresses whether the Project conflicts with implementation of the SCAQMD's AQMP. The analysis of Project-generated air emissions determines whether the Project would result in a cumulatively considerable net increase of any criteria pollutant for which the SCAB is in non-attainment under an applicable NAAQS and CAAQS. Additionally, the Project has been evaluated to determine whether it would expose sensitive receptors to substantial pollutant concentrations and the impacts of odors. The significance of these potential impacts is described in the following sections.

3.2 STANDARDS OF SIGNIFICANCE

The criteria used to determine the significance of potential Project-related air quality impacts are taken from the *CEQA Guidelines* (14 CCR §§15000, et seq.). Based on these thresholds, a project would result in a significant impact related to air quality if it would (1):

- Conflict with or obstruct implementation of the applicable air quality plan.
- Result in a cumulatively considerable net increase of any criteria pollutant for which the project region is in non-attainment under an applicable federal or state ambient air quality standard.
- Expose sensitive receptors to substantial pollutant concentrations.
- Result in other emissions (such as those leading to odors) adversely affecting a substantial number of people.

The SCAQMD has also developed regional significance thresholds for other regulated pollutants, as summarized at Table 3-1 (33). The SCAQMD's *CEQA Air Quality Significance Thresholds* (March 2023) indicate that any projects in the SCAB with daily emissions that exceed any of the indicated thresholds should be considered as having an individually and cumulatively significant air quality impact.

TABLE 3-1: MAXIMUM DAILY REGIONAL EMISSIONS THRESHOLDS

Pollutant	Regional Construction Threshold	Regional Operational Thresholds
NO _x	100 lbs/day	55 lbs/day
VOC	75 lbs/day	55 lbs/day
PM ₁₀	150 lbs/day	150 lbs/day
PM _{2.5}	55 lbs/day	55 lbs/day
SO _x	150 lbs/day	150 lbs/day
CO	550 lbs/day	550 lbs/day
Pb	3 lbs/day	3 lbs/day

lbs/day = Pounds Per Day

3.3 MODELS EMPLOYED TO ANALYZE AIR QUALITY

3.3.1 CalEEMod

Land uses such as the Project affect air quality through construction-source and operational-source emissions.

In August 2023, the California Air Pollution Control Officers Association (CAPCOA) in conjunction with other California air districts including the SCAQMD, released the latest version of the California Emissions Estimator Model (CalEEMod) version 2022.1.1.22. The purpose of this model is to calculate construction-source and operational-source criteria pollutant (VOCs, NO_x, SO_x, CO, PM₁₀, and PM_{2.5}) and greenhouse gas (GHG) emissions from direct and indirect sources; and quantify applicable air quality and GHG reductions achieved from mitigation measures (34). Accordingly, the latest version of CalEEMod has been used for this Project to determine construction and operational air quality emissions. Output from the model runs for both construction and operational activity are provided in Appendices 3.1 through 3.7.

3.4 CONSTRUCTION EMISSIONS

3.4.1 CONSTRUCTION ACTIVITIES

Construction activities associated with the Project would result in emissions of VOCs, NO_x, SO_x, CO, PM₁₀, and PM_{2.5}. Construction-related emissions are expected from the following construction activities:

- Demolition
- Site Preparation
- Grading
- Building Construction
- Paving
- Architectural Coating

GRADING ACTIVITIES

Dust is typically a major concern during grading activities. Because such emissions are not amenable to collection and discharge through a controlled source, they are called “fugitive emissions.” Fugitive dust emissions rates vary as a function of many parameters (soil silt, soil moisture, wind speed, area disturbed, number of vehicles, depth of disturbance or excavation, etc.). CalEEMod was utilized to calculate fugitive dust emissions resulting from this phase of activity. This analysis assumes that earthwork activities are expected to balance on site and no import or export of soils would be required.

ON-ROAD TRIPS

Construction generates on-road vehicle emissions from vehicle usage for workers, vendors, and haul trucks commuting to and from the site. The number of worker, vendor, and hauling trips are presented below in Table 3-2. Worker trips are based on CalEEMod defaults. It should be noted

that for vendor trips, specifically, CalEEMod only assigns vendor trips to the Building Construction phase. Vendor trips would likely occur during all phases of construction. As such, the CalEEMod defaults for vendor trips have been adjusted based on a ratio of the total vendor trips to the number of days of each subphase of activity.

TABLE 3-2: CONSTRUCTION TRIP ASSUMPTIONS

Construction Activity	Worker Trips Per Day	Vendor Trips Per Day	Hauling Trips Per Day
Demolition	15	15	0
Site Preparation	18	9	0
Grading	20	24	0
Building Construction	736	239	0
Paving	15	0	0
Architectural Coating	147	0	0

3.4.2 CONSTRUCTION DURATION

For purposes of analysis, construction of the Project is expected to commence in September 2024 and would last through December 2040. The construction schedule utilized in the analysis, shown in Table 3-3, represents a “conservative” analysis scenario should construction occur any time after the respective dates since emission factors for construction decrease as time passes and the analysis year increases due to emission regulations becoming more stringent.³ The duration of construction activity and associated equipment represents a reasonable approximation of the expected construction fleet as required per *CEQA Guidelines* (1).

TABLE 3-3: CONSTRUCTION DURATION

Construction Activity	Start Date	End Date	Working Days
Demolition	9/2/2024	10/22/2025	298
Site Preparation	10/23/2025	6/30/2026	179
Grading	7/1/2026	4/7/2028	463
Building Construction	4/10/2028	12/29/2040	3,320
Paving	9/27/2039	12/29/2040	329
Architectural Coating	9/27/2039	12/29/2040	329

3.4.3 CONSTRUCTION EQUIPMENT

Consistent with industry standards and typical construction practices, each piece of equipment listed in Table 3-4 is assumed to operate up to a total of eight (8) hours per day, or more than

³ As shown in the CalEEMod User’s Guide Version 2022, Appendix G “Table G-11. Statewide Average Annual Offroad Equipment Emission Factors” as the analysis year increases, emission factors for the same equipment pieces decrease due to the natural turnover of older equipment being replaced by newer less polluting equipment and new regulatory requirements.

two-thirds of the period during which construction activities are allowed pursuant to the County code.

TABLE 3-4: CONSTRUCTION EQUIPMENT ASSUMPTIONS

Construction Activity	Equipment ¹	Amount	Hours Per Day
Demolition	Rubber Tired Dozers	2	8
	Excavators	3	8
	Concrete/Industrial Saws	1	8
Site Preparation	Rubber Tired Dozers	3	8
	Crawler Tractors	4	8
Grading	Graders	1	8
	Excavators	2	8
	Scrapers	2	8
	Rubber Tired Dozers	1	8
	Crawler Tractors	2	8
Building Construction	Forklifts	3	8
	Generator Sets	1	8
	Cranes	1	8
	Welders	1	8
	Tractors/Loaders/Backhoes	3	8
Paving	Pavers	2	8
	Paving Equipment	2	8
	Rollers	2	8
Architectural Coating	Air Compressors	1	8

¹ In order to account for fugitive dust emissions, Crawler Tractors were used in lieu of Tractors/Loaders/Backhoes during the site preparation and grading phases of Project construction.

3.4.4 CONSTRUCTION EMISSIONS SUMMARY

IMPACTS WITHOUT MITIGATION

The estimated maximum daily construction emissions without mitigation are summarized in Table 3-5. Detailed construction model outputs are presented in Appendix 3.1. Under the assumed scenarios, emissions resulting from the Project construction would not exceed criteria pollutant thresholds established by the SCAQMD.

TABLE 3-5: OVERALL CONSTRUCTION EMISSIONS SUMMARY – WITHOUT MITIGATION

Year	Emissions (lbs/day)					
	VOC	NO _x	CO	SO _x	PM ₁₀	PM _{2.5}
Summer						
2024	2.71	25.50	23.30	0.04	1.39	1.06
2025	2.48	22.80	21.40	0.04	1.25	0.93
2026	3.91	35.00	32.40	0.07	7.74	4.39
2027	3.34	28.80	30.10	0.07	4.41	2.27
2028	4.13	27.20	63.70	0.08	12.10	3.17
2029	3.95	18.40	60.50	0.08	12.00	3.15
2030	3.49	17.50	57.30	0.08	12.00	3.13
2031	3.32	16.90	54.40	0.08	12.00	3.12
2032	3.20	16.10	52.20	0.08	12.00	3.10
2033	3.10	15.60	50.00	0.08	11.90	3.08
2034	2.95	14.90	48.20	0.08	11.90	3.07
2035	2.90	14.50	46.30	0.08	11.90	3.05
2036	2.82	14.20	44.70	0.08	11.90	3.04
2037	2.72	13.80	43.50	0.08	11.90	3.03
2038	2.63	13.30	42.30	0.08	11.90	3.03
2039	31.40	19.50	58.30	0.10	14.10	3.62
2040	31.30	19.30	57.40	0.10	14.10	3.62
Winter						
2024	2.70	25.50	23.00	0.04	1.39	1.06
2025	4.13	37.90	33.60	0.05	1.25	0.93
2026	3.91	35.00	32.10	0.07	7.74	4.39
2027	3.33	28.80	29.80	0.07	4.41	2.27
2028	3.95	27.30	52.40	0.08	12.10	3.17
2029	3.48	19.00	50.00	0.08	12.00	3.15
2030	3.35	18.20	47.70	0.08	12.00	3.13
2031	3.18	17.30	45.40	0.08	12.00	3.12
2032	3.07	16.70	43.40	0.08	12.00	3.10
2033	2.96	15.90	41.80	0.08	11.90	3.08
2034	2.85	15.60	40.50	0.08	11.90	3.07
2035	2.80	14.80	38.80	0.08	11.90	3.05
2036	2.72	14.40	37.80	0.08	11.90	3.04

Year	Emissions (lbs/day)					
	VOC	NO _x	CO	SO _x	PM ₁₀	PM _{2.5}
2037	2.63	14.10	36.60	0.08	11.90	3.03
2038	2.59	13.90	36.00	0.08	11.90	3.03
2039	31.30	20.20	50.50	0.10	14.10	3.62
2040	31.20	19.60	49.90	0.10	14.10	3.62
Maximum Daily Emissions	31.40	37.90	63.70	0.10	14.10	4.39
SCAQMD Regional Threshold	75	100	550	150	150	55
Threshold Exceeded?	NO	NO	NO	NO	NO	NO

Source: CalEEMod construction-source (unmitigated) emissions are presented in Appendix 3.1

3.5 OPERATIONAL EMISSIONS

Operational activities associated with the Project would result in emissions of VOCs, NO_x, SO_x, CO, PM₁₀, and PM_{2.5}. Operational emissions are expected from the following primary sources:

- Area Source Emissions
- Energy Source Emissions
- Mobile Source Emissions
- On-Site Cargo Handling Equipment Emissions
- Stationary Source Emissions

3.5.1 AREA SOURCE EMISSIONS

ARCHITECTURAL COATINGS

Over a period of time, the Project buildings would require maintenance and would therefore produce emissions resulting from the evaporation of solvents contained in paints, varnishes, primers, and other surface coatings. The emissions associated with architectural coatings were calculated using CalEEMod.

CONSUMER PRODUCTS

Consumer products include, but are not limited to, detergents, cleaning compounds, polishes, personal care products, and lawn and garden products. Many of these products contain organic compounds which when released in the atmosphere can react to form ozone and other photochemically reactive pollutants. The emissions associated with use of consumer products were calculated based on defaults provided within CalEEMod.

LANDSCAPE MAINTENANCE EQUIPMENT

Landscape maintenance equipment would generate emissions from fuel combustion and evaporation of unburned fuel. Equipment in this category would include lawnmowers, shredders/grinders, blowers, trimmers, chain saws, and hedge trimmers used to maintain the landscaping of the Project. It should be noted that on October 9, 2021, Governor Gavin Newsom

signed AB 1346. The bill aims to ban the sale of new gasoline-powered equipment under 25 gross horsepower (known as small off-road engines [SOREs]) by 2024, which is now effective. For purposes of analysis, the emissions associated with landscape maintenance equipment were calculated based on assumptions provided in CalEEMod.

3.5.2 ENERGY SOURCE EMISSIONS

COMBUSTION EMISSIONS ASSOCIATED WITH NATURAL GAS AND ELECTRICITY

Electricity and natural gas are used by almost every project. Criteria pollutant emissions are emitted through the generation of electricity and consumption of natural gas. However, because electrical generating facilities for the Project area are located either outside the region (state) or offset through the use of pollution credits (RECLAIM) for generation within the SCAB, criteria pollutant emissions from offsite generation of electricity are excluded from the evaluation of significance. Electricity and natural gas usage associated with the Project was calculated by CalEEMod using default parameters.

3.5.3 MOBILE SOURCE EMISSIONS

The Project related air quality emissions derive primarily from vehicle trips associated with the Project, including employee trips, truck trips, and commercial trips to and from the site associated with the proposed uses. Trip characteristics available from the *Glen Helen Specific Plan Amendment Traffic Impact Analysis* were utilized in this analysis (35).

APPROACH FOR ANALYSIS OF THE PROJECT

In order to determine emissions from passenger car vehicles, CalEEMod defaults for trip length and trip purpose were utilized. Default vehicle trip lengths for primary trips will be populated using data from the local metropolitan planning organizations/Regional Transportation Planning Agencies (MPO/RTPA). Trip type percentages and trip lengths provided by MPO/RTPAs truncate data at their demonstrative borders. This analysis assumes that passenger cars include Light-Duty-Auto vehicles (LDA), Light-Duty-Trucks (LDT1⁴ & LDT2⁵), Medium-Duty-Vehicles (MDV), and Motorcycles (MCY) vehicle types. In order to account for emissions generated by passenger cars, the fleet mix in Table 3-6 was utilized.

TABLE 3-6: PASSENGER CAR FLEET MIX

Subarea	Land Use	% Vehicle Type				
		LDA	LDT1	LDT2	MDV	MCY
A	Parking Lot	51.54%	3.26%	26.50%	16.60%	2.10%
B	Industrial Park	51.54%	3.26%	26.50%	16.60%	2.10%
C	Industrial Park	51.54%	3.26%	26.50%	16.60%	2.10%

Note: The Project-specific passenger car fleet mix used in this analysis is based on a proportional split utilizing the default CalEEMod

⁴ Vehicles under the LDT1 category have a gross vehicle weight rating (GVWR) of less than 6,000 lbs. and equivalent test weight (ETW) of less than or equal to 3,750 lbs.

⁵ Vehicles under the LDT2 category have a GVWR of less than 6,000 lbs. and ETW between 3,751 lbs. and 5,750 lbs.

percentages assigned to LDA, LDT1, LDT2, and MDV vehicle types.

To determine emissions from trucks for the proposed industrial uses, for Subareas B and C the analysis incorporated the SCAQMD recommended truck trip length of 15.3 miles for 2-axle (LHDT1, LHDT2), 14.2 miles for 3-axle (MHDT) trucks, and 39.9 miles for 4+-axle (HHDT) trucks and weighting the average trip lengths using traffic trip percentages. As such the trip length function for Subareas B and C has been conservatively calculated to 29.93 miles and 29.95 miles, respectively, with an assumption of 100% primary trips for the proposed industrial land uses. This trip length assumption is higher than the CalEEMod defaults for trucks. Because the truck trailer parking lot in Subarea A is ancillary to a nearby use, the truck trip length for Subarea A was conservatively estimated at 10 miles, with an assumption of 100% primary trips. The truck fleet mix is estimated by rationing the trip rates for each truck type based on information provided by the SCAQMD recommended truck mix, by axle type. Heavy trucks are broken down by truck type (or axle type) and are categorized as either Light-Heavy-Duty Trucks (LHDT1⁶ & LHDT2⁷)/2-axle, Medium-Heavy-Duty Trucks (MHDT)/3-axle, and Heavy-Heavy-Duty Trucks (HHDT)/4+-axle. To account for emissions generated by trucks, the fleet mix in Table 3-7 was utilized.

TABLE 3-7: TRUCK FLEET MIX

Subarea	Land Use	% Vehicle Type			
		LHDT1	LHDT2	MHDT	HHDT
A	Parking Lot	21.65%	5.81%	33.26%	39.28%
B	Industrial Park	17.28%	4.63%	17.81%	60.27%
C	Industrial Park	17.31%	4.64%	17.72%	60.33%

Note: Project-specific truck fleet mix is based on the number of trips generated by each truck type (LHDT1, LHDT2, MHDT, and HHDT) relative to the total number of truck trips.

FUGITIVE DUST RELATED TO VEHICULAR TRAVEL

Vehicles traveling on paved roads would be a source of fugitive emissions due to the generation of road dust inclusive of brake and tire wear particulates. The emissions estimate for travel on paved roads was calculated using CalEEMod.

3.5.4 ON-SITE CARGO HANDLING EQUIPMENT SOURCE EMISSIONS

It is common for industrial buildings to require the operation of exterior cargo handling equipment in the building's truck court areas. For this Project, on-site modeled operational equipment includes up to two (2) 200 horsepower (hp), diesel-powered cargo handling equipment pieces operating at 8 hours a day⁸ for 365 days of the year for Subarea B and up to five (5) 200 horsepower (hp), diesel-powered cargo handling equipment pieces operating at 8

⁶ Vehicles under the LHDT1 category have a GVWR of 8,501 to 10,000 lbs.

⁷ Vehicles under the LHDT2 category have a GVWR of 10,001 to 14,000 lbs.

⁸ Based on Table II-3, Port and Rail Cargo Handling Equipment Demographics by Type, from CARB's Technology Assessment: Mobile Cargo Handling Equipment document, a single piece of equipment could operate up to 2 hours per day (Total Average Annual Activity divided by Total Number Pieces of Equipment). As such, the analysis conservatively assumes that the tractor/loader/backhoe would operate up to 4 hours per day.

hours a day⁹ for 365 days of the year for Subarea C. Appendix 3.5 contains detailed emission calculations for on-site cargo handling equipment.

3.5.5 STATIONARY SOURCES

The proposed Project was conservatively assumed to include installation of one (1), 300-horsepower diesel-powered fire pump operating for up to 1 hour per day, 1 day per week for up to 50 hours per year for maintenance and testing purposes for Subareas B and C. Emissions associated with the stationary diesel-powered emergency fire pumps were calculated using CalEEMod.

3.5.6 OPERATIONAL EMISSIONS SUMMARY

PROPOSED PROJECT EMISSIONS

Operational activities for summer and winter scenarios are presented in Table 3-8. It should be noted that the Approved GHSP Emissions presented in Table 3-8 include emissions from mobile sources only, as identified in the Glen Helen Specific Plan Draft Environmental Impact Report (36), are conservatively presented for mobile sources only. Emissions resulting from other sources, including electrical generation, natural gas, landscape maintenance, and wood stoves are expected to be less than those presented in the draft EIR due to more stringent building codes and regulations that will be in place at the time of Project buildout. Detailed operation model outputs for the Project are presented in Appendices 3.2, 3.3, and 3.4 for Subareas A, B, and C, respectively. As indicated, Project net emissions would not exceed SCAQMD regional thresholds of significance for any pollutants.

TABLE 3-8: SUMMARY OF PEAK OPERATIONAL EMISSIONS

Subarea	Source	Emissions (lbs/day)					
		VOC	NO _x	CO	SO _x	PM ₁₀	PM _{2.5}
Summer							
A	Mobile Source	4.49	39.20	86.30	0.53	40.90	11.00
	Area Source	0.53	0.00	0.00	0.00	0.00	0.00
	Energy Source	0.00	0.00	0.00	0.00	0.00	0.00
	Subarea A Subtotal	5.02	39.20	86.30	0.53	40.90	11.00
B	Mobile Source	3.04	22.80	49.60	0.33	24.40	6.64
	Area Source	12.50	0.15	18.20	0.00	0.03	0.02
	Energy Source	0.17	3.08	2.59	0.02	0.23	0.23
	Stationary Source	0.98	2.75	2.51	0.00	0.14	0.14
	On-Site Cargo Handling Equipment	0.23	0.75	32.89	0.00	0.06	0.05
	Subarea B Subtotal	16.92	29.53	105.79	0.35	24.86	7.08

⁹ Based on Table II-3, Port and Rail Cargo Handling Equipment Demographics by Type, from CARB's Technology Assessment: Mobile Cargo Handling Equipment document, a single piece of equipment could operate up to 2 hours per day (Total Average Annual Activity divided by Total Number Pieces of Equipment). As such, the analysis conservatively assumes that the tractor/loader/backhoe would operate up to 4 hours per day.

Subarea	Source	Emissions (lbs/day)					
		VOC	NO _x	CO	SO _x	PM ₁₀	PM _{2.5}
C	Mobile Source	9.69	72.80	157.00	1.05	77.40	21.10
	Area Source	39.80	0.49	58.10	0.00	0.10	0.08
	Energy Source	0.54	9.84	8.27	0.06	0.75	0.75
	Stationary Source	0.98	2.75	2.51	0.00	0.14	0.14
	On-Site Cargo Handling Equipment	0.59	1.88	82.22	0.00	0.15	0.14
	Subarea C Subtotal	51.60	87.76	308.10	1.11	78.54	22.21
Project Maximum Daily Emissions		73.54	156.49	500.19	1.99	144.30	40.29
<i>Approved GHSP Mobile Source Emissions^A</i>		<i>2,246.70</i>	<i>950.10</i>	<i>10,056.50</i>	<i>71.30</i>	<i>101.40</i>	<i>27.53</i>
Net Emissions (Proposed – Existing)		-2,173.16	-793.61	-9,556.31	-69.31	42.90	12.76
SCAQMD Regional Threshold		55	55	550	150	150	55
Threshold Exceeded?		NO	NO	NO	NO	NO	NO
Winter							
A	Mobile Source	4.30	41.40	73.50	0.58	40.90	11.00
	Area Source	0.53	0.00	0.00	0.00	0.00	0.00
	Energy Source	0.00	0.00	0.00	0.00	0.00	0.00
	Subarea A Subtotal	4.83	41.40	73.50	0.58	40.90	11.00
B	Mobile Source	2.74	22.13	39.25	0.31	24.32	6.60
	Area Source	9.48	0.00	0.00	0.00	0.00	0.00
	Energy Source	0.17	3.08	2.59	0.02	0.23	0.23
	Stationary Source	0.98	2.75	2.51	0.00	0.14	0.14
	On-Site Cargo Handling Equipment	0.23	0.75	32.89	0.00	0.06	0.05
	Subarea B Subtotal	13.60	28.71	77.24	0.33	24.75	7.02
C	Mobile Source	9.35	76.50	133.00	1.02	77.40	21.10
	Area Source	30.30	0.00	0.00	0.00	0.00	0.00
	Energy Source	0.54	9.84	8.27	0.06	0.75	0.75
	Stationary Source	0.98	2.75	2.51	0.00	0.14	0.14
	On-Site Cargo Handling Equipment	0.59	1.88	82.22	0.00	0.15	0.14
	Subarea C Subtotal	41.76	90.97	226.00	1.08	78.44	22.13
Project Maximum Daily Emissions		60.19	161.08	376.74	1.99	144.09	40.15
<i>Approved GHSP Mobile Source Emissions^A</i>		<i>2,246.70</i>	<i>950.10</i>	<i>10,056.50</i>	<i>71.30</i>	<i>101.40</i>	<i>27.51</i>
Net Emissions (Proposed – Existing)		-2,186.51	-789.02	-9,679.76	-69.31	42.69	12.64
SCAQMD Regional Threshold		55	55	550	150	150	55
Threshold Exceeded?		NO	NO	NO	NO	NO	NO

Source: CalEEMod operational-source emissions are presented in Appendix 3.2.

^A Source: Glen Helen Specific Plan Draft Environmental Impact Report. PM_{2.5} emissions estimated based on the ratio of PM_{2.5} to PM₁₀ in CalEEMod.

3.6 LOCALIZED SIGNIFICANCE

BACKGROUND ON LST DEVELOPMENT

The analysis makes use of methodology included in the SCAQMD *Final Localized Significance Threshold Methodology* (LST Methodology). The SCAQMD has established that impacts to air quality are significant if there is a potential to contribute or cause localized exceedances of the federal and/or state ambient air quality standards (NAAQS/CAAQS). Collectively, these are referred to as Localized Significance Thresholds (LSTs).

The SCAQMD established LSTs in response to the SCAQMD Governing Board's Environmental Justice Initiative I-4.¹⁰ LSTs represent the maximum emissions from a project that would not cause or contribute to an exceedance of the most stringent applicable federal or state ambient air quality standard at the nearest residence or sensitive receptor. The SCAQMD states that lead agencies can use the LSTs as another indicator of significance in its air quality impact analyses.

LSTs were developed in response to environmental justice and health concerns raised by the public regarding exposure of individuals to criteria pollutants in local communities. To address the issue of localized significance, the SCAQMD adopted LSTs that show whether a project would cause or contribute to localized air quality impacts and thereby cause or contribute to potential localized adverse health effects. The analysis makes use of methodology included in the *LST Methodology* (37).

EMISSIONS CONSIDERED

Based on SCAQMD's *LST Methodology*, emissions for concern during construction activities are on-site NO_x, CO, PM_{2.5}, and PM₁₀. The *LST Methodology* clearly states that "off-site mobile emissions from the Project should not be included in the emissions compared to LSTs (38)." As such, for purposes of the construction LST analysis, only emissions included in the CalEEMod "on-site" emissions outputs were considered. For the operational LST analysis, separate CalEEMod runs were prepared with reduced trip lengths to account for emissions that would occur on-site only.

DISPERSION MODELING

In order to estimate localized pollutant concentrations resulting from Project construction, the SCAQMD-approved American Meteorological Society/EPA Regulatory Model (AERMOD) dispersion model was utilized. The modeling approach utilized is discussed as follows:

SOURCES

It should be noted that in order to model worst-case conditions, the highest daily peak on-site emissions resulting from overlapping construction activity were modeled. For operations, the

¹⁰ The purpose of SCAQMD's Environmental Justice program is to ensure that everyone has the right to equal protection from air pollution and fair access to the decision-making process that works to improve the quality of air within their communities. Further, the SCAQMD defines Environmental Justice as "...equitable environmental policymaking and enforcement to protect the health of all residents, regardless of age, culture, ethnicity, gender, race, socioeconomic status, or geographic location, from the health effects of air pollution."

analysis considered the worst-case on-site operational emissions that would occur during the Project's opening year.

A ground level release height and a 1 meter (approximately 3.28 feet) initial vertical dimension (sigma z) were utilized for construction-related fugitive dust emissions of PM₁₀ and PM_{2.5} consistent with SCAQMD's LST guidance.

In order to account for exhaust emissions of NO₂, CO, PM₁₀, and PM_{2.5} a release height of 5.0 meters was utilized consistent with SCAQMD's LST guidance.

METEOROLOGICAL DATA AND MODEL OPTIONS

In order to account for meteorological conditions at the Project site, meteorological data from the SCAQMD's Fontana monitoring station was utilized, as this is the nearest station to the Project site for which meteorological data is available. Additionally, a receptor height of 2 meters and regulatory default options were utilized consistent with SCAQMD's LST guidance.

RECEPTORS

As previously stated, LSTs represent the maximum emissions from a project that would not cause or contribute to an exceedance of the most stringent applicable NAAQS and CAAQS at the nearest residence or sensitive receptor. Receptor locations are off-site locations where individuals may be exposed to emissions from Project activities.

Some people are especially sensitive to air pollution and are given special consideration when evaluating air quality impacts from projects. These groups of people include children, the elderly, and individuals with pre-existing respiratory or cardiovascular illness. Structures that house these persons or places where they gather are defined as "sensitive receptors." These structures typically include uses such as residences, hotels, and hospitals where an individual can remain for 24 hours. Consistent with the LST Methodology, the nearest land use where an individual could remain for 24 hours to the Project site has been used to determine construction and operational air quality impacts for emissions of PM₁₀ and PM_{2.5}, since PM₁₀ and PM_{2.5} thresholds are based on a 24-hour averaging time.

LSTs apply, even for non-sensitive land uses, consistent with *LST Methodology* and SCAQMD guidance. Per the *LST Methodology*, commercial and industrial facilities are not included in the definition of sensitive receptor because employees and patrons do not typically remain on-site for a full 24 hours but are typically on-site for 8 hours or less. However, *LST Methodology* explicitly states that "*LSTs based on shorter averaging periods, such as the NO₂ and CO LSTs, could also be applied to receptors such as industrial or commercial facilities since it is reasonable to assume that a worker at these sites could be present for periods of one to eight hours (38).*" Therefore, any adjacent land use where an individual could remain for 1 or 8 hours, that is located at a closer distance to the Project site than the receptor used for PM₁₀ and PM_{2.5} analysis, must be considered to determine construction and operational LST air impacts for emissions of NO₂ and CO since these pollutants have an averaging time of 1 and 8 hours.


PROJECT-RELATED RECEPTORS

Receptors in the Project study area are described below and shown in Exhibit 3-B. Localized air quality impacts were evaluated at sensitive receptor land uses nearest the Project site. All distances are measured from the Project site boundary to the outdoor living areas (e.g., backyards) or at the building façade, whichever is closer to the Project site.

- R1: Location R1 represents the existing residence at 1650 Devore Road approximately 1,308 feet north of Subarea B. Receptor R1 is placed in the private outdoor living areas (backyard) facing the Project site.
- R2: Location R2 represents the existing residence at 18552 Parker Street, approximately 1,003 feet northeast of Subarea B. Receptor R2 is placed in the private outdoor living areas (backyard) facing the Project site.
- R3: Location R3 represents the existing residence at 3817 W Bodega Way approximately 14,111 feet southeast of Subarea B. Receptor R3 is placed in the private outdoor living areas (backyard) facing the Project site.
- R4: Location R4 represents the existing residence at 18325 Lapis Lane, approximately 6,089 feet southeast of Subarea C. Receptor R4 is placed in the private outdoor living areas (backyard) facing the Project site.
- R5: Location R5 represents the existing residence at 3301 Osage Court approximately 1,833 feet southeast of Subarea C. Receptor R5 is placed in the private outdoor living areas (backyard) facing the Project site.
- R6: Location R6 represents the existing residence at 17221 Gray Pine Place approximately 3,350 feet southwest of Subarea C. Receptor R6 is placed in the private outdoor living areas (backyard) facing the Project site.
- R7: Location R7 represents the existing potential worker receptor located at 17335 Glen Helen Parkway approximately 3,187 feet southwest of Subarea C.
- R8: Location R8 represents Paakuma K-8 school located at 17825 Sycamore Creek Loop Parkway approximately 3,240 feet south of Subarea C.

The SCAQMD recommends that the nearest sensitive receptor be considered when determining a Project's impact. The nearest land use where an individual could remain for 24 hours to the Project site has been used to determine localized construction and operational air quality impacts for emissions of PM₁₀ and PM_{2.5} (since PM₁₀ and PM_{2.5} thresholds are based on a 24-hour averaging time).

EXHIBIT 3-B: RECEPTOR LOCATIONS



3.7 CONSTRUCTION-SOURCE EMISSIONS LST ANALYSIS

Emissions during the peak construction activity will not exceed the SCAQMD's localized significance thresholds at the maximally exposed receptor location, as illustrated in Table 3-9 (without mitigation). All other modeled locations in the study area would experience a lesser concentration and consequently a lesser impact. As such, the Project's localized impacts during construction activity would be less than significant. AERMOD model outputs are provided in Appendix 3.9.

TABLE 3-9: LOCALIZED SIGNIFICANCE SUMMARY PEAK CONSTRUCTION – WITHOUT MITIGATION

Peak Construction	CO		NO ₂	PM ₁₀	PM _{2.5}
	Averaging Time				
	1-Hour	8-Hour	1-Hour	24-Hours	24-Hours
Peak Day Localized Emissions	5.05E-04	2.51E-04	3.56E-04	0.14	0.07
Background Concentration ^A	1.9	1.4	0.069		
Total Concentration	1.90	1.40	0.07	0.14	0.07
SCAQMD Localized Significance Threshold	20	9	0.18	10.4	10.4
Threshold Exceeded?	NO	NO	NO	NO	NO

^A Highest concentration from the last three years of available data.

Notes: PM₁₀ and PM_{2.5} concentrations are expressed in µg/m³. All others are expressed in ppm.

Based on SCAQMD's LST Methodology, background concentrations are considered only for CO and NO₂.

Localized Significance thresholds are based on SCAQMD's Final Localized Significance Threshold Methodology and are based on the AAQS for CO and NO₂ and SCAQMD Rule 403 limits for PM₁₀ and PM_{2.5}.

POTENTIAL SUBAREA C FUTURE RESIDENTIAL CONSTRUCTION LSTs

It should be noted that the existing land use for the portion of Subarea C west of Glen Helen Parkway is residential, with the proposed Project adding a Corridor Industrial (CI) overlay. As such, it is possible that future residential uses could be placed on this parcel. In order to evaluate the potential LST impacts to future residents from the construction of the proposed industrial land uses in Subarea C east of Glen Helen Parkway, a screening analysis was performed assuming any residences would be at least 200 feet from the industrial land uses. As shown in Table 3-10, Project construction emissions would not exceed SCAQMD localized significance thresholds for potential future residents in Subarea C.

TABLE 3-10: LOCALIZED SIGNIFICANCE SUMMARY PEAK CONSTRUCTION – WITHOUT MITIGATION (SUBAREA C)

Peak Construction	CO		NO ₂	PM ₁₀	PM _{2.5}
	Averaging Time				
	1-Hour	8-Hour	1-Hour	24-Hours	24-Hours
Peak Day Localized Emissions	2.53E-03	8.52E-04	1.78E-03	0.23	0.12

Background Concentration ^A	1.9	1.4	0.069		
Total Concentration	1.90	1.40	0.07	0.23	0.12
SCAQMD Localized Significance Threshold	20	9	0.18	10.4	10.4
Threshold Exceeded?	NO	NO	NO	NO	NO

^A Highest concentration from the last three years of available data.

Notes: PM₁₀ and PM_{2.5} concentrations are expressed in µg/m³. All others are expressed in ppm.

Based on SCAQMD's LST Methodology, background concentrations are considered only for CO and NO₂.

Localized Significance thresholds are based on SCAQMD's Final Localized Significance Threshold Methodology and are based on the AAQS for CO and NO₂ and SCAQMD Rule 403 limits for PM₁₀ and PM_{2.5}.

3.8 OPERATIONAL-SOURCE EMISSIONS LST ANALYSIS

The LST analysis generally includes on-site sources (area, energy, mobile, and on-site cargo handling equipment are previously discussed in Section 3.5 of this report). However, it should be noted that the CalEEMod outputs do not separate on-site and off-site emissions from mobile sources. As such, to establish a maximum potential impact scenario for analytic purposes, the modeled emissions include all on-site Project-related stationary (area) sources and on-site Project-related mobile emissions. In order to account for on-site mobile emissions, trip lengths of 0.95 miles for Subarea A, 0.32 miles for Subarea B, and 0.53 miles for Subarea C were utilized for both trucks and passenger cars based on the size of each subarea. CalEEMod model outputs for the LST analysis are provided in Appendix 3.5. AERMOD model outputs are provided in Appendix 3.6.

In order to account for any potential impacts to on-site receptors as a result of operational activity, a scenario conservatively assuming worst-case opening year 2040 emissions was analyzed. As shown in Table 3-11 below, emissions would not exceed SCAQMD's localized significance thresholds at the maximally exposed on-site receptors as a result of operational activities.

TABLE 3-11: LOCALIZED SIGNIFICANCE SUMMARY PEAK OPERATIONS

Peak Operations	CO		NO ₂	PM ₁₀	PM _{2.5}
	Averaging Time				
	1-Hour	8-Hour	1-Hour	24-Hours	24-Hours
Peak Day Localized Emissions	2.94E-02	1.69E-02	3.04E-03	0.18	0.11
Background Concentration ^A	1.9	1.4	0.069		
Total Concentration	1.93	1.42	0.07	0.18	0.11
SCAQMD Localized Significance Threshold	20	9	0.18	2.5	2.5
Threshold Exceeded?	NO	NO	NO	NO	NO

^A Highest concentration from the last three years of available data.

Notes: PM₁₀ and PM_{2.5} concentrations are expressed in µg/m³. All others are expressed in ppm.

Based on SCAQMD's LST Methodology, background concentrations are considered only for CO and NO₂.

Localized Significance thresholds are based on SCAQMD's Final Localized Significance Threshold Methodology and are based on the AAQS for CO and NO₂ and SCAQMD Rule 1303 limits for PM₁₀ and PM_{2.5}.

POTENTIAL SUBAREA C FUTURE RESIDENTIAL OPERATIONAL LSTs

It should be noted that the existing land use for the portion of Subarea C west of Glen Helen Parkway is residential, with the proposed Project adding a Corridor Industrial (CI) overlay. As such, it is possible that future residential uses could be placed on this parcel. In order to evaluate the potential LST impacts to future residents from the proposed industrial land uses in Subarea C east of Glen Helen Parkway, a screening analysis was performed assuming any residences would be at least 200 feet from the industrial land uses. As shown on Table 3-12, Project operational emissions would not exceed SCAQMD localized significance thresholds for potential future residents in Subarea C.

TABLE 3-12: LOCALIZED SIGNIFICANCE SUMMARY PEAK OPERATIONS (SUBAREA C)

Peak Operations	CO		NO ₂	PM ₁₀	PM _{2.5}
	Averaging Time				
	1-Hour	8-Hour	1-Hour	24-Hours	24-Hours
Peak Day Localized Emissions	4.90E-02	3.30E-02	4.81E-03	0.48	0.26
Background Concentration ^A	1.9	1.4	0.069		
Total Concentration	1.95	1.43	0.07	0.48	0.26
SCAQMD Localized Significance Threshold	20	9	0.18	2.5	2.5
Threshold Exceeded?	NO	NO	NO	NO	NO

^A Highest concentration from the last three years of available data.

Notes: PM₁₀ and PM_{2.5} concentrations are expressed in µg/m³. All others are expressed in ppm.

Based on SCAQMD's LST Methodology, background concentrations are considered only for CO and NO₂.

Localized Significance thresholds are based on SCAQMD's Final Localized Significance Threshold Methodology and are based on the AAQS for CO and NO₂ and SCAQMD Rule 1303 limits for PM₁₀ and PM_{2.5}.

3.9 CO "HOT SPOT" ANALYSIS

As discussed below, the Project would not result in potentially adverse CO concentrations or "hot spots." Further, detailed modeling of Project-specific CO "hot spots" is not needed to reach this conclusion. An adverse CO concentration, known as a "hot spot," would occur if an exceedance of the state one-hour standard of 20 ppm or the eight-hour standard of 9 ppm were to occur.

It has long been recognized that CO hotspots are caused by vehicular emissions, primarily when idling at congested intersections. In response, vehicle emissions standards have become increasingly stringent in the last twenty years. Currently, the allowable CO emissions standard in California is a maximum of 3.4 grams/mile for passenger cars (there are requirements for certain vehicles that are more stringent). With the turnover of older vehicles, introduction of cleaner fuels, and implementation of increasingly sophisticated and efficient emissions control technologies, CO concentration in the SCAB is now designated as attainment. To establish a more accurate record of baseline CO concentrations affecting the SCAB, a CO "hot spot" analysis was conducted in 2003 for four busy intersections in Los Angeles at the peak morning and afternoon time periods. This "hot spot" analysis did not predict any violation of CO standards, as shown in Table 3-13.

TABLE 3-13: CO MODEL RESULTS

Intersection Location	CO Concentrations (ppm)		
	Morning 1-hour	Afternoon 1-hour	8-hour
Wilshire Boulevard/Veteran Avenue	4.6	3.5	3.7
Sunset Boulevard/Highland Avenue	4	4.5	3.5
La Cienega Boulevard/Century Boulevard	3.7	3.1	5.2
Long Beach Boulevard/Imperial Highway	3	3.1	8.4

Source: 2003 AQMP, Appendix V: Modeling and Attainment Demonstrations

Notes: Federal 1-hour standard is 35 ppm and the deferral 8-hour standard is 9.0 ppm.

Based on the SCAQMD's 2003 AQMP and the 1992 Federal Attainment Plan for Carbon Monoxide (*1992 CO Plan*), peak carbon monoxide concentrations in the SCAB were a result of unusual meteorological and topographical conditions and not a result of traffic volumes and congestion at a particular intersection. As evidence of this, for example, 8.4 ppm 8-hour CO concentration measured at the Long Beach Blvd. and Imperial Hwy. intersection (highest CO generating intersection within the "hot spot" analysis), only 0.7 ppm was attributable to the traffic volumes and congestion at this intersection; the remaining 7.7 ppm were due to the ambient air measurements at the time the 2003 AQMP was prepared (39). In contrast, an adverse CO concentration, known as a "hot spot", would occur if an exceedance of the state one-hour standard of 20 parts per million (ppm) or the eight-hour standard of 9 ppm were to occur.

The ambient 1-hour and 8-hour CO concentration within the Project study area is estimated to be 1.6 ppm and 1.0 ppm, respectively (data from Central San Bernardino Valley 1 monitoring station for 2022). Therefore, even if the traffic volumes for the proposed Project were ten times the traffic volumes generated at the Long Beach Blvd. and Imperial Hwy. intersection, due to the on-going improvements in ambient air quality and vehicular emissions controls, the Project would not be capable of resulting in a CO "hot spot" at any study area intersections. As noted above, only 0.7 ppm were attributable to the traffic volumes and congestion at one of the busiest intersections in the SCAB. Therefore if these traffic volumes were multiplied by ten times, it could be expected that the CO attributable to traffic would increase tenfold as well, resulting in 7 ppm – even if this were added to either the 1-hour or 8-hour CO concentrations within the Project study area, this would result in 8.6 ppm and 8.0 ppm for the 1-hr and 8-hr timeframes, respectively. Neither of which would exceed the applicable 1-hr standard of 20 ppm or the 8-hr standard of 9 ppm.

Similar considerations are also employed by other Air Districts when evaluating potential CO concentration impacts. More specifically, the Bay Area Air Quality Management District (BAAQMD) concludes that under existing and future vehicle emission rates, a given project would have to increase traffic volumes at a single intersection by more than 44,000 vehicles per hour (vph)—or 24,000 vph where vertical and/or horizontal air does not mix—in order to generate a significant CO impact (40). Traffic volumes generating the CO concentrations for the "hot spot" analysis is shown on Table 3-14. The busiest intersection evaluated was that at Wilshire Boulevard and Veteran Avenue, which had AM/PM traffic volumes of 8,062 vph and 7,719 vph

respectively (39). By comparison, as detailed in the Project traffic study, the busiest intersection in the Project vicinity (Glen Helen Parkway and Cajon Boulevard) would experience peak hour volumes of 3,085 vph under the General Plan Buildout Plus Project scenario. Additionally, buildout of the proposed GHSP Amendment would generate a reduction of 11,688 actual daily vehicle trips and 6,030 Passenger Car Equivalent (PCE) vehicle trips per day compared to buildout of the existing GHSP land uses. Thus, the proposed Project would not result in an increase in traffic volumes that could generate a CO hotspot.

TABLE 3-14: TRAFFIC VOLUMES

Intersection Location	Peak Traffic Volumes (vph)				
	Eastbound (AM/PM)	Westbound (AM/PM)	Southbound (AM/PM)	Northbound (AM/PM)	Total (AM/PM)
Wilshire Boulevard/Veteran Avenue	4,954/2,069	1,830/3,317	721/1,400	560/933	8,062/7,719
Sunset Boulevard/Highland Avenue	1,417/1,764	1,342/1,540	2,304/1,832	1,551/2,238	6,614/5,374
La Cienega Boulevard/Century Boulevard	2,540/2,243	1,890/2,728	1,384/2,029	821/1,674	6,634/8,674
Long Beach Boulevard/Imperial Highway	1,217/2,020	1,760/1,400	479/944	756/1,150	4,212/5,514

Source: 2003 AQMP

3.10 AQMP

The Project site is located within the SCAB, which is characterized by relatively poor air quality. The SCAQMD has jurisdiction over an approximately 10,743-square-mile area consisting of the four-county Basin and the Los Angeles County and Riverside County portions of was previously referred to as the Southeast Desert Air Basin. In these areas, the SCAQMD is principally responsible for air pollution control, and works directly with the SCAG, county transportation commissions, local governments, as well as state and federal agencies to reduce emissions from stationary, mobile, and indirect sources to meet state and federal ambient air quality standards.

Currently, these state and federal air quality standards are exceeded in most parts of the SCAB. In response, the SCAQMD has adopted a series of AQMPs to meet the state and federal ambient air quality standards. AQMPs are updated regularly in order to more effectively reduce emissions, accommodate growth, and to minimize any negative fiscal impacts of air pollution control on the economy.

In December 2022, the SCAQMD released the *Final 2022 AQMP (2022 AQMP)*. The *2022 AQMP* continues to evaluate current integrated strategies and control measures to meet the CAAQS, as well as explore new and innovative methods to reach its goals. Some of these approaches include utilizing incentive programs, recognizing existing co-benefit programs from other sectors, and developing a strategy with fair-share reductions at the federal, state, and local levels (41). Similar to the 2016 AQMP, the *2022 AQMP* incorporates scientific and technological information and planning assumptions, including the *2020-2045 RTP/SCS*, a planning document that supports the integration of land use and transportation to help the region meet the federal CAA requirements

(24). The Project's consistency with the AQMP will be determined using the 2022 AQMP as discussed below.

Criteria for determining consistency with the AQMP are defined in Chapter 12, Section 12.2 and Section 12.3 of the 1993 CEQA Handbook (42). These indicators are discussed below:

3.10.1 CONSISTENCY CRITERION No. 1

The proposed Project will not result in an increase in the frequency or severity of existing air quality violations or cause or contribute to new violations or delay the timely attainment of air quality standards or the interim emissions reductions specified in the AQMP.

The violations that Consistency Criterion No. 1 refer to are the CAAQS and NAAQS. CAAQS and NAAQS violations would occur if regional or localized significance thresholds were exceeded.

Construction Impacts – Consistency Criterion 1

As evaluated, the Project's localized and regional construction-source emissions would not exceed applicable regional significance threshold and LST thresholds. As such, a less than significant impact is expected.

Operational Impacts – Consistency Criterion 1

As evaluated, the Project's localized and regional operation-source emissions would not exceed applicable regional significance threshold and LST thresholds. As such, a less than significant impact is expected.

On the basis of the preceding discussion, the Project is determined to be consistent with the first criterion.

3.10.2 CONSISTENCY CRITERION No. 2

The Project will not exceed the assumptions in the AQMP based on the years of Project build-out phase.

The 2022 AQMP demonstrates that the applicable ambient air quality standards can be achieved within the timeframes required under federal law. Growth projections from local general plans adopted by cities in the district are provided to the SCAG, which develops regional growth forecasts, which are then used to develop future air quality forecasts for the AQMP. Development consistent with the growth projections in County of San Bernardino General Plan is considered to be consistent with the AQMP.

Construction Impacts – Consistency Criterion 2

Peak day emissions generated by construction activities are largely independent of land use assignments, but rather are a function of development scope and maximum area of disturbance. Irrespective of the site's land use designation, development of the site to its maximum potential would likely occur, with disturbance of the entire site occurring during construction activities. As such, when considering that no emissions thresholds will be exceeded, a less than significant impact would result.

Operational Impacts – Consistency Criterion 2

The proposed GHSP amendment at buildout would result in either 336 less residential units or 554,083 SF of Commercial/Traveler Services development; an increase of 1,856,527 SF of Corridor Industrial development and 79 acres of truck and trailer parking; a reduction in 96 single-family residences with implementation of the proposed CI Overlay, and a reduction of 860,310 SF of Destination Recreation development. With the proposed Corridor Industrial Overlay, the proposed change would result in a reduction of 432 residential units and a reduction of 1,432 residents, and an increase of 568 employees compared to the buildout of the existing GHSP. This equates to a reduction of 864 people within the proposed amendment areas at buildout. Although, an increase in non-residential development and an increase of 568 employees compared to the buildout of the existing GHSP would occur, the employees would not be a new 24-hour population and most new employees would live locally in the unincorporated San Bernardino County area, as there is a higher ratio of housing than employment opportunities. The new jobs in an area with more housing than jobs would provide employment for local residents. Further, the 568 additional jobs that would result from buildout of the proposed GHSP amendment would generate a 7 percent increase in jobs, which would be 4 percent of the SCAG projected increase in employment in unincorporated San Bernardino County through 2045. In addition, it should be noted that the proposed Project would result in a reduction in vehicle trips compared to the existing GHSP. Thus, buildout of the proposed GHSP would be consistent with the AQMP and would not conflict with or obstruct implementation of the air quality plan.

3.11 TOXIC AIR CONTAMINANTS

CONSTRUCTION AND OPERATIONAL

Based on the results of the *Glen Helen Specific Plan Amendment Health Risk Assessment* (43), emissions generated from the Project during short-term construction and long-term operation will not exceed SCAQMD significance thresholds for cancer and non-cancer health risks. As such, a less than significant impact is expected.

3.12 POTENTIAL IMPACTS TO SENSITIVE RECEPTORS

The potential impact of Project-generated air pollutant emissions at sensitive receptors has also been considered. Results of the LST analysis indicate that the Project would not exceed the SCAQMD localized significance thresholds during construction. Therefore, sensitive receptors would not be exposed to substantial pollutant concentrations during Project construction.

Additionally, the Project would not exceed the SCAQMD localized significance thresholds during operational activity. Further Project traffic would not create or result in a CO “hotspot.” Lastly, based on the results of the *Glen Helen Specific Plan Amendment Health Risk Assessment* (43), the Project will not exceed SCAQMD significance thresholds for cancer and non-cancer health risks during construction and operational activity. Therefore, sensitive receptors would not be exposed to substantial pollutant concentrations as the result of Project operations.

3.12.1 FRIANT RANCH CASE

This section describes the proposed Project's localized impact to air quality in the context of the Friant Ranch Case. In December 2018, in the case of *Sierra Club v. County of Fresno* (2018) 6 Cal.5th 502, the California Supreme Court held that an Environmental Impact Report's (EIR) air quality analysis must meaningfully connect the identified air quality impacts to the human health consequences of those impacts, or meaningfully explain why that analysis cannot be provided.

Most local agencies, including the County of San Bernardino, lack the data to do their own assessment of potential health impacts from criteria air pollutant emissions, as would be required to establish customized, locally-specific thresholds of significance based on potential health impacts from an individual development project. The use of national or "generic" data to fill the gap of missing local data would not yield accurate results because such data does not capture local air patterns, local background conditions, or local population characteristics, all of which play a role in how a population experiences air pollution. Because it is impracticable to accurately isolate the exact cause of a human disease (for example, the role a particular air pollutant plays compared to the role of other allergens and genetics in causing asthma), existing scientific tools cannot accurately estimate health impacts of the Project's air emissions without undue speculation. Instead, readers are directed to the Project's air quality impact analysis above, which provides extensive information concerning the quantifiable and non-quantifiable health risks related to the Project's construction and long-term operation.

Notwithstanding, this AQIA does evaluate the proposed Project's localized impact to air quality for emissions of CO, NO_x, PM₁₀, and PM_{2.5} by comparing the proposed project's on-site emissions to the SCAQMD's applicable LST thresholds. The LST analysis above determined that the Project would not result in emissions exceeding SCAQMD's LSTs. Therefore, the proposed Project would not be expected to exceed the most stringent applicable federal or state ambient air quality standards for emissions of CO, NO_x, PM₁₀, and PM_{2.5}.

As the Project's emissions would comply with federal, state, and local air quality standards, the proposed Project's emissions are not sufficiently high enough to use a regional modeling program to correlate health effects on a basin-wide level and would not provide a reliable indicator of health effects if modeled.

3.13 ODORS

The potential for the Project to generate objectionable odors has also been considered. Land uses generally associated with odor complaints include:

- Agricultural uses (livestock and farming);
- Wastewater treatment plants;
- Food processing plants;
- Chemical plants;
- Composting operations;
- Refineries;

- Landfills;
- Dairies; and
- Fiberglass molding facilities.

The Project does not contain land uses typically associated with emitting objectionable odors. Potential odor sources associated with the proposed Project may result from construction equipment exhaust and the application of asphalt and architectural coatings during construction activities and the temporary storage of typical solid waste (refuse) associated with the proposed Project's (long-term operational) uses. Standard construction requirements would minimize odor impacts from construction. The construction odor emissions would be temporary, short-term, and intermittent in nature and would cease upon completion of the respective phase of construction and is thus considered less than significant. It is expected that refuse generated as a result of operation of the proposed Project would be stored in covered containers and removed at regular intervals in compliance with current solid waste regulations. The proposed Project would also be required to comply with SCAQMD Rule 402 to prevent occurrences of public nuisances. Therefore, odors and other emissions (such as those leading to odors) associated with construction and operations activities of the proposed Project would be less than significant and no mitigation is required (44).

3.14 CUMULATIVE IMPACTS

As previously shown in Table 2-3, the CAAQS designate the Project site as nonattainment for O₃, PM₁₀, and PM_{2.5} while the NAAQS designates the Project site as nonattainment for O₃ and PM_{2.5}.

The SCAQMD has published a report on how to address cumulative impacts from air pollution: *White Paper on Potential Control Strategies to Address Cumulative Impacts from Air Pollution* (45). In this report the SCAQMD clearly states (Page D-3):

"...the SCAQMD uses the same significance thresholds for project specific and cumulative impacts for all environmental topics analyzed in an Environmental Assessment or EIR. The only case where the significance thresholds for project specific and cumulative impacts differ is the Hazard Index (HI) significance threshold for TAC emissions. The project specific (project increment) significance threshold is HI > 1.0 while the cumulative (facility-wide) is HI > 3.0. It should be noted that the HI is only one of three TAC emission significance thresholds considered (when applicable) in a CEQA analysis. The other two are the maximum individual cancer risk (MICR) and the cancer burden, both of which use the same significance thresholds (MICR of 10 in 1 million and cancer burden of 0.5) for project specific and cumulative impacts.

Projects that exceed the project-specific significance thresholds are considered by the SCAQMD to be cumulatively considerable. This is the reason project-specific and cumulative significance thresholds are the same. Conversely, projects that do not exceed the project-specific thresholds are generally not considered to be cumulatively significant."

Therefore, this analysis assumes that individual projects that do not generate operational or construction emissions exceeding the SCAQMD's thresholds would also not cause a cumulatively considerable increase in emissions for those pollutants for which SCAB is in nonattainment, and, therefore, would not be considered to have a significant, adverse air quality impact. Alternatively, individual project-related construction and operational emissions that exceed SCAQMD thresholds would be considered cumulatively considerable.

CONSTRUCTION IMPACTS

The Project-specific evaluation of emissions presented in the preceding analysis demonstrates that proposed Project construction-source air pollutant emissions would not result in exceedances of regional thresholds. Therefore, proposed Project construction-source emissions would be considered less than significant on a Project-specific and cumulative basis.

OPERATIONAL IMPACTS

The Project-specific evaluation of emissions presented in the preceding analysis demonstrates that proposed Project operation-source air pollutant emissions would not result in exceedances of regional thresholds. Therefore, proposed Project operation-source emissions would be considered less than significant on a project-specific and cumulative basis.

This page intentionally left blank

4 REFERENCES

1. **California Natural Resources Agency.** *2023 California Environmental Quality Act (CEQA) Statute and Guidelines.* s.l. : Association of Environmental Professionals, 2023.
2. **South Coast Air Quality Management District.** Southern California Air Basins. [Online] <https://www.arb.ca.gov/msprog/onroad/porttruck/maps/scabc7map.pdf>.
3. —. *Guidance Document for Addressing Air Quality Issues in General Plans and Local Planning.* 2005.
4. **St. Croix Sensory, Inc.** *The "Gray Line" Between Odor Nuisance and Health Effects.* 2000.
5. **California Air Resources Board.** Ambient Air Quality Standards (AAQS). [Online] 2016. <http://www.arb.ca.gov/research/aaqs/aaqs2.pdf>.
6. **United State Environmental Protection Agency.** Frequent Questions about General Conformity . EPA. [Online] <https://www.epa.gov/general-conformity/frequent-questions-about-general-conformity#8>.
7. **South Coast Air Quality Management District.** Annual Air Quality Monitoring Network Plan. [Online] July 2023. <https://www.aqmd.gov/docs/default-source/default-document-library/south-coast-aqmd-2023-annual-air-quality-monitoring-network-plan.pdf?sfvrsn=0>.
8. **Air Resources Board.** *Appendix C Maps and Tables of Area Designations for State and National Ambient Air Quality Standards.* 2024.
9. **District, South Coast Air Quality Management.** Air Quality Data Tables. [Online] <https://www.aqmd.gov/home/air-quality/air-quality-data-studies/historical-data-by-year>.
10. **United States Environmental Protection Agency.** National Ambient Air Quality Standards (NAAQS). [Online] 1990. <https://www.epa.gov/environmental-topics/air-topics>.
11. **Environmental Protection Agency.** Air Pollution and the Clean Air Act. [Online] <http://www.epa.gov/air/caa/>.
12. **United States Environmental Protection Agency.** 1990 Clean Air Act Amendment Summary: Title I. [Online] <https://www.epa.gov/clean-air-act-overview/1990-clean-air-act-amendment-summary-title-i>.
13. —. 1990 Clean Air Act Amendment Summary: Title II. [Online] <https://www.epa.gov/clean-air-act-overview/1990-clean-air-act-amendment-summary-title-ii>.
14. **California Air Resources Board.** California Ambient Air Quality Standards (CAAQS). [Online] 2009. [Cited: April 16, 2018.] <http://www.arb.ca.gov/research/aaqs/caaqs/caaqs.htm>.
15. **California Energy Commission.** Energy Commission Adopts Updated Building Standards to Improve Efficiency, Reduce Emissions from Homes and Businesses. [Online] August 11, 2021. <https://www.energy.ca.gov/news/2021-08/energy-commission-adopts-updated-building-standards-improve-efficiency-reduce-0>.
16. **California Department of General Services.** 2022 CALGreen Code. *CALGreen.* [Online] <https://codes.iccsafe.org/content/CAGBC2022P1>.
17. **Southern California Association of Governments.** 2016-2040 Regional Transportation Plan/Sustainable Communities Strategy. [Online] April 2016. <https://scag.ca.gov/sites/main/files/file-attachments/f2016rtpscs.pdf?1606005557>.
18. **South Coast Air Quality Management District.** *Air Quality Management Plan.* 2012.
19. **California Air Resources Board.** *The California Almanac of Emissions and Air Quality.* 2013.

20. **South Coast Air Quality Management District.** South Coast Air Basin Ozone Trend. [Online] <https://www.aqmd.gov/home/air-quality/historical-air-quality-data/historic-ozone-air-quality-trends>.
21. **California Air Resources Board.** iADAM: Air Quality Data Statistics. *California Air Resources Board*. [Online] <https://arb.ca.gov/adam/topfour/topfour1.php>.
22. **United States Environmental Protection Agency.** Approval and Promulgation of Implementation Plans; California; South Coast Serious Area Plan for the 2006 PM_{2.5}. [Online] 2019. <https://www.federalregister.gov/documents/2019/02/12/2019-01922/approval-and-promulgation-of-implementation-plans-california-south-coast-serious-area-plan-for-the>.
23. **South Coast Air Quality Management District.** Final 2016 Air Quality Management Plan. *South Coast Air Quality Management District*. [Online] March 2017. <http://www.aqmd.gov/docs/default-source/clean-air-plans/air-quality-management-plans/2016-air-quality-management-plan/final-2016-aqmp/final2016aqmp.pdf>.
24. **Southern California Association of Governments.** 2020-2045 Regional Transportation Plan/Sustainable Communities Strategy. [Online] September 2020. https://scag.ca.gov/sites/main/files/file-attachments/0903fconnectsocial-plan_0.pdf?1606001176.
25. **South Coast Air Quality Management District.** *CEQA Air Quality Handbook (1993)*. 1993.
26. **California Air Resources Board.** Nitrogen Dioxide- Overview. [Online] <https://ww2.arb.ca.gov/resources/nitrogen-dioxide-and-health>.
27. **Ralph Propper, Patrick Wong, Son Bui, Jeff Austin, William Vance, Alvaro Alvarado, Bart Croes, and Dongmin Luo.** Ambient and Emission Trends of Toxic Air Contaminants in California. *American Chemical Society: Environmental Science & Technology*. 2015.
28. **California Air Resources Board.** ARB's Drayage Truck Regulatory Activities. [Online] <http://www.arb.ca.gov/msprog/onroad/porttruck/porttruck.htm>.
29. **Air Resources Board.** Truck and Bus Regulation. *On-Road Heavy-Duty Diesel Vehicles (In-Use) Regulation*. [Online] <http://www.arb.ca.gov/msprog/onrdiesel/onrdiesel.htm>.
30. **The Port of Los Angeles.** Clean Truck Program. [Online] http://www.portoflosangeles.org/ctp/idx_ctp.asp.
31. **South Coast Air Quality Management District.** Transfer Funds, Appropriate Funding, Execute Purchase Orders, Execute Contract and Authorize Release of RFQs for the Fifth Multiple Air Toxics Exposure Study. *South Coast Air Quality Management District*. [Online] 2017. <http://www.aqmd.gov/docs/default-source/Agendas/Governing-Board/2017/2017-jul7-009.pdf?sfvrsn=7>.
32. —. Executive Summary. *MATES V Final Report*. [Online] 2021. <http://www.aqmd.gov/docs/default-source/planning/mates-v/mates-v-final-report-9-24-21.pdf?sfvrsn=6>.
33. —. South Coast AQMD Air Quality Significance Thresholds. [Online] March 2023. <https://www.aqmd.gov/docs/default-source/ceqa/handbook/south-coast-aqmd-air-quality-significance-thresholds.pdf>.
34. **California Air Pollution Control Officers Association.** California Emissions Estimator Model (CalEEMod). [Online] August 2023. www.caleemod.com.
35. **Urban Crossroads, Inc.** *Glen Helen Specific Plan Amendment Traffic Impact Analysis*. 2024.
36. **Michael Brandman Associates.** *Glen Helen Specific Plan Draft Environmental Impact Report*. 2000.

37. **Lake Environmental.** US EPA Models. *Lake Environmental*. [Online] http://www.weblakes.com/download/us_epa.html.
38. **South Coast Air Quality Management District.** *Localized Significance Thresholds Methodology*. s.l. : South Coast Air Quality Management District, 2008.
39. —. 2003 Air Quality Management Plan. [Online] 2003. <https://www.aqmd.gov/home/air-quality/clean-air-plans/air-quality-mgt-plan/2003-aqmp>.
40. **Bay Area Air Quality Management District.** [Online] <http://www.baaqmd.gov/>.
41. **South Coast Air Quality Management District.** Final 2016 Air Quality Management Plan (AQMP). [Online] March 2017. <http://www.aqmd.gov/docs/default-source/clean-air-plans/air-quality-management-plans/2016-air-quality-management-plan/final-2016-aqmp/final2016aqmp.pdf?sfvrsn=11>.
42. **South coast Air Quality Management District.** *CEQA Air Quality Handbook (1993)*. 1993.
43. **Urban Crossroads, Inc.** *Glen Helen Specific Plan Amendment Health Risk Assessment*. 2024.
44. **South Coast Air Quality Management District.** RULE 402 NUISANCE. [Online] <http://www.aqmd.gov/docs/default-source/rule-book/rule-iv/rule-402.pdf>.
45. **Goss, Tracy A and Kroeger, Amy.** White Paper on Potential Control Strategies to Address Cumulative Impacts from Air Pollution. [Online] South Coast Air Quality Management District, 2003. <http://www.aqmd.gov/docs/default-source/Agendas/Environmental-Justice/cumulative-impacts-working-group/cumulative-impacts-white-paper.pdf>.

This page intentionally left blank

5 CERTIFICATIONS

The contents of this air study report represent an accurate depiction of the environmental impacts associated with the proposed Glen Helen Specific Plan Amendment. The information contained in this air quality impact assessment report is based on the best available data at the time of preparation. If you have any questions, please contact me directly at hqureshi@urbanxroads.com.

Haseeb Qureshi
Principal
URBAN CROSSROADS, INC.
hqureshi@urbanxroads.com

EDUCATION

Master of Science in Environmental Studies
California State University, Fullerton • May 2010

Bachelor of Arts in Environmental Analysis and Design
University of California, Irvine • June, 2006

PROFESSIONAL AFFILIATIONS

AEP – Association of Environmental Professionals
AWMA – Air and Waste Management Association
ASTM – American Society for Testing and Materials

PROFESSIONAL CERTIFICATIONS

Planned Communities and Urban Infill – Urban Land Institute • June 2011
Indoor Air Quality and Industrial Hygiene – EMSL Analytical • April 2008
Principles of Ambient Air Monitoring – CARB • August 2007
AB2588 Regulatory Standards – Trinity Consultants • November 2006
Air Dispersion Modeling – Lakes Environmental • June 2006

This page intentionally left blank

APPENDIX 2.1:

STATE/FEDERAL ATTAINMENT STATUS OF CRITERIA POLLUTANTS

Appendix C

Maps and Tables of Area Designations for State and National Ambient Air Quality Standards

Appendix C

Maps and Tables of Area Designations for State and National Ambient Air Quality Standards

This attachment fulfills the requirement of Health and Safety Code section 40718 for CARB to publish maps that identify areas where one or more violations of any State ambient air quality standard (State standard) or national ambient air quality standard (national standard) have been measured. The national standards are those promulgated under section 109 of the federal Clean Air Act (42 U.S.C. 7409).

This attachment is divided into three parts. The first part comprises a table showing the levels, averaging times, and measurement methods for each of the State and national standards. This is followed by a section containing maps and tables showing the area designations for each pollutant for which there is a State standard in the California Code of Regulations, title 17, section 70200. The last section contains maps and tables showing the most current area designations for the national standards.

(Updated 5/4/16)

Ambient Air Quality Standards						
Pollutant	Averaging Time	California Standards ¹		National Standards ²		
		Concentration ³	Method ⁴	Primary ^{3,5}	Secondary ^{3,6}	Method ⁷
Ozone (O ₃) ⁸	1 Hour	0.09 ppm (180 µg/m³)	Ultraviolet Photometry	—	Same as Primary Standard	Ultraviolet Photometry
	8 Hour	0.070 ppm (137 µg/m³)		0.070 ppm (137 µg/m³)		
Respirable Particulate Matter (PM10) ⁹	24 Hour	50 µg/m³	Gravimetric or Beta Attenuation	150 µg/m³	Same as Primary Standard	Inertial Separation and Gravimetric Analysis
	Annual Arithmetic Mean	20 µg/m³		—		
Fine Particulate Matter (PM2.5) ⁹	24 Hour	—	—	35 µg/m³	Same as Primary Standard	Inertial Separation and Gravimetric Analysis
	Annual Arithmetic Mean	12 µg/m³	Gravimetric or Beta Attenuation	9.0 µg/m³	15 µg/m³	
Carbon Monoxide (CO)	1 Hour	20 ppm (23 mg/m³)	Non-Dispersive Infrared Photometry (NDIR)	35 ppm (40 mg/m³)	—	Non-Dispersive Infrared Photometry (NDIR)
	8 Hour	9.0 ppm (10 mg/m³)		9 ppm (10 mg/m³)	—	
	8 Hour (Lake Tahoe)	6 ppm (7 mg/m³)		—	—	
Nitrogen Dioxide (NO ₂) ¹⁰	1 Hour	0.18 ppm (339 µg/m³)	Gas Phase Chemiluminescence	100 ppb (188 µg/m³)	—	Gas Phase Chemiluminescence
	Annual Arithmetic Mean	0.030 ppm (57 µg/m³)		0.053 ppm (100 µg/m³)	Same as Primary Standard	
Sulfur Dioxide (SO ₂) ¹¹	1 Hour	0.25 ppm (655 µg/m³)	Ultraviolet Fluorescence	75 ppb (196 µg/m³)	—	Ultraviolet Fluorescence; Spectrophotometry (Pararosaniline Method)
	3 Hour	—		—	0.5 ppm (1300 µg/m³)	
	24 Hour	0.04 ppm (105 µg/m³)		0.14 ppm (for certain areas) ¹¹	—	
	Annual Arithmetic Mean	—		0.030 ppm (for certain areas) ¹¹	—	
Lead ^{12,13}	30 Day Average	1.5 µg/m³	Atomic Absorption	—	—	High Volume Sampler and Atomic Absorption
	Calendar Quarter	—		1.5 µg/m³ (for certain areas) ¹²	Same as Primary Standard	
	Rolling 3-Month Average	—		0.15 µg/m³		
Visibility Reducing Particles ¹⁴	8 Hour	See footnote 14	Beta Attenuation and Transmittance through Filter Tape	No National Standards		
Sulfates	24 Hour	25 µg/m³	Ion Chromatography			
Hydrogen Sulfide	1 Hour	0.03 ppm (42 µg/m³)	Ultraviolet Fluorescence			
Vinyl Chloride ¹²	24 Hour	0.01 ppm (26 µg/m³)	Gas Chromatography			
See footnotes on next page ...						

1. California standards for ozone, carbon monoxide (except 8-hour Lake Tahoe), sulfur dioxide (1- and 24-hour), nitrogen dioxide, and particulate matter (PM10, PM2.5, and visibility reducing particles), are values that are not to be exceeded. All others are not to be equaled or exceeded. California ambient air quality standards are listed in the Table of Standards in Section 70200 of Title 17 of the California Code of Regulations.
2. National standards (other than ozone, particulate matter, and those based on annual arithmetic mean) are not to be exceeded more than once a year. The ozone standard is attained when the fourth highest 8-hour concentration measured at each site in a year, averaged over three years, is equal to or less than the standard. For PM10, the 24-hour standard is attained when the expected number of days per calendar year with a 24-hour average concentration above 150 $\mu\text{g}/\text{m}^3$ is equal to or less than one. For PM2.5, the 24-hour standard is attained when 98 percent of the daily concentrations, averaged over three years, are equal to or less than the standard. Contact the U.S. EPA for further clarification and current national policies.
3. Concentration expressed first in units in which it was promulgated. Equivalent units given in parentheses are based upon a reference temperature of 25°C and a reference pressure of 760 torr. Most measurements of air quality are to be corrected to a reference temperature of 25°C and a reference pressure of 760 torr; ppm in this table refers to ppm by volume, or micromoles of pollutant per mole of gas.
4. Any equivalent measurement method which can be shown to the satisfaction of the CARB to give equivalent results at or near the level of the air quality standard may be used.
5. National Primary Standards: The levels of air quality necessary, with an adequate margin of safety to protect the public health.
6. National Secondary Standards: The levels of air quality necessary to protect the public welfare from any known or anticipated adverse effects of a pollutant.
7. Reference method as described by the U.S. EPA. An "equivalent method" of measurement may be used but must have a "consistent relationship to the reference method" and must be approved by the U.S. EPA.
8. On October 1, 2015, the national 8-hour ozone primary and secondary standards were lowered from 0.075 to 0.070 ppm.
9. On December 14, 2012, the national annual PM2.5 primary standard was lowered from 15 $\mu\text{g}/\text{m}^3$ to 12.0 $\mu\text{g}/\text{m}^3$. The existing national 24-hour PM2.5 standards (primary and secondary) were retained at 35 $\mu\text{g}/\text{m}^3$, as was the annual secondary standard of 15 $\mu\text{g}/\text{m}^3$. The existing 24-hour PM10 standards (primary and secondary) of 150 $\mu\text{g}/\text{m}^3$ also were retained. The form of the annual primary and secondary standards is the annual mean, averaged over 3 years.
10. To attain the 1-hour national standard, the 3-year average of the annual 98th percentile of the 1-hour daily maximum concentrations at each site must not exceed 100 ppb. Note that the national 1-hour standard is in units of parts per billion (ppb). California standards are in units of parts per million (ppm). To directly compare the national 1-hour standard to the California standards the units can be converted from ppb to ppm. In this case, the national standard of 100 ppb is identical to 0.100 ppm.
11. On June 2, 2010, a new 1-hour SO₂ standard was established and the existing 24-hour and annual primary standards were revoked. To attain the 1-hour national standard, the 3-year average of the annual 99th percentile of the 1-hour daily maximum concentrations at each site must not exceed 75 ppb. The 1971 SO₂ national standards (24-hour and annual) remain in effect until one year after an area is designated for the 2010 standard, except that in areas designated nonattainment for the 1971 standards, the 1971 standards remain in effect until implementation plans to attain or maintain the 2010 standards are approved.

Note that the 1-hour national standard is in units of parts per billion (ppb). California standards are in units of parts per million (ppm). To directly compare the 1-hour national standard to the California standard the units can be converted to ppm. In this case, the national standard of 75 ppb is identical to 0.075 ppm.
12. The CARB has identified lead and vinyl chloride as 'toxic air contaminants' with no threshold level of exposure for adverse health effects determined. These actions allow for the implementation of control measures at levels below the ambient concentrations specified for these pollutants.
13. The national standard for lead was revised on October 15, 2008 to a rolling 3-month average. The 1978 lead standard (1.5 $\mu\text{g}/\text{m}^3$ as a quarterly average) remains in effect until one year after an area is designated for the 2008 standard, except that in areas designated nonattainment for the 1978 standard, the 1978 standard remains in effect until implementation plans to attain or maintain the 2008 standard are approved.
14. In 1989, the CARB converted both the general statewide 10-mile visibility standard and the Lake Tahoe 30-mile visibility standard to instrumental equivalents, which are "extinction of 0.23 per kilometer" and "extinction of 0.07 per kilometer" for the statewide and Lake Tahoe Air Basin standards, respectively.


Area Designations for the State Ambient Air Quality Standards

The following maps and tables show the area designations for each pollutant with a State standard set forth in the California Code of Regulations, title 17, section 60200. Each area is identified as attainment, nonattainment, nonattainment-transitional, or unclassified for each pollutant, as shown below:

Designation	Abbreviation
Attainment	A
Nonattainment	N
Nonattainment-Transitional	NA-T
Unclassified	U

In general, CARB designates areas by air basin for pollutants with a regional impact and by county for pollutants with a more local impact. However, when there are areas within an air basin or county with distinctly different air quality deriving from sources and conditions not affecting the entire air basin or county, CARB may designate a smaller area. Generally, when boundaries of the designated area differ from the air basin or county boundaries, the description of the specific area is referenced at the bottom of the summary table.

Figure 1



Last Updated: November 2023
Air Quality Planning and Science Division, CARB


Table 1
California Ambient Air Quality Standards Area Designations for
Ozone¹

Area	N	NA-T	U	A
GREAT BASIN VALLEYS AIR BASIN				
Alpine County			U	
Inyo County	N			
Mono County	N			
LAKE COUNTY AIR BASIN				A
LAKE TAHOE AIR BASIN		NA-T		
MOJAVE DESERT AIR BASIN	N			
MOUNTAIN COUNTIES AIR BASIN				
Amador County		NA-T		
Calaveras County		NA-T		
El Dorado County (portion)	N			
Mariposa County	N			
Nevada County	N			
Placer County (portion)		NA-T		
Plumas County			U	
Sierra County			U	
Tuolumne County		NA-T		
NORTH CENTRAL COAST AIR BASIN				A
NORTH COAST AIR BASIN				A
NORTHEAST PLATEAU AIR BASIN				A

Area	N	NA-T	U	A
SACRAMENTO VALLEY AIR BASIN				
Butte County		NA-T		
Colusa and Glenn Counties				A
Shasta County	N			
Sutter/Yuba Counties				
Sutter Buttes		NA-T		
Remainder of Sutter County		NA-T		
Yuba County		NA-T		
Yolo/Solano Counties		NA-T		
Remainder of Air Basin	N			
SALTON SEA AIR BASIN	N			
SAN DIEGO AIR BASIN	N			
SAN FRANCISCO BAY AREA AIR BASIN		NA-T		
SAN JOAQUIN VALLEY AIR BASIN	N			
SOUTH CENTRAL COAST AIR BASIN				
San Luis Obispo County	N			
Santa Barbara County		NA-T		
Ventura County	N			
SOUTH COAST AIR BASIN	N			

¹ AB 3048 (Olberg) and AB 2525 (Miller) signed into law in 1996, made changes to Health and Safety Code, section 40925.5. One of the changes allows nonattainment districts to become nonattainment-transitional for ozone by operation of law.

Figure 2




Last Updated: November 2023
Air Quality Planning and Science Division, CARB

Table 2
California Ambient Air Quality Standards Area Designations for
Suspended Particulate Matter (PM₁₀)

Area	N	U	A
GREAT BASIN VALLEYS AIR BASIN	N		
LAKE COUNTY AIR BASIN			A
LAKE TAHOE AIR BASIN	N		
MOJAVE DESERT AIR BASIN	N		
MOUNTAIN COUNTIES AIR BASIN			
Amador County		U	
Calaveras County	N		
El Dorado County (portion)	N		
Mariposa County			
- Yosemite National Park	N		
- Remainder of County		U	
Nevada County	N		
Placer County (portion)	N		
Plumas County	N		
Sierra County	N		
Tuolumne County		U	

Area	N	U	A
NORTH CENTRAL COAST AIR BASIN	N		
NORTH COAST AIR BASIN			
Del Norte, Mendocino, Sonoma (portion) and Trinity Counties			A
Remainder of Air Basin	N		
NORTHEAST PLATEAU AIR BASIN			
Siskiyou County			A
Remainder of Air Basin		U	
SACRAMENTO VALLEY AIR BASIN			
Shasta County			A
Remainder of Air Basin	N		
SALTON SEA AIR BASIN	N		
SAN DIEGO AIR BASIN	N		
SAN FRANCISCO BAY AREA AIR BASIN	N		
SAN JOAQUIN VALLEY AIR BASIN	N		
SOUTH CENTRAL COAST AIR BASIN	N		
SOUTH COAST AIR BASIN	N		

Figure 3



Last Updated: November 2023
Air Quality Planning and Science Division, CARB

Table 3
California Ambient Air Quality Standards Area Designations for
Fine Particulate Matter (PM_{2.5})


Area	N	U	A
GREAT BASIN VALLEYS AIR BASIN			A
LAKE COUNTY AIR BASIN			A
LAKE TAHOE AIR BASIN			A
MOJAVE DESERT AIR BASIN			A
MOUNTAIN COUNTIES AIR BASIN			
Plumas County			
- Portola Valley ¹	N		
- Remainder Plumas County		U	
Remainder of Air Basin		U	
NORTH CENTRAL COAST AIR BASIN			A
NORTH COAST AIR BASIN			A
NORTHEAST PLATEAU AIR BASIN			A
SACRAMENTO VALLEY AIR BASIN			
Butte County			A
Colusa County			A
Glenn County			A
Placer County (portion)			A
Sacramento County			A
Shasta County			A
Sutter and Yuba Counties	N		
Remainder of Air Basin		U	

Area	N	U	A
SALTON SEA AIR BASIN			
Imperial County			
- City of Calexico ²	N		
Remainder of Air Basin			A
SAN DIEGO AIR BASIN	N		
SAN FRANCISCO BAY AREA AIR BASIN	N		
SAN JOAQUIN VALLEY AIR BASIN	N		
SOUTH CENTRAL COAST AIR BASIN			A
SOUTH COAST AIR BASIN	N		

¹ California Code of Regulations, title 17, section 60200(c)

² California Code of Regulations, title 17, section 60200(a)

Figure 4



Last Updated: November 2023
Air Quality Planning and Science Division, CARB

Table 4
California Ambient Air Quality Standards Area Designations for
Carbon Monoxide*

Area	N	NA-T	U	A
GREAT BASIN VALLEYS AIR BASIN				
Alpine County			U	
Inyo County				A
Mono County				A
LAKE COUNTY AIR BASIN				A
LAKE TAHOE AIR BASIN				A
MOJAVE DESERT AIR BASIN				
Kern County (portion)			U	
Los Angeles County (portion)				A
Riverside County (portion)			U	
San Bernardino County (portion)				A
MOUNTAIN COUNTIES AIR BASIN				
Amador County			U	
Calaveras County			U	
El Dorado County (portion)			U	
Mariposa County			U	
Nevada County			U	
Placer County (portion)			U	
Plumas County				A
Sierra County			U	
Tuolumne County				A
NORTH CENTRAL COAST AIR BASIN				
Monterey County				A
San Benito County			U	
Santa Cruz County			U	
NORTH COAST AIR BASIN				
Del Norte County			U	
Humboldt County				A
Mendocino County				A
Sonoma County (portion)			U	
Trinity County			U	
NORTHEAST PLATEAU AIR BASIN			U	

Area	N	NA-T	U	A
SACRAMENTO VALLEY AIR BASIN				
Butte County				A
Colusa County			U	
Glenn County			U	
Placer County (portion)				A
Sacramento County				A
Shasta County			U	
Solano County (portion)				A
Sutter County				A
Tehama County			U	
Yolo County				A
Yuba County			U	
SALTON SEA AIR BASIN				A
SAN DIEGO AIR BASIN				A
SAN FRANCISCO BAY AREA AIR BASIN				A
SAN JOAQUIN VALLEY AIR BASIN				
Fresno County				A
Kern County (portion)				A
Kings County			U	
Madera County			U	
Merced County			U	
San Joaquin County				A
Stanislaus County				A
Tulare County				A
SOUTH CENTRAL COAST AIR BASIN				A
SOUTH COAST AIR BASIN				A

* The area designated for carbon monoxide is a county or portion of a county

Figure 5




Last Updated: November 2023
Air Quality Planning and Science Division, CARB

Table 5
California Ambient Air Quality Standards Area Designations for
Nitrogen Dioxide

Area	N	U	A
GREAT BASIN VALLEYS AIR BASIN			A
LAKE COUNTY AIR BASIN			A
LAKE TAHOE AIR BASIN			A
MOJAVE DESERT AIR BASIN			A
MOUNTAIN COUNTIES AIR BASIN			A
NORTH CENTRAL COAST AIR BASIN			A
NORTH COAST AIR BASIN			A
NORTHEAST PLATEAU AIR BASIN			A

Area	N	U	A
SACRAMENTO VALLEY AIR BASIN			A
SALTON SEA AIR BASIN			A
SAN DIEGO AIR BASIN			A
SAN FRANCISCO BAY AREA AIR BASIN			A
SAN JOAQUIN VALLEY AIR BASIN			A
SOUTH CENTRAL COAST AIR BASIN			A
SOUTH COAST AIR BASIN			
CA 60 Near-road Portion of San Bernardino, Riverside, and Los Angeles Counties			A
Remainder of Air Basin			A

Figure 6



Last Updated: November 2023
Air Quality Planning and Science Division, CARB


Table 6
California Ambient Air Quality Standards Area Designations for Sulfur Dioxide*

Area	N	A
GREAT BASIN VALLEYS AIR BASIN		A
LAKE COUNTY AIR BASIN		A
LAKE TAHOE AIR BASIN		A
MOJAVE DESERT AIR BASIN		A
MOUNTAIN COUNTIES AIR BASIN		A
NORTH CENTRAL COAST AIR BASIN		A
NORTH COAST AIR BASIN		A
NORTHEAST PLATEAU AIR BASIN		A

Area	N	A
SACRAMENTO VALLEY AIR BASIN		A
SALTON SEA AIR BASIN		A
SAN DIEGO AIR BASIN		A
SAN FRANCISCO BAY AREA AIR BASIN		A
SAN JOAQUIN VALLEY AIR BASIN		A
SOUTH CENTRAL COAST AIR BASIN		A
SOUTH COAST AIR BASIN		A

* The area designated for sulfur dioxide is a county or portion of a county. Since all areas in the State are in attainment for this standard, air basins are indicated here for simplicity.

Figure 7



Last Updated: November 2023
 Air Quality Planning and Science Division, CARB

Table 7
California Ambient Air Quality Standards Area Designations for
Sulfates

Area	N	U	A
GREAT BASIN VALLEYS AIR BASIN			A
LAKE COUNTY AIR BASIN			A
LAKE TAHOE AIR BASIN			A
MOJAVE DESERT AIR BASIN			A
MOUNTAIN COUNTIES AIR BASIN			A
NORTH CENTRAL COAST AIR BASIN			A
NORTH COAST AIR BASIN			A
NORTHEAST PLATEAU AIR BASIN			A

Area	N	U	A
SACRAMENTO VALLEY AIR BASIN			A
SALTON SEA AIR BASIN			A
SAN DIEGO AIR BASIN			A
SAN FRANCISCO BAY AREA AIR BASIN			A
SAN JOAQUIN VALLEY AIR BASIN			A
SOUTH CENTRAL COAST AIR BASIN			A
SOUTH COAST AIR BASIN			A

Figure 8



Last Updated: November 2023
Air Quality Planning and Science Division, CARB


Table 8
California Ambient Air Quality Standards Area Designations for
Lead (particulate)*

Area	N	U	A
GREAT BASIN VALLEYS AIR BASIN			A
LAKE COUNTY AIR BASIN			A
LAKE TAHOE AIR BASIN			A
MOJAVE DESERT AIR BASIN			A
MOUNTAIN COUNTIES AIR BASIN			A
NORTH CENTRAL COAST AIR BASIN			A
NORTH COAST AIR BASIN			A
NORTHEAST PLATEAU AIR BASIN			A
SACRAMENTO VALLEY AIR BASIN			A

Area	N	U	A
SALTON SEA AIR BASIN			A
SAN DIEGO AIR BASIN			A
SAN FRANCISCO BAY AREA AIR BASIN			A
SAN JOAQUIN VALLEY AIR BASIN			A
SOUTH CENTRAL COAST AIR BASIN			A
SOUTH COAST AIR BASIN			A

* The area designated for lead is a county or portion of a county. Since all areas in the State are in attainment for this standard, air basins are indicated here for simplicity.

Figure 9



Last Updated: November 2023
Air Quality Planning and Science Division, CARB

Table 9
California Ambient Air Quality Standards Area Designations for
Hydrogen Sulfide*

Area	N	NA-T	U	A
GREAT BASIN VALLEYS AIR BASIN				
Alpine County			U	
Inyo County				A
Mono County				A
LAKE COUNTY AIR BASIN				A
LAKE TAHOE AIR BASIN			U	
MOJAVE DESERT AIR BASIN				
Kern County (portion)			U	
Los Angeles County (portion)			U	
Riverside County (portion)			U	
San Bernardino County (portion)				
- Searles Valley Planning Area ¹	N			
- Remainder of County			U	
MOUNTAIN COUNTIES AIR BASIN				
Amador County				
- City of Sutter Creek	N			
- Remainder of County			U	
Calaveras County			U	
El Dorado County (portion)			U	
Mariposa County			U	
Nevada County			U	
Placer County (portion)			U	
Plumas County			U	
Sierra County			U	
Tuolumne County			U	


Area	N	NA-T	U	A
NORTH CENTRAL COAST AIR BASIN			U	
NORTH COAST AIR BASIN				
Del Norte County			U	
Humboldt County				A
Mendocino County			U	
Sonoma County (portion)				
- Geyser Geothermal Area ²				A
- Remainder of County			U	
Trinity County			U	
NORTHEAST PLATEAU AIR BASIN			U	
SACRAMENTO VALLEY AIR BASIN			U	
SALTON SEA AIR BASIN				
Riverside County (portion)	N			
Imperial County			U	
SAN DIEGO AIR BASIN			U	
SAN FRANCISCO BAY AREA AIR BASIN			U	
SAN JOAQUIN VALLEY AIR BASIN			U	
SOUTH CENTRAL COAST AIR BASIN				
San Luis Obispo County				A
Santa Barbara County				A
Ventura County			U	
SOUTH COAST AIR BASIN			U	

* The area designated for hydrogen sulfide is a county or portion of a county

¹ 52 Federal Register 29384 (August 7, 1987)

² California Code of Regulations, title 17, section 60200(d)

Figure 10



Last Updated: November 2023
Air Quality Planning and Science Division, CARB

Table 10
California Ambient Air Quality Standards Area Designations for
Visibility Reducing Particles

Area	N	NA-T	U	A
GREAT BASIN VALLEYS AIR BASIN			U	
LAKE COUNTY AIR BASIN				A
LAKE TAHOE AIR BASIN			U	
MOJAVE DESERT AIR BASIN			U	
MOUNTAIN COUNTIES AIR BASIN			U	
NORTH CENTRAL COAST AIR BASIN			U	
NORTH COAST AIR BASIN			U	
NORTHEAST PLATEAU AIR BASIN			U	

Area	N	NA-T	U	A
SACRAMENTO VALLEY AIR BASIN			U	
SALTON SEA AIR BASIN			U	
SAN DIEGO AIR BASIN			U	
SAN FRANCISCO BAY AREA AIR BASIN			U	
SAN JOAQUIN VALLEY AIR BASIN			U	
SOUTH CENTRAL COAST AIR BASIN			U	
SOUTH COAST AIR BASIN			U	

Area Designations for the National Ambient Air Quality Standards

The following maps and tables show the area designations for each pollutant with a national ambient air quality standard. Additional information about the federal area designations is available on the U.S. EPA website:

<https://www.epa.gov/green-book>

Over the last several years, U.S. EPA has been reviewing the levels of the various national standards. The agency has already promulgated new standard levels for some pollutants and is considering revising the levels for others. Information about the status of these reviews is available on the U.S. EPA website:

<https://www.epa.gov/criteria-air-pollutants>

Designation Categories

Suspended Particulate Matter (PM₁₀). The U.S. EPA uses three categories to designate areas with respect to PM₁₀:

- Attainment (A)
- Nonattainment (N)
- Unclassifiable (U)

Ozone, Fine Suspended Particulate Matter (PM_{2.5}), Carbon Monoxide (CO), and Nitrogen Dioxide (NO₂). The U.S. EPA uses two categories to designate areas with respect to these standards:

- Nonattainment (N)
- Unclassifiable/Attainment (U/A)

The national 1-hour ozone standard was revoked effective June 15, 2005, and the area designations map reflects the 2015 national 8-hour ozone standard of 0.070 ppm. Area designations were finalized on August 3, 2018.

On December 14, 2012, the U.S. EPA established a new national annual primary PM_{2.5} standard of 12.0 µg/m³. Area designations were finalized in December 2014. The current designation map reflects the most recently revised (2012) annual average standard of 12.0 µg/m³ as well as the 24-hour standard of 35 µg/m³, revised in 2006.

On January 22, 2010, the U.S. EPA established a new national 1-hour NO₂ standard of 100 parts per billion (ppb) and retained the annual average standard of 53 ppb. Designations for the primary NO₂ standard became effective on February 29, 2012. All areas of California meet this standard.

Sulfur Dioxide (SO₂). The U.S. EPA uses three categories to designate areas with respect to the 24-hour and annual average sulfur dioxide standards. These designation categories are:

- Nonattainment (N),
- Unclassifiable (U), and
- Unclassifiable/Attainment (U/A).


On June 2, 2010, the U.S. EPA established a new primary 1-hour SO₂ standard of 75 parts per billion (ppb). At the same time, U.S. EPA revoked the 24-hour and annual average standards. Area designations for the 1-hour SO₂ standard were finalized on December 21, 2017 and are reflected in the area designations map.

Lead (particulate). The U.S. EPA promulgated a new rolling 3-month average lead standard in October 2008 of 0.15 µg/m³. Designations were made for this standard in November 2010.

Designation Areas

From time to time, the boundaries of the California air basins have been changed to facilitate the planning process. CARB generally initiates these changes, and they are not always reflected in the U.S. EPA's area designations. For purposes of consistency, the maps in this attachment reflect area designation boundaries and nomenclature as promulgated by the U.S. EPA. In some cases, these may not be the same as those adopted by CARB. For example, the national area designations reflect the former Southeast Desert Air Basin. In accordance with Health and Safety Code section 39606.1, CARB redefined this area in 1996 to be the Mojave Desert Air Basin and Salton Sea Air Basin. The definitions and boundaries for all areas designated for the national standards can be found in Title 40, Code of Federal Regulations (CFR), Chapter I, Subchapter C, Part 81.305. They are available on the web at: https://ecfr.io/Title-40/se40.20.81_1305

Figure 11



Last Updated: November 2023
 Map reflects the 2015 8-hour ozone standard of 0.070 ppm
 Air Quality Planning and Science Division, CARB

Table 11
National Ambient Air Quality Standards Area Designations for
8-Hour Ozone*

Area	N	U/A
GREAT BASIN VALLEYS AIR BASIN		U/A
LAKE COUNTY AIR BASIN		U/A
LAKE TAHOE AIR BASIN		U/A
MOUNTAIN COUNTIES AIR BASIN		
Amador County	N	
Calaveras County	N	
El Dorado County (portion) ¹	N	
Mariposa County	N	
Nevada County		
- Western Nevada County	N	
- Remainder of County		U/A
Placer County (portion) ¹	N	
Plumas County		U/A
Sierra County		U/A
Tuolumne County	N	
NORTH CENTRAL COAST AIR BASIN		U/A
NORTH COAST AIR BASIN		U/A
NORTHEAST PLATEAU AIR BASIN		U/A
SACRAMENTO VALLEY AIR BASIN		
Butte County	N	
Colusa County		U/A
Glenn County		U/A
Sacramento Metro Area ¹	N	
Shasta County		U/A
Sutter County		
- Sutter Buttes	N	
- Southern portion of Sutter County ¹	N	
- Remainder of Sutter County		U/A
Tehama County		
- Tuscan Buttes	N	
- Remainder of Tehama County		U/A

Area	N	U/A
SACRAMENTO VALLEY AIR BASIN (cont.)		
Yolo County ¹	N	
Yuba County		U/A
SAN DIEGO COUNTY	N	
SAN FRANCISCO BAY AREA AIR BASIN	N	
SAN JOAQUIN VALLEY AIR BASIN	N	
SOUTH CENTRAL COAST AIR BASIN ²		
San Luis Obispo County		
- Eastern San Luis Obispo County	N	
- Remainder of County		U/A
Santa Barbara County		U/A
Ventura County		
- Area excluding Anacapa and San Nicolas Islands	N	
- Channel Islands ²		U/A
SOUTH COAST AIR BASIN ²	N	
SOUTHEAST DESERT AIR BASIN		
Kern County (portion)	N	
- Indian Wells Valley		U/A
Imperial County	N	
Los Angeles County (portion)	N	
Riverside County (portion)		
- Coachella Valley	N	
- Non-AQMA portion		U/A
San Bernardino County		
- Western portion (AQMA)	N	
- Eastern portion (non-AQMA)		U/A

* Definitions and references for all areas can be found in 40 CFR, Chapter I, Part 81.305.

NOTE: This map and Table reflect the 2015 8-hour ozone standard of 0.070 ppm.

¹ For this purpose, the Sacramento Metro Area comprises all of Sacramento and Yolo Counties, the Sacramento Valley Air Basin portion of Solano County, the southern portion of Sutter County, and the Sacramento Valley and Mountain Counties Air Basins portions of Placer and El Dorado counties.

² South Central Coast Air Basin Channel Islands:


Santa Barbara County includes Santa Cruz, San Miguel, Santa Rosa, and Santa Barbara Islands.

Ventura County includes Anacapa and San Nicolas Islands.

South Coast Air Basin:

Los Angeles County includes San Clemente and Santa Catalina Islands.

Figure 12



Last Updated: November 2023
Air Quality Planning and Science Division

Table 12
National Ambient Air Quality Standards Area Designations for
Suspended Particulate Matter (PM₁₀)*

Area	N	U	A
GREAT BASIN VALLEYS AIR BASIN			
Alpine County		U	
Inyo County			
- Owens Valley Planning Area	N		
- Coso Junction			A
- Remainder of County		U	
Mono County			
- Mammoth Lake Planning Area			A
- Mono Lake Basin	N		
- Remainder of County		U	
LAKE COUNTY AIR BASIN		U	
LAKE TAHOE AIR BASIN		U	
MOUNTAIN COUNTIES AIR BASIN		U	
NORTH CENTRAL COAST AIR BASIN		U	
NORTH COAST AIR BASIN		U	
NORTHEAST PLATEAU AIR BASIN		U	
SACRAMENTO VALLEY AIR BASIN			
Sacramento County ¹			A
Remainder of Air Basin		U	
SAN DIEGO COUNTY		U	

Area	N	U	A
SAN FRANCISCO BAY AREA AIR BASIN		U	
SAN JOAQUIN VALLEY AIR BASIN			A
SOUTH CENTRAL COAST AIR BASIN		U	
SOUTH COAST AIR BASIN			A
SOUTHEAST DESERT AIR BASIN			
Eastern Kern County			
- Indian Wells Valley			A
- Portion within San Joaquin Valley Planning Area	N		
- Remainder of County		U	
Imperial County			
- Imperial Valley Planning Area ²			A
- Remainder of County		U	
Los Angeles County (portion)		U	
Riverside County (portion)			
- Coachella Valley	N		
- Non-AQMA portion		U	
San Bernardino County			
- Trona	N		
- Remainder of County	N		

* Definitions and references for all areas can be found in 40 CFR, Chapter I, Part 81.305.

¹ Air quality in Sacramento County meets the national PM₁₀ standards. The request for redesignation to attainment was approved by U.S. EPA in September 2013.

² The request for redesignation to attainment for the Imperial Valley Planning Area was approved by U.S. EPA in September 2020, effective October 2020.

Figure 13



Last Updated: November 2023
Air Quality Planning and Science Division

Table 13
National Ambient Air Quality Standards Area Designations for
Fine Particulate Matter (PM_{2.5})

Area	N	U/A
GREAT BASIN VALLEYS AIR BASIN		U/A
LAKE COUNTY AIR BASIN		U/A
LAKE TAHOE AIR BASIN		U/A
MOUNTAIN COUNTIES AIR BASIN		
Plumas County		
- Portola Valley Portion of Plumas County	N	
- Remainder of Plumas County		U/A
Remainder of Air Basin		U/A
NORTH CENTRAL COAST AIR BASIN		U/A
NORTH COAST AIR BASIN		U/A
NORTHEAST PLATEAU AIR BASIN		U/A
SACRAMENTO VALLEY AIR BASIN		
Sacramento Metro Area ¹	N	
Remainder of Air Basin		U/A

Area	N	U/A
SAN DIEGO COUNTY		U/A
SAN FRANCISCO BAY AREA AIR BASIN ²	N	
SAN JOAQUIN VALLEY AIR BASIN	N	
SOUTH CENTRAL COAST AIR BASIN		U/A
SOUTH COAST AIR BASIN ³	N	
SOUTHEAST DESERT AIR BASIN		
Imperial County (portion) ⁴	N	
Remainder of Air Basin		U/A

* Definitions and references for all areas can be found in 40 CFR, Chapter I, Part 81.305. This map reflects the 2006 24-hour PM_{2.5} standard as well as the 1997 and 2012 PM_{2.5} annual standards.


¹ For this purpose, Sacramento Metro Area comprises all of Sacramento and portions of El Dorado, Placer, Solano, and Yolo Counties. Air quality in this area meets the national PM_{2.5} standards. A Determination of Attainment for the 2006 24-hour PM_{2.5} standard was made by U.S. EPA in June 2017.

² Air quality in this area meets the national PM_{2.5} standards. A Determination of Attainment for the 2006 24-hour PM_{2.5} standard was made by U.S. EPA in June 2017.

³ Those lands of the Santa Rosa Band of Cahulla Mission Indians in Riverside County are designated Unclassifiable/Attainment.

⁴ That portion of Imperial County encompassing the urban and surrounding areas of Brawley, Calexico, El Centro, Heber, Holtville, Imperial, Seeley, and Westmorland. Air quality in this area meets the national PM_{2.5} standards. A Determination of Attainment for the 2006 24-hour PM_{2.5} standard was made by U.S. EPA in June 2017.

Figure 14



Last Updated: November 2023
Air Quality Planning and Science Division


Table 14
National Ambient Air Quality Standards Area Designations for
Carbon Monoxide*

Area	N	U/A
GREAT BASIN VALLEYS AIR BASIN		U/A
LAKE COUNTY AIR BASIN		U/A
LAKE TAHOE AIR BASIN		U/A
MOUNTAIN COUNTIES AIR BASIN		U/A
NORTH CENTRAL COAST AIR BASIN		U/A
NORTH COAST AIR BASIN		U/A
NORTHEAST PLATEAU AIR BASIN		U/A

Area	N	U/A
SACRAMENTO VALLEY AIR BASIN		U/A
SAN DIEGO COUNTY		U/A
SAN FRANCISCO BAY AREA AIR BASIN		U/A
SAN JOAQUIN VALLEY AIR BASIN		U/A
SOUTH CENTRAL COAST AIR BASIN		U/A
SOUTH COAST AIR BASIN		U/A
SOUTHEAST DESERT AIR BASIN		U/A

* Definitions and references for all areas can be found in 40 CFR, Chapter I, Part 81.305.

Figure 15



Last Updated: November 2023
Air Quality Planning and Science Division


Table 15
National Ambient Air Quality Standards Area Designations for
Nitrogen Dioxide*

Area	N	U/A
GREAT BASIN VALLEYS AIR BASIN		U/A
LAKE COUNTY AIR BASIN		U/A
LAKE TAHOE AIR BASIN		U/A
MOUNTAIN COUNTIES AIR BASIN		U/A
NORTH CENTRAL COAST AIR BASIN		U/A
NORTH COAST AIR BASIN		U/A
NORTHEAST PLATEAU AIR BASIN		U/A

Area	N	U/A
SACRAMENTO VALLEY AIR BASIN		U/A
SAN DIEGO COUNTY		U/A
SAN FRANCISCO BAY AREA AIR BASIN		U/A
SAN JOAQUIN VALLEY AIR BASIN		U/A
SOUTH CENTRAL COAST AIR BASIN		U/A
SOUTH COAST AIR BASIN		U/A
SOUTHEAST DESERT AIR BASIN		U/A

* Definitions and references for all areas can be found in 40 CFR, Chapter I, Part 81.305.

Figure 16



Last Updated: November 2023
Air Quality Planning and Science Division

Table 16
National Ambient Air Quality Standards Area Designations for Sulfur Dioxide*

Area	N	U/A
GREAT BASIN VALLEYS AIR BASIN		U/A
LAKE COUNTY AIR BASIN		U/A
LAKE TAHOE AIR BASIN		U/A
MOUNTAIN COUNTIES AIR BASIN		U/A
NORTH CENTRAL COAST AIR BASIN		U/A
NORTH COAST AIR BASIN		U/A
NORTHEAST PLATEAU AIR BASIN		U/A
SACRAMENTO VALLEY AIR BASIN		U/A
SAN DIEGO COUNTY		U/A
SAN FRANCISCO BAY AREA AIR BASIN		U/A
SAN JOAQUIN VALLEY AIR BASIN		U/A
SOUTH CENTRAL COAST AIR BASIN ¹		U/A
SOUTH COAST AIR BASIN		U/A
SOUTHEAST DESERT AIR BASIN		U/A


* Definitions and references for all areas can be found in 40 CFR, Chapter I, Part 81.305.
 NOTE: This map and table reflect the 2010 1-hour SO₂ standard of 75 ppb.

¹ South Central Coast Air Basin Channel Islands:

Santa Barbara County includes Santa Cruz, San Miguel, Santa Rosa, and Santa Barbara Islands.
 Ventura County includes Anacapa and San Nicolas Islands.

Note that the San Clemente and Santa Catalina Islands are considered part of Los Angeles County, and therefore, are included as part of the South Coast Air Basin.

Figure 17



Last Updated: November 2023
Air Quality Planning and Science Division

Table 17
National Ambient Air Quality Standards Area Designations for
Lead (particulate)

Area	N	U/A
GREAT BASIN VALLEYS AIR BASIN		U/A
LAKE COUNTY AIR BASIN		U/A
LAKE TAHOE AIR BASIN		U/A
MOUNTAIN COUNTIES AIR BASIN		U/A
NORTH CENTRAL COAST AIR BASIN		U/A
NORTH COAST AIR BASIN		U/A
NORTHEAST PLATEAU AIR BASIN		U/A
SACRAMENTO VALLEY AIR BASIN		U/A

Area	N	U/A
SAN DIEGO COUNTY		U/A
SAN FRANCISCO BAY AREA AIR BASIN		U/A
SAN JOAQUIN VALLEY AIR BASIN		U/A
SOUTH CENTRAL COAST AIR BASIN		U/A
SOUTH COAST AIR BASIN		
Los Angeles County (portion) ¹	N	
Remainder of Air Basin		U/A
SOUTHEAST DESERT AIR BASIN		U/A

¹ Portion of County in Air Basin, not including Channel Islands

This page intentionally left blank

APPENDIX 3.1:

CALEEMOD CONSTRUCTION EMISSIONS MODEL OUTPUTS

15585 - Glen Helen Specific Plan Amendment (Construction) Detailed Report

Table of Contents

1. Basic Project Information

1.1. Basic Project Information

1.2. Land Use Types

1.3. User-Selected Emission Reduction Measures by Emissions Sector

2. Emissions Summary

2.1. Construction Emissions Compared Against Thresholds

2.2. Construction Emissions by Year, Unmitigated

3. Construction Emissions Details

3.1. Demolition (2024) - Unmitigated

3.3. Demolition (2025) - Unmitigated

3.5. Site Preparation (2025) - Unmitigated

3.7. Site Preparation (2026) - Unmitigated

3.9. Grading (2026) - Unmitigated

3.11. Grading (2027) - Unmitigated

3.13. Grading (2028) - Unmitigated

3.15. Building Construction (2028) - Unmitigated

3.17. Building Construction (2029) - Unmitigated

3.19. Building Construction (2030) - Unmitigated

3.21. Building Construction (2031) - Unmitigated

3.23. Building Construction (2032) - Unmitigated

3.25. Building Construction (2033) - Unmitigated

3.27. Building Construction (2034) - Unmitigated

3.29. Building Construction (2035) - Unmitigated

3.31. Building Construction (2036) - Unmitigated

3.33. Building Construction (2037) - Unmitigated

3.35. Building Construction (2038) - Unmitigated

3.37. Building Construction (2039) - Unmitigated

3.39. Building Construction (2040) - Unmitigated

3.41. Paving (2039) - Unmitigated

3.43. Paving (2040) - Unmitigated

3.45. Architectural Coating (2039) - Unmitigated

3.47. Architectural Coating (2040) - Unmitigated

4. Operations Emissions Details

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

5. Activity Data

5.1. Construction Schedule

5.2. Off-Road Equipment

5.2.1. Unmitigated

5.3. Construction Vehicles

5.3.1. Unmitigated

5.4. Vehicles

5.4.1. Construction Vehicle Control Strategies

5.5. Architectural Coatings

5.6. Dust Mitigation

5.6.1. Construction Earthmoving Activities

5.6.2. Construction Earthmoving Control Strategies

5.7. Construction Paving

5.8. Construction Electricity Consumption and Emissions Factors

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

5.18.2. Sequestration

5.18.2.1. Unmitigated

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

6.2. Initial Climate Risk Scores

6.3. Adjusted Climate Risk Scores

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

7.2. Healthy Places Index Scores

7.3. Overall Health & Equity Scores

7.4. Health & Equity Measures

7.5. Evaluation Scorecard

7.6. Health & Equity Custom Measures

8. User Changes to Default Data

1. Basic Project Information

1.1. Basic Project Information

Data Field	Value
Project Name	15585 - Glen Helen Specific Plan Amendment (Construction)
Construction Start Date	9/2/2024
Lead Agency	—
Land Use Scale	Plan/community
Analysis Level for Defaults	County
Windspeed (m/s)	2.80
Precipitation (days)	6.80
Location	34.191176, -117.402671
County	San Bernardino-South Coast
City	Unincorporated
Air District	South Coast AQMD
Air Basin	South Coast
TAZ	5317
EDFZ	10
Electric Utility	Southern California Edison
Gas Utility	Southern California Gas
App Version	2022.1.1.22

1.2. Land Use Types

Land Use Subtype	Size	Unit	Lot Acreage	Building Area (sq ft)	Landscape Area (sq ft)	Special Landscape Area (sq ft)	Population	Description
Parking Lot	79.0	Acre	79.0	0.00	0.00	—	—	Truck Trailer Parking

Industrial Park	418	1000sqft	19.2	418,176	0.00	—	1,384	Corridor Industrial
Industrial Park	1,335	1000sqft	61.3	1,335,114	0.00	—	—	Corridor Industrial

1.3. User-Selected Emission Reduction Measures by Emissions Sector

No measures selected

2. Emissions Summary

2.1. Construction Emissions Compared Against Thresholds

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Un/Mit.	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	4.89	31.4	35.0	63.7	0.10	1.77	13.8	14.1	1.63	3.32	4.39	—	19,630	19,630	0.67	1.43	43.2	19,899
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	4.93	31.3	37.9	52.4	0.10	1.93	13.8	14.1	1.78	3.32	4.54	—	18,790	18,790	0.69	1.43	1.12	19,049
Average Daily (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	3.20	22.3	23.5	37.0	0.07	1.13	9.78	10.0	1.04	2.35	2.57	—	13,351	13,351	0.47	0.99	11.8	13,537
Annual (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	0.58	4.06	4.29	6.75	0.01	0.21	1.79	1.83	0.19	0.43	0.47	—	2,210	2,210	0.08	0.16	1.96	2,241

2.2. Construction Emissions by Year, Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Year	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e

Daily - Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2024	3.25	2.71	25.5	23.3	0.04	1.07	0.32	1.39	0.98	0.08	1.06	—	4,111	4,111	0.18	0.11	2.18	4,150
2025	2.98	2.48	22.8	21.4	0.04	0.92	0.32	1.25	0.85	0.08	0.93	—	4,099	4,099	0.18	0.11	2.09	4,137
2026	4.67	3.91	35.0	32.4	0.07	1.77	5.97	7.74	1.63	2.76	4.39	—	7,719	7,719	0.34	0.18	2.87	7,783
2027	4.02	3.34	28.8	30.1	0.07	1.28	3.14	4.41	1.18	1.10	2.27	—	7,700	7,700	0.33	0.17	2.56	7,762
2028	4.89	4.13	27.2	63.7	0.08	1.19	11.7	12.1	1.09	2.82	3.17	—	19,351	19,351	0.67	1.43	43.2	19,838
2029	4.65	3.95	18.4	60.5	0.08	0.35	11.7	12.0	0.33	2.82	3.15	—	18,991	18,991	0.65	1.38	38.4	19,457
2030	4.43	3.49	17.5	57.3	0.08	0.34	11.7	12.0	0.31	2.82	3.13	—	18,628	18,628	0.59	1.38	33.9	19,088
2031	4.25	3.32	16.9	54.4	0.08	0.32	11.7	12.0	0.30	2.82	3.12	—	18,265	18,265	0.57	1.03	29.7	18,615
2032	4.07	3.20	16.1	52.2	0.08	0.30	11.7	12.0	0.28	2.82	3.10	—	17,918	17,918	0.51	1.03	25.8	18,263
2033	3.64	3.10	15.6	50.0	0.08	0.27	11.7	11.9	0.26	2.82	3.08	—	17,599	17,599	0.51	0.97	22.5	17,924
2034	3.49	2.95	14.9	48.2	0.08	0.26	11.7	11.9	0.25	2.82	3.07	—	17,286	17,286	0.50	0.97	19.3	17,606
2035	3.38	2.90	14.5	46.3	0.08	0.25	11.7	11.9	0.23	2.82	3.05	—	16,994	16,994	0.43	0.91	16.6	17,293
2036	3.29	2.82	14.2	44.7	0.08	0.24	11.7	11.9	0.22	2.82	3.04	—	16,726	16,726	0.43	0.91	14.1	17,023
2037	3.18	2.72	13.8	43.5	0.08	0.22	11.7	11.9	0.21	2.82	3.03	—	16,486	16,486	0.42	0.86	12.0	16,765
2038	3.04	2.63	13.3	42.3	0.08	0.22	11.7	11.9	0.21	2.82	3.03	—	16,257	16,257	0.42	0.86	10.2	16,534
2039	4.04	31.4	19.5	58.3	0.10	0.33	13.8	14.1	0.31	3.32	3.62	—	19,630	19,630	0.45	0.83	9.91	19,899
2040	3.92	31.3	19.3	57.4	0.10	0.32	13.8	14.1	0.30	3.32	3.62	—	19,450	19,450	0.43	0.83	8.29	19,716
Daily - Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2024	3.25	2.70	25.5	23.0	0.04	1.07	0.32	1.39	0.98	0.08	1.06	—	4,094	4,094	0.18	0.11	0.06	4,130
2025	4.93	4.13	37.9	33.6	0.05	1.93	5.97	7.90	1.78	2.76	4.54	—	6,032	6,032	0.26	0.11	0.05	6,067
2026	4.67	3.91	35.0	32.1	0.07	1.77	5.97	7.74	1.63	2.76	4.39	—	7,697	7,697	0.33	0.18	0.07	7,758
2027	4.01	3.33	28.8	29.8	0.07	1.28	3.14	4.41	1.18	1.10	2.27	—	7,678	7,678	0.33	0.17	0.07	7,738
2028	4.73	3.95	27.3	52.4	0.08	1.19	11.7	12.1	1.09	2.82	3.17	—	18,549	18,549	0.69	1.43	1.12	18,994
2029	4.50	3.48	19.0	50.0	0.08	0.35	11.7	12.0	0.33	2.82	3.15	—	18,205	18,205	0.66	1.38	0.99	18,634

15585 - Glen Helen Specific Plan Amendment (Construction) Detailed Report, 4/11/2024

2030	4.29	3.35	18.2	47.7	0.08	0.34	11.7	12.0	0.31	2.82	3.13	—	17,858	17,858	0.60	1.38	0.88	18,286
2031	4.11	3.18	17.3	45.4	0.08	0.32	11.7	12.0	0.30	2.82	3.12	—	17,509	17,509	0.59	1.33	0.77	17,919
2032	3.64	3.07	16.7	43.4	0.08	0.30	11.7	12.0	0.28	2.82	3.10	—	17,174	17,174	0.53	1.03	0.67	17,494
2033	3.51	2.96	15.9	41.8	0.08	0.27	11.7	11.9	0.26	2.82	3.08	—	16,865	16,865	0.52	0.97	0.58	17,169
2034	3.39	2.85	15.6	40.5	0.08	0.26	11.7	11.9	0.25	2.82	3.07	—	16,562	16,562	0.50	0.97	0.50	16,865
2035	3.28	2.80	14.8	38.8	0.08	0.25	11.7	11.9	0.23	2.82	3.05	—	16,279	16,279	0.45	0.92	0.43	16,565
2036	3.19	2.72	14.4	37.8	0.08	0.24	11.7	11.9	0.22	2.82	3.04	—	16,019	16,019	0.44	0.92	0.37	16,304
2037	3.09	2.63	14.1	36.6	0.08	0.22	11.7	11.9	0.21	2.82	3.03	—	15,786	15,786	0.42	0.86	0.31	16,053
2038	2.99	2.59	13.9	36.0	0.08	0.22	11.7	11.9	0.21	2.82	3.03	—	15,564	15,564	0.42	0.86	0.26	15,831
2039	3.97	31.3	20.2	50.5	0.10	0.33	13.8	14.1	0.31	3.32	3.62	—	18,790	18,790	0.45	0.83	0.26	19,049
2040	3.89	31.2	19.6	49.9	0.10	0.32	13.8	14.1	0.30	3.32	3.62	—	18,615	18,615	0.44	0.83	0.21	18,874
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2024	0.77	0.64	6.05	5.46	0.01	0.25	0.08	0.33	0.23	0.02	0.25	—	970	970	0.04	0.02	0.22	979
2025	2.39	1.99	18.4	16.8	0.03	0.80	1.00	1.80	0.74	0.42	1.16	—	3,185	3,185	0.14	0.07	0.62	3,211
2026	3.16	2.64	23.5	22.3	0.04	1.13	3.24	4.37	1.04	1.37	2.41	—	4,908	4,908	0.21	0.10	0.68	4,943
2027	2.87	2.38	20.6	21.3	0.05	0.91	2.24	3.15	0.84	0.78	1.62	—	5,487	5,487	0.23	0.12	0.79	5,530
2028	3.19	2.67	15.7	34.0	0.05	0.45	6.65	7.10	0.39	1.67	2.07	—	11,189	11,189	0.42	0.78	9.91	11,441
2029	3.20	2.49	13.6	37.0	0.06	0.25	8.30	8.55	0.23	2.01	2.24	—	13,090	13,090	0.47	0.99	11.8	13,407
2030	3.06	2.38	13.0	35.1	0.06	0.24	8.30	8.54	0.22	2.01	2.23	—	12,840	12,840	0.43	0.99	10.5	13,155
2031	2.95	2.29	12.3	33.4	0.06	0.23	8.30	8.53	0.21	2.01	2.22	—	12,589	12,589	0.42	0.95	9.19	12,891
2032	2.60	2.19	12.0	32.1	0.06	0.21	8.32	8.54	0.20	2.01	2.21	—	12,383	12,383	0.38	0.73	8.01	12,619
2033	2.51	2.11	11.4	30.9	0.06	0.20	8.30	8.50	0.18	2.01	2.19	—	12,127	12,127	0.37	0.69	6.92	12,350
2034	2.42	2.02	11.1	29.7	0.06	0.19	8.30	8.49	0.18	2.01	2.18	—	11,909	11,909	0.36	0.69	5.95	12,131
2035	2.34	2.00	10.8	28.8	0.06	0.18	8.30	8.48	0.17	2.01	2.17	—	11,706	11,706	0.32	0.65	5.12	11,914
2036	2.29	1.95	10.3	27.9	0.06	0.17	8.32	8.49	0.16	2.01	2.17	—	11,551	11,551	0.32	0.65	4.38	11,758
2037	2.21	1.88	10.1	27.0	0.06	0.16	8.30	8.46	0.15	2.01	2.16	—	11,352	11,352	0.30	0.61	3.71	11,546
2038	2.14	1.85	9.90	26.3	0.06	0.16	8.30	8.46	0.15	2.01	2.15	—	11,193	11,193	0.30	0.61	3.13	11,386

2039	2.26	7.04	10.9	28.6	0.06	0.17	8.70	8.87	0.16	2.10	2.26	—	11,705	11,705	0.28	0.58	2.74	11,887
2040	2.75	22.3	13.9	36.3	0.07	0.23	9.78	10.0	0.21	2.35	2.57	—	13,351	13,351	0.31	0.59	2.55	13,537
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2024	0.14	0.12	1.10	1.00	< 0.005	0.05	0.01	0.06	0.04	< 0.005	0.05	—	161	161	0.01	< 0.005	0.04	162
2025	0.44	0.36	3.35	3.07	0.01	0.15	0.18	0.33	0.13	0.08	0.21	—	527	527	0.02	0.01	0.10	532
2026	0.58	0.48	4.29	4.07	0.01	0.21	0.59	0.80	0.19	0.25	0.44	—	813	813	0.03	0.02	0.11	818
2027	0.52	0.43	3.76	3.88	0.01	0.17	0.41	0.58	0.15	0.14	0.30	—	908	908	0.04	0.02	0.13	916
2028	0.58	0.49	2.86	6.21	0.01	0.08	1.21	1.30	0.07	0.31	0.38	—	1,852	1,852	0.07	0.13	1.64	1,894
2029	0.58	0.45	2.48	6.75	0.01	0.05	1.51	1.56	0.04	0.37	0.41	—	2,167	2,167	0.08	0.16	1.96	2,220
2030	0.56	0.44	2.37	6.41	0.01	0.04	1.51	1.56	0.04	0.37	0.41	—	2,126	2,126	0.07	0.16	1.73	2,178
2031	0.54	0.42	2.25	6.10	0.01	0.04	1.51	1.56	0.04	0.37	0.40	—	2,084	2,084	0.07	0.16	1.52	2,134
2032	0.47	0.40	2.18	5.86	0.01	0.04	1.52	1.56	0.04	0.37	0.40	—	2,050	2,050	0.06	0.12	1.33	2,089
2033	0.46	0.39	2.08	5.63	0.01	0.04	1.51	1.55	0.03	0.37	0.40	—	2,008	2,008	0.06	0.11	1.15	2,045
2034	0.44	0.37	2.03	5.43	0.01	0.03	1.51	1.55	0.03	0.37	0.40	—	1,972	1,972	0.06	0.11	0.98	2,008
2035	0.43	0.36	1.97	5.25	0.01	0.03	1.51	1.55	0.03	0.37	0.40	—	1,938	1,938	0.05	0.11	0.85	1,972
2036	0.42	0.36	1.88	5.10	0.01	0.03	1.52	1.55	0.03	0.37	0.40	—	1,912	1,912	0.05	0.11	0.73	1,947
2037	0.40	0.34	1.84	4.92	0.01	0.03	1.51	1.54	0.03	0.37	0.39	—	1,879	1,879	0.05	0.10	0.61	1,912
2038	0.39	0.34	1.81	4.80	0.01	0.03	1.51	1.54	0.03	0.37	0.39	—	1,853	1,853	0.05	0.10	0.52	1,885
2039	0.41	1.29	2.00	5.23	0.01	0.03	1.59	1.62	0.03	0.38	0.41	—	1,938	1,938	0.05	0.10	0.45	1,968
2040	0.50	4.06	2.54	6.63	0.01	0.04	1.79	1.83	0.04	0.43	0.47	—	2,210	2,210	0.05	0.10	0.42	2,241

3. Construction Emissions Details

3.1. Demolition (2024) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	3.12	2.62	24.9	21.7	0.03	1.06	—	1.06	0.98	—	0.98	—	3,425	3,425	0.14	0.03	—	3,437
Demolition	—	—	—	—	—	—	0.00	0.00	—	0.00	0.00	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	3.12	2.62	24.9	21.7	0.03	1.06	—	1.06	0.98	—	0.98	—	3,425	3,425	0.14	0.03	—	3,437
Demolition	—	—	—	—	—	—	0.00	0.00	—	0.00	0.00	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.74	0.62	5.89	5.15	0.01	0.25	—	0.25	0.23	—	0.23	—	811	811	0.03	0.01	—	814
Demolition	—	—	—	—	—	—	0.00	0.00	—	0.00	0.00	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.13	0.11	1.08	0.94	< 0.005	0.05	—	0.05	0.04	—	0.04	—	134	134	0.01	< 0.005	—	135
Demolition	—	—	—	—	—	—	0.00	0.00	—	0.00	0.00	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.09	0.08	0.07	1.27	0.00	0.00	0.20	0.20	0.00	0.05	0.05	—	216	216	0.01	0.01	0.86	219
Vendor	0.05	0.01	0.54	0.29	< 0.005	0.01	0.13	0.14	0.01	0.04	0.04	—	470	470	0.04	0.07	1.31	493
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.08	0.07	0.09	0.96	0.00	0.00	0.20	0.20	0.00	0.05	0.05	—	198	198	0.01	0.01	0.02	200
Vendor	0.05	0.01	0.56	0.29	< 0.005	0.01	0.13	0.14	0.01	0.04	0.04	—	471	471	0.04	0.07	0.03	492
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.02	0.02	0.02	0.24	0.00	0.00	0.05	0.05	0.00	0.01	0.01	—	47.5	47.5	< 0.005	< 0.005	0.09	48.2
Vendor	0.01	< 0.005	0.13	0.07	< 0.005	< 0.005	0.03	0.03	< 0.005	0.01	0.01	—	111	111	0.01	0.02	0.13	117
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.04	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	—	7.87	7.87	< 0.005	< 0.005	0.01	7.98
Vendor	< 0.005	< 0.005	0.02	0.01	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	—	18.4	18.4	< 0.005	< 0.005	0.02	19.3
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.3. Demolition (2025) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Road Equipment	2.86	2.40	22.2	19.9	0.03	0.92	—	0.92	0.84	—	0.84	—	3,425	3,425	0.14	0.03	—	3,437
Demolition	—	—	—	—	—	—	0.00	0.00	—	0.00	0.00	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	2.86	2.40	22.2	19.9	0.03	0.92	—	0.92	0.84	—	0.84	—	3,425	3,425	0.14	0.03	—	3,437
Demolition	—	—	—	—	—	—	0.00	0.00	—	0.00	0.00	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.65	1.38	12.8	11.5	0.02	0.53	—	0.53	0.49	—	0.49	—	1,977	1,977	0.08	0.02	—	1,984
Demolition	—	—	—	—	—	—	0.00	0.00	—	0.00	0.00	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.30	0.25	2.34	2.10	< 0.005	0.10	—	0.10	0.09	—	0.09	—	327	327	0.01	< 0.005	—	328
Demolition	—	—	—	—	—	—	0.00	0.00	—	0.00	0.00	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Worker	0.08	0.07	0.07	1.17	0.00	0.00	0.20	0.20	0.00	0.05	0.05	—	211	211	0.01	0.01	0.78	215
Vendor	0.05	0.01	0.51	0.28	< 0.005	0.01	0.13	0.14	0.01	0.04	0.04	—	463	463	0.04	0.07	1.30	486
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.07	0.06	0.07	0.88	0.00	0.00	0.20	0.20	0.00	0.05	0.05	—	194	194	0.01	0.01	0.02	196
Vendor	0.05	0.01	0.54	0.28	< 0.005	0.01	0.13	0.14	0.01	0.04	0.04	—	463	463	0.04	0.07	0.03	485
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.04	0.04	0.05	0.54	0.00	0.00	0.11	0.11	0.00	0.03	0.03	—	113	113	0.01	< 0.005	0.20	115
Vendor	0.03	0.01	0.31	0.16	< 0.005	< 0.005	0.07	0.08	< 0.005	0.02	0.02	—	267	267	0.02	0.04	0.33	280
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.01	0.01	0.01	0.10	0.00	0.00	0.02	0.02	0.00	< 0.005	< 0.005	—	18.8	18.8	< 0.005	< 0.005	0.03	19.0
Vendor	< 0.005	< 0.005	0.06	0.03	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	—	44.2	44.2	< 0.005	0.01	0.05	46.4
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.5. Site Preparation (2025) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Road Equipment	4.82	4.05	37.5	32.4	0.05	1.93	—	1.93	1.78	—	1.78	—	5,528	5,528	0.22	0.04	—	5,547
Dust From Material Movement	—	—	—	—	—	—	5.66	5.66	—	2.69	2.69	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.66	0.55	5.13	4.44	0.01	0.26	—	0.26	0.24	—	0.24	—	757	757	0.03	0.01	—	760
Dust From Material Movement	—	—	—	—	—	—	0.78	0.78	—	0.37	0.37	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.12	0.10	0.94	0.81	< 0.005	0.05	—	0.05	0.04	—	0.04	—	125	125	0.01	< 0.005	—	126
Dust From Material Movement	—	—	—	—	—	—	0.14	0.14	—	0.07	0.07	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.08	0.08	0.08	1.03	0.00	0.00	0.23	0.23	0.00	0.05	0.05	—	226	226	0.01	0.01	0.02	229

Vendor	0.03	0.01	0.32	0.17	< 0.005	< 0.005	0.08	0.08	< 0.005	0.02	0.03	—	278	278	0.02	0.04	0.02	291
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.01	0.01	0.01	0.15	0.00	0.00	0.03	0.03	0.00	0.01	0.01	—	31.4	31.4	< 0.005	< 0.005	0.05	31.9
Vendor	< 0.005	< 0.005	0.04	0.02	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	—	38.0	38.0	< 0.005	0.01	0.05	39.9
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.03	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	—	5.20	5.20	< 0.005	< 0.005	0.01	5.27
Vendor	< 0.005	< 0.005	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	6.30	6.30	< 0.005	< 0.005	0.01	6.60
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.7. Site Preparation (2026) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	4.56	3.83	34.6	31.0	0.05	1.77	—	1.77	1.62	—	1.62	—	5,532	5,532	0.22	0.04	—	5,551
Dust From Material Movement	—	—	—	—	—	—	5.66	5.66	—	2.69	2.69	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Road Equipment	4.56	3.83	34.6	31.0	0.05	1.77	—	1.77	1.62	—	1.62	—	5,532	5,532	0.22	0.04	—	5,551
Dust From Material Movement	—	—	—	—	—	—	5.66	5.66	—	2.69	2.69	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.62	1.36	12.3	11.0	0.02	0.63	—	0.63	0.58	—	0.58	—	1,959	1,959	0.08	0.02	—	1,966
Dust From Material Movement	—	—	—	—	—	—	2.01	2.01	—	0.95	0.95	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.29	0.25	2.24	2.00	< 0.005	0.11	—	0.11	0.10	—	0.10	—	324	324	0.01	< 0.005	—	326
Dust From Material Movement	—	—	—	—	—	—	0.37	0.37	—	0.17	0.17	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.08	0.08	0.07	1.26	0.00	0.00	0.23	0.23	0.00	0.05	0.05	—	242	242	0.01	0.01	0.83	245
Vendor	0.03	0.01	0.30	0.16	< 0.005	< 0.005	0.08	0.08	< 0.005	0.02	0.03	—	273	273	0.02	0.04	0.72	287
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.08	0.07	0.08	0.95	0.00	0.00	0.23	0.23	0.00	0.05	0.05	—	222	222	< 0.005	0.01	0.02	224
Vendor	0.03	0.01	0.31	0.16	< 0.005	< 0.005	0.08	0.08	< 0.005	0.02	0.03	—	273	273	0.02	0.04	0.02	286
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.03	0.03	0.03	0.35	0.00	0.00	0.08	0.08	0.00	0.02	0.02	—	79.6	79.6	< 0.005	< 0.005	0.13	80.6
Vendor	0.01	< 0.005	0.11	0.06	< 0.005	< 0.005	0.03	0.03	< 0.005	0.01	0.01	—	96.7	96.7	0.01	0.01	0.11	101
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.01	< 0.005	0.01	0.06	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	—	13.2	13.2	< 0.005	< 0.005	0.02	13.4
Vendor	< 0.005	< 0.005	0.02	0.01	< 0.005	< 0.005	< 0.005	0.01	< 0.005	< 0.005	< 0.005	—	16.0	16.0	< 0.005	< 0.005	0.02	16.8
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.9. Grading (2026) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	4.03	3.39	30.0	28.7	0.06	1.38	—	1.38	1.27	—	1.27	—	6,715	6,715	0.27	0.05	—	6,738
Dust From Material Movement	—	—	—	—	—	—	2.67	2.67	—	0.98	0.98	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	4.03	3.39	30.0	28.7	0.06	1.38	—	1.38	1.27	—	1.27	—	6,715	6,715	0.27	0.05	—	6,738
Dust From Material Movement	—	—	—	—	—	—	2.67	2.67	—	0.98	0.98	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.45	1.22	10.8	10.3	0.02	0.50	—	0.50	0.46	—	0.46	—	2,418	2,418	0.10	0.02	—	2,426
Dust From Material Movement	—	—	—	—	—	—	0.96	0.96	—	0.35	0.35	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.26	0.22	1.97	1.88	< 0.005	0.09	—	0.09	0.08	—	0.08	—	400	400	0.02	< 0.005	—	402
Dust From Material Movement	—	—	—	—	—	—	0.18	0.18	—	0.06	0.06	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.10	0.09	0.08	1.44	0.00	0.00	0.26	0.26	0.00	0.06	0.06	—	276	276	0.01	0.01	0.94	280

Vendor	0.07	0.01	0.79	0.43	0.01	0.01	0.21	0.22	0.01	0.06	0.07	—	728	728	0.05	0.11	1.92	765
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.09	0.08	0.09	1.09	0.00	0.00	0.26	0.26	0.00	0.06	0.06	—	253	253	< 0.005	0.01	0.02	256
Vendor	0.07	0.01	0.82	0.43	0.01	0.01	0.21	0.22	0.01	0.06	0.07	—	728	728	0.05	0.11	0.05	763
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.03	0.03	0.03	0.41	0.00	0.00	0.09	0.09	0.00	0.02	0.02	—	92.4	92.4	< 0.005	< 0.005	0.15	93.7
Vendor	0.03	0.01	0.30	0.15	< 0.005	< 0.005	0.07	0.08	< 0.005	0.02	0.02	—	262	262	0.02	0.04	0.30	275
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.01	0.01	0.01	0.08	0.00	0.00	0.02	0.02	0.00	< 0.005	< 0.005	—	15.3	15.3	< 0.005	< 0.005	0.02	15.5
Vendor	< 0.005	< 0.005	0.05	0.03	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	—	43.4	43.4	< 0.005	0.01	0.05	45.5
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.11. Grading (2027) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	3.86	3.24	28.0	28.3	0.06	1.27	—	1.27	1.17	—	1.17	—	6,716	6,716	0.27	0.05	—	6,739

Dust From Material Movement	—	—	—	—	—	—	2.67	2.67	—	0.98	0.98	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	3.86	3.24	28.0	28.3	0.06	1.27	—	1.27	1.17	—	1.17	—	6,716	6,716	0.27	0.05	—	6,739
Dust From Material Movement	—	—	—	—	—	—	2.67	2.67	—	0.98	0.98	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	2.76	2.32	20.0	20.2	0.04	0.91	—	0.91	0.83	—	0.83	—	4,797	4,797	0.19	0.04	—	4,813
Dust From Material Movement	—	—	—	—	—	—	1.91	1.91	—	0.70	0.70	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.50	0.42	3.65	3.69	0.01	0.17	—	0.17	0.15	—	0.15	—	794	794	0.03	0.01	—	797
Dust From Material Movement	—	—	—	—	—	—	0.35	0.35	—	0.13	0.13	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.09	0.08	0.07	1.34	0.00	0.00	0.26	0.26	0.00	0.06	0.06	—	271	271	< 0.005	0.01	0.85	274
Vendor	0.07	0.01	0.75	0.41	0.01	0.01	0.21	0.22	0.01	0.06	0.07	—	714	714	0.05	0.11	1.71	749
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.09	0.08	0.08	1.01	0.00	0.00	0.26	0.26	0.00	0.06	0.06	—	248	248	< 0.005	0.01	0.02	251
Vendor	0.07	0.01	0.79	0.41	0.01	0.01	0.21	0.22	0.01	0.06	0.07	—	715	715	0.05	0.11	0.04	748
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.06	0.06	0.06	0.76	0.00	0.00	0.19	0.19	0.00	0.04	0.04	—	180	180	< 0.005	0.01	0.26	182
Vendor	0.05	0.01	0.56	0.29	< 0.005	0.01	0.15	0.15	0.01	0.04	0.05	—	510	510	0.04	0.08	0.53	535
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.01	0.01	0.01	0.14	0.00	0.00	0.03	0.03	0.00	0.01	0.01	—	29.8	29.8	< 0.005	< 0.005	0.04	30.1
Vendor	0.01	< 0.005	0.10	0.05	< 0.005	< 0.005	0.03	0.03	< 0.005	0.01	0.01	—	84.5	84.5	0.01	0.01	0.09	88.5
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.13. Grading (2028) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Road Equipment	3.73	3.14	26.4	28.2	0.06	1.18	—	1.18	1.08	—	1.08	—	6,715	6,715	0.27	0.05	—	6,738
Dust From Material Movement	—	—	—	—	—	—	2.67	2.67	—	0.98	0.98	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	3.73	3.14	26.4	28.2	0.06	1.18	—	1.18	1.08	—	1.08	—	6,715	6,715	0.27	0.05	—	6,738
Dust From Material Movement	—	—	—	—	—	—	2.67	2.67	—	0.98	0.98	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.72	0.60	5.07	5.40	0.01	0.23	—	0.23	0.21	—	0.21	—	1,288	1,288	0.05	0.01	—	1,292
Dust From Material Movement	—	—	—	—	—	—	0.51	0.51	—	0.19	0.19	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.13	0.11	0.93	0.99	< 0.005	0.04	—	0.04	0.04	—	0.04	—	213	213	0.01	< 0.005	—	214
Dust From Material Movement	—	—	—	—	—	—	0.09	0.09	—	0.03	0.03	—	—	—	—	—	—	—

Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.08	0.08	0.07	1.24	0.00	0.00	0.26	0.26	0.00	0.06	0.06	—	265	265	< 0.005	0.01	0.76	269
Vendor	0.07	0.01	0.72	0.40	0.01	0.01	0.21	0.22	0.01	0.06	0.06	—	698	698	0.05	0.11	1.52	732
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.08	0.07	0.07	0.93	0.00	0.00	0.26	0.26	0.00	0.06	0.06	—	243	243	< 0.005	0.01	0.02	246
Vendor	0.06	0.01	0.75	0.40	0.01	0.01	0.21	0.22	0.01	0.06	0.06	—	698	698	0.05	0.11	0.04	731
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.01	0.01	0.01	0.19	0.00	0.00	0.05	0.05	0.00	0.01	0.01	—	47.3	47.3	< 0.005	< 0.005	0.06	48.0
Vendor	0.01	< 0.005	0.14	0.08	< 0.005	< 0.005	0.04	0.04	< 0.005	0.01	0.01	—	134	134	0.01	0.02	0.13	140
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.03	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	—	7.84	7.84	< 0.005	< 0.005	0.01	7.94
Vendor	< 0.005	< 0.005	0.03	0.01	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	—	22.2	22.2	< 0.005	< 0.005	0.02	23.2
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.15. Building Construction (2028) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.28	1.07	9.66	14.0	0.03	0.33	—	0.33	0.30	—	0.30	—	2,630	2,630	0.11	0.02	—	2,639
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.28	1.07	9.66	14.0	0.03	0.33	—	0.33	0.30	—	0.30	—	2,630	2,630	0.11	0.02	—	2,639
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.67	0.56	5.03	7.31	0.01	0.17	—	0.17	0.16	—	0.16	—	1,369	1,369	0.06	0.01	—	1,374
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.12	0.10	0.92	1.33	< 0.005	0.03	—	0.03	0.03	—	0.03	—	227	227	0.01	< 0.005	—	227
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	2.95	2.91	2.54	45.7	0.00	0.00	9.63	9.63	0.00	2.26	2.26	—	9,770	9,770	0.11	0.35	28.1	9,905
Vendor	0.66	0.15	7.18	3.94	0.05	0.11	2.04	2.15	0.05	0.56	0.62	—	6,950	6,950	0.45	1.06	15.1	7,294
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	2.81	2.74	2.57	34.4	0.00	0.00	9.63	9.63	0.00	2.26	2.26	—	8,964	8,964	0.13	0.35	0.73	9,072
Vendor	0.65	0.14	7.49	4.01	0.05	0.11	2.04	2.15	0.05	0.56	0.62	—	6,955	6,955	0.45	1.06	0.39	7,283
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	1.45	1.42	1.50	19.0	0.00	0.00	4.99	4.99	0.00	1.17	1.17	—	4,731	4,731	0.07	0.18	6.33	4,794
Vendor	0.34	0.07	3.90	2.07	0.03	0.06	1.06	1.12	0.03	0.29	0.32	—	3,619	3,619	0.23	0.55	3.40	3,793
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.26	0.26	0.27	3.46	0.00	0.00	0.91	0.91	0.00	0.21	0.21	—	783	783	0.01	0.03	1.05	794
Vendor	0.06	0.01	0.71	0.38	0.01	0.01	0.19	0.20	0.01	0.05	0.06	—	599	599	0.04	0.09	0.56	628
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.17. Building Construction (2029) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.25	1.04	9.28	14.0	0.03	0.30	—	0.30	0.28	—	0.28	—	2,629	2,629	0.11	0.02	—	2,638
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Road Equipment	1.25	1.04	9.28	14.0	0.03	0.30	—	0.30	0.28	—	0.28	—	2,629	2,629	0.11	0.02	—	2,638
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.89	0.74	6.63	10.00	0.02	0.21	—	0.21	0.20	—	0.20	—	1,878	1,878	0.08	0.02	—	1,885
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.16	0.14	1.21	1.82	< 0.005	0.04	—	0.04	0.04	—	0.04	—	311	311	0.01	< 0.005	—	312
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	2.81	2.76	2.22	42.7	0.00	0.00	9.63	9.63	0.00	2.26	2.26	—	9,593	9,593	0.10	0.35	25.1	9,725
Vendor	0.60	0.15	6.87	3.77	0.05	0.05	2.04	2.10	0.05	0.56	0.62	—	6,768	6,768	0.44	1.01	13.3	7,094
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	2.66	2.30	2.56	32.2	0.00	0.00	9.63	9.63	0.00	2.26	2.26	—	8,803	8,803	0.11	0.35	0.65	8,911
Vendor	0.59	0.14	7.13	3.82	0.05	0.05	2.04	2.10	0.05	0.56	0.62	—	6,773	6,773	0.44	1.01	0.35	7,085
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	1.89	1.64	1.83	24.3	0.00	0.00	6.85	6.85	0.00	1.60	1.60	—	6,376	6,376	0.08	0.25	7.73	6,460
Vendor	0.42	0.10	5.13	2.72	0.04	0.04	1.46	1.49	0.04	0.40	0.44	—	4,836	4,836	0.32	0.72	4.11	5,063

Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.34	0.30	0.33	4.43	0.00	0.00	1.25	1.25	0.00	0.29	0.29	—	1,056	1,056	0.01	0.04	1.28	1,070
Vendor	0.08	0.02	0.94	0.50	0.01	0.01	0.27	0.27	0.01	0.07	0.08	—	801	801	0.05	0.12	0.68	838
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.19. Building Construction (2030) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.21	1.02	9.07	14.0	0.03	0.28	—	0.28	0.26	—	0.26	—	2,629	2,629	0.11	0.02	—	2,638
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.21	1.02	9.07	14.0	0.03	0.28	—	0.28	0.26	—	0.26	—	2,629	2,629	0.11	0.02	—	2,638
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.87	0.73	6.48	9.99	0.02	0.20	—	0.20	0.19	—	0.19	—	1,878	1,878	0.08	0.02	—	1,885
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Road Equipment	0.16	0.13	1.18	1.82	< 0.005	0.04	—	0.04	0.03	—	0.03	—	311	311	0.01	< 0.005	—	312
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	2.68	2.33	1.91	39.7	0.00	0.00	9.63	9.63	0.00	2.26	2.26	—	9,428	9,428	0.10	0.35	22.3	9,557
Vendor	0.54	0.14	6.56	3.65	0.05	0.05	2.04	2.10	0.05	0.56	0.62	—	6,570	6,570	0.38	1.01	11.6	6,893
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	2.55	2.20	2.22	30.0	0.00	0.00	9.63	9.63	0.00	2.26	2.26	—	8,654	8,654	0.11	0.35	0.58	8,761
Vendor	0.53	0.13	6.88	3.71	0.05	0.05	2.04	2.10	0.05	0.56	0.62	—	6,575	6,575	0.38	1.01	0.30	6,886
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	1.81	1.56	1.59	22.5	0.00	0.00	6.85	6.85	0.00	1.60	1.60	—	6,267	6,267	0.08	0.25	6.87	6,350
Vendor	0.38	0.10	4.91	2.63	0.04	0.04	1.46	1.49	0.04	0.40	0.44	—	4,695	4,695	0.27	0.72	3.58	4,920
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.33	0.28	0.29	4.11	0.00	0.00	1.25	1.25	0.00	0.29	0.29	—	1,038	1,038	0.01	0.04	1.14	1,051
Vendor	0.07	0.02	0.90	0.48	0.01	0.01	0.27	0.27	0.01	0.07	0.08	—	777	777	0.05	0.12	0.59	815
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.21. Building Construction (2031) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e

Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.19	0.99	8.77	13.9	0.03	0.26	—	0.26	0.24	—	0.24	—	2,629	2,629	0.11	0.02	—	2,638
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.19	0.99	8.77	13.9	0.03	0.26	—	0.26	0.24	—	0.24	—	2,629	2,629	0.11	0.02	—	2,638
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.85	0.71	6.27	9.95	0.02	0.19	—	0.19	0.17	—	0.17	—	1,878	1,878	0.08	0.02	—	1,885
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.15	0.13	1.14	1.82	< 0.005	0.03	—	0.03	0.03	—	0.03	—	311	311	0.01	< 0.005	—	312
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	2.53	2.18	1.88	37.0	0.00	0.00	9.63	9.63	0.00	2.26	2.26	—	9,277	9,277	0.08	0.05	19.8	9,314
Vendor	0.53	0.14	6.30	3.48	0.05	0.05	2.04	2.10	0.05	0.56	0.62	—	6,358	6,358	0.38	0.96	9.99	6,663
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	2.40	2.05	1.91	27.9	0.00	0.00	9.63	9.63	0.00	2.26	2.26	—	8,517	8,517	0.10	0.35	0.51	8,624
Vendor	0.52	0.13	6.57	3.53	0.05	0.05	2.04	2.10	0.05	0.56	0.62	—	6,363	6,363	0.38	0.96	0.26	6,658
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	1.73	1.48	1.36	21.0	0.00	0.00	6.85	6.85	0.00	1.60	1.60	—	6,168	6,168	0.07	0.25	6.10	6,250
Vendor	0.38	0.10	4.69	2.50	0.04	0.04	1.46	1.49	0.04	0.40	0.44	—	4,543	4,543	0.27	0.68	3.09	4,756
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.32	0.27	0.25	3.83	0.00	0.00	1.25	1.25	0.00	0.29	0.29	—	1,021	1,021	0.01	0.04	1.01	1,035
Vendor	0.07	0.02	0.86	0.46	0.01	0.01	0.27	0.27	0.01	0.07	0.08	—	752	752	0.05	0.11	0.51	787
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.23. Building Construction (2032) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.16	0.97	8.50	13.9	0.03	0.24	—	0.24	0.22	—	0.22	—	2,629	2,629	0.11	0.02	—	2,638
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Road Equipment	1.16	0.97	8.50	13.9	0.03	0.24	—	0.24	0.22	—	0.22	—	2,629	2,629	0.11	0.02	—	2,638
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.83	0.69	6.09	9.94	0.02	0.17	—	0.17	0.16	—	0.16	—	1,883	1,883	0.08	0.02	—	1,890
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.15	0.13	1.11	1.81	< 0.005	0.03	—	0.03	0.03	—	0.03	—	312	312	0.01	< 0.005	—	313
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	2.44	2.09	1.56	35.0	0.00	0.00	9.63	9.63	0.00	2.26	2.26	—	9,142	9,142	0.08	0.05	17.4	9,176
Vendor	0.47	0.14	6.05	3.36	0.05	0.05	2.04	2.10	0.05	0.56	0.62	—	6,147	6,147	0.33	0.96	8.45	6,449
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	2.02	1.97	1.89	26.1	0.00	0.00	9.63	9.63	0.00	2.26	2.26	—	8,393	8,393	0.10	0.05	0.45	8,410
Vendor	0.46	0.13	6.32	3.41	0.05	0.05	2.04	2.10	0.05	0.56	0.62	—	6,152	6,152	0.33	0.96	0.22	6,445
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	1.44	1.40	1.35	19.7	0.00	0.00	6.86	6.86	0.00	1.61	1.61	—	6,095	6,095	0.07	0.03	5.38	6,112
Vendor	0.34	0.10	4.52	2.42	0.04	0.04	1.46	1.50	0.04	0.40	0.44	—	4,404	4,404	0.23	0.68	2.63	4,617

Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.26	0.26	0.25	3.60	0.00	0.00	1.25	1.25	0.00	0.29	0.29	—	1,009	1,009	0.01	0.01	0.89	1,012
Vendor	0.06	0.02	0.83	0.44	0.01	0.01	0.27	0.27	0.01	0.07	0.08	—	729	729	0.04	0.11	0.43	764
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.25. Building Construction (2033) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.13	0.95	8.27	13.9	0.03	0.22	—	0.22	0.20	—	0.20	—	2,629	2,629	0.11	0.02	—	2,638
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.13	0.95	8.27	13.9	0.03	0.22	—	0.22	0.20	—	0.20	—	2,629	2,629	0.11	0.02	—	2,638
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.81	0.68	5.91	9.90	0.02	0.16	—	0.16	0.15	—	0.15	—	1,878	1,878	0.08	0.02	—	1,885
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Road Equipment	0.15	0.12	1.08	1.81	< 0.005	0.03	—	0.03	0.03	—	0.03	—	311	311	0.01	< 0.005	—	312
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	2.04	2.00	1.54	32.9	0.00	0.00	9.63	9.63	0.00	2.26	2.26	—	9,028	9,028	0.08	0.05	15.2	9,060
Vendor	0.47	0.14	5.81	3.25	0.05	0.05	2.04	2.10	0.05	0.56	0.62	—	5,941	5,941	0.32	0.90	7.21	6,225
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	1.92	1.88	1.57	24.6	0.00	0.00	9.63	9.63	0.00	2.26	2.26	—	8,290	8,290	0.10	0.05	0.40	8,307
Vendor	0.46	0.13	6.08	3.30	0.05	0.05	2.04	2.10	0.05	0.56	0.62	—	5,946	5,946	0.32	0.90	0.19	6,223
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	1.37	1.34	1.12	18.6	0.00	0.00	6.85	6.85	0.00	1.60	1.60	—	6,003	6,003	0.07	0.03	4.69	6,020
Vendor	0.33	0.10	4.37	2.33	0.04	0.04	1.46	1.49	0.04	0.40	0.44	—	4,245	4,245	0.23	0.64	2.22	4,445
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.25	0.24	0.21	3.40	0.00	0.00	1.25	1.25	0.00	0.29	0.29	—	994	994	0.01	0.01	0.78	997
Vendor	0.06	0.02	0.80	0.43	0.01	0.01	0.27	0.27	0.01	0.07	0.08	—	703	703	0.04	0.11	0.37	736
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.27. Building Construction (2034) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e

Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.11	0.93	8.11	13.8	0.03	0.21	—	0.21	0.19	—	0.19	—	2,629	2,629	0.11	0.02	—	2,638
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.11	0.93	8.11	13.8	0.03	0.21	—	0.21	0.19	—	0.19	—	2,629	2,629	0.11	0.02	—	2,638
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.80	0.67	5.79	9.89	0.02	0.15	—	0.15	0.14	—	0.14	—	1,878	1,878	0.08	0.02	—	1,885
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.15	0.12	1.06	1.81	< 0.005	0.03	—	0.03	0.03	—	0.03	—	311	311	0.01	< 0.005	—	312
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	1.91	1.88	1.23	31.2	0.00	0.00	9.63	9.63	0.00	2.26	2.26	—	8,916	8,916	0.08	0.05	13.3	8,946
Vendor	0.47	0.14	5.61	3.13	0.05	0.05	2.04	2.10	0.05	0.56	0.62	—	5,740	5,740	0.32	0.90	6.06	6,021
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	1.83	1.79	1.56	23.4	0.00	0.00	9.63	9.63	0.00	2.26	2.26	—	8,188	8,188	0.08	0.05	0.34	8,205
Vendor	0.45	0.13	5.89	3.18	0.05	0.05	2.04	2.10	0.05	0.56	0.62	—	5,745	5,745	0.32	0.90	0.16	6,022
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	1.29	1.26	1.11	17.6	0.00	0.00	6.85	6.85	0.00	1.60	1.60	—	5,929	5,929	0.06	0.03	4.08	5,945
Vendor	0.33	0.09	4.20	2.25	0.04	0.04	1.46	1.49	0.04	0.40	0.44	—	4,102	4,102	0.23	0.64	1.87	4,301
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.24	0.23	0.20	3.21	0.00	0.00	1.25	1.25	0.00	0.29	0.29	—	982	982	0.01	0.01	0.68	984
Vendor	0.06	0.02	0.77	0.41	0.01	0.01	0.27	0.27	0.01	0.07	0.08	—	679	679	0.04	0.11	0.31	712
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.29. Building Construction (2035) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.09	0.92	7.90	13.8	0.03	0.19	—	0.19	0.18	—	0.18	—	2,629	2,629	0.11	0.02	—	2,638
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Road Equipment	1.09	0.92	7.90	13.8	0.03	0.19	—	0.19	0.18	—	0.18	—	2,629	2,629	0.11	0.02	—	2,638
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.78	0.65	5.64	9.83	0.02	0.14	—	0.14	0.13	—	0.13	—	1,878	1,878	0.08	0.02	—	1,885
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.14	0.12	1.03	1.79	< 0.005	0.03	—	0.03	0.02	—	0.02	—	311	311	0.01	< 0.005	—	312
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	1.88	1.84	1.23	29.5	0.00	0.00	9.63	9.63	0.00	2.26	2.26	—	8,817	8,817	0.06	0.05	11.5	8,845
Vendor	0.41	0.14	5.42	3.01	0.05	0.05	2.04	2.10	0.05	0.56	0.62	—	5,547	5,547	0.26	0.84	5.08	5,810
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	1.79	1.76	1.24	22.0	0.00	0.00	9.63	9.63	0.00	2.26	2.26	—	8,098	8,098	0.08	0.05	0.30	8,114
Vendor	0.39	0.13	5.70	3.06	0.05	0.05	2.04	2.10	0.05	0.56	0.62	—	5,552	5,552	0.26	0.85	0.13	5,812
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	1.27	1.25	1.10	16.8	0.00	0.00	6.85	6.85	0.00	1.60	1.60	—	5,864	5,864	0.06	0.03	3.56	5,879
Vendor	0.29	0.09	4.06	2.17	0.04	0.04	1.46	1.49	0.04	0.40	0.44	—	3,964	3,964	0.19	0.60	1.56	4,150

Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.23	0.23	0.20	3.06	0.00	0.00	1.25	1.25	0.00	0.29	0.29	—	971	971	0.01	0.01	0.59	973
Vendor	0.05	0.02	0.74	0.40	0.01	0.01	0.27	0.27	0.01	0.07	0.08	—	656	656	0.03	0.10	0.26	687
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.31. Building Construction (2036) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.07	0.90	7.66	13.7	0.03	0.18	—	0.18	0.17	—	0.17	—	2,629	2,629	0.11	0.02	—	2,638
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.07	0.90	7.66	13.7	0.03	0.18	—	0.18	0.17	—	0.17	—	2,629	2,629	0.11	0.02	—	2,638
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.77	0.64	5.49	9.79	0.02	0.13	—	0.13	0.12	—	0.12	—	1,883	1,883	0.08	0.02	—	1,890
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Road Equipment	0.14	0.12	1.00	1.79	< 0.005	0.02	—	0.02	0.02	—	0.02	—	312	312	0.01	< 0.005	—	313
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	1.81	1.78	1.21	28.2	0.00	0.00	9.63	9.63	0.00	2.26	2.26	—	8,730	8,730	0.06	0.05	9.92	8,756
Vendor	0.40	0.14	5.29	2.90	0.05	0.05	2.04	2.10	0.05	0.56	0.62	—	5,366	5,366	0.26	0.84	4.23	5,628
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	1.73	1.70	1.23	21.2	0.00	0.00	9.63	9.63	0.00	2.26	2.26	—	8,018	8,018	0.08	0.05	0.26	8,035
Vendor	0.39	0.13	5.51	2.95	0.05	0.05	2.04	2.10	0.05	0.56	0.62	—	5,371	5,371	0.26	0.85	0.11	5,631
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	1.24	1.22	0.88	16.1	0.00	0.00	6.86	6.86	0.00	1.61	1.61	—	5,822	5,822	0.06	0.03	3.07	5,837
Vendor	0.28	0.10	3.94	2.09	0.04	0.04	1.46	1.50	0.04	0.40	0.44	—	3,845	3,845	0.18	0.60	1.31	4,031
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.23	0.22	0.16	2.93	0.00	0.00	1.25	1.25	0.00	0.29	0.29	—	964	964	0.01	0.01	0.51	966
Vendor	0.05	0.02	0.72	0.38	0.01	0.01	0.27	0.27	0.01	0.07	0.08	—	637	637	0.03	0.10	0.22	667
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.33. Building Construction (2037) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e

Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.06	0.88	7.51	13.5	0.03	0.17	—	0.17	0.16	—	0.16	—	2,629	2,629	0.11	0.02	—	2,638
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.06	0.88	7.51	13.5	0.03	0.17	—	0.17	0.16	—	0.16	—	2,629	2,629	0.11	0.02	—	2,638
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.75	0.63	5.36	9.68	0.02	0.12	—	0.12	0.11	—	0.11	—	1,878	1,878	0.08	0.02	—	1,885
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.14	0.12	0.98	1.77	< 0.005	0.02	—	0.02	0.02	—	0.02	—	311	311	0.01	< 0.005	—	312
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	1.73	1.70	1.19	27.1	0.00	0.00	9.63	9.63	0.00	2.26	2.26	—	8,652	8,652	0.06	0.05	8.50	8,676
Vendor	0.40	0.14	5.11	2.84	0.05	0.05	2.04	2.10	0.05	0.56	0.62	—	5,205	5,205	0.25	0.79	3.50	5,450
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	1.65	1.62	1.23	20.1	0.00	0.00	9.63	9.63	0.00	2.26	2.26	—	7,947	7,947	0.06	0.05	0.22	7,963
Vendor	0.39	0.13	5.38	2.89	0.05	0.05	2.04	2.10	0.05	0.56	0.62	—	5,210	5,210	0.25	0.79	0.09	5,452
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	1.18	1.15	0.88	15.2	0.00	0.00	6.85	6.85	0.00	1.60	1.60	—	5,755	5,755	0.05	0.03	2.63	5,769
Vendor	0.28	0.09	3.84	2.05	0.04	0.04	1.46	1.49	0.04	0.40	0.44	—	3,719	3,719	0.18	0.56	1.08	3,893
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.21	0.21	0.16	2.78	0.00	0.00	1.25	1.25	0.00	0.29	0.29	—	953	953	0.01	0.01	0.44	955
Vendor	0.05	0.02	0.70	0.37	0.01	0.01	0.27	0.27	0.01	0.07	0.08	—	616	616	0.03	0.09	0.18	645
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.35. Building Construction (2038) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.05	0.88	7.41	13.5	0.03	0.16	—	0.16	0.15	—	0.15	—	2,629	2,629	0.11	0.02	—	2,638
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Road Equipment	1.05	0.88	7.41	13.5	0.03	0.16	—	0.16	0.15	—	0.15	—	2,629	2,629	0.11	0.02	—	2,638
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.75	0.63	5.29	9.65	0.02	0.12	—	0.12	0.11	—	0.11	—	1,878	1,878	0.08	0.02	—	1,885
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.14	0.11	0.97	1.76	< 0.005	0.02	—	0.02	0.02	—	0.02	—	311	311	0.01	< 0.005	—	312
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	1.65	1.62	0.89	26.1	0.00	0.00	9.63	9.63	0.00	2.26	2.26	—	8,571	8,571	0.06	0.05	7.30	8,594
Vendor	0.34	0.14	4.97	2.73	0.05	0.05	2.04	2.10	0.05	0.56	0.62	—	5,057	5,057	0.25	0.79	2.87	5,301
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	1.62	1.58	1.21	19.7	0.00	0.00	9.63	9.63	0.00	2.26	2.26	—	7,873	7,873	0.06	0.05	0.19	7,889
Vendor	0.33	0.13	5.25	2.78	0.05	0.05	2.04	2.10	0.05	0.56	0.62	—	5,062	5,062	0.25	0.79	0.07	5,304
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	1.15	1.13	0.86	14.7	0.00	0.00	6.85	6.85	0.00	1.60	1.60	—	5,701	5,701	0.05	0.03	2.25	5,715
Vendor	0.24	0.09	3.74	1.97	0.04	0.04	1.46	1.49	0.04	0.40	0.44	—	3,614	3,614	0.18	0.56	0.88	3,787

Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.21	0.21	0.16	2.69	0.00	0.00	1.25	1.25	0.00	0.29	0.29	—	944	944	0.01	0.01	0.37	946
Vendor	0.04	0.02	0.68	0.36	0.01	0.01	0.27	0.27	0.01	0.07	0.08	—	598	598	0.03	0.09	0.15	627
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.37. Building Construction (2039) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.04	0.87	7.28	13.4	0.03	0.16	—	0.16	0.15	—	0.15	—	2,629	2,629	0.11	0.02	—	2,638
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.04	0.87	7.28	13.4	0.03	0.16	—	0.16	0.15	—	0.15	—	2,629	2,629	0.11	0.02	—	2,638
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.74	0.62	5.20	9.60	0.02	0.11	—	0.11	0.10	—	0.10	—	1,878	1,878	0.08	0.02	—	1,885
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Road Equipment	0.14	0.11	0.95	1.75	< 0.005	0.02	—	0.02	0.02	—	0.02	—	311	311	0.01	< 0.005	—	312
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	1.58	1.25	0.88	25.4	0.00	0.00	9.63	9.63	0.00	2.26	2.26	—	8,510	8,510	0.06	0.05	6.23	8,533
Vendor	0.34	0.14	4.85	2.67	0.05	0.05	2.04	2.10	0.05	0.56	0.62	—	4,926	4,926	0.19	0.74	2.31	5,153
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	1.53	1.20	1.21	19.0	0.00	0.00	9.63	9.63	0.00	2.26	2.26	—	7,818	7,818	0.06	0.05	0.16	7,834
Vendor	0.33	0.13	5.13	2.72	0.05	0.05	2.04	2.10	0.05	0.56	0.62	—	4,932	4,932	0.19	0.74	0.06	5,156
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	1.08	0.86	0.86	14.2	0.00	0.00	6.85	6.85	0.00	1.60	1.60	—	5,661	5,661	0.05	0.03	1.91	5,674
Vendor	0.24	0.09	3.65	1.92	0.04	0.04	1.46	1.49	0.04	0.40	0.44	—	3,520	3,520	0.14	0.53	0.71	3,681
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.20	0.16	0.16	2.59	0.00	0.00	1.25	1.25	0.00	0.29	0.29	—	937	937	0.01	0.01	0.32	939
Vendor	0.04	0.02	0.67	0.35	0.01	0.01	0.27	0.27	0.01	0.07	0.08	—	583	583	0.02	0.09	0.12	609
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.39. Building Construction (2040) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e

Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.03	0.86	7.20	13.4	0.03	0.15	—	0.15	0.14	—	0.14	—	2,629	2,629	0.11	0.02	—	2,638
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.03	0.86	7.20	13.4	0.03	0.15	—	0.15	0.14	—	0.14	—	2,629	2,629	0.11	0.02	—	2,638
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.73	0.61	5.13	9.56	0.02	0.11	—	0.11	0.10	—	0.10	—	1,873	1,873	0.08	0.02	—	1,879
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.13	0.11	0.94	1.74	< 0.005	0.02	—	0.02	0.02	—	0.02	—	310	310	0.01	< 0.005	—	311
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	1.50	1.19	0.88	24.7	0.00	0.00	9.63	9.63	0.00	2.26	2.26	—	8,458	8,458	0.05	0.05	5.28	8,479
Vendor	0.34	0.14	4.77	2.62	0.05	0.05	2.04	2.10	0.05	0.56	0.62	—	4,810	4,810	0.19	0.74	1.84	5,036
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	1.49	1.15	0.89	18.6	0.00	0.00	9.63	9.63	0.00	2.26	2.26	—	7,770	7,770	0.06	0.05	0.14	7,786
Vendor	0.32	0.13	5.00	2.67	0.05	0.05	2.04	2.10	0.05	0.56	0.62	—	4,815	4,815	0.19	0.74	0.05	5,039
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	1.04	0.81	0.64	13.9	0.00	0.00	6.83	6.83	0.00	1.60	1.60	—	5,611	5,611	0.05	0.03	1.62	5,624
Vendor	0.23	0.10	3.55	1.88	0.04	0.04	1.45	1.49	0.04	0.40	0.44	—	3,428	3,428	0.13	0.52	0.57	3,588
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.19	0.15	0.12	2.53	0.00	0.00	1.25	1.25	0.00	0.29	0.29	—	929	929	0.01	0.01	0.27	931
Vendor	0.04	0.02	0.65	0.34	0.01	0.01	0.26	0.27	0.01	0.07	0.08	—	567	567	0.02	0.09	0.09	594
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.41. Paving (2039) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.58	0.49	5.31	9.75	0.01	0.11	—	0.11	0.10	—	0.10	—	1,511	1,511	0.06	0.01	—	1,516
Paving	—	0.63	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.58	0.49	5.31	9.75	0.01	0.11	—	0.11	0.10	—	0.10	—	1,511	1,511	0.06	0.01	—	1,516
Paving	—	0.63	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.11	0.09	1.00	1.83	< 0.005	0.02	—	0.02	0.02	—	0.02	—	284	284	0.01	< 0.005	—	285
Paving	—	0.12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.02	0.02	0.18	0.33	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	47.0	47.0	< 0.005	< 0.005	—	47.1
Paving	—	0.02	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.03	0.03	0.02	0.52	0.00	0.00	0.20	0.20	0.00	0.05	0.05	—	173	173	< 0.005	< 0.005	0.13	174
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.03	0.02	0.02	0.39	0.00	0.00	0.20	0.20	0.00	0.05	0.05	—	159	159	< 0.005	< 0.005	< 0.005	160

Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.01	< 0.005	< 0.005	0.08	0.00	0.00	0.04	0.04	0.00	0.01	0.01	—	30.3	30.3	< 0.005	< 0.005	0.01	30.4
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.01	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	—	5.02	5.02	< 0.005	< 0.005	< 0.005	5.03
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.43. Paving (2040) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.58	0.49	5.27	9.75	0.01	0.11	—	0.11	0.10	—	0.10	—	1,511	1,511	0.06	0.01	—	1,516
Paving	—	0.63	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.58	0.49	5.27	9.75	0.01	0.11	—	0.11	0.10	—	0.10	—	1,511	1,511	0.06	0.01	—	1,516
Paving	—	0.63	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.41	0.35	3.76	6.94	0.01	0.08	—	0.08	0.07	—	0.07	—	1,076	1,076	0.04	0.01	—	1,080
Paving	—	0.45	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.08	0.06	0.69	1.27	< 0.005	0.01	—	0.01	0.01	—	0.01	—	178	178	0.01	< 0.005	—	179
Paving	—	0.08	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.03	0.02	0.02	0.50	0.00	0.00	0.20	0.20	0.00	0.05	0.05	—	172	172	< 0.005	< 0.005	0.11	173
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.03	0.02	0.02	0.38	0.00	0.00	0.20	0.20	0.00	0.05	0.05	—	158	158	< 0.005	< 0.005	< 0.005	159
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.02	0.02	0.01	0.28	0.00	0.00	0.14	0.14	0.00	0.03	0.03	—	114	114	< 0.005	< 0.005	0.03	115
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.05	0.00	0.00	0.03	0.03	0.00	0.01	0.01	—	18.9	18.9	< 0.005	< 0.005	0.01	19.0
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.45. Architectural Coating (2039) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.14	0.12	0.99	1.46	< 0.005	0.01	—	0.01	0.01	—	0.01	—	178	178	0.01	< 0.005	—	179
Architect ural Coatings	—	27.6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.14	0.12	0.99	1.46	< 0.005	0.01	—	0.01	0.01	—	0.01	—	178	178	0.01	< 0.005	—	179
Architect ural Coatings	—	27.6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Road Equipment	0.03	0.02	0.19	0.27	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	33.4	33.4	< 0.005	< 0.005	—	33.6
Architectural Coatings	—	5.19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.03	0.05	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	5.54	5.54	< 0.005	< 0.005	—	5.56
Architectural Coatings	—	0.95	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.32	0.25	0.18	5.08	0.00	0.00	1.93	1.93	0.00	0.45	0.45	—	1,702	1,702	0.01	0.01	1.25	1,707
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.31	0.24	0.24	3.79	0.00	0.00	1.93	1.93	0.00	0.45	0.45	—	1,564	1,564	0.01	0.01	0.03	1,567
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.06	0.05	0.05	0.75	0.00	0.00	0.36	0.36	0.00	0.08	0.08	—	298	298	< 0.005	< 0.005	0.10	298
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.01	0.01	0.01	0.14	0.00	0.00	0.07	0.07	0.00	0.02	0.02	—	49.3	49.3	< 0.005	< 0.005	0.02	49.4
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.47. Architectural Coating (2040) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.14	0.12	0.99	1.46	< 0.005	0.01	—	0.01	< 0.005	—	< 0.005	—	178	178	0.01	< 0.005	—	179
Architect ural Coatings	—	27.6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.14	0.12	0.99	1.46	< 0.005	0.01	—	0.01	< 0.005	—	< 0.005	—	178	178	0.01	< 0.005	—	179
Architect ural Coatings	—	27.6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Road Equipment	0.10	0.08	0.71	1.04	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	127	127	0.01	< 0.005	—	127
Architectural Coatings	—	19.7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.02	0.02	0.13	0.19	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	21.0	21.0	< 0.005	< 0.005	—	21.1
Architectural Coatings	—	3.59	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.30	0.24	0.18	4.94	0.00	0.00	1.93	1.93	0.00	0.45	0.45	—	1,692	1,692	0.01	0.01	1.06	1,696
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.30	0.23	0.18	3.71	0.00	0.00	1.93	1.93	0.00	0.45	0.45	—	1,554	1,554	0.01	0.01	0.03	1,557
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.21	0.16	0.13	2.77	0.00	0.00	1.37	1.37	0.00	0.32	0.32	—	1,122	1,122	0.01	0.01	0.32	1,125
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.04	0.03	0.02	0.51	0.00	0.00	0.25	0.25	0.00	0.06	0.06	—	186	186	< 0.005	< 0.005	0.05	186
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

4. Operations Emissions Details

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Vegetation	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Species	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Sequest	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Remove d	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequest ered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Remove d	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

5. Activity Data

5.1. Construction Schedule

Phase Name	Phase Type	Start Date	End Date	Days Per Week	Work Days per Phase	Phase Description
Demolition	Demolition	9/2/2024	10/22/2025	5.00	298	200
Site Preparation	Site Preparation	10/23/2025	6/30/2026	5.00	179	120
Grading	Grading	7/1/2026	4/7/2028	5.00	463	310
Building Construction	Building Construction	4/10/2028	12/29/2040	5.00	3,320	3100
Paving	Paving	9/27/2039	12/29/2040	5.00	329	220
Architectural Coating	Architectural Coating	9/27/2039	12/29/2040	5.00	329	220

5.2. Off-Road Equipment

5.2.1. Unmitigated

Phase Name	Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor
Demolition	Rubber Tired Dozers	Diesel	Average	2.00	8.00	367	0.40
Demolition	Excavators	Diesel	Average	3.00	8.00	36.0	0.38
Demolition	Concrete/Industrial Saws	Diesel	Average	1.00	8.00	33.0	0.73
Site Preparation	Rubber Tired Dozers	Diesel	Average	3.00	8.00	367	0.40
Site Preparation	Crawler Tractors	Diesel	Average	4.00	8.00	87.0	0.43
Grading	Graders	Diesel	Average	1.00	8.00	148	0.41
Grading	Excavators	Diesel	Average	2.00	8.00	36.0	0.38
Grading	Scrapers	Diesel	Average	2.00	8.00	423	0.48
Grading	Rubber Tired Dozers	Diesel	Average	1.00	8.00	367	0.40
Grading	Crawler Tractors	Diesel	Average	2.00	8.00	87.0	0.43
Building Construction	Forklifts	Diesel	Average	3.00	8.00	82.0	0.20
Building Construction	Generator Sets	Diesel	Average	1.00	8.00	14.0	0.74
Building Construction	Cranes	Diesel	Average	1.00	8.00	367	0.29
Building Construction	Welders	Diesel	Average	1.00	8.00	46.0	0.45
Building Construction	Tractors/Loaders/Backhoes	Diesel	Average	3.00	8.00	84.0	0.37
Paving	Pavers	Diesel	Average	2.00	8.00	81.0	0.42
Paving	Paving Equipment	Diesel	Average	2.00	8.00	89.0	0.36
Paving	Rollers	Diesel	Average	2.00	8.00	36.0	0.38
Architectural Coating	Air Compressors	Diesel	Average	1.00	8.00	37.0	0.48

5.3. Construction Vehicles

5.3.1. Unmitigated

Phase Name	Trip Type	One-Way Trips per Day	Miles per Trip	Vehicle Mix
Demolition	—	—	—	—
Demolition	Worker	15.0	18.5	LDA,LDT1,LDT2
Demolition	Vendor	15.0	10.2	HHDT,MHDT
Demolition	Hauling	0.00	20.0	HHDT
Demolition	Onsite truck	—	—	HHDT
Site Preparation	—	—	—	—
Site Preparation	Worker	17.5	18.5	LDA,LDT1,LDT2
Site Preparation	Vendor	9.00	10.2	HHDT,MHDT
Site Preparation	Hauling	0.00	20.0	HHDT
Site Preparation	Onsite truck	—	—	HHDT
Grading	—	—	—	—
Grading	Worker	20.0	18.5	LDA,LDT1,LDT2
Grading	Vendor	24.0	10.2	HHDT,MHDT
Grading	Hauling	0.00	20.0	HHDT
Grading	Onsite truck	—	—	HHDT
Building Construction	—	—	—	—
Building Construction	Worker	736	18.5	LDA,LDT1,LDT2
Building Construction	Vendor	239	10.2	HHDT,MHDT
Building Construction	Hauling	0.00	20.0	HHDT
Building Construction	Onsite truck	—	—	HHDT
Paving	—	—	—	—
Paving	Worker	15.0	18.5	LDA,LDT1,LDT2
Paving	Vendor	—	10.2	HHDT,MHDT
Paving	Hauling	0.00	20.0	HHDT
Paving	Onsite truck	—	—	HHDT

Architectural Coating	—	—	—	—
Architectural Coating	Worker	147	18.5	LDA,LDT1,LDT2
Architectural Coating	Vendor	—	10.2	HHDT,MHDT
Architectural Coating	Hauling	0.00	20.0	HHDT
Architectural Coating	Onsite truck	—	—	HHDT

5.4. Vehicles

5.4.1. Construction Vehicle Control Strategies

Non-applicable. No control strategies activated by user.

5.5. Architectural Coatings

Phase Name	Residential Interior Area Coated (sq ft)	Residential Exterior Area Coated (sq ft)	Non-Residential Interior Area Coated (sq ft)	Non-Residential Exterior Area Coated (sq ft)	Parking Area Coated (sq ft)
Architectural Coating	0.00	0.00	2,629,935	876,645	206,474

5.6. Dust Mitigation

5.6.1. Construction Earthmoving Activities

Phase Name	Material Imported (cy)	Material Exported (cy)	Acres Graded (acres)	Material Demolished (Building Square Footage)	Acres Paved (acres)
Demolition	0.00	0.00	0.00	—	—
Site Preparation	—	—	627	0.00	—
Grading	—	—	1,852	0.00	—
Paving	0.00	0.00	0.00	0.00	79.0

5.6.2. Construction Earthmoving Control Strategies

Control Strategies Applied	Frequency (per day)	PM10 Reduction	PM2.5 Reduction

Water Exposed Area	3	74%	74%

5.7. Construction Paving

Land Use	Area Paved (acres)	% Asphalt
Parking Lot	79.0	100%
Industrial Park	0.00	0%
Industrial Park	0.00	0%

5.8. Construction Electricity Consumption and Emissions Factors

kWh per Year and Emission Factor (lb/MWh)

Year	kWh per Year	CO2	CH4	N2O
2024	0.00	532	0.03	< 0.005
2025	0.00	532	0.03	< 0.005
2026	0.00	532	0.03	< 0.005
2027	0.00	532	0.03	< 0.005
2028	0.00	532	0.03	< 0.005
2029	0.00	532	0.03	< 0.005
2030	0.00	532	0.03	< 0.005
2031	0.00	532	0.03	< 0.005
2032	0.00	532	0.03	< 0.005
2033	0.00	532	0.03	< 0.005
2034	0.00	532	0.03	< 0.005
2035	0.00	532	0.03	< 0.005
2036	0.00	532	0.03	< 0.005
2037	0.00	532	0.03	< 0.005
2038	0.00	532	0.03	< 0.005
2039	0.00	532	0.03	< 0.005

2040	0.00	532	0.03	< 0.005

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

Vegetation Land Use Type	Vegetation Soil Type	Initial Acres	Final Acres

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

Biomass Cover Type	Initial Acres	Final Acres

5.18.2. Sequestration

5.18.2.1. Unmitigated

Tree Type	Number	Electricity Saved (kWh/year)	Natural Gas Saved (btu/year)

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

Cal-Adapt midcentury 2040–2059 average projections for four hazards are reported below for your project location. These are under Representation Concentration Pathway (RCP) 8.5 which assumes GHG emissions will continue to rise strongly through 2050 and then plateau around 2100.

Climate Hazard	Result for Project Location	Unit
Temperature and Extreme Heat	27.9	annual days of extreme heat
Extreme Precipitation	12.0	annual days with precipitation above 20 mm
Sea Level Rise	—	meters of inundation depth

Wildfire	21.2	annual hectares burned

Temperature and Extreme Heat data are for grid cell in which your project are located. The projection is based on the 98th historical percentile of daily maximum/minimum temperatures from observed historical data (32 climate model ensemble from Cal-Adapt, 2040–2059 average under RCP 8.5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Extreme Precipitation data are for the grid cell in which your project are located. The threshold of 20 mm is equivalent to about $\frac{3}{4}$ an inch of rain, which would be light to moderate rainfall if received over a full day or heavy rain if received over a period of 2 to 4 hours. Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Sea Level Rise data are for the grid cell in which your project are located. The projections are from Radke et al. (2017), as reported in Cal-Adapt (Radke et al., 2017, CEC-500-2017-008), and consider inundation location and depth for the San Francisco Bay, the Sacramento-San Joaquin River Delta and California coast resulting different increments of sea level rise coupled with extreme storm events.

Users may select from four scenarios to view the range in potential inundation depth for the grid cell. The four scenarios are: No rise, 0.5 meter, 1.0 meter, 1.41 meters

Wildfire data are for the grid cell in which your project are located. The projections are from UC Davis, as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider historical data of climate, vegetation, population density, and large (> 400 ha) fire history. Users may select from four model simulations to view the range in potential wildfire probabilities for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

6.2. Initial Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	3	0	0	N/A
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	0	0	N/A
Wildfire	1	0	0	N/A
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	0	0	0	N/A

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores do not include implementation of climate risk reduction measures.

6.3. Adjusted Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	3	1	1	3

Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	1	1	2
Wildfire	1	1	1	2
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	1	1	1	2

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores include implementation of climate risk reduction measures.

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Exposure Indicators	—
AQ-Ozone	99.1
AQ-PM	60.9
AQ-DPM	67.4
Drinking Water	96.3
Lead Risk Housing	8.87
Pesticides	0.00
Toxic Releases	58.6
Traffic	72.8

Effect Indicators	—
CleanUp Sites	94.1
Groundwater	68.6
Haz Waste Facilities/Generators	63.6
Impaired Water Bodies	0.00
Solid Waste	75.7
Sensitive Population	—
Asthma	56.5
Cardio-vascular	74.7
Low Birth Weights	44.5
Socioeconomic Factor Indicators	—
Education	61.1
Housing	0.94
Linguistic	36.0
Poverty	19.4
Unemployment	83.2

7.2. Healthy Places Index Scores

The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Economic	—
Above Poverty	84.02412421
Employed	1.591171564
Median HI	79.9563711
Education	—
Bachelor's or higher	28.85923264
High school enrollment	17.31040678

Preschool enrollment	36.78942641
Transportation	—
Auto Access	72.44963429
Active commuting	7.917361735
Social	—
2-parent households	44.74528423
Voting	49.54446298
Neighborhood	—
Alcohol availability	75.52932119
Park access	7.04478378
Retail density	9.457205184
Supermarket access	35.77569614
Tree canopy	15.46259464
Housing	—
Homeownership	91.76183755
Housing habitability	92.04414218
Low-inc homeowner severe housing cost burden	90.09367381
Low-inc renter severe housing cost burden	81.05992557
Uncrowded housing	69.47260362
Health Outcomes	—
Insured adults	52.11086873
Arthritis	41.4
Asthma ER Admissions	28.5
High Blood Pressure	35.9
Cancer (excluding skin)	49.7
Asthma	32.2
Coronary Heart Disease	57.7

Chronic Obstructive Pulmonary Disease	56.7
Diagnosed Diabetes	36.9
Life Expectancy at Birth	29.0
Cognitively Disabled	60.3
Physically Disabled	57.4
Heart Attack ER Admissions	27.5
Mental Health Not Good	47.3
Chronic Kidney Disease	45.1
Obesity	33.5
Pedestrian Injuries	91.8
Physical Health Not Good	49.9
Stroke	39.4
Health Risk Behaviors	—
Binge Drinking	26.9
Current Smoker	51.2
No Leisure Time for Physical Activity	54.9
Climate Change Exposures	—
Wildfire Risk	45.4
SLR Inundation Area	0.0
Children	40.5
Elderly	74.7
English Speaking	78.9
Foreign-born	23.9
Outdoor Workers	16.6
Climate Change Adaptive Capacity	—
Impervious Surface Cover	79.3
Traffic Density	68.0

Traffic Access	23.0
Other Indices	—
Hardship	39.4
Other Decision Support	—
2016 Voting	59.4

7.3. Overall Health & Equity Scores

Metric	Result for Project Census Tract
CalEnviroScreen 4.0 Score for Project Location (a)	70.0
Healthy Places Index Score for Project Location (b)	36.0
Project Located in a Designated Disadvantaged Community (Senate Bill 535)	No
Project Located in a Low-Income Community (Assembly Bill 1550)	No
Project Located in a Community Air Protection Program Community (Assembly Bill 617)	No

a: The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.
b: The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

7.4. Health & Equity Measures

No Health & Equity Measures selected.

7.5. Evaluation Scorecard

Health & Equity Evaluation Scorecard not completed.

7.6. Health & Equity Custom Measures

No Health & Equity Custom Measures created.

8. User Changes to Default Data

Screen	Justification
Land Use	Based on client provided data in the TIA. Total Project site is 159.50 acres.

Construction: Construction Phases	Building Construction, Paving, and Architectural Coating overlap to present a conservative analysis. Schedule adjusted to account for 2040 OY.
Construction: Off-Road Equipment	T/L/B replaced with Crawler Tractor to accurately calculate disturbance for Site Preparation and Grading phases. Standard 8 hours work days.
Construction: Trips and VMT	Vendor Trips adjusted based on CalEEMod defaults for Building Construction and number of days for Demolition, Site Preparation, Grading, and Building Construction.
Construction: Architectural Coatings	SCAQMD Rule 1113

This page intentionally left blank

APPENDIX 3.2:

CALEEMOD PROPOSED SUBAREA A EMISSIONS MODEL OUTPUTS

15585 - Glen Helen Specific Plan Amendment (Subarea A Operations) Detailed Report

Table of Contents

1. Basic Project Information

1.1. Basic Project Information

1.2. Land Use Types

1.3. User-Selected Emission Reduction Measures by Emissions Sector

2. Emissions Summary

2.4. Operations Emissions Compared Against Thresholds

2.5. Operations Emissions by Sector, Unmitigated

4. Operations Emissions Details

4.1. Mobile Emissions by Land Use

4.1.1. Unmitigated

4.2. Energy

4.2.1. Electricity Emissions By Land Use - Unmitigated

4.2.3. Natural Gas Emissions By Land Use - Unmitigated

4.3. Area Emissions by Source

4.3.1. Unmitigated

4.4. Water Emissions by Land Use

4.4.1. Unmitigated

4.5. Waste Emissions by Land Use

4.5.1. Unmitigated

4.6. Refrigerant Emissions by Land Use

4.6.1. Unmitigated

4.7. Offroad Emissions By Equipment Type

4.7.1. Unmitigated

4.8. Stationary Emissions By Equipment Type

4.8.1. Unmitigated

4.9. User Defined Emissions By Equipment Type

4.9.1. Unmitigated

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

5. Activity Data

5.9. Operational Mobile Sources

5.9.1. Unmitigated

5.10. Operational Area Sources

5.10.1. Hearths

5.10.1.1. Unmitigated

5.10.2. Architectural Coatings

5.10.3. Landscape Equipment

5.11. Operational Energy Consumption

5.11.1. Unmitigated

5.12. Operational Water and Wastewater Consumption

5.12.1. Unmitigated

5.13. Operational Waste Generation

5.13.1. Unmitigated

5.14. Operational Refrigeration and Air Conditioning Equipment

5.14.1. Unmitigated

5.15. Operational Off-Road Equipment

5.15.1. Unmitigated

5.16. Stationary Sources

5.16.1. Emergency Generators and Fire Pumps

5.16.2. Process Boilers

5.17. User Defined

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

5.18.2. Sequestration

5.18.2.1. Unmitigated

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

6.2. Initial Climate Risk Scores

6.3. Adjusted Climate Risk Scores

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

7.2. Healthy Places Index Scores

7.3. Overall Health & Equity Scores

7.4. Health & Equity Measures

7.5. Evaluation Scorecard

7.6. Health & Equity Custom Measures

8. User Changes to Default Data

1. Basic Project Information

1.1. Basic Project Information

Data Field	Value
Project Name	15585 - Glen Helen Specific Plan Amendment (Subarea A Operations)
Operational Year	2040
Lead Agency	—
Land Use Scale	Plan/community
Analysis Level for Defaults	County
Windspeed (m/s)	2.80
Precipitation (days)	6.80
Location	34.22460863986629, -117.42511567777734
County	San Bernardino-South Coast
City	Unincorporated
Air District	South Coast AQMD
Air Basin	South Coast
TAZ	5109
EDFZ	10
Electric Utility	Southern California Edison
Gas Utility	Southern California Gas
App Version	2022.1.1.22

1.2. Land Use Types

Land Use Subtype	Size	Unit	Lot Acreage	Building Area (sq ft)	Landscape Area (sq ft)	Special Landscape Area (sq ft)	Population	Description
Parking Lot	79.0	Acre	79.0	0.00	0.00	—	—	Truck Trailer Parking

User Defined Parking	79.0	User Defined Unit	0.00	0.00	0.00	—	—	—

1.3. User-Selected Emission Reduction Measures by Emissions Sector

No measures selected

2. Emissions Summary

2.4. Operations Emissions Compared Against Thresholds

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Un/Mit.	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	6.57	5.02	39.2	86.3	0.53	0.58	40.4	40.9	0.55	10.5	11.0	0.00	58,798	58,798	2.18	5.99	46.7	60,684
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	6.37	4.83	41.4	73.5	0.52	0.58	40.4	40.9	0.55	10.5	11.0	0.00	57,429	57,429	2.18	6.02	1.21	59,279
Average Daily (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	4.68	3.69	30.2	55.2	0.38	0.42	29.4	29.8	0.40	7.62	8.02	0.00	42,715	42,715	1.67	4.41	14.8	44,086
Annual (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	0.85	0.67	5.51	10.1	0.07	0.08	5.36	5.44	0.07	1.39	1.46	0.00	7,072	7,072	0.28	0.73	2.44	7,299

2.5. Operations Emissions by Sector, Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Sector	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	6.57	4.49	39.2	86.3	0.53	0.58	40.4	40.9	0.55	10.5	11.0	—	56,644	56,644	1.91	5.96	46.7	58,514
Area	0.00	0.53	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	2,154	2,154	0.27	0.03	—	2,171
Water	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Waste	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	6.57	5.02	39.2	86.3	0.53	0.58	40.4	40.9	0.55	10.5	11.0	0.00	58,798	58,798	2.18	5.99	46.7	60,684
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	6.37	4.30	41.4	73.5	0.52	0.58	40.4	40.9	0.55	10.5	11.0	—	55,275	55,275	1.90	5.99	1.21	57,108
Area	—	0.53	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	2,154	2,154	0.27	0.03	—	2,171
Water	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Waste	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	6.37	4.83	41.4	73.5	0.52	0.58	40.4	40.9	0.55	10.5	11.0	0.00	57,429	57,429	2.18	6.02	1.21	59,279
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	4.68	3.16	30.2	55.2	0.38	0.42	29.4	29.8	0.40	7.62	8.02	—	40,561	40,561	1.39	4.38	14.8	41,916
Area	0.00	0.53	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	2,154	2,154	0.27	0.03	—	2,171
Water	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Waste	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	4.68	3.69	30.2	55.2	0.38	0.42	29.4	29.8	0.40	7.62	8.02	0.00	42,715	42,715	1.67	4.41	14.8	44,086
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	0.85	0.58	5.51	10.1	0.07	0.08	5.36	5.44	0.07	1.39	1.46	—	6,715	6,715	0.23	0.73	2.44	6,940
Area	0.00	0.10	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00

Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	357	357	0.05	0.01	—	359
Water	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Waste	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	0.85	0.67	5.51	10.1	0.07	0.08	5.36	5.44	0.07	1.39	1.46	0.00	7,072	7,072	0.28	0.73	2.44	7,299

4. Operations Emissions Details

4.1. Mobile Emissions by Land Use

4.1.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Parking Lot	3.52	3.10	2.10	61.6	0.18	0.04	20.8	20.8	0.04	5.24	5.28	—	17,882	17,882	0.34	0.29	7.43	17,983
User Defined Parking	3.06	1.39	37.1	24.8	0.35	0.54	19.6	20.1	0.51	5.22	5.73	—	38,762	38,762	1.56	5.67	39.3	40,531
Total	6.57	4.49	39.2	86.3	0.53	0.58	40.4	40.9	0.55	10.5	11.0	—	56,644	56,644	1.91	5.96	46.7	58,514
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Parking Lot	3.41	3.00	2.34	48.4	0.16	0.04	20.8	20.8	0.04	5.24	5.28	—	16,473	16,473	0.34	0.31	0.19	16,574
User Defined Parking	2.96	1.30	39.0	25.1	0.35	0.54	19.6	20.1	0.52	5.22	5.73	—	38,802	38,802	1.56	5.68	1.02	40,534
Total	6.37	4.30	41.4	73.5	0.52	0.58	40.4	40.9	0.55	10.5	11.0	—	55,275	55,275	1.90	5.99	1.21	57,108
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Parking Lot	0.45	0.40	0.32	6.74	0.02	0.01	2.76	2.76	< 0.005	0.70	0.70	—	2,021	2,021	0.04	0.04	0.39	2,033
User Defined Parking	0.40	0.18	5.19	3.33	0.05	0.07	2.61	2.68	0.07	0.69	0.76	—	4,695	4,695	0.19	0.69	2.05	4,906
Total	0.85	0.58	5.51	10.1	0.07	0.08	5.36	5.44	0.07	1.39	1.46	—	6,715	6,715	0.23	0.73	2.44	6,940

4.2. Energy

4.2.1. Electricity Emissions By Land Use - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	—	2,154	2,154	0.27	0.03	—	2,171
User Defined Parking	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	2,154	2,154	0.27	0.03	—	2,171
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	—	2,154	2,154	0.27	0.03	—	2,171
User Defined Parking	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	2,154	2,154	0.27	0.03	—	2,171
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Parking Lot	—	—	—	—	—	—	—	—	—	—	—	—	357	357	0.05	0.01	—	359
User Defined Parking	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	357	357	0.05	0.01	—	359

4.2.3. Natural Gas Emissions By Land Use - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
User Defined Parking	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
User Defined Parking	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00

User Defined Parking	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00

4.3. Area Emissions by Source

4.3.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Source	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	—	0.27	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	—	0.26	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Landscape Equipment	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.53	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	—	0.27	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	—	0.26	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	0.53	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	—	0.05	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	—	0.05	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Landscape Equipment	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.10	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00

4.4. Water Emissions by Land Use

4.4.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
User Defined Parking	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00

User Defined Parking	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
User Defined Parking	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00

4.5. Waste Emissions by Land Use

4.5.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
User Defined Parking	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00

User Defined Parking	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
User Defined Parking	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00

4.6. Refrigerant Emissions by Land Use

4.6.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.7. Offroad Emissions By Equipment Type

4.7.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.8. Stationary Emissions By Equipment Type

4.8.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.9. User Defined Emissions By Equipment Type

4.9.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Vegetation	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Species	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Sequest	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Remove d	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequest ered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Remove d	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequest ered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Remove d	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

5. Activity Data

5.9. Operational Mobile Sources

5.9.1. Unmitigated

Land Use Type	Trips/Weekday	Trips/Saturday	Trips/Sunday	Trips/Year	VMT/Weekday	VMT/Saturday	VMT/Sunday	VMT/Year
Parking Lot	978	82.7	33.1	261,023	29,768	2,518	1,007	7,944,721
User Defined Parking	2,327	197	78.8	621,061	23,270	1,969	788	6,210,606

5.10. Operational Area Sources

5.10.1. Hearths

5.10.1.1. Unmitigated

5.10.2. Architectural Coatings

Residential Interior Area Coated (sq ft)	Residential Exterior Area Coated (sq ft)	Non-Residential Interior Area Coated (sq ft)	Non-Residential Exterior Area Coated (sq ft)	Parking Area Coated (sq ft)
0	0.00	0.00	0.00	206,474

5.10.3. Landscape Equipment

Season	Unit	Value
Snow Days	day/yr	0.00
Summer Days	day/yr	250

5.11. Operational Energy Consumption

5.11.1. Unmitigated

Electricity (kWh/yr) and CO2 and CH4 and N2O and Natural Gas (kBTU/yr)

Land Use	Electricity (kWh/yr)	CO2	CH4	N2O	Natural Gas (kBTU/yr)
Parking Lot	3,014,526	261	0.0330	0.0040	0.00
User Defined Parking	0.00	261	0.0330	0.0040	0.00

5.12. Operational Water and Wastewater Consumption

5.12.1. Unmitigated

Land Use	Indoor Water (gal/year)	Outdoor Water (gal/year)
Parking Lot	0.00	0.00
User Defined Parking	0.00	0.00

5.13. Operational Waste Generation

5.13.1. Unmitigated

Land Use	Waste (ton/year)	Cogeneration (kWh/year)
Parking Lot	0.00	—
User Defined Parking	0.00	—

5.14. Operational Refrigeration and Air Conditioning Equipment

5.14.1. Unmitigated

Land Use Type	Equipment Type	Refrigerant	GWP	Quantity (kg)	Operations Leak Rate	Service Leak Rate	Times Serviced

5.15. Operational Off-Road Equipment

5.15.1. Unmitigated

Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor

5.16. Stationary Sources

5.16.1. Emergency Generators and Fire Pumps

Equipment Type	Fuel Type	Number per Day	Hours per Day	Hours per Year	Horsepower	Load Factor

5.16.2. Process Boilers

Equipment Type	Fuel Type	Number	Boiler Rating (MMBtu/hr)	Daily Heat Input (MMBtu/day)	Annual Heat Input (MMBtu/yr)

5.17. User Defined

Equipment Type	Fuel Type

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

Vegetation Land Use Type	Vegetation Soil Type	Initial Acres	Final Acres

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

Biomass Cover Type	Initial Acres	Final Acres

5.18.2. Sequestration

5.18.2.1. Unmitigated

Tree Type	Number	Electricity Saved (kWh/year)	Natural Gas Saved (btu/year)

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

Cal-Adapt midcentury 2040–2059 average projections for four hazards are reported below for your project location. These are under Representation Concentration Pathway (RCP) 8.5 which assumes GHG emissions will continue to rise strongly through 2050 and then plateau around 2100.

Climate Hazard	Result for Project Location	Unit
Temperature and Extreme Heat	27.9	annual days of extreme heat
Extreme Precipitation	12.0	annual days with precipitation above 20 mm
Sea Level Rise	—	meters of inundation depth
Wildfire	21.2	annual hectares burned

Temperature and Extreme Heat data are for grid cell in which your project are located. The projection is based on the 98th historical percentile of daily maximum/minimum temperatures from observed historical data (32 climate model ensemble from Cal-Adapt, 2040–2059 average under RCP 8.5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Extreme Precipitation data are for the grid cell in which your project are located. The threshold of 20 mm is equivalent to about ¾ an inch of rain, which would be light to moderate rainfall if received over a full day or heavy rain if received over a period of 2 to 4 hours. Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Sea Level Rise data are for the grid cell in which your project are located. The projections are from Radke et al. (2017), as reported in Cal-Adapt (Radke et al., 2017, CEC-500-2017-008), and consider inundation location and depth for the San Francisco Bay, the Sacramento-San Joaquin River Delta and California coast resulting different increments of sea level rise coupled with extreme storm events. Users may select from four scenarios to view the range in potential inundation depth for the grid cell. The four scenarios are: No rise, 0.5 meter, 1.0 meter, 1.41 meters

Wildfire data are for the grid cell in which your project are located. The projections are from UC Davis, as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider historical data of climate, vegetation, population density, and large (> 400 ha) fire history. Users may select from four model simulations to view the range in potential wildfire probabilities for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

6.2. Initial Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	3	0	0	N/A
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	0	0	N/A
Wildfire	1	0	0	N/A

Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	0	0	0	N/A

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores do not include implementation of climate risk reduction measures.

6.3. Adjusted Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	3	1	1	3
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	1	1	2
Wildfire	1	1	1	2
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	1	1	1	2

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores include implementation of climate risk reduction measures.

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Exposure Indicators	—
AQ-Ozone	97.6
AQ-PM	57.0
AQ-DPM	8.21
Drinking Water	98.2
Lead Risk Housing	54.6
Pesticides	20.2
Toxic Releases	41.7
Traffic	48.8
Effect Indicators	—
CleanUp Sites	53.4
Groundwater	0.00
Haz Waste Facilities/Generators	1.80
Impaired Water Bodies	12.5
Solid Waste	72.4
Sensitive Population	—
Asthma	22.4
Cardio-vascular	32.8
Low Birth Weights	40.9
Socioeconomic Factor Indicators	—
Education	37.3
Housing	27.2
Linguistic	13.3
Poverty	48.4

Unemployment	75.4

7.2. Healthy Places Index Scores

The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Economic	—
Above Poverty	73.51469267
Employed	42.62799949
Median HI	38.72706275
Education	—
Bachelor's or higher	49.69844732
High school enrollment	100
Preschool enrollment	95.7141024
Transportation	—
Auto Access	28.53843193
Active commuting	26.4724753
Social	—
2-parent households	66.48274092
Voting	65.66149108
Neighborhood	—
Alcohol availability	97.0101373
Park access	48.23559605
Retail density	2.219940973
Supermarket access	8.392146798
Tree canopy	78.58334403
Housing	—
Homeownership	86.88566662

Housing habitability	64.18580778
Low-inc homeowner severe housing cost burden	41.55010907
Low-inc renter severe housing cost burden	37.44385987
Uncrowded housing	56.87155139
Health Outcomes	—
Insured adults	44.20633902
Arthritis	68.4
Asthma ER Admissions	85.5
High Blood Pressure	64.8
Cancer (excluding skin)	63.4
Asthma	51.9
Coronary Heart Disease	81.5
Chronic Obstructive Pulmonary Disease	71.2
Diagnosed Diabetes	68.9
Life Expectancy at Birth	58.3
Cognitively Disabled	18.3
Physically Disabled	10.0
Heart Attack ER Admissions	84.0
Mental Health Not Good	58.7
Chronic Kidney Disease	85.5
Obesity	54.0
Pedestrian Injuries	97.7
Physical Health Not Good	67.2
Stroke	80.6
Health Risk Behaviors	—
Binge Drinking	20.5
Current Smoker	51.2

No Leisure Time for Physical Activity	70.0
Climate Change Exposures	—
Wildfire Risk	63.7
SLR Inundation Area	0.0
Children	77.6
Elderly	27.3
English Speaking	52.1
Foreign-born	25.9
Outdoor Workers	13.0
Climate Change Adaptive Capacity	—
Impervious Surface Cover	97.3
Traffic Density	73.7
Traffic Access	23.0
Other Indices	—
Hardship	37.6
Other Decision Support	—
2016 Voting	82.0

7.3. Overall Health & Equity Scores

Metric	Result for Project Census Tract
CalEnviroScreen 4.0 Score for Project Location (a)	39.0
Healthy Places Index Score for Project Location (b)	59.0
Project Located in a Designated Disadvantaged Community (Senate Bill 535)	No
Project Located in a Low-Income Community (Assembly Bill 1550)	No
Project Located in a Community Air Protection Program Community (Assembly Bill 617)	No

a: The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.
 b: The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

7.4. Health & Equity Measures

No Health & Equity Measures selected.

7.5. Evaluation Scorecard

Health & Equity Evaluation Scorecard not completed.

7.6. Health & Equity Custom Measures

No Health & Equity Custom Measures created.

8. User Changes to Default Data

Screen	Justification
Land Use	Based on client provided data in the TIA. Total Project site is 159.50 acres.
Construction: Construction Phases	Building Construction, Paving, and Architectural Coating overlap to present a conservative analysis. Schedule adjusted to account for 2045 OY.
Construction: Off-Road Equipment	T/L/B replaced with Crawler Tractor to accurately calculate disturbance for Site Preparation and Grading phases. Standard 8 hours work days.
Construction: Trips and VMT	Vendor Trips adjusted based on CalEEMod defaults for Building Construction and number of days for Demolition, Site Preparation, Grading, and Building Construction.
Construction: Architectural Coatings	SCAMQD Rule 1113
Operations: Vehicle Data	Trip characteristics based on information provided in the TIA Table 4.2.
Operations: Architectural Coatings	SCAQMD Rule 1113
Operations: Fleet Mix	Passenger Car Mix estimated based on CalEEMod default fleet mix and the ratio of the vehicle classes (LDA, LDT1, LDT2, MDV, MCY). Truck Fleet Mix based on 2, 3 and 4 axle trucks.

15585 - Glen Helen Specific Plan Amendment (Subarea B Operational LSTs) Detailed Report

Table of Contents

1. Basic Project Information

1.1. Basic Project Information

1.2. Land Use Types

1.3. User-Selected Emission Reduction Measures by Emissions Sector

2. Emissions Summary

2.4. Operations Emissions Compared Against Thresholds

2.5. Operations Emissions by Sector, Unmitigated

4. Operations Emissions Details

4.1. Mobile Emissions by Land Use

4.1.1. Unmitigated

4.2. Energy

4.2.1. Electricity Emissions By Land Use - Unmitigated

4.2.3. Natural Gas Emissions By Land Use - Unmitigated

4.3. Area Emissions by Source

4.3.1. Unmitigated

4.4. Water Emissions by Land Use

4.4.1. Unmitigated

4.5. Waste Emissions by Land Use

4.5.1. Unmitigated

4.6. Refrigerant Emissions by Land Use

4.6.1. Unmitigated

4.7. Offroad Emissions By Equipment Type

4.7.1. Unmitigated

4.8. Stationary Emissions By Equipment Type

4.8.1. Unmitigated

4.9. User Defined Emissions By Equipment Type

4.9.1. Unmitigated

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

5. Activity Data

5.9. Operational Mobile Sources

5.9.1. Unmitigated

5.10. Operational Area Sources

5.10.1. Hearths

5.10.1.1. Unmitigated

5.10.2. Architectural Coatings

5.10.3. Landscape Equipment

5.11. Operational Energy Consumption

5.11.1. Unmitigated

5.12. Operational Water and Wastewater Consumption

5.12.1. Unmitigated

5.13. Operational Waste Generation

5.13.1. Unmitigated

5.14. Operational Refrigeration and Air Conditioning Equipment

5.14.1. Unmitigated

5.15. Operational Off-Road Equipment

5.15.1. Unmitigated

5.16. Stationary Sources

5.16.1. Emergency Generators and Fire Pumps

5.16.2. Process Boilers

5.17. User Defined

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

5.18.2. Sequestration

5.18.2.1. Unmitigated

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

6.2. Initial Climate Risk Scores

6.3. Adjusted Climate Risk Scores

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

7.2. Healthy Places Index Scores

7.3. Overall Health & Equity Scores

7.4. Health & Equity Measures

7.5. Evaluation Scorecard

7.6. Health & Equity Custom Measures

8. User Changes to Default Data

1. Basic Project Information

1.1. Basic Project Information

Data Field	Value
Project Name	15585 - Glen Helen Specific Plan Amendment (Subarea B Operational LSTs)
Operational Year	2040
Lead Agency	—
Land Use Scale	Plan/community
Analysis Level for Defaults	County
Windspeed (m/s)	2.80
Precipitation (days)	6.80
Location	34.22034732518266, -117.40480592821811
County	San Bernardino-South Coast
City	Unincorporated
Air District	South Coast AQMD
Air Basin	South Coast
TAZ	5317
EDFZ	10
Electric Utility	Southern California Edison
Gas Utility	Southern California Gas
App Version	2022.1.1.22

1.2. Land Use Types

Land Use Subtype	Size	Unit	Lot Acreage	Building Area (sq ft)	Landscape Area (sq ft)	Special Landscape Area (sq ft)	Population	Description
Industrial Park	418	1000sqft	19.2	418,176	0.00	—	—	Corridor Industrial

User Defined Industrial	418	User Defined Unit	0.00	0.00	0.00	—	—	—

1.3. User-Selected Emission Reduction Measures by Emissions Sector

No measures selected

2. Emissions Summary

2.4. Operations Emissions Compared Against Thresholds

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Un/Mit.	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	6.84	15.6	9.96	30.8	0.03	0.42	0.34	0.76	0.41	0.09	0.50	465	10,950	11,415	48.3	0.72	39.4	12,876
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	3.51	12.5	10.1	13.1	0.03	0.39	0.34	0.73	0.39	0.09	0.47	465	10,872	11,337	48.3	0.72	39.1	12,798
Average Daily (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	4.52	13.4	7.15	22.4	0.03	0.28	0.30	0.58	0.28	0.08	0.35	465	10,359	10,824	48.2	0.70	39.2	12,276
Annual (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	0.83	2.45	1.31	4.08	< 0.005	0.05	0.05	0.11	0.05	0.01	0.06	76.9	1,715	1,792	7.98	0.12	6.49	2,032

2.5. Operations Emissions by Sector, Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Sector	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	2.18	1.95	3.97	7.47	0.01	0.01	0.34	0.35	0.01	0.09	0.09	—	1,010	1,010	0.25	0.17	0.30	1,067
Area	3.24	12.5	0.15	18.2	< 0.005	0.03	—	0.03	0.02	—	0.02	—	74.8	74.8	< 0.005	< 0.005	—	75.1
Energy	0.34	0.17	3.08	2.59	0.02	0.23	—	0.23	0.23	—	0.23	—	8,892	8,892	0.99	0.09	—	8,942
Water	—	—	—	—	—	—	—	—	—	—	—	185	470	656	19.1	0.46	—	1,269
Waste	—	—	—	—	—	—	—	—	—	—	—	279	0.00	279	27.9	0.00	—	978
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	39.1	39.1
Stationary	1.08	0.98	2.75	2.51	< 0.005	0.14	0.00	0.14	0.14	0.00	0.14	0.00	504	504	0.02	< 0.005	0.00	505
Total	6.84	15.6	9.96	30.8	0.03	0.42	0.34	0.76	0.41	0.09	0.50	465	10,950	11,415	48.3	0.72	39.4	12,876
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	2.09	1.86	4.23	8.01	0.01	0.01	0.34	0.35	0.01	0.09	0.10	—	1,006	1,006	0.26	0.17	0.01	1,064
Area	—	9.48	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Energy	0.34	0.17	3.08	2.59	0.02	0.23	—	0.23	0.23	—	0.23	—	8,892	8,892	0.99	0.09	—	8,942
Water	—	—	—	—	—	—	—	—	—	—	—	185	470	656	19.1	0.46	—	1,269
Waste	—	—	—	—	—	—	—	—	—	—	—	279	0.00	279	27.9	0.00	—	978
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	39.1	39.1
Stationary	1.08	0.98	2.75	2.51	< 0.005	0.14	0.00	0.14	0.14	0.00	0.14	0.00	504	504	0.02	< 0.005	0.00	505
Total	3.51	12.5	10.1	13.1	0.03	0.39	0.34	0.73	0.39	0.09	0.47	465	10,872	11,337	48.3	0.72	39.1	12,798
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	1.81	1.62	3.59	6.98	0.01	0.01	0.30	0.30	0.01	0.08	0.08	—	877	877	0.23	0.15	0.11	928
Area	2.22	11.5	0.10	12.5	< 0.005	0.02	—	0.02	0.02	—	0.02	—	51.2	51.2	< 0.005	< 0.005	—	51.4
Energy	0.34	0.17	3.08	2.59	0.02	0.23	—	0.23	0.23	—	0.23	—	8,892	8,892	0.99	0.09	—	8,942
Water	—	—	—	—	—	—	—	—	—	—	—	185	470	656	19.1	0.46	—	1,269

Waste	—	—	—	—	—	—	—	—	—	—	—	279	0.00	279	27.9	0.00	—	978
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	39.1	39.1
Stationary	0.15	0.13	0.38	0.34	< 0.005	0.02	0.00	0.02	0.02	0.00	0.02	0.00	69.0	69.0	< 0.005	< 0.005	0.00	69.2
Total	4.52	13.4	7.15	22.4	0.03	0.28	0.30	0.58	0.28	0.08	0.35	465	10,359	10,824	48.2	0.70	39.2	12,276
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	0.33	0.29	0.66	1.27	< 0.005	< 0.005	0.05	0.06	< 0.005	0.01	0.02	—	145	145	0.04	0.03	0.02	154
Area	0.40	2.10	0.02	2.27	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	8.48	8.48	< 0.005	< 0.005	—	8.51
Energy	0.06	0.03	0.56	0.47	< 0.005	0.04	—	0.04	0.04	—	0.04	—	1,472	1,472	0.16	0.01	—	1,481
Water	—	—	—	—	—	—	—	—	—	—	—	30.7	77.9	109	3.16	0.08	—	210
Waste	—	—	—	—	—	—	—	—	—	—	—	46.3	0.00	46.3	4.62	0.00	—	162
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6.47	6.47
Stationary	0.03	0.02	0.07	0.06	< 0.005	< 0.005	0.00	< 0.005	< 0.005	0.00	< 0.005	0.00	11.4	11.4	< 0.005	< 0.005	0.00	11.5
Total	0.83	2.45	1.31	4.08	< 0.005	0.05	0.05	0.11	0.05	0.01	0.06	76.9	1,715	1,792	7.98	0.12	6.49	2,032

4. Operations Emissions Details

4.1. Mobile Emissions by Land Use

4.1.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	1.77	1.73	0.36	3.94	< 0.005	< 0.005	0.22	0.22	< 0.005	0.05	0.06	—	315	315	0.08	0.05	0.08	333

User Defined Industrial	0.41	0.22	3.61	3.53	0.01	0.01	0.12	0.13	0.01	0.03	0.04	—	695	695	0.18	0.12	0.23	734
Total	2.18	1.95	3.97	7.47	0.01	0.01	0.34	0.35	0.01	0.09	0.09	—	1,010	1,010	0.25	0.17	0.30	1,067
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	1.71	1.67	0.39	4.39	< 0.005	< 0.005	0.22	0.22	< 0.005	0.05	0.06	—	301	301	0.09	0.06	< 0.005	320
User Defined Industrial	0.38	0.19	3.85	3.62	0.01	0.01	0.12	0.13	0.01	0.03	0.04	—	705	705	0.18	0.12	0.01	744
Total	2.09	1.86	4.23	8.01	0.01	0.01	0.34	0.35	0.01	0.09	0.10	—	1,006	1,006	0.26	0.17	0.01	1,064
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	0.27	0.26	0.06	0.70	< 0.005	< 0.005	0.03	0.03	< 0.005	0.01	0.01	—	44.0	44.0	0.01	0.01	< 0.005	46.7
User Defined Industrial	0.06	0.03	0.59	0.57	< 0.005	< 0.005	0.02	0.02	< 0.005	0.01	0.01	—	101	101	0.03	0.02	0.01	107
Total	0.33	0.29	0.66	1.27	< 0.005	< 0.005	0.05	0.06	< 0.005	0.01	0.02	—	145	145	0.04	0.03	0.02	154

4.2. Energy

4.2.1. Electricity Emissions By Land Use - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	—	—	—	—	—	—	—	—	—	—	—	—	5,214	5,214	0.66	0.08	—	5,255

User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	5,214	5,214	0.66	0.08	—	5,255
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	—	—	—	—	—	—	—	—	—	—	—	—	5,214	5,214	0.66	0.08	—	5,255
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	5,214	5,214	0.66	0.08	—	5,255
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	—	—	—	—	—	—	—	—	—	—	—	—	863	863	0.11	0.01	—	870
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	863	863	0.11	0.01	—	870

4.2.3. Natural Gas Emissions By Land Use - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	0.34	0.17	3.08	2.59	0.02	0.23	—	0.23	0.23	—	0.23	—	3,677	3,677	0.33	0.01	—	3,688
User Defined Industrial	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00

Total	0.34	0.17	3.08	2.59	0.02	0.23	—	0.23	0.23	—	0.23	—	3,677	3,677	0.33	0.01	—	3,688
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	0.34	0.17	3.08	2.59	0.02	0.23	—	0.23	0.23	—	0.23	—	3,677	3,677	0.33	0.01	—	3,688
User Defined Industrial	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.34	0.17	3.08	2.59	0.02	0.23	—	0.23	0.23	—	0.23	—	3,677	3,677	0.33	0.01	—	3,688
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	0.06	0.03	0.56	0.47	< 0.005	0.04	—	0.04	0.04	—	0.04	—	609	609	0.05	< 0.005	—	611
User Defined Industrial	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.06	0.03	0.56	0.47	< 0.005	0.04	—	0.04	0.04	—	0.04	—	609	609	0.05	< 0.005	—	611

4.3. Area Emissions by Source

4.3.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Source	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	—	8.95	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	—	0.53	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Landscape	3.24	2.99	0.15	18.2	< 0.005	0.03	—	0.03	0.02	—	0.02	—	74.8	74.8	< 0.005	< 0.005	—	75.1
Total	3.24	12.5	0.15	18.2	< 0.005	0.03	—	0.03	0.02	—	0.02	—	74.8	74.8	< 0.005	< 0.005	—	75.1
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	—	8.95	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	—	0.53	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	9.48	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	—	1.63	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	—	0.10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Landscape Equipment	0.40	0.37	0.02	2.27	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	8.48	8.48	< 0.005	< 0.005	—	8.51
Total	0.40	2.10	0.02	2.27	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	8.48	8.48	< 0.005	< 0.005	—	8.51

4.4. Water Emissions by Land Use

4.4.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	—	—	—	—	—	—	—	—	—	—	—	185	470	656	19.1	0.46	—	1,269
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	185	470	656	19.1	0.46	—	1,269
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	—	—	—	—	—	—	—	—	—	—	—	185	470	656	19.1	0.46	—	1,269
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	185	470	656	19.1	0.46	—	1,269
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	—	—	—	—	—	—	—	—	—	—	—	30.7	77.9	109	3.16	0.08	—	210
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	30.7	77.9	109	3.16	0.08	—	210

4.5. Waste Emissions by Land Use

4.5.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	—	—	—	—	—	—	—	—	—	—	—	279	0.00	279	27.9	0.00	—	978
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	279	0.00	279	27.9	0.00	—	978
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	—	—	—	—	—	—	—	—	—	—	—	279	0.00	279	27.9	0.00	—	978
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	279	0.00	279	27.9	0.00	—	978
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	—	—	—	—	—	—	—	—	—	—	—	46.3	0.00	46.3	4.62	0.00	—	162
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	46.3	0.00	46.3	4.62	0.00	—	162

4.6. Refrigerant Emissions by Land Use

4.6.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	39.1	39.1
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	39.1	39.1
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	39.1	39.1
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	39.1	39.1
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6.47	6.47
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6.47	6.47

4.7. Offroad Emissions By Equipment Type

4.7.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.8. Stationary Emissions By Equipment Type

4.8.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipme nt Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fire Pump	1.08	0.98	2.75	2.51	< 0.005	0.14	0.00	0.14	0.14	0.00	0.14	0.00	504	504	0.02	< 0.005	0.00	505
Total	1.08	0.98	2.75	2.51	< 0.005	0.14	0.00	0.14	0.14	0.00	0.14	0.00	504	504	0.02	< 0.005	0.00	505
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fire Pump	1.08	0.98	2.75	2.51	< 0.005	0.14	0.00	0.14	0.14	0.00	0.14	0.00	504	504	0.02	< 0.005	0.00	505
Total	1.08	0.98	2.75	2.51	< 0.005	0.14	0.00	0.14	0.14	0.00	0.14	0.00	504	504	0.02	< 0.005	0.00	505
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fire Pump	0.03	0.02	0.07	0.06	< 0.005	< 0.005	0.00	< 0.005	< 0.005	0.00	< 0.005	0.00	11.4	11.4	< 0.005	< 0.005	0.00	11.5
Total	0.03	0.02	0.07	0.06	< 0.005	< 0.005	0.00	< 0.005	< 0.005	0.00	< 0.005	0.00	11.4	11.4	< 0.005	< 0.005	0.00	11.5

4.9. User Defined Emissions By Equipment Type

4.9.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipme Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Vegetatio n	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Species	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

5. Activity Data

5.9. Operational Mobile Sources

5.9.1. Unmitigated

Land Use Type	Trips/Weekday	Trips/Saturday	Trips/Sunday	Trips/Year	VMT/Weekday	VMT/Saturday	VMT/Sunday	VMT/Year
Industrial Park	972	732	358	310,196	311	234	114	99,263

User Defined Industrial	438	330	161	139,748	140	106	51.5	44,719

5.10. Operational Area Sources

5.10.1. Hearths

5.10.1.1. Unmitigated

5.10.2. Architectural Coatings

Residential Interior Area Coated (sq ft)	Residential Exterior Area Coated (sq ft)	Non-Residential Interior Area Coated (sq ft)	Non-Residential Exterior Area Coated (sq ft)	Parking Area Coated (sq ft)
0	0.00	627,264	209,088	—

5.10.3. Landscape Equipment

Season	Unit	Value
Snow Days	day/yr	0.00
Summer Days	day/yr	250

5.11. Operational Energy Consumption

5.11.1. Unmitigated

Electricity (kWh/yr) and CO2 and CH4 and N2O and Natural Gas (kBTU/yr)

Land Use	Electricity (kWh/yr)	CO2	CH4	N2O	Natural Gas (kBTU/yr)
Industrial Park	7,297,960	261	0.0330	0.0040	11,474,757
User Defined Industrial	0.00	261	0.0330	0.0040	0.00

5.12. Operational Water and Wastewater Consumption

5.12.1. Unmitigated

Land Use	Indoor Water (gal/year)	Outdoor Water (gal/year)
Industrial Park	96,703,200	0.00
User Defined Industrial	0.00	0.00

5.13. Operational Waste Generation

5.13.1. Unmitigated

Land Use	Waste (ton/year)	Cogeneration (kWh/year)
Industrial Park	519	—
User Defined Industrial	0.00	—

5.14. Operational Refrigeration and Air Conditioning Equipment

5.14.1. Unmitigated

Land Use Type	Equipment Type	Refrigerant	GWP	Quantity (kg)	Operations Leak Rate	Service Leak Rate	Times Serviced
Industrial Park	Other commercial A/C and heat pumps	User Defined	750	0.30	4.00	4.00	18.0

5.15. Operational Off-Road Equipment

5.15.1. Unmitigated

Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor

5.16. Stationary Sources

5.16.1. Emergency Generators and Fire Pumps

Equipment Type	Fuel Type	Number per Day	Hours per Day	Hours per Year	Horsepower	Load Factor
Fire Pump	Diesel	1.00	1.00	50.0	300	0.73

5.16.2. Process Boilers

Equipment Type	Fuel Type	Number	Boiler Rating (MMBtu/hr)	Daily Heat Input (MMBtu/day)	Annual Heat Input (MMBtu/yr)

5.17. User Defined

Equipment Type	Fuel Type

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

Vegetation Land Use Type	Vegetation Soil Type	Initial Acres	Final Acres

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

Biomass Cover Type	Initial Acres	Final Acres

5.18.2. Sequestration

5.18.2.1. Unmitigated

Tree Type	Number	Electricity Saved (kWh/year)	Natural Gas Saved (btu/year)

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

Cal-Adapt midcentury 2040–2059 average projections for four hazards are reported below for your project location. These are under Representation Concentration Pathway (RCP) 8.5 which assumes GHG emissions will continue to rise strongly through 2050 and then plateau around 2100.

Climate Hazard	Result for Project Location	Unit
Temperature and Extreme Heat	27.9	annual days of extreme heat
Extreme Precipitation	12.0	annual days with precipitation above 20 mm
Sea Level Rise	—	meters of inundation depth
Wildfire	21.2	annual hectares burned

Temperature and Extreme Heat data are for grid cell in which your project are located. The projection is based on the 98th historical percentile of daily maximum/minimum temperatures from observed historical data (32 climate model ensemble from Cal-Adapt, 2040–2059 average under RCP 8.5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Extreme Precipitation data are for the grid cell in which your project are located. The threshold of 20 mm is equivalent to about ¾ an inch of rain, which would be light to moderate rainfall if received over a full day or heavy rain if received over a period of 2 to 4 hours. Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Sea Level Rise data are for the grid cell in which your project are located. The projections are from Radke et al. (2017), as reported in Cal-Adapt (Radke et al., 2017, CEC-500-2017-008), and consider inundation location and depth for the San Francisco Bay, the Sacramento-San Joaquin River Delta and California coast resulting different increments of sea level rise coupled with extreme storm events. Users may select from four scenarios to view the range in potential inundation depth for the grid cell. The four scenarios are: No rise, 0.5 meter, 1.0 meter, 1.41 meters

Wildfire data are for the grid cell in which your project are located. The projections are from UC Davis, as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider historical data of climate, vegetation, population density, and large (> 400 ha) fire history. Users may select from four model simulations to view the range in potential wildfire probabilities for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

6.2. Initial Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	3	0	0	N/A
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	0	0	N/A
Wildfire	1	0	0	N/A
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A

Air Quality Degradation	0	0	0	N/A

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores do not include implementation of climate risk reduction measures.

6.3. Adjusted Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	3	1	1	3
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	1	1	2
Wildfire	1	1	1	2
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	1	1	1	2

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores include implementation of climate risk reduction measures.

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Exposure Indicators	—

AQ-Ozone	99.1
AQ-PM	60.9
AQ-DPM	67.4
Drinking Water	96.3
Lead Risk Housing	8.87
Pesticides	0.00
Toxic Releases	58.6
Traffic	72.8
Effect Indicators	—
CleanUp Sites	94.1
Groundwater	68.6
Haz Waste Facilities/Generators	63.6
Impaired Water Bodies	0.00
Solid Waste	75.7
Sensitive Population	—
Asthma	56.5
Cardio-vascular	74.7
Low Birth Weights	44.5
Socioeconomic Factor Indicators	—
Education	61.1
Housing	0.94
Linguistic	36.0
Poverty	19.4
Unemployment	83.2

7.2. Healthy Places Index Scores

The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Economic	—
Above Poverty	84.02412421
Employed	1.591171564
Median HI	79.9563711
Education	—
Bachelor's or higher	28.85923264
High school enrollment	17.31040678
Preschool enrollment	36.78942641
Transportation	—
Auto Access	72.44963429
Active commuting	7.917361735
Social	—
2-parent households	44.74528423
Voting	49.54446298
Neighborhood	—
Alcohol availability	75.52932119
Park access	7.04478378
Retail density	9.457205184
Supermarket access	35.77569614
Tree canopy	15.46259464
Housing	—
Homeownership	91.76183755
Housing habitability	92.04414218
Low-inc homeowner severe housing cost burden	90.09367381
Low-inc renter severe housing cost burden	81.05992557
Uncrowded housing	69.47260362

Health Outcomes	—
Insured adults	52.11086873
Arthritis	41.4
Asthma ER Admissions	28.5
High Blood Pressure	35.9
Cancer (excluding skin)	49.7
Asthma	32.2
Coronary Heart Disease	57.7
Chronic Obstructive Pulmonary Disease	56.7
Diagnosed Diabetes	36.9
Life Expectancy at Birth	29.0
Cognitively Disabled	60.3
Physically Disabled	57.4
Heart Attack ER Admissions	27.5
Mental Health Not Good	47.3
Chronic Kidney Disease	45.1
Obesity	33.5
Pedestrian Injuries	91.8
Physical Health Not Good	49.9
Stroke	39.4
Health Risk Behaviors	—
Binge Drinking	26.9
Current Smoker	51.2
No Leisure Time for Physical Activity	54.9
Climate Change Exposures	—
Wildfire Risk	45.4
SLR Inundation Area	0.0

Children	40.5
Elderly	74.7
English Speaking	78.9
Foreign-born	23.9
Outdoor Workers	16.6
Climate Change Adaptive Capacity	—
Impervious Surface Cover	79.3
Traffic Density	68.0
Traffic Access	23.0
Other Indices	—
Hardship	39.4
Other Decision Support	—
2016 Voting	59.4

7.3. Overall Health & Equity Scores

Metric	Result for Project Census Tract
CalEnviroScreen 4.0 Score for Project Location (a)	70.0
Healthy Places Index Score for Project Location (b)	36.0
Project Located in a Designated Disadvantaged Community (Senate Bill 535)	No
Project Located in a Low-Income Community (Assembly Bill 1550)	No
Project Located in a Community Air Protection Program Community (Assembly Bill 617)	No

a: The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.
b: The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

7.4. Health & Equity Measures

No Health & Equity Measures selected.

7.5. Evaluation Scorecard

Health & Equity Evaluation Scorecard not completed.

7.6. Health & Equity Custom Measures

No Health & Equity Custom Measures created.

8. User Changes to Default Data

Screen	Justification
Land Use	Based on client provided data in the TIA. Total Project site for Subarea B is 19.20 acres.
Construction: Construction Phases	Building Construction, Paving, and Architectural Coating overlap to present a conservative analysis. Schedule adjusted to account for 2045 OY.
Construction: Off-Road Equipment	T/L/B replaced with Crawler Tractor to accurately calculate disturbance for Site Preparation and Grading phases. Standard 8 hours work days.
Construction: Trips and VMT	Vendor Trips adjusted based on CalEEMod defaults for Building Construction and number of days for Demolition, Site Preparation, Grading, and Building Construction.
Construction: Architectural Coatings	SCAMQD Rule 1113
Operations: Vehicle Data	Trip characteristics based on information provided in the TIA Table 4.3.
Operations: Architectural Coatings	SCAQMD Rule 1113
Operations: Fleet Mix	Passenger Car Mix estimated based on CalEEMod default fleet mix and the ratio of the vehicle classes (LDA, LDT1, LDT2, MDV, MCY). Truck Fleet Mix based on 2, 3 and 4 axle trucks.
Operations: Refrigerants	Beginning 1 January 2025, all new air conditioning equipment may not use refrigerants with a GWP of 750 or greater.

This page intentionally left blank

APPENDIX 3.3:

CALEEMOD PROPOSED SUBAREA B EMISSIONS MODEL OUTPUTS

15585 - Glen Helen Specific Plan Amendment (Subarea B Proposed) Detailed Report

Table of Contents

1. Basic Project Information

1.1. Basic Project Information

1.2. Land Use Types

1.3. User-Selected Emission Reduction Measures by Emissions Sector

2. Emissions Summary

2.4. Operations Emissions Compared Against Thresholds

2.5. Operations Emissions by Sector, Unmitigated

4. Operations Emissions Details

4.1. Mobile Emissions by Land Use

4.1.1. Unmitigated

4.2. Energy

4.2.1. Electricity Emissions By Land Use - Unmitigated

4.2.3. Natural Gas Emissions By Land Use - Unmitigated

4.3. Area Emissions by Source

4.3.1. Unmitigated

4.4. Water Emissions by Land Use

4.4.1. Unmitigated

4.5. Waste Emissions by Land Use

4.5.1. Unmitigated

4.6. Refrigerant Emissions by Land Use

4.6.1. Unmitigated

4.7. Offroad Emissions By Equipment Type

4.7.1. Unmitigated

4.8. Stationary Emissions By Equipment Type

4.8.1. Unmitigated

4.9. User Defined Emissions By Equipment Type

4.9.1. Unmitigated

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

5. Activity Data

5.9. Operational Mobile Sources

5.9.1. Unmitigated

5.10. Operational Area Sources

5.10.1. Hearths

5.10.1.1. Unmitigated

5.10.2. Architectural Coatings

5.10.3. Landscape Equipment

5.11. Operational Energy Consumption

5.11.1. Unmitigated

5.12. Operational Water and Wastewater Consumption

5.12.1. Unmitigated

5.13. Operational Waste Generation

5.13.1. Unmitigated

5.14. Operational Refrigeration and Air Conditioning Equipment

5.14.1. Unmitigated

5.15. Operational Off-Road Equipment

5.15.1. Unmitigated

5.16. Stationary Sources

5.16.1. Emergency Generators and Fire Pumps

5.16.2. Process Boilers

5.17. User Defined

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

5.18.2. Sequestration

5.18.2.1. Unmitigated

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

6.2. Initial Climate Risk Scores

6.3. Adjusted Climate Risk Scores

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

7.2. Healthy Places Index Scores

7.3. Overall Health & Equity Scores

7.4. Health & Equity Measures

7.5. Evaluation Scorecard

7.6. Health & Equity Custom Measures

8. User Changes to Default Data

1. Basic Project Information

1.1. Basic Project Information

Data Field	Value
Project Name	15585 - Glen Helen Specific Plan Amendment (Subarea B Proposed)
Operational Year	2040
Lead Agency	—
Land Use Scale	Plan/community
Analysis Level for Defaults	County
Windspeed (m/s)	2.80
Precipitation (days)	6.80
Location	34.22034732518266, -117.40480592821811
County	San Bernardino-South Coast
City	Unincorporated
Air District	South Coast AQMD
Air Basin	South Coast
TAZ	5317
EDFZ	10
Electric Utility	Southern California Edison
Gas Utility	Southern California Gas
App Version	2022.1.1.22

1.2. Land Use Types

Land Use Subtype	Size	Unit	Lot Acreage	Building Area (sq ft)	Landscape Area (sq ft)	Special Landscape Area (sq ft)	Population	Description
Industrial Park	418	1000sqft	19.2	418,176	0.00	—	—	Corridor Industrial

User Defined Industrial	418	User Defined Unit	0.00	0.00	0.00	—	—	—

1.3. User-Selected Emission Reduction Measures by Emissions Sector

No measures selected

2. Emissions Summary

2.4. Operations Emissions Compared Against Thresholds

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Un/Mit.	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	8.93	16.7	28.8	72.8	0.35	0.85	24.0	24.8	0.82	6.22	7.04	465	45,426	45,891	49.2	4.46	64.8	48,514
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	5.58	13.6	29.8	47.0	0.35	0.81	24.0	24.8	0.79	6.22	7.02	465	44,510	44,975	49.2	4.48	39.8	47,578
Average Daily (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	6.33	14.4	24.7	53.1	0.30	0.66	20.9	21.5	0.63	5.42	6.05	465	39,889	40,353	49.0	3.98	48.8	42,814
Annual (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	1.16	2.63	4.51	9.69	0.06	0.12	3.81	3.93	0.12	0.99	1.10	76.9	6,604	6,681	8.11	0.66	8.08	7,088

2.5. Operations Emissions by Sector, Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Sector	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	4.27	3.04	22.8	49.6	0.33	0.43	24.0	24.4	0.41	6.22	6.64	—	35,486	35,486	1.15	3.91	25.7	36,706
Area	3.24	12.5	0.15	18.2	< 0.005	0.03	—	0.03	0.02	—	0.02	—	74.8	74.8	< 0.005	< 0.005	—	75.1
Energy	0.34	0.17	3.08	2.59	0.02	0.23	—	0.23	0.23	—	0.23	—	8,892	8,892	0.99	0.09	—	8,942
Water	—	—	—	—	—	—	—	—	—	—	—	185	470	656	19.1	0.46	—	1,269
Waste	—	—	—	—	—	—	—	—	—	—	—	279	0.00	279	27.9	0.00	—	978
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	39.1	39.1
Stationary	1.08	0.98	2.75	2.51	< 0.005	0.14	0.00	0.14	0.14	0.00	0.14	0.00	504	504	0.02	< 0.005	0.00	505
Total	8.93	16.7	28.8	72.8	0.35	0.85	24.0	24.8	0.82	6.22	7.04	465	45,426	45,891	49.2	4.46	64.8	48,514
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	4.16	2.94	24.0	41.9	0.32	0.43	24.0	24.4	0.41	6.22	6.64	—	34,644	34,644	1.15	3.93	0.67	35,844
Area	—	9.48	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Energy	0.34	0.17	3.08	2.59	0.02	0.23	—	0.23	0.23	—	0.23	—	8,892	8,892	0.99	0.09	—	8,942
Water	—	—	—	—	—	—	—	—	—	—	—	185	470	656	19.1	0.46	—	1,269
Waste	—	—	—	—	—	—	—	—	—	—	—	279	0.00	279	27.9	0.00	—	978
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	39.1	39.1
Stationary	1.08	0.98	2.75	2.51	< 0.005	0.14	0.00	0.14	0.14	0.00	0.14	0.00	504	504	0.02	< 0.005	0.00	505
Total	5.58	13.6	29.8	47.0	0.35	0.81	24.0	24.8	0.79	6.22	7.02	465	44,510	44,975	49.2	4.48	39.8	47,578
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	3.62	2.56	21.2	37.7	0.28	0.38	20.9	21.3	0.36	5.42	5.78	—	30,406	30,406	1.01	3.44	9.70	31,465
Area	2.22	11.5	0.10	12.5	< 0.005	0.02	—	0.02	0.02	—	0.02	—	51.2	51.2	< 0.005	< 0.005	—	51.4
Energy	0.34	0.17	3.08	2.59	0.02	0.23	—	0.23	0.23	—	0.23	—	8,892	8,892	0.99	0.09	—	8,942
Water	—	—	—	—	—	—	—	—	—	—	—	185	470	656	19.1	0.46	—	1,269

Waste	—	—	—	—	—	—	—	—	—	—	—	279	0.00	279	27.9	0.00	—	978
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	39.1	39.1
Stationary	0.15	0.13	0.38	0.34	< 0.005	0.02	0.00	0.02	0.02	0.00	0.02	0.00	69.0	69.0	< 0.005	< 0.005	0.00	69.2
Total	6.33	14.4	24.7	53.1	0.30	0.66	20.9	21.5	0.63	5.42	6.05	465	39,889	40,353	49.0	3.98	48.8	42,814
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	0.66	0.47	3.86	6.88	0.05	0.07	3.81	3.88	0.07	0.99	1.06	—	5,034	5,034	0.17	0.57	1.61	5,209
Area	0.40	2.10	0.02	2.27	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	8.48	8.48	< 0.005	< 0.005	—	8.51
Energy	0.06	0.03	0.56	0.47	< 0.005	0.04	—	0.04	0.04	—	0.04	—	1,472	1,472	0.16	0.01	—	1,481
Water	—	—	—	—	—	—	—	—	—	—	—	30.7	77.9	109	3.16	0.08	—	210
Waste	—	—	—	—	—	—	—	—	—	—	—	46.3	0.00	46.3	4.62	0.00	—	162
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6.47	6.47
Stationary	0.03	0.02	0.07	0.06	< 0.005	< 0.005	0.00	< 0.005	< 0.005	0.00	< 0.005	0.00	11.4	11.4	< 0.005	< 0.005	0.00	11.5
Total	1.16	2.63	4.51	9.69	0.06	0.12	3.81	3.93	0.12	0.99	1.10	76.9	6,604	6,681	8.11	0.66	8.08	7,088

4. Operations Emissions Details

4.1. Mobile Emissions by Land Use

4.1.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	2.81	2.55	1.40	38.5	0.11	0.02	12.5	12.6	0.02	3.17	3.19	—	10,859	10,859	0.23	0.19	4.49	10,927

User Defined Industrial	1.46	0.50	21.4	11.0	0.22	0.41	11.4	11.8	0.39	3.05	3.45	—	24,627	24,627	0.92	3.72	21.2	25,779
Total	4.27	3.04	22.8	49.6	0.33	0.43	24.0	24.4	0.41	6.22	6.64	—	35,486	35,486	1.15	3.91	25.7	36,706
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	2.72	2.46	1.56	30.8	0.10	0.02	12.5	12.6	0.02	3.17	3.19	—	10,008	10,008	0.24	0.21	0.12	10,076
User Defined Industrial	1.43	0.47	22.4	11.1	0.22	0.41	11.4	11.8	0.39	3.05	3.45	—	24,636	24,636	0.91	3.72	0.55	25,768
Total	4.16	2.94	24.0	41.9	0.32	0.43	24.0	24.4	0.41	6.22	6.64	—	34,644	34,644	1.15	3.93	0.67	35,844
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	0.43	0.39	0.26	5.12	0.02	< 0.005	1.99	2.00	< 0.005	0.50	0.51	—	1,468	1,468	0.03	0.03	0.28	1,478
User Defined Industrial	0.23	0.08	3.61	1.77	0.04	0.07	1.82	1.88	0.06	0.49	0.55	—	3,566	3,566	0.13	0.54	1.32	3,731
Total	0.66	0.47	3.86	6.88	0.05	0.07	3.81	3.88	0.07	0.99	1.06	—	5,034	5,034	0.17	0.57	1.61	5,209

4.2. Energy

4.2.1. Electricity Emissions By Land Use - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	—	—	—	—	—	—	—	—	—	—	—	—	5,214	5,214	0.66	0.08	—	5,255

User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	5,214	5,214	0.66	0.08	—	5,255
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	—	—	—	—	—	—	—	—	—	—	—	—	5,214	5,214	0.66	0.08	—	5,255
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	5,214	5,214	0.66	0.08	—	5,255
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	—	—	—	—	—	—	—	—	—	—	—	—	863	863	0.11	0.01	—	870
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	863	863	0.11	0.01	—	870

4.2.3. Natural Gas Emissions By Land Use - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	0.34	0.17	3.08	2.59	0.02	0.23	—	0.23	0.23	—	0.23	—	3,677	3,677	0.33	0.01	—	3,688
User Defined Industrial	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00

Total	0.34	0.17	3.08	2.59	0.02	0.23	—	0.23	0.23	—	0.23	—	3,677	3,677	0.33	0.01	—	3,688
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	0.34	0.17	3.08	2.59	0.02	0.23	—	0.23	0.23	—	0.23	—	3,677	3,677	0.33	0.01	—	3,688
User Defined Industrial	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.34	0.17	3.08	2.59	0.02	0.23	—	0.23	0.23	—	0.23	—	3,677	3,677	0.33	0.01	—	3,688
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	0.06	0.03	0.56	0.47	< 0.005	0.04	—	0.04	0.04	—	0.04	—	609	609	0.05	< 0.005	—	611
User Defined Industrial	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.06	0.03	0.56	0.47	< 0.005	0.04	—	0.04	0.04	—	0.04	—	609	609	0.05	< 0.005	—	611

4.3. Area Emissions by Source

4.3.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Source	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	—	8.95	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	—	0.53	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Landscape	3.24	2.99	0.15	18.2	< 0.005	0.03	—	0.03	0.02	—	0.02	—	74.8	74.8	< 0.005	< 0.005	—	75.1
Total	3.24	12.5	0.15	18.2	< 0.005	0.03	—	0.03	0.02	—	0.02	—	74.8	74.8	< 0.005	< 0.005	—	75.1
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	—	8.95	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	—	0.53	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	9.48	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	—	1.63	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	—	0.10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Landscape Equipment	0.40	0.37	0.02	2.27	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	8.48	8.48	< 0.005	< 0.005	—	8.51
Total	0.40	2.10	0.02	2.27	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	8.48	8.48	< 0.005	< 0.005	—	8.51

4.4. Water Emissions by Land Use

4.4.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	—	—	—	—	—	—	—	—	—	—	—	185	470	656	19.1	0.46	—	1,269
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	185	470	656	19.1	0.46	—	1,269
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	—	—	—	—	—	—	—	—	—	—	—	185	470	656	19.1	0.46	—	1,269
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	185	470	656	19.1	0.46	—	1,269
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	—	—	—	—	—	—	—	—	—	—	—	30.7	77.9	109	3.16	0.08	—	210
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	30.7	77.9	109	3.16	0.08	—	210

4.5. Waste Emissions by Land Use

4.5.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	—	—	—	—	—	—	—	—	—	—	—	279	0.00	279	27.9	0.00	—	978
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	279	0.00	279	27.9	0.00	—	978
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	—	—	—	—	—	—	—	—	—	—	—	279	0.00	279	27.9	0.00	—	978
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	279	0.00	279	27.9	0.00	—	978
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	—	—	—	—	—	—	—	—	—	—	—	46.3	0.00	46.3	4.62	0.00	—	162
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	46.3	0.00	46.3	4.62	0.00	—	162

4.6. Refrigerant Emissions by Land Use

4.6.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	39.1	39.1
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	39.1	39.1
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	39.1	39.1
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	39.1	39.1
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6.47	6.47
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6.47	6.47

4.7. Offroad Emissions By Equipment Type

4.7.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.8. Stationary Emissions By Equipment Type

4.8.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fire Pump	1.08	0.98	2.75	2.51	< 0.005	0.14	0.00	0.14	0.14	0.00	0.14	0.00	504	504	0.02	< 0.005	0.00	505
Total	1.08	0.98	2.75	2.51	< 0.005	0.14	0.00	0.14	0.14	0.00	0.14	0.00	504	504	0.02	< 0.005	0.00	505
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fire Pump	1.08	0.98	2.75	2.51	< 0.005	0.14	0.00	0.14	0.14	0.00	0.14	0.00	504	504	0.02	< 0.005	0.00	505
Total	1.08	0.98	2.75	2.51	< 0.005	0.14	0.00	0.14	0.14	0.00	0.14	0.00	504	504	0.02	< 0.005	0.00	505
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fire Pump	0.03	0.02	0.07	0.06	< 0.005	< 0.005	0.00	< 0.005	< 0.005	0.00	< 0.005	0.00	11.4	11.4	< 0.005	< 0.005	0.00	11.5
Total	0.03	0.02	0.07	0.06	< 0.005	< 0.005	0.00	< 0.005	< 0.005	0.00	< 0.005	0.00	11.4	11.4	< 0.005	< 0.005	0.00	11.5

4.9. User Defined Emissions By Equipment Type

4.9.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipme Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Vegetatio n	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Species	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

5. Activity Data

5.9. Operational Mobile Sources

5.9.1. Unmitigated

Land Use Type	Trips/Weekday	Trips/Saturday	Trips/Sunday	Trips/Year	VMT/Weekday	VMT/Saturday	VMT/Sunday	VMT/Year
Industrial Park	972	732	358	310,196	17,993	13,556	6,619	5,742,931

User Defined Industrial	438	330	161	139,748	13,104	9,875	4,819	4,182,644

5.10. Operational Area Sources

5.10.1. Hearths

5.10.1.1. Unmitigated

5.10.2. Architectural Coatings

Residential Interior Area Coated (sq ft)	Residential Exterior Area Coated (sq ft)	Non-Residential Interior Area Coated (sq ft)	Non-Residential Exterior Area Coated (sq ft)	Parking Area Coated (sq ft)
0	0.00	627,264	209,088	—

5.10.3. Landscape Equipment

Season	Unit	Value
Snow Days	day/yr	0.00
Summer Days	day/yr	250

5.11. Operational Energy Consumption

5.11.1. Unmitigated

Electricity (kWh/yr) and CO2 and CH4 and N2O and Natural Gas (kBTU/yr)

Land Use	Electricity (kWh/yr)	CO2	CH4	N2O	Natural Gas (kBTU/yr)
Industrial Park	7,297,960	261	0.0330	0.0040	11,474,757
User Defined Industrial	0.00	261	0.0330	0.0040	0.00

5.12. Operational Water and Wastewater Consumption

5.12.1. Unmitigated

Land Use	Indoor Water (gal/year)	Outdoor Water (gal/year)
Industrial Park	96,703,200	0.00
User Defined Industrial	0.00	0.00

5.13. Operational Waste Generation

5.13.1. Unmitigated

Land Use	Waste (ton/year)	Cogeneration (kWh/year)
Industrial Park	519	—
User Defined Industrial	0.00	—

5.14. Operational Refrigeration and Air Conditioning Equipment

5.14.1. Unmitigated

Land Use Type	Equipment Type	Refrigerant	GWP	Quantity (kg)	Operations Leak Rate	Service Leak Rate	Times Serviced
Industrial Park	Other commercial A/C and heat pumps	User Defined	750	0.30	4.00	4.00	18.0

5.15. Operational Off-Road Equipment

5.15.1. Unmitigated

Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor

5.16. Stationary Sources

5.16.1. Emergency Generators and Fire Pumps

Equipment Type	Fuel Type	Number per Day	Hours per Day	Hours per Year	Horsepower	Load Factor
Fire Pump	Diesel	1.00	1.00	50.0	300	0.73

5.16.2. Process Boilers

Equipment Type	Fuel Type	Number	Boiler Rating (MMBtu/hr)	Daily Heat Input (MMBtu/day)	Annual Heat Input (MMBtu/yr)

5.17. User Defined

Equipment Type	Fuel Type

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

Vegetation Land Use Type	Vegetation Soil Type	Initial Acres	Final Acres

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

Biomass Cover Type	Initial Acres	Final Acres

5.18.2. Sequestration

5.18.2.1. Unmitigated

Tree Type	Number	Electricity Saved (kWh/year)	Natural Gas Saved (btu/year)

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

Cal-Adapt midcentury 2040–2059 average projections for four hazards are reported below for your project location. These are under Representation Concentration Pathway (RCP) 8.5 which assumes GHG emissions will continue to rise strongly through 2050 and then plateau around 2100.

Climate Hazard	Result for Project Location	Unit
Temperature and Extreme Heat	27.9	annual days of extreme heat
Extreme Precipitation	12.0	annual days with precipitation above 20 mm
Sea Level Rise	—	meters of inundation depth
Wildfire	21.2	annual hectares burned

Temperature and Extreme Heat data are for grid cell in which your project are located. The projection is based on the 98th historical percentile of daily maximum/minimum temperatures from observed historical data (32 climate model ensemble from Cal-Adapt, 2040–2059 average under RCP 8.5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Extreme Precipitation data are for the grid cell in which your project are located. The threshold of 20 mm is equivalent to about $\frac{3}{4}$ an inch of rain, which would be light to moderate rainfall if received over a full day or heavy rain if received over a period of 2 to 4 hours. Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Sea Level Rise data are for the grid cell in which your project are located. The projections are from Radke et al. (2017), as reported in Cal-Adapt (Radke et al., 2017, CEC-500-2017-008), and consider inundation location and depth for the San Francisco Bay, the Sacramento-San Joaquin River Delta and California coast resulting different increments of sea level rise coupled with extreme storm events. Users may select from four scenarios to view the range in potential inundation depth for the grid cell. The four scenarios are: No rise, 0.5 meter, 1.0 meter, 1.41 meters

Wildfire data are for the grid cell in which your project are located. The projections are from UC Davis, as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider historical data of climate, vegetation, population density, and large (> 400 ha) fire history. Users may select from four model simulations to view the range in potential wildfire probabilities for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

6.2. Initial Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	3	0	0	N/A
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	0	0	N/A
Wildfire	1	0	0	N/A
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A

Air Quality Degradation	0	0	0	N/A

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores do not include implementation of climate risk reduction measures.

6.3. Adjusted Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	3	1	1	3
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	1	1	2
Wildfire	1	1	1	2
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	1	1	1	2

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores include implementation of climate risk reduction measures.

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Exposure Indicators	—

AQ-Ozone	99.1
AQ-PM	60.9
AQ-DPM	67.4
Drinking Water	96.3
Lead Risk Housing	8.87
Pesticides	0.00
Toxic Releases	58.6
Traffic	72.8
Effect Indicators	—
CleanUp Sites	94.1
Groundwater	68.6
Haz Waste Facilities/Generators	63.6
Impaired Water Bodies	0.00
Solid Waste	75.7
Sensitive Population	—
Asthma	56.5
Cardio-vascular	74.7
Low Birth Weights	44.5
Socioeconomic Factor Indicators	—
Education	61.1
Housing	0.94
Linguistic	36.0
Poverty	19.4
Unemployment	83.2

7.2. Healthy Places Index Scores

The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Economic	—
Above Poverty	84.02412421
Employed	1.591171564
Median HI	79.9563711
Education	—
Bachelor's or higher	28.85923264
High school enrollment	17.31040678
Preschool enrollment	36.78942641
Transportation	—
Auto Access	72.44963429
Active commuting	7.917361735
Social	—
2-parent households	44.74528423
Voting	49.54446298
Neighborhood	—
Alcohol availability	75.52932119
Park access	7.04478378
Retail density	9.457205184
Supermarket access	35.77569614
Tree canopy	15.46259464
Housing	—
Homeownership	91.76183755
Housing habitability	92.04414218
Low-inc homeowner severe housing cost burden	90.09367381
Low-inc renter severe housing cost burden	81.05992557
Uncrowded housing	69.47260362

Health Outcomes	—
Insured adults	52.11086873
Arthritis	41.4
Asthma ER Admissions	28.5
High Blood Pressure	35.9
Cancer (excluding skin)	49.7
Asthma	32.2
Coronary Heart Disease	57.7
Chronic Obstructive Pulmonary Disease	56.7
Diagnosed Diabetes	36.9
Life Expectancy at Birth	29.0
Cognitively Disabled	60.3
Physically Disabled	57.4
Heart Attack ER Admissions	27.5
Mental Health Not Good	47.3
Chronic Kidney Disease	45.1
Obesity	33.5
Pedestrian Injuries	91.8
Physical Health Not Good	49.9
Stroke	39.4
Health Risk Behaviors	—
Binge Drinking	26.9
Current Smoker	51.2
No Leisure Time for Physical Activity	54.9
Climate Change Exposures	—
Wildfire Risk	45.4
SLR Inundation Area	0.0

Children	40.5
Elderly	74.7
English Speaking	78.9
Foreign-born	23.9
Outdoor Workers	16.6
Climate Change Adaptive Capacity	—
Impervious Surface Cover	79.3
Traffic Density	68.0
Traffic Access	23.0
Other Indices	—
Hardship	39.4
Other Decision Support	—
2016 Voting	59.4

7.3. Overall Health & Equity Scores

Metric	Result for Project Census Tract
CalEnviroScreen 4.0 Score for Project Location (a)	70.0
Healthy Places Index Score for Project Location (b)	36.0
Project Located in a Designated Disadvantaged Community (Senate Bill 535)	No
Project Located in a Low-Income Community (Assembly Bill 1550)	No
Project Located in a Community Air Protection Program Community (Assembly Bill 617)	No

a: The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

b: The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

7.4. Health & Equity Measures

No Health & Equity Measures selected.

7.5. Evaluation Scorecard

Health & Equity Evaluation Scorecard not completed.

7.6. Health & Equity Custom Measures

No Health & Equity Custom Measures created.

8. User Changes to Default Data

Screen	Justification
Land Use	Based on client provided data in the TIA. Total Project site for Subarea B is 19.20 acres.
Construction: Construction Phases	Building Construction, Paving, and Architectural Coating overlap to present a conservative analysis. Schedule adjusted to account for 2045 OY.
Construction: Off-Road Equipment	T/L/B replaced with Crawler Tractor to accurately calculate disturbance for Site Preparation and Grading phases. Standard 8 hours work days.
Construction: Trips and VMT	Vendor Trips adjusted based on CalEEMod defaults for Building Construction and number of days for Demolition, Site Preparation, Grading, and Building Construction.
Construction: Architectural Coatings	SCAMQD Rule 1113
Operations: Vehicle Data	Trip characteristics based on information provided in the TIA Table 4.3.
Operations: Architectural Coatings	SCAQMD Rule 1113
Operations: Fleet Mix	Passenger Car Mix estimated based on CalEEMod default fleet mix and the ratio of the vehicle classes (LDA, LDT1, LDT2, MDV, MCY). Truck Fleet Mix based on 2, 3 and 4 axle trucks.
Operations: Refrigerants	Beginning 1 January 2025, all new air conditioning equipment may not use refrigerants with a GWP of 750 or greater.

This page intentionally left blank

APPENDIX 3.4:

CALEEMOD PROPOSED SUBAREA C EMISSIONS MODEL OUTPUTS

15585 - Glen Helen Specific Plan Amendment (Subarea C Proposed) Detailed Report

Table of Contents

1. Basic Project Information

1.1. Basic Project Information

1.2. Land Use Types

1.3. User-Selected Emission Reduction Measures by Emissions Sector

2. Emissions Summary

2.4. Operations Emissions Compared Against Thresholds

2.5. Operations Emissions by Sector, Unmitigated

4. Operations Emissions Details

4.1. Mobile Emissions by Land Use

4.1.1. Unmitigated

4.2. Energy

4.2.1. Electricity Emissions By Land Use - Unmitigated

4.2.3. Natural Gas Emissions By Land Use - Unmitigated

4.3. Area Emissions by Source

4.3.1. Unmitigated

4.4. Water Emissions by Land Use

4.4.1. Unmitigated

4.5. Waste Emissions by Land Use

4.5.1. Unmitigated

4.6. Refrigerant Emissions by Land Use

4.6.1. Unmitigated

4.7. Offroad Emissions By Equipment Type

4.7.1. Unmitigated

4.8. Stationary Emissions By Equipment Type

4.8.1. Unmitigated

4.9. User Defined Emissions By Equipment Type

4.9.1. Unmitigated

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

5. Activity Data

5.9. Operational Mobile Sources

5.9.1. Unmitigated

5.10. Operational Area Sources

5.10.1. Hearths

5.10.1.1. Unmitigated

5.10.2. Architectural Coatings

5.10.3. Landscape Equipment

5.11. Operational Energy Consumption

5.11.1. Unmitigated

5.12. Operational Water and Wastewater Consumption

5.12.1. Unmitigated

5.13. Operational Waste Generation

5.13.1. Unmitigated

5.14. Operational Refrigeration and Air Conditioning Equipment

5.14.1. Unmitigated

5.15. Operational Off-Road Equipment

5.15.1. Unmitigated

5.16. Stationary Sources

5.16.1. Emergency Generators and Fire Pumps

5.16.2. Process Boilers

5.17. User Defined

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

5.18.2. Sequestration

5.18.2.1. Unmitigated

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

6.2. Initial Climate Risk Scores

6.3. Adjusted Climate Risk Scores

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

7.2. Healthy Places Index Scores

7.3. Overall Health & Equity Scores

7.4. Health & Equity Measures

7.5. Evaluation Scorecard

7.6. Health & Equity Custom Measures

8. User Changes to Default Data

1. Basic Project Information

1.1. Basic Project Information

Data Field	Value
Project Name	15585 - Glen Helen Specific Plan Amendment (Subarea C Proposed)
Operational Year	2040
Lead Agency	—
Land Use Scale	Plan/community
Analysis Level for Defaults	County
Windspeed (m/s)	2.80
Precipitation (days)	6.80
Location	34.201826619012024, -117.41783967431053
County	San Bernardino-South Coast
City	Unincorporated
Air District	South Coast AQMD
Air Basin	South Coast
TAZ	5317
EDFZ	10
Electric Utility	Southern California Edison
Gas Utility	Southern California Gas
App Version	2022.1.1.22

1.2. Land Use Types

Land Use Subtype	Size	Unit	Lot Acreage	Building Area (sq ft)	Landscape Area (sq ft)	Special Landscape Area (sq ft)	Population	Description
Industrial Park	1,335	1000sqft	61.3	1,335,114	0.00	—	—	Corridor Industrial

User Defined Industrial	1,335	User Defined Unit	0.00	0.00	0.00	—	—	—

1.3. User-Selected Emission Reduction Measures by Emissions Sector

No measures selected

2. Emissions Summary

2.4. Operations Emissions Compared Against Thresholds

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Un/Mit.	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	26.1	51.0	85.9	226	1.12	2.38	76.0	78.4	2.29	19.7	22.0	1,484	143,427	144,911	157	14.2	207	153,273
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	15.4	41.1	89.1	144	1.09	2.28	76.0	78.3	2.21	19.7	22.0	1,484	140,529	142,013	157	14.3	127	150,310
Average Daily (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	19.9	45.6	77.9	168	0.96	2.05	66.2	68.3	1.97	17.2	19.2	1,484	126,789	128,272	156	12.7	156	136,121
Annual (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	3.62	8.33	14.2	30.6	0.18	0.37	12.1	12.5	0.36	3.14	3.50	246	20,991	21,237	25.9	2.10	25.8	22,536

2.5. Operations Emissions by Sector, Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Sector	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	13.6	9.69	72.8	157	1.05	1.38	76.0	77.4	1.32	19.7	21.1	—	112,794	112,794	3.66	12.5	81.7	116,680
Area	10.3	39.8	0.49	58.1	< 0.005	0.10	—	0.10	0.08	—	0.08	—	239	239	0.01	< 0.005	—	240
Energy	1.08	0.54	9.84	8.27	0.06	0.75	—	0.75	0.75	—	0.75	—	28,389	28,389	3.15	0.28	—	28,550
Water	—	—	—	—	—	—	—	—	—	—	—	592	1,502	2,093	60.9	1.46	—	4,051
Waste	—	—	—	—	—	—	—	—	—	—	—	892	0.00	892	89.2	0.00	—	3,122
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	125	125
Stationary	1.08	0.98	2.75	2.51	< 0.005	0.14	0.00	0.14	0.14	0.00	0.14	0.00	504	504	0.02	< 0.005	0.00	505
Total	26.1	51.0	85.9	226	1.12	2.38	76.0	78.4	2.29	19.7	22.0	1,484	143,427	144,911	157	14.2	207	153,273
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	13.2	9.35	76.5	133	1.02	1.38	76.0	77.4	1.32	19.7	21.1	—	110,135	110,135	3.68	12.5	2.12	113,957
Area	—	30.3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Energy	1.08	0.54	9.84	8.27	0.06	0.75	—	0.75	0.75	—	0.75	—	28,389	28,389	3.15	0.28	—	28,550
Water	—	—	—	—	—	—	—	—	—	—	—	592	1,502	2,093	60.9	1.46	—	4,051
Waste	—	—	—	—	—	—	—	—	—	—	—	892	0.00	892	89.2	0.00	—	3,122
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	125	125
Stationary	1.08	0.98	2.75	2.51	< 0.005	0.14	0.00	0.14	0.14	0.00	0.14	0.00	504	504	0.02	< 0.005	0.00	505
Total	15.4	41.1	89.1	144	1.09	2.28	76.0	78.3	2.21	19.7	22.0	1,484	140,529	142,013	157	14.3	127	150,310
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	11.5	8.14	67.4	120	0.90	1.21	66.2	67.4	1.15	17.2	18.4	—	96,665	96,665	3.22	10.9	30.9	100,040
Area	7.08	36.8	0.33	39.8	< 0.005	0.07	—	0.07	0.05	—	0.05	—	164	164	0.01	< 0.005	—	164
Energy	1.08	0.54	9.84	8.27	0.06	0.75	—	0.75	0.75	—	0.75	—	28,389	28,389	3.15	0.28	—	28,550
Water	—	—	—	—	—	—	—	—	—	—	—	592	1,502	2,093	60.9	1.46	—	4,051

Waste	—	—	—	—	—	—	—	—	—	—	—	892	0.00	892	89.2	0.00	—	3,122
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	125	125
Stationary	0.15	0.13	0.38	0.34	< 0.005	0.02	0.00	0.02	0.02	0.00	0.02	0.00	69.0	69.0	< 0.005	< 0.005	0.00	69.2
Total	19.9	45.6	77.9	168	0.96	2.05	66.2	68.3	1.97	17.2	19.2	1,484	126,789	128,272	156	12.7	156	136,121
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	2.11	1.49	12.3	21.8	0.16	0.22	12.1	12.3	0.21	3.14	3.35	—	16,004	16,004	0.53	1.81	5.11	16,563
Area	1.29	6.72	0.06	7.26	< 0.005	0.01	—	0.01	0.01	—	0.01	—	27.1	27.1	< 0.005	< 0.005	—	27.2
Energy	0.20	0.10	1.80	1.51	0.01	0.14	—	0.14	0.14	—	0.14	—	4,700	4,700	0.52	0.05	—	4,727
Water	—	—	—	—	—	—	—	—	—	—	—	98.0	249	347	10.1	0.24	—	671
Waste	—	—	—	—	—	—	—	—	—	—	—	148	0.00	148	14.8	0.00	—	517
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	20.7	20.7
Stationary	0.03	0.02	0.07	0.06	< 0.005	< 0.005	0.00	< 0.005	< 0.005	0.00	< 0.005	0.00	11.4	11.4	< 0.005	< 0.005	0.00	11.5
Total	3.62	8.33	14.2	30.6	0.18	0.37	12.1	12.5	0.36	3.14	3.50	246	20,991	21,237	25.9	2.10	25.8	22,536

4. Operations Emissions Details

4.1. Mobile Emissions by Land Use

4.1.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	8.95	8.11	4.45	122	0.34	0.08	39.7	39.7	0.07	10.0	10.1	—	34,327	34,327	0.74	0.61	14.2	34,542

User Defined Industrial	4.65	1.58	68.3	35.2	0.71	1.30	36.4	37.7	1.25	9.73	11.0	—	78,468	78,468	2.92	11.8	67.5	82,138
Total	13.6	9.69	72.8	157	1.05	1.38	76.0	77.4	1.32	19.7	21.1	—	112,794	112,794	3.66	12.5	81.7	116,680
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	8.67	7.84	4.93	97.4	0.31	0.08	39.7	39.7	0.07	10.0	10.1	—	31,636	31,636	0.76	0.66	0.37	31,852
User Defined Industrial	4.56	1.50	71.5	35.4	0.71	1.30	36.4	37.7	1.25	9.73	11.0	—	78,499	78,499	2.91	11.9	1.75	82,106
Total	13.2	9.35	76.5	133	1.02	1.38	76.0	77.4	1.32	19.7	21.1	—	110,135	110,135	3.68	12.5	2.12	113,957
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	1.37	1.24	0.81	16.2	0.05	0.01	6.30	6.31	0.01	1.59	1.60	—	4,641	4,641	0.11	0.10	0.89	4,674
User Defined Industrial	0.74	0.25	11.5	5.63	0.11	0.21	5.78	5.99	0.20	1.55	1.75	—	11,363	11,363	0.42	1.72	4.22	11,889
Total	2.11	1.49	12.3	21.8	0.16	0.22	12.1	12.3	0.21	3.14	3.35	—	16,004	16,004	0.53	1.81	5.11	16,563

4.2. Energy

4.2.1. Electricity Emissions By Land Use - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	—	—	—	—	—	—	—	—	—	—	—	—	16,648	16,648	2.11	0.26	—	16,777

User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	16,648	16,648	2.11	0.26	—	16,777
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	—	—	—	—	—	—	—	—	—	—	—	—	16,648	16,648	2.11	0.26	—	16,777
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	16,648	16,648	2.11	0.26	—	16,777
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	—	—	—	—	—	—	—	—	—	—	—	—	2,756	2,756	0.35	0.04	—	2,778
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	2,756	2,756	0.35	0.04	—	2,778

4.2.3. Natural Gas Emissions By Land Use - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	1.08	0.54	9.84	8.27	0.06	0.75	—	0.75	0.75	—	0.75	—	11,741	11,741	1.04	0.02	—	11,774
User Defined Industrial	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00

Total	1.08	0.54	9.84	8.27	0.06	0.75	—	0.75	0.75	—	0.75	—	11,741	11,741	1.04	0.02	—	11,774
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	1.08	0.54	9.84	8.27	0.06	0.75	—	0.75	0.75	—	0.75	—	11,741	11,741	1.04	0.02	—	11,774
User Defined Industrial	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	1.08	0.54	9.84	8.27	0.06	0.75	—	0.75	0.75	—	0.75	—	11,741	11,741	1.04	0.02	—	11,774
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	0.20	0.10	1.80	1.51	0.01	0.14	—	0.14	0.14	—	0.14	—	1,944	1,944	0.17	< 0.005	—	1,949
User Defined Industrial	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.20	0.10	1.80	1.51	0.01	0.14	—	0.14	0.14	—	0.14	—	1,944	1,944	0.17	< 0.005	—	1,949

4.3. Area Emissions by Source

4.3.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Source	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	—	28.6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	—	1.70	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Landscape	10.3	9.54	0.49	58.1	< 0.005	0.10	—	0.10	0.08	—	0.08	—	239	239	0.01	< 0.005	—	240
Total	10.3	39.8	0.49	58.1	< 0.005	0.10	—	0.10	0.08	—	0.08	—	239	239	0.01	< 0.005	—	240
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	—	28.6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	—	1.70	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	30.3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	—	5.21	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	—	0.31	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Landscape Equipment	1.29	1.19	0.06	7.26	< 0.005	0.01	—	0.01	0.01	—	0.01	—	27.1	27.1	< 0.005	< 0.005	—	27.2
Total	1.29	6.72	0.06	7.26	< 0.005	0.01	—	0.01	0.01	—	0.01	—	27.1	27.1	< 0.005	< 0.005	—	27.2

4.4. Water Emissions by Land Use

4.4.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	—	—	—	—	—	—	—	—	—	—	—	592	1,502	2,093	60.9	1.46	—	4,051
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	592	1,502	2,093	60.9	1.46	—	4,051
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	—	—	—	—	—	—	—	—	—	—	—	592	1,502	2,093	60.9	1.46	—	4,051
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	592	1,502	2,093	60.9	1.46	—	4,051
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	—	—	—	—	—	—	—	—	—	—	—	98.0	249	347	10.1	0.24	—	671
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	98.0	249	347	10.1	0.24	—	671

4.5. Waste Emissions by Land Use

4.5.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	—	—	—	—	—	—	—	—	—	—	—	892	0.00	892	89.2	0.00	—	3,122
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	892	0.00	892	89.2	0.00	—	3,122
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	—	—	—	—	—	—	—	—	—	—	—	892	0.00	892	89.2	0.00	—	3,122
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	892	0.00	892	89.2	0.00	—	3,122
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	—	—	—	—	—	—	—	—	—	—	—	148	0.00	148	14.8	0.00	—	517
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	148	0.00	148	14.8	0.00	—	517

4.6. Refrigerant Emissions by Land Use

4.6.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	125	125
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	125	125
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	125	125
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	125	125
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	20.7	20.7
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	20.7	20.7

4.7. Offroad Emissions By Equipment Type

4.7.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.8. Stationary Emissions By Equipment Type

4.8.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fire Pump	1.08	0.98	2.75	2.51	< 0.005	0.14	0.00	0.14	0.14	0.00	0.14	0.00	504	504	0.02	< 0.005	0.00	505
Total	1.08	0.98	2.75	2.51	< 0.005	0.14	0.00	0.14	0.14	0.00	0.14	0.00	504	504	0.02	< 0.005	0.00	505
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fire Pump	1.08	0.98	2.75	2.51	< 0.005	0.14	0.00	0.14	0.14	0.00	0.14	0.00	504	504	0.02	< 0.005	0.00	505
Total	1.08	0.98	2.75	2.51	< 0.005	0.14	0.00	0.14	0.14	0.00	0.14	0.00	504	504	0.02	< 0.005	0.00	505
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fire Pump	0.03	0.02	0.07	0.06	< 0.005	< 0.005	0.00	< 0.005	< 0.005	0.00	< 0.005	0.00	11.4	11.4	< 0.005	< 0.005	0.00	11.5
Total	0.03	0.02	0.07	0.06	< 0.005	< 0.005	0.00	< 0.005	< 0.005	0.00	< 0.005	0.00	11.4	11.4	< 0.005	< 0.005	0.00	11.5

4.9. User Defined Emissions By Equipment Type

4.9.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipme Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Vegetatio n	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Species	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequest ered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Remove d	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequest ered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Remove d	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

5. Activity Data

5.9. Operational Mobile Sources

5.9.1. Unmitigated

Land Use Type	Trips/Weekday	Trips/Saturday	Trips/Sunday	Trips/Year	VMT/Weekday	VMT/Saturday	VMT/Sunday	VMT/Year
Industrial Park	3,105	2,340	1,143	991,272	56,868	42,859	20,928	18,152,475

User Defined Industrial	1,394	1,051	513	444,920	41,746	31,470	15,355	13,325,356

5.10. Operational Area Sources

5.10.1. Hearths

5.10.1.1. Unmitigated

5.10.2. Architectural Coatings

Residential Interior Area Coated (sq ft)	Residential Exterior Area Coated (sq ft)	Non-Residential Interior Area Coated (sq ft)	Non-Residential Exterior Area Coated (sq ft)	Parking Area Coated (sq ft)
0	0.00	2,002,671	667,557	—

5.10.3. Landscape Equipment

Season	Unit	Value
Snow Days	day/yr	0.00
Summer Days	day/yr	250

5.11. Operational Energy Consumption

5.11.1. Unmitigated

Electricity (kWh/yr) and CO2 and CH4 and N2O and Natural Gas (kBTU/yr)

Land Use	Electricity (kWh/yr)	CO2	CH4	N2O	Natural Gas (kBTU/yr)
Industrial Park	23,300,259	261	0.0330	0.0040	36,635,551
User Defined Industrial	0.00	261	0.0330	0.0040	0.00

5.12. Operational Water and Wastewater Consumption

5.12.1. Unmitigated

Land Use	Indoor Water (gal/year)	Outdoor Water (gal/year)
Industrial Park	308,745,113	0.00
User Defined Industrial	0.00	0.00

5.13. Operational Waste Generation

5.13.1. Unmitigated

Land Use	Waste (ton/year)	Cogeneration (kWh/year)
Industrial Park	1,656	—
User Defined Industrial	0.00	—

5.14. Operational Refrigeration and Air Conditioning Equipment

5.14.1. Unmitigated

Land Use Type	Equipment Type	Refrigerant	GWP	Quantity (kg)	Operations Leak Rate	Service Leak Rate	Times Serviced
Industrial Park	Other commercial A/C and heat pumps	User Defined	750	0.30	4.00	4.00	18.0

5.15. Operational Off-Road Equipment

5.15.1. Unmitigated

Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor

5.16. Stationary Sources

5.16.1. Emergency Generators and Fire Pumps

Equipment Type	Fuel Type	Number per Day	Hours per Day	Hours per Year	Horsepower	Load Factor
Fire Pump	Diesel	1.00	1.00	50.0	300	0.73

5.16.2. Process Boilers

Equipment Type	Fuel Type	Number	Boiler Rating (MMBtu/hr)	Daily Heat Input (MMBtu/day)	Annual Heat Input (MMBtu/yr)

5.17. User Defined

Equipment Type	Fuel Type

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

Vegetation Land Use Type	Vegetation Soil Type	Initial Acres	Final Acres

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

Biomass Cover Type	Initial Acres	Final Acres

5.18.2. Sequestration

5.18.2.1. Unmitigated

Tree Type	Number	Electricity Saved (kWh/year)	Natural Gas Saved (btu/year)

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

Cal-Adapt midcentury 2040–2059 average projections for four hazards are reported below for your project location. These are under Representation Concentration Pathway (RCP) 8.5 which assumes GHG emissions will continue to rise strongly through 2050 and then plateau around 2100.

Climate Hazard	Result for Project Location	Unit
Temperature and Extreme Heat	27.9	annual days of extreme heat
Extreme Precipitation	12.0	annual days with precipitation above 20 mm
Sea Level Rise	—	meters of inundation depth
Wildfire	21.2	annual hectares burned

Temperature and Extreme Heat data are for grid cell in which your project are located. The projection is based on the 98th historical percentile of daily maximum/minimum temperatures from observed historical data (32 climate model ensemble from Cal-Adapt, 2040–2059 average under RCP 8.5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Extreme Precipitation data are for the grid cell in which your project are located. The threshold of 20 mm is equivalent to about $\frac{3}{4}$ an inch of rain, which would be light to moderate rainfall if received over a full day or heavy rain if received over a period of 2 to 4 hours. Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Sea Level Rise data are for the grid cell in which your project are located. The projections are from Radke et al. (2017), as reported in Cal-Adapt (Radke et al., 2017, CEC-500-2017-008), and consider inundation location and depth for the San Francisco Bay, the Sacramento-San Joaquin River Delta and California coast resulting different increments of sea level rise coupled with extreme storm events.

Users may select from four scenarios to view the range in potential inundation depth for the grid cell. The four scenarios are: No rise, 0.5 meter, 1.0 meter, 1.41 meters

Wildfire data are for the grid cell in which your project are located. The projections are from UC Davis, as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider historical data of climate, vegetation, population density, and large (> 400 ha) fire history. Users may select from four model simulations to view the range in potential wildfire probabilities for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

6.2. Initial Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	3	0	0	N/A
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	0	0	N/A
Wildfire	1	0	0	N/A
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A

Air Quality Degradation	0	0	0	N/A

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores do not include implementation of climate risk reduction measures.

6.3. Adjusted Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	3	1	1	3
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	1	1	2
Wildfire	1	1	1	2
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	1	1	1	2

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores include implementation of climate risk reduction measures.

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Exposure Indicators	—

AQ-Ozone	99.1
AQ-PM	60.9
AQ-DPM	67.4
Drinking Water	96.3
Lead Risk Housing	8.87
Pesticides	0.00
Toxic Releases	58.6
Traffic	72.8
Effect Indicators	—
CleanUp Sites	94.1
Groundwater	68.6
Haz Waste Facilities/Generators	63.6
Impaired Water Bodies	0.00
Solid Waste	75.7
Sensitive Population	—
Asthma	56.5
Cardio-vascular	74.7
Low Birth Weights	44.5
Socioeconomic Factor Indicators	—
Education	61.1
Housing	0.94
Linguistic	36.0
Poverty	19.4
Unemployment	83.2

7.2. Healthy Places Index Scores

The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Economic	—
Above Poverty	84.02412421
Employed	1.591171564
Median HI	79.9563711
Education	—
Bachelor's or higher	28.85923264
High school enrollment	17.31040678
Preschool enrollment	36.78942641
Transportation	—
Auto Access	72.44963429
Active commuting	7.917361735
Social	—
2-parent households	44.74528423
Voting	49.54446298
Neighborhood	—
Alcohol availability	75.52932119
Park access	7.04478378
Retail density	9.457205184
Supermarket access	35.77569614
Tree canopy	15.46259464
Housing	—
Homeownership	91.76183755
Housing habitability	92.04414218
Low-inc homeowner severe housing cost burden	90.09367381
Low-inc renter severe housing cost burden	81.05992557
Uncrowded housing	69.47260362

Health Outcomes	—
Insured adults	52.11086873
Arthritis	41.4
Asthma ER Admissions	28.5
High Blood Pressure	35.9
Cancer (excluding skin)	49.7
Asthma	32.2
Coronary Heart Disease	57.7
Chronic Obstructive Pulmonary Disease	56.7
Diagnosed Diabetes	36.9
Life Expectancy at Birth	29.0
Cognitively Disabled	60.3
Physically Disabled	57.4
Heart Attack ER Admissions	27.5
Mental Health Not Good	47.3
Chronic Kidney Disease	45.1
Obesity	33.5
Pedestrian Injuries	91.8
Physical Health Not Good	49.9
Stroke	39.4
Health Risk Behaviors	—
Binge Drinking	26.9
Current Smoker	51.2
No Leisure Time for Physical Activity	54.9
Climate Change Exposures	—
Wildfire Risk	45.4
SLR Inundation Area	0.0

Children	40.5
Elderly	74.7
English Speaking	78.9
Foreign-born	23.9
Outdoor Workers	16.6
Climate Change Adaptive Capacity	—
Impervious Surface Cover	79.3
Traffic Density	68.0
Traffic Access	23.0
Other Indices	—
Hardship	39.4
Other Decision Support	—
2016 Voting	59.4

7.3. Overall Health & Equity Scores

Metric	Result for Project Census Tract
CalEnviroScreen 4.0 Score for Project Location (a)	70.0
Healthy Places Index Score for Project Location (b)	36.0
Project Located in a Designated Disadvantaged Community (Senate Bill 535)	No
Project Located in a Low-Income Community (Assembly Bill 1550)	No
Project Located in a Community Air Protection Program Community (Assembly Bill 617)	No

a: The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

b: The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

7.4. Health & Equity Measures

No Health & Equity Measures selected.

7.5. Evaluation Scorecard

Health & Equity Evaluation Scorecard not completed.

7.6. Health & Equity Custom Measures

No Health & Equity Custom Measures created.

8. User Changes to Default Data

Screen	Justification
Land Use	Based on client provided data in the TIA. Total Project site for Subarea C is 61.3 acres.
Construction: Construction Phases	Building Construction, Paving, and Architectural Coating overlap to present a conservative analysis. Schedule adjusted to account for 2045 OY.
Construction: Off-Road Equipment	T/L/B replaced with Crawler Tractor to accurately calculate disturbance for Site Preparation and Grading phases. Standard 8 hours work days.
Construction: Trips and VMT	Vendor Trips adjusted based on CalEEMod defaults for Building Construction and number of days for Demolition, Site Preparation, Grading, and Building Construction.
Construction: Architectural Coatings	SCAMQD Rule 1113
Operations: Vehicle Data	Trip characteristics based on information provided in the TIA Table 4.4.
Operations: Architectural Coatings	SCAQMD Rule 1113
Operations: Fleet Mix	Passenger Car Mix estimated based on CalEEMod default fleet mix and the ratio of the vehicle classes (LDA, LDT1, LDT2, MDV, MCY). Truck Fleet Mix based on 2, 3 and 4 axle trucks.
Operations: Refrigerants	Beginning 1 January 2025, all new air conditioning equipment may not use refrigerants with a GWP of 750 or greater.

This page intentionally left blank

APPENDIX 3.5:

ON-SITE CARGO HANDLING EMISSIONS CALCULATIONS

Operational Off-Road Equipment Emissions Calculation - Subarea B

Year:	2040
Fuel:	Nat Gas

Region	Year	Vehicle Category	Fuel	BHP	Emission Factor (lbs/hour)						
					ROG	NOX	CO	SOX	PM10	PM2.5	CO2
South Coast AQMD	2040	Cargo Handling Equipment - Port Tractor	Nat Gas	Aggregate	0.03	0.09	4.11	0.00	0.01	0.01	71.54

Equipment Qty:	2
Hours/day:	4

Region	Year	Vehicle Category	Fuel	BHP	Emissions (lbs/day)							MT/yr
					ROG	NOX	CO	SOX	PM10	PM2.5	CO2	CO2
South Coast AQMD	2040	Cargo Handling Equipment - Port Tractor	Nat Gas	Aggregate	0.23	0.75	32.89	0.00	0.06	0.05	572.30	94.73

Model Output: OFFROAD2021 (v1.0.5) Emissions Inventory
Region Type: Air District
Region: South Coast AQMD
Calendar Year: 2040
Scenario: All Adopted Rules - Exhaust
Vehicle Classification: OFFROAD2021 Equipment Types
Units: tons/day for Emissions, gallons/year for Fuel, hours/year for Activity, Horsepower-hours/year for Horsepower-hours

Region	Calendar Y	Vehicle Category	Model Yea	Horsepowi	Fuel	HC_tpd	ROG_tpd	TOG_tpd	CO_tpd	NOx_tpd	CO2_tpd	PM10_tpd	PM2.5_tpd	SOx_tpd	NH3_tpd	Fuel Consu	Total_Activity_hpy	Total_Pop	Horsepower_Hours_hhpy
South Coast AQMD	2040	Cargo Handling Equipment - Port Tractor	Aggregate	Aggregate	Diesel	0.00000503	0.00000609	0.00000724	0.0000562	0.0000424	0.008181	0.000000348	0.000000032	7.76E-08	1.83E-10	266.11697	142.5825524	1.782282	0
South Coast AQMD	2040	Cargo Handling Equipment - Port Tractor	Aggregate	Aggregate	Nat Gas	0.00028678	0.00034707	0.000413015	0.048631425	0.001109707	0.846211	0.000086943	0.000079876	0	1.8914E-08	27454.377	8635.155829	8.91141	0

Operational Off-Road Equipment Emissions Calculation - Subarea C

Year: 2040
 Fuel: Nat Gas

Region	Year	Vehicle Category	Fuel	BHP	Emission Factor (lbs/hour)						
					ROG	NOX	CO	SOX	PM10	PM2.5	CO2
South Coast AQMD	2040	Cargo Handling Equipment - Port Tractor	Nat Gas	Aggregate	0.03	0.09	4.11	0.00	0.01	0.01	71.54

Equipment Qty: 5
 Hours/day: 4

Region	Year	Vehicle Category	Fuel	BHP	Emissions (lbs/day)							MT/yr
					ROG	NOX	CO	SOX	PM10	PM2.5	CO2	CO2
South Coast AQMD	2040	Cargo Handling Equipment - Port Tractor	Nat Gas	Aggregate	0.59	1.88	82.22	0.00	0.15	0.14	1,430.74	236.83

Model Output: OFFROAD2021 (v1.0.5) Emissions Inventory
Region Type: Air District
Region: South Coast AQMD
Calendar Year: 2040
Scenario: All Adopted Rules - Exhaust
Vehicle Classification: OFFROAD2021 Equipment Types
Units: tons/day for Emissions, gallons/year for Fuel, hours/year for Activity, Horsepower-hours/year for Horsepower-hours

Region	Calendar Yr	Vehicle Category	Model Yea	Horsepow	Fuel	HC_tpd	ROG_tpd	TOG_tpd	CO_tpd	NOx_tpd	CO2_tpd	PM10_tpd	PM2.5_tpd	SOx_tpd	NH3_tpd	Fuel Consur	Total_Activity_hpy	Total_Pop	Horsepowe
South Coast AQMD	2040	Cargo Handling Equipment - Port Tractor	Aggregate	Aggregate	Diesel	0.00000503	0.00000609	0.00000724	0.0000562	0.0000424	0.008181	0.000000348	0.00000032	7.76E-08	1.83E-10	266.117	142.5825524	1.782282	0
South Coast AQMD	2040	Cargo Handling Equipment - Port Tractor	Aggregate	Aggregate	Nat Gas	0.00028678	0.00034707	0.000413015	0.048631425	0.001109707	0.846211	0.000086943	0.000079876	0	1.8914E-08	27454.38	8635.155829	8.91141	0

This page intentionally left blank

APPENDIX 3.6:

CALEEMOD LOCALIZED EMISSIONS MODEL OUTPUTS

15585 - Glen Helen Specific Plan Amendment (Subarea A Operational LSTs) Detailed Report

Table of Contents

1. Basic Project Information

1.1. Basic Project Information

1.2. Land Use Types

1.3. User-Selected Emission Reduction Measures by Emissions Sector

2. Emissions Summary

2.4. Operations Emissions Compared Against Thresholds

2.5. Operations Emissions by Sector, Unmitigated

4. Operations Emissions Details

4.1. Mobile Emissions by Land Use

4.1.1. Unmitigated

4.2. Energy

4.2.1. Electricity Emissions By Land Use - Unmitigated

4.2.3. Natural Gas Emissions By Land Use - Unmitigated

4.3. Area Emissions by Source

4.3.1. Unmitigated

4.4. Water Emissions by Land Use

4.4.1. Unmitigated

4.5. Waste Emissions by Land Use

4.5.1. Unmitigated

4.6. Refrigerant Emissions by Land Use

4.6.1. Unmitigated

4.7. Offroad Emissions By Equipment Type

4.7.1. Unmitigated

4.8. Stationary Emissions By Equipment Type

4.8.1. Unmitigated

4.9. User Defined Emissions By Equipment Type

4.9.1. Unmitigated

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

5. Activity Data

5.9. Operational Mobile Sources

5.9.1. Unmitigated

5.10. Operational Area Sources

5.10.1. Hearths

5.10.1.1. Unmitigated

5.10.2. Architectural Coatings

5.10.3. Landscape Equipment

5.11. Operational Energy Consumption

5.11.1. Unmitigated

5.12. Operational Water and Wastewater Consumption

5.12.1. Unmitigated

5.13. Operational Waste Generation

5.13.1. Unmitigated

5.14. Operational Refrigeration and Air Conditioning Equipment

5.14.1. Unmitigated

5.15. Operational Off-Road Equipment

5.15.1. Unmitigated

5.16. Stationary Sources

5.16.1. Emergency Generators and Fire Pumps

5.16.2. Process Boilers

5.17. User Defined

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

5.18.2. Sequestration

5.18.2.1. Unmitigated

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

6.2. Initial Climate Risk Scores

6.3. Adjusted Climate Risk Scores

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

7.2. Healthy Places Index Scores

7.3. Overall Health & Equity Scores

7.4. Health & Equity Measures

7.5. Evaluation Scorecard

7.6. Health & Equity Custom Measures

8. User Changes to Default Data

1. Basic Project Information

1.1. Basic Project Information

Data Field	Value
Project Name	15585 - Glen Helen Specific Plan Amendment (Subarea A Operational LSTs)
Operational Year	2040
Lead Agency	—
Land Use Scale	Plan/community
Analysis Level for Defaults	County
Windspeed (m/s)	2.80
Precipitation (days)	6.80
Location	34.22460863986629, -117.42511567777734
County	San Bernardino-South Coast
City	Unincorporated
Air District	South Coast AQMD
Air Basin	South Coast
TAZ	5109
EDFZ	10
Electric Utility	Southern California Edison
Gas Utility	Southern California Gas
App Version	2022.1.1.22

1.2. Land Use Types

Land Use Subtype	Size	Unit	Lot Acreage	Building Area (sq ft)	Landscape Area (sq ft)	Special Landscape Area (sq ft)	Population	Description
Parking Lot	79.0	Acre	79.0	0.00	0.00	—	—	Truck Trailer Parking

User Defined Parking	79.0	User Defined Unit	0.00	0.00	0.00	—	—	—

1.3. User-Selected Emission Reduction Measures by Emissions Sector

No measures selected

2. Emissions Summary

2.4. Operations Emissions Compared Against Thresholds

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Un/Mit.	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	3.00	2.77	15.3	17.9	0.05	0.05	2.26	2.32	0.05	0.60	0.65	0.00	7,606	7,606	1.01	0.85	3.74	7,888
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	2.86	2.64	16.2	18.4	0.05	0.06	2.26	2.32	0.05	0.60	0.65	0.00	7,611	7,611	1.01	0.86	0.10	7,892
Average Daily (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	2.11	2.09	11.5	13.4	0.03	0.04	1.65	1.69	0.04	0.43	0.47	0.00	6,132	6,132	0.82	0.63	1.18	6,342
Annual (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	0.39	0.38	2.11	2.44	0.01	0.01	0.30	0.31	0.01	0.08	0.09	0.00	1,015	1,015	0.14	0.10	0.20	1,050

2.5. Operations Emissions by Sector, Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Sector	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	3.00	2.24	15.3	17.9	0.05	0.05	2.26	2.32	0.05	0.60	0.65	—	5,452	5,452	0.74	0.81	3.74	5,717
Area	0.00	0.53	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	2,154	2,154	0.27	0.03	—	2,171
Water	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Waste	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	3.00	2.77	15.3	17.9	0.05	0.05	2.26	2.32	0.05	0.60	0.65	0.00	7,606	7,606	1.01	0.85	3.74	7,888
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	2.86	2.10	16.2	18.4	0.05	0.06	2.26	2.32	0.05	0.60	0.65	—	5,457	5,457	0.74	0.82	0.10	5,721
Area	—	0.53	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	2,154	2,154	0.27	0.03	—	2,171
Water	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Waste	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	2.86	2.64	16.2	18.4	0.05	0.06	2.26	2.32	0.05	0.60	0.65	0.00	7,611	7,611	1.01	0.86	0.10	7,892
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	2.11	1.55	11.5	13.4	0.03	0.04	1.65	1.69	0.04	0.43	0.47	—	3,978	3,978	0.54	0.60	1.18	4,172
Area	0.00	0.53	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	2,154	2,154	0.27	0.03	—	2,171
Water	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Waste	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	2.11	2.09	11.5	13.4	0.03	0.04	1.65	1.69	0.04	0.43	0.47	0.00	6,132	6,132	0.82	0.63	1.18	6,342
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	0.39	0.28	2.11	2.44	0.01	0.01	0.30	0.31	0.01	0.08	0.09	—	659	659	0.09	0.10	0.20	691
Area	0.00	0.10	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00

Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	357	357	0.05	0.01	—	359
Water	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Waste	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	0.39	0.38	2.11	2.44	0.01	0.01	0.30	0.31	0.01	0.08	0.09	0.00	1,015	1,015	0.14	0.10	0.20	1,050

4. Operations Emissions Details

4.1. Mobile Emissions by Land Use

4.1.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Parking Lot	1.37	1.34	0.30	3.90	0.01	< 0.005	0.49	0.49	< 0.005	0.12	0.13	—	516	516	0.06	0.05	0.18	532
User Defined Parking	1.63	0.90	15.0	14.0	0.04	0.05	1.77	1.83	0.05	0.47	0.52	—	4,936	4,936	0.68	0.77	3.57	5,186
Total	3.00	2.24	15.3	17.9	0.05	0.05	2.26	2.32	0.05	0.60	0.65	—	5,452	5,452	0.74	0.81	3.74	5,717
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Parking Lot	1.32	1.29	0.32	4.02	< 0.005	< 0.005	0.49	0.49	< 0.005	0.12	0.13	—	484	484	0.07	0.05	< 0.005	500
User Defined Parking	1.54	0.82	15.9	14.4	0.04	0.05	1.77	1.83	0.05	0.47	0.52	—	4,973	4,973	0.67	0.78	0.09	5,221
Total	2.86	2.10	16.2	18.4	0.05	0.06	2.26	2.32	0.05	0.60	0.65	—	5,457	5,457	0.74	0.82	0.10	5,721
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Parking Lot	0.17	0.17	0.04	0.54	< 0.005	< 0.005	0.06	0.07	< 0.005	0.02	0.02	—	59.2	59.2	0.01	0.01	0.01	61.2
User Defined Parking	0.21	0.11	2.06	1.90	0.01	0.01	0.24	0.24	0.01	0.06	0.07	—	599	599	0.08	0.09	0.19	630
Total	0.39	0.28	2.11	2.44	0.01	0.01	0.30	0.31	0.01	0.08	0.09	—	659	659	0.09	0.10	0.20	691

4.2. Energy

4.2.1. Electricity Emissions By Land Use - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	—	2,154	2,154	0.27	0.03	—	2,171
User Defined Parking	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	2,154	2,154	0.27	0.03	—	2,171
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	—	2,154	2,154	0.27	0.03	—	2,171
User Defined Parking	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	2,154	2,154	0.27	0.03	—	2,171
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Parking Lot	—	—	—	—	—	—	—	—	—	—	—	—	357	357	0.05	0.01	—	359
User Defined Parking	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	357	357	0.05	0.01	—	359

4.2.3. Natural Gas Emissions By Land Use - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
User Defined Parking	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
User Defined Parking	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00

User Defined Parking	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00

4.3. Area Emissions by Source

4.3.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Source	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	—	0.27	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	—	0.26	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Landscape Equipment	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.53	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	—	0.27	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	—	0.26	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	0.53	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	—	0.05	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	—	0.05	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Landscape Equipment	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.10	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00

4.4. Water Emissions by Land Use

4.4.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
User Defined Parking	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00

User Defined Parking	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
User Defined Parking	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00

4.5. Waste Emissions by Land Use

4.5.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
User Defined Parking	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00

User Defined Parking	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
User Defined Parking	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00

4.6. Refrigerant Emissions by Land Use

4.6.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.7. Offroad Emissions By Equipment Type

4.7.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.8. Stationary Emissions By Equipment Type

4.8.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.9. User Defined Emissions By Equipment Type

4.9.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipme nt Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Vegetatio n	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Species	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Sequest	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Remove d	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequest ered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Remove d	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequest ered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Remove d	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

5. Activity Data

5.9. Operational Mobile Sources

5.9.1. Unmitigated

Land Use Type	Trips/Weekday	Trips/Saturday	Trips/Sunday	Trips/Year	VMT/Weekday	VMT/Saturday	VMT/Sunday	VMT/Year
Parking Lot	738	62.4	25.0	196,968	701	59.3	23.7	187,119
User Defined Parking	2,219	188	75.1	592,238	2,108	178	71.4	562,626

5.10. Operational Area Sources

5.10.1. Hearths

5.10.1.1. Unmitigated

5.10.2. Architectural Coatings

Residential Interior Area Coated (sq ft)	Residential Exterior Area Coated (sq ft)	Non-Residential Interior Area Coated (sq ft)	Non-Residential Exterior Area Coated (sq ft)	Parking Area Coated (sq ft)
0	0.00	0.00	0.00	206,474

5.10.3. Landscape Equipment

Season	Unit	Value
Snow Days	day/yr	0.00
Summer Days	day/yr	250

5.11. Operational Energy Consumption

5.11.1. Unmitigated

Electricity (kWh/yr) and CO2 and CH4 and N2O and Natural Gas (kBTU/yr)

Land Use	Electricity (kWh/yr)	CO2	CH4	N2O	Natural Gas (kBTU/yr)
Parking Lot	3,014,526	261	0.0330	0.0040	0.00
User Defined Parking	0.00	261	0.0330	0.0040	0.00

5.12. Operational Water and Wastewater Consumption

5.12.1. Unmitigated

Land Use	Indoor Water (gal/year)	Outdoor Water (gal/year)
Parking Lot	0.00	0.00
User Defined Parking	0.00	0.00

5.13. Operational Waste Generation

5.13.1. Unmitigated

Land Use	Waste (ton/year)	Cogeneration (kWh/year)
Parking Lot	0.00	—
User Defined Parking	0.00	—

5.14. Operational Refrigeration and Air Conditioning Equipment

5.14.1. Unmitigated

Land Use Type	Equipment Type	Refrigerant	GWP	Quantity (kg)	Operations Leak Rate	Service Leak Rate	Times Serviced

5.15. Operational Off-Road Equipment

5.15.1. Unmitigated

Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor

5.16. Stationary Sources

5.16.1. Emergency Generators and Fire Pumps

Equipment Type	Fuel Type	Number per Day	Hours per Day	Hours per Year	Horsepower	Load Factor

5.16.2. Process Boilers

Equipment Type	Fuel Type	Number	Boiler Rating (MMBtu/hr)	Daily Heat Input (MMBtu/day)	Annual Heat Input (MMBtu/yr)

5.17. User Defined

Equipment Type	Fuel Type

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

Vegetation Land Use Type	Vegetation Soil Type	Initial Acres	Final Acres

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

Biomass Cover Type	Initial Acres	Final Acres

5.18.2. Sequestration

5.18.2.1. Unmitigated

Tree Type	Number	Electricity Saved (kWh/year)	Natural Gas Saved (btu/year)

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

Cal-Adapt midcentury 2040–2059 average projections for four hazards are reported below for your project location. These are under Representation Concentration Pathway (RCP) 8.5 which assumes GHG emissions will continue to rise strongly through 2050 and then plateau around 2100.

Climate Hazard	Result for Project Location	Unit
Temperature and Extreme Heat	27.9	annual days of extreme heat
Extreme Precipitation	12.0	annual days with precipitation above 20 mm
Sea Level Rise	—	meters of inundation depth
Wildfire	21.2	annual hectares burned

Temperature and Extreme Heat data are for grid cell in which your project are located. The projection is based on the 98th historical percentile of daily maximum/minimum temperatures from observed historical data (32 climate model ensemble from Cal-Adapt, 2040–2059 average under RCP 8.5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Extreme Precipitation data are for the grid cell in which your project are located. The threshold of 20 mm is equivalent to about ¾ an inch of rain, which would be light to moderate rainfall if received over a full day or heavy rain if received over a period of 2 to 4 hours. Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Sea Level Rise data are for the grid cell in which your project are located. The projections are from Radke et al. (2017), as reported in Cal-Adapt (Radke et al., 2017, CEC-500-2017-008), and consider inundation location and depth for the San Francisco Bay, the Sacramento-San Joaquin River Delta and California coast resulting different increments of sea level rise coupled with extreme storm events. Users may select from four scenarios to view the range in potential inundation depth for the grid cell. The four scenarios are: No rise, 0.5 meter, 1.0 meter, 1.41 meters

Wildfire data are for the grid cell in which your project are located. The projections are from UC Davis, as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider historical data of climate, vegetation, population density, and large (> 400 ha) fire history. Users may select from four model simulations to view the range in potential wildfire probabilities for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

6.2. Initial Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	3	0	0	N/A
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	0	0	N/A
Wildfire	1	0	0	N/A

Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	0	0	0	N/A

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores do not include implementation of climate risk reduction measures.

6.3. Adjusted Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	3	1	1	3
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	1	1	2
Wildfire	1	1	1	2
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	1	1	1	2

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores include implementation of climate risk reduction measures.

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Exposure Indicators	—
AQ-Ozone	97.6
AQ-PM	57.0
AQ-DPM	8.21
Drinking Water	98.2
Lead Risk Housing	54.6
Pesticides	20.2
Toxic Releases	41.7
Traffic	48.8
Effect Indicators	—
CleanUp Sites	53.4
Groundwater	0.00
Haz Waste Facilities/Generators	1.80
Impaired Water Bodies	12.5
Solid Waste	72.4
Sensitive Population	—
Asthma	22.4
Cardio-vascular	32.8
Low Birth Weights	40.9
Socioeconomic Factor Indicators	—
Education	37.3
Housing	27.2
Linguistic	13.3
Poverty	48.4

Unemployment	75.4

7.2. Healthy Places Index Scores

The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Economic	—
Above Poverty	73.51469267
Employed	42.62799949
Median HI	38.72706275
Education	—
Bachelor's or higher	49.69844732
High school enrollment	100
Preschool enrollment	95.7141024
Transportation	—
Auto Access	28.53843193
Active commuting	26.4724753
Social	—
2-parent households	66.48274092
Voting	65.66149108
Neighborhood	—
Alcohol availability	97.0101373
Park access	48.23559605
Retail density	2.219940973
Supermarket access	8.392146798
Tree canopy	78.58334403
Housing	—
Homeownership	86.88566662

Housing habitability	64.18580778
Low-inc homeowner severe housing cost burden	41.55010907
Low-inc renter severe housing cost burden	37.44385987
Uncrowded housing	56.87155139
Health Outcomes	—
Insured adults	44.20633902
Arthritis	68.4
Asthma ER Admissions	85.5
High Blood Pressure	64.8
Cancer (excluding skin)	63.4
Asthma	51.9
Coronary Heart Disease	81.5
Chronic Obstructive Pulmonary Disease	71.2
Diagnosed Diabetes	68.9
Life Expectancy at Birth	58.3
Cognitively Disabled	18.3
Physically Disabled	10.0
Heart Attack ER Admissions	84.0
Mental Health Not Good	58.7
Chronic Kidney Disease	85.5
Obesity	54.0
Pedestrian Injuries	97.7
Physical Health Not Good	67.2
Stroke	80.6
Health Risk Behaviors	—
Binge Drinking	20.5
Current Smoker	51.2

No Leisure Time for Physical Activity	70.0
Climate Change Exposures	—
Wildfire Risk	63.7
SLR Inundation Area	0.0
Children	77.6
Elderly	27.3
English Speaking	52.1
Foreign-born	25.9
Outdoor Workers	13.0
Climate Change Adaptive Capacity	—
Impervious Surface Cover	97.3
Traffic Density	73.7
Traffic Access	23.0
Other Indices	—
Hardship	37.6
Other Decision Support	—
2016 Voting	82.0

7.3. Overall Health & Equity Scores

Metric	Result for Project Census Tract
CalEnviroScreen 4.0 Score for Project Location (a)	39.0
Healthy Places Index Score for Project Location (b)	59.0
Project Located in a Designated Disadvantaged Community (Senate Bill 535)	No
Project Located in a Low-Income Community (Assembly Bill 1550)	No
Project Located in a Community Air Protection Program Community (Assembly Bill 617)	No

a: The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.
b: The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

7.4. Health & Equity Measures

No Health & Equity Measures selected.

7.5. Evaluation Scorecard

Health & Equity Evaluation Scorecard not completed.

7.6. Health & Equity Custom Measures

No Health & Equity Custom Measures created.

8. User Changes to Default Data

Screen	Justification
Land Use	Based on client provided data in the TIA. Total Project site is 159.50 acres.
Construction: Construction Phases	Building Construction, Paving, and Architectural Coating overlap to present a conservative analysis. Schedule adjusted to account for 2045 OY.
Construction: Off-Road Equipment	T/L/B replaced with Crawler Tractor to accurately calculate disturbance for Site Preparation and Grading phases. Standard 8 hours work days.
Construction: Trips and VMT	Vendor Trips adjusted based on CalEEMod defaults for Building Construction and number of days for Demolition, Site Preparation, Grading, and Building Construction.
Construction: Architectural Coatings	SCAMQD Rule 1113
Operations: Vehicle Data	Trip characteristics based on information provided in the TIA Table 4.2.
Operations: Architectural Coatings	SCAQMD Rule 1113
Operations: Fleet Mix	Passenger Car Mix estimated based on CalEEMod default fleet mix and the ratio of the vehicle classes (LDA, LDT1, LDT2, MDV, MCY). Truck Fleet Mix based on 2, 3 and 4 axle trucks.

15585 - Glen Helen Specific Plan Amendment (Subarea C Operational LSTs) Detailed Report

Table of Contents

1. Basic Project Information

1.1. Basic Project Information

1.2. Land Use Types

1.3. User-Selected Emission Reduction Measures by Emissions Sector

2. Emissions Summary

2.4. Operations Emissions Compared Against Thresholds

2.5. Operations Emissions by Sector, Unmitigated

4. Operations Emissions Details

4.1. Mobile Emissions by Land Use

4.1.1. Unmitigated

4.2. Energy

4.2.1. Electricity Emissions By Land Use - Unmitigated

4.2.3. Natural Gas Emissions By Land Use - Unmitigated

4.3. Area Emissions by Source

4.3.1. Unmitigated

4.4. Water Emissions by Land Use

4.4.1. Unmitigated

4.5. Waste Emissions by Land Use

4.5.1. Unmitigated

4.6. Refrigerant Emissions by Land Use

4.6.1. Unmitigated

4.7. Offroad Emissions By Equipment Type

4.7.1. Unmitigated

4.8. Stationary Emissions By Equipment Type

4.8.1. Unmitigated

4.9. User Defined Emissions By Equipment Type

4.9.1. Unmitigated

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

5. Activity Data

5.9. Operational Mobile Sources

5.9.1. Unmitigated

5.10. Operational Area Sources

5.10.1. Hearths

5.10.1.1. Unmitigated

5.10.2. Architectural Coatings

5.10.3. Landscape Equipment

5.11. Operational Energy Consumption

5.11.1. Unmitigated

5.12. Operational Water and Wastewater Consumption

5.12.1. Unmitigated

5.13. Operational Waste Generation

5.13.1. Unmitigated

5.14. Operational Refrigeration and Air Conditioning Equipment

5.14.1. Unmitigated

5.15. Operational Off-Road Equipment

5.15.1. Unmitigated

5.16. Stationary Sources

5.16.1. Emergency Generators and Fire Pumps

5.16.2. Process Boilers

5.17. User Defined

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

5.18.2. Sequestration

5.18.2.1. Unmitigated

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

6.2. Initial Climate Risk Scores

6.3. Adjusted Climate Risk Scores

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

7.2. Healthy Places Index Scores

7.3. Overall Health & Equity Scores

7.4. Health & Equity Measures

7.5. Evaluation Scorecard

7.6. Health & Equity Custom Measures

8. User Changes to Default Data

1. Basic Project Information

1.1. Basic Project Information

Data Field	Value
Project Name	15585 - Glen Helen Specific Plan Amendment (Subarea C Operational LSTs)
Operational Year	2040
Lead Agency	—
Land Use Scale	Plan/community
Analysis Level for Defaults	County
Windspeed (m/s)	2.80
Precipitation (days)	6.80
Location	34.201826619012024, -117.41783967431053
County	San Bernardino-South Coast
City	Unincorporated
Air District	South Coast AQMD
Air Basin	South Coast
TAZ	5317
EDFZ	10
Electric Utility	Southern California Edison
Gas Utility	Southern California Gas
App Version	2022.1.1.22

1.2. Land Use Types

Land Use Subtype	Size	Unit	Lot Acreage	Building Area (sq ft)	Landscape Area (sq ft)	Special Landscape Area (sq ft)	Population	Description
Industrial Park	1,335	1000sqft	61.3	1,335,114	0.00	—	—	Corridor Industrial

User Defined Industrial	1,335	User Defined Unit	0.00	0.00	0.00	—	—	—

1.3. User-Selected Emission Reduction Measures by Emissions Sector

No measures selected

2. Emissions Summary

2.4. Operations Emissions Compared Against Thresholds

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Un/Mit.	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	19.5	47.6	26.2	94.1	0.10	1.03	1.79	2.82	1.00	0.46	1.47	1,484	34,782	36,266	154	2.38	126	40,951
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	8.90	37.8	26.5	37.5	0.10	0.93	1.79	2.72	0.93	0.46	1.39	1,484	34,500	35,984	154	2.39	125	40,671
Average Daily (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	14.2	42.7	22.4	71.7	0.09	0.87	1.56	2.43	0.85	0.40	1.25	1,484	33,708	35,192	154	2.30	125	39,852
Annual (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	2.59	7.79	4.09	13.1	0.02	0.16	0.28	0.44	0.16	0.07	0.23	246	5,581	5,826	25.5	0.38	20.8	6,598

2.5. Operations Emissions by Sector, Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Sector	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	7.01	6.27	13.1	25.3	0.04	0.04	1.79	1.83	0.03	0.46	0.50	—	4,149	4,149	0.83	0.63	1.61	4,359
Area	10.3	39.8	0.49	58.1	< 0.005	0.10	—	0.10	0.08	—	0.08	—	239	239	0.01	< 0.005	—	240
Energy	1.08	0.54	9.84	8.27	0.06	0.75	—	0.75	0.75	—	0.75	—	28,389	28,389	3.15	0.28	—	28,550
Water	—	—	—	—	—	—	—	—	—	—	—	592	1,502	2,093	60.9	1.46	—	4,051
Waste	—	—	—	—	—	—	—	—	—	—	—	892	0.00	892	89.2	0.00	—	3,122
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	125	125
Stationary	1.08	0.98	2.75	2.51	< 0.005	0.14	0.00	0.14	0.14	0.00	0.14	0.00	504	504	0.02	< 0.005	0.00	505
Total	19.5	47.6	26.2	94.1	0.10	1.03	1.79	2.82	1.00	0.46	1.47	1,484	34,782	36,266	154	2.38	126	40,951
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	6.73	5.98	13.9	26.7	0.04	0.04	1.79	1.83	0.03	0.46	0.50	—	4,106	4,106	0.86	0.64	0.04	4,318
Area	—	30.3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Energy	1.08	0.54	9.84	8.27	0.06	0.75	—	0.75	0.75	—	0.75	—	28,389	28,389	3.15	0.28	—	28,550
Water	—	—	—	—	—	—	—	—	—	—	—	592	1,502	2,093	60.9	1.46	—	4,051
Waste	—	—	—	—	—	—	—	—	—	—	—	892	0.00	892	89.2	0.00	—	3,122
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	125	125
Stationary	1.08	0.98	2.75	2.51	< 0.005	0.14	0.00	0.14	0.14	0.00	0.14	0.00	504	504	0.02	< 0.005	0.00	505
Total	8.90	37.8	26.5	37.5	0.10	0.93	1.79	2.72	0.93	0.46	1.39	1,484	34,500	35,984	154	2.39	125	40,671
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	5.85	5.19	11.9	23.3	0.03	0.03	1.56	1.59	0.03	0.40	0.43	—	3,585	3,585	0.75	0.56	0.61	3,771
Area	7.08	36.8	0.33	39.8	< 0.005	0.07	—	0.07	0.05	—	0.05	—	164	164	0.01	< 0.005	—	164
Energy	1.08	0.54	9.84	8.27	0.06	0.75	—	0.75	0.75	—	0.75	—	28,389	28,389	3.15	0.28	—	28,550
Water	—	—	—	—	—	—	—	—	—	—	—	592	1,502	2,093	60.9	1.46	—	4,051

Waste	—	—	—	—	—	—	—	—	—	—	—	892	0.00	892	89.2	0.00	—	3,122
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	125	125
Stationary	0.15	0.13	0.38	0.34	< 0.005	0.02	0.00	0.02	0.02	0.00	0.02	0.00	69.0	69.0	< 0.005	< 0.005	0.00	69.2
Total	14.2	42.7	22.4	71.7	0.09	0.87	1.56	2.43	0.85	0.40	1.25	1,484	33,708	35,192	154	2.30	125	39,852
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	1.07	0.95	2.16	4.26	0.01	0.01	0.28	0.29	0.01	0.07	0.08	—	594	594	0.12	0.09	0.10	624
Area	1.29	6.72	0.06	7.26	< 0.005	0.01	—	0.01	0.01	—	0.01	—	27.1	27.1	< 0.005	< 0.005	—	27.2
Energy	0.20	0.10	1.80	1.51	0.01	0.14	—	0.14	0.14	—	0.14	—	4,700	4,700	0.52	0.05	—	4,727
Water	—	—	—	—	—	—	—	—	—	—	—	98.0	249	347	10.1	0.24	—	671
Waste	—	—	—	—	—	—	—	—	—	—	—	148	0.00	148	14.8	0.00	—	517
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	20.7	20.7
Stationary	0.03	0.02	0.07	0.06	< 0.005	< 0.005	0.00	< 0.005	< 0.005	0.00	< 0.005	0.00	11.4	11.4	< 0.005	< 0.005	0.00	11.5
Total	2.59	7.79	4.09	13.1	0.02	0.16	0.28	0.44	0.16	0.07	0.23	246	5,581	5,826	25.5	0.38	20.8	6,598

4. Operations Emissions Details

4.1. Mobile Emissions by Land Use

4.1.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	5.68	5.57	1.19	13.9	0.01	0.01	1.15	1.16	0.01	0.29	0.30	—	1,395	1,395	0.25	0.18	0.41	1,456

User Defined Industrial	1.33	0.70	11.9	11.4	0.02	0.03	0.64	0.67	0.03	0.17	0.20	—	2,753	2,753	0.58	0.45	1.19	2,903
Total	7.01	6.27	13.1	25.3	0.04	0.04	1.79	1.83	0.03	0.46	0.50	—	4,149	4,149	0.83	0.63	1.61	4,359
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	5.49	5.36	1.27	15.0	0.01	0.01	1.15	1.16	0.01	0.29	0.30	—	1,321	1,321	0.28	0.19	0.01	1,384
User Defined Industrial	1.24	0.62	12.7	11.7	0.02	0.03	0.64	0.67	0.03	0.17	0.20	—	2,785	2,785	0.58	0.45	0.03	2,934
Total	6.73	5.98	13.9	26.7	0.04	0.04	1.79	1.83	0.03	0.46	0.50	—	4,106	4,106	0.86	0.64	0.04	4,318
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	0.86	0.84	0.21	2.41	< 0.005	< 0.005	0.18	0.18	< 0.005	0.05	0.05	—	193	193	0.04	0.03	0.03	202
User Defined Industrial	0.21	0.11	1.96	1.85	< 0.005	< 0.005	0.10	0.11	< 0.005	0.03	0.03	—	401	401	0.08	0.07	0.07	422
Total	1.07	0.95	2.16	4.26	0.01	0.01	0.28	0.29	0.01	0.07	0.08	—	594	594	0.12	0.09	0.10	624

4.2. Energy

4.2.1. Electricity Emissions By Land Use - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	—	—	—	—	—	—	—	—	—	—	—	—	16,648	16,648	2.11	0.26	—	16,777

User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	16,648	16,648	2.11	0.26	—	16,777
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	—	—	—	—	—	—	—	—	—	—	—	—	16,648	16,648	2.11	0.26	—	16,777
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	16,648	16,648	2.11	0.26	—	16,777
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	—	—	—	—	—	—	—	—	—	—	—	—	2,756	2,756	0.35	0.04	—	2,778
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	2,756	2,756	0.35	0.04	—	2,778

4.2.3. Natural Gas Emissions By Land Use - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	1.08	0.54	9.84	8.27	0.06	0.75	—	0.75	0.75	—	0.75	—	11,741	11,741	1.04	0.02	—	11,774
User Defined Industrial	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00

Total	1.08	0.54	9.84	8.27	0.06	0.75	—	0.75	0.75	—	0.75	—	11,741	11,741	1.04	0.02	—	11,774
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	1.08	0.54	9.84	8.27	0.06	0.75	—	0.75	0.75	—	0.75	—	11,741	11,741	1.04	0.02	—	11,774
User Defined Industrial	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	1.08	0.54	9.84	8.27	0.06	0.75	—	0.75	0.75	—	0.75	—	11,741	11,741	1.04	0.02	—	11,774
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	0.20	0.10	1.80	1.51	0.01	0.14	—	0.14	0.14	—	0.14	—	1,944	1,944	0.17	< 0.005	—	1,949
User Defined Industrial	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.20	0.10	1.80	1.51	0.01	0.14	—	0.14	0.14	—	0.14	—	1,944	1,944	0.17	< 0.005	—	1,949

4.3. Area Emissions by Source

4.3.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Source	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	—	28.6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	—	1.70	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Landscape	10.3	9.54	0.49	58.1	< 0.005	0.10	—	0.10	0.08	—	0.08	—	239	239	0.01	< 0.005	—	240
Total	10.3	39.8	0.49	58.1	< 0.005	0.10	—	0.10	0.08	—	0.08	—	239	239	0.01	< 0.005	—	240
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	—	28.6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	—	1.70	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	30.3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	—	5.21	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	—	0.31	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Landscape Equipment	1.29	1.19	0.06	7.26	< 0.005	0.01	—	0.01	0.01	—	0.01	—	27.1	27.1	< 0.005	< 0.005	—	27.2
Total	1.29	6.72	0.06	7.26	< 0.005	0.01	—	0.01	0.01	—	0.01	—	27.1	27.1	< 0.005	< 0.005	—	27.2

4.4. Water Emissions by Land Use

4.4.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	—	—	—	—	—	—	—	—	—	—	—	592	1,502	2,093	60.9	1.46	—	4,051
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	592	1,502	2,093	60.9	1.46	—	4,051
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	—	—	—	—	—	—	—	—	—	—	—	592	1,502	2,093	60.9	1.46	—	4,051
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	592	1,502	2,093	60.9	1.46	—	4,051
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	—	—	—	—	—	—	—	—	—	—	—	98.0	249	347	10.1	0.24	—	671
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	98.0	249	347	10.1	0.24	—	671

4.5. Waste Emissions by Land Use

4.5.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	—	—	—	—	—	—	—	—	—	—	—	892	0.00	892	89.2	0.00	—	3,122
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	892	0.00	892	89.2	0.00	—	3,122
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	—	—	—	—	—	—	—	—	—	—	—	892	0.00	892	89.2	0.00	—	3,122
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	892	0.00	892	89.2	0.00	—	3,122
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	—	—	—	—	—	—	—	—	—	—	—	148	0.00	148	14.8	0.00	—	517
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	148	0.00	148	14.8	0.00	—	517

4.6. Refrigerant Emissions by Land Use

4.6.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	125	125
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	125	125
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	125	125
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	125	125
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Park	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	20.7	20.7
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	20.7	20.7

4.7. Offroad Emissions By Equipment Type

4.7.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.8. Stationary Emissions By Equipment Type

4.8.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipme nt Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fire Pump	1.08	0.98	2.75	2.51	< 0.005	0.14	0.00	0.14	0.14	0.00	0.14	0.00	504	504	0.02	< 0.005	0.00	505
Total	1.08	0.98	2.75	2.51	< 0.005	0.14	0.00	0.14	0.14	0.00	0.14	0.00	504	504	0.02	< 0.005	0.00	505
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fire Pump	1.08	0.98	2.75	2.51	< 0.005	0.14	0.00	0.14	0.14	0.00	0.14	0.00	504	504	0.02	< 0.005	0.00	505
Total	1.08	0.98	2.75	2.51	< 0.005	0.14	0.00	0.14	0.14	0.00	0.14	0.00	504	504	0.02	< 0.005	0.00	505
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fire Pump	0.03	0.02	0.07	0.06	< 0.005	< 0.005	0.00	< 0.005	< 0.005	0.00	< 0.005	0.00	11.4	11.4	< 0.005	< 0.005	0.00	11.5
Total	0.03	0.02	0.07	0.06	< 0.005	< 0.005	0.00	< 0.005	< 0.005	0.00	< 0.005	0.00	11.4	11.4	< 0.005	< 0.005	0.00	11.5

4.9. User Defined Emissions By Equipment Type

4.9.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipme Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Vegetatio n	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Species	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

5. Activity Data

5.9. Operational Mobile Sources

5.9.1. Unmitigated

Land Use Type	Trips/Weekday	Trips/Saturday	Trips/Sunday	Trips/Year	VMT/Weekday	VMT/Saturday	VMT/Sunday	VMT/Year
Industrial Park	3,105	2,340	1,143	991,272	1,646	1,240	606	525,374

User Defined Industrial	1,394	1,051	513	444,920	739	557	272	235,808

5.10. Operational Area Sources

5.10.1. Hearths

5.10.1.1. Unmitigated

5.10.2. Architectural Coatings

Residential Interior Area Coated (sq ft)	Residential Exterior Area Coated (sq ft)	Non-Residential Interior Area Coated (sq ft)	Non-Residential Exterior Area Coated (sq ft)	Parking Area Coated (sq ft)
0	0.00	2,002,671	667,557	—

5.10.3. Landscape Equipment

Season	Unit	Value
Snow Days	day/yr	0.00
Summer Days	day/yr	250

5.11. Operational Energy Consumption

5.11.1. Unmitigated

Electricity (kWh/yr) and CO2 and CH4 and N2O and Natural Gas (kBTU/yr)

Land Use	Electricity (kWh/yr)	CO2	CH4	N2O	Natural Gas (kBTU/yr)
Industrial Park	23,300,259	261	0.0330	0.0040	36,635,551
User Defined Industrial	0.00	261	0.0330	0.0040	0.00

5.12. Operational Water and Wastewater Consumption

5.12.1. Unmitigated

Land Use	Indoor Water (gal/year)	Outdoor Water (gal/year)
Industrial Park	308,745,113	0.00
User Defined Industrial	0.00	0.00

5.13. Operational Waste Generation

5.13.1. Unmitigated

Land Use	Waste (ton/year)	Cogeneration (kWh/year)
Industrial Park	1,656	—
User Defined Industrial	0.00	—

5.14. Operational Refrigeration and Air Conditioning Equipment

5.14.1. Unmitigated

Land Use Type	Equipment Type	Refrigerant	GWP	Quantity (kg)	Operations Leak Rate	Service Leak Rate	Times Serviced
Industrial Park	Other commercial A/C and heat pumps	User Defined	750	0.30	4.00	4.00	18.0

5.15. Operational Off-Road Equipment

5.15.1. Unmitigated

Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor

5.16. Stationary Sources

5.16.1. Emergency Generators and Fire Pumps

Equipment Type	Fuel Type	Number per Day	Hours per Day	Hours per Year	Horsepower	Load Factor
Fire Pump	Diesel	1.00	1.00	50.0	300	0.73

5.16.2. Process Boilers

Equipment Type	Fuel Type	Number	Boiler Rating (MMBtu/hr)	Daily Heat Input (MMBtu/day)	Annual Heat Input (MMBtu/yr)

5.17. User Defined

Equipment Type	Fuel Type

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

Vegetation Land Use Type	Vegetation Soil Type	Initial Acres	Final Acres

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

Biomass Cover Type	Initial Acres	Final Acres

5.18.2. Sequestration

5.18.2.1. Unmitigated

Tree Type	Number	Electricity Saved (kWh/year)	Natural Gas Saved (btu/year)

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

Cal-Adapt midcentury 2040–2059 average projections for four hazards are reported below for your project location. These are under Representation Concentration Pathway (RCP) 8.5 which assumes GHG emissions will continue to rise strongly through 2050 and then plateau around 2100.

Climate Hazard	Result for Project Location	Unit
Temperature and Extreme Heat	27.9	annual days of extreme heat
Extreme Precipitation	12.0	annual days with precipitation above 20 mm
Sea Level Rise	—	meters of inundation depth
Wildfire	21.2	annual hectares burned

Temperature and Extreme Heat data are for grid cell in which your project are located. The projection is based on the 98th historical percentile of daily maximum/minimum temperatures from observed historical data (32 climate model ensemble from Cal-Adapt, 2040–2059 average under RCP 8.5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Extreme Precipitation data are for the grid cell in which your project are located. The threshold of 20 mm is equivalent to about ¾ an inch of rain, which would be light to moderate rainfall if received over a full day or heavy rain if received over a period of 2 to 4 hours. Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Sea Level Rise data are for the grid cell in which your project are located. The projections are from Radke et al. (2017), as reported in Cal-Adapt (Radke et al., 2017, CEC-500-2017-008), and consider inundation location and depth for the San Francisco Bay, the Sacramento-San Joaquin River Delta and California coast resulting different increments of sea level rise coupled with extreme storm events. Users may select from four scenarios to view the range in potential inundation depth for the grid cell. The four scenarios are: No rise, 0.5 meter, 1.0 meter, 1.41 meters

Wildfire data are for the grid cell in which your project are located. The projections are from UC Davis, as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider historical data of climate, vegetation, population density, and large (> 400 ha) fire history. Users may select from four model simulations to view the range in potential wildfire probabilities for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

6.2. Initial Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	3	0	0	N/A
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	0	0	N/A
Wildfire	1	0	0	N/A
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A

Air Quality Degradation	0	0	0	N/A

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores do not include implementation of climate risk reduction measures.

6.3. Adjusted Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	3	1	1	3
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	1	1	2
Wildfire	1	1	1	2
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	1	1	1	2

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores include implementation of climate risk reduction measures.

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Exposure Indicators	—

AQ-Ozone	99.1
AQ-PM	60.9
AQ-DPM	67.4
Drinking Water	96.3
Lead Risk Housing	8.87
Pesticides	0.00
Toxic Releases	58.6
Traffic	72.8
Effect Indicators	—
CleanUp Sites	94.1
Groundwater	68.6
Haz Waste Facilities/Generators	63.6
Impaired Water Bodies	0.00
Solid Waste	75.7
Sensitive Population	—
Asthma	56.5
Cardio-vascular	74.7
Low Birth Weights	44.5
Socioeconomic Factor Indicators	—
Education	61.1
Housing	0.94
Linguistic	36.0
Poverty	19.4
Unemployment	83.2

7.2. Healthy Places Index Scores

The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Economic	—
Above Poverty	84.02412421
Employed	1.591171564
Median HI	79.9563711
Education	—
Bachelor's or higher	28.85923264
High school enrollment	17.31040678
Preschool enrollment	36.78942641
Transportation	—
Auto Access	72.44963429
Active commuting	7.917361735
Social	—
2-parent households	44.74528423
Voting	49.54446298
Neighborhood	—
Alcohol availability	75.52932119
Park access	7.04478378
Retail density	9.457205184
Supermarket access	35.77569614
Tree canopy	15.46259464
Housing	—
Homeownership	91.76183755
Housing habitability	92.04414218
Low-inc homeowner severe housing cost burden	90.09367381
Low-inc renter severe housing cost burden	81.05992557
Uncrowded housing	69.47260362

Health Outcomes	—
Insured adults	52.11086873
Arthritis	41.4
Asthma ER Admissions	28.5
High Blood Pressure	35.9
Cancer (excluding skin)	49.7
Asthma	32.2
Coronary Heart Disease	57.7
Chronic Obstructive Pulmonary Disease	56.7
Diagnosed Diabetes	36.9
Life Expectancy at Birth	29.0
Cognitively Disabled	60.3
Physically Disabled	57.4
Heart Attack ER Admissions	27.5
Mental Health Not Good	47.3
Chronic Kidney Disease	45.1
Obesity	33.5
Pedestrian Injuries	91.8
Physical Health Not Good	49.9
Stroke	39.4
Health Risk Behaviors	—
Binge Drinking	26.9
Current Smoker	51.2
No Leisure Time for Physical Activity	54.9
Climate Change Exposures	—
Wildfire Risk	45.4
SLR Inundation Area	0.0

Children	40.5
Elderly	74.7
English Speaking	78.9
Foreign-born	23.9
Outdoor Workers	16.6
Climate Change Adaptive Capacity	—
Impervious Surface Cover	79.3
Traffic Density	68.0
Traffic Access	23.0
Other Indices	—
Hardship	39.4
Other Decision Support	—
2016 Voting	59.4

7.3. Overall Health & Equity Scores

Metric	Result for Project Census Tract
CalEnviroScreen 4.0 Score for Project Location (a)	70.0
Healthy Places Index Score for Project Location (b)	36.0
Project Located in a Designated Disadvantaged Community (Senate Bill 535)	No
Project Located in a Low-Income Community (Assembly Bill 1550)	No
Project Located in a Community Air Protection Program Community (Assembly Bill 617)	No

a: The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.
 b: The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

7.4. Health & Equity Measures

No Health & Equity Measures selected.

7.5. Evaluation Scorecard

Health & Equity Evaluation Scorecard not completed.

7.6. Health & Equity Custom Measures

No Health & Equity Custom Measures created.

8. User Changes to Default Data

Screen	Justification
Land Use	Based on client provided data in the TIA. Total Project site for Subarea C is 61.3 acres.
Construction: Construction Phases	Building Construction, Paving, and Architectural Coating overlap to present a conservative analysis. Schedule adjusted to account for 2045 OY.
Construction: Off-Road Equipment	T/L/B replaced with Crawler Tractor to accurately calculate disturbance for Site Preparation and Grading phases. Standard 8 hours work days.
Construction: Trips and VMT	Vendor Trips adjusted based on CalEEMod defaults for Building Construction and number of days for Demolition, Site Preparation, Grading, and Building Construction.
Construction: Architectural Coatings	SCAMQD Rule 1113
Operations: Vehicle Data	Trip characteristics based on information provided in the TIA Table 4.4.
Operations: Architectural Coatings	SCAQMD Rule 1113
Operations: Fleet Mix	Passenger Car Mix estimated based on CalEEMod default fleet mix and the ratio of the vehicle classes (LDA, LDT1, LDT2, MDV, MCY). Truck Fleet Mix based on 2, 3 and 4 axle trucks.
Operations: Refrigerants	Beginning 1 January 2025, all new air conditioning equipment may not use refrigerants with a GWP of 750 or greater.

This page intentionally left blank

APPENDIX 3.7:

AERMOD MODEL OUTPUTS

```

** Lakes Environmental AERMOD MPI
**
*****
**
** AERMOD Input Produced by:
** AERMOD View Ver. 12.0.0
** Lakes Environmental Software Inc.
** Date: 4/16/2024
** File: C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen SP\15585 Cons CO\15585 Cons CO.ADI
**
*****
**
**
*****
** AERMOD Control Pathway
*****
**
**
CO STARTING
  TITLEONE C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen SP\15585 Ops H
  MODELOPT DFAULT CONC
  AVERTIME 1 8
  URBANOPT 2035210 San_Bernardino_County
  POLLUTID CO
  FLAGPOLE 2.00
  RUNORNOT RUN
  ERRORFIL "15585 Cons CO.err"
CO FINISHED
**
*****
** AERMOD Source Pathway
*****
**
**
SO STARTING
** Source Location **
** Source ID - Type - X Coord. - Y Coord. **
LOCATION VOL1      VOLUME      461693.740  3786276.453      643.610
LOCATION VOL2      VOLUME      461646.169  3786333.174      642.840
LOCATION VOL3      VOLUME      461591.280  3786386.232      647.830
LOCATION VOL4      VOLUME      461541.881  3786437.462      649.230
LOCATION VOL5      VOLUME      461499.799  3786483.202      650.290
LOCATION VOL6      VOLUME      461461.378  3786530.772      651.510
LOCATION VOL7      VOLUME      461408.319  3786578.342      653.920
LOCATION VOL8      VOLUME      461452.229  3786636.890      648.030
LOCATION VOL9      VOLUME      461512.607  3786686.289      645.570
LOCATION VOL10     VOLUME      461572.984  3786730.200      644.910
LOCATION VOL11     VOLUME      461366.238  3786625.912      655.580
LOCATION VOL12     VOLUME      461289.394  3786678.971      662.030
LOCATION VOL13     VOLUME      461373.556  3786706.415      654.400
LOCATION VOL14     VOLUME      461441.252  3786713.733      647.890
LOCATION VOL15     VOLUME      461234.505  3786728.370      667.840
LOCATION VOL16     VOLUME      461199.743  3786774.111      667.480
LOCATION VOL17     VOLUME      461152.173  3786821.681      666.390
LOCATION VOL18     VOLUME      461086.307  3786863.762      668.160
LOCATION VOL19     VOLUME      461038.737  3786904.013      673.160
LOCATION VOL20     VOLUME      460978.359  3786938.776      680.480
LOCATION VOL21     VOLUME      460927.130  3786993.664      681.640
LOCATION VOL22     VOLUME      460877.731  3787050.382      684.380
LOCATION VOL23     VOLUME      460837.479  3787107.100      683.950
LOCATION VOL24     VOLUME      460804.546  3787160.159      681.640
LOCATION VOL25     VOLUME      460749.517  3787211.229      680.350
LOCATION VOL26     VOLUME      460704.572  3787274.681      677.670
LOCATION VOL27     VOLUME      460655.661  3787332.845      679.400
LOCATION VOL28     VOLUME      460593.531  3787398.940      683.870
LOCATION VOL29     VOLUME      460639.798  3787451.816      679.140

```

LOCATION	VOL30	VOLUME	460683.421	3787401.584	675.790
LOCATION	VOL31	VOLUME	460741.585	3787356.639	670.810
LOCATION	VOL32	VOLUME	460790.496	3787281.290	670.000
LOCATION	VOL33	VOLUME	460875.098	3787289.222	670.390
LOCATION	VOL34	VOLUME	460929.296	3787227.092	670.660
LOCATION	VOL35	VOLUME	460840.729	3787209.907	677.570
LOCATION	VOL36	VOLUME	460884.352	3787164.962	677.960
LOCATION	VOL37	VOLUME	460967.632	3787141.168	672.840
LOCATION	VOL38	VOLUME	460921.365	3787088.291	678.890
LOCATION	VOL39	VOLUME	460967.632	3787063.175	676.310
LOCATION	VOL40	VOLUME	461048.268	3787114.729	668.480
LOCATION	VOL41	VOLUME	461007.289	3786998.401	675.500
LOCATION	VOL42	VOLUME	461052.234	3787052.600	669.780
LOCATION	VOL43	VOLUME	461134.193	3787056.565	661.990
LOCATION	VOL44	VOLUME	461082.638	3786975.929	671.770
LOCATION	VOL45	VOLUME	461120.973	3786917.765	665.910
LOCATION	VOL46	VOLUME	461167.240	3786986.504	660.060
LOCATION	VOL47	VOLUME	461253.164	3786983.860	656.410
LOCATION	VOL48	VOLUME	461208.219	3786903.224	658.460
LOCATION	VOL49	VOLUME	461234.658	3786831.841	660.330
LOCATION	VOL50	VOLUME	461291.500	3786905.868	655.270
LOCATION	VOL51	VOLUME	461374.780	3786887.361	652.160
LOCATION	VOL52	VOLUME	461317.938	3786823.909	656.140
LOCATION	VOL53	VOLUME	461287.534	3786757.814	660.450
LOCATION	VOL54	VOLUME	461373.458	3786786.896	653.480
LOCATION	VOL55	VOLUME	461455.417	3786801.437	648.470
LOCATION	VOL56	VOLUME	461385.355	3786838.450	651.810
LOCATION	VOL57	VOLUME	461529.444	3786768.389	645.070
LOCATION	VOL58	VOLUME	462577.220	3786719.492	633.360
LOCATION	VOL59	VOLUME	462660.520	3786693.681	632.580
LOCATION	VOL60	VOLUME	462744.406	3786674.322	630.900
LOCATION	VOL61	VOLUME	462828.880	3786650.857	628.260
LOCATION	VOL62	VOLUME	462868.770	3786625.633	626.420
LOCATION	VOL63	VOLUME	462848.238	3786541.746	623.050
LOCATION	VOL64	VOLUME	462835.332	3786455.513	622.000
LOCATION	VOL65	VOLUME	462621.216	3786659.657	631.720
LOCATION	VOL66	VOLUME	462660.520	3786609.794	629.090
LOCATION	VOL67	VOLUME	462684.571	3786547.612	627.210
LOCATION	VOL68	VOLUME	462745.580	3786589.849	627.120
LOCATION	VOL69	VOLUME	462807.175	3786566.971	624.980
LOCATION	VOL70	VOLUME	462716.835	3786469.005	624.430
LOCATION	VOL71	VOLUME	462751.446	3786439.087	622.370
LOCATION	VOL72	VOLUME	462835.332	3786419.729	622.000
LOCATION	VOL73	VOLUME	462764.351	3786515.348	623.530
LOCATION	VOL74	VOLUME	461061.948	3784936.739	654.040
LOCATION	VOL75	VOLUME	461059.795	3784850.618	644.040
LOCATION	VOL76	VOLUME	461057.642	3784762.345	642.000
LOCATION	VOL77	VOLUME	461141.610	3784805.405	641.650
LOCATION	VOL78	VOLUME	461139.457	3784721.438	639.020
LOCATION	VOL79	VOLUME	461225.577	3784805.405	636.620
LOCATION	VOL80	VOLUME	461225.577	3784723.591	634.040
LOCATION	VOL81	VOLUME	461223.667	3784635.373	631.360
LOCATION	VOL82	VOLUME	461156.778	3784658.706	636.710
LOCATION	VOL83	VOLUME	461312.335	3784885.818	641.380
LOCATION	VOL84	VOLUME	461310.779	3784801.818	632.510
LOCATION	VOL85	VOLUME	461312.335	3784714.706	629.850
LOCATION	VOL86	VOLUME	461309.224	3784630.706	628.160
LOCATION	VOL87	VOLUME	461284.335	3784548.261	629.430
LOCATION	VOL88	VOLUME	461369.891	3784543.594	624.320
LOCATION	VOL89	VOLUME	461289.001	3784462.705	624.470
LOCATION	VOL90	VOLUME	461225.223	3784422.260	627.230
LOCATION	VOL91	VOLUME	461371.446	3784458.038	621.330
LOCATION	VOL92	VOLUME	461270.334	3784338.260	620.310
LOCATION	VOL93	VOLUME	461310.779	3784375.593	619.290
LOCATION	VOL94	VOLUME	461396.335	3784627.595	624.280
LOCATION	VOL95	VOLUME	461397.891	3784711.595	626.590

LOCATION	VOL96	VOLUME	461396.335	3784797.151	630.160
LOCATION	VOL97	VOLUME	461483.447	3784714.706	622.870
LOCATION	VOL98	VOLUME	461481.891	3784795.596	626.210
LOCATION	VOL99	VOLUME	461486.558	3784879.596	631.090
LOCATION	VOL100	VOLUME	461569.003	3784776.929	621.370
LOCATION	VOL101	VOLUME	461643.670	3784787.818	622.790
LOCATION	VOL102	VOLUME	461562.781	3784825.151	625.070
** Source Parameters **					
SRCPARAM	VOL1	0.0024779041	3.490	19.572	3.250
SRCPARAM	VOL2	0.0024779041	3.490	19.572	3.250
SRCPARAM	VOL3	0.0024779041	3.490	19.572	3.250
SRCPARAM	VOL4	0.0024779041	3.490	19.572	3.250
SRCPARAM	VOL5	0.0024779041	3.490	19.572	3.250
SRCPARAM	VOL6	0.0024779041	3.490	19.572	3.250
SRCPARAM	VOL7	0.0024779041	3.490	19.572	3.250
SRCPARAM	VOL8	0.0024779041	3.490	19.572	3.250
SRCPARAM	VOL9	0.0024779041	3.490	19.572	3.250
SRCPARAM	VOL10	0.0024779041	3.490	19.572	3.250
SRCPARAM	VOL11	0.0024779041	3.490	19.572	3.250
SRCPARAM	VOL12	0.0024779041	3.490	19.572	3.250
SRCPARAM	VOL13	0.0024779041	3.490	19.572	3.250
SRCPARAM	VOL14	0.0024779041	3.490	19.572	3.250
SRCPARAM	VOL15	0.0024779041	3.490	19.572	3.250
SRCPARAM	VOL16	0.0024779041	3.490	19.572	3.250
SRCPARAM	VOL17	0.0024779041	3.490	19.572	3.250
SRCPARAM	VOL18	0.0024779041	3.490	19.572	3.250
SRCPARAM	VOL19	0.0024779041	3.490	19.572	3.250
SRCPARAM	VOL20	0.0024779041	3.490	19.572	3.250
SRCPARAM	VOL21	0.0024779041	3.490	19.572	3.250
SRCPARAM	VOL22	0.0024779041	3.490	19.572	3.250
SRCPARAM	VOL23	0.0024779041	3.490	19.572	3.250
SRCPARAM	VOL24	0.0024779041	3.490	19.572	3.250
SRCPARAM	VOL25	0.0024779041	3.490	19.572	3.250
SRCPARAM	VOL26	0.0024779041	3.490	19.572	3.250
SRCPARAM	VOL27	0.0024779041	3.490	19.572	3.250
SRCPARAM	VOL28	0.0024779041	3.490	19.572	3.250
SRCPARAM	VOL29	0.0024779041	3.490	19.572	3.250
SRCPARAM	VOL30	0.0024779041	3.490	19.572	3.250
SRCPARAM	VOL31	0.0024779041	3.490	19.572	3.250
SRCPARAM	VOL32	0.0024779041	3.490	19.572	3.250
SRCPARAM	VOL33	0.0024779041	3.490	19.572	3.250
SRCPARAM	VOL34	0.0024779041	3.490	19.572	3.250
SRCPARAM	VOL35	0.0024779041	3.490	19.572	3.250
SRCPARAM	VOL36	0.0024779041	3.490	19.572	3.250
SRCPARAM	VOL37	0.0024779041	3.490	19.572	3.250
SRCPARAM	VOL38	0.0024779041	3.490	19.572	3.250
SRCPARAM	VOL39	0.0024779041	3.490	19.572	3.250
SRCPARAM	VOL40	0.0024779041	3.490	19.572	3.250
SRCPARAM	VOL41	0.0024779041	3.490	19.572	3.250
SRCPARAM	VOL42	0.0024779041	3.490	19.572	3.250
SRCPARAM	VOL43	0.0024779041	3.490	19.572	3.250
SRCPARAM	VOL44	0.0024779041	3.490	19.572	3.250
SRCPARAM	VOL45	0.0024779041	3.490	19.572	3.250
SRCPARAM	VOL46	0.0024779041	3.490	19.572	3.250
SRCPARAM	VOL47	0.0024779041	3.490	19.572	3.250
SRCPARAM	VOL48	0.0024779041	3.490	19.572	3.250
SRCPARAM	VOL49	0.0024779041	3.490	19.572	3.250
SRCPARAM	VOL50	0.0024779041	3.490	19.572	3.250
SRCPARAM	VOL51	0.0024779041	3.490	19.572	3.250
SRCPARAM	VOL52	0.0024779041	3.490	19.572	3.250
SRCPARAM	VOL53	0.0024779041	3.490	19.572	3.250
SRCPARAM	VOL54	0.0024779041	3.490	19.572	3.250
SRCPARAM	VOL55	0.0024779041	3.490	19.572	3.250
SRCPARAM	VOL56	0.0024779041	3.490	19.572	3.250
SRCPARAM	VOL57	0.0024779041	3.490	19.572	3.250
SRCPARAM	VOL58	0.0006022248	3.490	19.572	3.250

SRCPARAM	VOL59	0.0006022248	3.490	19.572	3.250
SRCPARAM	VOL60	0.0006022248	3.490	19.572	3.250
SRCPARAM	VOL61	0.0006022248	3.490	19.572	3.250
SRCPARAM	VOL62	0.0006022248	3.490	19.572	3.250
SRCPARAM	VOL63	0.0006022248	3.490	19.572	3.250
SRCPARAM	VOL64	0.0006022248	3.490	19.572	3.250
SRCPARAM	VOL65	0.0006022248	3.490	19.572	3.250
SRCPARAM	VOL66	0.0006022248	3.490	19.572	3.250
SRCPARAM	VOL67	0.0006022248	3.490	19.572	3.250
SRCPARAM	VOL68	0.0006022248	3.490	19.572	3.250
SRCPARAM	VOL69	0.0006022248	3.490	19.572	3.250
SRCPARAM	VOL70	0.0006022248	3.490	19.572	3.250
SRCPARAM	VOL71	0.0006022248	3.490	19.572	3.250
SRCPARAM	VOL72	0.0006022248	3.490	19.572	3.250
SRCPARAM	VOL73	0.0006022248	3.490	19.572	3.250
SRCPARAM	VOL74	0.0019227282	3.490	19.572	3.250
SRCPARAM	VOL75	0.0019227282	3.490	19.572	3.250
SRCPARAM	VOL76	0.0019227282	3.490	19.572	3.250
SRCPARAM	VOL77	0.0019227282	3.490	19.572	3.250
SRCPARAM	VOL78	0.0019227282	3.490	19.572	3.250
SRCPARAM	VOL79	0.0019227282	3.490	19.572	3.250
SRCPARAM	VOL80	0.0019227282	3.490	19.572	3.250
SRCPARAM	VOL81	0.0019227282	3.490	19.572	3.250
SRCPARAM	VOL82	0.0019227282	3.490	19.572	3.250
SRCPARAM	VOL83	0.0019227282	3.490	19.572	3.250
SRCPARAM	VOL84	0.0019227282	3.490	19.572	3.250
SRCPARAM	VOL85	0.0019227282	3.490	19.572	3.250
SRCPARAM	VOL86	0.0019227282	3.490	19.572	3.250
SRCPARAM	VOL87	0.0019227282	3.490	19.572	3.250
SRCPARAM	VOL88	0.0019227282	3.490	19.572	3.250
SRCPARAM	VOL89	0.0019227282	3.490	19.572	3.250
SRCPARAM	VOL90	0.0019227282	3.490	19.572	3.250
SRCPARAM	VOL91	0.0019227282	3.490	19.572	3.250
SRCPARAM	VOL92	0.0019227282	3.490	19.572	3.250
SRCPARAM	VOL93	0.0019227282	3.490	19.572	3.250
SRCPARAM	VOL94	0.0019227282	3.490	19.572	3.250
SRCPARAM	VOL95	0.0019227282	3.490	19.572	3.250
SRCPARAM	VOL96	0.0019227282	3.490	19.572	3.250
SRCPARAM	VOL97	0.0019227282	3.490	19.572	3.250
SRCPARAM	VOL98	0.0019227282	3.490	19.572	3.250
SRCPARAM	VOL99	0.0019227282	3.490	19.572	3.250
SRCPARAM	VOL100	0.0019227282	3.490	19.572	3.250
SRCPARAM	VOL101	0.0019227282	3.490	19.572	3.250
SRCPARAM	VOL102	0.0019227282	3.490	19.572	3.250
URBANSRC	ALL				

** Variable Emissions Type: "By Hour / Day (HRDOW)"

** Variable Emission Scenario: "Scenario 1"

** WeekDays:

EMISFACT	VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	VOL1	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
EMISFACT	VOL1	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
EMISFACT	VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

** Saturday:

EMISFACT	VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

** Sunday:

EMISFACT	VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

** WeekDays:

EMISFACT	VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	VOL2	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0

[illegible]

**	EMISFACT VOL6 Sunday:		HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
	EMISFACT VOL6		HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
	EMISFACT VOL6		HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
	EMISFACT VOL6		HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
	EMISFACT VOL6		HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
**	WeekDays:								
	EMISFACT VOL7		HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
	EMISFACT VOL7		HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
	EMISFACT VOL7		HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
	EMISFACT VOL7		HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
**	Saturday:								
	EMISFACT VOL7		HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
	EMISFACT VOL7		HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
	EMISFACT VOL7		HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
	EMISFACT VOL7		HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
**	Sunday:								
	EMISFACT VOL7		HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
	EMISFACT VOL7		HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
	EMISFACT VOL7		HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
	EMISFACT VOL7		HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
**	WeekDays:								
	EMISFACT VOL8		HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
	EMISFACT VOL8		HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
	EMISFACT VOL8		HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
	EMISFACT VOL8		HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
**	Saturday:								
	EMISFACT VOL8		HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
	EMISFACT VOL8		HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
	EMISFACT VOL8		HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
	EMISFACT VOL8		HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
**	Sunday:								
	EMISFACT VOL8		HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
	EMISFACT VOL8		HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
	EMISFACT VOL8		HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
	EMISFACT VOL8		HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
**	WeekDays:								
	EMISFACT VOL9		HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
	EMISFACT VOL9		HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
	EMISFACT VOL9		HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
	EMISFACT VOL9		HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
**	Saturday:								
	EMISFACT VOL9		HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
	EMISFACT VOL9		HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
	EMISFACT VOL9		HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
	EMISFACT VOL9		HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
**	Sunday:								
	EMISFACT VOL9		HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
	EMISFACT VOL9		HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
	EMISFACT VOL9		HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
	EMISFACT VOL9		HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
**	WeekDays:								
	EMISFACT VOL10		HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
	EMISFACT VOL10		HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
	EMISFACT VOL10		HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
	EMISFACT VOL10		HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
**	Saturday:								
	EMISFACT VOL10		HRDOW	0.0	0.0	0.0			

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

```

** WeekDays:
EMISFACT VOL99      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL99      HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT VOL99      HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT VOL99      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
EMISFACT VOL99      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL99      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL99      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL99      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
EMISFACT VOL99      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL99      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL99      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL99      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
EMISFACT VOL100     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL100     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT VOL100     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT VOL100     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
EMISFACT VOL100     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL100     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL100     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL100     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
EMISFACT VOL100     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL100     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL100     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL100     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
EMISFACT VOL101     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL101     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT VOL101     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT VOL101     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
EMISFACT VOL101     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL101     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL101     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL101     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
EMISFACT VOL101     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL101     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL101     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL101     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
EMISFACT VOL102     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL102     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT VOL102     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT VOL102     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
EMISFACT VOL102     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL102     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL102     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL102     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
EMISFACT VOL102     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL102     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL102     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL102     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
SRCGROUP ALL
SO FINISHED
**
*****
** AERMOD Receptor Pathway
*****

```

```

**
**
RE STARTING
  INCLUDED "15585 Cons CO.rou"
RE FINISHED
**
*****
** AERMOD Meteorology Pathway
*****
**
**
ME STARTING
  SURFFILE FONT_V9_ADJU\FONT_v9.SFC
  PROFFILE FONT_V9_ADJU\FONT_v9.PFL
  SURFDATA 3102 2011
  UAIRDATA 3190 2011
  SITEDATA 99999 2011
  PROFBASE 367.0 METERS
ME FINISHED
**
*****
** AERMOD Output Pathway
*****
**
**
OU STARTING
  RECTABLE ALLAVE 1ST
  RECTABLE 1 1ST
  RECTABLE 8 1ST
** Auto-Generated Plotfiles
  PLOTFILE 1 ALL 1ST "15585 CONS CO.AD\01H1GALL.PLT" 31
  PLOTFILE 8 ALL 1ST "15585 CONS CO.AD\08H1GALL.PLT" 32
  SUMMFILE "15585 Cons CO.sum"
OU FINISHED

```

*** Message Summary For AERMOD Model Setup ***

----- Summary of Total Messages -----

```

A Total of          0 Fatal Error Message(s)
A Total of          2 Warning Message(s)
A Total of          0 Informational Message(s)

```

```

***** FATAL ERROR MESSAGES *****
      *** NONE ***

```

```

***** WARNING MESSAGES *****
ME W186      1800      MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold used          0.50
ME W187      1800      MEOPEN: ADJ_U* Option for Stable Low Winds used in AERMET

```

```

*****
*** SETUP Finishes Successfully ***
*****

```

```

*** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***          04/16/24
*** AERMET - VERSION 16216 ***
***
***

```

09:15:37

PAGE 1

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** MODEL SETUP OPTIONS SUMMARY ***

-- -- -- -- --
-- -- -- -- --
**** Model Options Selected:**

- * Model Uses Regulatory DEFAULT Options
- * Model Is Setup For Calculation of Average CONCentration Values.
- * NO GAS DEPOSITION Data Provided.
- * NO PARTICLE DEPOSITION Data Provided.
- * Model Uses NO DRY DEPLETION. DDPLETE = F
- * Model Uses NO WET DEPLETION. WETDPLT = F
- * Stack-tip Downwash.
- * Model Accounts for ELEVated Terrain Effects.
- * Use Calms Processing Routine.
- * Use Missing Data Processing Routine.
- * No Exponential Decay.
- * Model Uses URBAN Dispersion Algorithm for the SBL for 102 Source(s),
for Total of 1 Urban Area(s):
- Urban Population = 2035210.0 ; Urban Roughness Length = 1.000 m
- * Urban Roughness Length of 1.0 Meter Used.
- * ADJ_U* - Use ADJ_U* option for SBL in AERMET
- * TEMP_Sub - Meteorological data includes TEMP substitutions
- * Model Accepts FLAGPOLE Receptor . Heights.
- * The User Specified a Pollutant Type of: CO

****Model Calculates 2 Short Term Average(s) of: 1-HR 8-HR**

****This Run Includes: 102 Source(s); 1 Source Group(s); and 94 Receptor(s)**

with: 0 POINT(s), including
0 POINTCAP(s) and 0 POINTHOR(s)
and: 102 VOLUME source(s)
and: 0 AREA type source(s)
and: 0 LINE source(s)
and: 0 RLINE/RLINEXT source(s)
and: 0 OPENPIT source(s)
and: 0 BUOYANT LINE source(s) with a total of 0 line(s)
and: 0 SWPOINT source(s)

****Model Set To Continue RUNning After the Setup Testing.**

****The AERMET Input Meteorological Data Version Date: 16216**

****Output Options Selected:**

Model Outputs Tables of Highest Short Term Values by Receptor (RECTABLE Keyword)
Model Outputs External File(s) of High Values for Plotting (PLOTFILE Keyword)
Model Outputs Separate Summary File of High Ranked Values (SUMMFILE Keyword)

****NOTE:** The Following Flags May Appear Following CONC Values: c for Calm Hours
m for Missing Hours
b for Both Calm and Missing Hours

****Misc. Inputs:** Base Elev. for Pot. Temp. Profile (m MSL) = 367.00 ; Decay Coef. =
0.000 ; Rot. Angle = 0.0
Emission Units = GRAMS/SEC ; Emission Rate
Unit Factor = 0.10000E+07
Output Units = MICROGRAMS/M**3

****Approximate Storage Requirements of Model = 3.6 MB of RAM.**

****Input Runstream File:**

aermod.inp

****Output Print File:**

aermod.out

**Detailed Error/Message File: 15585 Cons

CO.err

**File for Summary of Results: 15585 Cons

CO.sum

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 09:15:37

PAGE 2

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

		NUMBER	EMISSION RATE			BASE	RELEASE	INIT.	INIT.
		URBAN	EMISSION RATE	AIRCRAFT					
SOURCE		PART.	(GRAMS/SEC)	X	Y	ELEV.	HEIGHT	SY	SZ
SOURCE	SCALAR	VARY							
ID		CATS.		(METERS)	(METERS)	(METERS)	(METERS)	(METERS)	
(METERS)			BY						

VOL1		0	0.24779E-02	461693.7	3786276.5	643.6	3.49	19.57	3.25
YES	HRDOW		NO						
VOL2		0	0.24779E-02	461646.2	3786333.2	642.8	3.49	19.57	3.25
YES	HRDOW		NO						
VOL3		0	0.24779E-02	461591.3	3786386.2	647.8	3.49	19.57	3.25
YES	HRDOW		NO						
VOL4		0	0.24779E-02	461541.9	3786437.5	649.2	3.49	19.57	3.25
YES	HRDOW		NO						
VOL5		0	0.24779E-02	461499.8	3786483.2	650.3	3.49	19.57	3.25
YES	HRDOW		NO						
VOL6		0	0.24779E-02	461461.4	3786530.8	651.5	3.49	19.57	3.25
YES	HRDOW		NO						
VOL7		0	0.24779E-02	461408.3	3786578.3	653.9	3.49	19.57	3.25
YES	HRDOW		NO						
VOL8		0	0.24779E-02	461452.2	3786636.9	648.0	3.49	19.57	3.25
YES	HRDOW		NO						
VOL9		0	0.24779E-02	461512.6	3786686.3	645.6	3.49	19.57	3.25
YES	HRDOW		NO						
VOL10		0	0.24779E-02	461573.0	3786730.2	644.9	3.49	19.57	3.25
YES	HRDOW		NO						
VOL11		0	0.24779E-02	461366.2	3786625.9	655.6	3.49	19.57	3.25
YES	HRDOW		NO						
VOL12		0	0.24779E-02	461289.4	3786679.0	662.0	3.49	19.57	3.25
YES	HRDOW		NO						
VOL13		0	0.24779E-02	461373.6	3786706.4	654.4	3.49	19.57	3.25
YES	HRDOW		NO						
VOL14		0	0.24779E-02	461441.3	3786713.7	647.9	3.49	19.57	3.25
YES	HRDOW		NO						
VOL15		0	0.24779E-02	461234.5	3786728.4	667.8	3.49	19.57	3.25
YES	HRDOW		NO						
VOL16		0	0.24779E-02	461199.7	3786774.1	667.5	3.49	19.57	3.25
YES	HRDOW		NO						
VOL17		0	0.24779E-02	461152.2	3786821.7	666.4	3.49	19.57	3.25
YES	HRDOW		NO						
VOL18		0	0.24779E-02	461086.3	3786863.8	668.2	3.49	19.57	3.25
YES	HRDOW		NO						
VOL19		0	0.24779E-02	461038.7	3786904.0	673.2	3.49	19.57	3.25
YES	HRDOW		NO						
VOL20		0	0.24779E-02	460978.4	3786938.8	680.5	3.49	19.57	3.25
YES	HRDOW		NO						
VOL21		0	0.24779E-02	460927.1	3786993.7	681.6	3.49	19.57	3.25
YES	HRDOW		NO						

```

*** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***                  04/16/24
*** AERMET - VERSION 16216 ***
***                                  ***
                                  ***      09:15:37

```

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ U*

SOURCE		NUMBER	EMISSION RATE	BASE		RELEASE	INIT.	INIT.	
SOURCE		URBAN	EMISSION RATE	AIRCRAFT					
SOURCE		PART.	(GRAMS/SEC)	X	Y	ELEV.	HEIGHT	SY	SZ
SOURCE		SCALAR	VARY						
ID		CATS.		(METERS)	(METERS)	(METERS)	(METERS)	(METERS)	
(METERS)			BY						

VOL41	0	0.24779E-02	461007.3	3786998.4	675.5	3.49	19.57	3.25
YES	HRDOW	NO						
VOL42	0	0.24779E-02	461052.2	3787052.6	669.8	3.49	19.57	3.25
YES	HRDOW	NO						
VOL43	0	0.24779E-02	461134.2	3787056.6	662.0	3.49	19.57	3.25
YES	HRDOW	NO						
VOL44	0	0.24779E-02	461082.6	3786975.9	671.8	3.49	19.57	3.25
YES	HRDOW	NO						

VOL45	0	0.24779E-02	461121.0	3786917.8	665.9	3.49	19.57	3.25
YES HRDOW		NO						
VOL46	0	0.24779E-02	461167.2	3786986.5	660.1	3.49	19.57	3.25
YES HRDOW		NO						
VOL47	0	0.24779E-02	461253.2	3786983.9	656.4	3.49	19.57	3.25
YES HRDOW		NO						
VOL48	0	0.24779E-02	461208.2	3786903.2	658.5	3.49	19.57	3.25
YES HRDOW		NO						
VOL49	0	0.24779E-02	461234.7	3786831.8	660.3	3.49	19.57	3.25
YES HRDOW		NO						
VOL50	0	0.24779E-02	461291.5	3786905.9	655.3	3.49	19.57	3.25
YES HRDOW		NO						
VOL51	0	0.24779E-02	461374.8	3786887.4	652.2	3.49	19.57	3.25
YES HRDOW		NO						
VOL52	0	0.24779E-02	461317.9	3786823.9	656.1	3.49	19.57	3.25
YES HRDOW		NO						
VOL53	0	0.24779E-02	461287.5	3786757.8	660.4	3.49	19.57	3.25
YES HRDOW		NO						
VOL54	0	0.24779E-02	461373.5	3786786.9	653.5	3.49	19.57	3.25
YES HRDOW		NO						
VOL55	0	0.24779E-02	461455.4	3786801.4	648.5	3.49	19.57	3.25
YES HRDOW		NO						
VOL56	0	0.24779E-02	461385.4	3786838.4	651.8	3.49	19.57	3.25
YES HRDOW		NO						
VOL57	0	0.24779E-02	461529.4	3786768.4	645.1	3.49	19.57	3.25
YES HRDOW		NO						
VOL58	0	0.60222E-03	462577.2	3786719.5	633.4	3.49	19.57	3.25
YES HRDOW		NO						
VOL59	0	0.60222E-03	462660.5	3786693.7	632.6	3.49	19.57	3.25
YES HRDOW		NO						
VOL60	0	0.60222E-03	462744.4	3786674.3	630.9	3.49	19.57	3.25
YES HRDOW		NO						
VOL61	0	0.60222E-03	462828.9	3786650.9	628.3	3.49	19.57	3.25
YES HRDOW		NO						
VOL62	0	0.60222E-03	462868.8	3786625.6	626.4	3.49	19.57	3.25
YES HRDOW		NO						
VOL63	0	0.60222E-03	462848.2	3786541.7	623.0	3.49	19.57	3.25
YES HRDOW		NO						
VOL64	0	0.60222E-03	462835.3	3786455.5	622.0	3.49	19.57	3.25
YES HRDOW		NO						
VOL65	0	0.60222E-03	462621.2	3786659.7	631.7	3.49	19.57	3.25
YES HRDOW		NO						
VOL66	0	0.60222E-03	462660.5	3786609.8	629.1	3.49	19.57	3.25
YES HRDOW		NO						
VOL67	0	0.60222E-03	462684.6	3786547.6	627.2	3.49	19.57	3.25
YES HRDOW		NO						
VOL68	0	0.60222E-03	462745.6	3786589.8	627.1	3.49	19.57	3.25
YES HRDOW		NO						
VOL69	0	0.60222E-03	462807.2	3786567.0	625.0	3.49	19.57	3.25
YES HRDOW		NO						
VOL70	0	0.60222E-03	462716.8	3786469.0	624.4	3.49	19.57	3.25
YES HRDOW		NO						
VOL71	0	0.60222E-03	462751.4	3786439.1	622.4	3.49	19.57	3.25
YES HRDOW		NO						
VOL72	0	0.60222E-03	462835.3	3786419.7	622.0	3.49	19.57	3.25
YES HRDOW		NO						
VOL73	0	0.60222E-03	462764.4	3786515.3	623.5	3.49	19.57	3.25
YES HRDOW		NO						
VOL74	0	0.19227E-02	461061.9	3784936.7	654.0	3.49	19.57	3.25
YES HRDOW		NO						
VOL75	0	0.19227E-02	461059.8	3784850.6	644.0	3.49	19.57	3.25
YES HRDOW		NO						
VOL76	0	0.19227E-02	461057.6	3784762.3	642.0	3.49	19.57	3.25
YES HRDOW		NO						
VOL77	0	0.19227E-02	461141.6	3784805.4	641.6	3.49	19.57	3.25
YES HRDOW		NO						

VOL78 0 0.19227E-02 461139.5 3784721.4 639.0 3.49 19.57 3.25
YES HRDOW NO
VOL79 0 0.19227E-02 461225.6 3784805.4 636.6 3.49 19.57 3.25
YES HRDOW NO
VOL80 0 0.19227E-02 461225.6 3784723.6 634.0 3.49 19.57 3.25
YES HRDOW NO
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 09:15:37

PAGE 4

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

		NUMBER	EMISSION RATE		BASE		RELEASE	INIT.	INIT.
		URBAN	EMISSION RATE		AIRCRAFT				
SOURCE		PART.	(GRAMS/SEC)	X	Y	ELEV.	HEIGHT	SY	SZ
SOURCE	SCALAR	VARY							
ID		CATS.		(METERS)	(METERS)	(METERS)	(METERS)	(METERS)	
(METERS)			BY						

VOL81		0	0.19227E-02	461223.7	3784635.4	631.4	3.49	19.57	3.25
YES	HRDOW		NO						
VOL82		0	0.19227E-02	461156.8	3784658.7	636.7	3.49	19.57	3.25
YES	HRDOW		NO						
VOL83		0	0.19227E-02	461312.3	3784885.8	641.4	3.49	19.57	3.25
YES	HRDOW		NO						
VOL84		0	0.19227E-02	461310.8	3784801.8	632.5	3.49	19.57	3.25
YES	HRDOW		NO						
VOL85		0	0.19227E-02	461312.3	3784714.7	629.8	3.49	19.57	3.25
YES	HRDOW		NO						
VOL86		0	0.19227E-02	461309.2	3784630.7	628.2	3.49	19.57	3.25
YES	HRDOW		NO						
VOL87		0	0.19227E-02	461284.3	3784548.3	629.4	3.49	19.57	3.25
YES	HRDOW		NO						
VOL88		0	0.19227E-02	461369.9	3784543.6	624.3	3.49	19.57	3.25
YES	HRDOW		NO						
VOL89		0	0.19227E-02	461289.0	3784462.7	624.5	3.49	19.57	3.25
YES	HRDOW		NO						
VOL90		0	0.19227E-02	461225.2	3784422.3	627.2	3.49	19.57	3.25
YES	HRDOW		NO						
VOL91		0	0.19227E-02	461371.4	3784458.0	621.3	3.49	19.57	3.25
YES	HRDOW		NO						
VOL92		0	0.19227E-02	461270.3	3784338.3	620.3	3.49	19.57	3.25
YES	HRDOW		NO						
VOL93		0	0.19227E-02	461310.8	3784375.6	619.3	3.49	19.57	3.25
YES	HRDOW		NO						
VOL94		0	0.19227E-02	461396.3	3784627.6	624.3	3.49	19.57	3.25
YES	HRDOW		NO						
VOL95		0	0.19227E-02	461397.9	3784711.6	626.6	3.49	19.57	3.25
YES	HRDOW		NO						
VOL96		0	0.19227E-02	461396.3	3784797.2	630.2	3.49	19.57	3.25
YES	HRDOW		NO						
VOL97		0	0.19227E-02	461483.4	3784714.7	622.9	3.49	19.57	3.25
YES	HRDOW		NO						
VOL98		0	0.19227E-02	461481.9	3784795.6	626.2	3.49	19.57	3.25
YES	HRDOW		NO						
VOL99		0	0.19227E-02	461486.6	3784879.6	631.1	3.49	19.57	3.25
YES	HRDOW		NO						
VOL100		0	0.19227E-02	461569.0	3784776.9	621.4	3.49	19.57	3.25
YES	HRDOW		NO						

```
VOL101      0    0.19227E-02  461643.7 3784787.8    622.8      3.49      19.57      3.25
YES   HRDOW                NO
VOL102      0    0.19227E-02  461562.8 3784825.2    625.1      3.49      19.57      3.25
YES   HRDOW                NO
*** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***                04/16/24
*** AERMET - VERSION 16216 ***
***                                     *** 09:15:37
```

PAGE 5

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** SOURCE IDs DEFINING SOURCE GROUPS ***

SRCGROUP ID	SOURCE IDs							
-----	-----							
ALL	VOL1	, VOL2	, VOL3	, VOL4	, VOL5	, VOL6	,	
VOL7	, VOL8	,						
	VOL9	, VOL10	, VOL11	, VOL12	, VOL13	, VOL14	,	
	VOL15	, VOL16	,					
	VOL17	, VOL18	, VOL19	, VOL20	, VOL21	, VOL22	,	
	VOL23	, VOL24	,					
	VOL25	, VOL26	, VOL27	, VOL28	, VOL29	, VOL30	,	
	VOL31	, VOL32	,					
	VOL33	, VOL34	, VOL35	, VOL36	, VOL37	, VOL38	,	
	VOL39	, VOL40	,					
	VOL41	, VOL42	, VOL43	, VOL44	, VOL45	, VOL46	,	
	VOL47	, VOL48	,					
	VOL49	, VOL50	, VOL51	, VOL52	, VOL53	, VOL54	,	
	VOL55	, VOL56	,					
	VOL57	, VOL58	, VOL59	, VOL60	, VOL61	, VOL62	,	
	VOL63	, VOL64	,					
	VOL65	, VOL66	, VOL67	, VOL68	, VOL69	, VOL70	,	
	VOL71	, VOL72	,					
	VOL73	, VOL74	, VOL75	, VOL76	, VOL77	, VOL78	,	
	VOL79	, VOL80	,					
	VOL81	, VOL82	, VOL83	, VOL84	, VOL85	, VOL86	,	
	VOL87	, VOL88	,					
	VOL89	, VOL90	, VOL91	, VOL92	, VOL93	, VOL94	,	
	VOL95	, VOL96	,					
	VOL97	, VOL98	, VOL99	, VOL100	, VOL101	, VOL102	,	

```
*** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***                04/16/24
*** AERMET - VERSION 16216 ***
***                                     *** 09:15:37
```

PAGE 6

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** SOURCE IDs DEFINED AS URBAN SOURCES ***

VOL8	2035210. VOL6 ,	VOL1 , VOL7 ,	, VOL2 ,	, VOL3 ,	, VOL4 ,	, VOL5 ,	
	VOL9 VOL15	, VOL10 , VOL16	, VOL11 ,	, VOL12 ,	, VOL13 ,	, VOL14 ,	
	VOL17 VOL23	, VOL18 , VOL24	, VOL19 ,	, VOL20 ,	, VOL21 ,	, VOL22 ,	
	VOL25 VOL31	, VOL26 , VOL32	, VOL27 ,	, VOL28 ,	, VOL29 ,	, VOL30 ,	
	VOL33 VOL39	, VOL34 , VOL40	, VOL35 ,	, VOL36 ,	, VOL37 ,	, VOL38 ,	
	VOL41 VOL47	, VOL42 , VOL48	, VOL43 ,	, VOL44 ,	, VOL45 ,	, VOL46 ,	
	VOL49 VOL55	, VOL50 , VOL56	, VOL51 ,	, VOL52 ,	, VOL53 ,	, VOL54 ,	
	VOL57 VOL63	, VOL58 , VOL64	, VOL59 ,	, VOL60 ,	, VOL61 ,	, VOL62 ,	
	VOL65 VOL71	, VOL66 , VOL72	, VOL67 ,	, VOL68 ,	, VOL69 ,	, VOL70 ,	
	VOL73 VOL79	, VOL74 , VOL80	, VOL75 ,	, VOL76 ,	, VOL77 ,	, VOL78 ,	
VOL81 VOL87	, VOL82 , VOL88	, VOL83 ,	, VOL84 ,	, VOL85 ,	, VOL86 ,		
VOL89 VOL95	, VOL90 , VOL96	, VOL91 ,	, VOL92 ,	, VOL93 ,	, VOL94 ,		

```
*** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***                  04/16/24
```

*** 09:15:37

```
*** MODELOPTs:      RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ U*
```

SOURCE ID = VOL1		; SOURCE TYPE = VOLUME		:							
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR

DAY OF WEEK = WEEKDAY											
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00	7	.0000E+00	8	.0000E+00							
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	
.1000E+01	15	.1000E+01	16	.1000E+01							
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00	23	.0000E+00	24	.0000E+00							

```

                                DAY OF WEEK = SATURDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SUNDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***
09:15:37

```

```

                                PAGE 8
*** MODELOPTs:  RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL2 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
-----
                                DAY OF WEEK = WEEKDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .1000E+01 10  .1000E+01 11  .1000E+01 12  .1000E+01 13  .1000E+01 14
.1000E+01 15  .1000E+01 16  .1000E+01
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SATURDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SUNDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***
09:15:37

```

```

                                PAGE 9
*** MODELOPTs:  RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL3 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
-----

```

```

- - - - -
                                DAY OF WEEK = WEEKDAY
1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SATURDAY
1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
                                PAGE 10
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL4 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
  SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
                                DAY OF WEEK = WEEKDAY
1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SATURDAY
1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
                                PAGE 11
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

```


* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL5 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

09:15:37

PAGE 12

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL6 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22

.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 09:15:37

PAGE 13

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL7 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 09:15:37

PAGE 14

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL8 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						

```

17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***
                                ***
                                09:15:37

                                PAGE 15
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL9 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
  SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
- - - - -
                                DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***
                                ***
                                09:15:37

```

```

                                PAGE 16
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL10 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
  SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
- - - - -
                                DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14

```

```

.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 09:15:37

```

```

PAGE 17
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL11 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
  SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 09:15:37

```

```

PAGE 18
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL12 ; SOURCE TYPE = VOLUME :

```


*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL14 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR
SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00	7	.0000E+00	8	.0000E+00							
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	
.1000E+01	15	.1000E+01	16	.1000E+01							
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00	23	.0000E+00	24	.0000E+00							

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00	7	.0000E+00	8	.0000E+00							
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
.0000E+00	15	.0000E+00	16	.0000E+00							
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00	23	.0000E+00	24	.0000E+00							

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00	7	.0000E+00	8	.0000E+00							
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
.0000E+00	15	.0000E+00	16	.0000E+00							
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00	23	.0000E+00	24	.0000E+00							

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

09:15:37

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL15 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR
SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00	7	.0000E+00	8	.0000E+00							
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	
.1000E+01	15	.1000E+01	16	.1000E+01							
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00	23	.0000E+00	24	.0000E+00							

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00	7	.0000E+00	8	.0000E+00							
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
.0000E+00	15	.0000E+00	16	.0000E+00							
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00	23	.0000E+00	24	.0000E+00							

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00	7	.0000E+00	8	.0000E+00							

```

9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
*** 09:15:37

```

PAGE 22

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

```

SOURCE ID = VOL16 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
  SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
- - - - -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

```

```

*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
*** 09:15:37

```

PAGE 23

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

```

SOURCE ID = VOL17 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
  SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
- - - - -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6

```

```
.0000E+00    7 .0000E+00    8 .0000E+00
9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14
.0000E+00   15 .0000E+00   16 .0000E+00
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22
.0000E+00   23 .0000E+00   24 .0000E+00
                                DAY OF WEEK = SUNDAY
1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00    6
.0000E+00    7 .0000E+00    8 .0000E+00
9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14
.0000E+00   15 .0000E+00   16 .0000E+00
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22
.0000E+00   23 .0000E+00   24 .0000E+00
*** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***                  04/16/24
*** AERMET - VERSION 16216 ***
***                                     *** 09:15:37
```

```
PAGE 24
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *
```

```
SOURCE ID = VOL18      ; SOURCE TYPE = VOLUME      :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
                                DAY OF WEEK = WEEKDAY
1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00    6
.0000E+00    7 .0000E+00    8 .0000E+00
9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14
.1000E+01   15 .1000E+01   16 .1000E+01
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22
.0000E+00   23 .0000E+00   24 .0000E+00
                                DAY OF WEEK = SATURDAY
1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00    6
.0000E+00    7 .0000E+00    8 .0000E+00
9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14
.0000E+00   15 .0000E+00   16 .0000E+00
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22
.0000E+00   23 .0000E+00   24 .0000E+00
                                DAY OF WEEK = SUNDAY
1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00    6
.0000E+00    7 .0000E+00    8 .0000E+00
9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14
.0000E+00   15 .0000E+00   16 .0000E+00
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22
.0000E+00   23 .0000E+00   24 .0000E+00
*** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***                  04/16/24
*** AERMET - VERSION 16216 ***
***                                     *** 09:15:37
```

```
PAGE 25
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *
```

```
SOURCE ID = VOL19      ; SOURCE TYPE = VOLUME      :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
                                DAY OF WEEK = WEEKDAY
```


1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00	7	.0000E+00	8	.0000E+00							
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	
.1000E+01	15	.1000E+01	16	.1000E+01							
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00	23	.0000E+00	24	.0000E+00							

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00	7	.0000E+00	8	.0000E+00							
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
.0000E+00	15	.0000E+00	16	.0000E+00							
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00	23	.0000E+00	24	.0000E+00							

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00	7	.0000E+00	8	.0000E+00							
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
.0000E+00	15	.0000E+00	16	.0000E+00							
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00	23	.0000E+00	24	.0000E+00							

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 09:15:37

PAGE 26

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL20 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00	7	.0000E+00	8	.0000E+00							
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	
.1000E+01	15	.1000E+01	16	.1000E+01							
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00	23	.0000E+00	24	.0000E+00							

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00	7	.0000E+00	8	.0000E+00							
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
.0000E+00	15	.0000E+00	16	.0000E+00							
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00	23	.0000E+00	24	.0000E+00							

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00	7	.0000E+00	8	.0000E+00							
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
.0000E+00	15	.0000E+00	16	.0000E+00							
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00	23	.0000E+00	24	.0000E+00							

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 09:15:37

PAGE 27

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK

(HRDOW) *

SOURCE ID = VOL21 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 09:15:37

PAGE 28

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL22 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen

PAGE 29

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL23 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen

PAGE 30

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL24 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

```

                                DAY OF WEEK = SUNDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
FF *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***
                                09:15:37

                                PAGE 31
*** MODELOPTs:  RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL25 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
- - - - -

                                DAY OF WEEK = WEEKDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .1000E+01 10  .1000E+01 11  .1000E+01 12  .1000E+01 13  .1000E+01 14
.1000E+01 15  .1000E+01 16  .1000E+01
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00

                                DAY OF WEEK = SATURDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00

                                DAY OF WEEK = SUNDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
FF *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***
                                09:15:37

```

```

                                PAGE 32
*** MODELOPTs:  RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

```

```

SOURCE ID = VOL26 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
- - - - -

                                DAY OF WEEK = WEEKDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .1000E+01 10  .1000E+01 11  .1000E+01 12  .1000E+01 13  .1000E+01 14
.1000E+01 15  .1000E+01 16  .1000E+01
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22

```

```

.0000E+00  23 .0000E+00  24 .0000E+00
                                DAY OF WEEK = SATURDAY
 1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
 1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
                                09:15:37

                                PAGE 33
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL27 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
                                DAY OF WEEK = WEEKDAY
 1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SATURDAY
 1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
 1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
                                09:15:37

                                PAGE 34
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL28 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR

```

```

- - - - -
- - - - -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
*** 09:15:37

PAGE 35
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL29 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
  SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
*** 09:15:37

```

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL30 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR
SCALAR	HOUR	SCALAR	HOUR	SCALAR						

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

09:15:37

PAGE 37

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL31 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR
SCALAR	HOUR	SCALAR	HOUR	SCALAR						

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						

17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 09:15:37

PAGE 38

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL32 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 09:15:37

PAGE 39

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL33 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14


```
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 09:15:37
```

```
PAGE 40
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL34 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 09:15:37
```

```
PAGE 41
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL35 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
```

9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

09:15:37

PAGE 42

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL36 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

09:15:37

PAGE 43

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

```

SOURCE ID = VOL37          ; SOURCE TYPE = VOLUME      :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
  - - - - -
  - - - - -
                                DAY OF WEEK = WEEKDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .1000E+01 10  .1000E+01 11  .1000E+01 12  .1000E+01 13  .1000E+01 14
.1000E+01 15  .1000E+01 16  .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SATURDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***          04/16/24
*** AERMET - VERSION 16216 ***
***
***
                                ***
                                09:15:37

```

```

                                PAGE 44
*** MODELOPTs:  RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

```

```

SOURCE ID = VOL38          ; SOURCE TYPE = VOLUME      :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
  - - - - -
  - - - - -
                                DAY OF WEEK = WEEKDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .1000E+01 10  .1000E+01 11  .1000E+01 12  .1000E+01 13  .1000E+01 14
.1000E+01 15  .1000E+01 16  .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SATURDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***          04/16/24
*** AERMET - VERSION 16216 ***

```

09:15:37

PAGE 45

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *SOURCE ID = VOL39 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00	7	.0000E+00	8	.0000E+00							
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	
.1000E+01	15	.1000E+01	16	.1000E+01							
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00	23	.0000E+00	24	.0000E+00							

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00	7	.0000E+00	8	.0000E+00							
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
.0000E+00	15	.0000E+00	16	.0000E+00							
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00	23	.0000E+00	24	.0000E+00							

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00	7	.0000E+00	8	.0000E+00							
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
.0000E+00	15	.0000E+00	16	.0000E+00							
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00	23	.0000E+00	24	.0000E+00							

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

09:15:37

PAGE 46

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *SOURCE ID = VOL40 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00	7	.0000E+00	8	.0000E+00							
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	
.1000E+01	15	.1000E+01	16	.1000E+01							
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00	23	.0000E+00	24	.0000E+00							

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00	7	.0000E+00	8	.0000E+00							
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
.0000E+00	15	.0000E+00	16	.0000E+00							
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00	23	.0000E+00	24	.0000E+00							

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	

```
.0000E+00    7 .0000E+00    8 .0000E+00
9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14
.0000E+00   15 .0000E+00   16 .0000E+00
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22
.0000E+00   23 .0000E+00   24 .0000E+00
*** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***      04/16/24
*** AERMET - VERSION 16216 ***
***                                     ***      09:15:37
```

PAGE 47

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL41 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

```
1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00    6
.0000E+00    7 .0000E+00    8 .0000E+00
9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14
.1000E+01   15 .1000E+01   16 .1000E+01
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22
.0000E+00   23 .0000E+00   24 .0000E+00
```

DAY OF WEEK = SATURDAY

```
1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00    6
.0000E+00    7 .0000E+00    8 .0000E+00
9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14
.0000E+00   15 .0000E+00   16 .0000E+00
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22
.0000E+00   23 .0000E+00   24 .0000E+00
```

DAY OF WEEK = SUNDAY

```
1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00    6
.0000E+00    7 .0000E+00    8 .0000E+00
9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14
.0000E+00   15 .0000E+00   16 .0000E+00
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22
.0000E+00   23 .0000E+00   24 .0000E+00
```

```
*** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***      04/16/24
*** AERMET - VERSION 16216 ***
***                                     ***      09:15:37
```

PAGE 48

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL42 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

```
1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00    6
.0000E+00    7 .0000E+00    8 .0000E+00
9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14
.1000E+01   15 .1000E+01   16 .1000E+01
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22
.0000E+00   23 .0000E+00   24 .0000E+00
```

DAY OF WEEK = SATURDAY

```

1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***                04/16/24
*** AERMET - VERSION 16216 ***
***                                     *** 09:15:37
```

```

                                PAGE 49
*** MODELOPTs:  RegDFAULT CONC  ELEV  FLGPOL  URBAN  ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL43      ; SOURCE TYPE = VOLUME      :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
-----
                                DAY OF WEEK = WEEKDAY
1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SATURDAY
1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***                04/16/24
*** AERMET - VERSION 16216 ***
***                                     *** 09:15:37
```

```

                                PAGE 50
*** MODELOPTs:  RegDFAULT CONC  ELEV  FLGPOL  URBAN  ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL44      ; SOURCE TYPE = VOLUME      :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
-----
```

```

                                DAY OF WEEK = WEEKDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .1000E+01 10  .1000E+01 11  .1000E+01 12  .1000E+01 13  .1000E+01 14
.1000E+01 15  .1000E+01 16  .1000E+01
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SATURDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SUNDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
*** 09:15:37

```

```

                                PAGE 51
*** MODELOPTs:  RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL45 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
                                DAY OF WEEK = WEEKDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .1000E+01 10  .1000E+01 11  .1000E+01 12  .1000E+01 13  .1000E+01 14
.1000E+01 15  .1000E+01 16  .1000E+01
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SATURDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SUNDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
*** 09:15:37

```

```

                                PAGE 52
*** MODELOPTs:  RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

```

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL46 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00		7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	
.1000E+01		15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00		23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00		7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
.0000E+00		15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00		23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00		7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
.0000E+00		15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00		23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

09:15:37

PAGE 53

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL47 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00		7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	
.1000E+01		15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00		23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00		7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
.0000E+00		15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00		23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00		7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
.0000E+00		15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00		23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 09:15:37

PAGE 54

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL48 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 09:15:37

PAGE 55

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL49 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22

```

.0000E+00  23 .0000E+00  24 .0000E+00
                                DAY OF WEEK = SUNDAY
 1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***
                                ***
                                09:15:37

                                PAGE 56
*** MODELOPTs:  RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL50 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
  SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
- - - - -
                                DAY OF WEEK = WEEKDAY
 1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SATURDAY
 1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
 1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***
                                ***
                                09:15:37

```

```

                                PAGE 57
*** MODELOPTs:  RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

```

```

SOURCE ID = VOL51 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
  SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
- - - - -
                                DAY OF WEEK = WEEKDAY
 1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

```

17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

09:15:37

PAGE 58

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL52 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

09:15:37

PAGE 59

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL53 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR

SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR
DAY OF WEEK = WEEKDAY									
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00	9	.1000E+01	10	.1000E+01
11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01
16	.1000E+01	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00
21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00		
DAY OF WEEK = SATURDAY									
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00	9	.0000E+00	10	.0000E+00
11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00
16	.0000E+00	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00
21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00		
DAY OF WEEK = SUNDAY									
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00	9	.0000E+00	10	.0000E+00
11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00
16	.0000E+00	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00
21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00		

*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
 SP\15585 Ops H *** 04/16/24
 *** AERMET - VERSION 16216 ***

09:15:37

PAGE 60

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL54 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR
SCALAR	HOUR	SCALAR	HOUR	SCALAR						

DAY OF WEEK = WEEKDAY									
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00	9	.1000E+01	10	.1000E+01
11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01
16	.1000E+01	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00
21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00		
DAY OF WEEK = SATURDAY									
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00	9	.0000E+00	10	.0000E+00
11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00
16	.0000E+00	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00
21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00		
DAY OF WEEK = SUNDAY									
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00	9	.0000E+00	10	.0000E+00
11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00
16	.0000E+00	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00
21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00		

*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
 SP\15585 Ops H *** 04/16/24
 *** AERMET - VERSION 16216 ***

09:15:37

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *SOURCE ID = VOL55 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR
SCALAR	HOUR	SCALAR	HOUR	SCALAR						

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
 SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

09:15:37

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *SOURCE ID = VOL56 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR
SCALAR	HOUR	SCALAR	HOUR	SCALAR						

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14

```
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 09:15:37
```

PAGE 63

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL57 ; SOURCE TYPE = VOLUME :

HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL
SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

```
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 09:15:37
```

PAGE 64

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL58 ; SOURCE TYPE = VOLUME :

HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL
SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						

DAY OF WEEK = SUNDAY

```
***                                     *** 09:15:37
```

DAY OF WEEK = WEEKDAY

DAY OF WEEK = SATURDAY

DAY OF WEEK = SUNDAY

```
***                                     *** 09:15:37
```

DAY OF WEEK = WEEKDAY

```
1 .0000E+00      2 .0000E+00      3 .0000E+00      4 .0000E+00      5 .0000E+00      6
```

```

.0000E+00    7 .0000E+00    8 .0000E+00
9  .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14
.1000E+01   15 .1000E+01   16 .1000E+01
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22
.0000E+00   23 .0000E+00   24 .0000E+00
                                DAY OF WEEK = SATURDAY
1  .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00    6
.0000E+00    7 .0000E+00    8 .0000E+00
9  .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14
.0000E+00   15 .0000E+00   16 .0000E+00
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22
.0000E+00   23 .0000E+00   24 .0000E+00
                                DAY OF WEEK = SUNDAY
1  .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00    6
.0000E+00    7 .0000E+00    8 .0000E+00
9  .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14
.0000E+00   15 .0000E+00   16 .0000E+00
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22
.0000E+00   23 .0000E+00   24 .0000E+00
FF *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***      04/16/24
*** AERMET - VERSION 16216 ***
***
                                ***
                                09:15:37

                                PAGE 67
*** MODELOPTs:      RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                                * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
                                (HRDOW) *

SOURCE ID = VOL61      ; SOURCE TYPE = VOLUME      :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
- - - - -
                                DAY OF WEEK = WEEKDAY
1  .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00    6
.0000E+00    7 .0000E+00    8 .0000E+00
9  .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14
.1000E+01   15 .1000E+01   16 .1000E+01
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22
.0000E+00   23 .0000E+00   24 .0000E+00
                                DAY OF WEEK = SATURDAY
1  .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00    6
.0000E+00    7 .0000E+00    8 .0000E+00
9  .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14
.0000E+00   15 .0000E+00   16 .0000E+00
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22
.0000E+00   23 .0000E+00   24 .0000E+00
                                DAY OF WEEK = SUNDAY
1  .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00    6
.0000E+00    7 .0000E+00    8 .0000E+00
9  .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14
.0000E+00   15 .0000E+00   16 .0000E+00
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22
.0000E+00   23 .0000E+00   24 .0000E+00
FF *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***      04/16/24
*** AERMET - VERSION 16216 ***
***
                                ***
                                09:15:37

                                PAGE 68
*** MODELOPTs:      RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                                * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
                                (HRDOW) *

```



```

SOURCE ID = VOL62          ; SOURCE TYPE = VOLUME      :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
  - - - - -
  - - - - -
                                DAY OF WEEK = WEEKDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .1000E+01 10  .1000E+01 11  .1000E+01 12  .1000E+01 13  .1000E+01 14
.1000E+01 15  .1000E+01 16  .1000E+01
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SATURDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SUNDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***          04/16/24
*** AERMET - VERSION 16216 ***
***
***
                                ***
                                09:15:37

```

```

                                PAGE 69
*** MODELOPTs:  RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

```

```

SOURCE ID = VOL63          ; SOURCE TYPE = VOLUME      :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
  - - - - -
  - - - - -
                                DAY OF WEEK = WEEKDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .1000E+01 10  .1000E+01 11  .1000E+01 12  .1000E+01 13  .1000E+01 14
.1000E+01 15  .1000E+01 16  .1000E+01
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SATURDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SUNDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***          04/16/24

```

PAGE 70

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL64 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00	2 .0000E+00	3 .0000E+00	4 .0000E+00	5 .0000E+00	6
.0000E+00	7 .0000E+00	8 .0000E+00			
9 .1000E+01	10 .1000E+01	11 .1000E+01	12 .1000E+01	13 .1000E+01	14
.1000E+01	15 .1000E+01	16 .1000E+01			
17 .0000E+00	18 .0000E+00	19 .0000E+00	20 .0000E+00	21 .0000E+00	22
.0000E+00	23 .0000E+00	24 .0000E+00			

DAY OF WEEK = SATURDAY

1 .0000E+00	2 .0000E+00	3 .0000E+00	4 .0000E+00	5 .0000E+00	6
.0000E+00	7 .0000E+00	8 .0000E+00			
9 .0000E+00	10 .0000E+00	11 .0000E+00	12 .0000E+00	13 .0000E+00	14
.0000E+00	15 .0000E+00	16 .0000E+00			
17 .0000E+00	18 .0000E+00	19 .0000E+00	20 .0000E+00	21 .0000E+00	22
.0000E+00	23 .0000E+00	24 .0000E+00			

DAY OF WEEK = SUNDAY

1 .0000E+00	2 .0000E+00	3 .0000E+00	4 .0000E+00	5 .0000E+00	6
.0000E+00	7 .0000E+00	8 .0000E+00			
9 .0000E+00	10 .0000E+00	11 .0000E+00	12 .0000E+00	13 .0000E+00	14
.0000E+00	15 .0000E+00	16 .0000E+00			
17 .0000E+00	18 .0000E+00	19 .0000E+00	20 .0000E+00	21 .0000E+00	22
.0000E+00	23 .0000E+00	24 .0000E+00			

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
 SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

09:15:37

PAGE 71

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL65 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00	2 .0000E+00	3 .0000E+00	4 .0000E+00	5 .0000E+00	6
.0000E+00	7 .0000E+00	8 .0000E+00			
9 .1000E+01	10 .1000E+01	11 .1000E+01	12 .1000E+01	13 .1000E+01	14
.1000E+01	15 .1000E+01	16 .1000E+01			
17 .0000E+00	18 .0000E+00	19 .0000E+00	20 .0000E+00	21 .0000E+00	22
.0000E+00	23 .0000E+00	24 .0000E+00			

DAY OF WEEK = SATURDAY

1 .0000E+00	2 .0000E+00	3 .0000E+00	4 .0000E+00	5 .0000E+00	6
.0000E+00	7 .0000E+00	8 .0000E+00			
9 .0000E+00	10 .0000E+00	11 .0000E+00	12 .0000E+00	13 .0000E+00	14
.0000E+00	15 .0000E+00	16 .0000E+00			
17 .0000E+00	18 .0000E+00	19 .0000E+00	20 .0000E+00	21 .0000E+00	22
.0000E+00	23 .0000E+00	24 .0000E+00			

DAY OF WEEK = SUNDAY

```
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 09:15:37
```

PAGE 72

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL66 ; SOURCE TYPE = VOLUME :

HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL
SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00	2 .0000E+00	3 .0000E+00	4 .0000E+00	5 .0000E+00	6
.0000E+00	7 .0000E+00	8 .0000E+00			
9 .1000E+01	10 .1000E+01	11 .1000E+01	12 .1000E+01	13 .1000E+01	14
.1000E+01	15 .1000E+01	16 .1000E+01			
17 .0000E+00	18 .0000E+00	19 .0000E+00	20 .0000E+00	21 .0000E+00	22
.0000E+00	23 .0000E+00	24 .0000E+00			

DAY OF WEEK = SATURDAY

1 .0000E+00	2 .0000E+00	3 .0000E+00	4 .0000E+00	5 .0000E+00	6
.0000E+00	7 .0000E+00	8 .0000E+00			
9 .0000E+00	10 .0000E+00	11 .0000E+00	12 .0000E+00	13 .0000E+00	14
.0000E+00	15 .0000E+00	16 .0000E+00			
17 .0000E+00	18 .0000E+00	19 .0000E+00	20 .0000E+00	21 .0000E+00	22
.0000E+00	23 .0000E+00	24 .0000E+00			

DAY OF WEEK = SUNDAY

1 .0000E+00	2 .0000E+00	3 .0000E+00	4 .0000E+00	5 .0000E+00	6
.0000E+00	7 .0000E+00	8 .0000E+00			
9 .0000E+00	10 .0000E+00	11 .0000E+00	12 .0000E+00	13 .0000E+00	14
.0000E+00	15 .0000E+00	16 .0000E+00			
17 .0000E+00	18 .0000E+00	19 .0000E+00	20 .0000E+00	21 .0000E+00	22
.0000E+00	23 .0000E+00	24 .0000E+00			

```
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 09:15:37
```

PAGE 73

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL67 ; SOURCE TYPE = VOLUME :

HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL
SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00	2 .0000E+00	3 .0000E+00	4 .0000E+00	5 .0000E+00	6
.0000E+00	7 .0000E+00	8 .0000E+00			
9 .1000E+01	10 .1000E+01	11 .1000E+01	12 .1000E+01	13 .1000E+01	14
.1000E+01	15 .1000E+01	16 .1000E+01			
17 .0000E+00	18 .0000E+00	19 .0000E+00	20 .0000E+00	21 .0000E+00	22
.0000E+00	23 .0000E+00	24 .0000E+00			

```

                                DAY OF WEEK = SATURDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SUNDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***
09:15:37

```

```

                                PAGE 74
*** MODELOPTs:  RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL68 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
                                DAY OF WEEK = WEEKDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .1000E+01 10  .1000E+01 11  .1000E+01 12  .1000E+01 13  .1000E+01 14
.1000E+01 15  .1000E+01 16  .1000E+01
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SATURDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SUNDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***
09:15:37

```

```

                                PAGE 75
*** MODELOPTs:  RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL69 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -

```

```

- - - - -
                                DAY OF WEEK = WEEKDAY
1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SATURDAY
1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
                                PAGE 76
*** MODELOPTs:  RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL70 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
                                DAY OF WEEK = WEEKDAY
1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SATURDAY
1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
                                PAGE 77
*** MODELOPTs:  RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

```

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL71 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen

SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

09:15:37

PAGE 78

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL72 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22

.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 09:15:37

PAGE 79

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL73 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 09:15:37

PAGE 80

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL74 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						

```

17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***
                                ***
                                09:15:37

                                PAGE 81
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL75 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
  SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
- - - - -
                                DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***
                                ***
                                09:15:37

```

```

                                PAGE 82
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL76 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
  SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
- - - - -
                                DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14

```


.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

09:15:37

PAGE 83

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL77 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

09:15:37

PAGE 84

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL78 ; SOURCE TYPE = VOLUME :

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL80 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR
SCALAR	HOUR	SCALAR	HOUR	SCALAR						

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

09:15:37

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL81 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR
SCALAR	HOUR	SCALAR	HOUR	SCALAR						

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						

9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 09:15:37

PAGE 88

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL82 ; SOURCE TYPE = VOLUME :

HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL
SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 09:15:37

PAGE 89

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL83 ; SOURCE TYPE = VOLUME :

HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL
SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6

```
.0000E+00      7 .0000E+00      8 .0000E+00
9 .0000E+00     10 .0000E+00     11 .0000E+00     12 .0000E+00     13 .0000E+00     14
.0000E+00     15 .0000E+00     16 .0000E+00
17 .0000E+00     18 .0000E+00     19 .0000E+00     20 .0000E+00     21 .0000E+00     22
.0000E+00     23 .0000E+00     24 .0000E+00
                                DAY OF WEEK = SUNDAY
1 .0000E+00      2 .0000E+00      3 .0000E+00      4 .0000E+00      5 .0000E+00      6
.0000E+00      7 .0000E+00      8 .0000E+00
9 .0000E+00     10 .0000E+00     11 .0000E+00     12 .0000E+00     13 .0000E+00     14
.0000E+00     15 .0000E+00     16 .0000E+00
17 .0000E+00     18 .0000E+00     19 .0000E+00     20 .0000E+00     21 .0000E+00     22
.0000E+00     23 .0000E+00     24 .0000E+00
*** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***      04/16/24
*** AERMET - VERSION 16216 ***
***                                     ***      09:15:37
```

```
PAGE 90
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL84      ; SOURCE TYPE = VOLUME      :
HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
SCALAR  HOUR  SCALAR  HOUR  SCALAR
-----
                                DAY OF WEEK = WEEKDAY
1 .0000E+00      2 .0000E+00      3 .0000E+00      4 .0000E+00      5 .0000E+00      6
.0000E+00      7 .0000E+00      8 .0000E+00
9 .1000E+01     10 .1000E+01     11 .1000E+01     12 .1000E+01     13 .1000E+01     14
.1000E+01     15 .1000E+01     16 .1000E+01
17 .0000E+00     18 .0000E+00     19 .0000E+00     20 .0000E+00     21 .0000E+00     22
.0000E+00     23 .0000E+00     24 .0000E+00
                                DAY OF WEEK = SATURDAY
1 .0000E+00      2 .0000E+00      3 .0000E+00      4 .0000E+00      5 .0000E+00      6
.0000E+00      7 .0000E+00      8 .0000E+00
9 .0000E+00     10 .0000E+00     11 .0000E+00     12 .0000E+00     13 .0000E+00     14
.0000E+00     15 .0000E+00     16 .0000E+00
17 .0000E+00     18 .0000E+00     19 .0000E+00     20 .0000E+00     21 .0000E+00     22
.0000E+00     23 .0000E+00     24 .0000E+00
                                DAY OF WEEK = SUNDAY
1 .0000E+00      2 .0000E+00      3 .0000E+00      4 .0000E+00      5 .0000E+00      6
.0000E+00      7 .0000E+00      8 .0000E+00
9 .0000E+00     10 .0000E+00     11 .0000E+00     12 .0000E+00     13 .0000E+00     14
.0000E+00     15 .0000E+00     16 .0000E+00
17 .0000E+00     18 .0000E+00     19 .0000E+00     20 .0000E+00     21 .0000E+00     22
.0000E+00     23 .0000E+00     24 .0000E+00
*** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***      04/16/24
*** AERMET - VERSION 16216 ***
***                                     ***      09:15:37
```

```
PAGE 91
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL85      ; SOURCE TYPE = VOLUME      :
HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
SCALAR  HOUR  SCALAR  HOUR  SCALAR
-----
                                DAY OF WEEK = WEEKDAY
```

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00	7	.0000E+00	8	.0000E+00							
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	
.1000E+01	15	.1000E+01	16	.1000E+01							
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00	23	.0000E+00	24	.0000E+00							

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00	7	.0000E+00	8	.0000E+00							
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
.0000E+00	15	.0000E+00	16	.0000E+00							
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00	23	.0000E+00	24	.0000E+00							

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00	7	.0000E+00	8	.0000E+00							
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
.0000E+00	15	.0000E+00	16	.0000E+00							
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00	23	.0000E+00	24	.0000E+00							

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 09:15:37

PAGE 92

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL86 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00	7	.0000E+00	8	.0000E+00							
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	
.1000E+01	15	.1000E+01	16	.1000E+01							
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00	23	.0000E+00	24	.0000E+00							

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00	7	.0000E+00	8	.0000E+00							
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
.0000E+00	15	.0000E+00	16	.0000E+00							
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00	23	.0000E+00	24	.0000E+00							

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00	7	.0000E+00	8	.0000E+00							
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
.0000E+00	15	.0000E+00	16	.0000E+00							
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00	23	.0000E+00	24	.0000E+00							

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 09:15:37

PAGE 93

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK

(HRDOW) *

SOURCE ID = VOL87 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 09:15:37

PAGE 94

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL88 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen

PAGE 95

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL89 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen

PAGE 96

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL90 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						


```

                                DAY OF WEEK = SUNDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
FF *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***
                                09:15:37

                                PAGE 97
*** MODELOPTs:  RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL91 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
- - - - -

                                DAY OF WEEK = WEEKDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .1000E+01 10  .1000E+01 11  .1000E+01 12  .1000E+01 13  .1000E+01 14
.1000E+01 15  .1000E+01 16  .1000E+01
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00

                                DAY OF WEEK = SATURDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00

                                DAY OF WEEK = SUNDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
FF *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***
                                09:15:37

```

```

                                PAGE 98
*** MODELOPTs:  RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

```

```

SOURCE ID = VOL92 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
- - - - -

                                DAY OF WEEK = WEEKDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .1000E+01 10  .1000E+01 11  .1000E+01 12  .1000E+01 13  .1000E+01 14
.1000E+01 15  .1000E+01 16  .1000E+01
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22

```

```

.0000E+00  23 .0000E+00  24 .0000E+00
                                DAY OF WEEK = SATURDAY
1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
                                09:15:37

                                PAGE 99
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL93 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
                                DAY OF WEEK = WEEKDAY
1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SATURDAY
1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
                                09:15:37

                                PAGE 100
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL94 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR

```

```

- - - - -
- - - - -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 09:15:37

```

```

PAGE 101
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL95 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
  SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 09:15:37

```

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL96 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR
SCALAR	HOUR	SCALAR	HOUR	SCALAR						

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00		7	.0000E+00	8	.0000E+00					
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01		15	.1000E+01	16	.1000E+01					
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00		23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00		7	.0000E+00	8	.0000E+00					
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00		15	.0000E+00	16	.0000E+00					
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00		23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00		7	.0000E+00	8	.0000E+00					
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00		15	.0000E+00	16	.0000E+00					
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00		23	.0000E+00	24	.0000E+00					

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

09:15:37

PAGE 103

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL97 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR
SCALAR	HOUR	SCALAR	HOUR	SCALAR						

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00		7	.0000E+00	8	.0000E+00					
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01		15	.1000E+01	16	.1000E+01					
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00		23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00		7	.0000E+00	8	.0000E+00					
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00		15	.0000E+00	16	.0000E+00					
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00		23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00		7	.0000E+00	8	.0000E+00					
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00		15	.0000E+00	16	.0000E+00					

17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 09:15:37

PAGE 104

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL98 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 09:15:37

PAGE 105

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL99 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14

```
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 09:15:37
```

```
PAGE 106
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL100 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 09:15:37
```

```
PAGE 107
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL101 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
```

9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

09:15:37

PAGE 108

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL102 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

09:15:37

PAGE 109

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** DISCRETE CARTESIAN RECEPTORS ***
(X-COORD, Y-COORD, ZELEV, ZHILL, ZFLAG)
(METERS)

(463154.3, 3786819.6,	631.4,	1734.0,	2.0);	(463167.5, 3786865.5,
633.6, 1734.0,	2.0);			
(463147.6, 3786873.2,	634.1,	1734.0,	2.0);	(463129.9, 3786877.4,
634.4, 1734.0,	2.0);			
(463110.0, 3786886.9,	635.4,	1734.0,	2.0);	(463059.0, 3786966.9,
641.4, 1734.0,	2.0);			
(463074.9, 3787087.9,	646.7,	1734.0,	2.0);	(463102.5, 3787076.0,
645.0, 1734.0,	2.0);			
(462919.9, 3787058.3,	650.6,	1734.0,	2.0);	(463042.0, 3787098.7,
649.3, 1734.0,	2.0);			
(462998.1, 3787106.0,	651.7,	1734.0,	2.0);	(462944.0, 3787123.4,
653.8, 1734.0,	2.0);			
(462850.6, 3787079.7,	652.9,	1734.0,	2.0);	(462807.5, 3787091.0,
653.6, 1734.0,	2.0);			
(462821.9, 3787159.9,	658.2,	1734.0,	2.0);	(462755.2, 3787105.3,
654.6, 1734.0,	2.0);			
(462743.8, 3787181.3,	659.7,	1734.0,	2.0);	(462870.3, 3787147.1,
657.4, 1734.0,	2.0);			
(462890.0, 3787138.7,	656.5,	1734.0,	2.0);	(462725.4, 3787114.5,
655.2, 1734.0,	2.0);			
(462685.8, 3787125.8,	655.9,	1734.0,	2.0);	(462656.2, 3787132.7,
656.5, 1734.0,	2.0);			
(462632.9, 3787123.9,	655.6,	1734.0,	2.0);	(462595.9, 3787152.0,
658.4, 1734.0,	2.0);			
(462571.7, 3787160.3,	658.8,	1734.0,	2.0);	(462473.7, 3787233.0,
657.1, 1734.0,	2.0);			
(462534.0, 3787244.6,	659.9,	1734.0,	2.0);	(462400.1, 3787275.4,
659.0, 1734.0,	2.0);			
(462229.2, 3787434.2,	674.5,	1734.0,	2.0);	(462257.0, 3787342.4,
668.1, 1734.0,	2.0);			
(462128.4, 3787527.6,	684.6,	1734.0,	2.0);	(462183.2, 3787452.4,
675.8, 1734.0,	2.0);			
(462022.5, 3787623.1,	687.6,	1734.0,	2.0);	(461918.3, 3787709.0,
694.2, 1734.0,	2.0);			
(462038.5, 3787667.1,	695.0,	1734.0,	2.0);	(461424.9, 3788158.1,
731.4, 1734.0,	2.0);			
(461926.8, 3788065.0,	727.1,	1734.0,	2.0);	(461937.8, 3787798.6,
702.8, 1734.0,	2.0);			
(461956.2, 3787956.4,	718.2,	1734.0,	2.0);	(461303.4, 3788188.5,
726.6, 1734.0,	2.0);			
(461132.5, 3788399.4,	744.9,	1734.0,	2.0);	(461058.7, 3788731.5,
757.8, 1734.0,	2.0);			
(460943.7, 3788817.1,	758.9,	1734.0,	2.0);	(457324.4, 3790478.1,
770.2, 1734.0,	2.0);			
(457715.3, 3790467.0,	770.2,	1734.0,	2.0);	(457385.4, 3790493.9,
772.7, 1734.0,	2.0);			
(457752.2, 3790534.9,	771.1,	1734.0,	2.0);	(458383.4, 3790238.2,
751.7, 1734.0,	2.0);			
(463178.4, 3786251.1,	613.0,	1734.0,	2.0);	(462814.4, 3786754.2,
633.2, 1734.0,	2.0);			
(462674.0, 3786877.7,	639.7,	1734.0,	2.0);	(462604.9, 3786782.6,
635.5, 1734.0,	2.0);			
(462768.8, 3786780.7,	634.5,	1734.0,	2.0);	(461416.7, 3783609.8,
589.4, 1734.0,	2.0);			
(461655.6, 3783762.7,	593.9,	1734.0,	2.0);	(461824.6, 3783749.2,
599.8, 1734.0,	2.0);			
(461846.6, 3783749.2,	600.8,	1734.0,	2.0);	(461939.4, 3783743.2,
615.2, 1734.0,	2.0);			
(462019.9, 3783739.8,	613.5,	1734.0,	2.0);	(462121.1, 3783735.6,
606.0, 1734.0,	2.0);			
(462214.8, 3783729.3,	610.5,	1734.0,	2.0);	(462334.6, 3783705.5,
621.8, 1734.0,	2.0);			
(461658.1, 3783690.3,	600.5,	1734.0,	2.0);	(461041.9, 3783495.8,
601.3, 1734.0,	2.0);			
(461249.5, 3783484.0,	594.5,	1734.0,	2.0);	(461451.2, 3783502.2,


```

*** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***                  04/16/24
*** AERMET - VERSION 16216 ***
***                                  ***
***                                  ***      09:15:37

```

$$\begin{aligned} & (462710.5, 3782876.4, 547.6, 1734.0, 2.0); & (462069.8, 3783383.5, \\ & 571.2, 1734.0, 2.0); \\ & (462277.2, 3783298.3, 561.0, 1734.0, 2.0); & (461797.0, 3783468.7, \\ & 575.6, 1734.0, 2.0); \end{aligned}$$

```

FF *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***                      04/16/24
*** AERMET - VERSION 16216 ***
***                                     *** 09:15:37

```

[illegible]

1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

NOTE: METEOROLOGICAL DATA ACTUALLY PROCESSED WILL ALSO DEPEND ON WHAT IS INCLUDED IN THE DATA FILE.

*** UPPER BOUND OF FIRST THROUGH FIFTH WIND SPEED CATEGORIES ***

(METERS/SEC)

1.54, 3.09, 5.14, 8.23, 10.80,

*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 09:15:37

PAGE 112

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** UP TO THE FIRST 24 HOURS OF METEOROLOGICAL DATA ***

Surface file:

FONT_V9_ADJU\FONT_v9.SFC

Met

Version: 16216

Profile file:

FONT_V9_ADJU\FONT_v9.PFL

Surface format:

FREE

Profile format:

FREE

Surface station no.: 3102

Upper air station no.: 3190

Name: UNKNOWN

Name:

UNKNOWN

Year: 2011

Year: 2011

First 24 hours of scalar data

YR	MO	DY	JDY	HR	H0	U*	W*	DT/DZ	ZICNV	ZIMCH	M-O	LEN	Z0	BOWEN	ALBEDO	REF	WS
WD				HT	REF	TA	HT										
11	01	01	1	01	-18.5	0.194	-9.000	-9.000	-999.	204.	41.2	0.25	2.82	1.00	1.80		
69.				9.1	276.4	5.5											
11	01	01	1	02	-23.8	0.239	-9.000	-9.000	-999.	281.	63.0	0.25	2.82	1.00	2.20		
52.				9.1	275.4	5.5											
11	01	01	1	03	-18.5	0.194	-9.000	-9.000	-999.	205.	41.2	0.25	2.82	1.00	1.80		
32.				9.1	275.4	5.5											
11	01	01	1	04	-1.4	0.067	-9.000	-9.000	-999.	57.	18.3	0.25	2.82	1.00	0.40		
27.				9.1	274.2	5.5											
11	01	01	1	05	-18.6	0.194	-9.000	-9.000	-999.	204.	41.2	0.25	2.82	1.00	1.80		
51.				9.1	274.2	5.5											
11	01	01	1	06	-29.7	0.296	-9.000	-9.000	-999.	387.	96.6	0.25	2.82	1.00	2.70		
53.				9.1	274.2	5.5											
11	01	01	1	07	-24.0	0.239	-9.000	-9.000	-999.	282.	63.0	0.25	2.82	1.00	2.20		
70.				9.1	274.2	5.5											
11	01	01	1	08	-8.4	0.138	-9.000	-9.000	-999.	127.	27.3	0.25	2.82	0.54	1.30		
72.				9.1	275.4	5.5											
11	01	01	1	09	44.3	0.280	0.571	0.005	147.	356.	-43.5	0.25	2.82	0.32	2.20		
67.				9.1	277.5	5.5											
11	01	01	1	10	122.7	0.264	0.952	0.005	247.	326.	-13.2	0.25	2.82	0.25	1.80		
83.				9.1	279.9	5.5											
11	01	01	1	11	179.8	0.316	1.733	0.005	1017.	426.	-15.4	0.25	2.82	0.22	2.20		
58.				9.1	282.0	5.5											
11	01	01	1	12	206.0	0.320	1.940	0.008	1244.	435.	-14.0	0.25	2.82	0.21	2.20		

463154.33	3786819.61	0.28716	(16121216)	463167.45
3786865.52	0.24746	(16121216)		
463147.58	3786873.25	0.24471	(16121216)	463129.92
3786877.44	0.24405	(16121216)		
463110.04	3786886.94	0.24085	(16121216)	463059.03

3786966.87	0.22988	(16121216)	
463074.93	3787087.88	0.24062	(16121216) 463102.53
3787075.96	0.23338	(16121216)	
462919.92	3787058.29	0.27383	(16121216) 463042.03
3787098.70	0.24907	(16121216)	
462998.09	3787105.99	0.25993	(16121216) 462943.99
3787123.43	0.27469	(16121216)	
462850.58	3787079.71	0.29690	(16121216) 462807.52
3787090.97	0.31115	(16121216)	
462821.88	3787159.87	0.30578	(16121216) 462755.22
3787105.29	0.32830	(16121216)	
462743.77	3787181.31	0.32369	(16121216) 462870.28
3787147.15	0.29378	(16121216)	
462889.99	3787138.70	0.28881	(16121216) 462725.43
3787114.51	0.33781	(16121216)	
462685.82	3787125.77	0.35000	(16121216) 462656.17
3787132.72	0.35896	(16121216)	
462632.89	3787123.90	0.36885	(16121216) 462595.92
3787152.05	0.37488	(16121216)	
462571.70	3787160.31	0.38060	(16121216) 462473.70
3787233.03	0.38084	(16121216)	
462534.01	3787244.58	0.35819	(16121216) 462400.07
3787275.41	0.37626	(16121216)	
462229.16	3787434.24	0.34280	(13121916) 462256.97
3787342.44	0.36400	(16121216)	
462128.43	3787527.59	0.35792	(13121916) 462183.16
3787452.38	0.34042	(13121916)	
462022.45	3787623.08	0.34466	(13121916) 461918.34
3787709.00	0.40686	(15122116)	
462038.54	3787667.10	0.34564	(13121916) 461424.87
3788158.12	0.36663	(15122116)	
461926.79	3788065.01	0.36372	(15122116) 461937.75
3787798.61	0.39393	(15122116)	
461956.17	3787956.45	0.37418	(15122116) 461303.41
3788188.53	0.33849	(15122116)	
461132.48	3788399.44	0.19284	(15122116) 461058.72
3788731.50	0.17448	(13031809)	
460943.68	3788817.15	0.18943	(13031809) 457324.43
3790478.09	0.07438	(16121510)	
457715.29	3790466.96	0.09143	(16121510) 457385.37
3790493.92	0.07787	(16121510)	
457752.21	3790534.94	0.09368	(16121510) 458383.39
3790238.21	0.10136	(16121510)	
463178.40	3786251.10	0.32960	(13111916) 462814.44
3786754.18	0.57878	(16121216)	
462674.03	3786877.67	0.33705	(12121715) 462604.90
3786782.62	0.51024	(13112916)	
462768.77	3786780.67	0.45570	(16121216) 461416.67
3783609.80	0.27781	(15021709)	
461655.59	3783762.73	0.21352	(15021709) 461824.61
3783749.17	0.17550	(16101209)	
461846.64	3783749.17	0.17310	(16101209) 461939.41
3783743.24	0.16442	(16101209)	
462019.90	3783739.85	0.15585	(16101209) 462121.14
3783735.61	0.14528	(16101209)	
462214.76	3783729.26	0.13761	(16101209) 462334.64
3783705.54	0.12869	(16101209)	
461658.13	3783690.29	0.21005	(15021709) 461041.92
3783495.78	0.17337	(12021513)	
461249.49	3783484.05	0.22601	(15021709) 461451.20
3783502.23	0.25585	(15021709)	
461567.30	3783209.63	0.21134	(15021709) 461502.80
3783145.13	0.21523	(15021709)	
461612.45	3783185.00	0.20147	(15021709) 460924.52
3783393.96	0.14794	(15120909)	
460848.29	3783334.15	0.14128	(15120909) 460765.02

3783264.37	0.13298	(15120909)	
460668.85	3783186.38	0.12301	(15120909) 460574.44
3783105.46	0.11338	(15120909)	
460496.45	3783051.51	0.10547	(15120909) 460712.73
3783532.65	0.12665	(15120909)	
460583.91	3783527.38	0.11285	(15120909) 460501.88
3783491.78	0.10448	(15120909)	
460403.69	3783447.41	0.09560	(11011209) 460303.99
3783403.05	0.09286	(11011209)	

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

*** 09:15:37

PAGE 114

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** THE 1ST HIGHEST 1-HR AVERAGE CONCENTRATION VALUES FOR
SOURCE GROUP: ALL ***

INCLUDING SOURCE(S): VOL1 , VOL2 ,
VOL3 , VOL4 , VOL5
VOL6 , VOL7 , VOL8 , VOL9 , VOL10 ,
VOL11 , VOL12 , VOL13 ,
VOL14 , VOL15 , VOL16 , VOL17 , VOL18 ,
VOL19 , VOL20 , VOL21 ,
VOL22 , VOL23 , VOL24 , VOL25 , VOL26 ,
VOL27 , VOL28 , . . .

*** DISCRETE CARTESIAN RECEPTOR POINTS ***

** CONC OF CO IN
MICROGRAMS/M**3 **

X-COORD (M)	Y-COORD (M)	CONC	(YYMMDDHH)	X-COORD (M)	Y-COORD
(M)	CONC	(YYMMDDHH)			
459503.27	3782889.01	0.07511	(16011409)	459388.10	
3783065.74	0.07432	(16011409)			
459382.29	3783016.73	0.07466	(16011409)	459350.12	
3783155.49	0.07700	(11121211)			
459320.33	3783264.86	0.07774	(11121211)	463904.58	
3786591.83	0.16523	(12121715)			
466077.15	3784031.33	0.07260	(15012809)	466200.85	
3784253.98	0.06654	(13111210)			
465960.20	3784644.19	0.07214	(13122709)	466195.23	
3784596.96	0.07005	(13122709)			
462710.50	3782876.40	0.10484	(11010309)	462069.84	
3783383.52	0.14783	(16101209)			
462277.17	3783298.31	0.13172	(16101209)	461797.05	
3783468.72	0.16443	(11100512)			

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

*** 09:15:37

PAGE 115

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** THE 1ST HIGHEST 8-HR AVERAGE CONCENTRATION VALUES FOR
SOURCE GROUP: ALL ***

INCLUDING SOURCE(S): VOL1 , VOL2 ,
VOL3 , VOL4 , VOL5
VOL6 , VOL7 , VOL8 , VOL9 , VOL10 ,
VOL11 , VOL12 , VOL13 ,
VOL14 , VOL15 , VOL16 , VOL17 , VOL18 ,

VOL19 , VOL20 , VOL21 ,
VOL22 , VOL23 , VOL24 , VOL25 , VOL26 ,
VOL27 , VOL28 , . . . ,

*** DISCRETE CARTESIAN RECEPTOR POINTS ***

** CONC OF CO IN
MICROGRAMS/M**3 **

X-COORD (M)	Y-COORD (M)	CONC	(YYMMDDHH)	X-COORD (M)	Y-COORD
(M)	CONC	(YYMMDDHH)			
463154.33	3786819.61	0.11011	(11111816)	463167.45	
3786865.52	0.10176	(11111816)			
463147.58	3786873.25	0.10353	(11111816)	463129.92	
3786877.44	0.10471	(11111816)			
463110.04	3786886.94	0.10356	(11111816)	463059.03	
3786966.87	0.09160	(16011516)			
463074.93	3787087.88	0.07710	(16011516)	463102.53	
3787075.96	0.07795	(16011516)			
462919.92	3787058.29	0.07605	(16011516)	463042.03	
3787098.70	0.07567	(16011516)			
462998.09	3787105.99	0.07379	(16011516)	462943.99	
3787123.43	0.07023	(16011516)			
462850.58	3787079.71	0.07053	(16120516)	462807.52	
3787090.97	0.07223	(16122316)			
462821.88	3787159.87	0.07289	(16122316)	462755.22	
3787105.29	0.07580	(16122316)			
462743.77	3787181.31	0.07796	(16122316)	462870.28	
3787147.15	0.07003	(16122316)			
462889.99	3787138.70	0.06888	(16122316)	462725.43	
3787114.51	0.07802	(16122316)			
462685.82	3787125.77	0.08112	(16122316)	462656.17	
3787132.72	0.08352	(16122316)			
462632.89	3787123.90	0.08527	(16122316)	462595.92	
3787152.05	0.08869	(16122316)			
462571.70	3787160.31	0.09085	(16122316)	462473.70	
3787233.03	0.09838	(16122316)			
462534.01	3787244.58	0.09290	(16122316)	462400.07	
3787275.41	0.10210	(16122316)			
462229.16	3787434.24	0.11347	(11111816)	462256.97	
3787342.44	0.11422	(11111816)			
462128.43	3787527.59	0.10901	(11111816)	462183.16	
3787452.38	0.11669	(11111816)			
462022.45	3787623.08	0.10099	(16011516)	461918.34	
3787709.00	0.10482	(15122116)			
462038.54	3787667.10	0.09630	(15120916)	461424.87	
3788158.12	0.08205	(16010616)			
461926.79	3788065.01	0.07862	(15122116)	461937.75	
3787798.61	0.09671	(15122116)			
461956.17	3787956.45	0.08507	(15122116)	461303.41	
3788188.53	0.08420	(16010616)			
461132.48	3788399.44	0.06734	(16010616)	461058.72	
3788731.50	0.04793	(16010616)			
460943.68	3788817.15	0.04231	(16010616)	457324.43	
3790478.09	0.02415	(12112716)			
457715.29	3790466.96	0.02476	(12112716)	457385.37	
3790493.92	0.02430	(12112716)			
457752.21	3790534.94	0.02431	(12112716)	458383.39	
3790238.21	0.02588	(13012516)			
463178.40	3786251.10	0.09836	(13111916)	462814.44	
3786754.18	0.27189	(16010616)			
462674.03	3786877.67	0.13365	(16010616)	462604.90	
3786782.62	0.28691	(16010616)			
462768.77	3786780.67	0.24401	(16010616)	461416.67	

```

PF *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***                      04/16/24
*** AERMET - VERSION 16216 ***
***                                     *** 09:15:37

```

*** THE 1ST HIGHEST 8-HR AVERAGE CONCENTRATION VALUES FOR
SOURCE GROUP: ALL ***
INCLUDING SOURCE(S): VOL1, VOL2,
VOL3, VOL4, VOL5,
, VOL7, VOL8, VOL9, VOL10,
, VOL12, VOL13,
, VOL15, VOL16, VOL17, VOL18,
, VOL20, VOL21,
, VOL23, VOL24, VOL25, VOL26,
, VOL28,

*** DISCRETE CARTESIAN RECEPTOR POINTS ***

```

** CONC OF CO          IN
MICROGRAMS/M**3

```

X-COORD (M)	Y-COORD (M)	CONC	(YYMMDDHH)	X-COORD (M)	Y-COORD
459503.27	3782889.01	0.02137	(15122216)	459388.10	
3783065.74	0.02350	(15122216)			
459382.29	3783016.73	0.02299	(15122216)	459350.12	
3783155.49	0.02423	(15122216)			
459320.33	3783264.86	0.02678	(11121216)	463904.58	
3786591.83	0.05325	(11111816)			
466077.15	3784031.33	0.02765	(16012716)	466200.85	
3784253.98	0.02577	(16012716)			
465960.20	3784644.19	0.02660	(16012716)	466195.23	
3784596.96	0.02547	(16012716)			
462710.50	3782876.40	0.03168	(16122616)	462069.84	

3783383.52 0.03685 (16122616)
462277.17 3783298.31 0.03632 (16122616) 461797.05
3783468.72 0.03960 (11100516)
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 09:15:37

PAGE 117

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** THE SUMMARY OF HIGHEST 1-HR RESULTS ***

** CONC OF CO IN
MICROGRAMS/M**3 **

DATE

NETWORK

GROUP ID AVERAGE CONC (YYMMDDHH) RECEPTOR (XR, YR,
ZELEV, ZHILL, ZFLAG) OF TYPE GRID-ID

ALL HIGH 1ST HIGH VALUE IS 0.57878 ON 16121216: AT (462814.44, 3786754.18,
633.19, 1734.00, 2.00) DC

*** RECEPTOR TYPES: GC = GRIDCART
GP = GRIDPOLR
DC = DISCCART
DP = DISCPOLR

*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 09:15:37

PAGE 118

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** THE SUMMARY OF HIGHEST 8-HR RESULTS ***

** CONC OF CO IN
MICROGRAMS/M**3 **

DATE

NETWORK

GROUP ID AVERAGE CONC (YYMMDDHH) RECEPTOR (XR, YR,
ZELEV, ZHILL, ZFLAG) OF TYPE GRID-ID

ALL HIGH 1ST HIGH VALUE IS 0.28691 ON 16010616: AT (462604.90, 3786782.62,
635.54, 1734.00, 2.00) DC

*** RECEPTOR TYPES: GC = GRIDCART
GP = GRIDPOLR
DC = DISCCART
DP = DISCPOLR

*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***

09:15:37

PAGE 119

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** Message Summary : AERMOD Model Execution ***

----- Summary of Total Messages -----

A Total of 0 Fatal Error Message(s)
A Total of 7 Warning Message(s)
A Total of 838 Informational Message(s)

A Total of 43848 Hours Were Processed

A Total of 40 Calm Hours Identified

A Total of 798 Missing Hours Identified (1.82 Percent)

***** FATAL ERROR MESSAGES *****
*** NONE ***

***** WARNING MESSAGES *****

ME W186	1800	MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold used	0.50
ME W187	1800	MEOPEN: ADJ_U* Option for Stable Low Winds used in AERMET	
MX W438	8800	METQA: Convective Velocity Data Out-of-Range. KURDAT =	12010216
MX W438	11536	METQA: Convective Velocity Data Out-of-Range. KURDAT =	12042516
MX W420	16779	METQA: Wind Speed Out-of-Range. KURDAT =	12113003
MX W450	26305	CHKDAT: Record Out of Sequence in Meteorological File at:	15010101
MX W450	26305	CHKDAT: Record Out of Sequence in Meteorological File at:	1 year gap

*** AERMOD Finishes Successfully ***

```

** Lakes Environmental AERMOD MPI
**
*****
**
** AERMOD Input Produced by:
** AERMOD View Ver. 12.0.0
** Lakes Environmental Software Inc.
** Date: 4/16/2024
** File: C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen SP\15585 Cons NOX\15585 Cons
NOX.ADI
**
*****
**
**
*****
** AERMOD Control Pathway
*****
**
**
CO STARTING
  TITLEONE C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen SP\15585 Ops H
  MODELOPT DFAULT CONC
  AVERTIME 1
  URBANOPT 2035210 San_Bernardino_County
  POLLUTID NOX
  FLAGPOLE 2.00
  RUNORNOT RUN
  ERRORFIL "15585 Cons NOX.err"
CO FINISHED
**
*****
** AERMOD Source Pathway
*****
**
**
SO STARTING
** Source Location **
** Source ID - Type - X Coord. - Y Coord. **
LOCATION VOL1      VOLUME      461693.740    3786276.453    643.610
LOCATION VOL2      VOLUME      461646.169    3786333.174    642.840
LOCATION VOL3      VOLUME      461591.280    3786386.232    647.830
LOCATION VOL4      VOLUME      461541.881    3786437.462    649.230
LOCATION VOL5      VOLUME      461499.799    3786483.202    650.290
LOCATION VOL6      VOLUME      461461.378    3786530.772    651.510
LOCATION VOL7      VOLUME      461408.319    3786578.342    653.920
LOCATION VOL8      VOLUME      461452.229    3786636.890    648.030
LOCATION VOL9      VOLUME      461512.607    3786686.289    645.570
LOCATION VOL10     VOLUME      461572.984    3786730.200    644.910
LOCATION VOL11     VOLUME      461366.238    3786625.912    655.580
LOCATION VOL12     VOLUME      461289.394    3786678.971    662.030
LOCATION VOL13     VOLUME      461373.556    3786706.415    654.400
LOCATION VOL14     VOLUME      461441.252    3786713.733    647.890
LOCATION VOL15     VOLUME      461234.505    3786728.370    667.840
LOCATION VOL16     VOLUME      461199.743    3786774.111    667.480
LOCATION VOL17     VOLUME      461152.173    3786821.681    666.390
LOCATION VOL18     VOLUME      461086.307    3786863.762    668.160
LOCATION VOL19     VOLUME      461038.737    3786904.013    673.160
LOCATION VOL20     VOLUME      460978.359    3786938.776    680.480
LOCATION VOL21     VOLUME      460927.130    3786993.664    681.640
LOCATION VOL22     VOLUME      460877.731    3787050.382    684.380
LOCATION VOL23     VOLUME      460837.479    3787107.100    683.950
LOCATION VOL24     VOLUME      460804.546    3787160.159    681.640
LOCATION VOL25     VOLUME      460749.517    3787211.229    680.350
LOCATION VOL26     VOLUME      460704.572    3787274.681    677.670
LOCATION VOL27     VOLUME      460655.661    3787332.845    679.400
LOCATION VOL28     VOLUME      460593.531    3787398.940    683.870

```

LOCATION	VOL29	VOLUME	460639.798	3787451.816	679.140
LOCATION	VOL30	VOLUME	460683.421	3787401.584	675.790
LOCATION	VOL31	VOLUME	460741.585	3787356.639	670.810
LOCATION	VOL32	VOLUME	460790.496	3787281.290	670.000
LOCATION	VOL33	VOLUME	460875.098	3787289.222	670.390
LOCATION	VOL34	VOLUME	460929.296	3787227.092	670.660
LOCATION	VOL35	VOLUME	460840.729	3787209.907	677.570
LOCATION	VOL36	VOLUME	460884.352	3787164.962	677.960
LOCATION	VOL37	VOLUME	460967.632	3787141.168	672.840
LOCATION	VOL38	VOLUME	460921.365	3787088.291	678.890
LOCATION	VOL39	VOLUME	460967.632	3787063.175	676.310
LOCATION	VOL40	VOLUME	461048.268	3787114.729	668.480
LOCATION	VOL41	VOLUME	461007.289	3786998.401	675.500
LOCATION	VOL42	VOLUME	461052.234	3787052.600	669.780
LOCATION	VOL43	VOLUME	461134.193	3787056.565	661.990
LOCATION	VOL44	VOLUME	461082.638	3786975.929	671.770
LOCATION	VOL45	VOLUME	461120.973	3786917.765	665.910
LOCATION	VOL46	VOLUME	461167.240	3786986.504	660.060
LOCATION	VOL47	VOLUME	461253.164	3786983.860	656.410
LOCATION	VOL48	VOLUME	461208.219	3786903.224	658.460
LOCATION	VOL49	VOLUME	461234.658	3786831.841	660.330
LOCATION	VOL50	VOLUME	461291.500	3786905.868	655.270
LOCATION	VOL51	VOLUME	461374.780	3786887.361	652.160
LOCATION	VOL52	VOLUME	461317.938	3786823.909	656.140
LOCATION	VOL53	VOLUME	461287.534	3786757.814	660.450
LOCATION	VOL54	VOLUME	461373.458	3786786.896	653.480
LOCATION	VOL55	VOLUME	461455.417	3786801.437	648.470
LOCATION	VOL56	VOLUME	461385.355	3786838.450	651.810
LOCATION	VOL57	VOLUME	461529.444	3786768.389	645.070
LOCATION	VOL58	VOLUME	462577.220	3786719.492	633.360
LOCATION	VOL59	VOLUME	462660.520	3786693.681	632.580
LOCATION	VOL60	VOLUME	462744.406	3786674.322	630.900
LOCATION	VOL61	VOLUME	462828.880	3786650.857	628.260
LOCATION	VOL62	VOLUME	462868.770	3786625.633	626.420
LOCATION	VOL63	VOLUME	462848.238	3786541.746	623.050
LOCATION	VOL64	VOLUME	462835.332	3786455.513	622.000
LOCATION	VOL65	VOLUME	462621.216	3786659.657	631.720
LOCATION	VOL66	VOLUME	462660.520	3786609.794	629.090
LOCATION	VOL67	VOLUME	462684.571	3786547.612	627.210
LOCATION	VOL68	VOLUME	462745.580	3786589.849	627.120
LOCATION	VOL69	VOLUME	462807.175	3786566.971	624.980
LOCATION	VOL70	VOLUME	462716.835	3786469.005	624.430
LOCATION	VOL71	VOLUME	462751.446	3786439.087	622.370
LOCATION	VOL72	VOLUME	462835.332	3786419.729	622.000
LOCATION	VOL73	VOLUME	462764.351	3786515.348	623.530
LOCATION	VOL74	VOLUME	461061.948	3784936.739	654.040
LOCATION	VOL75	VOLUME	461059.795	3784850.618	644.040
LOCATION	VOL76	VOLUME	461057.642	3784762.345	642.000
LOCATION	VOL77	VOLUME	461141.610	3784805.405	641.650
LOCATION	VOL78	VOLUME	461139.457	3784721.438	639.020
LOCATION	VOL79	VOLUME	461225.577	3784805.405	636.620
LOCATION	VOL80	VOLUME	461225.577	3784723.591	634.040
LOCATION	VOL81	VOLUME	461223.667	3784635.373	631.360
LOCATION	VOL82	VOLUME	461156.778	3784658.706	636.710
LOCATION	VOL83	VOLUME	461312.335	3784885.818	641.380
LOCATION	VOL84	VOLUME	461310.779	3784801.818	632.510
LOCATION	VOL85	VOLUME	461312.335	3784714.706	629.850
LOCATION	VOL86	VOLUME	461309.224	3784630.706	628.160
LOCATION	VOL87	VOLUME	461284.335	3784548.261	629.430
LOCATION	VOL88	VOLUME	461369.891	3784543.594	624.320
LOCATION	VOL89	VOLUME	461289.001	3784462.705	624.470
LOCATION	VOL90	VOLUME	461225.223	3784422.260	627.230
LOCATION	VOL91	VOLUME	461371.446	3784458.038	621.330
LOCATION	VOL92	VOLUME	461270.334	3784338.260	620.310
LOCATION	VOL93	VOLUME	461310.779	3784375.593	619.290
LOCATION	VOL94	VOLUME	461396.335	3784627.595	624.280

LOCATION	VOL95	VOLUME	461397.891	3784711.595	626.590
LOCATION	VOL96	VOLUME	461396.335	3784797.151	630.160
LOCATION	VOL97	VOLUME	461483.447	3784714.706	622.870
LOCATION	VOL98	VOLUME	461481.891	3784795.596	626.210
LOCATION	VOL99	VOLUME	461486.558	3784879.596	631.090
LOCATION	VOL100	VOLUME	461569.003	3784776.929	621.370
LOCATION	VOL101	VOLUME	461643.670	3784787.818	622.790
LOCATION	VOL102	VOLUME	461562.781	3784825.151	625.070
** Source Parameters **					
SRCPARAM	VOL1	0.0028679446	3.490	19.572	3.250
SRCPARAM	VOL2	0.0028679446	3.490	19.572	3.250
SRCPARAM	VOL3	0.0028679446	3.490	19.572	3.250
SRCPARAM	VOL4	0.0028679446	3.490	19.572	3.250
SRCPARAM	VOL5	0.0028679446	3.490	19.572	3.250
SRCPARAM	VOL6	0.0028679446	3.490	19.572	3.250
SRCPARAM	VOL7	0.0028679446	3.490	19.572	3.250
SRCPARAM	VOL8	0.0028679446	3.490	19.572	3.250
SRCPARAM	VOL9	0.0028679446	3.490	19.572	3.250
SRCPARAM	VOL10	0.0028679446	3.490	19.572	3.250
SRCPARAM	VOL11	0.0028679446	3.490	19.572	3.250
SRCPARAM	VOL12	0.0028679446	3.490	19.572	3.250
SRCPARAM	VOL13	0.0028679446	3.490	19.572	3.250
SRCPARAM	VOL14	0.0028679446	3.490	19.572	3.250
SRCPARAM	VOL15	0.0028679446	3.490	19.572	3.250
SRCPARAM	VOL16	0.0028679446	3.490	19.572	3.250
SRCPARAM	VOL17	0.0028679446	3.490	19.572	3.250
SRCPARAM	VOL18	0.0028679446	3.490	19.572	3.250
SRCPARAM	VOL19	0.0028679446	3.490	19.572	3.250
SRCPARAM	VOL20	0.0028679446	3.490	19.572	3.250
SRCPARAM	VOL21	0.0028679446	3.490	19.572	3.250
SRCPARAM	VOL22	0.0028679446	3.490	19.572	3.250
SRCPARAM	VOL23	0.0028679446	3.490	19.572	3.250
SRCPARAM	VOL24	0.0028679446	3.490	19.572	3.250
SRCPARAM	VOL25	0.0028679446	3.490	19.572	3.250
SRCPARAM	VOL26	0.0028679446	3.490	19.572	3.250
SRCPARAM	VOL27	0.0028679446	3.490	19.572	3.250
SRCPARAM	VOL28	0.0028679446	3.490	19.572	3.250
SRCPARAM	VOL29	0.0028679446	3.490	19.572	3.250
SRCPARAM	VOL30	0.0028679446	3.490	19.572	3.250
SRCPARAM	VOL31	0.0028679446	3.490	19.572	3.250
SRCPARAM	VOL32	0.0028679446	3.490	19.572	3.250
SRCPARAM	VOL33	0.0028679446	3.490	19.572	3.250
SRCPARAM	VOL34	0.0028679446	3.490	19.572	3.250
SRCPARAM	VOL35	0.0028679446	3.490	19.572	3.250
SRCPARAM	VOL36	0.0028679446	3.490	19.572	3.250
SRCPARAM	VOL37	0.0028679446	3.490	19.572	3.250
SRCPARAM	VOL38	0.0028679446	3.490	19.572	3.250
SRCPARAM	VOL39	0.0028679446	3.490	19.572	3.250
SRCPARAM	VOL40	0.0028679446	3.490	19.572	3.250
SRCPARAM	VOL41	0.0028679446	3.490	19.572	3.250
SRCPARAM	VOL42	0.0028679446	3.490	19.572	3.250
SRCPARAM	VOL43	0.0028679446	3.490	19.572	3.250
SRCPARAM	VOL44	0.0028679446	3.490	19.572	3.250
SRCPARAM	VOL45	0.0028679446	3.490	19.572	3.250
SRCPARAM	VOL46	0.0028679446	3.490	19.572	3.250
SRCPARAM	VOL47	0.0028679446	3.490	19.572	3.250
SRCPARAM	VOL48	0.0028679446	3.490	19.572	3.250
SRCPARAM	VOL49	0.0028679446	3.490	19.572	3.250
SRCPARAM	VOL50	0.0028679446	3.490	19.572	3.250
SRCPARAM	VOL51	0.0028679446	3.490	19.572	3.250
SRCPARAM	VOL52	0.0028679446	3.490	19.572	3.250
SRCPARAM	VOL53	0.0028679446	3.490	19.572	3.250
SRCPARAM	VOL54	0.0028679446	3.490	19.572	3.250
SRCPARAM	VOL55	0.0028679446	3.490	19.572	3.250
SRCPARAM	VOL56	0.0028679446	3.490	19.572	3.250
SRCPARAM	VOL57	0.0028679446	3.490	19.572	3.250

SRCPARAM	VOL58	0.0006970194	3.490	19.572	3.250
SRCPARAM	VOL59	0.0006970194	3.490	19.572	3.250
SRCPARAM	VOL60	0.0006970194	3.490	19.572	3.250
SRCPARAM	VOL61	0.0006970194	3.490	19.572	3.250
SRCPARAM	VOL62	0.0006970194	3.490	19.572	3.250
SRCPARAM	VOL63	0.0006970194	3.490	19.572	3.250
SRCPARAM	VOL64	0.0006970194	3.490	19.572	3.250
SRCPARAM	VOL65	0.0006970194	3.490	19.572	3.250
SRCPARAM	VOL66	0.0006970194	3.490	19.572	3.250
SRCPARAM	VOL67	0.0006970194	3.490	19.572	3.250
SRCPARAM	VOL68	0.0006970194	3.490	19.572	3.250
SRCPARAM	VOL69	0.0006970194	3.490	19.572	3.250
SRCPARAM	VOL70	0.0006970194	3.490	19.572	3.250
SRCPARAM	VOL71	0.0006970194	3.490	19.572	3.250
SRCPARAM	VOL72	0.0006970194	3.490	19.572	3.250
SRCPARAM	VOL73	0.0006970194	3.490	19.572	3.250
SRCPARAM	VOL74	0.0022253797	3.490	19.572	3.250
SRCPARAM	VOL75	0.0022253797	3.490	19.572	3.250
SRCPARAM	VOL76	0.0022253797	3.490	19.572	3.250
SRCPARAM	VOL77	0.0022253797	3.490	19.572	3.250
SRCPARAM	VOL78	0.0022253797	3.490	19.572	3.250
SRCPARAM	VOL79	0.0022253797	3.490	19.572	3.250
SRCPARAM	VOL80	0.0022253797	3.490	19.572	3.250
SRCPARAM	VOL81	0.0022253797	3.490	19.572	3.250
SRCPARAM	VOL82	0.0022253797	3.490	19.572	3.250
SRCPARAM	VOL83	0.0022253797	3.490	19.572	3.250
SRCPARAM	VOL84	0.0022253797	3.490	19.572	3.250
SRCPARAM	VOL85	0.0022253797	3.490	19.572	3.250
SRCPARAM	VOL86	0.0022253797	3.490	19.572	3.250
SRCPARAM	VOL87	0.0022253797	3.490	19.572	3.250
SRCPARAM	VOL88	0.0022253797	3.490	19.572	3.250
SRCPARAM	VOL89	0.0022253797	3.490	19.572	3.250
SRCPARAM	VOL90	0.0022253797	3.490	19.572	3.250
SRCPARAM	VOL91	0.0022253797	3.490	19.572	3.250
SRCPARAM	VOL92	0.0022253797	3.490	19.572	3.250
SRCPARAM	VOL93	0.0022253797	3.490	19.572	3.250
SRCPARAM	VOL94	0.0022253797	3.490	19.572	3.250
SRCPARAM	VOL95	0.0022253797	3.490	19.572	3.250
SRCPARAM	VOL96	0.0022253797	3.490	19.572	3.250
SRCPARAM	VOL97	0.0022253797	3.490	19.572	3.250
SRCPARAM	VOL98	0.0022253797	3.490	19.572	3.250
SRCPARAM	VOL99	0.0022253797	3.490	19.572	3.250
SRCPARAM	VOL100	0.0022253797	3.490	19.572	3.250
SRCPARAM	VOL101	0.0022253797	3.490	19.572	3.250
SRCPARAM	VOL102	0.0022253797	3.490	19.572	3.250
URBANSRC	ALL				

** Variable Emissions Type: "By Hour / Day (HRDOW)"

** Variable Emission Scenario: "Scenario 1"

** WeekDays:

EMISFACT	VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	VOL1	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
EMISFACT	VOL1	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
EMISFACT	VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

** Saturday:

EMISFACT	VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

** Sunday:

EMISFACT	VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

** WeekDays:

EMISFACT	VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

```

    EMISFACT VOL98          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
    EMISFACT VOL99          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
    EMISFACT VOL99          HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
    EMISFACT VOL99          HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
    EMISFACT VOL99          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
    EMISFACT VOL99          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
    EMISFACT VOL99          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
    EMISFACT VOL99          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
    EMISFACT VOL99          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
    EMISFACT VOL99          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
    EMISFACT VOL99          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
    EMISFACT VOL99          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
    EMISFACT VOL99          HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
    EMISFACT VOL100         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
    EMISFACT VOL100         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
    EMISFACT VOL100         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
    EMISFACT VOL100         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
    EMISFACT VOL100         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
    EMISFACT VOL100         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
    EMISFACT VOL100         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
    EMISFACT VOL100         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
    EMISFACT VOL100         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
    EMISFACT VOL100         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
    EMISFACT VOL100         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
    EMISFACT VOL100         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
    EMISFACT VOL101         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
    EMISFACT VOL101         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
    EMISFACT VOL101         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
    EMISFACT VOL101         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
    EMISFACT VOL101         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
    EMISFACT VOL101         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
    EMISFACT VOL101         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
    EMISFACT VOL101         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
    EMISFACT VOL101         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
    EMISFACT VOL101         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
    EMISFACT VOL101         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
    EMISFACT VOL101         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
    EMISFACT VOL102         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
    EMISFACT VOL102         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
    EMISFACT VOL102         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
    EMISFACT VOL102         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
    EMISFACT VOL102         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
    EMISFACT VOL102         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
    EMISFACT VOL102         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
    EMISFACT VOL102         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
    EMISFACT VOL102         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
    EMISFACT VOL102         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
    EMISFACT VOL102         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
    EMISFACT VOL102         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
    SRCGROUP ALL

```

SO FINISHED

```

**
*****

```

** AERMOD Receptor Pathway

**
**
RE STARTING
INCLUDED "15585 Cons NOX.rou"
RE FINISHED
**

** AERMOD Meteorology Pathway

**
**

ME STARTING
SURFFILE FONT_V9_ADJU\FONT_v9.SFC
PROFFILE FONT_V9_ADJU\FONT_v9.PFL
SURFDATA 3102 2011
UAIRDATA 3190 2011
SITEDATA 99999 2011
PROFBASE 367.0 METERS
ME FINISHED
**

** AERMOD Output Pathway

**
**

OU STARTING
RECTABLE ALLAVE 1ST
RECTABLE 1 1ST
** Auto-Generated Plotfiles
PLOTFILE 1 ALL 1ST "15585 CONS NOX.AD\01H1GALL.PLT" 31
SUMMFILE "15585 Cons NOX.sum"
OU FINISHED

*** Message Summary For AERMOD Model Setup ***

----- Summary of Total Messages -----

A Total of 0 Fatal Error Message(s)
A Total of 2 Warning Message(s)
A Total of 0 Informational Message(s)

***** FATAL ERROR MESSAGES *****
*** NONE ***

***** WARNING MESSAGES *****
ME W186 1800 MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold used 0.50
ME W187 1800 MEOPEN: ADJ_U* Option for Stable Low Winds used in AERMET

*** SETUP Finishes Successfully ***

*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 09:22:43

PAGE 1
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** MODEL SETUP OPTIONS SUMMARY ***

-- -- -- -- --
** Model Options Selected:

- * Model Uses Regulatory DEFAULT Options
- * Model Is Setup For Calculation of Average CONCentration Values.
- * NO GAS DEPOSITION Data Provided.
- * NO PARTICLE DEPOSITION Data Provided.
- * Model Uses NO DRY DEPLETION. DDPLETE = F
- * Model Uses NO WET DEPLETION. WETDPLT = F
- * Stack-tip Downwash.
- * Model Accounts for ELEVated Terrain Effects.
- * Use Calms Processing Routine.
- * Use Missing Data Processing Routine.
- * No Exponential Decay.
- * Model Uses URBAN Dispersion Algorithm for the SBL for 102 Source(s),
for Total of 1 Urban Area(s):
- Urban Population = 2035210.0 ; Urban Roughness Length = 1.000 m
- * Urban Roughness Length of 1.0 Meter Used.
- * ADJ_U* - Use ADJ_U* option for SBL in AERMET
- * TEMP_Sub - Meteorological data includes TEMP substitutions
- * Model Accepts FLAGPOLE Receptor . Heights.
- * The User Specified a Pollutant Type of: NOX

**Model Calculates 1 Short Term Average(s) of: 1-HR

**This Run Includes: 102 Source(s); 1 Source Group(s); and 94 Receptor(s)

with: 0 POINT(s), including
0 POINTCAP(s) and 0 POINTHOR(s)
and: 102 VOLUME source(s)
and: 0 AREA type source(s)
and: 0 LINE source(s)
and: 0 RLINE/RLINEXT source(s)
and: 0 OPENPIT source(s)
and: 0 BUOYANT LINE source(s) with a total of 0 line(s)
and: 0 SWPOINT source(s)

**Model Set To Continue RUNning After the Setup Testing.

**The AERMET Input Meteorological Data Version Date: 16216

**Output Options Selected:

Model Outputs Tables of Highest Short Term Values by Receptor (RECTABLE Keyword)
Model Outputs External File(s) of High Values for Plotting (PLOTFILE Keyword)
Model Outputs Separate Summary File of High Ranked Values (SUMMFILE Keyword)

**NOTE: The Following Flags May Appear Following CONC Values: c for Calm Hours
m for Missing Hours
b for Both Calm and Missing Hours

**Misc. Inputs: Base Elev. for Pot. Temp. Profile (m MSL) = 367.00 ; Decay Coef. =
0.000 ; Rot. Angle = 0.0
Emission Units = GRAMS/SEC ; Emission Rate
Unit Factor = 0.10000E+07
Output Units = MICROGRAMS/M**3

**Approximate Storage Requirements of Model = 3.6 MB of RAM.

**Input Runstream File:

aermod.inp

**Output Print File:

aermod.out

**Detailed Error/Message File: 15585 Cons

NOX.err

**File for Summary of Results: 15585 Cons

NOX.sum

*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 09:22:43

PAGE 2

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

		NUMBER	EMISSION RATE			BASE	RELEASE	INIT.	INIT.
		URBAN	EMISSION RATE	AIRCRAFT					
SOURCE		PART.	(GRAMS/SEC)	X	Y	ELEV.	HEIGHT	SY	SZ
SOURCE	SCALAR	VARY							
ID		CATS.		(METERS)	(METERS)	(METERS)	(METERS)	(METERS)	
(METERS)			BY						

VOL1		0	0.28679E-02	461693.7	3786276.5	643.6	3.49	19.57	3.25
YES	HRDOW		NO						
VOL2		0	0.28679E-02	461646.2	3786333.2	642.8	3.49	19.57	3.25
YES	HRDOW		NO						
VOL3		0	0.28679E-02	461591.3	3786386.2	647.8	3.49	19.57	3.25
YES	HRDOW		NO						
VOL4		0	0.28679E-02	461541.9	3786437.5	649.2	3.49	19.57	3.25
YES	HRDOW		NO						
VOL5		0	0.28679E-02	461499.8	3786483.2	650.3	3.49	19.57	3.25
YES	HRDOW		NO						
VOL6		0	0.28679E-02	461461.4	3786530.8	651.5	3.49	19.57	3.25
YES	HRDOW		NO						
VOL7		0	0.28679E-02	461408.3	3786578.3	653.9	3.49	19.57	3.25
YES	HRDOW		NO						
VOL8		0	0.28679E-02	461452.2	3786636.9	648.0	3.49	19.57	3.25
YES	HRDOW		NO						
VOL9		0	0.28679E-02	461512.6	3786686.3	645.6	3.49	19.57	3.25
YES	HRDOW		NO						
VOL10		0	0.28679E-02	461573.0	3786730.2	644.9	3.49	19.57	3.25
YES	HRDOW		NO						
VOL11		0	0.28679E-02	461366.2	3786625.9	655.6	3.49	19.57	3.25
YES	HRDOW		NO						
VOL12		0	0.28679E-02	461289.4	3786679.0	662.0	3.49	19.57	3.25
YES	HRDOW		NO						
VOL13		0	0.28679E-02	461373.6	3786706.4	654.4	3.49	19.57	3.25
YES	HRDOW		NO						
VOL14		0	0.28679E-02	461441.3	3786713.7	647.9	3.49	19.57	3.25
YES	HRDOW		NO						
VOL15		0	0.28679E-02	461234.5	3786728.4	667.8	3.49	19.57	3.25
YES	HRDOW		NO						
VOL16		0	0.28679E-02	461199.7	3786774.1	667.5	3.49	19.57	3.25
YES	HRDOW		NO						
VOL17		0	0.28679E-02	461152.2	3786821.7	666.4	3.49	19.57	3.25
YES	HRDOW		NO						
VOL18		0	0.28679E-02	461086.3	3786863.8	668.2	3.49	19.57	3.25
YES	HRDOW		NO						
VOL19		0	0.28679E-02	461038.7	3786904.0	673.2	3.49	19.57	3.25
YES	HRDOW		NO						
VOL20		0	0.28679E-02	460978.4	3786938.8	680.5	3.49	19.57	3.25
YES	HRDOW		NO						
VOL21		0	0.28679E-02	460927.1	3786993.7	681.6	3.49	19.57	3.25
YES	HRDOW		NO						
VOL22		0	0.28679E-02	460877.7	3787050.4	684.4	3.49	19.57	3.25

```

*** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***                  04/16/24
*** AERMET - VERSION 16216 ***
***                                     *** 09:22:43

```

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

SOURCE		NUMBER	EMISSION	RATE	BASE	RELEASE	INIT.	INIT.	
SOURCE		URBAN	EMISSION	RATE	AIRCRAFT				
ID	SCALAR	PART.	(GRAMS/SEC)	X	Y	ELEV.	HEIGHT	SY	SZ
(METERS)		CATS.		(METERS)	(METERS)	(METERS)	(METERS)	(METERS)	
			BY						

VOL41		0	0.28679E-02	461007.3	3786998.4	675.5	3.49	19.57	3.25
YES	HRDOW		NO						
VOL42		0	0.28679E-02	461052.2	3787052.6	669.8	3.49	19.57	3.25
YES	HRDOW		NO						
VOL43		0	0.28679E-02	461134.2	3787056.6	662.0	3.49	19.57	3.25
YES	HRDOW		NO						
VOL44		0	0.28679E-02	461082.6	3786975.9	671.8	3.49	19.57	3.25
YES	HRDOW		NO						
VOL45		0	0.28679E-02	461121.0	3786917.8	665.9	3.49	19.57	3.25

YES	HRDOW		NO						
VOL46		0	0.28679E-02	461167.2	3786986.5	660.1	3.49	19.57	3.25
YES	HRDOW		NO						
VOL47		0	0.28679E-02	461253.2	3786983.9	656.4	3.49	19.57	3.25
YES	HRDOW		NO						
VOL48		0	0.28679E-02	461208.2	3786903.2	658.5	3.49	19.57	3.25
YES	HRDOW		NO						
VOL49		0	0.28679E-02	461234.7	3786831.8	660.3	3.49	19.57	3.25
YES	HRDOW		NO						
VOL50		0	0.28679E-02	461291.5	3786905.9	655.3	3.49	19.57	3.25
YES	HRDOW		NO						
VOL51		0	0.28679E-02	461374.8	3786887.4	652.2	3.49	19.57	3.25
YES	HRDOW		NO						
VOL52		0	0.28679E-02	461317.9	3786823.9	656.1	3.49	19.57	3.25
YES	HRDOW		NO						
VOL53		0	0.28679E-02	461287.5	3786757.8	660.4	3.49	19.57	3.25
YES	HRDOW		NO						
VOL54		0	0.28679E-02	461373.5	3786786.9	653.5	3.49	19.57	3.25
YES	HRDOW		NO						
VOL55		0	0.28679E-02	461455.4	3786801.4	648.5	3.49	19.57	3.25
YES	HRDOW		NO						
VOL56		0	0.28679E-02	461385.4	3786838.4	651.8	3.49	19.57	3.25
YES	HRDOW		NO						
VOL57		0	0.28679E-02	461529.4	3786768.4	645.1	3.49	19.57	3.25
YES	HRDOW		NO						
VOL58		0	0.69702E-03	462577.2	3786719.5	633.4	3.49	19.57	3.25
YES	HRDOW		NO						
VOL59		0	0.69702E-03	462660.5	3786693.7	632.6	3.49	19.57	3.25
YES	HRDOW		NO						
VOL60		0	0.69702E-03	462744.4	3786674.3	630.9	3.49	19.57	3.25
YES	HRDOW		NO						
VOL61		0	0.69702E-03	462828.9	3786650.9	628.3	3.49	19.57	3.25
YES	HRDOW		NO						
VOL62		0	0.69702E-03	462868.8	3786625.6	626.4	3.49	19.57	3.25
YES	HRDOW		NO						
VOL63		0	0.69702E-03	462848.2	3786541.7	623.0	3.49	19.57	3.25
YES	HRDOW		NO						
VOL64		0	0.69702E-03	462835.3	3786455.5	622.0	3.49	19.57	3.25
YES	HRDOW		NO						
VOL65		0	0.69702E-03	462621.2	3786659.7	631.7	3.49	19.57	3.25
YES	HRDOW		NO						
VOL66		0	0.69702E-03	462660.5	3786609.8	629.1	3.49	19.57	3.25
YES	HRDOW		NO						
VOL67		0	0.69702E-03	462684.6	3786547.6	627.2	3.49	19.57	3.25
YES	HRDOW		NO						
VOL68		0	0.69702E-03	462745.6	3786589.8	627.1	3.49	19.57	3.25
YES	HRDOW		NO						
VOL69		0	0.69702E-03	462807.2	3786567.0	625.0	3.49	19.57	3.25
YES	HRDOW		NO						
VOL70		0	0.69702E-03	462716.8	3786469.0	624.4	3.49	19.57	3.25
YES	HRDOW		NO						
VOL71		0	0.69702E-03	462751.4	3786439.1	622.4	3.49	19.57	3.25
YES	HRDOW		NO						
VOL72		0	0.69702E-03	462835.3	3786419.7	622.0	3.49	19.57	3.25
YES	HRDOW		NO						
VOL73		0	0.69702E-03	462764.4	3786515.3	623.5	3.49	19.57	3.25
YES	HRDOW		NO						
VOL74		0	0.22254E-02	461061.9	3784936.7	654.0	3.49	19.57	3.25
YES	HRDOW		NO						
VOL75		0	0.22254E-02	461059.8	3784850.6	644.0	3.49	19.57	3.25
YES	HRDOW		NO						
VOL76		0	0.22254E-02	461057.6	3784762.3	642.0	3.49	19.57	3.25
YES	HRDOW		NO						
VOL77		0	0.22254E-02	461141.6	3784805.4	641.6	3.49	19.57	3.25
YES	HRDOW		NO						
VOL78		0	0.22254E-02	461139.5	3784721.4	639.0	3.49	19.57	3.25

YES HRDOW NO
VOL79 0 0.22254E-02 461225.6 3784805.4 636.6 3.49 19.57 3.25
YES HRDOW NO
VOL80 0 0.22254E-02 461225.6 3784723.6 634.0 3.49 19.57 3.25
YES HRDOW NO
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 09:22:43

PAGE 4

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

		NUMBER	EMISSION RATE			BASE	RELEASE	INIT.	INIT.
		URBAN	EMISSION RATE	AIRCRAFT					
SOURCE		PART.	(GRAMS/SEC)	X	Y	ELEV.	HEIGHT	SY	SZ
SOURCE	SCALAR	VARY							
ID		CATS.		(METERS)	(METERS)	(METERS)	(METERS)	(METERS)	
(METERS)			BY						

VOL81		0	0.22254E-02	461223.7	3784635.4	631.4	3.49	19.57	3.25
YES	HRDOW		NO						
VOL82		0	0.22254E-02	461156.8	3784658.7	636.7	3.49	19.57	3.25
YES	HRDOW		NO						
VOL83		0	0.22254E-02	461312.3	3784885.8	641.4	3.49	19.57	3.25
YES	HRDOW		NO						
VOL84		0	0.22254E-02	461310.8	3784801.8	632.5	3.49	19.57	3.25
YES	HRDOW		NO						
VOL85		0	0.22254E-02	461312.3	3784714.7	629.8	3.49	19.57	3.25
YES	HRDOW		NO						
VOL86		0	0.22254E-02	461309.2	3784630.7	628.2	3.49	19.57	3.25
YES	HRDOW		NO						
VOL87		0	0.22254E-02	461284.3	3784548.3	629.4	3.49	19.57	3.25
YES	HRDOW		NO						
VOL88		0	0.22254E-02	461369.9	3784543.6	624.3	3.49	19.57	3.25
YES	HRDOW		NO						
VOL89		0	0.22254E-02	461289.0	3784462.7	624.5	3.49	19.57	3.25
YES	HRDOW		NO						
VOL90		0	0.22254E-02	461225.2	3784422.3	627.2	3.49	19.57	3.25
YES	HRDOW		NO						
VOL91		0	0.22254E-02	461371.4	3784458.0	621.3	3.49	19.57	3.25
YES	HRDOW		NO						
VOL92		0	0.22254E-02	461270.3	3784338.3	620.3	3.49	19.57	3.25
YES	HRDOW		NO						
VOL93		0	0.22254E-02	461310.8	3784375.6	619.3	3.49	19.57	3.25
YES	HRDOW		NO						
VOL94		0	0.22254E-02	461396.3	3784627.6	624.3	3.49	19.57	3.25
YES	HRDOW		NO						
VOL95		0	0.22254E-02	461397.9	3784711.6	626.6	3.49	19.57	3.25
YES	HRDOW		NO						
VOL96		0	0.22254E-02	461396.3	3784797.2	630.2	3.49	19.57	3.25
YES	HRDOW		NO						
VOL97		0	0.22254E-02	461483.4	3784714.7	622.9	3.49	19.57	3.25
YES	HRDOW		NO						
VOL98		0	0.22254E-02	461481.9	3784795.6	626.2	3.49	19.57	3.25
YES	HRDOW		NO						
VOL99		0	0.22254E-02	461486.6	3784879.6	631.1	3.49	19.57	3.25
YES	HRDOW		NO						
VOL100		0	0.22254E-02	461569.0	3784776.9	621.4	3.49	19.57	3.25
YES	HRDOW		NO						
VOL101		0	0.22254E-02	461643.7	3784787.8	622.8	3.49	19.57	3.25

YES HRDOW NO
VOL102 0 0.22254E-02 461562.8 3784825.2 625.1 3.49 19.57 3.25
YES HRDOW NO
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 09:22:43

PAGE 5

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** SOURCE IDs DEFINING SOURCE GROUPS ***

SRCGROUP ID	SOURCE IDs							
-----	-----							
ALL	VOL1	, VOL2	, VOL3	, VOL4	, VOL5	, VOL6	,	
VOL7	, VOL8	,						
	VOL9	, VOL10	, VOL11	, VOL12	, VOL13	, VOL14	,	
	VOL15	, VOL16	,					
	VOL17	, VOL18	, VOL19	, VOL20	, VOL21	, VOL22	,	
	VOL23	, VOL24	,					
	VOL25	, VOL26	, VOL27	, VOL28	, VOL29	, VOL30	,	
	VOL31	, VOL32	,					
	VOL33	, VOL34	, VOL35	, VOL36	, VOL37	, VOL38	,	
	VOL39	, VOL40	,					
	VOL41	, VOL42	, VOL43	, VOL44	, VOL45	, VOL46	,	
	VOL47	, VOL48	,					
	VOL49	, VOL50	, VOL51	, VOL52	, VOL53	, VOL54	,	
	VOL55	, VOL56	,					
	VOL57	, VOL58	, VOL59	, VOL60	, VOL61	, VOL62	,	
	VOL63	, VOL64	,					
	VOL65	, VOL66	, VOL67	, VOL68	, VOL69	, VOL70	,	
	VOL71	, VOL72	,					
	VOL73	, VOL74	, VOL75	, VOL76	, VOL77	, VOL78	,	
	VOL79	, VOL80	,					
	VOL81	, VOL82	, VOL83	, VOL84	, VOL85	, VOL86	,	
	VOL87	, VOL88	,					
	VOL89	, VOL90	, VOL91	, VOL92	, VOL93	, VOL94	,	
	VOL95	, VOL96	,					
	VOL97	, VOL98	, VOL99	, VOL100	, VOL101	, VOL102	,	

*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 09:22:43

PAGE 6

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** SOURCE IDs DEFINED AS URBAN SOURCES ***


```

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 09:22:43

```

```

PAGE 8
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL2 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR
-----
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 09:22:43

```

```

PAGE 9
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL3 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR
-----

```

```

                                DAY OF WEEK = WEEKDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .1000E+01 10  .1000E+01 11  .1000E+01 12  .1000E+01 13  .1000E+01 14
.1000E+01 15  .1000E+01 16  .1000E+01
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SATURDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SUNDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***
09:22:43

```

```

                                PAGE 10
*** MODELOPTs:  RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL4 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
                                DAY OF WEEK = WEEKDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .1000E+01 10  .1000E+01 11  .1000E+01 12  .1000E+01 13  .1000E+01 14
.1000E+01 15  .1000E+01 16  .1000E+01
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SATURDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SUNDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***
09:22:43

```

```

                                PAGE 11
*** MODELOPTs:  RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

```

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL5 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00		7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	
.1000E+01		15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00		23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00		7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
.0000E+00		15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00		23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00		7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
.0000E+00		15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00		23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

09:22:43

PAGE 12

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL6 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00		7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	
.1000E+01		15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00		23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00		7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
.0000E+00		15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00		23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00		7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
.0000E+00		15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00		23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 09:22:43

PAGE 13

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL7 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 09:22:43

PAGE 14

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL8 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22


```

.0000E+00  23 .0000E+00  24 .0000E+00
                                DAY OF WEEK = SUNDAY
 1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***
                                ***
                                09:22:43

                                PAGE 15
*** MODELOPTs:  RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL9 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
  SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
- - - - -
                                DAY OF WEEK = WEEKDAY
 1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SATURDAY
 1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
 1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***
                                ***
                                09:22:43

                                PAGE 16
*** MODELOPTs:  RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL10 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
  SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
- - - - -
                                DAY OF WEEK = WEEKDAY
 1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

```

17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

09:22:43

PAGE 17

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL11 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

09:22:43

PAGE 18

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL12 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR

```
SCALAR  HOUR  SCALAR  HOUR  SCALAR
-----
DAY OF WEEK = WEEKDAY
1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 09:22:43
```

```
PAGE 19
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL13 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR
-----
DAY OF WEEK = WEEKDAY
1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 09:22:43
```

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *SOURCE ID = VOL14 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR
SCALAR	HOUR	SCALAR	HOUR	SCALAR						

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
 SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

09:22:43

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *SOURCE ID = VOL15 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR
SCALAR	HOUR	SCALAR	HOUR	SCALAR						

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14

```
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 09:22:43
```

PAGE 22

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL16 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR
 - - - - -
 - - - - -

DAY OF WEEK = WEEKDAY

```
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
```

DAY OF WEEK = SATURDAY

```
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
```

DAY OF WEEK = SUNDAY

```
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
```

```
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 09:22:43
```

PAGE 23

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL17 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR
 - - - - -
 - - - - -

DAY OF WEEK = WEEKDAY

```
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
```

DAY OF WEEK = SATURDAY

```
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
```

DAY OF WEEK = SUNDAY

* * *

*** 09:22:43

PAGE 24

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

DAY OF WEEK = WEEKDAY

DAY OF WEEK = SATURDAY

DAY OF WEEK = SUNDAY

* * *

*** 09:22:43

PAGE 25

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

DAY OF WEEK = WEEKDAY

```
1 .0000E+00      2 .0000E+00      3 .0000E+00      4 .0000E+00      5 .0000E+00      6
```

```

.0000E+00    7 .0000E+00    8 .0000E+00
9  .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14
.1000E+01   15 .1000E+01   16 .1000E+01
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22
.0000E+00   23 .0000E+00   24 .0000E+00
                                DAY OF WEEK = SATURDAY
1  .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00    6
.0000E+00    7 .0000E+00    8 .0000E+00
9  .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14
.0000E+00   15 .0000E+00   16 .0000E+00
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22
.0000E+00   23 .0000E+00   24 .0000E+00
                                DAY OF WEEK = SUNDAY
1  .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00    6
.0000E+00    7 .0000E+00    8 .0000E+00
9  .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14
.0000E+00   15 .0000E+00   16 .0000E+00
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22
.0000E+00   23 .0000E+00   24 .0000E+00
FF *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***      04/16/24
*** AERMET - VERSION 16216 ***
***
                                ***      09:22:43

                                PAGE 26
*** MODELOPTs:      RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                                * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
                                (HRDOW) *

SOURCE ID = VOL20      ; SOURCE TYPE = VOLUME      :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
- - - - -
                                DAY OF WEEK = WEEKDAY
1  .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00    6
.0000E+00    7 .0000E+00    8 .0000E+00
9  .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14
.1000E+01   15 .1000E+01   16 .1000E+01
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22
.0000E+00   23 .0000E+00   24 .0000E+00
                                DAY OF WEEK = SATURDAY
1  .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00    6
.0000E+00    7 .0000E+00    8 .0000E+00
9  .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14
.0000E+00   15 .0000E+00   16 .0000E+00
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22
.0000E+00   23 .0000E+00   24 .0000E+00
                                DAY OF WEEK = SUNDAY
1  .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00    6
.0000E+00    7 .0000E+00    8 .0000E+00
9  .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14
.0000E+00   15 .0000E+00   16 .0000E+00
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22
.0000E+00   23 .0000E+00   24 .0000E+00
FF *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***      04/16/24
*** AERMET - VERSION 16216 ***
***
                                ***      09:22:43

                                PAGE 27
*** MODELOPTs:      RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                                * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
                                (HRDOW) *

```

```

SOURCE ID = VOL21          ; SOURCE TYPE = VOLUME      :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
  -----
  -----
                                DAY OF WEEK = WEEKDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .1000E+01 10  .1000E+01 11  .1000E+01 12  .1000E+01 13  .1000E+01 14
.1000E+01 15  .1000E+01 16  .1000E+01
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SATURDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SUNDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***
09:22:43

```

PAGE 28

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

```

SOURCE ID = VOL22          ; SOURCE TYPE = VOLUME      :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
  -----
  -----
                                DAY OF WEEK = WEEKDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .1000E+01 10  .1000E+01 11  .1000E+01 12  .1000E+01 13  .1000E+01 14
.1000E+01 15  .1000E+01 16  .1000E+01
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SATURDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SUNDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24

```


PAGE 29

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL23 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	
	.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
	.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
	.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
 SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

09:22:43

PAGE 30

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL24 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	
	.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
	.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

```
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 09:22:43
```

PAGE 31

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL25 ; SOURCE TYPE = VOLUME :

HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL
SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00	2 .0000E+00	3 .0000E+00	4 .0000E+00	5 .0000E+00	6
.0000E+00	7 .0000E+00	8 .0000E+00			
9 .1000E+01	10 .1000E+01	11 .1000E+01	12 .1000E+01	13 .1000E+01	14
.1000E+01	15 .1000E+01	16 .1000E+01			
17 .0000E+00	18 .0000E+00	19 .0000E+00	20 .0000E+00	21 .0000E+00	22
.0000E+00	23 .0000E+00	24 .0000E+00			

DAY OF WEEK = SATURDAY

1 .0000E+00	2 .0000E+00	3 .0000E+00	4 .0000E+00	5 .0000E+00	6
.0000E+00	7 .0000E+00	8 .0000E+00			
9 .0000E+00	10 .0000E+00	11 .0000E+00	12 .0000E+00	13 .0000E+00	14
.0000E+00	15 .0000E+00	16 .0000E+00			
17 .0000E+00	18 .0000E+00	19 .0000E+00	20 .0000E+00	21 .0000E+00	22
.0000E+00	23 .0000E+00	24 .0000E+00			

DAY OF WEEK = SUNDAY

1 .0000E+00	2 .0000E+00	3 .0000E+00	4 .0000E+00	5 .0000E+00	6
.0000E+00	7 .0000E+00	8 .0000E+00			
9 .0000E+00	10 .0000E+00	11 .0000E+00	12 .0000E+00	13 .0000E+00	14
.0000E+00	15 .0000E+00	16 .0000E+00			
17 .0000E+00	18 .0000E+00	19 .0000E+00	20 .0000E+00	21 .0000E+00	22
.0000E+00	23 .0000E+00	24 .0000E+00			

```
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 09:22:43
```

PAGE 32

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL26 ; SOURCE TYPE = VOLUME :

HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL
SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00	2 .0000E+00	3 .0000E+00	4 .0000E+00	5 .0000E+00	6
.0000E+00	7 .0000E+00	8 .0000E+00			
9 .1000E+01	10 .1000E+01	11 .1000E+01	12 .1000E+01	13 .1000E+01	14
.1000E+01	15 .1000E+01	16 .1000E+01			
17 .0000E+00	18 .0000E+00	19 .0000E+00	20 .0000E+00	21 .0000E+00	22
.0000E+00	23 .0000E+00	24 .0000E+00			

```

                                DAY OF WEEK = SATURDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SUNDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***
09:22:43

```

```

                                PAGE 33
*** MODELOPTs:  RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL27 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
                                DAY OF WEEK = WEEKDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .1000E+01 10  .1000E+01 11  .1000E+01 12  .1000E+01 13  .1000E+01 14
.1000E+01 15  .1000E+01 16  .1000E+01
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SATURDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SUNDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***
09:22:43

```

```

                                PAGE 34
*** MODELOPTs:  RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL28 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -

```

```

- - - - -
                                DAY OF WEEK = WEEKDAY
1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SATURDAY
1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
                                PAGE 35
*** MODELOPTs:  RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL29 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
                                DAY OF WEEK = WEEKDAY
1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SATURDAY
1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
                                PAGE 36
*** MODELOPTs:  RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

```

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL30 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

09:22:43

PAGE 37

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL31 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22

.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 09:22:43

PAGE 38

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL32 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 09:22:43

PAGE 39

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL33 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						

```

17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***
                                ***
                                09:22:43

                                PAGE 40
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL34 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
  SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
- - - - -
                                DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***
                                ***
                                09:22:43

```

```

                                PAGE 41
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL35 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
  SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
- - - - -
                                DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14

```

```

.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
*** 09:22:43

```

```

PAGE 42
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL36 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
  SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
*** 09:22:43

```

```

PAGE 43
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL37 ; SOURCE TYPE = VOLUME :

```


HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL
SCALAR	HOURL	SCALAR	HOURL	SCALAR						

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00		7	.0000E+00	8	.0000E+00					
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01		15	.1000E+01	16	.1000E+01					
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00		23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00		7	.0000E+00	8	.0000E+00					
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00		15	.0000E+00	16	.0000E+00					
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00		23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00		7	.0000E+00	8	.0000E+00					
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00		15	.0000E+00	16	.0000E+00					
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00		23	.0000E+00	24	.0000E+00					

*** AERMOD - VERSION 23132 ***

*** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen SP\15585 Ops H ***

04/16/24

*** AERMET - VERSION 16216 ***

09:22:43

PAGE 44

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL38 ; SOURCE TYPE = VOLUME :

HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL
SCALAR	HOURL	SCALAR	HOURL	SCALAR						

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00		7	.0000E+00	8	.0000E+00					
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01		15	.1000E+01	16	.1000E+01					
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00		23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00		7	.0000E+00	8	.0000E+00					
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00		15	.0000E+00	16	.0000E+00					
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00		23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00		7	.0000E+00	8	.0000E+00					
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00		15	.0000E+00	16	.0000E+00					
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00		23	.0000E+00	24	.0000E+00					

*** AERMOD - VERSION 23132 ***

*** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen SP\15585 Ops H ***

04/16/24

*** AERMET - VERSION 16216 ***

09:22:43

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *SOURCE ID = VOL39 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR
SCALAR	HOUR	SCALAR	HOUR	SCALAR						

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
 SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

09:22:43

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *SOURCE ID = VOL40 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR
SCALAR	HOUR	SCALAR	HOUR	SCALAR						

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						

9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 09:22:43

PAGE 47

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL41 ; SOURCE TYPE = VOLUME :

HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL
SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 09:22:43

PAGE 48

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL42 ; SOURCE TYPE = VOLUME :

HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL
SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6

```
.0000E+00    7 .0000E+00    8 .0000E+00
9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14
.0000E+00   15 .0000E+00   16 .0000E+00
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22
.0000E+00   23 .0000E+00   24 .0000E+00
                                DAY OF WEEK = SUNDAY
1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00    6
.0000E+00    7 .0000E+00    8 .0000E+00
9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14
.0000E+00   15 .0000E+00   16 .0000E+00
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22
.0000E+00   23 .0000E+00   24 .0000E+00
*** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***                  04/16/24
*** AERMET - VERSION 16216 ***
***                                     *** 09:22:43
```

```
PAGE 49
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *
```

```
SOURCE ID = VOL43      ; SOURCE TYPE = VOLUME      :
HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
SCALAR  HOUR  SCALAR  HOUR  SCALAR
-----
                                DAY OF WEEK = WEEKDAY
1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00    6
.0000E+00    7 .0000E+00    8 .0000E+00
9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14
.1000E+01   15 .1000E+01   16 .1000E+01
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22
.0000E+00   23 .0000E+00   24 .0000E+00
                                DAY OF WEEK = SATURDAY
1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00    6
.0000E+00    7 .0000E+00    8 .0000E+00
9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14
.0000E+00   15 .0000E+00   16 .0000E+00
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22
.0000E+00   23 .0000E+00   24 .0000E+00
                                DAY OF WEEK = SUNDAY
1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00    6
.0000E+00    7 .0000E+00    8 .0000E+00
9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14
.0000E+00   15 .0000E+00   16 .0000E+00
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22
.0000E+00   23 .0000E+00   24 .0000E+00
*** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***                  04/16/24
*** AERMET - VERSION 16216 ***
***                                     *** 09:22:43
```

```
PAGE 50
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *
```

```
SOURCE ID = VOL44      ; SOURCE TYPE = VOLUME      :
HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
SCALAR  HOUR  SCALAR  HOUR  SCALAR
-----
                                DAY OF WEEK = WEEKDAY
```

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	
	.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
	.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
	.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 09:22:43

PAGE 51

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL45 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	
	.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
	.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
	.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 09:22:43

PAGE 52

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK

(HRDOW) *

SOURCE ID = VOL46 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 09:22:43

PAGE 53

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL47 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen

PAGE 54

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL48 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00	7	.0000E+00	8	.0000E+00							
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	
.1000E+01	15	.1000E+01	16	.1000E+01							
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00	23	.0000E+00	24	.0000E+00							

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00	7	.0000E+00	8	.0000E+00							
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
.0000E+00	15	.0000E+00	16	.0000E+00							
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00	23	.0000E+00	24	.0000E+00							

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00	7	.0000E+00	8	.0000E+00							
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
.0000E+00	15	.0000E+00	16	.0000E+00							
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00	23	.0000E+00	24	.0000E+00							

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***

PAGE 55

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL49 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00	7	.0000E+00	8	.0000E+00							
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	
.1000E+01	15	.1000E+01	16	.1000E+01							
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00	23	.0000E+00	24	.0000E+00							

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00	7	.0000E+00	8	.0000E+00							
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
.0000E+00	15	.0000E+00	16	.0000E+00							
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00	23	.0000E+00	24	.0000E+00							

```

                                DAY OF WEEK = SUNDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
FF *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***
                                09:22:43

                                PAGE 56
*** MODELOPTs:  RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL50 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
- - - - -
                                DAY OF WEEK = WEEKDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .1000E+01 10  .1000E+01 11  .1000E+01 12  .1000E+01 13  .1000E+01 14
.1000E+01 15  .1000E+01 16  .1000E+01
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SATURDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SUNDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
FF *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***
                                09:22:43

```

```

                                PAGE 57
*** MODELOPTs:  RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

```

```

SOURCE ID = VOL51 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
- - - - -
                                DAY OF WEEK = WEEKDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .1000E+01 10  .1000E+01 11  .1000E+01 12  .1000E+01 13  .1000E+01 14
.1000E+01 15  .1000E+01 16  .1000E+01
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22

```



```

.0000E+00  23 .0000E+00  24 .0000E+00
                                DAY OF WEEK = SATURDAY
 1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
 1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
                                *** 09:22:43

                                PAGE 58
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL52 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
                                DAY OF WEEK = WEEKDAY
 1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SATURDAY
 1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
 1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
                                *** 09:22:43

                                PAGE 59
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL53 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR

```

```

- - - - -
- - - - -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
09:22:43

PAGE 60
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL54 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
  SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
09:22:43

PAGE 61

```

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL55 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR
SCALAR	HOUR	SCALAR	HOUR	SCALAR						

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

09:22:43

PAGE 62

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL56 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR
SCALAR	HOUR	SCALAR	HOUR	SCALAR						

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						

17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 09:22:43

PAGE 63

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL57 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 09:22:43

PAGE 64

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL58 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14

```
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 09:22:43
```

```
PAGE 65
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL59 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
  SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 09:22:43
```

```
PAGE 66
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL60 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
  SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
```

9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

09:22:43

PAGE 67

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL61 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

09:22:43

PAGE 68

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

```

SOURCE ID = VOL62          ; SOURCE TYPE = VOLUME      :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
  - - - - -
  - - - - -
                                DAY OF WEEK = WEEKDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .1000E+01 10  .1000E+01 11  .1000E+01 12  .1000E+01 13  .1000E+01 14
.1000E+01 15  .1000E+01 16  .1000E+01
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SATURDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SUNDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***          04/16/24
*** AERMET - VERSION 16216 ***
***
***
09:22:43

```

```

PAGE 69
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

```

```

SOURCE ID = VOL63          ; SOURCE TYPE = VOLUME      :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
  - - - - -
  - - - - -
                                DAY OF WEEK = WEEKDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .1000E+01 10  .1000E+01 11  .1000E+01 12  .1000E+01 13  .1000E+01 14
.1000E+01 15  .1000E+01 16  .1000E+01
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SATURDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SUNDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***          04/16/24
*** AERMET - VERSION 16216 ***

```

09:22:43

PAGE 70

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *SOURCE ID = VOL64 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00		7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	
.1000E+01		15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00		23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00		7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
.0000E+00		15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00		23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00		7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
.0000E+00		15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00		23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

09:22:43

PAGE 71

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *SOURCE ID = VOL65 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00		7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	
.1000E+01		15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00		23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00		7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
.0000E+00		15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00		23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	


```
.0000E+00    7 .0000E+00    8 .0000E+00
9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14
.0000E+00   15 .0000E+00   16 .0000E+00
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22
.0000E+00   23 .0000E+00   24 .0000E+00
*** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***                04/16/24
*** AERMET - VERSION 16216 ***
***                                     *** 09:22:43
```

PAGE 72

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL66 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

```
1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00    6
.0000E+00    7 .0000E+00    8 .0000E+00
9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14
.1000E+01   15 .1000E+01   16 .1000E+01
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22
.0000E+00   23 .0000E+00   24 .0000E+00
```

DAY OF WEEK = SATURDAY

```
1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00    6
.0000E+00    7 .0000E+00    8 .0000E+00
9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14
.0000E+00   15 .0000E+00   16 .0000E+00
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22
.0000E+00   23 .0000E+00   24 .0000E+00
```

DAY OF WEEK = SUNDAY

```
1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00    6
.0000E+00    7 .0000E+00    8 .0000E+00
9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14
.0000E+00   15 .0000E+00   16 .0000E+00
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22
.0000E+00   23 .0000E+00   24 .0000E+00
```

```
*** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***                04/16/24
*** AERMET - VERSION 16216 ***
***                                     *** 09:22:43
```

PAGE 73

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL67 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

```
1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00    6
.0000E+00    7 .0000E+00    8 .0000E+00
9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14
.1000E+01   15 .1000E+01   16 .1000E+01
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22
.0000E+00   23 .0000E+00   24 .0000E+00
```

DAY OF WEEK = SATURDAY

```

1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***                04/16/24
*** AERMET - VERSION 16216 ***
***
***
09:22:43

```

```

                                PAGE 74
*** MODELOPTs:  RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL68      ; SOURCE TYPE = VOLUME      :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
-----
                                DAY OF WEEK = WEEKDAY
1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SATURDAY
1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***                04/16/24
*** AERMET - VERSION 16216 ***
***
***
09:22:43

```

```

                                PAGE 75
*** MODELOPTs:  RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL69      ; SOURCE TYPE = VOLUME      :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
-----

```

```

                                DAY OF WEEK = WEEKDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .1000E+01 10  .1000E+01 11  .1000E+01 12  .1000E+01 13  .1000E+01 14
.1000E+01 15  .1000E+01 16  .1000E+01
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SATURDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SUNDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***
09:22:43

```

```

                                PAGE 76
*** MODELOPTs:  RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL70 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
                                DAY OF WEEK = WEEKDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .1000E+01 10  .1000E+01 11  .1000E+01 12  .1000E+01 13  .1000E+01 14
.1000E+01 15  .1000E+01 16  .1000E+01
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SATURDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SUNDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***
09:22:43

```

```

                                PAGE 77
*** MODELOPTs:  RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

```

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL71 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00		7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	
.1000E+01		15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00		23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00		7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
.0000E+00		15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00		23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00		7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
.0000E+00		15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00		23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

09:22:43

PAGE 78

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL72 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00		7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	
.1000E+01		15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00		23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00		7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
.0000E+00		15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00		23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00		7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
.0000E+00		15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00		23	.0000E+00	24	.0000E+00						

PAGE 79

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL73 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

PAGE 80

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL74 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22

```

.0000E+00  23 .0000E+00  24 .0000E+00
                                DAY OF WEEK = SUNDAY
 1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***
                                ***
                                09:22:43

                                PAGE 81
*** MODELOPTs:  RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL75 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
- - - - -
                                DAY OF WEEK = WEEKDAY
 1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SATURDAY
 1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
 1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***
                                ***
                                09:22:43

```

```

                                PAGE 82
*** MODELOPTs:  RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

```

```

SOURCE ID = VOL76 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
- - - - -
                                DAY OF WEEK = WEEKDAY
 1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

```

17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

09:22:43

PAGE 83

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL77 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

09:22:43

PAGE 84

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL78 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR

SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR
DAY OF WEEK = WEEKDAY											
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	
	.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						
DAY OF WEEK = SATURDAY											
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
	.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						
DAY OF WEEK = SUNDAY											
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
	.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						

 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
 SP\15585 Ops H *** 04/16/24
 *** AERMET - VERSION 16216 ***

*** 09:22:43

PAGE 85

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL79				; SOURCE TYPE = VOLUME							
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
SCALAR	HOUR	SCALAR	HOUR	SCALAR							
DAY OF WEEK = WEEKDAY											
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	
	.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						
DAY OF WEEK = SATURDAY											
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
	.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						
DAY OF WEEK = SUNDAY											
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
	.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						

 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
 SP\15585 Ops H *** 04/16/24
 *** AERMET - VERSION 16216 ***

*** 09:22:43

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *SOURCE ID = VOL80 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00		7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	
.1000E+01		15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00		23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00		7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
.0000E+00		15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00		23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00		7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
.0000E+00		15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00		23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

09:22:43

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *SOURCE ID = VOL81 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00		7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	
.1000E+01		15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00		23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00		7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
.0000E+00		15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00		23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00		7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	

```
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 09:22:43
```

PAGE 88

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

```
SOURCE ID = VOL82 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
  SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
DAY OF WEEK = WEEKDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
```

```
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 09:22:43
```

PAGE 89

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

```
SOURCE ID = VOL83 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
  SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
DAY OF WEEK = WEEKDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
```

```

9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
PR *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***                                     *** 09:22:43
```

```

                                PAGE 90
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *
```

```

SOURCE ID = VOL84 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR
-----
                                DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
PR *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***                                     *** 09:22:43
```

```

                                PAGE 91
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *
```

```

SOURCE ID = VOL85 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR
-----
                                DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
```

```

.0000E+00    7 .0000E+00    8 .0000E+00
9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14
.1000E+01   15 .1000E+01   16 .1000E+01
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22
.0000E+00   23 .0000E+00   24 .0000E+00
                                DAY OF WEEK = SATURDAY
1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00    6
.0000E+00    7 .0000E+00    8 .0000E+00
9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14
.0000E+00   15 .0000E+00   16 .0000E+00
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22
.0000E+00   23 .0000E+00   24 .0000E+00
                                DAY OF WEEK = SUNDAY
1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00    6
.0000E+00    7 .0000E+00    8 .0000E+00
9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14
.0000E+00   15 .0000E+00   16 .0000E+00
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22
.0000E+00   23 .0000E+00   24 .0000E+00
FF *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***      04/16/24
*** AERMET - VERSION 16216 ***
***
                                ***
                                09:22:43

                                PAGE 92
*** MODELOPTs:      RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                                * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
                                (HRDOW) *

SOURCE ID = VOL86      ; SOURCE TYPE = VOLUME      :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
- - - - -
                                DAY OF WEEK = WEEKDAY
1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00    6
.0000E+00    7 .0000E+00    8 .0000E+00
9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14
.1000E+01   15 .1000E+01   16 .1000E+01
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22
.0000E+00   23 .0000E+00   24 .0000E+00
                                DAY OF WEEK = SATURDAY
1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00    6
.0000E+00    7 .0000E+00    8 .0000E+00
9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14
.0000E+00   15 .0000E+00   16 .0000E+00
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22
.0000E+00   23 .0000E+00   24 .0000E+00
                                DAY OF WEEK = SUNDAY
1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00    6
.0000E+00    7 .0000E+00    8 .0000E+00
9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14
.0000E+00   15 .0000E+00   16 .0000E+00
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22
.0000E+00   23 .0000E+00   24 .0000E+00
FF *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***      04/16/24
*** AERMET - VERSION 16216 ***
***
                                ***
                                09:22:43

                                PAGE 93
*** MODELOPTs:      RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                                * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
                                (HRDOW) *

```

```

SOURCE ID = VOL87          ; SOURCE TYPE = VOLUME      :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
  -----
  -----
                                DAY OF WEEK = WEEKDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .1000E+01 10  .1000E+01 11  .1000E+01 12  .1000E+01 13  .1000E+01 14
.1000E+01 15  .1000E+01 16  .1000E+01
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SATURDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SUNDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***
09:22:43

```

```

PAGE 94
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

```

```

SOURCE ID = VOL88          ; SOURCE TYPE = VOLUME      :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
  -----
  -----
                                DAY OF WEEK = WEEKDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .1000E+01 10  .1000E+01 11  .1000E+01 12  .1000E+01 13  .1000E+01 14
.1000E+01 15  .1000E+01 16  .1000E+01
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SATURDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SUNDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24

```

PAGE 95

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL89 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00	2 .0000E+00	3 .0000E+00	4 .0000E+00	5 .0000E+00	6
.0000E+00	7 .0000E+00	8 .0000E+00			
9 .1000E+01	10 .1000E+01	11 .1000E+01	12 .1000E+01	13 .1000E+01	14
.1000E+01	15 .1000E+01	16 .1000E+01			
17 .0000E+00	18 .0000E+00	19 .0000E+00	20 .0000E+00	21 .0000E+00	22
.0000E+00	23 .0000E+00	24 .0000E+00			

DAY OF WEEK = SATURDAY

1 .0000E+00	2 .0000E+00	3 .0000E+00	4 .0000E+00	5 .0000E+00	6
.0000E+00	7 .0000E+00	8 .0000E+00			
9 .0000E+00	10 .0000E+00	11 .0000E+00	12 .0000E+00	13 .0000E+00	14
.0000E+00	15 .0000E+00	16 .0000E+00			
17 .0000E+00	18 .0000E+00	19 .0000E+00	20 .0000E+00	21 .0000E+00	22
.0000E+00	23 .0000E+00	24 .0000E+00			

DAY OF WEEK = SUNDAY

1 .0000E+00	2 .0000E+00	3 .0000E+00	4 .0000E+00	5 .0000E+00	6
.0000E+00	7 .0000E+00	8 .0000E+00			
9 .0000E+00	10 .0000E+00	11 .0000E+00	12 .0000E+00	13 .0000E+00	14
.0000E+00	15 .0000E+00	16 .0000E+00			
17 .0000E+00	18 .0000E+00	19 .0000E+00	20 .0000E+00	21 .0000E+00	22
.0000E+00	23 .0000E+00	24 .0000E+00			

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
 SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

09:22:43

PAGE 96

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL90 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00	2 .0000E+00	3 .0000E+00	4 .0000E+00	5 .0000E+00	6
.0000E+00	7 .0000E+00	8 .0000E+00			
9 .1000E+01	10 .1000E+01	11 .1000E+01	12 .1000E+01	13 .1000E+01	14
.1000E+01	15 .1000E+01	16 .1000E+01			
17 .0000E+00	18 .0000E+00	19 .0000E+00	20 .0000E+00	21 .0000E+00	22
.0000E+00	23 .0000E+00	24 .0000E+00			

DAY OF WEEK = SATURDAY

1 .0000E+00	2 .0000E+00	3 .0000E+00	4 .0000E+00	5 .0000E+00	6
.0000E+00	7 .0000E+00	8 .0000E+00			
9 .0000E+00	10 .0000E+00	11 .0000E+00	12 .0000E+00	13 .0000E+00	14
.0000E+00	15 .0000E+00	16 .0000E+00			
17 .0000E+00	18 .0000E+00	19 .0000E+00	20 .0000E+00	21 .0000E+00	22
.0000E+00	23 .0000E+00	24 .0000E+00			

DAY OF WEEK = SUNDAY

```
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 09:22:43
```

PAGE 97

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL91 ; SOURCE TYPE = VOLUME :

HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL
SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00	2 .0000E+00	3 .0000E+00	4 .0000E+00	5 .0000E+00	6
.0000E+00	7 .0000E+00	8 .0000E+00			
9 .1000E+01	10 .1000E+01	11 .1000E+01	12 .1000E+01	13 .1000E+01	14
.1000E+01	15 .1000E+01	16 .1000E+01			
17 .0000E+00	18 .0000E+00	19 .0000E+00	20 .0000E+00	21 .0000E+00	22
.0000E+00	23 .0000E+00	24 .0000E+00			

DAY OF WEEK = SATURDAY

1 .0000E+00	2 .0000E+00	3 .0000E+00	4 .0000E+00	5 .0000E+00	6
.0000E+00	7 .0000E+00	8 .0000E+00			
9 .0000E+00	10 .0000E+00	11 .0000E+00	12 .0000E+00	13 .0000E+00	14
.0000E+00	15 .0000E+00	16 .0000E+00			
17 .0000E+00	18 .0000E+00	19 .0000E+00	20 .0000E+00	21 .0000E+00	22
.0000E+00	23 .0000E+00	24 .0000E+00			

DAY OF WEEK = SUNDAY

1 .0000E+00	2 .0000E+00	3 .0000E+00	4 .0000E+00	5 .0000E+00	6
.0000E+00	7 .0000E+00	8 .0000E+00			
9 .0000E+00	10 .0000E+00	11 .0000E+00	12 .0000E+00	13 .0000E+00	14
.0000E+00	15 .0000E+00	16 .0000E+00			
17 .0000E+00	18 .0000E+00	19 .0000E+00	20 .0000E+00	21 .0000E+00	22
.0000E+00	23 .0000E+00	24 .0000E+00			

```
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 09:22:43
```

PAGE 98

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL92 ; SOURCE TYPE = VOLUME :

HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL
SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00	2 .0000E+00	3 .0000E+00	4 .0000E+00	5 .0000E+00	6
.0000E+00	7 .0000E+00	8 .0000E+00			
9 .1000E+01	10 .1000E+01	11 .1000E+01	12 .1000E+01	13 .1000E+01	14
.1000E+01	15 .1000E+01	16 .1000E+01			
17 .0000E+00	18 .0000E+00	19 .0000E+00	20 .0000E+00	21 .0000E+00	22
.0000E+00	23 .0000E+00	24 .0000E+00			

```

                                DAY OF WEEK = SATURDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SUNDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***
09:22:43

```

```

                                PAGE 99
*** MODELOPTs:  RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL93 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
                                DAY OF WEEK = WEEKDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .1000E+01 10  .1000E+01 11  .1000E+01 12  .1000E+01 13  .1000E+01 14
.1000E+01 15  .1000E+01 16  .1000E+01
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SATURDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SUNDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***
09:22:43

```

```

                                PAGE 100
*** MODELOPTs:  RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL94 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -

```



```

- - - - -
                                DAY OF WEEK = WEEKDAY
1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SATURDAY
1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
                                09:22:43

PAGE 101
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL95 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
                                DAY OF WEEK = WEEKDAY
1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SATURDAY
1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
                                09:22:43

PAGE 102
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

```

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL96 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

09:22:43

PAGE 103

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL97 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22

.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 09:22:43

PAGE 104

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL98 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 09:22:43

PAGE 105

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL99 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

```
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***                                     *** 09:22:43
```

```
                                PAGE 106
*** MODELOPTs:  RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL100 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
  SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
                                DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***                                     *** 09:22:43
```

```
                                PAGE 107
*** MODELOPTs:  RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL101 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
  SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
                                DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
```

.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

09:22:43

PAGE 108

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL102 ; SOURCE TYPE = VOLUME :

HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL
SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
	.0000E+00	7	.0000E+00	8	.0000E+00					
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
	.1000E+01	15	.1000E+01	16	.1000E+01					
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
	.0000E+00	7	.0000E+00	8	.0000E+00					
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
	.0000E+00	15	.0000E+00	16	.0000E+00					
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
	.0000E+00	7	.0000E+00	8	.0000E+00					
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
	.0000E+00	15	.0000E+00	16	.0000E+00					
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
	.0000E+00	23	.0000E+00	24	.0000E+00					

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

09:22:43

PAGE 109

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** DISCRETE CARTESIAN RECEPTORS ***
(X-COORD, Y-COORD, ZELEV, ZHILL, ZFLAG)
(METERS)

(463154.3, 3786819.6,	631.4,	1734.0,	2.0);	(463167.5, 3786865.5,
633.6, 1734.0,	2.0);			
(463147.6, 3786873.2,	634.1,	1734.0,	2.0);	(463129.9, 3786877.4,
634.4, 1734.0,	2.0);			
(463110.0, 3786886.9,	635.4,	1734.0,	2.0);	(463059.0, 3786966.9,
641.4, 1734.0,	2.0);			
(463074.9, 3787087.9,	646.7,	1734.0,	2.0);	(463102.5, 3787076.0,
645.0, 1734.0,	2.0);			
(462919.9, 3787058.3,	650.6,	1734.0,	2.0);	(463042.0, 3787098.7,
649.3, 1734.0,	2.0);			
(462998.1, 3787106.0,	651.7,	1734.0,	2.0);	(462944.0, 3787123.4,
653.8, 1734.0,	2.0);			
(462850.6, 3787079.7,	652.9,	1734.0,	2.0);	(462807.5, 3787091.0,
653.6, 1734.0,	2.0);			
(462821.9, 3787159.9,	658.2,	1734.0,	2.0);	(462755.2, 3787105.3,
654.6, 1734.0,	2.0);			
(462743.8, 3787181.3,	659.7,	1734.0,	2.0);	(462870.3, 3787147.1,
657.4, 1734.0,	2.0);			
(462890.0, 3787138.7,	656.5,	1734.0,	2.0);	(462725.4, 3787114.5,
655.2, 1734.0,	2.0);			
(462685.8, 3787125.8,	655.9,	1734.0,	2.0);	(462656.2, 3787132.7,
656.5, 1734.0,	2.0);			
(462632.9, 3787123.9,	655.6,	1734.0,	2.0);	(462595.9, 3787152.0,
658.4, 1734.0,	2.0);			
(462571.7, 3787160.3,	658.8,	1734.0,	2.0);	(462473.7, 3787233.0,
657.1, 1734.0,	2.0);			
(462534.0, 3787244.6,	659.9,	1734.0,	2.0);	(462400.1, 3787275.4,
659.0, 1734.0,	2.0);			
(462229.2, 3787434.2,	674.5,	1734.0,	2.0);	(462257.0, 3787342.4,
668.1, 1734.0,	2.0);			
(462128.4, 3787527.6,	684.6,	1734.0,	2.0);	(462183.2, 3787452.4,
675.8, 1734.0,	2.0);			
(462022.5, 3787623.1,	687.6,	1734.0,	2.0);	(461918.3, 3787709.0,
694.2, 1734.0,	2.0);			
(462038.5, 3787667.1,	695.0,	1734.0,	2.0);	(461424.9, 3788158.1,
731.4, 1734.0,	2.0);			
(461926.8, 3788065.0,	727.1,	1734.0,	2.0);	(461937.8, 3787798.6,
702.8, 1734.0,	2.0);			
(461956.2, 3787956.4,	718.2,	1734.0,	2.0);	(461303.4, 3788188.5,
726.6, 1734.0,	2.0);			
(461132.5, 3788399.4,	744.9,	1734.0,	2.0);	(461058.7, 3788731.5,
757.8, 1734.0,	2.0);			
(460943.7, 3788817.1,	758.9,	1734.0,	2.0);	(457324.4, 3790478.1,
770.2, 1734.0,	2.0);			
(457715.3, 3790467.0,	770.2,	1734.0,	2.0);	(457385.4, 3790493.9,
772.7, 1734.0,	2.0);			
(457752.2, 3790534.9,	771.1,	1734.0,	2.0);	(458383.4, 3790238.2,
751.7, 1734.0,	2.0);			
(463178.4, 3786251.1,	613.0,	1734.0,	2.0);	(462814.4, 3786754.2,
633.2, 1734.0,	2.0);			
(462674.0, 3786877.7,	639.7,	1734.0,	2.0);	(462604.9, 3786782.6,
635.5, 1734.0,	2.0);			
(462768.8, 3786780.7,	634.5,	1734.0,	2.0);	(461416.7, 3783609.8,
589.4, 1734.0,	2.0);			
(461655.6, 3783762.7,	593.9,	1734.0,	2.0);	(461824.6, 3783749.2,
599.8, 1734.0,	2.0);			
(461846.6, 3783749.2,	600.8,	1734.0,	2.0);	(461939.4, 3783743.2,
615.2, 1734.0,	2.0);			
(462019.9, 3783739.8,	613.5,	1734.0,	2.0);	(462121.1, 3783735.6,
606.0, 1734.0,	2.0);			
(462214.8, 3783729.3,	610.5,	1734.0,	2.0);	(462334.6, 3783705.5,
621.8, 1734.0,	2.0);			
(461658.1, 3783690.3,	600.5,	1734.0,	2.0);	(461041.9, 3783495.8,
601.3, 1734.0,	2.0);			
(461249.5, 3783484.0,	594.5,	1734.0,	2.0);	(461451.2, 3783502.2,
587.5, 1734.0,	2.0);			

```

*** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***                  04/16/24
*** AERMET - VERSION 16216 ***
***                                  ***
***                                  ***      09:22:43

```

$$\begin{aligned} & (462710.5, 3782876.4, 547.6, 1734.0, 2.0); & (462069.8, 3783383.5, \\ & 571.2, 1734.0, 2.0); \\ & (462277.2, 3783298.3, 561.0, 1734.0, 2.0); & (461797.0, 3783468.7, \\ & 575.6, 1734.0, 2.0); \end{aligned}$$

```

*** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***                  04/16/24
*** AERMET - VERSION 16216 ***
***                                ***
***                                ***      09:22:43

```

[illegible]

[illegible]

11	01	01	1	13	132.6	0.214	1.733	0.009	1377.	243.	-6.5	0.25	2.82	0.21	1.30
147.	9.1	284.2	5.5												
11	01	01	1	14	147.0	0.216	1.818	0.009	1431.	242.	-6.0	0.25	2.82	0.23	1.30
219.	9.1	284.9	5.5												
11	01	01	1	15	104.0	0.208	1.633	0.009	1468.	228.	-7.6	0.25	2.82	0.26	1.30
126.	9.1	285.4	5.5												
11	01	01	1	16	26.4	0.140	1.037	0.009	1477.	127.	-9.1	0.25	2.82	0.35	0.90
151.	9.1	284.9	5.5												
11	01	01	1	17	-9.0	0.137	-9.000	-9.000	-999.	121.	24.9	0.25	2.82	0.63	1.30
69.	9.1	283.1	5.5												
11	01	01	1	18	-33.4	0.342	-9.000	-9.000	-999.	481.	129.0	0.25	2.82	1.00	3.10
81.	9.1	281.4	5.5												
11	01	01	1	19	-33.6	0.342	-9.000	-9.000	-999.	481.	128.9	0.25	2.82	1.00	3.10
51.	9.1	279.9	5.5												
11	01	01	1	20	-23.6	0.239	-9.000	-9.000	-999.	287.	63.1	0.25	2.82	1.00	2.20
77.	9.1	278.8	5.5												
11	01	01	1	21	-18.5	0.194	-9.000	-9.000	-999.	205.	41.2	0.25	2.82	1.00	1.80
53.	9.1	277.5	5.5												
11	01	01	1	22	-23.7	0.239	-9.000	-9.000	-999.	281.	63.0	0.25	2.82	1.00	2.20
58.	9.1	277.5	5.5												
11	01	01	1	23	-18.5	0.194	-9.000	-9.000	-999.	205.	41.2	0.25	2.82	1.00	1.80
64.	9.1	277.5	5.5												
11	01	01	1	24	-4.5	0.094	-9.000	-9.000	-999.	74.	16.3	0.25	2.82	1.00	0.90
52.	9.1	277.0	5.5												

First hour of profile data

YR	MO	DY	HR	HEIGHT	F	WDIR	WSPD	AMB_TMP	sigmaA	sigmaW	sigmaV
11	01	01	01	5.5	0	-999.	-99.00	276.5	99.0	-99.00	-99.00
11	01	01	01	9.1	1	69.	1.80	-999.0	99.0	-99.00	-99.00

F indicates top of profile (=1) or below (=0)

*** AERMOD - VERSION 23132 ***
 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen SP\15585 Ops H ***
 04/16/24
 *** AERMET - VERSION 16216 ***

 09:22:43

PAGE 113

*** MODELOPTs:
 RegDFAULT
 CONC
 ELEV
 FLGPOL
 URBAN
 ADJ_U*

*** THE 1ST HIGHEST 1-HR AVERAGE CONCENTRATION VALUES FOR
 SOURCE GROUP: ALL ***
 INCLUDING SOURCE(S): VOL1 , VOL2 ,
 VOL3 , VOL4 , VOL5
 VOL6 , VOL7 , VOL8 , VOL9 , VOL10 ,
 VOL11 , VOL12 , VOL13 ,
 VOL14 , VOL15 , VOL16 , VOL17 , VOL18 ,
 VOL19 , VOL20 , VOL21 ,
 VOL22 , VOL23 , VOL24 , VOL25 , VOL26 ,
 VOL27 , VOL28 , . . .

*** DISCRETE CARTESIAN RECEPTOR POINTS ***

** CONC OF NOX IN
 MICROGRAMS/M**3

X-COORD (M)	Y-COORD (M)	CONC	(YYMMDDHH)	X-COORD (M)	Y-COORD
(M)	CONC	(YYMMDDHH)			
463154.33	3786819.61	0.33236	(16121216)	463167.45	
3786865.52	0.28641	(16121216)			
463147.58	3786873.25	0.28323	(16121216)	463129.92	
3786877.44	0.28246	(16121216)			
463110.04	3786886.94	0.27877	(16121216)	463059.03	
3786966.87	0.26606	(16121216)			

463074.93	3787087.88	0.27850	(16121216)	463102.53
3787075.96	0.27011	(16121216)		
462919.92	3787058.29	0.31694	(16121216)	463042.03
3787098.70	0.28828	(16121216)		
462998.09	3787105.99	0.30085	(16121216)	462943.99
3787123.43	0.31793	(16121216)		
462850.58	3787079.71	0.34363	(16121216)	462807.52
3787090.97	0.36013	(16121216)		
462821.88	3787159.87	0.35392	(16121216)	462755.22
3787105.29	0.37998	(16121216)		
462743.77	3787181.31	0.37464	(16121216)	462870.28
3787147.15	0.34002	(16121216)		
462889.99	3787138.70	0.33427	(16121216)	462725.43
3787114.51	0.39098	(16121216)		
462685.82	3787125.77	0.40509	(16121216)	462656.17
3787132.72	0.41546	(16121216)		
462632.89	3787123.90	0.42691	(16121216)	462595.92
3787152.05	0.43389	(16121216)		
462571.70	3787160.31	0.44051	(16121216)	462473.70
3787233.03	0.44079	(16121216)		
462534.01	3787244.58	0.41457	(16121216)	462400.07
3787275.41	0.43549	(16121216)		
462229.16	3787434.24	0.39675	(13121916)	462256.97
3787342.44	0.42130	(16121216)		
462128.43	3787527.59	0.41426	(13121916)	462183.16
3787452.38	0.39400	(13121916)		
462022.45	3787623.08	0.39891	(13121916)	461918.34
3787709.00	0.47090	(15122116)		
462038.54	3787667.10	0.40005	(13121916)	461424.87
3788158.12	0.42434	(15122116)		
461926.79	3788065.01	0.42097	(15122116)	461937.75
3787798.61	0.45594	(15122116)		
461956.17	3787956.45	0.43308	(15122116)	461303.41
3788188.53	0.39177	(15122116)		
461132.48	3788399.44	0.22319	(15122116)	461058.72
3788731.50	0.20195	(13031809)		
460943.68	3788817.15	0.21925	(13031809)	457324.43
3790478.09	0.08608	(16121510)		
457715.29	3790466.96	0.10582	(16121510)	457385.37
3790493.92	0.09012	(16121510)		
457752.21	3790534.94	0.10843	(16121510)	458383.39
3790238.21	0.11731	(16121510)		
463178.40	3786251.10	0.38148	(13111916)	462814.44
3786754.18	0.66988	(16121216)		
462674.03	3786877.67	0.39011	(12121715)	462604.90
3786782.62	0.59055	(13112916)		
462768.77	3786780.67	0.52743	(16121216)	461416.67
3783609.80	0.32154	(15021709)		
461655.59	3783762.73	0.24713	(15021709)	461824.61
3783749.17	0.20312	(16101209)		
461846.64	3783749.17	0.20035	(16101209)	461939.41
3783743.24	0.19031	(16101209)		
462019.90	3783739.85	0.18038	(16101209)	462121.14
3783735.61	0.16814	(16101209)		
462214.76	3783729.26	0.15927	(16101209)	462334.64
3783705.54	0.14895	(16101209)		
461658.13	3783690.29	0.24311	(15021709)	461041.92
3783495.78	0.20067	(12021513)		
461249.49	3783484.05	0.26158	(15021709)	461451.20
3783502.23	0.29612	(15021709)		
461567.30	3783209.63	0.24461	(15021709)	461502.80
3783145.13	0.24910	(15021709)		
461612.45	3783185.00	0.23318	(15021709)	460924.52
3783393.96	0.17123	(15120909)		
460848.29	3783334.15	0.16352	(15120909)	460765.02
3783264.37	0.15392	(15120909)		

460668.85	3783186.38	0.14237	(15120909)	460574.44
3783105.46	0.13123	(15120909)		
460496.45	3783051.51	0.12207	(15120909)	460712.73
3783532.65	0.14659	(15120909)		
460583.91	3783527.38	0.13062	(15120909)	460501.88
3783491.78	0.12092	(15120909)		
460403.69	3783447.41	0.11065	(11011209)	460303.99
3783403.05	0.10747	(11011209)		

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

09:22:43

PAGE 114

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** THE 1ST HIGHEST 1-HR AVERAGE CONCENTRATION VALUES FOR
SOURCE GROUP: ALL ***

	INCLUDING SOURCE(S):	VOL1	, VOL2	,
	VOL3	, VOL4	, VOL5	,
VOL6	, VOL7	, VOL8	, VOL9	, VOL10
VOL11	, VOL12	, VOL13	, VOL14	, VOL15
VOL16	, VOL17	, VOL18	, VOL19	, VOL20
VOL21	, VOL22	, VOL23	, VOL24	, VOL25
VOL26	, VOL27	, VOL28	, VOL29	, VOL30

*** DISCRETE CARTESIAN RECEPTOR POINTS ***

** CONC OF NOX IN
MICROGRAMS/M**3

**

X-COORD (M)	Y-COORD (M)	CONC	(YYMMDDHH)	X-COORD (M)	Y-COORD
(M)	CONC	(YYMMDDHH)			
459503.27	3782889.01	0.08693	(16011409)	459388.10	
3783065.74	0.08602	(16011409)			
459382.29	3783016.73	0.08641	(16011409)	459350.12	
3783155.49	0.08912	(11121211)			
459320.33	3783264.86	0.08998	(11121211)	463904.58	
3786591.83	0.19124	(12121715)			
466077.15	3784031.33	0.08403	(15012809)	466200.85	
3784253.98	0.07701	(13111210)			
465960.20	3784644.19	0.08349	(13122709)	466195.23	
3784596.96	0.08107	(13122709)			
462710.50	3782876.40	0.12134	(11010309)	462069.84	
3783383.52	0.17110	(16101209)			
462277.17	3783298.31	0.15246	(16101209)	461797.05	
3783468.72	0.19031	(11100512)			

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

09:22:43

PAGE 115

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** THE SUMMARY OF HIGHEST 1-HR RESULTS ***

** CONC OF NOX IN
MICROGRAMS/M**3

**

DATE

```
*****
**  AERMOD Finishes Successfully  **
*****
```

```

** Lakes Environmental AERMOD MPI
**
*****
**
** AERMOD Input Produced by:
** AERMOD View Ver. 12.0.0
** Lakes Environmental Software Inc.
** Date: 4/16/2024
** File: C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen SP\15585 Cons PM10\15585 Cons
PM10.ADI
**
*****
**
**
*****
** AERMOD Control Pathway
*****
**
**
CO STARTING
  TITLEONE C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen SP\15585 Ops H
  MODELOPT DFAULT CONC
  AVERTIME 24
  URBANOPT 2035210 San_Bernardino_County
  POLLUTID PM_10
  FLAGPOLE 2.00
  RUNORNOT RUN
  ERRORFIL "15585 Cons PM10.err"
CO FINISHED
**
*****
** AERMOD Source Pathway
*****
**
**
SO STARTING
** Source Location **
** Source ID - Type - X Coord. - Y Coord. **
LOCATION VOL1      VOLUME      461693.740    3786276.453      643.610
LOCATION VOL2      VOLUME      461646.169    3786333.174      642.840
LOCATION VOL3      VOLUME      461591.280    3786386.232      647.830
LOCATION VOL4      VOLUME      461541.881    3786437.462      649.230
LOCATION VOL5      VOLUME      461499.799    3786483.202      650.290
LOCATION VOL6      VOLUME      461461.378    3786530.772      651.510
LOCATION VOL7      VOLUME      461408.319    3786578.342      653.920
LOCATION VOL8      VOLUME      461452.229    3786636.890      648.030
LOCATION VOL9      VOLUME      461512.607    3786686.289      645.570
LOCATION VOL10     VOLUME      461572.984    3786730.200      644.910
LOCATION VOL11     VOLUME      461366.238    3786625.912      655.580
LOCATION VOL12     VOLUME      461289.394    3786678.971      662.030
LOCATION VOL13     VOLUME      461373.556    3786706.415      654.400
LOCATION VOL14     VOLUME      461441.252    3786713.733      647.890
LOCATION VOL15     VOLUME      461234.505    3786728.370      667.840
LOCATION VOL16     VOLUME      461199.743    3786774.111      667.480
LOCATION VOL17     VOLUME      461152.173    3786821.681      666.390
LOCATION VOL18     VOLUME      461086.307    3786863.762      668.160
LOCATION VOL19     VOLUME      461038.737    3786904.013      673.160
LOCATION VOL20     VOLUME      460978.359    3786938.776      680.480
LOCATION VOL21     VOLUME      460927.130    3786993.664      681.640
LOCATION VOL22     VOLUME      460877.731    3787050.382      684.380
LOCATION VOL23     VOLUME      460837.479    3787107.100      683.950
LOCATION VOL24     VOLUME      460804.546    3787160.159      681.640
LOCATION VOL25     VOLUME      460749.517    3787211.229      680.350
LOCATION VOL26     VOLUME      460704.572    3787274.681      677.670
LOCATION VOL27     VOLUME      460655.661    3787332.845      679.400
LOCATION VOL28     VOLUME      460593.531    3787398.940      683.870

```

LOCATION	VOL29	VOLUME	460639.798	3787451.816	679.140
LOCATION	VOL30	VOLUME	460683.421	3787401.584	675.790
LOCATION	VOL31	VOLUME	460741.585	3787356.639	670.810
LOCATION	VOL32	VOLUME	460790.496	3787281.290	670.000
LOCATION	VOL33	VOLUME	460875.098	3787289.222	670.390
LOCATION	VOL34	VOLUME	460929.296	3787227.092	670.660
LOCATION	VOL35	VOLUME	460840.729	3787209.907	677.570
LOCATION	VOL36	VOLUME	460884.352	3787164.962	677.960
LOCATION	VOL37	VOLUME	460967.632	3787141.168	672.840
LOCATION	VOL38	VOLUME	460921.365	3787088.291	678.890
LOCATION	VOL39	VOLUME	460967.632	3787063.175	676.310
LOCATION	VOL40	VOLUME	461048.268	3787114.729	668.480
LOCATION	VOL41	VOLUME	461007.289	3786998.401	675.500
LOCATION	VOL42	VOLUME	461052.234	3787052.600	669.780
LOCATION	VOL43	VOLUME	461134.193	3787056.565	661.990
LOCATION	VOL44	VOLUME	461082.638	3786975.929	671.770
LOCATION	VOL45	VOLUME	461120.973	3786917.765	665.910
LOCATION	VOL46	VOLUME	461167.240	3786986.504	660.060
LOCATION	VOL47	VOLUME	461253.164	3786983.860	656.410
LOCATION	VOL48	VOLUME	461208.219	3786903.224	658.460
LOCATION	VOL49	VOLUME	461234.658	3786831.841	660.330
LOCATION	VOL50	VOLUME	461291.500	3786905.868	655.270
LOCATION	VOL51	VOLUME	461374.780	3786887.361	652.160
LOCATION	VOL52	VOLUME	461317.938	3786823.909	656.140
LOCATION	VOL53	VOLUME	461287.534	3786757.814	660.450
LOCATION	VOL54	VOLUME	461373.458	3786786.896	653.480
LOCATION	VOL55	VOLUME	461455.417	3786801.437	648.470
LOCATION	VOL56	VOLUME	461385.355	3786838.450	651.810
LOCATION	VOL57	VOLUME	461529.444	3786768.389	645.070
LOCATION	VOL58	VOLUME	462577.220	3786719.492	633.360
LOCATION	VOL59	VOLUME	462660.520	3786693.681	632.580
LOCATION	VOL60	VOLUME	462744.406	3786674.322	630.900
LOCATION	VOL61	VOLUME	462828.880	3786650.857	628.260
LOCATION	VOL62	VOLUME	462868.770	3786625.633	626.420
LOCATION	VOL63	VOLUME	462848.238	3786541.746	623.050
LOCATION	VOL64	VOLUME	462835.332	3786455.513	622.000
LOCATION	VOL65	VOLUME	462621.216	3786659.657	631.720
LOCATION	VOL66	VOLUME	462660.520	3786609.794	629.090
LOCATION	VOL67	VOLUME	462684.571	3786547.612	627.210
LOCATION	VOL68	VOLUME	462745.580	3786589.849	627.120
LOCATION	VOL69	VOLUME	462807.175	3786566.971	624.980
LOCATION	VOL70	VOLUME	462716.835	3786469.005	624.430
LOCATION	VOL71	VOLUME	462751.446	3786439.087	622.370
LOCATION	VOL72	VOLUME	462835.332	3786419.729	622.000
LOCATION	VOL73	VOLUME	462764.351	3786515.348	623.530
LOCATION	VOL74	VOLUME	461061.948	3784936.739	654.040
LOCATION	VOL75	VOLUME	461059.795	3784850.618	644.040
LOCATION	VOL76	VOLUME	461057.642	3784762.345	642.000
LOCATION	VOL77	VOLUME	461141.610	3784805.405	641.650
LOCATION	VOL78	VOLUME	461139.457	3784721.438	639.020
LOCATION	VOL79	VOLUME	461225.577	3784805.405	636.620
LOCATION	VOL80	VOLUME	461225.577	3784723.591	634.040
LOCATION	VOL81	VOLUME	461223.667	3784635.373	631.360
LOCATION	VOL82	VOLUME	461156.778	3784658.706	636.710
LOCATION	VOL83	VOLUME	461312.335	3784885.818	641.380
LOCATION	VOL84	VOLUME	461310.779	3784801.818	632.510
LOCATION	VOL85	VOLUME	461312.335	3784714.706	629.850
LOCATION	VOL86	VOLUME	461309.224	3784630.706	628.160
LOCATION	VOL87	VOLUME	461284.335	3784548.261	629.430
LOCATION	VOL88	VOLUME	461369.891	3784543.594	624.320
LOCATION	VOL89	VOLUME	461289.001	3784462.705	624.470
LOCATION	VOL90	VOLUME	461225.223	3784422.260	627.230
LOCATION	VOL91	VOLUME	461371.446	3784458.038	621.330
LOCATION	VOL92	VOLUME	461270.334	3784338.260	620.310
LOCATION	VOL93	VOLUME	461310.779	3784375.593	619.290
LOCATION	VOL94	VOLUME	461396.335	3784627.595	624.280

LOCATION	VOL95	VOLUME	461397.891	3784711.595	626.590
LOCATION	VOL96	VOLUME	461396.335	3784797.151	630.160
LOCATION	VOL97	VOLUME	461483.447	3784714.706	622.870
LOCATION	VOL98	VOLUME	461481.891	3784795.596	626.210
LOCATION	VOL99	VOLUME	461486.558	3784879.596	631.090
LOCATION	VOL100	VOLUME	461569.003	3784776.929	621.370
LOCATION	VOL101	VOLUME	461643.670	3784787.818	622.790
LOCATION	VOL102	VOLUME	461562.781	3784825.151	625.070
LOCATION	PAREA1	AREAPOLY	460528.359	3787418.313	691.840
**	DESCRSRC	Subarea A			
LOCATION	PAREA2	AREAPOLY	462517.880	3786759.792	633.000
LOCATION	PAREA3	AREAPOLY	461036.403	3784972.428	658.950
**	DESCRSRC	Subarea C			
**	Source Parameters	**			
SRCPARAM	VOL1	0.0001476035	3.490	19.572	3.250
SRCPARAM	VOL2	0.0001476035	3.490	19.572	3.250
SRCPARAM	VOL3	0.0001476035	3.490	19.572	3.250
SRCPARAM	VOL4	0.0001476035	3.490	19.572	3.250
SRCPARAM	VOL5	0.0001476035	3.490	19.572	3.250
SRCPARAM	VOL6	0.0001476035	3.490	19.572	3.250
SRCPARAM	VOL7	0.0001476035	3.490	19.572	3.250
SRCPARAM	VOL8	0.0001476035	3.490	19.572	3.250
SRCPARAM	VOL9	0.0001476035	3.490	19.572	3.250
SRCPARAM	VOL10	0.0001476035	3.490	19.572	3.250
SRCPARAM	VOL11	0.0001476035	3.490	19.572	3.250
SRCPARAM	VOL12	0.0001476035	3.490	19.572	3.250
SRCPARAM	VOL13	0.0001476035	3.490	19.572	3.250
SRCPARAM	VOL14	0.0001476035	3.490	19.572	3.250
SRCPARAM	VOL15	0.0001476035	3.490	19.572	3.250
SRCPARAM	VOL16	0.0001476035	3.490	19.572	3.250
SRCPARAM	VOL17	0.0001476035	3.490	19.572	3.250
SRCPARAM	VOL18	0.0001476035	3.490	19.572	3.250
SRCPARAM	VOL19	0.0001476035	3.490	19.572	3.250
SRCPARAM	VOL20	0.0001476035	3.490	19.572	3.250
SRCPARAM	VOL21	0.0001476035	3.490	19.572	3.250
SRCPARAM	VOL22	0.0001476035	3.490	19.572	3.250
SRCPARAM	VOL23	0.0001476035	3.490	19.572	3.250
SRCPARAM	VOL24	0.0001476035	3.490	19.572	3.250
SRCPARAM	VOL25	0.0001476035	3.490	19.572	3.250
SRCPARAM	VOL26	0.0001476035	3.490	19.572	3.250
SRCPARAM	VOL27	0.0001476035	3.490	19.572	3.250
SRCPARAM	VOL28	0.0001476035	3.490	19.572	3.250
SRCPARAM	VOL29	0.0001476035	3.490	19.572	3.250
SRCPARAM	VOL30	0.0001476035	3.490	19.572	3.250
SRCPARAM	VOL31	0.0001476035	3.490	19.572	3.250
SRCPARAM	VOL32	0.0001476035	3.490	19.572	3.250
SRCPARAM	VOL33	0.0001476035	3.490	19.572	3.250
SRCPARAM	VOL34	0.0001476035	3.490	19.572	3.250
SRCPARAM	VOL35	0.0001476035	3.490	19.572	3.250
SRCPARAM	VOL36	0.0001476035	3.490	19.572	3.250
SRCPARAM	VOL37	0.0001476035	3.490	19.572	3.250
SRCPARAM	VOL38	0.0001476035	3.490	19.572	3.250
SRCPARAM	VOL39	0.0001476035	3.490	19.572	3.250
SRCPARAM	VOL40	0.0001476035	3.490	19.572	3.250
SRCPARAM	VOL41	0.0001476035	3.490	19.572	3.250
SRCPARAM	VOL42	0.0001476035	3.490	19.572	3.250
SRCPARAM	VOL43	0.0001476035	3.490	19.572	3.250
SRCPARAM	VOL44	0.0001476035	3.490	19.572	3.250
SRCPARAM	VOL45	0.0001476035	3.490	19.572	3.250
SRCPARAM	VOL46	0.0001476035	3.490	19.572	3.250
SRCPARAM	VOL47	0.0001476035	3.490	19.572	3.250
SRCPARAM	VOL48	0.0001476035	3.490	19.572	3.250
SRCPARAM	VOL49	0.0001476035	3.490	19.572	3.250
SRCPARAM	VOL50	0.0001476035	3.490	19.572	3.250
SRCPARAM	VOL51	0.0001476035	3.490	19.572	3.250
SRCPARAM	VOL52	0.0001476035	3.490	19.572	3.250

SRCPARAM	VOL53	0.0001476035	3.490	19.572	3.250
SRCPARAM	VOL54	0.0001476035	3.490	19.572	3.250
SRCPARAM	VOL55	0.0001476035	3.490	19.572	3.250
SRCPARAM	VOL56	0.0001476035	3.490	19.572	3.250
SRCPARAM	VOL57	0.0001476035	3.490	19.572	3.250
SRCPARAM	VOL58	0.0000358732	3.490	19.572	3.250
SRCPARAM	VOL59	0.0000358732	3.490	19.572	3.250
SRCPARAM	VOL60	0.0000358732	3.490	19.572	3.250
SRCPARAM	VOL61	0.0000358732	3.490	19.572	3.250
SRCPARAM	VOL62	0.0000358732	3.490	19.572	3.250
SRCPARAM	VOL63	0.0000358732	3.490	19.572	3.250
SRCPARAM	VOL64	0.0000358732	3.490	19.572	3.250
SRCPARAM	VOL65	0.0000358732	3.490	19.572	3.250
SRCPARAM	VOL66	0.0000358732	3.490	19.572	3.250
SRCPARAM	VOL67	0.0000358732	3.490	19.572	3.250
SRCPARAM	VOL68	0.0000358732	3.490	19.572	3.250
SRCPARAM	VOL69	0.0000358732	3.490	19.572	3.250
SRCPARAM	VOL70	0.0000358732	3.490	19.572	3.250
SRCPARAM	VOL71	0.0000358732	3.490	19.572	3.250
SRCPARAM	VOL72	0.0000358732	3.490	19.572	3.250
SRCPARAM	VOL73	0.0000358732	3.490	19.572	3.250
SRCPARAM	VOL74	0.0001145328	3.490	19.572	3.250
SRCPARAM	VOL75	0.0001145328	3.490	19.572	3.250
SRCPARAM	VOL76	0.0001145328	3.490	19.572	3.250
SRCPARAM	VOL77	0.0001145328	3.490	19.572	3.250
SRCPARAM	VOL78	0.0001145328	3.490	19.572	3.250
SRCPARAM	VOL79	0.0001145328	3.490	19.572	3.250
SRCPARAM	VOL80	0.0001145328	3.490	19.572	3.250
SRCPARAM	VOL81	0.0001145328	3.490	19.572	3.250
SRCPARAM	VOL82	0.0001145328	3.490	19.572	3.250
SRCPARAM	VOL83	0.0001145328	3.490	19.572	3.250
SRCPARAM	VOL84	0.0001145328	3.490	19.572	3.250
SRCPARAM	VOL85	0.0001145328	3.490	19.572	3.250
SRCPARAM	VOL86	0.0001145328	3.490	19.572	3.250
SRCPARAM	VOL87	0.0001145328	3.490	19.572	3.250
SRCPARAM	VOL88	0.0001145328	3.490	19.572	3.250
SRCPARAM	VOL89	0.0001145328	3.490	19.572	3.250
SRCPARAM	VOL90	0.0001145328	3.490	19.572	3.250
SRCPARAM	VOL91	0.0001145328	3.490	19.572	3.250
SRCPARAM	VOL92	0.0001145328	3.490	19.572	3.250
SRCPARAM	VOL93	0.0001145328	3.490	19.572	3.250
SRCPARAM	VOL94	0.0001145328	3.490	19.572	3.250
SRCPARAM	VOL95	0.0001145328	3.490	19.572	3.250
SRCPARAM	VOL96	0.0001145328	3.490	19.572	3.250
SRCPARAM	VOL97	0.0001145328	3.490	19.572	3.250
SRCPARAM	VOL98	0.0001145328	3.490	19.572	3.250
SRCPARAM	VOL99	0.0001145328	3.490	19.572	3.250
SRCPARAM	VOL100	0.0001145328	3.490	19.572	3.250
SRCPARAM	VOL101	0.0001145328	3.490	19.572	3.250
SRCPARAM	VOL102	0.0001145328	3.490	19.572	3.250
SRCPARAM	PAREA1	1.2872E-07	0.000	13	1.000
AREAVERT	PAREA1	460528.359	3787418.313	460624.790	3787500.787
AREAVERT	PAREA1	461630.970	3786735.684	461482.517	3786597.382
AREAVERT	PAREA1	461748.971	3786277.638	461696.949	3786224.347
AREAVERT	PAREA1	461284.580	3786637.985	461181.805	3786721.727
AREAVERT	PAREA1	461147.547	3786769.943	461004.170	3786876.524
AREAVERT	PAREA1	460933.115	3786922.202	460845.566	3787018.633
AREAVERT	PAREA1	460533.435	3787417.045		
SRCPARAM	PAREA2	1.3909E-07	0.000	5	1.000
AREAVERT	PAREA2	462517.880	3786759.792	462912.486	3786648.135
AREAVERT	PAREA2	462866.808	3786401.983	462845.238	3786395.639
AREAVERT	PAREA2	462727.237	3786398.176		
SRCPARAM	PAREA3	1.7087E-07	0.000	42	1.000
AREAVERT	PAREA3	461036.403	3784972.428	461119.453	3784972.428
AREAVERT	PAREA3	461095.724	3784915.264	461097.882	3784892.614
AREAVERT	PAREA3	461165.831	3784832.215	461221.917	3784852.707

AREAVERT	PAREA3	461270.452	3784873.200	461301.730	3784890.457
AREAVERT	PAREA3	461322.223	3784934.678	461371.837	3784933.600
AREAVERT	PAREA3	461370.759	3784869.964	461420.373	3784869.964
AREAVERT	PAREA3	461474.301	3784909.871	461477.536	3784951.935
AREAVERT	PAREA3	461535.779	3784950.857	461536.858	3784873.200
AREAVERT	PAREA3	461691.092	3784817.115	461649.028	3784748.087
AREAVERT	PAREA3	461592.943	3784744.851	461547.643	3784730.829
AREAVERT	PAREA3	461499.108	3784704.944	461482.929	3784677.980
AREAVERT	PAREA3	461453.808	3784635.916	461432.237	3784600.323
AREAVERT	PAREA3	461412.823	3784569.045	461402.037	3784517.274
AREAVERT	PAREA3	461376.151	3784453.638	461365.366	3784402.946
AREAVERT	PAREA3	461352.423	3784372.746	461347.030	3784332.839
AREAVERT	PAREA3	461382.623	3784227.140	461375.073	3784218.511
AREAVERT	PAREA3	461322.223	3784303.718	461251.038	3784292.932
AREAVERT	PAREA3	461178.774	3784445.010	461242.409	3784468.738
AREAVERT	PAREA3	461251.038	3784539.923	461190.638	3784589.537
AREAVERT	PAREA3	461112.981	3784669.351	461061.210	3784721.122
AREAVERT	PAREA3	461014.832	3784737.301	461014.832	3784946.542
URBANSRC	ALL				

** Variable Emissions Type: "By Hour / Day (HRDOW)"

** Variable Emission Scenario: "Scenario 1"

** WeekDays:

EMISFACT	VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	VOL1	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
EMISFACT	VOL1	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
EMISFACT	VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

** Saturday:

EMISFACT	VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

** Sunday:

EMISFACT	VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

** WeekDays:

EMISFACT	VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	VOL2	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
EMISFACT	VOL2	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
EMISFACT	VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

** Saturday:

EMISFACT	VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

** Sunday:

EMISFACT	VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

** WeekDays:

EMISFACT	VOL3	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	VOL3	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
EMISFACT	VOL3	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
EMISFACT	VOL3	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

** Saturday:

EMISFACT	VOL3	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	VOL3	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	VOL3	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	VOL3	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

** Sunday:

EMISFACT	VOL3	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	VOL3	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	VOL3	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]


```

EMISFACT PAREA3      HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT PAREA3      HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT PAREA3      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
EMISFACT PAREA3      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT PAREA3      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT PAREA3      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT PAREA3      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
EMISFACT PAREA3      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT PAREA3      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT PAREA3      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT PAREA3      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
SRCGROUP ALL
SO FINISHED
**
*****
** AERMOD Receptor Pathway
*****
**
**
RE STARTING
  INCLUDED "15585 Cons PM10.rou"
RE FINISHED
**
*****
** AERMOD Meteorology Pathway
*****
**
**
ME STARTING
  SURFFILE FONT_V9_ADJU\FONT_v9.SFC
  PROFFILE FONT_V9_ADJU\FONT_v9.PFL
  SURFDATA 3102 2011
  UAIRDATA 3190 2011
  SITEDATA 99999 2011
  PROFBASE 367.0 METERS
ME FINISHED
**
*****
** AERMOD Output Pathway
*****
**
**
OU STARTING
  RECTABLE ALLAVE 1ST
  RECTABLE 24 1ST
** Auto-Generated Plotfiles
  PLOTFILE 24 ALL 1ST "15585 CONS PM10.AD\24H1GALL.PLT" 31
  SUMMFILE "15585 Cons PM10.sum"
OU FINISHED

```

*** Message Summary For AERMOD Model Setup ***

----- Summary of Total Messages -----

```

A Total of      0 Fatal Error Message(s)
A Total of      2 Warning Message(s)
A Total of      0 Informational Message(s)

```

```

***** FATAL ERROR MESSAGES *****
***   NONE   ***

```

***** WARNING MESSAGES *****
ME W186 1884 MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold used 0.50
ME W187 1884 MEOPEN: ADJ_U* Option for Stable Low Winds used in AERMET

*** SETUP Finishes Successfully ***

*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 10:14:57

PAGE 1
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** MODEL SETUP OPTIONS SUMMARY ***

** Model Options Selected:
* Model Uses Regulatory DEFAULT Options
* Model Is Setup For Calculation of Average CONCentration Values.
* NO GAS DEPOSITION Data Provided.
* NO PARTICLE DEPOSITION Data Provided.
* Model Uses NO DRY DEPLETION. DDPLETE = F
* Model Uses NO WET DEPLETION. WETDPLT = F
* Stack-tip Downwash.
* Model Accounts for ELEVated Terrain Effects.
* Use Calms Processing Routine.
* Use Missing Data Processing Routine.
* No Exponential Decay.
* Model Uses URBAN Dispersion Algorithm for the SBL for 105 Source(s),
for Total of 1 Urban Area(s):
Urban Population = 2035210.0 ; Urban Roughness Length = 1.000 m
* Urban Roughness Length of 1.0 Meter Used.
* ADJ_U* - Use ADJ_U* option for SBL in AERMET
* TEMP_Sub - Meteorological data includes TEMP substitutions
* Model Accepts FLAGPOLE Receptor . Heights.
* The User Specified a Pollutant Type of: PM_10

**Model Calculates 1 Short Term Average(s) of: 24-HR

**This Run Includes: 105 Source(s); 1 Source Group(s); and 94 Receptor(s)

with: 0 POINT(s), including
0 POINTCAP(s) and 0 POINTHOR(s)
and: 102 VOLUME source(s)
and: 3 AREA type source(s)
and: 0 LINE source(s)
and: 0 RLINE/RLINEXT source(s)
and: 0 OPENPIT source(s)
and: 0 BUOYANT LINE source(s) with a total of 0 line(s)
and: 0 SWPOINT source(s)

**Model Set To Continue RUNning After the Setup Testing.

**The AERMET Input Meteorological Data Version Date: 16216

**Output Options Selected:
Model Outputs Tables of Highest Short Term Values by Receptor (RECTABLE Keyword)
Model Outputs External File(s) of High Values for Plotting (PLOTFILE Keyword)
Model Outputs Separate Summary File of High Ranked Values (SUMMFILE Keyword)

**NOTE: The Following Flags May Appear Following CONC Values: c for Calm Hours

m for Missing Hours
b for Both Calm and Missing
Hours

**Misc. Inputs: Base Elev. for Pot. Temp. Profile (m MSL) = 367.00 ; Decay Coef. =
0.000 ; Rot. Angle = 0.0
Emission Units = GRAMS/SEC ; Emission Rate
Unit Factor = 0.10000E+07
Output Units = MICROGRAMS/M**3

**Approximate Storage Requirements of Model = 3.7 MB of RAM.

**Input Runstream File:

aermod.inp

**Output Print File:

aermod.out

**Detailed Error/Message File: 15585 Cons

PM10.err

**File for Summary of Results: 15585 Cons

PM10.sum

*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

10:14:57

PAGE 2

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

		NUMBER	EMISSION RATE			BASE	RELEASE	INIT.	INIT.
		URBAN	EMISSION RATE	AIRCRAFT					
SOURCE		PART.	(GRAMS/SEC)	X	Y	ELEV.	HEIGHT	SY	SZ
SOURCE	SCALAR	VARY							
ID		CATS.		(METERS)	(METERS)	(METERS)	(METERS)	(METERS)	
(METERS)			BY						

VOL1		0	0.14760E-03	461693.7	3786276.5	643.6	3.49	19.57	3.25
YES	HRDOW		NO						
VOL2		0	0.14760E-03	461646.2	3786333.2	642.8	3.49	19.57	3.25
YES	HRDOW		NO						
VOL3		0	0.14760E-03	461591.3	3786386.2	647.8	3.49	19.57	3.25
YES	HRDOW		NO						
VOL4		0	0.14760E-03	461541.9	3786437.5	649.2	3.49	19.57	3.25
YES	HRDOW		NO						
VOL5		0	0.14760E-03	461499.8	3786483.2	650.3	3.49	19.57	3.25
YES	HRDOW		NO						
VOL6		0	0.14760E-03	461461.4	3786530.8	651.5	3.49	19.57	3.25
YES	HRDOW		NO						
VOL7		0	0.14760E-03	461408.3	3786578.3	653.9	3.49	19.57	3.25
YES	HRDOW		NO						
VOL8		0	0.14760E-03	461452.2	3786636.9	648.0	3.49	19.57	3.25
YES	HRDOW		NO						
VOL9		0	0.14760E-03	461512.6	3786686.3	645.6	3.49	19.57	3.25
YES	HRDOW		NO						
VOL10		0	0.14760E-03	461573.0	3786730.2	644.9	3.49	19.57	3.25
YES	HRDOW		NO						
VOL11		0	0.14760E-03	461366.2	3786625.9	655.6	3.49	19.57	3.25
YES	HRDOW		NO						
VOL12		0	0.14760E-03	461289.4	3786679.0	662.0	3.49	19.57	3.25
YES	HRDOW		NO						
VOL13		0	0.14760E-03	461373.6	3786706.4	654.4	3.49	19.57	3.25

*** VOLUME SOURCE DATA ***

		NUMBER	EMISSION RATE			BASE	RELEASE	INIT.	INIT.
		URBAN	EMISSION RATE	AIRCRAFT					
SOURCE	PART.	(GRAMS/SEC)		X	Y	ELEV.	HEIGHT	SY	SZ
SOURCE	SCALAR VARY								
ID	CATS.			(METERS)	(METERS)	(METERS)	(METERS)	(METERS)	
(METERS)		BY							

VOL41		0	0.14760E-03	461007.3	3786998.4	675.5	3.49	19.57	3.25
YES	HRDOW		NO						
VOL42		0	0.14760E-03	461052.2	3787052.6	669.8	3.49	19.57	3.25
YES	HRDOW		NO						
VOL43		0	0.14760E-03	461134.2	3787056.6	662.0	3.49	19.57	3.25
YES	HRDOW		NO						
VOL44		0	0.14760E-03	461082.6	3786975.9	671.8	3.49	19.57	3.25
YES	HRDOW		NO						
VOL45		0	0.14760E-03	461121.0	3786917.8	665.9	3.49	19.57	3.25
YES	HRDOW		NO						
VOL46		0	0.14760E-03	461167.2	3786986.5	660.1	3.49	19.57	3.25
YES	HRDOW		NO						
VOL47		0	0.14760E-03	461253.2	3786983.9	656.4	3.49	19.57	3.25
YES	HRDOW		NO						
VOL48		0	0.14760E-03	461208.2	3786903.2	658.5	3.49	19.57	3.25
YES	HRDOW		NO						
VOL49		0	0.14760E-03	461234.7	3786831.8	660.3	3.49	19.57	3.25
YES	HRDOW		NO						
VOL50		0	0.14760E-03	461291.5	3786905.9	655.3	3.49	19.57	3.25
YES	HRDOW		NO						
VOL51		0	0.14760E-03	461374.8	3786887.4	652.2	3.49	19.57	3.25
YES	HRDOW		NO						
VOL52		0	0.14760E-03	461317.9	3786823.9	656.1	3.49	19.57	3.25
YES	HRDOW		NO						
VOL53		0	0.14760E-03	461287.5	3786757.8	660.4	3.49	19.57	3.25
YES	HRDOW		NO						
VOL54		0	0.14760E-03	461373.5	3786786.9	653.5	3.49	19.57	3.25
YES	HRDOW		NO						
VOL55		0	0.14760E-03	461455.4	3786801.4	648.5	3.49	19.57	3.25
YES	HRDOW		NO						
VOL56		0	0.14760E-03	461385.4	3786838.4	651.8	3.49	19.57	3.25
YES	HRDOW		NO						
VOL57		0	0.14760E-03	461529.4	3786768.4	645.1	3.49	19.57	3.25
YES	HRDOW		NO						
VOL58		0	0.35873E-04	462577.2	3786719.5	633.4	3.49	19.57	3.25
YES	HRDOW		NO						
VOL59		0	0.35873E-04	462660.5	3786693.7	632.6	3.49	19.57	3.25
YES	HRDOW		NO						
VOL60		0	0.35873E-04	462744.4	3786674.3	630.9	3.49	19.57	3.25
YES	HRDOW		NO						
VOL61		0	0.35873E-04	462828.9	3786650.9	628.3	3.49	19.57	3.25
YES	HRDOW		NO						
VOL62		0	0.35873E-04	462868.8	3786625.6	626.4	3.49	19.57	3.25
YES	HRDOW		NO						
VOL63		0	0.35873E-04	462848.2	3786541.7	623.0	3.49	19.57	3.25
YES	HRDOW		NO						
VOL64		0	0.35873E-04	462835.3	3786455.5	622.0	3.49	19.57	3.25
YES	HRDOW		NO						
VOL65		0	0.35873E-04	462621.2	3786659.7	631.7	3.49	19.57	3.25
YES	HRDOW		NO						
VOL66		0	0.35873E-04	462660.5	3786609.8	629.1	3.49	19.57	3.25
YES	HRDOW		NO						
VOL67		0	0.35873E-04	462684.6	3786547.6	627.2	3.49	19.57	3.25
YES	HRDOW		NO						
VOL68		0	0.35873E-04	462745.6	3786589.8	627.1	3.49	19.57	3.25
YES	HRDOW		NO						
VOL69		0	0.35873E-04	462807.2	3786567.0	625.0	3.49	19.57	3.25

YES	HRDOW		NO						
VOL70		0	0.35873E-04	462716.8	3786469.0	624.4	3.49	19.57	3.25
YES	HRDOW		NO						
VOL71		0	0.35873E-04	462751.4	3786439.1	622.4	3.49	19.57	3.25
YES	HRDOW		NO						
VOL72		0	0.35873E-04	462835.3	3786419.7	622.0	3.49	19.57	3.25
YES	HRDOW		NO						
VOL73		0	0.35873E-04	462764.4	3786515.3	623.5	3.49	19.57	3.25
YES	HRDOW		NO						
VOL74		0	0.11453E-03	461061.9	3784936.7	654.0	3.49	19.57	3.25
YES	HRDOW		NO						
VOL75		0	0.11453E-03	461059.8	3784850.6	644.0	3.49	19.57	3.25
YES	HRDOW		NO						
VOL76		0	0.11453E-03	461057.6	3784762.3	642.0	3.49	19.57	3.25
YES	HRDOW		NO						
VOL77		0	0.11453E-03	461141.6	3784805.4	641.6	3.49	19.57	3.25
YES	HRDOW		NO						
VOL78		0	0.11453E-03	461139.5	3784721.4	639.0	3.49	19.57	3.25
YES	HRDOW		NO						
VOL79		0	0.11453E-03	461225.6	3784805.4	636.6	3.49	19.57	3.25
YES	HRDOW		NO						
VOL80		0	0.11453E-03	461225.6	3784723.6	634.0	3.49	19.57	3.25
YES	HRDOW		NO						
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen									
SP\15585 Ops H *** 04/16/24									
*** AERMET - VERSION 16216 ***									
								***	10:14:57

PAGE 4

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

		NUMBER	EMISSION RATE			BASE	RELEASE	INIT.	INIT.
		URBAN	EMISSION RATE	AIRCRAFT					
SOURCE	PART.	(GRAMS/SEC)	X	Y	ELEV.	HEIGHT	SY	SZ	
SOURCE	SCALAR	VARY							
ID	CATS.		(METERS)	(METERS)	(METERS)	(METERS)	(METERS)		
(METERS)		BY							

VOL81		0	0.11453E-03	461223.7	3784635.4	631.4	3.49	19.57	3.25
YES	HRDOW		NO						
VOL82		0	0.11453E-03	461156.8	3784658.7	636.7	3.49	19.57	3.25
YES	HRDOW		NO						
VOL83		0	0.11453E-03	461312.3	3784885.8	641.4	3.49	19.57	3.25
YES	HRDOW		NO						
VOL84		0	0.11453E-03	461310.8	3784801.8	632.5	3.49	19.57	3.25
YES	HRDOW		NO						
VOL85		0	0.11453E-03	461312.3	3784714.7	629.8	3.49	19.57	3.25
YES	HRDOW		NO						
VOL86		0	0.11453E-03	461309.2	3784630.7	628.2	3.49	19.57	3.25
YES	HRDOW		NO						
VOL87		0	0.11453E-03	461284.3	3784548.3	629.4	3.49	19.57	3.25
YES	HRDOW		NO						
VOL88		0	0.11453E-03	461369.9	3784543.6	624.3	3.49	19.57	3.25
YES	HRDOW		NO						
VOL89		0	0.11453E-03	461289.0	3784462.7	624.5	3.49	19.57	3.25
YES	HRDOW		NO						
VOL90		0	0.11453E-03	461225.2	3784422.3	627.2	3.49	19.57	3.25
YES	HRDOW		NO						
VOL91		0	0.11453E-03	461371.4	3784458.0	621.3	3.49	19.57	3.25
YES	HRDOW		NO						
VOL92		0	0.11453E-03	461270.3	3784338.3	620.3	3.49	19.57	3.25

PAREA3

```
*** AERMOD - VERSION 23132 ***      C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen  
SP\15585 Ops H ***                04/16/24  
*** AERMET - VERSION 16216 ***  
***                                ***
```

PAGE 7

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ U*

*** SOURCE IDs DEFINED AS URBAN SOURCES ***

URBAN ID	URBAN POP	SOURCE IDs									
-----	-----										
	2035210.	VOL1	,	VOL2	,	VOL3	,	VOL4	,	VOL5	,
	VOL6	, VOL7	,								
VOL8	,										
	VOL9	, VOL10	,	VOL11	,	VOL12	,	VOL13	,	VOL14	,
	VOL15	, VOL16	,								
	VOL17	, VOL18	,	VOL19	,	VOL20	,	VOL21	,	VOL22	,
	VOL23	, VOL24	,								
	VOL25	, VOL26	,	VOL27	,	VOL28	,	VOL29	,	VOL30	,
	VOL31	, VOL32	,								
	VOL33	, VOL34	,	VOL35	,	VOL36	,	VOL37	,	VOL38	,
	VOL39	, VOL40	,								

PAREA3

PAGE 8

```
SOURCE ID = VOL1          ; SOURCE TYPE = VOLUME      :
```

DAY OF WEEK = WEEKDAY

DAY OF WEEK = SATURDAY

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00
7	.0000E+00	8	.0000E+00	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00
13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00	17	.0000E+00	18	.0000E+00
19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

```
*** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***                  04/16/24
*** AERMET - VERSION 16216 ***
```

10:14:57

PAGE 9

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL2 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	
	.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
	.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
	.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
 SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

10:14:57

PAGE 10

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL3 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	
	.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
	.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	

```
.0000E+00    7 .0000E+00    8 .0000E+00
9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14
.0000E+00   15 .0000E+00   16 .0000E+00
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22
.0000E+00   23 .0000E+00   24 .0000E+00
*** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***                04/16/24
*** AERMET - VERSION 16216 ***
***                                     *** 10:14:57
```

PAGE 11

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL4 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

```
1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00    6
.0000E+00    7 .0000E+00    8 .0000E+00
9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14
.1000E+01   15 .1000E+01   16 .1000E+01
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22
.0000E+00   23 .0000E+00   24 .0000E+00
```

DAY OF WEEK = SATURDAY

```
1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00    6
.0000E+00    7 .0000E+00    8 .0000E+00
9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14
.0000E+00   15 .0000E+00   16 .0000E+00
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22
.0000E+00   23 .0000E+00   24 .0000E+00
```

DAY OF WEEK = SUNDAY

```
1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00    6
.0000E+00    7 .0000E+00    8 .0000E+00
9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14
.0000E+00   15 .0000E+00   16 .0000E+00
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22
.0000E+00   23 .0000E+00   24 .0000E+00
```

```
*** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***                04/16/24
*** AERMET - VERSION 16216 ***
***                                     *** 10:14:57
```

PAGE 12

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL5 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

```
1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00    6
.0000E+00    7 .0000E+00    8 .0000E+00
9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14
.1000E+01   15 .1000E+01   16 .1000E+01
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22
.0000E+00   23 .0000E+00   24 .0000E+00
```

DAY OF WEEK = SATURDAY

```

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
*** 10:14:57

```

```

PAGE 13
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL6 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
  SCALAR HOUR SCALAR HOUR SCALAR
-----
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
*** 10:14:57

```

```

PAGE 14
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL7 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
  SCALAR HOUR SCALAR HOUR SCALAR
-----

```

```

                                DAY OF WEEK = WEEKDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .1000E+01 10  .1000E+01 11  .1000E+01 12  .1000E+01 13  .1000E+01 14
.1000E+01 15  .1000E+01 16  .1000E+01
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SATURDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SUNDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
*** 10:14:57

```

```

                                PAGE 15
*** MODELOPTs:  RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL8 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
                                DAY OF WEEK = WEEKDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .1000E+01 10  .1000E+01 11  .1000E+01 12  .1000E+01 13  .1000E+01 14
.1000E+01 15  .1000E+01 16  .1000E+01
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SATURDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SUNDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
*** 10:14:57

```

```

                                PAGE 16
*** MODELOPTs:  RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

```

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL9 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00		7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	
.1000E+01		15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00		23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00		7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
.0000E+00		15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00		23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00		7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
.0000E+00		15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00		23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

10:14:57

PAGE 17

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL10 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00		7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	
.1000E+01		15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00		23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00		7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
.0000E+00		15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00		23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00		7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
.0000E+00		15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00		23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 10:14:57

PAGE 18

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL11 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 10:14:57

PAGE 19

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL12 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22

```

.0000E+00  23 .0000E+00  24 .0000E+00
                                DAY OF WEEK = SUNDAY
 1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***
                                ***
                                10:14:57

                                PAGE 20
*** MODELOPTs:  RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL13 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
  SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
- - - - -
                                DAY OF WEEK = WEEKDAY
 1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SATURDAY
 1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
 1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***
                                ***
                                10:14:57

                                PAGE 21
*** MODELOPTs:  RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL14 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
  SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
- - - - -
                                DAY OF WEEK = WEEKDAY
 1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

```



```

17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***

```

PAGE 22

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

```

SOURCE ID = VOL15 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
- - - - -

```

DAY OF WEEK = WEEKDAY

```

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

```

DAY OF WEEK = SATURDAY

```

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

```

DAY OF WEEK = SUNDAY

```

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

```

```

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***

```

PAGE 23

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

```

SOURCE ID = VOL16 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR

```

SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR
DAY OF WEEK = WEEKDAY											
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	
	.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						
DAY OF WEEK = SATURDAY											
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
	.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						
DAY OF WEEK = SUNDAY											
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
	.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						

 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
 SP\15585 Ops H *** 04/16/24
 *** AERMET - VERSION 16216 ***

10:14:57

PAGE 24

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL17 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR
SCALAR	HOUR	SCALAR	HOUR	SCALAR						

SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR
DAY OF WEEK = WEEKDAY											
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	
	.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						
DAY OF WEEK = SATURDAY											
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
	.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						
DAY OF WEEK = SUNDAY											
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
	.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						

 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
 SP\15585 Ops H *** 04/16/24
 *** AERMET - VERSION 16216 ***

10:14:57

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL18 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR
SCALAR	HOUR	SCALAR	HOUR	SCALAR						

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

10:14:57

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL19 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR
SCALAR	HOUR	SCALAR	HOUR	SCALAR						

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14

```
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 10:14:57
```

PAGE 27

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL20 ; SOURCE TYPE = VOLUME :

HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL
SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

```
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 10:14:57
```

PAGE 28

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL21 ; SOURCE TYPE = VOLUME :

HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL
SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						

DAY OF WEEK = SUNDAY

```
***                                     ***      10:14:57
```

DAY OF WEEK = WEEKDAY

DAY OF WEEK = SATURDAY

DAY OF WEEK = SUNDAY

*** 10:14:57

DAY OF WEEK = WEEKDAY

```
1 .0000E+00      2 .0000E+00      3 .0000E+00      4 .0000E+00      5 .0000E+00      6
```

```

.0000E+00    7 .0000E+00    8 .0000E+00
9  .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14
.1000E+01   15 .1000E+01   16 .1000E+01
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22
.0000E+00   23 .0000E+00   24 .0000E+00
                                DAY OF WEEK = SATURDAY
1  .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00    6
.0000E+00    7 .0000E+00    8 .0000E+00
9  .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14
.0000E+00   15 .0000E+00   16 .0000E+00
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22
.0000E+00   23 .0000E+00   24 .0000E+00
                                DAY OF WEEK = SUNDAY
1  .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00    6
.0000E+00    7 .0000E+00    8 .0000E+00
9  .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14
.0000E+00   15 .0000E+00   16 .0000E+00
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22
.0000E+00   23 .0000E+00   24 .0000E+00
FF *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***      04/16/24
*** AERMET - VERSION 16216 ***
***
                                ***
                                10:14:57

                                PAGE 31
*** MODELOPTs:      RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                                * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
                                (HRDOW) *

SOURCE ID = VOL24      ; SOURCE TYPE = VOLUME      :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
- - - - -
                                DAY OF WEEK = WEEKDAY
1  .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00    6
.0000E+00    7 .0000E+00    8 .0000E+00
9  .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14
.1000E+01   15 .1000E+01   16 .1000E+01
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22
.0000E+00   23 .0000E+00   24 .0000E+00
                                DAY OF WEEK = SATURDAY
1  .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00    6
.0000E+00    7 .0000E+00    8 .0000E+00
9  .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14
.0000E+00   15 .0000E+00   16 .0000E+00
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22
.0000E+00   23 .0000E+00   24 .0000E+00
                                DAY OF WEEK = SUNDAY
1  .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00    6
.0000E+00    7 .0000E+00    8 .0000E+00
9  .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14
.0000E+00   15 .0000E+00   16 .0000E+00
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22
.0000E+00   23 .0000E+00   24 .0000E+00
FF *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***      04/16/24
*** AERMET - VERSION 16216 ***
***
                                ***
                                10:14:57

                                PAGE 32
*** MODELOPTs:      RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                                * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
                                (HRDOW) *

```

SOURCE ID = VOL25				; SOURCE TYPE = VOLUME							
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
SCALAR	HOUR	SCALAR	HOUR	SCALAR							

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	
	.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
	.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
	.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
 SP\15585 Ops H *** 04/16/24
 *** AERMET - VERSION 16216 ***
 *** 10:14:57

PAGE 33

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
 (HRDOW) *

SOURCE ID = VOL26				; SOURCE TYPE = VOLUME							
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
SCALAR	HOUR	SCALAR	HOUR	SCALAR							

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	
	.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
	.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
	.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
 SP\15585 Ops H *** 04/16/24

PAGE 34

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL27 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00	2 .0000E+00	3 .0000E+00	4 .0000E+00	5 .0000E+00	6
.0000E+00	7 .0000E+00	8 .0000E+00			
9 .1000E+01	10 .1000E+01	11 .1000E+01	12 .1000E+01	13 .1000E+01	14
.1000E+01	15 .1000E+01	16 .1000E+01			
17 .0000E+00	18 .0000E+00	19 .0000E+00	20 .0000E+00	21 .0000E+00	22
.0000E+00	23 .0000E+00	24 .0000E+00			

DAY OF WEEK = SATURDAY

1 .0000E+00	2 .0000E+00	3 .0000E+00	4 .0000E+00	5 .0000E+00	6
.0000E+00	7 .0000E+00	8 .0000E+00			
9 .0000E+00	10 .0000E+00	11 .0000E+00	12 .0000E+00	13 .0000E+00	14
.0000E+00	15 .0000E+00	16 .0000E+00			
17 .0000E+00	18 .0000E+00	19 .0000E+00	20 .0000E+00	21 .0000E+00	22
.0000E+00	23 .0000E+00	24 .0000E+00			

DAY OF WEEK = SUNDAY

1 .0000E+00	2 .0000E+00	3 .0000E+00	4 .0000E+00	5 .0000E+00	6
.0000E+00	7 .0000E+00	8 .0000E+00			
9 .0000E+00	10 .0000E+00	11 .0000E+00	12 .0000E+00	13 .0000E+00	14
.0000E+00	15 .0000E+00	16 .0000E+00			
17 .0000E+00	18 .0000E+00	19 .0000E+00	20 .0000E+00	21 .0000E+00	22
.0000E+00	23 .0000E+00	24 .0000E+00			

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
 SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

10:14:57

PAGE 35

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL28 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00	2 .0000E+00	3 .0000E+00	4 .0000E+00	5 .0000E+00	6
.0000E+00	7 .0000E+00	8 .0000E+00			
9 .1000E+01	10 .1000E+01	11 .1000E+01	12 .1000E+01	13 .1000E+01	14
.1000E+01	15 .1000E+01	16 .1000E+01			
17 .0000E+00	18 .0000E+00	19 .0000E+00	20 .0000E+00	21 .0000E+00	22
.0000E+00	23 .0000E+00	24 .0000E+00			

DAY OF WEEK = SATURDAY

1 .0000E+00	2 .0000E+00	3 .0000E+00	4 .0000E+00	5 .0000E+00	6
.0000E+00	7 .0000E+00	8 .0000E+00			
9 .0000E+00	10 .0000E+00	11 .0000E+00	12 .0000E+00	13 .0000E+00	14
.0000E+00	15 .0000E+00	16 .0000E+00			
17 .0000E+00	18 .0000E+00	19 .0000E+00	20 .0000E+00	21 .0000E+00	22
.0000E+00	23 .0000E+00	24 .0000E+00			

DAY OF WEEK = SUNDAY


```
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 10:14:57
```

PAGE 36

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL29 ; SOURCE TYPE = VOLUME :

HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL
SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00	2 .0000E+00	3 .0000E+00	4 .0000E+00	5 .0000E+00	6
.0000E+00	7 .0000E+00	8 .0000E+00			
9 .1000E+01	10 .1000E+01	11 .1000E+01	12 .1000E+01	13 .1000E+01	14
.1000E+01	15 .1000E+01	16 .1000E+01			
17 .0000E+00	18 .0000E+00	19 .0000E+00	20 .0000E+00	21 .0000E+00	22
.0000E+00	23 .0000E+00	24 .0000E+00			

DAY OF WEEK = SATURDAY

1 .0000E+00	2 .0000E+00	3 .0000E+00	4 .0000E+00	5 .0000E+00	6
.0000E+00	7 .0000E+00	8 .0000E+00			
9 .0000E+00	10 .0000E+00	11 .0000E+00	12 .0000E+00	13 .0000E+00	14
.0000E+00	15 .0000E+00	16 .0000E+00			
17 .0000E+00	18 .0000E+00	19 .0000E+00	20 .0000E+00	21 .0000E+00	22
.0000E+00	23 .0000E+00	24 .0000E+00			

DAY OF WEEK = SUNDAY

1 .0000E+00	2 .0000E+00	3 .0000E+00	4 .0000E+00	5 .0000E+00	6
.0000E+00	7 .0000E+00	8 .0000E+00			
9 .0000E+00	10 .0000E+00	11 .0000E+00	12 .0000E+00	13 .0000E+00	14
.0000E+00	15 .0000E+00	16 .0000E+00			
17 .0000E+00	18 .0000E+00	19 .0000E+00	20 .0000E+00	21 .0000E+00	22
.0000E+00	23 .0000E+00	24 .0000E+00			

```
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 10:14:57
```

PAGE 37

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL30 ; SOURCE TYPE = VOLUME :

HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL
SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00	2 .0000E+00	3 .0000E+00	4 .0000E+00	5 .0000E+00	6
.0000E+00	7 .0000E+00	8 .0000E+00			
9 .1000E+01	10 .1000E+01	11 .1000E+01	12 .1000E+01	13 .1000E+01	14
.1000E+01	15 .1000E+01	16 .1000E+01			
17 .0000E+00	18 .0000E+00	19 .0000E+00	20 .0000E+00	21 .0000E+00	22
.0000E+00	23 .0000E+00	24 .0000E+00			

```

                                DAY OF WEEK = SATURDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SUNDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***
10:14:57

```

```

                                PAGE 38
*** MODELOPTs:  RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL31 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
                                DAY OF WEEK = WEEKDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .1000E+01 10  .1000E+01 11  .1000E+01 12  .1000E+01 13  .1000E+01 14
.1000E+01 15  .1000E+01 16  .1000E+01
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SATURDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SUNDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***
10:14:57

```

```

                                PAGE 39
*** MODELOPTs:  RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL32 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -

```

```

- - - - -
                                DAY OF WEEK = WEEKDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .1000E+01 10  .1000E+01 11  .1000E+01 12  .1000E+01 13  .1000E+01 14
.1000E+01 15  .1000E+01 16  .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SATURDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***
                                PAGE 40
*** MODELOPTs:  RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL33 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
                                DAY OF WEEK = WEEKDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .1000E+01 10  .1000E+01 11  .1000E+01 12  .1000E+01 13  .1000E+01 14
.1000E+01 15  .1000E+01 16  .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SATURDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***
                                PAGE 41
*** MODELOPTs:  RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

```

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL34 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

10:14:57

PAGE 42

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL35 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22

.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 10:14:57

PAGE 43

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL36 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 10:14:57

PAGE 44

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL37 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						

```

17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***
                                ***
                                10:14:57

                                PAGE 45
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL38 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
  SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
- - - - -
                                DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***
                                ***
                                10:14:57

                                PAGE 46
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL39 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
  SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
- - - - -
                                DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14

```

```

.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 10:14:57

```

```

PAGE 47
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL40 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
  SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 10:14:57

```

```

PAGE 48
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL41 ; SOURCE TYPE = VOLUME :

```


*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL43 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00		7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	
.1000E+01		15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00		23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00		7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
.0000E+00		15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00		23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00		7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
.0000E+00		15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00		23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
 SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

10:14:57

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL44 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00		7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	
.1000E+01		15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00		23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00		7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
.0000E+00		15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00		23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00		7	.0000E+00	8	.0000E+00						

```

  9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00  14
.0000E+00  15 .0000E+00  16 .0000E+00
17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
.0000E+00  23 .0000E+00  24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
*** 10:14:57
```

PAGE 52

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL45 ; SOURCE TYPE = VOLUME :

HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL
SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

```

*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
*** 10:14:57
```

PAGE 53

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL46 ; SOURCE TYPE = VOLUME :

HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL
SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6

```
.0000E+00    7 .0000E+00    8 .0000E+00
9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14
.0000E+00   15 .0000E+00   16 .0000E+00
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22
.0000E+00   23 .0000E+00   24 .0000E+00
                                DAY OF WEEK = SUNDAY
1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00    6
.0000E+00    7 .0000E+00    8 .0000E+00
9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14
.0000E+00   15 .0000E+00   16 .0000E+00
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22
.0000E+00   23 .0000E+00   24 .0000E+00
*** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***                  04/16/24
*** AERMET - VERSION 16216 ***
***                                     *** 10:14:57
```

```
PAGE 54
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL47      ; SOURCE TYPE = VOLUME      :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
                                DAY OF WEEK = WEEKDAY
1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00    6
.0000E+00    7 .0000E+00    8 .0000E+00
9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14
.1000E+01   15 .1000E+01   16 .1000E+01
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22
.0000E+00   23 .0000E+00   24 .0000E+00
                                DAY OF WEEK = SATURDAY
1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00    6
.0000E+00    7 .0000E+00    8 .0000E+00
9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14
.0000E+00   15 .0000E+00   16 .0000E+00
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22
.0000E+00   23 .0000E+00   24 .0000E+00
                                DAY OF WEEK = SUNDAY
1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00    6
.0000E+00    7 .0000E+00    8 .0000E+00
9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14
.0000E+00   15 .0000E+00   16 .0000E+00
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22
.0000E+00   23 .0000E+00   24 .0000E+00
*** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***                  04/16/24
*** AERMET - VERSION 16216 ***
***                                     *** 10:14:57
```

```
PAGE 55
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL48      ; SOURCE TYPE = VOLUME      :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
                                DAY OF WEEK = WEEKDAY
```

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	
	.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
	.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
	.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 10:14:57

PAGE 56

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL49 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	
	.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
	.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
	.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 10:14:57

PAGE 57

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK

(HRDOW) *

SOURCE ID = VOL50 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 10:14:57

PAGE 58

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL51 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen

PAGE 59

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL52 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00	7	.0000E+00	8	.0000E+00							
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	
.1000E+01	15	.1000E+01	16	.1000E+01							
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00	23	.0000E+00	24	.0000E+00							

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00	7	.0000E+00	8	.0000E+00							
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
.0000E+00	15	.0000E+00	16	.0000E+00							
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00	23	.0000E+00	24	.0000E+00							

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00	7	.0000E+00	8	.0000E+00							
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
.0000E+00	15	.0000E+00	16	.0000E+00							
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00	23	.0000E+00	24	.0000E+00							

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen

PAGE 60

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL53 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00	7	.0000E+00	8	.0000E+00							
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	
.1000E+01	15	.1000E+01	16	.1000E+01							
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00	23	.0000E+00	24	.0000E+00							

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00	7	.0000E+00	8	.0000E+00							
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
.0000E+00	15	.0000E+00	16	.0000E+00							
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00	23	.0000E+00	24	.0000E+00							

```

                                DAY OF WEEK = SUNDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
FF *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***
                                ***
                                10:14:57

                                PAGE 61
*** MODELOPTs:  RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL54 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
- - - - -

                                DAY OF WEEK = WEEKDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .1000E+01 10  .1000E+01 11  .1000E+01 12  .1000E+01 13  .1000E+01 14
.1000E+01 15  .1000E+01 16  .1000E+01
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00

                                DAY OF WEEK = SATURDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00

                                DAY OF WEEK = SUNDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
FF *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***
                                ***
                                10:14:57

```

```

                                PAGE 62
*** MODELOPTs:  RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL55 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
- - - - -

                                DAY OF WEEK = WEEKDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .1000E+01 10  .1000E+01 11  .1000E+01 12  .1000E+01 13  .1000E+01 14
.1000E+01 15  .1000E+01 16  .1000E+01
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22

```

```

.0000E+00  23 .0000E+00  24 .0000E+00
                                DAY OF WEEK = SATURDAY
 1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
 1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
                                *** 10:14:57

                                PAGE 63
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL56 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
                                DAY OF WEEK = WEEKDAY
 1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SATURDAY
 1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
 1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
                                *** 10:14:57

                                PAGE 64
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL57 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR

```



```

- - - - -
- - - - -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
*** 10:14:57

```

```

PAGE 65
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL58 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
  SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
- - - - -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
*** 10:14:57

```

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL59 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR
SCALAR	HOUR	SCALAR	HOUR	SCALAR						

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

10:14:57

PAGE 67

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL60 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR
SCALAR	HOUR	SCALAR	HOUR	SCALAR						

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						

17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 10:14:57

PAGE 68

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL61 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 10:14:57

PAGE 69

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL62 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14

```
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 10:14:57
```

```
PAGE 70
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL63 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 10:14:57
```

```
PAGE 71
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL64 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
```

9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

10:14:57

PAGE 72

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL65 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

10:14:57

PAGE 73

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

```

SOURCE ID = VOL66          ; SOURCE TYPE = VOLUME      :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
  - - - - -
                                     DAY OF WEEK = WEEKDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .1000E+01 10  .1000E+01 11  .1000E+01 12  .1000E+01 13  .1000E+01 14
.1000E+01 15  .1000E+01 16  .1000E+01
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                     DAY OF WEEK = SATURDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                     DAY OF WEEK = SUNDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***          04/16/24
*** AERMET - VERSION 16216 ***
***
***

```

*** 10:14:57

PAGE 74

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

```

SOURCE ID = VOL67          ; SOURCE TYPE = VOLUME      :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
  - - - - -
                                     DAY OF WEEK = WEEKDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .1000E+01 10  .1000E+01 11  .1000E+01 12  .1000E+01 13  .1000E+01 14
.1000E+01 15  .1000E+01 16  .1000E+01
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                     DAY OF WEEK = SATURDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                     DAY OF WEEK = SUNDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***          04/16/24
*** AERMET - VERSION 16216 ***

```

10:14:57

PAGE 75

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *SOURCE ID = VOL68 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

10:14:57

PAGE 76

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *SOURCE ID = VOL69 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6

```
.0000E+00    7 .0000E+00    8 .0000E+00
9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14
.0000E+00   15 .0000E+00   16 .0000E+00
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22
.0000E+00   23 .0000E+00   24 .0000E+00
*** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***      04/16/24
*** AERMET - VERSION 16216 ***
***                                     ***      10:14:57
```

PAGE 77

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL70 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR
SCALAR	HOUR	SCALAR	HOUR	SCALAR						

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

```
*** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***      04/16/24
*** AERMET - VERSION 16216 ***
***                                     ***      10:14:57
```

PAGE 78

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL71 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR
SCALAR	HOUR	SCALAR	HOUR	SCALAR						

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY


```

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
*** 10:14:57

```

```

PAGE 79
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL72 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
  SCALAR HOUR SCALAR HOUR SCALAR
-----
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
*** 10:14:57

```

```

PAGE 80
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL73 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
  SCALAR HOUR SCALAR HOUR SCALAR
-----

```

```

                                DAY OF WEEK = WEEKDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .1000E+01 10  .1000E+01 11  .1000E+01 12  .1000E+01 13  .1000E+01 14
.1000E+01 15  .1000E+01 16  .1000E+01
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SATURDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SUNDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
*** 10:14:57

```

```

                                PAGE 81
*** MODELOPTs:  RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL74 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
                                DAY OF WEEK = WEEKDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .1000E+01 10  .1000E+01 11  .1000E+01 12  .1000E+01 13  .1000E+01 14
.1000E+01 15  .1000E+01 16  .1000E+01
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SATURDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SUNDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
*** 10:14:57

```

```

                                PAGE 82
*** MODELOPTs:  RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

```

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL75 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00		7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	
.1000E+01		15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00		23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00		7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
.0000E+00		15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00		23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00		7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
.0000E+00		15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00		23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

10:14:57

PAGE 83

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL76 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00		7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	
.1000E+01		15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00		23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00		7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
.0000E+00		15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00		23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00		7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
.0000E+00		15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00		23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 10:14:57

PAGE 84

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL77 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 10:14:57

PAGE 85

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL78 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22

```

.0000E+00  23 .0000E+00  24 .0000E+00
                                DAY OF WEEK = SUNDAY
 1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***
                                ***
                                10:14:57

                                PAGE 86
*** MODELOPTs:  RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL79 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
- - - - -
                                DAY OF WEEK = WEEKDAY
 1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SATURDAY
 1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
 1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***
                                ***
                                10:14:57

```

```

                                PAGE 87
*** MODELOPTs:  RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

```

```

SOURCE ID = VOL80 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
- - - - -
                                DAY OF WEEK = WEEKDAY
 1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

```

17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

10:14:57

PAGE 88

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL81 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

10:14:57

PAGE 89

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL82 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR

SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR
DAY OF WEEK = WEEKDAY											
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	
	.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						
DAY OF WEEK = SATURDAY											
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
	.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						
DAY OF WEEK = SUNDAY											
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
	.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						

 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
 SP\15585 Ops H *** 04/16/24
 *** AERMET - VERSION 16216 ***

*** 10:14:57

PAGE 90

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL83 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR
SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY											
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	
	.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						
DAY OF WEEK = SATURDAY											
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
	.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						
DAY OF WEEK = SUNDAY											
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
	.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						

 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
 SP\15585 Ops H *** 04/16/24
 *** AERMET - VERSION 16216 ***

*** 10:14:57

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL84 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00		7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	
.1000E+01		15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00		23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00		7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
.0000E+00		15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00		23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00		7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
.0000E+00		15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00		23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
 SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

10:14:57

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL85 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00		7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	
.1000E+01		15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00		23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00		7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
.0000E+00		15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00		23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00		7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	


```
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 10:14:57
```

PAGE 93

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

```
SOURCE ID = VOL86 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
  SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
DAY OF WEEK = WEEKDAY
  1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
  .0000E+00 7 .0000E+00 8 .0000E+00
  9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
  .1000E+01 15 .1000E+01 16 .1000E+01
  17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
  .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
  1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
  .0000E+00 7 .0000E+00 8 .0000E+00
  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
  .0000E+00 15 .0000E+00 16 .0000E+00
  17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
  .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
  1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
  .0000E+00 7 .0000E+00 8 .0000E+00
  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
  .0000E+00 15 .0000E+00 16 .0000E+00
  17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
  .0000E+00 23 .0000E+00 24 .0000E+00
```

```
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 10:14:57
```

PAGE 94

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

```
SOURCE ID = VOL87 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
  SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
DAY OF WEEK = WEEKDAY
  1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
  .0000E+00 7 .0000E+00 8 .0000E+00
  9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
  .1000E+01 15 .1000E+01 16 .1000E+01
  17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
  .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
  1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
  .0000E+00 7 .0000E+00 8 .0000E+00
```

```

9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
PR *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
*** 10:14:57

```

```

PAGE 95
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL88 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
PR *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
*** 10:14:57

```

```

PAGE 96
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL89 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6

```

.0000E+00	7	.0000E+00	8	.0000E+00							
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	
	.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
	.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
	.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 10:14:57

PAGE 97

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL90 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	
	.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
	.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
	.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 10:14:57

PAGE 98

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL91 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 10:14:57

PAGE 99

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL92 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24

PAGE 100

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL93 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	
	.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
	.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
	.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
 SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

10:14:57

PAGE 101

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL94 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	
	.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
	.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

```
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 10:14:57
```

PAGE 102

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL95 ; SOURCE TYPE = VOLUME :

HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL
SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00	2 .0000E+00	3 .0000E+00	4 .0000E+00	5 .0000E+00	6
.0000E+00	7 .0000E+00	8 .0000E+00			
9 .1000E+01	10 .1000E+01	11 .1000E+01	12 .1000E+01	13 .1000E+01	14
.1000E+01	15 .1000E+01	16 .1000E+01			
17 .0000E+00	18 .0000E+00	19 .0000E+00	20 .0000E+00	21 .0000E+00	22
.0000E+00	23 .0000E+00	24 .0000E+00			

DAY OF WEEK = SATURDAY

1 .0000E+00	2 .0000E+00	3 .0000E+00	4 .0000E+00	5 .0000E+00	6
.0000E+00	7 .0000E+00	8 .0000E+00			
9 .0000E+00	10 .0000E+00	11 .0000E+00	12 .0000E+00	13 .0000E+00	14
.0000E+00	15 .0000E+00	16 .0000E+00			
17 .0000E+00	18 .0000E+00	19 .0000E+00	20 .0000E+00	21 .0000E+00	22
.0000E+00	23 .0000E+00	24 .0000E+00			

DAY OF WEEK = SUNDAY

1 .0000E+00	2 .0000E+00	3 .0000E+00	4 .0000E+00	5 .0000E+00	6
.0000E+00	7 .0000E+00	8 .0000E+00			
9 .0000E+00	10 .0000E+00	11 .0000E+00	12 .0000E+00	13 .0000E+00	14
.0000E+00	15 .0000E+00	16 .0000E+00			
17 .0000E+00	18 .0000E+00	19 .0000E+00	20 .0000E+00	21 .0000E+00	22
.0000E+00	23 .0000E+00	24 .0000E+00			

```
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 10:14:57
```

PAGE 103

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL96 ; SOURCE TYPE = VOLUME :

HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL
SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00	2 .0000E+00	3 .0000E+00	4 .0000E+00	5 .0000E+00	6
.0000E+00	7 .0000E+00	8 .0000E+00			
9 .1000E+01	10 .1000E+01	11 .1000E+01	12 .1000E+01	13 .1000E+01	14
.1000E+01	15 .1000E+01	16 .1000E+01			
17 .0000E+00	18 .0000E+00	19 .0000E+00	20 .0000E+00	21 .0000E+00	22
.0000E+00	23 .0000E+00	24 .0000E+00			

```

                                DAY OF WEEK = SATURDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SUNDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***
10:14:57

```

```

                                PAGE 104
*** MODELOPTs:  RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL97 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
                                DAY OF WEEK = WEEKDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .1000E+01 10  .1000E+01 11  .1000E+01 12  .1000E+01 13  .1000E+01 14
.1000E+01 15  .1000E+01 16  .1000E+01
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SATURDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SUNDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***
10:14:57

```

```

                                PAGE 105
*** MODELOPTs:  RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL98 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -

```

```

- - - - -
                                DAY OF WEEK = WEEKDAY
1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SATURDAY
1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
                                PAGE 106
*** MODELOPTs:  RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL99 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
                                DAY OF WEEK = WEEKDAY
1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SATURDAY
1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
                                PAGE 107
*** MODELOPTs:  RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

```


* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL100 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR
SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	
	.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
	.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
	.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen

SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

10:14:57

PAGE 108

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL101 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR
SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	
	.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
	.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
	.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	

.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 10:14:57

PAGE 109

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL102 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 10:14:57

PAGE 110

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = PAREA1 ; SOURCE TYPE = AREAPOLY :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						

```

17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***
                                ***
                                10:14:57

                                PAGE 111
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = PAREA2 ; SOURCE TYPE = AREAPOLY :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
  SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
- - - - -
                                DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***
                                ***
                                10:14:57

                                PAGE 112
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = PAREA3 ; SOURCE TYPE = AREAPOLY :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
  SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
- - - - -
                                DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14

```

.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

10:14:57

PAGE 113

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** DISCRETE CARTESIAN RECEPTORS ***
(X-COORD, Y-COORD, ZELEV, ZHILL, ZFLAG)
(METERS)

(463154.3, 3786819.6, 631.4, 1734.0, 2.0); (463167.5, 3786865.5,
633.6, 1734.0, 2.0);
(463147.6, 3786873.2, 634.1, 1734.0, 2.0); (463129.9, 3786877.4,
634.4, 1734.0, 2.0);
(463110.0, 3786886.9, 635.4, 1734.0, 2.0); (463059.0, 3786966.9,
641.4, 1734.0, 2.0);
(463074.9, 3787087.9, 646.7, 1734.0, 2.0); (463102.5, 3787076.0,
645.0, 1734.0, 2.0);
(462919.9, 3787058.3, 650.6, 1734.0, 2.0); (463042.0, 3787098.7,
649.3, 1734.0, 2.0);
(462998.1, 3787106.0, 651.7, 1734.0, 2.0); (462944.0, 3787123.4,
653.8, 1734.0, 2.0);
(462850.6, 3787079.7, 652.9, 1734.0, 2.0); (462807.5, 3787091.0,
653.6, 1734.0, 2.0);
(462821.9, 3787159.9, 658.2, 1734.0, 2.0); (462755.2, 3787105.3,
654.6, 1734.0, 2.0);
(462743.8, 3787181.3, 659.7, 1734.0, 2.0); (462870.3, 3787147.1,
657.4, 1734.0, 2.0);
(462890.0, 3787138.7, 656.5, 1734.0, 2.0); (462725.4, 3787114.5,
655.2, 1734.0, 2.0);
(462685.8, 3787125.8, 655.9, 1734.0, 2.0); (462656.2, 3787132.7,
656.5, 1734.0, 2.0);
(462632.9, 3787123.9, 655.6, 1734.0, 2.0); (462595.9, 3787152.0,
658.4, 1734.0, 2.0);
(462571.7, 3787160.3, 658.8, 1734.0, 2.0); (462473.7, 3787233.0,
657.1, 1734.0, 2.0);
(462534.0, 3787244.6, 659.9, 1734.0, 2.0); (462400.1, 3787275.4,
659.0, 1734.0, 2.0);
(462229.2, 3787434.2, 674.5, 1734.0, 2.0); (462257.0, 3787342.4,
668.1, 1734.0, 2.0);
(462128.4, 3787527.6, 684.6, 1734.0, 2.0); (462183.2, 3787452.4,
675.8, 1734.0, 2.0);
(462022.5, 3787623.1, 687.6, 1734.0, 2.0); (461918.3, 3787709.0,
694.2, 1734.0, 2.0);
(462038.5, 3787667.1, 695.0, 1734.0, 2.0); (461424.9, 3788158.1,
731.4, 1734.0, 2.0);
(461926.8, 3788065.0, 727.1, 1734.0, 2.0); (461937.8, 3787798.6,

```

702.8,      1734.0,      2.0);
( 461956.2, 3787956.4,      718.2,      1734.0,      2.0);
726.6,      1734.0,      2.0);
( 461132.5, 3788399.4,      744.9,      1734.0,      2.0);
757.8,      1734.0,      2.0);
( 460943.7, 3788817.1,      758.9,      1734.0,      2.0);
770.2,      1734.0,      2.0);
( 457715.3, 3790467.0,      770.2,      1734.0,      2.0);
772.7,      1734.0,      2.0);
( 457752.2, 3790534.9,      771.1,      1734.0,      2.0);
751.7,      1734.0,      2.0);
( 463178.4, 3786251.1,      613.0,      1734.0,      2.0);
633.2,      1734.0,      2.0);
( 462674.0, 3786877.7,      639.7,      1734.0,      2.0);
635.5,      1734.0,      2.0);
( 462768.8, 3786780.7,      634.5,      1734.0,      2.0);
589.4,      1734.0,      2.0);
( 461655.6, 3783762.7,      593.9,      1734.0,      2.0);
599.8,      1734.0,      2.0);
( 461846.6, 3783749.2,      600.8,      1734.0,      2.0);
615.2,      1734.0,      2.0);
( 462019.9, 3783739.8,      613.5,      1734.0,      2.0);
606.0,      1734.0,      2.0);
( 462214.8, 3783729.3,      610.5,      1734.0,      2.0);
621.8,      1734.0,      2.0);
( 461658.1, 3783690.3,      600.5,      1734.0,      2.0);
601.3,      1734.0,      2.0);
( 461249.5, 3783484.0,      594.5,      1734.0,      2.0);
587.5,      1734.0,      2.0);
( 461567.3, 3783209.6,      582.7,      1734.0,      2.0);
583.9,      1734.0,      2.0);
( 461612.5, 3783185.0,      580.9,      1734.0,      2.0);
606.7,      1734.0,      2.0);
( 460848.3, 3783334.1,      610.0,      1734.0,      2.0);
611.6,      1734.0,      2.0);
( 460668.8, 3783186.4,      612.4,      1734.0,      2.0);
612.8,      1734.0,      2.0);
( 460496.5, 3783051.5,      611.6,      1734.0,      2.0);
612.5,      1734.0,      2.0);
( 460583.9, 3783527.4,      618.6,      1734.0,      2.0);
620.0,      1734.0,      2.0);
( 460403.7, 3783447.4,      622.7,      1734.0,      2.0);
626.7,      1734.0,      2.0);
( 459503.3, 3782889.0,      625.8,      1734.0,      2.0);
632.6,      1734.0,      2.0);
( 459382.3, 3783016.7,      631.6,      1734.0,      2.0);
636.1,      1734.0,      2.0);
( 459320.3, 3783264.9,      639.9,      1734.0,      2.0);
615.2,      1734.0,      2.0);
( 466077.1, 3784031.3,      535.0,      1734.0,      2.0);
536.0,      1734.0,      2.0);
( 465960.2, 3784644.2,      547.3,      1734.0,      2.0);
545.5,      1734.0,      2.0);

```

```

*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 10:14:57

```

PAGE 114

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** DISCRETE CARTESIAN RECEPTORS ***
(X-COORD, Y-COORD, ZELEV, ZHILL, ZFLAG)
(METERS)

```

( 462710.5, 3782876.4,      547.6,      1734.0,      2.0);
( 462069.8, 3783383.5,

```


First 24 hours of scalar data

YR	MO	DY	JDY	HR	H0	U*	W*	DT/DZ	ZICNV	ZIMCH	M-O	LEN	Z0	BOWEN	ALBEDO	REF	WS
WD	HT	REF	TA	HT													
11	01	01	1	01	-18.5	0.194	-9.000	-9.000	-999.	204.	41.2	0.25	2.82	1.00	1.80		
69.	9.1	276.4		5.5													
11	01	01	1	02	-23.8	0.239	-9.000	-9.000	-999.	281.	63.0	0.25	2.82	1.00	2.20		
52.	9.1	275.4		5.5													
11	01	01	1	03	-18.5	0.194	-9.000	-9.000	-999.	205.	41.2	0.25	2.82	1.00	1.80		
32.	9.1	275.4		5.5													
11	01	01	1	04	-1.4	0.067	-9.000	-9.000	-999.	57.	18.3	0.25	2.82	1.00	0.40		
27.	9.1	274.2		5.5													
11	01	01	1	05	-18.6	0.194	-9.000	-9.000	-999.	204.	41.2	0.25	2.82	1.00	1.80		
51.	9.1	274.2		5.5													
11	01	01	1	06	-29.7	0.296	-9.000	-9.000	-999.	387.	96.6	0.25	2.82	1.00	2.70		
53.	9.1	274.2		5.5													
11	01	01	1	07	-24.0	0.239	-9.000	-9.000	-999.	282.	63.0	0.25	2.82	1.00	2.20		
70.	9.1	274.2		5.5													
11	01	01	1	08	-8.4	0.138	-9.000	-9.000	-999.	127.	27.3	0.25	2.82	0.54	1.30		
72.	9.1	275.4		5.5													
11	01	01	1	09	44.3	0.280	0.571	0.005	147.	356.	-43.5	0.25	2.82	0.32	2.20		
67.	9.1	277.5		5.5													
11	01	01	1	10	122.7	0.264	0.952	0.005	247.	326.	-13.2	0.25	2.82	0.25	1.80		
83.	9.1	279.9		5.5													
11	01	01	1	11	179.8	0.316	1.733	0.005	1017.	426.	-15.4	0.25	2.82	0.22	2.20		
58.	9.1	282.0		5.5													
11	01	01	1	12	206.0	0.320	1.940	0.008	1244.	435.	-14.0	0.25	2.82	0.21	2.20		
115.	9.1	283.1		5.5													
11	01	01	1	13	132.6	0.214	1.733	0.009	1377.	243.	-6.5	0.25	2.82	0.21	1.30		
147.	9.1	284.2		5.5													
11	01	01	1	14	147.0	0.216	1.818	0.009	1431.	242.	-6.0	0.25	2.82	0.23	1.30		
219.	9.1	284.9		5.5													
11	01	01	1	15	104.0	0.208	1.633	0.009	1468.	228.	-7.6	0.25	2.82	0.26	1.30		
126.	9.1	285.4		5.5													
11	01	01	1	16	26.4	0.140	1.037	0.009	1477.	127.	-9.1	0.25	2.82	0.35	0.90		
151.	9.1	284.9		5.5													
11	01	01	1	17	-9.0	0.137	-9.000	-9.000	-999.	121.	24.9	0.25	2.82	0.63	1.30		
69.	9.1	283.1		5.5													
11	01	01	1	18	-33.4	0.342	-9.000	-9.000	-999.	481.	129.0	0.25	2.82	1.00	3.10		
81.	9.1	281.4		5.5													
11	01	01	1	19	-33.6	0.342	-9.000	-9.000	-999.	481.	128.9	0.25	2.82	1.00	3.10		
51.	9.1	279.9		5.5													
11	01	01	1	20	-23.6	0.239	-9.000	-9.000	-999.	287.	63.1	0.25	2.82	1.00	2.20		
77.	9.1	278.8		5.5													
11	01	01	1	21	-18.5	0.194	-9.000	-9.000	-999.	205.	41.2	0.25	2.82	1.00	1.80		
53.	9.1	277.5		5.5													
11	01	01	1	22	-23.7	0.239	-9.000	-9.000	-999.	281.	63.0	0.25	2.82	1.00	2.20		
58.	9.1	277.5		5.5													
11	01	01	1	23	-18.5	0.194	-9.000	-9.000	-999.	205.	41.2	0.25	2.82	1.00	1.80		
64.	9.1	277.5		5.5													
11	01	01	1	24	-4.5	0.094	-9.000	-9.000	-999.	74.	16.3	0.25	2.82	1.00	0.90		
52.	9.1	277.0		5.5													

First hour of profile data

YR	MO	DY	HR	HEIGHT	F	WDIR	WSPD	AMB	TMP	sigmaA	sigmaW	sigmaV
11	01	01	01	5.5	0	-999.	-99.00	276.5	99.0	-99.00	-99.00	-99.00
11	01	01	01	9.1	1	69.	1.80	-999.0	99.0	-99.00	-99.00	-99.00

F indicates top of profile (=1) or below (=0)

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
 SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

10:14:57

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** THE 1ST HIGHEST 24-HR AVERAGE CONCENTRATION VALUES FOR
 SOURCE GROUP: ALL ***

INCLUDING SOURCE(S): VOL1 , VOL2 ,
 VOL3 , VOL4 , VOL5 ,
 VOL6 , VOL7 , VOL8 , VOL9 , VOL10 ,
 VOL11 , VOL12 , VOL13 ,
 VOL14 , VOL15 , VOL16 , VOL17 , VOL18 ,
 VOL19 , VOL20 , VOL21 ,
 VOL22 , VOL23 , VOL24 , VOL25 , VOL26 ,
 VOL27 , VOL28 , . . . ,

*** DISCRETE CARTESIAN RECEPTOR POINTS ***

** CONC OF PM₁₀ IN
 MICROGRAMS/M³ **

X-COORD (M) (M)	Y-COORD (M) CONC (YYMMDDHH)	CONC (YYMMDDHH)	(YYMMDDHH)	X-COORD (M)	Y-COORD
463154.33	3786819.61	0.03841	(15120924)	463167.45	
3786865.52	0.03557	(15120924)			
463147.58	3786873.25	0.03653	(15120924)	463129.92	
3786877.44	0.03715	(15120924)			
463110.04	3786886.94	0.03867	(16011524)	463059.03	
3786966.87	0.03444	(16011524)			
463074.93	3787087.88	0.02819	(15122124)	463102.53	
3787075.96	0.02653	(16011524)			
462919.92	3787058.29	0.03071	(15122124)	463042.03	
3787098.70	0.02949	(15122124)			
462998.09	3787105.99	0.02969	(15122124)	462943.99	
3787123.43	0.02827	(15122124)			
462850.58	3787079.71	0.02768	(15122124)	462807.52	
3787090.97	0.02579	(15122124)			
462821.88	3787159.87	0.02360	(15122124)	462755.22	
3787105.29	0.02346	(15122124)			
462743.77	3787181.31	0.02096	(15122124)	462870.28	
3787147.15	0.02548	(15122124)			
462889.99	3787138.70	0.02634	(15122124)	462725.43	
3787114.51	0.02225	(15122124)			
462685.82	3787125.77	0.02121	(15122124)	462656.17	
3787132.72	0.02098	(15122124)			
462632.89	3787123.90	0.02113	(15122124)	462595.92	
3787152.05	0.02127	(15122124)			
462571.70	3787160.31	0.02143	(15122124)	462473.70	
3787233.03	0.02144	(15122124)			
462534.01	3787244.58	0.02125	(15122124)	462400.07	
3787275.41	0.02107	(15122124)			
462229.16	3787434.24	0.02390	(16120524)	462256.97	
3787342.44	0.02303	(16120524)			
462128.43	3787527.59	0.02523	(16120524)	462183.16	
3787452.38	0.02446	(16120524)			
462022.45	3787623.08	0.02633	(16120524)	461918.34	
3787709.00	0.02639	(16120524)			
462038.54	3787667.10	0.02574	(16120524)	461424.87	
3788158.12	0.01915	(11122924)			
461926.79	3788065.01	0.02258	(16120524)	461937.75	
3787798.61	0.02517	(16120524)			
461956.17	3787956.45	0.02364	(16120524)	461303.41	
3788188.53	0.01888	(11122924)			
461132.48	3788399.44	0.01659	(11122924)	461058.72	
3788731.50	0.01374	(15011224)			
460943.68	3788817.15	0.01325	(15011224)	457324.43	


```
*** AERMOD - VERSION 23132 ***      C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen  
SP\15585 Ops H ***                  04/16/24  
*** AERMET - VERSION 16216 ***  
***                                *** 10:14:57
```

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ U*

*** DISCRETE CARTESIAN RECEPTOR POINTS ***

459503.27	3782889.01	0.01015	(13010924)	459388.10

3783065.74	0.01072	(12120324)	
459382.29	3783016.73	0.01047	(12120324) 459350.12
3783155.49	0.01099	(12120324)	
459320.33	3783264.86	0.01086	(12120324) 463904.58
3786591.83	0.01605	(15101424)	
466077.15	3784031.33	0.00614	(16122724) 466200.85
3784253.98	0.00664	(16122724)	
465960.20	3784644.19	0.00637	(16122724) 466195.23
3784596.96	0.00634	(16122724)	
462710.50	3782876.40	0.00831	(13010124) 462069.84
3783383.52	0.01848	(15122224)	
462277.17	3783298.31	0.01375	(15122224) 461797.05
3783468.72	0.02026	(15122224)	

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
 SP\15585 Ops H *** 04/16/24
 *** AERMET - VERSION 16216 ***
 *** 10:14:57

PAGE 119

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** THE SUMMARY OF HIGHEST 24-HR RESULTS ***

** CONC OF PM₁₀ IN
 MICROGRAMS/M³ **

DATE

NETWORK

GROUP ID	AVERAGE CONC	(YYMMDDHH)	RECEPTOR	(XR, YR,
ZELEV, ZHILL, ZFLAG)	OF TYPE	GRID-ID		

ALL HIGH 1ST HIGH VALUE IS 0.13802 ON 16010624: AT (462814.44, 3786754.18,
 633.19, 1734.00, 2.00) DC

*** RECEPTOR TYPES: GC = GRIDCART
 GP = GRIDPOLR
 DC = DISCCART
 DP = DISCPOLR

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
 SP\15585 Ops H *** 04/16/24
 *** AERMET - VERSION 16216 ***
 *** 10:14:57

PAGE 120

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** Message Summary : AERMOD Model Execution ***

----- Summary of Total Messages -----

A Total of 0 Fatal Error Message(s)
 A Total of 7 Warning Message(s)
 A Total of 838 Informational Message(s)

A Total of 43848 Hours Were Processed

A Total of 40 Calm Hours Identified

A Total of 798 Missing Hours Identified (1.82 Percent)

***** FATAL ERROR MESSAGES *****
*** NONE ***

***** WARNING MESSAGES *****

ME W186	1884	MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold used	0.50
ME W187	1884	MEOPEN: ADJ_U* Option for Stable Low Winds used in AERMET	
MX W438	8800	METQA: Convective Velocity Data Out-of-Range. KURDAT =	12010216
MX W438	11536	METQA: Convective Velocity Data Out-of-Range. KURDAT =	12042516
MX W420	16779	METQA: Wind Speed Out-of-Range. KURDAT =	12113003
MX W450	26305	CHKDAT: Record Out of Sequence in Meteorological File at:	15010101
MX W450	26305	CHKDAT: Record Out of Sequence in Meteorological File at:	1 year gap

*** AERMOD Finishes Successfully ***

```

** Lakes Environmental AERMOD MPI
**
*****
**
** AERMOD Input Produced by:
** AERMOD View Ver. 12.0.0
** Lakes Environmental Software Inc.
** Date: 4/16/2024
** File: C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen SP\15585 Cons PM25\15585 Cons
PM25.ADI
**
*****
**
**
*****
** AERMOD Control Pathway
*****
**
**
CO STARTING
  TITLEONE C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen SP\15585 Ops H
  MODELOPT DFAULT CONC
  AVERTIME 24
  URBANOPT 2035210 San_Bernardino_County
  POLLUTID PM_2.5
  FLAGPOLE 2.00
  RUNORNOT RUN
  ERRORFIL "15585 Cons PM25.err"
CO FINISHED
**
*****
** AERMOD Source Pathway
*****
**
**
SO STARTING
** Source Location **
** Source ID - Type - X Coord. - Y Coord. **
LOCATION VOL1      VOLUME      461693.740    3786276.453      643.610
LOCATION VOL2      VOLUME      461646.169    3786333.174      642.840
LOCATION VOL3      VOLUME      461591.280    3786386.232      647.830
LOCATION VOL4      VOLUME      461541.881    3786437.462      649.230
LOCATION VOL5      VOLUME      461499.799    3786483.202      650.290
LOCATION VOL6      VOLUME      461461.378    3786530.772      651.510
LOCATION VOL7      VOLUME      461408.319    3786578.342      653.920
LOCATION VOL8      VOLUME      461452.229    3786636.890      648.030
LOCATION VOL9      VOLUME      461512.607    3786686.289      645.570
LOCATION VOL10     VOLUME      461572.984    3786730.200      644.910
LOCATION VOL11     VOLUME      461366.238    3786625.912      655.580
LOCATION VOL12     VOLUME      461289.394    3786678.971      662.030
LOCATION VOL13     VOLUME      461373.556    3786706.415      654.400
LOCATION VOL14     VOLUME      461441.252    3786713.733      647.890
LOCATION VOL15     VOLUME      461234.505    3786728.370      667.840
LOCATION VOL16     VOLUME      461199.743    3786774.111      667.480
LOCATION VOL17     VOLUME      461152.173    3786821.681      666.390
LOCATION VOL18     VOLUME      461086.307    3786863.762      668.160
LOCATION VOL19     VOLUME      461038.737    3786904.013      673.160
LOCATION VOL20     VOLUME      460978.359    3786938.776      680.480
LOCATION VOL21     VOLUME      460927.130    3786993.664      681.640
LOCATION VOL22     VOLUME      460877.731    3787050.382      684.380
LOCATION VOL23     VOLUME      460837.479    3787107.100      683.950
LOCATION VOL24     VOLUME      460804.546    3787160.159      681.640
LOCATION VOL25     VOLUME      460749.517    3787211.229      680.350
LOCATION VOL26     VOLUME      460704.572    3787274.681      677.670
LOCATION VOL27     VOLUME      460655.661    3787332.845      679.400
LOCATION VOL28     VOLUME      460593.531    3787398.940      683.870

```

LOCATION	VOL29	VOLUME	460639.798	3787451.816	679.140
LOCATION	VOL30	VOLUME	460683.421	3787401.584	675.790
LOCATION	VOL31	VOLUME	460741.585	3787356.639	670.810
LOCATION	VOL32	VOLUME	460790.496	3787281.290	670.000
LOCATION	VOL33	VOLUME	460875.098	3787289.222	670.390
LOCATION	VOL34	VOLUME	460929.296	3787227.092	670.660
LOCATION	VOL35	VOLUME	460840.729	3787209.907	677.570
LOCATION	VOL36	VOLUME	460884.352	3787164.962	677.960
LOCATION	VOL37	VOLUME	460967.632	3787141.168	672.840
LOCATION	VOL38	VOLUME	460921.365	3787088.291	678.890
LOCATION	VOL39	VOLUME	460967.632	3787063.175	676.310
LOCATION	VOL40	VOLUME	461048.268	3787114.729	668.480
LOCATION	VOL41	VOLUME	461007.289	3786998.401	675.500
LOCATION	VOL42	VOLUME	461052.234	3787052.600	669.780
LOCATION	VOL43	VOLUME	461134.193	3787056.565	661.990
LOCATION	VOL44	VOLUME	461082.638	3786975.929	671.770
LOCATION	VOL45	VOLUME	461120.973	3786917.765	665.910
LOCATION	VOL46	VOLUME	461167.240	3786986.504	660.060
LOCATION	VOL47	VOLUME	461253.164	3786983.860	656.410
LOCATION	VOL48	VOLUME	461208.219	3786903.224	658.460
LOCATION	VOL49	VOLUME	461234.658	3786831.841	660.330
LOCATION	VOL50	VOLUME	461291.500	3786905.868	655.270
LOCATION	VOL51	VOLUME	461374.780	3786887.361	652.160
LOCATION	VOL52	VOLUME	461317.938	3786823.909	656.140
LOCATION	VOL53	VOLUME	461287.534	3786757.814	660.450
LOCATION	VOL54	VOLUME	461373.458	3786786.896	653.480
LOCATION	VOL55	VOLUME	461455.417	3786801.437	648.470
LOCATION	VOL56	VOLUME	461385.355	3786838.450	651.810
LOCATION	VOL57	VOLUME	461529.444	3786768.389	645.070
LOCATION	VOL58	VOLUME	462577.220	3786719.492	633.360
LOCATION	VOL59	VOLUME	462660.520	3786693.681	632.580
LOCATION	VOL60	VOLUME	462744.406	3786674.322	630.900
LOCATION	VOL61	VOLUME	462828.880	3786650.857	628.260
LOCATION	VOL62	VOLUME	462868.770	3786625.633	626.420
LOCATION	VOL63	VOLUME	462848.238	3786541.746	623.050
LOCATION	VOL64	VOLUME	462835.332	3786455.513	622.000
LOCATION	VOL65	VOLUME	462621.216	3786659.657	631.720
LOCATION	VOL66	VOLUME	462660.520	3786609.794	629.090
LOCATION	VOL67	VOLUME	462684.571	3786547.612	627.210
LOCATION	VOL68	VOLUME	462745.580	3786589.849	627.120
LOCATION	VOL69	VOLUME	462807.175	3786566.971	624.980
LOCATION	VOL70	VOLUME	462716.835	3786469.005	624.430
LOCATION	VOL71	VOLUME	462751.446	3786439.087	622.370
LOCATION	VOL72	VOLUME	462835.332	3786419.729	622.000
LOCATION	VOL73	VOLUME	462764.351	3786515.348	623.530
LOCATION	VOL74	VOLUME	461061.948	3784936.739	654.040
LOCATION	VOL75	VOLUME	461059.795	3784850.618	644.040
LOCATION	VOL76	VOLUME	461057.642	3784762.345	642.000
LOCATION	VOL77	VOLUME	461141.610	3784805.405	641.650
LOCATION	VOL78	VOLUME	461139.457	3784721.438	639.020
LOCATION	VOL79	VOLUME	461225.577	3784805.405	636.620
LOCATION	VOL80	VOLUME	461225.577	3784723.591	634.040
LOCATION	VOL81	VOLUME	461223.667	3784635.373	631.360
LOCATION	VOL82	VOLUME	461156.778	3784658.706	636.710
LOCATION	VOL83	VOLUME	461312.335	3784885.818	641.380
LOCATION	VOL84	VOLUME	461310.779	3784801.818	632.510
LOCATION	VOL85	VOLUME	461312.335	3784714.706	629.850
LOCATION	VOL86	VOLUME	461309.224	3784630.706	628.160
LOCATION	VOL87	VOLUME	461284.335	3784548.261	629.430
LOCATION	VOL88	VOLUME	461369.891	3784543.594	624.320
LOCATION	VOL89	VOLUME	461289.001	3784462.705	624.470
LOCATION	VOL90	VOLUME	461225.223	3784422.260	627.230
LOCATION	VOL91	VOLUME	461371.446	3784458.038	621.330
LOCATION	VOL92	VOLUME	461270.334	3784338.260	620.310
LOCATION	VOL93	VOLUME	461310.779	3784375.593	619.290
LOCATION	VOL94	VOLUME	461396.335	3784627.595	624.280

LOCATION	VOL95	VOLUME	461397.891	3784711.595	626.590
LOCATION	VOL96	VOLUME	461396.335	3784797.151	630.160
LOCATION	VOL97	VOLUME	461483.447	3784714.706	622.870
LOCATION	VOL98	VOLUME	461481.891	3784795.596	626.210
LOCATION	VOL99	VOLUME	461486.558	3784879.596	631.090
LOCATION	VOL100	VOLUME	461569.003	3784776.929	621.370
LOCATION	VOL101	VOLUME	461643.670	3784787.818	622.790
LOCATION	VOL102	VOLUME	461562.781	3784825.151	625.070
LOCATION	PAREA1	AREAPOLY	460528.359	3787418.313	691.840
** DESCRSRC	Subarea A				
LOCATION	PAREA2	AREAPOLY	462517.880	3786759.792	633.000
** DESCRSRC	Subarea B				
LOCATION	PAREA3	AREAPOLY	461036.403	3784972.428	658.950
** DESCRSRC	Subarea C				
** Source Parameters **					
SRCPARAM	VOL1	0.0001361318	3.490	19.572	3.250
SRCPARAM	VOL2	0.0001361318	3.490	19.572	3.250
SRCPARAM	VOL3	0.0001361318	3.490	19.572	3.250
SRCPARAM	VOL4	0.0001361318	3.490	19.572	3.250
SRCPARAM	VOL5	0.0001361318	3.490	19.572	3.250
SRCPARAM	VOL6	0.0001361318	3.490	19.572	3.250
SRCPARAM	VOL7	0.0001361318	3.490	19.572	3.250
SRCPARAM	VOL8	0.0001361318	3.490	19.572	3.250
SRCPARAM	VOL9	0.0001361318	3.490	19.572	3.250
SRCPARAM	VOL10	0.0001361318	3.490	19.572	3.250
SRCPARAM	VOL11	0.0001361318	3.490	19.572	3.250
SRCPARAM	VOL12	0.0001361318	3.490	19.572	3.250
SRCPARAM	VOL13	0.0001361318	3.490	19.572	3.250
SRCPARAM	VOL14	0.0001361318	3.490	19.572	3.250
SRCPARAM	VOL15	0.0001361318	3.490	19.572	3.250
SRCPARAM	VOL16	0.0001361318	3.490	19.572	3.250
SRCPARAM	VOL17	0.0001361318	3.490	19.572	3.250
SRCPARAM	VOL18	0.0001361318	3.490	19.572	3.250
SRCPARAM	VOL19	0.0001361318	3.490	19.572	3.250
SRCPARAM	VOL20	0.0001361318	3.490	19.572	3.250
SRCPARAM	VOL21	0.0001361318	3.490	19.572	3.250
SRCPARAM	VOL22	0.0001361318	3.490	19.572	3.250
SRCPARAM	VOL23	0.0001361318	3.490	19.572	3.250
SRCPARAM	VOL24	0.0001361318	3.490	19.572	3.250
SRCPARAM	VOL25	0.0001361318	3.490	19.572	3.250
SRCPARAM	VOL26	0.0001361318	3.490	19.572	3.250
SRCPARAM	VOL27	0.0001361318	3.490	19.572	3.250
SRCPARAM	VOL28	0.0001361318	3.490	19.572	3.250
SRCPARAM	VOL29	0.0001361318	3.490	19.572	3.250
SRCPARAM	VOL30	0.0001361318	3.490	19.572	3.250
SRCPARAM	VOL31	0.0001361318	3.490	19.572	3.250
SRCPARAM	VOL32	0.0001361318	3.490	19.572	3.250
SRCPARAM	VOL33	0.0001361318	3.490	19.572	3.250
SRCPARAM	VOL34	0.0001361318	3.490	19.572	3.250
SRCPARAM	VOL35	0.0001361318	3.490	19.572	3.250
SRCPARAM	VOL36	0.0001361318	3.490	19.572	3.250
SRCPARAM	VOL37	0.0001361318	3.490	19.572	3.250
SRCPARAM	VOL38	0.0001361318	3.490	19.572	3.250
SRCPARAM	VOL39	0.0001361318	3.490	19.572	3.250
SRCPARAM	VOL40	0.0001361318	3.490	19.572	3.250
SRCPARAM	VOL41	0.0001361318	3.490	19.572	3.250
SRCPARAM	VOL42	0.0001361318	3.490	19.572	3.250
SRCPARAM	VOL43	0.0001361318	3.490	19.572	3.250
SRCPARAM	VOL44	0.0001361318	3.490	19.572	3.250
SRCPARAM	VOL45	0.0001361318	3.490	19.572	3.250
SRCPARAM	VOL46	0.0001361318	3.490	19.572	3.250
SRCPARAM	VOL47	0.0001361318	3.490	19.572	3.250
SRCPARAM	VOL48	0.0001361318	3.490	19.572	3.250
SRCPARAM	VOL49	0.0001361318	3.490	19.572	3.250
SRCPARAM	VOL50	0.0001361318	3.490	19.572	3.250
SRCPARAM	VOL51	0.0001361318	3.490	19.572	3.250

SRCPARAM	VOL52	0.0001361318	3.490	19.572	3.250
SRCPARAM	VOL53	0.0001361318	3.490	19.572	3.250
SRCPARAM	VOL54	0.0001361318	3.490	19.572	3.250
SRCPARAM	VOL55	0.0001361318	3.490	19.572	3.250
SRCPARAM	VOL56	0.0001361318	3.490	19.572	3.250
SRCPARAM	VOL57	0.0001361318	3.490	19.572	3.250
SRCPARAM	VOL58	0.0000330852	3.490	19.572	3.250
SRCPARAM	VOL59	0.0000330852	3.490	19.572	3.250
SRCPARAM	VOL60	0.0000330852	3.490	19.572	3.250
SRCPARAM	VOL61	0.0000330852	3.490	19.572	3.250
SRCPARAM	VOL62	0.0000330852	3.490	19.572	3.250
SRCPARAM	VOL63	0.0000330852	3.490	19.572	3.250
SRCPARAM	VOL64	0.0000330852	3.490	19.572	3.250
SRCPARAM	VOL65	0.0000330852	3.490	19.572	3.250
SRCPARAM	VOL66	0.0000330852	3.490	19.572	3.250
SRCPARAM	VOL67	0.0000330852	3.490	19.572	3.250
SRCPARAM	VOL68	0.0000330852	3.490	19.572	3.250
SRCPARAM	VOL69	0.0000330852	3.490	19.572	3.250
SRCPARAM	VOL70	0.0000330852	3.490	19.572	3.250
SRCPARAM	VOL71	0.0000330852	3.490	19.572	3.250
SRCPARAM	VOL72	0.0000330852	3.490	19.572	3.250
SRCPARAM	VOL73	0.0000330852	3.490	19.572	3.250
SRCPARAM	VOL74	0.0001056313	3.490	19.572	3.250
SRCPARAM	VOL75	0.0001056313	3.490	19.572	3.250
SRCPARAM	VOL76	0.0001056313	3.490	19.572	3.250
SRCPARAM	VOL77	0.0001056313	3.490	19.572	3.250
SRCPARAM	VOL78	0.0001056313	3.490	19.572	3.250
SRCPARAM	VOL79	0.0001056313	3.490	19.572	3.250
SRCPARAM	VOL80	0.0001056313	3.490	19.572	3.250
SRCPARAM	VOL81	0.0001056313	3.490	19.572	3.250
SRCPARAM	VOL82	0.0001056313	3.490	19.572	3.250
SRCPARAM	VOL83	0.0001056313	3.490	19.572	3.250
SRCPARAM	VOL84	0.0001056313	3.490	19.572	3.250
SRCPARAM	VOL85	0.0001056313	3.490	19.572	3.250
SRCPARAM	VOL86	0.0001056313	3.490	19.572	3.250
SRCPARAM	VOL87	0.0001056313	3.490	19.572	3.250
SRCPARAM	VOL88	0.0001056313	3.490	19.572	3.250
SRCPARAM	VOL89	0.0001056313	3.490	19.572	3.250
SRCPARAM	VOL90	0.0001056313	3.490	19.572	3.250
SRCPARAM	VOL91	0.0001056313	3.490	19.572	3.250
SRCPARAM	VOL92	0.0001056313	3.490	19.572	3.250
SRCPARAM	VOL93	0.0001056313	3.490	19.572	3.250
SRCPARAM	VOL94	0.0001056313	3.490	19.572	3.250
SRCPARAM	VOL95	0.0001056313	3.490	19.572	3.250
SRCPARAM	VOL96	0.0001056313	3.490	19.572	3.250
SRCPARAM	VOL97	0.0001056313	3.490	19.572	3.250
SRCPARAM	VOL98	0.0001056313	3.490	19.572	3.250
SRCPARAM	VOL99	0.0001056313	3.490	19.572	3.250
SRCPARAM	VOL100	0.0001056313	3.490	19.572	3.250
SRCPARAM	VOL101	0.0001056313	3.490	19.572	3.250
SRCPARAM	VOL102	0.0001056313	3.490	19.572	3.250
SRCPARAM	PAREA1	6.1174E-08	0.000	13	1.000
AREAVERT	PAREA1	460528.359	3787418.313	460624.790	3787500.787
AREAVERT	PAREA1	461630.970	3786735.684	461482.517	3786597.382
AREAVERT	PAREA1	461748.971	3786277.638	461696.949	3786224.347
AREAVERT	PAREA1	461284.580	3786637.985	461181.805	3786721.727
AREAVERT	PAREA1	461147.547	3786769.943	461004.170	3786876.524
AREAVERT	PAREA1	460933.115	3786922.202	460845.566	3787018.633
AREAVERT	PAREA1	460533.435	3787417.045		
SRCPARAM	PAREA2	6.6102E-08	0.000	5	1.000
AREAVERT	PAREA2	462517.880	3786759.792	462912.486	3786648.135
AREAVERT	PAREA2	462866.808	3786401.983	462845.238	3786395.639
AREAVERT	PAREA2	462727.237	3786398.176		
SRCPARAM	PAREA3	8.121E-08	0.000	42	1.000
AREAVERT	PAREA3	461036.403	3784972.428	461119.453	3784972.428
AREAVERT	PAREA3	461095.724	3784915.264	461097.882	3784892.614

AREAVERT	PAREA3	461165.831	3784832.215	461221.917	3784852.707
AREAVERT	PAREA3	461270.452	3784873.200	461301.730	3784890.457
AREAVERT	PAREA3	461322.223	3784934.678	461371.837	3784933.600
AREAVERT	PAREA3	461370.759	3784869.964	461420.373	3784869.964
AREAVERT	PAREA3	461474.301	3784909.871	461477.536	3784951.935
AREAVERT	PAREA3	461535.779	3784950.857	461536.858	3784873.200
AREAVERT	PAREA3	461691.092	3784817.115	461649.028	3784748.087
AREAVERT	PAREA3	461592.943	3784744.851	461547.643	3784730.829
AREAVERT	PAREA3	461499.108	3784704.944	461482.929	3784677.980
AREAVERT	PAREA3	461453.808	3784635.916	461432.237	3784600.323
AREAVERT	PAREA3	461412.823	3784569.045	461402.037	3784517.274
AREAVERT	PAREA3	461376.151	3784453.638	461365.366	3784402.946
AREAVERT	PAREA3	461352.423	3784372.746	461347.030	3784332.839
AREAVERT	PAREA3	461382.623	3784227.140	461375.073	3784218.511
AREAVERT	PAREA3	461322.223	3784303.718	461251.038	3784292.932
AREAVERT	PAREA3	461178.774	3784445.010	461242.409	3784468.738
AREAVERT	PAREA3	461251.038	3784539.923	461190.638	3784589.537
AREAVERT	PAREA3	461112.981	3784669.351	461061.210	3784721.122
AREAVERT	PAREA3	461014.832	3784737.301	461014.832	3784946.542
URBANSRC	ALL				

** Variable Emissions Type: "By Hour / Day (HRDOW) "

** Variable Emission Scenario: "Scenario 1"

** WeekDays:

EMISFACT	VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	VOL1	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
EMISFACT	VOL1	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
EMISFACT	VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

** Saturday:

EMISFACT	VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

** Sunday:

EMISFACT	VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

** WeekDays:

EMISFACT	VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	VOL2	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
EMISFACT	VOL2	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
EMISFACT	VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

** Saturday:

EMISFACT	VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

** Sunday:

EMISFACT	VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

** WeekDays:

EMISFACT	VOL3	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	VOL3	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
EMISFACT	VOL3	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
EMISFACT	VOL3	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

** Saturday:

EMISFACT	VOL3	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	VOL3	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	VOL3	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	VOL3	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

** Sunday:

EMISFACT	VOL3	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	VOL3	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

```

EMISFACT PAREA3      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT PAREA3      HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT PAREA3      HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT PAREA3      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
EMISFACT PAREA3      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT PAREA3      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT PAREA3      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT PAREA3      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
EMISFACT PAREA3      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT PAREA3      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT PAREA3      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT PAREA3      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
SRCGROUP ALL
SO FINISHED
**
*****
** AERMOD Receptor Pathway
*****
**
**
RE STARTING
  INCLUDED "15585 Cons PM25.rou"
RE FINISHED
**
*****
** AERMOD Meteorology Pathway
*****
**
**
ME STARTING
  SURFFILE FONT_V9_ADJU\FONT_v9.SFC
  PROFFILE FONT_V9_ADJU\FONT_v9.PFL
  SURFDATA 3102 2011
  UAIRDATA 3190 2011
  SITEDATA 99999 2011
  PROFBASE 367.0 METERS
ME FINISHED
**
*****
** AERMOD Output Pathway
*****
**
**
OU STARTING
  RECTABLE ALLAVE 1ST
  RECTABLE 24 1ST
** Auto-Generated Plotfiles
  PLOTFILE 24 ALL 1ST "15585 CONS PM25.AD\24H1GALL.PLT" 31
  SUMMFILE "15585 Cons PM25.sum"
OU FINISHED

```

*** Message Summary For AERMOD Model Setup ***

----- Summary of Total Messages -----

```

A Total of      0 Fatal Error Message(s)
A Total of      2 Warning Message(s)
A Total of      0 Informational Message(s)

```

```

***** FATAL ERROR MESSAGES *****
***   NONE   ***

```


***** WARNING MESSAGES *****

ME W186 1885 MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold used 0.50

ME W187 1885 MEOPEN: ADJ_U* Option for Stable Low Winds used in AERMET

*** SETUP Finishes Successfully ***

*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen

SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

*** 10:42:58

PAGE 1

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** MODEL SETUP OPTIONS SUMMARY ***

** Model Options Selected:

- * Model Uses Regulatory DEFAULT Options
- * Model Is Setup For Calculation of Average CONCentration Values.
- * NO GAS DEPOSITION Data Provided.
- * NO PARTICLE DEPOSITION Data Provided.
- * Model Uses NO DRY DEPLETION. DDPLETE = F
- * Model Uses NO WET DEPLETION. WETDPLT = F
- * Stack-tip Downwash.
- * Model Accounts for ELEVated Terrain Effects.
- * Use Calms Processing Routine.
- * Use Missing Data Processing Routine.
- * No Exponential Decay.
- * Model Uses URBAN Dispersion Algorithm for the SBL for 105 Source(s),
for Total of 1 Urban Area(s):

Urban Population = 2035210.0 ; Urban Roughness Length = 1.000 m

- * Urban Roughness Length of 1.0 Meter Used.
- * ADJ_U* - Use ADJ_U* option for SBL in AERMET
- * TEMP_Sub - Meteorological data includes TEMP substitutions
- * Model Accepts FLAGPOLE Receptor . Heights.
- * The User Specified a Pollutant Type of: PM_2.5

**Model Calculates 1 Short Term Average(s) of: 24-HR

**This Run Includes: 105 Source(s); 1 Source Group(s); and 94 Receptor(s)

with: 0 POINT(s), including

0 POINTCAP(s) and 0 POINTHOR(s)

and: 102 VOLUME source(s)

and: 3 AREA type source(s)

and: 0 LINE source(s)

and: 0 RLINE/RLINEXT source(s)

and: 0 OPENPIT source(s)

and: 0 BUOYANT LINE source(s) with a total of 0 line(s)

and: 0 SWPOINT source(s)

**Model Set To Continue RUNning After the Setup Testing.

**The AERMET Input Meteorological Data Version Date: 16216

**Output Options Selected:

- Model Outputs Tables of Highest Short Term Values by Receptor (RECTABLE Keyword)
- Model Outputs External File(s) of High Values for Plotting (PLOTFILE Keyword)
- Model Outputs Separate Summary File of High Ranked Values (SUMMFILE Keyword)

****NOTE:** The Following Flags May Appear Following CONC Values: c for Calm Hours
m for Missing Hours
b for Both Calm and Missing Hours

****Misc. Inputs:** Base Elev. for Pot. Temp. Profile (m MSL) = 367.00 ; Decay Coef. = 0.000 ; Rot. Angle = 0.0
Emission Units = GRAMS/SEC ; Emission Rate
Unit Factor = 0.10000E+07
Output Units = MICROGRAMS/M**3

****Approximate Storage Requirements of Model = 3.7 MB of RAM.**

****Input Runstream File:**

aermod.inp

****Output Print File:**

aermod.out

****Detailed Error/Message File:** 15585 Cons

PM25.err

****File for Summary of Results:** 15585 Cons

PM25.sum

***** AERMOD - VERSION 23132 ***** ***** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen SP\15585 Ops H ***** 04/16/24

***** AERMET - VERSION 16216 *****

10:42:58

PAGE 2

***** MODELOPTs:** RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

***** VOLUME SOURCE DATA *****

SOURCE	NUMBER	EMISSION RATE			BASE	RELEASE	INIT.	INIT.
SOURCE	URBAN	EMISSION RATE	AIRCRAFT		ELEV.	HEIGHT	SY	SZ
ID	PART.	(GRAMS/SEC)	X	Y	(METERS)	(METERS)	(METERS)	(METERS)
(METERS)	SCALAR VARY	BY	(METERS)	(METERS)	(METERS)	(METERS)	(METERS)	(METERS)
CATS.								
VOL1	0	0.13613E-03	461693.7	3786276.5	643.6	3.49	19.57	3.25
YES HRDOW		NO						
VOL2	0	0.13613E-03	461646.2	3786333.2	642.8	3.49	19.57	3.25
YES HRDOW		NO						
VOL3	0	0.13613E-03	461591.3	3786386.2	647.8	3.49	19.57	3.25
YES HRDOW		NO						
VOL4	0	0.13613E-03	461541.9	3786437.5	649.2	3.49	19.57	3.25
YES HRDOW		NO						
VOL5	0	0.13613E-03	461499.8	3786483.2	650.3	3.49	19.57	3.25
YES HRDOW		NO						
VOL6	0	0.13613E-03	461461.4	3786530.8	651.5	3.49	19.57	3.25
YES HRDOW		NO						
VOL7	0	0.13613E-03	461408.3	3786578.3	653.9	3.49	19.57	3.25
YES HRDOW		NO						
VOL8	0	0.13613E-03	461452.2	3786636.9	648.0	3.49	19.57	3.25
YES HRDOW		NO						
VOL9	0	0.13613E-03	461512.6	3786686.3	645.6	3.49	19.57	3.25
YES HRDOW		NO						
VOL10	0	0.13613E-03	461573.0	3786730.2	644.9	3.49	19.57	3.25
YES HRDOW		NO						
VOL11	0	0.13613E-03	461366.2	3786625.9	655.6	3.49	19.57	3.25
YES HRDOW		NO						
VOL12	0	0.13613E-03	461289.4	3786679.0	662.0	3.49	19.57	3.25
YES HRDOW		NO						

*** VOLUME SOURCE DATA ***

		NUMBER		EMISSION RATE		BASE	RELEASE	INIT.	INIT.
		URBAN	EMISSION	RATE		AIRCRAFT			
SOURCE	PART.	(GRAMS/SEC)		X	Y	ELEV.	HEIGHT	SY	SZ
SOURCE	SCALAR VARY								
ID	CATS.			(METERS)	(METERS)	(METERS)	(METERS)	(METERS)	
(METERS)			BY						

VOL41		0	0.13613E-03	461007.3	3786998.4	675.5	3.49	19.57	3.25
YES	HRDOW		NO						
VOL42		0	0.13613E-03	461052.2	3787052.6	669.8	3.49	19.57	3.25
YES	HRDOW		NO						
VOL43		0	0.13613E-03	461134.2	3787056.6	662.0	3.49	19.57	3.25
YES	HRDOW		NO						
VOL44		0	0.13613E-03	461082.6	3786975.9	671.8	3.49	19.57	3.25
YES	HRDOW		NO						
VOL45		0	0.13613E-03	461121.0	3786917.8	665.9	3.49	19.57	3.25
YES	HRDOW		NO						
VOL46		0	0.13613E-03	461167.2	3786986.5	660.1	3.49	19.57	3.25
YES	HRDOW		NO						
VOL47		0	0.13613E-03	461253.2	3786983.9	656.4	3.49	19.57	3.25
YES	HRDOW		NO						
VOL48		0	0.13613E-03	461208.2	3786903.2	658.5	3.49	19.57	3.25
YES	HRDOW		NO						
VOL49		0	0.13613E-03	461234.7	3786831.8	660.3	3.49	19.57	3.25
YES	HRDOW		NO						
VOL50		0	0.13613E-03	461291.5	3786905.9	655.3	3.49	19.57	3.25
YES	HRDOW		NO						
VOL51		0	0.13613E-03	461374.8	3786887.4	652.2	3.49	19.57	3.25
YES	HRDOW		NO						
VOL52		0	0.13613E-03	461317.9	3786823.9	656.1	3.49	19.57	3.25
YES	HRDOW		NO						
VOL53		0	0.13613E-03	461287.5	3786757.8	660.4	3.49	19.57	3.25
YES	HRDOW		NO						
VOL54		0	0.13613E-03	461373.5	3786786.9	653.5	3.49	19.57	3.25
YES	HRDOW		NO						
VOL55		0	0.13613E-03	461455.4	3786801.4	648.5	3.49	19.57	3.25
YES	HRDOW		NO						
VOL56		0	0.13613E-03	461385.4	3786838.4	651.8	3.49	19.57	3.25
YES	HRDOW		NO						
VOL57		0	0.13613E-03	461529.4	3786768.4	645.1	3.49	19.57	3.25
YES	HRDOW		NO						
VOL58		0	0.33085E-04	462577.2	3786719.5	633.4	3.49	19.57	3.25
YES	HRDOW		NO						
VOL59		0	0.33085E-04	462660.5	3786693.7	632.6	3.49	19.57	3.25
YES	HRDOW		NO						
VOL60		0	0.33085E-04	462744.4	3786674.3	630.9	3.49	19.57	3.25
YES	HRDOW		NO						
VOL61		0	0.33085E-04	462828.9	3786650.9	628.3	3.49	19.57	3.25
YES	HRDOW		NO						
VOL62		0	0.33085E-04	462868.8	3786625.6	626.4	3.49	19.57	3.25
YES	HRDOW		NO						
VOL63		0	0.33085E-04	462848.2	3786541.7	623.0	3.49	19.57	3.25
YES	HRDOW		NO						
VOL64		0	0.33085E-04	462835.3	3786455.5	622.0	3.49	19.57	3.25
YES	HRDOW		NO						
VOL65		0	0.33085E-04	462621.2	3786659.7	631.7	3.49	19.57	3.25
YES	HRDOW		NO						
VOL66		0	0.33085E-04	462660.5	3786609.8	629.1	3.49	19.57	3.25
YES	HRDOW		NO						
VOL67		0	0.33085E-04	462684.6	3786547.6	627.2	3.49	19.57	3.25
YES	HRDOW		NO						
VOL68		0	0.33085E-04	462745.6	3786589.8	627.1	3.49	19.57	3.25
YES	HRDOW		NO						

VOL69	0	0.33085E-04	462807.2	3786567.0	625.0	3.49	19.57	3.25
YES	HRDOW	NO						
VOL70	0	0.33085E-04	462716.8	3786469.0	624.4	3.49	19.57	3.25
YES	HRDOW	NO						
VOL71	0	0.33085E-04	462751.4	3786439.1	622.4	3.49	19.57	3.25
YES	HRDOW	NO						
VOL72	0	0.33085E-04	462835.3	3786419.7	622.0	3.49	19.57	3.25
YES	HRDOW	NO						
VOL73	0	0.33085E-04	462764.4	3786515.3	623.5	3.49	19.57	3.25
YES	HRDOW	NO						
VOL74	0	0.10563E-03	461061.9	3784936.7	654.0	3.49	19.57	3.25
YES	HRDOW	NO						
VOL75	0	0.10563E-03	461059.8	3784850.6	644.0	3.49	19.57	3.25
YES	HRDOW	NO						
VOL76	0	0.10563E-03	461057.6	3784762.3	642.0	3.49	19.57	3.25
YES	HRDOW	NO						
VOL77	0	0.10563E-03	461141.6	3784805.4	641.6	3.49	19.57	3.25
YES	HRDOW	NO						
VOL78	0	0.10563E-03	461139.5	3784721.4	639.0	3.49	19.57	3.25
YES	HRDOW	NO						
VOL79	0	0.10563E-03	461225.6	3784805.4	636.6	3.49	19.57	3.25
YES	HRDOW	NO						
VOL80	0	0.10563E-03	461225.6	3784723.6	634.0	3.49	19.57	3.25
YES	HRDOW	NO						



*** AERMOD - VERSION 23132 ***

*** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen

SP\15585 Ops H ***

04/16/24

*** AERMET - VERSION 16216 ***

10:42:58

PAGE 4

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** VOLUME SOURCE DATA ***									
		NUMBER	EMISSION RATE			BASE	RELEASE	INIT.	INIT.
SOURCE		URBAN	EMISSION RATE	AIRCRAFT					
SOURCE		PART.	(GRAMS/SEC)	X	Y	ELEV.	HEIGHT	SY	SZ
SOURCE		SCALAR	VARY						
ID		CATS.		(METERS)	(METERS)	(METERS)	(METERS)	(METERS)	
(METERS)			BY						

VOL81		0	0.10563E-03	461223.7	3784635.4	631.4	3.49	19.57	3.25
YES	HRDOW		NO						
VOL82		0	0.10563E-03	461156.8	3784658.7	636.7	3.49	19.57	3.25
YES	HRDOW		NO						
VOL83		0	0.10563E-03	461312.3	3784885.8	641.4	3.49	19.57	3.25
YES	HRDOW		NO						
VOL84		0	0.10563E-03	461310.8	3784801.8	632.5	3.49	19.57	3.25
YES	HRDOW		NO						
VOL85		0	0.10563E-03	461312.3	3784714.7	629.8	3.49	19.57	3.25
YES	HRDOW		NO						
VOL86		0	0.10563E-03	461309.2	3784630.7	628.2	3.49	19.57	3.25
YES	HRDOW		NO						
VOL87		0	0.10563E-03	461284.3	3784548.3	629.4	3.49	19.57	3.25
YES	HRDOW		NO						
VOL88		0	0.10563E-03	461369.9	3784543.6	624.3	3.49	19.57	3.25
YES	HRDOW		NO						
VOL89		0	0.10563E-03	461289.0	3784462.7	624.5	3.49	19.57	3.25
YES	HRDOW		NO						
VOL90		0	0.10563E-03	461225.2	3784422.3	627.2	3.49	19.57	3.25
YES	HRDOW		NO						
VOL91		0	0.10563E-03	461371.4	3784458.0	621.3	3.49	19.57	3.25
YES	HRDOW		NO						

VOL92	0	0.10563E-03	461270.3	3784338.3	620.3	3.49	19.57	3.25
YES HRDOW		NO						
VOL93	0	0.10563E-03	461310.8	3784375.6	619.3	3.49	19.57	3.25
YES HRDOW		NO						
VOL94	0	0.10563E-03	461396.3	3784627.6	624.3	3.49	19.57	3.25
YES HRDOW		NO						
VOL95	0	0.10563E-03	461397.9	3784711.6	626.6	3.49	19.57	3.25
YES HRDOW		NO						
VOL96	0	0.10563E-03	461396.3	3784797.2	630.2	3.49	19.57	3.25
YES HRDOW		NO						
VOL97	0	0.10563E-03	461483.4	3784714.7	622.9	3.49	19.57	3.25
YES HRDOW		NO						
VOL98	0	0.10563E-03	461481.9	3784795.6	626.2	3.49	19.57	3.25
YES HRDOW		NO						
VOL99	0	0.10563E-03	461486.6	3784879.6	631.1	3.49	19.57	3.25
YES HRDOW		NO						
VOL100	0	0.10563E-03	461569.0	3784776.9	621.4	3.49	19.57	3.25
YES HRDOW		NO						
VOL101	0	0.10563E-03	461643.7	3784787.8	622.8	3.49	19.57	3.25
YES HRDOW		NO						
VOL102	0	0.10563E-03	461562.8	3784825.2	625.1	3.49	19.57	3.25
YES HRDOW		NO						

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 10:42:58

PAGE 5

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** AREAPOLY SOURCE DATA ***

SOURCE	NUMBER	EMISSION RATE	LOCATION OF AREA	BASE	RELEASE	NUMBER	INIT.
SOURCE	URBAN	EMISSION RATE	AIRCRAFT				
ID	PART.	(GRAMS/SEC	X	Y	ELEV.	HEIGHT	SZ
(METERS)	SCALAR VARY	/METER**2)	(METERS)	(METERS)	(METERS)	OF VERTS.	
	CATS.	BY					

PAREA1	0	0.61174E-07	460528.4	3787418.3	691.8	0.00	13	1.00
YES HRDOW		NO						
PAREA2	0	0.66102E-07	462517.9	3786759.8	633.0	0.00	5	1.00
YES HRDOW		NO						
PAREA3	0	0.81210E-07	461036.4	3784972.4	658.9	0.00	42	1.00
YES HRDOW		NO						

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 10:42:58

PAGE 6

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** SOURCE IDs DEFINING SOURCE GROUPS ***

SRCGROUP ID	SOURCE IDs
-----	-----

ALL VOL1 , VOL2 , VOL3 , VOL4 , VOL5 , VOL6 ,
VOL7 , VOL8 ,

VOL9	,	VOL10	,	VOL11	,	VOL12	,	VOL13	,	VOL14	,
VOL15	,	VOL16	,								
VOL17	,	VOL18	,	VOL19	,	VOL20	,	VOL21	,	VOL22	,
VOL23	,	VOL24	,								
VOL25	,	VOL26	,	VOL27	,	VOL28	,	VOL29	,	VOL30	,
VOL31	,	VOL32	,								
VOL33	,	VOL34	,	VOL35	,	VOL36	,	VOL37	,	VOL38	,
VOL39	,	VOL40	,								
VOL41	,	VOL42	,	VOL43	,	VOL44	,	VOL45	,	VOL46	,
VOL47	,	VOL48	,								
VOL49	,	VOL50	,	VOL51	,	VOL52	,	VOL53	,	VOL54	,
VOL55	,	VOL56	,								
VOL57	,	VOL58	,	VOL59	,	VOL60	,	VOL61	,	VOL62	,
VOL63	,	VOL64	,								
VOL65	,	VOL66	,	VOL67	,	VOL68	,	VOL69	,	VOL70	,
VOL71	,	VOL72	,								
VOL73	,	VOL74	,	VOL75	,	VOL76	,	VOL77	,	VOL78	,
VOL79	,	VOL80	,								
VOL81	,	VOL82	,	VOL83	,	VOL84	,	VOL85	,	VOL86	,
VOL87	,	VOL88	,								
VOL89	,	VOL90	,	VOL91	,	VOL92	,	VOL93	,	VOL94	,
VOL95	,	VOL96	,								
VOL97	,	VOL98	,	VOL99	,	VOL100	,	VOL101	,	VOL102	,
PAREA1	,	PAREA2	,								

PAREA3 ,

FF *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
 SP\15585 Ops H *** 04/16/24
 *** AERMET - VERSION 16216 ***
 *** *** 10:42:58

PAGE 7

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** SOURCE IDs DEFINED AS URBAN SOURCES ***

URBAN ID	URBAN POP	SOURCE IDs										
-----	-----	-----										
	2035210.	VOL1	,	VOL2	,	VOL3	,	VOL4	,	VOL5	,	
	VOL6	, VOL7	,									
VOL8	,											
	VOL9	,	VOL10	,	VOL11	,	VOL12	,	VOL13	,	VOL14	,
	VOL15	,	VOL16	,								
	VOL17	,	VOL18	,	VOL19	,	VOL20	,	VOL21	,	VOL22	,
	VOL23	,	VOL24	,								
	VOL25	,	VOL26	,	VOL27	,	VOL28	,	VOL29	,	VOL30	,
	VOL31	,	VOL32	,								
	VOL33	,	VOL34	,	VOL35	,	VOL36	,	VOL37	,	VOL38	,

VOL39	,	VOL40	,				
VOL41	,	VOL42	,	VOL43	,	VOL44	,
VOL47	,	VOL48	,				
VOL49	,	VOL50	,	VOL51	,	VOL52	,
VOL55	,	VOL56	,				
VOL57	,	VOL58	,	VOL59	,	VOL60	,
VOL63	,	VOL64	,				
VOL65	,	VOL66	,	VOL67	,	VOL68	,
VOL71	,	VOL72	,				
VOL73	,	VOL74	,	VOL75	,	VOL76	,
VOL79	,	VOL80	,				
VOL81	,	VOL82	,	VOL83	,	VOL84	,
VOL87	,	VOL88	,				
VOL89	,	VOL90	,	VOL91	,	VOL92	,
VOL95	,	VOL96	,				
VOL97	,	VOL98	,	VOL99	,	VOL100	,
PAREA1	,	PAREA2	,				

PAREA3 ,

*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
 SP\15585 Ops H *** 04/16/24
 *** AERMET - VERSION 16216 ***
 *** 10:42:58

PAGE 8

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
 (HRDOW) *

SOURCE ID = VOL1			; SOURCE TYPE = VOLUME			:		
HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL
SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR

DAY OF WEEK = WEEKDAY								
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5
.0000E+00		7	.0000E+00	8	.0000E+00			6
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13
.1000E+01		15	.1000E+01	16	.1000E+01			14
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21
.0000E+00		23	.0000E+00	24	.0000E+00			22
DAY OF WEEK = SATURDAY								
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5
.0000E+00		7	.0000E+00	8	.0000E+00			6
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13
.0000E+00		15	.0000E+00	16	.0000E+00			14
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21
.0000E+00		23	.0000E+00	24	.0000E+00			22
DAY OF WEEK = SUNDAY								
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5
.0000E+00		7	.0000E+00	8	.0000E+00			6
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13
.0000E+00		15	.0000E+00	16	.0000E+00			14
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21
.0000E+00		23	.0000E+00	24	.0000E+00			22

*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
 SP\15585 Ops H *** 04/16/24

PAGE 9

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL2 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	
	.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
	.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
	.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
 SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

10:42:58

PAGE 10

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL3 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	
	.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
	.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

```
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** *** 10:42:58
```

PAGE 11

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL4 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
- - - - -

DAY OF WEEK = WEEKDAY

```
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
```

DAY OF WEEK = SATURDAY

```
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
```

DAY OF WEEK = SUNDAY

```
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
```

```
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** *** 10:42:58
```

PAGE 12

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL5 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
- - - - -

DAY OF WEEK = WEEKDAY

```
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
```

```

                                DAY OF WEEK = SATURDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SUNDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***

```

```

                                PAGE 13
*** MODELOPTs:  RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL6 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
                                DAY OF WEEK = WEEKDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .1000E+01 10  .1000E+01 11  .1000E+01 12  .1000E+01 13  .1000E+01 14
.1000E+01 15  .1000E+01 16  .1000E+01
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SATURDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SUNDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***

```

```

                                PAGE 14
*** MODELOPTs:  RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL7 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -

```

```

- - - - -
                                DAY OF WEEK = WEEKDAY
1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SATURDAY
1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***
                                PAGE 15
*** MODELOPTs:  RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL8 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
  SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
                                DAY OF WEEK = WEEKDAY
1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SATURDAY
1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***
                                PAGE 16
*** MODELOPTs:  RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

```

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL9 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

*** 10:42:58

PAGE 17

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL10 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22

.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 10:42:58

PAGE 18

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL11 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 10:42:58

PAGE 19

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL12 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

```

17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***
                                ***
                                10:42:58

                                PAGE 20
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL13 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
  SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
- - - - -
                                DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***
                                ***
                                10:42:58

                                PAGE 21
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL14 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
  SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
- - - - -
                                DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14

```

```

.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
*** 10:42:58

```

```

PAGE 22
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL15 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
  SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
*** 10:42:58

```

```

PAGE 23
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL16 ; SOURCE TYPE = VOLUME :

```


*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL18 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR
SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

10:42:58

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL19 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR
SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						

```

  9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00  14
.0000E+00  15 .0000E+00  16 .0000E+00
17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
.0000E+00  23 .0000E+00  24 .0000E+00
FF *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
*** 10:42:58
```

PAGE 27

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL20 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

```

  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
  9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
```

DAY OF WEEK = SATURDAY

```

  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
```

DAY OF WEEK = SUNDAY

```

  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
```

```

FF *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
*** 10:42:58
```

PAGE 28

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL21 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

```

  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
  9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
```

DAY OF WEEK = SATURDAY

```

  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
```

```
.0000E+00    7 .0000E+00    8 .0000E+00
9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14
.0000E+00   15 .0000E+00   16 .0000E+00
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22
.0000E+00   23 .0000E+00   24 .0000E+00
                                DAY OF WEEK = SUNDAY
1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00    6
.0000E+00    7 .0000E+00    8 .0000E+00
9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14
.0000E+00   15 .0000E+00   16 .0000E+00
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22
.0000E+00   23 .0000E+00   24 .0000E+00
*** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***                  04/16/24
*** AERMET - VERSION 16216 ***
***                                     *** 10:42:58
```

```
PAGE 29
*** MODELOPTs:  RegDFAULT CONC  ELEV  FLGPOL  URBAN  ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL22      ; SOURCE TYPE = VOLUME      :
HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
SCALAR  HOUR  SCALAR  HOUR  SCALAR
-----
                                DAY OF WEEK = WEEKDAY
1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00    6
.0000E+00    7 .0000E+00    8 .0000E+00
9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14
.1000E+01   15 .1000E+01   16 .1000E+01
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22
.0000E+00   23 .0000E+00   24 .0000E+00
                                DAY OF WEEK = SATURDAY
1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00    6
.0000E+00    7 .0000E+00    8 .0000E+00
9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14
.0000E+00   15 .0000E+00   16 .0000E+00
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22
.0000E+00   23 .0000E+00   24 .0000E+00
                                DAY OF WEEK = SUNDAY
1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00    6
.0000E+00    7 .0000E+00    8 .0000E+00
9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14
.0000E+00   15 .0000E+00   16 .0000E+00
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22
.0000E+00   23 .0000E+00   24 .0000E+00
*** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***                  04/16/24
*** AERMET - VERSION 16216 ***
***                                     *** 10:42:58
```

```
PAGE 30
*** MODELOPTs:  RegDFAULT CONC  ELEV  FLGPOL  URBAN  ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL23      ; SOURCE TYPE = VOLUME      :
HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
SCALAR  HOUR  SCALAR  HOUR  SCALAR
-----
                                DAY OF WEEK = WEEKDAY
```

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	
	.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
	.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
	.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 10:42:58

PAGE 31

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL24 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	
	.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
	.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
	.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 10:42:58

PAGE 32

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK

(HRDOW) *

SOURCE ID = VOL25 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 10:42:58

PAGE 33

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL26 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen

PAGE 34

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL27 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR
SCALAR	HOUR	SCALAR	HOUR	SCALAR						

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen

PAGE 35

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL28 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR
SCALAR	HOUR	SCALAR	HOUR	SCALAR						

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

```

                                DAY OF WEEK = SUNDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
FF *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***
                                ***
                                10:42:58

                                PAGE 36
*** MODELOPTs:  RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL29 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
- - - - -
                                DAY OF WEEK = WEEKDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .1000E+01 10  .1000E+01 11  .1000E+01 12  .1000E+01 13  .1000E+01 14
.1000E+01 15  .1000E+01 16  .1000E+01
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SATURDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SUNDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
FF *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***
                                ***
                                10:42:58

```

```

                                PAGE 37
*** MODELOPTs:  RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

```

```

SOURCE ID = VOL30 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
- - - - -
                                DAY OF WEEK = WEEKDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .1000E+01 10  .1000E+01 11  .1000E+01 12  .1000E+01 13  .1000E+01 14
.1000E+01 15  .1000E+01 16  .1000E+01
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22

```



```

.0000E+00  23 .0000E+00  24 .0000E+00
                                DAY OF WEEK = SATURDAY
1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
                                *** 10:42:58

                                PAGE 38
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL31 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
                                DAY OF WEEK = WEEKDAY
1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SATURDAY
1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
                                *** 10:42:58

                                PAGE 39
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL32 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR

```

```

- - - - -
- - - - -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
*** 10:42:58

```

```

PAGE 40
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

```

```

SOURCE ID = VOL33 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
  SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
- - - - -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
*** 10:42:58

```

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL34 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR
SCALAR	HOUR	SCALAR	HOUR	SCALAR						

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

10:42:58

PAGE 42

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL35 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR
SCALAR	HOUR	SCALAR	HOUR	SCALAR						

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						

17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 10:42:58

PAGE 43

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL36 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 10:42:58

PAGE 44

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL37 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14

```

.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***
10:42:58

```

```

PAGE 45
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL38 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
  SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***
10:42:58

```

```

PAGE 46
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL39 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
  SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

```

9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

10:42:58

PAGE 47

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL40 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

10:42:58

PAGE 48

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

```
SOURCE ID = VOL41          ; SOURCE TYPE = VOLUME      :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
- - - - -
                                     DAY OF WEEK = WEEKDAY
  1  .0000E+00   2  .0000E+00   3  .0000E+00   4  .0000E+00   5  .0000E+00   6
  .0000E+00   7  .0000E+00   8  .0000E+00
  9  .1000E+01  10  .1000E+01  11  .1000E+01  12  .1000E+01  13  .1000E+01  14
  .1000E+01  15  .1000E+01  16  .1000E+01
  17 .0000E+00  18  .0000E+00  19  .0000E+00  20  .0000E+00  21  .0000E+00  22
  .0000E+00  23  .0000E+00  24  .0000E+00
                                     DAY OF WEEK = SATURDAY
  1  .0000E+00   2  .0000E+00   3  .0000E+00   4  .0000E+00   5  .0000E+00   6
  .0000E+00   7  .0000E+00   8  .0000E+00
  9  .0000E+00  10  .0000E+00  11  .0000E+00  12  .0000E+00  13  .0000E+00  14
  .0000E+00  15  .0000E+00  16  .0000E+00
  17 .0000E+00  18  .0000E+00  19  .0000E+00  20  .0000E+00  21  .0000E+00  22
  .0000E+00  23  .0000E+00  24  .0000E+00
                                     DAY OF WEEK = SUNDAY
  1  .0000E+00   2  .0000E+00   3  .0000E+00   4  .0000E+00   5  .0000E+00   6
  .0000E+00   7  .0000E+00   8  .0000E+00
  9  .0000E+00  10  .0000E+00  11  .0000E+00  12  .0000E+00  13  .0000E+00  14
  .0000E+00  15  .0000E+00  16  .0000E+00
  17 .0000E+00  18  .0000E+00  19  .0000E+00  20  .0000E+00  21  .0000E+00  22
  .0000E+00  23  .0000E+00  24  .0000E+00
*** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***      04/16/24
*** AERMET - VERSION 16216 ***
***                                     ***      10:42:58
```

```

      PAGE 49
*** MODELOPTs:  RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *
```

```
SOURCE ID = VOL42          ; SOURCE TYPE = VOLUME      :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
  SCALAR   HOUR   SCALAR   HOUR   SCALAR
- - - - -
                                     DAY OF WEEK = WEEKDAY
  1  .0000E+00   2  .0000E+00   3  .0000E+00   4  .0000E+00   5  .0000E+00   6
  .0000E+00   7  .0000E+00   8  .0000E+00
  9  .1000E+01  10  .1000E+01  11  .1000E+01  12  .1000E+01  13  .1000E+01  14
  .1000E+01  15  .1000E+01  16  .1000E+01
  17 .0000E+00  18  .0000E+00  19  .0000E+00  20  .0000E+00  21  .0000E+00  22
  .0000E+00  23  .0000E+00  24  .0000E+00
                                     DAY OF WEEK = SATURDAY
  1  .0000E+00   2  .0000E+00   3  .0000E+00   4  .0000E+00   5  .0000E+00   6
  .0000E+00   7  .0000E+00   8  .0000E+00
  9  .0000E+00  10  .0000E+00  11  .0000E+00  12  .0000E+00  13  .0000E+00  14
  .0000E+00  15  .0000E+00  16  .0000E+00
  17 .0000E+00  18  .0000E+00  19  .0000E+00  20  .0000E+00  21  .0000E+00  22
  .0000E+00  23  .0000E+00  24  .0000E+00
                                     DAY OF WEEK = SUNDAY
  1  .0000E+00   2  .0000E+00   3  .0000E+00   4  .0000E+00   5  .0000E+00   6
  .0000E+00   7  .0000E+00   8  .0000E+00
  9  .0000E+00  10  .0000E+00  11  .0000E+00  12  .0000E+00  13  .0000E+00  14
  .0000E+00  15  .0000E+00  16  .0000E+00
  17 .0000E+00  18  .0000E+00  19  .0000E+00  20  .0000E+00  21  .0000E+00  22
  .0000E+00  23  .0000E+00  24  .0000E+00
*** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***      04/16/24
*** AERMET - VERSION 16216 ***
```

10:42:58

PAGE 50

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *SOURCE ID = VOL43 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00		7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	
.1000E+01		15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00		23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00		7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
.0000E+00		15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00		23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00		7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
.0000E+00		15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00		23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

10:42:58

PAGE 51

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *SOURCE ID = VOL44 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00		7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	
.1000E+01		15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00		23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00		7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
.0000E+00		15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00		23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	


```
.0000E+00    7 .0000E+00    8 .0000E+00
9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14
.0000E+00   15 .0000E+00   16 .0000E+00
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22
.0000E+00   23 .0000E+00   24 .0000E+00
*** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***                04/16/24
*** AERMET - VERSION 16216 ***
***                                     *** 10:42:58
```

PAGE 52

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL45 ; SOURCE TYPE = VOLUME :

HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL
SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

```
*** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***                04/16/24
*** AERMET - VERSION 16216 ***
***                                     *** 10:42:58
```

PAGE 53

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL46 ; SOURCE TYPE = VOLUME :

HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL
SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

```

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***
PAGE 54
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *
SOURCE ID = VOL47 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR
-----
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***
PAGE 55
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *
SOURCE ID = VOL48 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR
-----

```

```

                                DAY OF WEEK = WEEKDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .1000E+01 10  .1000E+01 11  .1000E+01 12  .1000E+01 13  .1000E+01 14
.1000E+01 15  .1000E+01 16  .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SATURDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***
10:42:58

```

```

                                PAGE 56
*** MODELOPTs:  RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL49 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
                                DAY OF WEEK = WEEKDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .1000E+01 10  .1000E+01 11  .1000E+01 12  .1000E+01 13  .1000E+01 14
.1000E+01 15  .1000E+01 16  .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SATURDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***
10:42:58

```

```

                                PAGE 57
*** MODELOPTs:  RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

```

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL50 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00		7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	
.1000E+01		15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00		23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00		7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
.0000E+00		15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00		23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00		7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
.0000E+00		15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00		23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

10:42:58

PAGE 58

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL51 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00		7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	
.1000E+01		15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00		23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00		7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
.0000E+00		15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00		23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
.0000E+00		7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
.0000E+00		15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
.0000E+00		23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 10:42:58

PAGE 59

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL52 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 10:42:58

PAGE 60

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL53 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22

```

.0000E+00  23 .0000E+00  24 .0000E+00
                                DAY OF WEEK = SUNDAY
 1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***
                                ***
                                10:42:58

                                PAGE 61
*** MODELOPTs:  RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL54 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
  SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
- - - - -
                                DAY OF WEEK = WEEKDAY
 1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SATURDAY
 1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
 1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***
                                ***
                                10:42:58

                                PAGE 62
*** MODELOPTs:  RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL55 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
  SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
- - - - -
                                DAY OF WEEK = WEEKDAY
 1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

```

```

17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***

```

PAGE 63

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

```

SOURCE ID = VOL56 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
- - - - -

```

DAY OF WEEK = WEEKDAY

```

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

```

DAY OF WEEK = SATURDAY

```

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

```

DAY OF WEEK = SUNDAY

```

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

```

```

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***

```

PAGE 64

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

```

SOURCE ID = VOL57 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR

```

SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR
DAY OF WEEK = WEEKDAY											
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	
	.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						
DAY OF WEEK = SATURDAY											
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
	.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						
DAY OF WEEK = SUNDAY											
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
	.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
 SP\15585 Ops H *** 04/16/24
 *** AERMET - VERSION 16216 ***

10:42:58

PAGE 65

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL58 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR
SCALAR	HOUR	SCALAR	HOUR	SCALAR						

SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR
DAY OF WEEK = WEEKDAY											
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	
	.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						
DAY OF WEEK = SATURDAY											
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
	.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						
DAY OF WEEK = SUNDAY											
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
	.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
 SP\15585 Ops H *** 04/16/24
 *** AERMET - VERSION 16216 ***

10:42:58

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *SOURCE ID = VOL59 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR
SCALAR	HOUR	SCALAR	HOUR	SCALAR						

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
 SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

10:42:58

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *SOURCE ID = VOL60 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR
SCALAR	HOUR	SCALAR	HOUR	SCALAR						

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14

```
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 10:42:58
```

PAGE 68

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

```
SOURCE ID = VOL61 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
  SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
```

DAY OF WEEK = WEEKDAY

```
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
```

DAY OF WEEK = SATURDAY

```
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
```

DAY OF WEEK = SUNDAY

```
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
```

```
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 10:42:58
```

PAGE 69

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

```
SOURCE ID = VOL62 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
  SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
```

DAY OF WEEK = WEEKDAY

```
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
```

DAY OF WEEK = SATURDAY

```
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
```

```

9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
PR *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***                                     *** 10:42:58
```

```

                                PAGE 70
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL63 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR
-----
                                DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
PR *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***                                     *** 10:42:58
```

```

                                PAGE 71
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL64 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR
-----
                                DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
```

```

.0000E+00    7 .0000E+00    8 .0000E+00
9  .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14
.1000E+01   15 .1000E+01   16 .1000E+01
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22
.0000E+00   23 .0000E+00   24 .0000E+00
                                DAY OF WEEK = SATURDAY
1  .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00    6
.0000E+00    7 .0000E+00    8 .0000E+00
9  .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14
.0000E+00   15 .0000E+00   16 .0000E+00
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22
.0000E+00   23 .0000E+00   24 .0000E+00
                                DAY OF WEEK = SUNDAY
1  .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00    6
.0000E+00    7 .0000E+00    8 .0000E+00
9  .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14
.0000E+00   15 .0000E+00   16 .0000E+00
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22
.0000E+00   23 .0000E+00   24 .0000E+00
FF *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***      04/16/24
*** AERMET - VERSION 16216 ***
***
                                ***
                                10:42:58

                                PAGE 72
*** MODELOPTs:      RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                                * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
                                (HRDOW) *

SOURCE ID = VOL65      ; SOURCE TYPE = VOLUME      :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
- - - - -
                                DAY OF WEEK = WEEKDAY
1  .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00    6
.0000E+00    7 .0000E+00    8 .0000E+00
9  .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14
.1000E+01   15 .1000E+01   16 .1000E+01
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22
.0000E+00   23 .0000E+00   24 .0000E+00
                                DAY OF WEEK = SATURDAY
1  .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00    6
.0000E+00    7 .0000E+00    8 .0000E+00
9  .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14
.0000E+00   15 .0000E+00   16 .0000E+00
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22
.0000E+00   23 .0000E+00   24 .0000E+00
                                DAY OF WEEK = SUNDAY
1  .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00    6
.0000E+00    7 .0000E+00    8 .0000E+00
9  .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14
.0000E+00   15 .0000E+00   16 .0000E+00
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22
.0000E+00   23 .0000E+00   24 .0000E+00
FF *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***      04/16/24
*** AERMET - VERSION 16216 ***
***
                                ***
                                10:42:58

                                PAGE 73
*** MODELOPTs:      RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                                * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
                                (HRDOW) *

```

```

SOURCE ID = VOL66          ; SOURCE TYPE = VOLUME      :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
  -----
  -----
                                DAY OF WEEK = WEEKDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .1000E+01 10  .1000E+01 11  .1000E+01 12  .1000E+01 13  .1000E+01 14
.1000E+01 15  .1000E+01 16  .1000E+01
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SATURDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SUNDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***
10:42:58

```

PAGE 74

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

```

SOURCE ID = VOL67          ; SOURCE TYPE = VOLUME      :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
  -----
  -----
                                DAY OF WEEK = WEEKDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .1000E+01 10  .1000E+01 11  .1000E+01 12  .1000E+01 13  .1000E+01 14
.1000E+01 15  .1000E+01 16  .1000E+01
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SATURDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SUNDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24

```

PAGE 75

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL68 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00	2 .0000E+00	3 .0000E+00	4 .0000E+00	5 .0000E+00	6
.0000E+00	7 .0000E+00	8 .0000E+00			
9 .1000E+01	10 .1000E+01	11 .1000E+01	12 .1000E+01	13 .1000E+01	14
.1000E+01	15 .1000E+01	16 .1000E+01			
17 .0000E+00	18 .0000E+00	19 .0000E+00	20 .0000E+00	21 .0000E+00	22
.0000E+00	23 .0000E+00	24 .0000E+00			

DAY OF WEEK = SATURDAY

1 .0000E+00	2 .0000E+00	3 .0000E+00	4 .0000E+00	5 .0000E+00	6
.0000E+00	7 .0000E+00	8 .0000E+00			
9 .0000E+00	10 .0000E+00	11 .0000E+00	12 .0000E+00	13 .0000E+00	14
.0000E+00	15 .0000E+00	16 .0000E+00			
17 .0000E+00	18 .0000E+00	19 .0000E+00	20 .0000E+00	21 .0000E+00	22
.0000E+00	23 .0000E+00	24 .0000E+00			

DAY OF WEEK = SUNDAY

1 .0000E+00	2 .0000E+00	3 .0000E+00	4 .0000E+00	5 .0000E+00	6
.0000E+00	7 .0000E+00	8 .0000E+00			
9 .0000E+00	10 .0000E+00	11 .0000E+00	12 .0000E+00	13 .0000E+00	14
.0000E+00	15 .0000E+00	16 .0000E+00			
17 .0000E+00	18 .0000E+00	19 .0000E+00	20 .0000E+00	21 .0000E+00	22
.0000E+00	23 .0000E+00	24 .0000E+00			

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
 SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

10:42:58

PAGE 76

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL69 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00	2 .0000E+00	3 .0000E+00	4 .0000E+00	5 .0000E+00	6
.0000E+00	7 .0000E+00	8 .0000E+00			
9 .1000E+01	10 .1000E+01	11 .1000E+01	12 .1000E+01	13 .1000E+01	14
.1000E+01	15 .1000E+01	16 .1000E+01			
17 .0000E+00	18 .0000E+00	19 .0000E+00	20 .0000E+00	21 .0000E+00	22
.0000E+00	23 .0000E+00	24 .0000E+00			

DAY OF WEEK = SATURDAY

1 .0000E+00	2 .0000E+00	3 .0000E+00	4 .0000E+00	5 .0000E+00	6
.0000E+00	7 .0000E+00	8 .0000E+00			
9 .0000E+00	10 .0000E+00	11 .0000E+00	12 .0000E+00	13 .0000E+00	14
.0000E+00	15 .0000E+00	16 .0000E+00			
17 .0000E+00	18 .0000E+00	19 .0000E+00	20 .0000E+00	21 .0000E+00	22
.0000E+00	23 .0000E+00	24 .0000E+00			

DAY OF WEEK = SUNDAY

```
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 10:42:58
```

PAGE 77

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL70 ; SOURCE TYPE = VOLUME :

HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL
SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00	2 .0000E+00	3 .0000E+00	4 .0000E+00	5 .0000E+00	6
.0000E+00	7 .0000E+00	8 .0000E+00			
9 .1000E+01	10 .1000E+01	11 .1000E+01	12 .1000E+01	13 .1000E+01	14
.1000E+01	15 .1000E+01	16 .1000E+01			
17 .0000E+00	18 .0000E+00	19 .0000E+00	20 .0000E+00	21 .0000E+00	22
.0000E+00	23 .0000E+00	24 .0000E+00			

DAY OF WEEK = SATURDAY

1 .0000E+00	2 .0000E+00	3 .0000E+00	4 .0000E+00	5 .0000E+00	6
.0000E+00	7 .0000E+00	8 .0000E+00			
9 .0000E+00	10 .0000E+00	11 .0000E+00	12 .0000E+00	13 .0000E+00	14
.0000E+00	15 .0000E+00	16 .0000E+00			
17 .0000E+00	18 .0000E+00	19 .0000E+00	20 .0000E+00	21 .0000E+00	22
.0000E+00	23 .0000E+00	24 .0000E+00			

DAY OF WEEK = SUNDAY

1 .0000E+00	2 .0000E+00	3 .0000E+00	4 .0000E+00	5 .0000E+00	6
.0000E+00	7 .0000E+00	8 .0000E+00			
9 .0000E+00	10 .0000E+00	11 .0000E+00	12 .0000E+00	13 .0000E+00	14
.0000E+00	15 .0000E+00	16 .0000E+00			
17 .0000E+00	18 .0000E+00	19 .0000E+00	20 .0000E+00	21 .0000E+00	22
.0000E+00	23 .0000E+00	24 .0000E+00			

```
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 10:42:58
```

PAGE 78

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL71 ; SOURCE TYPE = VOLUME :

HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL
SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00	2 .0000E+00	3 .0000E+00	4 .0000E+00	5 .0000E+00	6
.0000E+00	7 .0000E+00	8 .0000E+00			
9 .1000E+01	10 .1000E+01	11 .1000E+01	12 .1000E+01	13 .1000E+01	14
.1000E+01	15 .1000E+01	16 .1000E+01			
17 .0000E+00	18 .0000E+00	19 .0000E+00	20 .0000E+00	21 .0000E+00	22
.0000E+00	23 .0000E+00	24 .0000E+00			

```

                                DAY OF WEEK = SATURDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SUNDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***
10:42:58

```

```

                                PAGE 79
*** MODELOPTs:  RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL72 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
                                DAY OF WEEK = WEEKDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .1000E+01 10  .1000E+01 11  .1000E+01 12  .1000E+01 13  .1000E+01 14
.1000E+01 15  .1000E+01 16  .1000E+01
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SATURDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SUNDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***
10:42:58

```

```

                                PAGE 80
*** MODELOPTs:  RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL73 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -

```



```

- - - - -
                                DAY OF WEEK = WEEKDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .1000E+01 10  .1000E+01 11  .1000E+01 12  .1000E+01 13  .1000E+01 14
.1000E+01 15  .1000E+01 16  .1000E+01
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SATURDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SUNDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***
                                PAGE 81
*** MODELOPTs:  RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL74 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
                                DAY OF WEEK = WEEKDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .1000E+01 10  .1000E+01 11  .1000E+01 12  .1000E+01 13  .1000E+01 14
.1000E+01 15  .1000E+01 16  .1000E+01
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SATURDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SUNDAY
1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00  6
.0000E+00  7  .0000E+00  8  .0000E+00
9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00 14
.0000E+00 15  .0000E+00 16  .0000E+00
17 .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00 22
.0000E+00 23  .0000E+00 24  .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***
                                PAGE 82
*** MODELOPTs:  RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

```

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL75 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

10:42:58

PAGE 83

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL76 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22

.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 10:42:58

PAGE 84

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL77 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 10:42:58

PAGE 85

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL78 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

```

17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***
                                ***
                                10:42:58

                                PAGE 86
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL79 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
  SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
- - - - -
                                DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
***
                                ***
                                10:42:58

                                PAGE 87
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL80 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
  SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
- - - - -
                                DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14

```

```
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 10:42:58
```

```
PAGE 88
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL81 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
  SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 10:42:58
```

```
PAGE 89
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL82 ; SOURCE TYPE = VOLUME :
```


*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *SOURCE ID = VOL84 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR
SCALAR	HOUR	SCALAR	HOUR	SCALAR						

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
 SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

10:42:58

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *SOURCE ID = VOL85 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR
SCALAR	HOUR	SCALAR	HOUR	SCALAR						

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						

9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 10:42:58

PAGE 93

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL86 ; SOURCE TYPE = VOLUME :

HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL
SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00	2 .0000E+00	3 .0000E+00	4 .0000E+00	5 .0000E+00	6
.0000E+00	7 .0000E+00	8 .0000E+00			
9 .1000E+01	10 .1000E+01	11 .1000E+01	12 .1000E+01	13 .1000E+01	14
.1000E+01	15 .1000E+01	16 .1000E+01			
17 .0000E+00	18 .0000E+00	19 .0000E+00	20 .0000E+00	21 .0000E+00	22
.0000E+00	23 .0000E+00	24 .0000E+00			

DAY OF WEEK = SATURDAY

1 .0000E+00	2 .0000E+00	3 .0000E+00	4 .0000E+00	5 .0000E+00	6
.0000E+00	7 .0000E+00	8 .0000E+00			
9 .0000E+00	10 .0000E+00	11 .0000E+00	12 .0000E+00	13 .0000E+00	14
.0000E+00	15 .0000E+00	16 .0000E+00			
17 .0000E+00	18 .0000E+00	19 .0000E+00	20 .0000E+00	21 .0000E+00	22
.0000E+00	23 .0000E+00	24 .0000E+00			

DAY OF WEEK = SUNDAY

1 .0000E+00	2 .0000E+00	3 .0000E+00	4 .0000E+00	5 .0000E+00	6
.0000E+00	7 .0000E+00	8 .0000E+00			
9 .0000E+00	10 .0000E+00	11 .0000E+00	12 .0000E+00	13 .0000E+00	14
.0000E+00	15 .0000E+00	16 .0000E+00			
17 .0000E+00	18 .0000E+00	19 .0000E+00	20 .0000E+00	21 .0000E+00	22
.0000E+00	23 .0000E+00	24 .0000E+00			

*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 10:42:58

PAGE 94

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL87 ; SOURCE TYPE = VOLUME :

HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL
SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR	HOURL	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00	2 .0000E+00	3 .0000E+00	4 .0000E+00	5 .0000E+00	6
.0000E+00	7 .0000E+00	8 .0000E+00			
9 .1000E+01	10 .1000E+01	11 .1000E+01	12 .1000E+01	13 .1000E+01	14
.1000E+01	15 .1000E+01	16 .1000E+01			
17 .0000E+00	18 .0000E+00	19 .0000E+00	20 .0000E+00	21 .0000E+00	22
.0000E+00	23 .0000E+00	24 .0000E+00			

DAY OF WEEK = SATURDAY

1 .0000E+00	2 .0000E+00	3 .0000E+00	4 .0000E+00	5 .0000E+00	6

.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 10:42:58

PAGE 95
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *
SOURCE ID = VOL88 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 10:42:58

PAGE 96
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *
SOURCE ID = VOL89 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

```

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
*** 10:42:58

PAGE 97
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL90 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
  SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
*** 10:42:58

PAGE 98
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK

```

(HRDOW) *

SOURCE ID = VOL91 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 10:42:58

PAGE 99

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL92 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen

PAGE 100

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL93 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen

PAGE 101

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL94 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
	.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
 SP\15585 Ops H *** 04/16/24
 *** AERMET - VERSION 16216 ***
 *** 10:42:58

PAGE 102

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
 (HRDOW) *

SOURCE ID = VOL95 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	
	.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
	.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
	.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
 SP\15585 Ops H *** 04/16/24
 *** AERMET - VERSION 16216 ***
 *** 10:42:58

PAGE 103

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
 (HRDOW) *

SOURCE ID = VOL96 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	
	.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	

```

.0000E+00  23 .0000E+00  24 .0000E+00
                                DAY OF WEEK = SATURDAY
1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
                                *** 10:42:58

                                PAGE 104
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL97 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
                                DAY OF WEEK = WEEKDAY
1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SATURDAY
1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
                                *** 10:42:58

                                PAGE 105
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL98 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
  SCALAR  HOUR  SCALAR  HOUR  SCALAR

```

```

- - - - -
- - - - -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
*** 10:42:58

```

```

PAGE 106
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL99 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
  SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
- - - - -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
***
*** 10:42:58

```

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL100 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR
SCALAR	HOUR	SCALAR	HOUR	SCALAR						

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

10:42:58

PAGE 108

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL101 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR
SCALAR	HOUR	SCALAR	HOUR	SCALAR						

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14
.0000E+00	15	.0000E+00	16	.0000E+00						

17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 10:42:58

PAGE 109

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = VOL102 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 10:42:58

PAGE 110

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = PAREA1 ; SOURCE TYPE = AREAPOLY :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14

```
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 10:42:58
```

```
PAGE 111
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = PAREA2 ; SOURCE TYPE = AREAPOLY :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
  SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 10:42:58
```

```
PAGE 112
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK
(HRDOW) *

SOURCE ID = PAREA3 ; SOURCE TYPE = AREAPOLY :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
  SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
```

9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	
	.1000E+01	15	.1000E+01	16	.1000E+01						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
	.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	
	.0000E+00	7	.0000E+00	8	.0000E+00						
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	
	.0000E+00	15	.0000E+00	16	.0000E+00						
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	
	.0000E+00	23	.0000E+00	24	.0000E+00						

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
 SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

*** 10:42:58

PAGE 113

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** DISCRETE CARTESIAN RECEPTORS ***
 (X-COORD, Y-COORD, ZELEV, ZHILL, ZFLAG)
 (METERS)

(463154.3, 3786819.6,	631.4,	1734.0,	2.0);	(463167.5, 3786865.5,
633.6,	1734.0,	2.0);		
(463147.6, 3786873.2,	634.1,	1734.0,	2.0);	(463129.9, 3786877.4,
634.4,	1734.0,	2.0);		
(463110.0, 3786886.9,	635.4,	1734.0,	2.0);	(463059.0, 3786966.9,
641.4,	1734.0,	2.0);		
(463074.9, 3787087.9,	646.7,	1734.0,	2.0);	(463102.5, 3787076.0,
645.0,	1734.0,	2.0);		
(462919.9, 3787058.3,	650.6,	1734.0,	2.0);	(463042.0, 3787098.7,
649.3,	1734.0,	2.0);		
(462998.1, 3787106.0,	651.7,	1734.0,	2.0);	(462944.0, 3787123.4,
653.8,	1734.0,	2.0);		
(462850.6, 3787079.7,	652.9,	1734.0,	2.0);	(462807.5, 3787091.0,
653.6,	1734.0,	2.0);		
(462821.9, 3787159.9,	658.2,	1734.0,	2.0);	(462755.2, 3787105.3,
654.6,	1734.0,	2.0);		
(462743.8, 3787181.3,	659.7,	1734.0,	2.0);	(462870.3, 3787147.1,
657.4,	1734.0,	2.0);		
(462890.0, 3787138.7,	656.5,	1734.0,	2.0);	(462725.4, 3787114.5,
655.2,	1734.0,	2.0);		
(462685.8, 3787125.8,	655.9,	1734.0,	2.0);	(462656.2, 3787132.7,
656.5,	1734.0,	2.0);		
(462632.9, 3787123.9,	655.6,	1734.0,	2.0);	(462595.9, 3787152.0,
658.4,	1734.0,	2.0);		
(462571.7, 3787160.3,	658.8,	1734.0,	2.0);	(462473.7, 3787233.0,
657.1,	1734.0,	2.0);		
(462534.0, 3787244.6,	659.9,	1734.0,	2.0);	(462400.1, 3787275.4,
659.0,	1734.0,	2.0);		
(462229.2, 3787434.2,	674.5,	1734.0,	2.0);	(462257.0, 3787342.4,
668.1,	1734.0,	2.0);		
(462128.4, 3787527.6,	684.6,	1734.0,	2.0);	(462183.2, 3787452.4,
675.8,	1734.0,	2.0);		
(462022.5, 3787623.1,	687.6,	1734.0,	2.0);	(461918.3, 3787709.0,
694.2,	1734.0,	2.0);		
(462038.5, 3787667.1,	695.0,	1734.0,	2.0);	(461424.9, 3788158.1,
731.4,	1734.0,	2.0);		

```

*** AERMOT - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***                  04/16/24
*** AERMET - VERSION 16216 ***
***                                  ***
                                  ***      10:42:58

```

```

*** DISCRETE CARTESIAN RECEPTORS ***
(X-COORD, Y-COORD, ZELEV, ZHILL, ZFLAG)
(METERS)

```

```

FF *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***                      04/16/24
*** AERMET - VERSION 16216 ***
***                                     *** 10:42:58

```

PAGE 115

```
*** MODELOPTs:      RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ  U*
```

*** METEOROLOGICAL DAYS SELECTED FOR PROCESSING ***
(1=YES; 0=NO)

[illegible]

NOTE: METEOROLOGICAL DATA ACTUALLY PROCESSED WILL ALSO DEPEND ON WHAT IS INCLUDED IN THE DATA FILE.

*** UPPER BOUND OF FIRST THROUGH FIFTH WIND SPEED CATEGORIES

(METERS/SEC)

1.54, 3.09, 5.14, 8.23, 10.80,

```

PF *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***                      04/16/24
*** AERMET - VERSION 16216 ***
***                                     *** 10:42:58

```

PAGE 116

```
*** MODELOPTs:      RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ  U*
```

*** UP TO THE FIRST 24 HOURS OF METEOROLOGICAL DATA ***

Surface file:

FONT V9 ADJU\FONT v9.SFC

Met

```
Version: 16216
```

Profile file:

FONT V9 ADJU\FONT v9.PFL

Surface format:

FREE

Profile format:

FREE

Surface station no.: 3102

Name: UNKNOWN

UNKNOWN

Year: 2011

Upper air station no.: 3190

Name :

Year: 2011

First 24 hours of scalar data

YR	MO	DY	JDY	HR	H0	U*	W*	DT/DZ	ZICNV	ZIMCH	M-O	LEN	Z0	BOWEN	ALBEDO	REF	WS
WD				HT	REF	TA	HT										
11	01	01	1	01	-18.5	0.194	-9.000	-9.000	-999.	204.	41.2	0.25	2.82	1.00	1.80		
69.				9.1	276.4	5.5											
11	01	01	1	02	-23.8	0.239	-9.000	-9.000	-999.	281.	63.0	0.25	2.82	1.00	2.20		
52.				9.1	275.4	5.5											
11	01	01	1	03	-18.5	0.194	-9.000	-9.000	-999.	205.	41.2	0.25	2.82	1.00	1.80		
32.				9.1	275.4	5.5											
11	01	01	1	04	-1.4	0.067	-9.000	-9.000	-999.	57.	18.3	0.25	2.82	1.00	0.40		
27.				9.1	274.2	5.5											
11	01	01	1	05	-18.6	0.194	-9.000	-9.000	-999.	204.	41.2	0.25	2.82	1.00	1.80		
51.				9.1	274.2	5.5											
11	01	01	1	06	-29.7	0.296	-9.000	-9.000	-999.	387.	96.6	0.25	2.82	1.00	2.70		
53.				9.1	274.2	5.5											
11	01	01	1	07	-24.0	0.239	-9.000	-9.000	-999.	282.	63.0	0.25	2.82	1.00	2.20		
70.				9.1	274.2	5.5											
11	01	01	1	08	-8.4	0.138	-9.000	-9.000	-999.	127.	27.3	0.25	2.82	0.54	1.30		
72.				9.1	275.4	5.5											
11	01	01	1	09	44.3	0.280	0.571	0.005	147.	356.	-43.5	0.25	2.82	0.32	2.20		
67.				9.1	277.5	5.5											
11	01	01	1	10	122.7	0.264	0.952	0.005	247.	326.	-13.2	0.25	2.82	0.25	1.80		
83.				9.1	279.9	5.5											
11	01	01	1	11	179.8	0.316	1.733	0.005	1017.	426.	-15.4	0.25	2.82	0.22	2.20		
58.				9.1	282.0	5.5											
11	01	01	1	12	206.0	0.320	1.940	0.008	1244.	435.	-14.0	0.25	2.82	0.21	2.20		
115.				9.1	283.1	5.5											
11	01	01	1	13	132.6	0.214	1.733	0.009	1377.	243.	-6.5	0.25	2.82	0.21	1.30		
147.				9.1	284.2	5.5											
11	01	01	1	14	147.0	0.216	1.818	0.009	1431.	242.	-6.0	0.25	2.82	0.23	1.30		
219.				9.1	284.9	5.5											
11	01	01	1	15	104.0	0.208	1.633	0.009	1468.	228.	-7.6	0.25	2.82	0.26	1.30		
126.				9.1	285.4	5.5											
11	01	01	1	16	26.4	0.140	1.037	0.009	1477.	127.	-9.1	0.25	2.82	0.35	0.90		
151.				9.1	284.9	5.5											
11	01	01	1	17	-9.0	0.137	-9.000	-9.000	-999.	121.	24.9	0.25	2.82	0.63	1.30		
69.				9.1	283.1	5.5											
11	01	01	1	18	-33.4	0.342	-9.000	-9.000	-999.	481.	129.0	0.25	2.82	1.00	3.10		
81.				9.1	281.4	5.5											
11	01	01	1	19	-33.6	0.342	-9.000	-9.000	-999.	481.	128.9	0.25	2.82	1.00	3.10		
51.				9.1	279.9	5.5											
11	01	01	1	20	-23.6	0.239	-9.000	-9.000	-999.	287.	63.1	0.25	2.82	1.00	2.20		
77.				9.1	278.8	5.5											
11	01	01	1	21	-18.5	0.194	-9.000	-9.000	-999.	205.	41.2	0.25	2.82	1.00	1.80		
53.				9.1	277.5	5.5											
11	01	01	1	22	-23.7	0.239	-9.000	-9.000	-999.	281.	63.0	0.25	2.82	1.00	2.20		
58.				9.1	277.5	5.5											
11	01	01	1	23	-18.5	0.194	-9.000	-9.000	-999.	205.	41.2	0.25	2.82	1.00	1.80		
64.				9.1	277.5	5.5											
11	01	01	1	24	-4.5	0.094	-9.000	-9.000	-999.	74.	16.3	0.25	2.82	1.00	0.90		
52.				9.1	277.0	5.5											

First hour of profile data

YR	MO	DY	HR	HEIGHT	F	WDIR	WSPD	AMB	TMP	sigmaA	sigmaW	sigmaV
11	01	01	01	5.5	0	-999.	-99.00	276.5	99.0	-99.00	-99.00	-99.00
11	01	01	01	9.1	1	69.	1.80	-999.0	99.0	-99.00	-99.00	-99.00

F indicates top of profile (=1) or below (=0)

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
 SP\15585 Ops H *** 04/16/24

*** AERMET - VERSION 16216 ***

10:42:58

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** THE 1ST HIGHEST 24-HR AVERAGE CONCENTRATION VALUES FOR
SOURCE GROUP: ALL ***

	INCLUDING SOURCE(S):	VOL1	, VOL2	,
	VOL3	, VOL4	, VOL5	,
VOL6	, VOL7	, VOL8	, VOL9	, VOL10
VOL11	, VOL12	, VOL13	,	
VOL14	, VOL15	, VOL16	, VOL17	, VOL18
VOL19	, VOL20	, VOL21	,	
VOL22	, VOL23	, VOL24	, VOL25	, VOL26
VOL27	, VOL28	, . . .	,	

*** DISCRETE CARTESIAN RECEPTOR POINTS ***

** CONC OF PM_{2.5} IN
MICROGRAMS/M³ **

X-COORD (M)	Y-COORD (M)	CONC	(YYMMDDHH)	X-COORD (M)	Y-COORD
(M)	CONC	(YYMMDDHH)			
463154.33	3786819.61	0.01893	(11111824)	463167.45	
3786865.52	0.01749	(15120924)			
463147.58	3786873.25	0.01796	(15120924)	463129.92	
3786877.44	0.01827	(15120924)			
463110.04	3786886.94	0.01921	(16011524)	463059.03	
3786966.87	0.01718	(16011524)			
463074.93	3787087.88	0.01392	(15122124)	463102.53	
3787075.96	0.01330	(16011524)			
462919.92	3787058.29	0.01520	(15122124)	463042.03	
3787098.70	0.01456	(15122124)			
462998.09	3787105.99	0.01467	(15122124)	462943.99	
3787123.43	0.01401	(15122124)			
462850.58	3787079.71	0.01376	(15122124)	462807.52	
3787090.97	0.01286	(15122124)			
462821.88	3787159.87	0.01180	(15122124)	462755.22	
3787105.29	0.01176	(15122124)			
462743.77	3787181.31	0.01056	(15122124)	462870.28	
3787147.15	0.01269	(15122124)			
462889.99	3787138.70	0.01310	(15122124)	462725.43	
3787114.51	0.01118	(15122124)			
462685.82	3787125.77	0.01070	(15122124)	462656.17	
3787132.72	0.01060	(15122124)			
462632.89	3787123.90	0.01068	(15122124)	462595.92	
3787152.05	0.01076	(15122124)			
462571.70	3787160.31	0.01085	(15122124)	462473.70	
3787233.03	0.01089	(15122124)			
462534.01	3787244.58	0.01077	(15122124)	462400.07	
3787275.41	0.01075	(15122124)			
462229.16	3787434.24	0.01212	(16120524)	462256.97	
3787342.44	0.01177m	(13120224)			
462128.43	3787527.59	0.01278	(16120524)	462183.16	
3787452.38	0.01241	(16120524)			
462022.45	3787623.08	0.01332	(16120524)	461918.34	
3787709.00	0.01335	(16120524)			
462038.54	3787667.10	0.01302	(16120524)	461424.87	
3788158.12	0.00949	(11122924)			
461926.79	3788065.01	0.01140	(16120524)	461937.75	
3787798.61	0.01273	(16120524)			
461956.17	3787956.45	0.01194	(16120524)	461303.41	
3788188.53	0.00933	(11122924)			
461132.48	3788399.44	0.00815	(11122924)	461058.72	
3788731.50	0.00669	(15011224)			

459503.27	3782889.01	0.00499	(13010924)	459388.10
3783065.74	0.00520	(12120324)		
459382.29	3783016.73	0.00508	(12120324)	459350.12
3783155.49	0.00533	(12120324)		
459320.33	3783264.86	0.00527	(12120324)	463904.58
3786591.83	0.00793	(15101424)		
466077.15	3784031.33	0.00306	(16122724)	466200.85
3784253.98	0.00331	(16122724)		
465960.20	3784644.19	0.00319	(16122724)	466195.23
3784596.96	0.00317	(16122724)		
462710.50	3782876.40	0.00404	(13010124)	462069.84
3783383.52	0.00900	(15122224)		
462277.17	3783298.31	0.00673	(15122224)	461797.05
3783468.72	0.00987	(15122224)		

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 10:42:58

PAGE 119

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** THE SUMMARY OF HIGHEST 24-HR RESULTS ***

** CONC OF PM_{2.5} IN
MICROGRAMS/M³ **

DATE

NETWORK

GROUP ID	AVERAGE CONC	(YYMMDDHH)	RECEPTOR	(XR, YR,
ZELEV, ZHILL, ZFLAG)	OF TYPE	GRID-ID		

ALL HIGH 1ST HIGH VALUE IS 0.06801 ON 16010624: AT (462814.44, 3786754.18,
633.19, 1734.00, 2.00) DC

*** RECEPTOR TYPES: GC = GRIDCART
GP = GRIDPOLR
DC = DISCCART
DP = DISCPOLR

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/16/24
*** AERMET - VERSION 16216 ***
*** 10:42:58

PAGE 120

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** Message Summary : AERMOD Model Execution ***

----- Summary of Total Messages -----

A Total of	0 Fatal Error Message(s)
A Total of	7 Warning Message(s)
A Total of	838 Informational Message(s)

A Total of 43848 Hours Were Processed

A Total of 40 Calm Hours Identified

A Total of 798 Missing Hours Identified (1.82 Percent)

***** FATAL ERROR MESSAGES *****

*** NONE ***

***** WARNING MESSAGES *****

ME W186	1885	MEOpen: THRESH_1MIN 1-min ASOS wind speed threshold used	0.50
ME W187	1885	MEOpen: ADJ_U* Option for Stable Low Winds used in AERMET	
MX W438	8800	METQA: Convective Velocity Data Out-of-Range. KURDAT =	12010216
MX W438	11536	METQA: Convective Velocity Data Out-of-Range. KURDAT =	12042516
MX W420	16779	METQA: Wind Speed Out-of-Range. KURDAT =	12113003
MX W450	26305	CHKDAT: Record Out of Sequence in Meteorological File at:	15010101
MX W450	26305	CHKDAT: Record Out of Sequence in Meteorological File at:	1 year gap

*** AERMOD Finishes Successfully ***

```

** Lakes Environmental AERMOD MPI
**
*****
**
** AERMOD Input Produced by:
** AERMOD View Ver. 12.0.0
** Lakes Environmental Software Inc.
** Date: 4/15/2024
** File: C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen SP\15585 Ops CO\15585 Ops CO.ADI
**
*****
**
**
*****
** AERMOD Control Pathway
*****
**
**
CO STARTING
  TITLEONE C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen SP\15585 Ops H
  MODELOPT DFAULT CONC
  AVERTIME 1 8
  URBANOPT 2035210 San_Bernardino_County
  POLLUTID CO
  FLAGPOLE 2.00
  RUNORNOT RUN
  ERRORFIL "15585 Ops CO.err"
CO FINISHED
**
*****
** AERMOD Source Pathway
*****
**
**
SO STARTING
** Source Location **
** Source ID - Type - X Coord. - Y Coord. **
LOCATION VOL1      VOLUME      461693.740  3786276.453      643.610
LOCATION VOL2      VOLUME      461646.169  3786333.174      642.840
LOCATION VOL3      VOLUME      461591.280  3786386.232      647.830
LOCATION VOL4      VOLUME      461541.881  3786437.462      649.230
LOCATION VOL5      VOLUME      461499.799  3786483.202      650.290
LOCATION VOL6      VOLUME      461461.378  3786530.772      651.510
LOCATION VOL7      VOLUME      461408.319  3786578.342      653.920
LOCATION VOL8      VOLUME      461452.229  3786636.890      648.030
LOCATION VOL9      VOLUME      461512.607  3786686.289      645.570
LOCATION VOL10     VOLUME      461572.984  3786730.200      644.910
LOCATION VOL11     VOLUME      461366.238  3786625.912      655.580
LOCATION VOL12     VOLUME      461289.394  3786678.971      662.030
LOCATION VOL13     VOLUME      461373.556  3786706.415      654.400
LOCATION VOL14     VOLUME      461441.252  3786713.733      647.890
LOCATION VOL15     VOLUME      461234.505  3786728.370      667.840
LOCATION VOL16     VOLUME      461199.743  3786774.111      667.480
LOCATION VOL17     VOLUME      461152.173  3786821.681      666.390
LOCATION VOL18     VOLUME      461086.307  3786863.762      668.160
LOCATION VOL19     VOLUME      461038.737  3786904.013      673.160
LOCATION VOL20     VOLUME      460978.359  3786938.776      680.480
LOCATION VOL21     VOLUME      460927.130  3786993.664      681.640
LOCATION VOL22     VOLUME      460877.731  3787050.382      684.380
LOCATION VOL23     VOLUME      460837.479  3787107.100      683.950
LOCATION VOL24     VOLUME      460804.546  3787160.159      681.640
LOCATION VOL25     VOLUME      460749.517  3787211.229      680.350
LOCATION VOL26     VOLUME      460704.572  3787274.681      677.670
LOCATION VOL27     VOLUME      460655.661  3787332.845      679.400
LOCATION VOL28     VOLUME      460593.531  3787398.940      683.870
LOCATION VOL29     VOLUME      460639.798  3787451.816      679.140

```

LOCATION	VOL30	VOLUME	460683.421	3787401.584	675.790
LOCATION	VOL31	VOLUME	460741.585	3787356.639	670.810
LOCATION	VOL32	VOLUME	460790.496	3787281.290	670.000
LOCATION	VOL33	VOLUME	460875.098	3787289.222	670.390
LOCATION	VOL34	VOLUME	460929.296	3787227.092	670.660
LOCATION	VOL35	VOLUME	460840.729	3787209.907	677.570
LOCATION	VOL36	VOLUME	460884.352	3787164.962	677.960
LOCATION	VOL37	VOLUME	460967.632	3787141.168	672.840
LOCATION	VOL38	VOLUME	460921.365	3787088.291	678.890
LOCATION	VOL39	VOLUME	460967.632	3787063.175	676.310
LOCATION	VOL40	VOLUME	461048.268	3787114.729	668.480
LOCATION	VOL41	VOLUME	461007.289	3786998.401	675.500
LOCATION	VOL42	VOLUME	461052.234	3787052.600	669.780
LOCATION	VOL43	VOLUME	461134.193	3787056.565	661.990
LOCATION	VOL44	VOLUME	461082.638	3786975.929	671.770
LOCATION	VOL45	VOLUME	461120.973	3786917.765	665.910
LOCATION	VOL46	VOLUME	461167.240	3786986.504	660.060
LOCATION	VOL47	VOLUME	461253.164	3786983.860	656.410
LOCATION	VOL48	VOLUME	461208.219	3786903.224	658.460
LOCATION	VOL49	VOLUME	461234.658	3786831.841	660.330
LOCATION	VOL50	VOLUME	461291.500	3786905.868	655.270
LOCATION	VOL51	VOLUME	461374.780	3786887.361	652.160
LOCATION	VOL52	VOLUME	461317.938	3786823.909	656.140
LOCATION	VOL53	VOLUME	461287.534	3786757.814	660.450
LOCATION	VOL54	VOLUME	461373.458	3786786.896	653.480
LOCATION	VOL55	VOLUME	461455.417	3786801.437	648.470
LOCATION	VOL56	VOLUME	461385.355	3786838.450	651.810
LOCATION	VOL57	VOLUME	461529.444	3786768.389	645.070
LOCATION	VOL58	VOLUME	462577.220	3786719.492	633.360
LOCATION	VOL59	VOLUME	462660.520	3786693.681	632.580
LOCATION	VOL60	VOLUME	462744.406	3786674.322	630.900
LOCATION	VOL61	VOLUME	462828.880	3786650.857	628.260
LOCATION	VOL62	VOLUME	462868.770	3786625.633	626.420
LOCATION	VOL63	VOLUME	462848.238	3786541.746	623.050
LOCATION	VOL64	VOLUME	462835.332	3786455.513	622.000
LOCATION	VOL65	VOLUME	462621.216	3786659.657	631.720
LOCATION	VOL66	VOLUME	462660.520	3786609.794	629.090
LOCATION	VOL67	VOLUME	462684.571	3786547.612	627.210
LOCATION	VOL68	VOLUME	462745.580	3786589.849	627.120
LOCATION	VOL69	VOLUME	462807.175	3786566.971	624.980
LOCATION	VOL70	VOLUME	462716.835	3786469.005	624.430
LOCATION	VOL71	VOLUME	462751.446	3786439.087	622.370
LOCATION	VOL72	VOLUME	462835.332	3786419.729	622.000
LOCATION	VOL73	VOLUME	462764.351	3786515.348	623.530
LOCATION	VOL74	VOLUME	461061.948	3784936.739	654.040
LOCATION	VOL75	VOLUME	461059.795	3784850.618	644.040
LOCATION	VOL76	VOLUME	461057.642	3784762.345	642.000
LOCATION	VOL77	VOLUME	461141.610	3784805.405	641.650
LOCATION	VOL78	VOLUME	461139.457	3784721.438	639.020
LOCATION	VOL79	VOLUME	461225.577	3784805.405	636.620
LOCATION	VOL80	VOLUME	461225.577	3784723.591	634.040
LOCATION	VOL81	VOLUME	461223.667	3784635.373	631.360
LOCATION	VOL82	VOLUME	461156.778	3784658.706	636.710
LOCATION	VOL83	VOLUME	461312.335	3784885.818	641.380
LOCATION	VOL84	VOLUME	461310.779	3784801.818	632.510
LOCATION	VOL85	VOLUME	461312.335	3784714.706	629.850
LOCATION	VOL86	VOLUME	461309.224	3784630.706	628.160
LOCATION	VOL87	VOLUME	461284.335	3784548.261	629.430
LOCATION	VOL88	VOLUME	461369.891	3784543.594	624.320
LOCATION	VOL89	VOLUME	461289.001	3784462.705	624.470
LOCATION	VOL90	VOLUME	461225.223	3784422.260	627.230
LOCATION	VOL91	VOLUME	461371.446	3784458.038	621.330
LOCATION	VOL92	VOLUME	461270.334	3784338.260	620.310
LOCATION	VOL93	VOLUME	461310.779	3784375.593	619.290
LOCATION	VOL94	VOLUME	461396.335	3784627.595	624.280
LOCATION	VOL95	VOLUME	461397.891	3784711.595	626.590

LOCATION	VOL96	VOLUME	461396.335	3784797.151	630.160
LOCATION	VOL97	VOLUME	461483.447	3784714.706	622.870
LOCATION	VOL98	VOLUME	461481.891	3784795.596	626.210
LOCATION	VOL99	VOLUME	461486.558	3784879.596	631.090
LOCATION	VOL100	VOLUME	461569.003	3784776.929	621.370
LOCATION	VOL101	VOLUME	461643.670	3784787.818	622.790
LOCATION	VOL102	VOLUME	461562.781	3784825.151	625.070
** Source Parameters **					
SRCPARAM	VOL1	0.0016946715	3.490	19.572	3.250
SRCPARAM	VOL2	0.0016946715	3.490	19.572	3.250
SRCPARAM	VOL3	0.0016946715	3.490	19.572	3.250
SRCPARAM	VOL4	0.0016946715	3.490	19.572	3.250
SRCPARAM	VOL5	0.0016946715	3.490	19.572	3.250
SRCPARAM	VOL6	0.0016946715	3.490	19.572	3.250
SRCPARAM	VOL7	0.0016946715	3.490	19.572	3.250
SRCPARAM	VOL8	0.0016946715	3.490	19.572	3.250
SRCPARAM	VOL9	0.0016946715	3.490	19.572	3.250
SRCPARAM	VOL10	0.0016946715	3.490	19.572	3.250
SRCPARAM	VOL11	0.0016946715	3.490	19.572	3.250
SRCPARAM	VOL12	0.0016946715	3.490	19.572	3.250
SRCPARAM	VOL13	0.0016946715	3.490	19.572	3.250
SRCPARAM	VOL14	0.0016946715	3.490	19.572	3.250
SRCPARAM	VOL15	0.0016946715	3.490	19.572	3.250
SRCPARAM	VOL16	0.0016946715	3.490	19.572	3.250
SRCPARAM	VOL17	0.0016946715	3.490	19.572	3.250
SRCPARAM	VOL18	0.0016946715	3.490	19.572	3.250
SRCPARAM	VOL19	0.0016946715	3.490	19.572	3.250
SRCPARAM	VOL20	0.0016946715	3.490	19.572	3.250
SRCPARAM	VOL21	0.0016946715	3.490	19.572	3.250
SRCPARAM	VOL22	0.0016946715	3.490	19.572	3.250
SRCPARAM	VOL23	0.0016946715	3.490	19.572	3.250
SRCPARAM	VOL24	0.0016946715	3.490	19.572	3.250
SRCPARAM	VOL25	0.0016946715	3.490	19.572	3.250
SRCPARAM	VOL26	0.0016946715	3.490	19.572	3.250
SRCPARAM	VOL27	0.0016946715	3.490	19.572	3.250
SRCPARAM	VOL28	0.0016946715	3.490	19.572	3.250
SRCPARAM	VOL29	0.0016946715	3.490	19.572	3.250
SRCPARAM	VOL30	0.0016946715	3.490	19.572	3.250
SRCPARAM	VOL31	0.0016946715	3.490	19.572	3.250
SRCPARAM	VOL32	0.0016946715	3.490	19.572	3.250
SRCPARAM	VOL33	0.0016946715	3.490	19.572	3.250
SRCPARAM	VOL34	0.0016946715	3.490	19.572	3.250
SRCPARAM	VOL35	0.0016946715	3.490	19.572	3.250
SRCPARAM	VOL36	0.0016946715	3.490	19.572	3.250
SRCPARAM	VOL37	0.0016946715	3.490	19.572	3.250
SRCPARAM	VOL38	0.0016946715	3.490	19.572	3.250
SRCPARAM	VOL39	0.0016946715	3.490	19.572	3.250
SRCPARAM	VOL40	0.0016946715	3.490	19.572	3.250
SRCPARAM	VOL41	0.0016946715	3.490	19.572	3.250
SRCPARAM	VOL42	0.0016946715	3.490	19.572	3.250
SRCPARAM	VOL43	0.0016946715	3.490	19.572	3.250
SRCPARAM	VOL44	0.0016946715	3.490	19.572	3.250
SRCPARAM	VOL45	0.0016946715	3.490	19.572	3.250
SRCPARAM	VOL46	0.0016946715	3.490	19.572	3.250
SRCPARAM	VOL47	0.0016946715	3.490	19.572	3.250
SRCPARAM	VOL48	0.0016946715	3.490	19.572	3.250
SRCPARAM	VOL49	0.0016946715	3.490	19.572	3.250
SRCPARAM	VOL50	0.0016946715	3.490	19.572	3.250
SRCPARAM	VOL51	0.0016946715	3.490	19.572	3.250
SRCPARAM	VOL52	0.0016946715	3.490	19.572	3.250
SRCPARAM	VOL53	0.0016946715	3.490	19.572	3.250
SRCPARAM	VOL54	0.0016946715	3.490	19.572	3.250
SRCPARAM	VOL55	0.0016946715	3.490	19.572	3.250
SRCPARAM	VOL56	0.0016946715	3.490	19.572	3.250
SRCPARAM	VOL57	0.0016946715	3.490	19.572	3.250
SRCPARAM	VOL58	0.0208879286	3.490	19.572	3.250

SRCPARAM	VOL59	0.0208879286	3.490	19.572	3.250
SRCPARAM	VOL60	0.0208879286	3.490	19.572	3.250
SRCPARAM	VOL61	0.0208879286	3.490	19.572	3.250
SRCPARAM	VOL62	0.0208879286	3.490	19.572	3.250
SRCPARAM	VOL63	0.0208879286	3.490	19.572	3.250
SRCPARAM	VOL64	0.0208879286	3.490	19.572	3.250
SRCPARAM	VOL65	0.0208879286	3.490	19.572	3.250
SRCPARAM	VOL66	0.0208879286	3.490	19.572	3.250
SRCPARAM	VOL67	0.0208879286	3.490	19.572	3.250
SRCPARAM	VOL68	0.0208879286	3.490	19.572	3.250
SRCPARAM	VOL69	0.0208879286	3.490	19.572	3.250
SRCPARAM	VOL70	0.0208879286	3.490	19.572	3.250
SRCPARAM	VOL71	0.0208879286	3.490	19.572	3.250
SRCPARAM	VOL72	0.0208879286	3.490	19.572	3.250
SRCPARAM	VOL73	0.0208879286	3.490	19.572	3.250
SRCPARAM	VOL74	0.0319341628	3.490	19.572	3.250
SRCPARAM	VOL75	0.0319341628	3.490	19.572	3.250
SRCPARAM	VOL76	0.0319341628	3.490	19.572	3.250
SRCPARAM	VOL77	0.0319341628	3.490	19.572	3.250
SRCPARAM	VOL78	0.0319341628	3.490	19.572	3.250
SRCPARAM	VOL79	0.0319341628	3.490	19.572	3.250
SRCPARAM	VOL80	0.0319341628	3.490	19.572	3.250
SRCPARAM	VOL81	0.0319341628	3.490	19.572	3.250
SRCPARAM	VOL82	0.0319341628	3.490	19.572	3.250
SRCPARAM	VOL83	0.0319341628	3.490	19.572	3.250
SRCPARAM	VOL84	0.0319341628	3.490	19.572	3.250
SRCPARAM	VOL85	0.0319341628	3.490	19.572	3.250
SRCPARAM	VOL86	0.0319341628	3.490	19.572	3.250
SRCPARAM	VOL87	0.0319341628	3.490	19.572	3.250
SRCPARAM	VOL88	0.0319341628	3.490	19.572	3.250
SRCPARAM	VOL89	0.0319341628	3.490	19.572	3.250
SRCPARAM	VOL90	0.0319341628	3.490	19.572	3.250
SRCPARAM	VOL91	0.0319341628	3.490	19.572	3.250
SRCPARAM	VOL92	0.0319341628	3.490	19.572	3.250
SRCPARAM	VOL93	0.0319341628	3.490	19.572	3.250
SRCPARAM	VOL94	0.0319341628	3.490	19.572	3.250
SRCPARAM	VOL95	0.0319341628	3.490	19.572	3.250
SRCPARAM	VOL96	0.0319341628	3.490	19.572	3.250
SRCPARAM	VOL97	0.0319341628	3.490	19.572	3.250
SRCPARAM	VOL98	0.0319341628	3.490	19.572	3.250
SRCPARAM	VOL99	0.0319341628	3.490	19.572	3.250
SRCPARAM	VOL100	0.0319341628	3.490	19.572	3.250
SRCPARAM	VOL101	0.0319341628	3.490	19.572	3.250
SRCPARAM	VOL102	0.0319341628	3.490	19.572	3.250

URBANSRC ALL

SRCGROUP ALL

SO FINISHED

**

** AERMOD Receptor Pathway

**

**

RE STARTING

INCLUDED "15585 Ops CO.rou"

RE FINISHED

**

** AERMOD Meteorology Pathway

**

**

ME STARTING

SURFFILE FONT_V9_ADJU\FONT_v9.SFC

PROFFILE FONT_V9_ADJU\FONT_v9.PFL

SURFDATA 3102 2011

UAIRDATA 3190 2011
SITEDATA 99999 2011
PROFBASE 367.0 METERS
ME FINISHED

** AERMOD Output Pathway

**
**

OU STARTING
RECTABLE ALLAVE 1ST
RECTABLE 1 1ST
RECTABLE 8 1ST
** Auto-Generated Plotfiles
PLOTFILE 1 ALL 1ST "15585 OPS CO.AD\01H1GALL.PLT" 31
PLOTFILE 8 ALL 1ST "15585 OPS CO.AD\08H1GALL.PLT" 32
SUMMFILE "15585 Ops CO.sum"
OU FINISHED

*** Message Summary For AERMOD Model Setup ***

----- Summary of Total Messages -----

A Total of 0 Fatal Error Message(s)
A Total of 2 Warning Message(s)
A Total of 0 Informational Message(s)

***** FATAL ERROR MESSAGES *****
*** NONE ***

***** WARNING MESSAGES *****
ME W186 267 MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold used 0.50
ME W187 267 MEOPEN: ADJ_U* Option for Stable Low Winds used in AERMET

*** SETUP Finishes Successfully ***

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/15/24
*** AERMET - VERSION 16216 ***
*** 17:33:11

PAGE 1

*** MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** MODEL SETUP OPTIONS SUMMARY ***

** Model Options Selected:

- * Model Uses Regulatory DEFAULT Options
- * Model Is Setup For Calculation of Average CONCentration Values.
- * NO GAS DEPOSITION Data Provided.
- * NO PARTICLE DEPOSITION Data Provided.
- * Model Uses NO DRY DEPLETION. DDPLETE = F
- * Model Uses NO WET DEPLETION. WETDPLT = F
- * Stack-tip Downwash.
- * Model Accounts for ELEVated Terrain Effects.
- * Use Calms Processing Routine.
- * Use Missing Data Processing Routine.
- * No Exponential Decay.

NUMBER			EMISSION RATE		BASE	RELEASE	INIT.	INIT.
URBAN		EMISSION RATE		AIRCRAFT				
SOURCE	PART.	(GRAMS/SEC)	X	Y	ELEV.	HEIGHT	SY	SZ
SOURCE	SCALAR	VARY						
ID	CATS.		(METERS)	(METERS)	(METERS)	(METERS)	(METERS)	
(METERS)		BY						

VOL1	0	0.16947E-02	461693.7	3786276.5	643.6	3.49	19.57	3.25
YES		NO						
VOL2	0	0.16947E-02	461646.2	3786333.2	642.8	3.49	19.57	3.25
YES		NO						
VOL3	0	0.16947E-02	461591.3	3786386.2	647.8	3.49	19.57	3.25
YES		NO						
VOL4	0	0.16947E-02	461541.9	3786437.5	649.2	3.49	19.57	3.25
YES		NO						
VOL5	0	0.16947E-02	461499.8	3786483.2	650.3	3.49	19.57	3.25
YES		NO						
VOL6	0	0.16947E-02	461461.4	3786530.8	651.5	3.49	19.57	3.25
YES		NO						
VOL7	0	0.16947E-02	461408.3	3786578.3	653.9	3.49	19.57	3.25
YES		NO						
VOL8	0	0.16947E-02	461452.2	3786636.9	648.0	3.49	19.57	3.25
YES		NO						
VOL9	0	0.16947E-02	461512.6	3786686.3	645.6	3.49	19.57	3.25
YES		NO						
VOL10	0	0.16947E-02	461573.0	3786730.2	644.9	3.49	19.57	3.25
YES		NO						
VOL11	0	0.16947E-02	461366.2	3786625.9	655.6	3.49	19.57	3.25
YES		NO						
VOL12	0	0.16947E-02	461289.4	3786679.0	662.0	3.49	19.57	3.25
YES		NO						
VOL13	0	0.16947E-02	461373.6	3786706.4	654.4	3.49	19.57	3.25
YES		NO						
VOL14	0	0.16947E-02	461441.3	3786713.7	647.9	3.49	19.57	3.25
YES		NO						
VOL15	0	0.16947E-02	461234.5	3786728.4	667.8	3.49	19.57	3.25
YES		NO						
VOL16	0	0.16947E-02	461199.7	3786774.1	667.5	3.49	19.57	3.25
YES		NO						
VOL17	0	0.16947E-02	461152.2	3786821.7	666.4	3.49	19.57	3.25
YES		NO						
VOL18	0	0.16947E-02	461086.3	3786863.8	668.2	3.49	19.57	3.25
YES		NO						
VOL19	0	0.16947E-02	461038.7	3786904.0	673.2	3.49	19.57	3.25
YES		NO						
VOL20	0	0.16947E-02	460978.4	3786938.8	680.5	3.49	19.57	3.25
YES		NO						
VOL21	0	0.16947E-02	460927.1	3786993.7	681.6	3.49	19.57	3.25
YES		NO						
VOL22	0	0.16947E-02	460877.7	3787050.4	684.4	3.49	19.57	3.25
YES		NO						
VOL23	0	0.16947E-02	460837.5	3787107.1	683.9	3.49	19.57	3.25
YES		NO						
VOL24	0	0.16947E-02	460804.5	3787160.2	681.6	3.49	19.57	3.25
YES		NO						
VOL25	0	0.16947E-02	460749.5	3787211.2	680.3	3.49	19.57	3.25
YES		NO						
VOL26	0	0.16947E-02	460704.6	3787274.7	677.7	3.49	19.57	3.25
YES		NO						
VOL27	0	0.16947E-02	460655.7	3787332.8	679.4	3.49	19.57	3.25
YES		NO						
VOL28	0	0.16947E-02	460593.5	3787398.9	683.9	3.49	19.57	3.25
YES		NO						
VOL29	0	0.16947E-02	460639.8	3787451.8	679.1	3.49	19.57	3.25

```
FF *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***          04/15/24
*** AERMET - VERSION 16216 ***
***                                     *** 17:33:11
```

```
***  MODELOPTs:      RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
```

[illegible]

VOL41	0	0.16947E-02	461007.3	3786998.4	675.5	3.49	19.57	3.25
YES		NO						
VOL42	0	0.16947E-02	461052.2	3787052.6	669.8	3.49	19.57	3.25
YES		NO						
VOL43	0	0.16947E-02	461134.2	3787056.6	662.0	3.49	19.57	3.25
YES		NO						
VOL44	0	0.16947E-02	461082.6	3786975.9	671.8	3.49	19.57	3.25
YES		NO						
VOL45	0	0.16947E-02	461121.0	3786917.8	665.9	3.49	19.57	3.25
YES		NO						
VOL46	0	0.16947E-02	461167.2	3786986.5	660.1	3.49	19.57	3.25
YES		NO						
VOL47	0	0.16947E-02	461253.2	3786983.9	656.4	3.49	19.57	3.25
YES		NO						
VOL48	0	0.16947E-02	461208.2	3786903.2	658.5	3.49	19.57	3.25
YES		NO						
VOL49	0	0.16947E-02	461234.7	3786831.8	660.3	3.49	19.57	3.25
YES		NO						
VOL50	0	0.16947E-02	461291.5	3786905.9	655.3	3.49	19.57	3.25
YES		NO						
VOL51	0	0.16947E-02	461374.8	3786887.4	652.2	3.49	19.57	3.25
YES		NO						
VOL52	0	0.16947E-02	461317.9	3786823.9	656.1	3.49	19.57	3.25

```
FF *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/15/24
*** AERMET - VERSION 16216 ***
*** *** 17:33:11
```

SOURCE SOURCE ID (METERS)	NUMBER	EMISSION RATE	AIRCRAFT		BASE	RELEASE	INIT.	INIT.
	URBAN	EMISSION RATE						
	PART.	(GRAMS/SEC)	X	Y	ELEV.	HEIGHT	SY	SZ
	SCALAR VARY CATS.		(METERS)	(METERS)	(METERS)	(METERS)	(METERS)	
		BY						

VOL81	0	0.31934E-01	461223.7	3784635.4	631.4	3.49	19.57	3.25
YES		NO						
VOL82	0	0.31934E-01	461156.8	3784658.7	636.7	3.49	19.57	3.25
YES		NO						
VOL83	0	0.31934E-01	461312.3	3784885.8	641.4	3.49	19.57	3.25
YES		NO						
VOL84	0	0.31934E-01	461310.8	3784801.8	632.5	3.49	19.57	3.25
YES		NO						
VOL85	0	0.31934E-01	461312.3	3784714.7	629.8	3.49	19.57	3.25
YES		NO						
VOL86	0	0.31934E-01	461309.2	3784630.7	628.2	3.49	19.57	3.25
YES		NO						
VOL87	0	0.31934E-01	461284.3	3784548.3	629.4	3.49	19.57	3.25
YES		NO						
VOL88	0	0.31934E-01	461369.9	3784543.6	624.3	3.49	19.57	3.25
YES		NO						
VOL89	0	0.31934E-01	461289.0	3784462.7	624.5	3.49	19.57	3.25
YES		NO						
VOL90	0	0.31934E-01	461225.2	3784422.3	627.2	3.49	19.57	3.25
YES		NO						
VOL91	0	0.31934E-01	461371.4	3784458.0	621.3	3.49	19.57	3.25
YES		NO						
VOL92	0	0.31934E-01	461270.3	3784338.3	620.3	3.49	19.57	3.25
YES		NO						
VOL93	0	0.31934E-01	461310.8	3784375.6	619.3	3.49	19.57	3.25
YES		NO						
VOL94	0	0.31934E-01	461396.3	3784627.6	624.3	3.49	19.57	3.25
YES		NO						
VOL95	0	0.31934E-01	461397.9	3784711.6	626.6	3.49	19.57	3.25
YES		NO						
VOL96	0	0.31934E-01	461396.3	3784797.2	630.2	3.49	19.57	3.25
YES		NO						
VOL97	0	0.31934E-01	461483.4	3784714.7	622.9	3.49	19.57	3.25
YES		NO						
VOL98	0	0.31934E-01	461481.9	3784795.6	626.2	3.49	19.57	3.25
YES		NO						
VOL99	0	0.31934E-01	461486.6	3784879.6	631.1	3.49	19.57	3.25
YES		NO						
VOL100	0	0.31934E-01	461569.0	3784776.9	621.4	3.49	19.57	3.25
YES		NO						
VOL101	0	0.31934E-01	461643.7	3784787.8	622.8	3.49	19.57	3.25
YES		NO						
VOL102	0	0.31934E-01	461562.8	3784825.2	625.1	3.49	19.57	3.25
YES		NO						

*** AERMOD - VERSION 23132 ***
 SP\15585 Ops H *** 04/15/24
 *** AERMET - VERSION 16216 ***

 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
 *** 17:33:11

SRCGROUP ID

SOURCE IDs

ALL	VOL1	, VOL2	, VOL3	, VOL4	, VOL5	, VOL6	,
VOL7	, VOL8	,					
	VOL9	, VOL10	, VOL11	, VOL12	, VOL13	, VOL14	,
	VOL15	, VOL16	,				
	VOL17	, VOL18	, VOL19	, VOL20	, VOL21	, VOL22	,
	VOL23	, VOL24	,				
	VOL25	, VOL26	, VOL27	, VOL28	, VOL29	, VOL30	,
	VOL31	, VOL32	,				
	VOL33	, VOL34	, VOL35	, VOL36	, VOL37	, VOL38	,
	VOL39	, VOL40	,				
	VOL41	, VOL42	, VOL43	, VOL44	, VOL45	, VOL46	,
	VOL47	, VOL48	,				
	VOL49	, VOL50	, VOL51	, VOL52	, VOL53	, VOL54	,
	VOL55	, VOL56	,				
	VOL57	, VOL58	, VOL59	, VOL60	, VOL61	, VOL62	,
	VOL63	, VOL64	,				
	VOL65	, VOL66	, VOL67	, VOL68	, VOL69	, VOL70	,
	VOL71	, VOL72	,				
	VOL73	, VOL74	, VOL75	, VOL76	, VOL77	, VOL78	,
	VOL79	, VOL80	,				
	VOL81	, VOL82	, VOL83	, VOL84	, VOL85	, VOL86	,
	VOL87	, VOL88	,				
	VOL89	, VOL90	, VOL91	, VOL92	, VOL93	, VOL94	,
	VOL95	, VOL96	,				
	VOL97	, VOL98	, VOL99	, VOL100	, VOL101	, VOL102	,

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/15/24
*** AERMET - VERSION 16216 ***
*** 17:33:11

PAGE 6

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** SOURCE IDs DEFINED AS URBAN SOURCES ***

URBAN ID

URBAN POP

SOURCE IDs

	2035210.	VOL1	, VOL2	, VOL3	, VOL4	, VOL5	,
	VOL6	, VOL7	,				
VOL8	,						
	VOL9	, VOL10	, VOL11	, VOL12	, VOL13	, VOL14	,
	VOL15	, VOL16	,				
	VOL17	, VOL18	, VOL19	, VOL20	, VOL21	, VOL22	,
	VOL23	, VOL24	,				

VOL25	,	VOL26	,	VOL27	,	VOL28	,	VOL29	,	VOL30	,
VOL31	,	VOL32	,								
VOL33	,	VOL34	,	VOL35	,	VOL36	,	VOL37	,	VOL38	,
VOL39	,	VOL40	,								
VOL41	,	VOL42	,	VOL43	,	VOL44	,	VOL45	,	VOL46	,
VOL47	,	VOL48	,								
VOL49	,	VOL50	,	VOL51	,	VOL52	,	VOL53	,	VOL54	,
VOL55	,	VOL56	,								
VOL57	,	VOL58	,	VOL59	,	VOL60	,	VOL61	,	VOL62	,
VOL63	,	VOL64	,								
VOL65	,	VOL66	,	VOL67	,	VOL68	,	VOL69	,	VOL70	,
VOL71	,	VOL72	,								
VOL73	,	VOL74	,	VOL75	,	VOL76	,	VOL77	,	VOL78	,
VOL79	,	VOL80	,								
VOL81	,	VOL82	,	VOL83	,	VOL84	,	VOL85	,	VOL86	,
VOL87	,	VOL88	,								
VOL89	,	VOL90	,	VOL91	,	VOL92	,	VOL93	,	VOL94	,
VOL95	,	VOL96	,								
VOL97	,	VOL98	,	VOL99	,	VOL100	,	VOL101	,	VOL102	,

```

*** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***                  04/15/24
*** AERMET - VERSION 16216 ***
***                                     *** 17:33:11

```

PAGE 7

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** DISCRETE CARTESIAN RECEPTORS ***
 (X-COORD, Y-COORD, ZELEV, ZHILL, ZFLAG)
 (METERS)

(463154.3, 3786819.6,	631.4,	1734.0,	2.0);	(463167.5, 3786865.5,
633.6, 1734.0,	2.0);			
(463147.6, 3786873.2,	634.1,	1734.0,	2.0);	(463129.9, 3786877.4,
634.4, 1734.0,	2.0);			
(463110.0, 3786886.9,	635.4,	1734.0,	2.0);	(463059.0, 3786966.9,
641.4, 1734.0,	2.0);			
(463074.9, 3787087.9,	646.7,	1734.0,	2.0);	(463102.5, 3787076.0,
645.0, 1734.0,	2.0);			
(462919.9, 3787058.3,	650.6,	1734.0,	2.0);	(463042.0, 3787098.7,
649.3, 1734.0,	2.0);			
(462998.1, 3787106.0,	651.7,	1734.0,	2.0);	(462944.0, 3787123.4,
653.8, 1734.0,	2.0);			
(462850.6, 3787079.7,	652.9,	1734.0,	2.0);	(462807.5, 3787091.0,
653.6, 1734.0,	2.0);			
(462821.9, 3787159.9,	658.2,	1734.0,	2.0);	(462755.2, 3787105.3,
654.6, 1734.0,	2.0);			
(462743.8, 3787181.3,	659.7,	1734.0,	2.0);	(462870.3, 3787147.1,
657.4, 1734.0,	2.0);			
(462890.0, 3787138.7,	656.5,	1734.0,	2.0);	(462725.4, 3787114.5,
655.2, 1734.0,	2.0);			
(462685.8, 3787125.8,	655.9,	1734.0,	2.0);	(462656.2, 3787132.7,
656.5, 1734.0,	2.0);			
(462632.9, 3787123.9,	655.6,	1734.0,	2.0);	(462595.9, 3787152.0,
658.4, 1734.0,	2.0);			
(462571.7, 3787160.3,	658.8,	1734.0,	2.0);	(462473.7, 3787233.0,
657.1, 1734.0,	2.0);			

(462534.0, 3787244.6, 659.9, 1734.0, 2.0);	(462400.1, 3787275.4,
659.0, 1734.0, 2.0);	
(462229.2, 3787434.2, 674.5, 1734.0, 2.0);	(462257.0, 3787342.4,
668.1, 1734.0, 2.0);	
(462128.4, 3787527.6, 684.6, 1734.0, 2.0);	(462183.2, 3787452.4,
675.8, 1734.0, 2.0);	
(462022.5, 3787623.1, 687.6, 1734.0, 2.0);	(461918.3, 3787709.0,
694.2, 1734.0, 2.0);	
(462038.5, 3787667.1, 695.0, 1734.0, 2.0);	(461424.9, 3788158.1,
731.4, 1734.0, 2.0);	
(461926.8, 3788065.0, 727.1, 1734.0, 2.0);	(461937.8, 3787798.6,
702.8, 1734.0, 2.0);	
(461956.2, 3787956.4, 718.2, 1734.0, 2.0);	(461303.4, 3788188.5,
726.6, 1734.0, 2.0);	
(461132.5, 3788399.4, 744.9, 1734.0, 2.0);	(461058.7, 3788731.5,
757.8, 1734.0, 2.0);	
(460943.7, 3788817.1, 758.9, 1734.0, 2.0);	(457324.4, 3790478.1,
770.2, 1734.0, 2.0);	
(457715.3, 3790467.0, 770.2, 1734.0, 2.0);	(457385.4, 3790493.9,
772.7, 1734.0, 2.0);	
(457752.2, 3790534.9, 771.1, 1734.0, 2.0);	(458383.4, 3790238.2,
751.7, 1734.0, 2.0);	
(463178.4, 3786251.1, 613.0, 1734.0, 2.0);	(462814.4, 3786754.2,
633.2, 1734.0, 2.0);	
(462674.0, 3786877.7, 639.7, 1734.0, 2.0);	(462604.9, 3786782.6,
635.5, 1734.0, 2.0);	
(462768.8, 3786780.7, 634.5, 1734.0, 2.0);	(461416.7, 3783609.8,
589.4, 1734.0, 2.0);	
(461655.6, 3783762.7, 593.9, 1734.0, 2.0);	(461824.6, 3783749.2,
599.8, 1734.0, 2.0);	
(461846.6, 3783749.2, 600.8, 1734.0, 2.0);	(461939.4, 3783743.2,
615.2, 1734.0, 2.0);	
(462019.9, 3783739.8, 613.5, 1734.0, 2.0);	(462121.1, 3783735.6,
606.0, 1734.0, 2.0);	
(462214.8, 3783729.3, 610.5, 1734.0, 2.0);	(462334.6, 3783705.5,
621.8, 1734.0, 2.0);	
(461658.1, 3783690.3, 600.5, 1734.0, 2.0);	(461041.9, 3783495.8,
601.3, 1734.0, 2.0);	
(461249.5, 3783484.0, 594.5, 1734.0, 2.0);	(461451.2, 3783502.2,
587.5, 1734.0, 2.0);	
(461567.3, 3783209.6, 582.7, 1734.0, 2.0);	(461502.8, 3783145.1,
583.9, 1734.0, 2.0);	
(461612.5, 3783185.0, 580.9, 1734.0, 2.0);	(460924.5, 3783394.0,
606.7, 1734.0, 2.0);	
(460848.3, 3783334.1, 610.0, 1734.0, 2.0);	(460765.0, 3783264.4,
611.6, 1734.0, 2.0);	
(460668.8, 3783186.4, 612.4, 1734.0, 2.0);	(460574.4, 3783105.5,
612.8, 1734.0, 2.0);	
(460496.5, 3783051.5, 611.6, 1734.0, 2.0);	(460712.7, 3783532.6,
612.5, 1734.0, 2.0);	
(460583.9, 3783527.4, 618.6, 1734.0, 2.0);	(460501.9, 3783491.8,
620.0, 1734.0, 2.0);	
(460403.7, 3783447.4, 622.7, 1734.0, 2.0);	(460304.0, 3783403.0,
626.7, 1734.0, 2.0);	
(459503.3, 3782889.0, 625.8, 1734.0, 2.0);	(459388.1, 3783065.7,
632.6, 1734.0, 2.0);	
(459382.3, 3783016.7, 631.6, 1734.0, 2.0);	(459350.1, 3783155.5,
636.1, 1734.0, 2.0);	
(459320.3, 3783264.9, 639.9, 1734.0, 2.0);	(463904.6, 3786591.8,
615.2, 1734.0, 2.0);	
(466077.1, 3784031.3, 535.0, 1734.0, 2.0);	(466200.8, 3784254.0,
536.0, 1734.0, 2.0);	
(465960.2, 3784644.2, 547.3, 1734.0, 2.0);	(466195.2, 3784597.0,
545.5, 1734.0, 2.0);	

17:33:11

Met.


```
Profile format:
FREE
```

Upper air station no.: 3190
 Name:

 Year: 2011

[illegible][illegible]

First hour of profile data
YR MO DY HR HEIGHT F WDIR WSPD AMB_TMP sigmaA sigmaW sigmaV
11 01 01 01 5.5 0 -999. -99.00 276.5 99.0 -99.00 -99.00
11 01 01 01 9.1 1 69. 1.80 -999.0 99.0 -99.00 -99.00

F indicates top of profile (=1) or below (=0)

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/15/24
*** AERMET - VERSION 16216 ***
*** 17:33:11

PAGE 11

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** THE 1ST HIGHEST 1-HR AVERAGE CONCENTRATION VALUES FOR
SOURCE GROUP: ALL ***
INCLUDING SOURCE(S): VOL1 , VOL2 ,
VOL3 , VOL4 , VOL5 ,
VOL6 , VOL7 , VOL8 , VOL9 , VOL10 ,
VOL11 , VOL12 , VOL13 ,
VOL14 , VOL15 , VOL16 , VOL17 , VOL18 ,
VOL19 , VOL20 , VOL21 ,
VOL22 , VOL23 , VOL24 , VOL25 , VOL26 ,
VOL27 , VOL28 , . . . ,

*** DISCRETE CARTESIAN RECEPTOR POINTS ***

X-COORD (M)		Y-COORD (M)		CONC (YYMMDDHH)		X-COORD (M)		Y-COORD	
(M)		CONC							

463154.33	3786819.61	9.77407	(12091420)			463167.45			
3786865.52	11.03700	(12081321)							
463147.58	3786873.25	12.06794	(11090721)			463129.92			
3786877.44	12.83937	(12081623)							
463110.04	3786886.94	14.06832	(12081623)			463059.03			
3786966.87	17.44468	(11080222)							
463074.93	3787087.88	17.05394	(11080221)			463102.53			
3787075.96	16.65755	(11080222)							
462919.92	3787058.29	15.70540	(15100919)			463042.03			
3787098.70	17.16627	(11080221)							
462998.09	3787105.99	16.44805	(11080221)			462943.99			
3787123.43	14.99023	(16083124)							
462850.58	3787079.71	15.40507	(16092019)			462807.52			
3787090.97	15.32210	(12091321)							
462821.88	3787159.87	13.63741	(12081123)			462755.22			
3787105.29	15.35633	(11082623)							
462743.77	3787181.31	13.60768	(11082623)			462870.28			
3787147.15	13.75167	(16092019)							
462889.99	3787138.70	13.85778	(12080824)			462725.43			
3787114.51	15.20179	(12092121)							
462685.82	3787125.77	15.07848	(12082102)			462656.17			
3787132.72	15.06514	(13090923)							
462632.89	3787123.90	15.57897	(13090422)			462595.92			
3787152.05	14.89607	(15063020)							
462571.70	3787160.31	14.80458	(15063020)			462473.70			
3787233.03	14.03840	(13082423)							
462534.01	3787244.58	13.57807	(13090305)			462400.07			
3787275.41	13.30897	(16072824)							
462229.16	3787434.24	9.97762	(16102718)			462256.97			
3787342.44	11.41292	(12081005)							
462128.43	3787527.59	8.46825	(12081005)			462183.16			
3787452.38	9.64611	(12081005)							

462022.45	3787623.08	8.14764	(12081702)	461918.34
3787709.00	7.80189	(13061901)		
462038.54	3787667.10	7.76130	(12081702)	461424.87
3788158.12	6.28945	(12091321)		
461926.79	3788065.01	6.01290	(12080824)	461937.75
3787798.61	7.22493	(13061901)		
461956.17	3787956.45	6.35144	(13061901)	461303.41
3788188.53	6.37833	(16082401)		
461132.48	3788399.44	5.67375	(15101403)	461058.72
3788731.50	5.09194	(15101403)		
460943.68	3788817.15	5.04435	(12092121)	457324.43
3790478.09	2.65615	(15082522)		
457715.29	3790466.96	2.75495	(12081005)	457385.37
3790493.92	2.67969	(15082522)		
457752.21	3790534.94	2.73584	(16102718)	458383.39
3790238.21	3.15394	(16102722)		
463178.40	3786251.10	4.62918	(15062506)	462814.44
3786754.18	27.77774	(12071220)		
462674.03	3786877.67	21.18555	(15090919)	462604.90
3786782.62	33.69698	(15063019)		
462768.77	3786780.67	26.21277	(12081101)	461416.67
3783609.80	4.13962	(15102417)		
461655.59	3783762.73	7.87394	(13041207)	461824.61
3783749.17	4.61579	(13041207)		
461846.64	3783749.17	4.26117	(13041207)	461939.41
3783743.24	3.67657	(15013017)		
462019.90	3783739.85	3.12521	(15013017)	462121.14
3783735.61	2.65685	(15062506)		
462214.76	3783729.26	2.46487	(12113021)	462334.64
3783705.54	2.30019	(12101804)		
461658.13	3783690.29	7.41990	(13041207)	461041.92
3783495.78	7.44498	(16012717)		
461249.49	3783484.05	3.33469	(16012717)	461451.20
3783502.23	3.54301	(15102417)		
461567.30	3783209.63	2.58247	(13041207)	461502.80
3783145.13	2.25976	(15102417)		
461612.45	3783185.00	2.93878	(13041207)	460924.52
3783393.96	6.52814	(16012717)		
460848.29	3783334.15	5.63091	(16012717)	460765.02
3783264.37	4.57102	(16012717)		
460668.85	3783186.38	3.45208	(16012717)	460574.44
3783105.46	2.54002	(16012717)		
460496.45	3783051.51	1.95790	(12121616)	460712.73
3783532.65	3.70475	(16012717)		
460583.91	3783527.38	2.80881	(12121616)	460501.88
3783491.78	2.73428	(13020917)		
460403.69	3783447.41	2.63152	(13020917)	460303.99
3783403.05	2.70674	(16020919)		

FF

*** AERMOD - VERSION 23132 ***

SP\15585 Ops H ***

04/15/24

*** AERMET - VERSION 16216 ***

*** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen

17:33:11

PAGE 12

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** THE 1ST HIGHEST 1-HR AVERAGE CONCENTRATION VALUES FOR	
SOURCE GROUP: ALL	***
INCLUDING SOURCE(S):	VOL1 , VOL2 ,
VOL3 , VOL4 , VOL5	, ,
VOL6 , VOL7 , VOL8 , VOL9 , VOL10 ,	
VOL11 , VOL12 , VOL13 ,	
VOL14 , VOL15 , VOL16 , VOL17 , VOL18 ,	
VOL19 , VOL20 , VOL21 ,	
VOL22 , VOL23 , VOL24 , VOL25 , VOL26 ,	
VOL27 , VOL28 , . . . ,	

*** DISCRETE CARTESIAN RECEPTOR POINTS ***

** CONC OF CO IN
MICROGRAMS/M**3 **

X-COORD (M) (M)	Y-COORD (M) CONC (YYMMDDHH)	CONC (YYMMDDHH)	X-COORD (M) Y-COORD
459503.27	3782889.01	1.35694 (11011520)	459388.10
3783065.74	2.48920 (16072301)		
459382.29	3783016.73	2.20064 (15101223)	459350.12
3783155.49	3.47156 (13090502)		
459320.33	3783264.86	4.43017 (12082923)	463904.58
3786591.83	1.91469 (12121715)		
466077.15	3784031.33	0.99707 (11061807)	466200.85
3784253.98	0.79545 (11061807)		
465960.20	3784644.19	0.76646 (12051107)	466195.23
3784596.96	0.73223 (12051107)		
462710.50	3782876.40	1.24911 (13062307)	462069.84
3783383.52	2.33139 (15013017)		
462277.17	3783298.31	1.91605 (15013017)	461797.05
3783468.72	4.91712 (13041207)		

*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/15/24
*** AERMET - VERSION 16216 ***
*** 17:33:11

PAGE 13

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** THE 1ST HIGHEST 8-HR AVERAGE CONCENTRATION VALUES FOR
SOURCE GROUP: ALL ***
INCLUDING SOURCE(S): VOL1 , VOL2 ,
VOL3 , VOL4 , VOL5
VOL6 , VOL7 , VOL8 , VOL9 , VOL10 ,
VOL11 , VOL12 , VOL13 ,
VOL14 , VOL15 , VOL16 , VOL17 , VOL18 ,
VOL19 , VOL20 , VOL21 ,
VOL22 , VOL23 , VOL24 , VOL25 , VOL26 ,
VOL27 , VOL28 , . . .

*** DISCRETE CARTESIAN RECEPTOR POINTS ***

** CONC OF CO IN
MICROGRAMS/M**3 **

X-COORD (M) (M)	Y-COORD (M) CONC (YYMMDDHH)	CONC (YYMMDDHH)	X-COORD (M) Y-COORD
463154.33	3786819.61	7.99366 (12112924)	463167.45
3786865.52	8.58462 (12112924)		
463147.58	3786873.25	9.32414 (12112924)	463129.92
3786877.44	9.79027 (12112924)		
463110.04	3786886.94	10.40556 (12112924)	463059.03
3786966.87	10.02917 (12112924)		
463074.93	3787087.88	7.54538 (11100508)	463102.53
3787075.96	7.81787 (12112924)		
462919.92	3787058.29	6.83078 (11100508)	463042.03
3787098.70	7.40922 (11100508)		
462998.09	3787105.99	6.96105 (11100508)	462943.99
3787123.43	6.09795 (11100508)		
462850.58	3787079.71	7.19088 (13120708)	462807.52
3787090.97	6.89333 (16051808)		

462821.88	3787159.87	6.00297	(13120708)	462755.22
3787105.29	6.91290	(16051808)		
462743.77	3787181.31	5.97008	(16051808)	462870.28
3787147.15	6.26084	(13120708)		
462889.99	3787138.70	6.24332	(13120708)	462725.43
3787114.51	6.61023	(16051808)		
462685.82	3787125.77	5.99002	(16051808)	462656.17
3787132.72	5.72658	(15101508)		
462632.89	3787123.90	5.62776	(15101508)	462595.92
3787152.05	4.81713	(15101508)		
462571.70	3787160.31	4.63206	(16010608)	462473.70
3787233.03	4.11342	(15021824)		
462534.01	3787244.58	4.07844	(16010608)	462400.07
3787275.41	3.95666	(16102724)		
462229.16	3787434.24	3.26981	(16102724)	462256.97
3787342.44	3.76622	(16102724)		
462128.43	3787527.59	2.86447	(15052808)	462183.16
3787452.38	3.08959	(16102724)		
462022.45	3787623.08	2.60055	(15052808)	461918.34
3787709.00	2.47860	(12021508)		
462038.54	3787667.10	2.46965	(15052808)	461424.87
3788158.12	1.94262	(16051808)		
461926.79	3788065.01	1.88665	(13120708)	461937.75
3787798.61	2.23810	(12021508)		
461956.17	3787956.45	1.91075	(12021508)	461303.41
3788188.53	2.25813	(16051808)		
461132.48	3788399.44	1.85062	(16051808)	461058.72
3788731.50	1.47926	(16051808)		
460943.68	3788817.15	1.12479	(16051808)	457324.43
3790478.09	0.60168	(15052808)		
457715.29	3790466.96	0.61213	(12050408)	457385.37
3790493.92	0.59289	(15052808)		
457752.21	3790534.94	0.65036	(12050408)	458383.39
3790238.21	0.66179	(16102724)		
463178.40	3786251.10	3.74351	(16121108)	462814.44
3786754.18	19.36136	(15122308)		
462674.03	3786877.67	10.51662	(16010608)	462604.90
3786782.62	19.19482m	(12121224)		
462768.77	3786780.67	17.30958	(15122308)	461416.67
3783609.80	2.63445	(16121108)		
461655.59	3783762.73	3.17499	(13041208)	461824.61
3783749.17	2.72160	(16121108)		
461846.64	3783749.17	2.68168	(16121108)	461939.41
3783743.24	2.51705m	(16081408)		
462019.90	3783739.85	2.35130m	(16081408)	462121.14
3783735.61	2.14735	(16121108)		
462214.76	3783729.26	1.99056m	(16081408)	462334.64
3783705.54	1.79015m	(16081408)		
461658.13	3783690.29	2.91549	(13041208)	461041.92
3783495.78	2.53424	(16012724)		
461249.49	3783484.05	2.22871	(16121108)	461451.20
3783502.23	2.24280	(16121108)		
461567.30	3783209.63	1.55116	(16121108)	461502.80
3783145.13	1.46780	(16121108)		
461612.45	3783185.00	1.49716	(16121108)	460924.52
3783393.96	2.19803	(16012724)		
460848.29	3783334.15	1.95994	(16012724)	460765.02
3783264.37	1.69304	(16012724)		
460668.85	3783186.38	1.45601	(13111324)	460574.44
3783105.46	1.36584	(13120824)		
460496.45	3783051.51	1.31953	(13120824)	460712.73
3783532.65	2.18685	(13120824)		
460583.91	3783527.38	2.10703	(13120824)	460501.88
3783491.78	1.95165	(13120824)		
460403.69	3783447.41	1.79734	(13120824)	460303.99
3783403.05	1.76319	(13120824)		

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/15/24
*** AERMET - VERSION 16216 ***
*** 17:33:11

PAGE 14

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** THE 1ST HIGHEST 8-HR AVERAGE CONCENTRATION VALUES FOR
SOURCE GROUP: ALL ***
INCLUDING SOURCE(S): VOL1 , VOL2 ,
VOL3 , VOL4 , VOL5
VOL6 , VOL7 , VOL8 , VOL9 , VOL10 ,
VOL11 , VOL12 , VOL13 ,
VOL14 , VOL15 , VOL16 , VOL17 , VOL18 ,
VOL19 , VOL20 , VOL21 ,
VOL22 , VOL23 , VOL24 , VOL25 , VOL26 ,
VOL27 , VOL28 , . . . ,

*** DISCRETE CARTESIAN RECEPTOR POINTS ***

X-COORD (M)		Y-COORD (M)	CONC	(YYMMDDHH)	X-COORD (M)	Y-COORD
(M)	CONC	(YYMMDDHH)				
459503.27	3782889.01	0.86080	(13110624)	459388.10		
3783065.74	1.65958	(13120808)				
459382.29	3783016.73	1.48587	(13120808)	459350.12		
3783155.49	2.19619	(13120808)				
459320.33	3783264.86	2.59680	(13120808)	463904.58		
3786591.83	1.24983m	(16081408)				
466077.15	3784031.33	0.31198	(11061808)	466200.85		
3784253.98	0.29773	(16121108)				
465960.20	3784644.19	0.35768	(16051508)	466195.23		
3784596.96	0.33787	(16051508)				
462710.50	3782876.40	0.80215	(16121108)	462069.84		
3783383.52	1.52760	(16121108)				
462277.17	3783298.31	1.27151	(16121108)	461797.05		
3783468.72	1.95911	(13041208)				

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/15/24
*** AERMET - VERSION 16216 ***
*** 17:33:11

PAGE 15

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** THE SUMMARY OF HIGHEST 1-HR RESULTS ***

X-COORD (M)		Y-COORD (M)	CONC	(YYMMDDHH)	X-COORD (M)	Y-COORD
(M)	CONC	(YYMMDDHH)				
459503.27	3782889.01	0.86080	(13110624)	459388.10		
3783065.74	1.65958	(13120808)				
459382.29	3783016.73	1.48587	(13120808)	459350.12		
3783155.49	2.19619	(13120808)				
459320.33	3783264.86	2.59680	(13120808)	463904.58		
3786591.83	1.24983m	(16081408)				
466077.15	3784031.33	0.31198	(11061808)	466200.85		
3784253.98	0.29773	(16121108)				
465960.20	3784644.19	0.35768	(16051508)	466195.23		
3784596.96	0.33787	(16051508)				
462710.50	3782876.40	0.80215	(16121108)	462069.84		
3783383.52	1.52760	(16121108)				
462277.17	3783298.31	1.27151	(16121108)	461797.05		
3783468.72	1.95911	(13041208)				

GROUP ID AVERAGE CONC (YYMMDDHH) NETWORK RECEPTOR (XR, YR, ZELEV, ZHILL, ZFLAG) OF TYPE GRID-ID

ALL HIGH 1ST HIGH VALUE IS 33.69698 ON 15063019: AT (462604.90, 3786782.62, 635.54, 1734.00, 2.00) DC

*** RECEPTOR TYPES: GC = GRIDCART
GP = GRIDPOLR
DC = DISCCART
DP = DISCPOLR

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/15/24
*** AERMET - VERSION 16216 ***
*** 17:33:11

PAGE 16

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** THE SUMMARY OF HIGHEST 8-HR RESULTS ***

** CONC OF CO IN
MICROGRAMS/M**3 **

DATE

NETWORK

GROUP ID AVERAGE CONC (YYMMDDHH) RECEPTOR (XR, YR,
ZELEV, ZHILL, ZFLAG) OF TYPE GRID-ID

ALL HIGH 1ST HIGH VALUE IS 19.36136 ON 15122308: AT (462814.44, 3786754.18,
633.19, 1734.00, 2.00) DC

*** RECEPTOR TYPES: GC = GRIDCART
GP = GRIDPOLR
DC = DISCCART
DP = DISCPOLR

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/15/24
*** AERMET - VERSION 16216 ***
*** 17:33:11

PAGE 17

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** Message Summary : AERMOD Model Execution ***

----- Summary of Total Messages -----

A Total of 0 Fatal Error Message(s)
A Total of 7 Warning Message(s)
A Total of 838 Informational Message(s)

A Total of 43848 Hours Were Processed

A Total of 40 Calm Hours Identified

A Total of 798 Missing Hours Identified (1.82 Percent)

***** FATAL ERROR MESSAGES *****
*** NONE ***

***** WARNING MESSAGES *****
ME W186 267 MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold used 0.50
ME W187 267 MEOPEN: ADJ_U* Option for Stable Low Winds used in AERMET

MX W438	8800	METQA: Convective Velocity Data Out-of-Range.	KURDAT =	12010216
MX W438	11536	METQA: Convective Velocity Data Out-of-Range.	KURDAT =	12042516
MX W420	16779	METQA: Wind Speed Out-of-Range.	KURDAT =	12113003
MX W450	26305	CHKDAT: Record Out of Sequence in Meteorological File at:		15010101
MX W450	26305	CHKDAT: Record Out of Sequence in Meteorological File at:		1 year gap

*** AERMOD Finishes Successfully ***

```

** Lakes Environmental AERMOD MPI
**
*****
**
** AERMOD Input Produced by:
** AERMOD View Ver. 12.0.0
** Lakes Environmental Software Inc.
** Date: 4/15/2024
** File: C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen SP\15585 Ops NOX\15585 Ops NOX.ADI
**
*****
**
**
*****
** AERMOD Control Pathway
*****
**
**
CO STARTING
  TITLEONE C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen SP\15585 Ops H
  MODELOPT DFAULT CONC
  AVERTIME 1
  URBANOPT 2035210 San_Bernardino_County
  POLLUTID NOX
  FLAGPOLE 2.00
  RUNORNOT RUN
  ERRORFIL "15585 Ops NOX.err"
CO FINISHED
**
*****
** AERMOD Source Pathway
*****
**
**
SO STARTING
** Source Location **
** Source ID - Type - X Coord. - Y Coord. **
LOCATION VOL1      VOLUME      461693.740  3786276.453      643.610
LOCATION VOL2      VOLUME      461646.169  3786333.174      642.840
LOCATION VOL3      VOLUME      461591.280  3786386.232      647.830
LOCATION VOL4      VOLUME      461541.881  3786437.462      649.230
LOCATION VOL5      VOLUME      461499.799  3786483.202      650.290
LOCATION VOL6      VOLUME      461461.378  3786530.772      651.510
LOCATION VOL7      VOLUME      461408.319  3786578.342      653.920
LOCATION VOL8      VOLUME      461452.229  3786636.890      648.030
LOCATION VOL9      VOLUME      461512.607  3786686.289      645.570
LOCATION VOL10     VOLUME      461572.984  3786730.200      644.910
LOCATION VOL11     VOLUME      461366.238  3786625.912      655.580
LOCATION VOL12     VOLUME      461289.394  3786678.971      662.030
LOCATION VOL13     VOLUME      461373.556  3786706.415      654.400
LOCATION VOL14     VOLUME      461441.252  3786713.733      647.890
LOCATION VOL15     VOLUME      461234.505  3786728.370      667.840
LOCATION VOL16     VOLUME      461199.743  3786774.111      667.480
LOCATION VOL17     VOLUME      461152.173  3786821.681      666.390
LOCATION VOL18     VOLUME      461086.307  3786863.762      668.160
LOCATION VOL19     VOLUME      461038.737  3786904.013      673.160
LOCATION VOL20     VOLUME      460978.359  3786938.776      680.480
LOCATION VOL21     VOLUME      460927.130  3786993.664      681.640
LOCATION VOL22     VOLUME      460877.731  3787050.382      684.380
LOCATION VOL23     VOLUME      460837.479  3787107.100      683.950
LOCATION VOL24     VOLUME      460804.546  3787160.159      681.640
LOCATION VOL25     VOLUME      460749.517  3787211.229      680.350
LOCATION VOL26     VOLUME      460704.572  3787274.681      677.670
LOCATION VOL27     VOLUME      460655.661  3787332.845      679.400
LOCATION VOL28     VOLUME      460593.531  3787398.940      683.870
LOCATION VOL29     VOLUME      460639.798  3787451.816      679.140

```

LOCATION	VOL30	VOLUME	460683.421	3787401.584	675.790
LOCATION	VOL31	VOLUME	460741.585	3787356.639	670.810
LOCATION	VOL32	VOLUME	460790.496	3787281.290	670.000
LOCATION	VOL33	VOLUME	460875.098	3787289.222	670.390
LOCATION	VOL34	VOLUME	460929.296	3787227.092	670.660
LOCATION	VOL35	VOLUME	460840.729	3787209.907	677.570
LOCATION	VOL36	VOLUME	460884.352	3787164.962	677.960
LOCATION	VOL37	VOLUME	460967.632	3787141.168	672.840
LOCATION	VOL38	VOLUME	460921.365	3787088.291	678.890
LOCATION	VOL39	VOLUME	460967.632	3787063.175	676.310
LOCATION	VOL40	VOLUME	461048.268	3787114.729	668.480
LOCATION	VOL41	VOLUME	461007.289	3786998.401	675.500
LOCATION	VOL42	VOLUME	461052.234	3787052.600	669.780
LOCATION	VOL43	VOLUME	461134.193	3787056.565	661.990
LOCATION	VOL44	VOLUME	461082.638	3786975.929	671.770
LOCATION	VOL45	VOLUME	461120.973	3786917.765	665.910
LOCATION	VOL46	VOLUME	461167.240	3786986.504	660.060
LOCATION	VOL47	VOLUME	461253.164	3786983.860	656.410
LOCATION	VOL48	VOLUME	461208.219	3786903.224	658.460
LOCATION	VOL49	VOLUME	461234.658	3786831.841	660.330
LOCATION	VOL50	VOLUME	461291.500	3786905.868	655.270
LOCATION	VOL51	VOLUME	461374.780	3786887.361	652.160
LOCATION	VOL52	VOLUME	461317.938	3786823.909	656.140
LOCATION	VOL53	VOLUME	461287.534	3786757.814	660.450
LOCATION	VOL54	VOLUME	461373.458	3786786.896	653.480
LOCATION	VOL55	VOLUME	461455.417	3786801.437	648.470
LOCATION	VOL56	VOLUME	461385.355	3786838.450	651.810
LOCATION	VOL57	VOLUME	461529.444	3786768.389	645.070
LOCATION	VOL58	VOLUME	462577.220	3786719.492	633.360
LOCATION	VOL59	VOLUME	462660.520	3786693.681	632.580
LOCATION	VOL60	VOLUME	462744.406	3786674.322	630.900
LOCATION	VOL61	VOLUME	462828.880	3786650.857	628.260
LOCATION	VOL62	VOLUME	462868.770	3786625.633	626.420
LOCATION	VOL63	VOLUME	462848.238	3786541.746	623.050
LOCATION	VOL64	VOLUME	462835.332	3786455.513	622.000
LOCATION	VOL65	VOLUME	462621.216	3786659.657	631.720
LOCATION	VOL66	VOLUME	462660.520	3786609.794	629.090
LOCATION	VOL67	VOLUME	462684.571	3786547.612	627.210
LOCATION	VOL68	VOLUME	462745.580	3786589.849	627.120
LOCATION	VOL69	VOLUME	462807.175	3786566.971	624.980
LOCATION	VOL70	VOLUME	462716.835	3786469.005	624.430
LOCATION	VOL71	VOLUME	462751.446	3786439.087	622.370
LOCATION	VOL72	VOLUME	462835.332	3786419.729	622.000
LOCATION	VOL73	VOLUME	462764.351	3786515.348	623.530
LOCATION	VOL74	VOLUME	461061.948	3784936.739	654.040
LOCATION	VOL75	VOLUME	461059.795	3784850.618	644.040
LOCATION	VOL76	VOLUME	461057.642	3784762.345	642.000
LOCATION	VOL77	VOLUME	461141.610	3784805.405	641.650
LOCATION	VOL78	VOLUME	461139.457	3784721.438	639.020
LOCATION	VOL79	VOLUME	461225.577	3784805.405	636.620
LOCATION	VOL80	VOLUME	461225.577	3784723.591	634.040
LOCATION	VOL81	VOLUME	461223.667	3784635.373	631.360
LOCATION	VOL82	VOLUME	461156.778	3784658.706	636.710
LOCATION	VOL83	VOLUME	461312.335	3784885.818	641.380
LOCATION	VOL84	VOLUME	461310.779	3784801.818	632.510
LOCATION	VOL85	VOLUME	461312.335	3784714.706	629.850
LOCATION	VOL86	VOLUME	461309.224	3784630.706	628.160
LOCATION	VOL87	VOLUME	461284.335	3784548.261	629.430
LOCATION	VOL88	VOLUME	461369.891	3784543.594	624.320
LOCATION	VOL89	VOLUME	461289.001	3784462.705	624.470
LOCATION	VOL90	VOLUME	461225.223	3784422.260	627.230
LOCATION	VOL91	VOLUME	461371.446	3784458.038	621.330
LOCATION	VOL92	VOLUME	461270.334	3784338.260	620.310
LOCATION	VOL93	VOLUME	461310.779	3784375.593	619.290
LOCATION	VOL94	VOLUME	461396.335	3784627.595	624.280
LOCATION	VOL95	VOLUME	461397.891	3784711.595	626.590

LOCATION	VOL96	VOLUME	461396.335	3784797.151	630.160
LOCATION	VOL97	VOLUME	461483.447	3784714.706	622.870
LOCATION	VOL98	VOLUME	461481.891	3784795.596	626.210
LOCATION	VOL99	VOLUME	461486.558	3784879.596	631.090
LOCATION	VOL100	VOLUME	461569.003	3784776.929	621.370
LOCATION	VOL101	VOLUME	461643.670	3784787.818	622.790
LOCATION	VOL102	VOLUME	461562.781	3784825.151	625.070
** Source Parameters **					
SRCPARAM	VOL1	0.0014918149	3.490	19.572	3.250
SRCPARAM	VOL2	0.0014918149	3.490	19.572	3.250
SRCPARAM	VOL3	0.0014918149	3.490	19.572	3.250
SRCPARAM	VOL4	0.0014918149	3.490	19.572	3.250
SRCPARAM	VOL5	0.0014918149	3.490	19.572	3.250
SRCPARAM	VOL6	0.0014918149	3.490	19.572	3.250
SRCPARAM	VOL7	0.0014918149	3.490	19.572	3.250
SRCPARAM	VOL8	0.0014918149	3.490	19.572	3.250
SRCPARAM	VOL9	0.0014918149	3.490	19.572	3.250
SRCPARAM	VOL10	0.0014918149	3.490	19.572	3.250
SRCPARAM	VOL11	0.0014918149	3.490	19.572	3.250
SRCPARAM	VOL12	0.0014918149	3.490	19.572	3.250
SRCPARAM	VOL13	0.0014918149	3.490	19.572	3.250
SRCPARAM	VOL14	0.0014918149	3.490	19.572	3.250
SRCPARAM	VOL15	0.0014918149	3.490	19.572	3.250
SRCPARAM	VOL16	0.0014918149	3.490	19.572	3.250
SRCPARAM	VOL17	0.0014918149	3.490	19.572	3.250
SRCPARAM	VOL18	0.0014918149	3.490	19.572	3.250
SRCPARAM	VOL19	0.0014918149	3.490	19.572	3.250
SRCPARAM	VOL20	0.0014918149	3.490	19.572	3.250
SRCPARAM	VOL21	0.0014918149	3.490	19.572	3.250
SRCPARAM	VOL22	0.0014918149	3.490	19.572	3.250
SRCPARAM	VOL23	0.0014918149	3.490	19.572	3.250
SRCPARAM	VOL24	0.0014918149	3.490	19.572	3.250
SRCPARAM	VOL25	0.0014918149	3.490	19.572	3.250
SRCPARAM	VOL26	0.0014918149	3.490	19.572	3.250
SRCPARAM	VOL27	0.0014918149	3.490	19.572	3.250
SRCPARAM	VOL28	0.0014918149	3.490	19.572	3.250
SRCPARAM	VOL29	0.0014918149	3.490	19.572	3.250
SRCPARAM	VOL30	0.0014918149	3.490	19.572	3.250
SRCPARAM	VOL31	0.0014918149	3.490	19.572	3.250
SRCPARAM	VOL32	0.0014918149	3.490	19.572	3.250
SRCPARAM	VOL33	0.0014918149	3.490	19.572	3.250
SRCPARAM	VOL34	0.0014918149	3.490	19.572	3.250
SRCPARAM	VOL35	0.0014918149	3.490	19.572	3.250
SRCPARAM	VOL36	0.0014918149	3.490	19.572	3.250
SRCPARAM	VOL37	0.0014918149	3.490	19.572	3.250
SRCPARAM	VOL38	0.0014918149	3.490	19.572	3.250
SRCPARAM	VOL39	0.0014918149	3.490	19.572	3.250
SRCPARAM	VOL40	0.0014918149	3.490	19.572	3.250
SRCPARAM	VOL41	0.0014918149	3.490	19.572	3.250
SRCPARAM	VOL42	0.0014918149	3.490	19.572	3.250
SRCPARAM	VOL43	0.0014918149	3.490	19.572	3.250
SRCPARAM	VOL44	0.0014918149	3.490	19.572	3.250
SRCPARAM	VOL45	0.0014918149	3.490	19.572	3.250
SRCPARAM	VOL46	0.0014918149	3.490	19.572	3.250
SRCPARAM	VOL47	0.0014918149	3.490	19.572	3.250
SRCPARAM	VOL48	0.0014918149	3.490	19.572	3.250
SRCPARAM	VOL49	0.0014918149	3.490	19.572	3.250
SRCPARAM	VOL50	0.0014918149	3.490	19.572	3.250
SRCPARAM	VOL51	0.0014918149	3.490	19.572	3.250
SRCPARAM	VOL52	0.0014918149	3.490	19.572	3.250
SRCPARAM	VOL53	0.0014918149	3.490	19.572	3.250
SRCPARAM	VOL54	0.0014918149	3.490	19.572	3.250
SRCPARAM	VOL55	0.0014918149	3.490	19.572	3.250
SRCPARAM	VOL56	0.0014918149	3.490	19.572	3.250
SRCPARAM	VOL57	0.0014918149	3.490	19.572	3.250
SRCPARAM	VOL58	0.0035468403	3.490	19.572	3.250

SRCPARAM	VOL59	0.0035468403	3.490	19.572	3.250
SRCPARAM	VOL60	0.0035468403	3.490	19.572	3.250
SRCPARAM	VOL61	0.0035468403	3.490	19.572	3.250
SRCPARAM	VOL62	0.0035468403	3.490	19.572	3.250
SRCPARAM	VOL63	0.0035468403	3.490	19.572	3.250
SRCPARAM	VOL64	0.0035468403	3.490	19.572	3.250
SRCPARAM	VOL65	0.0035468403	3.490	19.572	3.250
SRCPARAM	VOL66	0.0035468403	3.490	19.572	3.250
SRCPARAM	VOL67	0.0035468403	3.490	19.572	3.250
SRCPARAM	VOL68	0.0035468403	3.490	19.572	3.250
SRCPARAM	VOL69	0.0035468403	3.490	19.572	3.250
SRCPARAM	VOL70	0.0035468403	3.490	19.572	3.250
SRCPARAM	VOL71	0.0035468403	3.490	19.572	3.250
SRCPARAM	VOL72	0.0035468403	3.490	19.572	3.250
SRCPARAM	VOL73	0.0035468403	3.490	19.572	3.250
SRCPARAM	VOL74	0.0051356736	3.490	19.572	3.250
SRCPARAM	VOL75	0.0051356736	3.490	19.572	3.250
SRCPARAM	VOL76	0.0051356736	3.490	19.572	3.250
SRCPARAM	VOL77	0.0051356736	3.490	19.572	3.250
SRCPARAM	VOL78	0.0051356736	3.490	19.572	3.250
SRCPARAM	VOL79	0.0051356736	3.490	19.572	3.250
SRCPARAM	VOL80	0.0051356736	3.490	19.572	3.250
SRCPARAM	VOL81	0.0051356736	3.490	19.572	3.250
SRCPARAM	VOL82	0.0051356736	3.490	19.572	3.250
SRCPARAM	VOL83	0.0051356736	3.490	19.572	3.250
SRCPARAM	VOL84	0.0051356736	3.490	19.572	3.250
SRCPARAM	VOL85	0.0051356736	3.490	19.572	3.250
SRCPARAM	VOL86	0.0051356736	3.490	19.572	3.250
SRCPARAM	VOL87	0.0051356736	3.490	19.572	3.250
SRCPARAM	VOL88	0.0051356736	3.490	19.572	3.250
SRCPARAM	VOL89	0.0051356736	3.490	19.572	3.250
SRCPARAM	VOL90	0.0051356736	3.490	19.572	3.250
SRCPARAM	VOL91	0.0051356736	3.490	19.572	3.250
SRCPARAM	VOL92	0.0051356736	3.490	19.572	3.250
SRCPARAM	VOL93	0.0051356736	3.490	19.572	3.250
SRCPARAM	VOL94	0.0051356736	3.490	19.572	3.250
SRCPARAM	VOL95	0.0051356736	3.490	19.572	3.250
SRCPARAM	VOL96	0.0051356736	3.490	19.572	3.250
SRCPARAM	VOL97	0.0051356736	3.490	19.572	3.250
SRCPARAM	VOL98	0.0051356736	3.490	19.572	3.250
SRCPARAM	VOL99	0.0051356736	3.490	19.572	3.250
SRCPARAM	VOL100	0.0051356736	3.490	19.572	3.250
SRCPARAM	VOL101	0.0051356736	3.490	19.572	3.250
SRCPARAM	VOL102	0.0051356736	3.490	19.572	3.250

URBANSRC ALL

SRCGROUP ALL

SO FINISHED

**

** AERMOD Receptor Pathway

**

**

RE STARTING

INCLUDED "15585 Ops NOX.rou"

RE FINISHED

**

** AERMOD Meteorology Pathway

**

**

ME STARTING

SURFFILE FONT_V9_ADJU\FONT_v9.SFC

PROFFILE FONT_V9_ADJU\FONT_v9.PFL

SURFDATA 3102 2011

UAIRDATA 3190 2011
SITEDATA 99999 2011
PROFBASE 367.0 METERS
ME FINISHED

**

** AERMOD Output Pathway

**
**

OU STARTING
RECTABLE ALLAVE 1ST
RECTABLE 1 1ST
** Auto-Generated Plotfiles
PLOTFILE 1 ALL 1ST "15585 OPS NOX.AD\01H1GALL.PLT" 31
SUMMFILE "15585 Ops NOX.sum"
OU FINISHED

*** Message Summary For AERMOD Model Setup ***

----- Summary of Total Messages -----

A Total of	0 Fatal Error Message(s)
A Total of	2 Warning Message(s)
A Total of	0 Informational Message(s)

***** FATAL ERROR MESSAGES *****
*** NONE ***

***** WARNING MESSAGES *****
ME W186 267 MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold used 0.50
ME W187 267 MEOPEN: ADJ_U* Option for Stable Low Winds used in AERMET

*** SETUP Finishes Successfully ***

*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/15/24
*** AERMET - VERSION 16216 ***
*** 17:45:15

PAGE 1

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** MODEL SETUP OPTIONS SUMMARY ***

** Model Options Selected:

- * Model Uses Regulatory DEFAULT Options
- * Model Is Setup For Calculation of Average CONCentration Values.
- * NO GAS DEPOSITION Data Provided.
- * NO PARTICLE DEPOSITION Data Provided.
- * Model Uses NO DRY DEPLETION. DDPLETE = F
- * Model Uses NO WET DEPLETION. WETDPLT = F
- * Stack-tip Downwash.
- * Model Accounts for ELEVated Terrain Effects.
- * Use Calms Processing Routine.
- * Use Missing Data Processing Routine.
- * No Exponential Decay.
- * Model Uses URBAN Dispersion Algorithm for the SBL for 102 Source(s),
for Total of 1 Urban Area(s):

Urban Population = 2035210.0 ; Urban Roughness Length = 1.000 m
* Urban Roughness Length of 1.0 Meter Used.
* ADJ_U* - Use ADJ_U* option for SBL in AERMET
* TEMP_Sub - Meteorological data includes TEMP substitutions
* Model Accepts FLAGPOLE Receptor . Heights.
* The User Specified a Pollutant Type of: NOX

**Model Calculates 1 Short Term Average(s) of: 1-HR

**This Run Includes: 102 Source(s); 1 Source Group(s); and 94 Receptor(s)

with: 0 POINT(s), including
0 POINTCAP(s) and 0 POINTHOR(s)
and: 102 VOLUME source(s)
and: 0 AREA type source(s)
and: 0 LINE source(s)
and: 0 RLINE/RLINEXT source(s)
and: 0 OPENPIT source(s)
and: 0 BUOYANT LINE source(s) with a total of 0 line(s)
and: 0 SWPOINT source(s)

**Model Set To Continue RUNNING After the Setup Testing.

**The AERMET Input Meteorological Data Version Date: 16216

**Output Options Selected:

Model Outputs Tables of Highest Short Term Values by Receptor (RECTABLE Keyword)
Model Outputs External File(s) of High Values for Plotting (PLOTFILE Keyword)
Model Outputs Separate Summary File of High Ranked Values (SUMMFILE Keyword)

**NOTE: The Following Flags May Appear Following CONC Values: c for Calm Hours
m for Missing Hours
b for Both Calm and Missing Hours

**Misc. Inputs: Base Elev. for Pot. Temp. Profile (m MSL) = 367.00 ; Decay Coef. =
0.000 ; Rot. Angle = 0.0
Emission Units = GRAMS/SEC ; Emission Rate
Unit Factor = 0.10000E+07
Output Units = MICROGRAMS/M**3

**Approximate Storage Requirements of Model = 3.6 MB of RAM.

**Input Runstream File:

aermod.inp

**Output Print File:

aermod.out

**Detailed Error/Message File: 15585 Ops

NOX.err

**File for Summary of Results: 15585 Ops

NOX.sum

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/15/24

*** AERMET - VERSION 16216 ***

17:45:15

PAGE 2

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

NUMBER	EMISSION RATE	BASE	RELEASE	INIT.	INIT.
URBAN	EMISSION RATE	AIRCRAFT			

SOURCE	PART.	(GRAMS/SEC)	X	Y	ELEV.	HEIGHT	SY	SZ
SOURCE	SCALAR	VARY						
ID	CATS.		(METERS)	(METERS)	(METERS)	(METERS)	(METERS)	
(METERS)		BY						

VOL1	0	0.14918E-02	461693.7	3786276.5	643.6	3.49	19.57	3.25
YES		NO						
VOL2	0	0.14918E-02	461646.2	3786333.2	642.8	3.49	19.57	3.25
YES		NO						
VOL3	0	0.14918E-02	461591.3	3786386.2	647.8	3.49	19.57	3.25
YES		NO						
VOL4	0	0.14918E-02	461541.9	3786437.5	649.2	3.49	19.57	3.25
YES		NO						
VOL5	0	0.14918E-02	461499.8	3786483.2	650.3	3.49	19.57	3.25
YES		NO						
VOL6	0	0.14918E-02	461461.4	3786530.8	651.5	3.49	19.57	3.25
YES		NO						
VOL7	0	0.14918E-02	461408.3	3786578.3	653.9	3.49	19.57	3.25
YES		NO						
VOL8	0	0.14918E-02	461452.2	3786636.9	648.0	3.49	19.57	3.25
YES		NO						
VOL9	0	0.14918E-02	461512.6	3786686.3	645.6	3.49	19.57	3.25
YES		NO						
VOL10	0	0.14918E-02	461573.0	3786730.2	644.9	3.49	19.57	3.25
YES		NO						
VOL11	0	0.14918E-02	461366.2	3786625.9	655.6	3.49	19.57	3.25
YES		NO						
VOL12	0	0.14918E-02	461289.4	3786679.0	662.0	3.49	19.57	3.25
YES		NO						
VOL13	0	0.14918E-02	461373.6	3786706.4	654.4	3.49	19.57	3.25
YES		NO						
VOL14	0	0.14918E-02	461441.3	3786713.7	647.9	3.49	19.57	3.25
YES		NO						
VOL15	0	0.14918E-02	461234.5	3786728.4	667.8	3.49	19.57	3.25
YES		NO						
VOL16	0	0.14918E-02	461199.7	3786774.1	667.5	3.49	19.57	3.25
YES		NO						
VOL17	0	0.14918E-02	461152.2	3786821.7	666.4	3.49	19.57	3.25
YES		NO						
VOL18	0	0.14918E-02	461086.3	3786863.8	668.2	3.49	19.57	3.25
YES		NO						
VOL19	0	0.14918E-02	461038.7	3786904.0	673.2	3.49	19.57	3.25
YES		NO						
VOL20	0	0.14918E-02	460978.4	3786938.8	680.5	3.49	19.57	3.25
YES		NO						
VOL21	0	0.14918E-02	460927.1	3786993.7	681.6	3.49	19.57	3.25
YES		NO						
VOL22	0	0.14918E-02	460877.7	3787050.4	684.4	3.49	19.57	3.25
YES		NO						
VOL23	0	0.14918E-02	460837.5	3787107.1	683.9	3.49	19.57	3.25
YES		NO						
VOL24	0	0.14918E-02	460804.5	3787160.2	681.6	3.49	19.57	3.25
YES		NO						
VOL25	0	0.14918E-02	460749.5	3787211.2	680.3	3.49	19.57	3.25
YES		NO						
VOL26	0	0.14918E-02	460704.6	3787274.7	677.7	3.49	19.57	3.25
YES		NO						
VOL27	0	0.14918E-02	460655.7	3787332.8	679.4	3.49	19.57	3.25
YES		NO						
VOL28	0	0.14918E-02	460593.5	3787398.9	683.9	3.49	19.57	3.25
YES		NO						
VOL29	0	0.14918E-02	460639.8	3787451.8	679.1	3.49	19.57	3.25
YES		NO						
VOL30	0	0.14918E-02	460683.4	3787401.6	675.8	3.49	19.57	3.25

*** VOLUME SOURCE DATA ***

		NUMBER EMISSION RATE				BASE	RELEASE	INIT.	INIT.
		URBAN	EMISSION RATE	AIRCRAFT					
SOURCE	PART.	(GRAMS/SEC)	X	Y	ELEV.	HEIGHT	SY	SZ	
SOURCE	SCALAR	VARY							
ID	CATS.		(METERS)	(METERS)	(METERS)	(METERS)	(METERS)		
(METERS)		BY							

VOL81	0	0.51357E-02	461223.7	3784635.4	631.4	3.49	19.57	3.25	
YES		NO							
VOL82	0	0.51357E-02	461156.8	3784658.7	636.7	3.49	19.57	3.25	
YES		NO							
VOL83	0	0.51357E-02	461312.3	3784885.8	641.4	3.49	19.57	3.25	
YES		NO							
VOL84	0	0.51357E-02	461310.8	3784801.8	632.5	3.49	19.57	3.25	
YES		NO							
VOL85	0	0.51357E-02	461312.3	3784714.7	629.8	3.49	19.57	3.25	
YES		NO							
VOL86	0	0.51357E-02	461309.2	3784630.7	628.2	3.49	19.57	3.25	
YES		NO							
VOL87	0	0.51357E-02	461284.3	3784548.3	629.4	3.49	19.57	3.25	
YES		NO							
VOL88	0	0.51357E-02	461369.9	3784543.6	624.3	3.49	19.57	3.25	
YES		NO							
VOL89	0	0.51357E-02	461289.0	3784462.7	624.5	3.49	19.57	3.25	
YES		NO							
VOL90	0	0.51357E-02	461225.2	3784422.3	627.2	3.49	19.57	3.25	
YES		NO							
VOL91	0	0.51357E-02	461371.4	3784458.0	621.3	3.49	19.57	3.25	
YES		NO							
VOL92	0	0.51357E-02	461270.3	3784338.3	620.3	3.49	19.57	3.25	
YES		NO							
VOL93	0	0.51357E-02	461310.8	3784375.6	619.3	3.49	19.57	3.25	
YES		NO							
VOL94	0	0.51357E-02	461396.3	3784627.6	624.3	3.49	19.57	3.25	
YES		NO							
VOL95	0	0.51357E-02	461397.9	3784711.6	626.6	3.49	19.57	3.25	
YES		NO							
VOL96	0	0.51357E-02	461396.3	3784797.2	630.2	3.49	19.57	3.25	
YES		NO							
VOL97	0	0.51357E-02	461483.4	3784714.7	622.9	3.49	19.57	3.25	
YES		NO							
VOL98	0	0.51357E-02	461481.9	3784795.6	626.2	3.49	19.57	3.25	
YES		NO							
VOL99	0	0.51357E-02	461486.6	3784879.6	631.1	3.49	19.57	3.25	
YES		NO							
VOL100	0	0.51357E-02	461569.0	3784776.9	621.4	3.49	19.57	3.25	
YES		NO							
VOL101	0	0.51357E-02	461643.7	3784787.8	622.8	3.49	19.57	3.25	
YES		NO							
VOL102	0	0.51357E-02	461562.8	3784825.2	625.1	3.49	19.57	3.25	
YES		NO							

VOL33	,	VOL34	,	VOL35	,	VOL36	,	VOL37	,	VOL38	,
VOL39	,	VOL40	,								
VOL41	,	VOL42	,	VOL43	,	VOL44	,	VOL45	,	VOL46	,
VOL47	,	VOL48	,								
VOL49	,	VOL50	,	VOL51	,	VOL52	,	VOL53	,	VOL54	,
VOL55	,	VOL56	,								
VOL57	,	VOL58	,	VOL59	,	VOL60	,	VOL61	,	VOL62	,
VOL63	,	VOL64	,								
VOL65	,	VOL66	,	VOL67	,	VOL68	,	VOL69	,	VOL70	,
VOL71	,	VOL72	,								
VOL73	,	VOL74	,	VOL75	,	VOL76	,	VOL77	,	VOL78	,
VOL79	,	VOL80	,								
VOL81	,	VOL82	,	VOL83	,	VOL84	,	VOL85	,	VOL86	,
VOL87	,	VOL88	,								
VOL89	,	VOL90	,	VOL91	,	VOL92	,	VOL93	,	VOL94	,
VOL95	,	VOL96	,								
VOL97	,	VOL98	,	VOL99	,	VOL100	,	VOL101	,	VOL102	,

```

*** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***                  04/15/24
*** AERMET - VERSION 16216 ***
***                                     *** 17:45:15

```

PAGE 7

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** DISCRETE CARTESIAN RECEPTORS ***
 (X-COORD, Y-COORD, ZELEV, ZHILL, ZFLAG)
 (METERS)

(463154.3, 3786819.6,	631.4,	1734.0,	2.0);	(463167.5, 3786865.5,
633.6, 1734.0,	2.0);			
(463147.6, 3786873.2,	634.1,	1734.0,	2.0);	(463129.9, 3786877.4,
634.4, 1734.0,	2.0);			
(463110.0, 3786886.9,	635.4,	1734.0,	2.0);	(463059.0, 3786966.9,
641.4, 1734.0,	2.0);			
(463074.9, 3787087.9,	646.7,	1734.0,	2.0);	(463102.5, 3787076.0,
645.0, 1734.0,	2.0);			
(462919.9, 3787058.3,	650.6,	1734.0,	2.0);	(463042.0, 3787098.7,
649.3, 1734.0,	2.0);			
(462998.1, 3787106.0,	651.7,	1734.0,	2.0);	(462944.0, 3787123.4,
653.8, 1734.0,	2.0);			
(462850.6, 3787079.7,	652.9,	1734.0,	2.0);	(462807.5, 3787091.0,
653.6, 1734.0,	2.0);			
(462821.9, 3787159.9,	658.2,	1734.0,	2.0);	(462755.2, 3787105.3,
654.6, 1734.0,	2.0);			
(462743.8, 3787181.3,	659.7,	1734.0,	2.0);	(462870.3, 3787147.1,
657.4, 1734.0,	2.0);			
(462890.0, 3787138.7,	656.5,	1734.0,	2.0);	(462725.4, 3787114.5,
655.2, 1734.0,	2.0);			
(462685.8, 3787125.8,	655.9,	1734.0,	2.0);	(462656.2, 3787132.7,
656.5, 1734.0,	2.0);			
(462632.9, 3787123.9,	655.6,	1734.0,	2.0);	(462595.9, 3787152.0,
658.4, 1734.0,	2.0);			
(462571.7, 3787160.3,	658.8,	1734.0,	2.0);	(462473.7, 3787233.0,
657.1, 1734.0,	2.0);			
(462534.0, 3787244.6,	659.9,	1734.0,	2.0);	(462400.1, 3787275.4,
659.0, 1734.0,	2.0);			

```
FF *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***                      04/15/24
*** AERMET - VERSION 16216 ***
***                                     *** 17:45:15
```

```
***  MODELOPTs:      RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
```

```

*** DISCRETE CARTESIAN RECEPTORS ***
(X-COORD, Y-COORD, ZELEV, ZHILL, ZFLAG)
      (METERS)

```

```
( 462710.5, 3782876.4,      547.6,      1734.0,      2.0);      ( 462069.8, 3783383.5,
571.2,      1734.0,      2.0);
( 462277.2, 3783298.3,      561.0,      1734.0,      2.0);      ( 461797.0, 3783468.7,
575.6,      1734.0,      2.0);
```

```

** *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAS\15585 Glen Helen
SP\15585 Ops H ***                      04/15/24
*** AERMET - VERSION 16216 ***
***                                     *** 17:45:15

```

```
*** MODELOPTs:      RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
```

*** METEOROLOGICAL DAYS SELECTED FOR PROCESSING ***
(1=YES; 0=NO)

[illegible]

NOTE: METEOROLOGICAL DATA ACTUALLY PROCESSED WILL ALSO DEPEND ON WHAT IS INCLUDED IN THE DATA FILE.

```

*** UPPER BOUND OF FIRST THROUGH FIFTH WIND SPEED CATEGORIES
***
(METERS/SEC)

```

1.54, 3.09, 5.14, 8.23, 10.80,

```
*** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen  
SP\15585 Ops H ***                  04/15/24  
*** AERMET - VERSION 16216 ***  
***                                *** 17:45:15
```

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ U*

*** UP TO THE FIRST 24 HOURS OF METEOROLOGICAL DATA ***

```
Surface file:
FONT_V9_ADJU\FONT_v9.SFC
Version: 16216
Profile file:
FONT_V9_ADJU\FONT_v9.PFL
Surface format:
FREE
```

Met

Profile format:

FREE

Surface station no.: 3102

Name: UNKNOWN

UNKNOWN

Year: 2011

Upper air station no.: 3190

Name:

Year: 2011

First 24 hours of scalar data

YR	MO	DY	JDY	HR	H0	U*	W*	DT/DZ	ZICNV	ZIMCH	M-O	LEN	Z0	BOWEN	ALBEDO	REF	WS
WD				HT	REF	TA	HT										
11	01	01	1	01	-18.5	0.194	-9.000	-9.000	-999.	204.		41.2	0.25	2.82	1.00	1.80	
69.				9.1	276.4	5.5											
11	01	01	1	02	-23.8	0.239	-9.000	-9.000	-999.	281.		63.0	0.25	2.82	1.00	2.20	
52.				9.1	275.4	5.5											
11	01	01	1	03	-18.5	0.194	-9.000	-9.000	-999.	205.		41.2	0.25	2.82	1.00	1.80	
32.				9.1	275.4	5.5											
11	01	01	1	04	-1.4	0.067	-9.000	-9.000	-999.	57.		18.3	0.25	2.82	1.00	0.40	
27.				9.1	274.2	5.5											
11	01	01	1	05	-18.6	0.194	-9.000	-9.000	-999.	204.		41.2	0.25	2.82	1.00	1.80	
51.				9.1	274.2	5.5											
11	01	01	1	06	-29.7	0.296	-9.000	-9.000	-999.	387.		96.6	0.25	2.82	1.00	2.70	
53.				9.1	274.2	5.5											
11	01	01	1	07	-24.0	0.239	-9.000	-9.000	-999.	282.		63.0	0.25	2.82	1.00	2.20	
70.				9.1	274.2	5.5											
11	01	01	1	08	-8.4	0.138	-9.000	-9.000	-999.	127.		27.3	0.25	2.82	0.54	1.30	
72.				9.1	275.4	5.5											
11	01	01	1	09	44.3	0.280	0.571	0.005	147.	356.		-43.5	0.25	2.82	0.32	2.20	
67.				9.1	277.5	5.5											
11	01	01	1	10	122.7	0.264	0.952	0.005	247.	326.		-13.2	0.25	2.82	0.25	1.80	
83.				9.1	279.9	5.5											
11	01	01	1	11	179.8	0.316	1.733	0.005	1017.	426.		-15.4	0.25	2.82	0.22	2.20	
58.				9.1	282.0	5.5											
11	01	01	1	12	206.0	0.320	1.940	0.008	1244.	435.		-14.0	0.25	2.82	0.21	2.20	
115.				9.1	283.1	5.5											
11	01	01	1	13	132.6	0.214	1.733	0.009	1377.	243.		-6.5	0.25	2.82	0.21	1.30	
147.				9.1	284.2	5.5											
11	01	01	1	14	147.0	0.216	1.818	0.009	1431.	242.		-6.0	0.25	2.82	0.23	1.30	
219.				9.1	284.9	5.5											
11	01	01	1	15	104.0	0.208	1.633	0.009	1468.	228.		-7.6	0.25	2.82	0.26	1.30	
126.				9.1	285.4	5.5											
11	01	01	1	16	26.4	0.140	1.037	0.009	1477.	127.		-9.1	0.25	2.82	0.35	0.90	
151.				9.1	284.9	5.5											
11	01	01	1	17	-9.0	0.137	-9.000	-9.000	-999.	121.		24.9	0.25	2.82	0.63	1.30	
69.				9.1	283.1	5.5											
11	01	01	1	18	-33.4	0.342	-9.000	-9.000	-999.	481.		129.0	0.25	2.82	1.00	3.10	
81.				9.1	281.4	5.5											
11	01	01	1	19	-33.6	0.342	-9.000	-9.000	-999.	481.		128.9	0.25	2.82	1.00	3.10	
51.				9.1	279.9	5.5											
11	01	01	1	20	-23.6	0.239	-9.000	-9.000	-999.	287.		63.1	0.25	2.82	1.00	2.20	
77.				9.1	278.8	5.5											
11	01	01	1	21	-18.5	0.194	-9.000	-9.000	-999.	205.		41.2	0.25	2.82	1.00	1.80	
53.				9.1	277.5	5.5											
11	01	01	1	22	-23.7	0.239	-9.000	-9.000	-999.	281.		63.0	0.25	2.82	1.00	2.20	
58.				9.1	277.5	5.5											
11	01	01	1	23	-18.5	0.194	-9.000	-9.000	-999.	205.		41.2	0.25	2.82	1.00	1.80	
64.				9.1	277.5	5.5											
11	01	01	1	24	-4.5	0.094	-9.000	-9.000	-999.	74.		16.3	0.25	2.82	1.00	0.90	
52.				9.1	277.0	5.5											

First hour of profile data

YR	MO	DY	HR	HEIGHT	F	WDIR	WSPD	AMB_TMP	sigmaA	sigmaW	sigmaV

11 01 01 01 5.5 0 -999. -99.00 276.5 99.0 -99.00 -99.00
11 01 01 01 9.1 1 69. 1.80 -999.0 99.0 -99.00 -99.00

F indicates top of profile (=1) or below (=0)

*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/15/24
*** AERMET - VERSION 16216 ***
*** 17:45:15

PAGE 11

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** THE 1ST HIGHEST 1-HR AVERAGE CONCENTRATION VALUES FOR
SOURCE GROUP: ALL ***
INCLUDING SOURCE(S): VOL1 , VOL2 ,
VOL3 , VOL4 , VOL5 ,
VOL6 , VOL7 , VOL8 , VOL9 , VOL10 ,
VOL11 , VOL12 , VOL13 ,
VOL14 , VOL15 , VOL16 , VOL17 , VOL18 ,
VOL19 , VOL20 , VOL21 ,
VOL22 , VOL23 , VOL24 , VOL25 , VOL26 ,
VOL27 , VOL28 , . . . ,

*** DISCRETE CARTESIAN RECEPTOR POINTS ***

** CONC OF NOX IN **
MICROGRAMS/M**3

X-COORD (M)	Y-COORD (M)	CONC	(YYMMDDHH)	X-COORD (M)	Y-COORD
(M)	CONC	(YYMMDDHH)			
463154.33	3786819.61	1.69932	(12091420)	463167.45	
3786865.52	1.90782	(12081321)			
463147.58	3786873.25	2.08038	(11090721)	463129.92	
3786877.44	2.21042	(12081623)			
463110.04	3786886.94	2.41902	(12081623)	463059.03	
3786966.87	2.99749	(11080222)			
463074.93	3787087.88	2.92257	(11080221)	463102.53	
3787075.96	2.85408	(11080222)			
462919.92	3787058.29	2.72152	(12081702)	463042.03	
3787098.70	2.93684	(11080221)			
462998.09	3787105.99	2.81154	(16083124)	462943.99	
3787123.43	2.56121	(16083124)			
462850.58	3787079.71	2.69375	(16092019)	462807.52	
3787090.97	2.68255	(12091321)			
462821.88	3787159.87	2.38957	(12081123)	462755.22	
3787105.29	2.69176	(11082623)			
462743.77	3787181.31	2.38835	(11082623)	462870.28	
3787147.15	2.40677	(16092019)			
462889.99	3787138.70	2.42444	(12080824)	462725.43	
3787114.51	2.66733	(12092121)			
462685.82	3787125.77	2.64863	(12082102)	462656.17	
3787132.72	2.64837	(13090923)			
462632.89	3787123.90	2.73970	(13090422)	462595.92	
3787152.05	2.62284	(15063020)			
462571.70	3787160.31	2.60911	(15063020)	462473.70	
3787233.03	2.49045	(13082423)			
462534.01	3787244.58	2.40061	(13090305)	462400.07	
3787275.41	2.37110	(16072824)			
462229.16	3787434.24	1.78385	(16102718)	462256.97	
3787342.44	2.04327	(12081005)			
462128.43	3787527.59	1.50586	(12081005)	462183.16	
3787452.38	1.72824	(12081005)			
462022.45	3787623.08	1.48752	(12081702)	461918.34	
3787709.00	1.46996	(16072602)			

462038.54	3787667.10	1.38912	(12081702)	461424.87
3788158.12	1.47717	(12091321)		
461926.79	3788065.01	1.12010	(13061901)	461937.75
3787798.61	1.34313	(16072602)		
461956.17	3787956.45	1.16856	(16072602)	461303.41
3788188.53	1.51796	(16082401)		
461132.48	3788399.44	1.35744	(15101403)	461058.72
3788731.50	1.21219	(11090423)		
460943.68	3788817.15	1.20972	(12092121)	457324.43
3790478.09	0.42826	(15082522)		
457715.29	3790466.96	0.44435	(12081005)	457385.37
3790493.92	0.43205	(15082522)		
457752.21	3790534.94	0.44123	(16102718)	458383.39
3790238.21	0.53002	(16060205)		
463178.40	3786251.10	0.85315	(15062506)	462814.44
3786754.18	4.78021	(12071220)		
462674.03	3786877.67	3.67303	(15090919)	462604.90
3786782.62	5.72413	(15063019)		
462768.77	3786780.67	4.51800	(12081101)	461416.67
3783609.80	0.69711	(15102417)		
461655.59	3783762.73	1.29005	(13041207)	461824.61
3783749.17	0.78612	(13041207)		
461846.64	3783749.17	0.73222	(13041207)	461939.41
3783743.24	0.59148	(15013017)		
462019.90	3783739.85	0.50563	(15062506)	462121.14
3783735.61	0.46416	(15062506)		
462214.76	3783729.26	0.43269	(15062506)	462334.64
3783705.54	0.39194	(15062506)		
461658.13	3783690.29	1.21487	(13041207)	461041.92
3783495.78	1.21279	(16012717)		
461249.49	3783484.05	0.54533	(15082107)	461451.20
3783502.23	0.60021	(15102417)		
461567.30	3783209.63	0.42193	(13041207)	461502.80
3783145.13	0.38929	(15102417)		
461612.45	3783185.00	0.48065	(13041207)	460924.52
3783393.96	1.07097	(16012717)		
460848.29	3783334.15	0.93078	(16012717)	460765.02
3783264.37	0.76477	(16012717)		
460668.85	3783186.38	0.58988	(16012717)	460574.44
3783105.46	0.44765	(16012717)		
460496.45	3783051.51	0.35210	(16012717)	460712.73
3783532.65	0.64022	(16012717)		
460583.91	3783527.38	0.46021	(12121616)	460501.88
3783491.78	0.44144	(13020917)		
460403.69	3783447.41	0.42501	(13020917)	460303.99
3783403.05	0.44535	(16020919)		

*** AERMOD - VERSION 23132 ***
 SP\15585 Ops H *** 04/15/24
 *** AERMET - VERSION 16216 ***

 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
 *** 17:45:15

PAGE 12

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** THE 1ST HIGHEST 1-HR AVERAGE CONCENTRATION VALUES FOR
 SOURCE GROUP: ALL ***
 INCLUDING SOURCE(S): VOL1 , VOL2 ,
 VOL3 , VOL4 , VOL5
 VOL6 , VOL7 , VOL8 , VOL9 , VOL10 ,
 VOL11 , VOL12 , VOL13 ,
 VOL14 , VOL15 , VOL16 , VOL17 , VOL18 ,
 VOL19 , VOL20 , VOL21 ,
 VOL22 , VOL23 , VOL24 , VOL25 , VOL26 ,
 VOL27 , VOL28 , . . . ,

*** DISCRETE CARTESIAN RECEPTOR POINTS ***

** CONC OF NOX IN
MICROGRAMS/M**3

**

X-COORD (M)	Y-COORD (M)	CONC	(YYMMDDHH)	X-COORD (M)	Y-COORD
459503.27	3782889.01	0.22682	(11011520)	459388.10	
3783065.74	0.41573	(16072301)			
459382.29	3783016.73	0.36937	(15101223)	459350.12	
3783155.49	0.57442	(13090502)			
459320.33	3783264.86	0.72881	(12082923)	463904.58	
3786591.83	0.37959	(12121715)			
466077.15	3784031.33	0.16052	(11061807)	466200.85	
3784253.98	0.14052	(12070507)			
465960.20	3784644.19	0.15366	(12070507)	466195.23	
3784596.96	0.14548	(12070507)			
462710.50	3782876.40	0.20429	(13062307)	462069.84	
3783383.52	0.41454	(13041207)			
462277.17	3783298.31	0.30841	(15013017)	461797.05	
3783468.72	0.81816	(13041207)			

*** AERMOD - VERSION 23132 *** ** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/15/24
*** AERMET - VERSION 16216 ***
*** 17:45:15

PAGE 13

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** THE SUMMARY OF HIGHEST 1-HR RESULTS ***

** CONC OF NOX IN
MICROGRAMS/M**3

**

DATE

NETWORK

GROUP ID	AVERAGE CONC	(YYMMDDHH)	RECEPTOR	(XR, YR,
ZELEV, ZHILL, ZFLAG)	OF TYPE	GRID-ID		

ALL HIGH 1ST HIGH VALUE IS 5.72413 ON 15063019: AT (462604.90, 3786782.62,
635.54, 1734.00, 2.00) DC

*** RECEPTOR TYPES: GC = GRIDCART
GP = GRIDPOLR
DC = DISCCART
DP = DISCPOLR

*** AERMOD - VERSION 23132 *** ** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/15/24
*** AERMET - VERSION 16216 ***
*** 17:45:15

PAGE 14

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** Message Summary : AERMOD Model Execution ***

----- Summary of Total Messages -----

A Total of 0 Fatal Error Message(s)
A Total of 7 Warning Message(s)

A Total of 838 Informational Message(s)
A Total of 43848 Hours Were Processed
A Total of 40 Calm Hours Identified
A Total of 798 Missing Hours Identified (1.82 Percent)

***** FATAL ERROR MESSAGES *****
*** NONE ***

***** WARNING MESSAGES *****
ME W186 267 MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold used 0.50
ME W187 267 MEOPEN: ADJ_U* Option for Stable Low Winds used in AERMET
MX W438 8800 METQA: Convective Velocity Data Out-of-Range. KURDAT = 12010216
MX W438 11536 METQA: Convective Velocity Data Out-of-Range. KURDAT = 12042516
MX W420 16779 METQA: Wind Speed Out-of-Range. KURDAT = 12113003
MX W450 26305 CHKDAT: Record Out of Sequence in Meteorological File at: 15010101
MX W450 26305 CHKDAT: Record Out of Sequence in Meteorological File at: 1 year gap

*** AERMOD Finishes Successfully ***

```

** Lakes Environmental AERMOD MPI
**
*****
**
** AERMOD Input Produced by:
** AERMOD View Ver. 12.0.0
** Lakes Environmental Software Inc.
** Date: 4/15/2024
** File: C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen SP\15585 Ops PM10\15585 Ops
PM10.ADI
**
*****
**
**
*****
** AERMOD Control Pathway
*****
**
**
CO STARTING
  TITLEONE C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen SP\15585 Ops H
  MODELOPT DFAULT CONC
  AVERTIME 24
  URBANOPT 2035210 San_Bernardino_County
  POLLUTID PM_10
  FLAGPOLE 2.00
  RUNORNOT RUN
  ERRORFIL "15585 Ops PM10.err"
CO FINISHED
**
*****
** AERMOD Source Pathway
*****
**
**
SO STARTING
** Source Location **
** Source ID - Type - X Coord. - Y Coord. **
LOCATION VOL1      VOLUME      461693.740    3786276.453    643.610
LOCATION VOL2      VOLUME      461646.169    3786333.174    642.840
LOCATION VOL3      VOLUME      461591.280    3786386.232    647.830
LOCATION VOL4      VOLUME      461541.881    3786437.462    649.230
LOCATION VOL5      VOLUME      461499.799    3786483.202    650.290
LOCATION VOL6      VOLUME      461461.378    3786530.772    651.510
LOCATION VOL7      VOLUME      461408.319    3786578.342    653.920
LOCATION VOL8      VOLUME      461452.229    3786636.890    648.030
LOCATION VOL9      VOLUME      461512.607    3786686.289    645.570
LOCATION VOL10     VOLUME      461572.984    3786730.200    644.910
LOCATION VOL11     VOLUME      461366.238    3786625.912    655.580
LOCATION VOL12     VOLUME      461289.394    3786678.971    662.030
LOCATION VOL13     VOLUME      461373.556    3786706.415    654.400
LOCATION VOL14     VOLUME      461441.252    3786713.733    647.890
LOCATION VOL15     VOLUME      461234.505    3786728.370    667.840
LOCATION VOL16     VOLUME      461199.743    3786774.111    667.480
LOCATION VOL17     VOLUME      461152.173    3786821.681    666.390
LOCATION VOL18     VOLUME      461086.307    3786863.762    668.160
LOCATION VOL19     VOLUME      461038.737    3786904.013    673.160
LOCATION VOL20     VOLUME      460978.359    3786938.776    680.480
LOCATION VOL21     VOLUME      460927.130    3786993.664    681.640
LOCATION VOL22     VOLUME      460877.731    3787050.382    684.380
LOCATION VOL23     VOLUME      460837.479    3787107.100    683.950
LOCATION VOL24     VOLUME      460804.546    3787160.159    681.640
LOCATION VOL25     VOLUME      460749.517    3787211.229    680.350
LOCATION VOL26     VOLUME      460704.572    3787274.681    677.670
LOCATION VOL27     VOLUME      460655.661    3787332.845    679.400
LOCATION VOL28     VOLUME      460593.531    3787398.940    683.870

```

LOCATION	VOL29	VOLUME	460639.798	3787451.816	679.140
LOCATION	VOL30	VOLUME	460683.421	3787401.584	675.790
LOCATION	VOL31	VOLUME	460741.585	3787356.639	670.810
LOCATION	VOL32	VOLUME	460790.496	3787281.290	670.000
LOCATION	VOL33	VOLUME	460875.098	3787289.222	670.390
LOCATION	VOL34	VOLUME	460929.296	3787227.092	670.660
LOCATION	VOL35	VOLUME	460840.729	3787209.907	677.570
LOCATION	VOL36	VOLUME	460884.352	3787164.962	677.960
LOCATION	VOL37	VOLUME	460967.632	3787141.168	672.840
LOCATION	VOL38	VOLUME	460921.365	3787088.291	678.890
LOCATION	VOL39	VOLUME	460967.632	3787063.175	676.310
LOCATION	VOL40	VOLUME	461048.268	3787114.729	668.480
LOCATION	VOL41	VOLUME	461007.289	3786998.401	675.500
LOCATION	VOL42	VOLUME	461052.234	3787052.600	669.780
LOCATION	VOL43	VOLUME	461134.193	3787056.565	661.990
LOCATION	VOL44	VOLUME	461082.638	3786975.929	671.770
LOCATION	VOL45	VOLUME	461120.973	3786917.765	665.910
LOCATION	VOL46	VOLUME	461167.240	3786986.504	660.060
LOCATION	VOL47	VOLUME	461253.164	3786983.860	656.410
LOCATION	VOL48	VOLUME	461208.219	3786903.224	658.460
LOCATION	VOL49	VOLUME	461234.658	3786831.841	660.330
LOCATION	VOL50	VOLUME	461291.500	3786905.868	655.270
LOCATION	VOL51	VOLUME	461374.780	3786887.361	652.160
LOCATION	VOL52	VOLUME	461317.938	3786823.909	656.140
LOCATION	VOL53	VOLUME	461287.534	3786757.814	660.450
LOCATION	VOL54	VOLUME	461373.458	3786786.896	653.480
LOCATION	VOL55	VOLUME	461455.417	3786801.437	648.470
LOCATION	VOL56	VOLUME	461385.355	3786838.450	651.810
LOCATION	VOL57	VOLUME	461529.444	3786768.389	645.070
LOCATION	VOL58	VOLUME	462577.220	3786719.492	633.360
LOCATION	VOL59	VOLUME	462660.520	3786693.681	632.580
LOCATION	VOL60	VOLUME	462744.406	3786674.322	630.900
LOCATION	VOL61	VOLUME	462828.880	3786650.857	628.260
LOCATION	VOL62	VOLUME	462868.770	3786625.633	626.420
LOCATION	VOL63	VOLUME	462848.238	3786541.746	623.050
LOCATION	VOL64	VOLUME	462835.332	3786455.513	622.000
LOCATION	VOL65	VOLUME	462621.216	3786659.657	631.720
LOCATION	VOL66	VOLUME	462660.520	3786609.794	629.090
LOCATION	VOL67	VOLUME	462684.571	3786547.612	627.210
LOCATION	VOL68	VOLUME	462745.580	3786589.849	627.120
LOCATION	VOL69	VOLUME	462807.175	3786566.971	624.980
LOCATION	VOL70	VOLUME	462716.835	3786469.005	624.430
LOCATION	VOL71	VOLUME	462751.446	3786439.087	622.370
LOCATION	VOL72	VOLUME	462835.332	3786419.729	622.000
LOCATION	VOL73	VOLUME	462764.351	3786515.348	623.530
LOCATION	VOL74	VOLUME	461061.948	3784936.739	654.040
LOCATION	VOL75	VOLUME	461059.795	3784850.618	644.040
LOCATION	VOL76	VOLUME	461057.642	3784762.345	642.000
LOCATION	VOL77	VOLUME	461141.610	3784805.405	641.650
LOCATION	VOL78	VOLUME	461139.457	3784721.438	639.020
LOCATION	VOL79	VOLUME	461225.577	3784805.405	636.620
LOCATION	VOL80	VOLUME	461225.577	3784723.591	634.040
LOCATION	VOL81	VOLUME	461223.667	3784635.373	631.360
LOCATION	VOL82	VOLUME	461156.778	3784658.706	636.710
LOCATION	VOL83	VOLUME	461312.335	3784885.818	641.380
LOCATION	VOL84	VOLUME	461310.779	3784801.818	632.510
LOCATION	VOL85	VOLUME	461312.335	3784714.706	629.850
LOCATION	VOL86	VOLUME	461309.224	3784630.706	628.160
LOCATION	VOL87	VOLUME	461284.335	3784548.261	629.430
LOCATION	VOL88	VOLUME	461369.891	3784543.594	624.320
LOCATION	VOL89	VOLUME	461289.001	3784462.705	624.470
LOCATION	VOL90	VOLUME	461225.223	3784422.260	627.230
LOCATION	VOL91	VOLUME	461371.446	3784458.038	621.330
LOCATION	VOL92	VOLUME	461270.334	3784338.260	620.310
LOCATION	VOL93	VOLUME	461310.779	3784375.593	619.290
LOCATION	VOL94	VOLUME	461396.335	3784627.595	624.280

LOCATION	VOL95	VOLUME	461397.891	3784711.595	626.590
LOCATION	VOL96	VOLUME	461396.335	3784797.151	630.160
LOCATION	VOL97	VOLUME	461483.447	3784714.706	622.870
LOCATION	VOL98	VOLUME	461481.891	3784795.596	626.210
LOCATION	VOL99	VOLUME	461486.558	3784879.596	631.090
LOCATION	VOL100	VOLUME	461569.003	3784776.929	621.370
LOCATION	VOL101	VOLUME	461643.670	3784787.818	622.790
LOCATION	VOL102	VOLUME	461562.781	3784825.151	625.070
** Source Parameters **					
SRCPARAM	VOL1	0.0002141964	3.490	19.572	3.250
SRCPARAM	VOL2	0.0002141964	3.490	19.572	3.250
SRCPARAM	VOL3	0.0002141964	3.490	19.572	3.250
SRCPARAM	VOL4	0.0002141964	3.490	19.572	3.250
SRCPARAM	VOL5	0.0002141964	3.490	19.572	3.250
SRCPARAM	VOL6	0.0002141964	3.490	19.572	3.250
SRCPARAM	VOL7	0.0002141964	3.490	19.572	3.250
SRCPARAM	VOL8	0.0002141964	3.490	19.572	3.250
SRCPARAM	VOL9	0.0002141964	3.490	19.572	3.250
SRCPARAM	VOL10	0.0002141964	3.490	19.572	3.250
SRCPARAM	VOL11	0.0002141964	3.490	19.572	3.250
SRCPARAM	VOL12	0.0002141964	3.490	19.572	3.250
SRCPARAM	VOL13	0.0002141964	3.490	19.572	3.250
SRCPARAM	VOL14	0.0002141964	3.490	19.572	3.250
SRCPARAM	VOL15	0.0002141964	3.490	19.572	3.250
SRCPARAM	VOL16	0.0002141964	3.490	19.572	3.250
SRCPARAM	VOL17	0.0002141964	3.490	19.572	3.250
SRCPARAM	VOL18	0.0002141964	3.490	19.572	3.250
SRCPARAM	VOL19	0.0002141964	3.490	19.572	3.250
SRCPARAM	VOL20	0.0002141964	3.490	19.572	3.250
SRCPARAM	VOL21	0.0002141964	3.490	19.572	3.250
SRCPARAM	VOL22	0.0002141964	3.490	19.572	3.250
SRCPARAM	VOL23	0.0002141964	3.490	19.572	3.250
SRCPARAM	VOL24	0.0002141964	3.490	19.572	3.250
SRCPARAM	VOL25	0.0002141964	3.490	19.572	3.250
SRCPARAM	VOL26	0.0002141964	3.490	19.572	3.250
SRCPARAM	VOL27	0.0002141964	3.490	19.572	3.250
SRCPARAM	VOL28	0.0002141964	3.490	19.572	3.250
SRCPARAM	VOL29	0.0002141964	3.490	19.572	3.250
SRCPARAM	VOL30	0.0002141964	3.490	19.572	3.250
SRCPARAM	VOL31	0.0002141964	3.490	19.572	3.250
SRCPARAM	VOL32	0.0002141964	3.490	19.572	3.250
SRCPARAM	VOL33	0.0002141964	3.490	19.572	3.250
SRCPARAM	VOL34	0.0002141964	3.490	19.572	3.250
SRCPARAM	VOL35	0.0002141964	3.490	19.572	3.250
SRCPARAM	VOL36	0.0002141964	3.490	19.572	3.250
SRCPARAM	VOL37	0.0002141964	3.490	19.572	3.250
SRCPARAM	VOL38	0.0002141964	3.490	19.572	3.250
SRCPARAM	VOL39	0.0002141964	3.490	19.572	3.250
SRCPARAM	VOL40	0.0002141964	3.490	19.572	3.250
SRCPARAM	VOL41	0.0002141964	3.490	19.572	3.250
SRCPARAM	VOL42	0.0002141964	3.490	19.572	3.250
SRCPARAM	VOL43	0.0002141964	3.490	19.572	3.250
SRCPARAM	VOL44	0.0002141964	3.490	19.572	3.250
SRCPARAM	VOL45	0.0002141964	3.490	19.572	3.250
SRCPARAM	VOL46	0.0002141964	3.490	19.572	3.250
SRCPARAM	VOL47	0.0002141964	3.490	19.572	3.250
SRCPARAM	VOL48	0.0002141964	3.490	19.572	3.250
SRCPARAM	VOL49	0.0002141964	3.490	19.572	3.250
SRCPARAM	VOL50	0.0002141964	3.490	19.572	3.250
SRCPARAM	VOL51	0.0002141964	3.490	19.572	3.250
SRCPARAM	VOL52	0.0002141964	3.490	19.572	3.250
SRCPARAM	VOL53	0.0002141964	3.490	19.572	3.250
SRCPARAM	VOL54	0.0002141964	3.490	19.572	3.250
SRCPARAM	VOL55	0.0002141964	3.490	19.572	3.250
SRCPARAM	VOL56	0.0002141964	3.490	19.572	3.250
SRCPARAM	VOL57	0.0002141964	3.490	19.572	3.250

SRCPARAM	VOL58	0.0002658555	3.490	19.572	3.250
SRCPARAM	VOL59	0.0002658555	3.490	19.572	3.250
SRCPARAM	VOL60	0.0002658555	3.490	19.572	3.250
SRCPARAM	VOL61	0.0002658555	3.490	19.572	3.250
SRCPARAM	VOL62	0.0002658555	3.490	19.572	3.250
SRCPARAM	VOL63	0.0002658555	3.490	19.572	3.250
SRCPARAM	VOL64	0.0002658555	3.490	19.572	3.250
SRCPARAM	VOL65	0.0002658555	3.490	19.572	3.250
SRCPARAM	VOL66	0.0002658555	3.490	19.572	3.250
SRCPARAM	VOL67	0.0002658555	3.490	19.572	3.250
SRCPARAM	VOL68	0.0002658555	3.490	19.572	3.250
SRCPARAM	VOL69	0.0002658555	3.490	19.572	3.250
SRCPARAM	VOL70	0.0002658555	3.490	19.572	3.250
SRCPARAM	VOL71	0.0002658555	3.490	19.572	3.250
SRCPARAM	VOL72	0.0002658555	3.490	19.572	3.250
SRCPARAM	VOL73	0.0002658555	3.490	19.572	3.250
SRCPARAM	VOL74	0.000536751	3.490	19.572	3.250
SRCPARAM	VOL75	0.000536751	3.490	19.572	3.250
SRCPARAM	VOL76	0.000536751	3.490	19.572	3.250
SRCPARAM	VOL77	0.000536751	3.490	19.572	3.250
SRCPARAM	VOL78	0.000536751	3.490	19.572	3.250
SRCPARAM	VOL79	0.000536751	3.490	19.572	3.250
SRCPARAM	VOL80	0.000536751	3.490	19.572	3.250
SRCPARAM	VOL81	0.000536751	3.490	19.572	3.250
SRCPARAM	VOL82	0.000536751	3.490	19.572	3.250
SRCPARAM	VOL83	0.000536751	3.490	19.572	3.250
SRCPARAM	VOL84	0.000536751	3.490	19.572	3.250
SRCPARAM	VOL85	0.000536751	3.490	19.572	3.250
SRCPARAM	VOL86	0.000536751	3.490	19.572	3.250
SRCPARAM	VOL87	0.000536751	3.490	19.572	3.250
SRCPARAM	VOL88	0.000536751	3.490	19.572	3.250
SRCPARAM	VOL89	0.000536751	3.490	19.572	3.250
SRCPARAM	VOL90	0.000536751	3.490	19.572	3.250
SRCPARAM	VOL91	0.000536751	3.490	19.572	3.250
SRCPARAM	VOL92	0.000536751	3.490	19.572	3.250
SRCPARAM	VOL93	0.000536751	3.490	19.572	3.250
SRCPARAM	VOL94	0.000536751	3.490	19.572	3.250
SRCPARAM	VOL95	0.000536751	3.490	19.572	3.250
SRCPARAM	VOL96	0.000536751	3.490	19.572	3.250
SRCPARAM	VOL97	0.000536751	3.490	19.572	3.250
SRCPARAM	VOL98	0.000536751	3.490	19.572	3.250
SRCPARAM	VOL99	0.000536751	3.490	19.572	3.250
SRCPARAM	VOL100	0.000536751	3.490	19.572	3.250
SRCPARAM	VOL101	0.000536751	3.490	19.572	3.250
SRCPARAM	VOL102	0.000536751	3.490	19.572	3.250

URBANSRC ALL
SRCGROUP ALL

SO FINISHED

**

** AERMOD Receptor Pathway

**
**

RE STARTING
INCLUDED "15585 Ops PM10.rou"

RE FINISHED
**

** AERMOD Meteorology Pathway

**
**

ME STARTING
SURFFILE FONT_V9_ADJU\FONT_v9.SFC
PROFFILE FONT_V9_ADJU\FONT_v9.PFL

SURFDATA 3102 2011
UAIRDATA 3190 2011
SITEDATA 99999 2011
PROFBASE 367.0 METERS

ME FINISHED

**

** AERMOD Output Pathway

**

**

OU STARTING

RECTABLE ALLAVE 1ST

RECTABLE 24 1ST

** Auto-Generated Plotfiles

PLOTFILE 24 ALL 1ST "15585 OPS PM10.AD\24H1GALL.PLT" 31

SUMMFILE "15585 Ops PM10.sum"

OU FINISHED

*** Message Summary For AERMOD Model Setup ***

----- Summary of Total Messages -----

A Total of	0 Fatal Error Message(s)
A Total of	2 Warning Message(s)
A Total of	0 Informational Message(s)

***** FATAL ERROR MESSAGES *****

*** NONE ***

***** WARNING MESSAGES *****

ME W186	267	MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold used	0.50
ME W187	267	MEOPEN: ADJ_U* Option for Stable Low Winds used in AERMET	

*** SETUP Finishes Successfully ***

FF *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/15/24

*** AERMET - VERSION 16216 ***

17:51:21

PAGE 1

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** MODEL SETUP OPTIONS SUMMARY ***

** Model Options Selected:

- * Model Uses Regulatory DEFAULT Options
- * Model Is Setup For Calculation of Average CONCentration Values.
- * NO GAS DEPOSITION Data Provided.
- * NO PARTICLE DEPOSITION Data Provided.
- * Model Uses NO DRY DEPLETION. DDPLETE = F
- * Model Uses NO WET DEPLETION. WETDPLT = F
- * Stack-tip Downwash.
- * Model Accounts for ELEVated Terrain Effects.
- * Use Calms Processing Routine.
- * Use Missing Data Processing Routine.
- * No Exponential Decay.
- * Model Uses URBAN Dispersion Algorithm for the SBL for 102 Source(s),


```

for Total of      1 Urban Area(s):
Urban Population = 2035210.0 ; Urban Roughness Length = 1.000 m
* Urban Roughness Length of 1.0 Meter Used.
* ADJ_U*    - Use ADJ_U* option for SBL in AERMET
* TEMP_Sub - Meteorological data includes TEMP substitutions
* Model Accepts FLAGPOLE Receptor . Heights.
* The User Specified a Pollutant Type of: PM 10

```

SOURCE SOURCE ID (METERS)	URBAN	EMISSION RATE	AIRCRAFT		ELEV. (METERS)	HEIGHT (METERS)	SY (METERS)	SZ
	PART.	(GRAMS/SEC)	X	Y				
	SCALAR VARY							
	CATS.	BY	(METERS)	(METERS)				

VOL1	0	0.21420E-03	461693.7	3786276.5	643.6	3.49	19.57	3.25
YES		NO						
VOL2	0	0.21420E-03	461646.2	3786333.2	642.8	3.49	19.57	3.25
YES		NO						
VOL3	0	0.21420E-03	461591.3	3786386.2	647.8	3.49	19.57	3.25
YES		NO						
VOL4	0	0.21420E-03	461541.9	3786437.5	649.2	3.49	19.57	3.25
YES		NO						
VOL5	0	0.21420E-03	461499.8	3786483.2	650.3	3.49	19.57	3.25
YES		NO						
VOL6	0	0.21420E-03	461461.4	3786530.8	651.5	3.49	19.57	3.25
YES		NO						
VOL7	0	0.21420E-03	461408.3	3786578.3	653.9	3.49	19.57	3.25
YES		NO						
VOL8	0	0.21420E-03	461452.2	3786636.9	648.0	3.49	19.57	3.25
YES		NO						
VOL9	0	0.21420E-03	461512.6	3786686.3	645.6	3.49	19.57	3.25
YES		NO						
VOL10	0	0.21420E-03	461573.0	3786730.2	644.9	3.49	19.57	3.25
YES		NO						
VOL11	0	0.21420E-03	461366.2	3786625.9	655.6	3.49	19.57	3.25
YES		NO						
VOL12	0	0.21420E-03	461289.4	3786679.0	662.0	3.49	19.57	3.25
YES		NO						
VOL13	0	0.21420E-03	461373.6	3786706.4	654.4	3.49	19.57	3.25
YES		NO						
VOL14	0	0.21420E-03	461441.3	3786713.7	647.9	3.49	19.57	3.25
YES		NO						
VOL15	0	0.21420E-03	461234.5	3786728.4	667.8	3.49	19.57	3.25
YES		NO						
VOL16	0	0.21420E-03	461199.7	3786774.1	667.5	3.49	19.57	3.25
YES		NO						
VOL17	0	0.21420E-03	461152.2	3786821.7	666.4	3.49	19.57	3.25
YES		NO						
VOL18	0	0.21420E-03	461086.3	3786863.8	668.2	3.49	19.57	3.25
YES		NO						
VOL19	0	0.21420E-03	461038.7	3786904.0	673.2	3.49	19.57	3.25
YES		NO						
VOL20	0	0.21420E-03	460978.4	3786938.8	680.5	3.49	19.57	3.25
YES		NO						
VOL21	0	0.21420E-03	460927.1	3786993.7	681.6	3.49	19.57	3.25
YES		NO						
VOL22	0	0.21420E-03	460877.7	3787050.4	684.4	3.49	19.57	3.25
YES		NO						
VOL23	0	0.21420E-03	460837.5	3787107.1	683.9	3.49	19.57	3.25
YES		NO						
VOL24	0	0.21420E-03	460804.5	3787160.2	681.6	3.49	19.57	3.25
YES		NO						
VOL25	0	0.21420E-03	460749.5	3787211.2	680.3	3.49	19.57	3.25
YES		NO						
VOL26	0	0.21420E-03	460704.6	3787274.7	677.7	3.49	19.57	3.25
YES		NO						
VOL27	0	0.21420E-03	460655.7	3787332.8	679.4	3.49	19.57	3.25
YES		NO						
VOL28	0	0.21420E-03	460593.5	3787398.9	683.9	3.49	19.57	3.25
YES		NO						
VOL29	0	0.21420E-03	460639.8	3787451.8	679.1	3.49	19.57	3.25
YES		NO						

```

*** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***                  04/15/24
*** AERMET - VERSION 16216 ***
***                                  ***
***                                  ***      17:51:21

```

*** VOLUME SOURCE DATA ***

[illegible]

VOL41	0	0.21420E-03	461007.3	3786998.4	675.5	3.49	19.57	3.25
YES		NO						
VOL42	0	0.21420E-03	461052.2	3787052.6	669.8	3.49	19.57	3.25
YES		NO						
VOL43	0	0.21420E-03	461134.2	3787056.6	662.0	3.49	19.57	3.25
YES		NO						
VOL44	0	0.21420E-03	461082.6	3786975.9	671.8	3.49	19.57	3.25
YES		NO						
VOL45	0	0.21420E-03	461121.0	3786917.8	665.9	3.49	19.57	3.25
YES		NO						
VOL46	0	0.21420E-03	461167.2	3786986.5	660.1	3.49	19.57	3.25
YES		NO						
VOL47	0	0.21420E-03	461253.2	3786983.9	656.4	3.49	19.57	3.25
YES		NO						
VOL48	0	0.21420E-03	461208.2	3786903.2	658.5	3.49	19.57	3.25
YES		NO						
VOL49	0	0.21420E-03	461234.7	3786831.8	660.3	3.49	19.57	3.25
YES		NO						
VOL50	0	0.21420E-03	461291.5	3786905.9	655.3	3.49	19.57	3.25
YES		NO						
VOL51	0	0.21420E-03	461374.8	3786887.4	652.2	3.49	19.57	3.25
YES		NO						
VOL52	0	0.21420E-03	461317.9	3786823.9	656.1	3.49	19.57	3.25
YES		NO						

*** VOLUME SOURCE DATA ***


```

*** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***                  04/15/24
*** AERMET - VERSION 16216 ***
***                                  ***
***                                  17:51:21

```

(463154.3, 3786819.6,	631.4,	1734.0,	2.0);	(463167.5, 3786865.5,
633.6,	1734.0,	2.0);		
(463147.6, 3786873.2,	634.1,	1734.0,	2.0);	(463129.9, 3786877.4,
634.4,	1734.0,	2.0);		
(463110.0, 3786886.9,	635.4,	1734.0,	2.0);	(463059.0, 3786966.9,
641.4,	1734.0,	2.0);		
(463074.9, 3787087.9,	646.7,	1734.0,	2.0);	(463102.5, 3787076.0,
645.0,	1734.0,	2.0);		
(462919.9, 3787058.3,	650.6,	1734.0,	2.0);	(463042.0, 3787098.7,
649.3,	1734.0,	2.0);		
(462998.1, 3787106.0,	651.7,	1734.0,	2.0);	(462944.0, 3787123.4,
653.8,	1734.0,	2.0);		
(462850.6, 3787079.7,	652.9,	1734.0,	2.0);	(462807.5, 3787091.0,
653.6,	1734.0,	2.0);		
(462821.9, 3787159.9,	658.2,	1734.0,	2.0);	(462755.2, 3787105.3,
654.6,	1734.0,	2.0);		
(462743.8, 3787181.3,	659.7,	1734.0,	2.0);	(462870.3, 3787147.1,
657.4,	1734.0,	2.0);		
(462890.0, 3787138.7,	656.5,	1734.0,	2.0);	(462725.4, 3787114.5,
655.2,	1734.0,	2.0);		
(462685.8, 3787125.8,	655.9,	1734.0,	2.0);	(462656.2, 3787132.7,
656.5,	1734.0,	2.0);		
(462632.9, 3787123.9,	655.6,	1734.0,	2.0);	(462595.9, 3787152.0,
658.4,	1734.0,	2.0);		
(462571.7, 3787160.3,	658.8,	1734.0,	2.0);	(462473.7, 3787233.0,
657.1,	1734.0,	2.0);		
(462534.0, 3787244.6,	659.9,	1734.0,	2.0);	(462400.1, 3787275.4,

659.0,	1734.0,	2.0);			
(462229.2,	3787434.2,	674.5,	1734.0,	2.0);	(462257.0, 3787342.4,
668.1,	1734.0,	2.0);			
(462128.4,	3787527.6,	684.6,	1734.0,	2.0);	(462183.2, 3787452.4,
675.8,	1734.0,	2.0);			
(462022.5,	3787623.1,	687.6,	1734.0,	2.0);	(461918.3, 3787709.0,
694.2,	1734.0,	2.0);			
(462038.5,	3787667.1,	695.0,	1734.0,	2.0);	(461424.9, 3788158.1,
731.4,	1734.0,	2.0);			
(461926.8,	3788065.0,	727.1,	1734.0,	2.0);	(461937.8, 3787798.6,
702.8,	1734.0,	2.0);			
(461956.2,	3787956.4,	718.2,	1734.0,	2.0);	(461303.4, 3788188.5,
726.6,	1734.0,	2.0);			
(461132.5,	3788399.4,	744.9,	1734.0,	2.0);	(461058.7, 3788731.5,
757.8,	1734.0,	2.0);			
(460943.7,	3788817.1,	758.9,	1734.0,	2.0);	(457324.4, 3790478.1,
770.2,	1734.0,	2.0);			
(457715.3,	3790467.0,	770.2,	1734.0,	2.0);	(457385.4, 3790493.9,
772.7,	1734.0,	2.0);			
(457752.2,	3790534.9,	771.1,	1734.0,	2.0);	(458383.4, 3790238.2,
751.7,	1734.0,	2.0);			
(463178.4,	3786251.1,	613.0,	1734.0,	2.0);	(462814.4, 3786754.2,
633.2,	1734.0,	2.0);			
(462674.0,	3786877.7,	639.7,	1734.0,	2.0);	(462604.9, 3786782.6,
635.5,	1734.0,	2.0);			
(462768.8,	3786780.7,	634.5,	1734.0,	2.0);	(461416.7, 3783609.8,
589.4,	1734.0,	2.0);			
(461655.6,	3783762.7,	593.9,	1734.0,	2.0);	(461824.6, 3783749.2,
599.8,	1734.0,	2.0);			
(461846.6,	3783749.2,	600.8,	1734.0,	2.0);	(461939.4, 3783743.2,
615.2,	1734.0,	2.0);			
(462019.9,	3783739.8,	613.5,	1734.0,	2.0);	(462121.1, 3783735.6,
606.0,	1734.0,	2.0);			
(462214.8,	3783729.3,	610.5,	1734.0,	2.0);	(462334.6, 3783705.5,
621.8,	1734.0,	2.0);			
(461658.1,	3783690.3,	600.5,	1734.0,	2.0);	(461041.9, 3783495.8,
601.3,	1734.0,	2.0);			
(461249.5,	3783484.0,	594.5,	1734.0,	2.0);	(461451.2, 3783502.2,
587.5,	1734.0,	2.0);			
(461567.3,	3783209.6,	582.7,	1734.0,	2.0);	(461502.8, 3783145.1,
583.9,	1734.0,	2.0);			
(461612.5,	3783185.0,	580.9,	1734.0,	2.0);	(460924.5, 3783394.0,
606.7,	1734.0,	2.0);			
(460848.3,	3783334.1,	610.0,	1734.0,	2.0);	(460765.0, 3783264.4,
611.6,	1734.0,	2.0);			
(460668.8,	3783186.4,	612.4,	1734.0,	2.0);	(460574.4, 3783105.5,
612.8,	1734.0,	2.0);			
(460496.5,	3783051.5,	611.6,	1734.0,	2.0);	(460712.7, 3783532.6,
612.5,	1734.0,	2.0);			
(460583.9,	3783527.4,	618.6,	1734.0,	2.0);	(460501.9, 3783491.8,
620.0,	1734.0,	2.0);			
(460403.7,	3783447.4,	622.7,	1734.0,	2.0);	(460304.0, 3783403.0,
626.7,	1734.0,	2.0);			
(459503.3,	3782889.0,	625.8,	1734.0,	2.0);	(459388.1, 3783065.7,
632.6,	1734.0,	2.0);			
(459382.3,	3783016.7,	631.6,	1734.0,	2.0);	(459350.1, 3783155.5,
636.1,	1734.0,	2.0);			
(459320.3,	3783264.9,	639.9,	1734.0,	2.0);	(463904.6, 3786591.8,
615.2,	1734.0,	2.0);			
(466077.1,	3784031.3,	535.0,	1734.0,	2.0);	(466200.8, 3784254.0,
536.0,	1734.0,	2.0);			
(465960.2,	3784644.2,	547.3,	1734.0,	2.0);	(466195.2, 3784597.0,
545.5,	1734.0,	2.0);			

17:51:21

```

*** DISCRETE CARTESIAN RECEPTORS ***
(X-COORD, Y-COORD, ZELEV, ZHILL, ZFLAG)
(METERS)

```

```

FF *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***                      04/15/24
*** AERMET - VERSION 16216 ***
***                                     *** 17:51:21

```

*** METEOROLOGICAL DAYS SELECTED FOR PROCESSING ***
(1=YES; 0=NO)

[illegible]

NOTE: METEOROLOGICAL DATA ACTUALLY PROCESSED WILL ALSO DEPEND ON WHAT IS INCLUDED IN THE DATA FILE.

```

*** UPPER BOUND OF FIRST THROUGH FIFTH WIND SPEED CATEGORIES
***
(METERS/SEC)

```

```

FF *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***                      04/15/24
*** AERMET - VERSION 16216 ***
***                                     *** 17:51:21

```

*** UP TO THE FIRST 24 HOURS OF METEOROLOGICAL DATA ***

```
Surface file:
FONT_V9_ADJU\FONT_v9.SFC
Version: 16216
Profile file:
FONT_V9_ADJU\FONT_v9.PFL
Surface format:
```

Met

FREE

Profile format:
FREE

Surface station no.: 3102
Name: UNKNOWN
UNKNOWN
Year: 2011

Upper air station no.: 3190
Name:
Year: 2011

First 24 hours of scalar data

YR	MO	DY	JDY	HR	H0	U*	W*	DT/DZ	ZICNV	ZIMCH	M-O	LEN	Z0	BOWEN	ALBEDO	REF	WS
WD				HT	REF	TA	HT										
11	01	01		1 01	-18.5	0.194	-9.000	-9.000	-999.	204.		41.2	0.25	2.82	1.00	1.80	
69.				9.1 276.4	5.5												
11	01	01		1 02	-23.8	0.239	-9.000	-9.000	-999.	281.		63.0	0.25	2.82	1.00	2.20	
52.				9.1 275.4	5.5												
11	01	01		1 03	-18.5	0.194	-9.000	-9.000	-999.	205.		41.2	0.25	2.82	1.00	1.80	
32.				9.1 275.4	5.5												
11	01	01		1 04	-1.4	0.067	-9.000	-9.000	-999.	57.		18.3	0.25	2.82	1.00	0.40	
27.				9.1 274.2	5.5												
11	01	01		1 05	-18.6	0.194	-9.000	-9.000	-999.	204.		41.2	0.25	2.82	1.00	1.80	
51.				9.1 274.2	5.5												
11	01	01		1 06	-29.7	0.296	-9.000	-9.000	-999.	387.		96.6	0.25	2.82	1.00	2.70	
53.				9.1 274.2	5.5												
11	01	01		1 07	-24.0	0.239	-9.000	-9.000	-999.	282.		63.0	0.25	2.82	1.00	2.20	
70.				9.1 274.2	5.5												
11	01	01		1 08	-8.4	0.138	-9.000	-9.000	-999.	127.		27.3	0.25	2.82	0.54	1.30	
72.				9.1 275.4	5.5												
11	01	01		1 09	44.3	0.280	0.571	0.005	147.	356.		-43.5	0.25	2.82	0.32	2.20	
67.				9.1 277.5	5.5												
11	01	01		1 10	122.7	0.264	0.952	0.005	247.	326.		-13.2	0.25	2.82	0.25	1.80	
83.				9.1 279.9	5.5												
11	01	01		1 11	179.8	0.316	1.733	0.005	1017.	426.		-15.4	0.25	2.82	0.22	2.20	
58.				9.1 282.0	5.5												
11	01	01		1 12	206.0	0.320	1.940	0.008	1244.	435.		-14.0	0.25	2.82	0.21	2.20	
115.				9.1 283.1	5.5												
11	01	01		1 13	132.6	0.214	1.733	0.009	1377.	243.		-6.5	0.25	2.82	0.21	1.30	
147.				9.1 284.2	5.5												
11	01	01		1 14	147.0	0.216	1.818	0.009	1431.	242.		-6.0	0.25	2.82	0.23	1.30	
219.				9.1 284.9	5.5												
11	01	01		1 15	104.0	0.208	1.633	0.009	1468.	228.		-7.6	0.25	2.82	0.26	1.30	
126.				9.1 285.4	5.5												
11	01	01		1 16	26.4	0.140	1.037	0.009	1477.	127.		-9.1	0.25	2.82	0.35	0.90	
151.				9.1 284.9	5.5												
11	01	01		1 17	-9.0	0.137	-9.000	-9.000	-999.	121.		24.9	0.25	2.82	0.63	1.30	
69.				9.1 283.1	5.5												
11	01	01		1 18	-33.4	0.342	-9.000	-9.000	-999.	481.		129.0	0.25	2.82	1.00	3.10	
81.				9.1 281.4	5.5												
11	01	01		1 19	-33.6	0.342	-9.000	-9.000	-999.	481.		128.9	0.25	2.82	1.00	3.10	
51.				9.1 279.9	5.5												
11	01	01		1 20	-23.6	0.239	-9.000	-9.000	-999.	287.		63.1	0.25	2.82	1.00	2.20	
77.				9.1 278.8	5.5												
11	01	01		1 21	-18.5	0.194	-9.000	-9.000	-999.	205.		41.2	0.25	2.82	1.00	1.80	
53.				9.1 277.5	5.5												
11	01	01		1 22	-23.7	0.239	-9.000	-9.000	-999.	281.		63.0	0.25	2.82	1.00	2.20	
58.				9.1 277.5	5.5												
11	01	01		1 23	-18.5	0.194	-9.000	-9.000	-999.	205.		41.2	0.25	2.82	1.00	1.80	
64.				9.1 277.5	5.5												
11	01	01		1 24	-4.5	0.094	-9.000	-9.000	-999.	74.		16.3	0.25	2.82	1.00	0.90	
52.				9.1 277.0	5.5												

First hour of profile data

X-COORD (M)	Y-COORD (M)	CONC	(YYMMDDHH)	X-COORD (M)	Y-COORD
463154.33	3786819.61	0.06682m	(16031424)	463167.45	
3786865.52	0.06901	(12120224)			
463147.58	3786873.25	0.07440	(12120224)	463129.92	
3786877.44	0.07814	(12120224)			
463110.04	3786886.94	0.08285	(12120224)	463059.03	
3786966.87	0.08183	(12120224)			
463074.93	3787087.88	0.06274	(12120224)	463102.53	
3787075.96	0.06518	(12120224)			
462919.92	3787058.29	0.06119	(13120724)	463042.03	
3787098.70	0.05948	(12120224)			
462998.09	3787105.99	0.05505	(12120224)	462943.99	
3787123.43	0.05257	(13120724)			
462850.58	3787079.71	0.06120	(13120724)	462807.52	
3787090.97	0.05795	(13120724)			
462821.88	3787159.87	0.05051	(13120724)	462755.22	
3787105.29	0.05194	(13120724)			
462743.77	3787181.31	0.04285	(13120724)	462870.28	
3787147.15	0.05315	(13120724)			
462889.99	3787138.70	0.05391	(13120724)	462725.43	
3787114.51	0.04797	(13120724)			
462685.82	3787125.77	0.04264	(13120724)	462656.17	
3787132.72	0.04130	(15101524)			
462632.89	3787123.90	0.04291	(12120324)	462595.92	
3787152.05	0.04211	(12120324)			
462571.70	3787160.31	0.04284	(12120324)	462473.70	
3787233.03	0.04143	(12120324)			
462534.01	3787244.58	0.03906	(12120324)	462400.07	
3787275.41	0.03753	(13020524)			
462229.16	3787434.24	0.04082	(11080924)	462256.97	
3787342.44	0.04109	(13020524)			
462128.43	3787527.59	0.04162	(11080924)	462183.16	
3787452.38	0.04140	(11080924)			
462022.45	3787623.08	0.04108	(12120224)	461918.34	

3787709.00	0.04034	(12120224)	
462038.54	3787667.10	0.03909	(16121124) 461424.87
3788158.12	0.02685	(13120724)	
461926.79	3788065.01	0.02605	(12120224) 461937.75
3787798.61	0.03632	(12120224)	
461956.17	3787956.45	0.02969	(12120224) 461303.41
3788188.53	0.02576	(16051824)	
461132.48	3788399.44	0.02088	(16051824) 461058.72
3788731.50	0.01670	(16051824)	
460943.68	3788817.15	0.01400	(16051824) 457324.43
3790478.09	0.00539	(15122224)	
457715.29	3790466.96	0.00703m	(16123124) 457385.37
3790493.92	0.00508	(15122224)	
457752.21	3790534.94	0.00738m	(16123124) 458383.39
3790238.21	0.00707m	(16123124)	
463178.40	3786251.10	0.04425m	(15010924) 462814.44
3786754.18	0.17566	(13120724)	
462674.03	3786877.67	0.09212	(16010624) 462604.90
3786782.62	0.18305	(16121124)	
462768.77	3786780.67	0.15506	(13120724) 461416.67
3783609.80	0.03668m	(15010924)	
461655.59	3783762.73	0.04200m	(15010924) 461824.61
3783749.17	0.03731m	(15010924)	
461846.64	3783749.17	0.03679m	(15010924) 461939.41
3783743.24	0.03487m	(15010924)	
462019.90	3783739.85	0.03260m	(15010924) 462121.14
3783735.61	0.02976m	(15010924)	
462214.76	3783729.26	0.02775m	(15010924) 462334.64
3783705.54	0.02520m	(15010924)	
461658.13	3783690.29	0.03867m	(15010924) 461041.92
3783495.78	0.03033m	(15010924)	
461249.49	3783484.05	0.03128m	(15010924) 461451.20
3783502.23	0.03169m	(15010924)	
461567.30	3783209.63	0.02278m	(15010924) 461502.80
3783145.13	0.02173m	(15010924)	
461612.45	3783185.00	0.02202m	(15010924) 460924.52
3783393.96	0.02610m	(15010924)	
460848.29	3783334.15	0.02395m	(15010924) 460765.02
3783264.37	0.02176m	(15010924)	
460668.85	3783186.38	0.01963m	(15010924) 460574.44
3783105.46	0.01778m	(15010924)	
460496.45	3783051.51	0.01660m	(15010924) 460712.73
3783532.65	0.02758m	(15010924)	
460583.91	3783527.38	0.02564m	(15010924) 460501.88
3783491.78	0.02370m	(15010924)	
460403.69	3783447.41	0.02168m	(15010924) 460303.99
3783403.05	0.02075	(13120824)	



*** AERMOD - VERSION 23132 ***

SP\15585 Ops H ***

*** AERMET - VERSION 16216 ***

*** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen

04/15/24

17:51:21

PAGE 12

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** THE 1ST HIGHEST 24-HR AVERAGE CONCENTRATION VALUES FOR

SOURCE GROUP: ALL ***

INCLUDING SOURCE(S):

VOL3 , VOL4 , VOL5

VOL6 , VOL7 , VOL8 , VOL9 , VOL10 ,

VOL11 , VOL12 , VOL13 ,

VOL14 , VOL15 , VOL16 , VOL17 , VOL18 ,

VOL19 , VOL20 , VOL21 ,

VOL22 , VOL23 , VOL24 , VOL25 , VOL26 ,

VOL27 , VOL28 , . . . ,

*** DISCRETE CARTESIAN RECEPTOR POINTS ***

** CONC OF PM₁₀ IN
MICROGRAMS/M³ **

X-COORD (M) (M)	Y-COORD (M) CONC (YYMMDDHH)	CONC (YYMMDDHH)	X-COORD (M)	Y-COORD
459503.27	3782889.01	0.01035m (15010924)	459388.10	
3783065.74	0.01459 (16111924)			
459382.29	3783016.73	0.01347 (13120824)	459350.12	
3783155.49	0.01807 (16111924)			
459320.33	3783264.86	0.02098 (16111224)	463904.58	
3786591.83	0.01809m (13112024)			
466077.15	3784031.33	0.00482m (13112024)	466200.85	
3784253.98	0.00486m (13112024)			
465960.20	3784644.19	0.00553m (13112024)	466195.23	
3784596.96	0.00512m (13112024)			
462710.50	3782876.40	0.01155m (15010924)	462069.84	
3783383.52	0.02131m (15010924)			
462277.17	3783298.31	0.01776m (15010924)	461797.05	
3783468.72	0.02649m (15010924)			

*** AERMOD - VERSION 23132 *** ** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/15/24

*** AERMET - VERSION 16216 ***

*** 17:51:21

PAGE 13

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** THE SUMMARY OF HIGHEST 24-HR RESULTS ***

** CONC OF PM₁₀ IN
MICROGRAMS/M³ **

GROUP ID ZELEV, ZHILL, ZFLAG)	AVERAGE CONC OF TYPE GRID-ID	DATE (YYMMDDHH)	NETWORK RECEPTOR (XR, YR,
ALL HIGH 1ST HIGH VALUE IS 635.54, 1734.00, 2.00) DC	0.18305	ON 16121124: AT (	462604.90, 3786782.62,

*** RECEPTOR TYPES: GC = GRIDCART
GP = GRIDPOLR
DC = DISCCART
DP = DISCPOLR

*** AERMOD - VERSION 23132 *** ** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/15/24

*** AERMET - VERSION 16216 ***

*** 17:51:21

PAGE 14

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** Message Summary : AERMOD Model Execution ***

----- Summary of Total Messages -----

A Total of 0 Fatal Error Message(s)

A Total of 7 Warning Message(s)
A Total of 838 Informational Message(s)

A Total of 43848 Hours Were Processed

A Total of 40 Calm Hours Identified

A Total of 798 Missing Hours Identified (1.82 Percent)

***** FATAL ERROR MESSAGES *****
*** NONE ***

***** WARNING MESSAGES *****
ME W186 267 MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold used 0.50
ME W187 267 MEOPEN: ADJ_U* Option for Stable Low Winds used in AERMET
MX W438 8800 METQA: Convective Velocity Data Out-of-Range. KURDAT = 12010216
MX W438 11536 METQA: Convective Velocity Data Out-of-Range. KURDAT = 12042516
MX W420 16779 METQA: Wind Speed Out-of-Range. KURDAT = 12113003
MX W450 26305 CHKDAT: Record Out of Sequence in Meteorological File at: 15010101
MX W450 26305 CHKDAT: Record Out of Sequence in Meteorological File at: 1 year gap

*** AERMOD Finishes Successfully ***

```

** Lakes Environmental AERMOD MPI
**
*****
**
** AERMOD Input Produced by:
** AERMOD View Ver. 12.0.0
** Lakes Environmental Software Inc.
** Date: 4/15/2024
** File: C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen SP\15585 Ops PM25\15585 Ops
PM25.ADI
**
*****
**
**
*****
** AERMOD Control Pathway
*****
**
**
CO STARTING
  TITLEONE C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen SP\15585 Ops H
  MODELOPT DFAULT CONC
  AVERTIME 24
  URBANOPT 2035210 San_Bernardino_County
  POLLUTID PM_2.5
  FLAGPOLE 2.00
  RUNORNOT RUN
  ERRORFIL "15585 Ops PM25.err"
CO FINISHED
**
*****
** AERMOD Source Pathway
*****
**
**
SO STARTING
** Source Location **
** Source ID - Type - X Coord. - Y Coord. **
LOCATION VOL1      VOLUME      461693.740    3786276.453    643.610
LOCATION VOL2      VOLUME      461646.169    3786333.174    642.840
LOCATION VOL3      VOLUME      461591.280    3786386.232    647.830
LOCATION VOL4      VOLUME      461541.881    3786437.462    649.230
LOCATION VOL5      VOLUME      461499.799    3786483.202    650.290
LOCATION VOL6      VOLUME      461461.378    3786530.772    651.510
LOCATION VOL7      VOLUME      461408.319    3786578.342    653.920
LOCATION VOL8      VOLUME      461452.229    3786636.890    648.030
LOCATION VOL9      VOLUME      461512.607    3786686.289    645.570
LOCATION VOL10     VOLUME      461572.984    3786730.200    644.910
LOCATION VOL11     VOLUME      461366.238    3786625.912    655.580
LOCATION VOL12     VOLUME      461289.394    3786678.971    662.030
LOCATION VOL13     VOLUME      461373.556    3786706.415    654.400
LOCATION VOL14     VOLUME      461441.252    3786713.733    647.890
LOCATION VOL15     VOLUME      461234.505    3786728.370    667.840
LOCATION VOL16     VOLUME      461199.743    3786774.111    667.480
LOCATION VOL17     VOLUME      461152.173    3786821.681    666.390
LOCATION VOL18     VOLUME      461086.307    3786863.762    668.160
LOCATION VOL19     VOLUME      461038.737    3786904.013    673.160
LOCATION VOL20     VOLUME      460978.359    3786938.776    680.480
LOCATION VOL21     VOLUME      460927.130    3786993.664    681.640
LOCATION VOL22     VOLUME      460877.731    3787050.382    684.380
LOCATION VOL23     VOLUME      460837.479    3787107.100    683.950
LOCATION VOL24     VOLUME      460804.546    3787160.159    681.640
LOCATION VOL25     VOLUME      460749.517    3787211.229    680.350
LOCATION VOL26     VOLUME      460704.572    3787274.681    677.670
LOCATION VOL27     VOLUME      460655.661    3787332.845    679.400
LOCATION VOL28     VOLUME      460593.531    3787398.940    683.870

```

LOCATION	VOL29	VOLUME	460639.798	3787451.816	679.140
LOCATION	VOL30	VOLUME	460683.421	3787401.584	675.790
LOCATION	VOL31	VOLUME	460741.585	3787356.639	670.810
LOCATION	VOL32	VOLUME	460790.496	3787281.290	670.000
LOCATION	VOL33	VOLUME	460875.098	3787289.222	670.390
LOCATION	VOL34	VOLUME	460929.296	3787227.092	670.660
LOCATION	VOL35	VOLUME	460840.729	3787209.907	677.570
LOCATION	VOL36	VOLUME	460884.352	3787164.962	677.960
LOCATION	VOL37	VOLUME	460967.632	3787141.168	672.840
LOCATION	VOL38	VOLUME	460921.365	3787088.291	678.890
LOCATION	VOL39	VOLUME	460967.632	3787063.175	676.310
LOCATION	VOL40	VOLUME	461048.268	3787114.729	668.480
LOCATION	VOL41	VOLUME	461007.289	3786998.401	675.500
LOCATION	VOL42	VOLUME	461052.234	3787052.600	669.780
LOCATION	VOL43	VOLUME	461134.193	3787056.565	661.990
LOCATION	VOL44	VOLUME	461082.638	3786975.929	671.770
LOCATION	VOL45	VOLUME	461120.973	3786917.765	665.910
LOCATION	VOL46	VOLUME	461167.240	3786986.504	660.060
LOCATION	VOL47	VOLUME	461253.164	3786983.860	656.410
LOCATION	VOL48	VOLUME	461208.219	3786903.224	658.460
LOCATION	VOL49	VOLUME	461234.658	3786831.841	660.330
LOCATION	VOL50	VOLUME	461291.500	3786905.868	655.270
LOCATION	VOL51	VOLUME	461374.780	3786887.361	652.160
LOCATION	VOL52	VOLUME	461317.938	3786823.909	656.140
LOCATION	VOL53	VOLUME	461287.534	3786757.814	660.450
LOCATION	VOL54	VOLUME	461373.458	3786786.896	653.480
LOCATION	VOL55	VOLUME	461455.417	3786801.437	648.470
LOCATION	VOL56	VOLUME	461385.355	3786838.450	651.810
LOCATION	VOL57	VOLUME	461529.444	3786768.389	645.070
LOCATION	VOL58	VOLUME	462577.220	3786719.492	633.360
LOCATION	VOL59	VOLUME	462660.520	3786693.681	632.580
LOCATION	VOL60	VOLUME	462744.406	3786674.322	630.900
LOCATION	VOL61	VOLUME	462828.880	3786650.857	628.260
LOCATION	VOL62	VOLUME	462868.770	3786625.633	626.420
LOCATION	VOL63	VOLUME	462848.238	3786541.746	623.050
LOCATION	VOL64	VOLUME	462835.332	3786455.513	622.000
LOCATION	VOL65	VOLUME	462621.216	3786659.657	631.720
LOCATION	VOL66	VOLUME	462660.520	3786609.794	629.090
LOCATION	VOL67	VOLUME	462684.571	3786547.612	627.210
LOCATION	VOL68	VOLUME	462745.580	3786589.849	627.120
LOCATION	VOL69	VOLUME	462807.175	3786566.971	624.980
LOCATION	VOL70	VOLUME	462716.835	3786469.005	624.430
LOCATION	VOL71	VOLUME	462751.446	3786439.087	622.370
LOCATION	VOL72	VOLUME	462835.332	3786419.729	622.000
LOCATION	VOL73	VOLUME	462764.351	3786515.348	623.530
LOCATION	VOL74	VOLUME	461061.948	3784936.739	654.040
LOCATION	VOL75	VOLUME	461059.795	3784850.618	644.040
LOCATION	VOL76	VOLUME	461057.642	3784762.345	642.000
LOCATION	VOL77	VOLUME	461141.610	3784805.405	641.650
LOCATION	VOL78	VOLUME	461139.457	3784721.438	639.020
LOCATION	VOL79	VOLUME	461225.577	3784805.405	636.620
LOCATION	VOL80	VOLUME	461225.577	3784723.591	634.040
LOCATION	VOL81	VOLUME	461223.667	3784635.373	631.360
LOCATION	VOL82	VOLUME	461156.778	3784658.706	636.710
LOCATION	VOL83	VOLUME	461312.335	3784885.818	641.380
LOCATION	VOL84	VOLUME	461310.779	3784801.818	632.510
LOCATION	VOL85	VOLUME	461312.335	3784714.706	629.850
LOCATION	VOL86	VOLUME	461309.224	3784630.706	628.160
LOCATION	VOL87	VOLUME	461284.335	3784548.261	629.430
LOCATION	VOL88	VOLUME	461369.891	3784543.594	624.320
LOCATION	VOL89	VOLUME	461289.001	3784462.705	624.470
LOCATION	VOL90	VOLUME	461225.223	3784422.260	627.230
LOCATION	VOL91	VOLUME	461371.446	3784458.038	621.330
LOCATION	VOL92	VOLUME	461270.334	3784338.260	620.310
LOCATION	VOL93	VOLUME	461310.779	3784375.593	619.290
LOCATION	VOL94	VOLUME	461396.335	3784627.595	624.280

LOCATION	VOL95	VOLUME	461397.891	3784711.595	626.590
LOCATION	VOL96	VOLUME	461396.335	3784797.151	630.160
LOCATION	VOL97	VOLUME	461483.447	3784714.706	622.870
LOCATION	VOL98	VOLUME	461481.891	3784795.596	626.210
LOCATION	VOL99	VOLUME	461486.558	3784879.596	631.090
LOCATION	VOL100	VOLUME	461569.003	3784776.929	621.370
LOCATION	VOL101	VOLUME	461643.670	3784787.818	622.790
LOCATION	VOL102	VOLUME	461562.781	3784825.151	625.070
** Source Parameters **					
SRCPARAM	VOL1	0.000060479	3.490	19.572	3.250
SRCPARAM	VOL2	0.000060479	3.490	19.572	3.250
SRCPARAM	VOL3	0.000060479	3.490	19.572	3.250
SRCPARAM	VOL4	0.000060479	3.490	19.572	3.250
SRCPARAM	VOL5	0.000060479	3.490	19.572	3.250
SRCPARAM	VOL6	0.000060479	3.490	19.572	3.250
SRCPARAM	VOL7	0.000060479	3.490	19.572	3.250
SRCPARAM	VOL8	0.000060479	3.490	19.572	3.250
SRCPARAM	VOL9	0.000060479	3.490	19.572	3.250
SRCPARAM	VOL10	0.000060479	3.490	19.572	3.250
SRCPARAM	VOL11	0.000060479	3.490	19.572	3.250
SRCPARAM	VOL12	0.000060479	3.490	19.572	3.250
SRCPARAM	VOL13	0.000060479	3.490	19.572	3.250
SRCPARAM	VOL14	0.000060479	3.490	19.572	3.250
SRCPARAM	VOL15	0.000060479	3.490	19.572	3.250
SRCPARAM	VOL16	0.000060479	3.490	19.572	3.250
SRCPARAM	VOL17	0.000060479	3.490	19.572	3.250
SRCPARAM	VOL18	0.000060479	3.490	19.572	3.250
SRCPARAM	VOL19	0.000060479	3.490	19.572	3.250
SRCPARAM	VOL20	0.000060479	3.490	19.572	3.250
SRCPARAM	VOL21	0.000060479	3.490	19.572	3.250
SRCPARAM	VOL22	0.000060479	3.490	19.572	3.250
SRCPARAM	VOL23	0.000060479	3.490	19.572	3.250
SRCPARAM	VOL24	0.000060479	3.490	19.572	3.250
SRCPARAM	VOL25	0.000060479	3.490	19.572	3.250
SRCPARAM	VOL26	0.000060479	3.490	19.572	3.250
SRCPARAM	VOL27	0.000060479	3.490	19.572	3.250
SRCPARAM	VOL28	0.000060479	3.490	19.572	3.250
SRCPARAM	VOL29	0.000060479	3.490	19.572	3.250
SRCPARAM	VOL30	0.000060479	3.490	19.572	3.250
SRCPARAM	VOL31	0.000060479	3.490	19.572	3.250
SRCPARAM	VOL32	0.000060479	3.490	19.572	3.250
SRCPARAM	VOL33	0.000060479	3.490	19.572	3.250
SRCPARAM	VOL34	0.000060479	3.490	19.572	3.250
SRCPARAM	VOL35	0.000060479	3.490	19.572	3.250
SRCPARAM	VOL36	0.000060479	3.490	19.572	3.250
SRCPARAM	VOL37	0.000060479	3.490	19.572	3.250
SRCPARAM	VOL38	0.000060479	3.490	19.572	3.250
SRCPARAM	VOL39	0.000060479	3.490	19.572	3.250
SRCPARAM	VOL40	0.000060479	3.490	19.572	3.250
SRCPARAM	VOL41	0.000060479	3.490	19.572	3.250
SRCPARAM	VOL42	0.000060479	3.490	19.572	3.250
SRCPARAM	VOL43	0.000060479	3.490	19.572	3.250
SRCPARAM	VOL44	0.000060479	3.490	19.572	3.250
SRCPARAM	VOL45	0.000060479	3.490	19.572	3.250
SRCPARAM	VOL46	0.000060479	3.490	19.572	3.250
SRCPARAM	VOL47	0.000060479	3.490	19.572	3.250
SRCPARAM	VOL48	0.000060479	3.490	19.572	3.250
SRCPARAM	VOL49	0.000060479	3.490	19.572	3.250
SRCPARAM	VOL50	0.000060479	3.490	19.572	3.250
SRCPARAM	VOL51	0.000060479	3.490	19.572	3.250
SRCPARAM	VOL52	0.000060479	3.490	19.572	3.250
SRCPARAM	VOL53	0.000060479	3.490	19.572	3.250
SRCPARAM	VOL54	0.000060479	3.490	19.572	3.250
SRCPARAM	VOL55	0.000060479	3.490	19.572	3.250
SRCPARAM	VOL56	0.000060479	3.490	19.572	3.250
SRCPARAM	VOL57	0.000060479	3.490	19.572	3.250

SRCPARAM	VOL58	0.0001751371	3.490	19.572	3.250
SRCPARAM	VOL59	0.0001751371	3.490	19.572	3.250
SRCPARAM	VOL60	0.0001751371	3.490	19.572	3.250
SRCPARAM	VOL61	0.0001751371	3.490	19.572	3.250
SRCPARAM	VOL62	0.0001751371	3.490	19.572	3.250
SRCPARAM	VOL63	0.0001751371	3.490	19.572	3.250
SRCPARAM	VOL64	0.0001751371	3.490	19.572	3.250
SRCPARAM	VOL65	0.0001751371	3.490	19.572	3.250
SRCPARAM	VOL66	0.0001751371	3.490	19.572	3.250
SRCPARAM	VOL67	0.0001751371	3.490	19.572	3.250
SRCPARAM	VOL68	0.0001751371	3.490	19.572	3.250
SRCPARAM	VOL69	0.0001751371	3.490	19.572	3.250
SRCPARAM	VOL70	0.0001751371	3.490	19.572	3.250
SRCPARAM	VOL71	0.0001751371	3.490	19.572	3.250
SRCPARAM	VOL72	0.0001751371	3.490	19.572	3.250
SRCPARAM	VOL73	0.0001751371	3.490	19.572	3.250
SRCPARAM	VOL74	0.0002910551	3.490	19.572	3.250
SRCPARAM	VOL75	0.0002910551	3.490	19.572	3.250
SRCPARAM	VOL76	0.0002910551	3.490	19.572	3.250
SRCPARAM	VOL77	0.0002910551	3.490	19.572	3.250
SRCPARAM	VOL78	0.0002910551	3.490	19.572	3.250
SRCPARAM	VOL79	0.0002910551	3.490	19.572	3.250
SRCPARAM	VOL80	0.0002910551	3.490	19.572	3.250
SRCPARAM	VOL81	0.0002910551	3.490	19.572	3.250
SRCPARAM	VOL82	0.0002910551	3.490	19.572	3.250
SRCPARAM	VOL83	0.0002910551	3.490	19.572	3.250
SRCPARAM	VOL84	0.0002910551	3.490	19.572	3.250
SRCPARAM	VOL85	0.0002910551	3.490	19.572	3.250
SRCPARAM	VOL86	0.0002910551	3.490	19.572	3.250
SRCPARAM	VOL87	0.0002910551	3.490	19.572	3.250
SRCPARAM	VOL88	0.0002910551	3.490	19.572	3.250
SRCPARAM	VOL89	0.0002910551	3.490	19.572	3.250
SRCPARAM	VOL90	0.0002910551	3.490	19.572	3.250
SRCPARAM	VOL91	0.0002910551	3.490	19.572	3.250
SRCPARAM	VOL92	0.0002910551	3.490	19.572	3.250
SRCPARAM	VOL93	0.0002910551	3.490	19.572	3.250
SRCPARAM	VOL94	0.0002910551	3.490	19.572	3.250
SRCPARAM	VOL95	0.0002910551	3.490	19.572	3.250
SRCPARAM	VOL96	0.0002910551	3.490	19.572	3.250
SRCPARAM	VOL97	0.0002910551	3.490	19.572	3.250
SRCPARAM	VOL98	0.0002910551	3.490	19.572	3.250
SRCPARAM	VOL99	0.0002910551	3.490	19.572	3.250
SRCPARAM	VOL100	0.0002910551	3.490	19.572	3.250
SRCPARAM	VOL101	0.0002910551	3.490	19.572	3.250
SRCPARAM	VOL102	0.0002910551	3.490	19.572	3.250

URBANSRC ALL
SRCGROUP ALL

SO FINISHED

**

** AERMOD Receptor Pathway

**
**

RE STARTING
INCLUDED "15585 Ops PM25.rou"

RE FINISHED
**

** AERMOD Meteorology Pathway

**
**

ME STARTING
SURFFILE FONT_V9_ADJU\FONT_v9.SFC
PROFFILE FONT_V9_ADJU\FONT_v9.PFL

SURFDATA 3102 2011
UAIRDATA 3190 2011
SITEDATA 99999 2011
PROFBASE 367.0 METERS

ME FINISHED

**

** AERMOD Output Pathway

**

**

OU STARTING

RECTABLE ALLAVE 1ST

RECTABLE 24 1ST

** Auto-Generated Plotfiles

PLOTFILE 24 ALL 1ST "15585 OPS PM25.AD\24H1GALL.PLT" 31

SUMMFILE "15585 Ops PM25.sum"

OU FINISHED

*** Message Summary For AERMOD Model Setup ***

----- Summary of Total Messages -----

A Total of	0 Fatal Error Message(s)
A Total of	2 Warning Message(s)
A Total of	0 Informational Message(s)

***** FATAL ERROR MESSAGES *****
*** NONE ***

***** WARNING MESSAGES *****

ME W186	267	MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold used	0.50
ME W187	267	MEOPEN: ADJ_U* Option for Stable Low Winds used in AERMET	

*** SETUP Finishes Successfully ***

FF *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/15/24
*** AERMET - VERSION 16216 ***
*** 17:57:39

PAGE 1

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** MODEL SETUP OPTIONS SUMMARY ***

** Model Options Selected:

- * Model Uses Regulatory DEFAULT Options
- * Model Is Setup For Calculation of Average CONCentration Values.
- * NO GAS DEPOSITION Data Provided.
- * NO PARTICLE DEPOSITION Data Provided.
- * Model Uses NO DRY DEPLETION. DDPLETE = F
- * Model Uses NO WET DEPLETION. WETDPLT = F
- * Stack-tip Downwash.
- * Model Accounts for ELEVated Terrain Effects.
- * Use Calms Processing Routine.
- * Use Missing Data Processing Routine.
- * No Exponential Decay.
- * Model Uses URBAN Dispersion Algorithm for the SBL for 102 Source(s),

for Total of 1 Urban Area(s):
Urban Population = 2035210.0 ; Urban Roughness Length = 1.000 m
* Urban Roughness Length of 1.0 Meter Used.
* ADJ_U* - Use ADJ_U* option for SBL in AERMET
* TEMP_Sub - Meteorological data includes TEMP substitutions
* Model Accepts FLAGPOLE Receptor . Heights.
* The User Specified a Pollutant Type of: PM_2.5

**Model Calculates 1 Short Term Average(s) of: 24-HR

**This Run Includes: 102 Source(s); 1 Source Group(s); and 94 Receptor(s)

with: 0 POINT(s), including
0 POINTCAP(s) and 0 POINTHOR(s)
and: 102 VOLUME source(s)
and: 0 AREA type source(s)
and: 0 LINE source(s)
and: 0 RLINE/RLINEXT source(s)
and: 0 OPENPIT source(s)
and: 0 BUOYANT LINE source(s) with a total of 0 line(s)
and: 0 SWPOINT source(s)

**Model Set To Continue RUNNING After the Setup Testing.

**The AERMET Input Meteorological Data Version Date: 16216

**Output Options Selected:

Model Outputs Tables of Highest Short Term Values by Receptor (RECTABLE Keyword)
Model Outputs External File(s) of High Values for Plotting (PLOTFILE Keyword)
Model Outputs Separate Summary File of High Ranked Values (SUMMFILE Keyword)

**NOTE: The Following Flags May Appear Following CONC Values: c for Calm Hours
m for Missing Hours
b for Both Calm and Missing Hours

**Misc. Inputs: Base Elev. for Pot. Temp. Profile (m MSL) = 367.00 ; Decay Coef. =
0.000 ; Rot. Angle = 0.0
Emission Units = GRAMS/SEC ; Emission Rate
Unit Factor = 0.10000E+07
Output Units = MICROGRAMS/M**3

**Approximate Storage Requirements of Model = 3.6 MB of RAM.

**Input Runstream File:

aermod.inp

**Output Print File:

aermod.out

**Detailed Error/Message File: 15585 Ops

PM25.err

**File for Summary of Results: 15585 Ops

PM25.sum

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/15/24

*** AERMET - VERSION 16216 ***

17:57:39

PAGE 2

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

NUMBER EMISSION RATE

BASE

RELEASE

INIT.

INIT.

SOURCE SOURCE ID (METERS)	URBAN	EMISSION RATE	AIRCRAFT		ELEV. (METERS)	HEIGHT (METERS)	SY (METERS)	SZ
	PART.	(GRAMS/SEC)	X	Y				
	SCALAR VARY							
	CATS.	BY	(METERS)	(METERS)				

VOL1	0	0.60479E-04	461693.7	3786276.5	643.6	3.49	19.57	3.25
YES		NO						
VOL2	0	0.60479E-04	461646.2	3786333.2	642.8	3.49	19.57	3.25
YES		NO						
VOL3	0	0.60479E-04	461591.3	3786386.2	647.8	3.49	19.57	3.25
YES		NO						
VOL4	0	0.60479E-04	461541.9	3786437.5	649.2	3.49	19.57	3.25
YES		NO						
VOL5	0	0.60479E-04	461499.8	3786483.2	650.3	3.49	19.57	3.25
YES		NO						
VOL6	0	0.60479E-04	461461.4	3786530.8	651.5	3.49	19.57	3.25
YES		NO						
VOL7	0	0.60479E-04	461408.3	3786578.3	653.9	3.49	19.57	3.25
YES		NO						
VOL8	0	0.60479E-04	461452.2	3786636.9	648.0	3.49	19.57	3.25
YES		NO						
VOL9	0	0.60479E-04	461512.6	3786686.3	645.6	3.49	19.57	3.25
YES		NO						
VOL10	0	0.60479E-04	461573.0	3786730.2	644.9	3.49	19.57	3.25
YES		NO						
VOL11	0	0.60479E-04	461366.2	3786625.9	655.6	3.49	19.57	3.25
YES		NO						
VOL12	0	0.60479E-04	461289.4	3786679.0	662.0	3.49	19.57	3.25
YES		NO						
VOL13	0	0.60479E-04	461373.6	3786706.4	654.4	3.49	19.57	3.25
YES		NO						
VOL14	0	0.60479E-04	461441.3	3786713.7	647.9	3.49	19.57	3.25
YES		NO						
VOL15	0	0.60479E-04	461234.5	3786728.4	667.8	3.49	19.57	3.25
YES		NO						
VOL16	0	0.60479E-04	461199.7	3786774.1	667.5	3.49	19.57	3.25
YES		NO						
VOL17	0	0.60479E-04	461152.2	3786821.7	666.4	3.49	19.57	3.25
YES		NO						
VOL18	0	0.60479E-04	461086.3	3786863.8	668.2	3.49	19.57	3.25
YES		NO						
VOL19	0	0.60479E-04	461038.7	3786904.0	673.2	3.49	19.57	3.25
YES		NO						
VOL20	0	0.60479E-04	460978.4	3786938.8	680.5	3.49	19.57	3.25
YES		NO						
VOL21	0	0.60479E-04	460927.1	3786993.7	681.6	3.49	19.57	3.25
YES		NO						
VOL22	0	0.60479E-04	460877.7	3787050.4	684.4	3.49	19.57	3.25
YES		NO						
VOL23	0	0.60479E-04	460837.5	3787107.1	683.9	3.49	19.57	3.25
YES		NO						
VOL24	0	0.60479E-04	460804.5	3787160.2	681.6	3.49	19.57	3.25
YES		NO						
VOL25	0	0.60479E-04	460749.5	3787211.2	680.3	3.49	19.57	3.25
YES		NO						
VOL26	0	0.60479E-04	460704.6	3787274.7	677.7	3.49	19.57	3.25
YES		NO						
VOL27	0	0.60479E-04	460655.7	3787332.8	679.4	3.49	19.57	3.25
YES		NO						
VOL28	0	0.60479E-04	460593.5	3787398.9	683.9	3.49	19.57	3.25
YES		NO						
VOL29	0	0.60479E-04	460639.8	3787451.8	679.1	3.49	19.57	3.25
YES		NO						

```

*** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***                  04/15/24
*** AERMET - VERSION 16216 ***
***                                  ***
***                                  17:57:39

```

*** VOLUME SOURCE DATA ***

[illegible]

VOL41	0	0.60479E-04	461007.3	3786998.4	675.5	3.49	19.57	3.25
YES		NO						
VOL42	0	0.60479E-04	461052.2	3787052.6	669.8	3.49	19.57	3.25
YES		NO						
VOL43	0	0.60479E-04	461134.2	3787056.6	662.0	3.49	19.57	3.25
YES		NO						
VOL44	0	0.60479E-04	461082.6	3786975.9	671.8	3.49	19.57	3.25
YES		NO						
VOL45	0	0.60479E-04	461121.0	3786917.8	665.9	3.49	19.57	3.25
YES		NO						
VOL46	0	0.60479E-04	461167.2	3786986.5	660.1	3.49	19.57	3.25
YES		NO						
VOL47	0	0.60479E-04	461253.2	3786983.9	656.4	3.49	19.57	3.25
YES		NO						
VOL48	0	0.60479E-04	461208.2	3786903.2	658.5	3.49	19.57	3.25
YES		NO						
VOL49	0	0.60479E-04	461234.7	3786831.8	660.3	3.49	19.57	3.25
YES		NO						
VOL50	0	0.60479E-04	461291.5	3786905.9	655.3	3.49	19.57	3.25
YES		NO						
VOL51	0	0.60479E-04	461374.8	3786887.4	652.2	3.49	19.57	3.25
YES		NO						
VOL52	0	0.60479E-04	461317.9	3786823.9	656.1	3.49	19.57	3.25
YES		NO						

*** VOLUME SOURCE DATA ***

	NUMBER	EMISSION	RATE		BASE	RELEASE	INIT.	INIT.
	URBAN	EMISSION	RATE	AIRCRAFT				
SOURCE	PART.	(GRAMS/SEC)	X	Y	ELEV.	HEIGHT	SY	SZ
SOURCE	SCALAR	VARY						
ID	CATS.		(METERS)	(METERS)	(METERS)	(METERS)	(METERS)	
(METERS)		BY						


```

*** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***                  04/15/24
*** AERMET - VERSION 16216 ***
***                                  ***
                                  *** 17:57:39

```

*** SOURCE IDs DEFINING SOURCE GROUPS ***


```

*** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***                  04/15/24
*** AERMET - VERSION 16216 ***
***                                  ***
***                                  17:57:39

```

(463154.3, 3786819.6,	631.4,	1734.0,	2.0);	(463167.5, 3786865.5,
633.6,	1734.0,	2.0);		
(463147.6, 3786873.2,	634.1,	1734.0,	2.0);	(463129.9, 3786877.4,
634.4,	1734.0,	2.0);		
(463110.0, 3786886.9,	635.4,	1734.0,	2.0);	(463059.0, 3786966.9,
641.4,	1734.0,	2.0);		
(463074.9, 3787087.9,	646.7,	1734.0,	2.0);	(463102.5, 3787076.0,
645.0,	1734.0,	2.0);		
(462919.9, 3787058.3,	650.6,	1734.0,	2.0);	(463042.0, 3787098.7,
649.3,	1734.0,	2.0);		
(462998.1, 3787106.0,	651.7,	1734.0,	2.0);	(462944.0, 3787123.4,
653.8,	1734.0,	2.0);		
(462850.6, 3787079.7,	652.9,	1734.0,	2.0);	(462807.5, 3787091.0,
653.6,	1734.0,	2.0);		
(462821.9, 3787159.9,	658.2,	1734.0,	2.0);	(462755.2, 3787105.3,
654.6,	1734.0,	2.0);		
(462743.8, 3787181.3,	659.7,	1734.0,	2.0);	(462870.3, 3787147.1,
657.4,	1734.0,	2.0);		
(462890.0, 3787138.7,	656.5,	1734.0,	2.0);	(462725.4, 3787114.5,
655.2,	1734.0,	2.0);		
(462685.8, 3787125.8,	655.9,	1734.0,	2.0);	(462656.2, 3787132.7,
656.5,	1734.0,	2.0);		
(462632.9, 3787123.9,	655.6,	1734.0,	2.0);	(462595.9, 3787152.0,
658.4,	1734.0,	2.0);		
(462571.7, 3787160.3,	658.8,	1734.0,	2.0);	(462473.7, 3787233.0,
657.1,	1734.0,	2.0);		
(462534.0, 3787244.6,	659.9,	1734.0,	2.0);	(462400.1, 3787275.4,

659.0,	1734.0,	2.0);			
(462229.2,	3787434.2,	674.5,	1734.0,	2.0);	(462257.0, 3787342.4,
668.1,	1734.0,	2.0);			
(462128.4,	3787527.6,	684.6,	1734.0,	2.0);	(462183.2, 3787452.4,
675.8,	1734.0,	2.0);			
(462022.5,	3787623.1,	687.6,	1734.0,	2.0);	(461918.3, 3787709.0,
694.2,	1734.0,	2.0);			
(462038.5,	3787667.1,	695.0,	1734.0,	2.0);	(461424.9, 3788158.1,
731.4,	1734.0,	2.0);			
(461926.8,	3788065.0,	727.1,	1734.0,	2.0);	(461937.8, 3787798.6,
702.8,	1734.0,	2.0);			
(461956.2,	3787956.4,	718.2,	1734.0,	2.0);	(461303.4, 3788188.5,
726.6,	1734.0,	2.0);			
(461132.5,	3788399.4,	744.9,	1734.0,	2.0);	(461058.7, 3788731.5,
757.8,	1734.0,	2.0);			
(460943.7,	3788817.1,	758.9,	1734.0,	2.0);	(457324.4, 3790478.1,
770.2,	1734.0,	2.0);			
(457715.3,	3790467.0,	770.2,	1734.0,	2.0);	(457385.4, 3790493.9,
772.7,	1734.0,	2.0);			
(457752.2,	3790534.9,	771.1,	1734.0,	2.0);	(458383.4, 3790238.2,
751.7,	1734.0,	2.0);			
(463178.4,	3786251.1,	613.0,	1734.0,	2.0);	(462814.4, 3786754.2,
633.2,	1734.0,	2.0);			
(462674.0,	3786877.7,	639.7,	1734.0,	2.0);	(462604.9, 3786782.6,
635.5,	1734.0,	2.0);			
(462768.8,	3786780.7,	634.5,	1734.0,	2.0);	(461416.7, 3783609.8,
589.4,	1734.0,	2.0);			
(461655.6,	3783762.7,	593.9,	1734.0,	2.0);	(461824.6, 3783749.2,
599.8,	1734.0,	2.0);			
(461846.6,	3783749.2,	600.8,	1734.0,	2.0);	(461939.4, 3783743.2,
615.2,	1734.0,	2.0);			
(462019.9,	3783739.8,	613.5,	1734.0,	2.0);	(462121.1, 3783735.6,
606.0,	1734.0,	2.0);			
(462214.8,	3783729.3,	610.5,	1734.0,	2.0);	(462334.6, 3783705.5,
621.8,	1734.0,	2.0);			
(461658.1,	3783690.3,	600.5,	1734.0,	2.0);	(461041.9, 3783495.8,
601.3,	1734.0,	2.0);			
(461249.5,	3783484.0,	594.5,	1734.0,	2.0);	(461451.2, 3783502.2,
587.5,	1734.0,	2.0);			
(461567.3,	3783209.6,	582.7,	1734.0,	2.0);	(461502.8, 3783145.1,
583.9,	1734.0,	2.0);			
(461612.5,	3783185.0,	580.9,	1734.0,	2.0);	(460924.5, 3783394.0,
606.7,	1734.0,	2.0);			
(460848.3,	3783334.1,	610.0,	1734.0,	2.0);	(460765.0, 3783264.4,
611.6,	1734.0,	2.0);			
(460668.8,	3783186.4,	612.4,	1734.0,	2.0);	(460574.4, 3783105.5,
612.8,	1734.0,	2.0);			
(460496.5,	3783051.5,	611.6,	1734.0,	2.0);	(460712.7, 3783532.6,
612.5,	1734.0,	2.0);			
(460583.9,	3783527.4,	618.6,	1734.0,	2.0);	(460501.9, 3783491.8,
620.0,	1734.0,	2.0);			
(460403.7,	3783447.4,	622.7,	1734.0,	2.0);	(460304.0, 3783403.0,
626.7,	1734.0,	2.0);			
(459503.3,	3782889.0,	625.8,	1734.0,	2.0);	(459388.1, 3783065.7,
632.6,	1734.0,	2.0);			
(459382.3,	3783016.7,	631.6,	1734.0,	2.0);	(459350.1, 3783155.5,
636.1,	1734.0,	2.0);			
(459320.3,	3783264.9,	639.9,	1734.0,	2.0);	(463904.6, 3786591.8,
615.2,	1734.0,	2.0);			
(466077.1,	3784031.3,	535.0,	1734.0,	2.0);	(466200.8, 3784254.0,
536.0,	1734.0,	2.0);			
(465960.2,	3784644.2,	547.3,	1734.0,	2.0);	(466195.2, 3784597.0,
545.5,	1734.0,	2.0);			

17:57:39

```

*** DISCRETE CARTESIAN RECEPTORS ***
(X-COORD, Y-COORD, ZELEV, ZHILL, ZFLAG)
(METERS)

```

```

[P] *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***                      04/15/24
*** AERMET - VERSION 16216 ***
***                                     *** 17:57:39

```

*** METEOROLOGICAL DAYS SELECTED FOR PROCESSING ***
(1=YES; 0=NO)

[illegible]

NOTE: METEOROLOGICAL DATA ACTUALLY PROCESSED WILL ALSO DEPEND ON WHAT IS INCLUDED IN THE DATA FILE.

```

*** UPPER BOUND OF FIRST THROUGH FIFTH WIND SPEED CATEGORIES
***
(METERS/SEC)

```

```

FF *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***                      04/15/24
*** AERMET - VERSION 16216 ***
***                                     *** 17:57:39

```

*** UP TO THE FIRST 24 HOURS OF METEOROLOGICAL DATA ***

```
Surface file:
FONT_V9_ADJU\FONT_v9.SFC
Version: 16216
Profile file:
FONT_V9_ADJU\FONT_v9.PFL
Surface format:
```

Met

FREE

Profile format:
FREE

Surface station no.: 3102
Name: UNKNOWN
UNKNOWN
Year: 2011

Upper air station no.: 3190
Name:
Year: 2011

First 24 hours of scalar data

YR	MO	DY	JDY	HR	H0	U*	W*	DT/DZ	ZICNV	ZIMCH	M-O	LEN	Z0	BOWEN	ALBEDO	REF	WS
WD				HT	REF	TA	HT										
11	01	01		1 01	-18.5	0.194	-9.000	-9.000	-999.	204.		41.2	0.25	2.82	1.00	1.80	
69.				9.1 276.4	5.5												
11	01	01		1 02	-23.8	0.239	-9.000	-9.000	-999.	281.		63.0	0.25	2.82	1.00	2.20	
52.				9.1 275.4	5.5												
11	01	01		1 03	-18.5	0.194	-9.000	-9.000	-999.	205.		41.2	0.25	2.82	1.00	1.80	
32.				9.1 275.4	5.5												
11	01	01		1 04	-1.4	0.067	-9.000	-9.000	-999.	57.		18.3	0.25	2.82	1.00	0.40	
27.				9.1 274.2	5.5												
11	01	01		1 05	-18.6	0.194	-9.000	-9.000	-999.	204.		41.2	0.25	2.82	1.00	1.80	
51.				9.1 274.2	5.5												
11	01	01		1 06	-29.7	0.296	-9.000	-9.000	-999.	387.		96.6	0.25	2.82	1.00	2.70	
53.				9.1 274.2	5.5												
11	01	01		1 07	-24.0	0.239	-9.000	-9.000	-999.	282.		63.0	0.25	2.82	1.00	2.20	
70.				9.1 274.2	5.5												
11	01	01		1 08	-8.4	0.138	-9.000	-9.000	-999.	127.		27.3	0.25	2.82	0.54	1.30	
72.				9.1 275.4	5.5												
11	01	01		1 09	44.3	0.280	0.571	0.005	147.	356.		-43.5	0.25	2.82	0.32	2.20	
67.				9.1 277.5	5.5												
11	01	01		1 10	122.7	0.264	0.952	0.005	247.	326.		-13.2	0.25	2.82	0.25	1.80	
83.				9.1 279.9	5.5												
11	01	01		1 11	179.8	0.316	1.733	0.005	1017.	426.		-15.4	0.25	2.82	0.22	2.20	
58.				9.1 282.0	5.5												
11	01	01		1 12	206.0	0.320	1.940	0.008	1244.	435.		-14.0	0.25	2.82	0.21	2.20	
115.				9.1 283.1	5.5												
11	01	01		1 13	132.6	0.214	1.733	0.009	1377.	243.		-6.5	0.25	2.82	0.21	1.30	
147.				9.1 284.2	5.5												
11	01	01		1 14	147.0	0.216	1.818	0.009	1431.	242.		-6.0	0.25	2.82	0.23	1.30	
219.				9.1 284.9	5.5												
11	01	01		1 15	104.0	0.208	1.633	0.009	1468.	228.		-7.6	0.25	2.82	0.26	1.30	
126.				9.1 285.4	5.5												
11	01	01		1 16	26.4	0.140	1.037	0.009	1477.	127.		-9.1	0.25	2.82	0.35	0.90	
151.				9.1 284.9	5.5												
11	01	01		1 17	-9.0	0.137	-9.000	-9.000	-999.	121.		24.9	0.25	2.82	0.63	1.30	
69.				9.1 283.1	5.5												
11	01	01		1 18	-33.4	0.342	-9.000	-9.000	-999.	481.		129.0	0.25	2.82	1.00	3.10	
81.				9.1 281.4	5.5												
11	01	01		1 19	-33.6	0.342	-9.000	-9.000	-999.	481.		128.9	0.25	2.82	1.00	3.10	
51.				9.1 279.9	5.5												
11	01	01		1 20	-23.6	0.239	-9.000	-9.000	-999.	287.		63.1	0.25	2.82	1.00	2.20	
77.				9.1 278.8	5.5												
11	01	01		1 21	-18.5	0.194	-9.000	-9.000	-999.	205.		41.2	0.25	2.82	1.00	1.80	
53.				9.1 277.5	5.5												
11	01	01		1 22	-23.7	0.239	-9.000	-9.000	-999.	281.		63.0	0.25	2.82	1.00	2.20	
58.				9.1 277.5	5.5												
11	01	01		1 23	-18.5	0.194	-9.000	-9.000	-999.	205.		41.2	0.25	2.82	1.00	1.80	
64.				9.1 277.5	5.5												
11	01	01		1 24	-4.5	0.094	-9.000	-9.000	-999.	74.		16.3	0.25	2.82	1.00	0.90	
52.				9.1 277.0	5.5												

First hour of profile data

```
F indicates top of profile (=1) or below (=0)
*** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H ***      04/15/24
*** AERMET - VERSION 16216 ***
***                                     ***      17:57:39
```

```
*** MODELOPTs:      ReqDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ  U*
```

INCLUDING SOURCE(S) :			VOL1	VOL2	
VOL3		VOL4	VOL5		
VOL6	, VOL7	, VOL8	, VOL9	, VOL10	,
VOL11	, VOL12	, VOL13	,		
VOL14	, VOL15	, VOL16	, VOL17	, VOL18	,
VOL19	, VOL20	, VOL21	,		
VOL22	, VOL23	, VOL24	, VOL25	, VOL26	,
VOL27	, VOL28	, . . .	,		

```

** CONC OF PM_2.5    IN
MICROGRAMS/M**3

```

X-COORD (M)	Y-COORD (M)	CONC	(YYMMDDHH)	X-COORD (M)	Y-COORD
463154.33	3786819.61	0.04110	(12120224)	463167.45	
3786865.52	0.04267	(12120224)			
463147.58	3786873.25	0.04616	(12120224)	463129.92	
3786877.44	0.04858	(12120224)			
463110.04	3786886.94	0.05162	(12120224)	463059.03	
3786966.87	0.05069	(12120224)			
463074.93	3787087.88	0.03799	(12120224)	463102.53	
3787075.96	0.03973	(12120224)			
462919.92	3787058.29	0.03678	(13120724)	463042.03	
3787098.70	0.03570	(12120224)			
462998.09	3787105.99	0.03265	(12120224)	462943.99	
3787123.43	0.03129	(13120724)			
462850.58	3787079.71	0.03661	(13120724)	462807.52	
3787090.97	0.03432	(13120724)			
462821.88	3787159.87	0.02966	(13120724)	462755.22	
3787105.29	0.03016	(13120724)			
462743.77	3787181.31	0.02438	(13120724)	462870.28	
3787147.15	0.03154	(13120724)			
462889.99	3787138.70	0.03208	(13120724)	462725.43	
3787114.51	0.02745	(13120724)			
462685.82	3787125.77	0.02379	(13120724)	462656.17	
3787132.72	0.02167	(12120324)			
462632.89	3787123.90	0.02383	(12120324)	462595.92	
3787152.05	0.02331	(12120324)			
462571.70	3787160.31	0.02370	(12120324)	462473.70	
3787233.03	0.02228	(12120324)			
462534.01	3787244.58	0.02121	(12120324)	462400.07	
3787275.41	0.01916	(12120324)			
462229.16	3787434.24	0.01558	(15052824)	462256.97	
3787342.44	0.01662	(15052824)			
462128.43	3787527.59	0.01540	(15052824)	462183.16	
3787452.38	0.01592	(15052824)			
462022.45	3787623.08	0.01428	(16121124)	461918.34	

3787709.00	0.01378	(16121124)	
462038.54	3787667.10	0.01459	(16121124) 461424.87
3788158.12	0.00900	(13120724)	
461926.79	3788065.01	0.01027	(16121124) 461937.75
3787798.61	0.01332	(16121124)	
461956.17	3787956.45	0.01148	(16121124) 461303.41
3788188.53	0.01009	(16051824)	
461132.48	3788399.44	0.00820	(16051824) 461058.72
3788731.50	0.00656	(16051824)	
460943.68	3788817.15	0.00531	(16051824) 457324.43
3790478.09	0.00200m	(16123124)	
457715.29	3790466.96	0.00313m	(16123124) 457385.37
3790493.92	0.00214m	(16123124)	
457752.21	3790534.94	0.00321m	(16123124) 458383.39
3790238.21	0.00299m	(16123124)	
463178.40	3786251.10	0.02526m	(15010924) 462814.44
3786754.18	0.11185	(13120724)	
462674.03	3786877.67	0.05683	(16010624) 462604.90
3786782.62	0.11445	(16121124)	
462768.77	3786780.67	0.09807	(13120724) 461416.67
3783609.80	0.01899m	(15010924)	
461655.59	3783762.73	0.02181m	(15010924) 461824.61
3783749.17	0.01929m	(15010924)	
461846.64	3783749.17	0.01902m	(15010924) 461939.41
3783743.24	0.01799m	(15010924)	
462019.90	3783739.85	0.01678m	(15010924) 462121.14
3783735.61	0.01528m	(15010924)	
462214.76	3783729.26	0.01423m	(15010924) 462334.64
3783705.54	0.01288m	(15010924)	
461658.13	3783690.29	0.02003m	(15010924) 461041.92
3783495.78	0.01562m	(15010924)	
461249.49	3783484.05	0.01612m	(15010924) 461451.20
3783502.23	0.01633m	(15010924)	
461567.30	3783209.63	0.01159m	(15010924) 461502.80
3783145.13	0.01104m	(15010924)	
461612.45	3783185.00	0.01119m	(15010924) 460924.52
3783393.96	0.01338m	(15010924)	
460848.29	3783334.15	0.01224m	(15010924) 460765.02
3783264.37	0.01108m	(15010924)	
460668.85	3783186.38	0.00996m	(15010924) 460574.44
3783105.46	0.00899m	(15010924)	
460496.45	3783051.51	0.00837m	(15010924) 460712.73
3783532.65	0.01415m	(15010924)	
460583.91	3783527.38	0.01311m	(15010924) 460501.88
3783491.78	0.01208m	(15010924)	
460403.69	3783447.41	0.01100m	(15010924) 460303.99
3783403.05	0.01089	(13120824)	



*** AERMOD - VERSION 23132 ***

SP\15585 Ops H ***

*** AERMET - VERSION 16216 ***

*** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen

04/15/24

17:57:39

PAGE 12

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** THE 1ST HIGHEST 24-HR AVERAGE CONCENTRATION VALUES FOR

SOURCE GROUP: ALL ***

INCLUDING SOURCE(S):

VOL3 , VOL4 , VOL5

VOL6 , VOL7 , VOL8 , VOL9 , VOL10 ,

VOL11 , VOL12 , VOL13 ,

VOL14 , VOL15 , VOL16 , VOL17 , VOL18 ,

VOL19 , VOL20 , VOL21 ,

VOL22 , VOL23 , VOL24 , VOL25 , VOL26 ,

VOL27 , VOL28 , . . . ,

*** DISCRETE CARTESIAN RECEPTOR POINTS ***

** CONC OF PM 2.5 IN
MICROGRAMS/M**3

**

X-COORD (M)	Y-COORD (M)	CONC	(YYMMDDHH)	X-COORD (M)	Y-COORD
(M)	CONC	(YYMMDDHH)			
459503.27	3782889.01	0.00508m	(15010924)	459388.10	
3783065.74	0.00759	(16111924)			
459382.29	3783016.73	0.00696	(16111924)	459350.12	
3783155.49	0.00951	(16111924)			
459320.33	3783264.86	0.01104	(16111224)	463904.58	
3786591.83	0.00933m	(13112024)			
466077.15	3784031.33	0.00236m	(13112024)	466200.85	
3784253.98	0.00237m	(13112024)			
465960.20	3784644.19	0.00271m	(13112024)	466195.23	
3784596.96	0.00251m	(13112024)			
462710.50	3782876.40	0.00579m	(15010924)	462069.84	
3783383.52	0.01083m	(15010924)			
462277.17	3783298.31	0.00898m	(15010924)	461797.05	
3783468.72	0.01355m	(15010924)			

*** AERMOD - VERSION 23132 *** ** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/15/24
*** AERMET - VERSION 16216 ***
*** 17:57:39

PAGE 13

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** THE SUMMARY OF HIGHEST 24-HR RESULTS ***

** CONC OF PM 2.5 IN
MICROGRAMS/M**3

**

GROUP ID	AVERAGE CONC	DATE	NETWORK
ZELEV, ZHILL, ZFLAG)	OF TYPE GRID-ID	(YYMMDDHH)	RECEPTOR (XR, YR,
ALL HIGH 1ST HIGH VALUE IS	0.11445	ON 16121124: AT (	462604.90, 3786782.62,
635.54, 1734.00, 2.00) DC			

*** RECEPTOR TYPES: GC = GRIDCART
GP = GRIDPOLR
DC = DISCCART
DP = DISCPOLR

*** AERMOD - VERSION 23132 *** ** C:\Users\Michael Tirohn\Desktop\HRAs\15585 Glen Helen
SP\15585 Ops H *** 04/15/24
*** AERMET - VERSION 16216 ***
*** 17:57:39

PAGE 14

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** Message Summary : AERMOD Model Execution ***

----- Summary of Total Messages -----

A Total of 0 Fatal Error Message(s)

A Total of 7 Warning Message(s)
A Total of 838 Informational Message(s)

A Total of 43848 Hours Were Processed

A Total of 40 Calm Hours Identified

A Total of 798 Missing Hours Identified (1.82 Percent)

***** FATAL ERROR MESSAGES *****
*** NONE ***

***** WARNING MESSAGES *****
ME W186 267 MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold used 0.50
ME W187 267 MEOPEN: ADJ_U* Option for Stable Low Winds used in AERMET
MX W438 8800 METQA: Convective Velocity Data Out-of-Range. KURDAT = 12010216
MX W438 11536 METQA: Convective Velocity Data Out-of-Range. KURDAT = 12042516
MX W420 16779 METQA: Wind Speed Out-of-Range. KURDAT = 12113003
MX W450 26305 CHKDAT: Record Out of Sequence in Meteorological File at: 15010101
MX W450 26305 CHKDAT: Record Out of Sequence in Meteorological File at: 1 year gap

*** AERMOD Finishes Successfully ***

This page intentionally left blank