



Building knowledge

Job Order Contract Construction Task Catalog®

Book 1 CSI Divisions 01 - 43 July 2020

County of San Bernardino
General Engineering - GEJOC12



GORDIAN®

This Page Intentionally Left Blank

NOT FOR BID

00 Using The Construction Task Catalog®	1
<hr/>	
01 General Requirements	1
01 20 Price And Payment Procedures	1
01 22 Unit Prices	1
01 30 Administrative Requirements	32
01 35 Special Procedures	32
01 40 Quality Requirements	32
01 45 Quality Control	32
01 50 Temporary Facilities And Controls	35
01 51 Temporary Utilities	35
01 52 Construction Facilities	36
01 53 Temporary Construction	37
01 54 Construction Aids	37
01 55 Vehicular Access And Parking	40
01 56 Temporary Barriers And Enclosures	42
01 57 Temporary Controls	52
01 58 Project Identification	52
01 60 Product Requirements	53
01 66 Product Storage And Handling Requirements	53
01 70 Execution And Closeout Requirements	53
01 71 Examination And Preparation	53
01 74 Cleaning And Waste Management	55
<hr/>	
02 Existing Conditions	1
02 20 Assessment	1
02 25 Existing Material Assessment	1
02 30 Subsurface Investigation	1
02 32 Geotechnical Investigations	1
02 40 Demolition And Structure Moving	2
02 41 Demolition	2
02 42 Removal And Salvage Of Construction Materials	17
02 43 Structure Moving	18
02 50 Site Remediation	18
02 58 Snow Control	18
02 60 Contaminated Site Material Removal	18
02 61 Removal And Disposal Of Contaminated Soils	18
02 65 Underground Storage Tank Removal	19
02 80 Facility Remediation	22
02 81 Transportation And Disposal Of Hazardous Materials	22
02 82 Asbestos Remediation	22
02 83 Lead Remediation	29
02 84 Polychlorinated Biphenyl Remediation	33
02 86 Hazardous Waste Drum Handling	34
02 87 Bio-Hazard Material Remediation	35
02 89 Hazmat Ancillary Tasks And Support	44
02 90 Disaster Recovery	44
02 90 50 Cleaning And Emergency Clean-up	44
<hr/>	
03 Concrete	1
03 01 Maintenance Of Concrete	1
03 01 30 Maintenance Of Cast-In-Place Concrete	1
03 05 Common Work Results For Concrete	3
03 05 13 Concrete Admixtures	3
03 10 Concrete Forming And Accessories	4
03 11 Concrete Forming	4
03 15 Concrete Accessories	7
03 20 Concrete Reinforcing	17
03 21 Reinforcement Bars	17
03 22 Fabric And Grid Reinforcing	26
03 30 Cast-In-Place Concrete	27
03 30 53 Miscellaneous Cast-in-Place Concrete	27
03 31 Structural Concrete	28

Table of Contents

03 35 Concrete Finishing	43
03 37 Specialty Placed Concrete	47
03 39 Concrete Curing	48
03 40 Precast Concrete	48
03 41 Precast Structural Concrete	48
03 48 Precast Concrete Specialties	58
03 50 Cast Decks And Underlayment	61
03 51 Cast Roof Decks	61
03 53 Concrete Topping	61
03 54 Cast Underlayment	61
03 60 Grouting	62
03 61 Cementitious Grouting	62
03 62 Non-Shrink Grouting	62
03 63 Epoxy Grouting	63
03 64 Injection Grouting	63
03 80 Concrete Cutting And Boring	63
03 81 Concrete Cutting	63
03 82 Concrete Boring	63
04 Masonry	1
04 01 Maintenance Of Masonry	1
04 01 20 Maintenance Of Unit Masonry	1
04 01 50 Maintenance of Refractory Masonry	10
04 05 Common Work Results For Masonry	10
04 05 13 Masonry Mortaring	10
04 05 16 Masonry Grouting	11
04 05 19 Masonry Anchorage And Reinforcing	11
04 05 23 Masonry Accessories	37
04 20 Unit Masonry	38
04 21 Clay Unit Masonry	38
04 22 Concrete Unit Masonry	41
04 23 Glass Unit Masonry	45
04 40 Stone Assemblies	45
04 41 Dry-Placed Stone	45
04 42 Exterior Stone Cladding	46
04 43 Stone Masonry	46
04 50 Refractory Masonry	47
04 51 Flue Liner Masonry	47
04 70 Manufactured Masonry	48
04 72 Cast Stone Masonry	48
05 Metals	1
05 05 Common Work Results For Metals	1
05 05 19 Post-Installed Concrete Anchors	1
05 05 21 Fastening Methods for Metal	12
05 05 23 Metal Fastenings	13
05 10 Structural Metal Framing	78
05 12 Structural Steel Framing	78
05 13 Structural Stainless-Steel Framing	135
05 14 Structural Aluminum Framing	135
05 15 Wire Rope Assemblies	136
05 20 Metal Joists	142
05 21 Steel Joist Framing	142
05 30 Metal Decking	143
05 31 Steel Decking	143
05 36 Composite Metal Decking	147
05 40 Cold-Formed Metal Framing	150
05 41 Structural Metal Stud Framing	150
05 42 Cold-Formed Metal Joist Framing	151
05 43 Slotted Channel Framing	152
05 45 Metal Support Assemblies	153
05 50 Metal Fabrications	153
05 51 Metal Stairs	153
05 52 Metal Railings	155
05 53 Metal Gratings	164
05 54 Metal Floor Plates	172
05 55 Metal Stair Treads And Nosings	172

05 56 Metal Castings	174
05 58 Formed Metal Fabrications	174
05 59 Metal Specialties	175
05 70 Decorative Metal	183
05 71 Decorative Metal Stairs	183
05 73 Decorative Metal Railings	183
05 75 Decorative Formed Metal	184
06 Wood, Plastics, and Composites	1
06 01 Maintenance of Wood, Plastics, and Composites	1
06 01 20 Maintenance of Finish Carpentry	1
06 01 40 Maintenance Of Architectural Woodwork	1
06 05 Common Work Results For Wood, Plastics, And Composites	1
06 05 23 Wood, Plastic, And Composite Fastenings	1
06 05 73 Wood Treatment	18
06 10 Rough Carpentry	18
06 11 Wood Framing	18
06 13 Heavy Timber Construction	23
06 15 Wood Decking	25
06 16 Sheathing	28
06 17 Shop-Fabricated Structural Wood	34
06 18 Glued-Laminated Construction	39
06 20 Finish Carpentry	40
06 22 Millwork	40
06 25 Prefinished Paneling	42
06 40 Architectural Woodwork	43
06 41 Architectural Wood Casework	43
06 42 Wood Paneling	58
06 43 Wood Stairs And Railings	61
06 44 Ornamental Woodwork	62
06 46 Wood Trim	64
06 48 Wood Frames	81
06 49 Wood Screens and Exterior Wood Shutters	82
06 50 Structural Plastics	82
06 51 Structural Plastic Shapes And Plates	82
06 52 Plastic Structural Assemblies	87
06 53 Plastic Decking	88
06 60 Plastic Fabrications	88
06 65 Plastic Trim	88
06 70 Structural Composites	89
06 74 Composite Gratings	89
06 80 Composite Fabrications	91
06 82 Composite Trim	91
06 83 Composite Paneling	93
07 Thermal And Moisture Protection	1
07 01 Operation And Maintenance Of Thermal And Moisture Protection	1
07 01 50 Maintenance Of Membrane Roofing	1
07 05 Common Work Results For Thermal And Moisture Protection	1
07 05 13 Mobilization Of Crew For Small Quantity Of Roof Work	1
07 10 Dampproofing And Waterproofing	1
07 11 Dampproofing	1
07 13 Sheet Waterproofing	2
07 14 Fluid-Applied Waterproofing	3
07 16 Cementitious And Reactive Waterproofing	4
07 17 Bentonite Waterproofing	4
07 19 Water Repellents	4
07 20 Thermal Protection	5
07 21 Thermal Insulation	5
07 22 Roof And Deck Insulation	15
07 24 Exterior Insulation And Finish Systems	42
07 25 Weather Barriers	45
07 26 Vapor Retarders	45
07 27 Air Barriers	45
07 30 Steep Slope Roofing	45
07 31 Shingles And Shakes	45
07 32 Roof Tiles	50

Table of Contents

07 34 Roofing Underlayment.....	52
07 40 Roofing And Siding Panels.....	53
07 41 Roof Panels.....	53
07 42 Wall Panels.....	57
07 46 Siding.....	58
07 50 Membrane Roofing.....	62
07 51 Built-Up Bituminous Roofing.....	62
07 52 Modified Bituminous Membrane Roofing.....	68
07 53 Elastomeric Membrane Roofing.....	77
07 54 Thermoplastic Membrane Roofing.....	81
07 56 Fluid-Applied Roofing.....	85
07 57 Coated Foamed Roofing.....	85
07 58 Roll Roofing.....	87
07 59 Membrane Roofing Termination Bar.....	87
07 60 Flashing And Sheet Metal.....	87
07 61 Sheet Metal Roofing.....	87
07 62 Sheet Metal Flashing And Trim.....	90
07 63 Sheet Metal Roofing Specialties.....	95
07 65 Flexible Flashing.....	96
07 70 Roof And Wall Specialties And Accessories.....	96
07 71 Roof Specialties.....	96
07 72 Roof Accessories.....	116
07 73 Roof Protection Board.....	139
07 76 Roof Pavers.....	141
07 80 Fire And Smoke Protection.....	141
07 81 Applied Fireproofing.....	141
07 84 Firestopping.....	143
07 90 Joint Protection.....	149
07 91 Preformed Joint Seals.....	149
07 92 Joint Sealants.....	151
07 95 Expansion Control.....	155
08 Openings.....	1
08 01 Operation And Maintenance Of Openings.....	1
08 01 40 Operation And Maintenance Of Entrances, Storefronts, And Curtain Walls.....	1
08 01 50 Operation And Maintenance Of Windows.....	1
08 01 80 Maintenance Of Glazing.....	1
08 05 Common Work Results For Openings.....	1
08 05 13 Door Options And Modifications.....	1
08 10 Doors And Frames.....	3
08 11 Metal Doors And Frames.....	3
08 12 Metal Frames.....	3
08 13 Metal Doors.....	27
08 14 Wood Doors.....	50
08 15 Plastic Doors.....	109
08 16 Composite Doors.....	109
08 17 Integrated Door Opening Assemblies.....	114
08 30 Specialty Doors And Frames.....	117
08 31 Access Doors And Panels.....	117
08 32 Sliding Glass Doors.....	118
08 33 Coiling Doors And Grilles.....	119
08 34 Special Function Doors.....	139
08 35 Folding Doors And Grilles.....	143
08 36 Panel Doors.....	143
08 38 Traffic Doors.....	151
08 40 Entrances, Storefronts, And Curtain Walls.....	167
08 42 Entrances.....	167
08 43 Storefronts.....	172
08 44 Curtain Wall And Glazed Assemblies.....	176
08 45 Translucent Wall And Roof Assemblies.....	178
08 50 Windows.....	178
08 51 Metal Windows.....	178
08 52 Wood Windows.....	194
08 53 Plastic Windows.....	231
08 56 Special Function Windows.....	259
08 60 Roof Windows And Skylights.....	263
08 62 Unit Skylights.....	263
08 63 Metal-Framed Skylights.....	268

08 66 Wood-Framed Skylights.....	273
08 70 Hardware.....	274
08 71 Door Hardware.....	274
08 72 Weatherstripping, Thresholds And Seals	356
08 75 Window Hardware.....	368
08 78 Special Function Hardware.....	368
08 79 Hardware Accessories	368
08 80 Glazing	368
08 81 Glass Glazing.....	368
08 83 Mirrors.....	379
08 84 Plastic Glazing	380
08 85 Glazing Accessories	382
08 87 Glazing Surface Films.....	382
08 88 Special Function Glazing	383
08 90 Louvers And Vents	384
08 91 Louvers	385
08 95 Vents.....	416
09 Finishes	1
09 01 Maintenance Of Finishes.....	1
09 01 20 Maintenance Of Plaster And Gypsum Board.....	1
09 01 30 Maintenance Of Tiling.....	1
09 01 60 Maintenance Of Flooring	1
09 01 80 Maintenance Of Acoustic Treatment	2
09 01 90 Maintenance Of Painting And Coating.....	2
09 05 Common Work Results For Finishes.....	6
09 05 61 Common Work Results for Flooring Preparation.....	6
09 05 71 Acoustic Underlayment.....	7
09 20 Plaster And Gypsum Board	7
09 22 Supports For Plaster And Gypsum Board	7
09 23 Gypsum Plastering.....	16
09 24 Cement Plastering	17
09 28 Backing Boards And Underlayments.....	18
09 29 Gypsum Board.....	19
09 30 Tiling	27
09 30 13 Ceramic Tiling	27
09 30 16 Quarry Tiling	28
09 30 23 Glass Mosaic Tiling.....	28
09 30 33 Stone Tiling.....	28
09 31 Thin-Set Tiling.....	33
09 32 Mortar-Bed Tiling	33
09 34 Waterproofing-Membrane Tiling	33
09 35 Chemical-Resistant Tiling	34
09 39 Tiling Transitions.....	34
09 50 Ceilings.....	35
09 51 Acoustical Ceilings.....	35
09 53 Acoustical Ceiling Suspension Assemblies	41
09 54 Specialty Ceilings.....	43
09 57 Special Function Ceilings	44
09 60 Flooring	44
09 61 Flooring Treatment.....	45
09 63 Masonry Flooring	45
09 64 Wood Flooring.....	45
09 65 Resilient Flooring.....	48
09 66 Terrazzo Flooring.....	55
09 67 Fluid-Applied Flooring.....	58
09 68 Carpeting	59
09 69 Access Flooring	66
09 70 Wall Finishes	67
09 72 Wall Coverings.....	67
09 73 Wall Carpeting	68
09 74 Flexible Wood Sheets.....	68
09 78 Interior Wall Paneling.....	68
09 80 Acoustic Treatment	69
09 81 Acoustic Insulation.....	69
09 84 Acoustic Room Components	70
09 90 Painting And Coating.....	71
09 91 Painting.....	71

Table of Contents

09 93 Staining And Transparent Finishing	138
09 96 High-Performance Coatings	140
09 97 Special Coatings	141
10 Specialties	1
10 01 Operation And Maintenance Of Specialties	1
10 01 40 Operation And Maintenance Of Safety Specialties	1
10 01 50 Operation And Maintenance Of Storage Specialties	1
10 10 Information Specialties	1
10 11 Visual Display Units	1
10 12 Display Cases	8
10 13 Directories	8
10 14 Signage	11
10 20 Interior Specialties	36
10 21 Compartments And Cubicles	36
10 22 Partitions	61
10 26 Wall And Door Protection	65
10 28 Toilet, Bath, And Laundry Accessories	75
10 40 Safety Specialties	85
10 41 Emergency Access And Information Cabinets	85
10 44 Fire Protection Specialties	85
10 50 Storage Specialties	91
10 51 Lockers	91
10 55 Postal Specialties	105
10 56 Storage Assemblies	106
10 57 Wardrobe And Closet Specialties	108
10 70 Exterior Specialties	109
10 71 Exterior Protection	109
10 73 Protective Covers	119
10 75 Flagpoles	120
10 80 Other Specialties	122
10 81 Pest Control Devices	122
10 86 Security Mirrors And Domes	123
11 Equipment	1
11 01 Operation And Maintenance Of Equipment	1
11 01 10 Operation And Maintenance Of Vehicle And Pedestrian Equipment	1
11 10 Vehicle And Pedestrian Equipment	1
11 11 Vehicle Service Equipment	1
11 12 Parking Control Equipment	2
11 13 Loading Dock Equipment	3
11 14 Pedestrian Control Equipment	8
11 20 Commercial Equipment	10
11 21 Retail and Service Equipment	10
11 22 Banking Equipment	11
11 30 Residential Equipment	11
11 30 13 Residential Appliances	11
11 30 33 Retractable Stairs	14
11 32 Unit Kitchens	15
11 40 Foodservice Equipment	15
11 41 Foodservice Storage Equipment	15
11 42 Food Preparation Equipment	36
11 44 Food Cooking Equipment	37
11 46 Food Dispensing Equipment	39
11 48 Foodservice Cleaning and Disposal Equipment	41
11 50 Educational And Scientific Equipment	42
11 52 Audio-Visual Equipment	42
11 60 Entertainment and Recreation Equipment	49
11 66 Athletic Equipment	49
11 68 Play Field Equipment And Structures	50
11 80 Facility Maintenance and Operation Equipment	53
11 81 Maintenance Equipment	53
11 82 Facility Solid Waste Handling Equipment	54
11 90 Other Equipment	54
11 97 Security Equipment	54
11 98 Detention Equipment	55

12 Furnishings	1
12 01 Operation And Maintenance Of Furnishings	1
12 01 60 Operation And Maintenance Of Multiple Seating	1
12 20 Window Treatments	1
12 21 Window Blinds	1
12 22 Curtains And Drapes	1
12 23 Interior Shutters	3
12 24 Window Shades	5
12 30 Casework	13
12 31 Manufactured Metal Casework	13
12 35 Specialty Casework	18
12 36 Countertops	21
12 40 Furnishings And Accessories	24
12 41 Office Accessories	24
12 48 Rugs And Mats	24
12 50 Furniture	24
12 55 Detention Furniture	24
12 56 Institutional Furniture	27
12 59 Systems Furniture	34
12 60 Multiple Seating	37
12 61 Fixed Audience Seating	37
12 62 Portable-Audience Seating	38
13 Special Construction	1
13 01 Operation And Maintenance Of Special Construction	1
13 01 10 Operation And Maintenance Of Special Facility Components	1
13 10 Special Facility Components	1
13 11 Swimming Pools	1
13 12 Fountains	2
13 20 Special Purpose Rooms	2
13 21 Controlled Environment Rooms	2
13 30 Special Structures	2
13 34 Fabricated Engineered Structures	2
13 40 Integrated Construction	22
13 42 Building Modules	22
13 47 Facility Protection	23
13 48 Sound, Vibration, And Seismic Control	23
14 Conveying Equipment	1
14 01 Operation And Maintenance Of Conveying Equipment	1
14 01 20 Operation And Maintenance Of Elevators	1
14 01 30 Operation And Maintenance Of Escalators And Moving Walks	3
14 20 Elevators	3
14 21 Electric Traction Elevators	3
14 24 Hydraulic Elevators	4
14 26 Limited-Use/Limited-Application Elevators	6
14 30 Escalators And Moving Walks	6
14 31 Escalators	6
14 32 Moving Walks	6
14 40 Lifts	7
14 42 Wheelchair Lifts	7
14 90 Other Conveying Equipment	7
14 91 Facility Chutes	7
21 Fire Suppression	1
21 01 Operation and Maintenance of Fire Suppression	1
21 01 10 Operation and Maintenance of Water-Based Fire-Suppression Systems	1
21 01 30 Operation and Maintenance of Fire-Suppression Equipment	1
21 05 Common Work Results for Fire Suppression	1
21 05 13 Common Motor Requirements For Fire-Suppression Equipment	1
21 05 16 Expansion Fittings And Loops For Fire-Suppression Piping	1
21 05 17 Sleeves and Sleeve Seals for Fire-Suppression Piping	1
21 05 19 Meters And Gages For Fire-Suppression Systems	1
21 05 23 General-Duty Valves For Water-Based Fire-Suppression Piping	2
21 05 29 Hangers And Supports For Fire-Suppression Piping And Equipment	3

Table of Contents

21 05 48 Vibration And Seismic Controls for Fire-Suppression Piping and Equipment.....	4
21 05 53 Identification For Fire-Suppression Piping And Equipment.....	4
21 07 Fire-Suppression Systems Insulation	4
21 07 16 Fire-Suppression Equipment Insulation	4
21 07 19 Fire-Suppression Piping Insulation.....	4
21 10 Water-Based Fire-Suppression Systems.....	4
21 11 Facility Fire-Suppression Water-Service Piping.....	4
21 12 Fire-Suppression Standpipes	4
21 13 Fire-Suppression Sprinkler Systems	5
21 20 Fire-Extinguishing Systems	33
21 21 Carbon-Dioxide Fire-Extinguishing Systems.....	33
21 22 Clean-Agent Fire-Extinguishing Systems.....	33
21 23 Wet-Chemical Fire-Extinguishing Systems	41
21 24 Dry-Chemical Fire-Extinguishing Systems	45
21 30 Fire Pumps.....	47
21 31 Centrifugal Fire Pumps.....	47
21 34 Fire Pump Accessories	47
22 Plumbing	1
22 01 Operation and Maintenance of Plumbing.....	1
22 01 10 Operation And Maintenance Of Plumbing Piping And Pumps	1
22 01 40 Operation and Maintenance of Plumbing Fixtures	1
22 05 Common Work Results for Plumbing.....	2
22 05 13 Common Motor Requirements For Plumbing Equipment.....	2
22 05 16 Expansion Fittings And Loops For Plumbing Piping	2
22 05 17 Sleeves and Sleeve Seals for Plumbing Piping	2
22 05 19 Meters And Gages For Plumbing Piping	2
22 05 23 General-Duty Valves For Plumbing Piping.....	2
22 05 29 Hangers And Supports For Plumbing Piping And Equipment.....	2
22 05 48 Vibration And Seismic Controls For Plumbing Piping And Equipment.....	2
22 05 53 Identification For Plumbing Piping And Equipment.....	2
22 05 76 Facility Drainage Piping Cleanouts	2
22 07 Plumbing Insulation.....	5
22 07 16 Plumbing Equipment Insulation.....	6
22 07 19 Plumbing Piping Insulation	6
22 10 Plumbing Piping	35
22 11 Facility Water Distribution.....	35
22 12 Facility Potable-Water Storage Tanks.....	99
22 13 Facility Sanitary Sewerage.....	100
22 14 Facility Storm Drainage	147
22 15 General Service Compressed-Air Systems.....	156
22 30 Plumbing Equipment.....	159
22 31 Domestic Water Softeners	159
22 32 Domestic Water Filtration Equipment.....	161
22 33 Electric Domestic Water Heaters	162
22 34 Fuel-Fired Domestic Water Heaters.....	164
22 35 Domestic Water Heat Exchangers	168
22 40 Plumbing Fixtures	168
22 41 Residential Plumbing Fixtures	168
22 42 Commercial Plumbing Fixtures	169
22 43 Healthcare Plumbing Fixtures	184
22 45 Emergency Plumbing Fixtures	185
22 46 Security Plumbing Fixtures.....	189
22 47 Drinking Fountains And Water Coolers	190
22 50 Pool And Fountain Plumbing Systems.....	193
22 51 Swimming Pool Plumbing Systems.....	193
22 60 Gas and Vacuum Systems For Laboratory And Healthcare Facilities	200
22 66 Chemical-Waste Systems for Laboratory and Healthcare Facilities	201
23 Heating, Ventilating, And Air-Conditioning (HVAC)	1
23 01 Operation and Maintenance of HVAC Systems.....	1
23 01 10 Operation and Maintenance of Facility Fuel Systems	1
23 01 20 Operation and Maintenance of HVAC Piping and Pumps.....	1
23 01 30 Operation and Maintenance of HVAC Air Distribution.....	2
23 01 50 Operation and Maintenance of Central Heating Equipment.....	3
23 01 60 Operation and Maintenance of Central Cooling Equipment.....	4
23 05 Common Work Results For HVAC.....	4

23 05 13 Common Motor Requirements For HVAC Equipment	4
23 05 16 Expansion Fittings And Loops For HVAC Piping	7
23 05 17 Sleeves and Sleeve Seals for HVAC Piping	8
23 05 19 Meters And Gages For HVAC Piping	8
23 05 23 General-Duty Valves For HVAC Piping	12
23 05 29 Hangers And Supports For HVAC Piping And Equipment	33
23 05 48 Vibration and Seismic Controls for HVAC	62
23 05 53 Identification For HVAC Piping And Equipment	66
23 05 66 Anti-Microbial Ultraviolet Emitters For HVAC Ducts And Equipment	67
23 05 93 Testing, Adjusting, And Balancing For HVAC	68
23 07 HVAC Insulation	71
23 07 13 Duct Insulation	71
23 07 16 HVAC Equipment Insulation	72
23 07 19 HVAC Piping Insulation	73
23 08 Commissioning Of HVAC	76
23 09 Instrumentation And Control For HVAC	76
23 09 23 Direct-Digital Control System For HVAC	76
23 09 43 Pneumatic Control System For HVAC	92
23 10 Facility Fuel Systems	93
23 11 Facility Fuel Piping	93
23 12 Facility Fuel Pumps	106
23 13 Facility Fuel-Storage Tanks	106
23 20 HVAC Piping And Pumps	114
23 21 Hydronic Piping And Pumps	114
23 22 Steam And Condensate Piping And Pumps	202
23 23 Refrigerant Piping	207
23 25 HVAC Water Treatment	212
23 30 HVAC Air Distribution	213
23 31 HVAC Ducts And Casings	213
23 33 Air Duct Accessories	314
23 34 HVAC Fans	357
23 35 Special Exhaust Systems	373
23 36 Air Terminal Units	375
23 37 Air Outlets And Inlets	377
23 38 Ventilation Hoods	394
23 40 HVAC Air Cleaning Devices	395
23 41 Particulate Air Filtration	396
23 42 Gas-Phase Air Filtration	402
23 50 Central Heating Equipment	402
23 51 Breechings, Chimneys, And Stacks	402
23 52 Heating Boilers	424
23 53 Heating Boiler Feedwater Equipment	441
23 54 Furnaces	442
23 55 Fuel-Fired Heaters	445
23 57 Heat Exchangers for HVAC	446
23 60 Central Cooling Equipment	447
23 61 Refrigerant Compressors	447
23 62 Packaged Compressor and Condenser Units	449
23 63 Refrigerant Condensers	450
23 64 Packaged Water Chillers	452
23 65 Cooling Towers	456
23 70 Central HVAC Equipment	462
23 71 Thermal Storage	462
23 72 Air-To-Air Energy Recovery Equipment	462
23 73 Indoor Central-Station Air-Handling Units	462
23 74 Packaged Outdoor HVAC Equipment	482
23 76 Evaporative Air-Cooling Equipment	490
23 80 Decentralized Unitary HVAC Equipment	491
23 81 Decentralized Unitary HVAC Equipment	491
23 82 Convection Heating And Cooling Units	504
23 84 Humidity Control Equipment	519
25 Integrated Automation	1
25 50 Integrated Automation Facility Controls	1
25 55 Integrated Automation Control Of HVAC	1
26 Electrical	1

Table of Contents

26 01 Operation and Maintenance of Electrical Systems	1
26 01 10 Operation And Maintenance Of Medium-Voltage Electrical Distribution	1
26 01 20 Operation and Maintenance of Low-Voltage Electrical Distribution	2
26 01 30 Operation And Maintenance Of Facility Electrical Power Generating And Storing Equipment	2
26 01 50 Operation and Maintenance of Lighting	2
26 05 Common Work Results For Electrical	26
26 05 13 Medium-Voltage Cables	26
26 05 19 Low-Voltage Electrical Power Conductors And Cables	31
26 05 23 Control-Voltage Electrical Power Cables	47
26 05 26 Grounding And Bonding For Electrical Systems	47
26 05 29 Hangers And Supports For Electrical Systems	52
26 05 33 Raceway And Boxes For Electrical Systems	73
26 05 36 Cable Trays For Electrical Systems	293
26 05 39 Underfloor Raceways for Electrical Systems	381
26 05 43 Underground Ducts And Raceways For Electrical Systems	383
26 05 46 Utility Poles for Electrical Systems	386
26 05 53 Identification for Electrical Systems	393
26 05 83 Wiring Connections	394
26 09 Instrumentation and Control for Electrical Systems	397
26 09 23 Lighting Control Devices	397
26 10 Medium-Voltage Electrical Distribution	419
26 11 Substations	419
26 12 Medium-Voltage Transformers	426
26 13 Medium-Voltage Switchgear	430
26 18 Medium-Voltage Circuit Protection Devices	433
26 20 Low-Voltage Electrical Distribution	433
26 21 Low-Voltage Electrical Service Entrance	433
26 22 Low-Voltage Transformers	434
26 24 Switchboards And Panelboards	442
26 25 Enclosed Bus Assemblies	486
26 27 Low-Voltage Distribution Equipment	491
26 28 Low-Voltage Circuit Protective Devices	508
26 29 Low-Voltage Controllers	538
26 30 Facility Electrical Power Generating And Storing Equipment	555
26 31 Photovoltaic Collectors	555
26 32 Packaged Generator Assemblies	558
26 33 Battery Equipment	563
26 35 Power Filters And Conditioners	566
26 36 Transfer Switches	566
26 40 Electrical And Cathodic Protection	569
26 41 Facility Lightning Protection	569
26 43 Surge Protective Devices	571
26 50 Lighting	575
26 51 Interior Lighting	575
26 52 Safety Lighting	597
26 54 Classified Location Lighting	600
26 55 Special Purpose Lighting	602
26 56 Exterior Lighting	614
27 Communications	1
27 05 Common Work Results for Communications	1
27 05 26 Grounding and Bonding for Communications Systems	1
27 05 29 Hangers And Supports For Communications Systems	1
27 05 33 Conduits And Backboxes For Communications Systems	4
27 05 36 Cable Trays For Communications Systems	4
27 05 39 Surface Raceways For Communications Systems	4
27 05 43 Underground Ducts And Raceways For Communications Systems	4
27 05 46 Utility Poles For Communications Systems	4
27 05 53 Identification For Communications Systems	4
27 10 Structured Cabling	4
27 11 Communications Equipment Room Fittings	4
27 13 Communications Backbone Cabling	10
27 15 Communications Horizontal Cabling	12
27 16 Communications Connecting Cords, Devices, And Adapters	53
27 20 Data Communications	55
27 21 Data Communications Network Equipment	55
27 30 Voice Communications	59
27 31 Voice Communications Switching and Routing Equipment	59

27 32 Voice Communications Terminal Equipment.....	59
27 40 Audio-Video Communications.....	60
27 41 Audio-Video Systems.....	60
27 50 Distributed Communications And Monitoring Systems.....	61
27 51 Distributed Audio-Video Communications Systems.....	61
27 53 Distributed Systems.....	62
28 Electronic Safety And Security	1
28 05 Common Work Results For Electronic Safety And Security.....	1
28 05 26 Grounding And Bonding For Electronic Safety And Security.....	1
28 05 53 Identification For Electronic Safety And Security.....	1
28 10 Access Control.....	1
28 15 Integrated Access Control Hardware Devices.....	1
28 16 Access Control Interfaces.....	1
28 18 Security Access Detection Equipment.....	7
28 20 Video Surveillance.....	7
28 21 Surveillance Cameras.....	8
28 40 Life Safety.....	26
28 42 Gas Detection and Alarm.....	26
28 46 Fire Detection And Alarm.....	26
28 47 Mass Notification.....	67
28 49 Electronic Personal Protection Systems.....	70
31 Earthwork	1
31 01 Maintenance of Earthwork.....	1
31 01 20 Maintenance of Earth Moving.....	1
31 05 Common Work Results For Earthwork.....	1
31 05 13 Soils For Earthwork.....	1
31 05 16 Aggregates For Earthwork.....	2
31 05 36 Equipment Delivery, Pickup, Mobilization And Demobilization.....	4
31 10 Site Clearing.....	4
31 11 Clearing And Grubbing.....	4
31 13 Selective Tree And Shrub Removal And Trimming.....	4
31 20 Earth Moving.....	6
31 23 Excavation And Fill.....	6
31 24 Embankments.....	11
31 25 Erosion And Sedimentation Controls.....	12
31 30 Earthwork Methods.....	16
31 31 Soil Treatment.....	16
31 32 Soil Stabilization.....	17
31 35 Slope Protection.....	25
31 36 Gabions.....	25
31 37 Riprap.....	25
31 40 Shoring And Underpinning.....	26
31 41 Shoring.....	26
31 45 Vibroflotation And Densification.....	27
31 50 Excavation Support And Protection.....	27
31 52 Cofferdams.....	27
31 60 Special Foundations And Load-bearing Elements.....	27
31 62 Driven Piles.....	27
31 63 Bored Piles.....	31
31 64 Caissons.....	33
31 66 Special Foundation.....	37
32 Exterior Improvements	1
32 01 Operation And Maintenance Of Exterior Improvements.....	1
32 01 11 Paving Cleaning.....	1
32 01 13 Flexible Paving Surface Treatment.....	1
32 01 16 Flexible Paving Rehabilitation.....	3
32 01 17 Flexible Paving Repair.....	4
32 01 26 Rigid Paving Rehabilitation.....	6
32 01 90 Operation And Maintenance Of Planting.....	6
32 10 Bases, Ballasts, And Paving.....	10
32 11 Base Courses.....	10
32 12 Flexible Paving.....	11
32 13 Rigid Paving.....	16

Table of Contents

32 14 Unit Paving	19
32 15 Aggregate Surfacing	23
32 16 Curbs, Gutters, Sidewalks, And Driveways	23
32 17 Paving Specialties	29
32 18 Athletic And Recreational Surfacing	40
32 30 Site Improvements	48
32 31 Fences And Gates	48
32 32 Retaining Walls	126
32 33 Site Furnishings	131
32 39 Manufactured Site Specialties	140
32 80 Irrigation	142
32 84 Planting Irrigation	142
32 90 Planting	159
32 91 Planting Preparation	159
32 92 Turf And Grasses	162
32 93 Plants	167
32 94 Planting Accessories	198
32 96 Transplanting	202
33 Utilities	1
33 01 Operation And Maintenance Of Utilities	1
33 01 10 Operation And Maintenance Of Water Utilities	1
33 01 30 Operation And Maintenance Of Sewer Utilities	4
33 01 34 Operation And Maintenance Of Onsite Wastewater Disposal Systems	62
33 05 Common Work Results For Utilities	62
33 05 07 Trenchless Installation of Utility Piping	62
33 05 09 Piping Specials for Utilities	64
33 05 16 Cast-Iron Utility Pipe	64
33 05 17 Copper Utility Pipe and Tubing	64
33 05 19 Ductile-Iron Utility Pipe	64
33 05 24 Steel Utility Pipe	64
33 05 27 Corrugated Metal Utility Pipe	64
33 05 31 Thermoplastic Utility Pipe	64
33 05 33 Polyethylene Utility Pipe	65
33 05 39 Concrete Pipe	65
33 05 41 Vitrified Clay Utility Pipe	66
33 05 61 Concrete Manholes	66
33 05 63 Concrete Vaults and Chambers	67
33 05 81 Metallic Castings for Utility Structures	76
33 05 83 Non-Metallic Accessories for Utility Structures	77
33 05 84 Accessories for Utility Structures	77
33 05 97 Identification and Signage for Utilities	79
33 10 Water Utilities	80
33 11 Groundwater Sources	80
33 14 Water Utility Transmission and Distribution	88
33 16 Water Utility Storage Tanks	174
33 19 Water Utility Metering Equipment	174
33 30 Sanitary Sewerage Utilities	175
33 31 Sanitary Sewerage Piping	175
33 32 Sanitary Sewerage Equipment	179
33 34 Onsite Wastewater Disposal	180
33 40 Stormwater Utilities	181
33 41 Subdrainage	181
33 42 Stormwater Conveyance	183
33 44 Storm Utility Water Drains	243
33 46 Stormwater Management	244
33 50 Hydrocarbon Utilities	246
33 52 Hydrocarbon Transmission and Distribution	246
33 53 Hydrocarbon Utility Pressure Regulation	249
33 56 Hydrocarbon Storage	249
33 59 Hydrocarbon Utility Metering	249
33 60 Hydronic And Steam Energy Utilities	249
33 61 Hydronic Energy Distribution	249
33 70 Electrical Utilities	270
33 71 Electrical Utility Transmission And Distribution	270
34 Transportation	1

34 40 Transportation Signaling and Control Equipment.....	1
34 41 Roadway Signaling and Control Equipment.....	1
34 70 Transportation Construction And Equipment.....	9
34 71 Roadway Construction.....	9
35 Waterway and Marine Construction	1
35 05 Common Work Results for Waterway and Marine Construction.....	1
35 05 70 Common Work Results for Dams.....	1
35 20 Waterway and Marine Construction and Equipment.....	1
35 22 Hydraulic Gates.....	1
35 24 Dredging.....	4
40 Process Interconnections	1
40 05 Common Work Results For Process Interconnections.....	1
40 05 19 Ductile Iron Process Pipe.....	1
40 05 23 Stainless Steel Process Pipe and Tubing.....	96
41 Material Processing And Handling Equipment	1
41 01 Operation And Maintenance Of Material Processing And Handling Equipment.....	1
41 01 20 Operation And Maintenance Of Piece Material Handling Equipment.....	1
41 20 Piece Material Handling Equipment.....	1
41 22 Cranes And Hoists.....	1
43 Process Gas and Liquid Handling, Purification, and Storage Equipment	1
43 20 Liquid Handling Equipment.....	1
43 23 Dry Location Liquid Pumps.....	1
43 24 Suspended Liquid Pumps.....	1
43 40 Gas and Liquid Storage.....	1
43 42 Pressurized Tanks And Vessels.....	1

THIS PAGE INTENTIONALLY LEFT BLANK

NOT FOR BID

About the CTC:

- ☑ This Construction Task Catalog® (CTC) was developed and customized by The Gordian Group, Inc. specifically for **County of San Bernardino**, priced locally using current labor, material and equipment costs, and published in July 2020.
- ☑ The Gordian Group, Inc. licenses the use of this CTC and other proprietary information and software for the sole purpose of providing Job Order Contracting services to **County of San Bernardino**. Use of this CTC and other proprietary information and software for any other purpose, or for any other entity, is expressly prohibited without the express written consent of The Gordian Group, Inc.

MasterFormat™

- ☑ The tasks in this Construction Task Catalog are organized using CSI's *MasterFormat*.



MasterFormat® is produced jointly by CSI and Construction Specifications Canada (CSC). U.S. copyright is held by CSI and Canadian copyright by CSC. All Rights Reserved. For license information, contact CSI at csi@csinet.org. For more information on MasterFormat visit www.MasterFormat.com

The Unit Prices Include:

LABOR COSTS:

- ☑ Labor costs include direct labor through the working foreperson level at straight-time prevailing wage rates including fringe benefits and an allowance for Social Security, Medicare taxes, worker's compensation, unemployment insurance, and employee benefits.
- ☑ Labor costs include unloading equipment, materials, and tools, and transporting the same up or down 2 stories and 125' to reach the project site; layout; measuring and cutting to fit; performing the task;

disposal of excess material; and time for lunch and breaks.

EQUIPMENT COSTS:

- ☑ Equipment costs include all equipment required to accomplish the task.
- ☑ Mobilization is included for all equipment except large equipment (e.g. cranes, bulldozers, excavators, backhoes, bobcats etc.), which exclude mobilization.
- ☑ Equipment costs include all operating expenses such as fuel, electricity, lubricants, etc.

MATERIAL COSTS:

- ☑ Material costs include the cost of the material, delivery, and all incidentals and accessories integral to the installation.
- ☑ Material costs include manufacturer's and/or fabricator's shop drawings.
- ☑ Material costs for roofing, drywall, VCT, carpet, wall covering, ceiling tile, pipe, conduit, concrete, etc. include an allowance for waste. This list is not intended to be all inclusive, but descriptive of the types of construction materials that are typically sold in standard lengths, sizes and weights.
- ☑ Material costs for imported materials (e.g. aggregate, sand, soil, etc.) include delivery up to 15 miles from the closest approved source.

The Adjustment Factors Include:

The Adjustment Factors include the following costs, unless specifically excluded by the terms of the Contract Documents:

BUSINESS COSTS:

- ☑ Office overhead, including, but not limited to, office space, office equipment, office and management personnel, office supplies, and employee transportation.

Using The Construction Task Catalog®

- Insurance and bonding.
- Profit.
- Job Order development services, Owner meetings, and other administrative services required by the Contract Documents.
- Subcontractor's overhead and profit.
- Cost of financing the work.
- Business risks such as the risk of a lower than expected volume of work, smaller than anticipated Job Orders, poor Subcontractor performance, and inflation or material cost fluctuations.

PROJECT RELATED COSTS:

- Project trailer, equipment and supplies, and portable toilets for Contractor's use.
- Project management and project supervision.
- Services required to complete project filings and obtain permits.
- Preparation and modification of sketches, drawings, submittals, as-built drawings, and other project records.
- Incidental engineering and architectural services.
- Gang boxes and storage containers for Contractor's tools, equipment and materials.
- Basic safety and warning signage, minor barricades (e.g., construction tape, etc.) and personnel safety equipment (e.g., hard hats, safety harnesses with lifeline or cabling, protective clothing, safety glasses, face shields, etc.).
- Meeting Owner's security requirements.
- All taxes for which a waiver is not available including material sales tax and equipment rental.
- Removing and returning Owner's furniture and furnishings (e.g. chairs, tables, pictures, etc. but excluding modular furniture, furnishings fastened to the wall or floor, safes and other furniture requiring disassembly).
- Sealing windows doors, and other openings with plastic to contain construction dust and debris within the work area, or to protect existing surfaces.

- Working in extreme temperatures (below or above normal) or adverse conditions such as rain, wind, sleet or snow. Costs resulting from inadequate supply of building materials, fuel, electricity, or skilled labor.
- Daily clean-up.
- Final professional clean-up.

PRICE VARIATIONS:

- Contractors may experience direct costs that are different than the unit prices set forth in the Construction Task Catalog. While diligent effort was made to provide accurate, unit prices, it is the Contractor's responsibility to review and analyze the unit prices, and to calculate, prior to bidding, the Adjustment Factors accordingly.

SUMMARY:

- This list is not exhaustive and is intended to provide general examples of costs to be included in the Contractor's Adjustment Factors.
- The only compensation to be paid to the Contractor for unit price tasks will be:

Unit Price	X	Quantity	X	Adjustment Factor
------------	---	----------	---	----------------------
- No additional payments of any kind whatsoever will be made.
- All costs in excess of the unit prices, must be included in the Adjustment Factors.

General Rules:

- Unit prices are for complete and in-place construction and include all labor, equipment and material required to complete the task as described in the CTC.
- If the Contractor uses a crane or other lifting equipment (except a truck mounted boom lift or other equipment as part of the delivery process) to

lift material onto a roof, even if that roof is less than 2 stories, the contractor will be paid for such crane or lifting equipment as a separate task.

- ☑ Unit prices include all fasteners such as anchor bolts, lag bolts, screws, adhesive, wedge anchors, expansion bolts, roofing clips (excluding hurricane clips) required. Fasteners listed separately in the CTC are for use with Owner furnished material and equipment or relocating or reinstalling existing material and equipment.
- ☑ Unit prices exclude more substantial mounting material such as threaded rod or angle iron unless the task description states otherwise.
- ☑ Unit prices for doors and windows, duct work, plumbing fixtures, seamless floors, countertops, roof flashing, pitch pockets, skylights, roof curbs, exterior trim, etc. include sealant and caulking.
- ☑ Unit prices include testing, calibrating, balancing, start-up services and the like required to ensure proper installation, construction and performance of the work (e.g. compaction test for backfill, balancing of heating ventilation and air conditioning, pneumatic or hydrostatic testing, soaping of joints, disinfection and flushing of water lines, etc.). Contractor may be paid for testing, calibrating, balancing, start-up services and the like for Owner supplied materials and equipment, or when working on or tying into existing materials and equipment.
- ☑ For the purpose of calculating the quantity of a task, quantities are calculated on a per project basis. The quantity so determined shall be used for the task and all appropriate modifiers, unless the task states otherwise.
- ☑ Whenever there are alternative tasks that may be selected to complete work, the Contractor shall select the most practical and economical tasks available (e.g. rental of equipment by weeks or months rather than days, or painting by roller or spray rather than brush).

DEMOLITION:

- ☑ Unit prices for demolition include all labor, equipment and material required for the complete removal of the items; clean-up of the area; and transporting the demolished items up or down 2

stories into a truck, dumpster, or to an owner designated area, located within 125' of the project site.

- ☑ Unit prices for demolition exclude costs for hauling (See 01741900), dump fees (See 01741900), dumpsters (See 01741900), and trash chutes (See 01741900).
- ☑ If the item being demolished is attached to another item being removed and can be removed as one item, then that item shall not be priced as a separate demolition task, unless the component alone must be demolished to accomplish the task (e.g. demolition of pipe includes pipe fittings unless the fitting must be demolished separately to accomplish the task; demolition of a wood door includes hinges, hardware, closures, kick plates, etc.).
- ☑ The word "replace" includes removal of the existing item and installation of the new item.
- ☑ The words "remove and relocate" or "remove and reinstall" include removal, cleaning, and installation of the existing item in either the same location or another location.
- ☑ Salvageable materials are the property of the Owner and shall, if directed, be turned over to the Owner.

WORKING HEIGHT:

- ☑ Typical working height for work other than masonry is up to 14' above the finished floor or stationary working surface. The Contractor will not be paid for scaffolding, lifts, or similar equipment for work below 14'.
- ☑ Typical working height for masonry work is up to 4' above the finished floor or stationary working surface. The Contractor will not be paid for scaffolding, lifts, or similar equipment for masonry work below 4'.

FIELD ENGINEERING:

- ☑ Surveying tasks shall be used only when the Owner requests the Contractor to perform topographic surveys, property line surveys or to establish horizontal and vertical control points. If the Owner provides horizontal and vertical control points within

Using The Construction Task Catalog®

or adjacent to the project site, all other surveying required to complete the work shall be considered construction staking or layout, and the cost thereof is included in the appropriate tasks.

ASSEMBLIES:

- ☑ Assembly tasks take precedence over individual component tasks.

RESTRICTED AND CONFINED SPACES:

- ☑ Restricted Working Space is defined as any area with less than 3' vertical or horizontal clearance and includes areas such as crawl spaces, ceiling plenums where the grid is not removed, narrow piping tunnels, and equipment rooms where the space to install the new work is congested as a result of equipment and piping placement that meet these dimensional restrictions. A Restricted Working Space modifier is available for certain mechanical piping and piping accessories tasks and for certain electrical conduit and conduit accessories tasks. Only those tasks with a modifier for Restricted Working Space are eligible for a price adjustment, and then only if the modifier applies to the contemplated tasks. A non pre-priced task will not be allowed because of Restricted Working Space for any CTC task.
- ☑ Confined Working Space is defined according to the OSHA definition 29 CFR 1926.21(b)(6)(i): "Any space having limited means of egress, which is subject to accumulation of toxic or flammable contaminants or has an oxygen deficient atmosphere, including, but not limited to, storage tanks, process vessels, bins, boilers, ventilation and exhaust duct, sewers, underground vaults, tunnels, pipelines and open top spaces more than 4 feet in depth such as pits and tubs." The Contractor shall conform to all OSHA and Owner requirements for working in Confined Working Spaces. Required ventilation and air monitoring equipment tasks shall be priced from the CTC.

TECHNICAL SPECIFICATIONS:

- ☑ Technical Specifications for tasks shall be interpreted as follows: All labor, material, equipment, spare parts, services, and work required by a Technical Specification shall be considered included in the unit price, unless the task description states otherwise.

Or Equals:

- ☑ Whenever material, products, or equipment is identified in the CTC, or in the Technical Specifications, by reference to a manufacturer's name, make or model number, the identification is intended to establish a standard. Any material, product, or equipment of another manufacturer may be considered an or-equal provided that, in the opinion of the Owner, the material, product, or equipment so proposed is of equal quality, substance and function to the named item. The Contractor shall not install any proposed material, product, or equipment without the prior written approval of the Owner. The burden of proof, and all costs related thereto, concerning whether the proposed material, product, or equipment is an or-equal, shall be borne by the Contractor.

Useful Information:

UNIT OF MEASURE DEFINITIONS:

ACR – Acre, **BAG** – Bag, **BBL** – Barrel, **BCY** - Bank (In-place) Cubic Yards, **BF** - Board Foot, **BOX** - Box (each), **BTU** - British Thermal Unit, **C** - One Hundred, **CCF** - One Hundred Cubic Feet, **CCY** - Compacted Cubic Yards, **CF** - Cubic Foot, **CFM** - Cubic Feet Per Minute, **CI** – Cubic Inch, **CLF** - One Hundred Linear Feet, **CSF** - One Hundred Square Feet, **CSY** - Hundred Square Yards, **CWT** - Hundred Weight, **CY** - Cubic Yard, **CYM** - Cubic Yard Mile, **DAY** – Day, **DRM** - Drum (each), **EA** – Each, **FLR** - Floor (Per Floor), **FT** – Foot,

GAL – Gallon, **GSF** - Ground Square Foot, **HR** – Hour, **HWT** - Hundred Carton Weight, **HYR** – Half Year, **IN** – Inch, **JOB** – Job, **LAN** – Lane, **LB** – Pound, **LCY** - Loose (Excavated) Cubic Yards, **LF** - Linear Foot, **LFD** - Linear Feet Per Day, **LIT** – Liter, **LOT** – Lot, **MBF** - One Thousand Board Feet, **MBH** - One Thousand British Thermal Units, **MCF** – One Thousand Cubic Feet, **MF3** - One Thousand Cubic Feet Per Minute, **MGL** – One Thousand Gallons, **MI** – Mile, **MLF** - One Thousand Linear Feet, **MO** – Month, **MSF** - One Thousand Square Feet, **MSY** - One Thousand Square Yards, **MT** – Metric Ton, **MTK** – Metric Ton Kilometer, **M2** – Square Meter, **M3K** – Cubic Meter Kilometer, **NTE** – Note, **OPN** – Opening, **OUT** - Outlet or Output (each), **OZ** – Ounce, **PKG** – Package, **PNT** – Point, **PR** – Pair, **QT** – Quart, **ROL** - Roll (each), **ROM** – Room, **ROW** – Row, **RSR** - Riser (Per Rise), **SEA** – Seat, **SET** – Set, **SF** - Square Foot, **SHT** – Sheet, **SI** - Square Inch, **STP** - Stop (each), **SQ** - Square or One Hundred Square Feet, **SY** - Square Yard, **SYI** – Inches per Square Yard, **TNM** - Tons per Mile, **TON** – Ton, **TRK** – Truck Load, **UI** - United Inch, **UNT** – Unit, **VLf** - Vertical Linear Foot, **WK** – Week, **YD** – Yard, **YR** – Year

(Average)			
Limestone	4380	2690	3220
Riprap Rock (Average)	4500	2610	3150
Granite	4540	2640	3170
Basalt	4950	3020	3640
Clay	3220	2150	3570
Gneiss	4550	2720	3180

BULK FACTORS FOR DEMOLITION:

The following bulk factors shall be used to calculate the volume of demolished material to be transported from the project site.

- **Asphalt** = 1.25
- **Concrete** = 1.40

CONVERSIONS:

1 Acre = 43,560 Square Feet = 4046.8 Square Meters

1 Board Foot = 12" x 12" x 1" = 144 Cubic Inches

1 Centimeter = 0.3937 Inches = 0.0328 Feet

1 Cubic Foot = 0.03704 Cubic Yards = 0.02832 Cubic Meters

1 Cubic Meter = 1.3080 Cubic Yards = 35.3147 Cubic Feet

1 Cubic Yard = 27 Cubic Feet = 0.7646 Cubic Meters

1 Foot = 12 Inches = 0.3048 Meters

1 Inch = 2.54 Centimeters = 0.0254 Meters

1 Kilogram = 2.2046 Pounds

1 Kilometer = 0.6214 Miles = 3280 Feet

1 Meter = 100 Centimeters = 3.2808 Feet

1 Mile = 5280 Feet = 1.6093 Kilometers

1 Pound = 0.4536 Kilograms

1 Square Foot = 144 Square Inches = .0929 Square Meters

MATERIAL WEIGHTS:

EARTHEN MATERIAL

The following engineering values for establishing shrink/swell factors shall be used unless otherwise directed by the Owner.

Material	Material Weight (Lbs Per CY)		
	In-place (Bank)	Loose (Excavated Materials)	Compacted
Earth, Common (Average)	3170	2536	3520
Sand	2880	2590	3240
Earth, Rock Mix. (75% E/ 25% R)	3380	2370	3720
Earth, Rock Mix. (50% E/50% R)	3750	2710	4000
Earth, Rock Mix. (25% E/ 75% R)	4120	3140	3680
Gravel	3280	2730	3570

Using The Construction Task Catalog®

1 Square Meter = 1.1960 Square Yards = 10.7639 Square Feet

1 Square Yard = 9 Square Feet = 0.8361 Square Meters

1 Ton = 2000 Pounds = 907.185 Kilograms

1 Yard = 3 Feet = 0.9144 Meters

- The industry standard for measuring windows is the United Inch or UI. The UI is determined by adding the width and the height in inches.

TRADEMARKS

- ☑ Gordian JOC Solution, JOC Complete Solution, JOC Complete Solution Plus, PROGEN, eGordian, eziQC, Construction Task Catalog, Catalog of Construction Tasks, DMAP, The Standard for Job Order Contracting and 6 Phase Development and Implementation Process are either registered trademarks or trademarks of The Gordian Group, Inc. The names of actual companies and products mentioned herein may be the trademarks of their respective owners.

Sheet Metal Thickness (inches)				
Gage No.	Steel Sheet	Galvanized Steel Sheet	Stainless Steel Sheet	Aluminum Sheet
10	.135	.138	.141	
11	.120	.123	.125	
12	.105	.108	.109	
13	.090	.093	.094	.072
14	.075	.079	.078	.064
15	.067	.071	.070	.057
16	.060	.064	.063	.051
17	.054	.058	.056	.045
18	.048	.052	.050	.040
19	.042	.046	.044	.036
20	.036	.040	.038	.032
21	.033	.037	.034	.028
22	.030	.034	.031	.025
23	.027	.031	.028	.023
24	.024	.028	.025	.020
25	.021	.025	.022	.018
26	.018	.022	.019	.017

STANDARD GEOMETRY:

Circle

- Circumference = $2 \pi \text{ radius} = \pi \text{ diameter}$
- Area = $\pi \text{ radius}^2 = \pi (\text{diameter}^2 / 4)$

Cylinder

- Volume = $(\pi \text{ radius}^2) \text{height}$
- Surface Area = $2 \pi \text{ radius}^2 + (2 \pi \text{ radius}) \text{height}$

Sphere

- Volume = $(4 \pi \text{ radius}^3) / 3$
- Surface Area = $4 \pi \text{ radius}^2$

$\pi = 3.14159$

United Inch



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
------------------------------	---------------------------	-------------------------

01 General Requirements

01 20 Price And Payment Procedures ⁽⁰¹⁾

01 22 Unit Prices ^(01 20)

01 22 16 Unit Price Payment ^(01 22)

01 22 16 00-0001 Reimbursable Fees ^(01 22 16)

Note: Reimbursable fees include but are not limited to permits, special inspections, special insurance, additional warranties, tolls, expedited shipping costs, etc, which are not included in a task or an Adjustment Factor as explained in the Contract or The Construction Task Catalog®.

01 22 16 00-0002	EA	Reimbursable Fees	1.00
<p>Note: Reimbursable Fees will be paid to the contractor for eligible costs. Insert the appropriate quantity to adjust the base cost to the actual Reimbursable Fee. If there are multiple Reimbursable Fees, list each one separately and add a comment in the "note" block to identify the Reimbursable Fee (e.g. sidewalk closure, road cut, various permits, extended warranty, expedited shipping costs, etc.). A copy of each receipt shall be submitted with the Price Proposal.</p>			

01 22 20 Wage Rates ^(01 22)

01 22 20 00-0001 Local Labor/Wage Rates ^(01 22 20)

Note: Welders receive the rate prescribed for the craft performing the operation to which the welding is incidental.

01 22 20 00-0002	HR	Asbestos Removal Worker	78.54
<p>Note: For tasks not included in the Construction Task Catalog® and as directed by owner only.</p>			
For Apprentices, Deduct			-15.71
01 22 20 00-0003	HR	Insulator	80.87
<p>Note: For tasks not included in the Construction Task Catalog® and as directed by owner only.</p>			
For Apprentices, Deduct			-16.17
01 22 20 00-0004	HR	Boilermaker	92.59
<p>Note: For tasks not included in the Construction Task Catalog® and as directed by owner only.</p>			
For Apprentices, Deduct			-18.52
01 22 20 00-0005	HR	Brick Layer	80.34
<p>Note: For tasks not included in the Construction Task Catalog® and as directed by owner only.</p>			
For Apprentices, Deduct			-16.07
01 22 20 00-0006	HR	Carpenter	87.61
<p>Note: For tasks not included in the Construction Task Catalog® and as directed by owner only.</p>			
For Apprentices, Deduct			-17.52
01 22 20 00-0007	HR	Carpet, Linoleum	70.06
<p>Note: For tasks not included in the Construction Task Catalog® and as directed by owner only.</p>			
For Apprentices, Deduct			-14.01
01 22 20 00-0008	HR	Cement Mason	76.11
<p>Note: For tasks not included in the Construction Task Catalog® and as directed by owner only.</p>			
For Apprentices, Deduct			-15.22
01 22 20 00-0009	HR	Drywall Finisher	81.69
<p>Note: For tasks not included in the Construction Task Catalog® and as directed by owner only.</p>			
For Apprentices, Deduct			-16.34
01 22 20 00-0010	HR	Electrician	78.38
<p>Note: For tasks not included in the Construction Task Catalog® and as directed by owner only.</p>			
For Apprentices, Deduct			-15.68
01 22 20 00-0011	HR	Equipment Operator (Crane Group 8)	96.74
<p>Note: For tasks not included in the Construction Task Catalog® and as directed by owner only.</p>			
For Apprentices, Deduct			-19.35
For Foreman, Add			4.84
01 22 20 00-0012	HR	Equipment Operator (Crane Group 9)	96.97
<p>Note: For tasks not included in the Construction Task Catalog® and as directed by owner only.</p>			
For Apprentices, Deduct			-19.39
For Foreman, Add			4.85
01 22 20 00-0013	HR	Equipment Operator (Crane Group 10)	98.30
<p>Note: For tasks not included in the Construction Task Catalog® and as directed by owner only.</p>			
For Apprentices, Deduct			-19.66
01 22 20 00-0014	HR	Equipment Operator (Crane Group 11)	99.62
<p>Note: For tasks not included in the Construction Task Catalog® and as directed by owner only.</p>			
For Apprentices, Deduct			-19.92
For Foreman, Add			4.98
01 22 20 00-0015	HR	Equipment Operator (Crane Group 12)	100.94
<p>Note: For tasks not included in the Construction Task Catalog® and as directed by owner only.</p>			
For Apprentices, Deduct			-20.19
For Foreman, Add			5.05
01 22 20 00-0016	HR	Equipment Operator (Crane Group 13)	102.27
<p>Note: For tasks not included in the Construction Task Catalog® and as directed by owner only.</p>			
For Apprentices, Deduct			-20.45
For Foreman, Add			5.11
01 22 20 00-0017	HR	Equipment Operator (Group 2)	93.56
<p>Note: For tasks not included in the Construction Task Catalog® and as directed by owner only.</p>			
For Apprentices, Deduct			-18.71
For Foreman, Add			4.68
01 22 20 00-0018	HR	Equipment Operator (Group 3)	93.95
<p>Note: For tasks not included in the Construction Task Catalog® and as directed by owner only.</p>			
For Apprentices, Deduct			-18.79
For Foreman, Add			4.70

01	General Requirements
01 20	Price And Payment Procedures
01 22	Unit Prices



MINOR CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
01 22 20 00-0019	HR	Equipment Operator (Group 4) Note: For tasks not included in the Construction Task Catalog® and as directed by owner only.	95.92	
		<i>For Apprentice, Deduct</i>	-19.18	
01 22 20 00-0020	HR	Equipment Operator (Group 6) Note: For tasks not included in the Construction Task Catalog® and as directed by owner only.	96.21	
		<i>For Apprentice, Deduct</i>	-19.24	
		<i>For Foreman, Add</i>	4.81	
01 22 20 00-0021	HR	Equipment Operator (Group 8) Note: For tasks not included in the Construction Task Catalog® and as directed by owner only.	96.36	
		<i>For Apprentice, Deduct</i>	-19.27	
01 22 20 00-0022	HR	Equipment Operator (Group 10)..... Note: For tasks not included in the Construction Task Catalog® and as directed by owner only.	96.52	
		<i>For Apprentice, Deduct</i>	-19.30	
		<i>For Foreman, Add</i>	4.83	
01 22 20 00-0023	HR	Equipment Operator (Group 12)..... Note: For tasks not included in the Construction Task Catalog® and as directed by owner only.	96.74	
		<i>For Apprentice, Deduct</i>	-19.35	
		<i>For Foreman, Add</i>	4.84	
01 22 20 00-0024	HR	Glazier..... Note: For tasks not included in the Construction Task Catalog® and as directed by owner only.	86.23	
		<i>For Apprentice, Deduct</i>	-17.25	
01 22 20 00-0025	HR	Laborer..... Note: For tasks not included in the Construction Task Catalog® and as directed by owner only.	77.20	
01 22 20 00-0026	HR	Lather..... Note: For tasks not included in the Construction Task Catalog® and as directed by owner only.	81.07	
		<i>For Apprentice, Deduct</i>	-16.21	
01 22 20 00-0027	HR	Marble Setter..... Note: For tasks not included in the Construction Task Catalog® and as directed by owner only.	80.34	
		<i>For Apprentice, Deduct</i>	-16.07	
01 22 20 00-0028	HR	Millwright..... Note: For tasks not included in the Construction Task Catalog® and as directed by owner only.	79.52	
		<i>For Apprentice, Deduct</i>	-15.90	
01 22 20 00-0029	HR	Mold Removal Worker..... Note: For tasks not included in the Construction Task Catalog® and as directed by owner only.	80.35	
		<i>For Apprentice, Deduct</i>	-16.07	
		<i>For Foreman, Add</i>	4.02	
01 22 20 00-0030	HR	Painter, Ordinary..... Note: For tasks not included in the Construction Task Catalog® and as directed by owner only.	64.03	
		<i>For Apprentice, Deduct</i>	-12.81	
01 22 20 00-0031	HR	Painter, Structural Steel..... Note: For tasks not included in the Construction Task Catalog® and as directed by owner only.	68.62	
		<i>For Apprentice, Deduct</i>	-13.72	
01 22 20 00-0032	HR	Paperhanger..... Note: For tasks not included in the Construction Task Catalog® and as directed by owner only.	64.03	
		<i>For Apprentice, Deduct</i>	-12.81	
01 22 20 00-0033	HR	Pile Drivers..... Note: For tasks not included in the Construction Task Catalog® and as directed by owner only.	87.36	
		<i>For Apprentice, Deduct</i>	-17.47	
01 22 20 00-0034	HR	Plasterer..... Note: For tasks not included in the Construction Task Catalog® and as directed by owner only.	80.94	
		<i>For Apprentice, Deduct</i>	-16.19	
01 22 20 00-0035	HR	Plumber..... Note: For tasks not included in the Construction Task Catalog® and as directed by owner only.	95.23	
		<i>For Apprentice, Deduct</i>	-19.05	
01 22 20 00-0036	HR	Powderman..... Note: For tasks not included in the Construction Task Catalog® and as directed by owner only.	85.50	
		<i>For Apprentice, Deduct</i>	-17.10	
01 22 20 00-0037	HR	Rodman (Reinforcing)/Ornamental Steel Worker..... Note: For tasks not included in the Construction Task Catalog® and as directed by owner only.	88.36	
		<i>For Apprentice, Deduct</i>	-17.67	
01 22 20 00-0038	HR	Roofer, Composite..... Note: For tasks not included in the Construction Task Catalog® and as directed by owner only.	92.05	
		<i>For Apprentice, Deduct</i>	-18.41	
01 22 20 00-0039	HR	Roofer, Metal..... Note: For tasks not included in the Construction Task Catalog® and as directed by owner only.	111.70	
		<i>For Apprentice, Deduct</i>	-22.34	
		<i>For Foreman, Add</i>	5.59	
01 22 20 00-0040	HR	Roofer, Tile/Slate..... Note: For tasks not included in the Construction Task Catalog® and as directed by owner only.	92.05	
		<i>For Apprentice, Deduct</i>	-18.41	
01 22 20 00-0041	HR	Sheet Metal Worker..... Note: For tasks not included in the Construction Task Catalog® and as directed by owner only.	90.41	
		<i>For Apprentice, Deduct</i>	-18.08	
01 22 20 00-0042	HR	Sprinkler Installer..... Note: For tasks not included in the Construction Task Catalog® and as directed by owner only.	92.81	
		<i>For Apprentice, Deduct</i>	-18.56	
01 22 20 00-0043	HR	Steam / Pipe Fitter..... Note: For tasks not included in the Construction Task Catalog® and as directed by owner only.	95.23	
		<i>For Apprentice, Deduct</i>	-19.05	
01 22 20 00-0044	HR	Stone Mason..... Note: For tasks not included in the Construction Task Catalog® and as directed by owner only.	80.34	
		<i>For Apprentice, Deduct</i>	-16.07	
01 22 20 00-0045	HR	Structural Steel Worker..... Note: For tasks not included in the Construction Task Catalog® and as directed by owner only.	90.69	
		<i>For Apprentice, Deduct</i>	-18.14	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
01 22 20 00-0046 HR Tile Layer Note: For tasks not included in the Construction Task Catalog® and as directed by owner only. <i>For Apprentice, Deduct</i>	71.13 -14.23	
01 22 20 00-0047 HR Terrazzo Worker Note: For tasks not included in the Construction Task Catalog® and as directed by owner only. <i>For Apprentice, Deduct</i>	68.93 -13.79	
01 22 20 00-0048 HR Truck Driver (Group 2) Note: For tasks not included in the Construction Task Catalog® and as directed by owner only. <i>For Apprentice, Deduct</i>	75.70 -15.14	
01 22 20 00-0049 HR Truck Driver (Group 3) Note: For tasks not included in the Construction Task Catalog® and as directed by owner only. <i>For Apprentice, Deduct</i> <i>For Foreman, Add</i>	75.88 -15.18 3.79	
01 22 20 00-0050 HR Truck Driver (Group 4) Note: For tasks not included in the Construction Task Catalog® and as directed by owner only. <i>For Apprentice, Deduct</i> <i>For Foreman, Add</i>	76.14 -15.23 3.81	
01 22 20 00-0051 HR Truck Driver (Group 5) Note: For tasks not included in the Construction Task Catalog® and as directed by owner only. <i>For Apprentice, Deduct</i> <i>For Foreman, Add</i>	76.18 -15.24 3.81	
01 22 20 00-0052 HR Truck Driver (Group 6) Note: For tasks not included in the Construction Task Catalog® and as directed by owner only. <i>For Apprentice, Deduct</i>	76.22 -15.24	
01 22 20 00-0053 HR Truck Driver (Group 7) Note: For tasks not included in the Construction Task Catalog® and as directed by owner only. <i>For Apprentice, Deduct</i>	76.56 -15.31	
01 22 20 00-0054 HR Truck Driver (Group 8) Note: For tasks not included in the Construction Task Catalog® and as directed by owner only. <i>For Apprentice, Deduct</i> <i>For Foreman, Add</i>	76.91 -15.38 3.85	
01 22 20 00-0055 HR Truck Driver (Group 9) Note: For tasks not included in the Construction Task Catalog® and as directed by owner only. <i>For Apprentice, Deduct</i> <i>For Foreman, Add</i>	77.18 -15.44 3.86	
01 22 20 00-0056 HR Class I Diver Note: For tasks not included in the Construction Task Catalog® and as directed by owner only.	174.05	
01 22 20 00-0057 HR Class III Diver Tender Note: For tasks not included in the Construction Task Catalog® and as directed by owner only.	96.93	
01 22 20 00-0058 HR D1 Certified Welder Note: For tasks not included in the Construction Task Catalog® and as directed by owner only.	93.77	
01 22 20 00-0059 Rates For Services <small>(01 22 20)</small>		
01 22 20 00-0060 HR Watchman/Guard, Unarmed	33.34	
01 22 20 00-0061 HR Watchman/Guard, Armed	41.34	
01 22 20 00-0062 HR Senior Surveyor (Party Chief)	109.21	
01 22 20 00-0063 HR Surveyor (Instrument person)	104.57	
01 22 20 00-0064 HR Surveyor (Rod person)	103.65	
01 22 20 00-0065 HR On-Site Certified Materials Testing Technician	82.08	
01 22 20 00-0066 HR Certified Industrial Hygienist	110.82	
01 22 20 00-0067 MI Mileage For Professional Services (Engineering, Surveying, Etcetera) Note: For use only when the Owner directs the contractor to use personnel whose base of operations is more than 100 miles from the site. Quantity shall be miles that exceed 100.	0.58	
01 22 20 00-0068 HR Fire Watch Laborer Note: Fire watchers shall be required whenever welding or cutting is performed in locations where other than a minor fire might develop, or any of the following conditions exist: (1) Appreciable combustible material, in building construction or contents, closer than 35 feet (10.7 m) to the point of operation. (2) Appreciable combustibles are more than 35 feet (10.7 m) away but are easily ignited by sparks. (3) Wall or floor openings within a 35-foot (10.7 m) radius expose combustible material in adjacent areas including concealed spaces in walls or floors. (4) Combustible materials are adjacent to the opposite side of metal partitions, walls, ceilings, or roofs and are likely to be ignited by conduction or radiation.	77.20	
01 22 20 00-0069 Rates For Architectural And Engineering Services <small>(01 22 20)</small>		
Note: For preparation of contract documents, structural and/or design drawings, special investigating requirements or services outside required architectural and engineering services.		
01 22 20 00-0070 HR Principal Architect	210.00	
01 22 20 00-0071 HR Senior Architect	185.00	
01 22 20 00-0072 HR Architect	141.25	
01 22 20 00-0073 HR Principal Engineer	210.00	
01 22 20 00-0074 HR Senior Engineer	160.00	
01 22 20 00-0075 HR Engineer	127.50	
01 22 20 00-0076 HR Draftsman	75.62	
01 22 20 00-0077 HR Project Manager	150.00	
01 22 20 00-0078 Rates For Traffic Control <small>(01 22 20)</small>		
01 22 20 00-0079 HR Flagperson For Traffic Control	77.20	
01 22 20 00-0080 Mobilize Equipment <small>(01 22 20)</small>		
01 22 20 00-0081 HR Escort Vehicle With Driver	84.31	

01	General Requirements
01 20	Price And Payment Procedures
01 22	Unit Prices



MINOR
CSI UOM DESCRIPTION

TOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

01 22 20 00-0082 HR Transport Vehicle With Driver103.42

01 22 23 Equipment Usage (01 22)

Note: Includes fuel costs unless otherwise stated. These tasks shall be used for owned, leased or rented equipment. See CSI section 01 22 20 00-0078 for traffic control (where required), 01 71 13 00-0000 for equipment delivery, pickup, mobilization and demobilization.

01 22 23 00-0001 Aerial Equipment (01 22 23)

01 22 23 00-0002 Man Lifts (01 22 23 00-0001)

Note: Excludes operator, delivery, set-up, and removal.

01 22 23 00-0003 Telescoping Boom Man Lifts With Platform (01 22 23 00-0002)

01 22 23 00-0004 Engine Powered, Telescoping Boom Man Lifts With Platform (01 22 23 00-0003)

Note: Diesel or dual fuel (gasoline or liquid propane gas). Two-wheel drive. For use on unpaved or paved surfaces.

01 22 23 00-0005	DAY 40' Engine Powered, Telescoping Boom Man Lift With Platform	399.12
	<i>For Four-Wheel Drive, Add</i>	89.80
01 22 23 00-0006	WK 40' Engine Powered, Telescoping Boom Man Lift With Platform	1,004.25
	<i>For Four-Wheel Drive, Add</i>	225.96
01 22 23 00-0007	MO 40' Engine Powered, Telescoping Boom Man Lift With Platform	2,253.12
	<i>For Four-Wheel Drive, Add</i>	506.95
01 22 23 00-0008	DAY 60' Engine Powered, Telescoping Boom Man Lift With Platform	585.81
	<i>For Four-Wheel Drive, Add</i>	131.81
01 22 23 00-0009	WK 60' Engine Powered, Telescoping Boom Man Lift With Platform	1,396.94
	<i>For Four-Wheel Drive, Add</i>	314.31
01 22 23 00-0010	MO 60' Engine Powered, Telescoping Boom Man Lift With Platform	3,057.81
	<i>For Four-Wheel Drive, Add</i>	688.01
01 22 23 00-0011	DAY 80' Engine Powered, Telescoping Boom Man Lift With Platform	1,139.44
	<i>For Four-Wheel Drive, Add</i>	256.37
01 22 23 00-0012	WK 80' Engine Powered, Telescoping Boom Man Lift With Platform	2,761.69
	<i>For Four-Wheel Drive, Add</i>	621.38
01 22 23 00-0013	MO 80' Engine Powered, Telescoping Boom Man Lift With Platform	5,793.75
	<i>For Four-Wheel Drive, Add</i>	1,303.59
01 22 23 00-0014	DAY 110' Engine Powered, Telescoping Boom Man Lift With Platform	1,622.25
	<i>For Four-Wheel Drive, Add</i>	365.01
01 22 23 00-0015	WK 110' Engine Powered, Telescoping Boom Man Lift With Platform	3,906.28
	<i>For Four-Wheel Drive, Add</i>	878.91
01 22 23 00-0016	MO 110' Engine Powered, Telescoping Boom Man Lift With Platform	9,733.50
	<i>For Four-Wheel Drive, Add</i>	2,190.04
01 22 23 00-0017	DAY 120' Engine Powered, Telescoping Boom Man Lift With Platform	1,976.31
	<i>For Four-Wheel Drive, Add</i>	444.67
01 22 23 00-0018	WK 120' Engine Powered, Telescoping Boom Man Lift With Platform	5,040.56
	<i>For Four-Wheel Drive, Add</i>	1,134.13
01 22 23 00-0019	MO 120' Engine Powered, Telescoping Boom Man Lift With Platform	11,458.75
	<i>For Four-Wheel Drive, Add</i>	2,578.22

01 22 23 00-0020 Articulating (Up/Over) Boom Man Lifts With Platform (01 22 23 00-0002)

01 22 23 00-0021 Engine Powered, Articulating (Up/Over) Boom Man Lifts With Platform (01 22 23 00-0020)

Note: Diesel or dual fuel (gasoline or liquid propane gas). Four-wheel drive. For use on unpaved or paved surfaces.

01 22 23 00-0022	DAY 34' Engine Powered, Articulating (Up/Over) Boom Man Lift With Platform	293.20
01 22 23 00-0023	WK 34' Engine Powered, Articulating (Up/Over) Boom Man Lift With Platform	735.68
01 22 23 00-0024	MO 34' Engine Powered, Articulating (Up/Over) Boom Man Lift With Platform	1,769.89
01 22 23 00-0025	DAY 45' Engine Powered, Articulating (Up/Over) Boom Man Lift With Platform	373.17
01 22 23 00-0026	WK 45' Engine Powered, Articulating (Up/Over) Boom Man Lift With Platform	815.64
01 22 23 00-0027	MO 45' Engine Powered, Articulating (Up/Over) Boom Man Lift With Platform	2,024.71
01 22 23 00-0028	DAY 60' Engine Powered, Articulating (Up/Over) Boom Man Lift With Platform	479.79
01 22 23 00-0029	WK 60' Engine Powered, Articulating (Up/Over) Boom Man Lift With Platform	1,108.85
01 22 23 00-0030	MO 60' Engine Powered, Articulating (Up/Over) Boom Man Lift With Platform	2,478.92
01 22 23 00-0031	DAY 80' Engine Powered, Articulating (Up/Over) Boom Man Lift With Platform	836.97
01 22 23 00-0032	WK 80' Engine Powered, Articulating (Up/Over) Boom Man Lift With Platform	1,972.47
01 22 23 00-0033	MO 80' Engine Powered, Articulating (Up/Over) Boom Man Lift With Platform	4,796.83
01 22 23 00-0034	DAY 125' Engine Powered, Articulating (Up/Over) Boom Man Lift With Platform	1,625.96
01 22 23 00-0035	WK 125' Engine Powered, Articulating (Up/Over) Boom Man Lift With Platform	3,838.32
01 22 23 00-0036	MO 125' Engine Powered, Articulating (Up/Over) Boom Man Lift With Platform	9,382.56

01 22 23 00-0037 Electric, Articulating (Up/Over) Boom Man Lifts With Platform (01 22 23 00-0020)

Note: For use on paved surfaces.

01 22 23 00-0038	DAY 30' Electric, Articulating (Up/Over) Boom Man Lift With Platform	293.20
01 22 23 00-0039	WK 30' Electric, Articulating (Up/Over) Boom Man Lift With Platform	735.68
01 22 23 00-0040	MO 30' Electric, Articulating (Up/Over) Boom Man Lift With Platform	1,769.89
01 22 23 00-0041	DAY 35' Electric, Articulating (Up/Over) Boom Man Lift With Platform	293.20
01 22 23 00-0042	WK 35' Electric, Articulating (Up/Over) Boom Man Lift With Platform	735.68
01 22 23 00-0043	MO 35' Electric, Articulating (Up/Over) Boom Man Lift With Platform	1,769.89
01 22 23 00-0044	DAY 40' Electric, Articulating (Up/Over) Boom Man Lift With Platform	362.51
01 22 23 00-0045	WK 40' Electric, Articulating (Up/Over) Boom Man Lift With Platform	783.66
01 22 23 00-0046	MO 40' Electric, Articulating (Up/Over) Boom Man Lift With Platform	1,945.82
01 22 23 00-0047	DAY 45' Electric, Articulating (Up/Over) Boom Man Lift With Platform	362.51



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
01 22 23 00-0048 WK 45' Electric, Articulating (Up/Over) Boom Man Lift With Platform.....	783.66	
01 22 23 00-0049 MO 45' Electric, Articulating (Up/Over) Boom Man Lift With Platform.....	1,945.82	
01 22 23 00-0050 Platform Lifts (01 22 23 00-0001) Note: Excludes operator, delivery, set-up, and removal.		
01 22 23 00-0051 Electric, Scissor Platform Lifts (01 22 23 00-0050) Note: For use on paved surfaces.		
01 22 23 00-0052 DAY 17' Electric, Scissor Platform Lift.....	160.41	
01 22 23 00-0053 WK 17' Electric, Scissor Platform Lift.....	320.83	
01 22 23 00-0054 MO 17' Electric, Scissor Platform Lift.....	656.24	
01 22 23 00-0055 DAY 20' Electric, Scissor Platform Lift.....	175.00	
01 22 23 00-0056 WK 20' Electric, Scissor Platform Lift.....	349.99	
01 22 23 00-0057 MO 20' Electric, Scissor Platform Lift.....	699.98	
01 22 23 00-0058 DAY 25' Electric, Scissor Platform Lift.....	226.04	
01 22 23 00-0059 WK 25' Electric, Scissor Platform Lift.....	452.07	
01 22 23 00-0060 MO 25' Electric, Scissor Platform Lift.....	969.77	
01 22 23 00-0061 DAY 30' Electric, Scissor Platform Lift.....	291.66	
01 22 23 00-0062 WK 30' Electric, Scissor Platform Lift.....	576.03	
01 22 23 00-0063 MO 30' Electric, Scissor Platform Lift.....	1,276.01	
01 22 23 00-0064 DAY 33' Electric, Scissor Platform Lift.....	313.53	
01 22 23 00-0065 WK 33' Electric, Scissor Platform Lift.....	612.49	
01 22 23 00-0066 MO 33' Electric, Scissor Platform Lift.....	1,385.38	
01 22 23 00-0067 DAY 40' Electric, Scissor Platform Lift.....	408.32	
01 22 23 00-0068 WK 40' Electric, Scissor Platform Lift.....	1,013.52	
01 22 23 00-0069 MO 40' Electric, Scissor Platform Lift.....	2,821.81	
01 22 23 00-0070 Engine Powered, Scissor Platform Lifts (01 22 23 00-0050) Note: Diesel or dual fuel (gasoline or liquid propane gas). Two-wheel drive. For use on unpaved or paved surfaces.		
01 22 23 00-0071 DAY 25' Engine Powered, Scissor Platform Lift..... <i>For Four-Wheel Drive, Add</i>	328.12 65.62	
01 22 23 00-0072 WK 25' Engine Powered, Scissor Platform Lift..... <i>For Four-Wheel Drive, Add</i>	641.65 128.33	
01 22 23 00-0073 MO 25' Engine Powered, Scissor Platform Lift..... <i>For Four-Wheel Drive, Add</i>	1,567.67 313.53	
01 22 23 00-0074 DAY 33' Engine Powered, Scissor Platform Lift..... <i>For Four-Wheel Drive, Add</i>	335.41 67.08	
01 22 23 00-0075 WK 33' Engine Powered, Scissor Platform Lift..... <i>For Four-Wheel Drive, Add</i>	765.61 153.12	
01 22 23 00-0076 MO 33' Engine Powered, Scissor Platform Lift..... <i>For Four-Wheel Drive, Add</i>	1,677.04 335.41	
01 22 23 00-0077 DAY 40' Engine Powered, Scissor Platform Lift..... <i>For Four-Wheel Drive, Add</i>	371.87 74.37	
01 22 23 00-0078 WK 40' Engine Powered, Scissor Platform Lift..... <i>For Four-Wheel Drive, Add</i>	853.11 170.62	
01 22 23 00-0079 MO 40' Engine Powered, Scissor Platform Lift..... <i>For Four-Wheel Drive, Add</i>	1,895.79 379.16	
01 22 23 00-0080 DAY 43' Engine Powered, Scissor Platform Lift..... <i>For Four-Wheel Drive, Add</i>	393.74 78.75	
01 22 23 00-0081 WK 43' Engine Powered, Scissor Platform Lift..... <i>For Four-Wheel Drive, Add</i>	918.73 183.75	
01 22 23 00-0082 MO 43' Engine Powered, Scissor Platform Lift..... <i>For Four-Wheel Drive, Add</i>	2,260.36 452.07	
01 22 23 00-0083 DAY 50' Engine Powered, Scissor Platform Lift..... <i>For Four-Wheel Drive, Add</i>	736.44 147.29	
01 22 23 00-0084 WK 50' Engine Powered, Scissor Platform Lift..... <i>For Four-Wheel Drive, Add</i>	1,618.71 323.74	
01 22 23 00-0085 MO 50' Engine Powered, Scissor Platform Lift..... <i>For Four-Wheel Drive, Add</i>	3,981.16 796.23	
01 22 23 00-0086 Personnel Lifts (01 22 23 00-0001) Note: Includes delivery to job site and pick-up when complete. Excludes operator. For use on paved surfaces.		
01 22 23 00-0087 DAY 24', Push-Type, Electric Single Man Personnel Lift.....	93.49	
01 22 23 00-0088 WK 24', Push-Type, Electric Single Man Personnel Lift.....	264.89	
01 22 23 00-0089 MO 24', Push-Type, Electric Single Man Personnel Lift.....	534.98	
01 22 23 00-0090 DAY 30', Push-Type, Electric Single Man Personnel Lift.....	129.85	
01 22 23 00-0091 WK 30', Push-Type, Electric Single Man Personnel Lift.....	275.28	
01 22 23 00-0092 MO 30', Push-Type, Electric Single Man Personnel Lift.....	934.92	
01 22 23 00-0093 DAY 36', Push-Type, Electric Single Man Personnel Lift.....	218.15	
01 22 23 00-0094 WK 36', Push-Type, Electric Single Man Personnel Lift.....	529.79	
01 22 23 00-0095 MO 36', Push-Type, Electric Single Man Personnel Lift.....	1,547.81	
01 22 23 00-0096 DAY 40', Push-Type, Electric Single Man Personnel Lift.....	233.73	
01 22 23 00-0097 WK 40', Push-Type, Electric Single Man Personnel Lift.....	581.73	
01 22 23 00-0098 MO 40', Push-Type, Electric Single Man Personnel Lift.....	1,750.38	
01 22 23 00-0099 DAY 15', Self-Propelled, Electric Single Man Personnel Lift.....	124.66	
01 22 23 00-0100 WK 15', Self-Propelled, Electric Single Man Personnel Lift.....	249.31	
01 22 23 00-0101 MO 15', Self-Propelled, Electric Single Man Personnel Lift.....	498.62	
01 22 23 00-0102 DAY 20', Self-Propelled, Electric Single Man Personnel Lift.....	124.66	
01 22 23 00-0103 WK 20', Self-Propelled, Electric Single Man Personnel Lift.....	249.31	

10	01	General Requirements
	01 20	Price And Payment Procedures
	01 22	Unit Prices



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
01 22 23 00-0104 MO 20', Self-Propelled, Electric Single Man Personnel Lift.....	.518.36	
01 22 23 00-0105 Bucket Trucks <small>(01 22 23 00-0001)</small>		
<i>Note: Includes full-time operator, delivery, and removal.</i>		
01 22 23 00-0106 DAY 29' Bucket Truck With Full-Time Operator	1,176.93	
<i>For Equipment Without Operator, Deduct</i>	-609.77	
01 22 23 00-0107 WK 29' Bucket Truck With Full-Time Operator	4,750.32	
<i>For Equipment Without Operator, Deduct</i>	-3,048.84	
01 22 23 00-0108 MO 29' Bucket Truck With Full-Time Operator	17,472.61	
<i>For Equipment Without Operator, Deduct</i>	-13,141.57	
01 22 23 00-0109 DAY 38' Bucket Truck With Full-Time Operator	1,249.11	
<i>For Equipment Without Operator, Deduct</i>	-609.77	
01 22 23 00-0110 WK 38' Bucket Truck With Full-Time Operator	4,982.34	
<i>For Equipment Without Operator, Deduct</i>	-3,048.84	
01 22 23 00-0111 MO 38' Bucket Truck With Full-Time Operator	18,091.33	
<i>For Equipment Without Operator, Deduct</i>	-13,141.57	
01 22 23 00-0112 DAY 48' Bucket Truck With Full-Time Operator	1,434.73	
<i>For Equipment Without Operator, Deduct</i>	-609.77	
01 22 23 00-0113 WK 48' Bucket Truck With Full-Time Operator	5,317.48	
<i>For Equipment Without Operator, Deduct</i>	-3,048.84	
01 22 23 00-0114 MO 48' Bucket Truck With Full-Time Operator	18,813.17	
<i>For Equipment Without Operator, Deduct</i>	-13,141.57	
01 22 23 00-0115 DAY 62' Bucket Truck With Full-Time Operator	1,847.21	
<i>For Equipment Without Operator, Deduct</i>	-609.77	
01 22 23 00-0116 WK 62' Bucket Truck With Full-Time Operator	6,658.04	
<i>For Equipment Without Operator, Deduct</i>	-3,048.84	
01 22 23 00-0117 MO 62' Bucket Truck With Full-Time Operator	22,422.37	
<i>For Equipment Without Operator, Deduct</i>	-13,141.57	
01 22 23 00-0118 DAY 85' Bucket Truck With Full-Time Operator	2,053.45	
<i>For Equipment Without Operator, Deduct</i>	-609.77	
01 22 23 00-0119 WK 85' Bucket Truck With Full-Time Operator	7,379.88	
<i>For Equipment Without Operator, Deduct</i>	-3,048.84	
01 22 23 00-0120 MO 85' Bucket Truck With Full-Time Operator	25,000.37	
<i>For Equipment Without Operator, Deduct</i>	-13,141.57	
01 22 23 00-0121 Day 105' Bucket Truck With Full-Time Operator	2,156.57	
<i>For Equipment Without Operator, Deduct</i>	-609.77	
01 22 23 00-0122 WK 105' Bucket Truck With Full-Time Operator	7,689.24	
<i>For Equipment Without Operator, Deduct</i>	-3,048.84	
01 22 23 00-0123 MO 105' Bucket Truck With Full-Time Operator	25,247.87	
<i>For Equipment Without Operator, Deduct</i>	-13,141.58	
01 22 23 00-0124 Air Equipment <small>(01 22 23)</small>		
01 22 23 00-0125 Air Compressors <small>(01 22 23 00-0124)</small>		
<i>Note: Includes delivery, set-up, and removal. Excludes operator.</i>		
01 22 23 00-0126 DAY 100 CFM Diesel Powered Portable Air Compressor	125.42	
01 22 23 00-0127 WK 100 CFM Diesel Powered Portable Air Compressor	376.24	
01 22 23 00-0128 MO 100 CFM Diesel Powered Portable Air Compressor	1,045.12	
01 22 23 00-0129 DAY 130 CFM Diesel Powered Portable Air Compressor	150.50	
01 22 23 00-0130 WK 130 CFM Diesel Powered Portable Air Compressor	443.13	
01 22 23 00-0131 MO 130 CFM Diesel Powered Portable Air Compressor	1,254.15	
01 22 23 00-0132 DAY 185 CFM Diesel Powered Portable Air Compressor	200.66	
01 22 23 00-0133 WK 185 CFM Diesel Powered Portable Air Compressor	451.49	
01 22 23 00-0134 MO 185 CFM Diesel Powered Portable Air Compressor	994.96	
01 22 23 00-0135 DAY 375 CFM Diesel Powered Portable Air Compressor	284.27	
01 22 23 00-0136 WK 375 CFM Diesel Powered Portable Air Compressor	719.05	
01 22 23 00-0137 MO 375 CFM Diesel Powered Portable Air Compressor	1,714.00	
01 22 23 00-0138 DAY 600 CFM Diesel Powered Portable Air Compressor	632.09	
01 22 23 00-0139 WK 600 CFM Diesel Powered Portable Air Compressor	1,521.70	
01 22 23 00-0140 MO 600 CFM Diesel Powered Portable Air Compressor	3,792.55	
01 22 23 00-0141 DAY 750 CFM Diesel Powered Portable Air Compressor	760.85	
01 22 23 00-0142 WK 750 CFM Diesel Powered Portable Air Compressor	1,872.86	
01 22 23 00-0143 MO 750 CFM Diesel Powered Portable Air Compressor	4,598.55	
01 22 23 00-0144 DAY 825 CFM Diesel Powered Portable Air Compressor	760.85	
01 22 23 00-0145 WK 825 CFM Diesel Powered Portable Air Compressor	1,872.86	
01 22 23 00-0146 MO 825 CFM Diesel Powered Portable Air Compressor	4,598.55	
01 22 23 00-0147 DAY 1,300 CFM Diesel Powered Portable Air Compressor	886.27	
01 22 23 00-0148 WK 1,300 CFM Diesel Powered Portable Air Compressor	1,986.57	
01 22 23 00-0149 MO 1,300 CFM Diesel Powered Portable Air Compressor	5,297.53	
01 22 23 00-0150 DAY 1,600 CFM Diesel Powered Portable Air Compressor	1,103.65	
01 22 23 00-0151 WK 1,600 CFM Diesel Powered Portable Air Compressor	2,483.22	
01 22 23 00-0152 MO 1,600 CFM Diesel Powered Portable Air Compressor	6,621.91	
01 22 23 00-0153 Portable Negative Air Machines <small>(01 22 23 00-0124)</small>		
<i>Note: A Negative Air Machine is used in a sealed containment area to filter air and exhaust the filtered air through ducting to a location outside the sealed containment area. Includes delivery to job site and pick-up when complete. Excludes all filters and duct.</i>		
01 22 23 00-0154 DAY Up To 2,000 CFM, Portable Negative Air Machine	56.00	
01 22 23 00-0155 WK Up To 2,000 CFM, Portable Negative Air Machine	230.00	
01 22 23 00-0156 MO Up To 2,000 CFM, Portable Negative Air Machine	695.00	



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
01 22 23 00-0157	EA		First Stage Pre-Filter For Portable Negative Air Machines.....	12.64	
01 22 23 00-0158	EA		Second Stage Pre-Filter For Portable Negative Air Machines	28.06	
01 22 23 00-0159	EA		High Efficiency Particulate Air (HEPA) Filter, 99.99% Efficient At 0.3 Micron For Portable Negative Air Machines.....	141.70	
01 22 23 00-0160	LF		Flexible Exhaust Duct For Portable Negative Air Machines	1.36	
01 22 23 00-0161			Portable Air Scrubbers (01 22 23 00-0124)		
			Note: A Portable Air Scrubber filters and recirculates the filtered air into the same space and does not use ducting to exhaust the filtered air to a different location. Includes delivery to job site and pick-up when complete. Excludes all filters.		
01 22 23 00-0162	DAY		Up To 1,000 CFM, Portable Air Scrubber	67.37	
01 22 23 00-0163	WK		Up To 1,000 CFM, Portable Air Scrubber	280.04	
01 22 23 00-0164	MO		Up To 1,000 CFM, Portable Air Scrubber	775.17	
01 22 23 00-0165	DAY		>1,000 to 2,000 CFM, Portable Air Scrubber	85.23	
01 22 23 00-0166	WK		>1,000 to 2,000 CFM, Portable Air Scrubber	353.09	
01 22 23 00-0167	MO		>1,000 to 2,000 CFM, Portable Air Scrubber	1,034.92	
01 22 23 00-0168	DAY		>2,000 To 5,000 CFM, Portable Air Scrubber.....	109.58	
01 22 23 00-0169	WK		>2,000 To 5,000 CFM, Portable Air Scrubber.....	466.73	
01 22 23 00-0170	MO		>2,000 To 5,000 CFM, Portable Air Scrubber	1,306.84	
01 22 23 00-0171	EA		First Stage Pre-Filter For Portable Air Scrubbers.....	17.51	
01 22 23 00-0172	EA		Second Stage Pre-Filter For Portable Air Scrubbers	24.00	
01 22 23 00-0173	EA		High Efficiency Particulate Air (HEPA) Filter, 99.99% Efficient At 0.3 Micron For Portable Air Scrubbers.....	239.10	
01 22 23 00-0174			Compaction And Paving Equipment (01 22 23)		
01 22 23 00-0175			Pavers And Rollers (01 22 23 00-0174)		
			Note: Includes full-time operator. Excludes delivery, set-up, and removal.		
01 22 23 00-0176			Pavers (01 22 23 00-0175)		
01 22 23 00-0177	DAY		10' Wide Paving Machine With Full-Time Operator.....	2,720.71	
			<i>For Equipment Without Operator, Deduct</i>	-770.88	
01 22 23 00-0178	WK		10' Wide Paving Machine With Full-Time Operator.....	11,653.73	
			<i>For Equipment Without Operator, Deduct</i>	-3,854.42	
01 22 23 00-0179	MO		10' Wide Paving Machine With Full-Time Operator.....	44,469.02	
			<i>For Equipment Without Operator, Deduct</i>	-16,613.88	
01 22 23 00-0180			Ride-On Self-Propelled, Rubber Tire Rollers (01 22 23 00-0175)		
01 22 23 00-0181	DAY		10 To 12 Ton, Ride-On Self Propelled, 9 Wheel Rubber-Tire Roller With Full-Time Operator.....	1,092.70	
			<i>For Equipment Without Operator, Deduct</i>	-770.88	
01 22 23 00-0182	WK		10 To 12 Ton, Ride-On Self Propelled, 9 Wheel Rubber-Tire Roller With Full-Time Operator.....	4,827.79	
			<i>For Equipment Without Operator, Deduct</i>	-3,854.42	
01 22 23 00-0183	MO		10 To 12 Ton, Ride-On Self Propelled, 9 Wheel Rubber-Tire Roller With Full-Time Operator.....	19,256.21	
			<i>For Equipment Without Operator, Deduct</i>	-16,613.88	
01 22 23 00-0184	DAY		15 Ton, Ride-On Self Propelled, 9 Wheel Rubber-Tire Roller With Full-Time Operator.....	1,216.91	
			<i>For Equipment Without Operator, Deduct</i>	-770.88	
01 22 23 00-0185	WK		15 Ton, Ride-On Self Propelled, 9 Wheel Rubber-Tire Roller With Full-Time Operator.....	5,751.48	
			<i>For Equipment Without Operator, Deduct</i>	-3,854.42	
01 22 23 00-0186	MO		15 Ton, Ride-On Self Propelled, 9 Wheel Rubber-Tire Roller With Full-Time Operator.....	20,650.77	
			<i>For Equipment Without Operator, Deduct</i>	-16,613.88	
01 22 23 00-0187	DAY		30 Ton, Ride-On Self Propelled, 11 Wheel Rubber-Tire Roller With Full-Time Operator.....	1,222.56	
			<i>For Equipment Without Operator, Deduct</i>	-770.88	
01 22 23 00-0188	WK		30 Ton, Ride-On Self Propelled, 11 Wheel Rubber-Tire Roller With Full-Time Operator.....	5,384.49	
			<i>For Equipment Without Operator, Deduct</i>	-3,854.42	
01 22 23 00-0189	MO		30 Ton, Ride-On Self Propelled, 11 Wheel Rubber-Tire Roller With Full-Time Operator.....	20,921.78	
			<i>For Equipment Without Operator, Deduct</i>	-16,613.88	
01 22 23 00-0190			Ride-On Self-Propelled, Padfoot Rollers (01 22 23 00-0175)		
01 22 23 00-0191	DAY		5 Ton, Single Padfoot Drum, Ride-On Self-Propelled Vibratory Roller With Full-Time Operator	1,143.52	
			<i>For Equipment Without Operator, Deduct</i>	-770.88	
01 22 23 00-0192	WK		5 Ton, Single Padfoot Drum, Ride-On Self-Propelled Vibratory Roller With Full-Time Operator	4,887.64	
			<i>For Equipment Without Operator, Deduct</i>	-3,854.42	
01 22 23 00-0193	MO		5 Ton, Single Padfoot Drum, Ride-On Self-Propelled Vibratory Roller With Full-Time Operator	19,600.61	
			<i>For Equipment Without Operator, Deduct</i>	-16,613.88	
01 22 23 00-0194	DAY		8 Ton, Single Padfoot Drum, Ride-On Self-Propelled Vibratory Roller With Full-Time Operator	1,380.65	
			<i>For Equipment Without Operator, Deduct</i>	-770.88	
01 22 23 00-0195	WK		8 Ton, Single Padfoot Drum, Ride-On Self-Propelled Vibratory Roller With Full-Time Operator	5,367.55	
			<i>For Equipment Without Operator, Deduct</i>	-3,854.42	
01 22 23 00-0196	MO		8 Ton, Single Padfoot Drum, Ride-On Self-Propelled Vibratory Roller With Full-Time Operator	21,113.74	
			<i>For Equipment Without Operator, Deduct</i>	-16,613.88	
01 22 23 00-0197	DAY		10 To 12 Ton, Single Padfoot Drum, Ride-On Self-Propelled Vibratory Roller With Full-Time Operator	1,437.11	
			<i>For Equipment Without Operator, Deduct</i>	-770.88	
01 22 23 00-0198	WK		10 To 12 Ton, Single Padfoot Drum, Ride-On Self-Propelled Vibratory Roller With Full-Time Operator	5,723.25	
			<i>For Equipment Without Operator, Deduct</i>	-3,854.42	
01 22 23 00-0199	MO		10 To 12 Ton, Single Padfoot Drum, Ride-On Self-Propelled Vibratory Roller With Full-Time Operator	22,107.44	
			<i>For Equipment Without Operator, Deduct</i>	-16,613.88	
01 22 23 00-0200			Towed, Padfoot Rollers (01 22 23 00-0175)		
01 22 23 00-0201	DAY		48" Wide, 40" Diameter, Towed Padfoot Roller	107.27	
01 22 23 00-0202	WK		48" Wide, 40" Diameter, Towed Padfoot Roller	310.53	

01	General Requirements
01 20	Price And Payment Procedures
01 22	Unit Prices



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
	01 22 23 00-0203	MO	48" Wide, 40" Diameter, Towed Padfoot Roller.....	914.65	
	01 22 23 00-0204	DAY	60" Wide, 60" Diameter, Towed Padfoot Roller.....	135.50	
	01 22 23 00-0205	WK	60" Wide, 60" Diameter, Towed Padfoot Roller.....	378.28	
	01 22 23 00-0206	MO	60" Wide, 60" Diameter, Towed Padfoot Roller.....	1,609.11	
01 22 23 00-0207	Static Rollers (01 22 23 00-0175)				
	01 22 23 00-0208	DAY	5 Ton, 2 Drum Articulated Roller With Full-Time Operator.....	1,171.75	
			<i>For Equipment Without Operator, Deduct</i>	-770.88	
	01 22 23 00-0209	WK	5 Ton, 2 Drum Articulated Roller With Full-Time Operator.....	5,130.42	
			<i>For Equipment Without Operator, Deduct</i>	-3,854.42	
	01 22 23 00-0210	MO	5 Ton, 2 Drum Articulated Roller With Full-Time Operator.....	20,396.70	
			<i>For Equipment Without Operator, Deduct</i>	-16,613.88	
	01 22 23 00-0211	DAY	8 To 10 Ton, 2 Drum Articulated Roller With Full-Time Operator.....	1,295.96	
			<i>For Equipment Without Operator, Deduct</i>	-770.88	
	01 22 23 00-0212	WK	8 To 10 Ton, 2 Drum Articulated Roller With Full-Time Operator.....	5,469.18	
			<i>For Equipment Without Operator, Deduct</i>	-3,854.42	
	01 22 23 00-0213	MO	8 To 10 Ton, 2 Drum Articulated Roller With Full-Time Operator.....	21,333.94	
			<i>For Equipment Without Operator, Deduct</i>	-16,613.88	
01 22 23 00-0214	Ride-On Self-Propelled, Smooth Drum Vibratory Rollers (01 22 23 00-0175)				
	01 22 23 00-0215	DAY	1 Ton, Double Smooth Drums, Ride-On Self-Propelled Vibratory Roller With Full-Time Operator.....	991.07	
			<i>For Equipment Without Operator, Deduct</i>	-770.88	
	01 22 23 00-0216	WK	1 Ton, Double Smooth Drums, Ride-On Self-Propelled Vibratory Roller With Full-Time Operator.....	4,498.06	
			<i>For Equipment Without Operator, Deduct</i>	-3,854.42	
	01 22 23 00-0217	MO	1 Ton, Double Smooth Drums, Ride-On Self-Propelled Vibratory Roller With Full-Time Operator.....	18,307.68	
			<i>For Equipment Without Operator, Deduct</i>	-16,613.88	
	01 22 23 00-0218	DAY	3 Ton, Double Smooth Drums, Ride-On Self-Propelled Vibratory Roller With Full-Time Operator.....	1,075.76	
			<i>For Equipment Without Operator, Deduct</i>	-770.88	
	01 22 23 00-0219	WK	3 Ton, Double Smooth Drums, Ride-On Self-Propelled Vibratory Roller With Full-Time Operator.....	4,752.13	
			<i>For Equipment Without Operator, Deduct</i>	-3,854.42	
	01 22 23 00-0220	MO	3 Ton, Double Smooth Drums, Ride-On Self-Propelled Vibratory Roller With Full-Time Operator.....	18,985.20	
			<i>For Equipment Without Operator, Deduct</i>	-16,613.88	
	01 22 23 00-0221	DAY	5 Ton, Single Smooth Drum, Ride-On Self-Propelled Vibratory Roller With Full-Time Operator.....	1,132.22	
			<i>For Equipment Without Operator, Deduct</i>	-770.88	
	01 22 23 00-0222	WK	5 Ton, Single Smooth Drum, Ride-On Self-Propelled Vibratory Roller With Full-Time Operator.....	4,921.51	
			<i>For Equipment Without Operator, Deduct</i>	-3,854.42	
	01 22 23 00-0223	MO	5 Ton, Single Smooth Drum, Ride-On Self-Propelled Vibratory Roller With Full-Time Operator.....	19,436.88	
			<i>For Equipment Without Operator, Deduct</i>	-16,613.88	
	01 22 23 00-0224	DAY	8 Ton, Single Smooth Drum, Ride-On Self-Propelled Vibratory Roller With Full-Time Operator.....	1,205.62	
			<i>For Equipment Without Operator, Deduct</i>	-770.88	
	01 22 23 00-0225	WK	8 Ton, Single Smooth Drum, Ride-On Self-Propelled Vibratory Roller With Full-Time Operator.....	5,136.06	
			<i>For Equipment Without Operator, Deduct</i>	-3,854.42	
	01 22 23 00-0226	MO	8 Ton, Single Smooth Drum, Ride-On Self-Propelled Vibratory Roller With Full-Time Operator.....	19,995.83	
			<i>For Equipment Without Operator, Deduct</i>	-16,613.88	
	01 22 23 00-0227	DAY	11 To 12 Ton, Single Smooth Drum, Ride-On Self-Propelled Vibratory Roller With Full-Time Operator.....	1,352.42	
			<i>For Equipment Without Operator, Deduct</i>	-770.88	
	01 22 23 00-0228	WK	11 To 12 Ton, Single Smooth Drum, Ride-On Self-Propelled Vibratory Roller With Full-Time Operator.....	5,565.16	
			<i>For Equipment Without Operator, Deduct</i>	-3,854.42	
	01 22 23 00-0229	MO	11 To 12 Ton, Single Smooth Drum, Ride-On Self-Propelled Vibratory Roller With Full-Time Operator.....	21,130.68	
			<i>For Equipment Without Operator, Deduct</i>	-16,613.88	
01 22 23 00-0230	Steel Roadway Plates (01 22 23 00-0174)				
			Note: 3 day minimum. Excludes delivery. See CSI section 01 71 13 00-0001 for material delivery on truck.		
	01 22 23 00-0231	EA	Mobilization of Steel Roadway Plates.....	399.49	
			Note: Mobilization for each site location.		
	01 22 23 00-0232	EA	Placement And Removal Of Steel Roadway Plates.....	46.19	
	01 22 23 00-0233	DAY	1" x 4' x 8' Steel Plate.....	25.78	
	01 22 23 00-0234	WK	1" x 4' x 8' Steel Plate.....	60.87	
	01 22 23 00-0235	MO	1" x 4' x 8' Steel Plate.....	80.10	
	01 22 23 00-0236	DAY	1" x 4' x 10' Steel Plate.....	34.37	
	01 22 23 00-0237	WK	1" x 4' x 10' Steel Plate.....	77.34	
	01 22 23 00-0238	MO	1" x 4' x 10' Steel Plate.....	94.53	
	01 22 23 00-0239	DAY	1" x 5' x 10' Steel Plate.....	35.80	
	01 22 23 00-0240	WK	1" x 5' x 10' Steel Plate.....	80.92	
	01 22 23 00-0241	MO	1" x 5' x 10' Steel Plate.....	214.83	
	01 22 23 00-0242	DAY	1" x 6' x 8' Steel Plate.....	22.92	
	01 22 23 00-0243	WK	1" x 6' x 8' Steel Plate.....	51.56	
	01 22 23 00-0244	MO	1" x 6' x 8' Steel Plate.....	137.49	
	01 22 23 00-0245	DAY	1" x 6' x 10' Steel Plate.....	42.97	
	01 22 23 00-0246	WK	1" x 6' x 10' Steel Plate.....	56.57	
	01 22 23 00-0247	MO	1" x 6' x 10' Steel Plate.....	151.10	
	01 22 23 00-0248	DAY	1" x 6' x 12' Steel Plate.....	60.15	
	01 22 23 00-0249	WK	1" x 6' x 12' Steel Plate.....	76.98	
	01 22 23 00-0250	MO	1" x 6' x 12' Steel Plate.....	208.39	
	01 22 23 00-0251	DAY	1" x 8' x 10' Steel Plate.....	37.95	
	01 22 23 00-0252	WK	1" x 8' x 10' Steel Plate.....	85.22	
	01 22 23 00-0253	MO	1" x 8' x 10' Steel Plate.....	227.00	
	01 22 23 00-0254	DAY	1" x 8' x 12' Steel Plate.....	68.75	
	01 22 23 00-0255	WK	1" x 8' x 12' Steel Plate.....	85.22	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
01 22 23 00-0256 MO 1" x 8' x 12' Steel Plate	412.47	
01 22 23 00-0257 DAY 1" x 8' x 16' Steel Plate	91.66	
01 22 23 00-0258 WK 1" x 8' x 16' Steel Plate	206.24	
01 22 23 00-0259 MO 1" x 8' x 16' Steel Plate	549.96	
01 22 23 00-0260 LF Cold Mix For Temporary Ramp Base, 6" At Edge Of Trench Plate	1.88	0.95
01 22 23 00-0261 EA Removal And Resetting Of Steel Roadway Plate	25.66	
01 22 23 00-0262 Street Sweepers (01 22 23 00-0174)		
Note: Includes full-time operator. Excludes delivery, set-up, and removal.		
01 22 23 00-0263 DAY 8' Road Broom, Self Propelled Street Sweeper With Full-Time Operator	948.63	
<i>For Equipment Without Operator, Deduct</i>		
	-767.39	
01 22 23 00-0264 WK 8' Road Broom, Self Propelled Street Sweeper With Full-Time Operator	4,555.10	
<i>For Equipment Without Operator, Deduct</i>		
	-3,836.93	
01 22 23 00-0265 MO 8' Road Broom, Self Propelled Street Sweeper With Full-Time Operator	19,097.19	
<i>For Equipment Without Operator, Deduct</i>		
	-16,538.50	
01 22 23 00-0266 DAY Self-Propelled Street Sweeper With Hopper And Full-Time Operator.....	1,685.54	
Note: Truck with main and gutter brooms, elevator, debris hopper and water tank.		
<i>For Equipment Without Operator, Deduct</i>		
	-767.39	
01 22 23 00-0267 WK Self-Propelled Street Sweeper With Hopper And Full-Time Operator.....	7,514.59	
Note: Truck with main and gutter brooms, elevator, debris hopper and water tank.		
<i>For Equipment Without Operator, Deduct</i>		
	-3,836.93	
01 22 23 00-0268 MO Self-Propelled Street Sweeper With Hopper And Full-Time Operator.....	29,663.17	
Note: Truck with main and gutter brooms, elevator, debris hopper and water tank.		
<i>For Equipment Without Operator, Deduct</i>		
	-16,538.50	
01 22 23 00-0269 Earthmoving Equipment (01 22 23)		
01 22 23 00-0270 Skid-Steer Loaders (01 22 23 00-0269)		
Note: Includes full-time operator and combination bucket and dozer blade attachments. Add extra attachments where necessary. Excludes delivery, set-up, and removal.		
01 22 23 00-0271 DAY 700 LB Capacity, 36" Wide, Skid-Steer Loader With Full-Time Operator	1,052.28	
<i>For Equipment Without Operator, Deduct</i>		
	-767.39	
01 22 23 00-0272 WK 700 LB Capacity, 36" Wide, Skid-Steer Loader With Full-Time Operator	4,584.31	
<i>For Equipment Without Operator, Deduct</i>		
	-3,836.93	
01 22 23 00-0273 MO 700 LB Capacity, 36" Wide, Skid-Steer Loader With Full-Time Operator	18,338.42	
<i>For Equipment Without Operator, Deduct</i>		
	-16,538.50	
01 22 23 00-0274 DAY 1,500 LB Capacity, 60" Wide, Skid-Steer Loader With Full-Time Operator	1,127.37	
<i>For Equipment Without Operator, Deduct</i>		
	-767.39	
01 22 23 00-0275 WK 1,500 LB Capacity, 60" Wide, Skid-Steer Loader With Full-Time Operator	4,720.20	
<i>For Equipment Without Operator, Deduct</i>		
	-3,836.93	
01 22 23 00-0276 MO 1,500 LB Capacity, 60" Wide, Skid-Steer Loader With Full-Time Operator	18,636.42	
<i>For Equipment Without Operator, Deduct</i>		
	-16,538.50	
01 22 23 00-0277 DAY 2,400 LB Capacity, 72" Wide, Skid-Steer Loader With Full-Time Operator	1,148.83	
<i>For Equipment Without Operator, Deduct</i>		
	-767.39	
01 22 23 00-0278 WK 2,400 LB Capacity, 72" Wide, Skid-Steer Loader With Full-Time Operator	4,915.69	
<i>For Equipment Without Operator, Deduct</i>		
	-3,836.93	
01 22 23 00-0279 MO 2,400 LB Capacity, 72" Wide, Skid-Steer Loader With Full-Time Operator	19,154.94	
<i>For Equipment Without Operator, Deduct</i>		
	-16,538.50	
01 22 23 00-0280 DAY 2,500 LB Capacity, 78" Wide, Tracked Skid-Steer Loader With Full-Time Operator.....	1,232.27	
<i>For Equipment Without Operator, Deduct</i>		
	-767.39	
01 22 23 00-0281 WK 2,500 LB Capacity, 78" Wide, Tracked Skid-Steer Loader With Full-Time Operator.....	5,189.85	
<i>For Equipment Without Operator, Deduct</i>		
	-3,836.93	
01 22 23 00-0282 MO 2,500 LB Capacity, 78" Wide, Tracked Skid-Steer Loader With Full-Time Operator.....	20,060.86	
<i>For Equipment Without Operator, Deduct</i>		
	-16,538.50	
01 22 23 00-0283 DAY 3,000 LB Capacity, 78" Wide, Tracked Skid-Steer Loader With Full-Time Operator.....	1,375.31	
<i>For Equipment Without Operator, Deduct</i>		
	-767.39	
01 22 23 00-0284 WK 3,000 LB Capacity, 78" Wide, Tracked Skid-Steer Loader With Full-Time Operator.....	5,732.21	
<i>For Equipment Without Operator, Deduct</i>		
	-3,836.93	
01 22 23 00-0285 MO 3,000 LB Capacity, 78" Wide, Tracked Skid-Steer Loader With Full-Time Operator.....	21,395.90	
<i>For Equipment Without Operator, Deduct</i>		
	-16,538.50	
01 22 23 00-0286 DAY Hydraulic Hammer Attachment For Skid-Steer Loaders	238.40	
01 22 23 00-0287 WK Hydraulic Hammer Attachment For Skid-Steer Loaders	792.68	
01 22 23 00-0288 MO Hydraulic Hammer Attachment For Skid-Steer Loaders	2,109.84	
01 22 23 00-0289 DAY Forklift Attachment For Skid-Steer Loaders	51.26	
01 22 23 00-0290 WK Forklift Attachment For Skid-Steer Loaders	137.08	
01 22 23 00-0291 MO Forklift Attachment For Skid-Steer Loaders	387.40	
01 22 23 00-0292 DAY Backhoe Attachment For Skid-Steer Loaders	113.24	
01 22 23 00-0293 WK Backhoe Attachment For Skid-Steer Loaders	271.78	
01 22 23 00-0294 MO Backhoe Attachment For Skid-Steer Loaders	675.86	
01 22 23 00-0295 DAY Broom Attachment For Skid-Steer Loaders	112.05	
01 22 23 00-0296 WK Broom Attachment For Skid-Steer Loaders	303.96	
01 22 23 00-0297 MO Broom Attachment For Skid-Steer Loaders	804.60	
01 22 23 00-0298 DAY Auger Attachment (Excludes Bits And Extensions) For Skid-Steer Loaders.....	97.74	
01 22 23 00-0299 WK Auger Attachment (Excludes Bits And Extensions) For Skid-Steer Loaders.....	269.39	
01 22 23 00-0300 MO Auger Attachment (Excludes Bits And Extensions) For Skid-Steer Loaders.....	735.46	
01 22 23 00-0301 DAY Up To 18" Diameter, 4' Length, Auger Bit For Skid-Steer Mounted Augers (Excludes Auger).....	26.94	
01 22 23 00-0302 WK Up To 18" Diameter, 4' Length, Auger Bit For Skid-Steer Mounted Augers (Excludes Auger).....	70.48	
01 22 23 00-0303 MO Up To 18" Diameter, 4' Length, Auger Bit For Skid-Steer Mounted Augers (Excludes Auger).....	207.30	
01 22 23 00-0304 DAY >18" To 48" Diameter, 4' Length, Auger Bit For Skid-Steer Mounted Augers (Excludes Auger).....	36.27	
01 22 23 00-0305 WK >18" To 48" Diameter, 4' Length, Auger Bit For Skid-Steer Mounted Augers (Excludes Auger).....	90.17	
01 22 23 00-0306 MO >18" To 48" Diameter, 4' Length, Auger Bit For Skid-Steer Mounted Augers (Excludes Auger).....	269.50	

01	General Requirements
01 20	Price And Payment Procedures
01 22	Unit Prices



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
01 22 23 00-0307 DAY Up To 24" Diameter, 4' Length, Rock Tip Auger Bit For Skid-Steer Mounted Augers (Excludes Auger).....	52.85	
01 22 23 00-0308 WK Up To 24" Diameter, 4' Length, Rock Tip Auger Bit For Skid-Steer Mounted Augers (Excludes Auger).....	160.67	
01 22 23 00-0309 MO Up To 24" Diameter, 4' Length, Rock Tip Auger Bit For Skid-Steer Mounted Augers (Excludes Auger).....	476.80	
01 22 23 00-0310 DAY 2' Length, Auger Bit Extension For Skid-Steer Mounted Augers (Excludes Auger)	10.73	
01 22 23 00-0311 WK 2' Length, Auger Bit Extension For Skid-Steer Mounted Augers (Excludes Auger)	25.03	
01 22 23 00-0312 MO 2' Length, Auger Bit Extension For Skid-Steer Mounted Augers (Excludes Auger)	66.75	
01 22 23 00-0313 Bulldozers (01 22 23 00-0269)		
Note: Includes full-time operator. Excludes delivery, set-up, and removal.		
01 22 23 00-0314 DAY 70 HP, D3 Bulldozer With Full-Time Operator	1,088.88	
For Equipment Without Operator, Deduct	-770.88	
01 22 23 00-0315 WK 70 HP, D3 Bulldozer With Full-Time Operator	5,108.42	
For Equipment Without Operator, Deduct	-3,854.42	
01 22 23 00-0316 MO 70 HP, D3 Bulldozer With Full-Time Operator	20,333.88	
For Equipment Without Operator, Deduct	-16,613.88	
01 22 23 00-0317 DAY 90 To 105 HP, D4 Or D5 Bulldozer With Full-Time Operator	1,238.88	
For Equipment Without Operator, Deduct	-770.88	
01 22 23 00-0318 WK 90 To 105 HP, D4 Or D5 Bulldozer With Full-Time Operator	5,714.42	
For Equipment Without Operator, Deduct	-3,854.42	
01 22 23 00-0319 MO 90 To 105 HP, D4 Or D5 Bulldozer With Full-Time Operator	22,193.88	
For Equipment Without Operator, Deduct	-16,613.88	
01 22 23 00-0320 DAY 140 HP, D6 Bulldozer With Full-Time Operator.....	1,664.88	
For Equipment Without Operator, Deduct	-770.88	
01 22 23 00-0321 WK 140 HP, D6 Bulldozer With Full-Time Operator.....	7,418.42	
For Equipment Without Operator, Deduct	-3,854.42	
01 22 23 00-0322 MO 140 HP, D6 Bulldozer With Full-Time Operator.....	27,293.88	
For Equipment Without Operator, Deduct	-16,613.88	
01 22 23 00-0323 DAY 200 HP, D7 Bulldozer With Full-Time Operator.....	2,042.88	
For Equipment Without Operator, Deduct	-770.88	
01 22 23 00-0324 WK 200 HP, D7 Bulldozer With Full-Time Operator.....	8,936.42	
For Equipment Without Operator, Deduct	-3,854.42	
01 22 23 00-0325 MO 200 HP, D7 Bulldozer With Full-Time Operator.....	31,853.88	
For Equipment Without Operator, Deduct	-16,613.88	
01 22 23 00-0326 DAY 335 HP, D8 Bulldozer With Full-Time Operator.....	2,492.88	
For Equipment Without Operator, Deduct	-770.88	
01 22 23 00-0327 WK 335 HP, D8 Bulldozer With Full-Time Operator.....	10,736.42	
For Equipment Without Operator, Deduct	-3,854.42	
01 22 23 00-0328 MO 335 HP, D8 Bulldozer With Full-Time Operator.....	37,253.88	
For Equipment Without Operator, Deduct	-16,613.88	
01 22 23 00-0329 DAY 460 HP, D9 Bulldozer With Full-Time Operator.....	2,744.88	
For Equipment Without Operator, Deduct	-770.88	
01 22 23 00-0330 WK 460 HP, D9 Bulldozer With Full-Time Operator.....	11,738.42	
For Equipment Without Operator, Deduct	-3,854.42	
01 22 23 00-0331 MO 460 HP, D9 Bulldozer With Full-Time Operator.....	40,253.88	
For Equipment Without Operator, Deduct	-16,613.88	
01 22 23 00-0332 Motor Scraper (01 22 23 00-0269)		
Note: Includes full-time operator. Excludes delivery, set-up, and removal.		
01 22 23 00-0333 DAY 11 CY Motor Scraper-Hauler With Full-Time Operator.....	1,681.26	
For Equipment Without Operator, Deduct	-770.88	
01 22 23 00-0334 WK 11 CY Motor Scraper-Hauler With Full-Time Operator.....	7,495.95	
For Equipment Without Operator, Deduct	-3,854.42	
01 22 23 00-0335 MO 11 CY Motor Scraper-Hauler With Full-Time Operator.....	27,526.00	
For Equipment Without Operator, Deduct	-16,613.88	
01 22 23 00-0336 DAY 18 CY Motor Scraper-Hauler With Full-Time Operator.....	2,049.16	
For Equipment Without Operator, Deduct	-770.88	
01 22 23 00-0337 WK 18 CY Motor Scraper-Hauler With Full-Time Operator.....	8,967.53	
For Equipment Without Operator, Deduct	-3,854.42	
01 22 23 00-0338 MO 18 CY Motor Scraper-Hauler With Full-Time Operator.....	31,953.21	
For Equipment Without Operator, Deduct	-16,613.88	
01 22 23 00-0339 DAY 24 CY Motor Scraper-Hauler With Full-Time Operator.....	2,404.58	
For Equipment Without Operator, Deduct	-770.88	
01 22 23 00-0340 WK 24 CY Motor Scraper-Hauler With Full-Time Operator.....	10,382.99	
For Equipment Without Operator, Deduct	-3,854.42	
01 22 23 00-0341 MO 24 CY Motor Scraper-Hauler With Full-Time Operator.....	36,193.35	
For Equipment Without Operator, Deduct	-16,613.88	
01 22 23 00-0342 Hydraulic Excavators (01 22 23 00-0269)		
Note: Includes full-time operator. Excludes delivery, set-up, and removal.		
01 22 23 00-0343 DAY 3/8 CY Hydraulic Excavator With Full-Time Operator	1,070.47	
For Equipment Without Operator, Deduct	-770.88	
01 22 23 00-0344 WK 3/8 CY Hydraulic Excavator With Full-Time Operator	4,914.09	
For Equipment Without Operator, Deduct	-3,854.42	
01 22 23 00-0345 MO 3/8 CY Hydraulic Excavator With Full-Time Operator	20,164.60	
For Equipment Without Operator, Deduct	-16,613.88	
01 22 23 00-0346 DAY 1/2 CY Hydraulic Excavator With Full-Time Operator	1,154.80	
For Equipment Without Operator, Deduct	-770.88	
01 22 23 00-0347 WK 1/2 CY Hydraulic Excavator With Full-Time Operator	5,285.80	
For Equipment Without Operator, Deduct	-3,854.42	
01 22 23 00-0348 MO 1/2 CY Hydraulic Excavator With Full-Time Operator	21,651.46	
For Equipment Without Operator, Deduct	-16,613.88	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
01 22 23 00-0349 DAY 5/8 CY Hydraulic Excavator With Full-Time Operator	1,181.43	
For Equipment Without Operator, Deduct	-770.88	
01 22 23 00-0350 WK 5/8 CY Hydraulic Excavator With Full-Time Operator	5,424.50	
For Equipment Without Operator, Deduct	-3,854.42	
01 22 23 00-0351 MO 5/8 CY Hydraulic Excavator With Full-Time Operator	21,895.58	
For Equipment Without Operator, Deduct	-16,613.88	
01 22 23 00-0352 DAY 3/4 CY Hydraulic Excavator With Full-Time Operator	1,209.17	
For Equipment Without Operator, Deduct	-770.88	
01 22 23 00-0353 WK 3/4 CY Hydraulic Excavator With Full-Time Operator	5,552.11	
For Equipment Without Operator, Deduct	-3,854.42	
01 22 23 00-0354 MO 3/4 CY Hydraulic Excavator With Full-Time Operator	22,139.69	
For Equipment Without Operator, Deduct	-16,613.88	
01 22 23 00-0355 DAY 7/8 To 1 CY Hydraulic Excavator With Full-Time Operator	1,231.36	
For Equipment Without Operator, Deduct	-770.88	
01 22 23 00-0356 WK 7/8 To 1 CY Hydraulic Excavator With Full-Time Operator	5,685.26	
For Equipment Without Operator, Deduct	-3,854.42	
01 22 23 00-0357 MO 7/8 To 1 CY Hydraulic Excavator With Full-Time Operator	22,383.80	
For Equipment Without Operator, Deduct	-16,613.88	
01 22 23 00-0358 DAY 1-1/8 To 1-1/4 CY Hydraulic Excavator With Full-Time Operator	1,530.96	
For Equipment Without Operator, Deduct	-770.88	
01 22 23 00-0359 WK 1-1/8 To 1-1/4 CY Hydraulic Excavator With Full-Time Operator	6,878.08	
For Equipment Without Operator, Deduct	-3,854.42	
01 22 23 00-0360 MO 1-1/8 To 1-1/4 CY Hydraulic Excavator With Full-Time Operator	25,684.86	
For Equipment Without Operator, Deduct	-16,613.88	
01 22 23 00-0361 DAY 1-3/8 To 1-1/2 CY Hydraulic Excavator With Full-Time Operator	1,575.34	
For Equipment Without Operator, Deduct	-770.88	
01 22 23 00-0362 WK 1-3/8 To 1-1/2 CY Hydraulic Excavator With Full-Time Operator	7,072.26	
For Equipment Without Operator, Deduct	-3,854.42	
01 22 23 00-0363 MO 1-3/8 To 1-1/2 CY Hydraulic Excavator With Full-Time Operator	26,267.40	
For Equipment Without Operator, Deduct	-16,613.88	
01 22 23 00-0364 DAY 1-5/8 To 1-7/8 CY Hydraulic Excavator With Full-Time Operator	1,658.56	
For Equipment Without Operator, Deduct	-770.88	
01 22 23 00-0365 WK 1-5/8 To 1-7/8 CY Hydraulic Excavator With Full-Time Operator	7,405.14	
For Equipment Without Operator, Deduct	-3,854.42	
01 22 23 00-0366 MO 1-5/8 To 1-7/8 CY Hydraulic Excavator With Full-Time Operator	27,266.04	
For Equipment Without Operator, Deduct	-16,613.88	
01 22 23 00-0367 DAY 2 To 2-3/8 CY Hydraulic Excavator With Full-Time Operator	1,752.88	
For Equipment Without Operator, Deduct	-770.88	
01 22 23 00-0368 WK 2 To 2-3/8 CY Hydraulic Excavator With Full-Time Operator	7,776.86	
For Equipment Without Operator, Deduct	-3,854.42	
01 22 23 00-0369 MO 2 To 2-3/8 CY Hydraulic Excavator With Full-Time Operator	28,375.64	
For Equipment Without Operator, Deduct	-16,613.88	
01 22 23 00-0370 DAY 2-1/2 To 2-7/8 CY Hydraulic Excavator With Full-Time Operator	1,780.62	
For Equipment Without Operator, Deduct	-770.88	
01 22 23 00-0371 WK 2-1/2 To 2-7/8 CY Hydraulic Excavator With Full-Time Operator	7,887.82	
For Equipment Without Operator, Deduct	-3,854.42	
01 22 23 00-0372 MO 2-1/2 To 2-7/8 CY Hydraulic Excavator With Full-Time Operator	28,708.52	
For Equipment Without Operator, Deduct	-16,613.88	
01 22 23 00-0373 DAY 3 To 3-3/4 CY Hydraulic Excavator With Full-Time Operator	2,046.92	
For Equipment Without Operator, Deduct	-770.88	
01 22 23 00-0374 WK 3 To 3-3/4 CY Hydraulic Excavator With Full-Time Operator	8,958.58	
For Equipment Without Operator, Deduct	-3,854.42	
01 22 23 00-0375 MO 3 To 3-3/4 CY Hydraulic Excavator With Full-Time Operator	31,926.36	
For Equipment Without Operator, Deduct	-16,613.88	
01 22 23 00-0376 DAY 4 To 5-3/4 CY Hydraulic Excavator With Full-Time Operator	2,429.73	
For Equipment Without Operator, Deduct	-770.88	
01 22 23 00-0377 WK 4 To 5-3/4 CY Hydraulic Excavator With Full-Time Operator	10,478.73	
For Equipment Without Operator, Deduct	-3,854.42	
01 22 23 00-0378 MO 4 To 5-3/4 CY Hydraulic Excavator With Full-Time Operator	36,475.72	
For Equipment Without Operator, Deduct	-16,613.88	
01 22 23 00-0379 DAY 6 To 11 CY Hydraulic Excavator With Full-Time Operator	2,901.31	
For Equipment Without Operator, Deduct	-770.88	
01 22 23 00-0380 WK 6 To 11 CY Hydraulic Excavator With Full-Time Operator	12,365.05	
For Equipment Without Operator, Deduct	-3,854.42	
01 22 23 00-0381 MO 6 To 11 CY Hydraulic Excavator With Full-Time Operator	42,134.68	
For Equipment Without Operator, Deduct	-16,613.88	
01 22 23 00-0382 DAY Thumbs Or Grapple Attachment For Hydraulic Excavators	77.67	
01 22 23 00-0383 WK Thumbs Or Grapple Attachment For Hydraulic Excavators	299.59	
01 22 23 00-0384 MO Thumbs Or Grapple Attachment For Hydraulic Excavators	887.68	
01 22 23 00-0385 DAY 1,000 Ft-Lb Hydraulic Hammer Attachment For Hydraulic Excavators	343.98	
01 22 23 00-0386 WK 1,000 Ft-Lb Hydraulic Hammer Attachment For Hydraulic Excavators	909.87	
01 22 23 00-0387 MO 1,000 Ft-Lb Hydraulic Hammer Attachment For Hydraulic Excavators	2,546.53	
01 22 23 00-0388 DAY 1,500 Ft-Lb Hydraulic Hammer Attachment For Hydraulic Excavators	532.61	
01 22 23 00-0389 WK 1,500 Ft-Lb Hydraulic Hammer Attachment For Hydraulic Excavators	1,359.26	
01 22 23 00-0390 MO 1,500 Ft-Lb Hydraulic Hammer Attachment For Hydraulic Excavators	3,534.08	
01 22 23 00-0391 DAY 3,000 Ft-Lb Hydraulic Hammer Attachment For Hydraulic Excavators	743.43	
01 22 23 00-0392 WK 3,000 Ft-Lb Hydraulic Hammer Attachment For Hydraulic Excavators	2,002.83	
01 22 23 00-0393 MO 3,000 Ft-Lb Hydraulic Hammer Attachment For Hydraulic Excavators	5,614.58	
01 22 23 00-0394 DAY 24" Compaction Wheel Attachment For Hydraulic Excavators	155.34	
01 22 23 00-0395 WK 24" Compaction Wheel Attachment For Hydraulic Excavators	621.38	
01 22 23 00-0396 MO 24" Compaction Wheel Attachment For Hydraulic Excavators	1,864.13	
01 22 23 00-0397 DAY 36" Compaction Wheel Attachment For Hydraulic Excavators	221.92	
01 22 23 00-0398 WK 36" Compaction Wheel Attachment For Hydraulic Excavators	887.68	
01 22 23 00-0399 MO 36" Compaction Wheel Attachment For Hydraulic Excavators	2,663.04	

10	01	General Requirements
	01 20	Price And Payment Procedures
	01 22	Unit Prices



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
01 22 23 00-0400 DAY 48" Compaction Wheel Attachment For Hydraulic Excavators.....	.244.11	
01 22 23 00-0401 WK 48" Compaction Wheel Attachment For Hydraulic Excavators.....	.965.35	
01 22 23 00-0402 MO 48" Compaction Wheel Attachment For Hydraulic Excavators.....	.2,884.96	
01 22 23 00-0403 Mini-Excavators <small>(01 22 23 00-0269)</small>		
<small>Note: Includes full-time operator. Excludes delivery, set-up, and removal.</small>		
01 22 23 00-0404 DAY 2,000 LB Mini-Excavator With Full-Time Operator.....	1,003.90	
<i>For Equipment Without Operator, Deduct</i>	-770.88	
01 22 23 00-0405 WK 2,000 LB Mini-Excavator With Full-Time Operator.....	4,514.63	
<i>For Equipment Without Operator, Deduct</i>	-3,854.42	
01 22 23 00-0406 MO 2,000 LB Mini-Excavator With Full-Time Operator.....	18,067.46	
<i>For Equipment Without Operator, Deduct</i>	-16,613.88	
01 22 23 00-0407 DAY 3,500 LB Mini-Excavator With Full-Time Operator.....	1,009.44	
<i>For Equipment Without Operator, Deduct</i>	-770.88	
01 22 23 00-0408 WK 3,500 LB Mini-Excavator With Full-Time Operator.....	4,531.28	
<i>For Equipment Without Operator, Deduct</i>	-3,854.42	
01 22 23 00-0409 MO 3,500 LB Mini-Excavator With Full-Time Operator.....	18,416.98	
<i>For Equipment Without Operator, Deduct</i>	-16,613.88	
01 22 23 00-0410 DAY 6,000 LB Mini-Excavator With Full-Time Operator.....	1,037.18	
<i>For Equipment Without Operator, Deduct</i>	-770.88	
01 22 23 00-0411 WK 6,000 LB Mini-Excavator With Full-Time Operator.....	4,608.95	
<i>For Equipment Without Operator, Deduct</i>	-3,854.42	
01 22 23 00-0412 MO 6,000 LB Mini-Excavator With Full-Time Operator.....	18,466.91	
<i>For Equipment Without Operator, Deduct</i>	-16,613.88	
01 22 23 00-0413 DAY 7,500 LB Mini-Excavator With Full-Time Operator.....	1,048.28	
<i>For Equipment Without Operator, Deduct</i>	-770.88	
01 22 23 00-0414 WK 7,500 LB Mini-Excavator With Full-Time Operator.....	4,647.78	
<i>For Equipment Without Operator, Deduct</i>	-3,854.42	
01 22 23 00-0415 MO 7,500 LB Mini-Excavator With Full-Time Operator.....	18,489.10	
<i>For Equipment Without Operator, Deduct</i>	-16,613.88	
01 22 23 00-0416 DAY 9,500 LB Mini-Excavator With Full-Time Operator.....	1,114.86	
<i>For Equipment Without Operator, Deduct</i>	-770.88	
01 22 23 00-0417 WK 9,500 LB Mini-Excavator With Full-Time Operator.....	4,703.26	
<i>For Equipment Without Operator, Deduct</i>	-3,854.42	
01 22 23 00-0418 MO 9,500 LB Mini-Excavator With Full-Time Operator.....	19,132.67	
<i>For Equipment Without Operator, Deduct</i>	-16,613.88	
01 22 23 00-0419 DAY 11,000 LB Mini-Excavator With Full-Time Operator.....	1,120.40	
<i>For Equipment Without Operator, Deduct</i>	-770.88	
01 22 23 00-0420 WK 11,000 LB Mini-Excavator With Full-Time Operator.....	4,980.66	
<i>For Equipment Without Operator, Deduct</i>	-3,854.42	
01 22 23 00-0421 MO 11,000 LB Mini-Excavator With Full-Time Operator.....	19,160.41	
<i>For Equipment Without Operator, Deduct</i>	-16,613.88	
01 22 23 00-0422 Telescopic Hydraulic Excavators (Gradall) <small>(01 22 23 00-0269)</small>		
<small>Note: Includes full-time operator. Excludes delivery, set-up, and removal.</small>		
01 22 23 00-0423 DAY Telescopic Hydraulic Excavator (Gradall) With Full-Time Operator.....	2,162.83	
<i>For Equipment Without Operator, Deduct</i>	-770.88	
01 22 23 00-0424 WK Telescopic Hydraulic Excavator (Gradall) With Full-Time Operator.....	9,416.00	
<i>For Equipment Without Operator, Deduct</i>	-3,854.42	
01 22 23 00-0425 MO Telescopic Hydraulic Excavator (Gradall) With Full-Time Operator.....	36,463.95	
<i>For Equipment Without Operator, Deduct</i>	-16,613.88	
01 22 23 00-0426 Road Graders <small>(01 22 23 00-0269)</small>		
<small>Note: Includes full-time operator. Excludes delivery, set-up, and removal.</small>		
01 22 23 00-0427 DAY 60 HP Road Grader With Full-Time Operator.....	1,286.43	
<i>For Equipment Without Operator, Deduct</i>	-770.88	
01 22 23 00-0428 WK 60 HP Road Grader With Full-Time Operator.....	5,249.05	
<i>For Equipment Without Operator, Deduct</i>	-3,854.42	
01 22 23 00-0429 MO 60 HP Road Grader With Full-Time Operator.....	20,784.56	
<i>For Equipment Without Operator, Deduct</i>	-16,613.88	
01 22 23 00-0430 DAY 80 HP Road Grader With Full-Time Operator.....	1,438.45	
<i>For Equipment Without Operator, Deduct</i>	-770.88	
01 22 23 00-0431 WK 80 HP Road Grader With Full-Time Operator.....	5,672.07	
<i>For Equipment Without Operator, Deduct</i>	-3,854.42	
01 22 23 00-0432 MO 80 HP Road Grader With Full-Time Operator.....	22,066.82	
<i>For Equipment Without Operator, Deduct</i>	-16,613.88	
01 22 23 00-0433 DAY 130 HP Road Grader With Full-Time Operator.....	1,335.50	
<i>For Equipment Without Operator, Deduct</i>	-770.88	
01 22 23 00-0434 WK 130 HP Road Grader With Full-Time Operator.....	6,112.93	
<i>For Equipment Without Operator, Deduct</i>	-3,854.42	
01 22 23 00-0435 MO 130 HP Road Grader With Full-Time Operator.....	24,685.09	
<i>For Equipment Without Operator, Deduct</i>	-16,613.88	
01 22 23 00-0436 Loader-Backhoes With Standard Bucket <small>(01 22 23 00-0269)</small>		
<small>Note: Includes full-time operator. Excludes delivery, set-up, and removal.</small>		
01 22 23 00-0437 DAY 1/2 To 5/8 CY, 65 HP, Loader-Backhoe With Standard Bucket And Full-Time Operator.....	1,120.07	
<i>For Equipment Without Operator, Deduct</i>	-770.88	
01 22 23 00-0438 WK 1/2 To 5/8 CY, 65 HP, Loader-Backhoe With Standard Bucket And Full-Time Operator.....	4,683.74	
<i>For Equipment Without Operator, Deduct</i>	-3,854.42	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
01 22 23 00-0439 MO 1/2 To 5/8 CY, 65 HP, Loader-Backhoe With Standard Bucket And Full-Time Operator	18,565.59	
For Equipment Without Operator, Deduct	-16,613.88	
01 22 23 00-0440 DAY 1 CY, 24" Bucket, 14'-4" Deep, 75 HP, Loader-Backhoe With Full-Time Operator	1,157.48	
For Equipment Without Operator, Deduct	-770.88	
01 22 23 00-0441 WK 1 CY, 24" Bucket, 14'-4" Deep, 75 HP, Loader-Backhoe With Full-Time Operator	4,814.69	
For Equipment Without Operator, Deduct	-3,854.42	
01 22 23 00-0442 MO 1 CY, 24" Bucket, 14'-4" Deep, 75 HP, Loader-Backhoe With Full-Time Operator	19,363.74	
For Equipment Without Operator, Deduct	-16,613.88	
01 22 23 00-0443 DAY 1-1/2 CY, 24" Bucket, 16'-6" Deep, 90 HP, Loader-Backhoe With Full-Time Operator	1,215.16	
For Equipment Without Operator, Deduct	-770.88	
01 22 23 00-0444 WK 1-1/2 CY, 24" Bucket, 16'-6" Deep, 90 HP, Loader-Backhoe With Full-Time Operator	4,958.10	
For Equipment Without Operator, Deduct	-3,854.42	
01 22 23 00-0445 MO 1-1/2 CY, 24" Bucket, 16'-6" Deep, 90 HP, Loader-Backhoe With Full-Time Operator	19,775.28	
For Equipment Without Operator, Deduct	-16,613.88	
01 22 23 00-0446 DAY 1-3/4 CY, 30" Bucket, 18'-0" Deep, 112 HP, Loader-Backhoe With Full-Time Operator	1,472.37	
For Equipment Without Operator, Deduct	-770.88	
01 22 23 00-0447 WK 1-3/4 CY, 30" Bucket, 18'-0" Deep, 112 HP, Loader-Backhoe With Full-Time Operator	5,725.07	
For Equipment Without Operator, Deduct	-3,854.42	
01 22 23 00-0448 MO 1-3/4 CY, 30" Bucket, 18'-0" Deep, 112 HP, Loader-Backhoe With Full-Time Operator	21,970.17	
For Equipment Without Operator, Deduct	-16,613.88	
01 22 23 00-0449 Heavy Duty Construction Loaders (01 22 23 00-0269)		
Note: Includes full-time operator. Excludes delivery, set-up, and removal.		
01 22 23 00-0450 DAY 2-1/2 CY, 119 HP, Heavy Duty Construction Loader With Full-Time Operator	1,223.02	
For Equipment Without Operator, Deduct	-770.88	
01 22 23 00-0451 WK 2-1/2 CY, 119 HP, Heavy Duty Construction Loader With Full-Time Operator	5,642.11	
For Equipment Without Operator, Deduct	-3,854.42	
01 22 23 00-0452 MO 2-1/2 CY, 119 HP, Heavy Duty Construction Loader With Full-Time Operator	21,970.00	
For Equipment Without Operator, Deduct	-16,613.88	
01 22 23 00-0453 DAY 3 CY, 135 HP, Heavy Duty Construction Loader With Full-Time Operator	1,598.64	
For Equipment Without Operator, Deduct	-770.88	
01 22 23 00-0454 WK 3 CY, 135 HP, Heavy Duty Construction Loader With Full-Time Operator	6,052.52	
For Equipment Without Operator, Deduct	-3,854.42	
01 22 23 00-0455 MO 3 CY, 135 HP, Heavy Duty Construction Loader With Full-Time Operator	22,178.68	
For Equipment Without Operator, Deduct	-16,613.88	
01 22 23 00-0456 DAY 3-1/2 CY, 198 HP, Heavy Duty Construction Loader With Full-Time Operator	1,682.12	
For Equipment Without Operator, Deduct	-770.88	
01 22 23 00-0457 WK 3-1/2 CY, 198 HP, Heavy Duty Construction Loader With Full-Time Operator	6,275.11	
For Equipment Without Operator, Deduct	-3,854.42	
01 22 23 00-0458 MO 3-1/2 CY, 198 HP, Heavy Duty Construction Loader With Full-Time Operator	22,735.16	
For Equipment Without Operator, Deduct	-16,613.88	
01 22 23 00-0459 DAY 4-1/2 CY, 215 HP, Heavy Duty Construction Loader With Full-Time Operator	1,911.66	
For Equipment Without Operator, Deduct	-770.88	
01 22 23 00-0460 WK 4-1/2 CY, 215 HP, Heavy Duty Construction Loader With Full-Time Operator	6,880.28	
For Equipment Without Operator, Deduct	-3,854.42	
01 22 23 00-0461 MO 4-1/2 CY, 215 HP, Heavy Duty Construction Loader With Full-Time Operator	24,265.48	
For Equipment Without Operator, Deduct	-16,613.88	
01 22 23 00-0462 DAY 7-1/3 CY, 330 HP, Heavy Duty Construction Loader With Full-Time Operator	2,502.92	
For Equipment Without Operator, Deduct	-770.88	
01 22 23 00-0463 WK 7-1/3 CY, 330 HP, Heavy Duty Construction Loader With Full-Time Operator	10,768.68	
For Equipment Without Operator, Deduct	-3,854.42	
01 22 23 00-0464 MO 7-1/3 CY, 330 HP, Heavy Duty Construction Loader With Full-Time Operator	37,342.76	
For Equipment Without Operator, Deduct	-16,613.88	
01 22 23 00-0465 DAY 13-1/2 CY, 690 HP, Heavy Duty Construction Loader With Full-Time Operator	6,398.21	
For Equipment Without Operator, Deduct	-770.88	
01 22 23 00-0466 WK 13-1/2 CY, 690 HP, Heavy Duty Construction Loader With Full-Time Operator	22,127.64	
For Equipment Without Operator, Deduct	-3,854.42	
01 22 23 00-0467 MO 13-1/2 CY, 690 HP, Heavy Duty Construction Loader With Full-Time Operator	66,413.34	
For Equipment Without Operator, Deduct	-16,613.88	
01 22 23 00-0468 Shoring (01 22 23 00-0269)		
Note: Includes delivery to job site and pick-up when complete.		
01 22 23 00-0469 Aluminum Hydraulic Shoring (01 22 23 00-0468)		
Note: Includes delivery to job site and pick-up when complete. Excludes sheeting.		
01 22 23 00-0470 WK 2' Rails, 1 Cylinder, Aluminum Hydraulic Shoring	69.90	
Note: Up to 88" spread width.		
01 22 23 00-0471 MO 2' Rails, 1 Cylinder, Aluminum Hydraulic Shoring	206.19	
Note: Up to 88" spread width.		
01 22 23 00-0472 WK Up To 12' Rails, 2 Cylinders, Aluminum Hydraulic Shoring	93.78	
Note: Up to 88" spread width.		
01 22 23 00-0473 MO Up To 12' Rails, 2 Cylinders, Aluminum Hydraulic Shoring	276.60	
Note: Up to 88" spread width.		
01 22 23 00-0474 WK Up To 16' Rails, 3 Cylinders, Aluminum Hydraulic Shoring	173.89	
Note: Up to 88" spread width.		
01 22 23 00-0475 MO Up To 16' Rails, 3 Cylinders, Aluminum Hydraulic Shoring	512.97	
Note: Up to 88" spread width.		
01 22 23 00-0476 EA Set-up And Removal Of 1 Cylinder Aluminum Hydraulic Shores	24.29	
01 22 23 00-0477 EA Set-up And Removal Of 2 Cylinders Aluminum Hydraulic Shores	38.86	
01 22 23 00-0478 EA Set-up And Removal Of 3 Cylinders Aluminum Hydraulic Shores	64.76	

10	01	General Requirements
	01 20	Price And Payment Procedures
	01 22	Unit Prices



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
------------------------------	---------------------------	-------------------------

01 22 23 00-0479

Trench Boxes/Trench Shields (01 22 23 00-0269)

Note: Trenching tasks include moving the trench box in excavation as trenching proceeds. Includes delivery to job site and pick-up when complete. For stackable units, combine multiple units for depth required.

01 22 23 00-0480	WK	4' x 6' Trench Box With Up To 48" Spreaders	155.00
01 22 23 00-0481	MO	4' x 6' Trench Box With Up To 48" Spreaders	465.00
01 22 23 00-0482	WK	6' x 6' Trench Box With Up To 48" Spreaders	175.00
01 22 23 00-0483	MO	6' x 6' Trench Box With Up To 48" Spreaders	525.00
01 22 23 00-0484	WK	8' x 6' Trench Box With Up To 48" Spreaders	185.00
01 22 23 00-0485	MO	8' x 6' Trench Box With Up To 48" Spreaders	555.00
01 22 23 00-0486	WK	4' x 8' Trench Box With Up To 48" Spreaders	170.00
01 22 23 00-0487	MO	4' x 8' Trench Box With Up To 48" Spreaders	510.00
01 22 23 00-0488	WK	6' x 8' Trench Box With Up To 48" Spreaders	200.00
01 22 23 00-0489	MO	6' x 8' Trench Box With Up To 48" Spreaders	600.00
01 22 23 00-0490	WK	8' x 8' Trench Box With Up To 48" Spreaders	225.00
01 22 23 00-0491	MO	8' x 8' Trench Box With Up To 48" Spreaders	675.00
01 22 23 00-0492	WK	4' x 10' Trench Box With Up To 48" Spreaders	190.00
01 22 23 00-0493	MO	4' x 10' Trench Box With Up To 48" Spreaders	570.00
01 22 23 00-0494	WK	6' x 10' Trench Box With Up To 48" Spreaders	225.00
01 22 23 00-0495	MO	6' x 10' Trench Box With Up To 48" Spreaders	675.00
01 22 23 00-0496	WK	8' x 10' Trench Box With Up To 48" Spreaders	275.00
01 22 23 00-0497	MO	8' x 10' Trench Box With Up To 48" Spreaders	820.00
01 22 23 00-0498	WK	4' x 12' Trench Box With Up To 48" Spreaders	225.00
01 22 23 00-0499	MO	4' x 12' Trench Box With Up To 48" Spreaders	675.00
01 22 23 00-0500	WK	6' x 12' Trench Box With Up To 48" Spreaders	275.00
01 22 23 00-0501	MO	6' x 12' Trench Box With Up To 48" Spreaders	825.00
01 22 23 00-0502	WK	8' x 12' Trench Box With Up To 48" Spreaders	350.00
01 22 23 00-0503	MO	8' x 12' Trench Box With Up To 48" Spreaders	1,050.00
01 22 23 00-0504	WK	4' x 14' Trench Box With Up To 48" Spreaders	250.00
01 22 23 00-0505	MO	4' x 14' Trench Box With Up To 48" Spreaders	750.00
01 22 23 00-0506	WK	6' x 14' Trench Box With Up To 48" Spreaders	325.00
01 22 23 00-0507	MO	6' x 14' Trench Box With Up To 48" Spreaders	975.00
01 22 23 00-0508	WK	8' x 14' Trench Box With Up To 48" Spreaders	400.00
01 22 23 00-0509	MO	8' x 14' Trench Box With Up To 48" Spreaders	1,200.00
01 22 23 00-0510	WK	4' x 16' Trench Box With Up To 48" Spreaders	275.00
01 22 23 00-0511	MO	4' x 16' Trench Box With Up To 48" Spreaders	825.00
01 22 23 00-0512	WK	6' x 16' Trench Box With Up To 48" Spreaders	375.00
01 22 23 00-0513	MO	6' x 16' Trench Box With Up To 48" Spreaders	1,125.00
01 22 23 00-0514	WK	8' x 16' Trench Box With Up To 48" Spreaders	450.00
01 22 23 00-0515	MO	8' x 16' Trench Box With Up To 48" Spreaders	1,350.00
01 22 23 00-0516	WK	4' x 20' Trench Box With Up To 48" Spreaders	325.00
01 22 23 00-0517	MO	4' x 20' Trench Box With Up To 48" Spreaders	975.00
01 22 23 00-0518	WK	6' x 20' Trench Box With Up To 48" Spreaders	450.00
01 22 23 00-0519	MO	6' x 20' Trench Box With Up To 48" Spreaders	1,350.00
01 22 23 00-0520	WK	8' x 20' Trench Box With Up To 48" Spreaders	525.00
01 22 23 00-0521	MO	8' x 20' Trench Box With Up To 48" Spreaders	1,575.00
01 22 23 00-0522	WK	4' x 24' Trench Box With Up To 48" Spreaders	450.00
01 22 23 00-0523	MO	4' x 24' Trench Box With Up To 48" Spreaders	1,350.00
01 22 23 00-0524	WK	6' x 24' Trench Box With Up To 48" Spreaders	550.00
01 22 23 00-0525	MO	6' x 24' Trench Box With Up To 48" Spreaders	1,650.00
01 22 23 00-0526	WK	8' x 24' Trench Box With Up To 48" Spreaders	600.00
01 22 23 00-0527	MO	8' x 24' Trench Box With Up To 48" Spreaders	1,800.00
01 22 23 00-0528	WK	For Spreaders >48" To 84", Add	15.00
01 22 23 00-0529	MO	For Spreaders >48" To 84", Add	45.00
01 22 23 00-0530	WK	For Spreaders >84" To 120", Add	90.00
01 22 23 00-0531	MO	For Spreaders >84" To 120", Add	270.00
01 22 23 00-0532	WK	For Spreaders >120", Add	190.00
01 22 23 00-0533	MO	For Spreaders >120", Add	570.00
01 22 23 00-0534	WK	8' x 4' Manhole Box	236.25
01 22 23 00-0535	MO	8' x 4' Manhole Box	708.75
01 22 23 00-0536	WK	8' x 8' Manhole Box	337.50
01 22 23 00-0537	MO	8' x 8' Manhole Box	1,012.50

01 22 23 00-0538

Trenchers (01 22 23 00-0269)

Note: Includes full-time operator. Excludes delivery, set-up, and removal.

01 22 23 00-0539	DAY	4' Maximum Trench Depth, Ride-On Trencher With Full-Time Operator	1,069.54
		<i>For Equipment Without Operator, Deduct</i>	-770.88
01 22 23 00-0540	WK	4' Maximum Trench Depth, Ride-On Trencher With Full-Time Operator	4,871.72
		<i>For Equipment Without Operator, Deduct</i>	-3,854.42
01 22 23 00-0541	MO	4' Maximum Trench Depth, Ride-On Trencher With Full-Time Operator	19,413.78
		<i>For Equipment Without Operator, Deduct</i>	-16,613.88
01 22 23 00-0542	DAY	5' Maximum Trench Depth, Ride-On Trencher With Full-Time Operator	1,573.52
		<i>For Equipment Without Operator, Deduct</i>	-770.88
01 22 23 00-0543	WK	5' Maximum Trench Depth, Ride-On Trencher With Full-Time Operator	6,670.32
		<i>For Equipment Without Operator, Deduct</i>	-3,854.42
01 22 23 00-0544	MO	5' Maximum Trench Depth, Ride-On Trencher With Full-Time Operator	24,080.28
		<i>For Equipment Without Operator, Deduct</i>	-16,613.88

01 22 23 00-0545

Tractors (01 22 23 00-0269)

Note: Excludes operator, delivery, set-up, and removal.



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
01 22 23 00-0546 DAY 20 To 29 HP Tractor	423.34	
01 22 23 00-0547 WK 20 To 29 HP Tractor	1,019.16	
01 22 23 00-0548 MO 20 To 29 HP Tractor	2,751.74	
01 22 23 00-0549 DAY 30 To 35 HP Tractor	438.65	
01 22 23 00-0550 WK 30 To 35 HP Tractor	1,129.29	
01 22 23 00-0551 MO 30 To 35 HP Tractor	3,126.56	
01 22 23 00-0552 DAY 40 To 45 HP Tractor	447.98	
01 22 23 00-0553 WK 40 To 45 HP Tractor	1,203.96	
01 22 23 00-0554 MO 40 To 45 HP Tractor	3,303.88	
01 22 23 00-0555 DAY 80 To 89 HP Tractor	576.78	
01 22 23 00-0556 WK 80 To 89 HP Tractor	1,635.70	
01 22 23 00-0557 MO 80 To 89 HP Tractor	4,683.49	
01 22 23 00-0558 DAY 60" Rotary Mower Attachment For Tractors	181.06	
01 22 23 00-0559 WK 60" Rotary Mower Attachment For Tractors	559.98	
01 22 23 00-0560 DAY 84" Rotary Mower Attachment For Tractors	197.86	
01 22 23 00-0561 WK 84" Rotary Mower Attachment For Tractors	606.64	
01 22 23 00-0562 DAY Under Deck Rotary Mower Attachment For Tractors	23.04	
01 22 23 00-0563 WK Under Deck Rotary Mower Attachment For Tractors	92.15	
01 22 23 00-0564	Portable Sediment Tank (01 22 23 00-0269)	
	Note: Includes delivery to job site and pick-up when complete.	
01 22 23 00-0565 WK Portable Sediment Tank	115.19	
01 22 23 00-0566 MO Portable Sediment Tank	337.90	
01 22 23 00-0567	Heavy Equipment (Wood Ground Protection) Mats (01 22 23 00-0269)	
	Note: Rental price per mat. Excludes placement, moving, mobilization and demobilization. See CSI section 01 22 23 00-0269 for equipment for offloading/reloading from delivery vehicle, placing, and moving mats, 01 71 13 00-0001 for equipment delivery, pickup, mobilization and demobilization.	
01 22 23 00-0568 DAY 14' Width x 8' Length, 6" Thick, 3-Ply Laminated Heavy Equipment Mat	17.60	
01 22 23 00-0569 WK 14' Width x 8' Length, 6" Thick, 3-Ply Laminated Heavy Equipment Mat	41.90	
01 22 23 00-0570 MO 14' Width x 8' Length, 6" Thick, 3-Ply Laminated Heavy Equipment Mat	88.00	
01 22 23 00-0571 DAY 16' Width x 8' Length, 6" Thick, 3-Ply Laminated Heavy Equipment Mat	18.48	
01 22 23 00-0572 WK 16' Width x 8' Length, 6" Thick, 3-Ply Laminated Heavy Equipment Mat	44.00	
01 22 23 00-0573 MO 16' Width x 8' Length, 6" Thick, 3-Ply Laminated Heavy Equipment Mat	92.40	
01 22 23 00-0574 Day 16' Width x 4' Length, 8" Thick Hardwood Timbers, Dragline/Excavator Mat	14.96	
01 22 23 00-0575 WK 16' Width x 4' Length, 8" Thick Hardwood Timbers, Dragline/Excavator Mat	35.20	
01 22 23 00-0576 MO 16' Width x 4' Length, 8" Thick Hardwood Timbers, Dragline/Excavator Mat	74.80	
01 22 23 00-0577 Day 18' Width x 4' Length, 8" Thick Hardwood Timbers, Dragline/Excavator Mat	16.72	
01 22 23 00-0578 WK 18' Width x 4' Length, 8" Thick Hardwood Timbers, Dragline/Excavator Mat	39.60	
01 22 23 00-0579 MO 18' Width x 4' Length, 8" Thick Hardwood Timbers, Dragline/Excavator Mat	83.60	
01 22 23 00-0580 Day 20' Width x 4' Length, 8" Thick Hardwood Timbers, Dragline/Excavator Mat	18.48	
01 22 23 00-0581 WK 20' Width x 4' Length, 8" Thick Hardwood Timbers, Dragline/Excavator Mat	44.00	
01 22 23 00-0582 MO 20' Width x 4' Length, 8" Thick Hardwood Timbers, Dragline/Excavator Mat	92.40	
01 22 23 00-0583 Day 24' Width x 4' Length, 8" Thick Hardwood Timbers, Dragline/Excavator Mat	20.24	
01 22 23 00-0584 WK 24' Width x 4' Length, 8" Thick Hardwood Timbers, Dragline/Excavator Mat	48.19	
01 22 23 00-0585 MO 24' Width x 4' Length, 8" Thick Hardwood Timbers, Dragline/Excavator Mat	101.20	
01 22 23 00-0586 Day 12' Width x 4' Length, 12" Thick Hardwood Timbers, Crane Mat	15.84	
01 22 23 00-0587 WK 12' Width x 4' Length, 12" Thick Hardwood Timbers, Crane Mat	44.00	
01 22 23 00-0588 MO 12' Width x 4' Length, 12" Thick Hardwood Timbers, Crane Mat	79.20	
01 22 23 00-0589 Day 16' Width x 4' Length, 12" Thick Hardwood Timbers, Crane Mat	18.48	
01 22 23 00-0590 WK 16' Width x 4' Length, 12" Thick Hardwood Timbers, Crane Mat	44.00	
01 22 23 00-0591 MO 16' Width x 4' Length, 12" Thick Hardwood Timbers, Crane Mat	92.40	
01 22 23 00-0592 Day 20' Width x 4' Length, 12" Thick Hardwood Timbers, Crane Mat	22.00	
01 22 23 00-0593 WK 20' Width x 4' Length, 12" Thick Hardwood Timbers, Crane Mat	48.40	
01 22 23 00-0594 MO 20' Width x 4' Length, 12" Thick Hardwood Timbers, Crane Mat	110.00	
01 22 23 00-0595 Day 24' Width x 4' Length, 12" Thick Hardwood Timbers, Crane Mat	23.76	
01 22 23 00-0596 WK 24' Width x 4' Length, 12" Thick Hardwood Timbers, Crane Mat	56.57	
01 22 23 00-0597 MO 24' Width x 4' Length, 12" Thick Hardwood Timbers, Crane Mat	118.80	
01 22 23 00-0598 Day 28' Width x 4' Length, 12" Thick Hardwood Timbers, Crane Mat	25.52	
01 22 23 00-0599 WK 28' Width x 4' Length, 12" Thick Hardwood Timbers, Crane Mat	60.76	
01 22 23 00-0600 MO 28' Width x 4' Length, 12" Thick Hardwood Timbers, Crane Mat	127.60	
01 22 23 00-0601 Day 30' Width x 4' Length, 12" Thick Hardwood Timbers, Crane Mat	26.40	
01 22 23 00-0602 WK 30' Width x 4' Length, 12" Thick Hardwood Timbers, Crane Mat	62.86	
01 22 23 00-0603 MO 30' Width x 4' Length, 12" Thick Hardwood Timbers, Crane Mat	132.00	
01 22 23 00-0604 Day 14' Width x 8' Length, 2-3/4" Thick, Laminated Heavy Equipment Mat (Emtek™)	8.47	
01 22 23 00-0605 WK 14' Width x 8' Length, 2-3/4" Thick, Laminated Heavy Equipment Mat (Emtek™)	21.16	
01 22 23 00-0606 MO 14' Width x 8' Length, 2-3/4" Thick, Laminated Heavy Equipment Mat (Emtek™)	63.49	
01 22 23 00-0607 Day 14' Width x 8' Length, 3-1/2" Thick, Laminated Heavy Equipment Mat (Emtek™)	10.12	
01 22 23 00-0608 WK 14' Width x 8' Length, 3-1/2" Thick, Laminated Heavy Equipment Mat (Emtek™)	25.30	
01 22 23 00-0609 MO 14' Width x 8' Length, 3-1/2" Thick, Laminated Heavy Equipment Mat (Emtek™)	75.90	
01 22 23 00-0610 Day 16' Width x 8' Length, 3-1/2" Thick, Laminated Heavy Equipment Mat (Emtek™)	11.56	
01 22 23 00-0611 WK 16' Width x 8' Length, 3-1/2" Thick, Laminated Heavy Equipment Mat (Emtek™)	28.89	
01 22 23 00-0612 MO 16' Width x 8' Length, 3-1/2" Thick, Laminated Heavy Equipment Mat (Emtek™)	86.68	
01 22 23 00-0613 Day 14' Width x 8' Length, 4-1/2" Thick, Laminated Heavy Equipment Mat (Emtek™)	12.32	
01 22 23 00-0614 WK 14' Width x 8' Length, 4-1/2" Thick, Laminated Heavy Equipment Mat (Emtek™)	30.80	
01 22 23 00-0615 MO 14' Width x 8' Length, 4-1/2" Thick, Laminated Heavy Equipment Mat (Emtek™)	92.40	
01 22 23 00-0616 Day 16' Width x 8' Length, 4-1/2" Thick, Laminated Heavy Equipment Mat (Emtek™)	14.08	
01 22 23 00-0617 WK 16' Width x 8' Length, 4-1/2" Thick, Laminated Heavy Equipment Mat (Emtek™)	35.20	
01 22 23 00-0618 MO 16' Width x 8' Length, 4-1/2" Thick, Laminated Heavy Equipment Mat (Emtek™)	105.60	

01	General Requirements
01 20	Price And Payment Procedures
01 22	Unit Prices



MINOR
CSI UOM DESCRIPTION

TOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

01 22 23 00-0619	Day	16' Width x 8' Length, 5-1/2" Thick, Laminated Heavy Equipment Mat (Emtek™)	16.18
01 22 23 00-0620	WK	16' Width x 8' Length, 5-1/2" Thick, Laminated Heavy Equipment Mat (Emtek™)	40.45
01 22 23 00-0621	MO	16' Width x 8' Length, 5-1/2" Thick, Laminated Heavy Equipment Mat (Emtek™)	121.35
01 22 23 00-0622	Day	24' Width x 4' Length, 6" Thick, Laminated Heavy Equipment Mat (Emtek™)	12.45
01 22 23 00-0623	WK	24' Width x 4' Length, 6" Thick, Laminated Heavy Equipment Mat (Emtek™)	31.12
01 22 23 00-0624	MO	24' Width x 4' Length, 6" Thick, Laminated Heavy Equipment Mat (Emtek™)	93.37
01 22 23 00-0625	Day	30' Width x 4' Length, 6-1/2" Thick, Laminated Heavy Equipment Mat (Emtek™)	16.85
01 22 23 00-0626	WK	30' Width x 4' Length, 6-1/2" Thick, Laminated Heavy Equipment Mat (Emtek™)	42.14
01 22 23 00-0627	MO	30' Width x 4' Length, 6-1/2" Thick, Laminated Heavy Equipment Mat (Emtek™)	126.41
01 22 23 00-0628	Day	24' Width x 4' Length, 7-1/2" Thick, Laminated Heavy Equipment Mat (Emtek™)	14.57
01 22 23 00-0629	WK	24' Width x 4' Length, 7-1/2" Thick, Laminated Heavy Equipment Mat (Emtek™)	36.43
01 22 23 00-0630	MO	24' Width x 4' Length, 7-1/2" Thick, Laminated Heavy Equipment Mat (Emtek™)	109.30
01 22 23 00-0631	Day	40' Width x 4' Length, 7-1/2" Thick, Laminated Heavy Equipment Mat (Emtek™)	24.30
01 22 23 00-0632	WK	40' Width x 4' Length, 7-1/2" Thick, Laminated Heavy Equipment Mat (Emtek™)	60.76
01 22 23 00-0633	MO	40' Width x 4' Length, 7-1/2" Thick, Laminated Heavy Equipment Mat (Emtek™)	182.28
01 22 23 00-0634	Day	40' Width x 4' Length, 8" Thick, Laminated Heavy Equipment Mat (Emtek™)	25.91
01 22 23 00-0635	WK	40' Width x 4' Length, 8" Thick, Laminated Heavy Equipment Mat (Emtek™)	64.77
01 22 23 00-0636	MO	40' Width x 4' Length, 8" Thick, Laminated Heavy Equipment Mat (Emtek™)	194.30

01 22 23 00-0637 Electrical Equipment (01 22 23)

01 22 23 00-0638 Tripod Mounted Floodlights (01 22 23 00-0637)

Note: Includes delivery to job site and pick-up when complete.

01 22 23 00-0639	DAY	500 Watt, 115 Volt, 2 Lamp, Portable Light Stand With Tripod	49.12
01 22 23 00-0640	WK	500 Watt, 115 Volt, 2 Lamp, Portable Light Stand With Tripod	116.22
01 22 23 00-0641	MO	500 Watt, 115 Volt, 2 Lamp, Portable Light Stand With Tripod	245.61
01 22 23 00-0642	DAY	1,000 Watt, 115 Volt, 2 Lamp, Portable Light Stand With Tripod	49.12
01 22 23 00-0643	WK	1,000 Watt, 115 Volt, 2 Lamp, Portable Light Stand With Tripod	143.77
01 22 23 00-0644	MO	1,000 Watt, 115 Volt, 2 Lamp, Portable Light Stand With Tripod	425.33
01 22 23 00-0645	DAY	2,000 Watt, 115 Volt, 2 Lamp, Portable Light Stand With Tripod	55.11
01 22 23 00-0646	WK	2,000 Watt, 115 Volt, 2 Lamp, Portable Light Stand With Tripod	149.76
01 22 23 00-0647	MO	2,000 Watt, 115 Volt, 2 Lamp, Portable Light Stand With Tripod	365.42

01 22 23 00-0648 Trailer Mounted Floodlights (01 22 23 00-0637)

Note: Includes delivery to job site and pick-up when complete. Excludes operator.

01 22 23 00-0649	DAY	4 x 1,000 Watt Floodlights, 30' Telescoping Tower, Diesel Power Trailer Mounted Light Tower	137.78
01 22 23 00-0650	WK	4 x 1,000 Watt Floodlights, 30' Telescoping Tower, Diesel Power Trailer Mounted Light Tower	305.52
01 22 23 00-0651	MO	4 x 1,000 Watt Floodlights, 30' Telescoping Tower, Diesel Power Trailer Mounted Light Tower	658.96

01 22 23 00-0652 Generator Sets (01 22 23 00-0637)

01 22 23 00-0653 Portable, Gas Or Diesel Powered Generator Sets (01 22 23 00-0652)

Note: With 24 hour day-tank. Includes delivery to job site and pick-up when complete. Excludes cables, operator and fuel costs. See CSI section 01 22 23 00-0760 for reimbursable fuel fees.

01 22 23 00-0654	DAY	3.6 KW, 8 HP Gas Powered Generator Set	42.15
		For LP Or NG Gas, Add	5.27
		For >160 To 320 Hours Usage Per Month, Add	21.08
01 22 23 00-0655	WK	3.6 KW, 8 HP Gas Powered Generator Set	151.95
		For LP Or NG Gas, Add	18.99
01 22 23 00-0656	MO	3.6 KW, 8 HP Gas Powered Generator Set	421.53
		For LP Or NG Gas, Add	52.69
01 22 23 00-0657	DAY	5 KW, 11 HP Gas Powered Generator Set	59.80
		For LP Or NG Gas, Add	7.48
01 22 23 00-0658	WK	5 KW, 11 HP Gas Powered Generator Set	191.16
		For LP Or NG Gas, Add	23.90
01 22 23 00-0659	MO	5 KW, 11 HP Gas Powered Generator Set	436.23
		For LP Or NG Gas, Add	54.53
01 22 23 00-0660	DAY	6.5 KW, 13 HP Gas Powered Generator Set	76.46
		For LP Or NG Gas, Add	9.56
01 22 23 00-0661	WK	6.5 KW, 13 HP Gas Powered Generator Set	205.86
		For LP Or NG Gas, Add	25.73
01 22 23 00-0662	MO	6.5 KW, 13 HP Gas Powered Generator Set	568.57
		For LP Or NG Gas, Add	71.07
01 22 23 00-0663	DAY	10 KW, 18 HP Gas Powered Generator Set	85.29
		For LP Or NG Gas, Add	10.66
01 22 23 00-0664	WK	10 KW, 18 HP Gas Powered Generator Set	230.37
		For LP Or NG Gas, Add	28.80
01 22 23 00-0665	MO	10 KW, 18 HP Gas Powered Generator Set	661.70
		For LP Or NG Gas, Add	82.71

01 22 23 00-0666 Towable, Diesel Powered Generator Sets (01 22 23 00-0652)

Note: Includes 24 hour day-tank on sizes up to 180KW, 40 hour day-tank for sizes greater than 180KW To 300 KW and 1000 gallon for sizes greater than 300KW. Multi-voltage transformer unless stated otherwise, trailer mounted including sound attenuation and control panel. Excludes cables, operator and fuel costs. See CSI section 01 22 23 00-0760 for reimbursable fuel fees.



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
01 22 23 00-0667 DAY 20 KW, 60 Hertz Towable Diesel Powered Generator Set.....	175.47	
Note: Fuel consumption: 100% load – 1.6 gallons per hour, 75% load - 1.3 gallons per hour, 50% load - 0.9 gallons per hour.		
For >8 To 16 Hours Usage Per Day, Add	87.74	
For >16 To 24 Hours Usage Per Day, Add	175.47	
01 22 23 00-0668 WK 20 KW, 60 Hertz Towable Diesel Powered Generator Set.....	458.78	
Note: Fuel consumption: 100% load – 1.6 gallons per hour, 75% load - 1.3 gallons per hour, 50% load - 0.9 gallons per hour.		
For >40 To 80 Hours Usage Per Week, Add	229.39	
For >80 Hours Usage Per Week, Add	458.78	
01 22 23 00-0669 MO 20 KW, 60 Hertz Towable Diesel Powered Generator Set.....	1,249.88	
Note: Fuel consumption: 100% load – 1.6 gallons per hour, 75% load - 1.3 gallons per hour, 50% load - 0.9 gallons per hour.		
For >160 To 320 Hours Usage Per Month, Add	624.94	
For >320 Hours Usage Per Month, Add	1,249.88	
01 22 23 00-0670 DAY 30 KW, 60 Hertz Towable Diesel Powered Generator Set.....	310.00	
Note: Fuel consumption: 100% load – 2.9 gallons per hour, 75% load - 2.4 gallons per hour, 50% load - 1.8 gallons per hour.		
For >8 To 16 Hours Usage Per Day, Add	155.00	
For >16 To 24 Hours Usage Per Day, Add	310.00	
01 22 23 00-0671 WK 30 KW, 60 Hertz Towable Diesel Powered Generator Set.....	920.00	
Note: Fuel consumption: 100% load – 2.9 gallons per hour, 75% load - 2.4 gallons per hour, 50% load - 1.8 gallons per hour.		
For >40 To 80 Hours Usage Per Week, Add	460.00	
For >80 Hours Usage Per Week, Add	920.00	
01 22 23 00-0672 MO 30 KW, 60 Hertz Towable Diesel Powered Generator Set.....	1,900.00	
Note: Fuel consumption: 100% load – 2.9 gallons per hour, 75% load - 2.4 gallons per hour, 50% load - 1.8 gallons per hour.		
For >160 To 320 Hours Usage Per Month, Add	950.00	
For >320 Hours Usage Per Month, Add	1,900.00	
01 22 23 00-0673 DAY 40.0 KW, 60 Hertz Towable Diesel Powered Generator Set.....	340.00	
Note: Fuel consumption: 100% load - 4.0 gallons per hour, 75% load - 3.2 gallons per hour, 50% load - 2.3 gallons per hour.		
For >8 To 16 Hours Usage Per Day, Add	170.00	
For >16 To 24 Hours Usage Per Day, Add	340.00	
01 22 23 00-0674 WK 40.0 KW, 60 Hertz Towable Diesel Powered Generator Set.....	950.00	
Note: Fuel consumption: 100% load - 4.0 gallons per hour, 75% load - 3.2 gallons per hour, 50% load - 2.3 gallons per hour.		
For >40 To 80 Hours Usage Per Week, Add	475.00	
For >80 Hours Usage Per Week, Add	950.00	
01 22 23 00-0675 MO 40.0 KW, 60 Hertz Towable Diesel Powered Generator Set.....	2,100.00	
Note: Fuel consumption: 100% load - 4.0 gallons per hour, 75% load - 3.2 gallons per hour, 50% load - 2.3 gallons per hour.		
For >160 To 320 Hours Usage Per Month, Add	1,050.00	
For >320 Hours Usage Per Month, Add	2,100.00	
01 22 23 00-0676 DAY 55.0 KW, 60 Hertz Towable Diesel Powered Generator Set.....	365.00	
Note: Fuel consumption: 100% load – 4.8 gallons per hour, 75% load - 3.8 gallons per hour, 50% load - 2.9 gallons per hour.		
For >8 To 16 Hours Usage Per Day, Add	182.50	
For >16 To 24 Hours Usage Per Day, Add	365.00	
01 22 23 00-0677 WK 55.0 KW, 60 Hertz Towable Diesel Powered Generator Set.....	1,000.00	
Note: Fuel consumption: 100% load – 4.8 gallons per hour, 75% load - 3.8 gallons per hour, 50% load - 2.9 gallons per hour.		
For >40 To 80 Hours Usage Per Week, Add	500.00	
For >80 Hours Usage Per Week, Add	1,000.00	
01 22 23 00-0678 MO 55.0 KW, 60 Hertz Towable Diesel Powered Generator Set.....	2,400.00	
Note: Fuel consumption: 100% load – 4.8 gallons per hour, 75% load - 3.8 gallons per hour, 50% load - 2.9 gallons per hour.		
For >160 To 320 Hours Usage Per Month, Add	1,200.00	
For >320 Hours Usage Per Month, Add	2,400.00	
01 22 23 00-0679 DAY 70.0 KW, 60 Hertz Towable Diesel Powered Generator Set.....	400.00	
Note: Fuel consumption: 100% load – 5.7 gallons per hour, 75% load - 4.3 gallons per hour, 50% load - 3.2 gallons per hour.		
For >8 To 16 Hours Usage Per Day, Add	200.00	
For >16 To 24 Hours Usage Per Day, Add	400.00	
01 22 23 00-0680 WK 70.0 KW, 60 Hertz Towable Diesel Powered Generator Set.....	1,135.00	
Note: Fuel consumption: 100% load – 5.7 gallons per hour, 75% load - 4.3 gallons per hour, 50% load - 3.2 gallons per hour.		
For >40 To 80 Hours Usage Per Week, Add	567.50	
For >80 Hours Usage Per Week, Add	1,135.00	
01 22 23 00-0681 MO 70.0 KW, 60 Hertz Towable Diesel Powered Generator Set.....	2,700.00	
Note: Fuel consumption: 100% load – 5.7 gallons per hour, 75% load - 4.3 gallons per hour, 50% load - 3.2 gallons per hour.		
For >160 To 320 Hours Usage Per Month, Add	1,350.00	
For >320 Hours Usage Per Month, Add	2,700.00	
01 22 23 00-0682 DAY 80.0 KW, 60 Hertz Towable Diesel Powered Generator Set.....	450.00	
Note: Fuel consumption: 100% load – 6.5 gallons per hour, 75% load - 4.9 gallons per hour, 50% load - 3.6 gallons per hour.		
For >8 To 16 Hours Usage Per Day, Add	225.00	
For >16 To 24 Hours Usage Per Day, Add	450.00	
01 22 23 00-0683 WK 80.0 KW, 60 Hertz Towable Diesel Powered Generator Set.....	1,200.00	
Note: Fuel consumption: 100% load – 6.5 gallons per hour, 75% load - 4.9 gallons per hour, 50% load - 3.6 gallons per hour.		
For >40 To 80 Hours Usage Per Week, Add	600.00	
For >80 Hours Usage Per Week, Add	1,200.00	

01	General Requirements
01 20	Price And Payment Procedures
01 22	Unit Prices



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
01 22 23 00-0684	MO		80.0 KW, 60 Hertz Towable Diesel Powered Generator Set.....3,000.00 Note: Fuel consumption: 100% load - 6.5 gallons per hour, 75% load - 4.9 gallons per hour, 50% load - 3.6 gallons per hour. <i>For >160 To 320 Hours Usage Per Month, Add</i> 1,500.00 <i>For >320 Hours Usage Per Month, Add</i> 3,000.00		
01 22 23 00-0685	DAY		100.0 KW, 60 Hertz Towable Diesel Powered Generator Set.....465.00 Note: Fuel consumption: 100% load - 7.4 gallons per hour, 75% load - 5.8 gallons per hour, 50% load - 4.1 gallons per hour. <i>For >8 To 16 Hours Usage Per Day, Add</i> 232.50 <i>For >16 To 24 Hours Usage Per Day, Add</i> 465.00		
01 22 23 00-0686	WK		100.0 KW, 60 Hertz Towable Diesel Powered Generator Set.....1,250.00 Note: Fuel consumption: 100% load - 7.4 gallons per hour, 75% load - 5.8 gallons per hour, 50% load - 4.1 gallons per hour. <i>For >40 To 80 Hours Usage Per Week, Add</i> 625.00 <i>For >80 Hours Usage Per Week, Add</i> 1,250.00		
01 22 23 00-0687	MO		100.0 KW, 60 Hertz Towable Diesel Powered Generator Set.....3,400.00 Note: Fuel consumption: 100% load - 7.4 gallons per hour, 75% load - 5.8 gallons per hour, 50% load - 4.1 gallons per hour. <i>For >160 To 320 Hours Usage Per Month, Add</i> 1,700.00 <i>For >320 Hours Usage Per Month, Add</i> 3,400.00		
01 22 23 00-0688	DAY		120.0 KW, 60 Hertz Towable Diesel Powered Generator Set.....525.00 Note: Fuel consumption: 100% load - 8.7 gallons per hour, 75% load - 6.8 gallons per hour, 50% load - 4.8 gallons per hour. <i>For >8 To 16 Hours Usage Per Day, Add</i> 262.50 <i>For >16 To 24 Hours Usage Per Day, Add</i> 525.00		
01 22 23 00-0689	WK		120.0 KW, 60 Hertz Towable Diesel Powered Generator Set.....1,450.00 Note: Fuel consumption: 100% load - 8.7 gallons per hour, 75% load - 6.8 gallons per hour, 50% load - 4.8 gallons per hour. <i>For >40 To 80 Hours Usage Per Week, Add</i> 725.00 <i>For >80 Hours Usage Per Week, Add</i> 1,450.00		
01 22 23 00-0690	MO		120.0 KW, 60 Hertz Towable Diesel Powered Generator Set.....3,900.00 Note: Fuel consumption: 100% load - 8.7 gallons per hour, 75% load - 6.8 gallons per hour, 50% load - 4.8 gallons per hour. <i>For >160 To 320 Hours Usage Per Month, Add</i> 1,950.00 <i>For >320 Hours Usage Per Month, Add</i> 3,900.00		
01 22 23 00-0691	DAY		140.0 KW, 60 Hertz Towable Diesel Powered Generator Set.....550.00 Note: Fuel consumption: 100% load - 10.2 gallons per hour, 75% load - 7.9 gallons per hour, 50% load - 5.6 gallons per hour. <i>For >8 To 16 Hours Usage Per Day, Add</i> 275.00 <i>For >16 To 24 Hours Usage Per Day, Add</i> 550.00		
01 22 23 00-0692	WK		140.0 KW, 60 Hertz Towable Diesel Powered Generator Set.....1,525.00 Note: Fuel consumption: 100% load - 10.2 gallons per hour, 75% load - 7.9 gallons per hour, 50% load - 5.6 gallons per hour. <i>For >40 To 80 Hours Usage Per Week, Add</i> 762.50 <i>For >80 Hours Usage Per Week, Add</i> 1,525.00		
01 22 23 00-0693	MO		140.0 KW, 60 Hertz Towable Diesel Powered Generator Set.....4,300.00 Note: Fuel consumption: 100% load - 10.2 gallons per hour, 75% load - 7.9 gallons per hour, 50% load - 5.6 gallons per hour. <i>For >160 To 320 Hours Usage Per Month, Add</i> 2,150.00 <i>For >320 Hours Usage Per Month, Add</i> 4,300.00		
01 22 23 00-0694	DAY		150.0 KW, 60 Hertz Towable Diesel Powered Generator Set.....575.00 Note: Fuel consumption: 100% load - 10.9 gallons per hour, 75% load - 8.4 gallons per hour, 50% load - 5.9 gallons per hour. <i>For >8 To 16 Hours Usage Per Day, Add</i> 287.50 <i>For >16 To 24 Hours Usage Per Day, Add</i> 575.00		
01 22 23 00-0695	WK		150.0 KW, 60 Hertz Towable Diesel Powered Generator Set.....1,650.00 Note: Fuel consumption: 100% load - 10.9 gallons per hour, 75% load - 8.4 gallons per hour, 50% load - 5.9 gallons per hour. <i>For >40 To 80 Hours Usage Per Week, Add</i> 825.00 <i>For >80 Hours Usage Per Week, Add</i> 1,650.00		
01 22 23 00-0696	MO		150.0 KW, 60 Hertz Towable Diesel Powered Generator Set.....4,500.00 Note: Fuel consumption: 100% load - 10.9 gallons per hour, 75% load - 8.4 gallons per hour, 50% load - 5.9 gallons per hour. <i>For >160 To 320 Hours Usage Per Month, Add</i> 2,250.00 <i>For >320 Hours Usage Per Month, Add</i> 4,500.00		
01 22 23 00-0697	DAY		160.0 KW, 60 Hertz Towable Diesel Powered Generator Set.....600.00 Note: Fuel consumption: 100% load - 11.6 gallons per hour, 75% load - 8.9 gallons per hour, 50% load - 6.2 gallons per hour. <i>For >8 To 16 Hours Usage Per Day, Add</i> 300.00 <i>For >16 To 24 Hours Usage Per Day, Add</i> 600.00		
01 22 23 00-0698	WK		160.0 KW, 60 Hertz Towable Diesel Powered Generator Set.....1,750.00 Note: Fuel consumption: 100% load - 11.6 gallons per hour, 75% load - 8.9 gallons per hour, 50% load - 6.2 gallons per hour. <i>For >40 To 80 Hours Usage Per Week, Add</i> 875.00 <i>For >80 Hours Usage Per Week, Add</i> 1,750.00		
01 22 23 00-0699	MO		160.0 KW, 60 Hertz Towable Diesel Powered Generator Set.....4,700.00 Note: Fuel consumption: 100% load - 11.6 gallons per hour, 75% load - 8.9 gallons per hour, 50% load - 6.2 gallons per hour. <i>For >160 To 320 Hours Usage Per Month, Add</i> 2,350.00 <i>For >320 Hours Usage Per Month, Add</i> 4,700.00		
01 22 23 00-0700	DAY		175.0 KW, 60 Hertz Towable Diesel Powered Generator Set.....600.00 Note: Fuel consumption: 100% load - 12.7 gallons per hour, 75% load - 9.7 gallons per hour, 50% load - 6.8 gallons per hour. <i>For >8 To 16 Hours Usage Per Day, Add</i> 300.00 <i>For >16 To 24 Hours Usage Per Day, Add</i> 600.00		



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
01 22 23 00-0701 WK 175.0 KW, 60 Hertz Towable Diesel Powered Generator Set.....	1,750.00	
Note: Fuel consumption: 100% load - 12.7 gallons per hour, 75% load - 9.7 gallons per hour, 50% load - 6.8 gallons per hour.		
For >40 To 80 Hours Usage Per Week, Add	875.00	
For >80 Hours Usage Per Week, Add	1,750.00	
01 22 23 00-0702 MO 175.0 KW, 60 Hertz Towable Diesel Powered Generator Set.....	4,700.00	
Note: Fuel consumption: 100% load - 12.7 gallons per hour, 75% load - 9.7 gallons per hour, 50% load - 6.8 gallons per hour.		
For >160 To 320 Hours Usage Per Month, Add	2,350.00	
For >320 Hours Usage Per Month, Add	4,700.00	
01 22 23 00-0703 DAY 200.0 KW, 60 Hertz Towable Diesel Powered Generator Set.....	825.00	
Note: Fuel consumption: 100% load - 14.4 gallons per hour, 75% load - 11.0 gallons per hour, 50% load - 7.7 gallons per hour.		
For >8 To 16 Hours Usage Per Day, Add	412.50	
For >16 To 24 Hours Usage Per Day, Add	825.00	
01 22 23 00-0704 WK 200.0 KW, 60 Hertz Towable Diesel Powered Generator Set.....	2,050.00	
Note: Fuel consumption: 100% load - 14.4 gallons per hour, 75% load - 11.0 gallons per hour, 50% load - 7.7 gallons per hour.		
For >40 To 80 Hours Usage Per Week, Add	1,025.00	
For >80 Hours Usage Per Week, Add	2,050.00	
01 22 23 00-0705 MO 200.0 KW, 60 Hertz Towable Diesel Powered Generator Set.....	6,000.00	
Note: Fuel consumption: 100% load - 14.4 gallons per hour, 75% load - 11.0 gallons per hour, 50% load - 7.7 gallons per hour.		
For >160 To 320 Hours Usage Per Month, Add	3,000.00	
For >320 Hours Usage Per Month, Add	6,000.00	
01 22 23 00-0706 DAY 250.0 KW, 60 Hertz Towable Diesel Powered Generator Set.....	875.00	
Note: Fuel consumption: 100% load - 19.8 gallons per hour, 75% load - 12.3 gallons per hour, 50% load - 8.6 gallons per hour.		
For >8 To 16 Hours Usage Per Day, Add	437.50	
For >16 To 24 Hours Usage Per Day, Add	875.00	
01 22 23 00-0707 WK 250.0 KW, 60 Hertz Towable Diesel Powered Generator Set.....	2,100.00	
Note: Fuel consumption: 100% load - 19.8 gallons per hour, 75% load - 12.3 gallons per hour, 50% load - 8.6 gallons per hour.		
For >40 To 80 Hours Usage Per Week, Add	1,050.00	
For >80 Hours Usage Per Week, Add	2,100.00	
01 22 23 00-0708 MO 250.0 KW, 60 Hertz Towable Diesel Powered Generator Set.....	6,200.00	
Note: Fuel consumption: 100% load - 19.8 gallons per hour, 75% load - 12.3 gallons per hour, 50% load - 8.6 gallons per hour.		
For >160 To 320 Hours Usage Per Month, Add	3,100.00	
For >320 Hours Usage Per Month, Add	6,200.00	
01 22 23 00-0709 DAY 275.0 KW, 60 Hertz Towable Diesel Powered Generator Set.....	925.00	
Note: Fuel consumption: 100% load - 18.0 gallons per hour, 75% load - 13.6 gallons per hour, 50% load - 9.5 gallons per hour.		
For >8 To 16 Hours Usage Per Day, Add	462.50	
For >16 To 24 Hours Usage Per Day, Add	925.00	
01 22 23 00-0710 WK 275.0 KW, 60 Hertz Towable Diesel Powered Generator Set.....	2,150.00	
Note: Fuel consumption: 100% load - 18.0 gallons per hour, 75% load - 13.6 gallons per hour, 50% load - 9.5 gallons per hour.		
For >40 To 80 Hours Usage Per Week, Add	1,075.00	
For >80 Hours Usage Per Week, Add	2,150.00	
01 22 23 00-0711 MO 275.0 KW, 60 Hertz Towable Diesel Powered Generator Set.....	6,400.00	
Note: Fuel consumption: 100% load - 18.0 gallons per hour, 75% load - 13.6 gallons per hour, 50% load - 9.5 gallons per hour.		
For >160 To 320 Hours Usage Per Month, Add	3,200.00	
For >320 Hours Usage Per Month, Add	6,400.00	
01 22 23 00-0712 DAY 300.0 KW, 60 Hertz Towable Diesel Powered Generator Set.....	955.00	
Note: Fuel consumption: 100% load - 21.5 gallons per hour, 75% load - 16.1 gallons per hour, 50% load - 11.3 gallons per hour.		
For >8 To 16 Hours Usage Per Day, Add	477.50	
For >16 To 24 Hours Usage Per Day, Add	955.00	
01 22 23 00-0713 WK 300.0 KW, 60 Hertz Towable Diesel Powered Generator Set.....	2,300.00	
Note: Fuel consumption: 100% load - 21.5 gallons per hour, 75% load - 16.1 gallons per hour, 50% load - 11.3 gallons per hour.		
For >40 To 80 Hours Usage Per Week, Add	1,150.00	
For >80 Hours Usage Per Week, Add	2,300.00	
01 22 23 00-0714 MO 300.0 KW, 60 Hertz Towable Diesel Powered Generator Set.....	6,800.00	
Note: Fuel consumption: 100% load - 21.5 gallons per hour, 75% load - 16.1 gallons per hour, 50% load - 11.3 gallons per hour.		
For >160 To 320 Hours Usage Per Month, Add	3,400.00	
For >320 Hours Usage Per Month, Add	6,800.00	
01 22 23 00-0715 DAY 350.0 KW, 60 Hertz Towable Diesel Powered Generator Set.....	1,000.00	
Note: Fuel consumption: 100% load - 25.1 gallons per hour, 75% load - 18.7 gallons per hour, 50% load - 13.1 gallons per hour.		
For >8 To 16 Hours Usage Per Day, Add	500.00	
For >16 To 24 Hours Usage Per Day, Add	1,000.00	
01 22 23 00-0716 WK 350.0 KW, 60 Hertz Towable Diesel Powered Generator Set.....	2,600.00	
Note: Fuel consumption: 100% load - 25.1 gallons per hour, 75% load - 18.7 gallons per hour, 50% load - 13.1 gallons per hour.		
For >40 To 80 Hours Usage Per Week, Add	1,300.00	
For >80 Hours Usage Per Week, Add	2,600.00	
01 22 23 00-0717 MO 350.0 KW, 60 Hertz Towable Diesel Powered Generator Set.....	7,500.00	
Note: Fuel consumption: 100% load - 25.1 gallons per hour, 75% load - 18.7 gallons per hour, 50% load - 13.1 gallons per hour.		
For >160 To 320 Hours Usage Per Month, Add	3,750.00	
For >320 Hours Usage Per Month, Add	7,500.00	

01	General Requirements
01 20	Price And Payment Procedures
01 22	Unit Prices



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
01 22 23 00-0718 DAY 400.0 KW, 60 Hertz Towable Diesel Powered Generator Set.....	1,273.90	
Note: Fuel consumption: 100% load - 28.6 gallons per hour, 75% load - 21.3 gallons per hour, 50% load - 14.9 gallons per hour.		
For >8 To 16 Hours Usage Per Day, Add	636.95	
For >16 To 24 Hours Usage Per Day, Add	1,273.90	
01 22 23 00-0719 WK 400.0 KW, 60 Hertz Towable Diesel Powered Generator Set.....	3,293.62	
Note: Fuel consumption: 100% load - 28.6 gallons per hour, 75% load - 21.3 gallons per hour, 50% load - 14.9 gallons per hour.		
For >40 To 80 Hours Usage Per Week, Add	1,646.81	
For >80 Hours Usage Per Week, Add	3,293.62	
01 22 23 00-0720 MO 400.0 KW, 60 Hertz Towable Diesel Powered Generator Set.....	8,710.40	
Note: Fuel consumption: 100% load - 28.6 gallons per hour, 75% load - 21.3 gallons per hour, 50% load - 14.9 gallons per hour.		
For >160 To 320 Hours Usage Per Month, Add	4,355.20	
For >320 Hours Usage Per Month, Add	8,710.40	
01 22 23 00-0721 DAY 500.0 KW, 60 Hertz Container Diesel Powered Generator Set.....	1,633.20	
Note: Fuel consumption: 100% load - 35.7 gallons per hour, 75% load - 26.4 gallons per hour, 50% load - 18.5 gallons per hour.		
For >8 To 16 Hours Usage Per Day, Add	816.60	
For >16 To 24 Hours Usage Per Day, Add	1,633.20	
01 22 23 00-0722 WK 500.0 KW, 60 Hertz Container Diesel Powered Generator Set.....	4,246.32	
Note: Fuel consumption: 100% load - 35.7 gallons per hour, 75% load - 26.4 gallons per hour, 50% load - 18.5 gallons per hour.		
For >40 To 80 Hours Usage Per Week, Add	2,123.16	
For >80 Hours Usage Per Week, Add	4,246.32	
01 22 23 00-0723 MO 500.0 KW, 60 Hertz Container Diesel Powered Generator Set.....	9,799.20	
Note: Fuel consumption: 100% load - 35.7 gallons per hour, 75% load - 26.4 gallons per hour, 50% load - 18.5 gallons per hour.		
For >160 To 320 Hours Usage Per Month, Add	4,899.60	
For >320 Hours Usage Per Month, Add	9,799.20	
01 22 23 00-0724 DAY 640.0 KW, 60 Hertz Container Diesel Powered Generator Set.....	2,019.72	
Note: Fuel consumption: 100% load - 45.6 gallons per hour, 75% load - 33.5 gallons per hour, 50% load - 20.8 gallons per hour.		
For >8 To 16 Hours Usage Per Day, Add	1,009.86	
For >16 To 24 Hours Usage Per Day, Add	2,019.72	
01 22 23 00-0725 WK 640.0 KW, 60 Hertz Container Diesel Powered Generator Set.....	5,335.12	
Note: Fuel consumption: 100% load - 45.6 gallons per hour, 75% load - 33.5 gallons per hour, 50% load - 20.8 gallons per hour.		
For >40 To 80 Hours Usage Per Week, Add	2,667.56	
For >80 Hours Usage Per Week, Add	5,335.12	
01 22 23 00-0726 MO 640.0 KW, 60 Hertz Container Diesel Powered Generator Set.....	13,065.60	
Note: Fuel consumption: 100% load - 45.6 gallons per hour, 75% load - 33.5 gallons per hour, 50% load - 20.8 gallons per hour.		
For >160 To 320 Hours Usage Per Month, Add	6,532.80	
For >320 Hours Usage Per Month, Add	13,065.60	
01 22 23 00-0727 DAY 750.0 KW, 60 Hertz Container Diesel Powered Generator Set.....	2,183.04	
Note: Fuel consumption: 100% load - 53.4 gallons per hour, 75% load - 39.3 gallons per hour, 50% load - 24.4 gallons per hour.		
For >8 To 16 Hours Usage Per Day, Add	1,091.52	
For >16 To 24 Hours Usage Per Day, Add	2,183.04	
01 22 23 00-0728 WK 750.0 KW, 60 Hertz Container Diesel Powered Generator Set.....	5,030.26	
Note: Fuel consumption: 100% load - 53.4 gallons per hour, 75% load - 39.3 gallons per hour, 50% load - 24.4 gallons per hour.		
For >40 To 80 Hours Usage Per Week, Add	2,515.13	
For >80 Hours Usage Per Week, Add	5,030.26	
01 22 23 00-0729 MO 750.0 KW, 60 Hertz Container Diesel Powered Generator Set.....	15,090.77	
Note: Fuel consumption: 100% load - 53.4 gallons per hour, 75% load - 39.3 gallons per hour, 50% load - 24.4 gallons per hour.		
For >160 To 320 Hours Usage Per Month, Add	7,545.39	
For >320 Hours Usage Per Month, Add	15,090.77	
01 22 23 00-0730 EA Up To 300 KW Generator Set Delivery, Set-Up, Testing And Pick-up.....	793.18	
01 22 23 00-0731 EA 350 To 750 KW Generator Set Delivery, Set-Up, Testing And Pick-up.....	1,286.36	
01 22 23 00-0732 Cabling For Generator Sets (01 22 23 00-0652)		
Note: Includes delivery to job site and pick-up when complete.		
01 22 23 00-0733 DAY #1 Banded Cable, 50' With Camlock Ends For Generator Set.....	22.00	
01 22 23 00-0734 WK #1 Banded Cable, 50' With Camlock Ends For Generator Set.....	38.50	
01 22 23 00-0735 MO #1 Banded Cable, 50' With Camlock Ends For Generator Set.....	115.50	
01 22 23 00-0736 DAY 50', 4/0 Cable With Camlock Ends For Generator Set.....	11.00	
01 22 23 00-0737 WK 50', 4/0 Cable With Camlock Ends For Generator Set.....	32.00	
01 22 23 00-0738 MO 50', 4/0 Cable With Camlock Ends For Generator Set.....	89.00	
01 22 23 00-0739 Resistive Load Banks For Generator Sets (01 22 23 00-0652)		
Note: Includes delivery to job site and pick-up when complete. See CSI section 01 22 23 00-0760 for reimbursable fuel fees.		
01 22 23 00-0740 DAY 100 KW A/C Resistive Load Bank.....	309.71	
01 22 23 00-0741 WK 100 KW A/C Resistive Load Bank.....	764.39	
01 22 23 00-0742 MO 100 KW A/C Resistive Load Bank.....	2,286.57	
01 22 23 00-0743 DAY 650 KW A/C Resistive Load Bank.....	521.89	
01 22 23 00-0744 WK 650 KW A/C Resistive Load Bank.....	1,395.67	
01 22 23 00-0745 MO 650 KW A/C Resistive Load Bank.....	3,558.36	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
------------------------------	---------------------------	-------------------------

01 22 23 00-0746 Sub-Distribution Panels (Spider Box) For Generator Sets (01 22 23 00-0652)
 Note: Includes delivery to job site and pick-up when complete.

01 22 23 00-0747	DAY	50 Amperes, 240 Volt, Single Phase, Sub-Distribution Panel (Spider Box)	54.00
01 22 23 00-0748	WK	50 Amperes, 240 Volt, Single Phase, Sub-Distribution Panel (Spider Box)	140.00
01 22 23 00-0749	MO	50 Amperes, 240 Volt, Single Phase, Sub-Distribution Panel (Spider Box)	395.00

01 22 23 00-0750 Portable Distribution Panels For Generator Sets (01 22 23 00-0652)
 Note: Includes delivery to job site and pick-up when complete.

01 22 23 00-0751	DAY	200 Amperes, 208 Volt, 3 Phase, Portable Spider Box Feeder Panel	120.00
01 22 23 00-0752	WK	200 Amperes, 208 Volt, 3 Phase, Portable Spider Box Feeder Panel	325.00
01 22 23 00-0753	MO	200 Amperes, 208 Volt, 3 Phase, Portable Spider Box Feeder Panel	910.00
01 22 23 00-0754	DAY	100 Amperes, 208 Volt, 3 Phase, Portable Quad Box Panel	98.00
01 22 23 00-0755	WK	100 Amperes, 208 Volt, 3 Phase, Portable Quad Box Panel	255.00
01 22 23 00-0756	MO	100 Amperes, 208 Volt, 3 Phase, Portable Quad Box Panel	725.00
01 22 23 00-0757	DAY	200 Amperes, 208 Volt, 3 Phase, Portable Quad Box Panel	125.00
01 22 23 00-0758	WK	200 Amperes, 208 Volt, 3 Phase, Portable Quad Box Panel	315.00
01 22 23 00-0759	MO	200 Amperes, 208 Volt, 3 Phase, Portable Quad Box Panel	855.00

01 22 23 00-0760 Fuel Reimbursement For Generators (01 22 23 00-0652)

01 22 23 00-0761	EA	Fuel Reimbursement For Generators	1.00
------------------	----	---	------

Note: Purchases made by the contractor for fuel will be reimbursed to the Contractor at the actual cost of the purchase, without mark-up, for which a receipt or bill is received. The Adjustment Factor applied to Reimbursable Fees will be 1.0000. The base cost of the purchase is \$1.00, quantity will adjust cost to actual purchase cost; i.e., quantity of 125 = \$125.00 purchase. If there are multiple purchases, each one shall be listed separately with a comment in the "note" block to identify the purchase.

01 22 23 00-0762 General Equipment (01 22 23)

01 22 23 00-0763 Jacks And Bracing (01 22 23 00-0762)
 Note: Includes delivery to job site and pick-up when complete.

01 22 23 00-0764 Manual Hydraulic Jacks (01 22 23 00-0763)

01 22 23 00-0765	DAY	12 Ton Manual Hydraulic Bottle Jack	1.33
01 22 23 00-0766	WK	12 Ton Manual Hydraulic Bottle Jack	6.33
01 22 23 00-0767	MO	12 Ton Manual Hydraulic Bottle Jack	22.76
01 22 23 00-0768	DAY	20 Ton Manual Hydraulic Bottle Jack	2.33
01 22 23 00-0769	WK	20 Ton Manual Hydraulic Bottle Jack	7.33
01 22 23 00-0770	MO	20 Ton Manual Hydraulic Bottle Jack	27.76
01 22 23 00-0771	DAY	50 Ton Manual Hydraulic Bottle Jack	8.33
01 22 23 00-0772	WK	50 Ton Manual Hydraulic Bottle Jack	32.34
01 22 23 00-0773	MO	50 Ton Manual Hydraulic Bottle Jack	116.34
01 22 23 00-0774	DAY	100 Ton Manual Hydraulic Bottle Jack	11.67
01 22 23 00-0775	WK	100 Ton Manual Hydraulic Bottle Jack	46.67
01 22 23 00-0776	MO	100 Ton Manual Hydraulic Bottle Jack	168.10

01 22 23 00-0777 Manual Screw Jacks (01 22 23 00-0763)

01 22 23 00-0778	DAY	10 To 20 Ton Manual Screw Jack	15.73
01 22 23 00-0779	WK	10 To 20 Ton Manual Screw Jack	42.36
01 22 23 00-0780	MO	10 To 20 Ton Manual Screw Jack	117.40

01 22 23 00-0781 Pressure Washers (01 22 23 00-0762)
 Note: Includes full-time operator, delivery, set-up, and removal.

01 22 23 00-0782	DAY	2,000 PSI Pressure Washer With Full-Time Operator	700.99
		<i>For Equipment Without Operator, Deduct</i>	-617.58
01 22 23 00-0783	WK	2,000 PSI Pressure Washer With Full-Time Operator	3,299.61
		<i>For Equipment Without Operator, Deduct</i>	-3,087.88
01 22 23 00-0784	MO	2,000 PSI Pressure Washer With Full-Time Operator	13,848.75
		<i>For Equipment Without Operator, Deduct</i>	-13,309.81
01 22 23 00-0785	DAY	2,500 PSI Pressure Washer With Full-Time Operator	705.05
		<i>For Equipment Without Operator, Deduct</i>	-617.58
01 22 23 00-0786	WK	2,500 PSI Pressure Washer With Full-Time Operator	3,309.92
		<i>For Equipment Without Operator, Deduct</i>	-3,087.88
01 22 23 00-0787	MO	2,500 PSI Pressure Washer With Full-Time Operator	13,875.00
		<i>For Equipment Without Operator, Deduct</i>	-13,309.81
01 22 23 00-0788	DAY	3,000 PSI Pressure Washer With Full-Time Operator	700.99
		<i>For Equipment Without Operator, Deduct</i>	-617.58
01 22 23 00-0789	WK	3,000 PSI Pressure Washer With Full-Time Operator	3,299.61
		<i>For Equipment Without Operator, Deduct</i>	-3,087.88
01 22 23 00-0790	MO	3,000 PSI Pressure Washer With Full-Time Operator	13,848.75
		<i>For Equipment Without Operator, Deduct</i>	-13,309.81
01 22 23 00-0791	DAY	3,500 PSI Pressure Washer With Full-Time Operator	711.78
		<i>For Equipment Without Operator, Deduct</i>	-617.58
01 22 23 00-0792	WK	3,500 PSI Pressure Washer With Full-Time Operator	3,330.11
		<i>For Equipment Without Operator, Deduct</i>	-3,087.88
01 22 23 00-0793	MO	3,500 PSI Pressure Washer With Full-Time Operator	13,928.83
		<i>For Equipment Without Operator, Deduct</i>	-13,309.81

01	01	General Requirements
	01 20	Price And Payment Procedures
	01 22	Unit Prices



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
01 22 23 00-0794 DAY 4,000 PSI Pressure Washer With Full-Time Operator.....	733.07	
<i>For Equipment Without Operator, Deduct</i>	-617.58	
01 22 23 00-0795 WK 4,000 PSI Pressure Washer With Full-Time Operator.....	3,402.26	
<i>For Equipment Without Operator, Deduct</i>	-3,087.88	
01 22 23 00-0796 MO 4,000 PSI Pressure Washer With Full-Time Operator.....	14,188.80	
<i>For Equipment Without Operator, Deduct</i>	-13,309.81	
01 22 23 00-0797 DAY 5,000 PSI Pressure Washer With Full-Time Operator.....	752.15	
<i>For Equipment Without Operator, Deduct</i>	-617.58	
01 22 23 00-0798 WK 5,000 PSI Pressure Washer With Full-Time Operator.....	3,451.22	
<i>For Equipment Without Operator, Deduct</i>	-3,087.88	
01 22 23 00-0799 MO 5,000 PSI Pressure Washer With Full-Time Operator.....	14,332.54	
<i>For Equipment Without Operator, Deduct</i>	-13,309.81	
01 22 23 00-0800 Confined Space Entry Equipment (01 22 23 00-0762)		
<i>Note: Includes delivery, set-up, and removal.</i>		
01 22 23 00-0801 DAY Ventilation Equipment For Confined Space.....	45.24	
<i>Note: Includes electric or gas blower and ventilation duct up to 25'.</i>		
01 22 23 00-0802 WK Ventilation Equipment For Confined Space.....	135.71	
<i>Note: Includes electric or gas blower and ventilation duct up to 25'.</i>		
01 22 23 00-0803 MO Ventilation Equipment For Confined Space.....	404.99	
<i>Note: Includes electric or gas blower and ventilation duct up to 25'.</i>		
01 22 23 00-0804 DAY Confined Space Air Monitor, Tripod, Harness, Cables, SCBAs And Complete Assembly.....	36.81	
01 22 23 00-0805 WK Confined Space Air Monitor, Tripod, Harness, Cables, SCBAs And Complete Assembly.....	110.43	
01 22 23 00-0806 MO Confined Space Air Monitor, Tripod, Harness, Cables, SCBAs And Complete Assembly.....	331.28	
01 22 23 00-0807 DAY Confined Space Air Monitor Personnel.....	767.39	
<i>Note: Per person day.</i>		
01 22 23 00-0808 Space Heaters (01 22 23 00-0762)		
<i>Note: Includes delivery to job site and pick-up when complete. Excludes operator.</i>		
01 22 23 00-0809 DAY 150,000 BTU/Hour Space Heater.....	56.00	
01 22 23 00-0810 WK 150,000 BTU/Hour Space Heater.....	161.00	
01 22 23 00-0811 MO 150,000 BTU/Hour Space Heater.....	455.00	
01 22 23 00-0812 DAY 500,000 BTU/Hour Space Heater.....	119.00	
01 22 23 00-0813 WK 500,000 BTU/Hour Space Heater.....	294.00	
01 22 23 00-0814 MO 500,000 BTU/Hour Space Heater.....	743.40	
01 22 23 00-0815 Mowers (01 22 23 00-0762)		
<i>Note: Includes delivery to job site and pick-up when complete. Excludes operator.</i>		
01 22 23 00-0816 DAY 21" Walk Behind Lawn Mower.....	53.83	
01 22 23 00-0817 WK 21" Walk Behind Lawn Mower.....	154.76	
01 22 23 00-0818 MO 21" Walk Behind Lawn Mower.....	316.24	
01 22 23 00-0819 DAY 32" Walk Behind Lawn Mower.....	67.28	
01 22 23 00-0820 WK 32" Walk Behind Lawn Mower.....	161.48	
01 22 23 00-0821 MO 32" Walk Behind Lawn Mower.....	336.42	
01 22 23 00-0822 DAY 36" To 48" Walk Behind Deck Mower.....	121.11	
01 22 23 00-0823 WK 36" To 48" Walk Behind Deck Mower.....	336.42	
01 22 23 00-0824 MO 36" To 48" Walk Behind Deck Mower.....	975.63	
01 22 23 00-0825 DAY 61" To 72" Walk Behind Deck Mower.....	121.11	
01 22 23 00-0826 WK 61" To 72" Walk Behind Deck Mower.....	336.42	
01 22 23 00-0827 MO 61" To 72" Walk Behind Deck Mower.....	975.63	
01 22 23 00-0828 Marine Equipment (01 22 23)		
01 22 23 00-0829 Barge And Tug Boat Rental (01 22 23 00-0828)		
01 22 23 00-0830 DAY 50' Deck Cargo Barge.....	665.62	
01 22 23 00-0831 DAY 90' Deck Cargo Barge.....	944.94	
01 22 23 00-0832 DAY 160' Deck Cargo Barge.....	1,390.66	
01 22 23 00-0833 DAY 200' Deck Cargo Barge.....	2,109.76	
01 22 23 00-0834 DAY Barge Rental With Mounted Crane And Full-time Operator.....	2,054.44	
<i>Note: Including barge.</i>		
01 22 23 00-0835 HR 250 HP Tug Boat With Operator.....	169.38	
01 22 23 00-0836 HR 400 HP Tug Boat With Operator.....	278.13	
01 22 23 00-0837 HR 500 To 800 HP Tug Boat With Operator.....	340.63	
01 22 23 00-0838 HR 16' Work Boat With Operator.....	101.92	
01 22 23 00-0839 HR 48' Work Boat With Operator.....	267.80	
01 22 23 00-0840 Material Handling Equipment (01 22 23)		
01 22 23 00-0841 Cranes, Hydraulic Truck Mounted, Up To 110' (01 22 23 00-0840)		
<i>Note: Includes full-time operator. Include delivery, set-up, rigging, and removal time in rental period. Excludes lattice boom extension.</i>		
01 22 23 00-0842 DAY 6 Ton Lift, Truck Mounted Hydraulic Crane With Full-Time Operator.....	1,142.61	
<i>For Equipment Without Operator, Deduct</i>	-786.36	
01 22 23 00-0843 WK 6 Ton Lift, Truck Mounted Hydraulic Crane With Full-Time Operator.....	5,011.03	
<i>For Equipment Without Operator, Deduct</i>	-3,931.80	
01 22 23 00-0844 MO 6 Ton Lift, Truck Mounted Hydraulic Crane With Full-Time Operator.....	20,195.59	
<i>For Equipment Without Operator, Deduct</i>	-16,947.41	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
01 22 23 00-0845 DAY 8 To 9 Ton Lift, Truck Mounted Hydraulic Crane With Full-Time Operator 1,236.91		
For Equipment Without Operator, Deduct	-786.36	
01 22 23 00-0846 WK 8 To 9 Ton Lift, Truck Mounted Hydraulic Crane With Full-Time Operator 5,291.32		
For Equipment Without Operator, Deduct	-3,931.80	
01 22 23 00-0847 MO 8 To 9 Ton Lift, Truck Mounted Hydraulic Crane With Full-Time Operator 21,033.83		
For Equipment Without Operator, Deduct	-16,947.41	
01 22 23 00-0848 DAY 14 To 15 Ton Lift, Truck Mounted Hydraulic Crane With Full-Time Operator 1,331.22		
For Equipment Without Operator, Deduct	-786.36	
01 22 23 00-0849 WK 14 To 15 Ton Lift, Truck Mounted Hydraulic Crane With Full-Time Operator 5,571.61		
For Equipment Without Operator, Deduct	-3,931.80	
01 22 23 00-0850 MO 14 To 15 Ton Lift, Truck Mounted Hydraulic Crane With Full-Time Operator 21,872.07		
For Equipment Without Operator, Deduct	-16,947.41	
01 22 23 00-0851 DAY 20 To 25 Ton Lift, Truck Mounted Hydraulic Crane With Full-Time Operator 1,456.95		
For Equipment Without Operator, Deduct	-786.36	
01 22 23 00-0852 WK 20 To 25 Ton Lift, Truck Mounted Hydraulic Crane With Full-Time Operator 5,948.82		
For Equipment Without Operator, Deduct	-3,931.80	
01 22 23 00-0853 MO 20 To 25 Ton Lift, Truck Mounted Hydraulic Crane With Full-Time Operator 22,998.45		
For Equipment Without Operator, Deduct	-16,947.41	
01 22 23 00-0854 DAY 30 To 35 Ton Lift, Truck Mounted Hydraulic Crane With Full-Time Operator 1,572.21		
For Equipment Without Operator, Deduct	-786.36	
01 22 23 00-0855 WK 30 To 35 Ton Lift, Truck Mounted Hydraulic Crane With Full-Time Operator 6,729.43		
For Equipment Without Operator, Deduct	-3,931.80	
01 22 23 00-0856 MO 30 To 35 Ton Lift, Truck Mounted Hydraulic Crane With Full-Time Operator 25,338.19		
For Equipment Without Operator, Deduct	-16,947.41	
01 22 23 00-0857 DAY 40 To 45 Ton Lift, Truck Mounted Hydraulic Crane With Full-Time Operator 1,844.64		
For Equipment Without Operator, Deduct	-786.36	
01 22 23 00-0858 WK 40 To 45 Ton Lift, Truck Mounted Hydraulic Crane With Full-Time Operator 7,703.88		
For Equipment Without Operator, Deduct	-3,931.80	
01 22 23 00-0859 MO 40 To 45 Ton Lift, Truck Mounted Hydraulic Crane With Full-Time Operator 28,263.65		
For Equipment Without Operator, Deduct	-16,947.41	
01 22 23 00-0860 DAY 50 To 55 Ton Lift, Truck Mounted Hydraulic Crane With Full-Time Operator 2,017.52		
For Equipment Without Operator, Deduct	-786.36	
01 22 23 00-0861 WK 50 To 55 Ton Lift, Truck Mounted Hydraulic Crane With Full-Time Operator 8,311.60		
For Equipment Without Operator, Deduct	-3,931.80	
01 22 23 00-0862 MO 50 To 55 Ton Lift, Truck Mounted Hydraulic Crane With Full-Time Operator 30,091.01		
For Equipment Without Operator, Deduct	-16,947.41	
01 22 23 00-0863 DAY 60 To 65 Ton Lift, Truck Mounted Hydraulic Crane With Full-Time Operator 2,153.74		
For Equipment Without Operator, Deduct	-786.36	
01 22 23 00-0864 WK 60 To 65 Ton Lift, Truck Mounted Hydraulic Crane With Full-Time Operator 8,804.07		
For Equipment Without Operator, Deduct	-3,931.80	
01 22 23 00-0865 MO 60 To 65 Ton Lift, Truck Mounted Hydraulic Crane With Full-Time Operator 31,566.32		
For Equipment Without Operator, Deduct	-16,947.41	
01 22 23 00-0866 DAY 70 To 75 Ton Lift, Truck Mounted Hydraulic Crane With Full-Time Operator 2,289.95		
For Equipment Without Operator, Deduct	-786.36	
01 22 23 00-0867 WK 70 To 75 Ton Lift, Truck Mounted Hydraulic Crane With Full-Time Operator 9,296.54		
For Equipment Without Operator, Deduct	-3,931.80	
01 22 23 00-0868 MO 70 To 75 Ton Lift, Truck Mounted Hydraulic Crane With Full-Time Operator 33,041.62		
For Equipment Without Operator, Deduct	-16,947.41	
01 22 23 00-0869 DAY 90 Ton Lift, Truck Mounted Hydraulic Crane With Full-Time Operator 2,379.02		
For Equipment Without Operator, Deduct	-786.36	
01 22 23 00-0870 WK 90 Ton Lift, Truck Mounted Hydraulic Crane With Full-Time Operator 9,600.40		
For Equipment Without Operator, Deduct	-3,931.80	
01 22 23 00-0871 MO 90 Ton Lift, Truck Mounted Hydraulic Crane With Full-Time Operator 33,963.68		
For Equipment Without Operator, Deduct	-16,947.41	
01 22 23 00-0872 DAY 100 Ton Lift, Truck Mounted Hydraulic Crane With Full-Time Operator 2,484.03		
For Equipment Without Operator, Deduct	-770.88	
01 22 23 00-0873 WK 100 Ton Lift, Truck Mounted Hydraulic Crane With Full-Time Operator 9,973.57		
For Equipment Without Operator, Deduct	-3,854.42	
01 22 23 00-0874 MO 100 Ton Lift, Truck Mounted Hydraulic Crane With Full-Time Operator 34,971.34		
For Equipment Without Operator, Deduct	-16,613.88	
01 22 23 00-0875 Cable Controlled Lattice Boom, Truck Mounted Mechanical Cranes (01 22 23 00-0840)		
Note: Includes full-time operator. Excludes delivery, set-up, and removal.		
01 22 23 00-0876 DAY 75 To 80 Ton Lift, Cable Controlled Lattice Boom, Truck Mounted Mechanical Crane With Full-Time Operator 2,043.72		
For Equipment Without Operator, Deduct	-786.36	
01 22 23 00-0877 WK 75 To 80 Ton Lift, Cable Controlled Lattice Boom, Truck Mounted Mechanical Crane With Full-Time Operator 8,416.38		
For Equipment Without Operator, Deduct	-3,931.80	
01 22 23 00-0878 MO 75 To 80 Ton Lift, Cable Controlled Lattice Boom, Truck Mounted Mechanical Crane With Full-Time Operator 30,401.16		
For Equipment Without Operator, Deduct	-16,947.41	
01 22 23 00-0879 DAY 100 To 110 Ton Lift, Cable Controlled Lattice Boom, Truck Mounted Mechanical Crane With Full-Time Operator 3,012.94		
For Equipment Without Operator, Deduct	-786.36	
01 22 23 00-0880 WK 100 To 110 Ton Lift, Cable Controlled Lattice Boom, Truck Mounted Mechanical Crane With Full-Time Operator 10,030.00		
For Equipment Without Operator, Deduct	-3,931.80	
01 22 23 00-0881 MO 100 To 110 Ton Lift, Cable Controlled Lattice Boom, Truck Mounted Mechanical Crane With Full-Time Operator 35,242.00		
For Equipment Without Operator, Deduct	-16,947.41	
01 22 23 00-0882 DAY 125 Ton Lift, Cable Controlled Lattice Boom, Truck Mounted Mechanical Crane With Full-Time Operator 3,170.10		
For Equipment Without Operator, Deduct	-786.36	
01 22 23 00-0883 WK 125 Ton Lift, Cable Controlled Lattice Boom, Truck Mounted Mechanical Crane With Full-Time Operator 11,177.34		
For Equipment Without Operator, Deduct	-3,931.80	
01 22 23 00-0884 MO 125 Ton Lift, Cable Controlled Lattice Boom, Truck Mounted Mechanical Crane With Full-Time Operator 38,682.97		
For Equipment Without Operator, Deduct	-16,947.41	
01 22 23 00-0885 DAY 150 Ton Lift, Cable Controlled Lattice Boom, Truck Mounted Mechanical Crane With Full-Time Operator 3,484.44		
For Equipment Without Operator, Deduct	-786.36	

01	General Requirements
01 20	Price And Payment Procedures
01 22	Unit Prices



MINOR CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
01 22 23 00-0886	WK	150 Ton Lift, Cable Controlled Lattice Boom, Truck Mounted Mechanical Crane With Full-Time Operator	12,324.68	
		<i>For Equipment Without Operator, Deduct</i>	-3,931.80	
01 22 23 00-0887	MO	150 Ton Lift, Cable Controlled Lattice Boom, Truck Mounted Mechanical Crane With Full-Time Operator	42,119.76	
		<i>For Equipment Without Operator, Deduct</i>	-16,947.41	
01 22 23 00-0888	DAY	250 Ton Lift, Cable Controlled Lattice Boom, Truck Mounted Mechanical Crane With Full-Time Operator	3,783.07	
		<i>For Equipment Without Operator, Deduct</i>	-786.36	
01 22 23 00-0889	WK	250 Ton Lift, Cable Controlled Lattice Boom, Truck Mounted Mechanical Crane With Full-Time Operator	14,619.36	
		<i>For Equipment Without Operator, Deduct</i>	-3,931.80	
01 22 23 00-0890	MO	250 Ton Lift, Cable Controlled Lattice Boom, Truck Mounted Mechanical Crane With Full-Time Operator	49,010.09	
		<i>For Equipment Without Operator, Deduct</i>	-16,947.41	
01 22 23 00-0891	DAY	300 Ton Lift, Cable Controlled Lattice Boom, Truck Mounted Mechanical Crane With Full-Time Operator	4,275.53	
		<i>For Equipment Without Operator, Deduct</i>	-786.36	
01 22 23 00-0892	WK	300 Ton Lift, Cable Controlled Lattice Boom, Truck Mounted Mechanical Crane With Full-Time Operator	16,384.90	
		<i>For Equipment Without Operator, Deduct</i>	-3,931.80	
01 22 23 00-0893	MO	300 Ton Lift, Cable Controlled Lattice Boom, Truck Mounted Mechanical Crane With Full-Time Operator	54,299.38	
		<i>For Equipment Without Operator, Deduct</i>	-16,947.41	
01 22 23 00-0894	DAY	500 Ton Lift, Cable Controlled Lattice Boom, Truck Mounted Mechanical Crane With Full-Time Operator	7,303.68	
		<i>For Equipment Without Operator, Deduct</i>	-786.36	
01 22 23 00-0895	WK	500 Ton Lift, Cable Controlled Lattice Boom, Truck Mounted Mechanical Crane With Full-Time Operator	27,177.24	
		<i>For Equipment Without Operator, Deduct</i>	-3,931.80	
01 22 23 00-0896	MO	500 Ton Lift, Cable Controlled Lattice Boom, Truck Mounted Mechanical Crane With Full-Time Operator	86,689.98	
		<i>For Equipment Without Operator, Deduct</i>	-16,947.41	
01 22 23 00-0897		Telescopic Boom, Hi-Reach, Rough Terrain Construction Forklifts <small>(01 22 23 00-0840)</small>		
		Note: Includes full-time operator. Excludes delivery, set-up, and removal.		
01 22 23 00-0898	DAY	5,000 LB Telescopic Boom, Hi-Reach, Rough Terrain Construction Forklift With Full-Time Operator	1,083.06	
		<i>For Equipment Without Operator, Deduct</i>	-767.39	
01 22 23 00-0899	WK	5,000 LB Telescopic Boom, Hi-Reach, Rough Terrain Construction Forklift With Full-Time Operator	4,609.48	
		<i>For Equipment Without Operator, Deduct</i>	-3,836.93	
01 22 23 00-0900	MO	5,000 LB Telescopic Boom, Hi-Reach, Rough Terrain Construction Forklift With Full-Time Operator	18,199.90	
		<i>For Equipment Without Operator, Deduct</i>	-16,538.50	
01 22 23 00-0901	DAY	6,000 LB Telescopic Boom, Hi-Reach, Rough Terrain Construction Forklift With Full-Time Operator	1,116.28	
		<i>For Equipment Without Operator, Deduct</i>	-767.39	
01 22 23 00-0902	WK	6,000 LB Telescopic Boom, Hi-Reach, Rough Terrain Construction Forklift With Full-Time Operator	4,684.24	
		<i>For Equipment Without Operator, Deduct</i>	-3,836.93	
01 22 23 00-0903	MO	6,000 LB Telescopic Boom, Hi-Reach, Rough Terrain Construction Forklift With Full-Time Operator	18,366.04	
		<i>For Equipment Without Operator, Deduct</i>	-16,538.50	
01 22 23 00-0904	DAY	8,000 LB Telescopic Boom, Hi-Reach, Rough Terrain Construction Forklift With Full-Time Operator	1,107.98	
		<i>For Equipment Without Operator, Deduct</i>	-767.39	
01 22 23 00-0905	WK	8,000 LB Telescopic Boom, Hi-Reach, Rough Terrain Construction Forklift With Full-Time Operator	4,721.63	
		<i>For Equipment Without Operator, Deduct</i>	-3,836.93	
01 22 23 00-0906	MO	8,000 LB Telescopic Boom, Hi-Reach, Rough Terrain Construction Forklift With Full-Time Operator	18,615.25	
		<i>For Equipment Without Operator, Deduct</i>	-16,538.50	
01 22 23 00-0907	DAY	10,000 LB Telescopic Boom, Hi-Reach, Rough Terrain Construction Forklift With Full-Time Operator	1,203.51	
		<i>For Equipment Without Operator, Deduct</i>	-767.39	
01 22 23 00-0908	WK	10,000 LB Telescopic Boom, Hi-Reach, Rough Terrain Construction Forklift With Full-Time Operator	4,970.84	
		<i>For Equipment Without Operator, Deduct</i>	-3,836.93	
01 22 23 00-0909	MO	10,000 LB Telescopic Boom, Hi-Reach, Rough Terrain Construction Forklift With Full-Time Operator	19,196.74	
		<i>For Equipment Without Operator, Deduct</i>	-16,538.50	
01 22 23 00-0910		Straight Mast, Rough Terrain Construction Forklifts <small>(01 22 23 00-0840)</small>		
		Note: Includes full-time operator. Excludes delivery, set-up, and removal.		
01 22 23 00-0911	DAY	5,000 LB Straight Mast, Rough Terrain Construction Forklift With Full-Time Operator	972.57	
		<i>For Equipment Without Operator, Deduct</i>	-767.39	
		<i>For Propane Instead Of Gas Or Diesel, Add</i>	41.04	
01 22 23 00-0912	WK	5,000 LB Straight Mast, Rough Terrain Construction Forklift With Full-Time Operator	4,397.24	
		<i>For Equipment Without Operator, Deduct</i>	-3,836.93	
		<i>For Propane Instead Of Gas Or Diesel, Add</i>	112.06	
01 22 23 00-0913	MO	5,000 LB Straight Mast, Rough Terrain Construction Forklift With Full-Time Operator	17,820.89	
		<i>For Equipment Without Operator, Deduct</i>	-16,538.50	
		<i>For Propane Instead Of Gas Or Diesel, Add</i>	256.48	
01 22 23 00-0914	DAY	6,000 LB Straight Mast, Rough Terrain Construction Forklift With Full-Time Operator	983.37	
		<i>For Equipment Without Operator, Deduct</i>	-767.39	
		<i>For Propane Instead Of Gas Or Diesel, Add</i>	43.20	
01 22 23 00-0915	WK	6,000 LB Straight Mast, Rough Terrain Construction Forklift With Full-Time Operator	4,426.73	
		<i>For Equipment Without Operator, Deduct</i>	-3,836.93	
		<i>For Propane Instead Of Gas Or Diesel, Add</i>	117.96	
01 22 23 00-0916	MO	6,000 LB Straight Mast, Rough Terrain Construction Forklift With Full-Time Operator	17,888.39	
		<i>For Equipment Without Operator, Deduct</i>	-16,538.50	
		<i>For Propane Instead Of Gas Or Diesel, Add</i>	269.98	
01 22 23 00-0917	DAY	8,000 LB Straight Mast, Rough Terrain Construction Forklift With Full-Time Operator	1,041.52	
		<i>For Equipment Without Operator, Deduct</i>	-767.39	
		<i>For Propane Instead Of Gas Or Diesel, Add</i>	54.83	
01 22 23 00-0918	WK	8,000 LB Straight Mast, Rough Terrain Construction Forklift With Full-Time Operator	4,588.71	
		<i>For Equipment Without Operator, Deduct</i>	-3,836.93	
		<i>For Propane Instead Of Gas Or Diesel, Add</i>	150.36	
01 22 23 00-0919	MO	8,000 LB Straight Mast, Rough Terrain Construction Forklift With Full-Time Operator	18,262.20	
		<i>For Equipment Without Operator, Deduct</i>	-16,538.50	
		<i>For Propane Instead Of Gas Or Diesel, Add</i>	344.74	
01 22 23 00-0920	DAY	10,000 LB Straight Mast, Rough Terrain Construction Forklift With Full-Time Operator	1,073.54	
		<i>For Equipment Without Operator, Deduct</i>	-767.39	
		<i>For Propane Instead Of Gas Or Diesel, Add</i>	61.23	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
01 22 23 00-0921 WK 10,000 LB Straight Mast, Rough Terrain Construction Forklift With Full-Time Operator <i>For Equipment Without Operator, Deduct For Propane Instead Of Gas Or Diesel, Add</i>	4,574.84 -3,836.93 147.88	
01 22 23 00-0922 MO 10,000 LB Straight Mast, Rough Terrain Construction Forklift With Full-Time Operator <i>For Equipment Without Operator, Deduct For Propane Instead Of Gas Or Diesel, Add</i>	18,375.43 -16,538.50 367.39	
01 22 23 00-0923 Straight Mast, Industrial Warehouse Forklifts <small>(01 22 23 00-0840)</small> Note: Includes full-time operator. Excludes delivery, set-up, and removal.		
01 22 23 00-0924 DAY 5,000 LB Straight Mast, Industrial Warehouse Forklift With Full-Time Operator <i>For Equipment Without Operator, Deduct For Propane Instead Of Gas Or Diesel, Add</i>	941.84 -767.39 34.89	
01 22 23 00-0925 WK 5,000 LB Straight Mast, Industrial Warehouse Forklift With Full-Time Operator <i>For Equipment Without Operator, Deduct For Propane Instead Of Gas Or Diesel, Add</i>	4,235.67 -3,836.93 79.75	
01 22 23 00-0926 MO 5,000 LB Straight Mast, Industrial Warehouse Forklift With Full-Time Operator <i>For Equipment Without Operator, Deduct For Propane Instead Of Gas Or Diesel, Add</i>	17,493.80 -16,538.50 191.06	
01 22 23 00-0927 DAY 6,000 LB Straight Mast, Industrial Warehouse Forklift With Full-Time Operator <i>For Equipment Without Operator, Deduct For Propane Instead Of Gas Or Diesel, Add</i>	945.99 -767.39 35.72	
01 22 23 00-0928 WK 6,000 LB Straight Mast, Industrial Warehouse Forklift With Full-Time Operator <i>For Equipment Without Operator, Deduct For Propane Instead Of Gas Or Diesel, Add</i>	4,248.13 -3,836.93 82.24	
01 22 23 00-0929 MO 6,000 LB Straight Mast, Industrial Warehouse Forklift With Full-Time Operator <i>For Equipment Without Operator, Deduct For Propane Instead Of Gas Or Diesel, Add</i>	17,522.88 -16,538.50 196.88	
01 22 23 00-0930 DAY 8,000 LB Straight Mast, Industrial Warehouse Forklift With Full-Time Operator <i>For Equipment Without Operator, Deduct For Propane Instead Of Gas Or Diesel, Add</i>	1,033.21 -767.39 53.16	
01 22 23 00-0931 WK 8,000 LB Straight Mast, Industrial Warehouse Forklift With Full-Time Operator <i>For Equipment Without Operator, Deduct For Propane Instead Of Gas Or Diesel, Add</i>	4,439.19 -3,836.93 120.45	
01 22 23 00-0932 MO 8,000 LB Straight Mast, Industrial Warehouse Forklift With Full-Time Operator <i>For Equipment Without Operator, Deduct For Propane Instead Of Gas Or Diesel, Add</i>	17,992.22 -16,538.50 290.74	
01 22 23 00-0933 DAY 12,000 LB Straight Mast, Industrial Warehouse Forklift With Full-Time Operator <i>For Equipment Without Operator, Deduct For Propane Instead Of Gas Or Diesel, Add</i>	1,041.52 -767.39 54.83	
01 22 23 00-0934 WK 12,000 LB Straight Mast, Industrial Warehouse Forklift With Full-Time Operator <i>For Equipment Without Operator, Deduct For Propane Instead Of Gas Or Diesel, Add</i>	4,509.80 -3,836.93 134.57	
01 22 23 00-0935 MO 12,000 LB Straight Mast, Industrial Warehouse Forklift With Full-Time Operator <i>For Equipment Without Operator, Deduct For Propane Instead Of Gas Or Diesel, Add</i>	18,241.44 -16,538.50 340.59	
01 22 23 00-0936 DAY 15,000 LB Straight Mast, Industrial Warehouse Forklift With Full-Time Operator <i>For Equipment Without Operator, Deduct For Propane Instead Of Gas Or Diesel, Add</i>	1,116.28 -767.39 69.78	
01 22 23 00-0937 WK 15,000 LB Straight Mast, Industrial Warehouse Forklift With Full-Time Operator <i>For Equipment Without Operator, Deduct For Propane Instead Of Gas Or Diesel, Add</i>	4,630.25 -3,836.93 158.66	
01 22 23 00-0938 MO 15,000 LB Straight Mast, Industrial Warehouse Forklift With Full-Time Operator <i>For Equipment Without Operator, Deduct For Propane Instead Of Gas Or Diesel, Add</i>	18,449.11 -16,538.50 382.12	
01 22 23 00-0939 Chain Hoists <small>(01 22 23 00-0840)</small> Note: Includes delivery to job site and pick-up when complete.		
01 22 23 00-0940 DAY 1 Ton, 20' Lift, Manual Chain Hoist	10.00	
01 22 23 00-0941 WK 1 Ton, 20' Lift, Manual Chain Hoist	26.00	
01 22 23 00-0942 MO 1 Ton, 20' Lift, Manual Chain Hoist	77.00	
01 22 23 00-0943 DAY 3 Ton, 20' Lift, Manual Chain Hoist	28.00	
01 22 23 00-0944 WK 3 Ton, 20' Lift, Manual Chain Hoist	66.00	
01 22 23 00-0945 MO 3 Ton, 20' Lift, Manual Chain Hoist	185.00	
01 22 23 00-0946 DAY 5 Ton, 20' Lift, Manual Chain Hoist	36.00	
01 22 23 00-0947 WK 5 Ton, 20' Lift, Manual Chain Hoist	97.00	
01 22 23 00-0948 MO 5 Ton, 20' Lift, Manual Chain Hoist	270.00	
01 22 23 00-0949 DAY 2 Ton, 20' Lift, 2-Speed, 230/460 Volt, 60 Cycle, Electric Chain Hoist	71.00	
01 22 23 00-0950 WK 2 Ton, 20' Lift, 2-Speed, 230/460 Volt, 60 Cycle, Electric Chain Hoist	185.00	
01 22 23 00-0951 MO 2 Ton, 20' Lift, 2-Speed, 230/460 Volt, 60 Cycle, Electric Chain Hoist	500.00	
01 22 23 00-0952 DAY 3 Ton, 20' Lift, 2-Speed, 230/460 Volt, 60 Cycle, Electric Chain Hoist	72.00	
01 22 23 00-0953 WK 3 Ton, 20' Lift, 2-Speed, 230/460 Volt, 60 Cycle, Electric Chain Hoist	192.50	
01 22 23 00-0954 MO 3 Ton, 20' Lift, 2-Speed, 230/460 Volt, 60 Cycle, Electric Chain Hoist	525.00	
01 22 23 00-0955 DAY 5 Ton, 20' Lift, 2-Speed, 230/460 Volt, 60 Cycle, Electric Chain Hoist	74.00	
01 22 23 00-0956 WK 5 Ton, 20' Lift, 2-Speed, 230/460 Volt, 60 Cycle, Electric Chain Hoist	207.50	
01 22 23 00-0957 MO 5 Ton, 20' Lift, 2-Speed, 230/460 Volt, 60 Cycle, Electric Chain Hoist	575.00	
01 22 23 00-0958 Roof Swing Hoist <small>(01 22 23 00-0840)</small> Note: Includes delivery to job site and pick-up when complete.		
01 22 23 00-0959 DAY Up To 400#, Manual Swing Roof Hoist	57.54	
01 22 23 00-0960 WK Up To 400#, Manual Swing Roof Hoist	201.39	
01 22 23 00-0961 MO Up To 400#, Manual Swing Roof Hoist	690.48	

10	01	General Requirements
	01 20	Price And Payment Procedures
	01 22	Unit Prices



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
------------------------------	---------------------------	-------------------------

01 22 23 00-0962 Pumping Equipment (01 22 23)

01 22 23 00-0963 Gas Powered Portable Centrifugal Pumps (01 22 23 00-0962)

Note: Includes delivery, set-up, and removal. Excludes operator. See CSI section 01 22 23 00-0987 for larger diameter pumps.

01 22 23 00-0964	DAY	8,500 GPH, 2" Discharge, 108' Maximum Head, Gas Powered Portable Centrifugal Pump.....	62.12
01 22 23 00-0965	WK	8,500 GPH, 2" Discharge, 108' Maximum Head, Gas Powered Portable Centrifugal Pump.....	139.76
01 22 23 00-0966	MO	8,500 GPH, 2" Discharge, 108' Maximum Head, Gas Powered Portable Centrifugal Pump.....	372.70
01 22 23 00-0967	DAY	16,500 GPH, 3" Discharge, 85' Maximum Head, Gas Powered Portable Centrifugal Pump.....	74.54
01 22 23 00-0968	WK	16,500 GPH, 3" Discharge, 85' Maximum Head, Gas Powered Portable Centrifugal Pump.....	167.71
01 22 23 00-0969	MO	16,500 GPH, 3" Discharge, 85' Maximum Head, Gas Powered Portable Centrifugal Pump.....	447.24

01 22 23 00-0970 Gas Powered Portable Diaphragm Pumps (01 22 23 00-0962)

Note: Includes delivery, set-up, and removal. Excludes operator.

01 22 23 00-0971	DAY	3,000 GPH, 2" Discharge, 25' Maximum Head, Gas Powered Portable Diaphragm Pump.....	71.43
01 22 23 00-0972	WK	3,000 GPH, 2" Discharge, 25' Maximum Head, Gas Powered Portable Diaphragm Pump.....	201.88
01 22 23 00-0973	MO	3,000 GPH, 2" Discharge, 25' Maximum Head, Gas Powered Portable Diaphragm Pump.....	512.46
01 22 23 00-0974	DAY	5,200 GPH, 3" Discharge, 25' Maximum Head, Gas Powered Portable Diaphragm Pump.....	86.96
01 22 23 00-0975	WK	5,200 GPH, 3" Discharge, 25' Maximum Head, Gas Powered Portable Diaphragm Pump.....	232.94
01 22 23 00-0976	MO	5,200 GPH, 3" Discharge, 25' Maximum Head, Gas Powered Portable Diaphragm Pump.....	659.98

01 22 23 00-0977 Gas Powered Portable Trash Pumps (01 22 23 00-0962)

Note: Includes delivery, set-up, and removal. Excludes operator.

01 22 23 00-0978	DAY	12,000 GPH, 2" Discharge, 100' Maximum Head, Gas Powered Portable Trash Pump.....	90.07
01 22 23 00-0979	WK	12,000 GPH, 2" Discharge, 100' Maximum Head, Gas Powered Portable Trash Pump.....	186.35
01 22 23 00-0980	MO	12,000 GPH, 2" Discharge, 100' Maximum Head, Gas Powered Portable Trash Pump.....	559.04
01 22 23 00-0981	DAY	25,000 GPH, 3" Discharge, 90' Maximum Head, Gas Powered Portable Trash Pump.....	90.07
01 22 23 00-0982	WK	25,000 GPH, 3" Discharge, 90' Maximum Head, Gas Powered Portable Trash Pump.....	240.70
01 22 23 00-0983	MO	25,000 GPH, 3" Discharge, 90' Maximum Head, Gas Powered Portable Trash Pump.....	659.98
01 22 23 00-0984	DAY	35,000 GPH, 4" Discharge, 106' Maximum Head, Gas Powered Portable Trash Pump.....	142.87
01 22 23 00-0985	WK	35,000 GPH, 4" Discharge, 106' Maximum Head, Gas Powered Portable Trash Pump.....	403.75
01 22 23 00-0986	MO	35,000 GPH, 4" Discharge, 106' Maximum Head, Gas Powered Portable Trash Pump.....	1,172.44

01 22 23 00-0987 Diesel Powered Portable Trash Pumps (01 22 23 00-0962)

Note: Includes delivery, set-up, and removal. Excludes operator.

01 22 23 00-0988	DAY	63,000 GPH, 4" Discharge, 153' Maximum Head, Diesel Powered Portable Trash Pump.....	279.52
01 22 23 00-0989	WK	63,000 GPH, 4" Discharge, 153' Maximum Head, Diesel Powered Portable Trash Pump.....	760.92
01 22 23 00-0990	MO	63,000 GPH, 4" Discharge, 153' Maximum Head, Diesel Powered Portable Trash Pump.....	3,315.44
01 22 23 00-0991	DAY	156,000 GPH, 6" Discharge, 160' Maximum Head, Diesel Powered Portable Trash Pump.....	427.05
01 22 23 00-0992	WK	156,000 GPH, 6" Discharge, 160' Maximum Head, Diesel Powered Portable Trash Pump.....	1,118.09
01 22 23 00-0993	MO	156,000 GPH, 6" Discharge, 160' Maximum Head, Diesel Powered Portable Trash Pump.....	2,973.80
01 22 23 00-0994	DAY	246,000 GPH, 10" Discharge, 160' Maximum Head, Diesel Powered Portable Trash Pump.....	580.78
01 22 23 00-0995	WK	246,000 GPH, 10" Discharge, 160' Maximum Head, Diesel Powered Portable Trash Pump.....	1,554.45
01 22 23 00-0996	MO	246,000 GPH, 10" Discharge, 160' Maximum Head, Diesel Powered Portable Trash Pump.....	4,158.67
01 22 23 00-0997	DAY	379,000 GPH, 12" Discharge, 104' Maximum Head, Diesel Powered Portable Trash Pump.....	751.60
01 22 23 00-0998	WK	379,000 GPH, 12" Discharge, 104' Maximum Head, Diesel Powered Portable Trash Pump.....	1,919.38
01 22 23 00-0999	MO	379,000 GPH, 12" Discharge, 104' Maximum Head, Diesel Powered Portable Trash Pump.....	5,637.03

01 22 23 00-1000 Diesel Powered Portable Silenced Environmental Trash Pumps (01 22 23 00-0962)

Note: Includes delivery, set-up, and removal. Excludes operator.

01 22 23 00-1001	DAY	90,000 GPH, 4" Discharge, 330' Maximum Head, Diesel Powered Portable Silenced Environmental Trash Pump.....	399.10
01 22 23 00-1002	WK	90,000 GPH, 4" Discharge, 330' Maximum Head, Diesel Powered Portable Silenced Environmental Trash Pump.....	908.45
01 22 23 00-1003	MO	90,000 GPH, 4" Discharge, 330' Maximum Head, Diesel Powered Portable Silenced Environmental Trash Pump.....	2,832.49
01 22 23 00-1004	DAY	136,800 GPH, 6" Discharge, 158' Maximum Head, Diesel Powered Portable Silenced Environmental Trash Pump.....	489.16
01 22 23 00-1005	WK	136,800 GPH, 6" Discharge, 158' Maximum Head, Diesel Powered Portable Silenced Environmental Trash Pump.....	1,219.03
01 22 23 00-1006	MO	136,800 GPH, 6" Discharge, 158' Maximum Head, Diesel Powered Portable Silenced Environmental Trash Pump.....	3,315.44
01 22 23 00-1007	DAY	246,000 GPH, 10" Discharge, 158' Maximum Head, Diesel Powered Portable Silenced Environmental Trash Pump.....	590.10
01 22 23 00-1008	WK	246,000 GPH, 10" Discharge, 158' Maximum Head, Diesel Powered Portable Silenced Environmental Trash Pump.....	1,745.46
01 22 23 00-1009	MO	246,000 GPH, 10" Discharge, 158' Maximum Head, Diesel Powered Portable Silenced Environmental Trash Pump.....	4,868.34
01 22 23 00-1010	DAY	510,000 GPH, 12" Discharge, 200' Maximum Head, Diesel Powered Portable Silenced Environmental Trash Pump.....	888.26
01 22 23 00-1011	WK	510,000 GPH, 12" Discharge, 200' Maximum Head, Diesel Powered Portable Silenced Environmental Trash Pump.....	2,268.79
01 22 23 00-1012	MO	510,000 GPH, 12" Discharge, 200' Maximum Head, Diesel Powered Portable Silenced Environmental Trash Pump.....	6,661.94

01 22 23 00-1013 3 Phase Electric Submersible Pumps (01 22 23 00-0962)

Note: Includes delivery, set-up, and removal. Excludes operator.

01 22 23 00-1014	DAY	24,000 GPH, 3" Discharge, 78' Maximum Head, 3 Phase Electric Submersible Pump.....	155.29
01 22 23 00-1015	WK	24,000 GPH, 3" Discharge, 78' Maximum Head, 3 Phase Electric Submersible Pump.....	388.22
01 22 23 00-1016	MO	24,000 GPH, 3" Discharge, 78' Maximum Head, 3 Phase Electric Submersible Pump.....	1,164.68
01 22 23 00-1017	DAY	49,800 GPH, 4" Discharge, 98' Maximum Head, 3 Phase Electric Submersible Pump.....	204.98



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
01 22 23 00-1018	WK		49,800 GPH, 4" Discharge, 98' Maximum Head, 3 Phase Electric Submersible Pump	512.46	
01 22 23 00-1019	MO		49,800 GPH, 4" Discharge, 98' Maximum Head, 3 Phase Electric Submersible Pump	1,537.37	
01 22 23 00-1020 Suction Hose With Couplings (01 22 23 00-0962)					
Note: Includes delivery, set-up, and removal.					
01 22 23 00-1021	DAY		Up To 2" Inside Diameter, 20' Length, Suction Hose With Couplings	6.00	
01 22 23 00-1022	WK		Up To 2" Inside Diameter, 20' Length, Suction Hose With Couplings	15.00	
01 22 23 00-1023	MO		Up To 2" Inside Diameter, 20' Length, Suction Hose With Couplings	46.00	
01 22 23 00-1024	DAY		3" Inside Diameter, 20' Length, Suction Hose With Couplings	16.00	
01 22 23 00-1025	WK		3" Inside Diameter, 20' Length, Suction Hose With Couplings	41.00	
01 22 23 00-1026	MO		3" Inside Diameter, 20' Length, Suction Hose With Couplings	125.00	
01 22 23 00-1027	DAY		4" Inside Diameter, 20' Length, Suction Hose With Couplings	24.00	
01 22 23 00-1028	WK		4" Inside Diameter, 20' Length, Suction Hose With Couplings	61.00	
01 22 23 00-1029	MO		4" Inside Diameter, 20' Length, Suction Hose With Couplings	185.00	
01 22 23 00-1030	DAY		6" Inside Diameter, 20' Length, Suction Hose With Couplings	30.00	
01 22 23 00-1031	WK		6" Inside Diameter, 20' Length, Suction Hose With Couplings	75.00	
01 22 23 00-1032	MO		6" Inside Diameter, 20' Length, Suction Hose With Couplings	220.00	
01 22 23 00-1033	DAY		10" Inside Diameter, 20' Length, Suction Hose With Couplings	70.00	
01 22 23 00-1034	WK		10" Inside Diameter, 20' Length, Suction Hose With Couplings	180.00	
01 22 23 00-1035	MO		10" Inside Diameter, 20' Length, Suction Hose With Couplings	530.00	
01 22 23 00-1036	DAY		12" Inside Diameter, 20' Length, Suction Hose With Couplings	94.00	
01 22 23 00-1037	WK		12" Inside Diameter, 20' Length, Suction Hose With Couplings	205.00	
01 22 23 00-1038	MO		12" Inside Diameter, 20' Length, Suction Hose With Couplings	615.00	
01 22 23 00-1039 Discharge Hose With Couplings (01 22 23 00-0962)					
Note: Includes delivery, set-up, and removal.					
01 22 23 00-1040	DAY		1-1/2" Inside Diameter, 50' Length, Discharge Hose With Couplings	6.00	
01 22 23 00-1041	WK		1-1/2" Inside Diameter, 50' Length, Discharge Hose With Couplings	15.00	
01 22 23 00-1042	MO		1-1/2" Inside Diameter, 50' Length, Discharge Hose With Couplings	46.00	
01 22 23 00-1043	DAY		2" Inside Diameter, 50' Length, Discharge Hose With Couplings	7.00	
01 22 23 00-1044	WK		2" Inside Diameter, 50' Length, Discharge Hose With Couplings	17.00	
01 22 23 00-1045	MO		2" Inside Diameter, 50' Length, Discharge Hose With Couplings	53.00	
01 22 23 00-1046	DAY		3" Inside Diameter, 50' Length, Discharge Hose With Couplings	8.00	
01 22 23 00-1047	WK		3" Inside Diameter, 50' Length, Discharge Hose With Couplings	20.00	
01 22 23 00-1048	MO		3" Inside Diameter, 50' Length, Discharge Hose With Couplings	61.00	
01 22 23 00-1049	DAY		4" Inside Diameter, 50' Length, Discharge Hose With Couplings	21.00	
01 22 23 00-1050	WK		4" Inside Diameter, 50' Length, Discharge Hose With Couplings	54.00	
01 22 23 00-1051	MO		4" Inside Diameter, 50' Length, Discharge Hose With Couplings	155.00	
01 22 23 00-1052	DAY		6" Inside Diameter, 50' Length, Discharge Hose With Couplings	26.00	
01 22 23 00-1053	WK		6" Inside Diameter, 50' Length, Discharge Hose With Couplings	71.00	
01 22 23 00-1054	MO		6" Inside Diameter, 50' Length, Discharge Hose With Couplings	195.00	
01 22 23 00-1055	DAY		10" Inside Diameter, 10' Length, Discharge Hose With Couplings	20.00	
01 22 23 00-1056	WK		10" Inside Diameter, 10' Length, Discharge Hose With Couplings	50.00	
01 22 23 00-1057	MO		10" Inside Diameter, 10' Length, Discharge Hose With Couplings	150.00	
01 22 23 00-1058	DAY		12" Inside Diameter, 10' Length, Discharge Hose With Couplings	51.00	
01 22 23 00-1059	WK		12" Inside Diameter, 10' Length, Discharge Hose With Couplings	130.00	
01 22 23 00-1060	MO		12" Inside Diameter, 10' Length, Discharge Hose With Couplings	385.00	
01 22 23 00-1061 Hydraulic Submersible Pumps (01 22 23 00-0962)					
Note: Includes delivery, set-up, and removal. Excludes operator.					
01 22 23 00-1062 Hydraulic Submersible Pumps (01 22 23 00-1061)					
Note: Includes delivery, set-up, and removal. Excludes operator.					
01 22 23 00-1063	DAY		60,000 GPH, 4" Discharge, 115' Maximum Head, Hydraulic Submersible Pump	102.49	
01 22 23 00-1064	WK		60,000 GPH, 4" Discharge, 115' Maximum Head, Hydraulic Submersible Pump	274.86	
01 22 23 00-1065	MO		60,000 GPH, 4" Discharge, 115' Maximum Head, Hydraulic Submersible Pump	768.69	
01 22 23 00-1066	DAY		132,000 GPH, 6" Discharge, 90' Maximum Head, Hydraulic Submersible Pump	130.44	
01 22 23 00-1067	WK		132,000 GPH, 6" Discharge, 90' Maximum Head, Hydraulic Submersible Pump	335.43	
01 22 23 00-1068	MO		132,000 GPH, 6" Discharge, 90' Maximum Head, Hydraulic Submersible Pump	1,024.91	
01 22 23 00-1069 Hydraulic Submersible Pump Diesel Power Packs (01 22 23 00-1061)					
Note: Includes delivery, set-up, and removal. Excludes operator.					
01 22 23 00-1070	DAY		100 HP, Hydraulic Submersible Pump Diesel Power Pack	236.82	
01 22 23 00-1071	WK		100 HP, Hydraulic Submersible Pump Diesel Power Pack	706.57	
01 22 23 00-1072	MO		100 HP, Hydraulic Submersible Pump Diesel Power Pack	1,863.48	
01 22 23 00-1073 HDPE Pipe With Couplings (01 22 23 00-0962)					
Note: Includes delivery, set-up, and removal.					
01 22 23 00-1074	DAY		4" x 20' HDPE Pipe With Couplings	5.00	
01 22 23 00-1075	WK		4" x 20' HDPE Pipe With Couplings	12.00	
01 22 23 00-1076	MON		4" x 20' HDPE Pipe With Couplings	37.00	
01 22 23 00-1077	DAY		6" x 20' HDPE Pipe With Couplings	8.00	
01 22 23 00-1078	WK		6" x 20' HDPE Pipe With Couplings	20.00	
01 22 23 00-1079	MON		6" x 20' HDPE Pipe With Couplings	61.00	
01 22 23 00-1080	DAY		8" x 20' HDPE Pipe With Couplings	13.00	
01 22 23 00-1081	WK		8" x 20' HDPE Pipe With Couplings	34.00	
01 22 23 00-1082	MON		8" x 20' HDPE Pipe With Couplings	101.00	

01	General Requirements
01 20	Price And Payment Procedures
01 22	Unit Prices



MINOR
CSI UOM DESCRIPTION

TOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

01 22 23 00-1083	DAY	10" x 20' HDPE Pipe With Couplings	16.00
01 22 23 00-1084	WK	10" x 20' HDPE Pipe With Couplings	41.00
01 22 23 00-1085	MON	10" x 20' HDPE Pipe With Couplings	125.00
01 22 23 00-1086	DAY	12" x 10' HDPE Pipe With Couplings	12.00
01 22 23 00-1087	WK	12" x 10' HDPE Pipe With Couplings	33.00
01 22 23 00-1088	MON	12" x 10' HDPE Pipe With Couplings	100.00
01 22 23 00-1089	DAY	4" Elbow For HDPE Pipe, Quick Connect	12.00
01 22 23 00-1090	WK	4" Elbow For HDPE Pipe, Quick Connect	31.00
01 22 23 00-1091	MON	4" Elbow For HDPE Pipe, Quick Connect	92.00
01 22 23 00-1092	DAY	6" Elbow For HDPE Pipe, Quick Connect	14.00
01 22 23 00-1093	WK	6" Elbow For HDPE Pipe, Quick Connect	36.00
01 22 23 00-1094	MON	6" Elbow For HDPE Pipe, Quick Connect	110.00
01 22 23 00-1095	DAY	8" Elbow For HDPE Pipe, Quick Connect	16.00
01 22 23 00-1096	WK	8" Elbow For HDPE Pipe, Quick Connect	41.00
01 22 23 00-1097	MON	8" Elbow For HDPE Pipe, Quick Connect	125.00
01 22 23 00-1098	DAY	10" Elbow For HDPE Pipe, Quick Connect	20.00
01 22 23 00-1099	WK	10" Elbow For HDPE Pipe, Quick Connect	51.00
01 22 23 00-1100	MON	10" Elbow For HDPE Pipe, Quick Connect	155.00
01 22 23 00-1101	DAY	12" Elbow For HDPE Pipe, Quick Connect	20.00
01 22 23 00-1102	WK	12" Elbow For HDPE Pipe, Quick Connect	51.00
01 22 23 00-1103	MON	12" Elbow For HDPE Pipe, Quick Connect	155.00
01 22 23 00-1104	DAY	4" Tee For HDPE Pipe, Quick Connect	12.00
01 22 23 00-1105	WK	4" Tee For HDPE Pipe, Quick Connect	31.00
01 22 23 00-1106	MON	4" Tee For HDPE Pipe, Quick Connect	92.00
01 22 23 00-1107	DAY	6" Tee For HDPE Pipe, Quick Connect	16.00
01 22 23 00-1108	WK	6" Tee For HDPE Pipe, Quick Connect	41.00
01 22 23 00-1109	MON	6" Tee For HDPE Pipe, Quick Connect	125.00
01 22 23 00-1110	DAY	8" Tee For HDPE Pipe, Quick Connect	20.00
01 22 23 00-1111	WK	8" Tee For HDPE Pipe, Quick Connect	51.00
01 22 23 00-1112	MON	8" Tee For HDPE Pipe, Quick Connect	155.00
01 22 23 00-1113	DAY	10" Tee For HDPE Pipe, Quick Connect	24.00
01 22 23 00-1114	WK	10" Tee For HDPE Pipe, Quick Connect	61.00
01 22 23 00-1115	MON	10" Tee For HDPE Pipe, Quick Connect	185.00
01 22 23 00-1116	DAY	12" Tee For HDPE Pipe, Quick Connect	24.00
01 22 23 00-1117	WK	12" Tee For HDPE Pipe, Quick Connect	61.00
01 22 23 00-1118	MON	12" Tee For HDPE Pipe, Quick Connect	185.00
01 22 23 00-1119	DAY	4" Cap For HDPE Pipe, Quick Connect	2.00
01 22 23 00-1120	WK	4" Cap For HDPE Pipe, Quick Connect	6.00
01 22 23 00-1121	MON	4" Cap For HDPE Pipe, Quick Connect	18.00
01 22 23 00-1122	DAY	6" Cap For HDPE Pipe, Quick Connect	2.00
01 22 23 00-1123	WK	6" Cap For HDPE Pipe, Quick Connect	6.00
01 22 23 00-1124	MON	6" Cap For HDPE Pipe, Quick Connect	18.00
01 22 23 00-1125	DAY	8" Cap For HDPE Pipe, Quick Connect	2.00
01 22 23 00-1126	WK	8" Cap For HDPE Pipe, Quick Connect	6.00
01 22 23 00-1127	MON	8" Cap For HDPE Pipe, Quick Connect	18.00
01 22 23 00-1128	DAY	10" Cap For HDPE Pipe, Quick Connect	2.00
01 22 23 00-1129	WK	10" Cap For HDPE Pipe, Quick Connect	6.00
01 22 23 00-1130	MON	10" Cap For HDPE Pipe, Quick Connect	18.00
01 22 23 00-1131	DAY	12" Cap For HDPE Pipe, Quick Connect	2.00
01 22 23 00-1132	WK	12" Cap For HDPE Pipe, Quick Connect	6.00
01 22 23 00-1133	MON	12" Cap For HDPE Pipe, Quick Connect	18.00
01 22 23 00-1134	DAY	4" Wye For HDPE Pipe, Quick Connect	6.00
01 22 23 00-1135	WK	4" Wye For HDPE Pipe, Quick Connect	15.00
01 22 23 00-1136	MON	4" Wye For HDPE Pipe, Quick Connect	46.00
01 22 23 00-1137	DAY	6" Wye For HDPE Pipe, Quick Connect	7.00
01 22 23 00-1138	WK	6" Wye For HDPE Pipe, Quick Connect	18.00
01 22 23 00-1139	MON	6" Wye For HDPE Pipe, Quick Connect	55.00
01 22 23 00-1140	DAY	8" Wye For HDPE Pipe, Quick Connect	12.00
01 22 23 00-1141	WK	8" Wye For HDPE Pipe, Quick Connect	31.00
01 22 23 00-1142	MON	8" Wye For HDPE Pipe, Quick Connect	92.00
01 22 23 00-1143	DAY	10" Wye For HDPE Pipe, Quick Connect	18.00
01 22 23 00-1144	WK	10" Wye For HDPE Pipe, Quick Connect	46.00
01 22 23 00-1145	MON	10" Wye For HDPE Pipe, Quick Connect	140.00
01 22 23 00-1146	DAY	12" Wye For HDPE Pipe, Quick Connect	18.00
01 22 23 00-1147	WK	12" Wye For HDPE Pipe, Quick Connect	46.00
01 22 23 00-1148	MON	12" Wye For HDPE Pipe, Quick Connect	140.00

01 22 23 00-1149 Temporary Building Services (01 22 23)

01 22 23 00-1150 Boilers (01 22 23 00-1149)

Note: Excludes operator, delivery, set-up, and removal.

01 22 23 00-1151 Electric Boilers (01 22 23 00-1150)

01 22 23 00-1152	MO	40 MBH, 12 KW Electric Boiler Rental	1,816.13
01 22 23 00-1153	MO	60 MBH, 20 KW Electric Boiler Rental	1,981.25
01 22 23 00-1154	MO	95 MBH, 30 KW Electric Boiler Rental	2,063.82
01 22 23 00-1155	MO	135 MBH, 40 KW Electric Boiler Rental	2,311.43
01 22 23 00-1156	MO	165 MBH, 50 KW Electric Boiler Rental	3,219.50
01 22 23 00-1157	MO	215 MBH, 60 KW Electric Boiler Rental	3,714.82
01 22 23 00-1158	MO	365 MBH, 100 KW Electric Boiler Rental	4,870.57
01 22 23 00-1159	MO	510 MBH, 150 KW Electric Boiler Rental	5,943.76



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
01 22 23 00-1160			Oil/Gas Fired Boilers (01 22 23 00-1160)		
01 22 23 00-1161	MO		Up To 100 HP, Gas/Oil Dual Fuel Boiler Rental.....	1,906.50	
			<i>For >3 Months Rental, Deduct</i>	-285.98	
01 22 23 00-1162	MO		>100 HP To 250 HP, Gas/Oil Dual Fuel Boiler Rental	2,478.45	
			<i>For >3 Months Rental, Deduct</i>	-371.77	
01 22 23 00-1163	MO		>250 HP To 500 HP, Gas/Oil Dual Fuel Boiler Rental	4,003.65	
			<i>For >3 Months Rental, Deduct</i>	-600.55	
01 22 23 00-1164	MO		>500 HP To 800 HP, Gas/Oil Dual Fuel Boiler Rental	5,528.85	
			<i>For >3 Months Rental, Deduct</i>	-829.33	
01 22 23 00-1165			Oil Fired Boilers (01 22 23 00-1165)		
01 22 23 00-1166	MO		250 HP Oil Fired Boiler Rental.....	5,100.60	
01 22 23 00-1167	MO		350 HP Oil Fired Boiler Rental.....	6,800.80	
01 22 23 00-1168	MO		500 HP Oil Fired Boiler Rental.....	8,501.01	
01 22 23 00-1169	MO		600 HP Oil Fired Boiler Rental.....	9,351.11	
01 22 23 00-1170			Boilers Setup (01 22 23 00-1170)		
01 22 23 00-1171	EA		Setup Rental Boiler	4,457.19	
			Note: Includes delivery, setup, installation, startup, commissioning, decommissioning, and pickup. Excludes piping and electrical hookup. Excludes crane.		
01 22 23 00-1172			Chillers (01 22 23 00-1149)		
			Note: Excludes operator, delivery, set-up, and removal.		
01 22 23 00-1173			Air Cooled Chillers (01 22 23 00-1172)		
01 22 23 00-1174	MO		25 Ton Air Cooled Chiller Rental.....	2,758.21	
			<i>For >3 To 6 Month Rental, Deduct</i>	-413.73	
			<i>For >6 Month Rental, Deduct</i>	-689.55	
01 22 23 00-1175	MO		40 Ton Air Cooled Chiller Rental.....	4,413.15	
			<i>For >3 To 6 Month Rental, Deduct</i>	-661.97	
			<i>For >6 Month Rental, Deduct</i>	-1,103.29	
01 22 23 00-1176	MO		60 Ton Air Cooled Chiller Rental.....	5,397.78	
			<i>For >3 To 6 Month Rental, Deduct</i>	-809.67	
			<i>For >6 Month Rental, Deduct</i>	-1,349.45	
01 22 23 00-1177	MO		80 Ton Air Cooled Chiller Rental.....	6,382.41	
			<i>For >3 To 6 Month Rental, Deduct</i>	-957.36	
			<i>For >6 Month Rental, Deduct</i>	-1,595.60	
01 22 23 00-1178	MO		100 Ton Air Cooled Chiller Rental.....	7,367.04	
			<i>For >3 To 6 Month Rental, Deduct</i>	-1,105.06	
			<i>For >6 Month Rental, Deduct</i>	-1,841.76	
01 22 23 00-1179	MO		125 Ton Air Cooled Chiller Rental.....	8,534.86	
			<i>For >3 To 6 Month Rental, Deduct</i>	-1,280.23	
			<i>For >6 Month Rental, Deduct</i>	-2,133.72	
01 22 23 00-1180	MO		155 Ton Air Cooled Chiller Rental.....	10,325.09	
			<i>For >3 To 6 Month Rental, Deduct</i>	-1,548.76	
			<i>For >6 Month Rental, Deduct</i>	-2,581.27	
01 22 23 00-1181	MO		170 Ton Air Cooled Chiller Rental.....	11,041.18	
			<i>For >3 To 6 Month Rental, Deduct</i>	-1,656.18	
			<i>For >6 Month Rental, Deduct</i>	-2,760.30	
01 22 23 00-1182	MO		200 Ton Air Cooled Chiller Rental.....	12,683.62	
			<i>For >3 To 6 Month Rental, Deduct</i>	-1,902.54	
			<i>For >6 Month Rental, Deduct</i>	-3,170.91	
01 22 23 00-1183	MO		250 Ton Air Cooled Chiller Rental.....	15,092.12	
			<i>For >3 To 6 Month Rental, Deduct</i>	-2,263.82	
			<i>For >6 Month Rental, Deduct</i>	-3,773.03	
01 22 23 00-1184	MO		300 Ton Air Cooled Chiller Rental.....	17,610.94	
			Note: Includes trailer.		
			<i>For >3 To 6 Month Rental, Deduct</i>	-2,641.64	
			<i>For >6 Month Rental, Deduct</i>	-4,402.74	
01 22 23 00-1185	MO		400 Ton Air Cooled Chiller Rental.....	23,231.46	
			Note: Includes trailer, pump and 200' of 6" hose.		
			<i>For >3 To 6 Month Rental, Deduct</i>	-3,484.72	
			<i>For >6 Month Rental, Deduct</i>	-5,807.87	
01 22 23 00-1186	MO		500 Ton Air Cooled Chiller Rental.....	28,756.21	
			Note: Includes trailer, pump and 200' of 6" hose.		
			<i>For >3 To 6 Month Rental, Deduct</i>	-4,313.43	
			<i>For >6 Month Rental, Deduct</i>	-7,189.05	
01 22 23 00-1187	EA		Setup Air Cooled Chiller Rental Unit.....	3,098.29	
			Note: Includes delivery, setup, installation, refrigerant charge, startup, commissioning, decommissioning, recovery of refrigerant and pickup. Excludes piping and electrical hookup. Excludes crane if off-loaded.		
01 22 23 00-1188			Chiller Rental Accessories (01 22 23 00-1172)		
01 22 23 00-1189	MO		4" x 25' Flexible Water Hose For Chiller Rental	49.15	
01 22 23 00-1190	MO		6" x 25' Flexible Water Hose For Chiller Rental	61.44	
01 22 23 00-1191			Cooling Tower (01 22 23 00-1149)		
			Note: Excludes operator, delivery, set-up, and removal.		

01	General Requirements
01 20	Price And Payment Procedures
01 22	Unit Prices



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
01 22 23 00-1192 MO 100 Ton Cooling Tower Rental.....	2,531.12	
For >3 To 6 Months Rental, Deduct	-379.67	
For >6 Months Rental, Deduct	-632.78	
01 22 23 00-1193 MO 200 Ton Cooling Tower Rental.....	4,607.62	
For >3 To 6 Months Rental, Deduct	-691.14	
For >6 Months Rental, Deduct	-1,151.91	
01 22 23 00-1194 MO 250 Ton Cooling Tower Rental.....	5,217.92	
For >3 To 6 Months Rental, Deduct	-782.69	
For >6 Months Rental, Deduct	-1,304.48	
01 22 23 00-1195 MO 300 Ton Cooling Tower Rental.....	5,897.76	
For >3 To 6 Months Rental, Deduct	-884.66	
For >6 Months Rental, Deduct	-1,474.44	
01 22 23 00-1196 MO 400 Ton Cooling Tower Rental.....	7,372.20	
For >3 To 6 Months Rental, Deduct	-1,105.83	
For >6 Months Rental, Deduct	-1,843.05	
01 22 23 00-1197 MO 500 Ton Cooling Tower Rental.....	8,619.37	
For >3 To 6 Months Rental, Deduct	-1,292.91	
For >6 Months Rental, Deduct	-2,154.84	
01 22 23 00-1198 MO Setup Rental Cooling Tower	3,098.29	
Note: Includes delivery, setup, installation, startup, commissioning, decommissioning, and pickup. Excludes piping and electrical hookup. Excludes crane.		
01 22 23 00-1199 Emergency Cooler/Freezer (01 22 23 00-1149)		
Note: Excludes utility connection, delivery, set-up, and removal. Cooler 115 Volt or 230 Volt, freezer 208/230 Volt, combo 115 Volt or 230 Volt.		
01 22 23 00-1200 DAY 8 x 6 x 7 Emergency Cooler Rental.....	98.01	
01 22 23 00-1201 WK 8 x 6 x 7 Emergency Cooler Rental.....	522.72	
01 22 23 00-1202 DAY 10 x 7 x 7 Emergency Cooler Rental.....	196.02	
01 22 23 00-1203 WK 10 x 7 x 7 Emergency Cooler Rental.....	784.08	
01 22 23 00-1204 MO 10 x 7 x 7 Emergency Cooler Rental.....	1,960.20	
01 22 23 00-1205 DAY 10 x 7 x 7 Emergency Freezer Rental.....	228.69	
01 22 23 00-1206 WK 10 x 7 x 7 Emergency Freezer Rental.....	914.76	
01 22 23 00-1207 MO 10 x 7 x 7 Emergency Freezer Rental.....	2,352.24	
01 22 23 00-1208 DAY 6 x 8 x 7 Or 6 x 6 x 7, Emergency Combo Cooler/Freezer Rental	261.36	
01 22 23 00-1209 WK 6 x 8 x 7 Or 6 x 6 x 7, Emergency Combo Cooler/Freezer Rental	1,045.44	
01 22 23 00-1210 MO 6 x 8 x 7 Or 6 x 6 x 7, Emergency Combo Cooler/Freezer Rental	2,613.60	
01 22 23 00-1211 Fuel Oil Tank (01 22 23 00-1149)		
Note: Includes delivery to job site, connection to existing system and pick-up when complete. Excludes Off-road fuel costs. See CSI section 01 22 23 00-0760 for reimbursable fuel fees.		
01 22 23 00-1212 MO 100 Gallon Portable Double Wall Fuel Oil Tank Rental.....	321.41	
01 22 23 00-1213 MO 275 Gallon Portable Double Wall Fuel Oil Tank Rental.....	499.97	
01 22 23 00-1214 MO 500 Gallon Portable Double Wall Fuel Oil Tank Rental.....	1,249.92	
01 22 23 00-1215 MO 1,000 Gallon Portable Double Wall Fuel Oil Tank Rental.....	2,083.20	
01 22 23 00-1216 MO 2,300 Gallon Portable Double Wall Fuel Oil Tank Rental.....	2,749.82	
01 22 23 00-1217 MO 5,000 Gallon Portable Double Wall Fuel Oil Tank Rental.....	4,912.38	
01 22 23 00-1218 Portable Spot Cooling Units (01 22 23 00-1149)		
Note: Includes delivery to job site, connection to existing system and pick-up when complete. Excludes operator.		
01 22 23 00-1219 DAY 1 Ton Portable Spot Cooling Unit.....	176.12	
01 22 23 00-1220 WK 1 Ton Portable Spot Cooling Unit.....	387.48	
01 22 23 00-1221 MO 1 Ton Portable Spot Cooling Unit.....	774.95	
01 22 23 00-1222 DAY 2 Ton Portable Spot Cooling Unit.....	281.80	
01 22 23 00-1223 WK 2 Ton Portable Spot Cooling Unit.....	563.60	
01 22 23 00-1224 MO 2 Ton Portable Spot Cooling Unit.....	1,268.10	
01 22 23 00-1225 DAY 3 Ton Portable Spot Cooling Unit.....	422.70	
01 22 23 00-1226 WK 3 Ton Portable Spot Cooling Unit.....	845.40	
01 22 23 00-1227 MO 3 Ton Portable Spot Cooling Unit.....	1,690.80	
01 22 23 00-1228 DAY 5 Ton Portable Spot Cooling Unit.....	493.15	
01 22 23 00-1229 WK 5 Ton Portable Spot Cooling Unit.....	986.30	
01 22 23 00-1230 MO 5 Ton Portable Spot Cooling Unit.....	2,254.40	
01 22 23 00-1231 DAY 10 Ton Portable Spot Cooling Unit.....	1,056.75	
01 22 23 00-1232 WK 10 Ton Portable Spot Cooling Unit.....	1,690.80	
01 22 23 00-1233 MO 10 Ton Portable Spot Cooling Unit.....	3,381.60	
01 22 23 00-1234 DAY 20 Ton Portable Spot Cooling Unit.....	1,409.00	
01 22 23 00-1235 WK 20 Ton Portable Spot Cooling Unit.....	2,465.75	
01 22 23 00-1236 MO 20 Ton Portable Spot Cooling Unit.....	5,283.75	
01 22 23 00-1237 DAY 25 Ton Portable Spot Cooling Unit.....	1,620.35	
01 22 23 00-1238 WK 25 Ton Portable Spot Cooling Unit.....	2,606.65	
01 22 23 00-1239 MO 25 Ton Portable Spot Cooling Unit.....	5,636.00	
01 22 23 00-1240 Truck And Trailer Equipment (01 22 23)		
01 22 23 00-1241 Trucks (01 22 23 00-1240)		
Note: Includes driver, delivery, and removal.		
01 22 23 00-1242 Flat Bed Trucks (01 22 23 00-1241)		
Note: Includes hydraulic tilt bed.		



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
01 22 23 00-1243 DAY 1-1/2 Ton Capacity, 8' To 10' Bed, 4 x 2 Flat Bed Truck With Full-Time Truck Driver <i>For Equipment Without Operator, Deduct</i>	790.61 -609.77	
01 22 23 00-1244 WK 1-1/2 Ton Capacity, 8' To 10' Bed, 4 x 2 Flat Bed Truck With Full-Time Truck Driver <i>For Equipment Without Operator, Deduct</i>	3,522.93 -3,048.84	
01 22 23 00-1245 MO 1-1/2 Ton Capacity, 8' To 10' Bed, 4 x 2 Flat Bed Truck With Full-Time Truck Driver <i>For Equipment Without Operator, Deduct</i>	14,339.01 -13,141.57	
01 22 23 00-1246 DAY 3 Ton Capacity, 12' To 16' Bed, 4 x 2 Flat Bed Truck With Full-Time Truck Driver <i>For Equipment Without Operator, Deduct</i>	868.81 -609.77	
01 22 23 00-1247 WK 3 Ton Capacity, 12' To 16' Bed, 4 x 2 Flat Bed Truck With Full-Time Truck Driver <i>For Equipment Without Operator, Deduct</i>	3,723.32 -3,048.84	
01 22 23 00-1248 MO 3 Ton Capacity, 12' To 16' Bed, 4 x 2 Flat Bed Truck With Full-Time Truck Driver <i>For Equipment Without Operator, Deduct</i>	14,852.19 -13,141.57	
01 22 23 00-1249 DAY 6-1/2 Ton Capacity, 16' To 22' Bed, 4 x 2 Flat Bed Truck With Full-Time Truck Driver <i>For Equipment Without Operator, Deduct</i>	924.92 -609.77	
01 22 23 00-1250 WK 6-1/2 Ton Capacity, 16' To 22' Bed, 4 x 2 Flat Bed Truck With Full-Time Truck Driver <i>For Equipment Without Operator, Deduct</i>	3,937.78 -3,048.84	
01 22 23 00-1251 MO 6-1/2 Ton Capacity, 16' To 22' Bed, 4 x 2 Flat Bed Truck With Full-Time Truck Driver <i>For Equipment Without Operator, Deduct</i>	15,668.43 -13,141.59	
01 22 23 00-1252 Light Off-Road Utility Passenger Vehicles <small>(01 22 23 00-1241)</small>		
01 22 23 00-1253 DAY 4 Wheel, 2 Person, Light Off Road Utility Passenger Vehicle	172.82	
01 22 23 00-1254 WK 4 Wheel, 2 Person, Light Off Road Utility Passenger Vehicle	399.64	
01 22 23 00-1255 MO 4 Wheel, 2 Person, Light Off Road Utility Passenger Vehicle	864.08	
01 22 23 00-1256 DAY 4 Wheel, 4 Person, Light Off Road Utility Passenger Vehicle	178.22	
01 22 23 00-1257 WK 4 Wheel, 4 Person, Light Off Road Utility Passenger Vehicle	415.84	
01 22 23 00-1258 MO 4 Wheel, 4 Person, Light Off Road Utility Passenger Vehicle	918.08	
01 22 23 00-1259 Light Duty Trucks <small>(01 22 23 00-1241)</small>		
01 22 23 00-1260 DAY 1/2 To 3/4 Ton, 4 x 2 Light Duty Conventional Pickup Truck With Full-Time Truck Driver <i>For Equipment Without Operator, Deduct</i>	782.68 -609.77	
01 22 23 00-1261 WK 1/2 To 3/4 Ton, 4 x 2 Light Duty Conventional Pickup Truck With Full-Time Truck Driver <i>For Equipment Without Operator, Deduct</i>	3,616.21 -3,048.84	
01 22 23 00-1262 MO 1/2 To 3/4 Ton, 4 x 2 Light Duty Conventional Pickup Truck With Full-Time Truck Driver <i>For Equipment Without Operator, Deduct</i>	14,330.34 -13,141.57	
01 22 23 00-1263 DAY 3/4 Ton, 4 x 4 Crew Cab Pickup Truck With Full-Time Truck Driver <i>For Equipment Without Operator, Deduct</i>	815.10 -609.77	
01 22 23 00-1264 WK 3/4 Ton, 4 x 4 Crew Cab Pickup Truck With Full-Time Truck Driver <i>For Equipment Without Operator, Deduct</i>	3,713.47 -3,048.84	
01 22 23 00-1265 MO 3/4 Ton, 4 x 4 Crew Cab Pickup Truck With Full-Time Truck Driver <i>For Equipment Without Operator, Deduct</i>	14,546.48 -13,141.57	
01 22 23 00-1266 Rear Dump Trucks <small>(01 22 23 00-1241)</small>		
01 22 23 00-1267 DAY 2.5 CY Rear Dump Truck With Full-Time Truck Driver <i>For Equipment Without Operator, Deduct</i>	883.12 -605.59	
01 22 23 00-1268 WK 2.5 CY Rear Dump Truck With Full-Time Truck Driver <i>For Equipment Without Operator, Deduct</i>	3,760.97 -3,027.94	
01 22 23 00-1269 MO 2.5 CY Rear Dump Truck With Full-Time Truck Driver <i>For Equipment Without Operator, Deduct</i>	15,295.80 -13,051.45	
01 22 23 00-1270 DAY 4 CY Rear Dump Truck With Full-Time Truck Driver <i>For Equipment Without Operator, Deduct</i>	979.30 -609.77	
01 22 23 00-1271 WK 4 CY Rear Dump Truck With Full-Time Truck Driver <i>For Equipment Without Operator, Deduct</i>	4,066.94 -3,048.84	
01 22 23 00-1272 MO 4 CY Rear Dump Truck With Full-Time Truck Driver <i>For Equipment Without Operator, Deduct</i>	15,781.09 -13,141.57	
01 22 23 00-1273 DAY 6 CY Rear Dump Truck With Full-Time Truck Driver <i>For Equipment Without Operator, Deduct</i>	1,032.09 -609.77	
01 22 23 00-1274 WK 6 CY Rear Dump Truck With Full-Time Truck Driver <i>For Equipment Without Operator, Deduct</i>	4,180.06 -3,048.84	
01 22 23 00-1275 MO 6 CY Rear Dump Truck With Full-Time Truck Driver <i>For Equipment Without Operator, Deduct</i>	15,856.51 -13,141.57	
01 22 23 00-1276 DAY 13 CY Rear Dump Truck With Full-Time Truck Driver <i>For Equipment Without Operator, Deduct</i>	1,658.04 -609.77	
01 22 23 00-1277 WK 13 CY Rear Dump Truck With Full-Time Truck Driver <i>For Equipment Without Operator, Deduct</i>	5,469.66 -3,048.84	
01 22 23 00-1278 MO 13 CY Rear Dump Truck With Full-Time Truck Driver <i>For Equipment Without Operator, Deduct</i>	19,476.43 -13,141.57	
01 22 23 00-1279 DAY 18 CY Rear Dump Truck With Full-Time Truck Driver <i>For Equipment Without Operator, Deduct</i>	1,762.87 -609.77	
01 22 23 00-1280 WK 18 CY Rear Dump Truck With Full-Time Truck Driver <i>For Equipment Without Operator, Deduct</i>	5,711.74 -3,048.84	
01 22 23 00-1281 MO 18 CY Rear Dump Truck With Full-Time Truck Driver <i>For Equipment Without Operator, Deduct</i>	20,109.92 -13,141.57	
01 22 23 00-1282 Vacuum Trucks <small>(01 22 23 00-1241)</small>		
01 22 23 00-1283 DAY 5,000 Gallon Vacuum Truck With Full-Time Truck Driver <i>For Equipment Without Operator, Deduct</i>	1,650.50 -609.77	
01 22 23 00-1284 WK 5,000 Gallon Vacuum Truck With Full-Time Truck Driver <i>For Equipment Without Operator, Deduct</i>	6,183.09 -3,048.84	

01	General Requirements
01 20	Price And Payment Procedures
01 22	Unit Prices



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
01 22 23 00-1285 MO 5,000 Gallon Vacuum Truck With Full-Time Truck Driver <i>For Equipment Without Operator, Deduct</i>	22,390.47 -13,141.57	
01 22 23 00-1286 Water Trucks (01 22 23 00-1241) Note: Includes pump and 1-1/2" Diameter x 50' water hose. See CSI section 01 22 23 00-1039 for additional discharge hose, 01 22 23 00-1298 for water trailer.		
01 22 23 00-1287 DAY 2,000 Gallon Water Truck With Full-Time Driver <i>For Equipment Without Operator, Deduct</i> <i>For Each 1,000 Gallon Of Purchased Water, Add</i>	1,064.41 -609.77 8.32	
01 22 23 00-1288 WK 2,000 Gallon Water Truck With Full-Time Driver <i>For Equipment Without Operator, Deduct</i> <i>For Each 1,000 Gallon Of Purchased Water, Add</i>	4,246.05 -3,048.84 8.32	
01 22 23 00-1289 MO 2,000 Gallon Water Truck With Full-Time Driver <i>For Equipment Without Operator, Deduct</i> <i>For Each 1,000 Gallon Of Purchased Water, Add</i>	15,970.41 -13,141.57 8.32	
01 22 23 00-1290 DAY 3,700 To 4,000 Gallon Water Truck With Full-Time Driver <i>For Equipment Without Operator, Deduct</i> <i>For Each 1,000 Gallon Of Purchased Water, Add</i>	1,286.67 -609.77 8.32	
01 22 23 00-1291 WK 3,700 To 4,000 Gallon Water Truck With Full-Time Driver <i>For Equipment Without Operator, Deduct</i> <i>For Each 1,000 Gallon Of Purchased Water, Add</i>	4,912.84 -3,048.84 8.32	
01 22 23 00-1292 MO 3,700 To 4,000 Gallon Water Truck With Full-Time Driver <i>For Equipment Without Operator, Deduct</i> <i>For Each 1,000 Gallon Of Purchased Water, Add</i>	17,687.92 -13,141.57 8.32	
01 22 23 00-1293 Traffic Control Truck With Mounted Impact Attenuators/Crash Cushions And Arrow Board (01 22 23 00-1241)		
01 22 23 00-1294 DAY Traffic Control Truck With Mounted Impact Attenuator/Crash Cushion And Arrow Board With Full-Time Truck Driver <i>For Equipment Without Operator, Deduct</i>	1,279.85 -605.59	
01 22 23 00-1295 WK Traffic Control Truck With Mounted Impact Attenuator/Crash Cushion And Arrow Board With Full-Time Truck Driver <i>For Equipment Without Operator, Deduct</i>	5,017.86 -3,027.94	
01 22 23 00-1296 MO Traffic Control Truck With Mounted Impact Attenuator/Crash Cushion And Arrow Board With Full-Time Truck Driver <i>For Equipment Without Operator, Deduct</i>	17,883.90 -13,051.47	
01 22 23 00-1297 Trailers (01 22 23 00-1240) Note: Includes delivery to job site and pick-up when complete.		
01 22 23 00-1298 Water Trailers With Pump (01 22 23 00-1297)		
01 22 23 00-1299 DAY 500 To 600 Gallon Water Trailer With Pump	116.18	
01 22 23 00-1300 WK 500 To 600 Gallon Water Trailer With Pump	298.04	
01 22 23 00-1301 MO 500 To 600 Gallon Water Trailer With Pump	798.14	
01 30 Administrative Requirements (01)		
01 35 Special Procedures (01 30)		
01 35 29 Health, Safety, And Emergency Response Procedures (01 35) See CSI section 02 90 00 00-0000 for disaster recovery task.		
01 35 29 00-0001 Emergency Response (01 35 29) See CSI section 01 22 20 00-0001 for labor services to load and unload shipping container, 01 22 20 00-0059 for security guards, 01 22 23 00-0000 for portable equipment usage (air compressors, generators, lighting, etc.), 01 52 13 00-0017 for container usage.		
01 35 29 00-0002 MI Trucking Delivery Of 20' Shipping Container.....	1.49	
01 35 29 00-0003 MI Trucking Delivery Of 40' Shipping Container.....	2.81	
01 35 33 Infection Control Procedures (01 35) See CSI section 02 87 19 00-0000 for Bio-Hazard And Infectious Disease Control Remediation.		
01 40 Quality Requirements (01)		
01 45 Quality Control (01 40)		
01 45 23 Testing And Inspecting Services (01 45) Note: For application to existing materials/site conditions only. Includes acquisition and maintenance of sample (for laboratory tests) to include shipping as required, applicable equipment for field tests, and appropriate test reports.		
01 45 23 00-0001 Soils/Aggregate Testing (01 45 23)		
01 45 23 00-0002 Field Soils Tests (01 45 23 00-0001)		
01 45 23 00-0003 EA Plasticity Index Soils Test, ASTM D-4318, Field Soils Test	196.97	
01 45 23 00-0004 EA 4" Compaction Curves Soils Test, ASTM D-1557, Field Soils Test.....	279.58	
01 45 23 00-0005 EA 6" Compaction Curves Soils Test, ASTM D-1557, Field Soils Test.....	317.70	
01 45 23 00-0006 EA Resistance (R) Value Soils Test, CA 301, Field Soils Test	254.16	
01 45 23 00-0007 EA Soils Classification Test, ASTM D-2487, Field Soils Test	381.24	
01 45 23 00-0008 SET Cement Treated Base Laboratory Design, Soil Cement, Field Soils Test.....	762.22	



General Requirements		01
Quality Requirements		01 40
Quality Control		01 45

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
01 45 23 00-0009 EA Moisture Content, Field Soils Test	28.58	
01 45 23 00-0010 EA UBC Or Swell Test, Field Soils Test	100.13	
01 45 23 00-0011 EA Proctor Compaction 4" Standard Mold ASTM D698, Field Soils Test	190.56	
01 45 23 00-0012 EA Proctor Compaction 6" Standard Mold, Field Soils Test	238.19	
01 45 23 00-0013 EA Density And Classification Test, Field Soils Test	76.22	
01 45 23 00-0014 EA Percolation Test, Field Soils Test	190.56	
01 45 23 00-0015 EA Infiltration Test, Field Soils Test	381.11	
01 45 23 00-0016 Aggregate Testing (01 45 23 00-0001)		
01 45 23 00-0017 EA Coarse Aggregate Sieve Analysis Test, ASTM C-136, CA 202	63.54	
01 45 23 00-0018 EA Fine Aggregate Sieve Analysis Test, ASTM C-136, CA 202	114.37	
01 45 23 00-0019 EA Combined Aggregate Sieve Analysis Test, ASTM C-136, CA 202	158.85	
01 45 23 00-0020 EA Sieve Analysis, Pit Run, ASTM C136	123.86	
Note: Includes wash.		
01 45 23 00-0021 EA Specific Special Gravity, Course, ASTM C127	100.93	
Note: Includes absorption test.		
01 45 23 00-0022 EA Special Gravity, Fine, ASTM C127	90.51	
Note: Includes absorption test.		
01 45 23 00-0023 EA Coarse Aggregate Bulk SSD Specific Gravity Test, ASTM C-128	134.57	
01 45 23 00-0024 EA Fine Aggregate Bulk SSD Specific Gravity Test, ASTM C-128	127.08	
01 45 23 00-0025 EA Aggregate Cleanness Value, ASTM C-128, CA 227	127.08	
01 45 23 00-0026 EA Sand Equivalent, Average of 3 Tests, ASTM D2419, CA 217	95.31	
01 45 23 00-0027 EA Fine Aggregate Durability Index, CA 229	101.66	
01 45 23 00-0028 EA Sodium And Magnesium Soundness, ASTM C88	266.78	
01 45 23 00-0029 EA Los Angeles Rattler, ASTM C-131, CA 211	203.33	
01 45 23 00-0030 EA Los Angeles Rattler, ASTM C-535	203.33	
01 45 23 00-0031 EA Unit Weight Of Aggregates, ASTM C29	57.19	
01 45 23 00-0032 EA Organic Impurities In Sand, ASTM C40	57.17	
01 45 23 00-0033 EA Crushed Particle, ASTM California Test Method	57.17	
01 45 23 00-0034 EA Clay Lump And Friable Particles, ASTM C142	114.33	
01 45 23 00-0035 Permeability Tests (01 45 23 00-0001)		
01 45 23 00-0036 In-Place Tests (01 45 23 00-0035)		
01 45 23 00-0037 EA Double Ring Infiltrometer Test, ASTM D3385	1,009.28	
01 45 23 00-0038 EA Unconfined Compressive Strength (Pocket Penetrometer) Test	47.64	
01 45 23 00-0039 Lab Tests (01 45 23 00-0035)		
01 45 23 00-0040 EA Falling Head Rigid Wall Consolidometer Technique CAE	471.00	
01 45 23 00-0041 EA Falling Head Permeability Test EPA-9100	471.00	
01 45 23 00-0042 EA Constant Head Permeability Test For Granular Soils, ASTM D2432	269.14	
01 45 23 00-0043 Concrete/Cement/Asphalt Testing (01 45 23)		
01 45 23 00-0044 Concrete Testing (01 45 23 00-0043)		
01 45 23 00-0045 EA Prepare 6 x 12 Concrete Cylinder And Deliver To Lab	19.23	
01 45 23 00-0046 EA 6 x 12 Cylinder Concrete Compression Test, ASTM C-39 Or ASTM D1633	40.37	
01 45 23 00-0047 EA Concrete Cores Compression Test, ASTM C-42	82.60	
01 45 23 00-0048 EA 6 x 6 x 18 Concrete Flexural Test, ASTM C-78	120.73	
01 45 23 00-0049 EA Unit Weight Of Concrete Cylinder, ASTM C-567	44.48	
01 45 23 00-0050 EA Concrete Mix Design Review	241.45	
01 45 23 00-0051 EA Trial Concrete Batch Prepared In Laboratory	571.86	
01 45 23 00-0052 EA Concrete Shrinkage, ASTM C-157 Modified	444.78	
01 45 23 00-0053 EA 6 x 12 Concrete Cylinder Splitting Tensile Test, ASTM C-496	68.62	
01 45 23 00-0054 EA Concrete Slump Test, ASTM C143	31.77	
01 45 23 00-0055 EA Concrete Air Content Test, ASTM C138, ASTM C173, Or ASTM C231	31.77	
01 45 23 00-0056 Cement Testing (01 45 23 00-0043)		
01 45 23 00-0057 EA Cement Grab Sample (CCR Title 24)	31.77	
Note: Includes sealing and storing 1 year.		
01 45 23 00-0058 EA 2" x 2" x 2" Cube Compression Test, All Type Materials	50.83	
01 45 23 00-0059 Asphaltic Concrete Testing (01 45 23 00-0043)		
01 45 23 00-0060 EA Hveem Asphaltic Concrete Stability Test, CA 366	63.54	
01 45 23 00-0061 EA Marshall Asphaltic Concrete Stability Test (3 Specimens), ASTM D-6926/6927	165.20	
01 45 23 00-0062 EA Stability Tests, Premixed, ASTM D1559	63.54	
01 45 23 00-0063 EA Stability Tests, Lab. Mixed, ASTM D1559	165.20	
01 45 23 00-0064 EA Swell Test, CA 305	76.25	
Note: Includes compaction.		
01 45 23 00-0065 EA % Asphalt Extraction Test, ASTM D-2172 B	190.62	
01 45 23 00-0066 EA Gradation On Extracted Sample, ASTM D-5444	127.08	
01 45 23 00-0067 EA Maximum Theoretical Unit Weight, ASTM C2041	121.11	
01 45 23 00-0068 EA Unit Weight Sample Requiring Compaction, California Test Method 308	25.42	
01 45 23 00-0069 EA Asphalt Unit Weight On Core Test, CA 308C	25.42	
01 45 23 00-0070 HR Nuclear Field Density Testing, 4 Hour Minimum	130.89	

01	01	General Requirements
	01 40	Quality Requirements
	01 45	Quality Control



MINOR CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
01 45 23 00-0071	EA	Asphalt Film Stripping Test, CTM 302/AASHTO T182/ASTM D1664	85.75	
01 45 23 00-0072	EA	Penetration, ASTM D5	91.79	
01 45 23 00-0073		Masonry/Concrete Block/Tile Testing (01 45 23)		
01 45 23 00-0074		Masonry Testing (01 45 23 00-0073)		
01 45 23 00-0075	EA	2" x 4" Cylinder Mortar Compression Test	41.94	
01 45 23 00-0076	EA	4" x 4" x 8" Grout Prisms Compression Test	41.94	
01 45 23 00-0077	EA	Masonry Cores Compression Test	82.60	
01 45 23 00-0078	EA	Composite Grouted Prism Compression Test	158.85	
01 45 23 00-0079		Concrete Block Testing (ASTM C140 Or CMA Per Specimen) (01 45 23 00-0073)		
01 45 23 00-0080	EA	Up To 8" x 8" x 16" Concrete Block Compression Test, ASTM C-140	101.66	
01 45 23 00-0081	EA	Absorption Test, Moisture Content And Unit Weight	69.89	
01 45 23 00-0082	EA	First Unit, Moisture Condition By Relative Humidity, ASTM C427	266.78	
01 45 23 00-0083	EA	Moisture Condition By Relative Humidity, ASTM C427, Additional Unit	133.39	
01 45 23 00-0084		Metals Testing (01 45 23)		
01 45 23 00-0085		Tank Tightness Testing (01 45 23 00-0084)		
01 45 23 00-0086	GAL	Up To 20 Gallon, Hydrostatic Pressure Testing Of Air Receiving Tanks	6.75	
01 45 23 00-0087	GAL	>20 To 120 Gallon, Hydrostatic Pressure Testing Of Air Receiving Tanks	5.78	
01 45 23 00-0088	EA	Up To 12,000 Gallons, Tank Volumetric Tightness Testing	1,736.00	
01 45 23 00-0089	EA	>12,000 To 29,999 Gallons, Tank Volumetric Tightness Testing	2,121.10	
01 45 23 00-0090	EA	>29,999 Gallons, Tank Volumetric Tightness Testing	2,701.31	
01 45 23 00-0091		Tank Line Tightness Testing (01 45 23 00-0084)		
01 45 23 00-0092	EA	Up To 12,000 Gallons, Tank Line Volumetric Tightness Testing	366.30	
01 45 23 00-0093	EA	>12,000 To 29,999 Gallons, Tank Line Volumetric Tightness Testing	406.74	
01 45 23 00-0094	EA	>29,999 Gallons, Tank Line Volumetric Tightness Testing	447.04	
01 45 23 00-0095		Other Testing (01 45 23)		
01 45 23 00-0096		Special Testing (01 45 23 00-0095)		
01 45 23 00-0097	EA	Asphalt Roofing Cut-out Samples, To Determine Unit Weight	98.50	
01 45 23 00-0098	EA	Complete Built-Up Roof Analysis, ASTM D2829 Or ASTM D3617	591.02	
01 45 23 00-0099	EA	Bacteria Test (Total Coliform Bacteria And E. Coli Bacteria)	29.72	
01 45 23 00-0100	EA	Testing For The Presence Of Polychlorinated Biphenyl (PCB) In Caulk, Analysis Per Sample	123.18	
01 45 23 00-0101	EA	Testing For The Presence Of Polychlorinated Biphenyl (PCB) In Soil, Analysis Per Sample	123.18	
01 45 23 00-0102	EA	Testing For The Presence Of Polychlorinated Biphenyl (PCB) Using Wipe Sampling, Analysis Per Sample	123.18	
01 45 23 00-0103	EA	Testing For The Presence Of Polychlorinated Biphenyl (PCB) In Air, Analysis Per Sample	677.49	
01 45 23 00-0104	EA	Testing And Certification Of Backflow Valves	428.54	
01 45 23 00-0105		Nondestructive Field Testing Services (01 45 23 00-0095)		
01 45 23 00-0106		Infrared Thermography (01 45 23 00-0105)		
Note: The following tasks use certified infrared (IR) thermographers, such as Stockton Infrared Thermographic Services, Inc. and United Infrared, Inc., to scan for specific problems and produce a report on the findings. The contractor is entitled to the mobilization charge and the appropriate square foot or hourly task.				
01 45 23 00-0107		Roof Investigation And Moisture Survey Using Infrared Thermography (01 45 23 00-0106)		
Note: For on the roof surveys.				
01 45 23 00-0108	EA	Roof Investigation And Moisture Survey Using Infrared Thermography, Mobilization Charge	2,217.24	
01 45 23 00-0109	CSF	Up To 10,000 SF, Roof Investigation And Moisture Survey Using Infrared Thermography	3.70	
		For CADD Drawings, Add	0.74	
01 45 23 00-0110	CSF	>10,000 To 50,000 SF, Roof Investigation And Moisture Survey Using Infrared Thermography	2.46	
		For CADD Drawings, Add	0.49	
01 45 23 00-0111	CSF	>50,000 To 250,000 SF, Roof Investigation And Moisture Survey Using Infrared Thermography	1.85	
		For CADD Drawings, Add	0.37	
		For Elevated Infrared Thermography Roof Investigation, Add	0.46	
		For Aerial Infrared Thermography Roof Investigation, Add	0.46	
01 45 23 00-0112	CSF	>250,000 SF, Roof Investigation And Moisture Survey Using Infrared Thermography	1.23	
		For CADD Drawings, Add	0.25	
		For Elevated Infrared Thermography Roof Investigation, Add	0.31	
		For Aerial Infrared Thermography Roof Investigation, Add	0.31	
01 45 23 00-0113		Building Moisture Investigation Using Infrared Thermography (01 45 23 00-0106)		
Note: For finding moisture in walls and windows.				
01 45 23 00-0114	EA	Building Moisture Investigation Using Infrared Thermography, Mobilization Charge	1,170.21	
01 45 23 00-0115	CSF	Up To 1,000 SF, Building Moisture Investigation Using Infrared Thermography	3.70	
		For Digital Or Analog Recording Of All Items, Add	1.85	
01 45 23 00-0116	CSF	>1,000 To 5,000 SF, Building Moisture Investigation Using Infrared Thermography	2.46	
		For Digital Or Analog Recording Of All Items, Add	1.23	
01 45 23 00-0117	CSF	>5,000 SF, Building Moisture Investigation Using Infrared Thermography	1.23	
		For Digital Or Analog Recording Of All Items, Add	0.62	



General Requirements	01	10
Quality Requirements	01 40	
Quality Control	01 45	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
------------------------------	---------------------------	-------------------------

01 45 23 00-0118 General Building Investigation Using Infrared Thermography (01 45 23 00-0106)
 Note: For finding missing or misplaced insulation, air leakage and delamination.

01 45 23 00-0119 EA General Building Investigation Using Infrared Thermography, Mobilization Charge	2,402.01
01 45 23 00-0120 CSF Up To 1,000 SF, General Building Investigation Using Infrared Thermography.....	3.70
<i>For Digital Or Analog Recording Of All Items, Add</i>	1.85
01 45 23 00-0121 CSF >1,000 To 5,000 SF, General Building Investigation Using Infrared Thermography.....	2.46
<i>For Digital Or Analog Recording Of All Items, Add</i>	1.23
01 45 23 00-0122 CSF >5,000 SF, General Building Investigation Using Infrared Thermography	1.23
<i>For Digital Or Analog Recording Of All Items, Add</i>	0.62

01 45 23 00-0123 Electrical /Mechanical Equipment Scanning Using Infrared Thermography (01 45 23 00-0106)
 Note: For diagnosing electrical issues such as loose connections, overloaded or imbalanced circuits, faulty breakers, damaged switches, faulty fuses, etc. For diagnosing electrical issues caused by resistance and mechanical issues caused by friction.

01 45 23 00-0124 EA Electrical /Mechanical Equipment Scanning Using Infrared Thermography, Mobilization Charge	1,170.21
01 45 23 00-0125 HR Electrical /Mechanical Equipment Scanning Using Infrared Thermography.....	140.74
<i>For Digital Or Analog Recording Of All Items, Add</i>	21.06

01 45 23 00-0126 Concrete Block Wall Investigation Using Infrared Thermography (01 45 23 00-0106)
 Note: For investigating issues with grouted cells, bond beams and other structural components in concrete block walls.

01 45 23 00-0127 EA Concrete Block Wall Investigation Using Infrared Thermography, Mobilization Charge	1,170.21
01 45 23 00-0128 CSF Up To 50,000 SF, Concrete Block Wall Investigation Using Infrared Thermography.....	3.70
<i>For Digital Or Analog Recording Of All Items, Add</i>	0.56
01 45 23 00-0129 CSF >50,000 SF, Concrete Block Wall Investigation Using Infrared Thermography	2.46
<i>For Digital Or Analog Recording Of All Items, Add</i>	0.37

01 45 23 00-0130 Other Nondestructive Field Testing Services (01 45 23 00-0105)

01 45 23 00-0131 HR ASNT Certified Level I NDT Consultant	81.12
01 45 23 00-0132 HR ASNT Certified Level II NDT Consultant	101.20
01 45 23 00-0133 HR ASNT Certified Level III NDT Consultant	116.18
01 45 23 00-0134 HR Certified Industrial Radiography Radiation Safety Personnel.....	90.02

01 45 29 Testing Laboratory Services (01 45)

01 45 29 00-0001 Soil Borings Laboratory Tests (01 45 29)

01 45 29 00-0002 EA Atterberg Limits - Liquid Limits (LL) And Plastic Limits (PL), T89, T90, ASTM D4318, Soil Borings Laboratory Test.....	87.47
01 45 29 00-0003 EA Shrinkage Limit, Soil Borings Laboratory Test	27.91
01 45 29 00-0004 EA Unconfined Compressive Strength of Cohesive Soils, Soil Borings Laboratory Test.....	67.28
01 45 29 00-0005 EA Consolidation, Soil Borings Laboratory Test	471.00
01 45 29 00-0006 EA Swell Test, Soil Borings Laboratory Test	93.04
01 45 29 00-0007 EA In Place Density, Soil Borings Laboratory Test	20.19
01 45 29 00-0008 EA Moisture Content, ASTM D2216, Soil Borings Laboratory Test	12.54
01 45 29 00-0009 EA Hydrometer Analysis, Soil Borings Laboratory Test.....	161.90
01 45 29 00-0010 EA Specific Gravity, ASTM D854, Soil Borings Laboratory Test.....	56.46
01 45 29 00-0011 EA Partial Sieve Analysis, Soil Borings Laboratory Test	11.17
01 45 29 00-0012 EA Laboratory Permeability, Soil Borings Laboratory Test.....	558.29
01 45 29 00-0013 EA Sieve Analysis, ASTM D422, Soil Borings Laboratory Test	112.92
01 45 29 00-0014 EA Sulfate Soundness, Soil Borings Laboratory Test.....	139.57
01 45 29 00-0015 EA Los Angeles Abrasion, Soil Borings Laboratory Test.....	325.44
01 45 29 00-0016 EA Soil Bearing Ratio, ASTM D1883.....	285.93
01 45 29 00-0017 EA Compaction Test Subgrade, Soil Borings Laboratory Test	83.74
01 45 29 00-0018 EA Compaction Test Base Course, Soil Borings Laboratory Test	70.85
01 45 29 00-0019 EA In Place Density And Water Content Test By Nuclear Methods, ASTM D6938, Soil Borings Laboratory Test	275.37
01 45 29 00-0020 EA Field Density Sand Cone, AASHTO T-191, ASTM D1556, Soil Borings Laboratory Test.....	42.80

01 50 Temporary Facilities And Controls (01)

Note: Tasks in this section shall be used as directed by owner.

01 51 Temporary Utilities (01 50)

01 51 13 Temporary Electricity (01 51)

01 51 13 00-0001 Temporary Service Switch And/Or Building Feeder Switch (01 51 13)

Note: Includes all connections and removal after use.

01 51 13 00-0002 EA Temporary 100 Amperes, NEMA 1 Or 3R, Disconnect Switch With Fuses.....	1,145.92
01 51 13 00-0003 EA Temporary 200 Amperes, NEMA 1 Or 3R, Disconnect Switch With Fuses.....	1,760.57
01 51 13 00-0004 EA Temporary 400 Amperes, 240 Volt, NEMA 3R, Disconnect Switch With Fuses	3,290.67
01 51 13 00-0005 EA Temporary 600 Amperes, 240 Volt, NEMA 3R, Disconnect Switch With Fuses	5,592.72

01 51 13 00-0006 Temporary 120/208 Volt Main Lug Panelboard Complete With Branch Fuses (01 51 13)

Note: Includes mounting on wall and removal after use.

01 General Requirements

01 50 Temporary Facilities And Controls

01 51 Temporary Utilities



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
01 51 13 00-0007	EA		Temporary 100 Amperes, Panelboard Complete With GFCI Circuit Breakers	1,260.17	
01 51 13 00-0008	EA		Temporary 200 Amperes, Panelboard Complete With GFCI Circuit Breakers	1,692.21	
01 51 13 00-0009	EA		Temporary 400 Amperes, Panelboard Complete With GFCI Circuit Breakers	2,665.89	
01 51 13 00-0010	EA		Temporary 600 Amperes, Panelboard Complete With GFCI Circuit Breakers	3,686.16	
01 51 13 00-0011			Temporary Conduit And Cable For Temporary Disconnect Switches And Temporary Panelboards ^(01 51 13)		
			Note: Includes all connections, fittings, supports and removal after use.		
01 51 13 00-0012	LF		Temporary SER Cable (Conduit As Required) For Temporary Disconnect Switches And Temporary Panelboards	6.79	
01 51 13 00-0013	LF		Temporary Branch Circuit Conduit And Wiring For Temporary Disconnect Switches And Temporary Panelboards	7.44	
01 51 26			Temporary Lighting ^(01 51)		
01 51 26 00-0001			Temporary Devices ^(01 51 26)		
			Note: Includes removal after use.		
01 51 26 00-0002	EA		Temporary Exit Light	260.11	
01 51 26 00-0003	EA		Temporary 10 Light String With Cages	84.77	
01 51 26 00-0004	EA		Temporary High Bay Light	304.49	
01 52			Construction Facilities ^(01 50)		
			Note: Tasks in this section shall be used as directed by owner for owner's use. See CSI section 13 34 23 13-0030 for anchors for holding down portable buildings and structures where required.		
01 52 13			Field Offices And Sheds ^(01 52)		
01 52 13 00-0001			Field Offices ^(01 52 13)		
			Note: Excludes furniture, utility connections and service. Minimum 6 months rental.		
01 52 13 00-0002	MO		8' x 24' Mobile Office, With Toilet	163.84	
			For Each Delivery And Removal, Two Round Trips, Add	666.44	
			For Each Set-Up (Block And Level), Add	382.03	
			For Each Anchoring Into Dirt, Add	116.49	
			For Each Anchoring Into Asphalt Or Concrete, Add	174.74	
			For Office Trailer Without Toilet, Deduct	-32.77	
01 52 13 00-0003	MO		8' x 32' Mobile Office, With Toilet	185.67	
			For Each Delivery And Removal, Two Round Trips, Add	666.44	
			For Each Set-Up (Block And Level), Add	382.03	
			For Each Anchoring Into Dirt, Add	116.49	
			For Each Anchoring Into Asphalt Or Concrete, Add	174.74	
			For Office Trailer Without Toilet, Deduct	-37.13	
01 52 13 00-0004	MO		10' x 36' Mobile Office, With Toilet	251.21	
			For Each Delivery And Removal, Two Round Trips, Add	944.14	
			For Each Set-Up (Block And Level), Add	623.32	
			For Each Anchoring Into Dirt, Add	116.49	
			For Each Anchoring Into Asphalt Or Concrete, Add	174.74	
			For Office Trailer Without Toilet, Deduct	-50.24	
01 52 13 00-0005	MO		10' x 40' Mobile Office, With Toilet	267.60	
			For Each Delivery And Removal, Two Round Trips, Add	944.14	
			For Each Set-Up (Block And Level), Add	623.32	
			For Each Anchoring Into Dirt, Add	116.49	
			For Each Anchoring Into Asphalt Or Concrete, Add	174.74	
			For Office Trailer Without Toilet, Deduct	-53.52	
01 52 13 00-0006	MO		10' x 44' Mobile Office, With Toilet	294.90	
			For Each Delivery And Removal, Two Round Trips, Add	944.14	
			For Each Set-Up (Block And Level), Add	623.32	
			For Each Anchoring Into Dirt, Add	116.49	
			For Each Anchoring Into Asphalt Or Concrete, Add	174.74	
01 52 13 00-0007	MO		10' x 50' Mobile Office, With Toilet	311.29	
			For Each Delivery And Removal, Two Round Trips, Add	944.14	
			For Each Set-Up (Block And Level), Add	623.32	
			For Each Anchoring Into Dirt, Add	116.49	
			For Each Anchoring Into Asphalt Or Concrete, Add	174.74	
01 52 13 00-0008	MO		12' x 32' Mobile Office, With Toilet	240.84	
			For Each Anchoring Into Dirt, Add	116.49	
			For Each Anchoring Into Asphalt Or Concrete, Add	174.74	
			For Each Delivery And Set-Up (Block And Level), Add	925.85	
			For Each Knock-Down And Pick-Up, Add	730.85	
01 52 13 00-0009	MO		12' x 44' Mobile Office, With Toilet	321.99	
			For Each Delivery And Removal, Two Round Trips, Add	944.14	
			For Each Set-Up (Block And Level), Add	623.32	
			For Each Anchoring Into Dirt, Add	116.49	
			For Each Anchoring Into Asphalt Or Concrete, Add	174.74	
01 52 13 00-0010	MO		12' x 50' Mobile Office, With Toilet	365.89	
			For Each Delivery And Removal, Two Round Trips, Add	944.14	
			For Each Set-Up (Block And Level), Add	623.32	
			For Each Anchoring Into Dirt, Add	116.49	
			For Each Anchoring Into Asphalt Or Concrete, Add	174.74	
01 52 13 00-0011	MO		12' x 60' Mobile Office, With Toilet	398.66	
			For Each Delivery And Removal, Two Round Trips, Add	944.14	
			For Each Set-Up (Block And Level), Add	623.32	
			For Each Anchoring Into Dirt, Add	116.49	
			For Each Anchoring Into Asphalt Or Concrete, Add	174.74	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
01 52 13 00-0012 MO 24' x 60' Modular Office, With Toilet.....	873.78	
For Each Delivery And Removal, Two Round Trips, Add	1,777.20	
For Each Set-Up (Block And Level), Add	1,005.35	
For Each Anchoring Into Dirt, Add	116.49	
For Each Anchoring Into Asphalt Or Concrete, Add	174.74	
01 52 13 00-0013 MO 24' x 72' Modular Office, With Toilet.....	1,048.53	
For Each Delivery And Removal, Two Round Trips, Add	1,777.20	
For Each Set-Up (Block And Level), Add	1,005.35	
For Each Anchoring Into Dirt, Add	116.49	
For Each Anchoring Into Asphalt Or Concrete, Add	174.74	
01 52 13 00-0014 MO 30' x 30' Modular Office, With Toilet.....	498.33	
For Each Delivery And Removal, Two Round Trips, Add	1,777.20	
For Each Set-Up (Block And Level), Add	1,005.35	
For Each Anchoring Into Dirt, Add	116.49	
For Each Anchoring Into Asphalt Or Concrete, Add	174.74	
01 52 13 00-0015 Accessories For Field Office Trailers (01 52 13)		
Note: Costs includes installation or placement in trailer.		
01 52 13 00-0016 MO Steps For Field Office Trailer.....	40.78	
01 52 13 00-0017 Storage Containers (01 52 13)		
01 52 13 00-0018 MO 8' x 8' x 10' Storage Container.....	533.82	
For Each Delivery And Removal, Two Round Trips, Add	270.83	
For >12 Months, Deduct	-160.15	
01 52 13 00-0019 MO 8' x 8' x 20' Storage Container.....	558.08	
For Each Delivery And Removal, Two Round Trips, Add	297.91	
For >12 Months, Deduct	-167.42	
01 52 13 00-0020 MO 8' x 8' x 40' Storage Container.....	659.99	
For Each Delivery And Removal, Two Round Trips, Add	599.99	
For >12 Months, Deduct	-198.00	
01 52 19 Sanitary Facilities (01 52)		
01 52 19 00-0001 Portable Toilets (01 52 19)		
Note: Includes set-up, servicing once per week and removal.		
01 52 19 00-0002 WK Portable Chemical Toilet.....	40.00	
For Each Additional Servicing Per Unit Per Week, Add	25.00	
For Each Delivery, Add	50.00	
01 52 19 00-0003 MO Portable Chemical Toilet.....	119.99	
For Each Additional Servicing Per Unit Per Week, Add	25.00	
For Each Delivery, Add	50.00	
01 52 19 00-0004 WK ADA Portable Chemical Toilet.....	47.70	
For Each Additional Servicing Per Unit Per Week, Add	25.00	
For Each Delivery, Add	50.00	
01 52 19 00-0005 MO ADA Portable Chemical Toilet.....	139.99	
For Each Additional Servicing Per Unit Per Week, Add	25.00	
For Each Delivery, Add	50.00	
01 52 19 00-0006 WK Two Station Portable Handwash.....	31.41	
For Each Delivery, Add	50.00	
01 52 19 00-0007 MO Two Station Portable Handwash.....	95.28	
For Each Delivery, Add	50.00	
01 52 19 00-0008 MO Portable Toilets, Multi Trailer, 16'.....	2,877.00	
Note: Includes women's room (3 toilets, 2 sinks) and men's room (1 toilet, 1 urinal and 1 sink)		
01 52 19 00-0009 WK Service Trailer Restrooms, 3 Times Per Week.....	2,156.75	
01 53 Temporary Construction (01 50)		
01 53 16 Temporary Decking (01 53)		
01 53 16 00-0001 Temporary Walkways And Railings (01 53 16)		
Note: Includes removal after use.		
01 53 16 00-0002 SF Temporary Wood Walkway, 3/4" Plywood On 2 x 6 Stringers.....	5.03	
01 53 16 00-0003 LF Temporary Wooden Guardrail, 42" High, Posts, Handrail, And Intermediate Rail.....	25.19	
01 53 16 00-0004 LF Temporary Wood Guardrail Base, 12" x 12" Timber Beam.....	9.04	
01 53 16 00-0005 RSR Temporary Wood Stairs, Tread And Riser On 2" x 12" Stringers.....	17.55	
01 53 23 Temporary Ramps (01 53)		
01 53 23 00-0001 Temporary Plywood For Wheel Barrow Access (01 53 23)		
Note: Includes removal after use.		
01 53 23 00-0002 SF Temporary Plywood For Wheel Barrow Access.....	1.16	0.38
01 54 Construction Aids (01 50)		
01 54 09 Personnel Protection Equipment (01 54)		

01	01	General Requirements
	01 50	Temporary Facilities And Controls
	01 54	Construction Aids



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
01 54 09 00-0001 Personnel Protection Equipment ^(01 54 09) Note: Personnel Protection Equipment (PPE) for workers safety is considered as part of the Contractor's and Workers responsibility. These items include, but are not limited to; protective work gloves, hearing protection, protective clothing, reflective vests, safety glasses or face shields, dust masks, hard hats, appropriate foot protection (slip resistant, puncture-resistant soles, safety-toed), safety harnesses with lifeline, etc. Review JOC Note and specifications for requirements.		
01 54 09 00-0002 NTE Personnel Protection Equipment.....	0.00	
01 54 23 Temporary Scaffolding And Platforms ^(01 54)		
01 54 23 00-0001 Scaffolding ^(01 54 23) Note: Additional scaffolding rental for work above the normal working height of 14'.		
01 54 23 00-0002 Scaffolding Rental - Rental Only ^(01 54 23 00-0001) Note: Monthly rental of actual scaffolding volume rented. Scaffolding is complete with bracing, 2" thick x 12" wide scaffolding planks, scaffolding stairs (where necessary in lieu of planks), standard accessories, base leveling devices, mud sills, climbing ladders and landings, brackets, clamps and building ties, etc. See CSI section 01 54 23 00-0006 for scaffolding erection and dismantling.		
01 54 23 00-0003 CCF Scaffolding With Bracing Accessories - Area Based On 5' Wide Sections (CCF / Month)..... For Up To 25, Add For >25 To 50, Add For >50 To 150, Add	22.07 8.83 5.52 2.21	
01 54 23 00-0004 CCF Scaffolding With Bracing Accessories - Area Based On 4' Wide Sections (CCF / Month)..... For Up To 25, Add For >25 To 50, Add For >50 To 150, Add	24.82 9.93 6.21 2.48	
01 54 23 00-0005 CCF Scaffolding With Bracing Accessories - Area Based On 3' Wide Sections (CCF / Month)..... For Up To 25, Add For >25 To 50, Add For >50 To 150, Add	33.11 13.24 8.28 3.31	
01 54 23 00-0006 Scaffolding Erection And Dismantling - Labor Only ^(01 54 23 00-0001) Note: Includes both initial erection and final dismantling Excludes lifting equipment. The unit of measure is the volume of scaffolding erected. See CSI section 01 54 23 00-0002 for scaffolding rental.		
01 54 23 00-0007 CCF Up To 20' Height Scaffolding Initial Erection And Final Dismantling, Per CCF Of Scaffolding And Accessories.....	42.69	
01 54 23 00-0008 CCF >20' To 40' Height Scaffolding Initial Erection And Final Dismantling, Per CCF Of Scaffolding And Accessories	53.37	
01 54 23 00-0009 CCF >40' To 60' Height Scaffolding Initial Erection And Final Dismantling, Per CCF Of Scaffolding And Accessories	64.04	
01 54 23 00-0010 CCF >60' To 80' Height Scaffolding Initial Erection And Final Dismantling, Per CCF Of Scaffolding And Accessories	70.44	
01 54 23 00-0011 CCF >80' Height Scaffolding Initial Erection And Final Dismantling, Per CCF Of Scaffolding And Accessories	81.12	
01 54 23 00-0012 CCF Up To 20' Height Scaffolding Initial Erection And Final Dismantling Set Up On Stairs, Per CCF Of Scaffolding And Accessories.....	51.23	
01 54 23 00-0013 Heavy Duty Masonry Scaffolding Rental - Rental Only ^(01 54 23 00-0001) Note: Monthly rental of actual scaffolding volume rented. Scaffolding is complete with bracing, 2" thick x 12" wide scaffolding planks, scaffolding stairs (where necessary in lieu of planks), standard accessories, base leveling devices, mud sills, climbing ladders and landings, brackets, clamps, flat plate, connectors and building ties, etc. See CSI section 01 54 23 00-0019 for erection.		
01 54 23 00-0014 CCF Heavy Duty Masonry Scaffolding With Bracing Accessories - Area Based On 4' Wide Sections (CCF / Month).....	39.20	
01 54 23 00-0015 CCF Heavy Duty Masonry Scaffolding With Bracing Accessories - Area Based On 2' Wide Sections (CCF / Month).....	71.87	
01 54 23 00-0016 LF Aluminum Joists (LF / Month).....	6.37	
01 54 23 00-0017 LF Aluminum Stringers (LF / Month)	9.14	
01 54 23 00-0018 EA Screw Jack With U-Plate For Stringers (EA / Month).....	11.52	
01 54 23 00-0019 Heavy Duty Masonry Scaffolding Erection And Dismantling - Labor Only ^(01 54 23 00-0001) Note: Includes both initial erection and final dismantling Excludes lifting equipment. The unit of measure is the volume of scaffolding erected. See CSI section 01 54 23 00-0013 for scaffolding rental.		
01 54 23 00-0020 CCF Up To 20' Height Heavy Duty Masonry Scaffolding Initial Erection And Final Dismantling, Per CCF Of Scaffolding And Accessories.	68.31	
01 54 23 00-0021 CCF >20' To 40' Height Heavy Duty Masonry Scaffolding Initial Erection And Final Dismantling, Per CCF Of Scaffolding And Accessories.	85.38	
01 54 23 00-0022 CCF >40' To 60' Height Heavy Duty Scaffolding Initial Erection And Final Dismantling, Per CCF Of Scaffolding And Accessories.....	102.46	
01 54 23 00-0023 CCF >60' To 80' Height Heavy Duty Scaffolding Initial Erection And Final Dismantling, Per CCF Of Scaffolding And Accessories.....	111.00	
01 54 23 00-0024 CCF >80' Height Heavy Duty Scaffolding Initial Erection And Final Dismantling, Per CCF Of Scaffolding And Accessories.....	123.80	
01 54 23 00-0025 Scaffolding Accessories ^(01 54 23 00-0001) See CSI section 01 54 23 00-0019 for erection.		
01 54 23 00-0026 CSF Netting for Exterior Building Scaffolding..... Note: Includes removal after use.	27.20	
01 54 23 00-0027 Mobile Mast Climbing Scaffolding ^(01 54 23) Note: Per month.		
01 54 23 00-0028 Fraco FRSM ACT Solution Single Mast, Mast Climbing Scaffolding Per Month ^(01 54 23 00-0027)		



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
01 54 23 00-0029 MO Single Mast Climber, 175' High Mast x 35' Wide Platform	3,300.00	
01 54 23 00-0030 EA Delivery/Pick-up Fee For Single Mast Climber..... Note: Excludes erection or dismantle.	2,400.00	
01 54 23 00-0031 EA Erection For Single Mast Climber	3,000.00	
01 54 23 00-0032 EA Dismantle For Single Mast Climber.....	2,500.00	
01 54 23 00-0033 SF Additional Scaffolding Planks, Wood, 2"	0.53	
01 54 23 00-0034 Rolling Scaffolding (01 54 23) Note: Includes moving and relocating scaffolding on site. Excludes initial erection and final dismantling of scaffold.		
01 54 23 00-0035 DAY >14' To 20', Rolling Scaffolding, Complete With Wheels, Railings, Etc., (5' Wide X 7' Long Section).....	8.38	
01 54 23 00-0036 WK >14' To 20', Rolling Scaffolding, Complete With Wheels, Railings, Etc., (5' Wide X 7' Long Section).....	33.59	
01 54 23 00-0037 MO >14' To 20', Rolling Scaffolding, Complete With Wheels, Railings, Etc., (5' Wide X 7' Long Section).....	134.36	
01 54 23 00-0038 DAY >20' To 40', Rolling Scaffolding, Complete With Wheels, Railings, Etc., (5' Wide X 7' Long Section).....	14.03	
01 54 23 00-0039 WK >20' To 40', Rolling Scaffolding, Complete With Wheels, Railings, Etc., (5' Wide X 7' Long Section).....	56.21	
01 54 23 00-0040 MO >20' To 40', Rolling Scaffolding, Complete With Wheels, Railings, Etc., (5' Wide X 7' Long Section).....	224.86	
01 54 23 00-0041 EA >14' To 20', Rolling Scaffolding Initial Erection And Final Dismantling For Each Scaffold	97.05	
01 54 23 00-0042 EA >20' To 40', Rolling Scaffolding Initial Erection And Final Dismantling For Each Scaffold	121.32	
01 54 23 00-0043 Shoring Posts (01 54 23) Note: Includes moving to perform task and removal after use. No additional cost for relocating will be allowed.		
01 54 23 00-0044 DAY 6'-6" To 11' Extension, 5,000 LB Capacity, Steel Shoring Post.....	4.60	
01 54 23 00-0045 WK 6'-6" To 11' Extension, 5,000 LB Capacity, Steel Shoring Post.....	13.81	
01 54 23 00-0046 MO 6'-6" To 11' Extension, 5,000 LB Capacity, Steel Shoring Post.....	23.02	
01 54 23 00-0047 Temporary Lumber (01 54 23) Note: Includes removal after use.		
01 54 23 00-0048 SF 5/16" CD Grade Plywood, Temporary Lumber.....	1.30	0.54
01 54 23 00-0049 SF 1/2" CD Grade Plywood, Temporary Lumber.....	1.53	0.54
01 54 23 00-0050 SF 5/8" CD Grade Plywood, Temporary Lumber.....	1.74	0.54
01 54 23 00-0051 SF 3/4" CD Grade Plywood, Temporary Lumber.....	1.96	0.54
01 54 23 00-0052 SF 1" CD Grade Plywood, Temporary Lumber.....	2.80	0.80
01 54 23 00-0053 LF 2" x 4" Temporary Lumber.....	1.03	1.12
01 54 23 00-0054 LF 2" x 6" Temporary Lumber.....	1.53	1.12
01 54 23 00-0055 LF 2" x 8" Temporary Lumber.....	2.04	1.12
01 54 23 00-0056 LF 2" x 10" Temporary Lumber.....	2.56	1.12
01 54 23 00-0057 LF 2" x 12" Temporary Lumber.....	3.07	1.12
01 54 23 00-0058 LF 3" x 8" Temporary Lumber.....	3.07	1.12
01 54 23 00-0059 LF 3" x 10" Temporary Lumber.....	3.84	1.12
01 54 23 00-0060 LF 3" x 12" Temporary Lumber.....	4.60	1.12
01 54 23 00-0061 LF 4" x 4" Temporary Lumber.....	2.17	0.56
01 54 23 00-0062 LF 4" x 6" Temporary Lumber.....	3.10	0.70
01 54 23 00-0063 LF 6" x 6" Temporary Lumber.....	4.04	0.83
01 54 23 00-0064 LF 6" x 8" Temporary Lumber.....	5.25	1.04
01 54 23 00-0065 LF 12" x 12" Temporary Lumber.....	12.84	1.67
01 54 23 00-0066 Temporary Precast Concrete Blocks (01 54 23) Note: Includes removal after use.		
01 54 23 00-0067 EA 2' x 2' x 2' Temporary Precast Concrete Block.....	89.80	
01 54 23 00-0068 EA 2' x 2' x 4' Temporary Precast Concrete Block.....	112.24	
01 54 23 00-0069 EA 2' x 2' x 8' Temporary Precast Concrete Block.....	134.69	
01 54 26 Temporary Swing Staging (01 54) Note: Up to one month rental. Includes connection to existing electrical outlet on roof, all necessary safety equipment for personnel and anchoring to existing roof anchors. Excludes installing roof anchors.		
01 54 26 00-0001 Swing Stage (01 54 26) Note: Up to one month rental. Includes connection to existing electrical outlet on roof, and all necessary safety equipment for personnel. Excludes installing roof anchors.		
01 54 26 00-0002 MO 7' Swing Stage, Electric Operated.....	1,723.16	
01 54 26 00-0003 MO 10' Swing Stage, Electric Operated.....	1,809.32	
01 54 26 00-0004 MO 14' Swing Stage, Electric Operated.....	1,895.48	
01 54 26 00-0005 MO 20' Swing Stage, Electric Operated.....	1,981.64	
01 54 26 00-0006 MO 24' Swing Stage, Electric Operated.....	2,067.79	
01 54 26 00-0007 MO 30' Swing Stage, Electric Operated.....	2,153.95	
01 54 26 00-0008 MO 42' Swing Stage, Electric Operated.....	2,240.11	
01 54 26 00-0009 MO 12' Swing Stage, Manually Operated.....	496.92	
01 54 26 00-0010 MO 24' Swing Stage, Manually Operated.....	621.14	
01 54 26 00-0011 EA Swing Stage Platform From Hooks, Erection And Dismantling..... Note: Includes both initial erection and final dismantling of platform. Excludes anchors or temporary roof mounted outrigger system.	4,138.31	
01 54 26 00-0012 EA Swing Stage Platform And Temporary Roof Mounted Outrigger System Erection And Dismantling..... Note: Includes both initial erection and final dismantling of temporary roof mounted outrigger system.	5,750.88	
01 54 26 00-0013 EA Move Swing Stage Platform From Hooks To Different Location At Same Roof.....	2,176.01	
01 54 26 00-0014 EA Move Swing Stage Platform and Temporary Roof Mounted Outrigger System To Different Location At Same Roof.....	3,030.87	

01	General Requirements
01 50	Temporary Facilities And Controls
01 55	Vehicular Access And Parking



MINOR
CSI UOM DESCRIPTION

TOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

01 55 Vehicular Access And Parking (01 50)

01 55 23 Temporary Roads (01 55)

01 55 23 00-0001 Temporary Stabilized Construction Entrance (01 55 23)

Note: As per Caltrans detail.

01 55 23 00-0002	SF	3" To 4" Rock Temporary Stabilized Construction Entrance Assembly.....	3.36	
		Note: Includes up to 12" excavation of pit, hauling and disposal of soil, filter fabric at base and sides, filled with rock, and compaction.		
01 55 23 00-0003	SF	>4" To 6" Rock Temporary Stabilized Construction Entrance Assembly.....	4.22	
		Note: Includes up to 12" excavation of pit, hauling and disposal of soil, filter fabric at base and sides, filled with rock, and compaction.		

01 55 23 00-0004 Rumble Trench Plate (01 55 23)

01 55 23 00-0005	MO	8' x 10' Steel Rumble Trench Plate Rental.....	230.16	
01 55 23 00-0006	EA	Placement And Removal Of Rumble Plate.....	81.26	
		Note: If lifting equipment is not available on site, See CSI section 01 22 23 00-0000 for rentals tasks, 01 71 13 00-0000 for mobilization tasks.		
01 55 23 00-0007	EA	Relocate And Adjust Location Of Rumble Plate.....	20.32	
		Note: If lifting equipment is not available on site, See CSI section 01 22 23 00-0000 for rentals tasks, 01 71 13 00-0000 for mobilization tasks.		

01 55 23 00-0008 Temporary Road Ramps (Godwin) (01 55 23)

Note: Excludes asphalt and gravel.

01 55 23 00-0009	EA	4" Pipeline, 12' Passable Vehicle Width, Temporary Road Ramp (Godwin).....	2,936.67	180.91
01 55 23 00-0010	EA	6" Pipeline, 12' Passable Vehicle Width, Temporary Road Ramp (Godwin).....	4,013.16	271.36
01 55 23 00-0011	EA	8" Pipeline, 12' Passable Vehicle Width, Temporary Road Ramp (Godwin).....	5,537.47	361.82
01 55 23 00-0012	EA	12" Pipeline, 12' Passable Vehicle Width, Temporary Road Ramp (Godwin).....	11,315.88	452.26
01 55 23 00-0013	EA	24" Pipeline, 15' Passable Vehicle Width, Temporary Road Ramp (Godwin).....	16,534.53	542.71

01 55 26 Traffic Control (01 55)

01 55 26 00-0001 Removable Preformed Traffic Black Line Mask (01 55 26)

Note: Includes installation and removal after use.

01 55 26 00-0002	LF	6" Removable Traffic Black Line Mask.....	4.67	
01 55 26 00-0003	LF	8" Removable Traffic Black Line Mask.....	5.70	

01 55 26 00-0004 Temporary Preformed Traffic Line Tape (01 55 26)

Note: Includes installation and removal after use.

01 55 26 00-0005	LF	4" Reflective Removable Traffic Line Tape.....	3.57	
01 55 26 00-0006	LF	6" Reflective Removable Traffic Line Tape.....	4.73	
01 55 26 00-0007	LF	8" Reflective Removable Traffic Line Tape.....	5.81	

01 55 26 00-0008 Temporary Painted Traffic Lines (01 55 26)

Note: Includes installation and removal after use.

01 55 26 00-0009	LF	4" Temporary Painted Traffic Lines.....	1.82	
		<i>For Not Removed, Deduct</i>	-2.67	
01 55 26 00-0010	LF	6" Temporary Painted Traffic Lines.....	2.41	
		<i>For Not Removed, Deduct</i>	-3.65	
01 55 26 00-0011	LF	8" Temporary Painted Traffic Lines.....	3.02	
		<i>For Not Removed, Deduct</i>	-4.61	

01 55 26 00-0012 Pedestrian Traffic Control (01 55 26)

01 55 26 00-0013	CLF	1", 4 Mil Polyethylene Printed Barricade Tape, Fluorescent Orange.....	19.04	
01 55 26 00-0014	CLF	2", 4 Mil Polyethylene Printed Barricade Tape, Fluorescent Orange.....	27.21	
01 55 26 00-0015	CLF	3/4", 4 Mil Polyethylene Printed Barricade Tape, Fluorescent Yellow.....	11.63	
01 55 26 00-0016	CLF	2", 4 Mil Polyethylene Printed Barricade Tape, Fluorescent Yellow.....	15.34	
01 55 26 00-0017	CLF	3", 4 Mil Polyethylene Printed Barricade Tape, Non Fluorescent.....	18.24	
01 55 26 00-0018	CLF	6", 4 Mil Polyethylene Printed Barricade Tape, Non Fluorescent.....	28.85	
01 55 26 00-0019	CLF	1" Exterior Vinyl Tape (Warning Tape).....	25.40	
01 55 26 00-0020	CLF	2" Exterior Vinyl Tape (Warning Tape).....	39.29	
01 55 26 00-0021	CLF	3" Exterior Vinyl Tape (Warning Tape).....	53.77	
01 55 26 00-0022	CLF	4" Exterior Vinyl Tape (Warning Tape).....	63.17	

01 55 26 00-0023 Linear Delineation System, Temporary Or Permanent (01 55 26)

Note: High visibility reflective sheeting strips. Scotchlite as manufactured by 3M.

01 55 26 00-0024	LF	4" Linear Delineation System.....	7.04	
01 55 26 00-0025	LF	6" Linear Delineation System.....	9.34	

01 55 26 00-0026 Traffic Protection (01 55 26)

01 55 26 00-0027 Portable Traffic Control Device Usage (01 55 26 00-0026)

Note: Excludes placing and removing devices. See CSI section 01 55 26 00-0103 for delivery, placing and removal.



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
01 55 26 00-0028 DAY 28" Cone With Reflective Collar.....	0.49	
01 55 26 00-0029 WK 28" Cone With Reflective Collar.....	1.48	
01 55 26 00-0030 MO 28" Cone With Reflective Collar.....	4.45	
01 55 26 00-0031 DAY Vertical Panel.....	1.49	
01 55 26 00-0032 WK Vertical Panel.....	4.48	
01 55 26 00-0033 MO Vertical Panel.....	13.43	
01 55 26 00-0034 DAY Channelizer Drum.....	1.62	
01 55 26 00-0035 WK Channelizer Drum.....	4.86	
01 55 26 00-0036 MO Channelizer Drum.....	14.58	
01 55 26 00-0037 DAY Stackable Channelizer Panel.....	0.77	
01 55 26 00-0038 WK Stackable Channelizer Panel.....	2.30	
01 55 26 00-0039 MO Stackable Channelizer Panel.....	6.90	
01 55 26 00-0040 DAY Type I Barricade, Up To 3' Wide With Reflective Rail Each Side.....	1.06	
01 55 26 00-0041 WK Type I Barricade, Up To 3' Wide With Reflective Rail Each Side.....	3.18	
01 55 26 00-0042 MO Type I Barricade, Up To 3' Wide With Reflective Rail Each Side.....	9.55	
01 55 26 00-0043 DAY Type II Barricade, Up To 3' Wide With Two Reflective Rails Each Side.....	2.35	
01 55 26 00-0044 WK Type II Barricade, Up To 3' Wide With Two Reflective Rails Each Side.....	7.06	
01 55 26 00-0045 MO Type II Barricade, Up To 3' Wide With Two Reflective Rails Each Side.....	21.17	
01 55 26 00-0046 DAY Type III Barricade, Up To 5' Wide With Three Reflective Rails.....	2.68	
01 55 26 00-0047 WK Type III Barricade, Up To 5' Wide With Three Reflective Rails.....	8.04	
01 55 26 00-0048 MO Type III Barricade, Up To 5' Wide With Three Reflective Rails.....	24.12	
01 55 26 00-0049 DAY Type III Barricade, >5' To 10' Wide With Three Reflective Rails.....	4.90	
01 55 26 00-0050 WK Type III Barricade, >5' To 10' Wide With Three Reflective Rails.....	14.71	
01 55 26 00-0051 MO Type III Barricade, >5' To 10' Wide With Three Reflective Rails.....	44.13	
01 55 26 00-0052 DAY Up To 10' Wide A Frame Barricade.....	2.69	
01 55 26 00-0053 WK Up To 10' Wide A Frame Barricade.....	8.07	
01 55 26 00-0054 MO Up To 10' Wide A Frame Barricade.....	24.20	
01 55 26 00-0055 DAY Type A Or C Flasher.....	0.55	
01 55 26 00-0056 WK Type A Or C Flasher.....	1.64	
01 55 26 00-0057 MO Type A Or C Flasher.....	4.93	
01 55 26 00-0058 DAY Type B Flasher (High Intensity).....	2.97	
01 55 26 00-0059 WK Type B Flasher (High Intensity).....	8.92	
01 55 26 00-0060 MO Type B Flasher (High Intensity).....	26.76	
01 55 26 00-0061	Traffic Barriers Usage <small>(01 55 26 00-0026)</small>	
Note: Excludes placing and removing devices. See CSI section 01 55 26 00-0103 for delivery, placing and removal.		
01 55 26 00-0062 DAY 6' Long Portable Parking Curbs.....	1.28	
01 55 26 00-0063 WK 6' Long Portable Parking Curbs.....	3.84	
01 55 26 00-0064 MO 6' Long Portable Parking Curbs.....	11.53	
01 55 26 00-0065 DAY 6' Long Portable Speed Bumps.....	3.79	
01 55 26 00-0066 WK 6' Long Portable Speed Bumps.....	11.37	
01 55 26 00-0067 MO 6' Long Portable Speed Bumps.....	34.11	
01 55 26 00-0068 DAY Up To 12.5' Concrete Traffic Barrier.....	9.10	
01 55 26 00-0069 WK Up To 12.5' Concrete Traffic Barrier.....	27.31	
01 55 26 00-0070 MO Up To 12.5' Concrete Traffic Barrier.....	81.94	
01 55 26 00-0071 DAY >12.5' To 20' Concrete Traffic Barrier.....	18.21	
01 55 26 00-0072 WK >12.5' To 20' Concrete Traffic Barrier.....	54.63	
01 55 26 00-0073 MO >12.5' To 20' Concrete Traffic Barrier.....	163.88	
01 55 26 00-0074 DAY 6' x 32" Tall Plastic Water Barrier.....	10.87	
01 55 26 00-0075 WK 6' x 32" Tall Plastic Water Barrier.....	32.62	
01 55 26 00-0076 MO 6' x 32" Tall Plastic Water Barrier.....	97.85	
01 55 26 00-0077 DAY 6' x 46" Tall Plastic Water Barrier.....	15.52	
01 55 26 00-0078 WK 6' x 46" Tall Plastic Water Barrier.....	46.57	
01 55 26 00-0079 MO 6' x 46" Tall Plastic Water Barrier.....	139.72	
01 55 26 00-0080 DAY Sand Filled Crash Attenuator Barrels.....	6.08	
01 55 26 00-0081 WK Sand Filled Crash Attenuator Barrels.....	18.23	
01 55 26 00-0082 MO Sand Filled Crash Attenuator Barrels.....	54.69	
01 55 26 00-0083 MON 24" Wide x 32" High x 32' Long, Anchorless Water Filler, Non Redirective, Bi-Directional Impact Attenuator (ABSORB 350® BARRIER).....	864.08	
Note: Consists of 8 bays with nose piece at the front of the system.		
01 55 26 00-0084	Portable Signs And Message Displays Usage <small>(01 55 26 00-0026)</small>	
Note: Excludes placing and removing devices. See CSI section 01 55 26 00-0103 for delivery, placing and removal.		
01 55 26 00-0085 DAY Mesh Or Vinyl Roll-up Sign With Stand.....	4.77	
01 55 26 00-0086 WK Mesh Or Vinyl Roll-up Sign With Stand.....	14.31	
01 55 26 00-0087 MO Mesh Or Vinyl Roll-up Sign With Stand.....	42.94	
01 55 26 00-0088 DAY Aluminum Sign And Post.....	2.52	
01 55 26 00-0089 WK Aluminum Sign And Post.....	7.57	
01 55 26 00-0090 MO Aluminum Sign And Post.....	22.72	
01 55 26 00-0091 DAY Aluminum Sign And A Frame Stand.....	3.61	
01 55 26 00-0092 WK Aluminum Sign And A Frame Stand.....	10.82	
01 55 26 00-0093 MO Aluminum Sign And A Frame Stand.....	32.47	
01 55 26 00-0094 DAY Trailer Mounted Flashing Arrow Board.....	100.00	
01 55 26 00-0095 WK Trailer Mounted Flashing Arrow Board.....	276.78	
01 55 26 00-0096 MO Trailer Mounted Flashing Arrow Board.....	318.41	
01 55 26 00-0097 DAY Trailer Mounted Portable Variable Message Sign (PVMS).....	232.98	
01 55 26 00-0098 WK Trailer Mounted Portable Variable Message Sign (PVMS).....	621.28	

10	01	General Requirements
	01 50	Temporary Facilities And Controls
	01 55	Vehicular Access And Parking



MINOR CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
01 55 26 00-0099	MO	Trailer Mounted Portable Variable Message Sign (PVMS)	1,242.56	
01 55 26 00-0100	DAY	Two Head, Trailer Mounted Traffic Signal System (Set Of Two)..... Note: Consists of a set of two communicating trailers. Each with two LED traffic light head, solar panels and a battery bank, mounted on a heavy-duty towable trailer.	812.35	
01 55 26 00-0101	WK	Two Head, Trailer Mounted Traffic Signal System (Set Of Two)..... Note: Consists of a set of two communicating trailers. Each with two LED traffic light head, solar panels and a battery bank, mounted on a heavy-duty towable trailer.	2,437.05	
01 55 26 00-0102	MO	Two Head, Trailer Mounted Traffic Signal System (Set Of Two)..... Note: Consists of a set of two communicating trailers. Each with two LED traffic light head, solar panels and a battery bank, mounted on a heavy-duty towable trailer.	7,311.15	
01 55 26 00-0103		Place And Remove Traffic Protection Using Truck (01 55 26 00-0026) Note: Includes delivery and return up to 15 miles. See CSI section 01 74 19 00-0037 for delivery >15 miles.		
01 55 26 00-0104	EA	Placement And Removal Of Up To 250 Cones Using Truck.....	4.03	
01 55 26 00-0105	EA	Placement And Removal Of >250 Cones Using Truck	3.22	
01 55 26 00-0106	EA	Placement And Removal Of Up To 250 Panels/Channelizers Using Truck	5.37	
01 55 26 00-0107	EA	Placement And Removal Of >250 Panels/Channelizers Using Truck.....	4.30	
01 55 26 00-0108	EA	Placement And Removal Of Up To 250 Barricades Using Truck	8.05	
01 55 26 00-0109	EA	Placement And Removal Of >250 Barricades Using Truck.....	6.45	
01 55 26 00-0110	EA	Placement And Removal Of Curbs/Speed Bumps Using Truck	8.05	
01 55 26 00-0111	EA	Placement And Removal Of Portable Sign And Stand Using Truck.....	4.83	
01 55 26 00-0112	EA	Placement And Removal Of Aluminum Sign And Post Using Truck	20.13	
01 55 26 00-0113	EA	Placement And Removal Of Trailer Mounted Boards And Signals Using Truck	60.40	
01 55 26 00-0114	EA	Placement And Removal Of Up To 12.5' Concrete Traffic Barrier	81.26	
		Note: If lifting equipment is not available on site, See CSI section 01 22 23 00-0000 for rentals tasks, 01 71 13 00-0000 for mobilization tasks.		
		For 1 Barrier, Add	203.15	
		For 2 Barriers, Add	73.13	
		For 3 Barriers, Add	24.38	
01 55 26 00-0115	EA	Placement And Removal Of >12.5' Concrete Traffic Barrier	121.90	
		Note: If lifting equipment is not available on site, See CSI section 01 22 23 00-0000 for rentals tasks, 01 71 13 00-0000 for mobilization tasks.		
		For 1 Barrier, Add	304.75	
		For 2 Barriers, Add	109.71	
		For 3 Barriers, Add	36.57	
01 55 26 00-0116	EA	Placement And Removal Of Plastic Water Barrier	44.80	
		Note: Includes water. If lifting equipment is not available on site, See CSI section 01 22 23 00-0000 for Equipment Usage, 01 71 13 00-0000 for mobilization tasks.		
		For 1 Barrier, Add	101.60	
		For 2 Barriers, Add	36.58	
		For 3 Barriers, Add	12.19	
01 55 26 00-0117	EA	Placement And Removal Of Crash Attenuator Barrels.....	60.94	
		Note: If lifting equipment is not available on site, See CSI section 01 22 23 00-0000 for rentals tasks, 01 71 13 00-0000 for mobilization tasks.		
		For 1 Barrier, Add	152.35	
		For 2 Barriers, Add	54.85	
		For 3 Barriers, Add	18.28	
01 55 26 00-0118	EA	Placement And Removal Of 24" Wide x 32" High x 32' Long, Anchorless Water Filler, Non Redirective, Bi-Directional Impact Attenuator (ABSORB 350® BARRIER).....	446.95	
		Note: Consists of 8 bays with nose piece at the front of the system attached and anchored in accordance with the manufactures instructions. Includes water. If lifting equipment is not available on site, See CSI section 01 22 23 00-0000 for rental tasks, 01 71 13 00-0000 for mobilization.		
01 55 26 00-0119		Place And Remove Traffic Protection From Roadside (Daily) (01 55 26 00-0026)		
01 55 26 00-0120	EA	Placement And Removal Of Up To 250 Cones By Hand From Roadside.....	2.01	
01 55 26 00-0121	EA	Placement And Removal Of >250 Cones By Hand From Roadside	1.61	
01 55 26 00-0122	EA	Placement And Removal Of Up To 250 Panels/Channelizers By Hand From Roadside	2.68	
01 55 26 00-0123	EA	Placement And Removal Of >250 Panels/Channelizers By Hand From Roadside	2.14	
01 55 26 00-0124	EA	Placement And Removal Of Up To 250 Barricades By Hand From Roadside	4.03	
01 55 26 00-0125	EA	Placement And Removal Of >250 Barricades By Hand From Roadside	3.22	
01 55 26 00-0126	EA	Placement And Removal Of Portable Sign And Stand From Roadside	2.45	
01 55 26 00-0127	EA	Placement And Removal Of Trailer Mounted Boards And Signals From Roadside	30.20	
01 55 26 00-0128	EA	Roadside Relocation Of Concrete Traffic Barrier	40.64	
		Note: Excludes flatbed truck. If lifting equipment is not available on site, See CSI section 01 22 23 00-0000 for rental tasks, 01 71 13 00-0000 for mobilization.		
01 55 26 00-0129		Temporary Rumble Strips (01 55 26) Note: Includes removal after use.		
01 55 26 00-0130	LF	1/4" High, 4" Wide, Polymer Tape Temporary Rumble Strip	8.31	
01 55 26 00-0131	LF	1/2" High, 3-1/2" Wide, Polycarbonate Temporary Rumble Strip	6.12	
01 56		Temporary Barriers And Enclosures (01 50) Note: Includes removal after use.		
01 56 16		Temporary Dust Barriers (01 56)		
01 56 16 00-0001		Temporary Sheeting For Protection (01 56 16) Note: Includes removal after use.		
01 56 16 00-0002	SF	4 Mil, Plastic Sheeting, Applied To Floors	0.29	
01 56 16 00-0003	SF	4 Mil, Plastic Sheeting, Applied To Walls	0.39	



General Requirements			01
Temporary Facilities And Controls			01 50
Temporary Barriers And Enclosures			01 56

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
01 56 16 00-0004 SF 4 Mil, Plastic Sheeting, Applied To Ceilings.....	0.53	
01 56 16 00-0005 SF 4 Mil, Fire Retardant, Plastic Sheeting, Applied To Floors.....	0.30	
01 56 16 00-0006 SF 4 Mil, Fire Retardant, Plastic Sheeting, Applied To Walls.....	0.40	
01 56 16 00-0007 SF 4 Mil, Fire Retardant, Plastic Sheeting, Applied To Ceilings.....	0.54	
01 56 16 00-0008 SF 6 Mil, Plastic Sheeting, Applied To Floors.....	0.31	
01 56 16 00-0009 SF 6 Mil, Plastic Sheeting, Applied To Walls.....	0.41	
01 56 16 00-0010 SF 6 Mil, Plastic Sheeting, Applied To Ceilings.....	0.55	
01 56 16 00-0011 SF 6 Mil, Plastic Sheeting, Applied To Scaffolding.....	0.53	
01 56 16 00-0012 SF 6 Mil, Fire Retardant, Plastic Sheeting, Applied To Floors.....	0.36	
01 56 16 00-0013 SF 6 Mil, Fire Retardant, Plastic Sheeting, Applied To Walls.....	0.46	
01 56 16 00-0014 SF 6 Mil, Fire Retardant, Plastic Sheeting, Applied To Ceilings.....	0.60	
01 56 16 00-0015 SF 6 Mil, Fire Retardant, Plastic Sheeting, Applied To Scaffolding.....	0.56	
01 56 16 00-0016 SF 10 Mil, Fire Retardant, Reinforced, Plastic Sheeting, Applied To Scaffolding.....	0.67	
01 56 16 00-0017 SF 6 Mil, Fire Retardant, Anti Static, Plastic Sheeting, Applied To Floors.....	0.37	
01 56 16 00-0018 SF 6 Mil, Fire Retardant, Anti Static, Plastic Sheeting, Applied To Walls.....	0.47	
01 56 16 00-0019 SF 6 Mil, Fire Retardant, Anti Static, Plastic Sheeting, Applied To Ceilings.....	0.61	
01 56 16 00-0020 SF 6 Mil, Fire Retardant, Anti Static, Plastic Sheeting, Applied To Scaffolding.....	0.57	
01 56 16 00-0021 SF 6 Mil, Reinforced, Plastic Sheeting, Applied To Floors.....	0.37	
01 56 16 00-0022 SF 6 Mil, Reinforced, Plastic Sheeting, Applied To Walls.....	0.47	
01 56 16 00-0023 SF 6 Mil, Reinforced, Plastic Sheeting, Applied To Ceilings.....	0.61	
01 56 16 00-0024 SF 6 Mil, Reinforced, Plastic Sheeting, Applied To Scaffolding.....	0.57	
01 56 16 00-0025 SF 6 Mil, Fire Retardant, Reinforced, Plastic Sheeting, Applied To Floors.....	0.41	
01 56 16 00-0026 SF 6 Mil, Fire Retardant, Reinforced, Plastic Sheeting, Applied To Walls.....	0.51	
01 56 16 00-0027 SF 6 Mil, Fire Retardant, Reinforced, Plastic Sheeting, Applied To Ceilings.....	0.65	
01 56 16 00-0028 SF 6 Mil, Fire Retardant, Reinforced, Plastic Sheeting, Applied To Scaffolding.....	0.61	
01 56 16 00-0029 Temporary Canvas For Protection (01 56 16)		
Note: Includes removal after use.		
01 56 16 00-0030 SF Heavy Duty Woven Water Repellant Canvas, Applied To Walls.....	0.82	
01 56 16 00-0031 Accessories For Temporary Sheeting (01 56 16)		
Note: Includes removal after use.		
01 56 16 00-0032 EA 7' Zipper Door For Plastic Sheeting.....	17.02	
01 56 16 00-0033 LF Zip Wall Kit And ICRA Dust Control Awareness Barrier (Per LF Of Wall).....	6.03	
Note: Includes up to 12' long spring loaded poles, side clamps, foam rails and 6 mil poly barrier. Excludes zip doors.		
01 56 16 00-0034 Temporary Stud Wall (01 56 16)		
Note: Includes removal after use.		
01 56 16 00-0035 Temporary Stud Wall With Drywall (01 56 16 00-0034)		
Note: Includes 2 x 4 wood studs installed 16" on center, single bottom and top plate, appropriate fastening devices, drywall taped and finished and removal after use. Excludes paint.		
01 56 16 00-0036 Temporary Stud Wall With Drywall (01 56 16 00-0035)		
01 56 16 00-0037 SF 3/8" Gypsum Board On One Side, Temporary Wood Stud Wall, 16" On Center.....	4.79	
For Metal Studs 24" On Center, Add/Deduct	0.25	
01 56 16 00-0038 SF 1/2" Gypsum Board On One Side, Temporary Wood Stud Wall, 16" On Center.....	4.79	
For Metal Studs 24" On Center, Add/Deduct	0.25	
01 56 16 00-0039 SF 5/8" Gypsum Board On One Side, Temporary Wood Stud Wall, 16" On Center.....	4.87	
For Metal Studs 24" On Center, Add/Deduct	0.25	
01 56 16 00-0040 SF 3/8" Gypsum Board On Both Sides, Temporary Wood Stud Wall, 16" On Center.....	6.62	
For Metal Studs 24" On Center, Add/Deduct	0.32	
01 56 16 00-0041 SF 1/2" Gypsum Board On Both Sides, Temporary Wood Stud Wall, 16" On Center.....	6.62	
For Metal Studs 24" On Center, Add/Deduct	0.32	
01 56 16 00-0042 SF 5/8" Gypsum Board On Both Sides, Temporary Wood Stud Wall, 16" On Center.....	6.76	
For Metal Studs 24" On Center, Add/Deduct	0.32	
01 56 16 00-0043 Temporary Stud Wall With Fire Rated Drywall (01 56 16 00-0035)		
01 56 16 00-0044 SF 1/2" Type C Fire Rated Gypsum Board On One Side, Temporary Wood Stud Wall, 16" On Center.....	4.88	
For Metal Studs 24" On Center, Add/Deduct	0.25	
01 56 16 00-0045 SF 5/8" Type C Fire Rated Gypsum Board On One Side, Temporary Wood Stud Wall, 16" On Center.....	4.90	
For Metal Studs 24" On Center, Add/Deduct	0.25	
01 56 16 00-0046 SF 5/8" Type X Fire Rated Gypsum Board On One Side, Temporary Wood Stud Wall, 16" On Center.....	4.86	
For Metal Studs 24" On Center, Add/Deduct	0.25	
01 56 16 00-0047 SF 3/4" Fire Rated (Sheetrock® Ultracode®) Gypsum Board On One Side, Temporary Wood Stud Wall, 16" On Center.....	5.43	
For Metal Studs 24" On Center, Add/Deduct	0.25	
01 56 16 00-0048 SF 1/2" Type C Fire Rated Gypsum Board On Both Sides, Temporary Wood Stud Wall, 16" On Center.....	6.79	
For Metal Studs 24" On Center, Add/Deduct	0.32	
01 56 16 00-0049 SF 5/8" Type C Fire Rated Gypsum Board On Both Sides, Temporary Wood Stud Wall, 16" On Center.....	6.84	
For Metal Studs 24" On Center, Add/Deduct	0.32	
01 56 16 00-0050 SF 5/8" Type X Fire Rated Gypsum Board On Both Sides, Temporary Wood Stud Wall, 16" On Center.....	6.75	
For Metal Studs 24" On Center, Add/Deduct	0.32	
01 56 16 00-0051 SF 3/4" Fire Rated (Sheetrock® Ultracode®) Gypsum Board On Both Sides, Temporary Wood Stud Wall, 16" On Center.....	7.90	
For Metal Studs 24" On Center, Add/Deduct	0.32	

10	01	General Requirements
	01 50	Temporary Facilities And Controls
	01 56	Temporary Barriers And Enclosures



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
------------------------------	---------------------------	-------------------------

01 56 16 00-0052	Temporary Stud Wall With Oriented Strand Board (OSB) <small>(01 56 16 00-0034)</small>	
	Note: Includes 2 x 4 wood studs installed 16" on center, single bottom and top plate, appropriate fastening devices, oriented strand board (OSB) wall sheathing, and removal after use. Excludes paint.	
01 56 16 00-0053	SF 7/16" Oriented Strand Board (OSB) Wall Sheathing On One Side, Temporary Wood Stud Wall, 16" On Center.....	4.67
	<i>For Metal Studs 24" On Center, Add/Deduct</i>	0.25
01 56 16 00-0054	SF 1/2" Oriented Strand Board (OSB) Wall Sheathing On One Side, Temporary Wood Stud Wall, 16" On Center.....	4.70
	<i>For Metal Studs 24" On Center, Add/Deduct</i>	0.25
01 56 16 00-0055	SF 5/8" Oriented Strand Board (OSB) Wall Sheathing On One Side, Temporary Wood Stud Wall, 16" On Center.....	4.79
	<i>For Metal Studs 24" On Center, Add/Deduct</i>	0.25
01 56 16 00-0056	SF 3/4" Oriented Strand Board (OSB) Wall Sheathing On One Side, Temporary Wood Stud Wall, 16" On Center.....	4.83
	<i>For Metal Studs 24" On Center, Add/Deduct</i>	0.25
01 56 16 00-0057	SF 7/16" Oriented Strand Board (OSB) Wall Sheathing On Both Sides, Temporary Wood Stud Wall, 16" On Center.....	6.38
	<i>For Metal Studs 24" On Center, Add/Deduct</i>	0.32
01 56 16 00-0058	SF 1/2" Oriented Strand Board (OSB) Wall Sheathing On Both Sides, Temporary Wood Stud Wall, 16" On Center.....	6.44
	<i>For Metal Studs 24" On Center, Add/Deduct</i>	0.32
01 56 16 00-0059	SF 5/8" Oriented Strand Board (OSB) Wall Sheathing On Both Sides, Temporary Wood Stud Wall, 16" On Center.....	6.60
	<i>For Metal Studs 24" On Center, Add/Deduct</i>	0.32
01 56 16 00-0060	SF 3/4" Oriented Strand Board (OSB) Wall Sheathing On Both Sides, Temporary Wood Stud Wall, 16" On Center.....	6.69
	<i>For Metal Studs 24" On Center, Add/Deduct</i>	0.32

01 56 16 00-0061	Temporary Stud Wall With BC Plywood <small>(01 56 16 00-0034)</small>	
	Note: Includes 2 x 4 wood studs installed 16" on center, single bottom and top plate, appropriate fastening devices, interior/exterior BC plywood wall sheathing, and removal after use. Excludes paint.	
01 56 16 00-0062	SF 3/8" BC Plywood Wall Sheathing On One Side, Temporary Wood Stud Wall, 16" On Center.....	4.87
	<i>For Metal Studs 24" On Center, Add/Deduct</i>	0.25
01 56 16 00-0063	SF 1/2" BC Plywood Wall Sheathing On One Side, Temporary Wood Stud Wall, 16" On Center.....	4.98
	<i>For Metal Studs 24" On Center, Add/Deduct</i>	0.25
01 56 16 00-0064	SF 5/8" BC Plywood Wall Sheathing On One Side, Temporary Wood Stud Wall, 16" On Center.....	5.14
	<i>For Metal Studs 24" On Center, Add/Deduct</i>	0.25
01 56 16 00-0065	SF 3/4" BC Plywood Wall Sheathing On One Side, Temporary Wood Stud Wall, 16" On Center.....	5.23
	<i>For Metal Studs 24" On Center, Add/Deduct</i>	0.25
01 56 16 00-0066	SF 3/8" BC Plywood Wall Sheathing On Both Sides, Temporary Wood Stud Wall, 16" On Center.....	6.78
	<i>For Metal Studs 24" On Center, Add/Deduct</i>	0.32
01 56 16 00-0067	SF 1/2" BC Plywood Wall Sheathing On Both Sides, Temporary Wood Stud Wall, 16" On Center.....	6.99
	<i>For Metal Studs 24" On Center, Add/Deduct</i>	0.32
01 56 16 00-0068	SF 5/8" BC Plywood Wall Sheathing On Both Sides, Temporary Wood Stud Wall, 16" On Center.....	7.30
	<i>For Metal Studs 24" On Center, Add/Deduct</i>	0.32
01 56 16 00-0069	SF 3/4" BC Plywood Wall Sheathing On Both Sides, Temporary Wood Stud Wall, 16" On Center.....	7.50
	<i>For Metal Studs 24" On Center, Add/Deduct</i>	0.32

01 56 16 00-0070	Temporary Stud Wall With Plastic Sheeting <small>(01 56 16 00-0034)</small>	
	Note: Includes 2 x 4 wood studs installed 16" on center, single bottom and top plate, appropriate fastening devices, 6 Mil plastic sheeting, and removal after use.	
01 56 16 00-0071	SF 6 Mil, Plastic Sheeting On One Side, Temporary Wood Stud Wall, 16" On Center.....	2.76
	<i>For Metal Studs 24" On Center, Add/Deduct</i>	0.16
01 56 16 00-0072	SF 6 Mil, Fire Retardant, Plastic Sheeting On One Side, Temporary Wood Stud Wall, 16" On Center.....	2.80
	<i>For Metal Studs 24" On Center, Add/Deduct</i>	0.16
01 56 16 00-0073	SF 6 Mil, Fire Retardant, Anti-Static, Plastic Sheeting On One Side, Temporary Wood Stud Wall, 16" On Center.....	2.82
	<i>For Metal Studs 24" On Center, Add/Deduct</i>	0.16
01 56 16 00-0074	SF 6 Mil, Reinforced, Plastic Sheeting On One Side, Temporary Wood Stud Wall, 16" On Center.....	2.81
	<i>For Metal Studs 24" On Center, Add/Deduct</i>	0.16
01 56 16 00-0075	SF 6 Mil, Fire Retardant, Reinforced, Plastic Sheeting On One Side, Temporary Wood Stud Wall, 16" On Center.....	2.86
	<i>For Metal Studs 24" On Center, Add/Deduct</i>	0.16

01 56 16 00-0076	14' High Temporary Stud Walls <small>(01 56 16 00-0034)</small>	
01 56 16 00-0077	LF 14' High Temporary Stud Wall.....	113.63
	Note: Includes 2" x 4" wood studs 16" O.C., with 2" x 4" top and bottom stud, 3/4" plywood on one side, 5/8" gypsum board on one side, firetaped and finished, visqueen with 2' lap welded seams, R13 insulation and caulked at top and bottom.	

01 56 16 00-0078	Temporary Doors <small>(01 56 16 00-0034)</small>	
	Note: For temporary stud walls. Includes removal after use.	
01 56 16 00-0079	EA Temporary Metal Door And Frame.....	481.26
	Note: Painted with panic hardware, lockset, threshold and smoke seals. Remove after use.	

01 56 16 00-0080	Temporary Floor Protection <small>(01 56 16)</small>	
	Note: Includes removal after use.	
01 56 16 00-0081	SF Masonite For Temporary Floor Protection.....	1.51
01 56 16 00-0082	SF 1/2" Plywood For Temporary Floor Protection.....	1.49
01 56 16 00-0083	SF 3/4" Plywood For Temporary Floor Protection.....	1.82
01 56 16 00-0084	LF 38" Wide, 46 Mil Fiberboard, Ram Board® For Temporary Floor Protection.....	0.84
01 56 16 00-0085	LF 36" Wide, 9 Mil, Regular Weight Red Rosin Paper, For Temporary Floor Protection.....	0.28
01 56 16 00-0086	CSF 3 Mil, Temporary Self-adhesive Carpet Protection Film.....	17.71

01 56 16 00-0087	Sticky Mats <small>(01 56 16)</small>	
	Note: Includes removal after use.	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
01 56 16 00-0088 EA 18" x 36", 30 Layer Sticky Mat <i>For 60 Layers Instead Of 30, Add</i>	22.87 14.24	
01 56 16 00-0089 EA 18" x 46", 30 Layer Sticky Mat <i>For 60 Layers Instead Of 30, Add</i>	26.03 16.61	
01 56 16 00-0090 EA 24" x 36", 30 Layer Sticky Mat <i>For 60 Layers Instead Of 30, Add</i>	26.03 16.61	
01 56 16 00-0091 EA 25" x 45", 30 Layer Sticky Mat <i>For 60 Layers Instead Of 30, Add</i>	33.94 22.55	
01 56 16 00-0092 EA 36" x 36", 30 Layer Sticky Mat <i>For 60 Layers Instead Of 30, Add</i>	37.11 24.92	
01 56 16 00-0093 EA 36" x 46", 30 Layer Sticky Mat <i>For 60 Layers Instead Of 30, Add</i>	40.27 27.29	
01 56 16 00-0094 EA 36" x 60", 30 Layer Sticky Mat <i>For 60 Layers Instead Of 30, Add</i>	79.83 56.96	
01 56 16 00-0095 EA 36" x 72", 30 Layer Sticky Mat	95.02	
 01 56 26 Temporary Fencing (01 56)		
01 56 26 00-0001 Temporary Fencing (01 56 26) Note: Per ASTM A392-06 Standards		
01 56 26 00-0002 Temporary Chain Link Fence (01 56 26 00-0001) Note: Includes delivery, set-up (driving posts) and removal. Excludes auguring/drilling for posts. See CSI section 02 41 19 13-0080 for core drilling in asphalt or concrete, 32 31 13 13-0001 for augering and backfill of posts.		
01 56 26 00-0003 Temporary Chain Link Fence, Up To 6 Months (01 56 26 00-0002)		
01 56 26 00-0004 LF Temporary 4' High Chain Link Fence And Posts, Up To 6 Months <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i> <i>For Each LF Shade Cloth, Add</i>	5.83 -0.14 -0.27 -0.41 1.60	
01 56 26 00-0005 LF Temporary 6' High Chain Link Fence And Posts, Up To 6 Months <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i> <i>For Each LF Shade Cloth, Add</i>	6.49 -0.15 -0.31 -0.46 2.55	
01 56 26 00-0006 LF Temporary 8' High Chain Link Fence And Posts, Up To 6 Months <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i> <i>For Each LF Shade Cloth, Add</i>	8.91 -0.26 -0.52 -0.78 3.60	
01 56 26 00-0007 LF Temporary 10' High Chain Link Fence And Posts, Up To 6 Months <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i> <i>For Each LF Shade Cloth, Add</i>	19.53 -0.77 -1.54 -2.31 4.75	
01 56 26 00-0008 Temporary Chain Link Fence, >6 To 12 Months (01 56 26 00-0002)		
01 56 26 00-0009 LF Temporary 4' High Chain Link Fence And Posts, >6 To 12 Months <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i> <i>For Each LF Shade Cloth, Add</i>	6.11 -0.15 -0.30 -0.45 1.60	
01 56 26 00-0010 LF Temporary 6' High Chain Link Fence And Posts, >6 To 12 Months <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i> <i>For Each LF Shade Cloth, Add</i>	6.79 -0.17 -0.34 -0.51 2.55	
01 56 26 00-0011 LF Temporary 8' High Chain Link Fence And Posts, >6 To 12 Months <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i> <i>For Each LF Shade Cloth, Add</i>	9.42 -0.28 -0.57 -0.85 3.60	
01 56 26 00-0012 LF Temporary 10' High Chain Link Fence And Posts, >6 To 12 Months <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i> <i>For Each LF Shade Cloth, Add</i>	21.06 -0.85 -1.69 -2.54 4.75	
01 56 26 00-0013 Temporary Chain Link Fence, >12 To 18 Months (01 56 26 00-0002)		
01 56 26 00-0014 LF Temporary 4' High Chain Link Fence And Posts, >12 To 18 Months <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i> <i>For Each LF Shade Cloth, Add</i>	6.41 -0.17 -0.33 -0.50 1.60	
01 56 26 00-0015 LF Temporary 6' High Chain Link Fence And Posts, >12 To 18 Months <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i> <i>For Each LF Shade Cloth, Add</i>	7.14 -0.19 -0.37 -0.56 2.55	

01 General Requirements

01 50 Temporary Facilities And Controls

01 56 Temporary Barriers And Enclosures



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
01 56 26 00-0016 LF Temporary 8' High Chain Link Fence And Posts, >12 To 18 Months.....	10.00	
For >100 To 250, Deduct	-0.31	
For >250 To 500, Deduct	-0.63	
For >500, Deduct	-0.94	
For Each LF Shade Cloth, Add	3.60	
01 56 26 00-0017 LF Temporary 10' High Chain Link Fence And Posts, >12 To 18 Months.....	22.76	
For >100 To 250, Deduct	-0.93	
For >250 To 500, Deduct	-1.86	
For >500, Deduct	-2.80	
For Each LF Shade Cloth, Add	4.75	
01 56 26 00-0018 Temporary Chain Link Fence, >18 Months (01 56 26 00-0002)		
01 56 26 00-0019 LF Temporary 4' High Chain Link Fence And Posts, >18 Months.....	6.74	
For >100 To 250, Deduct	-0.18	
For >250 To 500, Deduct	-0.36	
For >500, Deduct	-0.54	
For Each LF Shade Cloth, Add	1.60	
01 56 26 00-0020 LF Temporary 6' High Chain Link Fence And Posts, >18 Months.....	7.49	
For >100 To 250, Deduct	-0.20	
For >250 To 500, Deduct	-0.41	
For >500, Deduct	-0.61	
For Each LF Shade Cloth, Add	2.55	
01 56 26 00-0021 LF Temporary 8' High Chain Link Fence And Posts, >18 Months.....	10.62	
For >100 To 250, Deduct	-0.34	
For >250 To 500, Deduct	-0.69	
For >500, Deduct	-1.03	
For Each LF Shade Cloth, Add	3.60	
01 56 26 00-0022 LF Temporary 10' High Chain Link Fence And Posts, >18 Months.....	24.62	
For >100 To 250, Deduct	-1.03	
For >250 To 500, Deduct	-2.05	
For >500, Deduct	-3.08	
For Each LF Shade Cloth, Add	4.75	
01 56 26 00-0023 Temporary Chain Link Fence Gates (01 56 26 00-0001)		
Note: Includes delivery, set-up (driving posts) and removal. Excludes auguring/drilling for posts. See CSI section 02 41 19 13-0080 for core drilling in asphalt or concrete, 32 31 13 13-0001 for augering and backfill of posts.		
01 56 26 00-0024 Temporary Chain Link Fence Gates, Up To 6 Months (01 56 26 00-0023)		
01 56 26 00-0025 4' High, Temporary Chain Link Fence Gates, Up To 6 Months (01 56 26 00-0024)		
01 56 26 00-0026 EA 4' Wide, 4' High, Temporary Chain Link Fence Gate, Up To 6 Months.....	231.50	
For Each LF Shade Cloth, Add	12.93	
01 56 26 00-0027 EA 10' Wide, 4' High, Temporary Chain Link Fence Gate, Up To 6 Months.....	393.81	
For Each LF Shade Cloth, Add	32.33	
01 56 26 00-0028 EA 12' Wide, 4' High, Temporary Chain Link Fence Gate, Up To 6 Months.....	440.84	
For Each LF Shade Cloth, Add	38.80	
01 56 26 00-0029 EA 15' Wide, 4' High, Temporary Chain Link Fence Gate, Up To 6 Months.....	501.87	
For Each LF Shade Cloth, Add	48.50	
01 56 26 00-0030 EA 20' Wide, 4' High, Temporary Chain Link Fence Gate, Up To 6 Months.....	601.00	
For Each LF Shade Cloth, Add	64.67	
01 56 26 00-0031 EA 24' Wide, 4' High, Temporary Chain Link Fence Gate, Up To 6 Months.....	669.12	
For Each LF Shade Cloth, Add	77.60	
01 56 26 00-0032 6' High, Temporary Chain Link Fence Gates, Up To 6 Months (01 56 26 00-0024)		
01 56 26 00-0033 EA 4' Wide, 6' High, Temporary Chain Link Fence Gate, Up To 6 Months.....	247.94	
For Each LF Shade Cloth, Add	20.61	
01 56 26 00-0034 EA 10' Wide, 6' High, Temporary Chain Link Fence Gate, Up To 6 Months.....	425.47	
For Each LF Shade Cloth, Add	51.53	
01 56 26 00-0035 EA 12' Wide, 6' High, Temporary Chain Link Fence Gate, Up To 6 Months.....	477.36	
For Each LF Shade Cloth, Add	61.84	
01 56 26 00-0036 EA 15' Wide, 6' High, Temporary Chain Link Fence Gate, Up To 6 Months.....	553.38	
For Each LF Shade Cloth, Add	77.30	
01 56 26 00-0037 EA 20' Wide, 6' High, Temporary Chain Link Fence Gate, Up To 6 Months.....	668.82	
For Each LF Shade Cloth, Add	103.07	
01 56 26 00-0038 EA 24' Wide, 6' High, Temporary Chain Link Fence Gate, Up To 6 Months.....	759.26	
For Each LF Shade Cloth, Add	123.68	
01 56 26 00-0039 8' High, Temporary Chain Link Fence Gates, Up To 6 Months (01 56 26 00-0024)		
01 56 26 00-0040 EA 4' Wide, 8' High, Temporary Chain Link Fence Gate, Up To 6 Months.....	276.92	
For Each LF Shade Cloth, Add	29.10	
01 56 26 00-0041 EA 10' Wide, 8' High, Temporary Chain Link Fence Gate, Up To 6 Months.....	487.84	
For Shade Cloth, Add	72.75	
01 56 26 00-0042 EA 12' Wide, 8' High, Temporary Chain Link Fence Gate, Up To 6 Months.....	545.48	
For Shade Cloth, Add	87.30	
01 56 26 00-0043 EA 15' Wide, 8' High, Temporary Chain Link Fence Gate, Up To 6 Months.....	624.56	
For Shade Cloth, Add	109.13	
01 56 26 00-0044 EA 20' Wide, 8' High, Temporary Chain Link Fence Gate, Up To 6 Months.....	763.29	
For Shade Cloth, Add	145.50	
01 56 26 00-0045 EA 24' Wide, 8' High, Temporary Chain Link Fence Gate, Up To 6 Months.....	886.45	
For Shade Cloth, Add	174.61	



General Requirements		01
Temporary Facilities And Controls		01 50
Temporary Barriers And Enclosures		01 56

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
-------	-----	-----	-------------	------------------------	----------------------

01 56 26 00-0046			10' High, Temporary Chain Link Fence Gates, Up To 6 Months (01 56 26 00-0024)		
01 56 26 00-0047	EA		4' Wide, 10' High, Temporary Chain Link Fence Gate, Up To 6 Months	335.34	
			<i>For Each LF Shade Cloth, Add</i>	38.40	
01 56 26 00-0048	EA		10' Wide, 10' High, Temporary Chain Link Fence Gate, Up To 6 Months	584.73	
			<i>For Each LF Shade Cloth, Add</i>	95.99	
01 56 26 00-0049	EA		12' Wide, 10' High, Temporary Chain Link Fence Gate, Up To 6 Months	655.15	
			<i>For Each LF Shade Cloth, Add</i>	115.19	
01 56 26 00-0050	EA		15' Wide, 10' High, Temporary Chain Link Fence Gate, Up To 6 Months	749.03	
			<i>For Each LF Shade Cloth, Add</i>	143.99	
01 56 26 00-0051	EA		20' Wide, 10' High, Temporary Chain Link Fence Gate, Up To 6 Months	915.65	
			<i>For Each LF Shade Cloth, Add</i>	191.99	
01 56 26 00-0052	EA		24' Wide, 10' High, Temporary Chain Link Fence Gate, Up To 6 Months	1,058.49	
			<i>For Each LF Shade Cloth, Add</i>	230.38	
01 56 26 00-0053			Temporary Chain Link Fence Gates, >6 To 12 Months (01 56 26 00-0023)		
01 56 26 00-0054			4' High, Temporary Chain Link Fence Gates, >6 To 12 Months (01 56 26 00-0053)		
01 56 26 00-0055	EA		4' Wide, 4' High, Temporary Chain Link Fence Gate, >6 To 12 Months	240.16	
			<i>For Each LF Shade Cloth, Add</i>	12.93	
01 56 26 00-0056	EA		10' Wide, 4' High, Temporary Chain Link Fence Gate, >6 To 12 Months	407.28	
			<i>For Each LF Shade Cloth, Add</i>	32.33	
01 56 26 00-0057	EA		12' Wide, 4' High, Temporary Chain Link Fence Gate, >6 To 12 Months	456.23	
			<i>For Each LF Shade Cloth, Add</i>	38.80	
01 56 26 00-0058	EA		15' Wide, 4' High, Temporary Chain Link Fence Gate, >6 To 12 Months	519.19	
			<i>For Each LF Shade Cloth, Add</i>	48.50	
01 56 26 00-0059	EA		20' Wide, 4' High, Temporary Chain Link Fence Gate, >6 To 12 Months	622.17	
			<i>For Each LF Shade Cloth, Add</i>	64.67	
01 56 26 00-0060	EA		24' Wide, 4' High, Temporary Chain Link Fence Gate, >6 To 12 Months	692.22	
			<i>For Each LF Shade Cloth, Add</i>	77.60	
01 56 26 00-0061			6' High, Temporary Chain Link Fence Gates, >6 To 12 Months (01 56 26 00-0053)		
01 56 26 00-0062	EA		4' Wide, 6' High, Temporary Chain Link Fence Gate, >6 To 12 Months	256.99	
			<i>For Each LF Shade Cloth, Add</i>	20.61	
01 56 26 00-0063	EA		10' Wide, 6' High, Temporary Chain Link Fence Gate, >6 To 12 Months	439.55	
			<i>For Each LF Shade Cloth, Add</i>	51.53	
01 56 26 00-0064	EA		12' Wide, 6' High, Temporary Chain Link Fence Gate, >6 To 12 Months	493.46	
			<i>For Each LF Shade Cloth, Add</i>	61.84	
01 56 26 00-0065	EA		15' Wide, 6' High, Temporary Chain Link Fence Gate, >6 To 12 Months	571.49	
			<i>For Each LF Shade Cloth, Add</i>	77.30	
01 56 26 00-0066	EA		20' Wide, 6' High, Temporary Chain Link Fence Gate, >6 To 12 Months	690.96	
			<i>For Each LF Shade Cloth, Add</i>	103.07	
01 56 26 00-0067	EA		24' Wide, 6' High, Temporary Chain Link Fence Gate, >6 To 12 Months	783.41	
			<i>For Each LF Shade Cloth, Add</i>	123.68	
01 56 26 00-0068			8' High, Temporary Chain Link Fence Gates, >6 To 12 Months (01 56 26 00-0053)		
01 56 26 00-0069	EA		4' Wide, 8' High, Temporary Chain Link Fence Gate, >6 To 12 Months	286.88	
			<i>For Each LF Shade Cloth, Add</i>	29.10	
01 56 26 00-0070	EA		10' Wide, 8' High, Temporary Chain Link Fence Gate, >6 To 12 Months	503.33	
			<i>For Shade Cloth, Add</i>	72.75	
01 56 26 00-0071	EA		12' Wide, 8' High, Temporary Chain Link Fence Gate, >6 To 12 Months	563.19	
			<i>For Shade Cloth, Add</i>	87.30	
01 56 26 00-0072	EA		15' Wide, 8' High, Temporary Chain Link Fence Gate, >6 To 12 Months	644.48	
			<i>For Shade Cloth, Add</i>	109.13	
01 56 26 00-0073	EA		20' Wide, 8' High, Temporary Chain Link Fence Gate, >6 To 12 Months	787.64	
			<i>For Shade Cloth, Add</i>	145.50	
01 56 26 00-0074	EA		24' Wide, 8' High, Temporary Chain Link Fence Gate, >6 To 12 Months	913.01	
			<i>For Shade Cloth, Add</i>	174.61	
01 56 26 00-0075			10' High, Temporary Chain Link Fence Gates, >6 To 12 Months (01 56 26 00-0053)		
01 56 26 00-0076	EA		4' Wide, 10' High, Temporary Chain Link Fence Gate, >6 To 12 Months	347.79	
			<i>For Each LF Shade Cloth, Add</i>	38.40	
01 56 26 00-0077	EA		10' Wide, 10' High, Temporary Chain Link Fence Gate, >6 To 12 Months	604.10	
			<i>For Each LF Shade Cloth, Add</i>	95.99	
01 56 26 00-0078	EA		12' Wide, 10' High, Temporary Chain Link Fence Gate, >6 To 12 Months	677.29	
			<i>For Each LF Shade Cloth, Add</i>	115.19	
01 56 26 00-0079	EA		15' Wide, 10' High, Temporary Chain Link Fence Gate, >6 To 12 Months	773.93	
			<i>For Each LF Shade Cloth, Add</i>	143.99	
01 56 26 00-0080	EA		20' Wide, 10' High, Temporary Chain Link Fence Gate, >6 To 12 Months	946.08	
			<i>For Each LF Shade Cloth, Add</i>	191.99	
01 56 26 00-0081	EA		24' Wide, 10' High, Temporary Chain Link Fence Gate, >6 To 12 Months	1,091.69	
			<i>For Each LF Shade Cloth, Add</i>	230.38	
01 56 26 00-0082			Temporary Chain Link Fence Gates, >12 To 18 Months (01 56 26 00-0023)		
01 56 26 00-0083			4' High, Temporary Chain Link Fence Gates, >12 To 18 Months (01 56 26 00-0082)		

01	General Requirements
01 50	Temporary Facilities And Controls
01 56	Temporary Barriers And Enclosures



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
01 56 26 00-0084	EA		4' Wide, 4' High, Temporary Chain Link Fence Gate, >12 To 18 Months.....	249.25	
			<i>For Each LF Shade Cloth, Add</i>	12.93	
01 56 26 00-0085	EA		10' Wide, 4' High, Temporary Chain Link Fence Gate, >12 To 18 Months.....	421.42	
			<i>For Each LF Shade Cloth, Add</i>	32.33	
01 56 26 00-0086	EA		12' Wide, 4' High, Temporary Chain Link Fence Gate, >12 To 18 Months.....	472.40	
			<i>For Each LF Shade Cloth, Add</i>	38.80	
01 56 26 00-0087	EA		15' Wide, 4' High, Temporary Chain Link Fence Gate, >12 To 18 Months.....	537.38	
			<i>For Each LF Shade Cloth, Add</i>	48.50	
01 56 26 00-0088	EA		20' Wide, 4' High, Temporary Chain Link Fence Gate, >12 To 18 Months.....	644.40	
			<i>For Each LF Shade Cloth, Add</i>	64.67	
01 56 26 00-0089	EA		24' Wide, 4' High, Temporary Chain Link Fence Gate, >12 To 18 Months.....	716.47	
			<i>For Each LF Shade Cloth, Add</i>	77.60	
01 56 26 00-0090			6' High, Temporary Chain Link Fence Gates, >12 To 18 Months (01 56 26 00-0082)		
01 56 26 00-0091	EA		4' Wide, 6' High, Temporary Chain Link Fence Gate, >12 To 18 Months.....	266.50	
			<i>For Each LF Shade Cloth, Add</i>	20.61	
01 56 26 00-0092	EA		10' Wide, 6' High, Temporary Chain Link Fence Gate, >12 To 18 Months.....	454.34	
			<i>For Each LF Shade Cloth, Add</i>	51.53	
01 56 26 00-0093	EA		12' Wide, 6' High, Temporary Chain Link Fence Gate, >12 To 18 Months.....	510.36	
			<i>For Each LF Shade Cloth, Add</i>	61.84	
01 56 26 00-0094	EA		15' Wide, 6' High, Temporary Chain Link Fence Gate, >12 To 18 Months.....	590.50	
			<i>For Each LF Shade Cloth, Add</i>	77.30	
01 56 26 00-0095	EA		20' Wide, 6' High, Temporary Chain Link Fence Gate, >12 To 18 Months.....	714.20	
			<i>For Each LF Shade Cloth, Add</i>	103.07	
01 56 26 00-0096	EA		24' Wide, 6' High, Temporary Chain Link Fence Gate, >12 To 18 Months.....	808.76	
			<i>For Each LF Shade Cloth, Add</i>	123.68	
01 56 26 00-0097			8' High, Temporary Chain Link Fence Gates, >12 To 18 Months (01 56 26 00-0082)		
01 56 26 00-0098	EA		4' Wide, 8' High, Temporary Chain Link Fence Gate, >12 To 18 Months.....	297.34	
			<i>For Each LF Shade Cloth, Add</i>	29.10	
01 56 26 00-0099	EA		10' Wide, 8' High, Temporary Chain Link Fence Gate, >12 To 18 Months.....	519.60	
			<i>For Shade Cloth, Add</i>	72.75	
01 56 26 00-0100	EA		12' Wide, 8' High, Temporary Chain Link Fence Gate, >12 To 18 Months.....	581.78	
			<i>For Shade Cloth, Add</i>	87.30	
01 56 26 00-0101	EA		15' Wide, 8' High, Temporary Chain Link Fence Gate, >12 To 18 Months.....	665.39	
			<i>For Shade Cloth, Add</i>	109.13	
01 56 26 00-0102	EA		20' Wide, 8' High, Temporary Chain Link Fence Gate, >12 To 18 Months.....	813.20	
			<i>For Shade Cloth, Add</i>	145.50	
01 56 26 00-0103	EA		24' Wide, 8' High, Temporary Chain Link Fence Gate, >12 To 18 Months.....	940.90	
			<i>For Shade Cloth, Add</i>	174.61	
01 56 26 00-0104			10' High, Temporary Chain Link Fence Gates, >12 To 18 Months (01 56 26 00-0082)		
01 56 26 00-0105	EA		4' Wide, 10' High, Temporary Chain Link Fence Gate, >12 To 18 Months.....	360.87	
			<i>For Each LF Shade Cloth, Add</i>	38.40	
01 56 26 00-0106	EA		10' Wide, 10' High, Temporary Chain Link Fence Gate, >12 To 18 Months.....	624.43	
			<i>For Each LF Shade Cloth, Add</i>	95.99	
01 56 26 00-0107	EA		12' Wide, 10' High, Temporary Chain Link Fence Gate, >12 To 18 Months.....	700.53	
			<i>For Each LF Shade Cloth, Add</i>	115.19	
01 56 26 00-0108	EA		15' Wide, 10' High, Temporary Chain Link Fence Gate, >12 To 18 Months.....	800.07	
			<i>For Each LF Shade Cloth, Add</i>	143.99	
01 56 26 00-0109	EA		20' Wide, 10' High, Temporary Chain Link Fence Gate, >12 To 18 Months.....	978.04	
			<i>For Each LF Shade Cloth, Add</i>	191.99	
01 56 26 00-0110	EA		24' Wide, 10' High, Temporary Chain Link Fence Gate, >12 To 18 Months.....	1,126.55	
			<i>For Each LF Shade Cloth, Add</i>	230.38	
01 56 26 00-0111			Temporary Chain Link Fence Gates, >18 Months (01 56 26 00-0023)		
01 56 26 00-0112			4' High, Temporary Chain Link Fence Gates, >18 Months (01 56 26 00-0111)		
01 56 26 00-0113	EA		4' Wide, 4' High, Temporary Chain Link Fence Gate, >18 Months.....	258.35	
			<i>For Each LF Shade Cloth, Add</i>	12.93	
01 56 26 00-0114	EA		10' Wide, 4' High, Temporary Chain Link Fence Gate, >18 Months.....	435.57	
			<i>For Each LF Shade Cloth, Add</i>	32.33	
01 56 26 00-0115	EA		12' Wide, 4' High, Temporary Chain Link Fence Gate, >18 Months.....	488.57	
			<i>For Each LF Shade Cloth, Add</i>	38.80	
01 56 26 00-0116	EA		15' Wide, 4' High, Temporary Chain Link Fence Gate, >18 Months.....	555.56	
			<i>For Each LF Shade Cloth, Add</i>	48.50	
01 56 26 00-0117	EA		20' Wide, 4' High, Temporary Chain Link Fence Gate, >18 Months.....	666.63	
			<i>For Each LF Shade Cloth, Add</i>	64.67	
01 56 26 00-0118	EA		24' Wide, 4' High, Temporary Chain Link Fence Gate, >18 Months.....	740.72	
			<i>For Each LF Shade Cloth, Add</i>	77.60	
01 56 26 00-0119			6' High, Temporary Chain Link Fence Gates, >18 Months (01 56 26 00-0111)		
01 56 26 00-0120	EA		4' Wide, 6' High, Temporary Chain Link Fence Gate, >18 Months.....	276.01	
			<i>For Each LF Shade Cloth, Add</i>	20.61	
01 56 26 00-0121	EA		10' Wide, 6' High, Temporary Chain Link Fence Gate, >18 Months.....	469.13	
			<i>For Each LF Shade Cloth, Add</i>	51.53	
01 56 26 00-0122	EA		12' Wide, 6' High, Temporary Chain Link Fence Gate, >18 Months.....	527.26	
			<i>For Each LF Shade Cloth, Add</i>	61.84	



		General Requirements	01
		Temporary Facilities And Controls	01 50
		Temporary Barriers And Enclosures	01 56

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
01 56 26 00-0123	EA		15' Wide, 6' High, Temporary Chain Link Fence Gate, >18 Months.....	609.52	
			<i>For Each LF Shade Cloth, Add</i>	77.30	
01 56 26 00-0124	EA		20' Wide, 6' High, Temporary Chain Link Fence Gate, >18 Months.....	737.44	
			<i>For Each LF Shade Cloth, Add</i>	103.07	
01 56 26 00-0125	EA		24' Wide, 6' High, Temporary Chain Link Fence Gate, >18 Months.....	834.11	
			<i>For Each LF Shade Cloth, Add</i>	123.68	
01 56 26 00-0126			8' High, Temporary Chain Link Fence Gates, >18 Months (01 56 26 00-0111)		
01 56 26 00-0127	EA		4' Wide, 8' High, Temporary Chain Link Fence Gate, >18 Months.....	307.80	
			<i>For Each LF Shade Cloth, Add</i>	29.10	
01 56 26 00-0128	EA		10' Wide, 8' High, Temporary Chain Link Fence Gate, >18 Months.....	535.87	
			<i>For Shade Cloth, Add</i>	72.75	
01 56 26 00-0129	EA		12' Wide, 8' High, Temporary Chain Link Fence Gate, >18 Months.....	600.37	
			<i>For Shade Cloth, Add</i>	87.30	
01 56 26 00-0130	EA		15' Wide, 8' High, Temporary Chain Link Fence Gate, >18 Months.....	686.31	
			<i>For Shade Cloth, Add</i>	109.13	
01 56 26 00-0131	EA		20' Wide, 8' High, Temporary Chain Link Fence Gate, >18 Months.....	838.77	
			<i>For Shade Cloth, Add</i>	145.50	
01 56 26 00-0132	EA		24' Wide, 8' High, Temporary Chain Link Fence Gate, >18 Months.....	968.79	
			<i>For Shade Cloth, Add</i>	174.61	
01 56 26 00-0133			10' High, Temporary Chain Link Fence Gates, >18 Months (01 56 26 00-0111)		
01 56 26 00-0134	EA		4' Wide, 10' High, Temporary Chain Link Fence Gate, >18 Months.....	373.94	
			<i>For Each LF Shade Cloth, Add</i>	38.40	
01 56 26 00-0135	EA		10' Wide, 10' High, Temporary Chain Link Fence Gate, >18 Months.....	644.77	
			<i>For Each LF Shade Cloth, Add</i>	95.99	
01 56 26 00-0136	EA		12' Wide, 10' High, Temporary Chain Link Fence Gate, >18 Months.....	723.77	
			<i>For Each LF Shade Cloth, Add</i>	115.19	
01 56 26 00-0137	EA		15' Wide, 10' High, Temporary Chain Link Fence Gate, >18 Months.....	826.22	
			<i>For Each LF Shade Cloth, Add</i>	143.99	
01 56 26 00-0138	EA		20' Wide, 10' High, Temporary Chain Link Fence Gate, >18 Months.....	1,009.99	
			<i>For Each LF Shade Cloth, Add</i>	191.99	
01 56 26 00-0139	EA		24' Wide, 10' High, Temporary Chain Link Fence Gate, >18 Months.....	1,161.41	
			<i>For Each LF Shade Cloth, Add</i>	230.38	
01 56 26 00-0140			Temporary Chain Link Fence Panels (Portable) (01 56 26 00-0001)		
			Note: Includes delivery, set-up and removal. Excludes sandbags.		
01 56 26 00-0141			Temporary Chain Link Fence Panels (Portable), Up To 6 Months (01 56 26 00-0140)		
01 56 26 00-0142	LF		Temporary 4' High Chain Link Fence Panels (Portable), Up To 6 Months.....	6.36	
			<i>For >100 To 250, Deduct</i>	-0.16	
			<i>For >250 To 500, Deduct</i>	-0.33	
			<i>For >500, Deduct</i>	-0.49	
			<i>For Each LF Shade Cloth, Add</i>	1.60	
01 56 26 00-0143	LF		Temporary 6' High Chain Link Fence Panels (Portable), Up To 6 Months.....	7.07	
			<i>For >100 To 250, Deduct</i>	-0.18	
			<i>For >250 To 500, Deduct</i>	-0.37	
			<i>For >500, Deduct</i>	-0.55	
			<i>For Each LF Shade Cloth, Add</i>	2.55	
01 56 26 00-0144	LF		Temporary 8' High Chain Link Fence Panels (Portable), Up To 6 Months.....	9.61	
			<i>For >100 To 250, Deduct</i>	-0.29	
			<i>For >250 To 500, Deduct</i>	-0.59	
			<i>For >500, Deduct</i>	-0.88	
			<i>For Each LF Shade Cloth, Add</i>	3.60	
01 56 26 00-0145			Temporary Chain Link Fence Panels (Portable), >6 To 12 Months (01 56 26 00-0140)		
01 56 26 00-0146	LF		Temporary 4' High Chain Link Fence Panels (Portable), >6 To 12 Months.....	6.64	
			<i>For >100 To 250, Deduct</i>	-0.18	
			<i>For >250 To 500, Deduct</i>	-0.35	
			<i>For >500, Deduct</i>	-0.53	
			<i>For Each LF Shade Cloth, Add</i>	1.60	
01 56 26 00-0147	LF		Temporary 6' High Chain Link Fence Panels (Portable), >6 To 12 Months.....	7.37	
			<i>For >100 To 250, Deduct</i>	-0.20	
			<i>For >250 To 500, Deduct</i>	-0.40	
			<i>For >500, Deduct</i>	-0.59	
			<i>For Each LF Shade Cloth, Add</i>	2.55	
01 56 26 00-0148	LF		Temporary 8' High Chain Link Fence Panels (Portable), >6 To 12 Months.....	10.12	
			<i>For >100 To 250, Deduct</i>	-0.32	
			<i>For >250 To 500, Deduct</i>	-0.64	
			<i>For >500, Deduct</i>	-0.96	
			<i>For Each LF Shade Cloth, Add</i>	3.60	
01 56 26 00-0149			Temporary Chain Link Fence Panels (Portable), >12 To 18 Months (01 56 26 00-0140)		
01 56 26 00-0150	LF		Temporary 4' High Chain Link Fence Panels (Portable), >12 To 18 Months.....	6.92	
			<i>For >100 To 250, Deduct</i>	-0.19	
			<i>For >250 To 500, Deduct</i>	-0.38	
			<i>For >500, Deduct</i>	-0.57	
			<i>For Each LF Shade Cloth, Add</i>	1.60	

01	01	General Requirements
	01 50	Temporary Facilities And Controls
	01 56	Temporary Barriers And Enclosures



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST	
	01 56 26 00-0151	LF	Temporary 6' High Chain Link Fence Panels (Portable), >12 To 18 Months7.72 <i>For >100 To 250, Deduct</i> -0.22 <i>For >250 To 500, Deduct</i> -0.43 <i>For >500, Deduct</i> -0.65 <i>For Each LF Shade Cloth, Add</i> 2.55			
	01 56 26 00-0152	LF	Temporary 8' High Chain Link Fence Panels (Portable), >12 To 18 Months10.70 <i>For >100 To 250, Deduct</i> -0.35 <i>For >250 To 500, Deduct</i> -0.70 <i>For >500, Deduct</i> -1.05 <i>For Each LF Shade Cloth, Add</i> 3.60			
01 56 26 00-0153	Temporary Chain Link Fence Panels (Portable), >18 Months (01 56 26 00-0140)					
	01 56 26 00-0154	LF	Temporary 4' High Chain Link Fence Panels (Portable), >18 Months.....7.27 <i>For >100 To 250, Deduct</i> -0.21 <i>For >250 To 500, Deduct</i> -0.42 <i>For >500, Deduct</i> -0.62 <i>For Each LF Shade Cloth, Add</i> 1.60			
	01 56 26 00-0155	LF	Temporary 6' High Chain Link Fence Panels (Portable), >18 Months.....8.07 <i>For >100 To 250, Deduct</i> -0.23 <i>For >250 To 500, Deduct</i> -0.47 <i>For >500, Deduct</i> -0.70 <i>For Each LF Shade Cloth, Add</i> 2.55			
	01 56 26 00-0156	LF	Temporary 8' High Chain Link Fence Panels (Portable), >18 Months.....11.31 <i>For >100 To 250, Deduct</i> -0.38 <i>For >250 To 500, Deduct</i> -0.76 <i>For >500, Deduct</i> -1.14 <i>For Each LF Shade Cloth, Add</i> 3.60			
01 56 26 00-0157	Temporary Chain Link Fence Panels (Portable) Sandbags (01 56 26 00-0140)					
	01 56 26 00-0158	BAG	Temporary Chain Link Fence Panels (Portable) Sandbag5.90 Note: Includes placement and removal.			
01 56 26 00-0159	Relocate Chain Link Fence, Gates And Panels (01 56 26 00-0001) Note: Excludes auguring/drilling for posts.					
01 56 26 00-0160	Relocate Temporary Chain Link Fence On Site (01 56 26 00-0159)					
	01 56 26 00-0161	LF	Relocate Temporary 4' High Chain Link Fence And Posts.....2.75			
	01 56 26 00-0162	LF	Relocate Temporary 6' High Chain Link Fence And Posts.....4.13			
	01 56 26 00-0163	LF	Relocate Temporary 8' High Chain Link Fence And Posts.....5.96			
	01 56 26 00-0164	LF	Relocate Temporary 10' High Chain Link Fence And Posts.....7.34			
01 56 26 00-0165	Relocate Temporary Chain Link Fence Panels On Site (01 56 26 00-0159)					
	01 56 26 00-0166	LF	Relocate Temporary 4' High Chain Link Fence Panel, Self Standing0.78			
	01 56 26 00-0167	LF	Relocate Temporary 6' High Chain Link Fence Panel, Self Standing0.93			
	01 56 26 00-0168	LF	Relocate Temporary 8' High Chain Link Fence Panel, Self Standing1.05			
01 56 26 00-0169	Relocate Temporary Chain Link Gates On Site (01 56 26 00-0159)					
	01 56 26 00-0170	EA	Relocate Temporary 4' High Chain Link Vehicle Gate And Posts101.02			
	01 56 26 00-0171	EA	Relocate Temporary 6' High Chain Link Vehicle Gate And Posts116.56			
	01 56 26 00-0172	EA	Relocate Temporary 8' High Chain Link Vehicle Gate And Posts143.76			
	01 56 26 00-0173	EA	Relocate Temporary 10' High Chain Link Vehicle Gate And Posts155.41			
01 56 26 00-0174	Temporary Rail And Timber Structure (01 56 26)					
	01 56 26 00-0175	LF	4' High Temporary Rail And Timber Structure.....155.35 Note: Includes steel posts, rails and plates, excavation, concrete, forming, finish, backfill and creosoted planking with 2" gaps			
	01 56 26 00-0176	LF	6' High Temporary Rail And Timber Structure.....220.94 Note: Includes steel posts, rails and plates, excavation, concrete, forming, finish, backfill and creosoted planking with 2" gaps			
	01 56 26 00-0177	LF	8' High Temporary Rail And Timber Structure.....286.53 Note: Includes steel posts, rails and plates, excavation, concrete, forming, finish, backfill and creosoted planking with 2" gaps			
	01 56 26 00-0178	LF	10' High Temporary Rail And Timber Structure.....361.62 Note: Includes steel posts, rails and plates, excavation, concrete, forming, finish, backfill and creosoted planking with 2" gaps			
	01 56 26 00-0179	LF	12' High Temporary Rail And Timber Structure.....419.44 Note: Includes steel posts, rails and plates, excavation, concrete, forming, finish, backfill and creosoted planking with 2" gaps			
	01 56 26 00-0180	LF	15' High Temporary Rail And Timber Structure.....481.15 Note: Includes steel posts, rails and plates, excavation, concrete, forming, finish, backfill and creosoted planking with 2" gaps			
01 56 26 00-0181	Temporary Safety Fence (01 56 26) Note: Includes removal after use.					
	01 56 26 00-0182	LF	48" High With Posts At 8' On Center, Plastic Mesh Temporary Safety Fence2.71			



General Requirements		01
Temporary Facilities And Controls		01 50
Temporary Barriers And Enclosures		01 56

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
------------------------------	---------------------------	-------------------------

01 56 29 Temporary Protective Walkways (01 56)

01 56 29 00-0001 Temporary Sidewalk Bridge Protection (01 56 29)
 Note: Includes removal after use.

01 56 29 00-0002 Installation of Sidewalk Bridge (01 56 29 00-0001)
 01 56 29 00-0003 LF Installation of Heavy Duty Steel Post And Beam Sidewalk Bridge Assembly136.62
 Note: Includes spanning openings, planking and parapet, lighting, up to 8' wide, up to 8' high, 2 post system.
 For 3 Post System, Add 6.00
 For Each Additional Foot Over 8' Wide, Add 3.00
 For Each Additional Foot Over 8' High, Add 2.00
 01 56 29 00-0004 LF Installation of Netting for Sidewalk Bridge.....3.48

01 56 29 00-0005 Monthly Rental of Sidewalk Bridge (01 56 29 00-0001)

01 56 29 00-0006 LF Monthly Rental Of Up To 8' Wide And 8' High, 2 Post System, Heavy Duty Steel Post And Beam Sidewalk Bridge Assembly8.64
 Note: Includes spanning openings, planking and parapet, lighting and maintenance.
 For 3 Post System, Add 1.30
 01 56 29 00-0007 LF Monthly Rental Of Up To 8' Wide, 8' - 12' High, 2 Post System, Heavy Duty Steel Post And Beam Sidewalk Bridge Assembly9.73
 Note: Includes spanning openings, planking and parapet, lighting and maintenance.
 For 3 Post System, Add 1.46
 01 56 29 00-0008 LF Monthly Rental Of Up To 8' Wide, Over 12' High, 2 Post System, Heavy Duty Steel Post And Beam Sidewalk Bridge Assembly10.81
 Note: Includes spanning openings, planking and parapet, lighting and maintenance.
 For 3 Post System, Add 1.62
 01 56 29 00-0009 LF Monthly Rental Of 8' - 12' Wide And 8' High, 2 Post System, Heavy Duty Steel Post And Beam Sidewalk Bridge Assembly10.81
 Note: Includes spanning openings, planking and parapet, lighting and maintenance.
 For 3 Post System, Add 1.62
 01 56 29 00-0010 LF Monthly Rental Of 8' - 12' Wide, 8' - 12' High, 2 Post System, Heavy Duty Steel Post And Beam Sidewalk Bridge Assembly11.88
 Note: Includes spanning openings, planking and parapet, lighting and maintenance.
 For 3 Post System, Add 1.78
 01 56 29 00-0011 LF Monthly Rental Of 8' - 12' Wide, Over 12' High, 2 Post System, Heavy Duty Steel Post And Beam Sidewalk Bridge Assembly14.06
 Note: Includes spanning openings, planking and parapet, lighting and maintenance.
 For 3 Post System, Add 2.11
 01 56 29 00-0012 LF Monthly Rental Of Over 12' Wide And 8' High, 2 Post System, Heavy Duty Steel Post And Beam Sidewalk Bridge Assembly12.98
 Note: Includes spanning openings, planking and parapet, lighting and maintenance.
 For 3 Post System, Add 1.95
 01 56 29 00-0013 LF Monthly Rental Of Over 12' Wide, 8' - 12' High, 2 Post System, Heavy Duty Steel Post And Beam Sidewalk Bridge Assembly15.14
 Note: Includes spanning openings, planking and parapet, lighting and maintenance.
 For 3 Post System, Add 2.27
 01 56 29 00-0014 LF Monthly Rental Of Over 12' Wide, Over 12' High, 2 Post System, Heavy Duty Steel Post And Beam Sidewalk Bridge Assembly16.20
 Note: Includes spanning openings, planking and parapet, lighting and maintenance.
 For 3 Post System, Add 2.43
 01 56 29 00-0015 LF Monthly Rental of Netting for Sidewalk Bridge.....1.62

01 56 29 00-0016 Removal of Sidewalk Bridge (01 56 29 00-0001)

01 56 29 00-0017 LF Removal Of Heavy Duty Steel Post And Beam Sidewalk Bridge Assembly28.44
 Note: Includes spanning openings, planking and parapet, lighting, up to 8' wide, up to 8' high, 2 post system.
 For 3 Post System, Add 2.50
 For Each Additional Foot Over 8' Wide, Add 1.25
 For Each Additional Foot Over 8' High, Add 0.75
 01 56 29 00-0018 LF Removal Of Netting For Sidewalk Bridge.....1.74

01 56 29 00-0019 Safety Nets (01 56 29)

Note: Includes removal after use.
 01 56 29 00-0020 SF Small Mesh Debris Netting.....1.55
 Note: Includes 3" molded plastic base plates, plastic cable ties, and 1/4", 7x9 aircraft cable tied off to structure, not including anchors.

01 56 33 Temporary Security Barriers (01 56)

01 56 33 00-0001 Board-up Opening With Plywood (01 56 33)

Note: For use where directed by owner for boarding up door and window openings.
 01 56 33 00-0002 OPN Removal Of Protective Barrier To Allow Work In Building, Reseal At End Of Day, Per Opening Per Day11.66
 01 56 33 00-0003 SF 5/8" Thick Plywood, 2" x 4" Wood Stud Framing And Fasteners, For Board-Up Opening6.21
 01 56 33 00-0004 SF 3/4" Thick Plywood, 2" x 4" Wood Stud Framing And Fasteners, For Board-Up Opening7.19

01 56 33 00-0005 Temporary Pedestrian Barricade (01 56 33)

Note: Portable, interlocking galvanized steel fence with pivoting legs.
 01 56 33 00-0006 DAY 3-1/2' x 7-1/2' Galvanized Steel Pedestrian Barricade, Rental8.06
 01 56 33 00-0007 WK 3-1/2' x 7-1/2' Galvanized Steel Pedestrian Barricade, Rental.....19.56

01	General Requirements
01 50	Temporary Facilities And Controls
01 56	Temporary Barriers And Enclosures



MINOR CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
01 56 33 00-0008	MO	3-1/2' x 7-1/2' Galvanized Steel Pedestrian Barricade, Rental.....	58.69	
01 56 39		Temporary Tree And Plant Protection (01 56)		
01 56 39 00-0001		Temporary Tree Guards (01 56 39) Note: Includes digging holes and removal after use.		
01 56 39 00-0002	EA	Up To 4' x 4' Temporary Tree Guard, 2" x 4" Wood Stud Framing Construction, 4 Uprights Set In Earth 2' Deep, With Double Rail	152.80	
01 56 39 00-0003	EA	4' x 4' Temporary Tree Guard, 2" x 4" Wood Stud Framing Construction, 4 Uprights Set In Earth 2' Deep, With Double Rail	176.84	
01 56 39 00-0004	EA	6' x 6' Temporary Tree Guard, 2" x 4" Wood Stud Framing Construction, 4 Uprights Set In Earth 2' Deep, With Double Rail	191.26	
01 57		Temporary Controls (01 50)		
01 57 13		Temporary Erosion And Sediment Control (01 57) See CSI section 31 25 00 00-0000 for temporary erosion and sediment control.		
01 57 23		Temporary Storm Water Pollution Control (01 57) See CSI section 31 25 00 00-0000 for temporary storm water pollution control.		
01 57 23 00-0001		Temporary Drain Guard (01 57 23) Note: Includes removal after use.		
01 57 23 00-0002	EA	36" x 48" x 18" Non-Woven Polypropylene Trash and Debris Drain Guard (Ultra-Drain Guard® 9227)	72.99	
01 57 23 00-0003	EA	36" x 48" x 18" Non-Woven Polypropylene Oil and Sediment Drain Guard (Ultra-Drain Guard® 9217)	71.81	
01 57 23 00-0004	EA	36" x 48" x 18" Non-Woven Polypropylene Oil and Sediment Drain Guard (Ultra-Drain Guard® 9219)	88.48	
01 57 23 00-0005	EA	60" x 60" x 18" Non-Woven Polypropylene Oil and Sediment Drain Guard (Ultra-Drain Guard® 9356)	87.28	
01 57 23 00-0006	EA	60" x 60" x 18" Non-Woven Polypropylene Oil and Sediment Drain Guard (Ultra-Drain Guard® 9358)	105.16	
01 58		Project Identification (01 50) Note: Includes removal after use.		
01 58 13		Temporary Project Signage (01 58)		
01 58 13 00-0001		Project Sign (01 58 13)		
01 58 13 00-0002		MDO Plywood Signs (01 58 13 00-0001) Note: Excludes posts.		
01 58 13 00-0003		Reflectorized, MDO Plywood Signs (01 58 13 00-0002)		
01 58 13 00-0004		Engineer Grade, Reflectorized, MDO Plywood Signs (01 58 13 00-0003)		
01 58 13 00-0005	EA	Up To 8 SF, One Or Two Color Design, Engineer Grade, Reflectorized, MDO Plywood Sign	114.05	21.37
		For High-Intensity Grade, Add	24.96	
		For Diamond Grade, Add	48.13	
01 58 13 00-0006	EA	>8 To 16 SF, One Or Two Color Design, Engineer Grade, Reflectorized, MDO Plywood Sign	187.31	22.34
		For High-Intensity Grade, Add	49.92	
		For Diamond Grade, Add	96.27	
01 58 13 00-0007	EA	>16 To 24 SF, One Or Two Color Design, Engineer Grade, Reflectorized, MDO Plywood Sign	260.56	23.32
		For High-Intensity Grade, Add	74.88	
		For Diamond Grade, Add	144.40	
01 58 13 00-0008	EA	>24 To 32 SF, One Or Two Color Design, Engineer Grade, Reflectorized, MDO Plywood Sign	333.83	24.29
		For High-Intensity Grade, Add	99.84	
		For Diamond Grade, Add	192.54	
01 58 13 00-0009	SF	>32 SF, One Or Two Color Design, Engineer Grade, Reflectorized, MDO Plywood Sign	10.46	0.78
		For High-Intensity Grade, Add	3.12	
		For Diamond Grade, Add	6.01	
01 58 13 00-0010		Non-Reflectorized, MDO Plywood Signs (01 58 13 00-0002)		
01 58 13 00-0011		One Or Two Color Design, Non-Reflectorized, MDO Plywood Signs (01 58 13 00-0010)		
01 58 13 00-0012	EA	Up To 8 SF, One Or Two Color Design, Non Reflectorized, MDO Plywood Sign	139.49	21.37
01 58 13 00-0013	EA	>8 To 16 SF, One Or Two Color Design, Non Reflectorized, MDO Plywood Sign	164.53	22.34
01 58 13 00-0014	EA	>16 To 24 SF, One Or Two Color Design, Non Reflectorized, MDO Plywood Sign	203.30	23.32
01 58 13 00-0015	EA	>24 To 32 SF, One Or Two Color Design, Non Reflectorized, MDO Plywood Sign	239.95	24.29
01 58 13 00-0016	SF	>32 SF, One Or Two Color Design, Non Reflectorized, MDO Plywood Sign	7.53	0.78
01 58 13 00-0017		Full Color Design, Non-Reflectorized, MDO Plywood Signs (01 58 13 00-0010)		
01 58 13 00-0018	EA	Up To 8 SF, Full Color Design, Non Reflectorized, MDO Plywood Sign	142.21	21.37
01 58 13 00-0019	EA	>8 To 16 SF, Full Color Design, Non Reflectorized, MDO Plywood Sign	179.22	22.34
01 58 13 00-0020	EA	>16 To 24 SF, Full Color Design, Non Reflectorized, MDO Plywood Sign	218.22	23.32
01 58 13 00-0021	EA	>24 To 32 SF, Full Color Design, Non Reflectorized, MDO Plywood Sign	252.74	24.29
01 58 13 00-0022	SF	>32 SF, Full Color Design, Non Reflectorized, MDO Plywood Sign	7.93	0.78



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
01 58 13 00-0023 Fabricate And Install New Posts <small>(01 58 13 00-0001)</small> Note: Includes excavation, backfill and compaction. Excludes core drilling.		
01 58 13 00-0024 LF Galvanized Metal Channel Sign Posts.....	10.53	
01 58 13 00-0025 LF 4" x 4" Pressure Treated Wood Sign Posts.....	9.44	
01 58 13 00-0026 LF 4" x 6" Pressure Treated Wood Sign Posts.....	11.11	
01 58 13 00-0027 Owner Supplied Signs <small>(01 58 13 00-0001)</small>		
01 58 13 00-0028 EA Installation And Removal Of Owner Supplied Project Sign.....	77.72	
01 60 Product Requirements <small>(01)</small>		
01 66 Product Storage And Handling Requirements <small>(01 60)</small>		
01 66 19 Product Handling Requirements <small>(01 66)</small>		
Note: Not for use in conjunction with other tasks when the distance is less than 2 stories or less than 125'.		
01 66 19 00-0001 Transfer Delivered Materials Between Floors <small>(01 66 19)</small> Note: For moving delivered, owner supplied or existing materials in a building.		
01 66 19 00-0002 CY Transfer Delivered Material Between Floors Via Stairs, Per Floor.....	14.94	
01 66 19 00-0003 CY Transfer Delivered Material Between Floors Via Elevator, Per Trip.....	9.72	
Note: Quantity is not multiplied by number of floors traveled. Includes transfer of materials between elevators, if more than one bank of elevators is required.		
01 66 19 00-0004 Transfer Delivered Materials Distances Greater Than 125' <small>(01 66 19)</small> Note: For moving delivered, owner supplied or existing materials in a building.		
01 66 19 00-0005 CY Transfer Delivered Materials Distances Greater Than 125', Per CY Of Material Per 125'.....	6.07	
01 66 19 00-0006 Transfer Demolition Debris Between Floors <small>(01 66 19)</small> Note: Only for use with demolition tasks.		
01 66 19 00-0007 CY Transfer Demolition Debris Between Floors Via Stairs, Per Floor.....	14.94	
01 66 19 00-0008 CY Transfer Demolition Debris Between Floors Via Elevator, Per Trip.....	9.72	
Note: Quantity is not multiplied by number of floors traveled. Includes transfer of materials between elevators, if more than one bank of elevators is required.		
01 66 19 00-0009 Transfer Demolition Debris Distances Greater Than 125' <small>(01 66 19)</small> Note: Only for use with demolition tasks.		
01 66 19 00-0010 CY Transfer Demolition Debris Distances Greater Than 125', Per CY Of Material Per 125'.....	6.07	
01 66 19 00-0011 Moving Furniture And Furnishings <small>(01 66 19)</small> Note: To be used when contractor is required to move furniture and furnishings occupying 55% or more of the total floor space.		
01 66 19 00-0012 SF Removal, Transportation, Return And Reinstallation Of Office Furniture And Furnishings.....	0.97	
Note: Includes desks, tables, file cabinets, chairs, storage boxes, bookshelves, office equipment, computers, and other furniture and furnishings. Quantity equals total floor space.		
01 66 23 Off-Site Storage Facilities <small>(01 66)</small>		
01 66 23 00-0001 Climate And Humidity Controlled Off-site Storage Facility <small>(01 66 23)</small>		
01 66 23 00-0002 MO 5' x 10', Climate And Humidity Controlled Storage Facility.....	171.70	
01 66 23 00-0003 MO 10' x 10', Climate And Humidity Controlled Storage Facility.....	192.35	
01 66 23 00-0004 MO 10' x 20', Climate And Humidity Controlled Storage Facility.....	353.72	
01 66 23 00-0005 MO 15' x 15', Climate And Humidity Controlled Storage Facility.....	435.05	
01 66 23 00-0006 MO 10' x 30', Climate And Humidity Controlled Storage Facility.....	557.69	
01 70 Execution And Closeout Requirements <small>(01)</small>		
01 71 Examination And Preparation <small>(01 70)</small>		
01 71 13 Mobilization <small>(01 71)</small>		
01 71 13 00-0001 Equipment Delivery, Pickup, Mobilization And Demobilization <small>(01 71 13)</small> Note: Excludes flagman for traffic control where necessary.		
01 71 13 00-0002 EA Equipment Delivery, Pickup, Mobilization And Demobilization Using A Rollback Flatbed Truck.....	237.89	
Note: Includes loading, tie-down of equipment, delivery of equipment, off loading on site, rigging, dismantling, loading for return and transporting away. For equipment such as trenchers, skid-steer loaders (bobcats), industrial warehouse forklifts, sweepers, scissor platform lifts, telescoping and articulating boom man lifts with up to 40' boom lengths, etc.		

10	01	General Requirements
	01 70	Execution And Closeout Requirements
	01 71	Examination And Preparation



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
01 71 13 00-0003 EA Equipment Delivery, Pickup, Mobilization And Demobilization Using A Tractor Trailer With Up To 53' Bed719.09 Note: Includes loading, tie-down of equipment, delivery of equipment, off loading on site, rigging, dismantling, loading for return and transporting away. For equipment such as bulldozers, motor scrapers, hydraulic excavators, gradalls, road graders, loader-backhoes, heavy duty construction loaders, tractors, pavers, rollers, bridge finishers, straight mast construction forklifts, telescoping boom rough terrain construction forklifts, telescoping and articulating boom man lifts with >40' boom lengths, etc.	719.09	
01 71 13 00-0004 Crane Delivery, Pickup, Mobilization And Demobilization <small>(01 71 13)</small> Note: Includes delivery of equipment, off loading on site and rigging. Return includes dismantling, loading and transporting away. Excludes flagman for traffic control where necessary.		
01 71 13 00-0005 EA Up To 20 Ton Lift Move On/Off Cost, Hydraulic Crane380.62 Note: Includes delivery and pickup.	380.62	
For >30 To 60 Miles Radius, Add 95.16	95.16	
For >60 To 100 Miles Radius, Add 152.25	152.25	
01 71 13 00-0006 EA 20 To 30 Ton Lift Move On/Off Cost, Hydraulic Crane618.52 Note: Includes delivery and pickup.	618.52	
For >30 To 60 Miles Radius, Add 154.63	154.63	
For >60 To 100 Miles Radius, Add 247.41	247.41	
01 71 13 00-0007 EA 40 To 50 Ton Lift Move On/Off Cost, Hydraulic Crane856.41 Note: Includes delivery and pickup.	856.41	
For >30 To 60 Miles Radius, Add 214.10	214.10	
For >60 To 100 Miles Radius, Add 342.56	342.56	
01 71 13 00-0008 EA 70 To 100 Ton Lift Move On/Off Cost, Hydraulic Crane1,379.77 Note: Includes delivery and pickup.	1,379.77	
For >30 To 60 Miles Radius, Add 344.94	344.94	
For >60 To 100 Miles Radius, Add 551.91	551.91	
01 71 13 00-0009 EA 75 Ton Lift Move On/Off Cost, Cable Controlled Lattice Boom Mechanical Crane1,094.30 Note: Includes delivery and pickup.	1,094.30	
For >30 To 60 Miles Radius, Add 273.58	273.58	
For >60 To 100 Miles Radius, Add 437.72	437.72	
01 71 13 00-0010 EA 100 Ton Lift Move On/Off Cost, Cable Controlled Lattice Boom Mechanical Crane1,760.39 Note: Includes delivery and pickup.	1,760.39	
For >30 To 60 Miles Radius, Add 440.10	440.10	
For >60 To 100 Miles Radius, Add 704.16	704.16	
01 71 13 00-0011 EA 125 Ton Lift Move On/Off Cost, Cable Controlled Lattice Boom Mechanical Crane2,217.14 Note: Includes delivery and pickup.	2,217.14	
For >30 To 60 Miles Radius, Add 554.29	554.29	
For >60 To 100 Miles Radius, Add 886.86	886.86	
01 71 13 00-0012 EA 150 Ton Lift Move On/Off Cost, Cable Controlled Lattice Boom Mechanical Crane2,750.01 Note: Includes delivery and pickup.	2,750.01	
For >30 To 60 Miles Radius, Add 687.50	687.50	
For >60 To 100 Miles Radius, Add 1,100.00	1,100.00	
01 71 13 00-0013 EA 250 Ton Lift Move On/Off Cost, Cable Controlled Lattice Boom Mechanical Crane3,996.56 Note: Includes delivery and pickup.	3,996.56	
For >30 To 60 Miles Radius, Add 999.14	999.14	
For >60 To 100 Miles Radius, Add 1,598.62	1,598.62	
01 71 13 00-0014 EA 300 Ton Lift Move On/Off Cost, Cable Controlled Lattice Boom Mechanical Crane5,709.37 Note: Includes delivery and pickup.	5,709.37	
For >30 To 60 Miles Radius, Add 1,427.34	1,427.34	
For >60 To 100 Miles Radius, Add 2,283.75	2,283.75	
01 71 13 00-0015 EA 500 Ton Lift Move On/Off Cost, Cable Controlled Lattice Boom Mechanical Crane7,850.40 Note: Includes delivery and pickup.	7,850.40	
For >30 To 60 Miles Radius, Add 1,962.60	1,962.60	
For >60 To 100 Miles Radius, Add 3,140.16	3,140.16	
01 71 23 Field Engineering <small>(01 71)</small>		
01 71 23 16 Construction Surveying <small>(01 71 23)</small>		
01 71 23 16-0001 Conventional Topographic Survey <small>(01 71 23 16)</small> Note: The professional services include AutoCAD drafting and certification. The survey includes location of structures, walks, drives, parking, significant vegetation, utilities, etc. The area within building footprint is not to be considered as part of the acreage.		
01 71 23 16-0002 ACR Conventional Topographic Survey Of Clear Area With Few To No Obstacles991.78	991.78	
01 71 23 16-0003 ACR Conventional Topographic Survey Of Clear Area With Medium Height Vegetation, Few Trees (<5% Buildings)2,914.88	2,914.88	
01 71 23 16-0004 ACR Conventional Topographic Survey Of Clear Area With Few Structures, And/Or Wooded (5-25% Buildings)4,175.65	4,175.65	
01 71 23 16-0005 ACR Conventional Topographic Survey Of Developed Areas With Several Structures (25-65% Buildings)6,360.02	6,360.02	
01 71 23 16-0006 ACR Conventional Topographic Survey Of Highly Developed Areas, Sidewalks, Etcetera (>65% Buildings)7,993.11	7,993.11	
01 71 23 16-0007 Property Lines Survey <small>(01 71 23 16)</small> Note: Not to be added to tasks in the "Conventional Topographic Survey" section.		
01 71 23 16-0008 LF Survey Property Lines On Cleared Land2.44	2.44	
01 71 23 16-0009 LF Survey Property Lines On Slightly Wooded Land2.81	2.81	
01 71 23 16-0010 LF Survey Property Lines On Wooded Land3.29	3.29	
01 71 23 16-0011 Survey Monument <small>(01 71 23 16)</small>		
01 71 23 16-0012 EA 3' Precast Survey Monument138.57 For Owner Furnished Monument, Deduct -68.69	138.57	
01 71 23 16-0013 EA Precast Survey Monument Box With Cast Iron Frame And Cover203.06	203.06	
01 71 23 16-0014 EA Riser Ring For Survey Monument100.91	100.91	
01 71 23 16-0015 EA Adjust Survey Monument Cover To Grade206.06	206.06	



General Requirements	01	5
Execution And Closeout Requirements	01 70	
Examination And Preparation	01 71	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
01 71 23 16-0016 Facade Surveying <small>(01 71 23 16)</small>		
01 71 23 16-0017 LF Facade Survey And Reports (LF Of Facade x Number Of Floors).....	6.75	
01 71 23 16-0018 Utility Survey <small>(01 71 23 16)</small>		
Note: This survey is only for the location of underground utilities.		
01 71 23 16-0019 ACR Survey Clear Area For Underground Utilities	5,558.38	
01 71 36 Non-Destructive Concrete Examination <small>(01 71)</small>		
01 71 36 00-0001 Electromagnetic Survey <small>(01 71 36)</small>		
Note: To locate voids, prior to moving heavy machinery to an area of concern, to locate reinforcing bars, conduits, pipes, etc., prior to core drilling or cutting existing concrete, masonry or asphalt, to locate underground utilities, underground storage tanks, etc. Electromagnetic survey includes Subsurface Interface Radar (SIR) and/or Ground Penetrating Radar (GPR).		
01 71 36 00-0002 Electromagnetic (SIR/GPR) Survey <small>(01 71 36 00-0001)</small>		
01 71 36 00-0003 EA Up To 1 Hour On Site, Electromagnetic (SIR/GPR) Survey, Earth, Concrete, Masonry Or Asphalt	648.06	
01 71 36 00-0004 EA >1 To 4 Hours On Site, Electromagnetic (SIR/GPR) Survey, Earth, Concrete, Masonry Or Asphalt.....	972.09	
01 71 36 00-0005 EA >4 To 8 Hours On Site, Electromagnetic (SIR/GPR) Survey, Earth, Concrete, Masonry Or Asphalt.....	1,944.18	
01 71 36 00-0006 Reports And Mapping For Electromagnetic (SIR/GPR) Surveys <small>(01 71 36 00-0001)</small>		
01 71 36 00-0007 EA Standard Report For Electromagnetic (SIR/GPR) Survey, Earth, Concrete, Masonry Or Asphalt.....	216.02	
Note: Includes a detailed description of the scope of work, inspection methods, and equipment used. Also includes visuals such as site locations, images of data, and site photos.		
01 71 36 00-0008 EA GPS Mapping Of Located Utilities/Items For Electromagnetic (SIR/GPR) Survey, Earth, Concrete, Masonry Or Asphalt.....	432.04	
Note: Includes GPS coordinates of located items and reference items.		
01 71 36 00-0009 EA CAD Mapping Of Located Utilities/Items For Electromagnetic (SIR/GPR) Survey, Earth, Concrete, Masonry Or Asphalt.....	972.09	
Note: Includes additions to the owner provided CAD drawing.		
01 74 Cleaning And Waste Management <small>(01 70)</small>		
01 74 13 Progress Cleaning <small>(01 74)</small>		
Note: For use on existing areas other than where actual work is to be performed where ordered by the owner. Daily cleanup and final cleanup is included in the contractor's adjustment factor.		
01 74 13 00-0001 General <small>(01 74 13)</small>		
01 74 13 00-0002 CSF Clean Miscellaneous Surfaces, Wipe Down With Mild Detergent	19.45	
01 74 13 00-0003 CY Collect Existing Debris And Load Into Truck Or Dumpster.....	22.75	
Note: Per CY of debris removed.		
01 74 16 Site Maintenance <small>(01 74)</small>		
01 74 16 00-0001 Parking Lot, Roads And Pathway Maintenance <small>(01 74 16)</small>		
Note: These tasks shall be used for maintenance of existing roads and walks only as requested by the owner. Do not use these tasks in conjunction with related installation/demolition tasks in the Construction Task Catalog®.		
01 74 16 00-0002 Parking Lot, Road, And Street Sweeping <small>(01 74 16 00-0001)</small>		
01 74 16 00-0003 MSF Sweep Parking Lot, With Street Sweeper	18.65	
01 74 16 00-0004 MSF Sweeper/Vacuum/Sprayer For Parking Lots, Streets And Roads.....	22.37	
01 74 16 00-0005 Runway Sweeping <small>(01 74 16 00-0001)</small>		
01 74 16 00-0006 MSF Sweep Runway, With Street Sweep	27.97	
01 74 19 Construction Waste Management And Disposal <small>(01 74)</small>		
Note: Tasks in this section shall be used as directed by owner.		
01 74 19 00-0001 Debris Chutes <small>(01 74 19)</small>		
Note: Includes hopper sections and entry sections. Used as required for buildings of all heights.		
01 74 19 00-0002 Steel Temporary Debris Chutes <small>(01 74 19 00-0001)</small>		
01 74 19 00-0003 LF 18" Diameter, Steel Temporary Debris Chute	27.02	
01 74 19 00-0004 LF 30" Diameter, Steel Temporary Debris Chute.....	40.52	
01 74 19 00-0005 Plastic Temporary Debris Chutes <small>(01 74 19 00-0001)</small>		
01 74 19 00-0006 LF 24" Diameter, Plastic Temporary Debris Chute.....	10.69	
For Steel Liner, Add	2.05	
01 74 19 00-0007 LF 30" Diameter, Plastic Temporary Debris Chute.....	12.24	
For Steel Liner, Add	2.35	
01 74 19 00-0008 LF 36" Diameter, Plastic Temporary Debris Chute.....	13.79	
For Steel Liner, Add	2.65	

10	01	General Requirements
	01 70	Execution And Closeout Requirements
	01 74	Cleaning And Waste Management



MINOR		TOTAL DIRECT		DEMOLITION	
CSI	UOM	DESCRIPTION	UNIT COST	UNIT COST	
01 74 19 00-0009		Wood Temporary Debris Chutes (01 74 19 00-0001)			
01 74 19 00-0010	LF	4' x 4', Wood Temporary Debris Chute Note: Includes fabrication and installation.	20.50		
01 74 19 00-0011		Construction Dumpsters Rental (01 74 19)			
		Note: Includes service to delivery and pick-up of dumpster, hauling of debris, rental of dumpster and all applicable non-hazardous disposal fees. Cost of "each" is based on each pick-up. Unacceptable materials include: aerosol cans, all liquids, animals, antifreeze, appliances, asbestos, barrels, batteries, chemical products, computers, contaminated oils (mixed with solvents, gasoline, etc.), dirt, fluorescent tubes, hazardous waste, herbicides and pesticides, industrial waste, lubricating/hydraulic oil, mattresses, medical waste, microwaves, monitors, motor oil, oil filters, other flammable liquids, paint (except completely dried latex paint cans, no liquids), petroleum-contaminated soil/lead paint chips, propane tanks, radioactive material, railroad ties, solvents, televisions, tires, and transmission oil.			
01 74 19 00-0012	EA	10 CY Dumpster "Construction Debris" Note: Includes delivery of dumpster, rental cost, pick-up cost, hauling, and disposal fee. Non-hazardous material.	494.99		
01 74 19 00-0013	EA	15 CY Dumpster "Construction Debris" Note: Includes delivery of dumpster, rental cost, pick-up cost, hauling, and disposal fee. Non-hazardous material.	494.98		
01 74 19 00-0014	EA	20 CY Dumpster "Construction Debris" Note: Includes delivery of dumpster, rental cost, pick-up cost, hauling, and disposal fee. Non-hazardous material.	600.00		
01 74 19 00-0015	EA	30 CY Dumpster "Construction Debris" Note: Includes delivery of dumpster, rental cost, pick-up cost, hauling, and disposal fee. Non-hazardous material.	694.98		
01 74 19 00-0016	EA	40 CY Dumpster "Construction Debris" Note: Includes delivery of dumpster, rental cost, pick-up cost, hauling, and disposal fee. Non-hazardous material.	794.99		
01 74 19 00-0017	EA	10 CY Low-Boy Dumpster "Concrete Or Asphalt Only" Note: Includes delivery of dumpster, rental cost, pick-up cost, hauling, and disposal fee. Concrete or asphalt only.	794.99		
01 74 19 00-0018		Concrete Washout Service (01 74 19)			
01 74 19 00-0019	MO	Rampless Concrete Washout Bin Note: Includes delivery.	516.35		
01 74 19 00-0020	MO	Ramped Concrete Washout Bin Note: Includes delivery.	619.62		
01 74 19 00-0021	EA	Interim Vacuum Service, Concrete Washout Bin Note: Includes vacuum and recycle excess clear liquid from the unfilled bin to allow additional space for washout material.	356.58		
01 74 19 00-0022	EA	Vacuum, Pickup, Swap And Dump, Concrete Washout Bin Note: Includes vacuum the liquid from the full bin and pick up the bin, and recycle all material. An empty bin will be left at the site if the project is not completed.	772.59		
01 74 19 00-0023		Debris Processing Fee (01 74 19)			
01 74 19 00-0024		Material Recycling Fees (01 74 19 00-0023)			
		Note: Does not apply with use of dumpsters. Excludes hauling.			
01 74 19 00-0025	CY	Drop-Off Asphalt At Recycling Center	15.43		
01 74 19 00-0026	CY	Drop-Off Non Reinforced Concrete At Recycling Center	20.67		
01 74 19 00-0027	CY	Drop-Off Reinforced Concrete At Recycling Center	31.00		
01 74 19 00-0028	CY	Drop-Off Brick Or Block At Recycling Center	26.87		
01 74 19 00-0029	CY	Drop-Off Dirt At Recycling Center	29.97		
01 74 19 00-0030	CY	Drop-Off Dimensional Lumber At Recycling Center	28.94		
01 74 19 00-0031		Landfill Dump Fees (01 74 19 00-0023)			
		Note: Does not apply when material is transferred to owner's site or facility, or with use of dumpsters. Excludes hauling.			
01 74 19 00-0032	CY	Traditional Building Construction Materials Landfill Dump Fee	13.75		
01 74 19 00-0033	TON	Traditional Building Construction Materials, Landfill Dump Fee	59.94		
01 74 19 00-0034	CY	Trees, Stumps And Brush, Landfill Dump Fee	16.56		
01 74 19 00-0035	CY	Hazardous Materials And Rubbish (Paint Cans, Etcetera) Landfill Dump Fee	39.48		
01 74 19 00-0036	TON	Dump, Transfer Station Fee For Mixed Material	58.30		
01 74 19 00-0037		Hauling (01 74 19)			
		Note: Includes driver and equipment, ten (10) to fifteen (15) minutes load time, time for travel, dump time and return (roundtrip). The task quantity is the number of miles to the disposal site/transfer station (one way mileage) times the number of cubic yards being transported. For example, to haul 8 CY to a site 14 miles away, the quantity is calculated as follows: 14 miles x 8 CY = 112 CYM. Use both hauling tasks for distances greater than 15 miles. To haul 28 CY to a site 32 miles away, the quantity for the task to haul the first 15 miles is calculated: 15 miles x 28 CY = 420 CYM. The quantity for the additional hauling task over the first 15 miles is calculated: 32 total miles less 15 initial miles equals 17 miles x 28 CY = 476 CYM.			
01 74 19 00-0038	CYM	Hauling Up To 15 Miles	0.97		
01 74 19 00-0039	CYM	Hauling, Miles Over Initial 15 Miles	0.73		
01 74 23		Final Cleaning (01 74)			
01 74 23 00-0001		Cleaning Of Glass (01 74 23)			
01 74 23 00-0002	CSF	Cleaning Of Existing Glass Surfaces	25.47		



General Requirements	01	01
Execution And Closeout Requirements	01 70	
Cleaning And Waste Management	01 74	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
------------------------------	---------------------------	-------------------------

END OF SECTION 01

NOT FOR BID

01	01	General Requirements
	01 70	Execution And Closeout Requirements
	01 74	Cleaning And Waste Management



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
------------------------------	---------------------------	-------------------------

THIS PAGE INTENTIONALLY LEFT BLANK

NOT FOR BID



Existing Conditions	02	02
Assessment	02 20	
Existing Material Assessment	02 25	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
------------------------------	---------------------------	-------------------------

02 Existing Conditions

02 20 Assessment ⁽⁰²⁾

02 25 Existing Material Assessment ^(02 20)

02 25 16 Existing Concrete, Masonry Or Asphalt Assessment ^(02 25)

See CSI section 01 71 36 00-0000 for non-destructive concrete examination.

02 25 16 13 Concrete Assessment Drilling ^(02 25 16)

See CSI section 01 71 36 00-0000 for non-destructive concrete examination.

02 30 Subsurface Investigation ⁽⁰²⁾

02 32 Geotechnical Investigations ^(02 30)

02 32 13 Subsurface Drilling And Sampling ^(02 32)

See CSI section 01 45 23 00-0000 for testing and lab reports.

02 32 13 00-0001 Mobilization Of Drilling Crew ^(02 32 13)

02 32 13 00-0002 EA Mobilization Of Drilling Crew974.76

02 32 13 00-0003 Auger Borings ^(02 32 13)

02 32 13 00-0004 LF Standard Auger Hole With Split Spoon Sample At 5' Intervals29.36

02 32 13 00-0005 Cased Borings In Earth, With Samples ^(02 32 13)

Note: All types of soils.

02 32 13 00-0006 LF 2-1/2" Diameter Cased Borings In Earth, With Samples66.22

02 32 13 00-0007 LF 4" Diameter Cased Borings In Earth, With Samples113.16

02 32 13 00-0008 Drilling In Rock, BW Core (2.125") ^(02 32 13)

02 32 13 00-0009 LF Drill In Rock, BW Core, With Casing71.28

Note: Includes sampling.

02 32 13 00-0010 EA Drill In Rock, With BW Core Boxes6.29

02 32 13 00-0011 Drilling In Rock, NW Core (2.98") ^(02 32 13)

02 32 13 00-0012 LF Drill In Rock, NW Core, With Casing91.84

Note: Includes sampling.

02 32 13 00-0013 EA Drill In Rock, With NW Core Boxes7.24

02 32 13 00-0014 Test Pits For Boring Activities ^(02 32 13)

Note: Excludes backfill. See CSI section 31 23 16 36-0016 for backfill.

02 32 13 00-0015 Backhoe Dug Test Pits ^(02 32 13 00-0014)

02 32 13 00-0016 CY Excavation For Test Pit, Light Material, Backhoe Excavation57.09

02 32 13 00-0017 CY Excavation For Test Pits, Medium Material, Backhoe Excavation66.61

02 32 13 00-0018 CY Excavation For Test Pit, Heavy Material, Backhoe Excavation88.82

02 32 13 00-0019 Hand-Dug Test Pits ^(02 32 13 00-0014)

02 32 13 00-0020 CY Excavation For Test Pit, Light Soil, Hand Excavation172.69

02 32 13 00-0021 CY Excavation For Test Pit, Heavy Soil, Hand Excavation310.83

02 32 13 00-0022 Shelby Tube Sampling ^(02 32 13)

02 32 13 00-0023 EA Shelby Tube Sampling31.15

02 32 13 00-0024 EA Penetration Test25.38

02 32 13 00-0025 Grouting ^(02 32 13)

02 32 13 00-0026 VLF Boreholes5.90

02 32 19 Exploratory Excavations ^(02 32)

02 32 19 00-0001 Hydro Excavation ^(02 32 19)

Note: Assumes on-site disposal.

02 32 19 00-0002 EA Hydro Excavation, Mobilization/Demobilization106.58

02 32 19 00-0003 EA Hydro Excavation, Minimum Charge426.32

Note: For projects where the total charge is less than the "Hydro Excavation Minimum" cost, use this task exclusively. This task should not be used in conjunction with any other tasks in this section.

02 32 19 00-0004 CY Hydro Excavation, Normal Soil Conditions (Hydro-Vac Truck)35.52

Note: Normal soil conditions consist of silt, sand and gravel.

02	02 Existing Conditions
	02 30 Subsurface Investigation
	02 32 Geotechnical Investigations



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
------------------------------	---------------------------	-------------------------

02 32 19 00-0005 CY Hydro Excavation, Adverse Soil Conditions (Hydro-Vac Truck).....56.84
 Note: Adverse soil conditions consist of clay, glacial till and rocks.

02 40 Demolition And Structure Moving (02)

02 41 Demolition (02 40)

02 41 13 Selective Site Demolition (02 41)

02 41 13 13 Paving Removal (02 41 13)

Note: Includes break-up of material, loading into truck or dumpster and clean-up. Salvage tasks include placement on pallets and storage on site.

02 41 13 13-0001 By Machine, Break-up And Leave In Place Bituminous And Concrete Paving (02 41 13 13)

Note: Includes slabs, pavements, sidewalks and base courses. Includes work around obstacles. These tasks are not to be used in conjunction with any other loading activities or other break-up tasks. Excludes saw cutting. See CSI section 02 41 13 13-0018 for breaking-up, removal and loading as a combined operation, 02 41 19 13-0057 for saw cutting.

02 41 13 13-0002	SY	Up To 3" By Machine, Break-up And Leave In Place Bituminous Paving	5.81
		For >500 To 1,000, Deduct	-0.58
		For >1,000 To 2,500, Deduct	-1.05
		For >2,500 To 5,000, Deduct	-1.51
		For >5,000 To 10,000, Deduct	-1.98
		For >10,000, Deduct	-2.44
02 41 13 13-0003	SY	>3" To 6" By Machine, Break-up And Leave In Place Bituminous Paving.....	8.71
		For >500 To 1,000, Deduct	-0.87
		For >1,000 To 2,500, Deduct	-1.57
		For >2,500 To 5,000, Deduct	-2.26
		For >5,000 To 10,000, Deduct	-2.96
		For >10,000, Deduct	-3.66
02 41 13 13-0004	SY	>6" To 8" By Machine, Break-up And Leave In Place Bituminous Paving.....	11.62
		For >500 To 1,000, Deduct	-1.16
		For >1,000 To 2,500, Deduct	-2.09
		For >2,500 To 5,000, Deduct	-3.02
		For >5,000 To 10,000, Deduct	-3.95
		For >10,000, Deduct	-4.88
02 41 13 13-0005	SY	Up To 3" By Machine, Break-up And Leave In Place Concrete Paving	10.09
		For >500 To 1,000, Deduct	-1.01
		For >1,000 To 2,500, Deduct	-1.82
		For >2,500 To 5,000, Deduct	-2.62
		For >5,000 To 10,000, Deduct	-3.43
		For >10,000, Deduct	-4.24
02 41 13 13-0006	SY	>3" To 6" By Machine, Break-up And Leave In Place Concrete Paving.....	14.25
		For >500 To 1,000, Deduct	-1.43
		For >1,000 To 2,500, Deduct	-2.57
		For >2,500 To 5,000, Deduct	-3.71
		For >5,000 To 10,000, Deduct	-4.85
		For >10,000, Deduct	-5.99
02 41 13 13-0007	SY	>6" To 9" By Machine, Break-up And Leave In Place Concrete Paving.....	20.18
		For >500 To 1,000, Deduct	-2.02
		For >1,000 To 2,500, Deduct	-3.63
		For >2,500 To 5,000, Deduct	-5.25
		For >5,000 To 10,000, Deduct	-6.86
		For >10,000, Deduct	-8.48
02 41 13 13-0008	SY	>9" To 14" By Machine, Break-up And Leave In Place Concrete Paving.....	28.49
		For >500 To 1,000, Deduct	-2.85
		For >1,000 To 2,500, Deduct	-5.13
		For >2,500 To 5,000, Deduct	-7.41
		For >5,000 To 10,000, Deduct	-9.69
		For >10,000, Deduct	-11.97
02 41 13 13-0009	SY	>14" To 19" By Machine, Break-up And Leave In Place Concrete Paving.....	37.26
		For >500 To 1,000, Deduct	-3.73
		For >1,000 To 2,500, Deduct	-6.71
		For >2,500 To 5,000, Deduct	-9.69
		For >5,000 To 10,000, Deduct	-12.67
		For >10,000, Deduct	-15.65
02 41 13 13-0010	SY	>19" To 24" By Machine, Break-up And Leave In Place Concrete Paving.....	48.43
		For >500 To 1,000, Deduct	-4.84
		For >1,000 To 2,500, Deduct	-8.72
		For >2,500 To 5,000, Deduct	-12.59
		For >5,000 To 10,000, Deduct	-16.47
		For >10,000, Deduct	-20.34

02 41 13 13-0011 By Hand, Break-up And Leave In Place Bituminous And Concrete Paving (02 41 13 13)

Note: Includes slabs, pavements, sidewalks and base courses. Includes work around obstacles with jackhammer and hand tools. For individual work areas where conventional equipment access is limited or prohibited. Task is only to be used when requested by owner. These tasks are not to be used in conjunction with any other loading activities or other break-up tasks. Excludes saw cutting. See CSI section 02 41 13 13-0032 for breaking-up, removal and loading as a combined operation, 02 41 19 13-0057 for saw cutting.

02 41 13 13-0012	SF	Up To 3" By Hand, Break-up And Leave In Place Bituminous Paving	1.52
02 41 13 13-0013	SF	>3" To 6" By Hand, Break-up And Leave In Place Bituminous Paving	1.93
02 41 13 13-0014	SF	>6" To 8" By Hand, Break-up And Leave In Place Bituminous Paving	2.56



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
02 41 13 13-0015 SF Up To 3" By Hand, Break-up And Leave In Place Concrete Paving.....	1.90	
02 41 13 13-0016 SF >3" To 6" By Hand, Break-up And Leave In Place Concrete Paving.....	2.42	
02 41 13 13-0017 SF >6" To 8" By Hand, Break-up And Leave In Place Concrete Paving.....	3.20	
02 41 13 13-0018 By Machine, Break-up And Remove Bituminous And Concrete Paving (02 41 13		
¹³⁾ Note: Includes slabs, pavements, sidewalks and base courses. Includes work around obstacles, breaking into manageable sizes by machine and loading into truck, dumpster or moving material to stockpile. Excludes saw cutting. See CSI section 02 41 19 13-0057 for saw cutting.		
02 41 13 13-0019 SY Up To 3" By Machine, Break-up And Remove Bituminous Paving.....	11.26	
For Additional Cost Of Hand Held Equipment Usage (Around Existing Structures And Obstructions), Add	3.38	
Note: (Around Existing Structures And Obstructions), Add		
For Elevated Slab, Add	5.63	
For >500 To 1,000, Deduct	-1.13	
For >1,000 To 2,500, Deduct	-2.03	
For >2,500 To 5,000, Deduct	-2.93	
For >5,000 To 10,000, Deduct	-3.83	
For >10,000, Deduct	-4.73	
02 41 13 13-0020 SY >3" To 6" By Machine, Break-up And Remove Bituminous Paving.....	15.38	
For Additional Cost Of Hand Held Equipment Usage (Around Existing Structures And Obstructions), Add	4.61	
Note: (Around Existing Structures And Obstructions), Add		
For Elevated Slab, Add	7.69	
For >500 To 1,000, Deduct	-1.54	
For >1,000 To 2,500, Deduct	-2.77	
For >2,500 To 5,000, Deduct	-4.00	
For >5,000 To 10,000, Deduct	-5.23	
For >10,000, Deduct	-6.46	
02 41 13 13-0021 SY Up To 3" By Machine, Break-up And Remove Non Reinforced Concrete Paving.....	12.96	
For Additional Cost Of Hand Held Equipment Usage (Around Existing Structures And Obstructions), Add	3.89	
Note: (Around Existing Structures And Obstructions), Add		
For Elevated Slab, Add	6.48	
For >500 To 1,000, Deduct	-1.30	
For >1,000 To 2,500, Deduct	-2.33	
For >2,500 To 5,000, Deduct	-3.37	
For >5,000 To 10,000, Deduct	-4.41	
For >10,000, Deduct	-5.44	
02 41 13 13-0022 SY >3" To 6" By Machine, Break-up And Remove Non Reinforced Concrete Paving.....	16.95	
For Additional Cost Of Hand Held Equipment Usage (Around Existing Structures And Obstructions), Add	5.09	
Note: (Around Existing Structures And Obstructions), Add		
For Elevated Slab, Add	8.48	
For >500 To 1,000, Deduct	-1.70	
For >1,000 To 2,500, Deduct	-3.05	
For >2,500 To 5,000, Deduct	-4.41	
For >5,000 To 10,000, Deduct	-5.76	
For >10,000, Deduct	-7.12	
02 41 13 13-0023 SY Up To 3" By Machine, Break-up And Remove Welded Wire Reinforced Concrete Paving.....	17.19	
For Additional Cost Of Hand Held Equipment Usage (Around Existing Structures And Obstructions), Add	5.16	
Note: (Around Existing Structures And Obstructions), Add		
For Elevated Slab, Add	8.60	
For >500 To 1,000, Deduct	-1.72	
For >1,000 To 2,500, Deduct	-3.09	
For >2,500 To 5,000, Deduct	-4.47	
For >5,000 To 10,000, Deduct	-5.84	
For >10,000, Deduct	-7.22	
02 41 13 13-0024 SY >3" To 6" By Machine, Break-up And Remove Welded Wire Reinforced Concrete Paving.....	22.28	
For Additional Cost Of Hand Held Equipment Usage (Around Existing Structures And Obstructions), Add	6.68	
Note: (Around Existing Structures And Obstructions), Add		
For Elevated Slab, Add	11.14	
For >500 To 1,000, Deduct	-2.23	
For >1,000 To 2,500, Deduct	-4.01	
For >2,500 To 5,000, Deduct	-5.79	
For >5,000 To 10,000, Deduct	-7.58	
For >10,000, Deduct	-9.36	
02 41 13 13-0025 SY >6" To 9" By Machine, Break-up And Remove Welded Wire Reinforced Concrete Paving.....	36.93	
For Additional Cost Of Hand Held Equipment Usage (Around Existing Structures And Obstructions), Add	11.08	
Note: (Around Existing Structures And Obstructions), Add		
For Elevated Slab, Add	18.47	
For >500 To 1,000, Deduct	-3.69	
For >1,000 To 2,500, Deduct	-6.65	
For >2,500 To 5,000, Deduct	-9.60	
For >5,000 To 10,000, Deduct	-12.56	
For >10,000, Deduct	-15.51	
02 41 13 13-0026 SY Up To 3" By Machine, Break-up And Remove Rod Reinforced Concrete Paving.....	18.64	
For Elevated Slab, Add	9.32	
For >500 To 1,000, Deduct	-1.86	
For >1,000 To 2,500, Deduct	-3.36	
For >2,500 To 5,000, Deduct	-4.85	
For >5,000 To 10,000, Deduct	-6.34	
For >10,000, Deduct	-7.83	
02 41 13 13-0027 SY >3" To 6" By Machine, Break-up And Remove Rod Reinforced Concrete Paving.....	23.97	
For Elevated Slab, Add	11.99	
For >500 To 1,000, Deduct	-2.40	
For >1,000 To 2,500, Deduct	-4.31	
For >2,500 To 5,000, Deduct	-6.23	
For >5,000 To 10,000, Deduct	-8.15	
For >10,000, Deduct	-10.07	

02	Existing Conditions
02 40	Demolition And Structure Moving
02 41	Demolition



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
02 41 13 13-0028 SY >6" To 9" By Machine, Break-up And Remove Rod Reinforced Concrete Paving	42.87	
For Elevated Slab, Add	21.44	
For >500 To 1,000, Deduct	-4.29	
For >1,000 To 2,500, Deduct	-7.72	
For >2,500 To 5,000, Deduct	-11.15	
For >5,000 To 10,000, Deduct	-14.58	
For >10,000, Deduct	-18.01	
02 41 13 13-0029 SY >9" To 14" By Machine, Break-up And Remove Rod Reinforced Concrete Paving	55.94	
For Elevated Slab, Add	27.97	
For >500 To 1,000, Deduct	-5.59	
For >1,000 To 2,500, Deduct	-10.07	
For >2,500 To 5,000, Deduct	-14.54	
For >5,000 To 10,000, Deduct	-19.02	
For >10,000, Deduct	-23.49	
02 41 13 13-0030 SY >14" To 19" By Machine, Break-up And Remove Rod Reinforced Concrete Paving	73.13	
For Elevated Slab, Add	36.57	
For >500 To 1,000, Deduct	-7.31	
For >1,000 To 2,500, Deduct	-13.16	
For >2,500 To 5,000, Deduct	-19.01	
For >5,000 To 10,000, Deduct	-24.86	
For >10,000, Deduct	-30.71	
02 41 13 13-0031 SY >19" To 24" By Machine, Break-up And Remove Rod Reinforced Concrete Paving	88.76	
For Elevated Slab, Add	44.38	
For >500 To 1,000, Deduct	-8.88	
For >1,000 To 2,500, Deduct	-15.98	
For >2,500 To 5,000, Deduct	-23.08	
For >5,000 To 10,000, Deduct	-30.18	
For >10,000, Deduct	-37.28	
02 41 13 13-0032 By Hand, Break-up And Remove Bituminous And Concrete Paving (02 41 13 13)		
Note: Includes slabs, pavements, sidewalks and base courses. Includes work around obstacles. Work includes breaking into manageable size with jackhammer and hand tools, removal and loading onto a truck or dumpster. For individual work areas where conventional equipment access is limited or prohibited. Task is only to be used when requested by owner. Excludes saw cutting. See CSI section 02 41 19 13-0057 for saw cutting.		
02 41 13 13-0033 SF Up To 3" By Hand, Break-up And Remove Bituminous Paving	3.39	
02 41 13 13-0034 SF >3" To 6" By Hand, Break-up And Remove Bituminous Paving	4.47	
02 41 13 13-0035 SF >6" To 8" By Hand, Break-up And Remove Bituminous Paving	5.81	
02 41 13 13-0036 SF Up To 3" By Hand, Break-up And Remove Concrete Paving	4.24	
02 41 13 13-0037 SF >3" To 6" By Hand, Break-up And Remove Concrete Paving	5.86	
02 41 13 13-0038 SF >6" To 8" By Hand, Break-up And Remove Concrete Paving	7.50	
02 41 13 13-0039 SF Up To 3" By Hand, Break-up And Remove Welded Wire Reinforced Concrete Paving	5.95	
02 41 13 13-0040 SF >3" To 6" By Hand, Break-up And Remove Welded Wire Reinforced Concrete Paving	8.21	
02 41 13 13-0041 SF >6" To 8" By Hand, Break-up And Remove Welded Wire Reinforced Concrete Paving	10.51	
02 41 13 13-0042 Grind Concrete (02 41 13 13)		
02 41 13 13-0043 EA Grind Existing Sidewalks Up To 1/2" Depth To Remove Ridges (Tripping Hazard)	173.96	
Note: For each location up to 5' wide, feather up to 12" each direction.		
For >1/2" To 1" Depth Of Grinding, Add	26.09	
For >1" To 1-1/2" Depth Of Grinding, Add	43.49	
For Up To 5, Add	34.79	
For >5 To 10, Add	17.40	
For >25 To 50, Deduct	-17.40	
For >50 To 250, Deduct	-26.09	
For >250, Deduct	-34.79	
For Sidewalks >5', Add	17.40	
For Up To 12" Additional Feathering Per Side, Add	17.40	
02 41 13 15 Hydro Demolition (02 41 13)		
02 41 13 15-0001 Hydro Demolition Of Concrete Pavement (02 41 13 15)		
Note: Includes removal but excludes disposal of concrete.		
02 41 13 15-0002 SF Up To 2" Depth, Hydro Demolition, Using 40,000 PSI Water Jet	5.96	
02 41 13 15-0003 SF >2" To 4" Depth, Hydro Demolition, Using 40,000 PSI Water Jet	7.44	
02 41 13 15-0004 SF >4" To 6" Depth, Hydro Demolition, Using 40,000 PSI Water Jet	9.93	
02 41 13 15-0005 SF >6" To 8" Depth, Hydro Demolition, Using 40,000 PSI Water Jet	19.85	
02 41 16 Structure Demolition (02 41)		
02 41 16 13 Building Demolition (02 41 16)		
02 41 16 13-0001 Building Interior Demolition (02 41 16 13)		
Note: Guttered and placed in truck or dumpsters. Based on overall floor area including space under demolished walls. Includes all soft stripping of materials (doors and frames, non-load bearing walls, carpet, moldings, drywall, tile, ceiling, ductwork, piping, light fixtures, etc.), accessible mechanical, electrical, plumbing, overhead sprinkler, fire protection and similar systems. Excludes lead, asbestos or other contaminants or load bearing walls, mechanical, plumbing or electrical equipment such as furnaces, water heaters, plumbing fixtures, sump pumps, switchgear or panel boards. Excludes hauling, dump fees, recycling charges, and/or salvage value.		
02 41 16 13-0002 GSF Residential Building Interior Demolition, Gutting And Placing Into Dumpster Or Truck	6.46	
02 41 16 13-0003 GSF Up To 2,000 SF Commercial Building Interior Demolition, Gutting And Placing Into Dumpster Or Truck	9.78	
02 41 16 13-0004 GSF >2,000 To 10,000 SF Commercial Building Interior Demolition, Gutting And Placing Into Dumpster Or Truck	8.00	
02 41 16 13-0005 GSF >10,000 SF Commercial Building Interior Demolition, Gutting And Placing Into Dumpster Or Truck	7.11	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
------------------------------	---------------------------	-------------------------

02 41 16 13-0006	Commercial And Residential Structures Demolition <small>(02 41 16 13)</small> Note: Complete demolition of structures. Includes site and building safety preparation, signage, dust control, scattered debris and other site clean-up, demolition equipment, and repair of any damaged adjacent property. Excludes (if required) utility disconnects and capping, underground or above ground storage tank removal, adjacent property protection, adjacent property cleanup, adjacent property work, site paving (asphalt or concrete), recycling fees, gutting/soft stripping (selective removal of materials for reuse) of building, site security, hazardous material abatement (including lead, asbestos, and PCBs), surveys, clearing and grubbing of site, cranes, traffic control, elevator removal, major mechanical equipment such as boilers, chillers, cooling towers, Etc., excavation or backfill, foundations, basement floor, slab-on grade, temporary fencing (installation and removal), hauling, disposal and dump fees for all debris (site and building), earthwork and erosion control. Pricing is by Hundred Cubic Foot (CCF) of complete building volume being demolished. For computing building volume, height is computed at actual floor-to-floor dimensions with attic and basement each computed at half-height, width and length are actual dimensions. Excludes salvage value.	
02 41 16 13-0007	Steel Framed Building Demolition <small>(02 41 16 13-0006)</small> Note: Includes masonry partitions and concrete decks.	
02 41 16 13-0008	CCF By Pneumatic Tools/Hand, Steel Framed Building Demolition58.81 <i>For Floor-To-Floor (Or Floor-To-Structure) Heights >12' To 15', Deduct</i> -4.41 <i>For Floor-To-Floor (Or Floor-To-Structure) Heights >15' To 18', Deduct</i> -8.82 <i>For Floor-To-Floor (Or Floor-To-Structure) Heights >18' To 21', Deduct</i> -13.23 <i>For Up To 500, Add</i> 17.64 <i>For >500 To 1,000, Add</i> 11.76 <i>For >1,000 To 2,000, Add</i> 5.88 <i>For Volume Of Area Within 15' To An Adjacent Building, Add</i> 19.41 <i>For No Interior Partitions, Deduct</i> -14.70	
02 41 16 13-0009	CCF By Machine, Steel Framed Building Demolition36.52 <i>For Floor-To-Floor (Or Floor-To-Structure) Heights >12' To 15', Deduct</i> -2.74 <i>For Floor-To-Floor (Or Floor-To-Structure) Heights >15' To 18', Deduct</i> -5.48 <i>For Floor-To-Floor (Or Floor-To-Structure) Heights >18' To 21', Deduct</i> -8.22 <i>For Up To 500, Add</i> 10.96 <i>For >500 To 1,000, Add</i> 7.30 <i>For >1,000 To 2,000, Add</i> 3.65 <i>For Work >3 Stories To 6 Stories (Exclude Volume Below), Add</i> 5.48 <i>For Work >6 Stories To 10 Stories (Exclude Volume Below), Add</i> 9.13 <i>For Work >10 Stories To 15 Stories (Exclude Volume Below), Add</i> 12.78 <i>For Volume Of Area Within 15' To An Adjacent Building, Add</i> 12.05 <i>For No Interior Partitions, Deduct</i> -9.13	
02 41 16 13-0010	Reinforced Concrete Building Demolition <small>(02 41 16 13-0006)</small>	
02 41 16 13-0011	CCF By Pneumatic Tools/Hand, Reinforced Concrete Building Demolition73.80 <i>For Floor-To-Floor (Or Floor-To-Structure) Heights >12' To 15', Deduct</i> -5.54 <i>For Floor-To-Floor (Or Floor-To-Structure) Heights >15' To 18', Deduct</i> -11.07 <i>For Floor-To-Floor (Or Floor-To-Structure) Heights >18' To 21', Deduct</i> -16.61 <i>For Up To 500, Add</i> 22.14 <i>For >500 To 1,000, Add</i> 14.76 <i>For >1,000 To 2,000, Add</i> 7.38 <i>For Volume Of Area Within 15' To An Adjacent Building, Add</i> 24.35 <i>For No Interior Partitions, Deduct</i> -18.45	
02 41 16 13-0012	CCF By Machine, Reinforced Concrete Building Demolition48.21 <i>For Floor-To-Floor (Or Floor-To-Structure) Heights >12' To 15', Deduct</i> -3.62 <i>For Floor-To-Floor (Or Floor-To-Structure) Heights >15' To 18', Deduct</i> -7.23 <i>For Floor-To-Floor (Or Floor-To-Structure) Heights >18' To 21', Deduct</i> -10.85 <i>For Up To 500, Add</i> 14.46 <i>For >500 To 1,000, Add</i> 9.64 <i>For >1,000 To 2,000, Add</i> 4.82 <i>For Work >3 Stories To 6 Stories (Exclude Volume Below), Add</i> 7.23 <i>For Work >6 Stories To 10 Stories (Exclude Volume Below), Add</i> 12.05 <i>For Work >10 Stories To 15 Stories (Exclude Volume Below), Add</i> 16.87 <i>For Volume Of Area Within 15' To An Adjacent Building, Add</i> 15.91 <i>For No Interior Partitions, Deduct</i> -12.05	
02 41 16 13-0013	Masonry Construction Building Demolition <small>(02 41 16 13-0006)</small>	
02 41 16 13-0014	CCF By Pneumatic Tools/Hand, Masonry Construction Building Demolition51.86 <i>For Floor-To-Floor (Or Floor-To-Structure) Heights >12' To 15', Deduct</i> -3.89 <i>For Floor-To-Floor (Or Floor-To-Structure) Heights >15' To 18', Deduct</i> -7.78 <i>For Floor-To-Floor (Or Floor-To-Structure) Heights >18' To 21', Deduct</i> -11.67 <i>For Up To 500, Add</i> 15.56 <i>For >500 To 1,000, Add</i> 10.37 <i>For >1,000 To 2,000, Add</i> 5.19 <i>For Volume Of Area Within 15' To An Adjacent Building, Add</i> 17.11 <i>For No Interior Partitions, Deduct</i> -12.97	
02 41 16 13-0015	CCF By Machine, Masonry Construction Building Demolition32.77 <i>For Floor-To-Floor (Or Floor-To-Structure) Heights >12' To 15', Deduct</i> -2.46 <i>For Floor-To-Floor (Or Floor-To-Structure) Heights >15' To 18', Deduct</i> -4.92 <i>For Floor-To-Floor (Or Floor-To-Structure) Heights >18' To 21', Deduct</i> -7.37 <i>For Up To 500, Add</i> 9.83 <i>For >500 To 1,000, Add</i> 6.55 <i>For >1,000 To 2,000, Add</i> 3.28 <i>For Work >3 Stories To 6 Stories (Exclude Volume Below), Add</i> 4.92 <i>For Work >6 Stories To 10 Stories (Exclude Volume Below), Add</i> 8.19 <i>For Work >10 Stories To 15 Stories (Exclude Volume Below), Add</i> 11.47 <i>For Volume Of Area Within 15' To An Adjacent Building, Add</i> 10.81 <i>For No Interior Partitions, Deduct</i> -8.19	

02 Existing Conditions**02 40 Demolition And Structure Moving****02 41 Demolition**MINOR
CSI UOM DESCRIPTIONTOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

02 41 16 13-0016	Wood Frame Construction Building Demolition (02 41 16 13-0006)	
02 41 16 13-0017	CCF By Pneumatic Tools/Hand, Wood Frame Construction Building Demolition	45.07
	<i>For Floor-To-Floor (Or Floor-To-Structure) Heights >12' To 15', Deduct</i>	-3.38
	<i>For Floor-To-Floor (Or Floor-To-Structure) Heights >15' To 18', Deduct</i>	-6.76
	<i>For Floor-To-Floor (Or Floor-To-Structure) Heights >18' To 21', Deduct</i>	-10.14
	<i>For Up To 500, Add</i>	13.52
	<i>For >500 To 1,000, Add</i>	9.01
	<i>For >1,000 To 2,000, Add</i>	4.51
	<i>For Volume Of Area Within 15' To An Adjacent Building, Add</i>	14.87
	<i>For No Interior Partitions, Deduct</i>	-11.27
02 41 16 13-0018	CCF By Machine, Wood Frame Construction Building Demolition	28.04
	<i>For Floor-To-Floor (Or Floor-To-Structure) Heights >12' To 15', Deduct</i>	-2.10
	<i>For Floor-To-Floor (Or Floor-To-Structure) Heights >15' To 18', Deduct</i>	-4.21
	<i>For Floor-To-Floor (Or Floor-To-Structure) Heights >18' To 21', Deduct</i>	-6.31
	<i>For Up To 500, Add</i>	8.41
	<i>For >500 To 1,000, Add</i>	5.61
	<i>For >1,000 To 2,000, Add</i>	2.80
	<i>For Work >3 Stories To 6 Stories (Exclude Volume Below), Add</i>	4.21
	<i>For Volume Of Area Within 15' To An Adjacent Building, Add</i>	9.25
	<i>For No Interior Partitions, Deduct</i>	-7.01
02 41 16 13-0019	Sorting Of Material Debris For Recycling Prior To Hauling Off (02 41 16 13-0006)	
	Note: Per building volume.	
02 41 16 13-0020	CCF Sorting Of Material Debris For Recycling Prior To Hauling Off	8.54
	<i>For Up To 500, Add</i>	2.56
	<i>For >500 To 1,000, Add</i>	1.71
	<i>For >1,000 To 2,000, Add</i>	0.85
02 41 16 13-0021	Foundation Demolition (02 41 16 13)	
	Note: Excludes earthwork.	
02 41 16 13-0022	Concrete Foundation Demolition (02 41 16 13-0021)	
02 41 16 13-0023	CF Non Reinforced Concrete Foundation Demolition	12.66
02 41 16 13-0024	SF 4" Thick Non Reinforced Concrete Foundation Wall Demolition	5.42
02 41 16 13-0025	SF 6" Thick Non Reinforced Concrete Foundation Wall Demolition	7.24
02 41 16 13-0026	SF 8" Thick Non Reinforced Concrete Foundation Wall Demolition	9.04
02 41 16 13-0027	SF 10" Thick Non Reinforced Concrete Foundation Wall Demolition	10.86
02 41 16 13-0028	SF 12" Thick Non Reinforced Concrete Foundation Wall Demolition	12.66
02 41 16 13-0029	SF 16" Thick Non Reinforced Concrete Foundation Wall Demolition	14.47
02 41 16 13-0030	CF Reinforced Concrete Foundation Demolition	15.20
02 41 16 13-0031	SF 4" Thick Reinforced Concrete Foundation Wall Demolition	6.51
02 41 16 13-0032	SF 6" Thick Reinforced Concrete Foundation Wall Demolition	8.69
02 41 16 13-0033	SF 8" Thick Reinforced Concrete Foundation Wall Demolition	10.86
02 41 16 13-0034	SF 10" Thick Reinforced Concrete Foundation Wall Demolition	12.85
02 41 16 13-0035	SF 12" Thick Reinforced Concrete Foundation Wall Demolition	15.20
02 41 16 13-0036	SF 16" Thick Reinforced Concrete Foundation Wall Demolition	17.37
02 41 16 13-0037	Concrete Block Foundation Wall Demolition (02 41 16 13-0021)	
02 41 16 13-0038	SF 4" Thick Non Reinforced Concrete Block Foundation Wall Demolition	3.98
02 41 16 13-0039	SF 6" Thick Non Reinforced Concrete Block Foundation Wall Demolition	4.25
02 41 16 13-0040	SF 8" Thick Non Reinforced Concrete Block Foundation Wall Demolition	4.79
02 41 16 13-0041	SF 10" Thick Non Reinforced Concrete Block Foundation Wall Demolition	5.52
02 41 16 13-0042	SF 12" Thick Non Reinforced Concrete Block Foundation Wall Demolition	6.15
02 41 16 13-0043	SF 16" Thick Non Reinforced Concrete Block Foundation Wall Demolition	7.69
02 41 16 13-0044	SF 4" Thick Reinforced Concrete Block Foundation Wall Demolition	4.77
02 41 16 13-0045	SF 6" Thick Reinforced Concrete Block Foundation Wall Demolition	5.10
02 41 16 13-0046	SF 8" Thick Reinforced Concrete Block Foundation Wall Demolition	5.75
02 41 16 13-0047	SF 10" Thick Reinforced Concrete Block Foundation Wall Demolition	6.62
02 41 16 13-0048	SF 12" Thick Reinforced Concrete Block Foundation Wall Demolition	7.38
02 41 16 13-0049	SF 16" Thick Reinforced Concrete Block Foundation Wall Demolition	9.23
02 41 16 13-0050	Brick Foundation Wall Demolition (02 41 16 13-0021)	
02 41 16 13-0051	SF 4" Thick Brick Foundation Wall Demolition	3.98
02 41 16 13-0052	SF 6" Thick Brick Foundation Wall Demolition	4.25
02 41 16 13-0053	SF 8" Thick Brick Foundation Wall Demolition	4.79
02 41 16 13-0054	SF 10" Thick Brick Foundation Wall Demolition	5.52
02 41 16 13-0055	SF 12" Thick Brick Foundation Wall Demolition	6.15
02 41 16 13-0056	SF 16" Thick Brick Foundation Wall Demolition	7.69
02 41 16 13-0057	Stone Foundation Demolition (02 41 16 13-0021)	
02 41 16 13-0058	CF Stone Footing Or Foundation Wall Demolition	12.66
02 41 16 13-0059	Other Foundation Demolition (02 41 16 13-0021)	



		Existing Conditions	02
		Demolition And Structure Moving	02 40
		Demolition	02 41

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
02 41 16 13-0060	CF		Concrete Footing For Fence, Gate Or Playground Equipment Post, Etc. Demolition Note: Includes excavation.	12.98	
02 41 19 Selective Demolition (02 41)					
02 41 19 13 Selective Building Demolition (02 41 19)					
02 41 19 13-0001			Exterior Masonry Removal (02 41 19 13)		
02 41 19 13-0002			Masonry Columns Removal (Interior And Exterior) (02 41 19 13-0001)		
02 41 19 13-0003	VLF		8" x 8" Masonry Column Removal	12.99	
02 41 19 13-0004	VLF		10" x 10" Masonry Column Removal	20.29	
02 41 19 13-0005	VLF		12" x 12" Masonry Column Removal	26.00	
02 41 19 13-0006	VLF		14" x 14" Masonry Column Removal	32.55	
02 41 19 13-0007	VLF		16" x 16" Masonry Column Removal	39.98	
02 41 19 13-0008	CF		Masonry Column Removal, Per CF Of Masonry Removed; For Other Sizes Over 16" Square	22.45	
02 41 19 13-0009			Masonry Chimney Removal (02 41 19 13-0001)		
02 41 19 13-0010	CF		Up To 3 CF/VLF Chimney Removal, Per CF Of Masonry Removed	26.33	
02 41 19 13-0011	CF		>3 To 10 CF/VLF Chimney Removal, Per CF Of Masonry Removed	19.77	
02 41 19 13-0012	CF		>10 To 20 CF/VLF Chimney Removal, Per CF Of Masonry Removed	15.14	
02 41 19 13-0013	CF		>20 CF/VLF Chimney Removal, Per CF Of Masonry Removed	10.48	
02 41 19 13-0014			Remove And Reset Precast, Stone Or Masonry Coping (02 41 19 13-0001) Note: Includes removing, cleaning, and resetting coping with new ties and mortar. Excludes finished edge saw cutting at the intersection between demolition and undisturbed areas. See CSI section 02 41 19 13-0057 for saw cutting.		
02 41 19 13-0015	LF		Up To 8" Wide, Remove And Reset Precast, Stone Or Masonry Coping	16.63	
02 41 19 13-0016	LF		>8" To 12" Wide, Remove And Reset Precast, Stone Or Masonry Coping	24.77	
02 41 19 13-0017	LF		>12" To 24" Wide, Remove And Reset Precast, Stone Or Masonry Coping	47.19	
02 41 19 13-0018			Facade Removal (02 41 19 13-0001) Note: Includes any saw cutting that may be required for size reduction into manageable pieces for handling and disposal. Excludes finished edge saw cutting at the intersection between demolition and undisturbed areas. See CSI section 02 41 19 13-0057 for saw cutting.		
02 41 19 13-0019	SF		Stone Or Brick Veneer Facade Removal For Cleaning and Storage For Reuse, Add	4.94 7.41	
02 41 19 13-0020			Exterior Masonry Removal (02 41 19 13-0001) Note: Includes any saw cutting that may be required for size reduction into manageable pieces for handling and disposal. Salvage modifier includes removing mortar, scraping, cleaning, placement on pallets and storage on site. Excludes finished edge saw cutting at the intersection between demolition and undisturbed areas. See CSI section 02 41 19 13-0057 for saw cutting.		
02 41 19 13-0021	SF		Demolish 4" Thick Non Reinforced Concrete Block Exterior Wall	4.35	
02 41 19 13-0022	SF		Demolish 6" Thick Non Reinforced Concrete Block Exterior Wall	4.90	
02 41 19 13-0023	SF		Demolish 8" Thick Non Reinforced Concrete Block Exterior Wall	5.93	
02 41 19 13-0024	SF		Demolish 10" Thick Non Reinforced Concrete Block Exterior Wall	6.48	
02 41 19 13-0025	SF		Demolish 12" Thick Non Reinforced Concrete Block Exterior Wall	7.11	
02 41 19 13-0026	SF		Demolish 16" Thick Non Reinforced Concrete Block Exterior Wall	8.91	
02 41 19 13-0027	SF		Demolish 4" Thick Reinforced Concrete Block Exterior Wall	5.14	
02 41 19 13-0028	SF		Demolish 6" Thick Reinforced Concrete Block Exterior Wall	5.89	
02 41 19 13-0029	SF		Demolish 8" Thick Reinforced Concrete Block Exterior Wall	7.11	
02 41 19 13-0030	SF		Demolish 10" Thick Reinforced Concrete Block Exterior Wall	7.79	
02 41 19 13-0031	SF		Demolish 12" Thick Reinforced Concrete Block Exterior Wall	8.54	
02 41 19 13-0032	SF		Demolish 16" Thick Reinforced Concrete Block Exterior Wall	10.69	
02 41 19 13-0033	SF		Demolish 4" Thick Brick Exterior Wall	4.35	
			For Cleaning and Storage For Reuse, Add	6.53	
02 41 19 13-0034	SF		Demolish 6" Thick Brick Exterior Wall	4.90	
			For Cleaning and Storage For Reuse, Add	7.35	
02 41 19 13-0035	SF		Demolish 8" Thick Brick Exterior Wall	5.93	
			For Cleaning and Storage For Reuse, Add	8.90	
02 41 19 13-0036	SF		Demolish 10" Thick Brick Exterior Wall	6.48	
			For Cleaning and Storage For Reuse, Add	9.72	
02 41 19 13-0037	SF		Demolish 12" Thick Brick Exterior Wall	7.11	
			For Cleaning and Storage For Reuse, Add	10.67	
02 41 19 13-0038	SF		Demolish 16" Thick Brick Exterior Wall	8.91	
			For Cleaning and Storage For Reuse, Add	13.37	
02 41 19 13-0039	CF		Exterior Brick, Concrete Block Or Composite Removal	12.66	
			For Cleaning and Storage For Reuse, Add	18.99	
02 41 19 13-0040			Lintel Removal (02 41 19 13-0001) Note: Includes any saw cutting that may be required for size reduction into manageable pieces for handling and disposal. Excludes finished edge saw cutting at the intersection between demolition and undisturbed areas. See CSI section 02 41 19 13-0057 for saw cutting.		
02 41 19 13-0041	LF		Demolish Steel Lintel	13.97	
02 41 19 13-0042	LF		Demolish Concrete Or Stone Lintel	18.63	
02 41 19 13-0043	LF		Demolish Steel Shelf Angle	14.74	

02 Existing Conditions**02 40 Demolition And Structure Moving****02 41 Demolition**MINOR
CSI UOM DESCRIPTIONTOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

02 41 19 13-0044	Reinstall Lintel (02 41 19 13-0001)		
	Note: Excludes finished edge saw cutting at the intersection between demolition and undisturbed areas. See CSI section 02 41 19 13-0057 for saw cutting.		
02 41 19 13-0045	LF Clean, Prime And Paint Steel Shelf Angle Or Lintel.....	7.46	
02 41 19 13-0046	LF Reinstall Existing Concrete Or Stone Lintel.....	18.63	
02 41 19 13-0047	LF Reinstall Existing Steel Shelf Angle.....	38.08	
	Note: Includes fasteners.		
02 41 19 13-0048	LF Reinstall Existing Steel Lintel.....	15.51	
02 41 19 13-0049	LF Removal And Replacement Of Steel Shelf Angle Over Window Openings At Cavity Walls.....	65.41	
02 41 19 13-0050	LF Removal And Replacement Of Steel Lintel Over Window Openings.....	111.51	
02 41 19 13-0051	Exterior Concrete Wall Removal (02 41 19 13)		
02 41 19 13-0052	SF Demolish 4" Thick Reinforced Concrete Exterior Wall.....	5.63	
02 41 19 13-0053	SF Demolish 6" Thick Reinforced Concrete Exterior Wall.....	10.22	
02 41 19 13-0054	SF Demolish 8" Thick Reinforced Concrete Exterior Wall.....	12.85	
02 41 19 13-0055	SF Demolish 10" Thick Reinforced Concrete Exterior Wall.....	15.15	
02 41 19 13-0056	SF Demolish 12" Thick Reinforced Concrete Exterior Wall.....	17.91	
02 41 19 13-0057	Saw Cutting (02 41 19 13)		
	Note: Includes blade wear, water, taping off area, layout, clean-up and mist spray with wet vacuuming for dust control where necessary. For projects where the total saw cutting charge is less than the minimum charge, use task "Saw Cut Minimum Charge" exclusively. Task "Saw Cut Minimum Charge" should not be used in conjunction with any other tasks in this section.		
02 41 19 13-0058	LF Bituminous Paving Up To 4" Depth, Saw Cut.....	1.97	
	For Each Additional Pass (Depth To 3"), Add	0.76	
	For >250, Deduct	-0.19	
02 41 19 13-0059	LF Brick Masonry Up To 4" Depth, Saw Cut.....	7.28	
	For Each Additional Pass (Depth To 3"), Add	2.87	
	For >250, Deduct	-0.71	
02 41 19 13-0060	LF Concrete Block Up To 4" Depth, Saw Cut.....	6.59	
	For Each Additional Pass (Depth To 3"), Add	2.59	
	For >250, Deduct	-0.65	
02 41 19 13-0061	LF Non Reinforced Concrete Slab Or Paving Up To 4" Depth, Saw Cut.....	2.28	
	For Each Additional Pass (Depth To 3"), Add	0.87	
	For >250, Deduct	-0.21	
02 41 19 13-0062	LF Welded Wire Reinforced Concrete Slab Up To 4" Depth, Saw Cut.....	3.00	
	For Each Additional Pass (Depth To 3"), Add	1.14	
	For >250, Deduct	-0.28	
02 41 19 13-0063	LF Rod Reinforced Concrete Slab Up To 4" Depth, Saw Cut.....	4.91	
	For Each Additional Pass (Depth To 3"), Add	1.90	
	For >250, Deduct	-0.47	
02 41 19 13-0064	LF Plain Concrete Walls Up To 4" Depth, Saw Cut.....	9.31	
	For Each Additional Pass (Depth To 3"), Add	3.68	
	For >250, Deduct	-0.92	
02 41 19 13-0065	LF Saw Cut Rod Reinforced Concrete Walls Up To 4" Depth.....	12.50	
	For Each Additional Pass (Depth To 3"), Add	4.94	
	For >250, Deduct	-1.23	
02 41 19 13-0066	LF Concrete And Asphalt Up To 4" Depth, Saw Cut In Streets.....	2.33	
	For Each Additional Pass (Depth To 3"), Add	0.86	
	For >250, Deduct	-0.21	
02 41 19 13-0067	LF Igneous Stone Pavements Up To 4" Depth, Saw Cut.....	6.62	
	For Each Additional Pass (Depth To 3"), Add	2.60	
	For >250, Deduct	-0.65	
02 41 19 13-0068	LF Sedimentary Stone Pavements Up To 4" Depth, Saw Cut.....	6.62	
	For Each Additional Pass (Depth To 3"), Add	2.60	
	For >250, Deduct	-0.65	
02 41 19 13-0069	LF Metamorphic Stone Pavements Up To 4" Depth, Saw Cut.....	6.62	
	For Each Additional Pass (Depth To 3"), Add	2.60	
	For >250, Deduct	-0.65	
02 41 19 13-0070	LF Terrazzo Stone Pavements Up To 4" Depth, Saw Cut.....	6.62	
	For Each Additional Pass (Depth To 3"), Add	2.60	
	For >250, Deduct	-0.65	
02 41 19 13-0071	EA Saw Cut Minimum Charge.....	821.31	
	Note: For projects where the total saw cutting charge is less than the minimum charge, use this task exclusively. This task should not be used in conjunction with any other tasks in this section.		
02 41 19 13-0072	Torch Cutting (02 41 19 13)		
	Note: Includes grinding edge		
02 41 19 13-0073	LF Up To 1/2", Torch Cut Steel Plate.....	2.48	
02 41 19 13-0074	LF >1/2" To 1" Thick, Torch Cut Steel Plate.....	4.95	
02 41 19 13-0075	LF >1" To 1-1/2" Thick, Torch Cut Steel Plate.....	7.43	
02 41 19 13-0076	LF >1-1/2" To 2" Thick, Torch Cut Steel Plate.....	9.91	
02 41 19 13-0077	LF >2" To 2-1/2" Thick, Torch Cut Steel Plate.....	12.39	
02 41 19 13-0078	LF >2-1/2" To 3" Thick, Torch Cut Steel Plate.....	14.86	
02 41 19 13-0079	EA Torch Cutting Minimum Charge.....	750.75	
	Note: For projects where the total torch cutting charge is less than the minimum charge, use this task exclusively. This task should not be used in conjunction with any other tasks in this section.		



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
02 41 19 13-0080 Drilling In Existing Materials <small>(02 41 19 13)</small> Note: Includes drill bit wear, water, layout, set-up and clean-up.		
02 41 19 13-0081 Concrete Core Drilling <small>(02 41 19 13-0080)</small>		
02 41 19 13-0082 Up To 4" Thick Concrete Core Drilling <small>(02 41 19 13-0081)</small>		
02 41 19 13-0083 EA Drill 1" Diameter Core In Up To 4" Concrete.....	37.57	
<i>For Horizontal Cores, Add</i>	6.97	
<i>For Overhead Ceiling Cores (Where Not Accessible From Above), Add</i>	13.95	
02 41 19 13-0084 EA Drill 1-1/2" Diameter Core In Up To 4" Concrete.....	41.44	
<i>For Horizontal Cores, Add</i>	7.75	
<i>For Overhead Ceiling Cores (Where Not Accessible From Above), Add</i>	15.50	
02 41 19 13-0085 EA Drill 2" Diameter Core In Up To 4" Concrete.....	45.74	
<i>For Horizontal Cores, Add</i>	8.61	
<i>For Overhead Ceiling Cores (Where Not Accessible From Above), Add</i>	17.22	
02 41 19 13-0086 EA Drill 3" Diameter Core In Up To 4" Concrete.....	65.12	
<i>For Horizontal Cores, Add</i>	12.30	
<i>For Overhead Ceiling Cores (Where Not Accessible From Above), Add</i>	24.60	
02 41 19 13-0087 EA Drill 4" Diameter Core In Up To 4" Concrete.....	87.29	
<i>For Horizontal Cores, Add</i>	16.48	
<i>For Overhead Ceiling Cores (Where Not Accessible From Above), Add</i>	32.96	
02 41 19 13-0088 EA Drill 6" Diameter Core In Up To 4" Concrete.....	98.40	
<i>For Horizontal Cores, Add</i>	18.45	
<i>For Overhead Ceiling Cores (Where Not Accessible From Above), Add</i>	36.90	
02 41 19 13-0089 EA Drill 8" Diameter Core In Up To 4" Concrete.....	156.03	
<i>For Horizontal Cores, Add</i>	29.52	
<i>For Overhead Ceiling Cores (Where Not Accessible From Above), Add</i>	59.04	
02 41 19 13-0090 EA Drill 10" Diameter Core In Up To 4" Concrete.....	195.99	
<i>For Horizontal Cores, Add</i>	36.90	
<i>For Overhead Ceiling Cores (Where Not Accessible From Above), Add</i>	73.79	
02 41 19 13-0091 EA Drill 12" Diameter Core In Up To 4" Concrete.....	229.03	
<i>For Horizontal Cores, Add</i>	43.05	
<i>For Overhead Ceiling Cores (Where Not Accessible From Above), Add</i>	86.10	
02 41 19 13-0092 EA Drill 14" Diameter Core In Up To 4" Concrete.....	262.38	
<i>For Horizontal Cores, Add</i>	49.19	
<i>For Overhead Ceiling Cores (Where Not Accessible From Above), Add</i>	98.38	
02 41 19 13-0093 EA Drill 18" Diameter Core In Up To 4" Concrete.....	297.78	
<i>For Horizontal Cores, Add</i>	55.34	
<i>For Overhead Ceiling Cores (Where Not Accessible From Above), Add</i>	110.68	
02 41 19 13-0094 >4" To 6" Thick Concrete Core Drilling <small>(02 41 19 13-0081)</small>		
02 41 19 13-0095 EA Drill 1" Diameter Core In >4" To 6" Concrete.....	53.94	
<i>For Horizontal Cores, Add</i>	9.96	
<i>For Overhead Ceiling Cores (Where Not Accessible From Above), Add</i>	19.92	
02 41 19 13-0096 EA Drill 1-1/2" Diameter Core In >4" To 6" Concrete.....	59.47	
<i>For Horizontal Cores, Add</i>	11.07	
<i>For Overhead Ceiling Cores (Where Not Accessible From Above), Add</i>	22.13	
02 41 19 13-0097 EA Drill 2" Diameter Core In >4" To 6" Concrete.....	65.62	
<i>For Horizontal Cores, Add</i>	12.30	
<i>For Overhead Ceiling Cores (Where Not Accessible From Above), Add</i>	24.59	
02 41 19 13-0098 EA Drill 3" Diameter Core In >4" To 6" Concrete.....	79.48	
<i>For Horizontal Cores, Add</i>	14.76	
<i>For Overhead Ceiling Cores (Where Not Accessible From Above), Add</i>	29.52	
02 41 19 13-0099 EA Drill 4" Diameter Core In >4" To 6" Concrete.....	99.75	
<i>For Horizontal Cores, Add</i>	18.45	
<i>For Overhead Ceiling Cores (Where Not Accessible From Above), Add</i>	36.90	
02 41 19 13-0100 EA Drill 6" Diameter Core In >4" To 6" Concrete.....	132.34	
<i>For Horizontal Cores, Add</i>	24.60	
<i>For Overhead Ceiling Cores (Where Not Accessible From Above), Add</i>	49.20	
02 41 19 13-0101 EA Drill 8" Diameter Core In >4" To 6" Concrete.....	197.25	
<i>For Horizontal Cores, Add</i>	36.90	
<i>For Overhead Ceiling Cores (Where Not Accessible From Above), Add</i>	73.79	
02 41 19 13-0102 EA Drill 10" Diameter Core In >4" To 6" Concrete.....	232.45	
<i>For Horizontal Cores, Add</i>	43.05	
<i>For Overhead Ceiling Cores (Where Not Accessible From Above), Add</i>	86.10	
02 41 19 13-0103 EA Drill 12" Diameter Core In >4" To 6" Concrete.....	266.59	
<i>For Horizontal Cores, Add</i>	49.19	
<i>For Overhead Ceiling Cores (Where Not Accessible From Above), Add</i>	98.38	
02 41 19 13-0104 EA Drill 14" Diameter Core In >4" To 6" Concrete.....	301.77	
<i>For Horizontal Cores, Add</i>	55.34	
<i>For Overhead Ceiling Cores (Where Not Accessible From Above), Add</i>	110.68	
02 41 19 13-0105 EA Drill 18" Diameter Core In >4" To 6" Concrete.....	339.95	
<i>For Horizontal Cores, Add</i>	61.49	
<i>For Overhead Ceiling Cores (Where Not Accessible From Above), Add</i>	122.98	
02 41 19 13-0106 >6" To 8" Thick Concrete Core Drilling <small>(02 41 19 13-0081)</small>		
02 41 19 13-0107 EA Drill 1" Diameter Core In >6" To 8" Concrete.....	60.42	
<i>For Horizontal Cores, Add</i>	10.96	
<i>For Overhead Ceiling Cores (Where Not Accessible From Above), Add</i>	21.92	
02 41 19 13-0108 EA Drill 1-1/2" Diameter Core In >6" To 8" Concrete.....	66.50	
<i>For Horizontal Cores, Add</i>	12.18	
<i>For Overhead Ceiling Cores (Where Not Accessible From Above), Add</i>	24.35	

02 Existing Conditions**02 40 Demolition And Structure Moving****02 41 Demolition**

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
02 41 19 13-0109 EA Drill 2" Diameter Core In >6" To 8" Concrete	73.27	
For Horizontal Cores, Add	13.53	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	27.06	
02 41 19 13-0110 EA Drill 3" Diameter Core In >6" To 8" Concrete	87.68	
For Horizontal Cores, Add	15.99	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	31.98	
02 41 19 13-0111 EA Drill 4" Diameter Core In >6" To 8" Concrete	114.67	
For Horizontal Cores, Add	20.91	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	41.82	
02 41 19 13-0112 EA Drill 6" Diameter Core In >6" To 8" Concrete	160.13	
For Horizontal Cores, Add	29.52	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	59.04	
02 41 19 13-0113 EA Drill 8" Diameter Core In >6" To 8" Concrete	263.06	
For Horizontal Cores, Add	49.19	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	98.38	
02 41 19 13-0114 EA Drill 10" Diameter Core In >6" To 8" Concrete	299.60	
For Horizontal Cores, Add	55.34	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	110.68	
02 41 19 13-0115 EA Drill 12" Diameter Core In >6" To 8" Concrete	334.93	
For Horizontal Cores, Add	61.49	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	122.98	
02 41 19 13-0116 EA Drill 14" Diameter Core In >6" To 8" Concrete	371.88	
For Horizontal Cores, Add	67.63	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	135.26	
02 41 19 13-0117 EA Drill 18" Diameter Core In >6" To 8" Concrete	412.85	
For Horizontal Cores, Add	73.79	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	147.58	
02 41 19 13-0118 >8" To 10" Thick Concrete Core Drilling (02 41 19 13-0081)		
02 41 19 13-0119 EA Drill 1" Diameter Core In >8" To 10" Concrete	71.85	
For Horizontal Cores, Add	12.95	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	25.90	
02 41 19 13-0120 EA Drill 1-1/2" Diameter Core In >8" To 10" Concrete	79.04	
For Horizontal Cores, Add	14.39	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	28.78	
02 41 19 13-0121 EA Drill 2" Diameter Core In >8" To 10" Concrete	87.04	
For Horizontal Cores, Add	15.99	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	31.98	
02 41 19 13-0122 EA Drill 3" Diameter Core In >8" To 10" Concrete	102.02	
For Horizontal Cores, Add	18.45	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	36.90	
02 41 19 13-0123 EA Drill 4" Diameter Core In >8" To 10" Concrete	117.30	
For Horizontal Cores, Add	20.91	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	41.82	
02 41 19 13-0124 EA Drill 6" Diameter Core In >8" To 10" Concrete	163.32	
For Horizontal Cores, Add	29.52	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	59.04	
02 41 19 13-0125 EA Drill 8" Diameter Core In >8" To 10" Concrete	267.39	
For Horizontal Cores, Add	49.19	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	98.38	
02 41 19 13-0126 EA Drill 10" Diameter Core In >8" To 10" Concrete	305.30	
For Horizontal Cores, Add	55.34	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	110.68	
02 41 19 13-0127 EA Drill 12" Diameter Core In >8" To 10" Concrete	341.71	
For Horizontal Cores, Add	61.48	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	122.96	
02 41 19 13-0128 EA Drill 14" Diameter Core In >8" To 10" Concrete	380.55	
For Horizontal Cores, Add	67.63	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	135.26	
02 41 19 13-0129 EA Drill 18" Diameter Core In >8" To 10" Concrete	424.17	
For Horizontal Cores, Add	73.78	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	147.55	
02 41 19 13-0130 >10" To 12" Thick Concrete Core Drilling (02 41 19 13-0081)		
02 41 19 13-0131 EA Drill 1" Diameter Core In >10" To 12" Concrete	78.32	
For Horizontal Cores, Add	13.95	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	27.90	
02 41 19 13-0132 EA Drill 1-1/2" Diameter Core In >10" To 12" Concrete	86.07	
For Horizontal Cores, Add	15.50	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	31.00	
02 41 19 13-0133 EA Drill 2" Diameter Core In >10" To 12" Concrete	94.68	
For Horizontal Cores, Add	17.22	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	34.44	
02 41 19 13-0134 EA Drill 3" Diameter Core In >10" To 12" Concrete	104.07	
For Horizontal Cores, Add	18.45	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	36.90	
02 41 19 13-0135 EA Drill 4" Diameter Core In >10" To 12" Concrete	138.37	
For Horizontal Cores, Add	24.60	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	49.20	
02 41 19 13-0136 EA Drill 6" Diameter Core In >10" To 12" Concrete	178.82	
For Horizontal Cores, Add	31.98	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	63.96	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
02 41 19 13-0137 EA Drill 8" Diameter Core In >10" To 12" Concrete	284.03	
For Horizontal Cores, Add	51.65	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	103.31	
02 41 19 13-0138 EA Drill 10" Diameter Core In >10" To 12" Concrete	311.00	
For Horizontal Cores, Add	55.34	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	110.68	
02 41 19 13-0139 EA Drill 12" Diameter Core In >10" To 12" Concrete	360.94	
For Horizontal Cores, Add	63.96	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	127.92	
02 41 19 13-0140 >12" Thick Concrete Core Drilling (02 41 19 13-0081)		
02 41 19 13-0141 IN Drill 1" Diameter Core In >12" Concrete	9.24	
For Horizontal Cores, Add	1.70	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	3.41	
02 41 19 13-0142 IN Drill 1-1/2" Diameter Core In >12" Concrete	10.20	
For Horizontal Cores, Add	1.90	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	3.79	
02 41 19 13-0143 IN Drill 2" Diameter Core In >12" Concrete	11.25	
For Horizontal Cores, Add	2.11	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	4.21	
02 41 19 13-0144 IN Drill 3" Diameter Core In >12" Concrete	12.51	
For Horizontal Cores, Add	2.30	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	4.61	
02 41 19 13-0145 IN Drill 4" Diameter Core In >12" Concrete	16.65	
For Horizontal Cores, Add	3.07	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	6.15	
02 41 19 13-0146 IN Drill 6" Diameter Core In >12" Concrete	21.57	
For Horizontal Cores, Add	4.00	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	8.00	
02 41 19 13-0147 IN Drill 8" Diameter Core In >12" Concrete	34.47	
For Horizontal Cores, Add	6.46	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	12.93	
02 41 19 13-0148 IN Drill 10" Diameter Core In >12" Concrete	37.59	
For Horizontal Cores, Add	6.95	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	13.89	
02 41 19 13-0149 IN Drill 12" Diameter Core In >12" Concrete	43.43	
For Horizontal Cores, Add	8.00	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	16.00	
02 41 19 13-0150 Brick/Concrete Block Core Drilling (02 41 19 13-0080)		
02 41 19 13-0151 Up To 4" Thick Brick/Concrete Block Core Drilling (02 41 19 13-0150)		
02 41 19 13-0152 EA Drill 1" Diameter Core In Up To 4" Brick/Concrete Block	30.59	
For Horizontal Cores, Add	5.58	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	11.16	
02 41 19 13-0153 EA Drill 1-1/2" Diameter Core In Up To 4" Brick/Concrete Block	33.69	
For Horizontal Cores, Add	6.20	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	12.40	
02 41 19 13-0154 EA Drill 2" Diameter Core In Up To 4" Brick/Concrete Block	37.14	
For Horizontal Cores, Add	6.89	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	13.78	
02 41 19 13-0155 EA Drill 3" Diameter Core In Up To 4" Brick/Concrete Block	52.81	
For Horizontal Cores, Add	9.84	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	19.68	
02 41 19 13-0156 EA Drill 4" Diameter Core In Up To 4" Brick/Concrete Block	70.81	
For Horizontal Cores, Add	13.18	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	26.37	
02 41 19 13-0157 EA Drill 6" Diameter Core In Up To 4" Brick/Concrete Block	79.96	
For Horizontal Cores, Add	14.76	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	29.52	
02 41 19 13-0158 EA Drill 8" Diameter Core In Up To 4" Brick/Concrete Block	126.52	
For Horizontal Cores, Add	23.62	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	47.23	
02 41 19 13-0159 EA Drill 10" Diameter Core In Up To 4" Brick/Concrete Block	159.09	
For Horizontal Cores, Add	29.52	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	59.03	
02 41 19 13-0160 EA Drill 12" Diameter Core In Up To 4" Brick/Concrete Block	185.99	
For Horizontal Cores, Add	34.44	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	68.88	
02 41 19 13-0161 EA Drill 14" Diameter Core In Up To 4" Brick/Concrete Block	213.19	
For Horizontal Cores, Add	39.35	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	78.71	
02 41 19 13-0162 EA Drill 18" Diameter Core In Up To 4" Brick/Concrete Block	242.45	
For Horizontal Cores, Add	44.27	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	88.54	
02 41 19 13-0163 >4" To 6" Thick Brick/Concrete Block Core Drilling (02 41 19 13-0150)		
02 41 19 13-0164 EA Drill 1" Diameter Core In >4" To 6" Brick/Concrete Block	43.98	
For Horizontal Cores, Add	7.97	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	15.94	

02 Existing Conditions**02 40 Demolition And Structure Moving****02 41 Demolition**

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
02 41 19 13-0165 EA Drill 1-1/2" Diameter Core In >4" To 6" Brick/Concrete Block	48.41	
For Horizontal Cores, Add	8.85	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	17.71	
02 41 19 13-0166 EA Drill 2" Diameter Core In >4" To 6" Brick/Concrete Block	53.32	
For Horizontal Cores, Add	9.84	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	19.67	
02 41 19 13-0167 EA Drill 3" Diameter Core In >4" To 6" Brick/Concrete Block	64.71	
For Horizontal Cores, Add	11.81	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	23.61	
02 41 19 13-0168 EA Drill 4" Diameter Core In >4" To 6" Brick/Concrete Block	81.31	
For Horizontal Cores, Add	14.76	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	29.52	
02 41 19 13-0169 EA Drill 6" Diameter Core In >4" To 6" Brick/Concrete Block	107.74	
For Horizontal Cores, Add	19.68	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	39.36	
02 41 19 13-0170 EA Drill 8" Diameter Core In >4" To 6" Brick/Concrete Block	160.35	
For Horizontal Cores, Add	29.52	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	59.03	
02 41 19 13-0171 EA Drill 10" Diameter Core In >4" To 6" Brick/Concrete Block	189.41	
For Horizontal Cores, Add	34.44	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	68.88	
02 41 19 13-0172 EA Drill 12" Diameter Core In >4" To 6" Brick/Concrete Block	217.40	
For Horizontal Cores, Add	39.35	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	78.71	
02 41 19 13-0173 EA Drill 14" Diameter Core In >4" To 6" Brick/Concrete Block	246.44	
For Horizontal Cores, Add	44.27	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	88.54	
02 41 19 13-0174 EA Drill 18" Diameter Core In >4" To 6" Brick/Concrete Block	278.45	
For Horizontal Cores, Add	49.19	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	98.38	
02 41 19 13-0175 >6" To 8" Thick Brick/Concrete Block Core Drilling (02 41 19 13-0150)		
02 41 19 13-0176 EA Drill 1" Diameter Core In >6" To 8" Brick/Concrete Block	49.46	
For Horizontal Cores, Add	8.77	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	17.54	
02 41 19 13-0177 EA Drill 1-1/2" Diameter Core In >6" To 8" Brick/Concrete Block	54.32	
For Horizontal Cores, Add	9.74	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	19.48	
02 41 19 13-0178 EA Drill 2" Diameter Core In >6" To 8" Brick/Concrete Block	59.74	
For Horizontal Cores, Add	10.82	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	21.65	
02 41 19 13-0179 EA Drill 3" Diameter Core In >6" To 8" Brick/Concrete Block	71.69	
For Horizontal Cores, Add	12.79	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	25.58	
02 41 19 13-0180 EA Drill 4" Diameter Core In >6" To 8" Brick/Concrete Block	93.76	
For Horizontal Cores, Add	16.73	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	33.45	
02 41 19 13-0181 EA Drill 6" Diameter Core In >6" To 8" Brick/Concrete Block	130.62	
For Horizontal Cores, Add	23.62	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	47.23	
02 41 19 13-0182 EA Drill 8" Diameter Core In >6" To 8" Brick/Concrete Block	213.87	
For Horizontal Cores, Add	39.35	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	78.71	
02 41 19 13-0183 EA Drill 10" Diameter Core In >6" To 8" Brick/Concrete Block	244.27	
For Horizontal Cores, Add	44.27	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	88.54	
02 41 19 13-0184 EA Drill 12" Diameter Core In >6" To 8" Brick/Concrete Block	273.43	
For Horizontal Cores, Add	49.19	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	98.38	
02 41 19 13-0185 EA Drill 14" Diameter Core In >6" To 8" Brick/Concrete Block	304.26	
For Horizontal Cores, Add	54.10	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	108.21	
02 41 19 13-0186 EA Drill 18" Diameter Core In >6" To 8" Brick/Concrete Block	339.06	
For Horizontal Cores, Add	59.03	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	118.07	
02 41 19 13-0187 >8" To 10" Thick Brick/Concrete Block Core Drilling (02 41 19 13-0150)		
02 41 19 13-0188 EA Drill 1" Diameter Core In >8" To 10" Brick/Concrete Block	58.90	
For Horizontal Cores, Add	10.36	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	20.72	
02 41 19 13-0189 EA Drill 1-1/2" Diameter Core In >8" To 10" Brick/Concrete Block	64.65	
For Horizontal Cores, Add	11.51	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	23.02	
02 41 19 13-0190 EA Drill 2" Diameter Core In >8" To 10" Brick/Concrete Block	71.05	
For Horizontal Cores, Add	12.79	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	25.58	
02 41 19 13-0191 EA Drill 3" Diameter Core In >8" To 10" Brick/Concrete Block	83.58	
For Horizontal Cores, Add	14.76	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	29.52	
02 41 19 13-0192 EA Drill 4" Diameter Core In >8" To 10" Brick/Concrete Block	96.39	
For Horizontal Cores, Add	16.73	
For Overhead Ceiling Cores (Where Not Accessible From Above), Add	33.45	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
02 41 19 13-0193 EA Drill 6" Diameter Core In >8" To 10" Brick/Concrete Block	133.81	
<i>For Horizontal Cores, Add</i>	23.62	
<i>For Overhead Ceiling Cores (Where Not Accessible From Above), Add</i>	47.23	
02 41 19 13-0194 EA Drill 8" Diameter Core In >8" To 10" Brick/Concrete Block	218.20	
<i>For Horizontal Cores, Add</i>	39.35	
<i>For Overhead Ceiling Cores (Where Not Accessible From Above), Add</i>	78.71	
02 41 19 13-0195 EA Drill 10" Diameter Core In >8" To 10" Brick/Concrete Block	249.97	
<i>For Horizontal Cores, Add</i>	44.27	
<i>For Overhead Ceiling Cores (Where Not Accessible From Above), Add</i>	88.54	
02 41 19 13-0196 EA Drill 12" Diameter Core In >8" To 10" Brick/Concrete Block	280.22	
<i>For Horizontal Cores, Add</i>	49.18	
<i>For Overhead Ceiling Cores (Where Not Accessible From Above), Add</i>	98.36	
02 41 19 13-0197 EA Drill 14" Diameter Core In >8" To 10" Brick/Concrete Block	312.93	
<i>For Horizontal Cores, Add</i>	54.10	
<i>For Overhead Ceiling Cores (Where Not Accessible From Above), Add</i>	108.21	
02 41 19 13-0198 EA Drill 18" Diameter Core In >8" To 10" Brick/Concrete Block	350.39	
<i>For Horizontal Cores, Add</i>	59.02	
<i>For Overhead Ceiling Cores (Where Not Accessible From Above), Add</i>	118.04	
02 41 19 13-0199 >10" To 12" Thick Brick/Concrete Block Core Drilling (02 41 19 13-0150)		
02 41 19 13-0200 EA Drill 1" Diameter Core In >10" To 12" Brick/Concrete Block	64.37	
<i>For Horizontal Cores, Add</i>	11.16	
<i>For Overhead Ceiling Cores (Where Not Accessible From Above), Add</i>	22.32	
02 41 19 13-0201 EA Drill 1-1/2" Diameter Core In >10" To 12" Brick/Concrete Block	70.57	
<i>For Horizontal Cores, Add</i>	12.40	
<i>For Overhead Ceiling Cores (Where Not Accessible From Above), Add</i>	24.80	
02 41 19 13-0202 EA Drill 2" Diameter Core In >10" To 12" Brick/Concrete Block	77.45	
<i>For Horizontal Cores, Add</i>	13.77	
<i>For Overhead Ceiling Cores (Where Not Accessible From Above), Add</i>	27.55	
02 41 19 13-0203 EA Drill 3" Diameter Core In >10" To 12" Brick/Concrete Block	85.63	
<i>For Horizontal Cores, Add</i>	14.76	
<i>For Overhead Ceiling Cores (Where Not Accessible From Above), Add</i>	29.52	
02 41 19 13-0204 EA Drill 4" Diameter Core In >10" To 12" Brick/Concrete Block	113.77	
<i>For Horizontal Cores, Add</i>	19.68	
<i>For Overhead Ceiling Cores (Where Not Accessible From Above), Add</i>	39.36	
02 41 19 13-0205 EA Drill 6" Diameter Core In >10" To 12" Brick/Concrete Block	146.84	
<i>For Horizontal Cores, Add</i>	25.58	
<i>For Overhead Ceiling Cores (Where Not Accessible From Above), Add</i>	51.17	
02 41 19 13-0206 EA Drill 8" Diameter Core In >10" To 12" Brick/Concrete Block	232.38	
<i>For Horizontal Cores, Add</i>	41.32	
<i>For Overhead Ceiling Cores (Where Not Accessible From Above), Add</i>	82.65	
02 41 19 13-0207 EA Drill 10" Diameter Core In >10" To 12" Brick/Concrete Block	255.67	
<i>For Horizontal Cores, Add</i>	44.27	
<i>For Overhead Ceiling Cores (Where Not Accessible From Above), Add</i>	88.54	
02 41 19 13-0208 EA Drill 12" Diameter Core In >10" To 12" Brick/Concrete Block	296.98	
<i>For Horizontal Cores, Add</i>	51.17	
<i>For Overhead Ceiling Cores (Where Not Accessible From Above), Add</i>	102.33	
02 41 19 13-0209 >12" Thick Brick/Concrete Block Core Drilling (02 41 19 13-0150)		
02 41 19 13-0210 IN Drill 1" Diameter Core In >12" Brick/Concrete Block	7.54	
<i>For Horizontal Cores, Add</i>	1.36	
<i>For Overhead Ceiling Cores (Where Not Accessible From Above), Add</i>	2.73	
02 41 19 13-0211 IN Drill 1-1/2" Diameter Core In >12" Brick/Concrete Block	8.30	
<i>For Horizontal Cores, Add</i>	1.52	
<i>For Overhead Ceiling Cores (Where Not Accessible From Above), Add</i>	3.03	
02 41 19 13-0212 IN Drill 2" Diameter Core In >12" Brick/Concrete Block	9.14	
<i>For Horizontal Cores, Add</i>	1.68	
<i>For Overhead Ceiling Cores (Where Not Accessible From Above), Add</i>	3.37	
02 41 19 13-0213 IN Drill 3" Diameter Core In >12" Brick/Concrete Block	10.21	
<i>For Horizontal Cores, Add</i>	1.84	
<i>For Overhead Ceiling Cores (Where Not Accessible From Above), Add</i>	3.69	
02 41 19 13-0214 IN Drill 4" Diameter Core In >12" Brick/Concrete Block	13.57	
<i>For Horizontal Cores, Add</i>	2.46	
<i>For Overhead Ceiling Cores (Where Not Accessible From Above), Add</i>	4.92	
02 41 19 13-0215 IN Drill 6" Diameter Core In >12" Brick/Concrete Block	17.58	
<i>For Horizontal Cores, Add</i>	3.20	
<i>For Overhead Ceiling Cores (Where Not Accessible From Above), Add</i>	6.40	
02 41 19 13-0216 IN Drill 8" Diameter Core In >12" Brick/Concrete Block	28.00	
<i>For Horizontal Cores, Add</i>	5.17	
<i>For Overhead Ceiling Cores (Where Not Accessible From Above), Add</i>	10.34	
02 41 19 13-0217 IN Drill 10" Diameter Core In >12" Brick/Concrete Block	30.65	
<i>For Horizontal Cores, Add</i>	5.56	
<i>For Overhead Ceiling Cores (Where Not Accessible From Above), Add</i>	11.12	
02 41 19 13-0218 IN Drill 12" Diameter Core In >12" Brick/Concrete Block	35.43	
<i>For Horizontal Cores, Add</i>	6.40	
<i>For Overhead Ceiling Cores (Where Not Accessible From Above), Add</i>	12.80	
02 41 19 13-0219 Asphalt Core Drilling (02 41 19 13-0080)		
02 41 19 13-0220 Up To 2" Thick Asphalt Core Drilling (02 41 19 13-0219)		
02 41 19 13-0221 EA Drill 2" Diameter Core In Up To 2" Asphalt	27.18	
02 41 19 13-0222 EA Drill 3" Diameter Core In Up To 2" Asphalt	33.77	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
02 41 19 13-0223 EA Drill 4" Diameter Core In Up To 2" Asphalt	42.53	
02 41 19 13-0224 EA Drill 6" Diameter Core In Up To 2" Asphalt	53.46	
02 41 19 13-0225 EA Drill 8" Diameter Core In Up To 2" Asphalt	66.76	
02 41 19 13-0226 EA Drill 10" Diameter Core In Up To 2" Asphalt.....	82.94	
02 41 19 13-0227 EA Drill 12" Diameter Core In Up To 2" Asphalt.....	103.53	
02 41 19 13-0228 >2" To 3" Thick Asphalt Core Drilling (02 41 19 13-0219)		
02 41 19 13-0229 EA Drill 2" Diameter Core In >2" To 3" Asphalt.....	34.65	
02 41 19 13-0230 EA Drill 3" Diameter Core In >2" To 3" Asphalt.....	43.41	
02 41 19 13-0231 EA Drill 4" Diameter Core In >2" To 3" Asphalt.....	54.34	
02 41 19 13-0232 EA Drill 6" Diameter Core In >2" To 3" Asphalt.....	68.48	
02 41 19 13-0233 EA Drill 8" Diameter Core In >2" To 3" Asphalt.....	85.06	
02 41 19 13-0234 EA Drill 10" Diameter Core In >2" To 3" Asphalt.....	106.58	
02 41 19 13-0235 EA Drill 12" Diameter Core In >2" To 3" Asphalt.....	132.54	
02 41 19 13-0236 >3" To 4" Thick Asphalt Core Drilling (02 41 19 13-0219)		
02 41 19 13-0237 EA Drill 2" Diameter Core In >3" To 4" Asphalt.....	44.52	
02 41 19 13-0238 EA Drill 3" Diameter Core In >3" To 4" Asphalt.....	55.50	
02 41 19 13-0239 EA Drill 4" Diameter Core In >3" To 4" Asphalt.....	69.82	
02 41 19 13-0240 EA Drill 6" Diameter Core In >3" To 4" Asphalt.....	87.28	
02 41 19 13-0241 EA Drill 8" Diameter Core In >3" To 4" Asphalt.....	109.47	
02 41 19 13-0242 EA Drill 10" Diameter Core In >3" To 4" Asphalt.....	136.45	
02 41 19 13-0243 EA Drill 12" Diameter Core In >3" To 4" Asphalt.....	170.04	
02 41 19 13-0244 >4" To 6" Thick Asphalt Core Drilling (02 41 19 13-0219)		
02 41 19 13-0245 EA Drill 2" Diameter Core In >4" To 6" Asphalt.....	56.78	
02 41 19 13-0246 EA Drill 3" Diameter Core In >4" To 6" Asphalt.....	72.32	
02 41 19 13-0247 EA Drill 4" Diameter Core In >4" To 6" Asphalt.....	90.07	
02 41 19 13-0248 EA Drill 6" Diameter Core In >4" To 6" Asphalt.....	112.02	
02 41 19 13-0249 EA Drill 8" Diameter Core In >4" To 6" Asphalt.....	141.10	
02 41 19 13-0250 EA Drill 10" Diameter Core In >4" To 6" Asphalt.....	175.75	
02 41 19 13-0251 EA Drill 12" Diameter Core In >4" To 6" Asphalt.....	219.35	
02 41 19 13-0252 Manhole Core Drilling (02 41 19 13-0080)		
02 41 19 13-0253 EA Drill 4" Diameter Core In 6" Brick Manhole	189.55	
02 41 19 13-0254 EA Drill 5" Diameter Core In 6" Brick Manhole	216.54	
02 41 19 13-0255 EA Drill 6" Diameter Core In 6" Brick Manhole	252.23	
02 41 19 13-0256 EA Drill 8" Diameter Core In 6" Brick Manhole	377.51	
02 41 19 13-0257 EA Drill 2" Diameter Core In 8" Concrete Manhole.....	252.97	
02 41 19 13-0258 EA Drill 3" Diameter Core In 8" Concrete Manhole.....	270.86	
02 41 19 13-0259 EA Drill 4" Diameter Core In 8" Concrete Manhole.....	299.58	
02 41 19 13-0260 EA Drill 5" Diameter Core In 8" Concrete Manhole.....	321.83	
02 41 19 13-0261 EA Drill 6" Diameter Core In 8" Concrete Manhole.....	380.92	
02 41 19 13-0262 EA Drill 8" Diameter Core In 8" Concrete Manhole.....	543.37	
02 41 19 13-0263 EA Drill 2" Diameter Core In Fiberglass Manhole	24.73	
02 41 19 13-0264 EA Drill 3" Diameter Core In Fiberglass Manhole	28.58	
02 41 19 13-0265 EA Drill 4" Diameter Core In Fiberglass Manhole	31.01	
02 41 19 13-0266 EA Drill 5" Diameter Core In Fiberglass Manhole	33.84	
02 41 19 13-0267 EA Drill 6" Diameter Core In Fiberglass Manhole	37.23	
02 41 19 13-0268 EA Drill 8" Diameter Core In Fiberglass Manhole	41.40	
02 41 19 13-0269 Drilling In Concrete Per Inch Of Depth (02 41 19 13-0080)		
Note: Includes layout.		
02 41 19 13-0270 IN 1/4" Diameter Drilling In Concrete Per Inch Of Depth	2.03	
02 41 19 13-0271 IN 3/8" Diameter Drilling In Concrete Per Inch Of Depth	2.13	
02 41 19 13-0272 IN 1/2" Diameter Drilling In Concrete Per Inch Of Depth	2.29	
02 41 19 13-0273 IN 5/8" Diameter Drilling In Concrete Per Inch Of Depth	2.43	
02 41 19 13-0274 IN 3/4" Diameter Drilling In Concrete Per Inch Of Depth	2.67	
02 41 19 13-0275 IN 7/8" Diameter Drilling In Concrete Per Inch Of Depth	2.90	
02 41 19 13-0276 IN 1" Diameter Drilling In Concrete Per Inch Of Depth	3.05	
02 41 19 13-0277 IN 1-1/4" Diameter Drilling In Concrete Per Inch Of Depth	3.37	
02 41 19 13-0278 IN 1-1/2" Diameter Drilling In Concrete Per Inch Of Depth	3.79	
02 41 19 13-0279 Drilling In Brick/Concrete Block Per Inch Of Depth (02 41 19 13-0080)		
Note: Includes layout.		
02 41 19 13-0280 IN 1/4" Diameter Drilling In Brick/Concrete Block Per Inch Of Depth.....	1.69	
02 41 19 13-0281 IN 3/8" Diameter Drilling In Brick/Concrete Block Per Inch Of Depth.....	1.79	
02 41 19 13-0282 IN 1/2" Diameter Drilling In Brick/Concrete Block Per Inch Of Depth.....	1.91	
02 41 19 13-0283 IN 5/8" Diameter Drilling In Brick/Concrete Block Per Inch Of Depth.....	2.04	
02 41 19 13-0284 IN 3/4" Diameter Drilling In Brick/Concrete Block Per Inch Of Depth.....	2.23	
02 41 19 13-0285 IN 7/8" Diameter Drilling In Brick/Concrete Block Per Inch Of Depth.....	2.43	
02 41 19 13-0286 IN 1" Diameter Drilling In Brick/Concrete Block Per Inch Of Depth.....	2.55	
02 41 19 13-0287 IN 1-1/4" Diameter Drilling In Brick/Concrete Block Per Inch Of Depth	2.82	
02 41 19 13-0288 IN 1-1/2" Diameter Drilling In Brick/Concrete Block Per Inch Of Depth	3.29	



MINOR	CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
-------	---------------------	------------------------	----------------------

02 41 19 13-0289	Drilling In Wood Or Plastic Per Inch Of Depth (02 41 19 13-0080)		
Note: Includes layout.			
02 41 19 13-0290	IN 1/4" Diameter Drilling In Wood Or Plastic Per Inch Of Depth.....		.084
02 41 19 13-0291	IN 3/8" Diameter Drilling In Wood Or Plastic Per Inch Of Depth.....		.088
02 41 19 13-0292	IN 1/2" Diameter Drilling In Wood Or Plastic Per Inch Of Depth.....		.094
02 41 19 13-0293	IN 5/8" Diameter Drilling In Wood Or Plastic Per Inch Of Depth.....		1.00
02 41 19 13-0294	IN 3/4" Diameter Drilling In Wood Or Plastic Per Inch Of Depth.....		1.10
02 41 19 13-0295	IN 7/8" Diameter Drilling In Wood Or Plastic Per Inch Of Depth.....		1.18
02 41 19 13-0296	IN 1" Diameter Drilling In Wood Or Plastic Per Inch Of Depth.....		1.25
02 41 19 13-0297	IN 1-1/4" Diameter Drilling In Wood Or Plastic Per Inch Of Depth.....		1.39
02 41 19 13-0298	IN 1-1/2" Diameter Drilling In Wood Or Plastic Per Inch Of Depth.....		1.59

02 41 19 13-0299	Limestone Core Drilling (02 41 19 13-0080)		
02 41 19 13-0300	10" To 14" Thick Limestone Core Drilling (02 41 19 13-0299)		
02 41 19 13-0301	EA Drill 1" Diameter Core In 10" To 14" Limestone.....		56.17
02 41 19 13-0302	EA Drill 1-1/2" Diameter Core In 10" To 14" Limestone.....		67.76
02 41 19 13-0303	EA Drill 2" Diameter Core In 10" To 14" Limestone.....		74.09
02 41 19 13-0304	EA Drill 3" Diameter Core In 10" To 14" Limestone.....		86.76
02 41 19 13-0305	EA Drill 4" Diameter Core In 10" To 14" Limestone.....		99.66
02 41 19 13-0306	EA Drill 6" Diameter Core In 10" To 14" Limestone.....		138.90
02 41 19 13-0307	EA Drill 8" Diameter Core In 10" To 14" Limestone.....		227.64

02 41 19 13-0308	15" To 18" Thick Limestone Core Drilling (02 41 19 13-0299)		
02 41 19 13-0309	EA Drill 1" Diameter Core In 15" To 18" Limestone.....		62.16
02 41 19 13-0310	EA Drill 1-1/2" Diameter Core In 15" To 18" Limestone.....		73.98
02 41 19 13-0311	EA Drill 2" Diameter Core In 15" To 18" Limestone.....		80.54
02 41 19 13-0312	EA Drill 3" Diameter Core In 15" To 18" Limestone.....		88.41
02 41 19 13-0313	EA Drill 4" Diameter Core In 15" To 18" Limestone.....		117.55
02 41 19 13-0314	EA Drill 6" Diameter Core In 15" To 18" Limestone.....		151.95
02 41 19 13-0315	EA Drill 8" Diameter Core In 15" To 18" Limestone.....		241.73

02 41 19 13-0316	19" To 24" Thick Limestone Core Drilling (02 41 19 13-0299)		
02 41 19 13-0317	EA Drill 1" Diameter Core In 19" To 24" Limestone.....		68.06
02 41 19 13-0318	EA Drill 1-1/2" Diameter Core In 19" To 24" Limestone.....		80.08
02 41 19 13-0319	EA Drill 2" Diameter Core In 19" To 24" Limestone.....		86.84
02 41 19 13-0320	EA Drill 3" Diameter Core In 19" To 24" Limestone.....		100.34
02 41 19 13-0321	EA Drill 4" Diameter Core In 19" To 24" Limestone.....		140.46
02 41 19 13-0322	EA Drill 6" Diameter Core In 19" To 24" Limestone.....		175.29
02 41 19 13-0323	EA Drill 8" Diameter Core In 19" To 24" Limestone.....		260.75

02 41 19 13-0324	Minimum Charge For Core Drilling (02 41 19 13-0080)		
02 41 19 13-0325	EA Core Drill Minimum Charge.....		666.06
Note: For projects where the total core drilling charge is less than the minimum charge, use task "Minimum Charge For Core Drilling" exclusively. Task "Minimum Charge For Core Drilling" should not be used in conjunction with any other tasks in this section. Does not apply to sections "Drilling In Concrete Per Inch Of Depth" or "Drilling In Brick Or Block Per Inch Of Depth".			

02 41 19 13-0326	Cutouts (02 41 19 13)		
Note: Includes saw cutting and removal of material. Not to be used for openings greater than 24 SF.			

02 41 19 13-0327	Reinforced Concrete Slab On Grade Cutouts (02 41 19 13-0326)		
02 41 19 13-0328	SF 4" Thick Reinforced Concrete Slab On Grade Cutouts, <24 SF.....		43.33
02 41 19 13-0329	SF 6" Thick Reinforced Concrete Slab On Grade Cutouts, <24 SF.....		45.96
02 41 19 13-0330	SF 8" Thick Reinforced Concrete Slab On Grade Cutouts, <24 SF.....		48.59
02 41 19 13-0331	SF 10" Thick Reinforced Concrete Slab On Grade Cutouts, <24 SF.....		51.21
02 41 19 13-0332	SF 12" Thick Reinforced Concrete Slab On Grade Cutouts, <24 SF.....		52.53

02 41 19 13-0333	Reinforced Concrete Elevated Slab Cutouts (02 41 19 13-0326)		
Note: Includes cutting and removing steel decking.			
02 41 19 13-0334	SF 4" Thick Reinforced Concrete Elevated Slab Cutouts, <24 SF.....		52.81
02 41 19 13-0335	SF 6" Thick Reinforced Concrete Elevated Slab Cutouts, <24 SF.....		56.01
02 41 19 13-0336	SF 8" Thick Reinforced Concrete Elevated Slab Cutouts, <24 SF.....		59.21
02 41 19 13-0337	SF 10" Thick Reinforced Concrete Elevated Slab Cutouts, <24 SF.....		62.42
02 41 19 13-0338	SF 12" Thick Reinforced Concrete Elevated Slab Cutouts, <24 SF.....		64.02

02 41 19 13-0339	Reinforced Concrete Wall Cutouts (02 41 19 13-0326)		
02 41 19 13-0340	SF 4" Thick Reinforced Concrete Wall Cutouts, <24 SF.....		54.17
02 41 19 13-0341	SF 6" Thick Reinforced Concrete Wall Cutouts, <24 SF.....		57.45
02 41 19 13-0342	SF 8" Thick Reinforced Concrete Wall Cutouts, <24 SF.....		60.73
02 41 19 13-0343	SF 10" Thick Reinforced Concrete Wall Cutouts, <24 SF.....		64.02
02 41 19 13-0344	SF 12" Thick Reinforced Concrete Wall Cutouts, <24 SF.....		65.66

02 Existing Conditions**02 40 Demolition And Structure Moving****02 41 Demolition**MINOR
CSI UOM DESCRIPTIONTOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

02 41 19 13-0345	Brick Wall Cutouts (02 41 19 13-0326) Note: Excludes toothing.		
02 41 19 13-0346	SF 4" Thick Brick Wall Cutouts, <24 SF	16.41	
02 41 19 13-0347	SF 6" Thick Brick Wall Cutouts, <24 SF	27.08	
02 41 19 13-0348	SF 8" Thick Brick Wall Cutouts, <24 SF	37.71	
02 41 19 13-0349	SF 10" Thick Brick Wall Cutouts, <24 SF	45.96	
02 41 19 13-0350	SF 12" Thick Brick Wall Cutouts, <24 SF	54.98	
02 41 19 13-0351	SF 16" Thick Brick Wall Cutouts, <24 SF	64.83	
02 41 19 13-0352	Concrete Block Wall Cutouts (02 41 19 13-0326) Note: Excludes toothing.		
02 41 19 13-0353	SF 4" Thick Concrete Block Wall Cutouts, <24 SF	27.15	
02 41 19 13-0354	SF 6" Thick Concrete Block Wall Cutouts, <24 SF	28.75	
02 41 19 13-0355	SF 8" Thick Concrete Block Wall Cutouts, <24 SF	30.36	
02 41 19 13-0356	SF 10" Thick Concrete Block Wall Cutouts, <24 SF	32.00	
02 41 19 13-0357	SF 12" Thick Concrete Block Wall Cutouts, <24 SF	32.83	
02 41 19 13-0358	SF 16" Thick Concrete Block Wall Cutouts, <24 SF	34.47	
02 41 19 13-0359	Limestone Cutouts (02 41 19 13-0326)		
02 41 19 13-0360	SF 2" Thick Limestone Cutouts, <24 SF	45.96	
02 41 19 13-0361	SF 4" Thick Limestone Cutouts, <24 SF	55.81	
02 41 19 13-0362	SF 6" Thick Limestone Cutouts, <24 SF	59.09	
02 41 19 13-0363	SF 8" Thick Limestone Cutouts, <24 SF	62.37	
02 41 19 13-0364	SF 10" Thick Limestone Cutouts, <24 SF	65.66	
02 41 19 13-0365	SF 12" Thick Limestone Cutouts, <24 SF	68.94	
02 41 19 13-0366	Toothng Masonry Cutouts (02 41 19 13-0326) Note: For use where existing masonry must be removed in a toothing pattern along horizontal and vertical mortar joints. VLF measurement includes all horizontal cutting.		
02 41 19 13-0367	VLF Brick, Soft Old Mortar, Toothng Masonry Cutouts	16.41	
02 41 19 13-0368	VLF Brick, Hard Mortar, Toothng Masonry Cutouts	22.15	
02 41 19 13-0369	VLF Concrete Block, Soft Old Mortar, Toothng Masonry Cutouts	9.85	
02 41 19 13-0370	VLF Concrete Block, Hard Mortar, Toothng Masonry Cutouts	13.13	
02 41 19 13-0371	Minimum Charge For Cutouts (02 41 19 13-0326) Note: For projects where the total cutouts charge is less than the minimum charge, use this task exclusively. This task should not be used in conjunction with any other tasks in this section.		
02 41 19 13-0372	EA Cutouts Minimum Charge	328.27	
02 41 19 13-0373	Elevated Concrete Removal (02 41 19 13)		
02 41 19 13-0374	CF Elevated Concrete Beam/Slab/Steps Removal, Reinforced	10.99	
02 41 19 16	Selective Interior Demolition (02 41 19) Note: Includes break-up of material, loading into truck or dumpster and clean-up.		
02 41 19 16-0001	Floor Removal (02 41 19 16)		
02 41 19 16-0002	Scarify Concrete (02 41 19 16-0001) Note: Up to 1/4" removal per pass.		
02 41 19 16-0003	SF Scarify Concrete Floor	0.23	
02 41 19 16-0004	SF Scarify Concrete Tread And Riser	1.93	
02 41 19 16-0005	SF Scarify Concrete Wall	1.75	
02 41 19 16-0006	Fireproofing Removal (02 41 19 16)		
02 41 19 16-0007	SF Removal Of Fireproofing From Concrete Or Steel	1.11	
02 41 19 16-0008	Demolish Ceiling (02 41 19 16)		
02 41 19 16-0009	SF Demolish Drywall Ceiling	0.85	
02 41 19 16-0010	SF Demolish Furred Plastered Ceiling	1.99	
02 41 19 16-0011	SF Demolish Suspended Plastered Ceiling And Suspension System	1.52	
02 41 19 16-0012	Demolish Concrete Stair (02 41 19 16)		
02 41 19 16-0013	CF Demolish Interior Reinforced Concrete Stairs	7.11	
02 41 19 16-0014	CF Demolish Exterior Reinforced Concrete Stairs	5.88	
02 41 19 16-0015	Demolish Interior Partition/Wall (02 41 19 16) Note: Price includes knock down, loading, clean-up.		
02 41 19 16-0016	Demolish Masonry And Concrete Interior Partition/Walls (02 41 19 16-0015) Note: Includes saw cutting, knock down, loading and clean-up.		



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
02 41 19 16-0017 Demolish Concrete Block Interior Partition/Walls (02 41 19 16-0016)		
02 41 19 16-0018 SF Demolish 4" Thick Non Reinforced Concrete Block Interior Partition/Wall	4.61	
02 41 19 16-0019 SF Demolish 6" Thick Non Reinforced Concrete Block Interior Partition/Wall	4.93	
02 41 19 16-0020 SF Demolish 8" Thick Non Reinforced Concrete Block Interior Partition/Wall	5.55	
02 41 19 16-0021 SF Demolish 12" Thick Non Reinforced Concrete Block Interior Partition/Wall	7.12	
02 41 19 16-0022 SF Demolish 16" Thick Non Reinforced Concrete Block Interior Partition/Wall	8.91	
02 41 19 16-0023 SF Demolish 4" Thick Reinforced Concrete Block Interior Partition/Wall	5.53	
02 41 19 16-0024 SF Demolish 6" Thick Reinforced Concrete Block Interior Partition/Wall	5.91	
02 41 19 16-0025 SF Demolish 8" Thick Reinforced Concrete Block Interior Partition/Wall	6.66	
02 41 19 16-0026 SF Demolish 12" Thick Reinforced Concrete Block Interior Partition/Wall	8.55	
02 41 19 16-0027 SF Demolish 16" Thick Reinforced Concrete Block Interior Partition/Wall	10.69	
02 41 19 16-0028 Demolish Brick Interior Partition/Walls (02 41 19 16-0016)		
02 41 19 16-0029 SF Demolish 4" Thick Brick Interior Partition/Wall	4.61	
02 41 19 16-0030 SF Demolish 8" Thick Brick Interior Partition/Wall	5.55	
02 41 19 16-0031 SF Demolish 12" Thick Brick Interior Partition/Wall	7.11	
02 41 19 16-0032 SF Demolish 16" Thick Brick Interior Partition/Wall	8.91	
02 41 19 16-0033 Demolish Glass Block Interior Partition/Walls (02 41 19 16-0016)		
02 41 19 16-0034 SF Demolish Glass Block Interior Partition/Walls	3.95	
02 41 19 16-0035 Demolish Concrete Interior Partition/Walls (02 41 19 16-0016)		
See CSI section 02 41 16 13-0021 for concrete foundation demolition.		
02 41 19 16-0036 SF Demolish 6" Thick Non Reinforced Concrete Interior Partition/Wall	8.38	
02 41 19 16-0037 SF Demolish 8" Thick Non Reinforced Concrete Interior Partition/Wall	10.48	
02 41 19 16-0038 SF Demolish 12" Thick Non Reinforced Concrete Interior Partition/Wall	14.68	
02 41 19 16-0039 SF Demolish 6" Thick Reinforced Concrete Interior Partition/Wall	10.06	
02 41 19 16-0040 SF Demolish 8" Thick Reinforced Concrete Interior Partition/Wall	12.66	
02 41 19 16-0041 SF Demolish 12" Thick Reinforced Concrete Interior Partition/Wall	17.61	
02 41 19 16-0042 Demolish Terra-Cotta Block Interior Partition/Walls (02 41 19 16-0016)		
02 41 19 16-0043 SF Demolish Up To 6" Thick Terra-Cotta Block Interior Partition/Wall Finished With Plaster	1.58	
02 41 19 16-0044 Demolish Stud Framed Interior Partition/Walls (02 41 19 16-0015)		
Note: Includes knock down, loading and clean-up. Includes demo of insulation if required.		
02 41 19 16-0045 SF Demolish Wood Or Metal Framed Interior Partition/Wall With Drywall 1 Side	2.81	
For Heights >14' To 20', Add	0.42	
For Heights >20', Add	0.56	
02 41 19 16-0046 SF Demolish Wood Or Metal Framed Interior Partition/Wall With Drywall 2 Sides	3.27	
For Heights >14' To 20', Add	0.49	
For Heights >20', Add	0.65	
02 41 19 16-0047 SF Demolish Wood Or Metal Framed Interior Partition/Wall With Plaster And Lath 1 Side	3.59	
For Heights >14' To 20', Add	0.54	
For Heights >20', Add	0.72	
02 41 19 16-0048 SF Demolish Wood Or Metal Framed Interior Partition/Wall With Plaster And Lath 2 Sides	4.99	
For Heights >14' To 20', Add	0.75	
For Heights >20', Add	1.00	
02 41 19 16-0049 SF Demolish Plaster And Lath From 1 Side Of An Interior Partition/Wall	1.47	
For Heights >14' To 20', Add	0.22	
For Heights >20', Add	0.29	
02 41 19 16-0050 SF Demolish Plaster And Lath From 2 Sides Of An Interior Partition/Wall	1.76	
For Heights >14' To 20', Add	0.26	
For Heights >20', Add	0.35	
02 42 Removal And Salvage Of Construction Materials (02 40)		
02 42 21 Salvage of Construction Materials (02 42)		
Note: Salvage tasks include placement on pallets and storage on site.		
02 42 21 35 Roofing Salvage (02 42 21)		
02 42 21 35-0001 Clay Tile Roof Remove And Salvage For Re-use (02 42 21 35)		
Note: Includes removing mortar, scraping, cleaning, placement on pallets and storage on site.		
02 42 21 35-0002 SQ Removal Of Clay Roof Tile, Salvage For Re-use	258.79	
02 42 21 47 Flooring Salvage (02 42 21)		
02 42 21 47-0001 Remove And Salvage For Re-Use (02 42 21 47)		
Note: Includes removing mortar, scraping, cleaning, placement on pallets and storage on site.		
02 42 21 47-0002 SF Removal Of Brick Flooring And Salvage	2.36	
02 42 21 47-0003 SF Removal Of Ceramic/Quarry Tile Floor And Salvage	2.36	
02 42 21 47-0004 SF Removal Of Terrazzo Flooring And Salvage	3.26	
02 42 21 47-0005 SF Removal Of Wood Strip Flooring And Salvage	1.91	
02 42 21 47-0006 SF Removal Of Wood Parquet Flooring And Salvage	1.00	
02 42 21 47-0007 SF Removal Of Resilient/Linoleum Flooring And Salvage	0.72	

02	02 Existing Conditions
	02 40 Demolition And Structure Moving
	02 42 Removal And Salvage Of Construction Materials



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
------------------------------	---------------------------	-------------------------

02 43 Structure Moving (02 40)

02 43 13 Structure Relocation (02 43)

Note: Includes disconnection of utilities, moving of structure, one day move (excludes travel expenses and lodging), up to 24' wide. Reset on new foundations and hook up to utilities.

02 43 13 13 Building Relocation (02 43 13)

02 43 13 13-0001 Move Relocatable Structures (Trailer, Mobile Facilities, etc.), Complete (02 43 13)

Note: Includes disconnect portable from foundation, separate relocatable unit and attachments as needed for transport, secure all relocatable attachments (awnings, steps, ramps, railing, etc.) for transport, transport relocatable and attachments to new location, including permits and police escort, connect to foundation per approved specifications/details, including welding and/or hurricane anchoring as needed.

02 43 13 13-0002	SF	Up To 800 SF, Move Relocatable Metal Frame Building	30.26	
02 43 13 13-0003	SF	>800 To 920 SF, Move Relocatable Metal Frame Building	28.61	
02 43 13 13-0004	SF	>920 SF, Move Relocatable Metal Frame Building	26.77	
02 43 13 13-0005	SF	Up To 800 SF, Move Relocatable Wood Frame Building	24.28	
02 43 13 13-0006	SF	>800 To 920 SF, Move Relocatable Wood Frame Building	22.70	
02 43 13 13-0007	SF	>920 SF, Move Relocatable Wood Frame Building	20.07	
02 43 13 13-0008	SF	Up To 800 SF, Move Relocatable Wood/Metal Frame Building	29.41	
02 43 13 13-0009	SF	>800 To 920 SF, Move Relocatable Wood/Metal Frame Building	26.77	
02 43 13 13-0010	SF	>920 SF, Move Relocatable Wood/Metal Frame Building	22.70	

02 50 Site Remediation (02)

02 58 Snow Control (02 50)

02 58 13 Snow Fencing (02 58)

02 58 13 00-0001 Snow/Sand Fence On Steel Posts (02 58 13)

02 58 13 00-0002	LF	Steel Fence Post, 10' On Center With 4' Wood Snow/Sand Fence	5.88	1.87
------------------	----	--	------	------

02 60 Contaminated Site Material Removal (02)

02 61 Removal And Disposal Of Contaminated Soils (02 60)

02 61 13 Excavation And Handling Of Contaminated Material (02 61)

See CSI section 31 23 16 00-0000 for excavation.

02 61 13 00-0001 Excavate Petroleum Contaminated Soil (02 61 13)

02 61 13 00-0002	CY	Excavate Petroleum Contaminated Soil	10.90	
Note: Includes excavation, making a determination if the soil is reusable or contaminated, and stockpiling as per determination.				
02 61 13 00-0003	CY	Load Excavated Petroleum Contaminated Soil	6.09	
02 61 13 00-0004	CY	Disposal Fees Of Petroleum Contaminated Soil	63.25	

02 61 13 00-0005 Accessories For Contaminated Soil Stockpile (02 61 13)

See CSI section 31 25 14 23-0001 for sand bags.				
02 61 13 00-0006	SF	30 Mil Liner For Contaminated Soil Storage	1.10	
Note: 9.93 SF of liner per 1 ton of petroleum contaminated soil.				
02 61 13 00-0007	SF	10 Mil Liner For Contaminated Soil Storage	0.68	
Note: 9.93 SF of liner per 1 ton of petroleum contaminated soil.				

02 61 26 Removal and Disposal of Asbestos Contaminated Soils (02 61)

Note: Tasks include materials, equipment, mobilization, preparation, signage, removal, transportation for up to 25 miles, disposal of waste at transfer facility or final destination, personnel health monitoring, negative air, documentation and other associated costs necessary for the complete abatement and disposal of the ACM in accordance with EPA, OSHA, and local regulations. Where types of ACM are listed by quantity, the quantity of the entire project, not a particular work area, is to be used in determining which task applies. For certain types of work, there is a task with a unit of measure of CF for a quantity of less than 10 CF, followed by a series of tasks for other quantities. For those tasks the contractor will be paid the first task with a unit of measure of EA, plus an additional task to arrive at the appropriate quantity for the project.

02 61 26 00-0001 Removal and Disposal of Asbestos Contaminated Soils (02 61 26)

Note: Tasks include materials, equipment, mobilization, preparation, signage, removal, transportation for up to 25 miles, disposal of waste at transfer facility or final destination, personnel health monitoring, negative air, documentation and other associated costs necessary for the complete abatement and disposal of the ACM in accordance with EPA, OSHA, and local regulations. Where types of ACM are listed by quantity, the quantity of the entire project, not a particular work area, is to be used in determining which task applies. For certain types of work, there is a task with a unit of measure of CF for a quantity of less than 10 CF, followed by a series of tasks for other quantities. For those tasks the contractor will be paid the first task with a unit of measure of EA, plus an additional task to arrive at the appropriate quantity for the project.				
02 61 26 00-0002	EA	Up To 10 CF, Asbestos Contaminated Soil, Asbestos Abatement And Disposal	999.82	
For Work In Restricted Working Space, Add			299.95	
02 61 26 00-0003	CF	>10 To 100 CF, Asbestos Contaminated Soil, Asbestos Abatement And Disposal	66.27	
For Work In Restricted Working Space, Add			19.88	
02 61 26 00-0004	CF	>100 To 250 CF, Asbestos Contaminated Soil, Asbestos Abatement And Disposal	44.18	
For Work In Restricted Working Space, Add			13.25	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
02 61 26 00-0005 CF >250 To 500 CF, Asbestos Contaminated Soil, Asbestos Abatement And Disposal <i>For Work In Restricted Working Space, Add</i>	33.18 9.95	
02 61 26 00-0006 CF >500 To 2,500 CF, Asbestos Contaminated Soil, Asbestos Abatement And Disposal <i>For Work In Restricted Working Space, Add</i>	26.51 7.95	
02 61 26 00-0007 CF >2,500 To 10,000 CF, Asbestos Contaminated Soil, Asbestos Abatement And Disposal <i>For Work In Restricted Working Space, Add</i>	22.53 6.76	
02 61 26 00-0008 CF >10,000 CF, Asbestos Contaminated Soil, Asbestos Abatement And Disposal <i>For Work In Restricted Working Space, Add</i>	20.27 6.08	

02 65 Underground Storage Tank Removal (02 60)

Note: Petroleum gasoline is classified as a hazardous material; fuel oil is considered a non-hazardous material. See CSI section 01 74 19 00-0037 for hauling, 31 20 00 00-0000 for non-contaminated soil excavation, 31 23 16 00-0000 for excavation, 31 41 00 00-0000 for shoring.

02 65 00 00-0001 Monitoring, Sampling, Testing And Analysis (02 65)

02 65 00 00-0002 Field Samples For Testing Underground Storage Tank (02 65 00 00-0001)

02 65 00 00-0003 EA Collection Of Sludge Sample For Underground Storage Tank	22.76
02 65 00 00-0004 EA Collection Of Pumpable Liquids Sample For Underground Storage Tank	22.76
02 65 00 00-0005 EA Collection Of Contaminated Soil Sample	22.76

02 65 00 00-0006 Lab Tests For Underground Storage Tank Removal (02 65 00 00-0001)

Note: Includes lab test fees, reports, shipping, handling, chain of custody documents and disposal of sample.

02 65 00 00-0007 EA Benzene, Toluene, Ethylbenzene, Xylene 8020, Lab Test Note: The cost is for the in-lab test for Benzene, Toluene, Ethylbenzene, And Xylene using procedure 8020 as detailed in EPA SW-846.	116.21
02 65 00 00-0008 EA Flashpoint, Lab Test Note: The cost is for the in-lab test for the flashpoint using procedure 40CFR 261.21 as detailed in EPA SW-846.	45.19
02 65 00 00-0009 EA TOX 9020, Lab Test Note: The cost is for the in-lab test for total organic halides using procedure 9020 as detailed in EPA SW-846.	108.71
02 65 00 00-0010 EA TPH 8015 Modified, Lab Test Note: The cost is for the in-lab test for total petroleum hydrocarbons by gas chromatography using procedure 8015 Mod. as detailed in EPA SW-846.	116.21
02 65 00 00-0011 EA TRPH 418.1, Lab Test Note: The cost is for the in-lab test for total recoverable petroleum hydrocarbons using procedure 418.1 as detailed in EPA SW-846.	90.38
02 65 00 00-0012 EA VOC, Lab Test Note: The cost is for the in-lab test for volatile organics using procedure 8240 as detailed in EPA SW-846.	245.33
02 65 00 00-0013 EA Semi-Volatile Organic, Lab Test Note: The cost is for the in-lab test for semi-volatile organics using procedure 8270 as detailed in EPA SW-846.	451.92
02 65 00 00-0014 EA Oil And Grease 413.1, Lab Test Note: The cost is for the in-lab test for oil and grease using procedure 413.1 as detailed in EPA SW-846.	54.36
02 65 00 00-0015 EA TCLP (Extraction) - Metals, Lab Test Note: The cost is for the in-lab test for toxicity characteristics leaching procedures using procedure 1311 as detailed in EPA SW-846.	96.84
02 65 00 00-0016 EA TCLP (Extraction) - Semi-Volatile Organic, Lab Test Note: The cost is for the in-lab test for toxicity characteristics leaching procedures using procedure 1311 as detailed in EPA SW-846.	129.12
02 65 00 00-0017 EA Metals 6010 RCRA, Lab Test Note: The cost is for the in-lab test for metals using procedure 6010 RCRA as detailed in EPA SW-846.	144.61
02 65 00 00-0018 EA Metals (Arsenic) 7060, Lab Test Note: The cost is for the in-lab test for the metal arsenic using procedure 7060 as detailed in EPA SW-846.	19.37
02 65 00 00-0019 EA Metals (Selenium) 7740, Lab Test Note: The cost is for the in-lab test for the metal selenium (SE) using procedure 7740 as detailed in EPA SW-846.	19.37
02 65 00 00-0020 EA Metals (Lead) 7421, Lab Test Note: The cost is for the in-lab test for the metal lead using procedure 7421 as detailed in EPA SW-846.	19.37
02 65 00 00-0021 EA Metals (Mercury) 7470, Lab Test Note: The cost is for the in-lab test for the metal mercury using procedure 7470 as detailed in EPA SW-846.	36.15
02 65 00 00-0022 EA PNA/PAH 8100, Lab Test Note: The cost is for the in-lab test for polynuclear aromatic hydrocarbons using procedure 8100 as detailed in EPA SW-846.	206.59
02 65 00 00-0023 EA Fuel Id ASTM D3328-78, Lab Test Note: The cost is for the in-lab test to determine the constituents of fuel using the procedure as detailed in ASTM D3328-78.	74.74
02 65 00 00-0024 EA pH, Lab Test	15.49
02 65 00 00-0025 EA Lab Test - Polychlorinated Biphenyl (PCB) In Wastewater	193.68
02 65 00 00-0026 EA Methyl Tertiary Butyl Ether (MTBE), Lab Test	116.21

02 65 00 00-0027 Tests, Surveys And Maintenance For Underground Storage Tank (02 65 00 00-0001)

02 65 00 00-0028 EA Site Survey For AST/UST Location By Certified Tank Installer Note: Includes testing Pump output both tank and dispenser, Calibrate pump dispenser if needed, Check all sumps both tank and dispenser, check all fitting connections for leaks and check wiring connection for possible malfunction or safety hazard, check seals on caps for fill tube, check overflow performance for safety shutdown, check all hoses and pump handle, check break-away couplings, complete written report on all data found.	970.04
02 65 00 00-0029 EA Check Cathodic Protection - Impressed Current Systems And Sacrificial Anode Systems Note: By Certified Technician. Write report of findings for action if needed	152.54
02 65 00 00-0030 EA Check And Report On Monitor Probes Note: By Certified Technician	36.05

02 Existing Conditions**02 60 Contaminated Site Material Removal****02 65 Underground Storage Tank Removal**

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
02 65 00 00-0031 EA Tank Monitoring System: Check System Per Manufacturer's Specification By Certified Technician With Written Report.....	263.28	
Note: Including pass / fail; paper feed operational paper installed etc.; and status of inspection repairs needed etc.		
02 65 00 00-0032 EA Removal And Replacement Of Anode On Impressed System	98.99	
02 65 00 00-0033 EA Removal And Replacement Of Power Converter On Impressed System On Underground Storage Tank.....	142.55	
02 65 00 00-0034 EA Removal And Replacement Of Monitor Probes On Underground Storage Tank	227.42	
02 65 00 00-0035 EA Ultrasonic Test On Underground Storage Tank	77.26	
02 65 00 00-0036 Tests And Sampling Labor Hours (02 65 00 00-0001)		
02 65 00 00-0037 HR Certified Tank Installer For Underground Storage Tank.....	93.54	
02 65 00 00-0038 HR Certified Geologist/Environmentalist	110.82	
02 65 00 00-0039 HR Hourly Office Work For Reports Required For EPA On Underground Storage Tank	115.83	
Note: Includes title searches, well survey data, site drawings, submitting preliminary work, etc. Hours not to be used in association with other tasks performed.		
02 65 00 00-0040 Remove Tank Contents (02 65)		
02 65 00 00-0041 Transfer Liquid (02 65 00 00-0040)		
Note: For use to transfer liquids from one tank to another.		
02 65 00 00-0042 GAL Transfer Reusable Liquid To Different Tank	0.58	
Note: Per gallon of material transferred.		
02 65 00 00-0043 Remove And Dispose Of Liquid From Tank (02 65 00 00-0040)		
02 65 00 00-0044 GAL Removal and Disposal Of Hazardous Liquids From Tank.....	1.29	
02 65 00 00-0045 GAL Removal and Disposal Of Non Hazardous Liquid From Tank.....	0.90	
02 65 00 00-0046 Remove And Dispose Of Solids Or Sludge (02 65 00 00-0040)		
Note: Includes scraping and solidifying agent.		
02 65 00 00-0047 GAL Removal and Disposal Of Hazardous Solids Or Sludge From Tank	5.55	
02 65 00 00-0048 GAL Removal and Disposal Of Non Hazardous Solids Or Sludge From Tank.....	1.26	
02 65 00 00-0049 Purge Vapors, Open And Clean Tank (02 65)		
02 65 00 00-0050 Purge Vapors (02 65 00 00-0049)		
02 65 00 00-0051 LB Purge Tank Using Dry Ice	3.09	
Note: Approximately 1.5 To 3.0 LBS of dry ice per 100 Gals of tank volume.		
02 65 00 00-0052 High Pressure Water Wash And Rinse Of Tank Interior (02 65 00 00-0049)		
Note: Includes removal and disposal of rinse water.		
02 65 00 00-0053 EA Up To 275 Gallon Tank, High Pressure Water Wash And Rinse Of Tank Interior.....	256.44	
02 65 00 00-0054 EA >275 To 550 Gallon Tank, High Pressure Water Wash And Rinse Of Tank Interior	337.38	
02 65 00 00-0055 EA >550 To 1,000 Gallon Tank, High Pressure Water Wash And Rinse Of Tank Interior	439.18	
02 65 00 00-0056 EA >1,000 To 2,000 Gallon Tank, High Pressure Water Wash And Rinse Of Tank Interior	597.58	
02 65 00 00-0057 EA >2,000 To 5,000 Gallon Tank, High Pressure Water Wash And Rinse Of Tank Interior	1,164.01	
02 65 00 00-0058 EA >5,000 To 6,000 Gallon Tank, High Pressure Water Wash And Rinse Of Tank Interior	1,399.62	
02 65 00 00-0059 EA >6,000 To 8,000 Gallon Tank, High Pressure Water Wash And Rinse Of Tank Interior	1,611.10	
02 65 00 00-0060 EA >8,000 To 10,000 Gallon Tank, High Pressure Water Wash And Rinse Of Tank Interior	1,948.95	
02 65 00 00-0061 EA >10,000 To 15,000 Gallon Tank, High Pressure Water Wash And Rinse Of Tank Interior	2,523.29	
02 65 00 00-0062 EA >15,000 To 20,000 Gallon Tank, High Pressure Water Wash And Rinse Of Tank Interior	3,033.57	
02 65 00 00-0063 EA >20,000 To 30,000 Gallon Tank, High Pressure Water Wash And Rinse Of Tank Interior	3,850.55	
02 65 00 00-0064 EA >30,000 To 40,000 Gallon Tank, High Pressure Water Wash And Rinse Of Tank Interior	4,735.42	
02 65 00 00-0065 EA >40,000 To 50,000 Gallon Tank, High Pressure Water Wash And Rinse Of Tank Interior	5,781.89	
02 65 00 00-0066 Scrape Clean Tank Exterior (02 65 00 00-0049)		
02 65 00 00-0067 EA Up To 275 Gallon Tank, Scrape Clean Tank Exterior	203.01	
02 65 00 00-0068 EA >275 To 550 Gallon Tank, Scrape Clean Tank Exterior	270.34	
02 65 00 00-0069 EA >550 To 1,000 Gallon Tank, Scrape Clean Tank Exterior.....	354.23	
02 65 00 00-0070 EA >1,000 To 2,000 Gallon Tank, Scrape Clean Tank Exterior.....	490.54	
02 65 00 00-0071 EA >2,000 To 5,000 Gallon Tank, Scrape Clean Tank Exterior.....	1,086.32	
02 65 00 00-0072 EA >5,000 To 6,000 Gallon Tank, Scrape Clean Tank Exterior.....	1,375.52	
02 65 00 00-0073 EA >6,000 To 8,000 Gallon Tank, Scrape Clean Tank Exterior	1,609.60	
02 65 00 00-0074 EA >8,000 To 10,000 Gallon Tank, Scrape Clean Tank Exterior.....	2,023.50	
02 65 00 00-0075 EA >10,000 To 15,000 Gallon Tank, Scrape Clean Tank Exterior.....	2,630.05	
02 65 00 00-0076 EA >15,000 To 20,000 Gallon Tank, Scrape Clean Tank Exterior.....	3,301.24	
02 65 00 00-0077 EA >20,000 To 30,000 Gallon Tank, Scrape Clean Tank Exterior.....	4,298.48	
02 65 00 00-0078 EA >30,000 To 40,000 Gallon Tank, Scrape Clean Tank Exterior.....	5,158.18	
02 65 00 00-0079 EA >40,000 To 50,000 Gallon Tank, Scrape Clean Tank Exterior.....	6,447.73	
02 65 00 00-0080 Tank And Piping Removal (02 65)		
Note: Excludes excavation.		



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
02 65 00 00-0081 Removal And Disposal Of Piping <small>(02 65 00 00-0080)</small>		
Note: Includes removal, inspection, loading, transporting pipe to disposal facility or transfer station within 15 miles and disposal fees.		
02 65 00 00-0082 LF Up To 4", Removal And Disposal Of Piping	16.08	
02 65 00 00-0083 LF >4" To 8", Removal And Disposal Of Piping	21.44	
02 65 00 00-0084 Cut Straps, Extract Tank From The Diggings And Block To Prevent Movement <small>(02 65 00 00-0080)</small>		
Note: Excludes excavation or backfill.		
02 65 00 00-0085 EA Up To 275 Gallon Tank, Cut Straps, Extract Tank From The Diggings And Block To Prevent Movement	576.12	
02 65 00 00-0086 EA >275 To 550 Gallon Tank, Cut Straps, Extract Tank From The Diggings And Block To Prevent Movement	699.57	
02 65 00 00-0087 EA >550 To 1,000 Gallon Tank, Cut Straps, Extract Tank From The Diggings And Block To Prevent Movement	823.02	
02 65 00 00-0088 EA >1,000 To 2,000 Gallon Tank, Cut Straps, Extract Tank From The Diggings And Block To Prevent Movement	1,028.79	
02 65 00 00-0089 EA >2,000 To 5,000 Gallon Tank, Cut Straps, Extract Tank From The Diggings And Block To Prevent Movement	1,440.29	
02 65 00 00-0090 EA >5,000 To 6,000 Gallon Tank, Cut Straps, Extract Tank From The Diggings And Block To Prevent Movement	1,810.66	
02 65 00 00-0091 EA >6,000 To 8,000 Gallon Tank, Cut Straps, Extract Tank From The Diggings And Block To Prevent Movement	2,057.56	
02 65 00 00-0092 EA >8,000 To 10,000 Gallon Tank, Cut Straps, Extract Tank From The Diggings And Block To Prevent Movement	2,469.07	
02 65 00 00-0093 EA >10,000 To 15,000 Gallon Tank, Cut Straps, Extract Tank From The Diggings And Block To Prevent Movement	3,292.10	
02 65 00 00-0094 EA >15,000 To 20,000 Gallon Tank, Cut Straps, Extract Tank From The Diggings And Block To Prevent Movement	3,946.50	
02 65 00 00-0095 EA >20,000 To 30,000 Gallon Tank, Cut Straps, Extract Tank From The Diggings And Block To Prevent Movement	4,624.49	
02 65 00 00-0096 EA >30,000 To 40,000 Gallon Tank, Cut Straps, Extract Tank From The Diggings And Block To Prevent Movement	5,410.25	
02 65 00 00-0097 EA >40,000 To 50,000 Gallon Tank, Cut Straps, Extract Tank From The Diggings And Block To Prevent Movement	6,762.81	
02 65 00 00-0098 Cut Tank Into Sections That Can Easily Be Transported And Disposed Of When Necessary <small>(02 65 00 00-0080)</small>		
Note: Includes 1 lengthwise at every 4' on-center height wise.		
02 65 00 00-0099 EA >1,000 To 2,000 Gallon Tank, Cut Tank Into Sections That Can Easily Be Transported And Disposed Of	668.42	
02 65 00 00-0100 EA >2,000 To 5,000 Gallon Tank, Cut Tank Into Sections That Can Easily Be Transported And Disposed Of	1,246.51	
02 65 00 00-0101 EA >5,000 To 6,000 Gallon Tank, Cut Tank Into Sections That Can Easily Be Transported And Disposed Of	1,499.43	
02 65 00 00-0102 EA >6,000 To 8,000 Gallon Tank, Cut Tank Into Sections That Can Easily Be Transported And Disposed Of	1,671.05	
02 65 00 00-0103 EA >8,000 To 10,000 Gallon Tank, Cut Tank Into Sections That Can Easily Be Transported And Disposed Of	2,005.26	
02 65 00 00-0104 EA >10,000 To 15,000 Gallon Tank, Cut Tank Into Sections That Can Easily Be Transported And Disposed Of	2,493.02	
02 65 00 00-0105 EA >15,000 To 20,000 Gallon Tank, Cut Tank Into Sections That Can Easily Be Transported And Disposed Of	2,998.86	
02 65 00 00-0106 EA >20,000 To 30,000 Gallon Tank, Cut Tank Into Sections That Can Easily Be Transported And Disposed Of	3,748.58	
02 65 00 00-0107 EA >30,000 To 40,000 Gallon Tank, Cut Tank Into Sections That Can Easily Be Transported And Disposed Of	4,685.73	
02 65 00 00-0108 EA >40,000 To 50,000 Gallon Tank, Cut Tank Into Sections That Can Easily Be Transported And Disposed Of	5,857.14	
02 65 00 00-0109 Load, Transport, And Dispose Of Tank At Disposal Facility Or Transfer Station <small>(02 65 00 00-0080)</small>		
Note: Includes disposal fee.		
02 65 00 00-0110 EA Up To 275 Gallon Tank, Load, Transport, And Dispose Of Tank At Disposal Facility Or Transfer Station	254.07	
<i>For Each Additional Mile >15 Miles, Add</i>		
	3.80	
02 65 00 00-0111 EA >275 To 550 Gallon Tank, Load, Transport, And Dispose Of Tank At Disposal Facility Or Transfer Station	345.05	
<i>For Each Additional Mile >15 Miles, Add</i>		
	4.81	
02 65 00 00-0112 EA >550 To 1,000 Gallon Tank, Load, Transport, And Dispose Of Tank At Disposal Facility Or Transfer Station	543.05	
<i>For Each Additional Mile >15 Miles, Add</i>		
	7.21	
02 65 00 00-0113 EA >1,000 To 2,000 Gallon Tank, Load, Transport, And Dispose Of Tank At Disposal Facility Or Transfer Station	845.80	
<i>For Each Additional Mile >15 Miles, Add</i>		
	8.41	
02 65 00 00-0114 EA >2,000 To 5,000 Gallon Tank, Load, Transport, And Dispose Of Tank At Disposal Facility Or Transfer Station	1,492.66	
<i>For Each Additional Mile >15 Miles, Add</i>		
	14.82	
02 65 00 00-0115 EA >5,000 To 6,000 Gallon Tank, Load, Transport, And Dispose Of Tank At Disposal Facility Or Transfer Station	1,540.71	
<i>For Each Additional Mile >15 Miles, Add</i>		
	16.02	
02 65 00 00-0116 EA >6,000 To 8,000 Gallon Tank, Load, Transport, And Dispose Of Tank At Disposal Facility Or Transfer Station	1,620.81	
<i>For Each Additional Mile >15 Miles, Add</i>		
	18.02	
02 65 00 00-0117 EA >8,000 To 10,000 Gallon Tank, Load, Transport, And Dispose Of Tank At Disposal Facility Or Transfer Station	2,353.53	
<i>For Each Additional Mile >15 Miles, Add</i>		
	24.03	
02 65 00 00-0118 EA >10,000 To 15,000 Gallon Tank, Load, Transport, And Dispose Of Tank At Disposal Facility Or Transfer Station	3,224.65	
<i>For Each Additional Mile >15 Miles, Add</i>		
	36.04	
02 65 00 00-0119 EA >15,000 To 20,000 Gallon Tank, Load, Transport, And Dispose Of Tank At Disposal Facility Or Transfer Station	3,775.38	
<i>For Each Additional Mile >15 Miles, Add</i>		
	40.05	
02 65 00 00-0120 EA >20,000 To 30,000 Gallon Tank, Load, Transport, And Dispose Of Tank At Disposal Facility Or Transfer Station	4,673.08	
<i>For Each Additional Mile >15 Miles, Add</i>		
	48.06	
02 65 00 00-0121 EA >30,000 To 40,000 Gallon Tank, Load, Transport, And Dispose Of Tank At Disposal Facility Or Transfer Station	6,551.80	
<i>For Each Additional Mile >15 Miles, Add</i>		
	57.67	
02 65 00 00-0122 EA >40,000 To 50,000 Gallon Tank, Load, Transport, And Dispose Of Tank At Disposal Facility Or Transfer Station	7,916.61	
<i>For Each Additional Mile >15 Miles, Add</i>		
	66.32	
02 65 00 00-0123 Other Storage Tank Removals <small>(02 65 00 00-0080)</small>		
02 65 00 00-0124 GAL Removal Of Cement Lining	0.51	
02 65 00 00-0125 GAL Sandblast Tank In Prep For Lining Or Welding; Remove Sand, Vacuum Walls And Seams	0.18	
02 65 00 00-0126 GAL Install Epoxy For Interior Corrosion Protection	0.81	
02 65 00 00-0127 Tank Closure Report <small>(02 65 00 00-0080)</small>		
Note: Excludes soils tests. See CSI section 02 65 00 00-0006 for soil tests.		
02 65 00 00-0128 EA Prepare Tank Closure Report	2,425.11	

02	02 Existing Conditions
	02 60 Contaminated Site Material Removal
	02 65 Underground Storage Tank Removal



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
------------------------------	---------------------------	-------------------------

02 65 00 00-0129	Temporary Tanks <i>(02 65)</i>		
02 65 00 00-0130	Temporary Holding Tanks <i>(02 65 00 00-0129)</i>		
02 65 00 00-0131	Above Ground Temporary Holding Tanks, Monthly Rental <i>(02 65 00 00-0130)</i>		
02 65 00 00-0132	MO 550 Gallon, Stainless Steel, DOT Approved, Above Ground Temporary Holding Tanks, Monthly Rental	537.29	
02 65 00 00-0133	MO 630 Gallon, Polyethylene, DOT Approved, Above Ground Temporary Holding Tanks, Monthly Rental	537.29	
02 65 00 00-0134	MO 630 Gallon, Polyethylene, Stackable, Above Ground Temporary Holding Tanks, Monthly Rental	1,074.58	
02 65 00 00-0135	MO 4,000 Gallon, Polyethylene, Stackable, Above Ground Temporary Holding Tanks, Monthly Rental	805.93	
02 65 00 00-0136	MO 4,000 Gallon, Polyethylene, Trailer Mounted, Above Ground Temporary Holding Tanks, Monthly Rental	4,880.51	
02 65 00 00-0137	MO 6,000 Gallon, Polyethylene, Total Drain, Above Ground Temporary Holding Tanks, Monthly Rental	1,343.22	
02 65 00 00-0138	MO 21,000 Gallon (500 BBL), Steel, Open, Stationary, Above Ground Temporary Holding Tanks, Monthly Rental	3,108.05	
02 65 00 00-0139	MO 21,000 Gallon (500 BBL), Steel, Closed, Stationary, Above Ground Temporary Holding Tanks, Monthly Rental	3,724.72	
02 65 00 00-0140	MO 21,000 Gallon (500 BBL), Steel, Vapor Proof, Above Ground Temporary Holding Tanks, Monthly Rental	6,290.09	
02 65 00 00-0141	Secondary Containment Berm <i>(02 65 00 00-0129)</i>		
02 65 00 00-0142	MO Secondary Containment Berm Monthly Rental	1,164.13	

02 80 Facility Remediation *(02)*

02 81 Transportation And Disposal Of Hazardous Materials *(02 80)*

02 81 00 00-0001	Equipment Oil Drain And Disposal <i>(02 81)</i>		
02 81 00 00-0002	TRIP Drain Oil Filled Equipment, Place In Approved Container And Transport To Disposal Site Note: Excludes Disposal Cost.	378.04	
02 81 00 00-0003	DRM Disposal Of Non-Polychlorinated Biphenyl (PCB) Oil In Normal Landfill, Per Partial Or Full 55-Gallon Drum Note: Excludes draining, placing in approved container, and transporting to disposal site.	59.41	
02 81 00 00-0004	DRM Disposal Of Non-Toxic Polychlorinated Biphenyl (PCB) Oil Into A Lined Landfill, Per Partial Or Full 55-Gallon Drum Note: Excludes draining, placing in approved container, and transporting to disposal site.	270.02	
02 81 00 00-0005	DRM Disposal Of Toxic Polychlorinated Biphenyl (PCB) Oil By Incineration, Per Partial Or Full 55-Gallon Drum Note: Excludes draining, placing in approved container, and transporting to disposal site.	486.04	
02 81 00 00-0006	CF Hazardous Polychlorinated Biphenyl (PCB) Oil Filled Equipment Disposal At Approved Site Note: Includes handling of equipment and disposal at approved site. Excludes draining of PCB contaminated oil prior to disposal.	64.70	

02 82 Asbestos Remediation *(02 80)*

Note: Tasks include materials, equipment, mobilization, preparation, critical barriers (e.g. electrical outlets, registers, windows, etc.), signage, removal, lockdown encapsulant applied to surfaces, clean-up, vacuuming, transportation for up to 25 miles, disposal of waste at transfer facility or final destination, personnel health monitoring, negative air, documentation and other associated costs necessary for the complete abatement and disposal of the ACM in accordance with EPA, OSHA, and local regulations. Where types of ACM are listed by quantity, the quantity of the entire project, not a particular work area, is to be used in determining which task applies. For certain types of work, there is a task with a unit of measure of SET for a quantity of less than 10 LF or SF (10 LF to 20 LF for ACM pipe insulation), followed by a series of tasks for other quantities. For those tasks the contractor will be paid the first task with a unit of measure of EA, plus an additional task to arrive at the appropriate quantity for the project. This does not apply to glove bag projects. See CSI section 01 56 16 00-0034 for temporary stud walls, 01 74 19 00-0037 for hauling in excess of 25 miles to transfer or disposal site, 02 89 00 00-0003 for plastic sheeting for containment construction, 02 89 00 00-0010 for decontamination chambers.

02 82 13 Asbestos Abatement *(02 82)*

02 82 13 00-0001	Air Monitoring And Bulk Sampling, Asbestos Testing <i>(02 82 13)</i>		
	Note: Testing tasks include packaging of sample for shipping, shipping to testing lab, chain of custody documentation, analysis of sample, lab report, and sample disposal. Polarizing Light Microscope (PLM), Phase Contrast Microscope (PCM), and Transmission Electron Microscope (TEM). Excludes sampling time.		
02 82 13 00-0002	HR Certified Asbestos Air Sampling Technician For Bulk Sampling Or Air Monitoring	81.15	
02 82 13 00-0003	EA 48 Hours Or Longer Turnaround, (Bulk Point Counting) PLM Test, Asbestos Testing	35.10	
02 82 13 00-0004	EA Next Day Turnaround, (Bulk Point Counting) PLM Test, Asbestos Testing	41.15	
02 82 13 00-0005	EA Same Day Turnaround, (Bulk Point Counting) PLM Test, Asbestos Testing	65.36	
02 82 13 00-0006	EA 48 Hours Or Longer Turnaround, (Bulk) TEM Test, Asbestos Testing	112.56	
02 82 13 00-0007	EA Next Day Turnaround, (Bulk) TEM Test, Asbestos Testing	136.76	
02 82 13 00-0008	EA 48 Hours Or Longer Turnaround, (Air) PCM Test, Asbestos Testing	27.84	
02 82 13 00-0009	EA Next Day Turnaround, (Air) PCM Test, Asbestos Testing	33.89	
02 82 13 00-0010	EA Same Day Turnaround, (Air) PCM Test, Asbestos Testing	45.99	
02 82 13 00-0011	EA 48 Hours Or Longer Turnaround, (Air Point Counting) PLM Test	35.10	
02 82 13 00-0012	EA Next Day Turnaround, (Air Point Counting) PLM Test	41.15	
02 82 13 00-0013	EA Same Day Turnaround, (Air Point Counting) PLM Test	65.36	
02 82 13 00-0014	EA 48 Hours Or Longer Turnaround, (Air) TEM Test, Asbestos Testing	112.56	
02 82 13 00-0015	EA Next Day Turnaround, (Air) TEM Test, Asbestos Testing	129.50	
02 82 13 00-0016	EA Same Day Turnaround, (Air) TEM Test, Asbestos Testing	180.33	

02 82 16 Engineering Control Of Asbestos Containing Materials *(02 82)*

02 82 16 00-0001	Asbestos Encapsulation (Lock-Down) <i>(02 82 16)</i>		
02 82 16 00-0002	SF Asbestos Encapsulant Spray Adhesive (Lock-Down), Per Coat	1.26	
02 82 16 00-0003	SF Asbestos Binding Compound Encapsulant/Sealant, Per Coat Required (Fiberlock® ABC® Asbestos Binding Compound)	1.68	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
02 82 16 00-0004 SF Asbestos Fiberspray Encapsulation (Fiberlock® ABC Fiberspray®)	1.72	
02 82 16 00-0005 SF Asbestos Acrylic Encasement/Encapsulation (Fiberlock® Lag-Kote®).....	1.97	
02 82 16 00-0006 SF Water Activated Repair Cloth Encapsulant (Fiberlock® Lag-Kwik®).....	5.50	
02 82 16 00-0007 SF Water Activated Repair Cloth Encapsulant (Fiberlock® Lag-Kloth®).....	6.14	
02 82 33 Removal and Disposal of Asbestos Containing Materials (02 82)		
02 82 33 00-0001 Pipe And Pipe Fittings Insulation, Asbestos Abatement And Disposal (02 82 33)		
02 82 33 00-0002 Pipe Insulation, Asbestos Abatement And Disposal (02 82 33 00-0001)		
Note: Diameter is outer size of insulation. Treat fittings as additional linear feet of insulation.		
02 82 33 00-0003 Up To 6" Diameter Pipe Insulation, Asbestos Abatement And Disposal (02 82 33 00-0002)		
See CSI section 02 82 33 00-0017 for projects with less than 10 LF.		
02 82 33 00-0004 SET Up To 20 LF, Up To 6" Diameter Pipe Insulation, Asbestos Abatement And Disposal	673.86	
For Work In Restricted Working Space, Add	199.97	
02 82 33 00-0005 LF >20 To 250 LF, Up To 6" Diameter Pipe Insulation, Asbestos Abatement And Disposal.....	34.45	
For Work In Restricted Working Space, Add	10.22	
02 82 33 00-0006 LF >250 To 500 LF, Up To 6" Diameter Pipe Insulation, Asbestos Abatement And Disposal.....	25.93	
For Work In Restricted Working Space, Add	7.67	
02 82 33 00-0007 LF >500 To 2,500 LF, Up To 6" Diameter Pipe Insulation, Asbestos Abatement And Disposal.....	19.54	
For Work In Restricted Working Space, Add	5.75	
02 82 33 00-0008 LF >2,500 To 10,000 LF, Up To 6" Diameter Pipe Insulation, Asbestos Abatement And Disposal.....	14.75	
For Work In Restricted Working Space, Add	4.31	
02 82 33 00-0009 LF >10,000 LF, Up To 6" Diameter Pipe Insulation, Asbestos Abatement And Disposal.....	12.87	
For Work In Restricted Working Space, Add	3.75	
02 82 33 00-0010 >6" To 12" Diameter Pipe Insulation, Asbestos Abatement And Disposal (02 82 33 00-0002)		
See CSI section 02 82 33 00-0017 for projects with less than 10 LF.		
02 82 33 00-0011 SET Up To 20 LF, >6" To 12" Diameter Pipe Insulation, Asbestos Abatement And Disposal	695.79	
For Work In Restricted Working Space, Add	199.97	
02 82 33 00-0012 LF >20 To 250 LF, >6" To 12" Diameter Pipe Insulation, Asbestos Abatement And Disposal.....	40.66	
For Work In Restricted Working Space, Add	11.76	
02 82 33 00-0013 LF >250 To 500 LF, >6" To 12" Diameter Pipe Insulation, Asbestos Abatement And Disposal.....	30.85	
For Work In Restricted Working Space, Add	8.82	
02 82 33 00-0014 LF >500 To 2,500 LF, >6" To 12" Diameter Pipe Insulation, Asbestos Abatement And Disposal.....	23.50	
For Work In Restricted Working Space, Add	6.61	
02 82 33 00-0015 LF >2,500 To 10,000 LF, >6" To 12" Diameter Pipe Insulation, Asbestos Abatement And Disposal.....	17.99	
For Work In Restricted Working Space, Add	4.96	
02 82 33 00-0016 LF >10,000 LF, >6" To 12" Diameter Pipe Insulation, Asbestos Abatement And Disposal.....	15.84	
For Work In Restricted Working Space, Add	4.31	
02 82 33 00-0017 Glove Bag Method, Pipe Insulation, Asbestos Abatement And Disposal (02 82 33 00-0002)		
Note: Solid isolation barriers and plastic sheeting for containment construction (except on floor) are not required for glove bag projects unless required by local codes.		
02 82 33 00-0018 SET Glove Bag For First 3 LF Pipe Insulation, Asbestos Abatement And Disposal	491.30	
For Work In Restricted Working Space, Add	146.07	
02 82 33 00-0019 LF >3 To 20 LF Additional Glove Bag Work for Pipe Insulation	109.66	
For Work In Restricted Working Space, Add	32.46	
02 82 33 00-0020 LF >20 To 250 LF Additional Glove Bag Work for Pipe Insulation	43.46	
For Work In Restricted Working Space, Add	12.60	
02 82 33 00-0021 LF >250 To 500 LF Additional Glove Bag Work for Pipe Insulation	32.96	
For Work In Restricted Working Space, Add	9.45	
02 82 33 00-0022 LF >500 LF Additional Glove Bag Work for Pipe Insulation	25.08	
For Work In Restricted Working Space, Add	7.09	
02 82 33 00-0023 Thermal Insulation, Asbestos Abatement And Disposal (02 82 33)		
02 82 33 00-0024 Calcium Block Insulation, Asbestos Abatement And Disposal (02 82 33 00-0023)		
02 82 33 00-0025 SET Up To 10 SF, Calcium Block Insulation, Asbestos Abatement And Disposal.....	673.86	
02 82 33 00-0026 SF >10 To 500 SF, Calcium Block Insulation, Asbestos Abatement And Disposal.....	41.47	
02 82 33 00-0027 SF >500 To 2,500 SF, Calcium Block Insulation, Asbestos Abatement And Disposal	34.23	
02 82 33 00-0028 SF >2,500 To 10,000 SF, Calcium Block Insulation, Asbestos Abatement And Disposal	27.51	
02 82 33 00-0029 SF >10,000 SF, Calcium Block Insulation, Asbestos Abatement And Disposal	22.48	
02 82 33 00-0030 Fibrous Glass Blanket Insulation, Asbestos Abatement And Disposal (02 82 33 00-0023)		
02 82 33 00-0031 SET Up To 10 SF, Fibrous Glass Blanket Insulation, Asbestos Abatement And Disposal	670.21	
02 82 33 00-0032 SF >10 To 500 SF, Fibrous Glass Blanket Insulation, Asbestos Abatement And Disposal	36.46	
02 82 33 00-0033 SF >500 To 2,500 SF, Fibrous Glass Blanket Insulation, Asbestos Abatement And Disposal.....	29.21	
02 82 33 00-0034 SF >2,500 To 10,000 SF, Fibrous Glass Blanket Insulation, Asbestos Abatement And Disposal	22.50	
02 82 33 00-0035 SF >10,000 SF, Fibrous Glass Blanket Insulation, Asbestos Abatement And Disposal	17.46	
02 82 33 00-0036 Fibrous Glass Board Insulation, Asbestos Abatement And Disposal (02 82 33 00-0023)		
02 82 33 00-0037 SET Up To 10 SF, Fibrous Glass Board Insulation, Asbestos Abatement And Disposal.....	668.99	
02 82 33 00-0038 SF >10 To 500 SF, Fibrous Glass Board Insulation, Asbestos Abatement And Disposal	32.33	

02 Existing Conditions**02 80 Facility Remediation****02 82 Asbestos Remediation**

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
02 82 33 00-0039 SF >500 To 2,500 SF, Fibrous Glass Board Insulation, Asbestos Abatement And Disposal	25.08	
02 82 33 00-0040 SF >2,500 To 10,000 SF, Fibrous Glass Board Insulation, Asbestos Abatement And Disposal	18.37	
02 82 33 00-0041 SF >10,000 SF, Fibrous Glass Board Insulation, Asbestos Abatement And Disposal.....	13.33	
02 82 33 00-0042 Other Thermal Insulation, Up To 3" Thickness, Asbestos Abatement And Disposal (02 82 33 00-0023)		
Note: e.g., duct, boiler, tank, etc.		
02 82 33 00-0043 SET Up To 25 SF, Up To 3" Thickness Thermal Insulation, Asbestos Abatement And Disposal	675.69	
02 82 33 00-0044 SF >25 To 500 SF, Up To 3" Thickness Thermal Insulation, Asbestos Abatement And Disposal	34.45	
02 82 33 00-0045 SF >500 To 2,500 SF, Up To 3" Thickness Thermal Insulation, Asbestos Abatement And Disposal	27.22	
02 82 33 00-0046 SF >2,500 To 10,000 SF, Up To 3" Thickness Thermal Insulation, Asbestos Abatement And Disposal	20.50	
02 82 33 00-0047 SF >10,000 SF, Up To 3" Thickness Thermal Insulation, Asbestos Abatement And Disposal	15.47	
02 82 33 00-0048 Surfacing Material, Asbestos Abatement And Disposal (02 82 33)		
02 82 33 00-0049 Fireproofing, Asbestos Abatement And Disposal (02 82 33 00-0048)		
Note: Exposed surface area, includes associated overspray. See CSI section 02 82 33 00-0088 for asbestos abatement for up to 1 sf sections to expose area for attachments.		
02 82 33 00-0050 SET Up To 25 SF, Fireproofing, Asbestos Abatement And Disposal.....	675.69	
02 82 33 00-0051 SF >25 To 500 SF, Fireproofing, Asbestos Abatement And Disposal	41.26	
02 82 33 00-0052 SF >500 To 2,500 SF, Fireproofing, Asbestos Abatement And Disposal	31.03	
02 82 33 00-0053 SF >2,500 To 10,000 SF, Fireproofing, Asbestos Abatement And Disposal	23.37	
02 82 33 00-0054 SF >10,000 SF, Fireproofing, Asbestos Abatement And Disposal	17.62	
02 82 33 00-0055 Acoustical Plaster, Asbestos Abatement And Disposal (02 82 33 00-0048)		
Note: Remove surface coat from brown coat or remove entire assembly, including lathe and finish materials.		
02 82 33 00-0056 SET Up To 25 SF, Acoustical Plaster, Asbestos Abatement And Disposal	672.64	
02 82 33 00-0057 SF >25 To 500 SF, Acoustical Plaster, Asbestos Abatement And Disposal	17.32	
02 82 33 00-0058 SF >500 To 2,500 SF, Acoustical Plaster, Asbestos Abatement And Disposal	13.15	
02 82 33 00-0059 SF >2,500 To 10,000 SF, Acoustical Plaster, Asbestos Abatement And Disposal	9.83	
02 82 33 00-0060 SF >10,000 SF, Acoustical Plaster, Asbestos Abatement And Disposal	7.32	
02 82 33 00-0061 Gypsum Wall Board, Asbestos Abatement And Disposal (02 82 33 00-0048)		
02 82 33 00-0062 SET Up To 50 SF, Single Layer Gypsum Wall Board, Asbestos Abatement And Disposal	678.74	
For Additional Layer, Add	183.30	
02 82 33 00-0063 SF >50 To 500 SF, Single Layer Gypsum Wall Board, Asbestos Abatement And Disposal.....	13.36	
For Additional Layer, Add	3.61	
02 82 33 00-0064 SF >500 To 2,500 SF, Single Layer Gypsum Wall Board, Asbestos Abatement And Disposal.....	9.83	
For Additional Layer, Add	2.64	
02 82 33 00-0065 SF >2,500 To 10,000 SF, Single Layer Gypsum Wall Board, Asbestos Abatement And Disposal.....	7.74	
For Additional Layer, Add	2.06	
02 82 33 00-0066 SF >10,000 To 50,000 SF, Single Layer Gypsum Wall Board, Asbestos Abatement And Disposal.....	6.07	
For Additional Layer, Add	1.60	
02 82 33 00-0067 SF >50,000 To 100,000 SF, Single Layer Gypsum Wall Board, Asbestos Abatement And Disposal.....	4.82	
For Additional Layer, Add	1.26	
02 82 33 00-0068 SF >100,000 SF, Single Layer Gypsum Wall Board, Asbestos Abatement And Disposal.....	3.90	
For Additional Layer, Add	1.01	
02 82 33 00-0069 Gypsum Wall Board (Or Backer Board) With Ceramic Tile And Mastic, Asbestos Abatement And Disposal (02 82 33 00-0048)		
02 82 33 00-0070 SET Up To 25 SF, Gypsum Wall Board (Or Backer Board) With Ceramic Tile And Mastic, Asbestos Abatement And Disposal.....	672.64	
02 82 33 00-0071 SF >25 To 500 SF, Gypsum Wall Board (Or Backer Board) With Ceramic Tile And Mastic, Asbestos Abatement And Disposal.....	25.16	
02 82 33 00-0072 SF >500 To 2,500 SF, Gypsum Wall Board (Or Backer Board) With Ceramic Tile And Mastic, Asbestos Abatement And Disposal	18.48	
02 82 33 00-0073 SF >2,500 To 10,000 SF, Gypsum Wall Board (Or Backer Board) With Ceramic Tile And Mastic, Asbestos Abatement And Disposal	14.48	
02 82 33 00-0074 SF >10,000 To 50,000 SF, Gypsum Wall Board (Or Backer Board) With Ceramic Tile And Mastic, Asbestos Abatement And Disposal	11.33	
02 82 33 00-0075 SF >50,000 SF, Gypsum Wall Board (Or Backer Board) With Ceramic Tile And Mastic, Asbestos Abatement And Disposal	8.16	
02 82 33 00-0076 Stucco, Asbestos Abatement And Disposal (02 82 33 00-0048)		
02 82 33 00-0077 SET Up To 50 SF, Stucco, Asbestos Abatement And Disposal.....	678.74	
02 82 33 00-0078 SF >50 To 500 SF, Stucco, Asbestos Abatement And Disposal	29.21	
02 82 33 00-0079 SF >500 To 2,500 SF, Stucco, Asbestos Abatement And Disposal	21.97	
02 82 33 00-0080 SF >2,500 To 10,000 SF, Stucco, Asbestos Abatement And Disposal	16.54	
02 82 33 00-0081 SF >10,000 SF, Stucco, Asbestos Abatement And Disposal.....	12.47	
02 82 33 00-0082 Spray On Acoustical Ceiling, Asbestos Abatement And Disposal (02 82 33 00-0048)		
02 82 33 00-0083 SET Up To 50 SF, Spray On Acoustical Ceiling, Asbestos Abatement And Disposal	678.74	
02 82 33 00-0084 SF >50 To 500 SF, Spray On Acoustical Ceiling, Asbestos Abatement And Disposal	11.35	
02 82 33 00-0085 SF >500 To 2,500 SF, Spray On Acoustical Ceiling, Asbestos Abatement And Disposal	8.82	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
02 82 33 00-0086 SF >2,500 To 10,000 SF, Spray On Acoustical Ceiling, Asbestos Abatement And Disposal.....	6.49	
02 82 33 00-0087 SF >10,000 SF, Spray On Acoustical Ceiling, Asbestos Abatement And Disposal.....	4.92	
02 82 33 00-0088 Fireproofing For Small Areas, Asbestos Abatement And Disposal (02 82 33 00-0048) Note: For asbestos abatement for up to 1 SF sections to expose area for attachments. See CSI section 02 82 33 00-0049 for areas > 1 SF.		
02 82 33 00-0089 EA Up To 1 SF, Fireproofing For Small Areas, Asbestos Abatement And Disposal..... Note: For asbestos abatement for up to 1 SF sections to expose steel area for welding attachments.	167.01	
02 82 33 00-0090 Plywood, Asbestos Abatement And Disposal (02 82 33 00-0048)		
02 82 33 00-0091 SET Up To 40 SF, Plywood, Asbestos Abatement And Disposal.....	676.30	
02 82 33 00-0092 SF >50 To 500 SF, Plywood, Asbestos Abatement And Disposal.....	14.41	
02 82 33 00-0093 SF >500 To 2,500 SF, Plywood, Asbestos Abatement And Disposal.....	7.06	
02 82 33 00-0094 SF >2,500 To 10,000 SF, Plywood, Asbestos Abatement And Disposal.....	4.84	
02 82 33 00-0095 SF >10,000 SF, Plywood, Asbestos Abatement And Disposal.....	4.16	
02 82 33 00-0096 Flooring Material, Asbestos Abatement And Disposal (02 82 33)		
02 82 33 00-0097 Floor Tile, Linoleum, Carpet Or Base, Asbestos Abatement And Disposal (02 82 33 00-0096)		
02 82 33 00-0098 Floor Tile Or Linoleum, Asbestos Abatement And Disposal (02 82 33 00-0097) Note: Single layer or first of multiple layers. Excludes mastic.		
02 82 33 00-0099 SET Up To 100 SF, Single Layer Or First Of Multiple Layers, Floor Tile Or Linoleum, Asbestos Abatement And Disposal.....	668.99	
02 82 33 00-0100 SF >100 To 500 SF, Single Layer Or First Of Multiple Layers, Floor Tile Or Linoleum, Asbestos Abatement And Disposal.....	7.06	
For Each Additional Layer, Add	1.77	
02 82 33 00-0101 SF >500 To 2,500 SF, Single Layer Or First Of Multiple Layers, Floor Tile Or Linoleum, Asbestos Abatement And Disposal.....	5.78	
For Each Additional Layer, Add	1.45	
02 82 33 00-0102 SF >2,500 To 10,000 SF, Single Layer Or First Of Multiple Layers, Floor Tile Or Linoleum, Asbestos Abatement And Disposal.....	4.61	
For Each Additional Layer, Add	1.15	
02 82 33 00-0103 SF >10,000 SF, Single Layer Or First Of Multiple Layers, Floor Tile Or Linoleum, Asbestos Abatement And Disposal.....	3.20	
For Each Additional Layer, Add	0.80	
02 82 33 00-0104 Carpet, Asbestos Abatement And Disposal (02 82 33 00-0097)		
02 82 33 00-0105 SET Up To 100 SF, Non-Friable Carpet, Asbestos Abatement And Disposal.....	668.99	
02 82 33 00-0106 SF >100 To 500 SF, Non-Friable Carpet, Asbestos Abatement And Disposal.....	5.56	
02 82 33 00-0107 SF >500 To 2,500 SF, Non-Friable Carpet, Asbestos Abatement And Disposal.....	4.51	
02 82 33 00-0108 SF >2,500 To 10,000 SF, Non-Friable Carpet, Asbestos Abatement And Disposal.....	3.30	
02 82 33 00-0109 SF >10,000 SF, Non-Friable Carpet, Asbestos Abatement And Disposal.....	2.51	
02 82 33 00-0110 Wall Or Cove Base, Asbestos Abatement And Disposal (02 82 33 00-0097) Note: Up to 12".		
02 82 33 00-0111 SET Up To 25 LF, Wall Base And Mastic, Asbestos Abatement And Disposal.....	253.01	
02 82 33 00-0112 LF >25 To 100 LF, Wall Base And Mastic, Asbestos Abatement And Disposal.....	4.56	
02 82 33 00-0113 LF >100 To 500 LF, Wall Base And Mastic, Asbestos Abatement And Disposal.....	2.79	
02 82 33 00-0114 LF >500 To 2,500 LF, Wall Base And Mastic, Asbestos Abatement And Disposal.....	1.79	
02 82 33 00-0115 LF >2,500 LF, Wall Base And Mastic, Asbestos Abatement And Disposal.....	1.29	
02 82 33 00-0116 Mastic, Asbestos Abatement And Disposal (02 82 33 00-0096) Note: Applies to single layer or bottom layer only of multiple layers. Non hydrocarbon with pine, citrus or no odor.		
02 82 33 00-0117 SET Up To 100 SF, Mastic, Asbestos Abatement And Disposal..... Note: Applies to bottom layer only if multiple layers.	672.65	
02 82 33 00-0118 SF >100 To 500 SF, Mastic, Asbestos Abatement And Disposal..... Note: Applies to bottom layer only if multiple layers.	2.55	
02 82 33 00-0119 SF >500 To 2,500 SF, Mastic, Asbestos Abatement And Disposal..... Note: Applies to bottom layer only if multiple layers.	1.89	
02 82 33 00-0120 SF >2,500 To 10,000 SF, Mastic, Asbestos Abatement And Disposal..... Note: Applies to bottom layer only if multiple layers.	1.46	
02 82 33 00-0121 SF >10,000 SF, Mastic, Asbestos Abatement And Disposal..... Note: Applies to bottom layer only if multiple layers.	1.19	
02 82 33 00-0122 Hardwood Flooring System With Asbestos Barrier Paper Backing, Asbestos Abatement And Disposal (02 82 33 00-0096) Note: Includes finish wood, asbestos barrier paper, cleanup of sub-wood floor, fasteners, wood fillers and protection of clean crawl space from contamination.		
02 82 33 00-0123 SET Up To 100 SF, Hardwood Flooring System With Asbestos Barrier Paper Backing, Asbestos Abatement And Disposal.....	690.92	
02 82 33 00-0124 SF >100 To 500 SF, Hardwood Flooring System With Asbestos Barrier Paper Backing, Asbestos Abatement And Disposal.....	8.12	
02 82 33 00-0125 SF >500 To 2,500 SF, Hardwood Flooring System With Asbestos Barrier Paper Backing, Asbestos Abatement And Disposal.....	5.99	

02 Existing Conditions**02 80 Facility Remediation****02 82 Asbestos Remediation**

MINOR CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
02 82 33 00-0126	SF	>2,500 To 10,000 SF, Hardwood Flooring System With Asbestos Barrier Paper Backing, Asbestos Abatement And Disposal.....	4.74	
02 82 33 00-0127	SF	>10,000 SF, Hardwood Flooring System With Asbestos Barrier Paper Backing, Asbestos Abatement And Disposal.....	3.73	
02 82 33 00-0128		Cementitious Underlayment For Flooring, Asbestos Abatement And Disposal (02 82 33 00-0096)		
02 82 33 00-0129	SET	Up To 100 SF, Cementitious Underlayment For Flooring, Asbestos Abatement And Disposal.....	678.73	
02 82 33 00-0130	SF	>100 To 500 SF, Cementitious Underlayment For Flooring, Asbestos Abatement And Disposal.....	9.03	
02 82 33 00-0131	SF	>500 To 2,500 SF, Cementitious Underlayment For Flooring, Asbestos Abatement And Disposal..... Note: Includes detachment of mounted objects before removal.	5.95	
02 82 33 00-0132	SF	>2,500 To 10,000 SF, Cementitious Underlayment For Flooring, Asbestos Abatement And Disposal.....	4.70	
02 82 33 00-0133	SF	>10,000 SF, Cementitious Underlayment For Flooring, Asbestos Abatement And Disposal.....	3.87	
02 82 33 00-0134		Roofing, Asbestos Abatement And Disposal (02 82 33)		
02 82 33 00-0135		Built-Up Tar And Felt Roofing, Asbestos Abatement And Disposal (02 82 33 00-0134) Note: Includes roofing, flashing, sheet metal, insulation, pitch pockets, board etc.		
02 82 33 00-0136		Up To 2" Average Thickness, Built-Up Tar And Felt Roofing, Asbestos Abatement And Disposal (02 82 33 00-0135)		
02 82 33 00-0137	SET	Up To 125 SF, Up To 2" Average Thickness, Built-Up Tar And Felt Roofing, Asbestos Abatement And Disposal.....	863.66	
02 82 33 00-0138	SF	>125 To 1,000 SF, Up To 2" Average Thickness, Built-Up Tar And Felt Roofing, Asbestos Abatement And Disposal.....	6.63	
02 82 33 00-0139	SF	>1,000 To 5,000 SF, Up To 2" Average Thickness, Built-Up Tar And Felt Roofing, Asbestos Abatement And Disposal.....	5.36	
02 82 33 00-0140	SF	>5,000 To 10,000 SF, Up To 2" Average Thickness, Built-Up Tar And Felt Roofing, Asbestos Abatement And Disposal.....	4.33	
02 82 33 00-0141	SF	>10,000 To 20,000 SF, Up To 2" Average Thickness, Built-Up Tar And Felt Roofing, Asbestos Abatement And Disposal.....	3.30	
02 82 33 00-0142	SF	>20,000 SF, Up To 2" Average Thickness, Built-Up Tar And Felt Roofing, Asbestos Abatement And Disposal.....	2.54	
02 82 33 00-0143		>2" To 5" Average Thickness, Built-Up Tar And Felt Roofing, Asbestos Abatement And Disposal (02 82 33 00-0135)		
02 82 33 00-0144	SET	Up To 110 SF, >2" To 5" Average Thickness, Built-Up Tar And Felt Roofing, Asbestos Abatement And Disposal.....	886.80	
02 82 33 00-0145	SF	>110 To 1,000 SF, >2" To 5" Average Thickness, Built-Up Tar And Felt Roofing, Asbestos Abatement And Disposal.....	7.77	
02 82 33 00-0146	SF	>1,000 To 5,000 SF, >2" To 5" Average Thickness, Built-Up Tar And Felt Roofing, Asbestos Abatement And Disposal.....	6.29	
02 82 33 00-0147	SF	>5,000 To 10,000 SF, >2" To 5" Average Thickness, Built-Up Tar And Felt Roofing, Asbestos Abatement And Disposal.....	5.17	
02 82 33 00-0148	SF	>10,000 To 20,000 SF, >2" To 5" Average Thickness, Built-Up Tar And Felt Roofing, Asbestos Abatement And Disposal.....	3.98	
02 82 33 00-0149	SF	>20,000 SF, >2" To 5" Average Thickness, Built-Up Tar And Felt Roofing, Asbestos Abatement And Disposal.....	3.11	
02 82 33 00-0150		>5" Average Thickness, Built-Up Tar And Felt Roofing, Asbestos Abatement And Disposal (02 82 33 00-0135)		
02 82 33 00-0151	SET	Up To 110 SF, >5" Average Thickness, Built-Up Tar And Felt Roofing, Asbestos Abatement And Disposal.....	913.61	
02 82 33 00-0152	SF	>110 To 1,000 SF, >5" Average Thickness, Built-Up Tar And Felt Roofing, Asbestos Abatement And Disposal.....	8.81	
02 82 33 00-0153	SF	>1,000 To 5,000 SF, >5" Average Thickness, Built-Up Tar And Felt Roofing, Asbestos Abatement And Disposal.....	7.17	
02 82 33 00-0154	SF	>5,000 To 10,000 SF, >5" Average Thickness, Built-Up Tar And Felt Roofing, Asbestos Abatement And Disposal.....	5.92	
02 82 33 00-0155	SF	>10,000 To 20,000 SF, >5" Average Thickness, Built-Up Tar And Felt Roofing, Asbestos Abatement And Disposal.....	4.63	
02 82 33 00-0156	SF	>20,000 SF, >5" Average Thickness, Built-Up Tar And Felt Roofing, Asbestos Abatement And Disposal.....	3.63	
02 82 33 00-0157		Shingles And Felt Roofing, Asbestos Abatement And Disposal (02 82 33 00-0134)		
02 82 33 00-0158		Shingles And Felt Roofing, Asbestos Abatement And Disposal (02 82 33 00-0157)		
02 82 33 00-0159	SET	Up To 125 SF, Shingles And Felt Roofing, Asbestos Abatement And Disposal..... Note: Single or first of multiple layers.	840.81	
02 82 33 00-0160	SF	>125 To 1,000 SF, Shingles And Felt Roofing, Asbestos Abatement And Disposal..... Note: Single or first of multiple layers.	6.45	
		For Each Additional Layer, Add	1.61	
02 82 33 00-0161	SF	>1,000 To 5,000 SF, Shingles And Felt Roofing, Asbestos Abatement And Disposal..... Note: Single or first of multiple layers.	5.18	
		For Each Additional Layer, Add	1.30	
02 82 33 00-0162	SF	>5,000 To 10,000 SF, Shingles And Felt Roofing, Asbestos Abatement And Disposal..... Note: Single or first of multiple layers.	4.15	
		For Each Additional Layer, Add	1.04	
02 82 33 00-0163	SF	>10,000 To 20,000 SF, Shingles And Felt Roofing, Asbestos Abatement And Disposal..... Note: Single or first of multiple layers.	3.12	
		For Each Additional Layer, Add	0.78	
02 82 33 00-0164	SF	>20,000 SF, Shingles And Felt Roofing, Asbestos Abatement And Disposal..... Note: Single or first of multiple layers.	2.36	
		For Each Additional Layer, Add	0.59	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
02 82 33 00-0165 Roof Penetration Mastic, Asbestos Abatement And Disposal (02 82 33 00-0134)		
02 82 33 00-0166 SET Up To 10 SF, Roof Penetration Mastic, Asbestos Abatement And Disposal.....	250.57	
02 82 33 00-0167 SF >10 To 50 SF, Roof Penetration Mastic, Asbestos Abatement And Disposal.....	2.56	
02 82 33 00-0168 SF >50 To 100 SF, Roof Penetration Mastic, Asbestos Abatement And Disposal.....	2.11	
02 82 33 00-0169 SF >100 To 250 SF, Roof Penetration Mastic, Asbestos Abatement And Disposal.....	1.71	
02 82 33 00-0170 SF >250 SF, Roof Penetration Mastic, Asbestos Abatement And Disposal.....	1.26	
02 82 33 00-0171 Roof Curb Mastic, Asbestos Abatement And Disposal (02 82 33 00-0134)		
02 82 33 00-0172 SET Up To 10 LF, Roof Curb Mastic, Asbestos Abatement And Disposal.....	208.91	
02 82 33 00-0173 LF >10 To 20 LF, Roof Curb Mastic, Asbestos Abatement And Disposal.....	7.56	
02 82 33 00-0174 LF >20 To 50 LF, Roof Curb Mastic, Asbestos Abatement And Disposal.....	6.06	
02 82 33 00-0175 LF >50 To 150 LF, Roof Curb Mastic, Asbestos Abatement And Disposal.....	5.05	
02 82 33 00-0176 LF >150 LF, Roof Curb Mastic, Asbestos Abatement And Disposal.....	3.66	
02 82 33 00-0177 Asbestos-Cement Products, Asbestos Abatement And Disposal (02 82 33)		
02 82 33 00-0178 Interior Asbestos-Cement Board, Asbestos Abatement And Disposal (02 82 33 00-0177)		
Note: Includes detachment of mounted objects before removal.		
02 82 33 00-0179 SET Up To 100 SF, Interior Asbestos-Cement Board, Asbestos Abatement And Disposal.....	678.73	
Note: Includes detachment of mounted objects before removal.		
02 82 33 00-0180 SF >100 To 500 SF, Interior Asbestos-Cement Board, Asbestos Abatement And Disposal.....	6.94	
Note: Includes detachment of mounted objects before removal.		
02 82 33 00-0181 SF >500 To 2,500 SF, Interior Asbestos-Cement Board, Asbestos Abatement And Disposal.....	3.53	
Note: Includes detachment of mounted objects before removal.		
02 82 33 00-0182 SF >2,500 To 10,000 SF, Interior Asbestos-Cement Board, Asbestos Abatement And Disposal.....	2.84	
Note: Includes detachment of mounted objects before removal.		
02 82 33 00-0183 SF >10,000 SF, Interior Asbestos-Cement Board, Asbestos Abatement And Disposal.....	2.49	
Note: Includes detachment of mounted objects before removal.		
02 82 33 00-0184 Exterior Asbestos-Cement Board, Asbestos Abatement And Disposal (02 82 33 00-0177)		
02 82 33 00-0185 SET Up To 100 SF, Exterior Asbestos-Cement Board, Asbestos Abatement And Disposal.....	678.73	
02 82 33 00-0186 SF >100 To 500 SF, Exterior Asbestos-Cement Board, Asbestos Abatement And Disposal.....	6.03	
02 82 33 00-0187 SF >500 To 2,500 SF, Exterior Asbestos-Cement Board, Asbestos Abatement And Disposal.....	3.15	
02 82 33 00-0188 SF >2,500 To 10,000 SF, Exterior Asbestos-Cement Board, Asbestos Abatement And Disposal.....	2.55	
02 82 33 00-0189 SF >10,000 SF, Exterior Asbestos-Cement Board, Asbestos Abatement And Disposal.....	2.23	
02 82 33 00-0190 Up To 12" Diameter Asbestos-Cement Pipe, Asbestos Abatement And Disposal (02 82 33 00-0177)		
02 82 33 00-0191 SET Up To 10 LF, Up To 12" Diameter Asbestos-Cement Pipe, Asbestos Abatement And Disposal.....	514.53	
02 82 33 00-0192 LF >10 To 100 LF, Up To 12" Diameter Asbestos-Cement Pipe, Asbestos Abatement And Disposal.....	35.54	
02 82 33 00-0193 LF >100 To 250 LF, Up To 12" Diameter Asbestos-Cement Pipe, Asbestos Abatement And Disposal.....	27.02	
02 82 33 00-0194 LF >250 To 500 LF, Up To 12" Diameter Asbestos-Cement Pipe, Asbestos Abatement And Disposal.....	20.63	
02 82 33 00-0195 LF >500 To 2,500 LF, Up To 12" Diameter Asbestos-Cement Pipe, Asbestos Abatement And Disposal.....	15.84	
02 82 33 00-0196 LF >2,500 To 10,000 LF, Up To 12" Diameter Asbestos-Cement Pipe, Asbestos Abatement And Disposal.....	12.24	
02 82 33 00-0197 LF >10,000 LF, Up To 12" Diameter Asbestos-Cement Pipe, Asbestos Abatement And Disposal.....	12.00	
02 82 33 00-0198 Exterior Transite Siding, Asbestos Abatement And Disposal (02 82 33 00-0177)		
02 82 33 00-0199 SET Up To 125 SF, Exterior Transite Siding, Asbestos Abatement And Disposal.....	687.20	
Note: Single or first of multiple layers.		
02 82 33 00-0200 SF >125 To 1,000 SF, Exterior Transite Siding, Asbestos Abatement And Disposal.....	5.45	
Note: Single or first of multiple layers.		
02 82 33 00-0201 SF >1,000 To 5,000 SF, Exterior Transite Siding, Asbestos Abatement And Disposal.....	4.39	
Note: Single or first of multiple layers.		
02 82 33 00-0202 SF >5,000 To 10,000 SF, Exterior Transite Siding, Asbestos Abatement And Disposal.....	3.53	
Note: Single or first of multiple layers.		
02 82 33 00-0203 SF >10,000 To 20,000 SF, Exterior Transite Siding, Asbestos Abatement And Disposal.....	2.68	
Note: Single or first of multiple layers.		
02 82 33 00-0204 SF >20,000 SF, Exterior Transite Siding, Asbestos Abatement And Disposal.....	2.04	
Note: Single or first of multiple layers.		
02 82 33 00-0205 Asbestos Contaminated Debris, Asbestos Abatement And Disposal (02 82 33)		
02 82 33 00-0206 Asbestos Contaminated Debris, Asbestos Abatement And Disposal (02 82 33 00-0205)		
02 82 33 00-0207 SET Up To 10 CF, Asbestos Contaminated Debris, Asbestos Abatement And Disposal.....	681.17	
For Work In Restricted Working Space, Add	199.97	
02 82 33 00-0208 CF >10 To 100 CF, Asbestos Contaminated Debris, Asbestos Abatement And Disposal.....	67.73	
For Work In Restricted Working Space, Add	19.88	
02 82 33 00-0209 CF >100 To 250 CF, Asbestos Contaminated Debris, Asbestos Abatement And Disposal.....	45.64	
For Work In Restricted Working Space, Add	13.25	
02 82 33 00-0210 CF >250 To 500 CF, Asbestos Contaminated Debris, Asbestos Abatement And Disposal.....	34.64	
For Work In Restricted Working Space, Add	9.95	
02 82 33 00-0211 CF >500 To 2,500 CF, Asbestos Contaminated Debris, Asbestos Abatement And Disposal.....	27.97	
For Work In Restricted Working Space, Add	7.95	

02 Existing Conditions**02 80 Facility Remediation****02 82 Asbestos Remediation**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
02 82 33 00-0212	CF		>2,500 To 10,000 CF, Asbestos Contaminated Debris, Asbestos Abatement And Disposal.....	23.99	
			<i>For Work In Restricted Working Space, Add</i>	6.76	
02 82 33 00-0213	CF		>10,000 CF, Asbestos Contaminated Debris, Asbestos Abatement And Disposal.....	21.73	
			<i>For Work In Restricted Working Space, Add</i>	6.08	
02 82 33 00-0214			Asbestos Contaminated Light Fixture, Asbestos Abatement And Disposal <small>(02 82 33 00-0205)</small>		
02 82 33 00-0215	SET		Up To 4 EA, Asbestos Contaminated Light Fixture, Asbestos Abatement And Disposal.....	527.98	
02 82 33 00-0216	EA		>4 To 40 EA, Asbestos Contaminated Light Fixture, Asbestos Abatement And Disposal.....	66.67	
02 82 33 00-0217	EA		>40 To 60 EA, Asbestos Contaminated Light Fixture, Asbestos Abatement And Disposal.....	46.79	
02 82 33 00-0218	EA		>60 To 125 EA, Asbestos Contaminated Light Fixture, Asbestos Abatement And Disposal.....	36.89	
02 82 33 00-0219	EA		>125 To 625 EA, Asbestos Contaminated Light Fixture, Asbestos Abatement And Disposal.....	30.88	
02 82 33 00-0220	EA		>625 To 1,500 EA, Asbestos Contaminated Light Fixture, Asbestos Abatement And Disposal.....	27.30	
02 82 33 00-0221	EA		>1,500 EA, Asbestos Contaminated Light Fixture, Asbestos Abatement And Disposal.....	25.26	
02 82 33 00-0222			Other Asbestos Containing Materials, Asbestos Abatement And Disposal <small>(02 82 33 00-0222)</small>		
02 82 33 00-0223			30" To 36" Fire Door, Asbestos Abatement And Disposal <small>(02 82 33 00-0222)</small>		
02 82 33 00-0224	SET		Up To 1 EA, 30" To 36" Fire Door, Asbestos Abatement And Disposal.....	339.85	
02 82 33 00-0225	EA		>1 To 20 EA, 30" To 36" Fire Door, Asbestos Abatement And Disposal.....	126.56	
02 82 33 00-0226	EA		>20 EA, 30" To 36" Fire Door, Asbestos Abatement And Disposal.....	114.56	
02 82 33 00-0227			HVAC Duct Flexible Connector (Web Cloth), Asbestos Abatement And Disposal <small>(02 82 33 00-0222)</small>		
02 82 33 00-0228	SET		Up To 10 LF, HVAC Duct Flexible Connector (Web Cloth), Asbestos Abatement And Disposal.....	333.57	
02 82 33 00-0229	LF		>10 To 50 LF, HVAC Duct Flexible Connector (Web Cloth), Asbestos Abatement And Disposal.....	6.85	
02 82 33 00-0230	LF		>50 To 100 LF, HVAC Duct Flexible Connector (Web Cloth), Asbestos Abatement And Disposal.....	5.14	
02 82 33 00-0231	LF		>100 To 250 LF, HVAC Duct Flexible Connector (Web Cloth), Asbestos Abatement And Disposal.....	4.42	
02 82 33 00-0232	LF		>250 To 1,000 LF, HVAC Duct Flexible Connector (Web Cloth), Asbestos Abatement And Disposal.....	3.81	
02 82 33 00-0233	LF		>1,000 To 2,500 LF, HVAC Duct Flexible Connector (Web Cloth), Asbestos Abatement And Disposal.....	3.27	
02 82 33 00-0234	LF		>2,500 LF, HVAC Duct Flexible Connector (Web Cloth), Asbestos Abatement And Disposal.....	2.83	
02 82 33 00-0235			Grout, Asbestos Abatement And Disposal <small>(02 82 33 00-0222)</small>		
			Note: e.g. flue grout.		
02 82 33 00-0236	SET		Up To 10 LF, Grout, Asbestos Abatement And Disposal.....	333.47	
02 82 33 00-0237	LF		>10 To 50 LF, Grout, Asbestos Abatement And Disposal.....	13.14	
02 82 33 00-0238	LF		>50 To 100 LF, Grout, Asbestos Abatement And Disposal.....	9.06	
02 82 33 00-0239	LF		>100 To 250 LF, Grout, Asbestos Abatement And Disposal.....	7.76	
02 82 33 00-0240	LF		>250 To 1,000 LF, Grout, Asbestos Abatement And Disposal.....	6.67	
02 82 33 00-0241	LF		>1,000 To 2,500 LF, Grout, Asbestos Abatement And Disposal.....	5.74	
02 82 33 00-0242	LF		>2,500 LF, Grout, Asbestos Abatement And Disposal.....	4.93	
02 82 33 00-0243			Gaskets, Asbestos Abatement And Disposal <small>(02 82 33 00-0222)</small>		
			Note: e.g. rope, web cloth, flat.		
02 82 33 00-0244	SET		Up To 10 LF, Gaskets, Asbestos Abatement And Disposal.....	333.57	
02 82 33 00-0245	LF		>10 To 50 LF, Gaskets, Asbestos Abatement And Disposal.....	17.70	
02 82 33 00-0246	LF		>50 To 250 LF, Gaskets, Asbestos Abatement And Disposal.....	13.29	
02 82 33 00-0247	LF		>250 To 500 LF, Gaskets, Asbestos Abatement And Disposal.....	11.33	
02 82 33 00-0248	LF		>500 To 1,500 LF, Gaskets, Asbestos Abatement And Disposal.....	10.20	
02 82 33 00-0249	LF		>1,500 To 2,500 LF, Gaskets, Asbestos Abatement And Disposal.....	9.16	
02 82 33 00-0250	LF		>2,500 LF, Gaskets, Asbestos Abatement And Disposal.....	8.72	
02 82 33 00-0251			Ceiling Tile Including Glue Removal, Asbestos Abatement And Disposal <small>(02 82 33 00-0222)</small>		
			Note: e.g. grid, spline, or glued on.		
02 82 33 00-0252	SET		Up To 50 SF, Ceiling Tile, Asbestos Abatement And Disposal.....	672.64	
			Note: Including Glue Removal		
02 82 33 00-0253	SF		>50 To 1,000 SF, Ceiling Tile, Asbestos Abatement And Disposal.....	14.29	
			Note: Including Glue Removal		
02 82 33 00-0254	SF		>1,000 To 2,500 SF, Ceiling Tile, Asbestos Abatement And Disposal.....	6.94	
			Note: Including Glue Removal		
02 82 33 00-0255	SF		>2,500 To 10,000 SF, Ceiling Tile, Asbestos Abatement And Disposal.....	4.72	
			Note: Including Glue Removal		
02 82 33 00-0256	SF		>10,000 SF, Ceiling Tile, Asbestos Abatement And Disposal.....	4.04	
			Note: Including Glue Removal		
02 82 33 00-0257			Nailed-On Ceiling Tile System With Asbestos Barrier Paper Backing, Asbestos Abatement And Disposal <small>(02 82 33 00-0222)</small>		
			Note: Includes ceiling tile, asbestos barrier paper, and furring strips.		
02 82 33 00-0258	SET		Up To 50 SF, Nailed-On Ceiling Tile System With Asbestos Barrier Paper Backing, Asbestos Abatement And Disposal.....	669.84	
02 82 33 00-0259	SF		>50 To 1,000 SF, Nailed-On Ceiling Tile System With Asbestos Barrier Paper Backing, Asbestos Abatement And Disposal.....	14.29	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
02 82 33 00-0260 SF >1,000 To 2,500 SF, Nailed-On Ceiling Tile System With Asbestos Barrier Paper Backing, Asbestos Abatement And Disposal.....	6.94	
02 82 33 00-0261 SF >2,500 To 10,000 SF, Nailed-On Ceiling Tile System With Asbestos Barrier Paper Backing, Asbestos Abatement And Disposal.....	4.72	
02 82 33 00-0262 SF >10,000 SF, Nailed-On Ceiling Tile System With Asbestos Barrier Paper Backing, Asbestos Abatement And Disposal.....	4.04	
02 82 33 00-0263 Caulking, Asbestos Abatement And Disposal (02 82 33 00-0222)		
02 82 33 00-0264 Non Friable Caulking, Asbestos Abatement And Disposal (02 82 33 00-0263)		
02 82 33 00-0265 SET Up To 10 LF, Non Friable Asbestos Or Polychlorinated Biphenyl (PCB) Contaminated Caulking, Asbestos Abatement And Disposal.....	333.47	
02 82 33 00-0266 LF >10 To 50 LF, Non Friable Asbestos Or Polychlorinated Biphenyl (PCB) Contaminated Caulking, Asbestos Abatement And Disposal.....	9.85	
02 82 33 00-0267 LF >50 To 100 LF, Non Friable Asbestos Or Polychlorinated Biphenyl (PCB) Contaminated Caulking, Asbestos Abatement And Disposal.....	6.96	
02 82 33 00-0268 LF >100 To 250 LF, Non Friable Asbestos Or Polychlorinated Biphenyl (PCB) Contaminated Caulking, Asbestos Abatement And Disposal.....	5.17	
02 82 33 00-0269 LF >250 To 1,000 LF, Non Friable Asbestos Or Polychlorinated Biphenyl (PCB) Contaminated Caulking, Asbestos Abatement And Disposal.....	3.89	
02 82 33 00-0270 LF >1,000 To 2,500 LF, Non Friable Asbestos Or Polychlorinated Biphenyl (PCB) Contaminated Caulking, Asbestos Abatement And Disposal.....	3.08	
02 82 33 00-0271 LF >2,500 LF, Non Friable Asbestos Or Polychlorinated Biphenyl (PCB) Contaminated Caulking, Asbestos Abatement And Disposal.....	2.68	
02 82 33 00-0272 Window Putty, Asbestos Abatement And Disposal (02 82 33 00-0222)		
02 82 33 00-0273 SET Up To 10 LF, Window Putty, Asbestos Abatement And Disposal.....	333.47	
02 82 33 00-0274 LF >10 To 50 LF, Window Putty, Asbestos Abatement And Disposal.....	13.14	
02 82 33 00-0275 LF >50 To 100 LF, Window Putty, Asbestos Abatement And Disposal.....	9.06	
02 82 33 00-0276 LF >100 To 250 LF, Window Putty, Asbestos Abatement And Disposal.....	7.76	
02 82 33 00-0277 LF >250 To 1,000 LF, Window Putty, Asbestos Abatement And Disposal.....	6.67	
02 82 33 00-0278 LF >1,000 LF, Window Putty, Asbestos Abatement And Disposal.....	5.74	
02 83 Lead Remediation (02 80)		
See CSI section 01 56 16 00-0034 for temporary stud walls, 01 74 19 00-0037 for hauling in excess of 25 miles to transfer or disposal site, 02 89 00 00-0003 for plastic sheeting for containment construction, 02 89 00 00-0010 for decontamination chambers.		
02 83 19 Lead-Based Paint Remediation (02 83)		
02 83 19 13 Lead-Based Paint Abatement (02 83 19)		
Note: Tasks include materials, equipment, mobilization, preparation, critical barriers (e.g. electrical outlets, registers, windows, etc.), signage, removal, clean-up, vacuuming, transportation for up to 25 miles, disposal, personnel health monitoring, negative air, documentation and other associated costs necessary for the complete removal and disposal of lead contaminated materials in accordance with EPA and local regulations. Where types of Lead are listed by quantity, the quantity of the entire project, not a particular work area, is to be used in determining which task applies.		
02 83 19 13-0001 Minimum Charge For Lead-Based Paint Remediation (02 83 19 13)		
02 83 19 13-0002 EA Lead-Based Paint Remediation Minimum Show Up Charge.....	906.95	
Note: For projects where the total lead-based paint remediation charge is less than the minimum charge, use task "Minimum Charge For Lead-Based Paint Remediation" exclusively. Task "Minimum Charge For Lead-Based Paint Remediation" should not be used in conjunction with any other tasks in this section. Includes air sample and personal air monitoring.		
02 83 19 13-0003 Lead Sampling And Testing (02 83 19 13)		
Note: Testing tasks include packaging of sample for shipping, shipping to testing lab, chain of custody documentation, analysis of sample, lab report, and sample disposal. Excludes sampling time.		
02 83 19 13-0004 HR Certified Lead Sampling Technician For Bulk Sampling Or Air Monitoring.....	77.03	
02 83 19 13-0005 EA X-Ray Fluorescence (XRF) Lead Testing.....	41.72	
Note: Including Technician, 3 Readings Per Surface And Lab Fee		
02 83 19 13-0006 EA 5 Day Turnaround Toxicity Characteristic Leaching Procedure (TCLP) Lead Test And Lab Fee.....	39.94	
02 83 19 13-0007 EA 48 Hour Turnaround Toxicity Characteristic Leaching Procedure (TCLP) Lead Test And Lab Fee.....	60.52	
02 83 19 13-0008 EA 24 Hour Turnaround Toxicity Characteristic Leaching Procedure (TCLP) Lead Test And Lab Fee.....	84.72	
02 83 19 13-0009 EA 5 Day Turnaround Total Threshold Leaching Concentration (TTL) Lead Test And Lab Fee.....	15.73	
02 83 19 13-0010 EA 24 Hour Turnaround Total Threshold Leaching Concentration (TTL) Lead Test And Lab Fee.....	24.21	
02 83 19 13-0011 EA 8 Hour Turnaround Total Threshold Leaching Concentration (TTL) Lead Test And Lab Fee.....	30.26	
02 83 19 13-0012 EA 5 Day Turnaround Soluble Threshold Limit Concentration (STLC) Lead Test And Lab Fee.....	39.94	
02 83 19 13-0013 EA 3 Day Turnaround Soluble Threshold Limit Concentration (STLC) Lead Test And Lab Fee.....	60.52	
02 83 19 13-0014 EA 5 Day Turnaround Lead Wipe Samples And Lab Fee.....	6.66	
02 83 19 13-0015 EA 24 Hour Turnaround Lead Wipe Samples And Lab Fee.....	9.08	
02 83 19 13-0016 EA 8 Hour Turnaround Lead Wipe Samples And Lab Fee.....	13.31	
02 83 19 13-0017 EA 5 Day Turnaround Lead Air Samples And Lab Fee.....	6.66	
02 83 19 13-0018 EA 24 Hour Turnaround Lead Air Samples And Lab Fee.....	9.08	
02 83 19 13-0019 EA 8 Hour Turnaround Lead Air Samples And Lab Fee.....	13.31	
02 83 19 13-0020 EA 5 Day Turnaround Lead Water Test and Lab Fee.....	24.21	
02 83 19 13-0021 EA 24 Hour Turnaround Lead Water Test and Lab Fee.....	36.31	
02 83 19 13-0022 EA 8 Hour Turnaround Lead Water Test and Lab Fee.....	48.41	
02 83 19 13-0023 EA 5 Day Turnaround Lead Paint Chip Test and Lab Fee.....	25.03	
02 83 19 13-0024 EA 5 Day Turnaround Lead Soil Test and Lab Fee.....	50.07	

02 Existing Conditions**02 80 Facility Remediation****02 83 Lead Remediation**MINOR
CSI UOM DESCRIPTIONTOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

02 83 19 13-0025	Chemical Stripping Of Lead Contaminated Material <small>(02 83 19 13)</small>	
	Note: Per 0.02" (20 mils) application. Manufacture recommended operating temperatures not to be below 50 degrees. Includes heat gun (where required) for follow up, waste handling, packing and all personnel blood work, lab test fees and monitoring. Industrial coatings often contain other hazardous ingredients in addition to or in place of lead. These might include, but are not be limited to, chromium, cadmium and mercury.	
02 83 19 13-0026	SF Balustrades, Chemical Stripping Of Lead Contaminated Material.....	29.62
	For 0.025" (25 mil) Application, Add	1.70
	For 0.03" (30 mil) Application, Add	2.68
02 83 19 13-0027	SF Balustrades, Ormate, Chemical Stripping Of Lead Contaminated Material.....	43.89
	For 0.025" (25 mil) Application, Add	2.41
	For 0.03" (30 mil) Application, Add	3.76
02 83 19 13-0028	LF Up To 6" Wide, Wood Trim, Chemical Stripping Of Lead Contaminated Material.....	12.74
	For 0.025" (25 mil) Application, Add	0.77
	For 0.03" (30 mil) Application, Add	1.24
	For 0.125" (125 mil) Application, Add	7.15
02 83 19 13-0029	LF >6" To 12" Wide, Wood Trim, Chemical Stripping Of Lead Contaminated Material.....	25.95
	For 0.025" (25 mil) Application, Add	1.43
	For 0.03" (30 mil) Application, Add	2.23
	For 0.125" (125 mil) Application, Add	10.45
02 83 19 13-0030	SF Cornice, Chemical Stripping Of Lead Contaminated Material.....	13.88
	For 0.025" (25 mil) Application, Add	0.91
	For 0.03" (30 mil) Application, Add	1.50
02 83 19 13-0031	SF Cornice, Ormate, Chemical Stripping Of Lead Contaminated Material.....	39.13
	For 0.025" (25 mil) Application, Add	2.17
	For 0.03" (30 mil) Application, Add	3.40
02 83 19 13-0032	SF Brick, Concrete Block, Concrete, Chemical Stripping Of Lead Contaminated Material.....	8.59
	For 0.025" (25 mil) Application, Add	0.61
	For 0.03" (30 mil) Application, Add	1.02
	For 0.125" (125 mil) Application, Add	7.43
02 83 19 13-0033	SF Cabinets, Chemical Stripping Of Lead Contaminated Material.....	24.77
	For 0.025" (25 mil) Application, Add	1.41
	For 0.03" (30 mil) Application, Add	2.23
02 83 19 13-0034	SF Cabinets, Ormate, Chemical Stripping Of Lead Contaminated Material.....	31.54
	For 0.025" (25 mil) Application, Add	1.75
	For 0.03" (30 mil) Application, Add	2.74
02 83 19 13-0035	SF Plaster, Stucco and Drywall Surfaces, Chemical Stripping Of Lead Contaminated Material.....	11.81
	For 0.025" (25 mil) Application, Add	0.77
	For 0.03" (30 mil) Application, Add	1.26
02 83 19 13-0036	SF Columns, Chemical Stripping Of Lead Contaminated Material.....	11.36
	For 0.025" (25 mil) Application, Add	0.79
	For 0.03" (30 mil) Application, Add	1.32
	For 0.125" (125 mil) Application, Add	9.38
02 83 19 13-0037	SF Flush Doors, One Side, Chemical Stripping Of Lead Contaminated Material.....	10.01
	For 0.025" (25 mil) Application, Add	0.68
	For 0.03" (30 mil) Application, Add	1.12
02 83 19 13-0038	SF Raised Panel Doors and Decorative Doors, Chemical Stripping Of Lead Contaminated Material.....	10.43
	For 0.025" (25 mil) Application, Add	0.70
	For 0.03" (30 mil) Application, Add	1.16
02 83 19 13-0039	SF Sectional Panel Or Roll-Up Doors, Chemical Stripping Of Lead Contaminated.....	18.06
	For 0.025" (25 mil) Application, Add	1.12
	For 0.03" (30 mil) Application, Add	1.82
02 83 19 13-0040	EA Electrical Devices, Chemical Stripping Of Lead Contaminated Material.....	51.53
	For 0.025" (25 mil) Application, Add	2.93
	For 0.03" (30 mil) Application, Add	4.61
02 83 19 13-0041	LF Door Frames, Chemical Stripping Of Lead Contaminated Material.....	12.82
	For 0.025" (25 mil) Application, Add	0.82
	For 0.03" (30 mil) Application, Add	1.34
02 83 19 13-0042	SF Wood Floors, Chemical Stripping Of Lead Contaminated Material.....	7.08
	For 0.025" (25 mil) Application, Add	0.53
	For 0.03" (30 mil) Application, Add	0.91
02 83 19 13-0043	SF HVAC Grilles, Chemical Stripping Of Lead Contaminated Material.....	26.47
	For 0.025" (25 mil) Application, Add	1.50
	For 0.03" (30 mil) Application, Add	2.36
02 83 19 13-0044	SF HVAC Grilles, Ormate, Chemical Stripping Of Lead Contaminated Material.....	31.54
	For 0.025" (25 mil) Application, Add	1.75
	For 0.03" (30 mil) Application, Add	2.74
02 83 19 13-0045	EA Hinges, Chemical Stripping Of Lead Contaminated Material.....	16.64
	For 0.025" (25 mil) Application, Add	1.09
	For 0.03" (30 mil) Application, Add	1.80
02 83 19 13-0046	EA Up To 6" Diameter Hangers, Chemical Stripping Of Lead Contaminated Material.....	20.47
	For 0.025" (25 mil) Application, Add	1.29
	For 0.03" (30 mil) Application, Add	2.09
	For 0.125" (125 mil) Application, Add	12.98
02 83 19 13-0047	LF Up To 2" Diameter Pipes and Conduit, Chemical Stripping Of Lead Contaminated Material.....	5.75
	For 0.025" (25 mil) Application, Add	0.42
	For 0.03" (30 mil) Application, Add	0.71
	For 0.125" (125 mil) Application, Add	5.40
02 83 19 13-0048	LF >2" To 4" Diameter Pipes and Conduit, Chemical Stripping Of Lead Contaminated Material.....	9.19
	For 0.025" (25 mil) Application, Add	0.59
	For 0.03" (30 mil) Application, Add	0.97
	For 0.125" (125 mil) Application, Add	6.26
02 83 19 13-0049	LF >4" To 8" Diameter Pipes and Conduit, Chemical Stripping Of Lead Contaminated Material.....	16.42
	For 0.025" (25 mil) Application, Add	1.04
	For 0.03" (30 mil) Application, Add	1.69
	For 0.125" (125 mil) Application, Add	10.65



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
02 83 19 13-0050	LF	>8" To 12" Diameter Pipes and Conduit, Chemical Stripping Of Lead Contaminated Material	22.49	
		For 0.025" (25 mil) Application, Add	1.39	
		For 0.03" (30 mil) Application, Add	2.24	
		For 0.125" (125 mil) Application, Add	13.48	
02 83 19 13-0051	LF	>12" To 16" Diameter Pipes and Conduit, Chemical Stripping Of Lead Contaminated Material	40.30	
		For 0.025" (25 mil) Application, Add	2.41	
		For 0.03" (30 mil) Application, Add	3.86	
		For 0.125" (125 mil) Application, Add	21.90	
02 83 19 13-0052	SF	>16" Diameter Pipes, Chemical Stripping Of Lead Contaminated Material, SF Of Surface Area	12.02	
		For 0.025" (25 mil) Application, Add	0.70	
		For 0.03" (30 mil) Application, Add	1.10	
		For 0.125" (125 mil) Application, Add	5.83	
02 83 19 13-0053	EA	Up To 12 SF Radiators, Chemical Stripping Of Lead Contaminated Material	238.88	
		For 0.025" (25 mil) Application, Add	13.21	
		For 0.03" (30 mil) Application, Add	20.61	
02 83 19 13-0054	SF	Flat And Raised Panel Wood Shutters, Chemical Stripping Of Lead Contaminated Material	16.90	
		For 0.025" (25 mil) Application, Add	1.34	
		For 0.03" (30 mil) Application, Add	2.31	
02 83 19 13-0055	SF	Louvered Wood Shutters, Chemical Stripping Of Lead Contaminated Material	18.49	
		For 0.025" (25 mil) Application, Add	1.42	
		For 0.03" (30 mil) Application, Add	2.43	
02 83 19 13-0056	SF	Siding, Chemical Stripping Of Lead Contaminated Material	9.62	
		For 0.025" (25 mil) Application, Add	0.70	
		For 0.03" (30 mil) Application, Add	1.18	
		For 0.125" (125 mil) Application, Add	8.95	
02 83 19 13-0057	SF	Soffit, Chemical Stripping Of Lead Contaminated Material	20.04	
		For 0.025" (25 mil) Application, Add	1.18	
		For 0.03" (30 mil) Application, Add	1.88	
		For 0.125" (125 mil) Application, Add	10.29	
02 83 19 13-0058	SF	Flat Steel Surfaces, Chemical Stripping Of Lead Contaminated Material	9.26	
		For 0.025" (25 mil) Application, Add	0.64	
		For 0.03" (30 mil) Application, Add	1.07	
		For 0.125" (125 mil) Application, Add	7.60	
02 83 19 13-0059	SF	Corrugated Steel, Chemical Stripping Of Lead Contaminated Material	10.51	
		For 0.025" (25 mil) Application, Add	0.70	
		For 0.03" (30 mil) Application, Add	1.16	
		For 0.125" (125 mil) Application, Add	7.91	
02 83 19 13-0060	SF	Steel Beams and Columns, Chemical Stripping Of Lead Contaminated Material	10.48	
		For 0.025" (25 mil) Application, Add	0.70	
		For 0.03" (30 mil) Application, Add	1.16	
		For 0.125" (125 mil) Application, Add	7.90	
02 83 19 13-0061	SF	Steel Trusses, Chemical Stripping Of Lead Contaminated Material	14.82	
		For 0.025" (25 mil) Application, Add	0.92	
		For 0.03" (30 mil) Application, Add	1.49	
		For 0.125" (125 mil) Application, Add	8.99	
02 83 19 13-0062	SF	Wood Surfaces, Chemical Stripping Of Lead Contaminated Material	10.48	
		For 0.025" (25 mil) Application, Add	0.70	
		For 0.03" (30 mil) Application, Add	1.16	
		For 0.125" (125 mil) Application, Add	7.90	
02 83 19 13-0063	SF	Windows, One Side, 1/1 Light, Chemical Stripping Of Lead Contaminated Material	24.04	
		For 0.025" (25 mil) Application, Add	1.38	
		For 0.03" (30 mil) Application, Add	2.18	
02 83 19 13-0064	SF	Windows, One Side, 2/2 Light, Chemical Stripping Of Lead Contaminated Material	26.30	
		For 0.025" (25 mil) Application, Add	1.49	
		For 0.03" (30 mil) Application, Add	2.35	
02 83 19 13-0065	SF	Windows, One Side, 4/4 Light, Chemical Stripping Of Lead Contaminated Material	27.83	
		For 0.025" (25 mil) Application, Add	1.57	
		For 0.03" (30 mil) Application, Add	2.46	
02 83 19 13-0066	SF	Windows, One Side, 6/6 Light, Chemical Stripping Of Lead Contaminated Material	29.38	
		For 0.025" (25 mil) Application, Add	1.65	
		For 0.03" (30 mil) Application, Add	2.58	
02 83 19 13-0067	SF	Windows, One Side, 8/8 Light Chemical Stripping Of Lead Contaminated Material	30.90	
		For 0.025" (25 mil) Application, Add	1.72	
		For 0.03" (30 mil) Application, Add	2.69	
02 83 19 13-0068	SF	Windows, One Side, 10/10 Light, Chemical Stripping Of Lead Contaminated Material	32.49	
		For 0.025" (25 mil) Application, Add	1.80	
		For 0.03" (30 mil) Application, Add	2.81	
02 83 19 13-0069	SF	Windows, One Side, 12/12 light Chemical Stripping Of Lead Contaminated Material	33.98	
		For 0.025" (25 mil) Application, Add	1.88	
		For 0.03" (30 mil) Application, Add	2.92	
02 83 19 13-0070	SF	Windows, One Side, 14/14 Light, Chemical Stripping Of Lead Contaminated Material	34.76	
		For 0.025" (25 mil) Application, Add	1.91	
		For 0.03" (30 mil) Application, Add	2.98	
02 83 19 13-0071	SF	Windows, One Side, 16/16 Light Chemical Stripping Of Lead Contaminated Material	35.54	
		For 0.025" (25 mil) Application, Add	1.95	
		For 0.03" (30 mil) Application, Add	3.04	
02 83 19 13-0072	SF	Windows, One Side, 20/20 Light, Chemical Stripping Of Lead Contaminated Material	36.28	
		For 0.025" (25 mil) Application, Add	1.99	
		For 0.03" (30 mil) Application, Add	3.10	
02 83 19 13-0073	SF	Metal Stairs, Chemical Stripping Of Lead Contaminated Material	47.98	
		For 0.025" (25 mil) Application, Add	2.75	
		For 0.03" (30 mil) Application, Add	4.34	
		For 0.125" (125 mil) Application, Add	22.50	

02 Existing Conditions**02 80 Facility Remediation****02 83 Lead Remediation**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
02 83 19 13-0074	LF		Metal Single Hand Rail, Chemical Stripping Of Lead Contaminated Material	8.37	
			<i>For 0.025" (25 mil) Application, Add</i>	0.55	
			<i>For 0.03" (30 mil) Application, Add</i>	0.91	
			<i>For 0.125" (125 mil) Application, Add</i>	6.05	
02 83 19 13-0075	SF		Metal Railing And Posts, Chemical Stripping Of Lead Contaminated Material	24.43	
			Note: The unit of measure "SF" is measured for 'Length x Height'. Work includes both sides of railing.		
			<i>For 0.025" (25 mil) Application, Add</i>	1.48	
			<i>For 0.03" (30 mil) Application, Add</i>	2.39	
			<i>For 0.125" (125 mil) Application, Add</i>	13.97	
02 83 19 13-0076	SF		Metal Picket Fence, Chemical Stripping Of Lead Contaminated Material	26.68	
			<i>For 0.025" (25 mil) Application, Add</i>	1.55	
			<i>For 0.03" (30 mil) Application, Add</i>	2.46	
			<i>For 0.125" (125 mil) Application, Add</i>	13.21	
02 83 19 13-0077			Demolish Lead Contaminated Material <small>(02 83 19 13)</small>		
			Note: Includes waste handling, packing, all personnel blood work, lab test fees and monitoring. Industrial coatings often contain other hazardous ingredients in addition to or in place of lead. These might include, but are not be limited to, chromium, cadmium and mercury.		
02 83 19 13-0078	SF		Demolish Ceiling Suspension System, Lead Contaminated Material	2.11	
02 83 19 13-0079	SF		Demolish Plaster Or Stucco, And Lath, Lead Contaminated Material	3.05	
02 83 19 13-0080	SF		Demolish Walls, Gypsum Board, Lead Contaminated Material	0.99	
02 83 19 13-0081	SF		Demolish Suspended Ceiling System And Tile, Lead Contaminated Material	1.22	
02 83 19 13-0082	SF		Demolish Acoustical Ceiling Tile, Lead Contaminated Material	0.78	
02 83 19 13-0083	SF		Demolish Metal Pan Grid System, Lead Contaminated Material	1.22	
02 83 19 13-0084	EA		Demolish Ceiling And Recessed Light Fixtures, Lead Contaminated Material	58.66	
02 83 19 13-0085	EA		Demolish >2' x 4' Light Fixtures, Lead Contaminated Material	77.81	
02 83 19 13-0086	SF		Demolish Non Load Bearing Partitions Of Plaster Or Stucco, Lath And Studs, Lead Contaminated Material	8.69	
02 83 19 13-0087	SF		Demolish Non Load Bearing Partitions Of Gypsum Board And Studs, Lead Contaminated Material	4.87	
02 83 19 13-0088	SF		Demolish Brick, Lead Contaminated Material	3.66	
02 83 19 13-0089	SF		Demolish Concrete Block, Lead Contaminated Material	4.71	
02 83 19 13-0090	SF		Demolish Tile, Lead Contaminated Material	3.56	
02 83 19 13-0091	SF		Demolish Up To 6" Concrete, Lead Contaminated Material	5.34	
02 83 19 13-0092	IN		Drilling, Up To 1/2" Diameter In Lead Paint/Asbestos Material Per Inch Of Depth	4.12	
02 83 19 13-0093	IN		Drilling, >1/2" To 1" Diameter In Lead Paint/Asbestos Material Per Inch Of Depth	5.48	
02 83 19 13-0094	LF		Demolish Wood Balustrades And Railings, Lead Contaminated Material	6.08	
02 83 19 13-0095	LF		Demolish Up To 6" Wide Baseboard, Lead Contaminated Material	1.58	
02 83 19 13-0096	LF		Demolish >6" To 12" Wide Baseboard, Lead Contaminated Material	1.98	
02 83 19 13-0097	LF		Demolish Base Shoe Molding, Lead Contaminated Material	1.29	
02 83 19 13-0098	SF		Demolish Concrete, Lead Contaminated Material	12.09	
02 83 19 13-0099	LF		Demolish Cabinets, Lead Contaminated Material	28.18	
02 83 19 13-0100	SF		Demolish Ceilings, Gypsum Board, Lead Contaminated Material	1.60	
02 83 19 13-0101	SF		Demolish Up To 12" Diameter Columns, Lead Contaminated Material	15.62	
02 83 19 13-0102	SF		Demolish Cornice, Lead Contaminated Material	2.07	
02 83 19 13-0103	EA		Demolish Doors, Lead Contaminated Material	61.14	
02 83 19 13-0104	LF		Demolish Door And Window Trim Or Frames, Lead Contaminated Material	1.86	
02 83 19 13-0105	EA		Demolish Electrical Devices, Lead Contaminated Material	18.76	
02 83 19 13-0106	LF		Demolish Up To 1" Diameter Electrical Conduit, Lead Contaminated Material	2.41	
02 83 19 13-0107	LF		Demolish >1" To 2" Diameter Electrical Conduit, Lead Contaminated Material	4.00	
02 83 19 13-0108	SF		Demolish Wood Floors, Lead Contaminated Material	2.89	
02 83 19 13-0109	SF		Demolish Grilles, Lead Contaminated Material	3.40	
02 83 19 13-0110	EA		Demolish Hinges, Lead Contaminated Material	6.82	
02 83 19 13-0111	EA		Demolish Up To 6" Diameter Hangers, Lead Contaminated Material	14.65	
02 83 19 13-0112	LF		Demolish Up To 2" Diameter Pipes, Lead Contaminated Material	6.01	
02 83 19 13-0113	LF		Demolish >2" To 4" Diameter Pipes, Lead Contaminated Material	8.77	
02 83 19 13-0114	LF		Demolish >4" To 8" Diameter Pipes, Lead Contaminated Material	13.24	
02 83 19 13-0115	LF		Demolish >8" To 12" Diameter Pipes, Lead Contaminated Material	24.43	
02 83 19 13-0116	EA		Demolish Radiators, Lead Contaminated Material	105.53	
02 83 19 13-0117	EA		Demolish Shutters, Lead Contaminated Material	41.12	
02 83 19 13-0118	SF		Demolish Siding, Lead Contaminated Material	1.64	
02 83 19 13-0119	SF		Demolish Soffit, Lead Contaminated Material	1.39	
02 83 19 13-0120	SF		Demolish Flat Steel Surfaces, Lead Contaminated Material	3.81	
02 83 19 13-0121	SF		Demolish Steel Beams, Lead Contaminated Material	4.48	
02 83 19 13-0122	SF		Demolish Trusses, Lead Contaminated Material	5.87	
02 83 19 13-0123	SF		Demolish Walls, Wood, Lead Contaminated Material	4.34	
02 83 19 13-0124	SF		Demolish Windows, Lead Contaminated Material	14.60	
02 83 19 13-0125	SF		Demolish Metal Stair, Lead Contaminated Material	6.99	
02 83 19 13-0126	LF		Demolish Single Metal Hand Rail, Lead Contaminated Material	5.14	
02 83 19 13-0127	LF		Demolish Metal Railing And Posts, Lead Contaminated Material	8.38	
02 83 19 13-0128	SF		Demolish Metal Picket Fence, Lead Contaminated Material	2.30	
02 83 19 13-0129	SF		Demolish Plywood, Lead Contaminated Material	6.31	
02 83 19 13-0130	SF		Demolish Planks (Various Sizes), Lead Contaminated Material	3.09	
02 83 19 13-0131	EA		Demolish Metal Brackets Or Other Small Metal Shapes, Lead Contaminated Material	19.26	
02 83 19 13-0132	SF		Demolish Ceramic Tile Block, Lead Contaminated Material	4.20	
02 83 19 13-0133	LF		Demolish Metal Guard Rails, Lead Contaminated Material	11.55	
02 83 19 13-0134	LF		Demolish Roof Metal Trim, Lead Contaminated Material	2.46	
02 83 19 13-0135	LF		Demolish Rain Gutters, Lead Contaminated Material	4.23	
02 83 19 13-0136	LF		Demolish Downspouts, Lead Contaminated Material	3.46	
02 83 19 13-0137	LF		Demolish Roof Metal Flashing, Lead Contaminated Material	2.46	
02 83 19 13-0138	LF		Demolish Fascia Board Up To 12", Lead Contaminated Material	6.16	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
02 83 19 13-0139 Wet Sanding Of Lead Contaminated Material <small>(02 83 19 13)</small>		
02 83 19 13-0140 SF Wet Sand/Scrape Of Lead Contaminated Material For Prep Before New Paint.....	1.67	
02 83 19 13-0141 Lead Abatement Encapsulation <small>(02 83 19 13)</small>		
Note: Can also be used for asbestos contaminated encapsulation. Spray applied application unless task described otherwise.		
02 83 19 13-0142 SF Balustrades, Lead Abatement Encapsulation	5.15	
02 83 19 13-0143 LF Up To 6" Wide, Baseboard, Lead Abatement Encapsulation	6.07	
02 83 19 13-0144 LF >6" To 12" Wide, Baseboard, Lead Abatement Encapsulation	8.17	
02 83 19 13-0145 SF Brick, Concrete Block, Concrete, Lead Abatement Encapsulation	3.26	
02 83 19 13-0146 SF Ornate Cabinets, Lead Abatement Encapsulation	7.53	
02 83 19 13-0147 SF Simple Design Cabinets, Lead Abatement Encapsulation	6.10	
02 83 19 13-0148 SF Drywall Ceilings, Lead Abatement Encapsulation	1.98	
02 83 19 13-0149 SF Wood Ceilings, Lead Abatement Encapsulation	2.43	
02 83 19 13-0150 SF Acoustical And Popcorn Ceilings, Lead Abatement Encapsulation.....	2.25	
02 83 19 13-0151 SF Columns, Lead Abatement Encapsulation	3.97	
02 83 19 13-0152 SF Doors, Lead Abatement Encapsulation.....	8.88	
02 83 19 13-0153 LF Up To 2" Electrical Conduit, Lead Abatement Encapsulation	3.39	
02 83 19 13-0154 SF Picket Fence (Brush), Lead Abatement Encapsulation	2.30	
02 83 19 13-0155 SF Wood Floors (Roller), Lead Abatement Encapsulation	1.89	
02 83 19 13-0156 SF Grilles, Vents, Lead Abatement Encapsulation	5.57	
02 83 19 13-0157 LF Gutters And Downspouts, Lead Abatement Encapsulation.....	5.15	
02 83 19 13-0158 EA Hangers, Lead Abatement Encapsulation.....	45.06	
02 83 19 13-0159 LF Up To 4" Diameter Pipe (Brush), Lead Abatement Encapsulation	3.13	
02 83 19 13-0160 LF >4" To 8" Diameter Pipe (Brush), Lead Abatement Encapsulation	4.41	
02 83 19 13-0161 LF >8" To 12" Diameter Pipe (Brush), Lead Abatement Encapsulation	6.77	
02 83 19 13-0162 LF >12" To 16" Diameter Pipe (Brush), Lead Abatement Encapsulation	9.98	
02 83 19 13-0163 EA Radiators, Lead Abatement Encapsulation	189.08	
02 83 19 13-0164 EA Up To 6' Shutters, Lead Abatement Encapsulation.....	163.66	
02 83 19 13-0165 SF Siding, Lead Abatement Encapsulation	2.78	
02 83 19 13-0166 SF Up To 12" Soffit, Lead Abatement Encapsulation	3.97	
02 83 19 13-0167 SF Steel, Flat Surfaces And Tanks Up To 12', Lead Abatement Encapsulation.....	3.26	
02 83 19 13-0168 SF Steel Beams And Metal Decks, Lead Abatement Encapsulation	4.31	
02 83 19 13-0169 SF Trusses, Lead Abatement Encapsulation.....	4.31	
02 83 19 13-0170 SF Drywall Walls, Lead Abatement Encapsulation	1.77	
02 83 19 13-0171 SF Wood Walls, Lead Abatement Encapsulation	2.18	
02 83 19 13-0172 EA Window Without Grille, Lead Abatement Encapsulation	163.05	
02 83 19 13-0173 EA Window With Grille, Lead Abatement Encapsulation	191.48	
02 83 19 13-0174 LF Frames And Trim, Lead Abatement Encapsulation.....	2.99	
02 83 19 13-0175 LF Steel Lintels, Lead Abatement Encapsulation.....	3.41	
02 83 33 Removal and Disposal of Material Containing Lead <small>(02 83)</small>		
02 83 33 13 Lead-Based Paint Removal and Disposal <small>(02 83 33)</small>		
02 83 33 13-0001 Remove Loose Dirt And Debris Containing Lead <small>(02 83 33 13)</small>		
02 83 33 13-0002 SF High Efficiency Particulate Air (HEPA) Vacuum And Wet Cleaning Of Lead Contaminated Area With Mild Detergent.....	0.25	
02 83 33 13-0003 SF High Efficiency Particulate Air (HEPA) Vacuum And Wet Cleaning Of Lead Contaminated Area With Tri-Sodium Phosphate.....	0.28	
02 83 33 13-0004 SF High Efficiency Particulate Air (HEPA) Vacuum And Shampoo Cleaning Of Lead Contaminated Carpeting.....	1.22	
02 84 Polychlorinated Biphenyl Remediation <small>(02 84)</small>		
02 84 16 Handling Of Lighting Ballasts and Lamps Containing PBCs and Mercury <small>(02 84)</small>		
02 84 16 00-0001 Removal Of TSCA-Exempt PCB And Non-PCB Ballasts From Demolished Fixtures <small>(02 84 16)</small>		
Note: Includes removal of TSCA-exempt PCB and Non-PCB ballast from demolished lighting fixture and placing ballast in an approved container for recycling.		
02 84 16 00-0002 EA Removal Of TSCA-Exempt Polychlorinated Biphenyl (PCB) And Non-PCB Ballast From A Demolished Fixture For Recycling	6.34	
02 84 16 00-0003 Recycle TSCA-Exempt PCB And Non-PCB Ballasts <small>(02 84 16)</small>		
Note: Non leaking ballasts. Includes containers, shipping costs and recycling fees. Excludes ballast removal.		
02 84 16 00-0004 EA Recycle Non-Polychlorinated Biphenyl (PCB) Ballast Removed From Up To 4' Length Fixtures	1.01	
02 84 16 00-0005 EA Recycle Non-Polychlorinated Biphenyl (PCB) Ballast Removed From >4' To 8' Length Fixtures	1.51	
02 84 16 00-0006 EA Recycle TSCA-Exempt Polychlorinated Biphenyl (PCB) Ballast Removed From Up To 4' Length Fixtures	4.71	
02 84 16 00-0007 EA Recycle TSCA-Exempt Polychlorinated Biphenyl (PCB) Ballast Removed From >4' To 8' Length Fixtures	10.77	
02 84 16 00-0008 Disposal Of Leaking PCB And Non-PCB Ballasts <small>(02 84 16)</small>		
Note: Disposal at an EPA approved facility. Includes containers, shipping costs and disposal fees. Excludes ballast removal.		
02 84 16 00-0009 EA Dispose Of Leaking Non-Polychlorinated Biphenyl (PCB) Ballast Removed From Up To 4' Length Fixtures.....	2.52	
02 84 16 00-0010 EA Dispose Of Leaking Non-Polychlorinated Biphenyl (PCB) Ballast Removed From >4' To 8' Length Fixtures.....	3.78	
02 84 16 00-0011 EA Dispose Of Leaking Polychlorinated Biphenyl (PCB) Ballast Removed From Up To 4' Length Fixtures.....	7.06	

02 Existing Conditions**02 80 Facility Remediation****02 84 Polychlorinated Biphenyl Remediation**MINOR
CSI UOM DESCRIPTIONTOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

02 84 16 00-0012 EA Dispose Of Leaking Polychlorinated Biphenyl (PCB) Ballast Removed From >4' To 8' Length Fixtures 16.15

02 84 33 Removal and Disposal of Polychlorinated Biphenyls (02 84)**02 84 33 00-0001 Removal And Disposal Of Polychlorinated Biphenyls Oil Filled****Transformers (02 84 33)**

Note: Includes disposal in approved container, rigging, manifesting, hauling, etc.

02 84 33 00-0002	EA	Removal And Disposal Of Transformers 2.5/3.5 KVA, Non Polychlorinated Biphenyl (PCB)	1,873.16
		Note: Includes disposal costs.	
02 84 33 00-0003	EA	Removal And Disposal Of Transformers 20 KVA, Non Polychlorinated Biphenyl (PCB)	2,924.83
		Note: Includes disposal costs.	
02 84 33 00-0004	EA	Removal And Disposal Of Switch, Non Polychlorinated Biphenyl (PCB)	849.30
02 84 33 00-0005	EA	Removal And Disposal Of Transformers 2.5/3.5 KVA, Polychlorinated Biphenyl (PCB)	3,475.53
		Note: Includes disposal costs.	
02 84 33 00-0006	EA	Removal And Disposal Of Switch, Polychlorinated Biphenyl (PCB)	2,452.34
02 84 33 00-0007	EA	Removal And Disposal Of Transformers 20 KVA, Polychlorinated Biphenyl (PCB)	5,452.46
		Note: Includes disposal costs.	

02 86 Hazardous Waste Drum Handling (02 86)**02 86 00 00-0001 Hazardous Waste Packaging (02 86)****02 86 00 00-0002 Overpacks (02 86 00 00-0001)****02 86 00 00-0003 Steel Salvage Drums, 16 Gauge (02 86 00 00-0002)**

02 86 00 00-0004	EA	110 Gallon, 30" Diameter X 41" High	304.64
02 86 00 00-0005	EA	85 Gallon, 26" Diameter X 38" High	173.41
02 86 00 00-0006	EA	83 Gallon, 26" Diameter X 36" High	167.37
02 86 00 00-0007	EA	55 Gallon, DOT 17C, 18" Diameter X 34" High	104.71
02 86 00 00-0008	EA	30 Gallon, DOT 17C, 18" Diameter X 28" High	82.49
02 86 00 00-0009	EA	22 Gallon, 16" Diameter X 25" High	55.57
02 86 00 00-0010	EA	15 Gallon, DOT 17C, 14" Diameter X 24" High	50.25
02 86 00 00-0011	EA	10 Gallon, 13.8" Diameter X 15" High	44.28

02 86 00 00-0012 Polyethylene Overpacks (02 86 00 00-0002)

02 86 00 00-0013	EA	95 Gallon, DOT E9618, Twist On Lid 31" Diameter X 41" High	344.11
02 86 00 00-0014	EA	20 Gallon, Labpack, Twist On Lid 21" Diameter X 7.5" High	63.59
02 86 00 00-0015	EA	85 Gallon, DOT E9775, Clamp Ring Lid, 27" Diameter X 41" High	311.37

02 86 00 00-0016 Composite Overpacks (02 86 00 00-0002)

02 86 00 00-0017	EA	55 Gal, DOT 17C, Steel Drum Nested With 2-20 Gallon Fiber Drums	168.97
02 86 00 00-0018	EA	55 Gal, DOT 17C, Steel Drum Nested With 4-10 Gallon Fiber Drums	231.87
02 86 00 00-0019	EA	85 Gal, 16 Gauge Salvage Drum Nested With 3-20 Gallon Fiber Drums	314.50

02 86 00 00-0020 DOT E-9168 Exempt Packaging (02 86 00 00-0002)

02 86 00 00-0021	EA	32 Oz Bottle, Carton, Insert, Can, Poly Bag And Tape -E9168	14.25
02 86 00 00-0022	EA	950 cc Bottle, Carton, Insert, Can, Poly Bag And Tape -E9168	15.03
02 86 00 00-0023	EA	500 cc Bottle, Carton, Insert, Can, Poly Bag And Tape -E9168	14.70
02 86 00 00-0024	EA	250 cc Bottle, Carton, Insert, Can, Poly Bag And Tape -E9168	7.28
02 86 00 00-0025	EA	Can, Carton, Insert, Tape - Corrosive And Flammable - UPS	9.05
02 86 00 00-0026	EA	16 Oz Bottle, Carton, Insert And Tape, Sludge/Viscous, UPS	6.32
02 86 00 00-0027	EA	32 Oz Bottle, Carton, Insert And Tape, Sludge/Viscous, UPS	8.22

02 86 00 00-0028 Steel Drums (02 86 00 00-0001)**02 86 00 00-0029 UN Rated Steel Drums (02 86 00 00-0028)**

02 86 00 00-0030	EA	UN 1A2/X 320/S 55 Gallon, Open, 16 Gauge, Steel Drum	105.79
02 86 00 00-0031	EA	55 Gallon Stainless Steel DOT 17E Ch 18-Gauge Drum (10-24)	759.53
02 86 00 00-0032	EA	55 Gallon Reconditioned Steel 17h Drum (50+)	55.50
02 86 00 00-0033	EA	8 Gallon, 17C, Open, Steel Drum	56.73
02 86 00 00-0034	EA	55 Gallon Stainless Steel DOT 5C Seamless Oh Drum 16-Gauge (25-49)	941.24
02 86 00 00-0035	EA	55 Gallon Stainless Steel DOT 5C Seamless Oh Drum 16-Gauge (50+)	892.24
02 86 00 00-0036	EA	55 Gallon Stainless Steel DOT 5C Ch Seamless Drum 16-Gauge (10-24)	1,090.29
02 86 00 00-0037	EA	55 Gallon Stainless Steel DOT 17E Ch 18-Gauge Drum (25-49)	745.24
02 86 00 00-0038	EA	UN 1A2/X 320/S 55 Gallon, Closed, 16 Gauge, Steel Drum	99.99
02 86 00 00-0039	EA	UN 1A2/Y 1.4/100 55 Gallon, Open, 16 Gauge, Steel Drum	81.08
02 86 00 00-0040	EA	55 Gallon Stainless Steel DOT 17E Ch 18-Gauge Drum (50+)	671.73
02 86 00 00-0041	EA	55 Gallon Stainless Steel DOT 5C Ch Seamless Drum 16-Gauge (25-49)	1,069.87
02 86 00 00-0042	EA	55 Gallon Stainless Steel DOT 5C Oh 16-Gauge Drum (1-9)	986.16
02 86 00 00-0043	EA	55 Gallon Stainless Steel DOT 5C Ch Seamless Drum 16-Gauge (50+)	963.70
02 86 00 00-0044	EA	55 Gallon Stainless Steel DOT 5C Oh 16-Gauge Drum (10-24)	967.79
02 86 00 00-0045	EA	UN 1A2/Y 1.4/100 55 Gallon, Closed, 16 Gauge, Steel Drum	63.89
02 86 00 00-0046	EA	30 Gallon Stainless Steel DOT 5C Ch 16-Gauge Drum (1-9)	632.94
02 86 00 00-0047	EA	UN 1A2/X 160/S 30 Gallon, Open, 18 Gauge, Steel Drum	74.07
02 86 00 00-0048	EA	55 Gallon Stainless Steel DOT 5C Ch 16-Gauge Drum (1-9)	1,029.04



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
02 86 00 00-0049 EA 30 Gallon Stainless Steel DOT 5C Ch 16-Gauge Drum (10-24).....	608.44	
02 86 00 00-0050 EA 55 Gallon Stainless Steel DOT 5C Oh 16-Gauge Drum (25-49).....	871.83	
02 86 00 00-0051 EA 30 Gallon Stainless Steel DOT 5C Ch 16-Gauge Drum (25-49).....	581.90	
02 86 00 00-0052 EA 55 Gallon Stainless Steel DOT 5C Ch 16-Gauge Drum (10-24).....	1,004.54	
02 86 00 00-0053 EA UN 1A2/Y 1.4/100 30 Gallon, Open, 18 Gauge, Steel Drum.....	62.96	
02 86 00 00-0054 EA 55 Gallon Stainless Steel DOT 5C Oh 16-Gauge Drum (50+).....	826.91	
02 86 00 00-0055 EA 55 Gallon Reconditioned Steel 17h Drum (1-9).....	81.40	
02 86 00 00-0056 EA 30 Gallon Stainless Steel DOT 5C Ch 16-Gauge Drum (50+).....	561.48	
02 86 00 00-0057 EA 55 Gallon Stainless Steel DOT 5C Ch 16-Gauge Drum (25-49).....	986.16	
02 86 00 00-0058 EA 30 Gallon, 17E, Open, Steel Drum.....	45.67	
02 86 00 00-0059 EA 55 Gallon Reconditioned Steel 17h Drum (10-24).....	72.15	
02 86 00 00-0060 EA 20 Gallon, 17C, Open, Steel Drum.....	64.19	
02 86 00 00-0061 EA 55 Gallon Stainless Steel DOT 5C Ch 16-Gauge Drum (50+).....	888.16	
02 86 00 00-0062 EA 55 Gallon Stainless Steel DOT 5C Seamless Oh Drum 16-Gauge (1-9).....	1,063.75	
02 86 00 00-0063 EA 55 Gallon Stainless Steel DOT 17E Ch 18-Gauge Drum (1-9).....	777.91	
02 86 00 00-0064 EA 55 Gallon Reconditioned Steel 17h Drum (25-49).....	62.90	
02 86 00 00-0065 EA 20 Gallon, 17E, Open, Steel Drum.....	43.21	
02 86 00 00-0066 EA 55 Gallon Stainless Steel DOT 5C Seamless Oh Drum 16-Gauge (10-24).....	1,043.33	

02 86 00 00-0067

Plastic Drums (02 86 00 00-0001)

02 86 00 00-0068

Polyethylene Closed Head Drums (02 86 00 00-0067)

Note: Closed head drums have standard NPS (National Pipe Standard) plug and drain vents. Primarily for liquids.

02 86 00 00-0069 EA 55 Gallon Polyethylene Closed Head Drums.....	66.41	
02 86 00 00-0070 EA 35 Gallon Polyethylene Closed Head Drums.....	50.98	
02 86 00 00-0071 EA 30 Gallon Polyethylene Closed Head Drums.....	46.29	
02 86 00 00-0072 EA 20 Gallon Polyethylene Closed Head Drums.....	32.34	
02 86 00 00-0073 EA 15 Gallon Polyethylene Closed Head Drums.....	31.73	

02 86 00 00-0074

Polyethylene Open Head Drums (02 86 00 00-0067)

Note: Open head drums are primarily used for solids and sludge.

02 86 00 00-0075 EA 55 Gallon Polyethylene Open Head Drums.....	83.94	
02 86 00 00-0076 EA 35 Gallon Polyethylene Open Head Drums.....	61.72	
02 86 00 00-0077 EA 30 Gallon Polyethylene Open Head Drums.....	58.64	
02 86 00 00-0078 EA 20 Gallon Polyethylene Open Head Drums.....	43.21	
02 86 00 00-0079 EA 15 Gallon Polyethylene Open Head Drums.....	37.03	

02 86 00 00-0080

Fiber Drums (02 86 00 00-0001)

02 86 00 00-0081

Steel Top/Fiber Bottom Drums, Hazardous (02 86 00 00-0080)

Note: Waste fiber drums have tubular rubber gaskets and caulked bottom seams.

02 86 00 00-0082 EA 30 Gallon Fiber Drum DOT-21C (1-9).....	50.86	
02 86 00 00-0083 EA 30 Gallon Fiber Drum DOT-21C (10-24).....	47.65	
02 86 00 00-0084 EA 30 Gallon Fiber Drum DOT-21C (25-49).....	43.45	
02 86 00 00-0085 EA 30 Gallon Fiber Drum DOT-21C (50+).....	42.96	
02 86 00 00-0086 EA 55 Gallon Fiber Drum DOT-21C (1-9).....	52.34	
02 86 00 00-0087 EA 55 Gallon Fiber Drum DOT-21C (10-24).....	49.38	
02 86 00 00-0088 EA 55 Gallon Fiber Drum DOT-21C (25-49).....	45.67	
02 86 00 00-0089 EA 55 Gallon Fiber Drum DOT-21C (50-99).....	44.19	
02 86 00 00-0090 EA 55 Gallon Fiber Drum DOT-21C (100+).....	38.27	
02 86 00 00-0091 EA 10 Gallon, 20" Diameter, DOT 21C-250 Polyethylene/Polyester Lined.....	32.59	
02 86 00 00-0092 EA 20 Gallon, 20" Diameter, DOT 21C-250 Polyethylene/Polyester Lined.....	35.55	
02 86 00 00-0093 EA 20 Gallon, 23" Diameter, DOT 21C-250 Polyethylene/Polyester Lined.....	41.48	

02 86 00 00-0094

Loading Hazardous Waste For Shipment (02 86 00 00-0001)

02 86 00 00-0095 EA Load Drums On Disposal Truck.....	9.08	
02 86 00 00-0096 EA Load Liquid Or Sludge Into 5,000 Gallon Bulk Tank Truck.....	954.09	

02 86 00 00-0097

Transport Drums To Landfill (02 86 00 00-0001)

Note: Includes transportation for up to 25 miles.

02 86 00 00-0098 EA Transport Drum To Landfill.....	56.94	
---	-------	--

02 87 Bio-Hazard Material Remediation (02 80)

02 87 13

Mold Remediation (02 87)

Note: All unit pricing in this section includes: materials, equipment, mobilization, preparation, removal, clean-up, vacuuming, transportation for up to 25 miles, disposal, monitoring (personnel and air), sampling/testing, fees, documentation and other associated costs necessary for the complete removal and disposal of mold in accordance with EPA, OSHA, IICRC standards and local regulations. Where types of Mold are listed by quantity, the quantity of the entire project, not a particular work area of building, is to be used in determining which tasks apply. For certain types of work, there is a task with a unit of measure of SET for a quantity of less than 100 LF or SF (Up to 25 LF for Mold Abatement pipe insulation), followed by a series of tasks for other quantities. For those tasks the contractor will be paid the first task with a unit of measure of EA, plus an additional task to arrive at the appropriate quantity for the project. See CSI section 01 56 16 00-0034 for temporary stud walls, 01 74 19 00-0037 for hauling in excess of 25 miles to transfer or disposal site, 02 89 00 00-0003 for plastic sheeting for containment construction, 02 89 00 00-0010 for decontamination chambers.

02 Existing Conditions**02 80 Facility Remediation**

02 87 Bio-Hazard Material Remediation

MINOR
CSI UOM DESCRIPTIONTOTAL DIRECT DEMOLITION
UNIT COST UNIT COST**02 87 13 33 Removal and Disposal of Materials with Mold (02 87 13)**

02 87 13 33-0001	SET	Pipe And Pipe Fittings Insulation, Mold Abatement And Disposal (02 87 13 33) Note: Treat fittings as additional lf of insulation.	
02 87 13 33-0002	LF	Pipe Insulation, Mold Abatement And Disposal (02 87 13 33-0001) Note: Diameter is outer size of insulation.	
02 87 13 33-0003	LF	Up To 6" Diameter Pipe Insulation, Mold Abatement And Disposal (02 87 13 33-0002) Note: Excludes encased fittings.	
02 87 13 33-0004	SET	Up To 20 LF, Up To 6" Diameter Pipe Insulation, Mold Abatement And Disposal	673.86
02 87 13 33-0005	LF	>20 To 250 LF, Up To 6" Diameter Pipe Insulation, Mold Abatement And Disposal	26.14
02 87 13 33-0006	LF	>250 To 500 LF, Up To 6" Diameter Pipe Insulation, Mold Abatement And Disposal	19.70
02 87 13 33-0007	LF	>500 To 2,500 LF, Up To 6" Diameter Pipe Insulation, Mold Abatement And Disposal	14.87
02 87 13 33-0008	LF	>2,500 To 10,000 LF, Up To 6" Diameter Pipe Insulation, Mold Abatement And Disposal	11.24
02 87 13 33-0009	LF	>10,000 LF, Up To 6" Diameter Pipe Insulation, Mold Abatement And Disposal	9.83
02 87 13 33-0010	LF	>6" Diameter Pipe Insulation, Mold Abatement And Disposal (02 87 13 33-0002)	
02 87 13 33-0011	SET	Up To 20 LF, >6" Diameter Pipe Insulation, Mold Abatement And Disposal	695.79
02 87 13 33-0012	LF	>20 To 250 LF, >6" Diameter Pipe Insulation, Mold Abatement And Disposal	31.10
02 87 13 33-0013	LF	>250 To 500 LF, >6" Diameter Pipe Insulation, Mold Abatement And Disposal	23.68
02 87 13 33-0014	LF	>500 To 2,500 LF, >6" Diameter Pipe Insulation, Mold Abatement And Disposal	18.13
02 87 13 33-0015	LF	>2,500 To 10,000 LF, >6" Diameter Pipe Insulation, Mold Abatement And Disposal	13.96
02 87 13 33-0016	LF	>10,000 LF, >6" Diameter Pipe Insulation, Mold Abatement And Disposal	12.33
02 87 13 33-0017	SET	Thermal Insulation, Mold Abatement And Disposal (02 87 13 33)	
02 87 13 33-0018	SET	Other Thermal Insulation, Up To 3" Thick, Mold Abatement And Disposal (02 87 13 33-0017) Note: Remove surface coat from brown coat or remove entire assembly, including lath.	
02 87 13 33-0019	SET	Up To 50 SF, Up To 3" Thick Thermal Insulation, Mold Abatement And Disposal	684.83
02 87 13 33-0020	SF	>50 To 500 SF, Up To 3" Thick Thermal Insulation, Mold Abatement And Disposal	15.18
02 87 13 33-0021	SF	>500 To 2,500 SF, Up To 3" Thick Thermal Insulation, Mold Abatement And Disposal	11.48
02 87 13 33-0022	SF	>2,500 To 10,000 SF, Up To 3" Thick Other Thermal Insulation, Mold Abatement And Disposal	8.70
02 87 13 33-0023	SF	>10,000 SF, Up To 3" Thick Thermal Insulation, Mold Abatement And Disposal	6.76
02 87 13 33-0024	SET	Surfacing Material, Mold Abatement And Disposal (02 87 13 33) Note: e.g. fireproofing, acoustical plaster, etc.	
02 87 13 33-0025	SET	Stucco, Mold Abatement And Disposal (02 87 13 33-0024) Note: Remove surface coat from brown coat or remove entire assembly, including lath.	
02 87 13 33-0026	SET	Up To 50 SF, Stucco, Mold Abatement And Disposal	678.74
02 87 13 33-0027	SF	>50 To 500 SF, Stucco, Mold Abatement And Disposal	15.05
02 87 13 33-0028	SF	>500 To 2,500 SF, Stucco, Mold Abatement And Disposal	11.35
02 87 13 33-0029	SF	>2,500 To 10,000 SF, Stucco, Mold Abatement And Disposal	8.57
02 87 13 33-0030	SF	>10,000 SF, Stucco, Mold Abatement And Disposal	6.50
02 87 13 33-0031	SET	Acoustical Plaster, Mold Abatement And Disposal (02 87 13 33-0024) Note: Remove surface coat from brown coat or remove entire assembly, including lath.	
02 87 13 33-0032	SET	Up To 50 SF, Acoustical Plaster, Mold Abatement And Disposal	678.74
02 87 13 33-0033	SF	>50 To 500 SF, Acoustical Plaster, Mold Abatement And Disposal	15.05
02 87 13 33-0034	SF	>500 To 2,500 SF, Acoustical Plaster, Mold Abatement And Disposal	11.35
02 87 13 33-0035	SF	>2,500 To 10,000 SF, Acoustical Plaster, Mold Abatement And Disposal	8.57
02 87 13 33-0036	SF	>10,000 SF, Acoustical Plaster, Mold Abatement And Disposal	6.50
02 87 13 33-0037	SET	Gypsum Board, Mold Abatement And Disposal (02 87 13 33-0024)	
02 87 13 33-0038	SET	Up To 100 SF, Gypsum Board, Mold Abatement And Disposal	690.92
02 87 13 33-0039	SF	>100 To 500 SF, Gypsum Board, Mold Abatement And Disposal	5.03
02 87 13 33-0040	SF	>500 To 2,500 SF, Gypsum Board, Mold Abatement And Disposal	3.99
02 87 13 33-0041	SF	>2,500 To 10,000 SF, Gypsum Board, Mold Abatement And Disposal	3.15
02 87 13 33-0042	SF	>10,000 SF, Gypsum Board, Mold Abatement And Disposal	2.32
02 87 13 33-0043	SET	Fireproofing, Mold Abatement And Disposal (02 87 13 33-0024) Note: Exposed surface area, includes associated overspray.	
02 87 13 33-0044	SET	Up To 50 SF, Fireproofing, Mold Abatement And Disposal	684.83
02 87 13 33-0045	SF	>50 To 500 SF, Fireproofing, Mold Abatement And Disposal	20.78
02 87 13 33-0046	SF	>500 To 2,500 SF, Fireproofing, Mold Abatement And Disposal	15.70
02 87 13 33-0047	SF	>2,500 To 10,000 SF, Fireproofing, Mold Abatement And Disposal	11.87
02 87 13 33-0048	SF	>10,000 SF, Fireproofing, Mold Abatement And Disposal	9.00
02 87 13 33-0049	SET	Flooring, Mold Abatement And Disposal (02 87 13 33) Note: Includes cove base.	
02 87 13 33-0050	SET	Floor Tile Or Linoleum, Mold Abatement And Disposal (02 87 13 33-0049)	
02 87 13 33-0051	SET	Floor Tile Or Linoleum, Mold Abatement And Disposal (02 87 13 33-0050) Note: Single layer or first of multiple layers.	
02 87 13 33-0052	SET	Up To 100 SF, Single Layer Or First Of Multiple Layers, Floor Tile Or Linoleum, Mold Abatement And Disposal	690.92



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
02 87 13 33-0053 SF >100 To 500 SF, Single Layer Or First Of Multiple Layers, Floor Tile Or Linoleum, Mold Abatement And Disposal <i>For Each Additional Layer, Add</i>	5.00 1.25	
02 87 13 33-0054 SF >500 To 2,500 SF, Single Layer Or First Of Multiple Layers, Floor Tile Or Linoleum, Mold Abatement And Disposal <i>For Each Additional Layer, Add</i>	2.81 0.70	
02 87 13 33-0055 SF >2,500 To 10,000 SF, Single Layer Or First Of Multiple Layers, Floor Tile Or Linoleum, Mold Abatement And Disposal <i>For Each Additional Layer, Add</i>	1.63 0.41	
02 87 13 33-0056 SF >10,000 SF, Single Layer Or First Of Multiple Layers, Floor Tile Or Linoleum, Mold Abatement And Disposal <i>For Each Additional Layer, Add</i>	1.26 0.32	
02 87 13 33-0057 Carpet, Mold Abatement And Disposal (02 87 13 33-0049)		
02 87 13 33-0058 Carpet, Glue Down, Mold Abatement And Disposal (02 87 13 33-0057)		
02 87 13 33-0059 SET Up To 100 SF, Carpet, Glue Down, Mold Abatement And Disposal	690.92	
02 87 13 33-0060 SF >100 To 500 SF, Carpet, Glue Down, Mold Abatement And Disposal	4.16	
02 87 13 33-0061 SF >500 To 2,500 SF, Carpet, Glue Down, Mold Abatement And Disposal	2.62	
02 87 13 33-0062 SF >2,500 To 10,000 SF, Carpet, Glue Down, Mold Abatement And Disposal	1.75	
02 87 13 33-0063 SF >10,000 SF, Carpet, Glue Down, Mold Abatement And Disposal	1.35	
02 87 13 33-0064 Carpet, Padded With Tack Strips, Mold Abatement And Disposal (02 87 13 33-0057)		
02 87 13 33-0065 SET Up To 100 SF, Carpet And Pad, Mold Abatement And Disposal <i>Note: Includes tack strips.</i>	690.92	
02 87 13 33-0066 SF >100 To 500 SF, Carpet And Pad, Mold Abatement And Disposal <i>Note: Includes tack strips.</i>	4.68	
02 87 13 33-0067 SF >500 To 2,500 SF, Carpet And Pad, Mold Abatement And Disposal <i>Note: Includes tack strips.</i>	3.42	
02 87 13 33-0068 SF >2,500 To 10,000 SF, Carpet And Pad, Mold Abatement And Disposal <i>Note: Includes tack strips.</i>	2.71	
02 87 13 33-0069 SF >10,000 SF, Carpet And Pad, Mold Abatement And Disposal <i>Note: Includes tack strips.</i>	2.09	
02 87 13 33-0070 Subflooring, Mold Abatement And Disposal (02 87 13 33-0049)		
02 87 13 33-0071 SET Up To 75 SF, Subflooring, Mold Abatement And Disposal	684.83	
02 87 13 33-0072 SF >75 To 500 SF, Subflooring, Mold Abatement And Disposal	5.75	
02 87 13 33-0073 SF >500 To 2,500 SF, Subflooring, Mold Abatement And Disposal	3.68	
02 87 13 33-0074 SF >2,500 To 10,000 SF, Subflooring, Mold Abatement And Disposal	2.24	
02 87 13 33-0075 SF >10,000 SF, Subflooring, Mold Abatement And Disposal	1.43	
02 87 13 33-0076 Siding, Mold Abatement And Disposal (02 87 13 33)		
02 87 13 33-0077 Interior Paneling, Mold Abatement And Disposal (02 87 13 33-0076)		
02 87 13 33-0078 SET Up To 100 SF, Interior Paneling, Mold Abatement And Disposal <i>Note: Includes detachment of mounted objects before removal.</i>	690.92	
02 87 13 33-0079 SF >100 To 500 SF, Interior Paneling, Mold Abatement And Disposal <i>Note: Includes detachment of mounted objects before removal.</i>	4.98	
02 87 13 33-0080 SF >500 To 2,500 SF, Interior Paneling, Mold Abatement And Disposal <i>Note: Includes detachment of mounted objects before removal.</i>	3.50	
02 87 13 33-0081 SF >2,500 To 10,000 SF, Interior Paneling, Mold Abatement And Disposal <i>Note: Includes detachment of mounted objects before removal.</i>	2.06	
02 87 13 33-0082 SF >10,000 SF, Interior Paneling, Mold Abatement And Disposal <i>Note: Includes detachment of mounted objects before removal.</i>	1.57	
02 87 13 33-0083 Exterior Siding, Mold Abatement And Disposal (02 87 13 33-0076)		
02 87 13 33-0084 SET Up To 100 SF, Exterior Siding Board, Mold Abatement And Disposal	690.92	
02 87 13 33-0085 SF >100 To 500 SF, Exterior Siding Board, Mold Abatement And Disposal	6.19	
02 87 13 33-0086 SF >500 To 2,500 SF, Exterior Siding Board, Mold Abatement And Disposal	4.30	
02 87 13 33-0087 SF >2,500 To 10,000 SF, Exterior Siding Board, Mold Abatement And Disposal	2.91	
02 87 13 33-0088 SF >10,000 SF, Exterior Siding Board, Mold Abatement And Disposal	2.62	
02 87 13 33-0089 Contaminated Debris, Mold Abatement And Disposal (02 87 13 33)		
02 87 13 33-0090 Contaminated Debris, Mold Abatement And Disposal (02 87 13 33-0089)		
02 87 13 33-0091 SET Up To 20 CF, Contaminated Debris, Mold Abatement And Disposal	695.79	
02 87 13 33-0092 CF >20 To 100 CF, Contaminated Debris, Mold Abatement And Disposal	24.51	
02 87 13 33-0093 CF >100 To 250 CF, Contaminated Debris, Mold Abatement And Disposal	16.83	
02 87 13 33-0094 CF >250 To 500 CF, Contaminated Debris, Mold Abatement And Disposal	12.99	
02 87 13 33-0095 CF >500 To 2,500 CF, Contaminated Debris, Mold Abatement And Disposal	10.68	
02 87 13 33-0096 CF >2,500 To 10,000 CF, Contaminated Debris, Mold Abatement And Disposal	6.50	
02 87 13 33-0097 CF >10,000 CF, Contaminated Debris, Mold Abatement And Disposal	5.99	
02 87 13 33-0098 Other Mold Containing Materials, Mold Abatement And Disposal (02 87 13 33)		
02 87 13 33-0099 Wood Studs, Mold Abatement And Disposal (02 87 13 33-0098)		
<i>Note: 2" x 4" or 2" x 6" exposed studs in walls. Excludes surfacing material.</i>		



MINOR
CSI UOM DESCRIPTION

TOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

02 87 13 33-0100	SET	Up To 100 LF, Wood Studs, Mold Abatement And Disposal.....	345.45
02 87 13 33-0101	LF	>100 To 500 LF, Wood Studs, Mold Abatement And Disposal.....	2.80
02 87 13 33-0102	LF	>500 To 2,500 LF, Wood Studs, Mold Abatement And Disposal.....	2.08
02 87 13 33-0103	LF	>2,500 To 10,000 LF, Wood Studs, Mold Abatement And Disposal.....	1.63
02 87 13 33-0104	LF	>10,000 LF, Wood Studs, Mold Abatement And Disposal.....	1.24
02 87 13 33-0105		Ceiling Tile, Mold Abatement And Disposal (02 87 13 33-0098)	
		Note: e.g. grid, spline, or glued on; 12" x 12" to 2' x 4'.	
02 87 13 33-0106	SET	Up To 100 SF, Ceiling Tile, Mold Abatement And Disposal.....	690.92
02 87 13 33-0107	SF	>100 To 1,000 SF, Ceiling Tile, Mold Abatement And Disposal.....	8.57
02 87 13 33-0108	SF	>1,000 To 2,500 SF, Ceiling Tile, Mold Abatement And Disposal.....	4.04
02 87 13 33-0109	SF	>2,500 To 10,000 SF, Ceiling Tile, Mold Abatement And Disposal.....	2.91
02 87 13 33-0110	SF	>10,000 SF, Ceiling Tile, Mold Abatement And Disposal.....	2.62
02 87 13 33-0111		Caulking, Mold Abatement And Disposal (02 87 13 33-0098)	
02 87 13 33-0112	SET	Up To 20 LF, Caulking, Mold Abatement And Disposal.....	167.04
02 87 13 33-0113	LF	>20 To 50 LF, Caulking, Mold Abatement And Disposal.....	3.36
02 87 13 33-0114	LF	>50 To 100 LF, Caulking, Mold Abatement And Disposal.....	2.40
02 87 13 33-0115	LF	>100 To 250 LF, Caulking, Mold Abatement And Disposal.....	1.83
02 87 13 33-0116	LF	>250 To 1,000 LF, Caulking, Mold Abatement And Disposal.....	1.35
02 87 13 33-0117	LF	>1,000 To 2,500 LF, Caulking, Mold Abatement And Disposal.....	1.10
02 87 13 33-0118	LF	>2,500 LF, Caulking, Mold Abatement And Disposal.....	0.95
02 87 13 33-0119		Wipe Down Walls, Ceilings And Floors (02 87 13 33-0098)	
02 87 13 33-0120	CSF	Wipe Down Floors With Mild Bleach Solution.....	18.53
		For >25 To 50, Deduct	-1.85
		For >50 To 200, Deduct	-4.63
		For >200, Deduct	-7.41
02 87 13 33-0121	CSF	Wipe Down Walls With Mild Bleach Solution.....	21.79
		For >25 To 50, Deduct	-2.18
		For >50 To 200, Deduct	-5.45
		For >200, Deduct	-8.71
02 87 13 33-0122	CSF	Wipe Down Ceilings With Mild Bleach Solution.....	24.79
		For >25 To 50, Deduct	-2.48
		For >50 To 200, Deduct	-6.20
		For >200, Deduct	-9.91
02 87 13 33-0123	CSF	Wipe Down Countertops With Mild Bleach Solution.....	20.21
		For >25 To 50, Deduct	-2.02
02 87 13 33-0124	CSF	Wipe Down Other Surfaces With Mild Bleach Solution.....	25.64
		For >25 To 50, Deduct	-2.56
		For >50 To 200, Deduct	-6.41
		For >200, Deduct	-10.25
02 87 13 33-0125		Cabinets (02 87 13 33-0098)	
02 87 13 33-0126	SET	Up To 10 LF, Base Cabinet, Mold Abatement And Disposal.....	736.95
02 87 13 33-0127	LF	>10 To 20 LF, Base Cabinet, Mold Abatement And Disposal.....	77.74
02 87 13 33-0128	LF	>20 LF, Base Cabinet, Mold Abatement And Disposal.....	57.46
02 87 13 33-0129	SET	Up To 10 LF, Wall Cabinet, Mold Abatement And Disposal.....	693.08
02 87 13 33-0130	LF	>10 To 20 LF, Wall Cabinet, Mold Abatement And Disposal.....	65.25
02 87 13 33-0131	LF	>20 LF, Wall Cabinet, Mold Abatement And Disposal.....	44.97
02 87 16		Excrement Removal (02 87)	
		Note: Tasks include materials, equipment, mobilization, preparation, critical barriers (e.g. electrical outlets, registers, windows, etc.), signage, removal, clean-up, vacuuming, disposal, personnel health monitoring, documentation and other associated costs necessary for the complete removal and disposal of the contaminated material in accordance with EPA and local regulations. The quantity of the entire project, not a particular work area, is to be used in determining which tasks apply. There is a task with a unit of measure of EA for a quantity of less than 10 SF, followed by a series of tasks for additional quantities. For those tasks the contractor will be paid the first task with a unit of measure of EA, plus each additional task in sequence to arrive at the total quantity for the entire project, not a particular work area.	
02 87 16 13		Bird Excrement Removal (02 87 16)	
02 87 16 13-0001		Bird Waste Removal (02 87 16 13)	
		Note: In addition to items listed the Bio-Hazard Material Remediation note above, tasks include wetting agents and disinfection of contaminated surfaces.	
02 87 16 13-0002	EA	Up To 10 SF Bird Waste Removal, Up To 3" Thickness.....	666.55
		For Work In Restricted Working Space, Add	199.97
02 87 16 13-0003	SF	>10 To 500 SF Bird Waste Removal, Up To 3" Thickness.....	11.11
		For Work In Restricted Working Space, Add	3.33
02 87 16 13-0004	SF	>500 To 2,500 SF Bird Waste Removal, Up To 3" Thickness.....	10.10
		For Work In Restricted Working Space, Add	3.03
02 87 16 13-0005	SF	>2,500 To 10,000 SF Bird Waste Removal, Up To 3" Thickness.....	9.19
		For Work In Restricted Working Space, Add	2.76
02 87 16 13-0006	SF	>10,000 SF Bird Waste Removal, Up To 3" Thickness.....	8.35
		For Work In Restricted Working Space, Add	2.51
02 87 19		Bio-Hazard And Infectious Disease Control Remediation (02 87)	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
------------------------------	---------------------------	-------------------------

02 87 19 00-0001	Temporary Barriers <small>(02 87 19)</small>	
02 87 19 00-0002	Adjustable Barrier Panel System For Bio-Hazard And Infectious Disease Control <small>(02 87 19 00-0001)</small>	
	Note: Panels are opal or transparent. Panels include self leveling floor channel, 1/4" foam gasket to conform to ceiling, edge gaskets, grid clips, and cam locks.	
02 87 19 00-0003	EA 4' Wide x 7'-8" To 10' High, Fire Rated Containment Panel Assembly (Edge Guard 4000).....	595.93
02 87 19 00-0004	EA 3' Wide x 7'-8" To 10' High, Fire Rated Containment Panel Assembly (Edge Guard 4001).....	565.93
02 87 19 00-0005	EA 2' Wide x 7'-8" To 10' High, Fire Rated Containment Panel Assembly (Edge Guard 4002).....	445.93
02 87 19 00-0006	EA 2' Wide x 7'-8" To 10' High With High Efficiency Particulate Air (HEPA) Filtered Air Discharge Port, Fire Rated Containment Panel Assembly (Edge Guard 4002.1).....	515.93
02 87 19 00-0007	EA 6" Wide x 7'-8" To 10' High, Fire Rated Containment Panel Assembly (Edge Guard 4005).....	272.96
02 87 19 00-0008	EA 12" Wide x 7'-8" To 10' High, Fire Rated Containment Panel Assembly (Edge Guard 4006).....	292.96
02 87 19 00-0009	EA 3' Wide x 7'-8" To 10' High, Fire Rated Containment Panel Assembly With 32" Door (Edge Guard 4010).....	910.93
	Note: Door panels include a hydraulic closer and a lever style lockset standard.	
02 87 19 00-0010	EA 4' Wide x 7'-8" To 10' High, Fire Rated Containment Panel Assembly With 44" Door (Edge Guard 4003).....	1,010.93
	Note: Door panels include a hydraulic closer and a lever style lockset standard.	
02 87 19 00-0011	EA 4'-4" Wide x 7'-8" To 10' High, Fire Rated Containment Panel Assembly With 48" Door (Edge Guard 4008).....	1,210.93
	Note: Door panels include a hydraulic closer and a lever style lockset standard.	
02 87 19 00-0012	EA 7'-8" To 10' High, Hinged Corner Assembly (Edge Guard 4004).....	202.89
02 87 19 00-0013	EA 7'-8" To 10' High, Outside Corner Post (Edge Guard 4007).....	167.89
02 87 19 00-0014	EA 7'-8" To 10' High, "T" Post Corner Assembly (Edge Guard 4009).....	167.89
02 87 19 00-0015	EA Closure Strips (Edge Guard 3003).....	11.94
	Note: To seal panels to existing walls	
02 87 19 00-0016	EA Digital Differential Pressure Gauge Kit (Edge Guard 3005).....	279.47
02 87 19 00-0017	Temporary Sheeting For Bio-Hazard And Infectious Disease Control <small>(02 87 19 00-0001)</small>	
	Note: Includes removal and disposal in approved landfill after use.	
02 87 19 00-0018	SF 6 Mil Plastic Sheeting, Applied To Floors, For Bio-Hazard And Infectious Disease Control.....	0.42
02 87 19 00-0019	SF 6 Mil Plastic Sheeting, Applied To Walls, For Bio-Hazard And Infectious Disease Control.....	0.57
02 87 19 00-0020	SF 6 Mil Plastic Sheeting, Applied To Ceilings, For Bio-Hazard And Infectious Disease Control.....	0.76
02 87 19 00-0021	SF 6 Mil Plastic Fire Retardant, Anti Static Sheeting, Applied To Floors, For Bio-Hazard And Infectious Disease Control.....	0.48
02 87 19 00-0022	SF 6 Mil Plastic Fire Retardant, Anti Static Retardant Sheeting, Applied To Walls, For Bio-Hazard And Infectious Disease Control.....	0.63
02 87 19 00-0023	SF 6 Mil Plastic Fire Retardant, Anti Static Retardant Sheeting, Applied To Ceilings, For Bio-Hazard And Infectious Disease Control.....	0.82
02 87 19 00-0024	Temporary Floor Protection For Bio-Hazard And Infectious Disease Control <small>(02 87 19 00-0001)</small>	
	Note: Includes removal after use.	
02 87 19 00-0025	SF Masonite Temporary Floor Protection For Bio-Hazard And Infectious Disease Control.....	1.61
02 87 19 00-0026	SF 1/2" Plywood Temporary Floor Protection For Bio-Hazard And Infectious Disease Control.....	1.59
02 87 19 00-0027	SF 3/4" Plywood Temporary Floor Protection For Bio-Hazard And Infectious Disease Control.....	1.94
02 87 19 00-0028	Temporary Stud Wall For Bio-Hazard And Infectious Disease Control <small>(02 87 19 00-0001)</small>	
	Note: Includes removal after use.	
02 87 19 00-0029	SF 1/2" Gypsum Board On One Side, Temporary Wood Stud Wall For Bio-Hazard And Infectious Disease Control.....	4.83
02 87 19 00-0030	SF 1/2" Gypsum Board On Both Sides, Temporary Wood Stud Wall For Bio-Hazard And Infectious Disease Control.....	6.68
02 87 19 00-0031	SF 5/8" Type Fire Rated Gypsum Board On One Side, Temporary Wood Stud Wall For Bio-Hazard And Infectious Disease Control.....	4.94
02 87 19 00-0032	SF 5/8" Type Fire Rated Gypsum Board On Both Sides, Temporary Wood Stud Wall For Bio-Hazard And Infectious Disease Control.....	6.90
02 87 19 00-0033	SF 6 Mil, Fire Retardant, Plastic Sheeting On One Side, Temporary Wood Stud Wall For Bio-Hazard And Infectious Disease Control.....	2.81
02 87 19 00-0034	Isolation Barriers For Bio-Hazard And Infectious Disease Control <small>(02 87 19 00-0001)</small>	
02 87 19 00-0035	GSF Tent Construction Utilizing Two Layers Of 6 Mil Fire Rated Plastic Sheeting For Bio-Hazard And Infectious Disease Control.....	18.16
	Note: Includes support frame of 2x4s or PVC piping (ground SF) up to 6' to construct stand-alone tents (floor, walls and ceiling) with airtlock.	
02 87 19 00-0036	GSF Relocate Tent Construction To Different Area.....	2.24
02 87 19 00-0037	Plexiglass Barriers For Bio-Hazard And Infectious Disease Control <small>(02 87 19 00-0001)</small>	
02 87 19 00-0038	SF 3/8" Thick, Clear Acrylic Glazing (Plexiglas) For Bio-Hazard And Infectious Disease Control.....	17.64
02 87 19 00-0039	SF 1/2" Thick, Clear Acrylic Glazing (Plexiglas) For Bio-Hazard And Infectious Disease Control.....	20.99
02 87 19 00-0040	SF 3/4" Thick, Clear Acrylic Glazing (Plexiglas) For Bio-Hazard And Infectious Disease Control.....	29.75
02 87 19 00-0041	PR Install Pair Of 8" Diameter Glove Iris Port In Barrier For Bio-Hazard And Infectious Disease Control.....	872.85
	Note: Excludes gloves.	
02 87 19 00-0042	PR Pair Of 8" Diameter Economy Sleeved Gloves With Clamping Ring For Bio-Hazard And Infectious Disease Control.....	312.25
	Note: For installation in glove iris port.	
02 87 19 00-0043	PR Pair Of 8" Diameter Bellows Type Gloves With Clamping Ring For Bio-Hazard And Infectious Disease Control.....	493.03
	Note: For installation in glove iris port.	

02	02 Existing Conditions
	02 80 Facility Remediation
	02 87 Bio-Hazard Material Remediation



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
02 87 19 00-0044 EA 5-5/16" Diameter, Satin Anodized Aluminum, No-Draft Speak-Thru In Barrier For Bio-Hazard And Infectious Disease Note: Includes gaskets and mounting screws for installation on glass from 1/4" (6 mm) to 1/2" (12 mm) thick. Require a minimum hole diameter of 2-1/4" (57 mm), and will cover holes up to 4-1/4" (108 mm). Recommended hole diameter is 3-1/2" (89 mm).	98.58	
02 87 19 00-0045 Temporary Portable And Mobile Trailers (02 87 19)		
02 87 19 00-0046 Trailer Delivery (02 87 19 00-0045)		
02 87 19 00-0047 EA Deliver Trailer Within 25 Miles.....	950.62	
02 87 19 00-0048 Portable And Mobile Trailers, Purchase (02 87 19 00-0045) Note: Includes cost to set-up, underpin, tie-downs, HVAC unit, lights, outlets, & phone jacks. Trailers shall have a 12' x 12' office area and 6' x 8' bathroom with sink, mirror, and water closet. Minimum of two pedestrian doors and a tinted/insulated 3' x 4' single hung window per 20 SF of wall area. Excludes connection of utilities.		
02 87 19 00-0049 EA 8' x 24' Mobile Trailer With Toilet, Purchase For Tie-Downs, Add	7,476.72 74.05	
02 87 19 00-0050 EA 8' x 32' Mobile Trailer With Toilet, Purchase For Tie-Downs, Add	10,559.37 74.05	
02 87 19 00-0051 EA 10' x 36' Mobile Trailer With Toilet, Purchase For Tie-Downs, Add	15,059.06 74.05	
02 87 19 00-0052 EA 10' x 44' Mobile Trailer With Toilet, Purchase For Tie-Downs, Add	18,810.96 74.05	
02 87 19 00-0053 EA 10' x 50' Mobile Trailer With Toilet, Purchase For Tie-Downs, Add	21,384.08 74.05	
02 87 19 00-0054 EA 12' x 50' Mobile Trailer With Toilet, Purchase For Tie-Downs, Add	22,485.86 74.05	
02 87 19 00-0055 EA 12' x 60' Mobile Trailer With Toilet, Purchase For Tie-Downs, Add	25,019.63 74.05	
02 87 19 00-0056 Accessories For Portable And Mobile Trailers (02 87 19 00-0045)		
02 87 19 00-0057 Skirting (02 87 19 00-0056) Note: Includes 2" x 4" wood framing 16" on center.		
02 87 19 00-0058 SF 1'-8" High Vinyl Covered Skirt.....	3.67	1.51
02 87 19 00-0059 SF 3' High Vinyl Covered Skirt.....	5.50	2.49
02 87 19 00-0060 Aluminum Modular Access Ramp (02 87 19 00-0056) Note: Includes picketed guardrails, inside grabrails, legs and hardware.		
02 87 19 00-0061 EA Up To 35' High, Aluminum Modular Access Ramp.....	2,210.85	28.96
02 87 19 00-0062 Aluminum Modular Stairs (02 87 19 00-0056) Note: Excludes earthwork		
02 87 19 00-0063 EA Aluminum Steps For Mobile Trailers.....	612.47	
02 87 19 00-0064 Decontamination Chambers For Bio-Hazard And Infectious Disease Control (02 87 19) Note: Includes removal after use.		
02 87 19 00-0065 EA Portable Personnel Decontamination Wash Facility (3 Stage) For Bio-Hazard And Infectious Disease Control..... Note: Includes connection to negative air system.	646.22	
02 87 19 00-0066 EA Portable Personnel Decontamination Wash Facility (5 Stage) For Bio-Hazard And Infectious Disease Control..... Note: Includes connection to negative air system.	763.15	
02 87 19 00-0067 EA Portable Waste Decontamination Unit For Bio-Hazard And Infectious Disease Control..... Note: Includes connection to negative air system.	406.98	
02 87 19 00-0068 Bio-Hazard And Infectious Disease Control Cleaning, Level 2 (02 87 19) Note: Includes worker personal protection equipment suites, gloves and masks. Level 1 Biohazard - Minor bacteria and viruses as well as non-infectious bacteria. Microbes are not known to cause disease in healthy hosts and pose minimal risk to workers and the environment. Level 2 Biohazard - Bacteria and viruses that cause mild disease or are difficult to contract. Microbes are typically indigenous and are associated with diseases of varying severity. They pose moderate risk to workers and the environment. Level 3 Biohazard - Microbes are indigenous or exotic and cause serious or potential lethal diseases through respiratory transmission. Disposal of materials used to wipe down surfaces in approved landfill after use. See CSI section 02 87 19 00-0138 for disposal of material into approved landfill.		
02 87 19 00-0069 Bio-Hazard And Infectious Disease Control Cleaning Mobilization (02 87 19 00-0068)		
02 87 19 00-0070 EA Bio-Hazard And Infectious Disease Control Mobilization And Set-Up..... Note: Mobilization and set-up minimum for each site location.	291.72	
02 87 19 00-0071 Bio-Hazard And Infectious Disease Control Cleaning Of Surfaces (02 87 19 00-0068) Note: Includes electrostatic spraying of surfaces with mild bleach, wet mop/wipe, disinfect and high efficiency particulate air (HEPA) vacuum surfaces		



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
02 87 19 00-0072	CSF		Cleaning Of Floors For Bio-Hazard And Infectious Disease Control With Mild Bleach Solution	21.63	
			For >25 To 50, Deduct	-2.16	
			For >50 To 200, Deduct	-4.32	
			For >200, Deduct	-6.48	
			For Cleaning Surfaces With Goldshield® GS5, Add	8.33	
			For Level 1 Biohazard Cleaning, Deduct	-4.32	
			For Level 3 Biohazard Cleaning, Add	7.13	
02 87 19 00-0073	CSF		Cleaning Of Walls For Bio-Hazard And Infectious Disease Control With Mild Bleach Solution.....	25.44	
			For >25 To 50, Deduct	-2.54	
			For >50 To 200, Deduct	-5.08	
			For >200, Deduct	-7.63	
			For Cleaning Surfaces With Goldshield® GS5, Add	8.33	
			For Level 1 Biohazard Cleaning, Deduct	-5.08	
			For Level 3 Biohazard Cleaning, Add	8.39	
02 87 19 00-0074	CSF		Cleaning Of Ceilings For Bio-Hazard And Infectious Disease Control With Mild Bleach Solution.....	28.94	
			For >25 To 50, Deduct	-2.89	
			For >50 To 200, Deduct	-5.78	
			For >200, Deduct	-8.68	
			For Cleaning Surfaces With Goldshield® GS5, Add	8.33	
			For Level 1 Biohazard Cleaning, Deduct	-5.78	
			For Level 3 Biohazard Cleaning, Add	9.54	
02 87 19 00-0075	CSF		Cleaning Of Countertops For Bio-Hazard And Infectious Disease Control With Mild Bleach Solution.....	23.60	
			For Cleaning Surfaces With Goldshield® GS5, Add	8.33	
			For >5 To 10, Deduct	-1.18	
			For >10 To 50, Deduct	-2.36	
			For >50, Deduct	-4.72	
			For Level 1 Biohazard Cleaning, Deduct	-4.72	
			For Level 3 Biohazard Cleaning, Add	7.78	
02 87 19 00-0076	CSF		Cleaning Of Other Surfaces For Bio-Hazard And Infectious Disease Control With Mild Bleach Solution.....	29.94	
			For >25 To 50, Deduct	-2.99	
			For >50 To 200, Deduct	-5.98	
			For >200, Deduct	-8.98	
			For Cleaning Surfaces With Goldshield® GS5, Add	8.33	
			For Level 1 Biohazard Cleaning, Deduct	-5.98	
			For Level 3 Biohazard Cleaning, Add	9.87	
02 87 19 00-0077			Bio-Hazard And Infectious Disease Control Cleaning Of Equipment And Materials (02 87 19 00-0063)		
			Note: Includes spraying of surfaces with mild bleach, wet mop/wipe and disinfect		
02 87 19 00-0078	EA		Cleaning Of Plumbing Fixture For Bio-Hazard And Infectious Disease Control With Mild Bleach Solution.....	55.90	
			For Level 1 Biohazard Cleaning, Deduct	-11.18	
			For Level 3 Biohazard Cleaning, Add	18.44	
			For Cleaning Surfaces With Goldshield® GS5, Add	4.16	
02 87 19 00-0079	EA		Cleaning Of Restroom Accessory For Bio-Hazard And Infectious Disease Control With Mild Bleach Solution	25.65	
			For Level 1 Biohazard Cleaning, Deduct	-5.13	
			For Level 3 Biohazard Cleaning, Add	8.46	
			For Cleaning Surfaces With Goldshield® GS5, Add	2.78	
02 87 19 00-0080	EA		Cleaning Of Kitchen Appliance For Bio-Hazard And Infectious Disease Control With Mild Bleach Solution.....	90.05	
			For Level 1 Biohazard Cleaning, Deduct	-18.01	
			For Level 3 Biohazard Cleaning, Add	29.71	
			For Cleaning Surfaces With Goldshield® GS5, Add	4.16	
02 87 19 00-0081	EA		Cleaning Of Electrical Switch/Receptacle For Bio-Hazard And Infectious Disease Control With Mild Bleach Solution.....	5.55	
			For Level 1 Biohazard Cleaning, Deduct	-1.11	
			For Level 3 Biohazard Cleaning, Add	1.82	
			For Cleaning Surfaces With Goldshield® GS5, Add	0.83	
02 87 19 00-0082	EA		Cleaning Of WorkStation, Exterior Wipe For Bio-Hazard And Infectious Disease Control With Mild Bleach Solution Clean-up	83.01	
			Note: Includes desk, chair, computer, monitor(s), keyboard, mouse, lamp, drawers		
			For Level 1 Biohazard Cleaning, Deduct	-16.60	
			For Level 3 Biohazard Cleaning, Add	27.39	
			For Cleaning Surfaces With Goldshield® GS5, Add	4.16	
02 87 19 00-0083	EA		Cleaning Of Knobs, Latches, And Locks For Bio-Hazard And Infectious Disease Control With Mild Bleach Solution Clean-up	8.87	
			For Level 1 Biohazard Cleaning, Deduct	-1.77	
			For Level 3 Biohazard Cleaning, Add	2.92	
			For Cleaning Surfaces With Goldshield® GS5, Add	0.83	
02 87 19 00-0084			Bio-Hazard And Infectious Disease Control Cleaning Of Ductwork (02 87 19 00-0068)		
02 87 19 00-0085	LF		Up To 2 SF Cross Section, Clean Supply/Return Ductwork For Bio-Hazard And Infectious Disease Control Cleaning.....	3.27	
			For Level 1 Biohazard Cleaning, Deduct	-0.65	
			For Level 3 Biohazard Cleaning, Add	1.07	
02 87 19 00-0086	LF		>2 SF To 4 SF Cross Section, Clean Supply/Return Ductwork For Bio-Hazard And Infectious Disease Control Cleaning.....	4.08	
			For Level 1 Biohazard Cleaning, Deduct	-0.81	
			For Level 3 Biohazard Cleaning, Add	1.34	
02 87 19 00-0087	LF		>4 SF To 8 SF Cross Section, Clean Supply/Return Ductwork For Bio-Hazard And Infectious Disease Control Cleaning.....	5.47	
			For Level 1 Biohazard Cleaning, Deduct	-1.08	
			For Level 3 Biohazard Cleaning, Add	1.78	

02 Existing Conditions**02 80 Facility Remediation****02 87 Bio-Hazard Material Remediation**

MINOR CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
02 87 19 00-0088	LF	>8 SF Cross Section, Clean Supply/Return Ductwork For Bio-Hazard And Infectious Disease Control Cleaning.....	7.74	
		<i>For Level 1 Biohazard Cleaning, Deduct</i>	-1.52	
		<i>For Level 3 Biohazard Cleaning, Add</i>	2.51	
02 87 19 00-0089	EA	Clean Duct Coil For Bio-Hazard And Infectious Disease Control Cleaning.....	145.88	
		<i>For Level 1 Biohazard Cleaning, Deduct</i>	-29.17	
		<i>For Level 3 Biohazard Cleaning, Add</i>	48.13	
02 87 19 00-0090	SF	Clean Duct Dampers And Vane Sets For Bio-Hazard And Infectious Disease Control Cleaning.....	10.15	
		<i>For Level 1 Biohazard Cleaning, Deduct</i>	-2.03	
		<i>For Level 3 Biohazard Cleaning, Add</i>	3.34	
02 87 19 00-0091	EA	Clean Fan Coil Unit (FCU) Or Variable Air Volume (VAV) Unit For Bio-Hazard And Infectious Disease Control Cleaning.....	97.26	
		<i>For Level 1 Biohazard Cleaning, Deduct</i>	-19.45	
		<i>For Level 3 Biohazard Cleaning, Add</i>	32.09	
02 87 19 00-0092	EA	Clean Air Handling Unit Fan And Coil For Bio-Hazard And Infectious Disease Control Cleaning.....	291.74	
		<i>For Level 1 Biohazard Cleaning, Deduct</i>	-58.34	
		<i>For Level 3 Biohazard Cleaning, Add</i>	96.27	
02 87 19 00-0093	EA	Clean Grille/Diffuser/Register For Bio-Hazard And Infectious Disease Control Cleaning	24.33	
		Note: Includes removal and reinstallation.		
		<i>For Level 1 Biohazard Cleaning, Deduct</i>	-4.86	
		<i>For Level 3 Biohazard Cleaning, Add</i>	8.02	
02 87 19 00-0094	SF	Apply Sporidicin Disinfectant To Ductwork And Surfaces After Cleaning For Bio-Hazard And Infectious Disease Control Cleaning	0.43	
		<i>For Level 1 Biohazard Cleaning, Deduct</i>	-0.08	
		<i>For Level 3 Biohazard Cleaning, Add</i>	0.13	
02 87 19 00-0095	SF	Apply Goldshield® G55 Antimicrobial Agent To Ductwork And Surfaces After Cleaning For Bio-Hazard And Infectious Disease Control Cleaning	0.47	
		<i>For Level 1 Biohazard Cleaning, Deduct</i>	-0.08	
		<i>For Level 3 Biohazard Cleaning, Add</i>	0.13	
02 87 19 00-0096		Bio-Hazard And Infectious Disease Control Equipment Rental <small>(02 87 19)</small>		
		Note: Used in the performance of time and material projects. Not used in conjunction with tasks in the Bio-Hazard And Infectious Control Clean Up sections.		
02 87 19 00-0097	DAY	Up To 5,000 CFM Portable Air Scrubber For Bio-Hazard And Infectious Disease Control Clean-up.....	109.58	
02 87 19 00-0098	WK	Up To 5,000 CFM Portable Air Scrubber For Bio-Hazard And Infectious Disease Control Clean-up.....	466.73	
02 87 19 00-0099	MO	Up To 5,000 CFM Portable Air Scrubber For Bio-Hazard And Infectious Disease Control Clean-up.....	1,306.84	
02 87 19 00-0100	DAY	Industrial High Efficiency Particulate Air (HEPA) Vacuum For Bio-Hazard And Infectious Disease Control Clean- up.....	89.25	
02 87 19 00-0101	WK	Industrial High Efficiency Particulate Air (HEPA) Vacuum For Bio-Hazard And Infectious Disease Control Clean- up.....	245.44	
02 87 19 00-0102	MO	Industrial High Efficiency Particulate Air (HEPA) Vacuum For Bio-Hazard And Infectious Disease Control Clean- up.....	669.38	
02 87 19 00-0103	DAY	Zip Wall Poles (Per 2 Poles) For Bio-Hazard And Infectious Disease Control Clean-up.....	28.35	
02 87 19 00-0104	WK	Zip Wall Poles (Per 2 Poles) For Bio-Hazard And Infectious Disease Control Clean-up.....	77.97	
02 87 19 00-0105	MO	Zip Wall Poles (Per 2 Poles) For Bio-Hazard And Infectious Disease Control Clean-up.....	212.64	
02 87 19 00-0106	DAY	Up To 2,000 CFM Portable Negative Air Machine With Pre-Filter And High Efficiency Particulate Air (HEPA) Filter For Bio-Hazard And Infectious Disease Control Clean-up	56.00	
02 87 19 00-0107	WK	Up To 2,000 CFM Portable Negative Air Machine With Pre-Filter And High Efficiency Particulate Air (HEPA) Filter For Bio-Hazard And Infectious Disease Control Clean-up	230.00	
02 87 19 00-0108	MO	Up To 2,000 CFM Portable Negative Air Machine With Pre-Filter And High Efficiency Particulate Air (HEPA) Filter For Bio-Hazard And Infectious Disease Control Clean-up	695.00	
02 87 19 00-0109	EA	High Efficiency Particulate Air (HEPA) Filter, 99.99% Efficient At 0.3 Micron For Negative Air Machine For Bio- Hazard And Infectious Disease Control Clean-up.....	133.93	
		Note: Required if over 800 hours operation.		
02 87 19 00-0110	DAY	20' x 20' High Peak Frame Tent For Bio-Hazard And Infectious Disease Control Clean-up	282.60	
02 87 19 00-0111	WK	20' x 20' High Peak Frame Tent For Bio-Hazard And Infectious Disease Control Clean-up	565.19	
02 87 19 00-0112	MO	20' x 20' High Peak Frame Tent For Bio-Hazard And Infectious Disease Control Clean-up	1,130.39	
02 87 19 00-0113	DAY	20' x 40' High Peak Frame Tent For Bio-Hazard And Infectious Disease Control Clean-up	376.80	
02 87 19 00-0114	WK	20' x 40' High Peak Frame Tent For Bio-Hazard And Infectious Disease Control Clean-up	753.59	
02 87 19 00-0115	MO	20' x 40' High Peak Frame Tent For Bio-Hazard And Infectious Disease Control Clean-up	1,507.18	
02 87 19 00-0116	DAY	20' x 60' High Peak Frame Tent For Bio-Hazard And Infectious Disease Control Clean-up	560.40	
02 87 19 00-0117	WK	20' x 60' High Peak Frame Tent For Bio-Hazard And Infectious Disease Control Clean-up	1,120.80	
02 87 19 00-0118	MO	20' x 60' High Peak Frame Tent For Bio-Hazard And Infectious Disease Control Clean-up	2,241.60	
02 87 19 00-0119	DAY	20' x 80' High Peak Frame Tent For Bio-Hazard And Infectious Disease Control Clean-up	747.20	
02 87 19 00-0120	WK	20' x 80' High Peak Frame Tent For Bio-Hazard And Infectious Disease Control Clean-up	1,494.40	
02 87 19 00-0121	MO	20' x 80' High Peak Frame Tent For Bio-Hazard And Infectious Disease Control Clean-up	2,988.80	
02 87 19 00-0122	DAY	20' x 100' High Peak Frame Tent For Bio-Hazard And Infectious Disease Control Clean-up	934.00	
02 87 19 00-0123	WK	20' x 100' High Peak Frame Tent For Bio-Hazard And Infectious Disease Control Clean-up	1,868.00	
02 87 19 00-0124	MO	20' x 100' High Peak Frame Tent For Bio-Hazard And Infectious Disease Control Clean-up	3,736.00	
02 87 19 00-0125	EA	Set-Up 20' x 20' High Peak Frame Tent For Bio-Hazard And Infectious Disease Control Clean-up	89.46	
		Note: Includes staking down tent.		
02 87 19 00-0126	EA	Set-Up 20' x 40' High Peak Frame Tent For Bio-Hazard And Infectious Disease Control Clean-up	178.92	
		Note: Includes staking down tent.		
02 87 19 00-0127	EA	Set-Up 20' x 60' High Peak Frame Tent For Bio-Hazard And Infectious Disease Control Clean-up	536.78	
		Note: Includes staking down tent.		
02 87 19 00-0128	EA	Set-Up 20' x 80' High Peak Frame Tent For Bio-Hazard And Infectious Disease Control Clean-up	1,073.55	
		Note: Includes staking down tent.		
02 87 19 00-0129	EA	Set-Up 20' x 100' High Peak Frame Tent For Bio-Hazard And Infectious Disease Control Clean-up	1,789.25	
		Note: Includes staking down tent.		
02 87 19 00-0130	DAY	Portable Dual Sink Wash Station For Bio-Hazard And Infectious Disease Control Clean-up	61.79	
02 87 19 00-0131	WK	Portable Dual Sink Wash Station For Bio-Hazard And Infectious Disease Control Clean-up	169.94	
02 87 19 00-0132	MO	Portable Dual Sink Wash Station For Bio-Hazard And Infectious Disease Control Clean-up	463.46	



Existing Conditions	02	02
Facility Remediation	02 80	
Bio-Hazard Material Remediation	02 87	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
02 87 19 00-0133 Bio-Hazard And Infectious Disease Control Hauling By Truck <small>(02 87 19)</small>		
<small>Note: Includes driver and equipment, ten (10) to fifteen (15) minutes load time, time for travel, dump time and return (roundtrip). The task quantity is the number of miles to the disposal site/transfer station (one-way mileage) using an appropriately sized truck.</small>		
02 87 19 00-0134 EA Hauling With 2-3 CY Pick-up Truck, Van Or Trailer, Up To 15 Miles For Bio-Hazard And Infectious Disease Control Clean Up	85.18	
<small>Note: Each first 15 miles per trip</small>		
<small>For Each Additional Mile Over First 15 Miles, Add Per Mile</small>		
02 87 19 00-0135 EA Hauling With 6 To 8 CY Dump Truck, Up To 15 Miles For Bio-Hazard And Infectious Disease Control Clean Up	117.37	
<small>Note: Each first 15 miles per trip</small>		
<small>For Each Additional Mile Over First 15 Miles, Add Per Mile</small>		
02 87 19 00-0136 EA Hauling With 10 To 12 CY Dump Truck, Up To 15 Miles For Bio-Hazard And Infectious Disease Control Clean Up	121.38	
<small>Note: Each first 15 miles per trip</small>		
<small>For Each Additional Mile Over First 15 Miles, Add Per Mile</small>		
02 87 19 00-0137 EA Hauling With 16' To 20', Box Or Flat Bed Truck, Up To 15 Miles For Bio-Hazard And Infectious Disease Control Clean Up	129.38	
<small>Note: Each first 15 miles per trip</small>		
<small>For Each Additional Mile Over First 15 Miles, Add Per Mile</small>		
02 87 19 00-0138 Bio-Hazard And Infectious Disease Control Disposal <small>(02 87 19)</small>		
<small>Note: Used in the performance of time and material projects. Not used in conjunction with tasks in the Bio-Hazard And Infectious Control Clean Up sections.</small>		
02 87 19 00-0139 CY Bio-Hazard And Infectious Disease Control Landfill Dump Fee	39.48	
02 87 19 00-0140 BLU-MED Response Systems® (BLU-MED) Deployable Medical Facilities™ and Emergency Shelters <small>(02 87 19)</small>		
<small>Note: Includes delivery and set-up of facility, electrical, lighting and HVAC. Excludes medical equipment.</small>		
02 87 19 00-0141 EA 20' x 32.5' Medical Shelter with 1-phase electrical, 60 Hertz (BLU-MED BM-2032.5-MS/1P)	26,102.72	
02 87 19 00-0142 EA 7' x 8' Entry Vestibule (BLU-MED BM-MS-VEST)	2,509.33	
02 87 19 00-0143 EA Vestibule End Panel with Bump Thru Door (BLU-MED BM-7x8-VEP04)	4,151.95	
02 87 19 00-0144 SF Sub Flooring For Medical Shelter (AKS-AB846)	3.90	
02 87 19 00-0145 EA Upgrade To Large Roto-Mold Container, Blue (AK-ULC-5)	1,139.62	
02 87 19 00-0146 EA Environmental Control Unit-5 Ton, 60 Hertz, Blue (AK-ECU-5T-5)	18,665.62	
02 87 19 00-0147 EA 3' ECU to Generator Pigtail, 60 Hertz (AKS-AC915)	650.60	
02 87 19 00-0148 EA Negative Pressure Isolation (NPI) System (AK-NPIS-5)	29,379.38	
<small>Note: Including: (1) Germicidal/high efficiency particulate air (HEPA) Filter Unit; (1) Monitor/Alarm with Motorized Damper; (1) Isolation Partition for 20'-Wide Shelter; (1) NPI Accessories Case</small>		
02 87 19 00-0149 EA 6' Step Ladder (AKS-AC595)	178.42	
02 87 19 00-0150 EA 10 Lbs Sledgehammer (AKS-AA268)	53.30	
02 87 19 00-0151 Bio-Hazard And Infectious Disease Time And Material Tasks <small>(02 87 19)</small>		
<small>Note: Used in the performance of time and material projects. Not used in conjunction with tasks in the Bio-Hazard And Infectious Control Clean Up sections.</small>		
02 87 19 00-0152 Bio-Hazard And Infectious Disease Control Labor <small>(02 87 19 00-0151)</small>		
<small>Note: Used in the performance of time and material projects. Not used in conjunction with tasks in the Bio-Hazard And Infectious Control Clean Up sections.</small>		
02 87 19 00-0153 HR General Laborer For Bio-Hazard And Infectious Disease Control Clean Up	92.64	
02 87 19 00-0154 HR Skilled Tradesman For Bio-Hazard And Infectious Disease Control Clean Up	105.13	
02 87 19 00-0155 HR Biohazard Technician For Bio-Hazard And Infectious Disease Control Clean Up	100.05	
02 87 19 00-0156 HR Biohazard Supervisor For Bio-Hazard And Infectious Disease Control Clean Up	120.30	
02 87 19 00-0157 HR Project Manager For Bio-Hazard And Infectious Disease Control Clean Up	132.30	
02 87 19 00-0158 Bio-Hazard And Infectious Control Clean Up Personal Protection Equipment <small>(02 87 19 00-0151)</small>		
<small>Note: Used in the performance of time and material projects. Not used in conjunction with tasks in the Bio-Hazard And Infectious Control Clean Up sections.</small>		
02 87 19 00-0159 EA Tyvek Coveralls For Bio-Hazard And Infectious Control Clean Up Personal Protection Equipment	9.39	
02 87 19 00-0160 EA Tyvek Coveralls With Hood, Boots, Elastic Wrists And Ankles For Bio-Hazard And Infectious Control Clean Up Personal Protection Equipment	15.36	
02 87 19 00-0161 PR Polycarbonate Lens Safety Goggles For Bio-Hazard And Infectious Control Clean Up Personal Protection Equipment	9.96	
02 87 19 00-0162 EA Dual Cartridge Half-Mask Respirator For Bio-Hazard And Infectious Control Clean Up Personal Protection Equipment	71.93	
02 87 19 00-0163 EA Cartridge - Respirator For Bio-Hazard And Infectious Control Clean Up Personal Protection Equipment	32.79	
02 87 19 00-0164 EA Full Face Respirator For Bio-Hazard And Infectious Control Clean Up Personal Protection Equipment	219.45	
<small>Note: Respirator Connection Type: Bayonet, 4 pt. Full Face Suspension</small>		
02 87 19 00-0165 EA 14-1/2" Width x 9" Height Polycarbonate Visor Faceshield For Bio-Hazard And Infectious Control Clean Up Personal Protection Equipment	30.00	
<small>Note: Includes basic impact ratchet headgear and faceshield safety system. ANSI Z87.1-2010</small>		
02 87 19 00-0166 EA 19" Width x 11" Height Polycarbonate Visor Attachment To Hardhat For Bio-Hazard And Infectious Control Clean Up Personal Protection Equipment	54.50	
<small>Note: Includes clear polycarbonate crown and chin guard system for hardhat. The chin guard extends below the chin, the shield extends passed the ear, and the crown extends over the forehead to the front of the hardhat. ANSI Z87.1-2015. Excludes hardhat.</small>		
02 87 19 00-0167 BOX Box of 100, 5 Mil, Disposable Latex Gloves For Bio-Hazard And Infectious Control Clean Up Personal Protection Equipment	17.01	
02 87 19 00-0168 EA Gloves - Rubber (Heavy Duty) For Bio-Hazard And Infectious Control Clean Up Personal Protection Equipment	14.53	

02	02 Existing Conditions
	02 80 Facility Remediation
	02 87 Bio-Hazard Material Remediation



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
02 87 19 00-0169 EA Belt-Mounted, Universal Mask, Powered Air Purifying Respirator (PAPR) System Kit For Bio-Hazard And Infectious Control Clean Up Personal Protection Equipment.....	1,466.85	
Note: Kit includes NIOSH Approved with Draeger DHR 7000, C420 Blower, Single-Speed Toggle, Battery - LiSO2 (BA5800/U), C420 Breathing Tube Assembly with 75 Degrees Swivel, Decon Belt Assembly 70" x 2", C420 Airflow Indicator (Afi), Micronel Safety M95 Cartridge (2), Molded Case, Black, CBRN Breathing Tube Assembly		
02 87 19 00-0170 Bio-Hazard And Infectious Disease Control Expendables (02 87 19 00-0151)		
Note: Used in the performance of time and material projects. Not used in conjunction with tasks in the Bio-Hazard And Infectious Control Clean Up sections. See CSI section 01 56 16 00-0001 for temporary sheeting, 01 56 16 00-0034 for temporary walls.		
02 87 19 00-0171 GAL Bleach For Bio-Hazard And Infectious Disease Control Clean-up	9.15	
02 87 19 00-0172 EA N95 Masks For Bio-Hazard And Infectious Disease Control Clean-up	2.41	
02 87 19 00-0173 GAL Disinfectant/Antimicrobial For Bio-Hazard And Infectious Disease Control Clean Up.....	89.63	
02 87 19 00-0174 GAL Goldshield® GS5 Antimicrobial Concentrate For Bio-Hazard And Infectious Disease Control Clean-up.....	199.88	
Note: Mix 1 gallon in 5 gallons of water to produce 6 gallons of ready-to-use product. Use on any surface for bacterial inhibition up to 30 days		
02 87 19 00-0175 QT Hand Sanitizer For Bio-Hazard And Infectious Disease Control Clean-up.....	9.50	
02 87 19 00-0176 EA Sponges - Dry For Bio-Hazard And Infectious Disease Control Clean-up	4.48	
02 87 19 00-0177 ROL Tape - Duct, 2" x 50 YD For Bio-Hazard And Infectious Disease Control Clean-up.....	11.67	
02 87 19 00-0178 EA UV Mini Light, Handheld For Bio-Hazard And Infectious Disease Control Clean-up.....	43.67	
02 87 19 00-0179 ROL Visqueen 1 Mil, 12' x 400', For Bio-Hazard And Infectious Disease Control Clean-up.....	47.02	
02 87 19 00-0180 LB Wipes, Terry Cloth 14" x 17" For Bio-Hazard And Infectious Disease Control Clean-up.....	6.93	
02 87 19 00-0181 EA Wyp-Alls, Case, 160 Wipes For Bio-Hazard And Infectious Disease Control Clean-up.....	13.99	
02 87 19 00-0182 ROL 6 Mil, 55 Gallon Trash Bags, 50/Roll For Bio-Hazard And Infectious Disease Control Clean Up.....	144.73	
02 89 Hazmat Ancillary Tasks And Support (02 89)		
02 89 00 00-0001 Barriers And Protection (02 89)		
Note: Includes removal and disposal after use.		
02 89 00 00-0002 Isolation Barriers (02 89 00 00-0001)		
See CSI section 01 56 16 00-0034 for temporary stud walls.		
02 89 00 00-0003 Hazmat Containment Construction (02 89 00 00-0001)		
02 89 00 00-0004 SF 6 Mil Plastic Sheeting, Applied To Floors, Hazmat Containment Construction	0.39	
02 89 00 00-0005 SF 6 Mil Plastic Sheeting, Applied To Walls, Hazmat Containment Construction	0.51	
02 89 00 00-0006 SF 6 Mil Plastic Sheeting, Applied To Ceilings, Hazmat Containment Construction	0.70	
02 89 00 00-0007 SF 6 Mil Plastic Fire Retardant, Anti Static Sheeting, Applied To Floors, Hazmat Containment Construction	0.49	
02 89 00 00-0008 SF 6 Mil Plastic Fire Retardant, Anti Static Retardant Sheeting, Applied To Walls, Hazmat Containment Construction.....	0.63	
02 89 00 00-0009 SF 6 Mil Plastic Fire Retardant, Anti Static Retardant Sheeting, Applied To Ceilings, Hazmat Containment Construction.....	0.82	
02 89 00 00-0010 Decontamination Chambers (02 89)		
Note: Includes removal after use.		
02 89 00 00-0011 EA 3 Stage Portable Personnel Decontamination Wash Facility	643.56	
Note: Includes connection to negative air system.		
02 89 00 00-0012 EA 5 Stage Portable Personnel Decontamination Wash Facility	759.96	
Note: Includes connection to negative air system.		
02 89 00 00-0013 EA Portable Waste Decontamination Unit	404.85	
Note: Includes connection to negative air system.		
	276.53	
<i>For Dismantling And Relocation To A Different Area, Add</i>		
02 90 Disaster Recovery (02)		
Note: The tasks in this division are only to be used when specifically requested by the Owner and are not to be combined with tasks from other divisions of this or other Construction Task Catalogs® unless specifically requested by the Owner.		
02 90 50 Cleaning And Emergency Clean-up (02 90)		
02 90 50 00-0001 Non-Mold Contaminated Wet Material Removal (02 90 50)		
Note: For materials that do not require mold abatement.		
02 90 50 00-0002 SY Wet Broadloom Carpet Removal For Emergency Clean-up.....	7.92	
02 90 50 00-0003 SY Wet Carpet Tile Removal For Emergency Clean-up	1.93	
02 90 50 00-0004 SF Wet Batt Insulation Removal For Emergency Clean-up.....	0.16	
02 90 50 00-0005 SF Wet Ceiling Tile Removal For Emergency Clean-up.....	0.19	
02 90 50 00-0006 SF Single Layer, Wet Gypsum Board Removal For Emergency Clean-up.....	0.19	
02 90 50 00-0007 SF Double Layer, Wet Gypsum Board Removal For Emergency Clean-up.....	0.29	
02 90 50 00-0008 Cleaning (02 90 50)		
Note: Use "Light Clean" when soot or dust is barely evident. Use "Medium Clean" when paint color can be seen through the soot or dust. Use "Heavy Clean" when paint color cannot be seen. Includes all man power, equipment and expendables required		
02 90 50 00-0009 Clean Furnishings (02 90 50 00-0008)		
02 90 50 00-0010 EA Office Equipment, Exterior Wipe For Emergency Clean-up.....	26.79	
<i>For Medium Clean, Add</i>		
	11.25	
<i>For Heavy Clean, Add</i>		
	34.83	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
02 90 50 00-0011 SF Bookcase (Per SF Of Face Area), Light Clean For Emergency Clean-up.....	1.49	
<i>For Medium Clean, Add</i>	0.63	
<i>For Heavy Clean, Add</i>	1.94	
02 90 50 00-0012 LF Shelving, Light Clean For Emergency Clean-up	2.68	
<i>For Medium Clean, Add</i>	1.13	
<i>For Heavy Clean, Add</i>	3.48	
02 90 50 00-0013 EA Plastic Or Metal Chair, Light Clean For Emergency Clean-up	7.74	
<i>For Medium Clean, Add</i>	3.25	
<i>For Heavy Clean, Add</i>	10.06	
02 90 50 00-0014 EA Upholstered Chair, Light Clean For Emergency Clean-up	25.01	
<i>For Medium Clean, Add</i>	10.50	
<i>For Heavy Clean, Add</i>	32.51	
02 90 50 00-0015 EA Upholstered Sofa, Light Clean For Emergency Clean-up	154.24	
<i>For Medium Clean, Add</i>	64.78	
<i>For Heavy Clean, Add</i>	200.51	
02 90 50 00-0016 EA Desk, Light Clean For Emergency Clean-up	31.56	
<i>For Medium Clean, Add</i>	13.26	
<i>For Heavy Clean, Add</i>	41.03	
02 90 50 00-0017 EA Table, Light Clean For Emergency Clean-up	29.78	
<i>For Medium Clean, Add</i>	12.51	
<i>For Heavy Clean, Add</i>	38.71	
02 90 50 00-0018 EA Two Drawer File Cabinet, Light Clean For Emergency Clean-up	6.53	
<i>For Medium Clean, Add</i>	2.74	
<i>For Heavy Clean, Add</i>	8.49	
02 90 50 00-0019 EA Four Drawer File Cabinet, Light Clean For Emergency Clean-up	8.36	
<i>For Medium Clean, Add</i>	3.51	
<i>For Heavy Clean, Add</i>	10.87	
02 90 50 00-0020 LF Base Cabinet, Exterior Wipe, Light Clean For Emergency Clean-up	6.85	
<i>For Medium Clean, Add</i>	2.88	
<i>For Heavy Clean, Add</i>	8.91	
02 90 50 00-0021 LF Base Cabinet, Exterior And Interior Wipe, Light Clean For Emergency Clean-up	13.40	
<i>For Medium Clean, Add</i>	5.63	
<i>For Heavy Clean, Add</i>	17.42	
02 90 50 00-0022 LF Wall Cabinet, Exterior Wipe, Light Clean For Emergency Clean-up	6.85	
<i>For Medium Clean, Add</i>	2.88	
<i>For Heavy Clean, Add</i>	8.91	
02 90 50 00-0023 LF Wall Cabinet, Exterior And Interior Wipe, Light Clean For Emergency Clean-up	11.92	
<i>For Medium Clean, Add</i>	5.01	
<i>For Heavy Clean, Add</i>	15.50	
02 90 50 00-0024 EA Picture Frame, Glass And Back, Light Clean For Emergency Clean-up	2.86	
<i>For Medium Clean, Add</i>	1.20	
<i>For Heavy Clean, Add</i>	3.72	
02 90 50 00-0025 Clean Hard Surfaces (02 90 50 00-0008)		
02 90 50 00-0026 LF Wood, Vinyl Or Rubber Baseboard, Light Clean For Emergency Clean-up	0.39	
<i>For Medium Clean, Add</i>	0.16	
<i>For Heavy Clean, Add</i>	0.51	
02 90 50 00-0027 EA Door And Hardware (Per Side), Light Clean For Emergency Clean-up	5.07	
<i>For Medium Clean, Add</i>	2.13	
<i>For Heavy Clean, Add</i>	6.59	
02 90 50 00-0028 EA Detailed Door And Hardware (Per Side), Light Clean For Emergency Clean-up	5.75	
<i>For Medium Clean, Add</i>	2.42	
<i>For Heavy Clean, Add</i>	7.48	
02 90 50 00-0029 SF Overhead Door, Light Clean For Emergency Clean-up	0.40	
<i>For Medium Clean, Add</i>	0.17	
<i>For Heavy Clean, Add</i>	0.52	
02 90 50 00-0030 SF Mirror, Light Clean For Emergency Clean-up	0.30	
<i>For Medium Clean, Add</i>	0.13	
<i>For Heavy Clean, Add</i>	0.39	
02 90 50 00-0031 SF Window, Light Clean For Emergency Clean-up	0.88	
<i>For Medium Clean, Add</i>	0.37	
<i>For Heavy Clean, Add</i>	1.14	
02 90 50 00-0032 LF Handrail, Light Clean For Emergency Clean-up	0.78	
<i>For Medium Clean, Add</i>	0.33	
<i>For Heavy Clean, Add</i>	1.01	
02 90 50 00-0033 LF Bumper Rail, Light Clean For Emergency Clean-up	0.41	
<i>For Medium Clean, Add</i>	0.17	
<i>For Heavy Clean, Add</i>	0.53	
02 90 50 00-0034 SF Hard Floor, Light Clean For Emergency Clean-up	0.35	
<i>For Medium Clean, Add</i>	0.15	
<i>For Heavy Clean, Add</i>	0.46	
02 90 50 00-0035 SF Carpet, Light Clean For Emergency Clean-up	0.36	
<i>For Medium Clean, Add</i>	0.15	
<i>For Heavy Clean, Add</i>	0.47	
02 90 50 00-0036 SF Hard Ceiling, Light Clean For Emergency Clean-up	0.28	
<i>For Medium Clean, Add</i>	0.12	
<i>For Heavy Clean, Add</i>	0.36	
02 90 50 00-0037 SF Suspended Ceiling, Tile And Grid, Light Clean For Emergency Clean-up	0.30	
<i>For Medium Clean, Add</i>	0.13	
<i>For Heavy Clean, Add</i>	0.39	
02 90 50 00-0038 SF Ceramic Tile Wall, Light Clean For Emergency Clean-up	0.25	
<i>For Medium Clean, Add</i>	0.11	
<i>For Heavy Clean, Add</i>	0.33	

02 Existing Conditions**02 90 Disaster Recovery****02 90 50 Cleaning And Emergency Clean-up**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
02 90 50 00-0039	SF		Wall, Light Clean For Emergency Clean-up	0.18	
			<i>For Medium Clean, Add</i>	0.08	
			<i>For Heavy Clean, Add</i>	0.23	
02 90 50 00-0040	SF		Masonry Wall, Light Clean For Emergency Clean-up	0.25	
			<i>For Medium Clean, Add</i>	0.11	
			<i>For Heavy Clean, Add</i>	0.33	
02 90 50 00-0041	EA		Up To 24 SF Area Rug, Off-Site Cleaning, Light Clean For Emergency Clean-up	62.81	
			Note: Includes removal from site, cleaning, and return.		
			<i>For Medium Clean, Add</i>	26.38	
			<i>For Heavy Clean, Add</i>	81.65	
02 90 50 00-0042	EA		>24 To 96 SF Area Rug, Off-Site Cleaning, Light Clean For Emergency Clean-up	78.50	
			Note: Includes removal from site, cleaning, and return.		
			<i>For Medium Clean, Add</i>	32.97	
			<i>For Heavy Clean, Add</i>	102.05	
02 90 50 00-0043	EA		>96 To 140 SF Area Rug, Off-Site Cleaning, Light Clean For Emergency Clean-up	94.20	
			Note: Includes removal from site, cleaning, and return.		
			<i>For Medium Clean, Add</i>	39.56	
			<i>For Heavy Clean, Add</i>	122.46	
02 90 50 00-0044	EA		>140 To 216 SF Area Rug, Off-Site Cleaning, Light Clean For Emergency Clean-up	109.91	
			<i>For Medium Clean, Add</i>	46.16	
			<i>For Heavy Clean, Add</i>	142.88	
02 90 50 00-0045			Clean Window Treatments (02 90 50 00-0008)		
02 90 50 00-0046	SF		Window Blind, Light Clean For Emergency Clean-up	0.68	
			<i>For Medium Clean, Add</i>	0.29	
			<i>For Heavy Clean, Add</i>	0.88	
02 90 50 00-0047	EA		Up To 6' Long Drapery (Per Pleat), Light Clean For Emergency Clean-up	1.39	
			<i>For Medium Clean, Add</i>	0.58	
			<i>For Heavy Clean, Add</i>	1.81	
02 90 50 00-0048	EA		Up To 6' Long Lined Drapery (Per Pleat), Light Clean For Emergency Clean-up	1.60	
			<i>For Medium Clean, Add</i>	0.67	
			<i>For Heavy Clean, Add</i>	2.08	
02 90 50 00-0049	EA		>6' To 8' Drapery (Per Pleat), Light Clean For Emergency Clean-up	1.47	
			<i>For Medium Clean, Add</i>	0.62	
			<i>For Heavy Clean, Add</i>	1.91	
02 90 50 00-0050	EA		>6' To 8' Lined Drapery (Per Pleat), Light Clean For Emergency Clean-up	1.69	
			<i>For Medium Clean, Add</i>	0.71	
			<i>For Heavy Clean, Add</i>	2.20	
02 90 50 00-0051	EA		>8' To 10' Drapery (Per Pleat), Light Clean For Emergency Clean-up	1.79	
			<i>For Medium Clean, Add</i>	0.75	
			<i>For Heavy Clean, Add</i>	2.33	
02 90 50 00-0052	EA		>8' To 10' Lined Drapery (Per Pleat), Light Clean For Emergency Clean-up	2.07	
			<i>For Medium Clean, Add</i>	0.87	
			<i>For Heavy Clean, Add</i>	2.69	
02 90 50 00-0053			Clean Appliances (02 90 50 00-0008)		
02 90 50 00-0054	EA		Microwave Oven, Outside, Light Clean For Emergency Clean-up	12.34	
			<i>For Medium Clean, Add</i>	5.18	
			<i>For Heavy Clean, Add</i>	16.04	
02 90 50 00-0055	EA		Refrigerator, Outside, Light Clean For Emergency Clean-up	29.07	
			<i>For Medium Clean, Add</i>	12.21	
			<i>For Heavy Clean, Add</i>	37.79	
02 90 50 00-0056	EA		Range, Outside, Light Clean For Emergency Clean-up	25.12	
			<i>For Medium Clean, Add</i>	10.55	
			<i>For Heavy Clean, Add</i>	32.66	
02 90 50 00-0057			Clean Plumbing (02 90 50 00-0008)		
02 90 50 00-0058	EA		Water Heater, Light Clean For Emergency Clean-up	17.86	
			<i>For Medium Clean, Add</i>	7.50	
			<i>For Heavy Clean, Add</i>	23.22	
02 90 50 00-0059	EA		Plumbing Fixture, Light Clean For Emergency Clean-up	18.04	
			<i>For Medium Clean, Add</i>	7.58	
			<i>For Heavy Clean, Add</i>	23.45	
02 90 50 00-0060	EA		Restroom Accessory, Light Clean For Emergency Clean-up	8.27	
			<i>For Medium Clean, Add</i>	3.47	
			<i>For Heavy Clean, Add</i>	10.75	
02 90 50 00-0061			Clean HVAC (02 90 50 00-0008)		
02 90 50 00-0062	LF		Baseboard Heater, Light Clean For Emergency Clean-up	5.33	
			<i>For Medium Clean, Add</i>	2.24	
			<i>For Heavy Clean, Add</i>	6.93	
02 90 50 00-0063	LF		Ductwork, Exterior Wipe, Light Clean For Emergency Clean-up	14.89	
			<i>For Medium Clean, Add</i>	6.25	
			<i>For Heavy Clean, Add</i>	19.36	
02 90 50 00-0064	EA		Ductwork, Interior (Per Grille/Register), Light Clean For Emergency Clean-up	57.17	
			<i>For Medium Clean, Add</i>	24.01	
			<i>For Heavy Clean, Add</i>	74.32	
02 90 50 00-0065	EA		Grille/Register, Light Clean For Emergency Clean-up	5.36	
			<i>For Medium Clean, Add</i>	2.25	
			<i>For Heavy Clean, Add</i>	6.97	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
02 90 50 00-0066 EA Air Handling Unit, Exterior Wipe, Light Clean For Emergency Clean-up..... <i>For Medium Clean, Add</i> <i>For Heavy Clean, Add</i>	37.13 15.59 48.27	
02 90 50 00-0067 EA Furnace, Exterior Wipe, Light Clean For Emergency Clean-up <i>For Medium Clean, Add</i> <i>For Heavy Clean, Add</i>	33.05 13.88 42.97	
02 90 50 00-0068 Clean Electrical (02 90 50 00-0008)		
02 90 50 00-0069 EA Electric Fan, Light Clean For Emergency Clean-up <i>For Medium Clean, Add</i> <i>For Heavy Clean, Add</i>	22.04 9.26 28.65	
02 90 50 00-0070 EA Ceiling Fan, Light Clean For Emergency Clean-up <i>For Medium Clean, Add</i> <i>For Heavy Clean, Add</i>	23.82 10.00 30.97	
02 90 50 00-0071 EA Ceiling Fan And Light, Light Clean For Emergency Clean-up <i>For Medium Clean, Add</i> <i>For Heavy Clean, Add</i>	30.97 13.01 40.26	
02 90 50 00-0072 EA Ceiling Exhaust Fan, Light Clean For Emergency Clean-up <i>For Medium Clean, Add</i> <i>For Heavy Clean, Add</i>	21.74 9.13 28.26	
02 90 50 00-0073 EA 2' x 4' Light Fixture, Light Clean For Emergency Clean-up <i>For Medium Clean, Add</i> <i>For Heavy Clean, Add</i>	14.29 6.00 18.58	
02 90 50 00-0074 EA Light Fixture, Light Clean For Emergency Clean-up <i>For Medium Clean, Add</i> <i>For Heavy Clean, Add</i>	6.55 2.75 8.52	
02 90 50 00-0075 EA Smoke Detector, Light Clean For Emergency Clean-up <i>For Medium Clean, Add</i> <i>For Heavy Clean, Add</i>	5.07 2.13 6.59	
02 90 50 00-0076 EA Thermostat, Light Clean For Emergency Clean-up <i>For Medium Clean, Add</i> <i>For Heavy Clean, Add</i>	1.78 0.75 2.31	
02 90 50 00-0077 Thermal Fog (02 90 50 00-0008)		
02 90 50 00-0078 CF Clean And Deodorize Building With Thermal Fog For Emergency Clean-up.....	0.02	
02 90 50 00-0079 Contents Manipulation (02 90 50)		
02 90 50 00-0080 SF Cover Contents With 6 Mil Plastic Sheeting For Emergency Clean-up.....	0.21	
02 90 50 00-0081 SF Floor Protection, Adhesive Film For Emergency Clean-up.....	0.26	
02 90 50 00-0082 SF Move Contents Out And Later Reset For Emergency Clean-up.....	0.47	
02 90 50 00-0083 MO 20' Long Job Site Storage Trailer For Emergency Clean-up.....	125.42	
02 90 50 00-0084 MO 40' Long Job Site Storage Trailer For Emergency Clean-up.....	166.33	
02 90 50 00-0085 EA Delivery Or Pickup Job Site Storage Trailer For Emergency Clean-up.....	138.52	
02 90 50 00-0086 Water Emergency Clean-up (02 90 50)		
02 90 50 00-0087 LF Detach Baseboard For Emergency Clean-up.....	0.62	
02 90 50 00-0088 LF Detach And Later Reset Baseboard For Emergency Clean-up.....	1.10	
02 90 50 00-0089 EA Block And Pad Furniture (Per Piece Of Furniture) For Emergency Clean-up.....	4.03	
02 90 50 00-0090 SF Water Extraction From Floor For Emergency Clean-up.....	0.42	
02 90 50 00-0091 SF Gray Water Extraction From Floor For Emergency Clean-up.....	0.68	
02 90 50 00-0092 SF Black Water Extraction From Floor For Emergency Clean-up.....	1.07	
02 90 50 00-0093 SF Tear Out Wet Non Salvageable Carpet For Emergency Clean-up.....	0.34	
02 90 50 00-0094 SF Tear Out Wet Non Salvageable Carpet, Black Water For Emergency Clean-up.....	0.40	
02 90 50 00-0095 SF Tear Out Wet Non Salvageable Glue Down Carpet For Emergency Clean-up.....	0.59	
02 90 50 00-0096 SF Tear Out Wet Non Salvageable Glue Down Carpet, Black Water For Emergency Clean-up.....	0.87	
02 90 50 00-0097 SF Tear Out Vinyl Flooring For Emergency Clean-up.....	0.82	
02 90 50 00-0098 SF Tear Out Vinyl Flooring, Black Water For Emergency Clean-up.....	1.21	
02 90 50 00-0099 SF Tear Out Wood Flooring, Black Water For Emergency Clean-up.....	3.13	
02 90 50 00-0100 SF Tear Out Laminated Wood Flooring For Emergency Clean-up.....	1.53	
02 90 50 00-0101 SF Tear Out Laminated Wood Flooring, Black Water For Emergency Clean-up.....	2.26	
02 90 50 00-0102 SF Tear Out Wet Ceiling Tile For Emergency Clean-up.....	0.25	
02 90 50 00-0103 SF Tear Out Batt Insulation For Emergency Clean-up.....	0.25	
02 90 50 00-0104 SF Tear Out Wet Gypsum Board For Emergency Clean-up.....	0.44	
02 90 50 00-0105 SF Apply Antimicrobial Agent For Emergency Clean-up.....	0.23	
02 90 50 00-0106 SF High Efficiency Particulate Air (HEPA) Vacuuming For Emergency Clean-up.....	0.33	
02 90 50 00-0107 Emergency Clean-up Labor (02 90 50)		
Note: Used in the performance of time and material projects. Not to be used in conjunction with tasks in the Cleaning, Contents Manipulation, and Water Emergency Clean-up sections.		
02 90 50 00-0108 HR Skilled Tradesman For Emergency Clean Up.....	60.00	
02 90 50 00-0109 HR Restoration / Document Laborer For Emergency Clean Up.....	42.00	
02 90 50 00-0110 HR Restoration / Document Supervisor For Emergency Clean Up.....	57.75	
02 90 50 00-0111 HR Restoration / Document Project Manager For Emergency Clean Up.....	94.50	
02 90 50 00-0112 HR Assistant Project Manager For Emergency Clean Up.....	78.75	
02 90 50 00-0113 HR Senior Project Manager For Emergency Clean Up.....	110.25	
02 90 50 00-0114 HR Project Director / Document Consultant / Account Manager For Emergency Clean Up.....	157.50	
02 90 50 00-0115 HR Equipment Technician For Emergency Clean Up.....	115.50	

02 Existing Conditions**02 90 Disaster Recovery****02 90 50 Cleaning And Emergency Clean-up**

MINOR
CSI UOM DESCRIPTION

TOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

02 90 50 00-0116	HR	Mold Remediation Laborer For Emergency Clean Up.....	57.50
02 90 50 00-0117	HR	Mold Remediation Supervisor For Emergency Clean Up.....	78.75
02 90 50 00-0118	HR	Administrative Personnel For Emergency Clean Up.....	36.75
02 90 50 00-0119	HR	Project Accountant For Emergency Clean Up.....	60.00
02 90 50 00-0120	HR	Biohazard Technician For Emergency Clean Up.....	83.38
02 90 50 00-0121	HR	Biohazard Supervisor For Emergency Clean Up.....	100.25
02 90 50 00-0122	HR	Health And Safety Officer For Emergency Clean Up.....	90.00
02 90 50 00-0123	HR	Resource And Logistics Coordinator For Emergency Clean Up.....	65.00
02 90 50 00-0124	HR	Loss Control Specialist For Emergency Clean Up.....	63.00
02 90 50 00-0125	HR	Moisture Control Specialist For Emergency Clean Up.....	42.00
02 90 50 00-0126	HR	Mobilization Support For Emergency Clean Up.....	32.00

02 90 50 00-0127**Emergency Clean-up Equipment (02 90 50)**

Note: Used in the performance of time and material projects. Used in the performance of time and material projects. Not used in conjunction with tasks in the Cleaning, Contents Manipulation, and Water Emergency Clean-up sections.

02 90 50 00-0128**General Emergency Clean-up Equipment (02 90 50 00-0127)**

02 90 50 00-0129	DAY	265 CFM Portable Ozone Machine, 12,000 MG/HR For Emergency Clean-up.....	109.58
02 90 50 00-0130	WK	265 CFM Portable Ozone Machine, 12,000 MG/HR For Emergency Clean-up.....	418.03
02 90 50 00-0131	MO	265 CFM Portable Ozone Machine, 12,000 MG/HR For Emergency Clean-up.....	1,144.50
02 90 50 00-0132	DAY	13" Floor Buffer Rental For Emergency Clean-up.....	34.02
02 90 50 00-0133	WK	13" Floor Buffer Rental For Emergency Clean-up.....	95.54
02 90 50 00-0134	MO	13" Floor Buffer Rental For Emergency Clean-up.....	263.76
02 90 50 00-0135	DAY	17" Floor Buffer Rental For Emergency Clean-up.....	65.94
02 90 50 00-0136	WK	17" Floor Buffer Rental For Emergency Clean-up.....	168.21
02 90 50 00-0137	MO	17" Floor Buffer Rental For Emergency Clean-up.....	396.98
02 90 50 00-0138	DAY	Walk Behind Floor Scrubber Rental For Emergency Clean-up.....	363.34
02 90 50 00-0139	WK	Walk Behind Floor Scrubber Rental For Emergency Clean-up.....	975.63
02 90 50 00-0140	MO	Walk Behind Floor Scrubber Rental For Emergency Clean-up.....	2,718.31
02 90 50 00-0141	DAY	Ride-On Floor Scrubber Rental For Emergency Clean-up.....	820.88
02 90 50 00-0142	WK	Ride-On Floor Scrubber Rental For Emergency Clean-up.....	2,166.58
02 90 50 00-0143	MO	Ride-On Floor Scrubber Rental For Emergency Clean-up.....	5,840.34
02 90 50 00-0144	DAY	4 Gallon, Commercial Carpet Extractor Rental For Emergency Clean-up.....	59.21
02 90 50 00-0145	WK	4 Gallon, Commercial Carpet Extractor Rental For Emergency Clean-up.....	168.21
02 90 50 00-0146	MO	4 Gallon, Commercial Carpet Extractor Rental For Emergency Clean-up.....	578.65
02 90 50 00-0147	DAY	8 Gallon, Commercial Carpet Extractor Rental For Emergency Clean-up.....	55.17
02 90 50 00-0148	WK	8 Gallon, Commercial Carpet Extractor Rental For Emergency Clean-up.....	148.03
02 90 50 00-0149	MO	8 Gallon, Commercial Carpet Extractor Rental For Emergency Clean-up.....	383.52
02 90 50 00-0150	DAY	17 to 30 Gallon, Commercial Carpet Extractor Rental For Emergency Clean-up.....	88.28
02 90 50 00-0151	WK	17 to 30 Gallon, Commercial Carpet Extractor Rental For Emergency Clean-up.....	251.92
02 90 50 00-0152	MO	17 to 30 Gallon, Commercial Carpet Extractor Rental For Emergency Clean-up.....	704.07
02 90 50 00-0153	DAY	Truck Mounted Extractor Rental For Emergency Clean-up.....	554.15
02 90 50 00-0154	WK	Truck Mounted Extractor Rental For Emergency Clean-up.....	1,662.46
02 90 50 00-0155	MO	Truck Mounted Extractor Rental For Emergency Clean-up.....	4,987.37
02 90 50 00-0156	DAY	16" Chain Saw Rental For Emergency Clean-up.....	64.59
02 90 50 00-0157	WK	16" Chain Saw Rental For Emergency Clean-up.....	145.34
02 90 50 00-0158	MO	16" Chain Saw Rental For Emergency Clean-up.....	387.56
02 90 50 00-0159	DAY	20" Chain Saw Rental For Emergency Clean-up.....	80.74
02 90 50 00-0160	WK	20" Chain Saw Rental For Emergency Clean-up.....	181.67
02 90 50 00-0161	MO	20" Chain Saw Rental For Emergency Clean-up.....	484.45
02 90 50 00-0162	EA	Cleaning Kit With Mop, Broom And Bucket For Emergency Clean-up.....	60.56
02 90 50 00-0163	DAY	14" Electric Cut Off Saw Rental For Emergency Clean-up.....	86.12
02 90 50 00-0164	WK	14" Electric Cut Off Saw Rental For Emergency Clean-up.....	235.50
02 90 50 00-0165	MO	14" Electric Cut Off Saw Rental For Emergency Clean-up.....	659.39
02 90 50 00-0166	DAY	12" To 14" Gasoline Cut Off Saw Rental For Emergency Clean-up.....	104.96
02 90 50 00-0167	WK	12" To 14" Gasoline Cut Off Saw Rental For Emergency Clean-up.....	356.61
02 90 50 00-0168	MO	12" To 14" Gasoline Cut Off Saw Rental For Emergency Clean-up.....	679.58
02 90 50 00-0169	DAY	Wet Or Dry Portable Cleaning Unit For Emergency Clean-up.....	96.40
02 90 50 00-0170	DAY	Extension Cords - 220 Volt For Emergency Clean-up.....	33.64
02 90 50 00-0171	DAY	Extension Cords - 220 Volt Converter Box For Emergency Clean-up.....	20.19
02 90 50 00-0172	DAY	Demolition Cart, 7 Yard For Emergency Clean-up.....	51.03
02 90 50 00-0173	EA	Demolition Kit With Wheel Barrow, Shovel And Broom For Emergency Clean-up.....	100.93
02 90 50 00-0174	DAY	Dry-ice Blasting System For Emergency Clean-up.....	1,089.83
02 90 50 00-0175	DAY	Fogger - Mist For Emergency Clean-up.....	28.35
02 90 50 00-0176	DAY	Fogger - Electric Thermal For Emergency Clean-up.....	40.83
02 90 50 00-0177	DAY	Fogger - Gas Power Thermal For Emergency Clean-up.....	109.67
02 90 50 00-0178	EA	Gang Box, Demo/Framing (One Time Per Job) For Emergency Clean-up.....	135.01
02 90 50 00-0179	DAY	Hand Trucks/Dollies For Emergency Clean-up.....	16.15
02 90 50 00-0180	DAY	Heat Gun - Shrink Wrap For Emergency Clean-up.....	83.96
02 90 50 00-0181	DAY	High Efficiency Particulate Air (HEPA) Negative Air Machine For Emergency Clean-up.....	118.81
		Note: Includes all filters.	
02 90 50 00-0182	DAY	Ladder For Emergency Clean-up.....	22.88
02 90 50 00-0183	DAY	Lights - Demo, Drop, Stand, String For Emergency Clean-up.....	20.41
02 90 50 00-0184	DAY	Lights - Wobble For Emergency Clean-up.....	24.95
02 90 50 00-0185	DAY	Moisture Meter For Emergency Clean-up.....	34.02
02 90 50 00-0186	DAY	Nail Gun For Emergency Clean-up.....	60.56
02 90 50 00-0187	DAY	Ozone Generator For Emergency Clean-up.....	141.76
02 90 50 00-0188	DAY	PPE (Personal Protective Equipment) Mold Remediation Related For Emergency Clean-up.....	80.74
02 90 50 00-0189	DAY	Portable Generator, Up To 7,500 Watts For Emergency Clean-up.....	113.41
02 90 50 00-0190	DAY	Pressure Washer, Hot For Emergency Clean-up.....	170.12



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
02 90 50 00-0191 DAY Pressure Washer, Cold For Emergency Clean-up	113.41	
02 90 50 00-0192 DAY Scaffolding - Per Section For Emergency Clean-up	87.47	
02 90 50 00-0193 DAY Small Tools - Tool Box For Emergency Clean-up	33.64	
02 90 50 00-0194 DAY Soda Blasting Equipment For Emergency Clean-up	1,081.44	
02 90 50 00-0195 DAY Sprayer - Hudson For Emergency Clean-up	10.77	
02 90 50 00-0196 DAY 0.47 GPM, Airless Paint Sprayer For Emergency Clean-up	91.24	
02 90 50 00-0197 DAY Storage Space (Per SF Per Day) For Emergency Clean-up	2.61	
02 90 50 00-0198 DAY Submersible Pump For Emergency Clean-up	28.35	
02 90 50 00-0199 DAY Trash Pump - 2" Gas Powered For Emergency Clean-up	155.61	
02 90 50 00-0200 DAY Vehicle, Pick-up, SUV, Car For Emergency Clean-up	77.25	
02 90 50 00-0201 DAY Vehicle, Van For Emergency Clean-up	125.94	
02 90 50 00-0202 DAY 16' Or 24' Box Truck Vehicle For Emergency Clean-up	152.32	
Note: Includes Mileage		
02 90 50 00-0203 DAY Trailer - Refrigerated 40' Storage For Emergency Clean-up	167.37	
02 90 50 00-0204 DAY Utility Trailer For Emergency Clean-up	139.38	
Note: Includes Mileage		
02 90 50 00-0205 DAY Truck Mount, Per Wand Extraction For Emergency Clean-up	628.60	
02 90 50 00-0206 DAY High Efficiency Particulate Air (HEPA) Backpack Vacuum For Emergency Clean-up	28.35	
02 90 50 00-0207 DAY Vacuum - Shop Vacuum For Emergency Clean-up	28.35	
02 90 50 00-0208 DAY Vacuum - Commercial For Emergency Clean-up	85.06	
02 90 50 00-0209 DAY 12 Gallon, Industrial High Efficiency Particulate Air (HEPA) Vacuum For Emergency Clean-up	96.40	
02 90 50 00-0210 DAY Vacuum - Upright For Emergency Clean-up	18.47	
02 90 50 00-0211 DAY Zip Walls (Per 2 Poles) For Emergency Clean-up	28.35	
02 90 50 00-0212 DAY 2 Way Radio For Emergency Clean-up	22.68	
02 90 50 00-0213 Technical/Electronics Restoration Equipment (02 90 50 00-0127)		
02 90 50 00-0214 DAY Computer - Diagnostic For Emergency Clean-up	33.64	
02 90 50 00-0215 WK Computer - Diagnostic For Emergency Clean-up	92.52	
02 90 50 00-0216 MO Computer - Diagnostic For Emergency Clean-up	252.32	
02 90 50 00-0217 DAY Convection Oven - Large For Emergency Clean-up	488.66	
02 90 50 00-0218 WK Convection Oven - Large For Emergency Clean-up	1,343.82	
02 90 50 00-0219 MO Convection Oven - Large For Emergency Clean-up	3,664.96	
02 90 50 00-0220 DAY Convection Oven - Small For Emergency Clean-up	121.11	
02 90 50 00-0221 WK Convection Oven - Small For Emergency Clean-up	333.06	
02 90 50 00-0222 MO Convection Oven - Small For Emergency Clean-up	908.35	
02 90 50 00-0223 DAY Convection Oven - Vacuum For Emergency Clean-up	697.45	
02 90 50 00-0224 WK Convection Oven - Vacuum For Emergency Clean-up	1,917.98	
02 90 50 00-0225 MO Convection Oven - Vacuum For Emergency Clean-up	5,230.86	
02 90 50 00-0226 DAY Decontamination Booth For Emergency Clean-up	576.54	
02 90 50 00-0227 WK Decontamination Booth For Emergency Clean-up	1,585.49	
02 90 50 00-0228 MO Decontamination Booth For Emergency Clean-up	4,324.07	
02 90 50 00-0229 DAY DI Water System For Emergency Clean-up	44.78	
02 90 50 00-0230 WK DI Water System For Emergency Clean-up	123.14	
02 90 50 00-0231 MO DI Water System For Emergency Clean-up	335.85	
02 90 50 00-0232 DAY ESD Bench Workstation For Emergency Clean-up	27.43	
02 90 50 00-0233 WK ESD Bench Workstation For Emergency Clean-up	75.43	
02 90 50 00-0234 MO ESD Bench Workstation For Emergency Clean-up	205.71	
02 90 50 00-0235 DAY Heater/Enclosure Control System For Emergency Clean-up	20.19	
02 90 50 00-0236 WK Heater/Enclosure Control System For Emergency Clean-up	55.51	
02 90 50 00-0237 MO Heater/Enclosure Control System For Emergency Clean-up	151.39	
02 90 50 00-0238 DAY Hi-Tech Mobile Cart/Workstation For Emergency Clean-up	70.53	
02 90 50 00-0239 WK Hi-Tech Mobile Cart/Workstation For Emergency Clean-up	193.95	
02 90 50 00-0240 MO Hi-Tech Mobile Cart/Workstation For Emergency Clean-up	528.96	
02 90 50 00-0241 DAY Micro-Blaster/Dust Collector For Emergency Clean-up	302.78	
02 90 50 00-0242 WK Micro-Blaster/Dust Collector For Emergency Clean-up	832.65	
02 90 50 00-0243 MO Micro-Blaster/Dust Collector For Emergency Clean-up	2,270.87	
02 90 50 00-0244 DAY Mobile Laboratory For Emergency Clean-up	841.06	
02 90 50 00-0245 WK Mobile Laboratory For Emergency Clean-up	2,312.92	
02 90 50 00-0246 MO Mobile Laboratory For Emergency Clean-up	6,307.97	
02 90 50 00-0247 DAY Nitrogen Enclosure Cabinet For Emergency Clean-up	16.15	
02 90 50 00-0248 WK Nitrogen Enclosure Cabinet For Emergency Clean-up	44.41	
02 90 50 00-0249 MO Nitrogen Enclosure Cabinet For Emergency Clean-up	121.11	
02 90 50 00-0250 DAY Odell Cleaning Station For Emergency Clean-up	471.00	
02 90 50 00-0251 WK Odell Cleaning Station For Emergency Clean-up	1,295.24	
02 90 50 00-0252 MO Odell Cleaning Station For Emergency Clean-up	3,532.46	
02 90 50 00-0253 DAY Parts Washer For Emergency Clean-up	33.64	
02 90 50 00-0254 WK Parts Washer For Emergency Clean-up	92.52	
02 90 50 00-0255 MO Parts Washer For Emergency Clean-up	252.32	
02 90 50 00-0256 DAY Ultrasonic Cleaning System For Emergency Clean-up	209.91	
02 90 50 00-0257 WK Ultrasonic Cleaning System For Emergency Clean-up	577.24	
02 90 50 00-0258 MO Ultrasonic Cleaning System For Emergency Clean-up	1,574.30	
02 90 50 00-0259 DAY Technical High Efficiency Particulate Air (HEPA) Vacuum For Emergency Clean-up	89.25	
02 90 50 00-0260 WK Technical High Efficiency Particulate Air (HEPA) Vacuum For Emergency Clean-up	245.44	
02 90 50 00-0261 MO Technical High Efficiency Particulate Air (HEPA) Vacuum For Emergency Clean-up	669.38	
02 90 50 00-0262 Drying/Dehumidification Equipment (02 90 50 00-0127)		
02 90 50 00-0263 DAY 202 CFM Water Extraction Unit With Dual 3-Stage Vacuums For Emergency Clean-up	141.76	
Note: Includes 25' high Pressure solution hose and 25' Vacuum hose.		

02 Existing Conditions**02 90 Disaster Recovery****02 90 50 Cleaning And Emergency Clean-up**

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
02 90 50 00-0264 WK 202 CFM Water Extraction Unit With Dual 3-Stage Vacuums For Emergency Clean-up.....	389.85	
Note: Includes 25' high Pressure solution hose and 25' Vacuum hose.		
02 90 50 00-0265 MO 202 CFM Water Extraction Unit With Dual 3-Stage Vacuums For Emergency Clean-up.....	1,063.22	
Note: Includes 25' high Pressure solution hose and 25' Vacuum hose.		
02 90 50 00-0266 DAY 2,200 CFM Centrifugal Air Mover For Emergency Clean-up.....	33.07	
02 90 50 00-0267 WK 2,200 CFM Centrifugal Air Mover For Emergency Clean-up.....	90.95	
02 90 50 00-0268 MO 2,200 CFM Centrifugal Air Mover For Emergency Clean-up.....	248.06	
02 90 50 00-0269 DAY 3,000 CFM Axial Air Mover For Emergency Clean-up.....	55.12	
02 90 50 00-0270 WK 3,000 CFM Axial Air Mover For Emergency Clean-up.....	151.59	
02 90 50 00-0271 MO 3,000 CFM Axial Air Mover For Emergency Clean-up.....	413.43	
02 90 50 00-0272 DAY Injectidry System For Emergency Clean-up.....	175.79	
02 90 50 00-0273 WK Injectidry System For Emergency Clean-up.....	483.41	
02 90 50 00-0274 MO Injectidry System For Emergency Clean-up.....	1,318.40	
02 90 50 00-0275 DAY Up To 100 Pints Water Removal Per Day, Refrigerant Dehumidifier For Emergency Clean-up.....	113.41	
02 90 50 00-0276 WK Up To 100 Pints Water Removal Per Day, Refrigerant Dehumidifier For Emergency Clean-up.....	311.88	
02 90 50 00-0277 MO Up To 100 Pints Water Removal Per Day, Refrigerant Dehumidifier For Emergency Clean-up.....	850.58	
02 90 50 00-0278 DAY >100 To 175 Pints Water Removal Per Day, Refrigerant Dehumidifier For Emergency Clean-up.....	168.21	
02 90 50 00-0279 WK >100 To 175 Pints Water Removal Per Day, Refrigerant Dehumidifier For Emergency Clean-up.....	462.58	
02 90 50 00-0280 MO >100 To 175 Pints Water Removal Per Day, Refrigerant Dehumidifier For Emergency Clean-up.....	1,261.59	
02 90 50 00-0281 DAY >175 To 250 Pints Water Removal Per Day, Refrigerant Dehumidifier For Emergency Clean-up.....	156.61	
02 90 50 00-0282 WK >175 To 250 Pints Water Removal Per Day, Refrigerant Dehumidifier For Emergency Clean-up.....	430.69	
02 90 50 00-0283 MO >175 To 250 Pints Water Removal Per Day, Refrigerant Dehumidifier For Emergency Clean-up.....	1,174.61	
02 90 50 00-0284 DAY Phoenix 200 Refrigerant Dehumidifier For Emergency Clean-up.....	167.42	
02 90 50 00-0285 WK Phoenix 200 Refrigerant Dehumidifier For Emergency Clean-up.....	460.39	
02 90 50 00-0286 MO Phoenix 200 Refrigerant Dehumidifier For Emergency Clean-up.....	1,255.62	
02 90 50 00-0287 DAY Phoenix 300 Refrigerant Dehumidifier For Emergency Clean-up.....	167.42	
02 90 50 00-0288 WK Phoenix 300 Refrigerant Dehumidifier For Emergency Clean-up.....	460.39	
02 90 50 00-0289 MO Phoenix 300 Refrigerant Dehumidifier For Emergency Clean-up.....	1,255.62	
02 90 50 00-0290 DAY D-500 Desiccant Dehumidifier For Emergency Clean-up.....	189.02	
02 90 50 00-0291 WK D-500 Desiccant Dehumidifier For Emergency Clean-up.....	519.80	
02 90 50 00-0292 MO D-500 Desiccant Dehumidifier For Emergency Clean-up.....	1,417.63	
02 90 50 00-0293 DAY D-750 Desiccant Dehumidifier For Emergency Clean-up.....	396.94	
02 90 50 00-0294 WK D-750 Desiccant Dehumidifier For Emergency Clean-up.....	1,091.58	
02 90 50 00-0295 MO D-750 Desiccant Dehumidifier For Emergency Clean-up.....	2,977.03	
02 90 50 00-0296 DAY D-1000 Desiccant Dehumidifier For Emergency Clean-up.....	680.46	
02 90 50 00-0297 WK D-1000 Desiccant Dehumidifier For Emergency Clean-up.....	1,871.27	
02 90 50 00-0298 MO D-1000 Desiccant Dehumidifier For Emergency Clean-up.....	5,103.47	
02 90 50 00-0299 DAY D-1500 Desiccant Dehumidifier For Emergency Clean-up.....	1,047.70	
02 90 50 00-0300 WK D-1500 Desiccant Dehumidifier For Emergency Clean-up.....	2,881.17	
02 90 50 00-0301 MO D-1500 Desiccant Dehumidifier For Emergency Clean-up.....	7,857.73	
02 90 50 00-0302 DAY D-2000 Desiccant Dehumidifier For Emergency Clean-up.....	1,047.70	
02 90 50 00-0303 WK D-2000 Desiccant Dehumidifier For Emergency Clean-up.....	2,881.17	
02 90 50 00-0304 MO D-2000 Desiccant Dehumidifier For Emergency Clean-up.....	7,857.73	
02 90 50 00-0305 DAY D-2250 Desiccant Dehumidifier For Emergency Clean-up.....	1,094.14	
02 90 50 00-0306 WK D-2250 Desiccant Dehumidifier For Emergency Clean-up.....	3,008.89	
02 90 50 00-0307 MO D-2250 Desiccant Dehumidifier For Emergency Clean-up.....	8,206.06	
02 90 50 00-0308 DAY D-3000 Desiccant Dehumidifier For Emergency Clean-up.....	1,360.93	
02 90 50 00-0309 WK D-3000 Desiccant Dehumidifier For Emergency Clean-up.....	3,742.55	
02 90 50 00-0310 MO D-3000 Desiccant Dehumidifier For Emergency Clean-up.....	10,206.94	
02 90 50 00-0311 DAY D-4500 Desiccant Dehumidifier For Emergency Clean-up.....	1,531.04	
02 90 50 00-0312 WK D-4500 Desiccant Dehumidifier For Emergency Clean-up.....	4,210.36	
02 90 50 00-0313 MO D-4500 Desiccant Dehumidifier For Emergency Clean-up.....	11,482.81	
02 90 50 00-0314 DAY D-5000 Desiccant Dehumidifier For Emergency Clean-up.....	1,644.45	
02 90 50 00-0315 WK D-5000 Desiccant Dehumidifier For Emergency Clean-up.....	4,522.24	
02 90 50 00-0316 MO D-5000 Desiccant Dehumidifier For Emergency Clean-up.....	12,333.39	
02 90 50 00-0317 DAY D-9000 Desiccant Dehumidifier For Emergency Clean-up.....	2,160.20	
02 90 50 00-0318 WK D-9000 Desiccant Dehumidifier For Emergency Clean-up.....	5,940.55	
02 90 50 00-0319 MO D-9000 Desiccant Dehumidifier For Emergency Clean-up.....	16,201.50	
02 90 50 00-0320 DAY D-10500 Desiccant Dehumidifier For Emergency Clean-up.....	2,268.21	
02 90 50 00-0321 WK D-10500 Desiccant Dehumidifier For Emergency Clean-up.....	6,237.58	
02 90 50 00-0322 MO D-10500 Desiccant Dehumidifier For Emergency Clean-up.....	17,011.58	
02 90 50 00-0323 DAY 3.5 Ton DX Unit - Heating / Air Conditioning For Emergency Clean-up.....	368.58	
02 90 50 00-0324 WK 3.5 Ton DX Unit - Heating / Air Conditioning For Emergency Clean-up.....	1,013.61	
02 90 50 00-0325 MO 3.5 Ton DX Unit - Heating / Air Conditioning For Emergency Clean-up.....	2,764.38	
02 90 50 00-0326 DAY 5 Ton DX Unit - Heating / Air Conditioning For Emergency Clean-up.....	510.35	
02 90 50 00-0327 WK 5 Ton DX Unit - Heating / Air Conditioning For Emergency Clean-up.....	1,403.45	
02 90 50 00-0328 MO 5 Ton DX Unit - Heating / Air Conditioning For Emergency Clean-up.....	3,827.60	
02 90 50 00-0329 DAY 10 Ton DX Unit - Heating / Air Conditioning For Emergency Clean-up.....	680.46	
02 90 50 00-0330 WK 10 Ton DX Unit - Heating / Air Conditioning For Emergency Clean-up.....	1,871.27	
02 90 50 00-0331 MO 10 Ton DX Unit - Heating / Air Conditioning For Emergency Clean-up.....	5,103.47	
02 90 50 00-0332 DAY 25 Ton DX Unit - Heating / Air Conditioning For Emergency Clean-up.....	907.28	
02 90 50 00-0333 WK 25 Ton DX Unit - Heating / Air Conditioning For Emergency Clean-up.....	2,495.03	
02 90 50 00-0334 MO 25 Ton DX Unit - Heating / Air Conditioning For Emergency Clean-up.....	6,804.63	
02 90 50 00-0335 DAY 50 Ton DX Unit - Heating / Air Conditioning For Emergency Clean-up.....	1,531.04	
02 90 50 00-0336 WK 50 Ton DX Unit - Heating / Air Conditioning For Emergency Clean-up.....	4,210.36	
02 90 50 00-0337 MO 50 Ton DX Unit - Heating / Air Conditioning For Emergency Clean-up.....	11,482.81	
02 90 50 00-0338 DAY 80 Ton DX Unit - Heating / Air Conditioning For Emergency Clean-up.....	1,701.16	
02 90 50 00-0339 WK 80 Ton DX Unit - Heating / Air Conditioning For Emergency Clean-up.....	4,678.18	
02 90 50 00-0340 MO 80 Ton DX Unit - Heating / Air Conditioning For Emergency Clean-up.....	12,758.68	
02 90 50 00-0341 DAY 25' Flex Duct For Emergency Clean-up.....	22.68	
02 90 50 00-0342 WK 25' Flex Duct For Emergency Clean-up.....	62.38	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
02 90 50 00-0343 MO 25' Flex Duct For Emergency Clean-up	170.12	
02 90 50 00-0344 DAY Hydrothermograph For Emergency Clean-up	33.64	
02 90 50 00-0345 WK Hydrothermograph For Emergency Clean-up	92.52	
02 90 50 00-0346 MO Hydrothermograph For Emergency Clean-up	252.32	
02 90 50 00-0347 DAY Dehumidification Trailer With 1,500 CFM Desiccant Unit For Emergency Clean-up..... Note: Includes 400 KW generator, 1500 CFM desiccant DH, 25 Ton DX unit, 1000 gallon fuel tank, and limited electrical distribution.	5,331.05	
02 90 50 00-0348 WK Dehumidification Trailer With 1,500 CFM Desiccant Unit For Emergency Clean-up..... Note: Includes 400 KW generator, 1500 CFM desiccant DH, 25 Ton DX unit, 1000 gallon fuel tank, and limited electrical distribution.	14,660.38	
02 90 50 00-0349 MO Dehumidification Trailer With 1,500 CFM Desiccant Unit For Emergency Clean-up..... Note: Includes 400 KW generator, 1500 CFM desiccant DH, 25 Ton DX unit, 1000 gallon fuel tank, and limited electrical distribution.	39,982.85	
02 90 50 00-0350 Power Equipment (02 90 50 00-0127)		
02 90 50 00-0351 WK Up to 65 KVA Generator For Emergency Clean-up	702.06	
02 90 50 00-0352 WK >65 to 125 KVA Generator For Emergency Clean-up.....	1,188.11	
02 90 50 00-0353 WK >125 to 250 KVA Generator For Emergency Clean-up.....	1,157.60	
02 90 50 00-0354 WK >250 to 375 KVA Generator For Emergency Clean-up.....	1,998.18	
02 90 50 00-0355 WK >375 Up to 440 KVA Generator For Emergency Clean-up.....	2,700.25	
02 90 50 00-0356 WK >440 to 625 KVA Generator For Emergency Clean-up.....	4,061.75	
02 90 50 00-0357 WK >625 to 800 KVA Generator For Emergency Clean-up.....	4,158.38	
02 90 50 00-0358 WK >800 to 1,000 KVA Generator For Emergency Clean-up.....	5,562.52	
02 90 50 00-0359 WK >1,000 to 1,500 KVA Generator For Emergency Clean-up.....	8,370.78	
02 90 50 00-0360 EA Generator Cable/Pigtails (Per Section) For Emergency Clean-up	18.15	
02 90 50 00-0361 EA Sub-Distribution Panel (Spider Box) For Emergency Clean-up.....	86.95	
02 90 50 00-0362 EA Electrical Distribution Panel For Emergency Clean-up	209.91	
02 90 50 00-0363 EA Quad Box Strings (25' Sections) For Emergency Clean-up	32.67	
02 90 50 00-0364 EA 50' Power Cord For Spider Box For Emergency Clean-up.....	30.24	
02 90 50 00-0365 EA Pig Tails (Per Each) For Emergency Clean-up	3.36	
02 90 50 00-0366 Freight Charges (02 90 50 00-0127)		
02 90 50 00-0367 MI Freight Up To 1 Ton Pick Up Truck For Emergency Clean-up Equipment.....	1.68	
02 90 50 00-0368 MI Freight >1 Ton Pick Up Truck For Emergency Clean-up Equipment	3.03	
02 90 50 00-0369 MI Freight 16' Or 24' Box Truck For Emergency Clean-up Equipment	3.03	
02 90 50 00-0370 MI Freight Tractor Trailer For Emergency Clean-up Equipment	4.37	
02 90 50 00-0371 Emergency Clean-up Personal Protection Equipment (02 90 50)		
Note: Used in the performance of time and material projects. Used in the performance of time and material projects. Not used in conjunction with tasks in the Cleaning, Contents Manipulation, and Water Emergency Clean-up sections.		
02 90 50 00-0372 EA Tyvek Coveralls For Emergency Clean-up Personal Protection Equipment	9.39	
02 90 50 00-0373 EA Respirator Cartridge For Emergency Clean-up Personal Protection Equipment.....	32.79	
02 90 50 00-0374 BOX Dust Mask For Emergency Clean-up Personal Protection Equipment.....	36.56	
02 90 50 00-0375 PR Cotton Canvas Gloves For Emergency Clean-up Personal Protection Equipment	2.52	
02 90 50 00-0376 BOX 5 Mil, Disposable Latex Gloves For Emergency Clean-up Personal Protection Equipment, Box of 100.....	17.01	
02 90 50 00-0377 PR Leather Gloves For Emergency Clean-up Personal Protection Equipment.....	8.51	
02 90 50 00-0378 EA Heavy Duty, Rubber Gloves For Emergency Clean-up Personal Protection Equipment	14.53	
02 90 50 00-0379 PR Polycarbonate Lens Safety Goggles For Emergency Clean-up Personal Protection Equipment.....	9.96	
02 90 50 00-0380 EA Disposable Dual Cartridge Half-Mask Respirator For Emergency Clean-up Personal Protection Equipment.....	71.93	
02 90 50 00-0381 PR Plastic Safety Glasses For Emergency Clean-up Personal Protection Equipment.....	4.36	
02 90 50 00-0382 EA Safety Harness (Per Person/Day) For Emergency Clean-up Personal Protection Equipment.....	5.67	
02 90 50 00-0383 Emergency Clean-up Expendables (02 90 50)		
Note: Used in the performance of time and material projects. Used in the performance of time and material projects. Not used in conjunction with tasks in the Cleaning, Contents Manipulation, and Water Emergency Clean-up sections.		
02 90 50 00-0384 General Materials (02 90 50 00-0383)		
02 90 50 00-0385 GAL Adhesive Remover For Emergency Clean-up.....	85.06	
02 90 50 00-0386 GAL Bio-HS For Emergency Clean-up.....	28.68	
02 90 50 00-0387 GAL Biocide For Emergency Clean-up	36.59	
02 90 50 00-0388 EA 10" x 12" x 15" Cardboard Storage Box For Emergency Clean-up	4.48	
02 90 50 00-0389 EA 10" x 12" x 24" Cardboard Storage Box For Emergency Clean-up	6.80	
02 90 50 00-0390 GAL Bleach For Emergency Clean-up	9.15	
02 90 50 00-0391 EA Small Stainless Brush For Emergency Clean-up	5.60	
02 90 50 00-0392 EA 2-1/2 Gallon Buckets For Emergency Clean-up.....	7.11	
02 90 50 00-0393 EA 5 Gallon Bucket For Emergency Clean-up.....	10.77	
02 90 50 00-0394 GAL Carpet Defoamer For Emergency Clean-up.....	27.69	
02 90 50 00-0395 GAL Carpet Pre-treat For Emergency Clean-up	20.71	
02 90 50 00-0396 GAL Carpet Spotter For Emergency Clean-up.....	34.70	
02 90 50 00-0397 GAL Carpet/Upholstery Cleaner For Emergency Clean-up.....	27.99	
02 90 50 00-0398 ROL Carpet Masking/Shield For Emergency Clean-up	77.64	
02 90 50 00-0399 EA Chemical Sponge For Emergency Clean-up.....	3.35	
02 90 50 00-0400 GAL Clear Seal For Emergency Clean-up	114.36	
02 90 50 00-0401 GAL Coil Cleaner For Emergency Clean-up	53.46	
02 90 50 00-0402 EA Comfort Masks, Per Box 50 For Emergency Clean-up Personal Protection Equipment.....	39.28	
02 90 50 00-0403 EA Hooded Coverall With Elastic Wrists/Ankles For Emergency Clean-up Personal Protection Equipment.....	17.37	

02 Existing Conditions**02 90 Disaster Recovery****02 90 50 Cleaning And Emergency Clean-up**

MINOR
CSI UOM DESCRIPTION

TOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

02 90 50 00-0404	EA	Decontamination Chamber For Emergency Clean-up.....	232.49	
02 90 50 00-0405	GAL	All Purpose Degreaser For Emergency Clean-up.....	37.43	
02 90 50 00-0406	GAL	De-Foamer Liquid For Emergency Clean-up.....	49.19	
02 90 50 00-0407	EA	Deodorization Membrane For Emergency Clean-up.....	96.43	
02 90 50 00-0408	GAL	9-D-9 Smoke Deodorizer For Emergency Clean-up.....	147.03	
02 90 50 00-0409	LB	Deodorizing Gel For Emergency Clean-up.....	34.54	
02 90 50 00-0410	GAL	Deodorizing Liquid For Emergency Clean-up.....	51.14	
02 90 50 00-0411	PAIL	Deodorizing Block For Emergency Clean-up.....	8.68	
02 90 50 00-0412	GAL	Disinfectant/Antimicrobial For Emergency Clean-up.....	89.63	
02 90 50 00-0413	GAL	BruClean Disinfectant For Emergency Clean-up.....	27.22	
02 90 50 00-0414	GAL	Dryclean For Emergency Clean-up.....	40.18	
02 90 50 00-0415	GAL	Duct Sealant Spray For Emergency Clean-up.....	60.56	
02 90 50 00-0416	GAL	Antifungal Duct Sealant For Emergency Clean-up.....	87.47	
02 90 50 00-0417	GAL	Microbial Encapsulant (Fosters 20 - 40) For Emergency Clean-up.....	132.59	
02 90 50 00-0418	PR	Ear Plugs For Emergency Clean-up Personal Protection Equipment.....	0.54	
02 90 50 00-0419	GAL	Encapsulant For Emergency Clean-up.....	91.80	
02 90 50 00-0420	GAL	AfterShock Fiberlocke For Emergency Clean-up.....	80.60	
02 90 50 00-0421	GAL	IAQ 2500 Fiberlocke For Emergency Clean-up.....	103.86	
02 90 50 00-0422	GAL	IAS 6000 Fiberlocke For Emergency Clean-up.....	106.82	
02 90 50 00-0423	ROL	Filter Material For Emergency Clean-up.....	208.51	
02 90 50 00-0424	EA	Blue Paper Collection Bag Filter For Emergency Clean-up.....	5.62	
02 90 50 00-0425	EA	CVAC Filter For High Efficiency Particulate Air (HEPA) Vacuum For Emergency Clean-up.....	445.97	
02 90 50 00-0426	EA	Pre-Filter For Negative Air Machine For Emergency Clean-up.....	2.14	
02 90 50 00-0427	EA	Pleated Filter For Negative Air Machine For Emergency Clean-up.....	9.53	
02 90 50 00-0428	EA	Charcoal Filter For Negative Air Machine For Emergency Clean-up.....	33.92	
02 90 50 00-0429	EA	High Efficiency Particulate Air (HEPA) Filter For Negative Air Machine For Emergency Clean-up.....	322.56	
02 90 50 00-0430	EA	Pleated Dehumidifier Filter For Emergency Clean-up.....	8.51	
02 90 50 00-0431	GAL	Floor Stripper For Emergency Clean-up.....	18.84	
02 90 50 00-0432	GAL	Floor Wax For Emergency Clean-up.....	26.91	
02 90 50 00-0433	GAL	Fogger (Thermal) For Emergency Clean-up.....	155.94	
02 90 50 00-0434	BOX	Furniture Blocks For Emergency Clean-up.....	125.60	
02 90 50 00-0435	EA	Furniture Polish, Per 10 Oz Can For Emergency Clean-up.....	16.93	
02 90 50 00-0436	GAL	Glass Cleaner For Emergency Clean-up.....	11.29	
02 90 50 00-0437	PR	Chemical Splash/Impact Resistant, Polycarbonate Lens Safety Goggles For Emergency Clean-up Personal Protection Equipment.....	16.42	
02 90 50 00-0438	EA	Goof Off Spray, 12 Oz For Emergency Clean-up.....	13.50	
02 90 50 00-0439	EA	Halogen Light Bulbs For Emergency Clean-up.....	19.22	
02 90 50 00-0440	QT	Hand Sanitizer For Emergency Clean-up.....	9.50	
02 90 50 00-0441	EA	Hard Hats For Emergency Clean-up Personal Protection Equipment.....	7.82	
02 90 50 00-0442	BOX	Hog Rings, Box Of 2,500 For Emergency Clean-up.....	16.45	
02 90 50 00-0443	GAL	HVAC Coal Cleaner For Emergency Clean-up.....	53.46	
02 90 50 00-0444	BOX	Inventory Tag, Box Of 1,000 For Emergency Clean-up.....	115.71	
02 90 50 00-0445	EA	Utility Knives For Emergency Clean-up.....	14.80	
02 90 50 00-0446	ROL	13" Lay Flat Tubing (250' Roll) For Emergency Clean-up.....	99.26	
02 90 50 00-0447	ROL	20" Lay Flat Tubing (250' Roll) For Emergency Clean-up.....	104.79	
02 90 50 00-0448	ROL	29" Lay Flat Tubing (250' Roll) For Emergency Clean-up.....	208.64	
02 90 50 00-0449	ROL	39" Lay Flat Tubing (250' Roll) For Emergency Clean-up.....	301.57	
02 90 50 00-0450	GAL	Lemon Oil For Emergency Clean-up.....	45.36	
02 90 50 00-0451	GAL	LPS 1/Mecca Lube For Emergency Clean-up.....	48.90	
02 90 50 00-0452	GAL	LPS 2 For Emergency Clean-up.....	51.76	
02 90 50 00-0453	GAL	LPS Contact Cleaner For Emergency Clean-up.....	51.51	
02 90 50 00-0454	GAL	Light Lubricant Preserve For Emergency Clean-up.....	120.79	
02 90 50 00-0455	GAL	Heavy Lubricant Preserver For Emergency Clean-up.....	26.91	
02 90 50 00-0456	GAL	Machinery Cleaning Solvent For Emergency Clean-up.....	217.19	
02 90 50 00-0457	GAL	Metal Polishing Paste For Emergency Clean-up.....	22.36	
02 90 50 00-0458	GAL	MediClean® Disinfectant For Emergency Clean-up.....	54.39	
02 90 50 00-0459	GAL	Dri-Eaz Milgo Plus Sanitizer For Emergency Clean-up.....	66.76	
02 90 50 00-0460	EA	Mop Heads For Emergency Clean-up.....	8.06	
02 90 50 00-0461	EA	Nylon Scouring Pads For Emergency Clean-up.....	1.48	
02 90 50 00-0462	GAL	Odor Neutralizer For Emergency Clean-up.....	34.70	
02 90 50 00-0463	EA	Packing Paper, 25 LB Bundle For Emergency Clean-up.....	60.17	
02 90 50 00-0464	EA	Paint Brushes For Emergency Clean-up.....	6.73	
02 90 50 00-0465	ROL	Corrugated/Craft Paper, 48" x 250' For Emergency Clean-up.....	140.33	
02 90 50 00-0466	EA	Putty Knives For Emergency Clean-up.....	6.10	
02 90 50 00-0467	ROL	Red Resin Paper, 200' Roll For Emergency Clean-up.....	30.62	
02 90 50 00-0468	GAL	Reodorant For Emergency Clean-up.....	114.38	
02 90 50 00-0469	EA	N95 Respirator For Emergency Clean-up Personal Protection Equipment.....	3.92	
02 90 50 00-0470	EA	N95 Respirator With Valve For Emergency Clean-up Personal Protection Equipment.....	6.08	
02 90 50 00-0471	PR	3M Respirator Cartridges For Emergency Clean-up Personal Protection Equipment.....	40.80	
02 90 50 00-0472	PR	P100 Respirator Cartridges For Emergency Clean-up Personal Protection Equipment.....	40.80	
02 90 50 00-0473	EA	Respirator Cleaning Wipes, Per Box 100 For Emergency Clean-up Personal Protection Equipment.....	32.65	
02 90 50 00-0474	GAL	Restoracide For Emergency Clean-up.....	53.65	
02 90 50 00-0475	GAL	Rust Remover For Emergency Clean-up.....	79.39	
02 90 50 00-0476	EA	Saltesmo Test Samples For Emergency Clean-up.....	7.38	
02 90 50 00-0477	EA	Sand Bag For Emergency Clean-up.....	1.93	
		Note: Excludes sand material		
02 90 50 00-0478	EA	Scotch-Brite 7447, Per Box 50 For Emergency Clean-up.....	24.10	
02 90 50 00-0479	EA	Small Scrub Brushes For Emergency Clean-up.....	12.87	
02 90 50 00-0480	GAL	Clear Soot Sealant For Emergency Clean-up.....	92.07	
02 90 50 00-0481	GAL	Pigmented Soot Sealant For Emergency Clean-up.....	248.29	
02 90 50 00-0482	ROL	Shrinkwrap Plastic For Emergency Clean-up.....	57.16	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
02 90 50 00-0483 EA Dry Sponges For Emergency Clean-up	4.48	
02 90 50 00-0484 EA Spray Adhesive, Per Can For Emergency Clean-up	5.96	
02 90 50 00-0485 EA Spray Bot./Trigger For Emergency Clean-up	5.19	
02 90 50 00-0486 GAL Stain Remover For Emergency Clean-up	31.35	
02 90 50 00-0487 GAL Stainless Steel Cleaner For Emergency Clean-up	11.23	
02 90 50 00-0488 EA Stainless Steel Polish, Per Can For Emergency Clean-up	14.74	
02 90 50 00-0489 LB Sweeping Compound For Emergency Clean-up	0.49	
02 90 50 00-0490 ROL Duct Tape, 2" x 50 YD For Emergency Clean-up	11.67	
02 90 50 00-0491 ROL Environmental (Teal) Tape, 3/4" x 1,440' For Emergency Clean-up	10.97	
02 90 50 00-0492 ROL HVAC (Aluminum) Tape, 2" x 75' For Emergency Clean-up	29.61	
02 90 50 00-0493 ROL Blue Masking (Painters) Tape, 1-1/2" x 198' For Emergency Clean-up	15.62	
02 90 50 00-0494 ROL Poly Box Tape, 2" x 110 YD For Emergency Clean-up	4.82	
02 90 50 00-0495 LB Terry Towels For Emergency Clean-up	6.93	
02 90 50 00-0496 GAL Thermal Fog For Emergency Clean-up	70.53	
02 90 50 00-0497 ROL Lawn And Leaf Trash Bags For Emergency Clean-up	36.29	
02 90 50 00-0498 ROL 6 Mil Heavy Duty Trash Bags (50 Count) For Emergency Clean-up	144.73	
02 90 50 00-0499 EA Trisodium Phosphate, 20 LB Pail For Emergency Clean-up	49.10	
02 90 50 00-0500 EA Backpack Vacuum Bags For Emergency Clean-up	1.66	
02 90 50 00-0501 EA Upright Vacuum Bags For Emergency Clean-up	2.21	
02 90 50 00-0502 GAL Vinyl And Leather Cleaner For Emergency Clean-up	27.99	
02 90 50 00-0503 ROL 1 Mil Visqueen, 12' x 400', For Emergency Clean-up	47.02	
02 90 50 00-0504 ROL 4 Mil Visqueen, 32' x 100', For Emergency Clean-up	127.67	
02 90 50 00-0505 ROL 6 Mil Visqueen, 32' x 400', For Emergency Clean-up	174.20	
02 90 50 00-0506 LB Wipes, Cotton Cloth For Emergency Clean-up	4.94	
02 90 50 00-0507 ROL 12" x 750', Wrap, Bubble/Anti-Static For Emergency Clean-up	143.38	
02 90 50 00-0508 EA Wyp-Alls, Case Of 160 Wipes For Emergency Clean-up	13.99	
02 90 50 00-0509 EA Zip Wall Zippers For Emergency Clean-up	21.76	
02 90 50 00-0510	Technical/Electronics Restoration Materials	<small>(02 90 50 00-0383)</small>
02 90 50 00-0511 EA Brush - Brass For Emergency Clean-up	5.05	
02 90 50 00-0512 EA 1" Brush, Natural Bristle For Emergency Clean-up	1.61	
02 90 50 00-0513 EA 1/2" Brush, Natural Bristle For Emergency Clean-up	1.35	
02 90 50 00-0514 EA 1/4" Brush, Natural Bristle For Emergency Clean-up	1.14	
02 90 50 00-0515 EA Brush - Parts For Emergency Clean-up	7.00	
02 90 50 00-0516 EA Brush - Plastic For Emergency Clean-up	3.63	
02 90 50 00-0517 EA Brush - Wire Grout For Emergency Clean-up	7.84	
02 90 50 00-0518 EA Brushing Tool For Emergency Clean-up	15.11	
02 90 50 00-0519 EA Cleaning Swabs, Cotton For Emergency Clean-up	0.34	
02 90 50 00-0520 EA Cleaning Swabs, Foam Tip For Emergency Clean-up	0.40	
02 90 50 00-0521 EA Contact Restorer, Per Can For Emergency Clean-up	32.63	
02 90 50 00-0522 EA Contact Spray, Per Can For Emergency Clean-up	22.20	
02 90 50 00-0523 UNT Corrosion Inhibitor Emitter - 1 CF For Emergency Clean-up	3.23	
02 90 50 00-0524 UNT Corrosion Inhibitor Emitter - 5 CF For Emergency Clean-up	7.40	
02 90 50 00-0525 UNT Corrosion Inhibitor Emitter - 10 CF For Emergency Clean-up	12.78	
02 90 50 00-0526 LB Cotton Cleaning Cloths For Emergency Clean-up	20.19	
02 90 50 00-0527 EA 12" x 17" Dust Cloths For Emergency Clean-up	0.30	
02 90 50 00-0528 EA 24" x 24" Dust Cloths For Emergency Clean-up	0.83	
02 90 50 00-0529 EA Deoxidizing Agent, Per Can For Emergency Clean-up	15.81	
02 90 50 00-0530 GAL Electronic Grade Detergent For Emergency Clean-up	33.58	
02 90 50 00-0531 SHT Inventory Labels For Emergency Clean-up	0.13	
02 90 50 00-0532 GAL Isopropyl Alcohol For Emergency Clean-up	89.00	
02 90 50 00-0533 GAL Lubrication/Penetrating Oil, Per Can For Emergency Clean-up	129.78	
02 90 50 00-0534 GAL PC Board Detergent For Emergency Clean-up	92.18	
02 90 50 00-0535 GAL Rust Inhibitor, Regular Duty For Emergency Clean-up	149.70	
02 90 50 00-0536 GAL Rust Inhibitor, Moderate Duty For Emergency Clean-up	150.83	
02 90 50 00-0537 GAL Rust Inhibitor, Severe Duty For Emergency Clean-up	161.22	
02 90 50 00-0538 LB Wipes, Lint Free Cloths For Emergency Clean-up	5.30	
02 90 50 00-0539 EA Wire Marker Card For Emergency Clean-up	2.36	
02 90 50 00-0540 EA Steel Wool, 16 Pad Sleeve For Emergency Clean-up	1.19	
02 90 50 00-0541	Board Up And Tarp Up	<small>(02 90 50)</small>
02 90 50 00-0542 SF Polyethylene Tarp On Roof For Emergency Clean-up	0.22	
02 90 50 00-0543 SF Temporary Plywood On Roof For Emergency Clean-up	1.18	
02 90 50 00-0544 SF Temporary Plywood On Wall Or Windows For Emergency Clean-up	1.54	
02 90 50 00-0545	Minimum Charges	<small>(02 90 50)</small>
02 90 50 00-0546 EA Minimum For Emergency Cleaning	806.55	
02 90 50 00-0547 EA Minimum For Emergency Water Extraction	173.52	
02 90 50 00-0548 EA Minimum For Emergency Carpet Cleaning	161.48	
02 90 50 00-0549	Document Restoration	<small>(02 90 50)</small>
02 90 50 00-0550 EA Book Rebinding, Each For Document Restoration	83.39	
02 90 50 00-0551 EA Book Recasing, Each For Document Restoration	41.69	
02 90 50 00-0552 EA Boxes-MCS, 1.2 CF For Document Restoration	5.25	
02 90 50 00-0553 EA Boxes-MCS, 2.0 CF For Document Restoration	5.79	
02 90 50 00-0554 EA Boxes Bankers For Document Restoration	13.32	

02 Existing Conditions**02 90 Disaster Recovery****02 90 50 Cleaning And Emergency Clean-up**
 MINOR
 CSI UOM DESCRIPTION

 TOTAL DIRECT DEMOLITION
 UNIT COST UNIT COST

02 90 50 00-0555	EA	Boxes Standard Packout For Document Restoration.....	3.36	
02 90 50 00-0556	EA	Boxes X Ray For Document Restoration	8.34	
02 90 50 00-0557	EA	CD Scanning and Diagnostics, Each For Document Restoration.....	8.34	
02 90 50 00-0558	EA	Cleaning Antique Books, Each For Document Restoration.....	250.17	
02 90 50 00-0559	EA	Cleaning Catheter Roll, Per Roll For Document Restoration	33.35	
02 90 50 00-0560	EA	Cleaning CD And DVD, Per Disc For Document Restoration	3.35	
02 90 50 00-0561	EA	Cleaning Level 1 - Blue Prints, Each For Document Restoration.....	2.34	
02 90 50 00-0562	CF	Cleaning Level 1 - Document Per CF For Document Restoration.....	72.64	
02 90 50 00-0563	EA	Cleaning Level 1 - Linen, Each For Document Restoration	2.34	
02 90 50 00-0564	EA	Cleaning Level 1 - Mylar, Each For Document Restoration	2.34	
02 90 50 00-0565	EA	Cleaning Level 2 - Blue Print, Each For Document Restoration.....	2.91	
02 90 50 00-0566	CF	Cleaning Level 2 - Document Per CF For Document Restoration.....	108.85	
02 90 50 00-0567	EA	Cleaning Level 2 - Linen, Each For Document Restoration	2.91	
02 90 50 00-0568	EA	Cleaning Level 2 - Mylar, Each For Document Restoration	2.91	
02 90 50 00-0569	EA	Cleaning Level 3 - Blue Prints, Each For Document Restoration.....	4.13	
02 90 50 00-0570	CF	Cleaning Level 3 - Document Per CF For Document Restoration.....	145.25	
02 90 50 00-0571	EA	Cleaning Level 3 - Linen, Each For Document Restoration	4.13	
02 90 50 00-0572	EA	Cleaning Level 3 - Mylar, Each For Document Restoration	4.13	
02 90 50 00-0573	EA	Cleaning Level 4 - All Fire-Blue Print, Each For Document Restoration.....	5.79	
02 90 50 00-0574	EA	Cleaning Level 4 - All Fire-Linen, Each For Document Restoration.....	5.79	
02 90 50 00-0575	EA	Cleaning Level 4 - All Fire-Mylar, Each For Document Restoration.....	5.79	
02 90 50 00-0576	CF	Cleaning Level 4 - Light Fire-Documnt Per CF For Document Restoration.....	181.53	
02 90 50 00-0577	EA	Cleaning Level 5 - Severe Fire-Blue Print, Each For Document Restoration.....	6.42	
02 90 50 00-0578	CF	Cleaning Level 5 - Severe Fire-Documnt Per CF For Document Restoration.....	272.37	
02 90 50 00-0579	EA	Cleaning Level 5 - Severe Fire-Linen, Each For Document Restoration.....	6.42	
02 90 50 00-0580	EA	Cleaning Level 5 - Severe Fire-Mylar, Each For Document Restoration.....	6.42	
02 90 50 00-0581	EA	Cleaning Microfiche Sheets, Each For Document Restoration	2.28	
02 90 50 00-0582	EA	Cleaning Microfiche Strips, Each For Document Restoration	0.53	
02 90 50 00-0583	EA	Cleaning Microfilm Rolls (In House), Per Roll For Document Restoration.....	83.39	
02 90 50 00-0584	EA	Cleaning Microfilm Rolls (Outside), Per Roll For Document Restoration.....	116.75	
02 90 50 00-0585	EA	Cleaning Photographs Negatives, Per Negative For Document Restoration.....	2.28	
02 90 50 00-0586	EA	Cleaning Photographs, Each For Document Restoration.....	0.53	
02 90 50 00-0587	EA	Cleaning Record Albums, Each For Document Restoration	3.35	
02 90 50 00-0588	EA	Cleaning VHS And Beta Tapes-In House, Each For Document Restoration.....	8.34	
02 90 50 00-0589	EA	Cleaning VHS And Beta Tapes-Outside, Each For Document Restoration.....	33.35	
02 90 50 00-0590	EA	Cleaning X Ray 1-1000, Per Film For Document Restoration.....	3.11	
02 90 50 00-0591	EA	Cleaning X Ray 1K-5K, Per Film For Document Restoration	2.66	
02 90 50 00-0592	EA	Cleaning X Ray 5K-Up, Per Film For Document Restoration.....	2.08	
02 90 50 00-0593	EA	Copying Clean Water, Per Page For Document Restoration	0.30	
02 90 50 00-0594	EA	Copying Greywater Fire, Per Page For Document Restoration.....	0.90	
02 90 50 00-0595	CF	Deodorization, Vapor Tech For Document Restoration.....	5.74	
02 90 50 00-0596	CF	Disinfectant-Fogging For Document Restoration	11.69	
02 90 50 00-0597	EA	Document Disposal In House No Shredding For Document Restoration	44.56	
02 90 50 00-0598	EA	Document Disposal In House With Shredding For Document Restoration	12.16	
02 90 50 00-0599	CF	Up To 150 CF, Drying-MCS Center For Document Restoration.....	150.10	
02 90 50 00-0600	CF	>150 To 500 CF, Drying-MCS Center For Document Restoration.....	116.75	
02 90 50 00-0601	CF	>500 CF, Drying-MCS Center For Document Restoration	100.07	
02 90 50 00-0602	CF	>50 To 150 CF, Drying-MCS Center For Document Restoration.....	133.43	
02 90 50 00-0603	CF	Up To 500 CF, Drying-Onsite For Document Restoration.....	250.17	
02 90 50 00-0604	CF	>500 CF, Drying-Onsite For Document Restoration	153.46	
02 90 50 00-0605	EA	Drying Antique Books, Each For Document Restoration.....	33.35	
02 90 50 00-0606	EA	Drying Blue Prints, Each For Document Restoration	4.17	
02 90 50 00-0607	EA	DVD Scanning And Diagnostics, Each For Document Restoration.....	8.34	
02 90 50 00-0608	EA	Freeze Drying (In House) For Document Restoration	75.61	
02 90 50 00-0609	EA	Freeze Drying (Outside) For Document Restoration	64.81	
02 90 50 00-0610	EA	Up To 48 CF, Irradiation - Gamma (Minimum Charge) For Document Restoration	1,782.16	
02 90 50 00-0611	CF	>48 CF, Irradiation - Gamma (Per CF Charge) For Document Restoration	16.20	
02 90 50 00-0612	EA	Minimal Drying Jobs For Document Restoration.....	750.67	
02 90 50 00-0613	EA	Monthly Storage For Document Restoration	139.94	
02 90 50 00-0614	EA	Mylar Prints For Document Restoration	8.34	
02 90 50 00-0615	CF	Ozoning For Document Restoration.....	5.15	
02 90 50 00-0616	CF	Stabilization Freezer Storage, Per Cubic Foot Per Month For Document Restoration.....	6.52	
02 90 50 00-0617	MO	Stabilization Freezer Storage, Per Page-Per Month For Document Restoration	0.08	
02 90 50 00-0618	EA	Wood Pallets, Each For Document Restoration.....	18.13	

END OF SECTION 02



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
------------------------------	---------------------------	-------------------------

03 Concrete

03 01 Maintenance Of Concrete (03)

03 01 30 Maintenance Of Cast-In-Place Concrete (03 01)

03 01 30 51 Cleaning Of Cast-In-Place Concrete (03 01 30)

03 01 30 51-0001	Abrasive Blasting (03 01 30 51) Note: Includes containment and clean-up of all material. Includes steel ball media.	
03 01 30 51-0002	SF Concrete Floors, Abrasive Shot Blasting.....	2.09
	For Up To 100, Add	2.58
	For >100 To 250, Add	0.65
	For >250 To 500, Add	0.32
	For >5,000 To 10,000, Deduct	-0.06
	For >10,000, Deduct	-0.13
03 01 30 51-0003	SF Concrete Walls, Abrasive Shot Blasting.....	3.38
	For Up To 100, Add	5.16
	For >100 To 250, Add	1.29
	For >250 To 500, Add	0.65
	For >5,000 To 10,000, Deduct	-0.13
	For >10,000, Deduct	-0.26

03 01 30 71 Rehabilitation Of Cast-in-Place Concrete (03 01 30)

03 01 30 71-0001	Concrete Resurfacing/Repair (03 01 30 71) See CSI section 09 01 90 52-0002 for surface preparation as required.	
03 01 30 71-0002	Concrete Repair (03 01 30 71-0001)	
03 01 30 71-0003	Decks Or Floors (03 01 30 71-0002) Note: Includes bonding agent and sealant. Excludes saw cutting, sand blasting and forming.	
03 01 30 71-0004	SF Patch Decks Or Floors With 1/8" To 1/4" Thick Cementitious Mortar.....	5.29
03 01 30 71-0005	SF Patch Decks Or Floors With 1/8" To 1/4" Thick Epoxy Cementitious Mortar.....	16.08
03 01 30 71-0006	SF Patch Decks Or Floors With White Aluminum Oxide Grit (Non Slip Aggregate)	0.46
03 01 30 71-0007	Verticals Or Overheads (03 01 30 71-0002) Note: Includes bonding agent and sealant. Excludes saw cutting, sand blasting and forming.	
03 01 30 71-0008	SF Patch Verticals Or Overheads With 1/8" To 1/4" Thick Cementitious Mortar	7.97
03 01 30 71-0009	SF Patch Verticals Or Overheads With 1/8" To 1/4" Thick Epoxy Cementitious Mortar	22.42
03 01 30 71-0010	SF Patch Verticals Or Overheads With 1/8" To 1/4" Thick Latex Cementitious Mortar	25.12
03 01 30 71-0011	SF Patch Verticals Or Overheads With 1/8" To 1/4" Thick Elastomeric Compound	6.34
03 01 30 71-0012	SF Patch Verticals Or Overheads With 1/8" To 1/4" Thick Copolymer Cementitious Compound.....	11.03
	Note: Rapid Set - WunderFixx	
03 01 30 71-0013	Soffit Repair (03 01 30 71-0002) Note: Includes bonding agent and sealant. Excludes saw cutting, sand blasting and forming.	
03 01 30 71-0014	LF Up To 16" Wide Concrete Soffit Repair.....	16.37
03 01 30 71-0015	LF >16" To 20" Wide Concrete Soffit Repair.....	17.12
03 01 30 71-0016	LF >20" To 24" Wide Concrete Soffit Repair.....	18.68
03 01 30 71-0017	LF >24" To 30" Wide Concrete Soffit Repair.....	20.33
03 01 30 71-0018	LF >30" To 36" Wide Concrete Soffit Repair.....	21.59
03 01 30 71-0019	Edge Repair (03 01 30 71-0002) Note: Includes mesh. Excludes saw cutting, sand blasting and forming.	
03 01 30 71-0020	LF 2" Spall Concrete Edge Repair	17.21
03 01 30 71-0021	LF 3" Spall Concrete Edge Repair	18.05
03 01 30 71-0022	LF 4" Spall Concrete Edge Repair	18.57
03 01 30 71-0023	LF 6" Spall Concrete Edge Repair	19.18
03 01 30 71-0024	LF 8" Spall Concrete Edge Repair	20.26
03 01 30 71-0025	LF 9" Spall Concrete Edge Repair	22.77
03 01 30 71-0026	CF Patch Edge, Portland Cement Based Repair Material	111.09
03 01 30 71-0027	CF Patch Edge, Rapid Setting Concrete Repair Material	148.40
03 01 30 71-0028	CF Patch Edge, Rapid Setting Polymer Concrete Methyl Methacrylate	156.52
03 01 30 71-0029	CF Patch Edge, SSI Flex Patch (Other Than Specified).....	302.61
03 01 30 71-0030	Concrete Materials (03 01 30 71-0002) Note: Excludes saw cutting, sand blasting and forming.	
03 01 30 71-0031	SF Sika Ferroguard® 903.....	1.26
03 01 30 71-0032	SF Sika-Guard 701W	1.43
03 01 30 71-0033	SF Sika 550W Pearl Ash	0.82
03 01 30 71-0034	SF Sika Top 144 Gray	2.02
03 01 30 71-0035	Bridge Deck Treatment (03 01 30 71-0002)	
03 01 30 71-0036	SF Sweep Bridge Deck	0.02

03 Concrete**03 01 Maintenance Of Concrete****03 01 30 Maintenance Of Cast-In-Place Concrete**

MINOR CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
03 01 30 71-0037	SF	Clean Bridge Deck	0.02	
03 01 30 71-0038	SF	Treat Bridge Deck With Methacrylate Resin Sealant	1.49	
03 01 30 71-0039		Concrete Finishes (03 01 30 71-0001)		
03 01 30 71-0040		Concrete Patching (03 01 30 71-0039)		
03 01 30 71-0041		Walls (03 01 30 71-0040)		
03 01 30 71-0042	BAG	Sika Top 111 Plus.....	111.62	
		Note: SikaTop 111 PLUS is a two-component, polymer-modified, portland-cement, fast-setting, screed mortar. Yield: Approximately 0.5 cu. ft./unit. Approximately 0.75 cu. ft./unit (SikaTop 111 + 42 lbs. of 3/8" pea gravel).		
		For Up To 10, Add	36.63	
		For >10 To 25, Add	21.98	
		For >25 To 50, Add	14.65	
		For >50 To 75, Add	7.33	
03 01 30 71-0043	BAG	Sika Grout 212, 50 LB Bag	78.37	
		Note: SikaGrout 212 is a non-shrink, cementitious grout with a unique 2-stage shrinkage compensating mechanism. It is non-metallic and contains no chloride. Coverage: Approximately 0.44 cu. ft./bag at high flow.		
		For Up To 10, Add	23.21	
		For >10 To 25, Add	13.92	
		For >25 To 50, Add	9.28	
		For >50 To 75, Add	4.64	
03 01 30 71-0044	EA	Sika Flex 1A, 10.3 Ounce Tube	30.49	
		Note: Sikaflex-1a is a premium-grade, high-performance, moisture-cured, 1-component, polyurethane-based, non-sag elastomeric sealant. Coverage: 10.3 fl. oz. cartridge seals 12.4 lineal ft. of 1/2 x 1/4 in. joint. 20 fl. oz. uni-pac sausage seals 24 lineal ft. of 1/2 x 1/4 in. joint.		
03 01 30 71-0045	BAG	Pea Gravel	21.49	
03 01 30 71-0046	BAG	Sika Top 123, 44 LB Bag	111.47	
03 01 30 71-0047	BAG	Sika Top 121 Plus Kit.....	109.19	
		Note: SikaTop 121 PLUS is a two component, polymer-modified, leveling and pore sealing mortar. Yield: 0.4 cu. ft./unit.		
03 01 30 71-0048	BAG	Sika Top 122 Plus Kit.....	119.77	
		Note: SikaTop 122 PLUS is a two-component, polymer-modified, portland-cement, fast-setting, trowel-grade mortar. Yield: 0.51 cu. ft./unit mortar; 0.75 cu. ft./unit concrete; (SikaTop 122 + 42 lbs. 3/8" pea gravel).		
03 01 30 71-0049	BAG	Sika Top 123 Plus Kit.....	117.87	
		Note: SikaTop 123 PLUS is a two-component, polymer-modified, portland cement, fast-setting, non-sag mortar. Yield: 0.39 cu. ft./unit.		
03 01 30 71-0050		Crack Repair For Concrete (03 01 30 71-0001)		
03 01 30 71-0051		Non Structural Crack Repair For Concrete (03 01 30 71-0050)		
03 01 30 71-0052		Surface Applied, Non Structural Crack Repair For Concrete (03 01 30 71-0051)		
		Note: Includes removing all debris and contaminants accessible within the crack using hand tools, water blasting, compressed air or vacuuming. Includes installing sealer with caulk gun, cartridge gun, squeeze bottle, etc. Excludes backer rod and sanding.		
03 01 30 71-0053	LF	Up To 1/4" Wide, Latex Emulsion, Gravity Fed Non Structural Crack Repair For Concrete, Surface Applied With Squeeze Tube (Quikrete® Concrete Crack Seal).....	5.55	
		For V-Grooving Crack With Grinder, Add	4.47	
03 01 30 71-0054	LF	>1/4" To 1/2" Wide, Latex Emulsion, Gravity Fed Non Structural Crack Repair For Concrete, Surface Applied With Squeeze Tube (Quikrete® Concrete Crack Seal).....	7.22	
		For V-Grooving Crack With Grinder, Add	4.37	
03 01 30 71-0055	LF	Up To 1/4" Wide, Sanded Acrylic Latex, Gravity Fed Non Structural Crack Repair For Concrete, Surface Applied With Caulk Gun (Quikrete® Concrete Repair).....	5.63	
		For V-Grooving Crack With Grinder, Add	4.47	
03 01 30 71-0056	LF	>1/4" To 1/2" Wide, Sanded Acrylic Latex, Gravity Fed Non Structural Crack Repair For Concrete, Surface Applied With Caulk Gun (Quikrete® Concrete Repair).....	7.38	
		For V-Grooving Crack With Grinder, Add	4.37	
03 01 30 71-0057	LF	Up To 1/4" Wide, Self Leveling Polyurethane Sealant, Gravity Fed Non Structural Crack Repair For Concrete, Surface Applied With Cartridge Tool (Sikaflex® Self-Leveling Sealant).....	5.92	
		For V-Grooving Crack With Grinder, Add	4.47	
03 01 30 71-0058	LF	>1/4" To 1/2" Wide, Self Leveling Polyurethane Sealant, Gravity Fed Non Structural Crack Repair For Concrete, Surface Applied With Cartridge Tool (Sikaflex® Self-Leveling Sealant).....	7.96	
		For V-Grooving Crack With Grinder, Add	4.37	
03 01 30 71-0059	LF	Up To 1/4" Wide, Non-Sag Elastomeric Polyurethane Sealant, Gravity Fed Non Structural Crack Repair For Concrete, Surface Applied With Cartridge Tool (Sikaflex® Concrete Fix).....	6.13	
		For V-Grooving Crack With Grinder, Add	4.47	
03 01 30 71-0060	LF	>1/4" To 1/2" Wide, Non-Sag Elastomeric Polyurethane Sealant, Gravity Fed Non Structural Crack Repair For Concrete, Surface Applied With Cartridge Tool (Sikaflex® Concrete Fix).....	8.39	
		For V-Grooving Crack With Grinder, Add	4.37	
03 01 30 71-0061		Pressure Injected, Non Structural Crack Repair For Concrete (03 01 30 71-0051)		
		Note: Includes removing all debris and contaminants accessible within the crack using hand tools, water blasting, compressed air or vacuuming. Includes installing injection ports, sealing the crack opening (one side only), injecting the crack with polyurethane and restoring the sealed surface to flush conditions. Excludes disposal.		
03 01 30 71-0062	LF	Up To 1/4" Wide, Water Activated Polyurethane Foam Grout, Non Structural Crack Repair For Concrete, Installed With Automated Injection Equipment (SealBoss 1570).....	22.46	
		For Cracks Accessible From Both Sides, Add	4.56	
03 01 30 71-0063		Structural Crack Repair For Concrete (03 01 30 71-0050)		



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
03 01 30 71-0064 Surface Applied, Structural Crack Repair For Concrete <small>(03 01 30 71-0063)</small> Note: Includes removing all debris and contaminants accessible within the crack using hand tools, water blasting, compressed air or vacuuming. Excludes disposal.		
03 01 30 71-0065 LF Up To 1/4" Wide, Low Viscosity, High Strength Epoxy Resin, Gravity Fed Structural Crack Repair For Concrete, Surface Applied With Trowel (Sikadur® 35)	6.18	
For V-Grooving Crack With Grinder, Add	4.47	
03 01 30 71-0066 LF >1/4" To 1/2" Wide, Low Viscosity, High Strength Epoxy Resin, Gravity Fed Structural Crack Repair For Concrete, Surface Applied With Trowel (Sikadur® 35)	8.50	
For V-Grooving Crack With Grinder, Add	4.37	
03 01 30 71-0067 LF Up To 1/4" Wide, Moisture Tolerant, Low Viscosity, High Strength Epoxy Resin, Gravity Fed Structural Crack Repair For Concrete, Surface Applied Trowel (Sikadur® 52)	6.38	
For V-Grooving Crack With Grinder, Add	4.47	
03 01 30 71-0068 LF >1/4" To 1/2" Wide, Moisture Tolerant, Low Viscosity, High Strength Epoxy Resin, Gravity Fed Structural Crack Repair For Concrete, Surface Applied With Trowel (Sikadur® 52)	8.89	
For V-Grooving Crack With Grinder, Add	4.37	
03 01 30 71-0069 LF Up To 1/4" Wide, Low Viscosity, High Strength Epoxy Resin, Gravity Fed Structural Crack Repair For Concrete, Surface Applied With Caulk Gun (Sikadur® Crack Fix)	7.01	
For V-Grooving Crack With Grinder, Add	4.47	
03 01 30 71-0070 LF >1/4" To 1/2" Wide, Low Viscosity, High Strength Epoxy Resin, Gravity Fed Structural Crack Repair For Concrete, Surface Applied With Caulk Gun (Sikadur® Crack Fix)	10.17	
For V-Grooving Crack With Grinder, Add	4.37	
03 01 30 71-0071 Pressure Injected, Structural Crack Repair For Concrete <small>(03 01 30 71-0063)</small> Note: Includes removing all debris and contaminants accessible within the crack using hand tools, water blasting, compressed air or vacuuming. Includes installing injection ports, sealing the crack opening (one side only), injecting the crack with epoxy and restoring the sealed surface to flush conditions. Excludes disposal.		
03 01 30 71-0072 LF Up To 1/4" Wide, Low Viscosity, High Strength Epoxy Resin, Structural Crack Repair For Concrete, Installed With Automated Injection Equipment (Sikadur® 35)	20.19	
For Cracks Accessible From Both Sides, Add	4.56	
03 01 30 71-0073 LF Up To 1/4" Wide, Moisture Tolerant, Low Viscosity, High Strength Epoxy Resin, Structural Crack Repair For Concrete, Installed With Automated Injection Equipment (Sikadur® 52)	20.39	
For Cracks Accessible From Both Sides, Add	4.56	
03 01 30 71-0074 Carbon Fiber Strengthening System <small>(03 01 30 71-0001)</small> Note: Includes preparing surface, dust and debris removal by hand, clean and protect adjacent area, fill voids, primer, fabric substrate layers, final coat of epoxy and finish. Excludes disposal.		
03 01 30 71-0075 SF Carbon Fiber Strengthening System Beams, Per Layer	58.87	
Note: Includes carbon fabric epoxy saturant, primer, filler for voids, anchors, finish.		
03 01 30 71-0076 SF Carbon Fiber Strengthening System Columns, Per Layer	51.73	
Note: Includes carbon fabric epoxy saturant, primer, filler for voids, anchors, finish.		
03 01 30 71-0077 SF Carbon Fiber Strengthening System Slabs, Per Layer	45.50	
Note: Includes carbon fabric epoxy saturant, primer, filler for voids, anchors, finish.		
03 01 30 71-0078 Concrete Rehabilitation <small>(03 01 30 71)</small>		
03 01 30 71-0079 Corrosive Inhibitor <small>(03 01 30 71-0078)</small>		
03 01 30 71-0080 SF Corrosive Inhibitor	3.45	
03 01 30 71-0081 Remove Cracked Or Damaged Concrete Surfacing Material <small>(03 01 30 71)</small>		
03 01 30 71-0082 SF Removal Of Concrete <3/4" Deep On Vertical Wall Surfaces	15.59	
Note: Excludes patching materials		
03 01 30 71-0083 SF Removal Of Concrete 3/4" To 1-1/2" Deep On Vertical Wall Surfaces	20.66	
Note: Excludes patching materials.		
03 01 30 71-0084 SF Removal Of Concrete >1-1/2" To 3" Deep On Vertical Wall Surfaces	25.73	
Note: Excludes patching materials.		
03 01 30 71-0085 SF Removal Of Concrete >3" To 4" Deep On Vertical Wall Surfaces	34.29	
Note: Excludes patching materials.		
03 01 30 71-0086 SF Removal Of Concrete <3/4" Deep On Overhead Surfaces	31.18	
Note: Excludes patching materials		
03 01 30 71-0087 SF Removal Of Concrete 3/4" To 1-1/2" Deep On Overhead Surfaces	41.32	
Note: Excludes patching materials.		
03 01 30 71-0088 SF Removal Of Concrete >1-1/2" To 3" Deep On Overhead Surfaces	51.45	
Note: Excludes patching materials.		
03 01 30 71-0089 SF Removal Of Concrete >3" To 4" Deep On Overhead Surfaces	68.60	
Note: Excludes patching materials.		
03 01 30 72 Strengthening Of Cast-in-Place Concrete <small>(03 01 30)</small>		
03 01 30 72-0001 Concrete Surface Repairs <small>(03 01 30 72)</small>		
03 01 30 72-0002 SF Sound The Concrete Surface To Locate Delaminated Areas	0.32	
03 05 Common Work Results For Concrete <small>(03)</small>		
03 05 13 Concrete Admixtures <small>(03 05)</small>		
03 05 13 00-0001 Concrete Admixtures <small>(03 05 13)</small>		

03 Concrete**03 05 Common Work Results For Concrete****03 05 13 Concrete Admixtures**

MINOR
CSI UOM DESCRIPTION

TOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

03 05 13 00-0002	CY	Low Range Water Reducing (LRWR), Type A Concrete Admixture.....	3.86	
03 05 13 00-0003	CY	Set Retarding, Type B Concrete Admixture.....	2.67	
03 05 13 00-0004	CY	1% Calcium Chloride Accelerating, Type C Concrete Admixture.....	4.16	
03 05 13 00-0005	CY	2% Calcium Chloride Accelerating, Type C Concrete Admixture.....	8.32	
03 05 13 00-0006	CY	1% Non-Chloride Accelerating, Type C Concrete Admixture.....	7.43	
03 05 13 00-0007	CY	2% Non-Chloride Accelerating, Type C Concrete Admixture.....	14.86	
03 05 13 00-0008	CY	Water Reducing and Retarding (Hydration Stabilizer), Type D Concrete Admixture.....	3.21	
03 05 13 00-0009	CY	1% Water Reducing and Accelerating (High Early Strength), Type E Concrete Admixture.....	4.46	
03 05 13 00-0010	CY	2% Water Reducing and Accelerating (High Early Strength), Type E Concrete Admixture.....	8.91	
03 05 13 00-0011	CY	Mid Range Water Reducing (MRWR) Superplasticizer, Type A Or E Concrete Admixture.....	4.23	
03 05 13 00-0012	CY	High Range Water Reducing (HRWR) Superplasticizer, Type F Concrete Admixture.....	7.13	
03 05 13 00-0013	CY	1-1/2 LB/CY Polyethylene, Polypropylene, Nylon, Synthetic Plastic Fibers, Concrete Admixture.....	9.51	
03 05 13 00-0014	CY	25 LB/CY Steel Fibers, Concrete Admixture.....	23.76	
03 05 13 00-0015	CY	10% Microsilica (Silica Fume), Concrete Admixture.....	67.64	
03 05 13 00-0016	CY	Corrosion Inhibiting Concrete Admixture.....	17.83	
03 05 13 00-0017	CY	Winter Service Or Heat, Concrete Add.....	4.16	
03 05 13 00-0018	CY	Chilled Water, Concrete Add.....	4.16	
03 05 13 00-0019	CY	Subtle Color (See Davis Colors Color Card), Concrete Admixture.....	24.07	
03 05 13 00-0020	CY	Standard Color (See Davis Colors Color Card), Concrete Admixture.....	40.12	
03 05 13 00-0021	CY	Premium Color (See Davis Colors Color Card), Concrete Admixture.....	77.02	
03 05 13 00-0022	CY	Ultra Premium Color (See Davis Colors Color Card), Concrete Admixture.....	106.97	

03 10 Concrete Forming And Accessories ⁽⁰³⁾**03 11 Concrete Forming** ^(03 10)**03 11 13 Structural Cast-In-Place Concrete Forming** ^(03 11)

Note: Per square foot of formwork.

03 11 13 00-0001		Wood Formwork ^(03 11 13) Note: For job built wood and/or plywood form systems where metal framed formwork cannot be used. Includes erecting, stripping, stacking, plywood, framing lumber, oiling, studs/walers, strongbacks, deadmen, supporting braces, turnbuckles, ties, and clips.		
03 11 13 00-0002		Foundation Wood Formwork ^(03 11 13 00-0001) Note: For foundation work below or at grade.		
03 11 13 00-0003	SF	Continuous Footings Foundation Wood Formwork.....	6.59	
		For <1,000, Add	1.23	
		For Foundations >8' Below Grade, Add	1.19	
		For Curved Formwork, Add	2.37	
03 11 13 00-0004	SF	Pile Cap, Pier Or Spread Footings Foundation Wood Formwork.....	7.84	
		For <1,000, Add	1.48	
		For Foundations >8' Below Grade, Add	1.43	
		For Curved Formwork, Add	2.86	
03 11 13 00-0005	SF	Mat Foundation Wood Formwork.....	8.97	
		For <1,000, Add	1.72	
		For Foundations >8' Below Grade, Add	1.68	
		For Curved Formwork, Add	3.36	
03 11 13 00-0006	SF	Grade Beams Or Duct Bank Foundation Wood Formwork.....	7.42	
		For <1,000, Add	1.41	
		For Foundations >8' Below Grade, Add	1.37	
		For Curved Formwork, Add	2.74	
03 11 13 00-0007	SF	Below Grade Walls Foundation Wood Formwork.....	10.58	
		Note: Excludes footing		
		For <1,000, Add	2.00	
		For Foundations >8' Below Grade, Add	1.94	
		For Curved Formwork, Add	3.89	
03 11 13 00-0008		Slab Edge And Block-Out Wood Formwork ^(03 11 13 00-0001)		
03 11 13 00-0009	LF	Up To 6" High Slab Edge and Block-Out Wood Formwork.....	5.08	
		For Foundations >8' Below Grade, Add	0.95	
		For Curved Formwork, Add	1.89	
		For Up To 250, Add	0.97	
03 11 13 00-0010	LF	>6" To 12" High Slab Edge and Block-Out Wood Formwork.....	7.28	
		For Foundations >8' Below Grade, Add	1.32	
		For Curved Formwork, Add	2.64	
		For Up To 250, Add	1.36	
03 11 13 00-0011	SF	>12" High Slab Edge and Block-Out Wood Formwork.....	9.26	
		For Foundations >8' Below Grade, Add	1.70	
		For Curved Formwork, Add	3.40	
		For <1,000, Add	1.75	
03 11 13 00-0012		Column Wood Formwork ^(03 11 13 00-0001)		
03 11 13 00-0013	LF	Up To 8" Square Column Wood Formwork.....	39.32	
03 11 13 00-0014	LF	>8" To 12" Square Column Wood Formwork.....	56.95	
03 11 13 00-0015	LF	>12" To 18" Square Column Wood Formwork.....	71.40	
03 11 13 00-0016	LF	>18" To 24" Square Column Wood Formwork.....	102.35	
03 11 13 00-0017	LF	>24" To 36" Square Column Wood Formwork.....	146.76	
03 11 13 00-0018	LF	>36" To 48" Square Column Wood Formwork.....	193.77	



	MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
	03 11 13 00-0019			Above Grade Wall Wood Formwork (03 11 13 00-0001)		
	03 11 13 00-0020	SF		Up To 8' High Above Grade Wall Wood Formwork.....	11.82	
				<i>For Curved Formwork, Add</i>	4.38	
				<i>For <1,000, Add</i>	2.25	
	03 11 13 00-0021	SF		>8' High Above Grade Wall Wood Formwork.....	14.02	
				<i>For Curved Formwork, Add</i>	5.20	
				<i>For <1,000, Add</i>	2.67	
	03 11 13 00-0022			Elevated Beam Wood Formwork (03 11 13 00-0001)		
				Note: Includes adjustable shores and column supports and bracing lumber up to 14' for bottom of elevated beam.		
	03 11 13 00-0023	SF		Bottom of Elevated Beam Wood Formwork.....	15.37	
				<i>For Curved Formwork, Add</i>	5.70	
				<i>For <1,000, Add</i>	2.93	
	03 11 13 00-0024	SF		Vertical Sides of Elevated Beam Wood Formwork.....	9.79	
				<i>For Curved Formwork, Add</i>	3.65	
				<i>For <1,000, Add</i>	1.87	
	03 11 13 00-0025			Elevated Slab Wood Formwork (03 11 13 00-0001)		
				Note: Includes adjustable shores and column supports and bracing lumber up to 14' for bottom of elevated slab.		
	03 11 13 00-0026	SF		Elevated Slab Wood Formwork.....	9.04	
				<i>For <1,000, Add</i>	1.67	
	03 11 13 00-0027			Metal Framed Formwork (03 11 13)		
				Note: For all metal framed and metal form systems. Includes erecting, stripping, stacking, oiling, studs/walers, strongbacks, deadmen, supporting braces, turnbuckles, ties, and clips.		
	03 11 13 00-0028			Foundation Metal Framed Formwork (03 11 13 00-0027)		
				Note: For foundation work below or at grade.		
	03 11 13 00-0029	SF		Continuous Footings Foundation Metal Framed Formwork.....	6.09	
				<i>For <1,000, Add</i>	1.12	
				<i>For Foundations >8' Below Grade, Add</i>	1.06	
				<i>For Curved Formwork, Add</i>	2.13	
	03 11 13 00-0030	SF		Pile Cap, Pier Or Spread Footings Foundation Metal Framed Formwork.....	6.75	
				<i>For <1,000, Add</i>	1.25	
				<i>For Foundations >8' Below Grade, Add</i>	1.19	
				<i>For Curved Formwork, Add</i>	2.39	
	03 11 13 00-0031	SF		Mat Foundation Metal Framed Formwork.....	7.56	
				<i>For <1,000, Add</i>	1.38	
				<i>For Foundations >8' Below Grade, Add</i>	1.32	
				<i>For Curved Formwork, Add</i>	2.63	
	03 11 13 00-0032	SF		Grade Beams Or Duct Bank Foundation Metal Framed Formwork.....	6.38	
				<i>For <1,000, Add</i>	1.16	
				<i>For Foundations >8' Below Grade, Add</i>	1.11	
				<i>For Curved Formwork, Add</i>	2.21	
	03 11 13 00-0033	SF		Below Grade Walls Foundation Metal Framed Formwork.....	9.71	
				Note: Excludes footing.		
				<i>For <1,000, Add</i>	1.80	
				<i>For Foundations >8' Below Grade, Add</i>	1.73	
				<i>For Curved Formwork, Add</i>	3.46	
	03 11 13 00-0034			Slab Edge And Block-Out Metal Framed Formwork (03 11 13 00-0027)		
	03 11 13 00-0035	LF		Up To 6" High Slab Edge and Block-Out Metal Framed Formwork.....	4.39	
				<i>For Foundations >8' Below Grade, Add</i>	0.86	
				<i>For Curved Formwork, Add</i>	1.71	
				<i>For <250, Add</i>	0.86	
	03 11 13 00-0036	LF		>6" To 12" High Slab Edge and Block-Out Metal Framed Formwork.....	5.49	
				<i>For Foundations >8' Below Grade, Add</i>	1.06	
				<i>For Curved Formwork, Add</i>	2.13	
				<i>For <250, Add</i>	1.08	
	03 11 13 00-0037	SF		>12" High Slab Edge and Block-Out Metal Framed Formwork.....	6.08	
				<i>For Foundations >8' Below Grade, Add</i>	1.18	
				<i>For Curved Formwork, Add</i>	2.35	
				<i>For <1,000, Add</i>	1.19	
	03 11 13 00-0038			Column Metal Framed Formwork (03 11 13 00-0027)		
	03 11 13 00-0039			Square Columns (03 11 13 00-0038)		
	03 11 13 00-0040	LF		Up To 12" Square Column Metal Framed Formwork.....	37.87	
	03 11 13 00-0041	LF		>12" To 16" Square Column Metal Framed Formwork.....	45.77	
	03 11 13 00-0042	LF		>16" To 20" Square Column Metal Framed Formwork.....	53.69	
	03 11 13 00-0043	LF		>20" To 24" Square Column Metal Framed Formwork.....	64.15	
	03 11 13 00-0044	LF		>24" To 30" Square Column Metal Framed Formwork.....	77.28	
	03 11 13 00-0045	LF		>30" To 36" Square Column Metal Framed Formwork.....	92.83	
	03 11 13 00-0046	LF		>36" To 48" Square Column Metal Framed Formwork.....	119.11	
	03 11 13 00-0047	LF		>48" To 60" Square Column Metal Framed Formwork.....	146.93	
	03 11 13 00-0048			Round Columns (03 11 13 00-0038)		

03 Concrete**03 10 Concrete Forming And Accessories****03 11 Concrete Forming**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
	03 11 13 00-0049	LF	Up To 12" Diameter Column Metal Formwork.....	37.91	
	03 11 13 00-0050	LF	>12" To 16" Diameter Column Metal Formwork.....	42.10	
	03 11 13 00-0051	LF	>16" To 20" Diameter Column Metal Formwork.....	48.25	
	03 11 13 00-0052	LF	>20" To 24" Diameter Column Metal Formwork.....	56.14	
	03 11 13 00-0053	LF	>24" To 30" Diameter Column Metal Formwork.....	66.21	
	03 11 13 00-0054	LF	>30" To 36" Diameter Column Metal Formwork.....	75.77	
	03 11 13 00-0055	LF	>36" To 48" Diameter Column Metal Formwork.....	98.47	
	03 11 13 00-0056	LF	>48" To 60" Diameter Column Metal Formwork.....	129.13	
03 11 13 00-0057			Above Grade Wall Metal Framed Formwork (03 11 13 00-0027)		
	03 11 13 00-0058	SF	Up to 8' High Above Grade Wall Metal Framed Formwork.....	6.00	
			<i>For Curved Formwork, Add</i>	1.98	
			<i>For <1,000, Add</i>	1.06	
	03 11 13 00-0059	SF	>8' High Above Grade Wall Metal Framed Formwork.....	7.34	
			<i>For Curved Formwork, Add</i>	2.39	
			<i>For <1,000, Add</i>	1.29	
03 11 13 00-0060			Elevated Beam Metal Framed Formwork (03 11 13 00-0027)		
	03 11 13 00-0061	SF	Bottom of Elevated Beam Metal Framed Formwork.....	5.84	
			<i>For Curved Formwork, Add</i>	1.84	
			<i>For <1,000, Add</i>	1.00	
	03 11 13 00-0062	SF	Vertical Sides of Elevated Beam Metal Framed Formwork.....	4.47	
			<i>For Curved Formwork, Add</i>	1.45	
			<i>For <1,000, Add</i>	0.78	
03 11 13 00-0063			Elevated Slab Metal Framed Formwork (03 11 13 00-0027)		
	03 11 13 00-0064	SF	Elevated Slab Metal Framed Formwork.....	7.55	
			<i>For <1,000, Add</i>	1.17	
03 11 13 00-0065			Fiber Tube Formwork (03 11 13)		
			Note: Includes all supporting braces, erecting, aligning, stripping, turnbuckles, ties and clips.		
03 11 13 00-0066			Round Column Fiber Tube Formwork (03 11 13 00-0065)		
	03 11 13 00-0067	LF	6" Diameter Round Fiber Tube Formwork.....	15.22	
			<i>For Plastic Lined, Add</i>	0.49	
			<i>For Columns >12' In Length, Add</i>	1.52	
	03 11 13 00-0068	LF	8" Diameter Round Fiber Tube Formwork.....	16.01	
			<i>For Plastic Lined, Add</i>	0.58	
			<i>For Columns >12' In Length, Add</i>	1.60	
	03 11 13 00-0069	LF	10" Diameter Round Fiber Tube Formwork.....	17.66	
			<i>For Plastic Lined, Add</i>	0.66	
			<i>For Columns >12' In Length, Add</i>	1.77	
	03 11 13 00-0070	LF	12" Diameter Round Fiber Tube Formwork.....	20.73	
			<i>For Plastic Lined, Add</i>	0.95	
			<i>For Columns >12' In Length, Add</i>	2.07	
	03 11 13 00-0071	LF	14" Diameter Round Fiber Tube Formwork.....	23.30	
			<i>For Plastic Lined, Add</i>	1.28	
			<i>For Columns >12' In Length, Add</i>	2.33	
	03 11 13 00-0072	LF	16" Diameter Round Fiber Tube Formwork.....	25.12	
			<i>For Plastic Lined, Add</i>	1.63	
			<i>For Columns >12' In Length, Add</i>	2.51	
	03 11 13 00-0073	LF	18" Diameter Round Fiber Tube Formwork.....	26.36	
			<i>For Plastic Lined, Add</i>	1.77	
			<i>For Columns >12' In Length, Add</i>	2.64	
	03 11 13 00-0074	LF	20" Diameter Round Fiber Tube Formwork.....	28.57	
			<i>For Plastic Lined, Add</i>	2.21	
			<i>For Columns >12' In Length, Add</i>	2.86	
	03 11 13 00-0075	LF	22" Diameter Round Fiber Tube Formwork.....	31.16	
			<i>For Plastic Lined, Add</i>	2.66	
			<i>For Columns >12' In Length, Add</i>	3.12	
	03 11 13 00-0076	LF	24" Diameter Round Fiber Tube Formwork.....	33.73	
			<i>For Plastic Lined, Add</i>	3.12	
			<i>For Columns >12' In Length, Add</i>	3.37	
	03 11 13 00-0077	LF	26" Diameter Round Fiber Tube Formwork.....	35.10	
			<i>For Plastic Lined, Add</i>	3.40	
			<i>For Columns >12' In Length, Add</i>	3.51	
	03 11 13 00-0078	LF	28" Diameter Round Fiber Tube Formwork.....	37.18	
			<i>For Plastic Lined, Add</i>	3.90	
			<i>For Columns >12' In Length, Add</i>	3.72	
	03 11 13 00-0079	LF	30" Diameter Round Fiber Tube Formwork.....	39.42	
			<i>For Plastic Lined, Add</i>	4.44	
			<i>For Columns >12' In Length, Add</i>	3.94	
	03 11 13 00-0080	LF	36" Diameter Round Fiber Tube Formwork.....	47.33	
			<i>For Plastic Lined, Add</i>	6.35	
			<i>For Columns >12' In Length, Add</i>	4.73	
	03 11 13 00-0081	LF	42" Diameter Round Fiber Tube Formwork.....	63.24	
			<i>For Plastic Lined, Add</i>	10.79	
			<i>For Columns >12' In Length, Add</i>	6.32	



Concrete	03	CS
Concrete Forming And Accessories	03 10	
Concrete Forming	03 11	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
03 11 13 00-0082 LF 48" Diameter Round Fiber Tube Formwork <i>For Plastic Lined, Add</i> <i>For Columns >12' In Length, Add</i>	74.73 13.91 7.47	
03 11 13 00-0083 LF 54" Diameter Round Fiber Tube Formwork <i>For Plastic Lined, Add</i> <i>For Columns >12' In Length, Add</i>	121.62 27.44 12.16	
03 11 13 00-0084 LF 60" Diameter Round Fiber Tube Formwork <i>For Plastic Lined, Add</i> <i>For Columns >12' In Length, Add</i>	134.86 31.01 13.49	
03 11 13 00-0085 Accessories For Formwork (03 11 13)		
03 11 13 00-0086 Keyway Forms, All Materials (03 11 13 00-0085)		
03 11 13 00-0087 LF 2" x 4" To 2" x 6" Keyway Forms for Concrete Formwork, All Materials.....	1.78	
03 11 13 00-0088 Chamfer Strips, All Materials (03 11 13 00-0085)		
03 11 13 00-0089 LF 1/2" Wide Chamfer Strips for Concrete Formwork, All Materials.....	1.87	
03 11 13 00-0090 LF 3/4" Wide Chamfer Strips for Concrete Formwork, All Materials.....	2.17	
03 11 13 00-0091 LF 1" Wide Chamfer Strips for Concrete Formwork, All Materials.....	2.52	
03 11 13 00-0092 Strip Out Reglets For Concrete Formwork (03 11 13 00-0085)		
03 11 13 00-0093 LF 24 To 26 Gauge Galvanized Steel, Strip Out Reglets For Concrete Formwork.....	8.91	
03 11 13 00-0094 Sleeves And Chases, Plastic Or Sheet Metal (03 11 13 00-0085)		
03 11 13 00-0095 EA 2" Diameter Sleeves Or Chases for Concrete Formwork, Plastic or Sheet Metal.....	10.89	
03 11 13 00-0096 EA 4" Diameter Sleeves Or Chases for Concrete Formwork, Plastic or Sheet Metal.....	13.30	
03 11 13 00-0097 EA 6" Diameter Sleeves Or Chases for Concrete Formwork, Plastic or Sheet Metal.....	16.09	
03 11 13 00-0098 EA 8" Diameter Sleeves Or Chases for Concrete Formwork, Plastic or Sheet Metal.....	18.48	
03 11 13 00-0099 EA 12" Diameter Sleeves Or Chases for Concrete Formwork, Plastic or Sheet Metal.....	23.87	
03 11 13 00-0100 EA 18" Diameter Sleeves Or Chases for Concrete Formwork, Plastic or Sheet Metal.....	53.98	
03 11 16 Architectural Cast-In-Place Concrete Forming (03 11)		
03 11 16 13 Concrete Form Liners (03 11 16)		
03 11 16 13-0001 Concrete Form Liners (03 11 16 13)		
03 11 16 13-0002 SF Various Patterns And Textures, 1 Use, Concrete Form Liner, Add To Formwork.....	4.45	
03 11 16 13-0003 SF Rusticated Concrete Finish, Beveled Edge, 1 Use, Concrete Form Liner, Add To Formwork.....	5.95	
03 11 16 13-0004 SF Rusticated Concrete Finish, Square Edge, 1 Use, Concrete Form Liner, Add To Formwork.....	7.83	
03 11 23 Permanent Stair Forming (03 11)		
03 11 23 00-0001 Stairway Wood Formwork (03 11 23)		
03 11 23 00-0002 SF Cast On Grade Stairway Wood Formwork..... <i>For Curved Formwork, Add</i> <i>For <1,000, Add</i>	15.19 5.84 2.96	
03 11 23 00-0003 SF Elevated Stairway Wood Formwork <i>Note: Includes adjustable column supports and bracing lumber up to 14' for bottom of elevated stair.</i> <i>For Curved Formwork, Add</i> <i>For <1,000, Add</i>	29.59 11.31 5.74	
03 11 23 00-0004 Stairway Metal Framed Formwork (03 11 23)		
03 11 23 00-0005 SF Cast On Grade Stairway Metal Framed Formwork <i>For Curved Formwork, Add</i> <i>For <1,000, Add</i>	12.63 4.76 2.43	
03 11 23 00-0006 SF Elevated Stairway Metal Framed Formwork <i>Note: Includes adjustable column supports and bracing lumber up to 14' for bottom of elevated stair.</i> <i>For Curved Formwork, Add</i> <i>For <1,000, Add</i>	23.27 8.83 4.50	
03 15 Concrete Accessories (03 10)		
03 15 13 Waterstops (03 15)		
03 15 13 13 Non-Expanding Waterstops (03 15 13)		
03 15 13 13-0001 Polyvinyl Chloride (PVC) Waterstops (03 15 13 13)		
03 15 13 13-0002 LF 3/16" Thick x 4" Wide Ribbed Polyvinyl Chloride (PVC) Waterstop.....	7.03	
03 15 13 13-0003 LF 3/16" Thick x 6" Wide Ribbed Polyvinyl Chloride (PVC) Waterstop.....	7.93	
03 15 13 13-0004 LF 3/16" Thick x 9" Wide Ribbed Polyvinyl Chloride (PVC) Waterstop With Center Bulb.....	9.58	
03 15 13 13-0005 LF 3/8" Thick x 9" Wide Ribbed Polyvinyl Chloride (PVC) Waterstop With Center Bulb.....	10.53	
03 15 13 13-0006 LF 1/2" Thick x 9" Wide Ribbed Polyvinyl Chloride (PVC) Waterstop.....	15.92	
03 15 13 13-0007 LF 3/16" Thick x 6" Wide Dumbbell Polyvinyl Chloride (PVC) Waterstop.....	7.80	
03 15 13 13-0008 LF 3/8" Thick x 6" Wide Dumbbell Polyvinyl Chloride (PVC) Waterstop.....	9.75	

03 Concrete**03 10 Concrete Forming And Accessories****03 15 Concrete Accessories**

MINOR				TOTAL DIRECT	DEMOLITION
CSI	UOM	DESCRIPTION		UNIT COST	UNIT COST
03 15 13 13-0009	LF	3/8" Thick x 9" Wide Plain Polyvinyl Chloride (PVC) Waterstop		17.41	
03 15 13 13-0010	LF	3/8" Thick x 9" Wide Plain Polyvinyl Chloride (PVC) Waterstop With Center Bulb		13.70	
03 15 13 13-0011		Rubber Waterstops (03 15 13 13)			
03 15 13 13-0012	LF	3/8" Thick x 6" Wide Rubber Dumbbell Waterstop		8.07	
03 15 13 13-0013	LF	3/8" Thick x 9" Wide Rubber Dumbbell Waterstop		9.34	
03 15 13 13-0014	LF	1/4" Thick x 6" Wide Rubber Waterstop, With Center Bulb		8.64	
03 15 13 13-0015	LF	1/4" Thick x 9" Wide Rubber Waterstop, With Center Bulb		12.03	
03 15 13 13-0016	LF	3/8" Thick x 6" Wide Rubber Waterstop, With Center Bulb		9.77	
03 15 13 13-0017	LF	3/8" Thick x 9" Wide Rubber Waterstop, With Center Bulb		12.69	
03 15 13 16		Expanding Waterstops (03 15 13)			
03 15 13 16-0001		Bentonite Waterstops (03 15 13 16)			
03 15 13 16-0002	LF	3/4" x 3/8" Bentonite Waterstop		6.26	
03 15 13 16-0003	LF	1-1/4" x 1/2" Bentonite Waterstop		9.64	
03 15 13 16-0004	LF	1" x 3/4" Bentonite Waterstop		10.84	
03 15 13 16-0005	LF	1" x 1" Bentonite Waterstop		12.30	
03 15 16		Concrete Construction Joints (03 15)			
03 15 16 00-0001		Poured Expansion Joint (03 15 16)			
03 15 16 00-0002	LF	1/2" x 1" Plain Asphalt Expansion Joint, Poured		1.96	0.78
		<i>For Installation In Walls, Add</i>		1.29	
03 15 16 00-0003	LF	1" x 2" Plain Asphalt Expansion Joint, Poured		2.92	0.78
		<i>For Installation In Walls, Add</i>		1.46	
03 15 16 00-0004	LF	1/2" x 1" Liquid Neoprene Expansion Joint, Poured, Cold Applied		2.60	0.78
		<i>For Installation In Walls, Add</i>		1.29	
03 15 16 00-0005	LF	1" x 2" Liquid Neoprene Expansion Joint, Poured, Cold Applied		5.49	0.78
		<i>For Installation In Walls, Add</i>		1.46	
03 15 16 00-0006	LF	1/2" x 1" Polyurethane Expansion Joint, Poured, 2 Parts		3.58	0.78
		<i>For Installation In Walls, Add</i>		1.46	
03 15 16 00-0007	LF	1" x 2" Polyurethane Expansion Joint, Poured, Poured, 2 Parts		6.41	0.78
		<i>For Installation In Walls, Add</i>		2.37	
03 15 16 00-0008	LF	1/2" x 1" Rubberized Asphalt Expansion Joint, Poured, Hot Or Cold Applied		2.03	0.78
		<i>For Installation In Walls, Add</i>		1.29	
03 15 16 00-0009	LF	1/2" x 1" Rubberized Asphalt Expansion Joint, Poured, Hot Applied Fuel Resistant		2.19	0.78
		<i>For Installation In Walls, Add</i>		1.29	
03 15 16 00-0010	LF	1" x 2" Rubberized Asphalt Expansion Joint, Poured, Hot Applied Fuel Resistant		3.75	0.78
		<i>For Installation In Walls, Add</i>		1.46	
03 15 16 00-0011		Premolded Expansion Joints (03 15 16)			
03 15 16 00-0012		Asphalt Saturated Fiber, Premolded Expansion Joints (03 15 16 00-0011)			
03 15 16 00-0013	LF	1/4" x 3" Asphalt Saturated Fiber, Premolded Expansion Joint		1.96	0.88
03 15 16 00-0014	LF	1/4" x 4" Asphalt Saturated Fiber, Premolded Expansion Joint		2.29	0.94
03 15 16 00-0015	LF	1/4" x 5" Asphalt Saturated Fiber, Premolded Expansion Joint		2.48	0.98
03 15 16 00-0016	LF	1/4" x 6" Asphalt Saturated Fiber, Premolded Expansion Joint		2.69	1.02
03 15 16 00-0017	LF	3/8" x 3" Asphalt Saturated Fiber, Premolded Expansion Joint		2.18	0.88
03 15 16 00-0018	LF	3/8" x 4" Asphalt Saturated Fiber, Premolded Expansion Joint		2.46	0.94
03 15 16 00-0019	LF	3/8" x 5" Asphalt Saturated Fiber, Premolded Expansion Joint		2.81	0.98
03 15 16 00-0020	LF	3/8" x 6" Asphalt Saturated Fiber, Premolded Expansion Joint		3.31	1.02
03 15 16 00-0021	LF	1/2" x 2" Asphalt Saturated Fiber, Premolded Expansion Joint		1.95	0.84
03 15 16 00-0022	LF	1/2" x 3" Asphalt Saturated Fiber, Premolded Expansion Joint		2.15	0.88
03 15 16 00-0023	LF	1/2" x 4" Asphalt Saturated Fiber, Premolded Expansion Joint		2.37	0.94
03 15 16 00-0024	LF	1/2" x 5" Asphalt Saturated Fiber, Premolded Expansion Joint		2.57	0.98
03 15 16 00-0025	LF	1/2" x 6" Asphalt Saturated Fiber, Premolded Expansion Joint		2.81	1.02
03 15 16 00-0026	LF	1/2" x 8" Asphalt Saturated Fiber, Premolded Expansion Joint		3.15	1.07
03 15 16 00-0027	LF	1/2" x 10" Asphalt Saturated Fiber, Premolded Expansion Joint		3.41	1.11
03 15 16 00-0028	LF	1/2" x 12" Asphalt Saturated Fiber, Premolded Expansion Joint		3.88	1.16
03 15 16 00-0029	LF	3/4" x 4" Asphalt Saturated Fiber, Premolded Expansion Joint		2.39	0.94
03 15 16 00-0030	LF	3/4" x 5" Asphalt Saturated Fiber, Premolded Expansion Joint		2.79	0.98
03 15 16 00-0031	LF	3/4" x 8" Asphalt Saturated Fiber, Premolded Expansion Joint		3.48	1.07
03 15 16 00-0032	SF	1" Asphalt Saturated Fiber, Premolded Expansion Joint		6.25	1.46
03 15 16 00-0033		Cork, Premolded Expansion Joints (03 15 16 00-0011)			
03 15 16 00-0034	LF	1/2" x 4" Cork, Premolded Expansion Joint		3.64	0.94
03 15 16 00-0035	LF	1/2" x 6" Cork, Premolded Expansion Joint		4.12	1.02
03 15 16 00-0036	LF	1/2" x 8" Cork, Premolded Expansion Joint		4.49	1.07
03 15 16 00-0037	LF	1/2" x 10" Cork, Premolded Expansion Joint		6.50	1.11
03 15 16 00-0038	LF	1/2" x 12" Cork, Premolded Expansion Joint		6.93	1.16
03 15 16 00-0039	SF	1/2" Cork, Premolded Expansion Joint		7.57	1.46
03 15 16 00-0040	SF	3/4" Cork, Premolded Expansion Joint		8.89	1.46
03 15 16 00-0041	SF	1" Cork, Premolded Expansion Joint		9.50	1.46
03 15 16 00-0042		Flexible Polyethylene Foam, Premolded Expansion Joints (03 15 16 00-0011)			



	MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
				03 15 16 00-0043 LF 1/4" x 4" Flexible Polyethylene Foam, Premolded Expansion Joint	2.14	0.94
				03 15 16 00-0044 LF 1/4" x 5" Flexible Polyethylene Foam, Premolded Expansion Joint	2.23	0.98
				03 15 16 00-0045 LF 1/4" x 6" Flexible Polyethylene Foam, Premolded Expansion Joint	2.36	1.02
				03 15 16 00-0046 LF 1/4" x 8" Flexible Polyethylene Foam, Premolded Expansion Joint	2.80	1.07
				03 15 16 00-0047 LF 1/2" x 4" Flexible Polyethylene Foam, Premolded Expansion Joint	2.22	0.94
				03 15 16 00-0048 LF 1/2" x 5" Flexible Polyethylene Foam, Premolded Expansion Joint	2.32	0.98
				03 15 16 00-0049 LF 1/2" x 6" Flexible Polyethylene Foam, Premolded Expansion Joint	2.41	1.02
				03 15 16 00-0050 LF 1/2" x 8" Flexible Polyethylene Foam, Premolded Expansion Joint	2.67	1.07
				03 15 16 00-0051 Zip Strip, Premolded Expansion Joints (03 15 16 00-0011)		
			LF	1" Zip Strip, Premolded Expansion Joint.....	2.17	0.94
			LF	1-1/2" Zip Strip, Premolded Expansion Joint.....	2.39	0.98
			LF	2" Zip Strip, Premolded Expansion Joint.....	2.66	1.07
				03 15 16 00-0055 Sponge Rubber, Premolded Expansion Joints (03 15 16 00-0011)		
			LF	1/2" x 4" Sponge Rubber, Premolded Expansion Joint.....	3.86	0.88
			LF	1/2" x 6" Sponge Rubber, Premolded Expansion Joint.....	4.62	0.88
				03 15 16 00-0058 Asphalt Felt Control Joints Or Bond Breaker (03 15 16)		
			SF	Asphalt Felt Control Joint, 30 LB Felt Bond Breaker.....	0.98	0.66
				>1,250, Deduct	-0.05	
			SF	Asphalt Felt Control Joint, 15 LB Felt Bond Breaker.....	0.93	0.66
				>1,250, Deduct	-0.05	
				03 15 16 00-0061 Keyed Cold Expansion And Control Joints (03 15 16)		
				03 15 16 00-0062 24 Gauge Galvanized Steel With Stakes (03 15 16 00-0061)		
			LF	24 Gauge Galvanized Steel Keyed Joint, 3-1/2" Cold Expansion Or Control Joint	5.00	
			LF	24 Gauge Galvanized Steel Keyed Joint, 4-1/2" Cold Expansion Or Control Joint	5.08	
			LF	24 Gauge Galvanized Steel Keyed Joint, 5-1/2" Cold Expansion Or Control Joint	5.25	
			LF	24 Gauge Galvanized Steel Keyed Joint, 7-1/2" Cold Expansion Or Control Joint	5.55	
			LF	24 Gauge Galvanized Steel Keyed Joint, 9-1/2" Cold Expansion Or Control Joint	6.84	
				03 15 19 Cast-In Concrete Anchors (03 15)		
				03 15 19 00-0001 Cast In Place Anchors (03 15 19)		
				Note: For cast in place installations. Includes nut and washer.		
				03 15 19 00-0002 J-Type Anchor Bolts (03 15 19 00-0001)		
				See CSI section 03 11 13 00-0002 for template.		
				03 15 19 00-0003 1/2" And 5/8" Diameter (03 15 19 00-0002)		
			EA	1/2" Diameter x 6" Length, Plain Steel, J-Type Cast In Place Anchor Bolt.....	6.75	
				For Galvanized, Add	0.86	
				For Stainless Steel, Add	5.99	
				For >10 To 50, Deduct	-0.25	
				For >50 To 100, Deduct	-0.55	
				For >100, Deduct	-1.09	
			EA	1/2" Diameter x 12" Length, Plain Steel, J-Type Cast In Place Anchor Bolt.....	7.60	
				For Galvanized, Add	1.09	
				For Stainless Steel, Add	7.63	
				For >10 To 50, Deduct	-0.27	
				For >50 To 100, Deduct	-0.60	
				For >100, Deduct	-1.19	
			EA	1/2" Diameter x 18" Length, Plain Steel, J-Type Cast In Place Anchor Bolt.....	8.88	
				For Galvanized, Add	1.50	
				For Stainless Steel, Add	10.50	
				For >10 To 50, Deduct	-0.29	
				For >50 To 100, Deduct	-0.66	
				For >100, Deduct	-1.33	
			EA	5/8" Diameter x 12" Length, Plain Steel, J-Type Cast In Place Anchor Bolt.....	9.80	
				For Galvanized, Add	1.96	
				For Stainless Steel, Add	13.72	
				For >10 To 50, Deduct	-0.29	
				For >50 To 100, Deduct	-0.69	
				For >100, Deduct	-1.37	
			EA	5/8" Diameter x 18" Length, Plain Steel, J-Type Cast In Place Anchor Bolt.....	11.64	
				For Galvanized, Add	2.62	
				For Stainless Steel, Add	18.31	
				For >10 To 50, Deduct	-0.32	
				For >50 To 100, Deduct	-0.77	
				For >100, Deduct	-1.54	
			EA	5/8" Diameter x 24" Length, Plain Steel, J-Type Cast In Place Anchor Bolt.....	13.03	
				For Galvanized, Add	2.99	
				For Stainless Steel, Add	20.93	
				For >10 To 50, Deduct	-0.35	
				For >50 To 100, Deduct	-0.85	
				For >100, Deduct	-1.71	

03 Concrete**03 10 Concrete Forming And Accessories****03 15 Concrete Accessories**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
03 15 19 00-0010			3/4" And 7/8" Diameter (03 15 19 00-0002)		
03 15 19 00-0011	EA		3/4" Diameter x 8" Length, Plain Steel, J-Type Cast In Place Anchor Bolt.....	12.99	
			For Galvanized, Add	2.97	
			For Stainless Steel, Add	20.79	
			For >10 To 50, Deduct	-0.35	
			For >50 To 100, Deduct	-0.85	
			For >100, Deduct	-1.71	
03 15 19 00-0012	EA		3/4" Diameter x 12" Length, Plain Steel, J-Type Cast In Place Anchor Bolt.....	14.76	
			For Galvanized, Add	3.46	
			For Stainless Steel, Add	24.22	
			For >10 To 50, Deduct	-0.39	
			For >50 To 100, Deduct	-0.96	
			For >100, Deduct	-1.91	
03 15 19 00-0013	EA		3/4" Diameter x 18" Length, Plain Steel, J-Type Cast In Place Anchor Bolt.....	17.68	
			For Galvanized, Add	4.44	
			For Stainless Steel, Add	31.05	
			For >10 To 50, Deduct	-0.44	
			For >50 To 100, Deduct	-1.10	
			For >100, Deduct	-2.21	
03 15 19 00-0014	EA		3/4" Diameter x 24" Length, Plain Steel, J-Type Cast In Place Anchor Bolt.....	21.05	
			For Galvanized, Add	5.59	
			For Stainless Steel, Add	39.10	
			For >10 To 50, Deduct	-0.49	
			For >50 To 100, Deduct	-1.27	
			For >100, Deduct	-2.53	
03 15 19 00-0015	EA		7/8" Diameter x 12" Length, Plain Steel, J-Type Cast In Place Anchor Bolt.....	16.93	
			For Galvanized, Add	4.06	
			For Stainless Steel, Add	28.42	
			For >10 To 50, Deduct	-0.44	
			For >50 To 100, Deduct	-1.08	
			For >100, Deduct	-2.17	
03 15 19 00-0016	EA		7/8" Diameter x 18" Length, Plain Steel, J-Type Cast In Place Anchor Bolt.....	19.79	
			For Galvanized, Add	4.86	
			For Stainless Steel, Add	34.02	
			For >10 To 50, Deduct	-0.50	
			For >50 To 100, Deduct	-1.25	
			For >100, Deduct	-2.50	
03 15 19 00-0017	EA		7/8" Diameter x 24" Length, Plain Steel, J-Type Cast In Place Anchor Bolt.....	24.71	
			For Galvanized, Add	6.48	
			For Stainless Steel, Add	45.36	
			For >10 To 50, Deduct	-0.59	
			For >50 To 100, Deduct	-1.50	
			For >100, Deduct	-3.00	
03 15 19 00-0018			1" And 1-1/8" Diameter (03 15 19 00-0002)		
03 15 19 00-0019	EA		1" Diameter x 12" Length, Plain Steel, J-Type Cast In Place Anchor Bolt.....	20.57	
			For Galvanized, Add	5.25	
			For Stainless Steel, Add	36.75	
			For >10 To 50, Deduct	-0.50	
			For >50 To 100, Deduct	-1.27	
			For >100, Deduct	-2.54	
03 15 19 00-0020	EA		1" Diameter x 18" Length, Plain Steel, J-Type Cast In Place Anchor Bolt.....	24.39	
			For Galvanized, Add	6.32	
			For Stainless Steel, Add	44.24	
			For >10 To 50, Deduct	-0.59	
			For >50 To 100, Deduct	-1.49	
			For >100, Deduct	-2.98	
03 15 19 00-0021	EA		1" Diameter x 24" Length, Plain Steel, J-Type Cast In Place Anchor Bolt.....	29.94	
			For Galvanized, Add	7.92	
			For Stainless Steel, Add	55.44	
			For >10 To 50, Deduct	-0.71	
			For >50 To 100, Deduct	-1.81	
			For >100, Deduct	-3.61	
03 15 19 00-0022	EA		1" Diameter x 36" Length, Plain Steel, J-Type Cast In Place Anchor Bolt.....	36.99	
			For Galvanized, Add	9.68	
			For Stainless Steel, Add	67.76	
			For >10 To 50, Deduct	-0.88	
			For >50 To 100, Deduct	-2.25	
			For >100, Deduct	-4.49	
03 15 19 00-0023	EA		1-1/8" Diameter x 12" Length, Plain Steel, J-Type Cast In Place Anchor Bolt	24.19	
			For Galvanized, Add	6.57	
			For Stainless Steel, Add	45.96	
			For >10 To 50, Deduct	-0.55	
			For >50 To 100, Deduct	-1.43	
			For >100, Deduct	-2.87	
03 15 19 00-0024	EA		1-1/8" Diameter x 18" Length, Plain Steel, J-Type Cast In Place Anchor Bolt	28.70	
			For Galvanized, Add	7.90	
			For Stainless Steel, Add	55.30	
			For >10 To 50, Deduct	-0.65	
			For >50 To 100, Deduct	-1.69	
			For >100, Deduct	-3.37	



Concrete	03	CS
Concrete Forming And Accessories	03 10	
Concrete Accessories	03 15	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
03 15 19 00-0025 EA 1-1/8" Diameter x 24" Length, Plain Steel, J-Type Cast In Place Anchor Bolt	35.28	
For Galvanized, Add	9.90	
For Stainless Steel, Add	69.30	
For >10 To 50, Deduct	-0.77	
For >50 To 100, Deduct	-2.04	
For >100, Deduct	-4.09	
03 15 19 00-0026 EA 1-1/8" Diameter x 36" Length, Plain Steel, J-Type Cast In Place Anchor Bolt	43.55	
For Galvanized, Add	12.10	
For Stainless Steel, Add	84.67	
For >10 To 50, Deduct	-0.97	
For >50 To 100, Deduct	-2.54	
For >100, Deduct	-5.08	
03 15 19 00-0027 1-1/4" And 1-1/2" Diameter (03 15 19 00-0002)		
03 15 19 00-0028 EA 1-1/4" Diameter x 12" Length, Plain Steel, J-Type Cast In Place Anchor Bolt	28.66	
For Galvanized, Add	8.21	
For Stainless Steel, Add	57.44	
For >10 To 50, Deduct	-0.61	
For >50 To 100, Deduct	-1.64	
For >100, Deduct	-3.27	
03 15 19 00-0029 EA 1-1/4" Diameter x 18" Length, Plain Steel, J-Type Cast In Place Anchor Bolt	34.04	
For Galvanized, Add	9.88	
For Stainless Steel, Add	69.13	
For >10 To 50, Deduct	-0.71	
For >50 To 100, Deduct	-1.92	
For >100, Deduct	-3.85	
03 15 19 00-0030 EA 1-1/4" Diameter x 24" Length, Plain Steel, J-Type Cast In Place Anchor Bolt	41.91	
For Galvanized, Add	12.38	
For Stainless Steel, Add	86.66	
For >10 To 50, Deduct	-0.86	
For >50 To 100, Deduct	-2.33	
For >100, Deduct	-4.67	
03 15 19 00-0031 EA 1-1/4" Diameter x 36" Length, Plain Steel, J-Type Cast In Place Anchor Bolt	51.67	
For Galvanized, Add	15.12	
For Stainless Steel, Add	105.84	
For >10 To 50, Deduct	-1.07	
For >50 To 100, Deduct	-2.90	
For >100, Deduct	-5.80	
03 15 19 00-0032 EA 1-1/2" Diameter x 12" Length, Plain Steel, J-Type Cast In Place Anchor Bolt	34.25	
For Galvanized, Add	10.26	
For Stainless Steel, Add	71.79	
For >10 To 50, Deduct	-0.69	
For >50 To 100, Deduct	-1.89	
For >100, Deduct	-3.77	
03 15 19 00-0033 EA 1-1/2" Diameter x 18" Length, Plain Steel, J-Type Cast In Place Anchor Bolt	40.72	
For Galvanized, Add	12.35	
For Stainless Steel, Add	86.42	
For >10 To 50, Deduct	-0.80	
For >50 To 100, Deduct	-2.22	
For >100, Deduct	-4.44	
03 15 19 00-0034 EA 1-1/2" Diameter x 24" Length, Plain Steel, J-Type Cast In Place Anchor Bolt	50.20	
For Galvanized, Add	15.48	
For Stainless Steel, Add	108.36	
For >10 To 50, Deduct	-0.96	
For >50 To 100, Deduct	-2.70	
For >100, Deduct	-5.40	
03 15 19 00-0035 EA 1-1/2" Diameter x 36" Length, Plain Steel, J-Type Cast In Place Anchor Bolt	61.83	
For Galvanized, Add	18.90	
For Stainless Steel, Add	132.30	
For >10 To 50, Deduct	-1.20	
For >50 To 100, Deduct	-3.35	
For >100, Deduct	-6.70	
03 15 19 00-0036 L-Type Anchor Bolts (03 15 19 00-0001)		
See CSI section 03 11 13 00-0002 for template.		
03 15 19 00-0037 3/4" And 7/8" Diameter (03 15 19 00-0036)		
03 15 19 00-0038 EA 3/4" Diameter x 12" Length, Plain Steel, L-Type Cast In Place Anchor Bolt	12.38	
For Galvanized, Add	2.27	
For Stainless Steel, Add	15.89	
For >10 To 50, Deduct	-0.39	
For >50 To 100, Deduct	-0.90	
For >100, Deduct	-1.80	
03 15 19 00-0039 EA 3/4" Diameter x 18" Length, Plain Steel, L-Type Cast In Place Anchor Bolt	14.42	
For Galvanized, Add	2.81	
For Stainless Steel, Add	19.64	
For >10 To 50, Deduct	-0.44	
For >50 To 100, Deduct	-1.02	
For >100, Deduct	-2.04	

03 Concrete**03 10 Concrete Forming And Accessories****03 15 Concrete Accessories**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
03 15 19 00-0040	EA		3/4" Diameter x 24" Length, Plain Steel, L-Type Cast In Place Anchor Bolt	16.50	
			<i>For Galvanized, Add</i>	3.22	
			<i>For Stainless Steel, Add</i>	22.51	
			<i>For >10 To 50, Deduct</i>	-0.50	
			<i>For >50 To 100, Deduct</i>	-1.17	
			<i>For >100, Deduct</i>	-2.34	
03 15 19 00-0041	EA		3/4" Diameter x 30" Length, Plain Steel, L-Type Cast In Place Anchor Bolt	18.43	
			<i>For Galvanized, Add</i>	3.34	
			<i>For Stainless Steel, Add</i>	23.38	
			<i>For >10 To 50, Deduct</i>	-0.59	
			<i>For >50 To 100, Deduct</i>	-1.34	
			<i>For >100, Deduct</i>	-2.68	
03 15 19 00-0042	EA		3/4" Diameter x 36" Length, Plain Steel, L-Type Cast In Place Anchor Bolt	21.11	
			<i>For Galvanized, Add</i>	3.51	
			<i>For Stainless Steel, Add</i>	24.54	
			<i>For >10 To 50, Deduct</i>	-0.71	
			<i>For >50 To 100, Deduct</i>	-1.59	
			<i>For >100, Deduct</i>	-3.17	
03 15 19 00-0043	EA		7/8" Diameter x 12" Length, Plain Steel, L-Type Cast In Place Anchor Bolt	14.44	
			<i>For Galvanized, Add</i>	2.82	
			<i>For Stainless Steel, Add</i>	19.71	
			<i>For >10 To 50, Deduct</i>	-0.44	
			<i>For >50 To 100, Deduct</i>	-1.02	
			<i>For >100, Deduct</i>	-2.04	
03 15 19 00-0044	EA		7/8" Diameter x 18" Length, Plain Steel, L-Type Cast In Place Anchor Bolt	16.63	
			<i>For Galvanized, Add</i>	3.28	
			<i>For Stainless Steel, Add</i>	22.96	
			<i>For >10 To 50, Deduct</i>	-0.50	
			<i>For >50 To 100, Deduct</i>	-1.17	
			<i>For >100, Deduct</i>	-2.34	
03 15 19 00-0045	EA		7/8" Diameter x 24" Length, Plain Steel, L-Type Cast In Place Anchor Bolt	19.27	
			<i>For Galvanized, Add</i>	3.76	
			<i>For Stainless Steel, Add</i>	26.32	
			<i>For >10 To 50, Deduct</i>	-0.59	
			<i>For >50 To 100, Deduct</i>	-1.36	
			<i>For >100, Deduct</i>	-2.73	
03 15 19 00-0046	EA		7/8" Diameter x 30" Length, Plain Steel, L-Type Cast In Place Anchor Bolt	21.91	
			<i>For Galvanized, Add</i>	3.91	
			<i>For Stainless Steel, Add</i>	27.34	
			<i>For >10 To 50, Deduct</i>	-0.71	
			<i>For >50 To 100, Deduct</i>	-1.61	
			<i>For >100, Deduct</i>	-3.21	
03 15 19 00-0047	EA		7/8" Diameter x 36" Length, Plain Steel, L-Type Cast In Place Anchor Bolt	25.83	
			<i>For Galvanized, Add</i>	4.10	
			<i>For Stainless Steel, Add</i>	28.70	
			<i>For >10 To 50, Deduct</i>	-0.88	
			<i>For >50 To 100, Deduct</i>	-1.97	
			<i>For >100, Deduct</i>	-3.94	
03 15 19 00-0048			1" And 1-1/8" Diameter <small>(03 15 19 00-0036)</small>		
03 15 19 00-0049	EA		1" Diameter x 12" Length, Plain Steel, L-Type Cast In Place Anchor Bolt	17.29	
			<i>For Galvanized, Add</i>	3.61	
			<i>For Stainless Steel, Add</i>	25.27	
			<i>For >10 To 50, Deduct</i>	-0.50	
			<i>For >50 To 100, Deduct</i>	-1.19	
			<i>For >100, Deduct</i>	-2.38	
03 15 19 00-0050	EA		1" Diameter x 18" Length, Plain Steel, L-Type Cast In Place Anchor Bolt	19.87	
			<i>For Galvanized, Add</i>	4.06	
			<i>For Stainless Steel, Add</i>	28.42	
			<i>For >10 To 50, Deduct</i>	-0.59	
			<i>For >50 To 100, Deduct</i>	-1.38	
			<i>For >100, Deduct</i>	-2.76	
03 15 19 00-0051	EA		1" Diameter x 24" Length, Plain Steel, L-Type Cast In Place Anchor Bolt	23.18	
			<i>For Galvanized, Add</i>	4.54	
			<i>For Stainless Steel, Add</i>	31.78	
			<i>For >10 To 50, Deduct</i>	-0.71	
			<i>For >50 To 100, Deduct</i>	-1.64	
			<i>For >100, Deduct</i>	-3.27	
03 15 19 00-0052	EA		1" Diameter x 30" Length, Plain Steel, L-Type Cast In Place Anchor Bolt	24.84	
			<i>For Galvanized, Add</i>	4.76	
			<i>For Stainless Steel, Add</i>	33.29	
			<i>For >10 To 50, Deduct</i>	-0.77	
			<i>For >50 To 100, Deduct</i>	-1.77	
			<i>For >100, Deduct</i>	-3.54	
03 15 19 00-0053	EA		1" Diameter x 36" Length, Plain Steel, L-Type Cast In Place Anchor Bolt	27.59	
			<i>For Galvanized, Add</i>	4.98	
			<i>For Stainless Steel, Add</i>	34.86	
			<i>For >10 To 50, Deduct</i>	-0.88	
			<i>For >50 To 100, Deduct</i>	-2.01	
			<i>For >100, Deduct</i>	-4.02	



	MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
	03 15 19 00-0054	EA		1" Diameter x 42" Length, Plain Steel, L-Type Cast In Place Anchor Bolt31.13		
				<i>For Galvanized, Add</i>	5.77	
				<i>For Stainless Steel, Add</i>	40.39	
				<i>For >10 To 50, Deduct</i>	-0.98	
				<i>For >50 To 100, Deduct</i>	-2.25	
				<i>For >100, Deduct</i>	-4.50	
	03 15 19 00-0055	EA		1" Diameter x 48" Length, Plain Steel, L-Type Cast In Place Anchor Bolt37.01		
				<i>For Galvanized, Add</i>	6.75	
				<i>For Stainless Steel, Add</i>	47.25	
				<i>For >10 To 50, Deduct</i>	-1.18	
				<i>For >50 To 100, Deduct</i>	-2.69	
				<i>For >100, Deduct</i>	-5.38	
	03 15 19 00-0056	EA		1-1/8" Diameter x 18" Length, Plain Steel, L-Type Cast In Place Anchor Bolt21.25		
				<i>For Galvanized, Add</i>	4.75	
				<i>For Stainless Steel, Add</i>	33.25	
				<i>For >10 To 50, Deduct</i>	-0.59	
				<i>For >50 To 100, Deduct</i>	-1.41	
				<i>For >100, Deduct</i>	-2.83	
	03 15 19 00-0057	EA		1-1/8" Diameter x 24" Length, Plain Steel, L-Type Cast In Place Anchor Bolt24.73		
				<i>For Galvanized, Add</i>	5.32	
				<i>For Stainless Steel, Add</i>	37.21	
				<i>For >10 To 50, Deduct</i>	-0.71	
				<i>For >50 To 100, Deduct</i>	-1.68	
				<i>For >100, Deduct</i>	-3.35	
	03 15 19 00-0058	EA		1-1/8" Diameter x 30" Length, Plain Steel, L-Type Cast In Place Anchor Bolt26.45		
				<i>For Galvanized, Add</i>	5.56	
				<i>For Stainless Steel, Add</i>	38.92	
				<i>For >10 To 50, Deduct</i>	-0.77	
				<i>For >50 To 100, Deduct</i>	-1.81	
				<i>For >100, Deduct</i>	-3.62	
	03 15 19 00-0059			1-1/4" And 1-3/8" Diameter <small>(03 15 19 00-0036)</small>		
	03 15 19 00-0060	EA		1-1/4" Diameter x 18" Length, Plain Steel, L-Type Cast In Place Anchor Bolt25.58		
				<i>For Galvanized, Add</i>	5.74	
				<i>For Stainless Steel, Add</i>	40.18	
				<i>For >10 To 50, Deduct</i>	-0.71	
				<i>For >50 To 100, Deduct</i>	-1.70	
				<i>For >100, Deduct</i>	-3.39	
	03 15 19 00-0061	EA		1-1/4" Diameter x 24" Length, Plain Steel, L-Type Cast In Place Anchor Bolt31.07		
				<i>For Galvanized, Add</i>	6.72	
				<i>For Stainless Steel, Add</i>	47.04	
				<i>For >10 To 50, Deduct</i>	-0.88	
				<i>For >50 To 100, Deduct</i>	-2.10	
				<i>For >100, Deduct</i>	-4.20	
	03 15 19 00-0062	EA		1-1/4" Diameter x 30" Length, Plain Steel, L-Type Cast In Place Anchor Bolt33.78		
				<i>For Galvanized, Add</i>	7.61	
				<i>For Stainless Steel, Add</i>	53.27	
				<i>For >10 To 50, Deduct</i>	-0.93	
				<i>For >50 To 100, Deduct</i>	-2.24	
				<i>For >100, Deduct</i>	-4.47	
	03 15 19 00-0063	EA		1-1/4" Diameter x 36" Length, Plain Steel, L-Type Cast In Place Anchor Bolt36.78		
				<i>For Galvanized, Add</i>	8.60	
				<i>For Stainless Steel, Add</i>	60.17	
				<i>For >10 To 50, Deduct</i>	-0.98	
				<i>For >50 To 100, Deduct</i>	-2.39	
				<i>For >100, Deduct</i>	-4.78	
	03 15 19 00-0064	EA		1-1/4" Diameter x 42" Length, Plain Steel, L-Type Cast In Place Anchor Bolt40.73		
				<i>For Galvanized, Add</i>	9.35	
				<i>For Stainless Steel, Add</i>	65.42	
				<i>For >10 To 50, Deduct</i>	-1.10	
				<i>For >50 To 100, Deduct</i>	-2.67	
				<i>For >100, Deduct</i>	-5.34	
	03 15 19 00-0065	EA		1-1/4" Diameter x 48" Length, Plain Steel, L-Type Cast In Place Anchor Bolt45.20		
				<i>For Galvanized, Add</i>	10.01	
				<i>For Stainless Steel, Add</i>	70.07	
				<i>For >10 To 50, Deduct</i>	-1.26	
				<i>For >50 To 100, Deduct</i>	-3.02	
				<i>For >100, Deduct</i>	-6.04	
	03 15 19 00-0066	EA		1-1/4" Diameter x 54" Length, Plain Steel, L-Type Cast In Place Anchor Bolt50.82		
				<i>For Galvanized, Add</i>	10.72	
				<i>For Stainless Steel, Add</i>	75.01	
				<i>For >10 To 50, Deduct</i>	-1.47	
				<i>For >50 To 100, Deduct</i>	-3.47	
				<i>For >100, Deduct</i>	-6.95	
	03 15 19 00-0067	EA		1-1/4" Diameter x 60" Length, Plain Steel, L-Type Cast In Place Anchor Bolt58.95		
				<i>For Galvanized, Add</i>	11.85	
				<i>For Stainless Steel, Add</i>	82.92	
				<i>For >10 To 50, Deduct</i>	-1.76	
				<i>For >50 To 100, Deduct</i>	-4.12	
				<i>For >100, Deduct</i>	-8.24	

03 Concrete**03 10 Concrete Forming And Accessories****03 15 Concrete Accessories**

MINOR		TOTAL DIRECT	DEMOLITION
CSI	UOM DESCRIPTION	UNIT COST	UNIT COST
03 15 19 00-0068	EA 1-3/8" Diameter x 18" Length, Plain Steel, L-Type Cast In Place Anchor Bolt	28.46	
	<i>For Galvanized, Add</i>	7.18	
	<i>For Stainless Steel, Add</i>	50.26	
	<i>For >10 To 50, Deduct</i>	-0.71	
	<i>For >50 To 100, Deduct</i>	-1.77	
	<i>For >100, Deduct</i>	-3.54	
03 15 19 00-0069	EA 1-3/8" Diameter x 24" Length, Plain Steel, L-Type Cast In Place Anchor Bolt	34.43	
	<i>For Galvanized, Add</i>	8.40	
	<i>For Stainless Steel, Add</i>	58.80	
	<i>For >10 To 50, Deduct</i>	-0.88	
	<i>For >50 To 100, Deduct</i>	-2.18	
	<i>For >100, Deduct</i>	-4.37	
03 15 19 00-0070	EA 1-3/8" Diameter x 30" Length, Plain Steel, L-Type Cast In Place Anchor Bolt	37.58	
	<i>For Galvanized, Add</i>	9.51	
	<i>For Stainless Steel, Add</i>	66.57	
	<i>For >10 To 50, Deduct</i>	-0.93	
	<i>For >50 To 100, Deduct</i>	-2.33	
	<i>For >100, Deduct</i>	-4.66	
03 15 19 00-0071	EA 1-3/8" Diameter x 36" Length, Plain Steel, L-Type Cast In Place Anchor Bolt	41.07	
	<i>For Galvanized, Add</i>	10.74	
	<i>For Stainless Steel, Add</i>	75.18	
	<i>For >10 To 50, Deduct</i>	-0.98	
	<i>For >50 To 100, Deduct</i>	-2.50	
	<i>For >100, Deduct</i>	-4.99	
03 15 19 00-0072	EA 1-3/8" Diameter x 42" Length, Plain Steel, L-Type Cast In Place Anchor Bolt	45.41	
	<i>For Galvanized, Add</i>	11.69	
	<i>For Stainless Steel, Add</i>	81.80	
	<i>For >10 To 50, Deduct</i>	-1.10	
	<i>For >50 To 100, Deduct</i>	-2.79	
	<i>For >100, Deduct</i>	-5.58	
03 15 19 00-0073	EA 1-3/8" Diameter x 48" Length, Plain Steel, L-Type Cast In Place Anchor Bolt	50.21	
	<i>For Galvanized, Add</i>	12.52	
	<i>For Stainless Steel, Add</i>	87.61	
	<i>For >10 To 50, Deduct</i>	-1.26	
	<i>For >50 To 100, Deduct</i>	-3.14	
	<i>For >100, Deduct</i>	-6.29	
03 15 19 00-0074	EA 1-3/8" Diameter x 54" Length, Plain Steel, L-Type Cast In Place Anchor Bolt	56.39	
	<i>For Galvanized, Add</i>	13.50	
	<i>For Stainless Steel, Add</i>	94.50	
	<i>For >10 To 50, Deduct</i>	-1.47	
	<i>For >50 To 100, Deduct</i>	-3.61	
	<i>For >100, Deduct</i>	-7.23	
03 15 19 00-0075	EA 1-3/8" Diameter x 60" Length, Plain Steel, L-Type Cast In Place Anchor Bolt	64.88	
	<i>For Galvanized, Add</i>	14.81	
	<i>For Stainless Steel, Add</i>	103.67	
	<i>For >10 To 50, Deduct</i>	-1.76	
	<i>For >50 To 100, Deduct</i>	-4.27	
	<i>For >100, Deduct</i>	-8.53	
03 15 19 00-0076	1-1/2", 1-3/4", And 2" Diameter <small>(03 15 19 00-0036)</small>		
03 15 19 00-0077	EA 1-1/2" Diameter x 18" Length, Plain Steel, L-Type Cast In Place Anchor Bolt	35.93	
	<i>For Galvanized, Add</i>	9.95	
	<i>For Stainless Steel, Add</i>	69.65	
	<i>For >10 To 50, Deduct</i>	-0.80	
	<i>For >50 To 100, Deduct</i>	-2.10	
	<i>For >100, Deduct</i>	-4.20	
03 15 19 00-0078	EA 1-1/2" Diameter x 24" Length, Plain Steel, L-Type Cast In Place Anchor Bolt	39.43	
	<i>For Galvanized, Add</i>	10.44	
	<i>For Stainless Steel, Add</i>	73.05	
	<i>For >10 To 50, Deduct</i>	-0.93	
	<i>For >50 To 100, Deduct</i>	-2.38	
	<i>For >100, Deduct</i>	-4.76	
03 15 19 00-0079	EA 1-1/2" Diameter x 30" Length, Plain Steel, L-Type Cast In Place Anchor Bolt	43.71	
	<i>For Galvanized, Add</i>	11.49	
	<i>For Stainless Steel, Add</i>	80.40	
	<i>For >10 To 50, Deduct</i>	-1.04	
	<i>For >50 To 100, Deduct</i>	-2.65	
	<i>For >100, Deduct</i>	-5.30	
03 15 19 00-0080	EA 1-1/2" Diameter x 36" Length, Plain Steel, L-Type Cast In Place Anchor Bolt	47.13	
	<i>For Galvanized, Add</i>	12.55	
	<i>For Stainless Steel, Add</i>	87.82	
	<i>For >10 To 50, Deduct</i>	-1.10	
	<i>For >50 To 100, Deduct</i>	-2.83	
	<i>For >100, Deduct</i>	-5.66	
03 15 19 00-0081	EA 1-1/2" Diameter x 42" Length, Plain Steel, L-Type Cast In Place Anchor Bolt	50.73	
	<i>For Galvanized, Add</i>	13.61	
	<i>For Stainless Steel, Add</i>	95.27	
	<i>For >10 To 50, Deduct</i>	-1.18	
	<i>For >50 To 100, Deduct</i>	-3.03	
	<i>For >100, Deduct</i>	-6.06	



Concrete	03	CS
Concrete Forming And Accessories	03 10	
Concrete Accessories	03 15	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
03 15 19 00-0082	EA		1-1/2" Diameter x 48" Length, Plain Steel, L-Type Cast In Place Anchor Bolt.....	56.39	
			<i>For Galvanized, Add</i>	14.64	
			<i>For Stainless Steel, Add</i>	102.45	
			<i>For >10 To 50, Deduct</i>	-1.36	
			<i>For >50 To 100, Deduct</i>	-3.44	
			<i>For >100, Deduct</i>	-6.89	
03 15 19 00-0083	EA		1-1/2" Diameter x 54" Length, Plain Steel, L-Type Cast In Place Anchor Bolt.....	63.71	
			<i>For Galvanized, Add</i>	15.83	
			<i>For Stainless Steel, Add</i>	110.81	
			<i>For >10 To 50, Deduct</i>	-1.60	
			<i>For >50 To 100, Deduct</i>	-4.00	
			<i>For >100, Deduct</i>	-7.99	
03 15 19 00-0084	EA		1-1/2" Diameter x 60" Length, Plain Steel, L-Type Cast In Place Anchor Bolt.....	74.29	
			<i>For Galvanized, Add</i>	17.56	
			<i>For Stainless Steel, Add</i>	122.89	
			<i>For >10 To 50, Deduct</i>	-1.96	
			<i>For >50 To 100, Deduct</i>	-4.80	
			<i>For >100, Deduct</i>	-9.59	
03 15 19 00-0085	EA		1-3/4" Diameter x 18" Length, Plain Steel, L-Type Cast In Place Anchor Bolt.....	47.57	
			<i>For Galvanized, Add</i>	14.97	
			<i>For Stainless Steel, Add</i>	104.79	
			<i>For >10 To 50, Deduct</i>	-0.88	
			<i>For >50 To 100, Deduct</i>	-2.51	
			<i>For >100, Deduct</i>	-5.02	
03 15 19 00-0086	EA		1-3/4" Diameter x 24" Length, Plain Steel, L-Type Cast In Place Anchor Bolt.....	50.18	
			<i>For Galvanized, Add</i>	15.30	
			<i>For Stainless Steel, Add</i>	107.07	
			<i>For >10 To 50, Deduct</i>	-0.98	
			<i>For >50 To 100, Deduct</i>	-2.72	
			<i>For >100, Deduct</i>	-5.45	
03 15 19 00-0087	EA		1-3/4" Diameter x 30" Length, Plain Steel, L-Type Cast In Place Anchor Bolt.....	51.82	
			<i>For Galvanized, Add</i>	15.54	
			<i>For Stainless Steel, Add</i>	108.78	
			<i>For >10 To 50, Deduct</i>	-1.04	
			<i>For >50 To 100, Deduct</i>	-2.85	
			<i>For >100, Deduct</i>	-5.70	
03 15 19 00-0088	EA		1-3/4" Diameter x 36" Length, Plain Steel, L-Type Cast In Place Anchor Bolt.....	57.94	
			<i>For Galvanized, Add</i>	17.95	
			<i>For Stainless Steel, Add</i>	125.65	
			<i>For >10 To 50, Deduct</i>	-1.10	
			<i>For >50 To 100, Deduct</i>	-3.10	
			<i>For >100, Deduct</i>	-6.20	
03 15 19 00-0089	EA		1-3/4" Diameter x 42" Length, Plain Steel, L-Type Cast In Place Anchor Bolt.....	66.63	
			<i>For Galvanized, Add</i>	20.73	
			<i>For Stainless Steel, Add</i>	145.08	
			<i>For >10 To 50, Deduct</i>	-1.26	
			<i>For >50 To 100, Deduct</i>	-3.55	
			<i>For >100, Deduct</i>	-7.11	
03 15 19 00-0090	EA		1-3/4" Diameter x 48" Length, Plain Steel, L-Type Cast In Place Anchor Bolt.....	71.38	
			<i>For Galvanized, Add</i>	21.00	
			<i>For Stainless Steel, Add</i>	146.97	
			<i>For >10 To 50, Deduct</i>	-1.47	
			<i>For >50 To 100, Deduct</i>	-3.99	
			<i>For >100, Deduct</i>	-7.98	
03 15 19 00-0091	EA		1-3/4" Diameter x 54" Length, Plain Steel, L-Type Cast In Place Anchor Bolt.....	80.61	
			<i>For Galvanized, Add</i>	22.68	
			<i>For Stainless Steel, Add</i>	158.73	
			<i>For >10 To 50, Deduct</i>	-1.76	
			<i>For >50 To 100, Deduct</i>	-4.66	
			<i>For >100, Deduct</i>	-9.32	
03 15 19 00-0092	EA		1-3/4" Diameter x 60" Length, Plain Steel, L-Type Cast In Place Anchor Bolt.....	92.91	
			<i>For Galvanized, Add</i>	24.42	
			<i>For Stainless Steel, Add</i>	170.94	
			<i>For >10 To 50, Deduct</i>	-2.20	
			<i>For >50 To 100, Deduct</i>	-5.63	
			<i>For >100, Deduct</i>	-11.26	
03 15 19 00-0093	EA		2" Diameter x 24" Length, Plain Steel, L-Type Cast In Place Anchor Bolt.....	66.32	
			<i>For Galvanized, Add</i>	22.79	
			<i>For Stainless Steel, Add</i>	159.53	
			<i>For >10 To 50, Deduct</i>	-1.04	
			<i>For >50 To 100, Deduct</i>	-3.21	
			<i>For >100, Deduct</i>	-6.43	
03 15 19 00-0094	EA		2" Diameter x 30" Length, Plain Steel, L-Type Cast In Place Anchor Bolt.....	72.79	
			<i>For Galvanized, Add</i>	24.64	
			<i>For Stainless Steel, Add</i>	172.48	
			<i>For >10 To 50, Deduct</i>	-1.18	
			<i>For >50 To 100, Deduct</i>	-3.58	
			<i>For >100, Deduct</i>	-7.17	
03 15 19 00-0095	EA		2" Diameter x 36" Length, Plain Steel, L-Type Cast In Place Anchor Bolt.....	80.83	
			<i>For Galvanized, Add</i>	26.86	
			<i>For Stainless Steel, Add</i>	187.99	
			<i>For >10 To 50, Deduct</i>	-1.36	
			<i>For >50 To 100, Deduct</i>	-4.05	
			<i>For >100, Deduct</i>	-8.11	

03 Concrete**03 10 Concrete Forming And Accessories****03 15 Concrete Accessories**

MINOR CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
03 15 19 00-0096	EA	2" Diameter x 42" Length, Plain Steel, L-Type Cast In Place Anchor Bolt	88.93	
		<i>For Galvanized, Add</i>	28.44	
		<i>For Stainless Steel, Add</i>	199.08	
		<i>For >10 To 50, Deduct</i>	-1.60	
		<i>For >50 To 100, Deduct</i>	-4.63	
		<i>For >100, Deduct</i>	-9.25	
03 15 19 00-0097	EA	2" Diameter x 48" Length, Plain Steel, L-Type Cast In Place Anchor Bolt	96.38	
		<i>For Galvanized, Add</i>	30.56	
		<i>For Stainless Steel, Add</i>	213.92	
		<i>For >10 To 50, Deduct</i>	-1.76	
		<i>For >50 To 100, Deduct</i>	-5.05	
		<i>For >100, Deduct</i>	-10.11	
03 15 19 00-0098	EA	2" Diameter x 54" Length, Plain Steel, L-Type Cast In Place Anchor Bolt	104.45	
		<i>For Galvanized, Add</i>	32.64	
		<i>For Stainless Steel, Add</i>	228.45	
		<i>For >10 To 50, Deduct</i>	-1.96	
		<i>For >50 To 100, Deduct</i>	-5.55	
		<i>For >100, Deduct</i>	-11.10	
03 15 19 00-0099	EA	2" Diameter x 60" Length, Plain Steel, L-Type Cast In Place Anchor Bolt	120.47	
		<i>For Galvanized, Add</i>	35.05	
		<i>For Stainless Steel, Add</i>	245.35	
		<i>For >10 To 50, Deduct</i>	-2.52	
		<i>For >50 To 100, Deduct</i>	-6.79	
		<i>For >100, Deduct</i>	-13.58	
03 15 19 00-0100	EA	2" Diameter x 66" Length, Plain Steel, L-Type Cast In Place Anchor Bolt	127.43	
		<i>For Galvanized, Add</i>	38.53	
		<i>For Stainless Steel, Add</i>	269.71	
		<i>For >10 To 50, Deduct</i>	-2.52	
		<i>For >50 To 100, Deduct</i>	-6.96	
		<i>For >100, Deduct</i>	-13.93	
03 15 19 00-0101	EA	2" Diameter x 72" Length, Plain Steel, L-Type Cast In Place Anchor Bolt	144.42	
		<i>For Galvanized, Add</i>	42.83	
		<i>For Stainless Steel, Add</i>	299.81	
		<i>For >10 To 50, Deduct</i>	-2.94	
		<i>For >50 To 100, Deduct</i>	-8.02	
		<i>For >100, Deduct</i>	-16.04	
03 15 19 00-0102		2-1/2" And 2-3/4" Diameter <small>(03 15 19 00-0036)</small>		
03 15 19 00-0103	EA	2-1/2" Diameter x 24" Length, Plain Steel, L-Type Cast In Place Anchor Bolt	122.01	
		<i>For Galvanized, Add</i>	50.64	
		<i>For Stainless Steel, Add</i>	354.45	
		<i>For >10 To 50, Deduct</i>	-1.04	
		<i>For >50 To 100, Deduct</i>	-4.61	
		<i>For >100, Deduct</i>	-9.21	
03 15 19 00-0104	EA	2-1/2" Diameter x 30" Length, Plain Steel, L-Type Cast In Place Anchor Bolt	129.36	
		<i>For Galvanized, Add</i>	52.93	
		<i>For Stainless Steel, Add</i>	370.48	
		<i>For >10 To 50, Deduct</i>	-1.18	
		<i>For >50 To 100, Deduct</i>	-5.00	
		<i>For >100, Deduct</i>	-9.99	
03 15 19 00-0105	EA	2-1/2" Diameter x 36" Length, Plain Steel, L-Type Cast In Place Anchor Bolt	141.91	
		<i>For Galvanized, Add</i>	57.40	
		<i>For Stainless Steel, Add</i>	401.77	
		<i>For >10 To 50, Deduct</i>	-1.36	
		<i>For >50 To 100, Deduct</i>	-5.58	
		<i>For >100, Deduct</i>	-11.16	
03 15 19 00-0106	EA	2-1/2" Diameter x 42" Length, Plain Steel, L-Type Cast In Place Anchor Bolt	153.02	
		<i>For Galvanized, Add</i>	60.49	
		<i>For Stainless Steel, Add</i>	423.40	
		<i>For >10 To 50, Deduct</i>	-1.60	
		<i>For >50 To 100, Deduct</i>	-6.23	
		<i>For >100, Deduct</i>	-12.46	
03 15 19 00-0107	EA	2-1/2" Diameter x 48" Length, Plain Steel, L-Type Cast In Place Anchor Bolt	162.72	
		<i>For Galvanized, Add</i>	63.73	
		<i>For Stainless Steel, Add</i>	446.11	
		<i>For >10 To 50, Deduct</i>	-1.76	
		<i>For >50 To 100, Deduct</i>	-6.71	
		<i>For >100, Deduct</i>	-13.43	
03 15 19 00-0108	EA	2-1/2" Diameter x 54" Length, Plain Steel, L-Type Cast In Place Anchor Bolt	173.90	
		<i>For Galvanized, Add</i>	67.36	
		<i>For Stainless Steel, Add</i>	471.52	
		<i>For >10 To 50, Deduct</i>	-1.96	
		<i>For >50 To 100, Deduct</i>	-7.29	
		<i>For >100, Deduct</i>	-14.57	
03 15 19 00-0109	EA	2-1/2" Diameter x 60" Length, Plain Steel, L-Type Cast In Place Anchor Bolt	192.53	
		<i>For Galvanized, Add</i>	71.08	
		<i>For Stainless Steel, Add</i>	497.56	
		<i>For >10 To 50, Deduct</i>	-2.52	
		<i>For >50 To 100, Deduct</i>	-8.59	
		<i>For >100, Deduct</i>	-17.18	



Concrete	03	CS
Concrete Forming And Accessories	03 10	
Concrete Accessories	03 15	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
03 15 19 00-0110 EA 2-3/4" Diameter x 24" Length, Plain Steel, L-Type Cast In Place Anchor Bolt.....	136.68	
For Galvanized, Add	57.32	
For Stainless Steel, Add	401.24	
For >10 To 50, Deduct	-1.10	
For >50 To 100, Deduct	-5.07	
For >100, Deduct	-10.14	
03 15 19 00-0111 EA 2-3/4" Diameter x 30" Length, Plain Steel, L-Type Cast In Place Anchor Bolt.....	147.81	
For Galvanized, Add	61.32	
For Stainless Steel, Add	429.21	
For >10 To 50, Deduct	-1.26	
For >50 To 100, Deduct	-5.58	
For >100, Deduct	-11.17	
03 15 19 00-0112 EA 2-3/4" Diameter x 36" Length, Plain Steel, L-Type Cast In Place Anchor Bolt.....	160.08	
For Galvanized, Add	65.35	
For Stainless Steel, Add	457.42	
For >10 To 50, Deduct	-1.47	
For >50 To 100, Deduct	-6.21	
For >100, Deduct	-12.41	
03 15 19 00-0113 EA 2-3/4" Diameter x 42" Length, Plain Steel, L-Type Cast In Place Anchor Bolt.....	173.22	
For Galvanized, Add	68.98	
For Stainless Steel, Add	462.66	
For >10 To 50, Deduct	-1.76	
For >50 To 100, Deduct	-6.98	
For >100, Deduct	-13.95	
03 15 19 00-0114 EA 2-3/4" Diameter x 48" Length, Plain Steel, L-Type Cast In Place Anchor Bolt.....	185.07	
For Galvanized, Add	72.95	
For Stainless Steel, Add	510.62	
For >10 To 50, Deduct	-1.96	
For >50 To 100, Deduct	-7.57	
For >100, Deduct	-15.13	
03 15 19 00-0115 EA 2-3/4" Diameter x 54" Length, Plain Steel, L-Type Cast In Place Anchor Bolt.....	201.23	
For Galvanized, Add	78.58	
For Stainless Steel, Add	550.06	
For >10 To 50, Deduct	-2.20	
For >50 To 100, Deduct	-8.34	
For >100, Deduct	-16.67	
03 15 19 00-0116 EA 2-3/4" Diameter x 60" Length, Plain Steel, L-Type Cast In Place Anchor Bolt.....	224.57	
For Galvanized, Add	82.91	
For Stainless Steel, Add	580.34	
For >10 To 50, Deduct	-2.94	
For >50 To 100, Deduct	-10.02	
For >100, Deduct	-20.04	

03 20 Concrete Reinforcing ⁽⁰³⁾

Note: Includes cutting or torching to size, bending where necessary and tie wires.

03 21 Reinforcement Bars ^(03 20)

Note: Includes cutting, bending, tie wire, tying, bar chairs and all non-mechanical splicing. The weights of reinforcing steel shall be used as follows: #2 - 0.167 Lbs./LF, #3 - 0.376 Lbs./LF, #4 - 0.668 Lbs./LF, #5 - 1.043 Lbs./LF, #6 - 1.502 Lbs./LF, #7 - 2.044 Lbs./LF, #8 - 2.670 Lbs./LF, #9 - 3.400 Lbs./LF, #10 - 4.303 Lbs./LF, #11 - 5.313 Lbs./LF, #14 - 7.650 Lbs./LF, #18 - 13.600 Lbs./LF.

03 21 11 Plain Steel Reinforcement Bars ^(03 21)

03 21 11 00-0001 Beams And Girders, Steel Reinforcement Bar ^(03 21 11)

Note: ASTM A-615 Plain Steel and A-706 Low Alloy Steel.

03 21 11 00-0002 LF #3, Grade 40, Beams And Girders, Steel Reinforcement Bar.....	0.55
03 21 11 00-0003 LF #4, Grade 40, Beams And Girders, Steel Reinforcement Bar.....	0.91
03 21 11 00-0004 LF #5, Grade 40, Beams And Girders, Steel Reinforcement Bar.....	1.35
03 21 11 00-0005 LF #6, Grade 40, Beams And Girders, Steel Reinforcement Bar.....	1.85
03 21 11 00-0006 LF #3, Grade 50, Beams And Girders, Steel Reinforcement Bar.....	0.56
03 21 11 00-0007 LF #4, Grade 50, Beams And Girders, Steel Reinforcement Bar.....	0.93
03 21 11 00-0008 LF #5, Grade 50, Beams And Girders, Steel Reinforcement Bar.....	1.38
03 21 11 00-0009 LF #6, Grade 50, Beams And Girders, Steel Reinforcement Bar.....	1.89
03 21 11 00-0010 LF #3, Grade 60, Beams And Girders, Steel Reinforcement Bar.....	0.57
03 21 11 00-0011 LF #4, Grade 60, Beams And Girders, Steel Reinforcement Bar.....	0.95
03 21 11 00-0012 LF #5, Grade 60, Beams And Girders, Steel Reinforcement Bar.....	1.42
03 21 11 00-0013 LF #6, Grade 60, Beams And Girders, Steel Reinforcement Bar.....	1.95
03 21 11 00-0014 LF #7, Grade 60, Beams And Girders, Steel Reinforcement Bar.....	2.53
03 21 11 00-0015 LF #8, Grade 60, Beams And Girders, Steel Reinforcement Bar.....	3.13
03 21 11 00-0016 LF #9, Grade 60, Beams And Girders, Steel Reinforcement Bar.....	3.82
03 21 11 00-0017 LF #10, Grade 60, Beams And Girders, Steel Reinforcement Bar.....	4.65
03 21 11 00-0018 LF #11, Grade 60, Beams And Girders, Steel Reinforcement Bar.....	5.49
03 21 11 00-0019 LF #14, Grade 60, Beams And Girders, Steel Reinforcement Bar.....	7.56
03 21 11 00-0020 LF #18, Grade 60, Beams And Girders, Steel Reinforcement Bar.....	12.84
03 21 11 00-0021 LF #6, Grade 75, Beams And Girders, Steel Reinforcement Bar.....	2.01
03 21 11 00-0022 LF #7, Grade 75, Beams And Girders, Steel Reinforcement Bar.....	2.61
03 21 11 00-0023 LF #8, Grade 75, Beams And Girders, Steel Reinforcement Bar.....	3.23
03 21 11 00-0024 LF #9, Grade 75, Beams And Girders, Steel Reinforcement Bar.....	3.95
03 21 11 00-0025 LF #10, Grade 75, Beams And Girders, Steel Reinforcement Bar.....	4.82
03 21 11 00-0026 LF #11, Grade 75, Beams And Girders, Steel Reinforcement Bar.....	5.70
03 21 11 00-0027 LF #14, Grade 75, Beams And Girders, Steel Reinforcement Bar.....	7.86
03 21 11 00-0028 LF #18, Grade 75, Beams And Girders, Steel Reinforcement Bar.....	13.37
03 21 11 00-0029 LF #3, Grade 60, Beams And Girders, Low Alloy Steel Reinforcement Bar.....	0.58



MINOR
CSI UOM DESCRIPTION

TOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

03 21 11 00-0030	LF	#4, Grade 60, Beams And Girders, Low Alloy Steel Reinforcement Bar	0.97
03 21 11 00-0031	LF	#5, Grade 60, Beams And Girders, Low Alloy Steel Reinforcement Bar	1.45
03 21 11 00-0032	LF	#6, Grade 60, Beams And Girders, Low Alloy Steel Reinforcement Bar	2.00
03 21 11 00-0033	LF	#7, Grade 60, Beams And Girders, Low Alloy Steel Reinforcement Bar	2.59
03 21 11 00-0034	LF	#8, Grade 60, Beams And Girders, Low Alloy Steel Reinforcement Bar	3.21
03 21 11 00-0035	LF	#9, Grade 60, Beams And Girders, Low Alloy Steel Reinforcement Bar	3.92
03 21 11 00-0036	LF	#10, Grade 60, Beams And Girders, Low Alloy Steel Reinforcement Bar	4.77
03 21 11 00-0037	LF	#11, Grade 60, Beams And Girders, Low Alloy Steel Reinforcement Bar	5.65
03 21 11 00-0038	LF	#14, Grade 60, Beams And Girders, Low Alloy Steel Reinforcement Bar	7.79
03 21 11 00-0039	LF	#18, Grade 60, Beams And Girders, Low Alloy Steel Reinforcement Bar	13.24

03 21 11 00-0040

Columns, Steel Reinforcement Bar (03 21 11)

Note: ASTM A-615 Plain Steel and A-706 Low Alloy Steel.

03 21 11 00-0041	LF	#3, Grade 40, Columns, Steel Reinforcement Bar	0.57
03 21 11 00-0042	LF	#4, Grade 40, Columns, Steel Reinforcement Bar	0.97
03 21 11 00-0043	LF	#5, Grade 40, Columns, Steel Reinforcement Bar	1.43
03 21 11 00-0044	LF	#6, Grade 40, Columns, Steel Reinforcement Bar	1.95
03 21 11 00-0045	LF	#3, Grade 50, Columns, Steel Reinforcement Bar	0.58
03 21 11 00-0046	LF	#4, Grade 50, Columns, Steel Reinforcement Bar	0.99
03 21 11 00-0047	LF	#5, Grade 50, Columns, Steel Reinforcement Bar	1.46
03 21 11 00-0048	LF	#6, Grade 50, Columns, Steel Reinforcement Bar	1.99
03 21 11 00-0049	LF	#3, Grade 60, Columns, Steel Reinforcement Bar	0.59
03 21 11 00-0050	LF	#4, Grade 60, Columns, Steel Reinforcement Bar	1.01
03 21 11 00-0051	LF	#5, Grade 60, Columns, Steel Reinforcement Bar	1.50
03 21 11 00-0052	LF	#6, Grade 60, Columns, Steel Reinforcement Bar	2.05
03 21 11 00-0053	LF	#7, Grade 60, Columns, Steel Reinforcement Bar	2.66
03 21 11 00-0054	LF	#8, Grade 60, Columns, Steel Reinforcement Bar	3.28
03 21 11 00-0055	LF	#9, Grade 60, Columns, Steel Reinforcement Bar	4.00
03 21 11 00-0056	LF	#10, Grade 60, Columns, Steel Reinforcement Bar	4.85
03 21 11 00-0057	LF	#11, Grade 60, Columns, Steel Reinforcement Bar	5.72
03 21 11 00-0058	LF	#14, Grade 60, Columns, Steel Reinforcement Bar	7.87
03 21 11 00-0059	LF	#18, Grade 60, Columns, Steel Reinforcement Bar	13.32
03 21 11 00-0060	LF	#6, Grade 75, Columns, Steel Reinforcement Bar	2.11
03 21 11 00-0061	LF	#7, Grade 75, Columns, Steel Reinforcement Bar	2.74
03 21 11 00-0062	LF	#8, Grade 75, Columns, Steel Reinforcement Bar	3.38
03 21 11 00-0063	LF	#9, Grade 75, Columns, Steel Reinforcement Bar	4.13
03 21 11 00-0064	LF	#10, Grade 75, Columns, Steel Reinforcement Bar	5.02
03 21 11 00-0065	LF	#11, Grade 75, Columns, Steel Reinforcement Bar	5.93
03 21 11 00-0066	LF	#14, Grade 75, Columns, Steel Reinforcement Bar	8.17
03 21 11 00-0067	LF	#18, Grade 75, Columns, Steel Reinforcement Bar	13.85
03 21 11 00-0068	LF	#3, Grade 60, Columns, Low Alloy Steel Reinforcement Bar	0.60
03 21 11 00-0069	LF	#4, Grade 60, Columns, Low Alloy Steel Reinforcement Bar	1.03
03 21 11 00-0070	LF	#5, Grade 60, Columns, Low Alloy Steel Reinforcement Bar	1.53
03 21 11 00-0071	LF	#6, Grade 60, Columns, Low Alloy Steel Reinforcement Bar	2.10
03 21 11 00-0072	LF	#7, Grade 60, Columns, Low Alloy Steel Reinforcement Bar	2.72
03 21 11 00-0073	LF	#8, Grade 60, Columns, Low Alloy Steel Reinforcement Bar	3.36
03 21 11 00-0074	LF	#9, Grade 60, Columns, Low Alloy Steel Reinforcement Bar	4.10
03 21 11 00-0075	LF	#10, Grade 60, Columns, Low Alloy Steel Reinforcement Bar	4.97
03 21 11 00-0076	LF	#11, Grade 60, Columns, Low Alloy Steel Reinforcement Bar	5.88
03 21 11 00-0077	LF	#14, Grade 60, Columns, Low Alloy Steel Reinforcement Bar	8.10
03 21 11 00-0078	LF	#18, Grade 60, Columns, Low Alloy Steel Reinforcement Bar	13.72

03 21 11 00-0079

Footings, Steel Reinforcement Bar (03 21 11)

Note: ASTM A-615 Plain Steel and A-706 Low Alloy Steel.

03 21 11 00-0080	LF	#3, Grade 40, Footings, Steel Reinforcement Bar	0.49
03 21 11 00-0081	LF	#4, Grade 40, Footings, Steel Reinforcement Bar	0.83
03 21 11 00-0082	LF	#5, Grade 40, Footings, Steel Reinforcement Bar	1.23
03 21 11 00-0083	LF	#6, Grade 40, Footings, Steel Reinforcement Bar	1.69
03 21 11 00-0084	LF	#3, Grade 50, Footings, Steel Reinforcement Bar	0.50
03 21 11 00-0085	LF	#4, Grade 50, Footings, Steel Reinforcement Bar	0.85
03 21 11 00-0086	LF	#5, Grade 50, Footings, Steel Reinforcement Bar	1.26
03 21 11 00-0087	LF	#6, Grade 50, Footings, Steel Reinforcement Bar	1.73
03 21 11 00-0088	LF	#3, Grade 60, Footings, Steel Reinforcement Bar	0.51
03 21 11 00-0089	LF	#4, Grade 60, Footings, Steel Reinforcement Bar	0.87
03 21 11 00-0090	LF	#5, Grade 60, Footings, Steel Reinforcement Bar	1.30
03 21 11 00-0091	LF	#6, Grade 60, Footings, Steel Reinforcement Bar	1.79
03 21 11 00-0092	LF	#7, Grade 60, Footings, Steel Reinforcement Bar	2.32
03 21 11 00-0093	LF	#8, Grade 60, Footings, Steel Reinforcement Bar	2.90
03 21 11 00-0094	LF	#9, Grade 60, Footings, Steel Reinforcement Bar	3.55
03 21 11 00-0095	LF	#10, Grade 60, Footings, Steel Reinforcement Bar	4.33
03 21 11 00-0096	LF	#11, Grade 60, Footings, Steel Reinforcement Bar	5.14
03 21 11 00-0097	LF	#14, Grade 60, Footings, Steel Reinforcement Bar	7.10
03 21 11 00-0098	LF	#18, Grade 60, Footings, Steel Reinforcement Bar	12.12
03 21 11 00-0099	LF	#6, Grade 75, Footings, Steel Reinforcement Bar	1.85
03 21 11 00-0100	LF	#7, Grade 75, Footings, Steel Reinforcement Bar	2.40
03 21 11 00-0101	LF	#8, Grade 75, Footings, Steel Reinforcement Bar	3.00
03 21 11 00-0102	LF	#9, Grade 75, Footings, Steel Reinforcement Bar	3.68
03 21 11 00-0103	LF	#10, Grade 75, Footings, Steel Reinforcement Bar	4.50
03 21 11 00-0104	LF	#11, Grade 75, Footings, Steel Reinforcement Bar	5.35



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
03 21 11 00-0105	LF		#14, Grade 75, Footings, Steel Reinforcement Bar	7.40	
03 21 11 00-0106	LF		#18, Grade 75, Footings, Steel Reinforcement Bar	12.65	
03 21 11 00-0107	LF		#3, Grade 60, Footings, Low Alloy Steel Reinforcement Bar	0.52	
03 21 11 00-0108	LF		#4, Grade 60, Footings, Low Alloy Steel Reinforcement Bar	0.89	
03 21 11 00-0109	LF		#5, Grade 60, Footings, Low Alloy Steel Reinforcement Bar	1.33	
03 21 11 00-0110	LF		#6, Grade 60, Footings, Low Alloy Steel Reinforcement Bar	1.84	
03 21 11 00-0111	LF		#7, Grade 60, Footings, Low Alloy Steel Reinforcement Bar	2.38	
03 21 11 00-0112	LF		#8, Grade 60, Footings, Low Alloy Steel Reinforcement Bar	2.98	
03 21 11 00-0113	LF		#9, Grade 60, Footings, Low Alloy Steel Reinforcement Bar	3.65	
03 21 11 00-0114	LF		#10, Grade 60, Footings, Low Alloy Steel Reinforcement Bar	4.45	
03 21 11 00-0115	LF		#11, Grade 60, Footings, Low Alloy Steel Reinforcement Bar	5.30	
03 21 11 00-0116	LF		#14, Grade 60, Footings, Low Alloy Steel Reinforcement Bar	7.33	
03 21 11 00-0117	LF		#18, Grade 60, Footings, Low Alloy Steel Reinforcement Bar	12.52	

03 21 11 00-0118

Slab On Grade, Steel Reinforcement Bar (03 21 11)

Note: ASTM A-615 Plain Steel and A-706 Low Alloy Steel.

03 21 11 00-0119	LF		#3, Grade 40, Slab On Grade, Steel Reinforcement Bar	0.48	
03 21 11 00-0120	LF		#4, Grade 40, Slab On Grade, Steel Reinforcement Bar	0.80	
03 21 11 00-0121	LF		#5, Grade 40, Slab On Grade, Steel Reinforcement Bar	1.19	
03 21 11 00-0122	LF		#6, Grade 40, Slab On Grade, Steel Reinforcement Bar	1.63	
03 21 11 00-0123	LF		#3, Grade 50, Slab On Grade, Steel Reinforcement Bar	0.49	
03 21 11 00-0124	LF		#4, Grade 50, Slab On Grade, Steel Reinforcement Bar	0.82	
03 21 11 00-0125	LF		#5, Grade 50, Slab On Grade, Steel Reinforcement Bar	1.22	
03 21 11 00-0126	LF		#6, Grade 50, Slab On Grade, Steel Reinforcement Bar	1.67	
03 21 11 00-0127	LF		#3, Grade 60, Slab On Grade, Steel Reinforcement Bar	0.50	
03 21 11 00-0128	LF		#4, Grade 60, Slab On Grade, Steel Reinforcement Bar	0.84	
03 21 11 00-0129	LF		#5, Grade 60, Slab On Grade, Steel Reinforcement Bar	1.26	
03 21 11 00-0130	LF		#6, Grade 60, Slab On Grade, Steel Reinforcement Bar	1.73	
03 21 11 00-0131	LF		#7, Grade 60, Slab On Grade, Steel Reinforcement Bar	2.26	
03 21 11 00-0132	LF		#8, Grade 60, Slab On Grade, Steel Reinforcement Bar	2.81	
03 21 11 00-0133	LF		#9, Grade 60, Slab On Grade, Steel Reinforcement Bar	3.46	
03 21 11 00-0134	LF		#10, Grade 60, Slab On Grade, Steel Reinforcement Bar	4.22	
03 21 11 00-0135	LF		#11, Grade 60, Slab On Grade, Steel Reinforcement Bar	5.02	
03 21 11 00-0136	LF		#14, Grade 60, Slab On Grade, Steel Reinforcement Bar	6.94	
03 21 11 00-0137	LF		#18, Grade 60, Slab On Grade, Steel Reinforcement Bar	11.87	
03 21 11 00-0138	LF		#6, Grade 75, Slab On Grade, Steel Reinforcement Bar	1.79	
03 21 11 00-0139	LF		#7, Grade 75, Slab On Grade, Steel Reinforcement Bar	2.34	
03 21 11 00-0140	LF		#8, Grade 75, Slab On Grade, Steel Reinforcement Bar	2.91	
03 21 11 00-0141	LF		#9, Grade 75, Slab On Grade, Steel Reinforcement Bar	3.59	
03 21 11 00-0142	LF		#10, Grade 75, Slab On Grade, Steel Reinforcement Bar	4.39	
03 21 11 00-0143	LF		#11, Grade 75, Slab On Grade, Steel Reinforcement Bar	5.23	
03 21 11 00-0144	LF		#14, Grade 75, Slab On Grade, Steel Reinforcement Bar	7.24	
03 21 11 00-0145	LF		#18, Grade 75, Slab On Grade, Steel Reinforcement Bar	12.40	
03 21 11 00-0146	LF		#3, Grade 60, Slab On Grade, Low Alloy Steel Reinforcement Bar	0.51	
03 21 11 00-0147	LF		#4, Grade 60, Slab On Grade, Low Alloy Steel Reinforcement Bar	0.86	
03 21 11 00-0148	LF		#5, Grade 60, Slab On Grade, Low Alloy Steel Reinforcement Bar	1.29	
03 21 11 00-0149	LF		#6, Grade 60, Slab On Grade, Low Alloy Steel Reinforcement Bar	1.78	
03 21 11 00-0150	LF		#7, Grade 60, Slab On Grade, Low Alloy Steel Reinforcement Bar	2.32	
03 21 11 00-0151	LF		#8, Grade 60, Slab On Grade, Low Alloy Steel Reinforcement Bar	2.89	
03 21 11 00-0152	LF		#9, Grade 60, Slab On Grade, Low Alloy Steel Reinforcement Bar	3.56	
03 21 11 00-0153	LF		#10, Grade 60, Slab On Grade, Low Alloy Steel Reinforcement Bar	4.34	
03 21 11 00-0154	LF		#11, Grade 60, Slab On Grade, Low Alloy Steel Reinforcement Bar	5.18	
03 21 11 00-0155	LF		#14, Grade 60, Slab On Grade, Low Alloy Steel Reinforcement Bar	7.17	
03 21 11 00-0156	LF		#18, Grade 60, Slab On Grade, Low Alloy Steel Reinforcement Bar	12.27	

03 21 11 00-0157

Elevated Slabs, Steel Reinforcement Bar (03 21 11)

Note: ASTM A-615 Plain Steel and A-706 Low Alloy Steel.

03 21 11 00-0158	LF		#3, Grade 40, Elevated Slabs, Steel Reinforcement Bar	0.44	
03 21 11 00-0159	LF		#4, Grade 40, Elevated Slabs, Steel Reinforcement Bar	0.74	
03 21 11 00-0160	LF		#5, Grade 40, Elevated Slabs, Steel Reinforcement Bar	1.11	
03 21 11 00-0161	LF		#6, Grade 40, Elevated Slabs, Steel Reinforcement Bar	1.53	
03 21 11 00-0162	LF		#3, Grade 50, Elevated Slabs, Steel Reinforcement Bar	0.45	
03 21 11 00-0163	LF		#4, Grade 50, Elevated Slabs, Steel Reinforcement Bar	0.76	
03 21 11 00-0164	LF		#5, Grade 50, Elevated Slabs, Steel Reinforcement Bar	1.14	
03 21 11 00-0165	LF		#6, Grade 50, Elevated Slabs, Steel Reinforcement Bar	1.57	
03 21 11 00-0166	LF		#3, Grade 60, Elevated Slabs, Steel Reinforcement Bar	0.46	
03 21 11 00-0167	LF		#4, Grade 60, Elevated Slabs, Steel Reinforcement Bar	0.78	
03 21 11 00-0168	LF		#5, Grade 60, Elevated Slabs, Steel Reinforcement Bar	1.18	
03 21 11 00-0169	LF		#6, Grade 60, Elevated Slabs, Steel Reinforcement Bar	1.63	
03 21 11 00-0170	LF		#7, Grade 60, Elevated Slabs, Steel Reinforcement Bar	2.12	
03 21 11 00-0171	LF		#8, Grade 60, Elevated Slabs, Steel Reinforcement Bar	2.65	
03 21 11 00-0172	LF		#9, Grade 60, Elevated Slabs, Steel Reinforcement Bar	3.27	
03 21 11 00-0173	LF		#10, Grade 60, Elevated Slabs, Steel Reinforcement Bar	4.02	
03 21 11 00-0174	LF		#11, Grade 60, Elevated Slabs, Steel Reinforcement Bar	4.78	
03 21 11 00-0175	LF		#14, Grade 60, Elevated Slabs, Steel Reinforcement Bar	6.64	
03 21 11 00-0176	LF		#18, Grade 60, Elevated Slabs, Steel Reinforcement Bar	11.39	
03 21 11 00-0177	LF		#6, Grade 75, Elevated Slabs, Steel Reinforcement Bar	1.69	
03 21 11 00-0178	LF		#7, Grade 75, Elevated Slabs, Steel Reinforcement Bar	2.20	
03 21 11 00-0179	LF		#8, Grade 75, Elevated Slabs, Steel Reinforcement Bar	2.75	



MINOR
CSI UOM DESCRIPTION

TOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

03 21 11 00-0180	LF	#9, Grade 75, Elevated Slabs, Steel Reinforcement Bar	3.40
03 21 11 00-0181	LF	#10, Grade 75, Elevated Slabs, Steel Reinforcement Bar	4.19
03 21 11 00-0182	LF	#11, Grade 75, Elevated Slabs, Steel Reinforcement Bar	4.99
03 21 11 00-0183	LF	#14, Grade 75, Elevated Slabs, Steel Reinforcement Bar	6.94
03 21 11 00-0184	LF	#18, Grade 75, Elevated Slabs, Steel Reinforcement Bar	11.92
03 21 11 00-0185	LF	#3, Grade 60, Elevated Slabs, Low Alloy Steel Reinforcement Bar	0.47
03 21 11 00-0186	LF	#4, Grade 60, Elevated Slabs, Low Alloy Steel Reinforcement Bar	0.80
03 21 11 00-0187	LF	#5, Grade 60, Elevated Slabs, Low Alloy Steel Reinforcement Bar	1.21
03 21 11 00-0188	LF	#6, Grade 60, Elevated Slabs, Low Alloy Steel Reinforcement Bar	1.68
03 21 11 00-0189	LF	#7, Grade 60, Elevated Slabs, Low Alloy Steel Reinforcement Bar	2.18
03 21 11 00-0190	LF	#8, Grade 60, Elevated Slabs, Low Alloy Steel Reinforcement Bar	2.73
03 21 11 00-0191	LF	#9, Grade 60, Elevated Slabs, Low Alloy Steel Reinforcement Bar	3.37
03 21 11 00-0192	LF	#10, Grade 60, Elevated Slabs, Low Alloy Steel Reinforcement Bar	4.14
03 21 11 00-0193	LF	#11, Grade 60, Elevated Slabs, Low Alloy Steel Reinforcement Bar	4.94
03 21 11 00-0194	LF	#14, Grade 60, Elevated Slabs, Low Alloy Steel Reinforcement Bar	6.87
03 21 11 00-0195	LF	#18, Grade 60, Elevated Slabs, Low Alloy Steel Reinforcement Bar	11.79

03 21 11 00-0196 Walls, Steel Reinforcement Bar (03 21 11)

Note: ASTM A-615 Plain Steel and A-706 Low Alloy Steel.

03 21 11 00-0197	LF	#3, Grade 40, Walls, Steel Reinforcement Bar	0.42
03 21 11 00-0198	LF	#4, Grade 40, Walls, Steel Reinforcement Bar	0.71
03 21 11 00-0199	LF	#5, Grade 40, Walls, Steel Reinforcement Bar	1.06
03 21 11 00-0200	LF	#6, Grade 40, Walls, Steel Reinforcement Bar	1.47
03 21 11 00-0201	LF	#3, Grade 50, Walls, Steel Reinforcement Bar	0.43
03 21 11 00-0202	LF	#4, Grade 50, Walls, Steel Reinforcement Bar	0.73
03 21 11 00-0203	LF	#5, Grade 50, Walls, Steel Reinforcement Bar	1.09
03 21 11 00-0204	LF	#6, Grade 50, Walls, Steel Reinforcement Bar	1.51
03 21 11 00-0205	LF	#3, Grade 60, Walls, Steel Reinforcement Bar	0.44
03 21 11 00-0206	LF	#4, Grade 60, Walls, Steel Reinforcement Bar	0.75
03 21 11 00-0207	LF	#5, Grade 60, Walls, Steel Reinforcement Bar	1.13
03 21 11 00-0208	LF	#6, Grade 60, Walls, Steel Reinforcement Bar	1.57
03 21 11 00-0209	LF	#7, Grade 60, Walls, Steel Reinforcement Bar	2.05
03 21 11 00-0210	LF	#8, Grade 60, Walls, Steel Reinforcement Bar	2.57
03 21 11 00-0211	LF	#9, Grade 60, Walls, Steel Reinforcement Bar	3.18
03 21 11 00-0212	LF	#10, Grade 60, Walls, Steel Reinforcement Bar	3.91
03 21 11 00-0213	LF	#11, Grade 60, Walls, Steel Reinforcement Bar	4.67
03 21 11 00-0214	LF	#14, Grade 60, Walls, Steel Reinforcement Bar	6.49
03 21 11 00-0215	LF	#18, Grade 60, Walls, Steel Reinforcement Bar	11.15
03 21 11 00-0216	LF	#6, Grade 75, Walls, Steel Reinforcement Bar	1.63
03 21 11 00-0217	LF	#7, Grade 75, Walls, Steel Reinforcement Bar	2.13
03 21 11 00-0218	LF	#8, Grade 75, Walls, Steel Reinforcement Bar	2.67
03 21 11 00-0219	LF	#9, Grade 75, Walls, Steel Reinforcement Bar	3.31
03 21 11 00-0220	LF	#10, Grade 75, Walls, Steel Reinforcement Bar	4.08
03 21 11 00-0221	LF	#11, Grade 75, Walls, Steel Reinforcement Bar	4.88
03 21 11 00-0222	LF	#14, Grade 75, Walls, Steel Reinforcement Bar	6.79
03 21 11 00-0223	LF	#18, Grade 75, Walls, Steel Reinforcement Bar	11.68
03 21 11 00-0224	LF	#3, Grade 60, Walls, Low Alloy Steel Reinforcement Bar	0.45
03 21 11 00-0225	LF	#4, Grade 60, Walls, Low Alloy Steel Reinforcement Bar	0.77
03 21 11 00-0226	LF	#5, Grade 60, Walls, Low Alloy Steel Reinforcement Bar	1.16
03 21 11 00-0227	LF	#6, Grade 60, Walls, Low Alloy Steel Reinforcement Bar	1.62
03 21 11 00-0228	LF	#7, Grade 60, Walls, Low Alloy Steel Reinforcement Bar	2.11
03 21 11 00-0229	LF	#8, Grade 60, Walls, Low Alloy Steel Reinforcement Bar	2.65
03 21 11 00-0230	LF	#9, Grade 60, Walls, Low Alloy Steel Reinforcement Bar	3.28
03 21 11 00-0231	LF	#10, Grade 60, Walls, Low Alloy Steel Reinforcement Bar	4.03
03 21 11 00-0232	LF	#11, Grade 60, Walls, Low Alloy Steel Reinforcement Bar	4.83
03 21 11 00-0233	LF	#14, Grade 60, Walls, Low Alloy Steel Reinforcement Bar	6.72
03 21 11 00-0234	LF	#18, Grade 60, Walls, Low Alloy Steel Reinforcement Bar	11.55

03 21 11 00-0235 Mechanical Joint Connection (03 21 11)

03 21 11 00-0236 Thermal Type Mechanical Joint Connection (03 21 11 00-0235)

03 21 11 00-0237	EA	Thermal Type Mechanical Joint Connection, Add Per Splice	173.19
------------------	----	--	--------

03 21 11 00-0238 Screwed Type Mechanical Joint Connection (03 21 11 00-0235)

03 21 11 00-0239	EA	Screwed Type Mechanical Joint Connection, Add Per Splice	95.43
------------------	----	--	-------

03 21 11 00-0240 Deformed Straight Dowels (03 21 11)

Note: Excludes drilling. See CSI section 02 41 19 13-0269 for drilling in concrete.

03 21 11 00-0241	EA	3/8" Diameter x 24" Long, Deformed Straight Dowel	2.18
		For Up To 12" Length, Deduct	-0.25
		For >12" To <24" Length, Deduct	-0.13
03 21 11 00-0242	EA	1/2" Diameter x 24" Long, Deformed Straight Dowel	2.60
		For Up To 12" Length, Deduct	-0.33
		For >12" To <24" Length, Deduct	-0.17
03 21 11 00-0243	EA	5/8" Diameter x 24" Long, Deformed Straight Dowel	3.18
		For Up To 12" Length, Deduct	-0.52
		For >12" To <24" Length, Deduct	-0.26



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
03 21 11 00-0244	EA		3/4" Diameter x 24" Long, Deformed Straight Dowel <i>For Up To 12" Length, Deduct</i> <i>For >12" To <24" Length, Deduct</i>	3.86 -0.76 -0.38	
03 21 11 00-0245	EA		7/8" Diameter x 24" Long, Deformed Straight Dowel <i>For Up To 12" Length, Deduct</i> <i>For >12" To <24" Length, Deduct</i>	4.54 -1.05 -0.53	
03 21 11 00-0246	EA		1" Diameter x 24" Long, Deformed Straight Dowel <i>For Up To 12" Length, Deduct</i> <i>For >12" To <24" Length, Deduct</i>	5.73 -1.35 -0.67	
03 21 11 00-0247	EA		1-1/8" Diameter x 24" Long, Deformed Straight Dowel <i>For Up To 12" Length, Deduct</i> <i>For >12" To <24" Length, Deduct</i>	6.76 -1.66 -0.83	
03 21 11 00-0248	EA		1-1/4" Diameter x 24" Long, Deformed Straight Dowel <i>For Up To 12" Length, Deduct</i> <i>For >12" To <24" Length, Deduct</i>	8.27 -2.17 -1.09	
03 21 11 00-0249	EA		1-3/8" Diameter x 24" Long, Deformed Straight Dowel <i>For Up To 12" Length, Deduct</i> <i>For >12" To <24" Length, Deduct</i>	9.81 -2.68 -1.34	
03 21 11 00-0250 Spirals, Reinforcing Steel (03 21 11)					
03 21 11 00-0251	TON		Up To 15" Diameter, Grade 60, Spirals, Reinforcing Steel <i>For Grade 75, Add</i>	3,979.95 188.81	
03 21 11 00-0252	TON		>15" To 24" Diameter, Grade 60, Spirals, Reinforcing Steel <i>For Grade 75, Add</i>	3,944.85 188.81	
03 21 11 00-0253	TON		>24" To 36" Diameter, Grade 60, Spirals, Reinforcing Steel <i>For Grade 75, Add</i>	3,944.85 188.81	
03 21 11 00-0254	TON		>36" To 48" Diameter, Grade 60, Spirals, Reinforcing Steel <i>For Grade 75, Add</i>	3,874.30 188.81	
03 21 11 00-0255	TON		>48" To 64" Diameter, Grade 60, Spirals, Reinforcing Steel <i>For Grade 75, Add</i>	3,815.10 188.81	
03 21 11 00-0256	TON		>64" To 84" Diameter, Grade 60, Spirals, Reinforcing Steel <i>For Grade 75, Add</i>	3,818.46 193.46	
03 21 11 00-0257	TON		>84" To 96" Diameter, Grade 60, Spirals, Reinforcing Steel <i>For Grade 75, Add</i>	3,768.90 193.46	
03 21 11 00-0258 Dowel Or Hairpin, Drilled And Epoxy Into Concrete (03 21 11)					
03 21 11 00-0259	EA		Dowels Or Hairpin, 1/2" x 30" Length, Drilled And Epoxy In Concrete, 6" Embedment	20.72	
03 21 11 00-0260	EA		Dowels Or Hairpin, 1/2" x 36" Length, Drilled And Epoxy In Concrete, >6" To 12" Embedment	21.60	
03 21 11 00-0261 Accessories For Reinforcing Steel (03 21 11)					
03 21 11 00-0262 Reinforcing Steel Lap-Weld Splice (03 21 11 00-0261)					
03 21 11 00-0263	EA		Up To #6 Reinforcing Steel Lap-Weld Splice	35.36	
03 21 11 00-0264	EA		>#6 Reinforcing Steel Lap-Weld Splice	51.17	
03 21 11 00-0265 Reinforcing Steel Sleeve And Wedge Splice Joint (03 21 11 00-0261)					
03 21 11 00-0266	EA		Up To #4 Reinforcing Steel, Sleeve And Wedge Splice Joint	26.38	
03 21 11 00-0267	EA		#5 Reinforcing Steel, Sleeve And Wedge Splice Joint	38.65	
03 21 11 00-0268	EA		#6 Reinforcing Steel, Sleeve And Wedge Splice Joint	55.92	
03 21 13 Galvanized Reinforcement Steel Bars (03 21)					
03 21 13 00-0001 Beams And Girders, Galvanized Steel Reinforcement Bar (03 21 13)					
Note: ASTM A-767 Hot Dipped Galvanized Steel.					
03 21 13 00-0002	LF		#3, Grade 40, Beams And Girders, Galvanized Steel Reinforcement Bar	0.65	
03 21 13 00-0003	LF		#4, Grade 40, Beams And Girders, Galvanized Steel Reinforcement Bar	1.09	
03 21 13 00-0004	LF		#5, Grade 40, Beams And Girders, Galvanized Steel Reinforcement Bar	1.63	
03 21 13 00-0005	LF		#6, Grade 40, Beams And Girders, Galvanized Steel Reinforcement Bar	2.26	
03 21 13 00-0006	LF		#3, Grade 50, Beams And Girders, Galvanized Steel Reinforcement Bar	0.66	
03 21 13 00-0007	LF		#4, Grade 50, Beams And Girders, Galvanized Steel Reinforcement Bar	1.10	
03 21 13 00-0008	LF		#5, Grade 50, Beams And Girders, Galvanized Steel Reinforcement Bar	1.66	
03 21 13 00-0009	LF		#6, Grade 50, Beams And Girders, Galvanized Steel Reinforcement Bar	2.29	
03 21 13 00-0010	LF		#3, Grade 60, Beams And Girders, Galvanized Steel Reinforcement Bar	0.67	
03 21 13 00-0011	LF		#4, Grade 60, Beams And Girders, Galvanized Steel Reinforcement Bar	1.13	
03 21 13 00-0012	LF		#5, Grade 60, Beams And Girders, Galvanized Steel Reinforcement Bar	1.70	
03 21 13 00-0013	LF		#6, Grade 60, Beams And Girders, Galvanized Steel Reinforcement Bar	2.35	
03 21 13 00-0014	LF		#7, Grade 60, Beams And Girders, Galvanized Steel Reinforcement Bar	3.08	
03 21 13 00-0015	LF		#8, Grade 60, Beams And Girders, Galvanized Steel Reinforcement Bar	3.84	
03 21 13 00-0016	LF		#9, Grade 60, Beams And Girders, Galvanized Steel Reinforcement Bar	4.73	
03 21 13 00-0017	LF		#10, Grade 60, Beams And Girders, Galvanized Steel Reinforcement Bar	5.80	
03 21 13 00-0018	LF		#11, Grade 60, Beams And Girders, Galvanized Steel Reinforcement Bar	6.91	
03 21 13 00-0019	LF		#14, Grade 60, Beams And Girders, Galvanized Steel Reinforcement Bar	9.61	
03 21 13 00-0020	LF		#18, Grade 60, Beams And Girders, Galvanized Steel Reinforcement Bar	16.47	
03 21 13 00-0021	LF		#6, Grade 75, Beams And Girders, Galvanized Steel Reinforcement Bar	2.41	
03 21 13 00-0022	LF		#7, Grade 75, Beams And Girders, Galvanized Steel Reinforcement Bar	3.16	
03 21 13 00-0023	LF		#8, Grade 75, Beams And Girders, Galvanized Steel Reinforcement Bar	3.95	
03 21 13 00-0024	LF		#9, Grade 75, Beams And Girders, Galvanized Steel Reinforcement Bar	4.86	



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
-------	-----	-----	-------------	------------------------	----------------------

03 21	13 00-0025	LF	#10, Grade 75, Beams And Girders, Galvanized Steel Reinforcement Bar	5.97	
03 21	13 00-0026	LF	#11, Grade 75, Beams And Girders, Galvanized Steel Reinforcement Bar	7.12	
03 21	13 00-0027	LF	#14, Grade 75, Beams And Girders, Galvanized Steel Reinforcement Bar	9.91	
03 21	13 00-0028	LF	#18, Grade 75, Beams And Girders, Galvanized Steel Reinforcement Bar	17.00	

03 21 13 00-0029 Columns, Galvanized Steel Reinforcement Bar (03 21 13)

Note: ASTM A-767 Hot Dipped Galvanized Steel.

03 21	13 00-0030	LF	#3, Grade 40, Columns, Galvanized Steel Reinforcement Bar	0.67	
03 21	13 00-0031	LF	#4, Grade 40, Columns, Galvanized Steel Reinforcement Bar	1.15	
03 21	13 00-0032	LF	#5, Grade 40, Columns, Galvanized Steel Reinforcement Bar	1.71	
03 21	13 00-0033	LF	#6, Grade 40, Columns, Galvanized Steel Reinforcement Bar	2.36	
03 21	13 00-0034	LF	#3, Grade 50, Columns, Galvanized Steel Reinforcement Bar	0.68	
03 21	13 00-0035	LF	#4, Grade 50, Columns, Galvanized Steel Reinforcement Bar	1.16	
03 21	13 00-0036	LF	#5, Grade 50, Columns, Galvanized Steel Reinforcement Bar	1.74	
03 21	13 00-0037	LF	#6, Grade 50, Columns, Galvanized Steel Reinforcement Bar	2.39	
03 21	13 00-0038	LF	#3, Grade 60, Columns, Galvanized Steel Reinforcement Bar	0.69	
03 21	13 00-0039	LF	#4, Grade 60, Columns, Galvanized Steel Reinforcement Bar	1.19	
03 21	13 00-0040	LF	#5, Grade 60, Columns, Galvanized Steel Reinforcement Bar	1.78	
03 21	13 00-0041	LF	#6, Grade 60, Columns, Galvanized Steel Reinforcement Bar	2.45	
03 21	13 00-0042	LF	#7, Grade 60, Columns, Galvanized Steel Reinforcement Bar	3.21	
03 21	13 00-0043	LF	#8, Grade 60, Columns, Galvanized Steel Reinforcement Bar	3.99	
03 21	13 00-0044	LF	#9, Grade 60, Columns, Galvanized Steel Reinforcement Bar	4.91	
03 21	13 00-0045	LF	#10, Grade 60, Columns, Galvanized Steel Reinforcement Bar	6.00	
03 21	13 00-0046	LF	#11, Grade 60, Columns, Galvanized Steel Reinforcement Bar	7.14	
03 21	13 00-0047	LF	#14, Grade 60, Columns, Galvanized Steel Reinforcement Bar	9.92	
03 21	13 00-0048	LF	#18, Grade 60, Columns, Galvanized Steel Reinforcement Bar	16.95	
03 21	13 00-0049	LF	#6, Grade 75, Columns, Galvanized Steel Reinforcement Bar	2.51	
03 21	13 00-0050	LF	#7, Grade 75, Columns, Galvanized Steel Reinforcement Bar	3.29	
03 21	13 00-0051	LF	#8, Grade 75, Columns, Galvanized Steel Reinforcement Bar	4.10	
03 21	13 00-0052	LF	#9, Grade 75, Columns, Galvanized Steel Reinforcement Bar	5.04	
03 21	13 00-0053	LF	#10, Grade 75, Columns, Galvanized Steel Reinforcement Bar	6.17	
03 21	13 00-0054	LF	#11, Grade 75, Columns, Galvanized Steel Reinforcement Bar	7.35	
03 21	13 00-0055	LF	#14, Grade 75, Columns, Galvanized Steel Reinforcement Bar	10.22	
03 21	13 00-0056	LF	#18, Grade 75, Columns, Galvanized Steel Reinforcement Bar	17.48	

03 21 13 00-0057 Footings, Galvanized Steel Reinforcement Bar (03 21 13)

Note: ASTM A-767 Hot Dipped Galvanized Steel.

03 21	13 00-0058	LF	#3, Grade 40, Footings, Galvanized Steel Reinforcement Bar	0.59	
03 21	13 00-0059	LF	#4, Grade 40, Footings, Galvanized Steel Reinforcement Bar	1.01	
03 21	13 00-0060	LF	#5, Grade 40, Footings, Galvanized Steel Reinforcement Bar	1.51	
03 21	13 00-0061	LF	#6, Grade 40, Footings, Galvanized Steel Reinforcement Bar	2.10	
03 21	13 00-0062	LF	#3, Grade 50, Footings, Galvanized Steel Reinforcement Bar	0.60	
03 21	13 00-0063	LF	#4, Grade 50, Footings, Galvanized Steel Reinforcement Bar	1.02	
03 21	13 00-0064	LF	#5, Grade 50, Footings, Galvanized Steel Reinforcement Bar	1.54	
03 21	13 00-0065	LF	#6, Grade 50, Footings, Galvanized Steel Reinforcement Bar	2.13	
03 21	13 00-0066	LF	#3, Grade 60, Footings, Galvanized Steel Reinforcement Bar	0.61	
03 21	13 00-0067	LF	#4, Grade 60, Footings, Galvanized Steel Reinforcement Bar	1.05	
03 21	13 00-0068	LF	#5, Grade 60, Footings, Galvanized Steel Reinforcement Bar	1.58	
03 21	13 00-0069	LF	#6, Grade 60, Footings, Galvanized Steel Reinforcement Bar	2.19	
03 21	13 00-0070	LF	#7, Grade 60, Footings, Galvanized Steel Reinforcement Bar	2.87	
03 21	13 00-0071	LF	#8, Grade 60, Footings, Galvanized Steel Reinforcement Bar	3.61	
03 21	13 00-0072	LF	#9, Grade 60, Footings, Galvanized Steel Reinforcement Bar	4.46	
03 21	13 00-0073	LF	#10, Grade 60, Footings, Galvanized Steel Reinforcement Bar	5.48	
03 21	13 00-0074	LF	#11, Grade 60, Footings, Galvanized Steel Reinforcement Bar	6.56	
03 21	13 00-0075	LF	#14, Grade 60, Footings, Galvanized Steel Reinforcement Bar	9.15	
03 21	13 00-0076	LF	#18, Grade 60, Footings, Galvanized Steel Reinforcement Bar	15.75	
03 21	13 00-0077	LF	#6, Grade 75, Footings, Galvanized Steel Reinforcement Bar	2.25	
03 21	13 00-0078	LF	#7, Grade 75, Footings, Galvanized Steel Reinforcement Bar	2.95	
03 21	13 00-0079	LF	#8, Grade 75, Footings, Galvanized Steel Reinforcement Bar	3.72	
03 21	13 00-0080	LF	#9, Grade 75, Footings, Galvanized Steel Reinforcement Bar	4.59	
03 21	13 00-0081	LF	#10, Grade 75, Footings, Galvanized Steel Reinforcement Bar	5.65	
03 21	13 00-0082	LF	#11, Grade 75, Footings, Galvanized Steel Reinforcement Bar	6.77	
03 21	13 00-0083	LF	#14, Grade 75, Footings, Galvanized Steel Reinforcement Bar	9.45	
03 21	13 00-0084	LF	#18, Grade 75, Footings, Galvanized Steel Reinforcement Bar	16.28	

03 21 13 00-0085 Slab On Grade, Galvanized Steel Reinforcement Bar (03 21 13)

Note: ASTM A-767 Hot Dipped Galvanized Steel.

03 21	13 00-0086	LF	#3, Grade 40, Slab On Grade, Galvanized Steel Reinforcement Bar	0.58	
03 21	13 00-0087	LF	#4, Grade 40, Slab On Grade, Galvanized Steel Reinforcement Bar	0.98	
03 21	13 00-0088	LF	#5, Grade 40, Slab On Grade, Galvanized Steel Reinforcement Bar	1.47	
03 21	13 00-0089	LF	#6, Grade 40, Slab On Grade, Galvanized Steel Reinforcement Bar	2.04	
03 21	13 00-0090	LF	#3, Grade 50, Slab On Grade, Galvanized Steel Reinforcement Bar	0.59	
03 21	13 00-0091	LF	#4, Grade 50, Slab On Grade, Galvanized Steel Reinforcement Bar	0.99	
03 21	13 00-0092	LF	#5, Grade 50, Slab On Grade, Galvanized Steel Reinforcement Bar	1.50	
03 21	13 00-0093	LF	#6, Grade 50, Slab On Grade, Galvanized Steel Reinforcement Bar	2.07	
03 21	13 00-0094	LF	#3, Grade 60, Slab On Grade, Galvanized Steel Reinforcement Bar	0.60	
03 21	13 00-0095	LF	#4, Grade 60, Slab On Grade, Galvanized Steel Reinforcement Bar	1.02	
03 21	13 00-0096	LF	#5, Grade 60, Slab On Grade, Galvanized Steel Reinforcement Bar	1.54	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
03 21 13 00-0097 LF #6, Grade 60, Slab On Grade, Galvanized Steel Reinforcement Bar	2.13	
03 21 13 00-0098 LF #7, Grade 60, Slab On Grade, Galvanized Steel Reinforcement Bar	2.81	
03 21 13 00-0099 LF #8, Grade 60, Slab On Grade, Galvanized Steel Reinforcement Bar	3.52	
03 21 13 00-0100 LF #9, Grade 60, Slab On Grade, Galvanized Steel Reinforcement Bar	4.37	
03 21 13 00-0101 LF #10, Grade 60, Slab On Grade, Galvanized Steel Reinforcement Bar	5.37	
03 21 13 00-0102 LF #11, Grade 60, Slab On Grade, Galvanized Steel Reinforcement Bar	6.44	
03 21 13 00-0103 LF #14, Grade 60, Slab On Grade, Galvanized Steel Reinforcement Bar	8.99	
03 21 13 00-0104 LF #18, Grade 60, Slab On Grade, Galvanized Steel Reinforcement Bar	15.50	
03 21 13 00-0105 LF #6, Grade 75, Slab On Grade, Galvanized Steel Reinforcement Bar	2.19	
03 21 13 00-0106 LF #7, Grade 75, Slab On Grade, Galvanized Steel Reinforcement Bar	2.89	
03 21 13 00-0107 LF #8, Grade 75, Slab On Grade, Galvanized Steel Reinforcement Bar	3.63	
03 21 13 00-0108 LF #9, Grade 75, Slab On Grade, Galvanized Steel Reinforcement Bar	4.50	
03 21 13 00-0109 LF #10, Grade 75, Slab On Grade, Galvanized Steel Reinforcement Bar	5.54	
03 21 13 00-0110 LF #11, Grade 75, Slab On Grade, Galvanized Steel Reinforcement Bar	6.65	
03 21 13 00-0111 LF #14, Grade 75, Slab On Grade, Galvanized Steel Reinforcement Bar	9.29	
03 21 13 00-0112 LF #18, Grade 75, Slab On Grade, Galvanized Steel Reinforcement Bar	16.03	

03 21 13 00-0113 Elevated Slabs, Galvanized Steel Reinforcement Bar (03 21 13)

Note: ASTM A-767 Hot Dipped Galvanized Steel.

03 21 13 00-0114 LF #3, Grade 40, Elevated Slabs, Galvanized Steel Reinforcement Bar	0.54	
03 21 13 00-0115 LF #4, Grade 40, Elevated Slabs, Galvanized Steel Reinforcement Bar	0.92	
03 21 13 00-0116 LF #5, Grade 40, Elevated Slabs, Galvanized Steel Reinforcement Bar	1.39	
03 21 13 00-0117 LF #6, Grade 40, Elevated Slabs, Galvanized Steel Reinforcement Bar	1.94	
03 21 13 00-0118 LF #3, Grade 50, Elevated Slabs, Galvanized Steel Reinforcement Bar	0.55	
03 21 13 00-0119 LF #4, Grade 50, Elevated Slabs, Galvanized Steel Reinforcement Bar	0.93	
03 21 13 00-0120 LF #5, Grade 50, Elevated Slabs, Galvanized Steel Reinforcement Bar	1.42	
03 21 13 00-0121 LF #6, Grade 50, Elevated Slabs, Galvanized Steel Reinforcement Bar	1.97	
03 21 13 00-0122 LF #3, Grade 60, Elevated Slabs, Galvanized Steel Reinforcement Bar	0.56	
03 21 13 00-0123 LF #4, Grade 60, Elevated Slabs, Galvanized Steel Reinforcement Bar	0.96	
03 21 13 00-0124 LF #5, Grade 60, Elevated Slabs, Galvanized Steel Reinforcement Bar	1.46	
03 21 13 00-0125 LF #6, Grade 60, Elevated Slabs, Galvanized Steel Reinforcement Bar	2.03	
03 21 13 00-0126 LF #7, Grade 60, Elevated Slabs, Galvanized Steel Reinforcement Bar	2.67	
03 21 13 00-0127 LF #8, Grade 60, Elevated Slabs, Galvanized Steel Reinforcement Bar	3.36	
03 21 13 00-0128 LF #9, Grade 60, Elevated Slabs, Galvanized Steel Reinforcement Bar	4.18	
03 21 13 00-0129 LF #10, Grade 60, Elevated Slabs, Galvanized Steel Reinforcement Bar	5.17	
03 21 13 00-0130 LF #11, Grade 60, Elevated Slabs, Galvanized Steel Reinforcement Bar	6.20	
03 21 13 00-0131 LF #14, Grade 60, Elevated Slabs, Galvanized Steel Reinforcement Bar	8.69	
03 21 13 00-0132 LF #18, Grade 60, Elevated Slabs, Galvanized Steel Reinforcement Bar	15.02	
03 21 13 00-0133 LF #6, Grade 75, Elevated Slabs, Galvanized Steel Reinforcement Bar	2.09	
03 21 13 00-0134 LF #7, Grade 75, Elevated Slabs, Galvanized Steel Reinforcement Bar	2.75	
03 21 13 00-0135 LF #8, Grade 75, Elevated Slabs, Galvanized Steel Reinforcement Bar	3.47	
03 21 13 00-0136 LF #9, Grade 75, Elevated Slabs, Galvanized Steel Reinforcement Bar	4.31	
03 21 13 00-0137 LF #10, Grade 75, Elevated Slabs, Galvanized Steel Reinforcement Bar	5.34	
03 21 13 00-0138 LF #11, Grade 75, Elevated Slabs, Galvanized Steel Reinforcement Bar	6.41	
03 21 13 00-0139 LF #14, Grade 75, Elevated Slabs, Galvanized Steel Reinforcement Bar	8.99	
03 21 13 00-0140 LF #18, Grade 75, Elevated Slabs, Galvanized Steel Reinforcement Bar	15.55	

03 21 13 00-0141 Walls, Galvanized Steel Reinforcement Bar (03 21 13)

Note: ASTM A-767 Hot Dipped Galvanized Steel.

03 21 13 00-0142 LF #3, Grade 40, Walls, Galvanized Steel Reinforcement Bar	0.52	
03 21 13 00-0143 LF #4, Grade 40, Walls, Galvanized Steel Reinforcement Bar	0.89	
03 21 13 00-0144 LF #5, Grade 40, Walls, Galvanized Steel Reinforcement Bar	1.34	
03 21 13 00-0145 LF #6, Grade 40, Walls, Galvanized Steel Reinforcement Bar	1.88	
03 21 13 00-0146 LF #3, Grade 50, Walls, Galvanized Steel Reinforcement Bar	0.53	
03 21 13 00-0147 LF #4, Grade 50, Walls, Galvanized Steel Reinforcement Bar	0.90	
03 21 13 00-0148 LF #5, Grade 50, Walls, Galvanized Steel Reinforcement Bar	1.37	
03 21 13 00-0149 LF #6, Grade 50, Walls, Galvanized Steel Reinforcement Bar	1.91	
03 21 13 00-0150 LF #3, Grade 60, Walls, Galvanized Steel Reinforcement Bar	0.54	
03 21 13 00-0151 LF #4, Grade 60, Walls, Galvanized Steel Reinforcement Bar	0.93	
03 21 13 00-0152 LF #5, Grade 60, Walls, Galvanized Steel Reinforcement Bar	1.41	
03 21 13 00-0153 LF #6, Grade 60, Walls, Galvanized Steel Reinforcement Bar	1.97	
03 21 13 00-0154 LF #7, Grade 60, Walls, Galvanized Steel Reinforcement Bar	2.60	
03 21 13 00-0155 LF #8, Grade 60, Walls, Galvanized Steel Reinforcement Bar	3.28	
03 21 13 00-0156 LF #9, Grade 60, Walls, Galvanized Steel Reinforcement Bar	4.09	
03 21 13 00-0157 LF #10, Grade 60, Walls, Galvanized Steel Reinforcement Bar	5.06	
03 21 13 00-0158 LF #11, Grade 60, Walls, Galvanized Steel Reinforcement Bar	6.09	
03 21 13 00-0159 LF #14, Grade 60, Walls, Galvanized Steel Reinforcement Bar	8.54	
03 21 13 00-0160 LF #18, Grade 60, Walls, Galvanized Steel Reinforcement Bar	14.78	
03 21 13 00-0161 LF #6, Grade 75, Walls, Galvanized Steel Reinforcement Bar	2.03	
03 21 13 00-0162 LF #7, Grade 75, Walls, Galvanized Steel Reinforcement Bar	2.68	
03 21 13 00-0163 LF #8, Grade 75, Walls, Galvanized Steel Reinforcement Bar	3.39	
03 21 13 00-0164 LF #9, Grade 75, Walls, Galvanized Steel Reinforcement Bar	4.22	
03 21 13 00-0165 LF #10, Grade 75, Walls, Galvanized Steel Reinforcement Bar	5.23	
03 21 13 00-0166 LF #11, Grade 75, Walls, Galvanized Steel Reinforcement Bar	6.30	
03 21 13 00-0167 LF #14, Grade 75, Walls, Galvanized Steel Reinforcement Bar	8.84	
03 21 13 00-0168 LF #18, Grade 75, Walls, Galvanized Steel Reinforcement Bar	15.31	

03 21 16 Epoxy-Coated Reinforcement Steel Bars (03 21)



MINOR
CSI UOM DESCRIPTION

TOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

03 21 16 00-0001	Beams And Girders, Epoxy Coated Steel Reinforcement Bar <small>(03 21 16)</small>	
	Note: ASTM A-775 Epoxy Coated Steel.	
03 21 16 00-0002	LF #3, Grade 40, Beams And Girders, Epoxy Coated Steel Reinforcement Bar.....	0.64
03 21 16 00-0003	LF #4, Grade 40, Beams And Girders, Epoxy Coated Steel Reinforcement Bar.....	1.07
03 21 16 00-0004	LF #5, Grade 40, Beams And Girders, Epoxy Coated Steel Reinforcement Bar.....	1.60
03 21 16 00-0005	LF #6, Grade 40, Beams And Girders, Epoxy Coated Steel Reinforcement Bar.....	2.21
03 21 16 00-0006	LF #3, Grade 50, Beams And Girders, Epoxy Coated Steel Reinforcement Bar.....	0.65
03 21 16 00-0007	LF #4, Grade 50, Beams And Girders, Epoxy Coated Steel Reinforcement Bar.....	1.09
03 21 16 00-0008	LF #5, Grade 50, Beams And Girders, Epoxy Coated Steel Reinforcement Bar.....	1.63
03 21 16 00-0009	LF #6, Grade 50, Beams And Girders, Epoxy Coated Steel Reinforcement Bar.....	2.25
03 21 16 00-0010	LF #3, Grade 60, Beams And Girders, Epoxy Coated Steel Reinforcement Bar.....	0.66
03 21 16 00-0011	LF #4, Grade 60, Beams And Girders, Epoxy Coated Steel Reinforcement Bar.....	1.11
03 21 16 00-0012	LF #5, Grade 60, Beams And Girders, Epoxy Coated Steel Reinforcement Bar.....	1.67
03 21 16 00-0013	LF #6, Grade 60, Beams And Girders, Epoxy Coated Steel Reinforcement Bar.....	2.31
03 21 16 00-0014	LF #7, Grade 60, Beams And Girders, Epoxy Coated Steel Reinforcement Bar.....	3.02
03 21 16 00-0015	LF #8, Grade 60, Beams And Girders, Epoxy Coated Steel Reinforcement Bar.....	3.76
03 21 16 00-0016	LF #9, Grade 60, Beams And Girders, Epoxy Coated Steel Reinforcement Bar.....	4.63
03 21 16 00-0017	LF #10, Grade 60, Beams And Girders, Epoxy Coated Steel Reinforcement Bar.....	5.67
03 21 16 00-0018	LF #11, Grade 60, Beams And Girders, Epoxy Coated Steel Reinforcement Bar.....	6.76
03 21 16 00-0019	LF #14, Grade 60, Beams And Girders, Epoxy Coated Steel Reinforcement Bar.....	9.39
03 21 16 00-0020	LF #18, Grade 60, Beams And Girders, Epoxy Coated Steel Reinforcement Bar.....	16.08
03 21 16 00-0021	LF #6, Grade 75, Beams And Girders, Epoxy Coated Steel Reinforcement Bar.....	2.37
03 21 16 00-0022	LF #7, Grade 75, Beams And Girders, Epoxy Coated Steel Reinforcement Bar.....	3.10
03 21 16 00-0023	LF #8, Grade 75, Beams And Girders, Epoxy Coated Steel Reinforcement Bar.....	3.87
03 21 16 00-0024	LF #9, Grade 75, Beams And Girders, Epoxy Coated Steel Reinforcement Bar.....	4.76
03 21 16 00-0025	LF #10, Grade 75, Beams And Girders, Epoxy Coated Steel Reinforcement Bar.....	5.84
03 21 16 00-0026	LF #11, Grade 75, Beams And Girders, Epoxy Coated Steel Reinforcement Bar.....	6.96
03 21 16 00-0027	LF #14, Grade 75, Beams And Girders, Epoxy Coated Steel Reinforcement Bar.....	9.68
03 21 16 00-0028	LF #18, Grade 75, Beams And Girders, Epoxy Coated Steel Reinforcement Bar.....	16.61

03 21 16 00-0029	Columns, Epoxy Coated Steel Reinforcement Bar <small>(03 21 16)</small>	
	Note: ASTM A-775 Epoxy Coated Steel.	
03 21 16 00-0030	LF #3, Grade 40, Columns, Epoxy Coated Steel Reinforcement Bar.....	0.66
03 21 16 00-0031	LF #4, Grade 40, Columns, Epoxy Coated Steel Reinforcement Bar.....	1.13
03 21 16 00-0032	LF #5, Grade 40, Columns, Epoxy Coated Steel Reinforcement Bar.....	1.68
03 21 16 00-0033	LF #6, Grade 40, Columns, Epoxy Coated Steel Reinforcement Bar.....	2.31
03 21 16 00-0034	LF #3, Grade 50, Columns, Epoxy Coated Steel Reinforcement Bar.....	0.67
03 21 16 00-0035	LF #4, Grade 50, Columns, Epoxy Coated Steel Reinforcement Bar.....	1.15
03 21 16 00-0036	LF #5, Grade 50, Columns, Epoxy Coated Steel Reinforcement Bar.....	1.71
03 21 16 00-0037	LF #6, Grade 50, Columns, Epoxy Coated Steel Reinforcement Bar.....	2.35
03 21 16 00-0038	LF #3, Grade 60, Columns, Epoxy Coated Steel Reinforcement Bar.....	0.68
03 21 16 00-0039	LF #4, Grade 60, Columns, Epoxy Coated Steel Reinforcement Bar.....	1.17
03 21 16 00-0040	LF #5, Grade 60, Columns, Epoxy Coated Steel Reinforcement Bar.....	1.75
03 21 16 00-0041	LF #6, Grade 60, Columns, Epoxy Coated Steel Reinforcement Bar.....	2.41
03 21 16 00-0042	LF #7, Grade 60, Columns, Epoxy Coated Steel Reinforcement Bar.....	3.15
03 21 16 00-0043	LF #8, Grade 60, Columns, Epoxy Coated Steel Reinforcement Bar.....	3.91
03 21 16 00-0044	LF #9, Grade 60, Columns, Epoxy Coated Steel Reinforcement Bar.....	4.81
03 21 16 00-0045	LF #10, Grade 60, Columns, Epoxy Coated Steel Reinforcement Bar.....	5.87
03 21 16 00-0046	LF #11, Grade 60, Columns, Epoxy Coated Steel Reinforcement Bar.....	6.99
03 21 16 00-0047	LF #14, Grade 60, Columns, Epoxy Coated Steel Reinforcement Bar.....	9.70
03 21 16 00-0048	LF #18, Grade 60, Columns, Epoxy Coated Steel Reinforcement Bar.....	16.56
03 21 16 00-0049	LF #6, Grade 75, Columns, Epoxy Coated Steel Reinforcement Bar.....	2.47
03 21 16 00-0050	LF #7, Grade 75, Columns, Epoxy Coated Steel Reinforcement Bar.....	3.23
03 21 16 00-0051	LF #8, Grade 75, Columns, Epoxy Coated Steel Reinforcement Bar.....	4.02
03 21 16 00-0052	LF #9, Grade 75, Columns, Epoxy Coated Steel Reinforcement Bar.....	4.94
03 21 16 00-0053	LF #10, Grade 75, Columns, Epoxy Coated Steel Reinforcement Bar.....	6.04
03 21 16 00-0054	LF #11, Grade 75, Columns, Epoxy Coated Steel Reinforcement Bar.....	7.19
03 21 16 00-0055	LF #14, Grade 75, Columns, Epoxy Coated Steel Reinforcement Bar.....	9.99
03 21 16 00-0056	LF #18, Grade 75, Columns, Epoxy Coated Steel Reinforcement Bar.....	17.09

03 21 16 00-0057	Footings, Epoxy Coated Steel Reinforcement Bar <small>(03 21 16)</small>	
	Note: ASTM A-775 Epoxy Coated Steel.	
03 21 16 00-0058	LF #3, Grade 40, Footings, Epoxy Coated Steel Reinforcement Bar.....	0.58
03 21 16 00-0059	LF #4, Grade 40, Footings, Epoxy Coated Steel Reinforcement Bar.....	0.99
03 21 16 00-0060	LF #5, Grade 40, Footings, Epoxy Coated Steel Reinforcement Bar.....	1.48
03 21 16 00-0061	LF #6, Grade 40, Footings, Epoxy Coated Steel Reinforcement Bar.....	2.05
03 21 16 00-0062	LF #3, Grade 50, Footings, Epoxy Coated Steel Reinforcement Bar.....	0.59
03 21 16 00-0063	LF #4, Grade 50, Footings, Epoxy Coated Steel Reinforcement Bar.....	1.01
03 21 16 00-0064	LF #5, Grade 50, Footings, Epoxy Coated Steel Reinforcement Bar.....	1.51
03 21 16 00-0065	LF #6, Grade 50, Footings, Epoxy Coated Steel Reinforcement Bar.....	2.09
03 21 16 00-0066	LF #3, Grade 60, Footings, Epoxy Coated Steel Reinforcement Bar.....	0.60
03 21 16 00-0067	LF #4, Grade 60, Footings, Epoxy Coated Steel Reinforcement Bar.....	1.03
03 21 16 00-0068	LF #5, Grade 60, Footings, Epoxy Coated Steel Reinforcement Bar.....	1.55
03 21 16 00-0069	LF #6, Grade 60, Footings, Epoxy Coated Steel Reinforcement Bar.....	2.15
03 21 16 00-0070	LF #7, Grade 60, Footings, Epoxy Coated Steel Reinforcement Bar.....	2.81
03 21 16 00-0071	LF #8, Grade 60, Footings, Epoxy Coated Steel Reinforcement Bar.....	3.53
03 21 16 00-0072	LF #9, Grade 60, Footings, Epoxy Coated Steel Reinforcement Bar.....	4.36
03 21 16 00-0073	LF #10, Grade 60, Footings, Epoxy Coated Steel Reinforcement Bar.....	5.35
03 21 16 00-0074	LF #11, Grade 60, Footings, Epoxy Coated Steel Reinforcement Bar.....	6.41



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
03 21 16 00-0075 LF #14, Grade 60, Footings, Epoxy Coated Steel Reinforcement Bar	8.93	
03 21 16 00-0076 LF #18, Grade 60, Footings, Epoxy Coated Steel Reinforcement Bar	15.36	
03 21 16 00-0077 LF #6, Grade 75, Footings, Epoxy Coated Steel Reinforcement Bar	2.21	
03 21 16 00-0078 LF #7, Grade 75, Footings, Epoxy Coated Steel Reinforcement Bar	2.89	
03 21 16 00-0079 LF #8, Grade 75, Footings, Epoxy Coated Steel Reinforcement Bar	3.64	
03 21 16 00-0080 LF #9, Grade 75, Footings, Epoxy Coated Steel Reinforcement Bar	4.49	
03 21 16 00-0081 LF #10, Grade 75, Footings, Epoxy Coated Steel Reinforcement Bar	5.52	
03 21 16 00-0082 LF #11, Grade 75, Footings, Epoxy Coated Steel Reinforcement Bar	6.61	
03 21 16 00-0083 LF #14, Grade 75, Footings, Epoxy Coated Steel Reinforcement Bar	9.22	
03 21 16 00-0084 LF #18, Grade 75, Footings, Epoxy Coated Steel Reinforcement Bar	15.89	
03 21 16 00-0085 Slab On Grade, Epoxy Coated Steel Reinforcement Bar (03 21 16)		
Note: ASTM A-775 Epoxy Coated Steel.		
03 21 16 00-0086 LF #3, Grade 40, Slab On Grade, Epoxy Coated Steel Reinforcement Bar	0.57	
03 21 16 00-0087 LF #4, Grade 40, Slab On Grade, Epoxy Coated Steel Reinforcement Bar	0.96	
03 21 16 00-0088 LF #5, Grade 40, Slab On Grade, Epoxy Coated Steel Reinforcement Bar	1.44	
03 21 16 00-0089 LF #6, Grade 40, Slab On Grade, Epoxy Coated Steel Reinforcement Bar	1.99	
03 21 16 00-0090 LF #3, Grade 50, Slab On Grade, Epoxy Coated Steel Reinforcement Bar	0.58	
03 21 16 00-0091 LF #4, Grade 50, Slab On Grade, Epoxy Coated Steel Reinforcement Bar	0.98	
03 21 16 00-0092 LF #5, Grade 50, Slab On Grade, Epoxy Coated Steel Reinforcement Bar	1.47	
03 21 16 00-0093 LF #6, Grade 50, Slab On Grade, Epoxy Coated Steel Reinforcement Bar	2.03	
03 21 16 00-0094 LF #3, Grade 60, Slab On Grade, Epoxy Coated Steel Reinforcement Bar	0.59	
03 21 16 00-0095 LF #4, Grade 60, Slab On Grade, Epoxy Coated Steel Reinforcement Bar	1.00	
03 21 16 00-0096 LF #5, Grade 60, Slab On Grade, Epoxy Coated Steel Reinforcement Bar	1.51	
03 21 16 00-0097 LF #6, Grade 60, Slab On Grade, Epoxy Coated Steel Reinforcement Bar	2.09	
03 21 16 00-0098 LF #7, Grade 60, Slab On Grade, Epoxy Coated Steel Reinforcement Bar	2.75	
03 21 16 00-0099 LF #8, Grade 60, Slab On Grade, Epoxy Coated Steel Reinforcement Bar	3.44	
03 21 16 00-0100 LF #9, Grade 60, Slab On Grade, Epoxy Coated Steel Reinforcement Bar	4.27	
03 21 16 00-0101 LF #10, Grade 60, Slab On Grade, Epoxy Coated Steel Reinforcement Bar	5.24	
03 21 16 00-0102 LF #11, Grade 60, Slab On Grade, Epoxy Coated Steel Reinforcement Bar	6.29	
03 21 16 00-0103 LF #14, Grade 60, Slab On Grade, Epoxy Coated Steel Reinforcement Bar	8.77	
03 21 16 00-0104 LF #18, Grade 60, Slab On Grade, Epoxy Coated Steel Reinforcement Bar	15.11	
03 21 16 00-0105 LF #6, Grade 75, Slab On Grade, Epoxy Coated Steel Reinforcement Bar	2.15	
03 21 16 00-0106 LF #7, Grade 75, Slab On Grade, Epoxy Coated Steel Reinforcement Bar	2.83	
03 21 16 00-0107 LF #8, Grade 75, Slab On Grade, Epoxy Coated Steel Reinforcement Bar	3.55	
03 21 16 00-0108 LF #9, Grade 75, Slab On Grade, Epoxy Coated Steel Reinforcement Bar	4.40	
03 21 16 00-0109 LF #10, Grade 75, Slab On Grade, Epoxy Coated Steel Reinforcement Bar	5.41	
03 21 16 00-0110 LF #11, Grade 75, Slab On Grade, Epoxy Coated Steel Reinforcement Bar	6.49	
03 21 16 00-0111 LF #14, Grade 75, Slab On Grade, Epoxy Coated Steel Reinforcement Bar	9.06	
03 21 16 00-0112 LF #18, Grade 75, Slab On Grade, Epoxy Coated Steel Reinforcement Bar	15.64	
03 21 16 00-0113 Elevated Slabs, Epoxy Coated Steel Reinforcement Bar (03 21 16)		
Note: ASTM A-775 Epoxy Coated Steel.		
03 21 16 00-0114 LF #3, Grade 40, Elevated Slabs, Epoxy Coated Steel Reinforcement Bar	0.53	
03 21 16 00-0115 LF #4, Grade 40, Elevated Slabs, Epoxy Coated Steel Reinforcement Bar	0.90	
03 21 16 00-0116 LF #5, Grade 40, Elevated Slabs, Epoxy Coated Steel Reinforcement Bar	1.36	
03 21 16 00-0117 LF #6, Grade 40, Elevated Slabs, Epoxy Coated Steel Reinforcement Bar	1.89	
03 21 16 00-0118 LF #3, Grade 50, Elevated Slabs, Epoxy Coated Steel Reinforcement Bar	0.54	
03 21 16 00-0119 LF #4, Grade 50, Elevated Slabs, Epoxy Coated Steel Reinforcement Bar	0.92	
03 21 16 00-0120 LF #5, Grade 50, Elevated Slabs, Epoxy Coated Steel Reinforcement Bar	1.39	
03 21 16 00-0121 LF #6, Grade 50, Elevated Slabs, Epoxy Coated Steel Reinforcement Bar	1.93	
03 21 16 00-0122 LF #3, Grade 60, Elevated Slabs, Epoxy Coated Steel Reinforcement Bar	0.55	
03 21 16 00-0123 LF #4, Grade 60, Elevated Slabs, Epoxy Coated Steel Reinforcement Bar	0.94	
03 21 16 00-0124 LF #5, Grade 60, Elevated Slabs, Epoxy Coated Steel Reinforcement Bar	1.43	
03 21 16 00-0125 LF #6, Grade 60, Elevated Slabs, Epoxy Coated Steel Reinforcement Bar	1.99	
03 21 16 00-0126 LF #7, Grade 60, Elevated Slabs, Epoxy Coated Steel Reinforcement Bar	2.61	
03 21 16 00-0127 LF #8, Grade 60, Elevated Slabs, Epoxy Coated Steel Reinforcement Bar	3.28	
03 21 16 00-0128 LF #9, Grade 60, Elevated Slabs, Epoxy Coated Steel Reinforcement Bar	4.08	
03 21 16 00-0129 LF #10, Grade 60, Elevated Slabs, Epoxy Coated Steel Reinforcement Bar	5.04	
03 21 16 00-0130 LF #11, Grade 60, Elevated Slabs, Epoxy Coated Steel Reinforcement Bar	6.05	
03 21 16 00-0131 LF #14, Grade 60, Elevated Slabs, Epoxy Coated Steel Reinforcement Bar	8.47	
03 21 16 00-0132 LF #18, Grade 60, Elevated Slabs, Epoxy Coated Steel Reinforcement Bar	14.63	
03 21 16 00-0133 LF #6, Grade 75, Elevated Slabs, Epoxy Coated Steel Reinforcement Bar	2.05	
03 21 16 00-0134 LF #7, Grade 75, Elevated Slabs, Epoxy Coated Steel Reinforcement Bar	2.69	
03 21 16 00-0135 LF #8, Grade 75, Elevated Slabs, Epoxy Coated Steel Reinforcement Bar	3.39	
03 21 16 00-0136 LF #9, Grade 75, Elevated Slabs, Epoxy Coated Steel Reinforcement Bar	4.21	
03 21 16 00-0137 LF #10, Grade 75, Elevated Slabs, Epoxy Coated Steel Reinforcement Bar	5.21	
03 21 16 00-0138 LF #11, Grade 75, Elevated Slabs, Epoxy Coated Steel Reinforcement Bar	6.25	
03 21 16 00-0139 LF #14, Grade 75, Elevated Slabs, Epoxy Coated Steel Reinforcement Bar	8.76	
03 21 16 00-0140 LF #18, Grade 75, Elevated Slabs, Epoxy Coated Steel Reinforcement Bar	15.16	
03 21 16 00-0141 Walls, Epoxy Coated Steel Reinforcement Bar (03 21 16)		
Note: ASTM A-775 Epoxy Coated Steel.		
03 21 16 00-0142 LF #3, Grade 40, Walls, Epoxy Coated Steel Reinforcement Bar	0.51	
03 21 16 00-0143 LF #4, Grade 40, Walls, Epoxy Coated Steel Reinforcement Bar	0.87	
03 21 16 00-0144 LF #5, Grade 40, Walls, Epoxy Coated Steel Reinforcement Bar	1.31	
03 21 16 00-0145 LF #6, Grade 40, Walls, Epoxy Coated Steel Reinforcement Bar	1.83	
03 21 16 00-0146 LF #3, Grade 50, Walls, Epoxy Coated Steel Reinforcement Bar	0.52	



MINOR
CSI UOM DESCRIPTION

TOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

03 21 16 00-0147	LF	#4, Grade 50, Walls, Epoxy Coated Steel Reinforcement Bar	0.89
03 21 16 00-0148	LF	#5, Grade 50, Walls, Epoxy Coated Steel Reinforcement Bar	1.34
03 21 16 00-0149	LF	#6, Grade 50, Walls, Epoxy Coated Steel Reinforcement Bar	1.87
03 21 16 00-0150	LF	#3, Grade 60, Walls, Epoxy Coated Steel Reinforcement Bar	0.53
03 21 16 00-0151	LF	#4, Grade 60, Walls, Epoxy Coated Steel Reinforcement Bar	0.91
03 21 16 00-0152	LF	#5, Grade 60, Walls, Epoxy Coated Steel Reinforcement Bar	1.38
03 21 16 00-0153	LF	#6, Grade 60, Walls, Epoxy Coated Steel Reinforcement Bar	1.93
03 21 16 00-0154	LF	#7, Grade 60, Walls, Epoxy Coated Steel Reinforcement Bar	2.54
03 21 16 00-0155	LF	#8, Grade 60, Walls, Epoxy Coated Steel Reinforcement Bar	3.20
03 21 16 00-0156	LF	#9, Grade 60, Walls, Epoxy Coated Steel Reinforcement Bar	3.99
03 21 16 00-0157	LF	#10, Grade 60, Walls, Epoxy Coated Steel Reinforcement Bar	4.93
03 21 16 00-0158	LF	#11, Grade 60, Walls, Epoxy Coated Steel Reinforcement Bar	5.94
03 21 16 00-0159	LF	#14, Grade 60, Walls, Epoxy Coated Steel Reinforcement Bar	8.32
03 21 16 00-0160	LF	#18, Grade 60, Walls, Epoxy Coated Steel Reinforcement Bar	14.39
03 21 16 00-0161	LF	#6, Grade 75, Walls, Epoxy Coated Steel Reinforcement Bar	1.99
03 21 16 00-0162	LF	#7, Grade 75, Walls, Epoxy Coated Steel Reinforcement Bar	2.62
03 21 16 00-0163	LF	#8, Grade 75, Walls, Epoxy Coated Steel Reinforcement Bar	3.31
03 21 16 00-0164	LF	#9, Grade 75, Walls, Epoxy Coated Steel Reinforcement Bar	4.12
03 21 16 00-0165	LF	#10, Grade 75, Walls, Epoxy Coated Steel Reinforcement Bar	5.10
03 21 16 00-0166	LF	#11, Grade 75, Walls, Epoxy Coated Steel Reinforcement Bar	6.14
03 21 16 00-0167	LF	#14, Grade 75, Walls, Epoxy Coated Steel Reinforcement Bar	8.61
03 21 16 00-0168	LF	#18, Grade 75, Walls, Epoxy Coated Steel Reinforcement Bar	14.92

03 21 16 00-0169 Epoxy Coated Deformed Straight Dowels (03 21 16)

Note: Excludes drilling. See CSI section 02 41 19 13-0269 for drilling in concrete.

03 21 16 00-0170	EA	3/8" Diameter x 24" Long, Epoxy Coated Deformed Straight Dowel	2.57
		<i>For Up To 12" Length, Deduct</i>	-0.35
		<i>For >12" To <24" Length, Deduct</i>	-0.18
03 21 16 00-0171	EA	1/2" Diameter x 24" Long, Epoxy Coated Deformed Straight Dowel	3.10
		<i>For Up To 12" Length, Deduct</i>	-0.53
		<i>For >12" To <24" Length, Deduct</i>	-0.27
03 21 16 00-0172	EA	5/8" Diameter x 24" Long, Epoxy Coated Deformed Straight Dowel	3.86
		<i>For Up To 12" Length, Deduct</i>	-0.80
		<i>For >12" To <24" Length, Deduct</i>	-0.40
03 21 16 00-0173	EA	3/4" Diameter x 24" Long, Epoxy Coated Deformed Straight Dowel	4.61
		<i>For Up To 12" Length, Deduct</i>	-1.06
		<i>For >12" To <24" Length, Deduct</i>	-0.53
03 21 16 00-0174	EA	7/8" Diameter x 24" Long, Epoxy Coated Deformed Straight Dowel	5.75
		<i>For Up To 12" Length, Deduct</i>	-1.44
		<i>For >12" To <24" Length, Deduct</i>	-0.72
03 21 16 00-0175	EA	1" Diameter x 24" Long, Epoxy Coated Deformed Straight Dowel	6.79
		<i>For Up To 12" Length, Deduct</i>	-1.77
		<i>For >12" To <24" Length, Deduct</i>	-0.89
03 21 16 00-0176	EA	1-1/8" Diameter x 24" Long, Epoxy Coated Deformed Straight Dowel	8.09
		<i>For Up To 12" Length, Deduct</i>	-2.14
		<i>For >12" To <24" Length, Deduct</i>	-1.07
03 21 16 00-0177	EA	1-1/4" Diameter x 24" Long, Epoxy Coated Deformed Straight Dowel	9.71
		<i>For Up To 12" Length, Deduct</i>	-2.60
		<i>For >12" To <24" Length, Deduct</i>	-1.30

03 22 Fabric And Grid Reinforcing (03 20)

03 22 11 Plain Steel Welded Wire Fabric Reinforcing (03 22)

Note: Includes cutting, tie wire, tying, overlap, bar chairs and all non-mechanical splicing.

03 22 11 00-0001 Plain Welded Wire Fabric Reinforcing Placed In Floors Or Slabs (03 22 11)

Note: Includes bar chairs. Under 5 tons. ASTM A-185

03 22 11 00-0002	SF	6" x 6" x #10, 21 LB/CSF, Plain Welded Wire Fabric Reinforcing Placed In Floors Or Slabs (W1.4 x W1.4)	0.67
		<i>For >5 Ton, Deduct</i>	-0.10
03 22 11 00-0003	SF	6" x 6" x #8, 30 LB/CSF, Plain Welded Wire Fabric Reinforcing Placed In Floors Or Slabs (W2.1 x W2.1)	0.76
		<i>For >5 Ton, Deduct</i>	-0.12
03 22 11 00-0004	SF	6" x 6" x #6, 42 LB/CSF, Plain Welded Wire Fabric Reinforcing Placed In Floors Or Slabs (W2.9 x W2.9)	0.86
		<i>For >5 Ton, Deduct</i>	-0.13
03 22 11 00-0005	SF	6" x 6" x #4, 58 LB/CSF, Plain Welded Wire Fabric Reinforcing Placed In Floors Or Slabs (W4.0 x W4.0)	1.01
		<i>For >5 Ton, Deduct</i>	-0.15
03 22 11 00-0006	SF	4" x 4" x #10, 31 LB/CSF, Plain Welded Wire Fabric Reinforcing Placed In Floors Or Slabs (W1.4 x W1.4)	0.79
		<i>For >5 Ton, Deduct</i>	-0.12
03 22 11 00-0007	SF	4" x 4" x #8, 44 LB/CSF, Plain Welded Wire Fabric Reinforcing Placed In Floors Or Slabs (W2.1 x W2.1)	0.89
		<i>For >5 Ton, Deduct</i>	-0.13
03 22 11 00-0008	SF	4" x 4" x #6, 62 LB/CSF, Plain Welded Wire Fabric Reinforcing Placed In Floors Or Slabs (W2.9 x W2.9)	1.10
		<i>For >5 Ton, Deduct</i>	-0.16
03 22 11 00-0009	SF	4" x 4" x #4, 85 LB/CSF, Plain Welded Wire Fabric Reinforcing Placed In Floors Or Slabs (W4.0 x W4.0)	1.28
		<i>For >5 Ton, Deduct</i>	-0.18
03 22 11 00-0010	SF	2" x 2" x #12, 37 LB/CSF, Plain Welded Wire Fabric Reinforcing Placed In Floors Or Slabs (W0.9 x W0.9)	1.17
		<i>For >5 Ton, Deduct</i>	-0.16

03 22 13 Galvanized Welded Wire Fabric Reinforcing (03 22)

03 22 13 00-0001 Galvanized Welded Wire Fabric Reinforcing Placed In Floors Or Slabs (03 22 13)

Note: Includes bar chairs. Under 5 tons.



Concrete	03	CS
Concrete Reinforcing	03 20	
Fabric And Grid Reinforcing	03 22	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
03 22 13 00-0002 SF 6" x 6" x #10, 21 LB/CSF, Galvanized Welded Wire Fabric Reinforcing Placed In Floors Or Slabs (W1.4 x W1.4).....	0.74	
For >5 Ton, Deduct	-0.11	
03 22 13 00-0003 SF 6" x 6" x #8, 29 LB/CSF, Galvanized Welded Wire Fabric Reinforcing Placed In Floors Or Slabs (W2.1 x W2.1).....	0.84	
For >5 Ton, Deduct	-0.12	
03 22 13 00-0004 SF 6" x 6" x #6, 42 LB/CSF, Galvanized Welded Wire Fabric Reinforcing Placed In Floors Or Slabs (W2.9 x W2.9).....	0.96	
For >5 Ton, Deduct	-0.14	
03 22 13 00-0005 SF 6" x 6" x #4, 58 LB/CSF, Galvanized Welded Wire Fabric Reinforcing Placed In Floors Or Slabs (W4.0 x W4.0).....	1.15	
For >5 Ton, Deduct	-0.16	
03 22 13 00-0006 SF 4" x 4" x #10, 31 LB/CSF, Galvanized Welded Wire Fabric Reinforcing Placed In Floors Or Slabs (W1.4 x W1.4).....	0.88	
For >5 Ton, Deduct	-0.13	
03 22 13 00-0007 SF 4" x 4" x #8, 43 LB/CSF, Galvanized Welded Wire Fabric Reinforcing Placed In Floors Or Slabs (W2.1 x W2.1).....	1.00	
For >5 Ton, Deduct	-0.14	
03 22 13 00-0008 SF 4" x 4" x #6, 62 LB/CSF, Galvanized Welded Wire Fabric Reinforcing Placed In Floors Or Slabs (W2.9 x W2.9).....	1.29	
For >5 Ton, Deduct	-0.17	
03 22 13 00-0009 SF 4" x 4" x #4, 85 LB/CSF, Galvanized Welded Wire Fabric Reinforcing Placed In Floors Or Slabs (W4.0 x W4.0).....	1.50	
For >5 Ton, Deduct	-0.20	
03 22 13 00-0010 Galvanized Welded Wire Reinforcement Wrap Placed In Beams And Columns (03 22 13)		
Note: Includes bar chairs. Under 5 tons.		
03 22 13 00-0011 SF 2" x 2" x #14, 21 LB/CSF, Galvanized Welded Wire Fabric Reinforcing Wrap Placed In Beams And Columns (W0.5 x W0.5).....	2.66	
For >5 Ton, Deduct	-0.42	
03 22 16 Epoxy-Coated Welded Wire Fabric Reinforcing (03 22)		
03 22 16 00-0001 Epoxy Coated Welded Wire Fabric Reinforcing Placed In Floors Or Slabs (03 22 16)		
Note: Includes bar chairs. Under 5 tons.		
03 22 16 00-0002 SF 6" x 6" x #10, 21 LB/CSF, Epoxy Coated Welded Wire Fabric Reinforcing Placed In Floors Or Slabs (W1.4 x W1.4).....	0.73	
For >5 Ton, Deduct	-0.11	
03 22 16 00-0003 SF 6" x 6" x #8, 29 LB/CSF, Epoxy Coated Welded Wire Fabric Reinforcing Placed In Floors Or Slabs (W2.1 x W2.1).....	0.83	
For >5 Ton, Deduct	-0.12	
03 22 16 00-0004 SF 6" x 6" x #6, 42 LB/CSF, Epoxy Coated Welded Wire Fabric Reinforcing Placed In Floors Or Slabs (W2.9 x W2.9).....	0.95	
For >5 Ton, Deduct	-0.14	
03 22 16 00-0005 SF 6" x 6" x #4, 58 LB/CSF, Epoxy Coated Welded Wire Fabric Reinforcing Placed In Floors Or Slabs (W4.0 x W4.0).....	1.14	
For >5 Ton, Deduct	-0.16	
03 22 16 00-0006 SF 4" x 4" x #10, 31 LB/CSF, Epoxy Coated Welded Wire Fabric Reinforcing Placed In Floors Or Slabs (W1.4 x W1.4).....	0.87	
For >5 Ton, Deduct	-0.13	
03 22 16 00-0007 SF 4" x 4" x #8, 43 LB/CSF, Epoxy Coated Welded Wire Fabric Reinforcing Placed In Floors Or Slabs (W2.1 x W2.1).....	0.99	
For >5 Ton, Deduct	-0.14	
03 22 16 00-0008 SF 4" x 4" x #6, 62 LB/CSF, Epoxy Coated Welded Wire Fabric Reinforcing Placed In Floors Or Slabs (W2.9 x W2.9).....	1.26	
For >5 Ton, Deduct	-0.17	
03 22 16 00-0009 SF 4" x 4" x #4, 85 LB/CSF, Epoxy Coated Welded Wire Fabric Reinforcing Placed In Floors Or Slabs (W4.0 x W4.0).....	1.47	
For >5 Ton, Deduct	-0.20	
03 22 23 Stainless Steel Welded Wire Fabric Reinforcing (03 22)		
Note: Includes cutting, tie wire, tying, overlap, bar chairs and all non-mechanical splicing.		
03 22 23 00-0001 Stainless Steel Welded Wire Fabric Reinforcing Placed In Floors Or Slabs (03 22 23)		
03 22 23 00-0002 SF 6" x 6" x #10, Stainless Steel Welded Wire Fabric Reinforcing Placed In Floors Or Slabs.....	1.16	
03 22 23 00-0003 SF 4" x 4" x #10, Stainless Steel Welded Wire Fabric Reinforcing Placed In Floors Or Slabs.....	1.47	
03 30 Cast-In-Place Concrete (03)		
See CSI section 01 74 19 00-0037 for hauling over 15 miles.		
03 30 53 Miscellaneous Cast-in-Place Concrete (03 30)		
03 30 53 00-0001 Place Concrete Thrust Blocks And Backfill (03 30 53)		
03 30 53 00-0002 CY Direct Chute, Place 3,000 PSI Concrete Thrust Blocks.....	188.70	
For 2,000 PSI Concrete, Deduct	-6.57	
For 2,500 PSI Concrete, Deduct	-3.29	
For 3,500 PSI Concrete, Add	6.09	
For 3,750 PSI Concrete, Add	8.28	
For 4,000 PSI Concrete, Add	10.47	
For 4,500 PSI Concrete, Add	12.18	
For 5,000 PSI Concrete, Add	13.88	
For 6,000 PSI Concrete, Add	32.87	
For White Cement Concrete, Add	14.61	
For High Sulfate Resistance, Type 5 Cement Concrete ASTM C150, Add	15.83	
For High Early Strength, Type 3 ASTM C150, Add	12.18	
For Lightweight Aggregate, ASTM C330, Add	36.53	
For Up To 20, Add	26.78	
For >20 To 50, Add	10.04	
For >100 To 200, Deduct	-3.77	
For >200 To 400, Deduct	-7.55	
For >400, Deduct	-11.32	

03 Concrete**03 30 Cast-In-Place Concrete****03 30 53 Miscellaneous Cast-in-Place Concrete**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
03 30 53 00-0003			Place Concrete Slurry (03 30 53)		
03 30 53 00-0004	CY		Direct Chute, Place Two Sack Cement, Concrete Slurry	141.97	
			Note: Two 94# sack cement per CY.		
03 30 53 00-0005	CY		Concrete Pump, Place Two Sack Cement, Concrete Slurry	136.06	
			Note: Two 94# sack cement per CY. Excludes pumping equipment.		
03 30 53 00-0006			Hand Mix And Place Concrete (03 30 53)		
03 30 53 00-0007	CF		Hand Mix And Place Concrete	25.66	
			Note: For use where conventional equipment access is limited or when directed by the owner.		
			For 2,000 PSI Concrete, Deduct	-0.28	
			For 2,500 PSI Concrete, Deduct	-0.14	
			For 3,500 PSI Concrete, Add	0.26	
			For 3,750 PSI Concrete, Add	0.35	
			For 4,000 PSI Concrete, Add	0.45	
			For 4,500 PSI Concrete, Add	0.52	
			For 5,000 PSI Concrete, Add	0.59	
			For 6,000 PSI Concrete, Add	1.40	
			For White Cement Concrete, Add	0.62	
			For High Sulfate Resistance, Type 5 Cement Concrete ASTM C150, Add	0.68	
			For High Early Strength, Type 3 ASTM C150, Add	0.52	
			For Lightweight Aggregate, ASTM C330, Add	1.56	
03 31			Structural Concrete (03 30)		
03 31 13			Heavyweight Structural Concrete (03 31)		
			Note: Includes delivery, fuel charge and placement of material. See CSI section 02 41 00 00-0000 for demolition, 03 05 13 00-0001 for admixtures, 03 11 00 00-0000 for forming, 03 20 00 00-0000 for reinforcing, 03 35 00 00-0000 for finishing, 03 39 00 00-0000 for curing.		
03 31 13 00-0001			Concrete Slab Assemblies (03 31 13)		
03 31 13 00-0002			3,000 PSI Slab On Grade Concrete Slabs Assemblies (03 31 13 00-0001)		
			Note: Includes forms, welded wire reinforcement (where necessary), #3 to #6 reinforcing rods at 12" on center each way with chairs (where necessary), vapor barrier, concrete, curing, latex or hot asphalt expansion joints, control joints, screed, float, and finish for pedestrian slabs. Excludes excavation, base, earthwork, and expansion joints along existing slab. See CSI section 03 05 13 00-0001 for color additive alternative, 03 37 16 00-0001 for concrete pumping equipment.		
03 31 13 00-0003	SF		4" 3,000 PSI Slab On Grade Concrete Slabs Assembly	6.33	
			For 2,000 PSI Concrete, Deduct	-0.16	
			For 2,500 PSI Concrete, Deduct	-0.08	
			For 3,500 PSI Concrete, Add	0.06	
			For 4,000 PSI Concrete, Add	0.19	
			For Reinforcing Rods Are At 18" On Center, Deduct	-0.13	
			For Reinforcing Rods Are At 24" On Center, Deduct	-0.40	
			For Up To 500, Add	2.62	
			For >500 To 1,000, Add	1.79	
			For >1,000 To 2,000, Add	0.97	
			For >2,000 To 5,000, Add	0.49	
			For >10,000 To 20,000, Deduct	-0.15	
			For >20,000 To 35,000, Deduct	-0.31	
			For >35,000 To 50,000, Deduct	-0.46	
			For >50,000 To 70,000, Deduct	-0.62	
			For >70,000, Deduct	-0.78	
03 31 13 00-0004	SF		5" 3,000 PSI Slab On Grade Concrete Slabs Assembly	6.91	
			For 2,000 PSI Concrete, Deduct	-0.18	
			For 2,500 PSI Concrete, Deduct	-0.09	
			For 3,500 PSI Concrete, Add	0.06	
			For 4,000 PSI Concrete, Add	0.21	
			For Reinforcing Rods Are At 18" On Center, Deduct	-0.13	
			For Reinforcing Rods Are At 24" On Center, Deduct	-0.40	
			For Up To 500, Add	2.80	
			For >500 To 1,000, Add	1.92	
			For >1,000 To 2,000, Add	1.05	
			For >2,000 To 5,000, Add	0.52	
			For >10,000 To 20,000, Deduct	-0.17	
			For >20,000 To 35,000, Deduct	-0.34	
			For >35,000 To 50,000, Deduct	-0.51	
			For >50,000 To 70,000, Deduct	-0.69	
			For >70,000, Deduct	-0.86	



Concrete	03	CS
Cast-In-Place Concrete	03 30	
Structural Concrete	03 31	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
03 31 13 00-0005 SF 6" 3,000 PSI Slab On Grade Concrete Slabs Assembly	7.70	
For 2,000 PSI Concrete, Deduct	-0.21	
For 2,500 PSI Concrete, Deduct	-0.11	
For 3,500 PSI Concrete, Add	0.07	
For 4,000 PSI Concrete, Add	0.25	
For Reinforcing Rods Are At 18" On Center, Deduct	-0.13	
For Reinforcing Rods Are At 24" On Center, Deduct	-0.40	
For Up To 500, Add	3.05	
For >500 To 1,000, Add	2.10	
For >1,000 To 2,000, Add	1.15	
For >2,000 To 5,000, Add	0.57	
For >10,000 To 20,000, Deduct	-0.20	
For >20,000 To 35,000, Deduct	-0.39	
For >35,000 To 50,000, Deduct	-0.58	
For >50,000 To 70,000, Deduct	-0.77	
For >70,000, Deduct	-0.97	
03 31 13 00-0006 SF 7" 3,000 PSI Slab On Grade Concrete Slabs Assembly	8.44	
For 2,000 PSI Concrete, Deduct	-0.24	
For 2,500 PSI Concrete, Deduct	-0.12	
For 3,500 PSI Concrete, Add	0.09	
For 4,000 PSI Concrete, Add	0.28	
For Reinforcing Rods Are At 18" On Center, Deduct	-0.13	
For Reinforcing Rods Are At 24" On Center, Deduct	-0.40	
For Up To 500, Add	3.26	
For >500 To 1,000, Add	2.25	
For >1,000 To 2,000, Add	1.24	
For >2,000 To 5,000, Add	0.62	
For >10,000 To 20,000, Deduct	-0.23	
For >20,000 To 35,000, Deduct	-0.44	
For >35,000 To 50,000, Deduct	-0.65	
For >50,000 To 70,000, Deduct	-0.86	
For >70,000, Deduct	-1.07	
03 31 13 00-0007 SF 8" 3,000 PSI Slab On Grade Concrete Slabs Assembly	9.10	
For 2,000 PSI Concrete, Deduct	-0.27	
For 2,500 PSI Concrete, Deduct	-0.14	
For 3,500 PSI Concrete, Add	0.10	
For 4,000 PSI Concrete, Add	0.32	
For Reinforcing Rods Are At 18" On Center, Deduct	-0.13	
For Reinforcing Rods Are At 24" On Center, Deduct	-0.40	
For Up To 500, Add	3.46	
For >500 To 1,000, Add	2.39	
For >1,000 To 2,000, Add	1.32	
For >2,000 To 5,000, Add	0.66	
For >10,000 To 20,000, Deduct	-0.25	
For >20,000 To 35,000, Deduct	-0.48	
For >35,000 To 50,000, Deduct	-0.71	
For >50,000 To 70,000, Deduct	-0.93	
For >70,000, Deduct	-1.16	
03 31 13 00-0008 SF 10" 3,000 PSI Slab On Grade Concrete Slabs Assembly	10.72	
For 2,000 PSI Concrete, Deduct	-0.34	
For 2,500 PSI Concrete, Deduct	-0.17	
For 3,500 PSI Concrete, Add	0.12	
For 4,000 PSI Concrete, Add	0.40	
For Reinforcing Rods Are At 18" On Center, Deduct	-0.13	
For Reinforcing Rods Are At 24" On Center, Deduct	-0.40	
For Up To 500, Add	3.91	
For >500 To 1,000, Add	2.71	
For >1,000 To 2,000, Add	1.51	
For >2,000 To 5,000, Add	0.76	
For >10,000 To 20,000, Deduct	-0.32	
For >20,000 To 35,000, Deduct	-0.58	
For >35,000 To 50,000, Deduct	-0.85	
For >50,000 To 70,000, Deduct	-1.12	
For >70,000, Deduct	-1.39	
03 31 13 00-0009 SF 12" 3,000 PSI Slab On Grade Concrete Slabs Assembly	12.00	
For 2,000 PSI Concrete, Deduct	-0.39	
For 2,500 PSI Concrete, Deduct	-0.20	
For 3,500 PSI Concrete, Add	0.14	
For 4,000 PSI Concrete, Add	0.46	
For Reinforcing Rods Are At 18" On Center, Deduct	-0.13	
For Reinforcing Rods Are At 24" On Center, Deduct	-0.40	
For Up To 500, Add	4.29	
For >500 To 1,000, Add	2.98	
For >1,000 To 2,000, Add	1.67	
For >2,000 To 5,000, Add	0.84	
For >10,000 To 20,000, Deduct	-0.36	
For >20,000 To 35,000, Deduct	-0.66	
For >35,000 To 50,000, Deduct	-0.96	
For >50,000 To 70,000, Deduct	-1.26	
For >70,000, Deduct	-1.56	

03 31 13 00-0010 Concrete Delivery And Placement (03 31 13)
 Note: Includes cleaning out equipment and standard concrete placement tests.

03 31 13 00-0011 Place Concrete By Method Indicated (03 31 13 00-0010)
 Note: Tasks for concrete placement "By Concrete Pump" exclude the pumping equipment. See CSI section 03 37 16 00-0001 for concrete pumping equipment.

03 Concrete**03 30 Cast-In-Place Concrete****03 31 Structural Concrete**

MINOR
CSI UOM DESCRIPTION

TOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

03 31 13 00-0012 Place Concrete Pile Caps <small>(03 31 13 00-0011)</small>		
03 31 13 00-0013	CY Crane And Bucket, Place 3,000 PSI Concrete Pile Caps.....	227.86
	<i>For 2,000 PSI Concrete, Deduct</i>	-6.57
	<i>For 2,500 PSI Concrete, Deduct</i>	-3.29
	<i>For 3,500 PSI Concrete, Add</i>	6.09
	<i>For 3,750 PSI Concrete, Add</i>	8.28
	<i>For 4,000 PSI Concrete, Add</i>	10.47
	<i>For 4,500 PSI Concrete, Add</i>	12.18
	<i>For 5,000 PSI Concrete, Add</i>	13.88
	<i>For 6,000 PSI Concrete, Add</i>	32.87
	<i>For White Cement Concrete, Add</i>	14.61
	<i>For High Sulfate Resistance, Type 5 Cement Concrete ASTM C150, Add</i>	15.83
	<i>For High Early Strength, Type 3 ASTM C150, Add</i>	12.18
	<i>For Lightweight Aggregate, ASTM C330, Add</i>	36.53
	<i>For Up To 20, Add</i>	42.44
	<i>For >20 To 50, Add</i>	15.92
	<i>For >100 To 200, Deduct</i>	-4.56
	<i>For >200 To 400, Deduct</i>	-9.11
	<i>For >400, Deduct</i>	-13.67
03 31 13 00-0014	CY Direct Chute, Place 3,000 PSI Concrete Pile Caps.....	170.96
	<i>For 2,000 PSI Concrete, Deduct</i>	-6.57
	<i>For 2,500 PSI Concrete, Deduct</i>	-3.29
	<i>For 3,500 PSI Concrete, Add</i>	6.09
	<i>For 3,750 PSI Concrete, Add</i>	8.28
	<i>For 4,000 PSI Concrete, Add</i>	10.47
	<i>For 4,500 PSI Concrete, Add</i>	12.17
	<i>For 5,000 PSI Concrete, Add</i>	13.88
	<i>For 6,000 PSI Concrete, Add</i>	32.87
	<i>For White Cement Concrete, Add</i>	14.61
	<i>For High Sulfate Resistance, Type 5 Cement Concrete ASTM C150, Add</i>	15.83
	<i>For High Early Strength, Type 3 ASTM C150, Add</i>	12.17
	<i>For Lightweight Aggregate, ASTM C330, Add</i>	36.52
	<i>For Up To 20, Add</i>	19.69
	<i>For >20 To 50, Add</i>	7.38
	<i>For >100 To 200, Deduct</i>	-3.42
	<i>For >200 To 400, Deduct</i>	-6.84
	<i>For >400, Deduct</i>	-10.26
03 31 13 00-0015	CY Concrete Pump, Place 3,000 PSI Concrete Pile Caps.....	178.77
	Note: Excludes pumping equipment.	
	<i>For 2,000 PSI Concrete, Deduct</i>	-7.12
	<i>For 2,500 PSI Concrete, Deduct</i>	-3.56
	<i>For 3,500 PSI Concrete, Add</i>	6.59
	<i>For 3,750 PSI Concrete, Add</i>	8.97
	<i>For 4,000 PSI Concrete, Add</i>	11.34
	<i>For 4,500 PSI Concrete, Add</i>	13.19
	<i>For 5,000 PSI Concrete, Add</i>	15.04
	<i>For 6,000 PSI Concrete, Add</i>	35.61
	<i>For White Cement Concrete, Add</i>	15.83
	<i>For High Sulfate Resistance, Type 5 Cement Concrete ASTM C150, Add</i>	17.15
	<i>For High Early Strength, Type 3 ASTM C150, Add</i>	13.19
	<i>For Lightweight Aggregate, ASTM C330, Add</i>	39.57
	<i>For Up To 20, Add</i>	18.75
	<i>For >20 To 50, Add</i>	7.03
	<i>For >100 To 200, Deduct</i>	-3.58
	<i>For >200 To 400, Deduct</i>	-7.15
	<i>For >400, Deduct</i>	-10.73
03 31 13 00-0016 Place Concrete Continuous Footings <small>(03 31 13 00-0011)</small>		
03 31 13 00-0017	CY Crane And Bucket, Place 3,000 PSI Concrete Continuous Footings.....	216.06
	<i>For 2,000 PSI Concrete, Deduct</i>	-6.57
	<i>For 2,500 PSI Concrete, Deduct</i>	-3.29
	<i>For 3,500 PSI Concrete, Add</i>	6.09
	<i>For 3,750 PSI Concrete, Add</i>	8.28
	<i>For 4,000 PSI Concrete, Add</i>	10.47
	<i>For 4,500 PSI Concrete, Add</i>	12.17
	<i>For 5,000 PSI Concrete, Add</i>	13.88
	<i>For 6,000 PSI Concrete, Add</i>	32.87
	<i>For White Cement Concrete, Add</i>	14.61
	<i>For High Sulfate Resistance, Type 5 Cement Concrete ASTM C150, Add</i>	15.83
	<i>For High Early Strength, Type 3 ASTM C150, Add</i>	12.17
	<i>For Lightweight Aggregate, ASTM C330, Add</i>	36.52
	<i>For Up To 20, Add</i>	37.73
	<i>For >20 To 50, Add</i>	14.15
	<i>For >100 To 200, Deduct</i>	-4.32
	<i>For >200 To 400, Deduct</i>	-8.64
	<i>For >400, Deduct</i>	-12.96



Concrete	03	CS
Cast-In-Place Concrete	03 30	
Structural Concrete	03 31	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
03 31 13 00-0018 CY Direct Chute, Place 3,000 PSI Concrete Continuous Footings	165.50	
For 2,000 PSI Concrete, Deduct	-6.57	
For 2,500 PSI Concrete, Deduct	-3.29	
For 3,500 PSI Concrete, Add	6.09	
For 3,750 PSI Concrete, Add	8.28	
For 4,000 PSI Concrete, Add	10.47	
For 4,500 PSI Concrete, Add	12.17	
For 5,000 PSI Concrete, Add	13.88	
For 6,000 PSI Concrete, Add	32.87	
For White Cement Concrete, Add	14.61	
For High Sulfate Resistance, Type 5 Cement Concrete ASTM C150, Add	15.83	
For High Early Strength, Type 3 ASTM C150, Add	12.17	
For Lightweight Aggregate, ASTM C330, Add	36.52	
For Up To 20, Add	17.50	
For >20 To 50, Add	6.56	
For >100 To 200, Deduct	-3.31	
For >200 To 400, Deduct	-6.62	
For >400, Deduct	-9.93	
03 31 13 00-0019 CY Concrete Pump, Place 3,000 PSI Concrete Continuous Footings	173.56	
Note: Excludes pumping equipment.		
For 2,000 PSI Concrete, Deduct	-7.12	
For 2,500 PSI Concrete, Deduct	-3.56	
For 3,500 PSI Concrete, Add	6.59	
For 3,750 PSI Concrete, Add	8.97	
For 4,000 PSI Concrete, Add	11.34	
For 4,500 PSI Concrete, Add	13.19	
For 5,000 PSI Concrete, Add	15.04	
For 6,000 PSI Concrete, Add	35.61	
For White Cement Concrete, Add	15.83	
For High Sulfate Resistance, Type 5 Cement Concrete ASTM C150, Add	17.15	
For High Early Strength, Type 3 ASTM C150, Add	13.19	
For Lightweight Aggregate, ASTM C330, Add	39.57	
For Up To 20, Add	16.67	
For >20 To 50, Add	6.25	
For >100 To 200, Deduct	-3.47	
For >200 To 400, Deduct	-6.94	
For >400, Deduct	-10.41	
03 31 13 00-0020 Place Concrete Spread Footings (03 31 13 00-0011)		
03 31 13 00-0021 CY Crane And Bucket, Place 3,000 PSI Concrete Spread Footings.....	280.91	
For 2,000 PSI Concrete, Deduct	-6.57	
For 2,500 PSI Concrete, Deduct	-3.29	
For 3,500 PSI Concrete, Add	6.09	
For 3,750 PSI Concrete, Add	8.28	
For 4,000 PSI Concrete, Add	10.47	
For 4,500 PSI Concrete, Add	12.17	
For 5,000 PSI Concrete, Add	13.88	
For 6,000 PSI Concrete, Add	32.87	
For White Cement Concrete, Add	14.61	
For High Sulfate Resistance, Type 5 Cement Concrete ASTM C150, Add	15.83	
For High Early Strength, Type 3 ASTM C150, Add	12.17	
For Lightweight Aggregate, ASTM C330, Add	36.52	
For Up To 20, Add	63.67	
For >20 To 50, Add	23.88	
For >100 To 200, Deduct	-5.62	
For >200 To 400, Deduct	-11.24	
For >400, Deduct	-16.85	
03 31 13 00-0022 CY Direct Chute, Place 3,000 PSI Concrete Spread Footings.....	195.58	
For 2,000 PSI Concrete, Deduct	-6.57	
For 2,500 PSI Concrete, Deduct	-3.29	
For 3,500 PSI Concrete, Add	6.09	
For 3,750 PSI Concrete, Add	8.28	
For 4,000 PSI Concrete, Add	10.47	
For 4,500 PSI Concrete, Add	12.17	
For 5,000 PSI Concrete, Add	13.88	
For 6,000 PSI Concrete, Add	32.87	
For White Cement Concrete, Add	14.61	
For High Sulfate Resistance, Type 5 Cement Concrete ASTM C150, Add	15.83	
For High Early Strength, Type 3 ASTM C150, Add	12.17	
For Lightweight Aggregate, ASTM C330, Add	36.52	
For Up To 20, Add	29.54	
For >20 To 50, Add	11.08	
For >100 To 200, Deduct	-3.91	
For >200 To 400, Deduct	-7.82	
For >400, Deduct	-11.73	

03	03 Concrete
	03 30 Cast-In-Place Concrete
	03 31 Structural Concrete



MINOR		TOTAL DIRECT	DEMOLITION
CSI	UOM DESCRIPTION	UNIT COST	UNIT COST
03 31 13 00-0023	CY Concrete Pump, Place 3,000 PSI Concrete Spread Footings Note: Excludes pumping equipment.	202.22	
	For 2,000 PSI Concrete, Deduct	-7.12	
	For 2,500 PSI Concrete, Deduct	-3.56	
	For 3,500 PSI Concrete, Add	6.59	
	For 3,750 PSI Concrete, Add	8.97	
	For 4,000 PSI Concrete, Add	11.34	
	For 4,500 PSI Concrete, Add	13.19	
	For 5,000 PSI Concrete, Add	15.04	
	For 6,000 PSI Concrete, Add	35.61	
	For White Cement Concrete, Add	15.83	
	For High Sulfate Resistance, Type 5 Cement Concrete ASTM C150, Add	17.15	
	For High Early Strength, Type 3 ASTM C150, Add	13.19	
	For Lightweight Aggregate, ASTM C330, Add	39.57	
	For Up To 20, Add	28.13	
	For >20 To 50, Add	10.55	
	For >100 To 200, Deduct	-4.04	
	For >200 To 400, Deduct	-8.09	
	For >400, Deduct	-12.13	
03 31 13 00-0024	Place Concrete Mat Foundation (03 31 13 00-0011)		
03 31 13 00-0025	CY Crane And Bucket, Place 3,000 PSI Concrete Mat Foundation For 2,000 PSI Concrete, Deduct	150.04	-6.57
	For 2,500 PSI Concrete, Deduct	-3.29	
	For 3,500 PSI Concrete, Add	6.09	
	For 3,750 PSI Concrete, Add	8.28	
	For 4,000 PSI Concrete, Add	10.47	
	For 4,500 PSI Concrete, Add	12.17	
	For 5,000 PSI Concrete, Add	13.88	
	For 6,000 PSI Concrete, Add	32.87	
	For White Cement Concrete, Add	14.61	
	For High Sulfate Resistance, Type 5 Cement Concrete ASTM C150, Add	15.83	
	For High Early Strength, Type 3 ASTM C150, Add	12.17	
	For Lightweight Aggregate, ASTM C330, Add	36.52	
	For Up To 20, Add	11.32	
	For >20 To 50, Add	4.25	
	For >100 To 200, Deduct	-3.00	
	For >200 To 400, Deduct	-6.00	
	For >400, Deduct	-9.00	
03 31 13 00-0026	CY Direct Chute, Place 3,000 PSI Concrete Mat Foundation For 2,000 PSI Concrete, Deduct	134.87	-6.57
	For 2,500 PSI Concrete, Deduct	-3.29	
	For 3,500 PSI Concrete, Add	6.09	
	For 3,750 PSI Concrete, Add	8.28	
	For 4,000 PSI Concrete, Add	10.47	
	For 4,500 PSI Concrete, Add	12.17	
	For 5,000 PSI Concrete, Add	13.88	
	For 6,000 PSI Concrete, Add	32.87	
	For White Cement Concrete, Add	14.61	
	For High Sulfate Resistance, Type 5 Cement Concrete ASTM C150, Add	15.83	
	For High Early Strength, Type 3 ASTM C150, Add	12.17	
	For Lightweight Aggregate, ASTM C330, Add	36.52	
	For Up To 20, Add	5.25	
	For >20 To 50, Add	1.97	
	For >100 To 200, Deduct	-2.70	
	For >200 To 400, Deduct	-5.39	
	For >400, Deduct	-8.09	
03 31 13 00-0027	CY Concrete Pump, Place 3,000 PSI Concrete Mat Foundation Note: Excludes pumping equipment.	142.83	
	For 2,000 PSI Concrete, Deduct	-7.12	
	For 2,500 PSI Concrete, Deduct	-3.56	
	For 3,500 PSI Concrete, Add	6.59	
	For 3,750 PSI Concrete, Add	8.97	
	For 4,000 PSI Concrete, Add	11.34	
	For 4,500 PSI Concrete, Add	13.19	
	For 5,000 PSI Concrete, Add	15.04	
	For 6,000 PSI Concrete, Add	35.61	
	For White Cement Concrete, Add	15.83	
	For High Sulfate Resistance, Type 5 Cement Concrete ASTM C150, Add	17.15	
	For High Early Strength, Type 3 ASTM C150, Add	13.19	
	For Lightweight Aggregate, ASTM C330, Add	39.57	
	For Up To 20, Add	4.38	
	For >20 To 50, Add	1.64	
	For >100 To 200, Deduct	-2.86	
	For >200 To 400, Deduct	-5.71	
	For >400, Deduct	-8.57	
03 31 13 00-0028	Place Concrete Grade Beams (03 31 13 00-0011)		



Concrete	03	CS
Cast-In-Place Concrete	03 30	
Structural Concrete	03 31	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
03 31 13 00-0029 CY Crane And Bucket, Place 3,000 PSI Concrete Grade Beams.....	197.19	
For 2,000 PSI Concrete, Deduct	-6.57	
For 2,500 PSI Concrete, Deduct	-3.29	
For 3,500 PSI Concrete, Add	6.09	
For 3,750 PSI Concrete, Add	8.28	
For 4,000 PSI Concrete, Add	10.47	
For 4,500 PSI Concrete, Add	12.17	
For 5,000 PSI Concrete, Add	13.88	
For 6,000 PSI Concrete, Add	32.87	
For White Cement Concrete, Add	14.61	
For High Sulfate Resistance, Type 5 Cement Concrete ASTM C150, Add	15.83	
For High Early Strength, Type 3 ASTM C150, Add	12.17	
For Lightweight Aggregate, ASTM C330, Add	36.52	
For Up To 20, Add	30.18	
For >20 To 50, Add	11.32	
For >100 To 200, Deduct	-3.94	
For >200 To 400, Deduct	-7.89	
For >400, Deduct	-11.83	
03 31 13 00-0030 CY Direct Chute, Place 3,000 PSI Concrete Grade Beams.....	156.74	
For 2,000 PSI Concrete, Deduct	-6.57	
For 2,500 PSI Concrete, Deduct	-3.29	
For 3,500 PSI Concrete, Add	6.09	
For 3,750 PSI Concrete, Add	8.28	
For 4,000 PSI Concrete, Add	10.47	
For 4,500 PSI Concrete, Add	12.17	
For 5,000 PSI Concrete, Add	13.88	
For 6,000 PSI Concrete, Add	32.87	
For White Cement Concrete, Add	14.61	
For High Sulfate Resistance, Type 5 Cement Concrete ASTM C150, Add	15.83	
For High Early Strength, Type 3 ASTM C150, Add	12.17	
For Lightweight Aggregate, ASTM C330, Add	36.52	
For Up To 20, Add	14.00	
For >20 To 50, Add	5.25	
For >100 To 200, Deduct	-3.13	
For >200 To 400, Deduct	-6.27	
For >400, Deduct	-9.40	
03 31 13 00-0031 CY Concrete Pump, Place 3,000 PSI Concrete Grade Beams.....	165.23	
Note: Excludes pumping equipment.		
For 2,000 PSI Concrete, Deduct	-7.12	
For 2,500 PSI Concrete, Deduct	-3.56	
For 3,500 PSI Concrete, Add	6.59	
For 3,750 PSI Concrete, Add	8.97	
For 4,000 PSI Concrete, Add	11.34	
For 4,500 PSI Concrete, Add	13.19	
For 5,000 PSI Concrete, Add	15.04	
For 6,000 PSI Concrete, Add	35.61	
For White Cement Concrete, Add	15.83	
For High Sulfate Resistance, Type 5 Cement Concrete ASTM C150, Add	17.15	
For High Early Strength, Type 3 ASTM C150, Add	13.19	
For Lightweight Aggregate, ASTM C330, Add	39.57	
For Up To 20, Add	13.34	
For >20 To 50, Add	5.00	
For >100 To 200, Deduct	-3.30	
For >200 To 400, Deduct	-6.61	
For >400, Deduct	-9.91	
03 31 13 00-0032 Place Concrete Slab On Grade (03 31 13 00-0011)		
03 31 13 00-0033 CY Up To 6", By Crane And Bucket, Place 3,000 PSI Concrete Slab On Grade.....	198.97	
For 2,000 PSI Concrete, Deduct	-6.57	
For 2,500 PSI Concrete, Deduct	-3.29	
For 3,500 PSI Concrete, Add	6.09	
For 3,750 PSI Concrete, Add	8.28	
For 4,000 PSI Concrete, Add	10.47	
For 4,500 PSI Concrete, Add	12.17	
For 5,000 PSI Concrete, Add	13.88	
For 6,000 PSI Concrete, Add	32.87	
For White Cement Concrete, Add	14.61	
For High Sulfate Resistance, Type 5 Cement Concrete ASTM C150, Add	15.83	
For High Early Strength, Type 3 ASTM C150, Add	12.17	
For Lightweight Aggregate, ASTM C330, Add	36.52	
For Up To 20, Add	30.89	
For >20 To 50, Add	11.58	
For >100 To 200, Deduct	-3.98	
For >200 To 400, Deduct	-7.96	
For >400, Deduct	-11.94	

03 Concrete**03 30 Cast-In-Place Concrete****03 31 Structural Concrete**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
03 31	13 00-0034	CY	>6", By Crane And Bucket, Place 3,000 PSI Concrete Slab On Grade.....	180.35	
			<i>For 2,000 PSI Concrete, Deduct</i>	-6.57	
			<i>For 2,500 PSI Concrete, Deduct</i>	-3.29	
			<i>For 3,500 PSI Concrete, Add</i>	6.09	
			<i>For 3,750 PSI Concrete, Add</i>	8.28	
			<i>For 4,000 PSI Concrete, Add</i>	10.47	
			<i>For 4,500 PSI Concrete, Add</i>	12.17	
			<i>For 5,000 PSI Concrete, Add</i>	13.88	
			<i>For 6,000 PSI Concrete, Add</i>	32.87	
			<i>For White Cement Concrete, Add</i>	14.61	
			<i>For High Sulfate Resistance, Type 5 Cement Concrete ASTM C150, Add</i>	15.83	
			<i>For High Early Strength, Type 3 ASTM C150, Add</i>	12.17	
			<i>For Lightweight Aggregate, ASTM C330, Add</i>	36.52	
			<i>For Up To 20, Add</i>	23.44	
			<i>For >20 To 50, Add</i>	8.79	
			<i>For >100 To 200, Deduct</i>	-3.61	
			<i>For >200 To 400, Deduct</i>	-7.21	
			<i>For >400, Deduct</i>	-10.82	
03 31	13 00-0035	CY	Up To 6", By Direct Chute, Place 3,000 PSI Concrete Slab On Grade.....	157.57	
			<i>For 2,000 PSI Concrete, Deduct</i>	-6.57	
			<i>For 2,500 PSI Concrete, Deduct</i>	-3.29	
			<i>For 3,500 PSI Concrete, Add</i>	6.09	
			<i>For 3,750 PSI Concrete, Add</i>	8.28	
			<i>For 4,000 PSI Concrete, Add</i>	10.47	
			<i>For 4,500 PSI Concrete, Add</i>	12.17	
			<i>For 5,000 PSI Concrete, Add</i>	13.88	
			<i>For 6,000 PSI Concrete, Add</i>	32.87	
			<i>For White Cement Concrete, Add</i>	14.61	
			<i>For High Sulfate Resistance, Type 5 Cement Concrete ASTM C150, Add</i>	15.83	
			<i>For High Early Strength, Type 3 ASTM C150, Add</i>	12.17	
			<i>For Lightweight Aggregate, ASTM C330, Add</i>	36.52	
			<i>For Up To 20, Add</i>	14.33	
			<i>For >20 To 50, Add</i>	5.37	
			<i>For >100 To 200, Deduct</i>	-3.15	
			<i>For >200 To 400, Deduct</i>	-6.30	
			<i>For >400, Deduct</i>	-9.45	
03 31	13 00-0036	CY	>6", By Direct Chute, Place 3,000 PSI Concrete Slab On Grade.....	148.92	
			<i>For 2,000 PSI Concrete, Deduct</i>	-6.57	
			<i>For 2,500 PSI Concrete, Deduct</i>	-3.29	
			<i>For 3,500 PSI Concrete, Add</i>	6.09	
			<i>For 3,750 PSI Concrete, Add</i>	8.28	
			<i>For 4,000 PSI Concrete, Add</i>	10.47	
			<i>For 4,500 PSI Concrete, Add</i>	12.17	
			<i>For 5,000 PSI Concrete, Add</i>	13.88	
			<i>For 6,000 PSI Concrete, Add</i>	32.87	
			<i>For White Cement Concrete, Add</i>	14.61	
			<i>For High Sulfate Resistance, Type 5 Cement Concrete ASTM C150, Add</i>	15.83	
			<i>For High Early Strength, Type 3 ASTM C150, Add</i>	12.17	
			<i>For Lightweight Aggregate, ASTM C330, Add</i>	36.52	
			<i>For Up To 20, Add</i>	10.87	
			<i>For >20 To 50, Add</i>	4.08	
			<i>For >100 To 200, Deduct</i>	-2.98	
			<i>For >200 To 400, Deduct</i>	-5.96	
			<i>For >400, Deduct</i>	-8.94	
03 31	13 00-0037	CY	Up To 6", By Concrete Pump, Place 3,000 PSI Concrete Slab On Grade.....	161.75	
			Note: Excludes pumping equipment.		
			<i>For 2,000 PSI Concrete, Deduct</i>	-7.12	
			<i>For 2,500 PSI Concrete, Deduct</i>	-3.56	
			<i>For 3,500 PSI Concrete, Add</i>	6.59	
			<i>For 3,750 PSI Concrete, Add</i>	8.97	
			<i>For 4,000 PSI Concrete, Add</i>	11.34	
			<i>For 4,500 PSI Concrete, Add</i>	13.19	
			<i>For 5,000 PSI Concrete, Add</i>	15.04	
			<i>For 6,000 PSI Concrete, Add</i>	35.61	
			<i>For White Cement Concrete, Add</i>	15.83	
			<i>For High Sulfate Resistance, Type 5 Cement Concrete ASTM C150, Add</i>	17.15	
			<i>For High Early Strength, Type 3 ASTM C150, Add</i>	13.19	
			<i>For Lightweight Aggregate, ASTM C330, Add</i>	39.57	
			<i>For Up To 20, Add</i>	11.94	
			<i>For >20 To 50, Add</i>	4.48	
			<i>For >100 To 200, Deduct</i>	-3.24	
			<i>For >200 To 400, Deduct</i>	-6.47	
			<i>For >400, Deduct</i>	-9.71	



Concrete	03	CS
Cast-In-Place Concrete	03 30	
Structural Concrete	03 31	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
03 31 13 00-0038 CY >6", By Concrete Pump, Place 3,000 PSI Concrete Slab On Grade.....	154.54	
Note: Excludes pumping equipment.		
For 2,000 PSI Concrete, Deduct	-7.12	
For 2,500 PSI Concrete, Deduct	-3.56	
For 3,500 PSI Concrete, Add	6.59	
For 3,750 PSI Concrete, Add	8.97	
For 4,000 PSI Concrete, Add	11.34	
For 4,500 PSI Concrete, Add	13.19	
For 5,000 PSI Concrete, Add	15.04	
For 6,000 PSI Concrete, Add	35.61	
For White Cement Concrete, Add	15.83	
For High Sulfate Resistance, Type 5 Cement Concrete ASTM C150, Add	17.15	
For High Early Strength, Type 3 ASTM C150, Add	13.19	
For Lightweight Aggregate, ASTM C330, Add	39.57	
For Up To 20, Add	9.06	
For >20 To 50, Add	3.40	
For >100 To 200, Deduct	-3.09	
For >200 To 400, Deduct	-6.18	
For >400, Deduct	-9.27	
03 31 13 00-0039 Place Concrete Duct Bank (03 31 13 00-0011)		
03 31 13 00-0040 CY Direct Chute, Place 3,000 PSI Concrete Duct Bank	151.39	
For 2,000 PSI Concrete, Deduct	-6.57	
For 2,500 PSI Concrete, Deduct	-3.29	
For 3,500 PSI Concrete, Add	6.09	
For 3,750 PSI Concrete, Add	8.28	
For 4,000 PSI Concrete, Add	10.47	
For 4,500 PSI Concrete, Add	12.17	
For 5,000 PSI Concrete, Add	13.88	
For 6,000 PSI Concrete, Add	32.87	
For White Cement Concrete, Add	14.61	
For High Sulfate Resistance, Type 5 Cement Concrete ASTM C150, Add	15.83	
For High Early Strength, Type 3 ASTM C150, Add	12.17	
For Lightweight Aggregate, ASTM C330, Add	36.52	
For Up To 20, Add	11.86	
For >20 To 50, Add	4.45	
For >100 To 200, Deduct	-3.03	
For >200 To 400, Deduct	-6.06	
For >400, Deduct	-9.08	
03 31 13 00-0041 Place Concrete Stairs (03 31 13 00-0011)		
03 31 13 00-0042 CY Crane And Bucket, Place 3,000 PSI On Grade Concrete Stairs	469.22	
For 2,000 PSI Concrete, Deduct	-6.57	
For 2,500 PSI Concrete, Deduct	-3.29	
For 3,500 PSI Concrete, Add	6.09	
For 3,750 PSI Concrete, Add	8.28	
For 4,000 PSI Concrete, Add	10.47	
For 4,500 PSI Concrete, Add	12.17	
For 5,000 PSI Concrete, Add	13.88	
For 6,000 PSI Concrete, Add	32.87	
For White Cement Concrete, Add	14.61	
For High Sulfate Resistance, Type 5 Cement Concrete ASTM C150, Add	15.83	
For High Early Strength, Type 3 ASTM C150, Add	12.17	
For Lightweight Aggregate, ASTM C330, Add	36.52	
For Up To 20, Add	138.99	
For >20 To 50, Add	52.12	
For >100 To 200, Deduct	-9.38	
For >200 To 400, Deduct	-18.77	
For >400, Deduct	-28.15	
03 31 13 00-0043 CY Direct Chute, Place 3,000 PSI On Grade Concrete Stairs	282.96	
For 2,000 PSI Concrete, Deduct	-6.57	
For 2,500 PSI Concrete, Deduct	-3.29	
For 3,500 PSI Concrete, Add	6.09	
For 3,750 PSI Concrete, Add	8.28	
For 4,000 PSI Concrete, Add	10.47	
For 4,500 PSI Concrete, Add	12.17	
For 5,000 PSI Concrete, Add	13.88	
For 6,000 PSI Concrete, Add	32.87	
For White Cement Concrete, Add	14.61	
For High Sulfate Resistance, Type 5 Cement Concrete ASTM C150, Add	15.83	
For High Early Strength, Type 3 ASTM C150, Add	12.17	
For Lightweight Aggregate, ASTM C330, Add	36.52	
For Up To 20, Add	64.49	
For >20 To 50, Add	24.18	
For >100 To 200, Deduct	-5.66	
For >200 To 400, Deduct	-11.32	
For >400, Deduct	-16.98	

03 Concrete**03 30 Cast-In-Place Concrete****03 31 Structural Concrete**

MINOR
CSI UOM DESCRIPTION

TOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

03 31 13 00-0044	CY	Concrete Pump, Place 3,000 PSI On Grade Concrete Stairs	266.26
		Note: Excludes pumping equipment.	
		For 2,000 PSI Concrete, Deduct	-7.12
		For 2,500 PSI Concrete, Deduct	-3.56
		For 3,500 PSI Concrete, Add	6.59
		For 3,750 PSI Concrete, Add	8.97
		For 4,000 PSI Concrete, Add	11.34
		For 4,500 PSI Concrete, Add	13.19
		For 5,000 PSI Concrete, Add	15.04
		For 6,000 PSI Concrete, Add	35.61
		For White Cement Concrete, Add	15.83
		For High Sulfate Resistance, Type 5 Cement Concrete ASTM C150, Add	17.15
		For High Early Strength, Type 3 ASTM C150, Add	13.19
		For Lightweight Aggregate, ASTM C330, Add	39.57
		For Up To 20, Add	53.75
		For >20 To 50, Add	20.16
		For >100 To 200, Deduct	-5.33
		For >200 To 400, Deduct	-10.65
		For >400, Deduct	-15.98
03 31 13 00-0045		Place Concrete Superstructure By Method Indicated (03 31 13 00-0010)	
		See CSI section 03 37 16 00-0001 for concrete pump truck.	
03 31 13 00-0046		Place Elevated Concrete Beams (03 31 13 00-0045)	
03 31 13 00-0047	CY	Crane And Bucket, Place 3,000 PSI Elevated Concrete Beams	310.38
		For 2,000 PSI Concrete, Deduct	-6.57
		For 2,500 PSI Concrete, Deduct	-3.29
		For 3,500 PSI Concrete, Add	6.09
		For 3,750 PSI Concrete, Add	8.28
		For 4,000 PSI Concrete, Add	10.47
		For 4,500 PSI Concrete, Add	12.17
		For 5,000 PSI Concrete, Add	13.88
		For 6,000 PSI Concrete, Add	32.87
		For White Cement Concrete, Add	14.61
		For High Sulfate Resistance, Type 5 Cement Concrete ASTM C150, Add	15.83
		For High Early Strength, Type 3 ASTM C150, Add	12.17
		For Lightweight Aggregate, ASTM C330, Add	36.52
		For Up To 20, Add	75.46
		For >20 To 50, Add	28.30
		For >100 To 200, Deduct	-6.21
		For >200 To 400, Deduct	-12.42
		For >400, Deduct	-18.62
03 31 13 00-0048	CY	Concrete Pump, Place 3,000 PSI Elevated Concrete Beams	215.23
		Note: Excludes pumping equipment.	
		For 2,000 PSI Concrete, Deduct	-7.12
		For 2,500 PSI Concrete, Deduct	-3.56
		For 3,500 PSI Concrete, Add	6.59
		For 3,750 PSI Concrete, Add	8.97
		For 4,000 PSI Concrete, Add	11.34
		For 4,500 PSI Concrete, Add	13.19
		For 5,000 PSI Concrete, Add	15.04
		For 6,000 PSI Concrete, Add	35.61
		For White Cement Concrete, Add	15.83
		For High Sulfate Resistance, Type 5 Cement Concrete ASTM C150, Add	17.15
		For High Early Strength, Type 3 ASTM C150, Add	13.19
		For Lightweight Aggregate, ASTM C330, Add	39.57
		For Up To 20, Add	33.34
		For >20 To 50, Add	12.50
		For >100 To 200, Deduct	-4.30
		For >200 To 400, Deduct	-8.61
		For >400, Deduct	-12.91
03 31 13 00-0049		Place Elevated Concrete Slab (03 31 13 00-0045)	
03 31 13 00-0050	CY	Up To 6", By Crane And Bucket, Place 3,000 PSI Elevated Concrete Slab	210.55
		For 2,000 PSI Concrete, Deduct	-6.57
		For 2,500 PSI Concrete, Deduct	-3.29
		For 3,500 PSI Concrete, Add	6.09
		For 3,750 PSI Concrete, Add	8.28
		For 4,000 PSI Concrete, Add	10.47
		For 4,500 PSI Concrete, Add	12.17
		For 5,000 PSI Concrete, Add	13.88
		For 6,000 PSI Concrete, Add	32.87
		For White Cement Concrete, Add	14.61
		For High Sulfate Resistance, Type 5 Cement Concrete ASTM C150, Add	15.83
		For High Early Strength, Type 3 ASTM C150, Add	12.17
		For Lightweight Aggregate, ASTM C330, Add	36.52
		For Up To 20, Add	35.52
		For >20 To 50, Add	13.32
		For >100 To 200, Deduct	-4.21
		For >200 To 400, Deduct	-8.42
		For >400, Deduct	-12.63



Concrete	03	CS
Cast-In-Place Concrete	03 30	
Structural Concrete	03 31	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
03 31 13 00-0051 CY >6", By Crane And Bucket, Place 3,000 PSI Elevated Concrete Slab	189.12	
For 2,000 PSI Concrete, Deduct	-6.57	
For 2,500 PSI Concrete, Deduct	-3.29	
For 3,500 PSI Concrete, Add	6.09	
For 3,750 PSI Concrete, Add	8.28	
For 4,000 PSI Concrete, Add	10.47	
For 4,500 PSI Concrete, Add	12.17	
For 5,000 PSI Concrete, Add	13.88	
For 6,000 PSI Concrete, Add	32.87	
For White Cement Concrete, Add	14.61	
For High Sulfate Resistance, Type 5 Cement Concrete ASTM C150, Add	15.83	
For High Early Strength, Type 3 ASTM C150, Add	12.17	
For Lightweight Aggregate, ASTM C330, Add	36.52	
For Up To 20, Add	26.95	
For >20 To 50, Add	10.11	
For >100 To 200, Deduct	-3.78	
For >200 To 400, Deduct	-7.56	
For >400, Deduct	-11.35	
03 31 13 00-0052 CY Up To 6", By Concrete Pump, Place 3,000 PSI Elevated Concrete Slab	171.13	
Note: Excludes pumping equipment.		
For 2,000 PSI Concrete, Deduct	-7.12	
For 2,500 PSI Concrete, Deduct	-3.56	
For 3,500 PSI Concrete, Add	6.59	
For 3,750 PSI Concrete, Add	8.97	
For 4,000 PSI Concrete, Add	11.34	
For 4,500 PSI Concrete, Add	13.19	
For 5,000 PSI Concrete, Add	15.04	
For 6,000 PSI Concrete, Add	35.61	
For White Cement Concrete, Add	15.83	
For High Sulfate Resistance, Type 5 Cement Concrete ASTM C150, Add	17.15	
For High Early Strength, Type 3 ASTM C150, Add	13.19	
For Lightweight Aggregate, ASTM C330, Add	39.57	
For Up To 20, Add	15.70	
For >20 To 50, Add	5.89	
For >100 To 200, Deduct	-3.42	
For >200 To 400, Deduct	-6.85	
For >400, Deduct	-10.27	
03 31 13 00-0053 CY >6", By Concrete Pump, Place 3,000 PSI Elevated Concrete Slab	161.67	
Note: Excludes pumping equipment.		
For 2,000 PSI Concrete, Deduct	-7.12	
For 2,500 PSI Concrete, Deduct	-3.56	
For 3,500 PSI Concrete, Add	6.59	
For 3,750 PSI Concrete, Add	8.97	
For 4,000 PSI Concrete, Add	11.34	
For 4,500 PSI Concrete, Add	13.19	
For 5,000 PSI Concrete, Add	15.04	
For 6,000 PSI Concrete, Add	35.61	
For White Cement Concrete, Add	15.83	
For High Sulfate Resistance, Type 5 Cement Concrete ASTM C150, Add	17.15	
For High Early Strength, Type 3 ASTM C150, Add	13.19	
For Lightweight Aggregate, ASTM C330, Add	39.57	
For Up To 20, Add	11.91	
For >20 To 50, Add	4.47	
For >100 To 200, Deduct	-3.23	
For >200 To 400, Deduct	-6.47	
For >400, Deduct	-9.70	
03 31 13 00-0054 Place Concrete Columns (03 31 13 00-0045)	325.47	
03 31 13 00-0055 CY 12" Square Or Round, By Crane And Bucket, Place 3,000 PSI Concrete Columns	325.47	
For 2,000 PSI Concrete, Deduct	-6.57	
For 2,500 PSI Concrete, Deduct	-3.29	
For 3,500 PSI Concrete, Add	6.09	
For 3,750 PSI Concrete, Add	8.28	
For 4,000 PSI Concrete, Add	10.47	
For 4,500 PSI Concrete, Add	12.17	
For 5,000 PSI Concrete, Add	13.88	
For 6,000 PSI Concrete, Add	32.87	
For White Cement Concrete, Add	14.61	
For High Sulfate Resistance, Type 5 Cement Concrete ASTM C150, Add	15.83	
For High Early Strength, Type 3 ASTM C150, Add	12.17	
For Lightweight Aggregate, ASTM C330, Add	36.52	
For Up To 20, Add	81.49	
For >20 To 50, Add	30.56	
For >100 To 200, Deduct	-6.51	
For >200 To 400, Deduct	-13.02	
For >400, Deduct	-19.53	

03 Concrete**03 30 Cast-In-Place Concrete****03 31 Structural Concrete**

MINOR
CSI UOM DESCRIPTION

TOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

03 31 13 00-0056	CY 18" Square Or Round, By Crane And Bucket, Place 3,000 PSI Concrete Columns	269.83	
	<i>For 2,000 PSI Concrete, Deduct</i>	-6.57	
	<i>For 2,500 PSI Concrete, Deduct</i>	-3.29	
	<i>For 3,500 PSI Concrete, Add</i>	6.09	
	<i>For 3,750 PSI Concrete, Add</i>	8.28	
	<i>For 4,000 PSI Concrete, Add</i>	10.47	
	<i>For 4,500 PSI Concrete, Add</i>	12.17	
	<i>For 5,000 PSI Concrete, Add</i>	13.88	
	<i>For 6,000 PSI Concrete, Add</i>	32.87	
	<i>For White Cement Concrete, Add</i>	14.61	
	<i>For High Sulfate Resistance, Type 5 Cement Concrete ASTM C150, Add</i>	15.83	
	<i>For High Early Strength, Type 3 ASTM C150, Add</i>	12.17	
	<i>For Lightweight Aggregate, ASTM C330, Add</i>	36.52	
	<i>For Up To 20, Add</i>	59.24	
	<i>For >20 To 50, Add</i>	22.21	
	<i>For >100 To 200, Deduct</i>	-5.40	
	<i>For >200 To 400, Deduct</i>	-10.79	
	<i>For >400, Deduct</i>	-16.19	
03 31 13 00-0057	CY 24" Square Or Round, By Crane And Bucket, Place 3,000 PSI Concrete Columns	230.02	
	<i>For 2,000 PSI Concrete, Deduct</i>	-6.57	
	<i>For 2,500 PSI Concrete, Deduct</i>	-3.29	
	<i>For 3,500 PSI Concrete, Add</i>	6.09	
	<i>For 3,750 PSI Concrete, Add</i>	8.28	
	<i>For 4,000 PSI Concrete, Add</i>	10.47	
	<i>For 4,500 PSI Concrete, Add</i>	12.17	
	<i>For 5,000 PSI Concrete, Add</i>	13.88	
	<i>For 6,000 PSI Concrete, Add</i>	32.87	
	<i>For White Cement Concrete, Add</i>	14.61	
	<i>For High Sulfate Resistance, Type 5 Cement Concrete ASTM C150, Add</i>	15.83	
	<i>For High Early Strength, Type 3 ASTM C150, Add</i>	12.17	
	<i>For Lightweight Aggregate, ASTM C330, Add</i>	36.52	
	<i>For Up To 20, Add</i>	43.31	
	<i>For >20 To 50, Add</i>	16.24	
	<i>For >100 To 200, Deduct</i>	-4.60	
	<i>For >200 To 400, Deduct</i>	-9.20	
	<i>For >400, Deduct</i>	-13.80	
03 31 13 00-0058	CY 36" Square Or Round, By Crane And Bucket, Place 3,000 PSI Concrete Columns	212.29	
	<i>For 2,000 PSI Concrete, Deduct</i>	-6.57	
	<i>For 2,500 PSI Concrete, Deduct</i>	-3.29	
	<i>For 3,500 PSI Concrete, Add</i>	6.09	
	<i>For 3,750 PSI Concrete, Add</i>	8.28	
	<i>For 4,000 PSI Concrete, Add</i>	10.47	
	<i>For 4,500 PSI Concrete, Add</i>	12.17	
	<i>For 5,000 PSI Concrete, Add</i>	13.88	
	<i>For 6,000 PSI Concrete, Add</i>	32.87	
	<i>For White Cement Concrete, Add</i>	14.61	
	<i>For High Sulfate Resistance, Type 5 Cement Concrete ASTM C150, Add</i>	15.83	
	<i>For High Early Strength, Type 3 ASTM C150, Add</i>	12.17	
	<i>For Lightweight Aggregate, ASTM C330, Add</i>	36.52	
	<i>For Up To 20, Add</i>	36.22	
	<i>For >20 To 50, Add</i>	13.58	
	<i>For >100 To 200, Deduct</i>	-4.25	
	<i>For >200 To 400, Deduct</i>	-8.49	
	<i>For >400, Deduct</i>	-12.74	
03 31 13 00-0059	CY 12" Square Or Round, By Concrete Pump, Place 3,000 PSI Concrete Columns.....	221.91	
	Note: Excludes pumping equipment.		
	<i>For 2,000 PSI Concrete, Deduct</i>	-7.12	
	<i>For 2,500 PSI Concrete, Deduct</i>	-3.56	
	<i>For 3,500 PSI Concrete, Add</i>	6.59	
	<i>For 3,750 PSI Concrete, Add</i>	8.97	
	<i>For 4,000 PSI Concrete, Add</i>	11.34	
	<i>For 4,500 PSI Concrete, Add</i>	13.19	
	<i>For 5,000 PSI Concrete, Add</i>	15.04	
	<i>For 6,000 PSI Concrete, Add</i>	35.61	
	<i>For White Cement Concrete, Add</i>	15.83	
	<i>For High Sulfate Resistance, Type 5 Cement Concrete ASTM C150, Add</i>	17.15	
	<i>For High Early Strength, Type 3 ASTM C150, Add</i>	13.19	
	<i>For Lightweight Aggregate, ASTM C330, Add</i>	39.57	
	<i>For Up To 20, Add</i>	36.01	
	<i>For >20 To 50, Add</i>	13.50	
	<i>For >100 To 200, Deduct</i>	-4.44	
	<i>For >200 To 400, Deduct</i>	-8.88	
	<i>For >400, Deduct</i>	-13.31	



Concrete	03	CS
Cast-In-Place Concrete	03 30	
Structural Concrete	03 31	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
03 31 13 00-0060 CY 18" Square Or Round, By Concrete Pump, Place 3,000 PSI Concrete Columns197.31 Note: Excludes pumping equipment.		
For 2,000 PSI Concrete, Deduct	-7.12	
For 2,500 PSI Concrete, Deduct	-3.56	
For 3,500 PSI Concrete, Add	6.59	
For 3,750 PSI Concrete, Add	8.97	
For 4,000 PSI Concrete, Add	11.34	
For 4,500 PSI Concrete, Add	13.19	
For 5,000 PSI Concrete, Add	15.04	
For 6,000 PSI Concrete, Add	35.61	
For White Cement Concrete, Add	15.83	
For High Sulfate Resistance, Type 5 Cement Concrete ASTM C150, Add	17.15	
For High Early Strength, Type 3 ASTM C150, Add	13.19	
For Lightweight Aggregate, ASTM C330, Add	39.57	
For Up To 20, Add	26.17	
For >20 To 50, Add	9.81	
For >100 To 200, Deduct	-3.95	
For >200 To 400, Deduct	-7.89	
For >400, Deduct	-11.84	
03 31 13 00-0061 CY 24" Square Or Round, By Concrete Pump, Place 3,000 PSI Concrete Columns179.73 Note: Excludes pumping equipment.		
For 2,000 PSI Concrete, Deduct	-7.12	
For 2,500 PSI Concrete, Deduct	-3.56	
For 3,500 PSI Concrete, Add	6.59	
For 3,750 PSI Concrete, Add	8.97	
For 4,000 PSI Concrete, Add	11.34	
For 4,500 PSI Concrete, Add	13.19	
For 5,000 PSI Concrete, Add	15.04	
For 6,000 PSI Concrete, Add	35.61	
For White Cement Concrete, Add	15.83	
For High Sulfate Resistance, Type 5 Cement Concrete ASTM C150, Add	17.15	
For High Early Strength, Type 3 ASTM C150, Add	13.19	
For Lightweight Aggregate, ASTM C330, Add	39.57	
For Up To 20, Add	19.14	
For >20 To 50, Add	7.18	
For >100 To 200, Deduct	-3.59	
For >200 To 400, Deduct	-7.19	
For >400, Deduct	-10.78	
03 31 13 00-0062 CY 36" Square Or Round, By Concrete Pump, Place 3,000 PSI Concrete Columns171.89 Note: Excludes pumping equipment.		
For 2,000 PSI Concrete, Deduct	-7.12	
For 2,500 PSI Concrete, Deduct	-3.56	
For 3,500 PSI Concrete, Add	6.59	
For 3,750 PSI Concrete, Add	8.97	
For 4,000 PSI Concrete, Add	11.34	
For 4,500 PSI Concrete, Add	13.19	
For 5,000 PSI Concrete, Add	15.04	
For 6,000 PSI Concrete, Add	35.61	
For White Cement Concrete, Add	15.83	
For High Sulfate Resistance, Type 5 Cement Concrete ASTM C150, Add	17.15	
For High Early Strength, Type 3 ASTM C150, Add	13.19	
For Lightweight Aggregate, ASTM C330, Add	39.57	
For Up To 20, Add	16.00	
For >20 To 50, Add	6.00	
For >100 To 200, Deduct	-3.44	
For >200 To 400, Deduct	-6.88	
For >400, Deduct	-10.31	
03 31 13 00-0063 Place Concrete Walls (03 31 13 00-0045)		
03 31 13 00-0064 CY 8" Thick, By Crane And Bucket, Place 3,000 PSI Concrete Walls312.73		
For 2,000 PSI Concrete, Deduct	-6.57	
For 2,500 PSI Concrete, Deduct	-3.29	
For 3,500 PSI Concrete, Add	6.09	
For 3,750 PSI Concrete, Add	8.28	
For 4,000 PSI Concrete, Add	10.47	
For 4,500 PSI Concrete, Add	12.17	
For 5,000 PSI Concrete, Add	13.88	
For 6,000 PSI Concrete, Add	32.87	
For White Cement Concrete, Add	14.61	
For High Sulfate Resistance, Type 5 Cement Concrete ASTM C150, Add	15.83	
For High Early Strength, Type 3 ASTM C150, Add	12.17	
For Lightweight Aggregate, ASTM C330, Add	36.52	
For Up To 20, Add	76.40	
For >20 To 50, Add	28.65	
For >100 To 200, Deduct	-6.25	
For >200 To 400, Deduct	-12.51	
For >400, Deduct	-18.76	

03 Concrete**03 30 Cast-In-Place Concrete****03 31 Structural Concrete**

MINOR		TOTAL DIRECT	DEMOLITION
CSI	UOM DESCRIPTION	UNIT COST	UNIT COST
03 31 13 00-0065	CY 12" Thick, By Crane And Bucket, Place 3,000 PSI Concrete Walls	296.91	
	<i>For 2,000 PSI Concrete, Deduct</i>	-6.57	
	<i>For 2,500 PSI Concrete, Deduct</i>	-3.29	
	<i>For 3,500 PSI Concrete, Add</i>	6.09	
	<i>For 3,750 PSI Concrete, Add</i>	8.28	
	<i>For 4,000 PSI Concrete, Add</i>	10.47	
	<i>For 4,500 PSI Concrete, Add</i>	12.17	
	<i>For 5,000 PSI Concrete, Add</i>	13.88	
	<i>For 6,000 PSI Concrete, Add</i>	32.87	
	<i>For White Cement Concrete, Add</i>	14.61	
	<i>For High Sulfate Resistance, Type 5 Cement Concrete ASTM C150, Add</i>	15.83	
	<i>For High Early Strength, Type 3 ASTM C150, Add</i>	12.17	
	<i>For Lightweight Aggregate, ASTM C330, Add</i>	36.52	
	<i>For Up To 20, Add</i>	70.07	
	<i>For >20 To 50, Add</i>	26.28	
	<i>For >100 To 200, Deduct</i>	-5.94	
	<i>For >200 To 400, Deduct</i>	-11.88	
	<i>For >400, Deduct</i>	-17.81	
03 31 13 00-0066	CY 15" Thick, By Crane And Bucket, Place 3,000 PSI Concrete Walls	255.44	
	<i>For 2,000 PSI Concrete, Deduct</i>	-6.57	
	<i>For 2,500 PSI Concrete, Deduct</i>	-3.29	
	<i>For 3,500 PSI Concrete, Add</i>	6.09	
	<i>For 3,750 PSI Concrete, Add</i>	8.28	
	<i>For 4,000 PSI Concrete, Add</i>	10.47	
	<i>For 4,500 PSI Concrete, Add</i>	12.17	
	<i>For 5,000 PSI Concrete, Add</i>	13.88	
	<i>For 6,000 PSI Concrete, Add</i>	32.87	
	<i>For White Cement Concrete, Add</i>	14.61	
	<i>For High Sulfate Resistance, Type 5 Cement Concrete ASTM C150, Add</i>	15.83	
	<i>For High Early Strength, Type 3 ASTM C150, Add</i>	12.17	
	<i>For Lightweight Aggregate, ASTM C330, Add</i>	36.52	
	<i>For Up To 20, Add</i>	53.48	
	<i>For >20 To 50, Add</i>	20.06	
	<i>For >100 To 200, Deduct</i>	-5.11	
	<i>For >200 To 400, Deduct</i>	-10.22	
	<i>For >400, Deduct</i>	-15.33	
03 31 13 00-0067	CY 8" Thick, By Direct Chute, Place 3,000 PSI Concrete Walls	210.34	
	<i>For 2,000 PSI Concrete, Deduct</i>	-6.57	
	<i>For 2,500 PSI Concrete, Deduct</i>	-3.29	
	<i>For 3,500 PSI Concrete, Add</i>	6.09	
	<i>For 3,750 PSI Concrete, Add</i>	8.28	
	<i>For 4,000 PSI Concrete, Add</i>	10.47	
	<i>For 4,500 PSI Concrete, Add</i>	12.17	
	<i>For 5,000 PSI Concrete, Add</i>	13.88	
	<i>For 6,000 PSI Concrete, Add</i>	32.87	
	<i>For White Cement Concrete, Add</i>	14.61	
	<i>For High Sulfate Resistance, Type 5 Cement Concrete ASTM C150, Add</i>	15.83	
	<i>For High Early Strength, Type 3 ASTM C150, Add</i>	12.17	
	<i>For Lightweight Aggregate, ASTM C330, Add</i>	36.52	
	<i>For Up To 20, Add</i>	35.44	
	<i>For >20 To 50, Add</i>	13.29	
	<i>For >100 To 200, Deduct</i>	-4.21	
	<i>For >200 To 400, Deduct</i>	-8.41	
	<i>For >400, Deduct</i>	-12.62	
03 31 13 00-0068	CY 12" Thick, By Direct Chute, Place 3,000 PSI Concrete Walls	192.63	
	<i>For 2,000 PSI Concrete, Deduct</i>	-6.57	
	<i>For 2,500 PSI Concrete, Deduct</i>	-3.29	
	<i>For 3,500 PSI Concrete, Add</i>	6.09	
	<i>For 3,750 PSI Concrete, Add</i>	8.28	
	<i>For 4,000 PSI Concrete, Add</i>	10.47	
	<i>For 4,500 PSI Concrete, Add</i>	12.17	
	<i>For 5,000 PSI Concrete, Add</i>	13.88	
	<i>For 6,000 PSI Concrete, Add</i>	32.87	
	<i>For White Cement Concrete, Add</i>	14.61	
	<i>For High Sulfate Resistance, Type 5 Cement Concrete ASTM C150, Add</i>	15.83	
	<i>For High Early Strength, Type 3 ASTM C150, Add</i>	12.17	
	<i>For Lightweight Aggregate, ASTM C330, Add</i>	36.52	
	<i>For Up To 20, Add</i>	28.36	
	<i>For >20 To 50, Add</i>	10.63	
	<i>For >100 To 200, Deduct</i>	-3.85	
	<i>For >200 To 400, Deduct</i>	-7.71	
	<i>For >400, Deduct</i>	-11.56	



Concrete	03	CS
Cast-In-Place Concrete	03 30	
Structural Concrete	03 31	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
03 31 13 00-0069 CY 15" Thick, By Direct Chute, Place 3,000 PSI Concrete Walls	183.77	
For 2,000 PSI Concrete, Deduct	-6.57	
For 2,500 PSI Concrete, Deduct	-3.29	
For 3,500 PSI Concrete, Add	6.09	
For 3,750 PSI Concrete, Add	8.28	
For 4,000 PSI Concrete, Add	10.47	
For 4,500 PSI Concrete, Add	12.17	
For 5,000 PSI Concrete, Add	13.88	
For 6,000 PSI Concrete, Add	32.87	
For White Cement Concrete, Add	14.61	
For High Sulfate Resistance, Type 5 Cement Concrete ASTM C150, Add	15.83	
For High Early Strength, Type 3 ASTM C150, Add	12.17	
For Lightweight Aggregate, ASTM C330, Add	36.52	
For Up To 20, Add	24.81	
For >20 To 50, Add	9.30	
For >100 To 200, Deduct	-3.68	
For >200 To 400, Deduct	-7.35	
For >400, Deduct	-11.03	
03 31 13 00-0070 CY 8" Thick, By Concrete Pump, Place 3,000 PSI Concrete Walls	216.27	
Note: Excludes pumping equipment.		
For 2,000 PSI Concrete, Deduct	-7.12	
For 2,500 PSI Concrete, Deduct	-3.56	
For 3,500 PSI Concrete, Add	6.59	
For 3,750 PSI Concrete, Add	8.97	
For 4,000 PSI Concrete, Add	11.34	
For 4,500 PSI Concrete, Add	13.19	
For 5,000 PSI Concrete, Add	15.04	
For 6,000 PSI Concrete, Add	35.61	
For White Cement Concrete, Add	15.83	
For High Sulfate Resistance, Type 5 Cement Concrete ASTM C150, Add	17.15	
For High Early Strength, Type 3 ASTM C150, Add	13.19	
For Lightweight Aggregate, ASTM C330, Add	39.57	
For Up To 20, Add	33.75	
For >20 To 50, Add	12.66	
For >100 To 200, Deduct	-4.33	
For >200 To 400, Deduct	-8.65	
For >400, Deduct	-12.98	
03 31 13 00-0071 CY 12" Thick, By Concrete Pump, Place 3,000 PSI Concrete Walls	199.39	
Note: Excludes pumping equipment.		
For 2,000 PSI Concrete, Deduct	-7.12	
For 2,500 PSI Concrete, Deduct	-3.56	
For 3,500 PSI Concrete, Add	6.59	
For 3,750 PSI Concrete, Add	8.97	
For 4,000 PSI Concrete, Add	11.34	
For 4,500 PSI Concrete, Add	13.19	
For 5,000 PSI Concrete, Add	15.04	
For 6,000 PSI Concrete, Add	35.61	
For White Cement Concrete, Add	15.83	
For High Sulfate Resistance, Type 5 Cement Concrete ASTM C150, Add	17.15	
For High Early Strength, Type 3 ASTM C150, Add	13.19	
For Lightweight Aggregate, ASTM C330, Add	39.57	
For Up To 20, Add	27.00	
For >20 To 50, Add	10.13	
For >100 To 200, Deduct	-3.99	
For >200 To 400, Deduct	-7.98	
For >400, Deduct	-11.96	
03 31 13 00-0072 CY 15" Thick, By Concrete Pump, Place 3,000 PSI Concrete Walls	190.96	
Note: Excludes pumping equipment.		
For 2,000 PSI Concrete, Deduct	-7.12	
For 2,500 PSI Concrete, Deduct	-3.56	
For 3,500 PSI Concrete, Add	6.59	
For 3,750 PSI Concrete, Add	8.97	
For 4,000 PSI Concrete, Add	11.34	
For 4,500 PSI Concrete, Add	13.19	
For 5,000 PSI Concrete, Add	15.04	
For 6,000 PSI Concrete, Add	35.61	
For White Cement Concrete, Add	15.83	
For High Sulfate Resistance, Type 5 Cement Concrete ASTM C150, Add	17.15	
For High Early Strength, Type 3 ASTM C150, Add	13.19	
For Lightweight Aggregate, ASTM C330, Add	39.57	
For Up To 20, Add	23.63	
For >20 To 50, Add	8.86	
For >100 To 200, Deduct	-3.82	
For >200 To 400, Deduct	-7.64	
For >400, Deduct	-11.46	
03 31 13 00-0073 Place Elevated Concrete Stairs (03 31 13 00-0045)		

03	03 Concrete
	03 30 Cast-In-Place Concrete
	03 31 Structural Concrete



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
03 31 13 00-0074 CY Crane And Bucket, Place 3,000 PSI Elevated Concrete Stairs.....	507.87	
For 2,000 PSI Concrete, Deduct	-6.57	
For 2,500 PSI Concrete, Deduct	-3.29	
For 3,500 PSI Concrete, Add	6.09	
For 3,750 PSI Concrete, Add	8.28	
For 4,000 PSI Concrete, Add	10.47	
For 4,500 PSI Concrete, Add	12.17	
For 5,000 PSI Concrete, Add	13.88	
For 6,000 PSI Concrete, Add	32.87	
For White Cement Concrete, Add	14.61	
For High Sulfate Resistance, Type 5 Cement Concrete ASTM C150, Add	15.83	
For High Early Strength, Type 3 ASTM C150, Add	12.17	
For Lightweight Aggregate, ASTM C330, Add	36.52	
For Up To 20, Add	154.45	
For >20 To 50, Add	57.92	
For >100 To 200, Deduct	-10.16	
For >200 To 400, Deduct	-20.31	
For >400, Deduct	-30.47	
03 31 13 00-0075 CY Direct Chute, Place 3,000 PSI Elevated Concrete Stairs.....	300.87	
For 2,000 PSI Concrete, Deduct	-6.57	
For 2,500 PSI Concrete, Deduct	-3.29	
For 3,500 PSI Concrete, Add	6.09	
For 3,750 PSI Concrete, Add	8.28	
For 4,000 PSI Concrete, Add	10.47	
For 4,500 PSI Concrete, Add	12.17	
For 5,000 PSI Concrete, Add	13.88	
For 6,000 PSI Concrete, Add	32.87	
For White Cement Concrete, Add	14.61	
For High Sulfate Resistance, Type 5 Cement Concrete ASTM C150, Add	15.83	
For High Early Strength, Type 3 ASTM C150, Add	12.17	
For Lightweight Aggregate, ASTM C330, Add	36.52	
For Up To 20, Add	71.65	
For >20 To 50, Add	26.87	
For >100 To 200, Deduct	-6.02	
For >200 To 400, Deduct	-12.03	
For >400, Deduct	-18.05	
03 31 13 00-0076 CY Concrete Pump, Place 3,000 PSI Elevated Concrete Stairs.....	281.17	
Note: Excludes pumping equipment.		
For 2,000 PSI Concrete, Deduct	-7.12	
For 2,500 PSI Concrete, Deduct	-3.56	
For 3,500 PSI Concrete, Add	6.59	
For 3,750 PSI Concrete, Add	8.97	
For 4,000 PSI Concrete, Add	11.34	
For 4,500 PSI Concrete, Add	13.19	
For 5,000 PSI Concrete, Add	15.04	
For 6,000 PSI Concrete, Add	35.61	
For White Cement Concrete, Add	15.83	
For High Sulfate Resistance, Type 5 Cement Concrete ASTM C150, Add	17.15	
For High Early Strength, Type 3 ASTM C150, Add	13.19	
For Lightweight Aggregate, ASTM C330, Add	39.57	
For Up To 20, Add	59.71	
For >20 To 50, Add	22.39	
For >100 To 200, Deduct	-5.62	
For >200 To 400, Deduct	-11.25	
For >400, Deduct	-16.87	
03 31 13 00-0077 Place Concrete Coping (03 31 13 00-0045)		
03 31 13 00-0078 CY Crane And Bucket, Place 3,000 PSI Concrete Coping.....	521.21	
For 2,000 PSI Concrete, Deduct	-6.57	
For 2,500 PSI Concrete, Deduct	-3.29	
For 3,500 PSI Concrete, Add	6.09	
For 3,750 PSI Concrete, Add	8.28	
For 4,000 PSI Concrete, Add	10.47	
For 4,500 PSI Concrete, Add	12.17	
For 5,000 PSI Concrete, Add	13.88	
For 6,000 PSI Concrete, Add	32.87	
For White Cement Concrete, Add	14.61	
For High Sulfate Resistance, Type 5 Cement Concrete ASTM C150, Add	15.83	
For High Early Strength, Type 3 ASTM C150, Add	12.17	
For Lightweight Aggregate, ASTM C330, Add	36.52	
For Up To 20, Add	159.79	
For >20 To 50, Add	59.92	
For >100 To 200, Deduct	-10.42	
For >200 To 400, Deduct	-20.85	
For >400, Deduct	-31.27	



Concrete	03	CS
Cast-In-Place Concrete	03 30	
Structural Concrete	03 31	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
03 31 13 00-0079 CY Direct Chute, Place 3,000 PSI Concrete Coping.....	299.67	
For 2,000 PSI Concrete, Deduct	-6.57	
For 2,500 PSI Concrete, Deduct	-3.29	
For 3,500 PSI Concrete, Add	6.09	
For 3,750 PSI Concrete, Add	8.28	
For 4,000 PSI Concrete, Add	10.47	
For 4,500 PSI Concrete, Add	12.17	
For 5,000 PSI Concrete, Add	13.88	
For 6,000 PSI Concrete, Add	32.87	
For White Cement Concrete, Add	14.61	
For High Sulfate Resistance, Type 5 Cement Concrete ASTM C150, Add	15.83	
For High Early Strength, Type 3 ASTM C150, Add	12.17	
For Lightweight Aggregate, ASTM C330, Add	36.52	
For Up To 20, Add	71.17	
For >20 To 50, Add	26.69	
For >100 To 200, Deduct	-5.99	
For >200 To 400, Deduct	-11.99	
For >400, Deduct	-17.98	
03 31 13 00-0080 CY Concrete Pump, Place 3,000 PSI Concrete Coping.....	401.39	
Note: Excludes pumping equipment.		
For 2,000 PSI Concrete, Deduct	-7.12	
For 2,500 PSI Concrete, Deduct	-3.56	
For 3,500 PSI Concrete, Add	6.59	
For 3,750 PSI Concrete, Add	8.97	
For 4,000 PSI Concrete, Add	11.34	
For 4,500 PSI Concrete, Add	13.19	
For 5,000 PSI Concrete, Add	15.04	
For 6,000 PSI Concrete, Add	35.61	
For White Cement Concrete, Add	15.83	
For High Sulfate Resistance, Type 5 Cement Concrete ASTM C150, Add	17.15	
For High Early Strength, Type 3 ASTM C150, Add	13.19	
For Lightweight Aggregate, ASTM C330, Add	39.57	
For Up To 20, Add	107.80	
For >20 To 50, Add	40.43	
For >100 To 200, Deduct	-8.03	
For >200 To 400, Deduct	-16.06	
For >400, Deduct	-24.08	
03 31 13 00-0081 Concrete Carts (03 31 13 00-0010)		
Note: Used to place concrete were necessary.		
03 31 13 00-0082 CY 50' Haul, Non Motorized, Concrete Buggy.....	21.76	
03 31 13 00-0083 CY 150' Haul, Non Motorized, Concrete Buggy.....	29.13	
03 31 13 00-0084 CY 250' Haul, Non Motorized, Concrete Buggy.....	38.86	
03 31 13 00-0085 CY 50' Haul, Motorized, Concrete Buggy.....	9.60	
03 31 13 00-0086 CY 150' Haul, Motorized, Concrete Buggy.....	12.86	
03 31 13 00-0087 CY 250' Haul, Motorized, Concrete Buggy.....	17.16	
03 31 13 00-0088 Delivery Fee For Small Purchases (03 31 13)		
03 31 13 00-0089 CY Delivery Fee For Concrete Purchases Per CY For Each CY Less Than 9 CY.....	19.06	
Note: The task quantity is 9 minus the number of CY's delivered. For example, the delivery fee for 2CY's is: (9-2) = 7.		
03 31 13 00-0090 Equipment Pads (03 31 13)		
03 31 13 00-0091 Small Concrete Equipment Housekeeping Pad Assemblies (03 31 13 00-0090)		
Note: Includes forms, hand mix concrete, finish, curing and reinforcing. For up to 50 SF per pad and up to 5 pads per project.		
03 31 13 00-0092 SF 4" Equipment Pad With Welded Wire Reinforcement.....	15.32	
03 31 13 00-0093 SF 4" Equipment Pad With Rebar.....	18.97	
03 31 13 00-0094 SF 6" Equipment Pad With Rebar.....	23.86	
03 31 13 00-0095 SF 8" Equipment Pad With Rebar.....	30.01	
03 31 16 Lightweight Structural Concrete (03 31)		
03 31 16 00-0001 Low Density Cellular / Foam Concrete Fill (03 31 16)		
03 31 16 00-0002 CY Lightweight Low Density Cellular/Foam Concrete.....	187.95	
03 35 Concrete Finishing (03 30)		
03 35 13 High-Tolerance Concrete Floor Finishing (03 35)		
03 35 13 00-0001 Floor Finishes (03 35 13)		
Note: Task is for final finish type and includes all required prior finishes.		
03 35 13 00-0002 SF Screed, Concrete Floor Finish.....	0.85	
For Up To 100, Add	1.70	
For >100 To 250, Add	0.43	
For >250 To 500, Add	0.21	
For >5,000 To 10,000, Deduct	-0.04	
For >10,000, Deduct	-0.09	

03	03 Concrete
	03 30 Cast-In-Place Concrete
	03 35 Concrete Finishing



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
------------------------------	---------------------------	-------------------------

03 35 13 00-0003	SF Darby, Concrete Floor Finish	1.02	
	For Up To 100, Add	2.04	
	For >100 To 250, Add	0.51	
	For >250 To 500, Add	0.26	
	For >5,000 To 10,000, Deduct	-0.05	
	For >10,000, Deduct	-0.10	
03 35 13 00-0004	SF Broom, Concrete Floor Finish	1.13	
	For Up To 100, Add	2.26	
	For >100 To 250, Add	0.57	
	For >250 To 500, Add	0.28	
	For >5,000 To 10,000, Deduct	-0.06	
	For >10,000, Deduct	-0.11	
03 35 13 00-0005	SF Final Float, Concrete Floor Finish	1.30	
	For Up To 100, Add	2.60	
	For >100 To 250, Add	0.65	
	For >250 To 500, Add	0.33	
	For >5,000 To 10,000, Deduct	-0.07	
	For >10,000, Deduct	-0.13	
03 35 13 00-0006	SF Steel Trowel, Concrete Floor Finish	1.47	
	For Up To 100, Add	2.94	
	For >100 To 250, Add	0.74	
	For >250 To 500, Add	0.37	
	For >5,000 To 10,000, Deduct	-0.07	
	For >10,000, Deduct	-0.15	
03 35 13 00-0007	SF Concrete Floor Finishes, Machine.....	1.30	
	For Up To 100, Add	2.60	
	For >100 To 250, Add	0.65	
	For >250 To 500, Add	0.33	
	For >5,000 To 10,000, Deduct	-0.07	
	For >10,000, Deduct	-0.13	

03 35 16 Heavy-Duty Concrete Floor Finishing (03 35)

03 35 16 00-0001	Shake On Floor Hardeners (03 35 16)		
03 35 16 00-0002	SF 0.3 LB/SF, Metallic, Shake On Floor Hardener	1.02	
03 35 16 00-0003	SF 0.65 LB/SF, Metallic, Shake On Floor Hardener	1.53	
03 35 16 00-0004	SF 0.3 LB/SF, Non Metallic, Shake On Floor Hardener.....	0.97	
03 35 16 00-0005	SF 0.65 LB/SF, Non Metallic, Shake On Floor Hardener.....	1.14	

03 35 19 Colored Concrete Finishing (03 35)

03 35 19 00-0001	Concrete Surface Treatments (03 35 19)		
03 35 19 00-0002	SF Acrylic Latex Bonding Agent	0.45	
03 35 19 00-0003	SF Epoxy Resin Bonding Agent	2.29	
03 35 19 00-0004	SF Clear Acrylic Sealer, Hardener And Dustproofer.....	0.28	
03 35 19 00-0005	SF Colored Acrylic Sealer, Hardener And Dustproofer.....	0.29	

03 35 23 Exposed Aggregate Concrete Finishing (03 35)

03 35 23 00-0001	Exposed Aggregate, Concrete Finish (03 35 23)		
03 35 23 00-0002	SF Exposed Aggregate, Concrete Floor Finish	2.82	

03 35 26 Grooved Concrete Surface Finishing (03 35)

03 35 26 00-0001	Ramp, Grooved Concrete Surface Finishing (03 35 26)		
03 35 26 00-0002	SF Ramp, Grooved Concrete Surface Finishing.....	3.46	

03 35 29 Tooled Concrete Finishing (03 35)

03 35 29 00-0001	Solid Board Concrete Finish (03 35 29)		
03 35 29 00-0002	SF Solid Board Concrete, Non Uniform Finish, 1 Use, Add To Formwork.....	12.95	
03 35 29 00-0003	Marblecrete Finishes (03 35 29)		
03 35 29 00-0004	SF 2" Thick Marblecrete And Finish	29.97	
03 35 29 00-0005	SF 4" Thick Marblecrete And Finish	40.20	

03 35 33 Stamped Concrete Finishing (03 35)

03 35 33 00-0001	Stamped Concrete Finishes (03 35 33)		
03 35 33 00-0002	SF Up To 2,500 SF Stamped Concrete Finish	3.36	
03 35 33 00-0003	SF >2,500 To 10,000 SF Stamped Concrete Finish	3.04	
03 35 33 00-0004	SF >10,000 SF Stamped Concrete Finish	2.90	

03 35 43 Polished Concrete Finishing (03 35)



Concrete	03	CS
Cast-In-Place Concrete	03 30	
Concrete Finishing	03 35	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
------------------------------	---------------------------	-------------------------

03 35 43 00-0001	Concrete Floor Polishing System <small>(03 35 43)</small> Note: The floor polishing system below may consist of one or multiple applications of each task/step below depending on existing conditions and desired results.	
03 35 43 00-0002	SF Mechanically Grind Concrete Floor With 40 Grit Metal Bonded Diamond Wheels1.57 <i>For Up To 500, Add</i> 3.05 <i>For >500 To 1,000, Add</i> 2.83 <i>For >1,000 To 2,500, Add</i> 1.87 <i>For >2,500 To 4,000, Add</i> 0.97 <i>For >8,000 To 15,000, Deduct</i> -0.38 <i>For >15,000 To 25,000, Deduct</i> -0.48 <i>For >25,000, Deduct</i> -0.68	
03 35 43 00-0003	SF Mechanically Grind Concrete Floor With 80 Grit Metal Bonded Diamond Wheels1.25 <i>For Up To 500, Add</i> 2.43 <i>For >500 To 1,000, Add</i> 2.25 <i>For >1,000 To 2,500, Add</i> 1.49 <i>For >2,500 To 4,000, Add</i> 0.78 <i>For >8,000 To 15,000, Deduct</i> -0.30 <i>For >15,000 To 25,000, Deduct</i> -0.38 <i>For >25,000, Deduct</i> -0.54	
03 35 43 00-0004	SF Mechanically Grind Concrete Floor With 100 Grit Resin Bonded Diamond Wheels1.04 <i>For Up To 500, Add</i> 2.02 <i>For >500 To 1,000, Add</i> 1.87 <i>For >1,000 To 2,500, Add</i> 1.24 <i>For >2,500 To 4,000, Add</i> 0.64 <i>For >8,000 To 15,000, Deduct</i> -0.25 <i>For >15,000 To 25,000, Deduct</i> -0.32 <i>For >25,000, Deduct</i> -0.45	
03 35 43 00-0005	SF Mechanically Grind Concrete Floor With 150 Grit Metal Bonded Diamond Wheels0.97 <i>For Up To 500, Add</i> 1.88 <i>For >500 To 1,000, Add</i> 1.75 <i>For >1,000 To 2,500, Add</i> 1.15 <i>For >2,500 To 4,000, Add</i> 0.60 <i>For >8,000 To 15,000, Deduct</i> -0.23 <i>For >15,000 To 25,000, Deduct</i> -0.30 <i>For >25,000, Deduct</i> -0.42	
03 35 43 00-0006	SF Mechanically Grind Concrete Floor With 200 Grit Resin Bonded Diamond Wheels0.89 <i>For Up To 500, Add</i> 1.73 <i>For >500 To 1,000, Add</i> 1.60 <i>For >1,000 To 2,500, Add</i> 1.06 <i>For >2,500 To 4,000, Add</i> 0.55 <i>For >8,000 To 15,000, Deduct</i> -0.21 <i>For >15,000 To 25,000, Deduct</i> -0.27 <i>For >25,000, Deduct</i> -0.38	
03 35 43 00-0007	SF Mechanically Grind Concrete Floor With 400 Grit Resin Bonded Diamond Wheels0.89 <i>For Up To 500, Add</i> 1.73 <i>For >500 To 1,000, Add</i> 1.60 <i>For >1,000 To 2,500, Add</i> 1.06 <i>For >2,500 To 4,000, Add</i> 0.55 <i>For >8,000 To 15,000, Deduct</i> -0.21 <i>For >15,000 To 25,000, Deduct</i> -0.27 <i>For >25,000, Deduct</i> -0.38	
03 35 43 00-0008	SF Mechanically Grind Concrete Floor With 800 Grit Resin Bonded Diamond Wheels0.89 <i>For Up To 500, Add</i> 1.73 <i>For >500 To 1,000, Add</i> 1.60 <i>For >1,000 To 2,500, Add</i> 1.06 <i>For >2,500 To 4,000, Add</i> 0.55 <i>For >8,000 To 15,000, Deduct</i> -0.21 <i>For >15,000 To 25,000, Deduct</i> -0.27 <i>For >25,000, Deduct</i> -0.38	
03 35 43 00-0009	SF Mechanically Grind Concrete Floor With 1,500 Grit Resin Bonded Diamond Wheels0.89 <i>For Up To 500, Add</i> 1.73 <i>For >500 To 1,000, Add</i> 1.60 <i>For >1,000 To 2,500, Add</i> 1.06 <i>For >2,500 To 4,000, Add</i> 0.55 <i>For >8,000 To 15,000, Deduct</i> -0.21 <i>For >15,000 To 25,000, Deduct</i> -0.27 <i>For >25,000, Deduct</i> -0.38	
03 35 43 00-0010	SF High Speed Burnish Concrete Floor With Diamond Pads0.19 <i>For Up To 500, Add</i> 0.37 <i>For >500 To 1,000, Add</i> 0.34 <i>For >1,000 To 2,500, Add</i> 0.23 <i>For >2,500 To 4,000, Add</i> 0.12 <i>For >8,000 To 15,000, Deduct</i> -0.05 <i>For >15,000 To 25,000, Deduct</i> -0.06 <i>For >25,000, Deduct</i> -0.08	
03 35 43 00-0011	SF Apply 1 Coat Of Concrete Densifier0.24 <i>For Up To 500, Add</i> 0.47 <i>For >500 To 1,000, Add</i> 0.43 <i>For >1,000 To 2,500, Add</i> 0.29 <i>For >2,500 To 4,000, Add</i> 0.15 <i>For >8,000 To 15,000, Deduct</i> -0.06 <i>For >15,000 To 25,000, Deduct</i> -0.07 <i>For >25,000, Deduct</i> -0.10	

03 Concrete**03 30 Cast-In-Place Concrete****03 35 Concrete Finishing**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
03 35 43 00-0012	SF		Apply 2 Coats Of Concrete Densifier With Stain Protector.....	0.24	
			For Up To 500, Add	0.47	
			For >500 To 1,000, Add	0.43	
			For >1,000 To 2,500, Add	0.29	
			For >2,500 To 4,000, Add	0.15	
			For >8,000 To 15,000, Deduct	-0.06	
			For >15,000 To 25,000, Deduct	-0.07	
			For >25,000, Deduct	-0.10	
03 35 43 00-0013	SF		Concrete Floor Polishing Final Clean Up	0.12	
			For Up To 500, Add	0.23	
			For >500 To 1,000, Add	0.22	
			For >1,000 To 2,500, Add	0.14	
			For >2,500 To 4,000, Add	0.07	
			For >8,000 To 15,000, Deduct	-0.03	
			For >15,000 To 25,000, Deduct	-0.04	
			For >25,000, Deduct	-0.05	
03 35 63			Slip-Resistant Floor Finishing (03 35)		
03 35 63 00-0001			Slip-Resistant Floor Finishing (03 35 63)		
03 35 63 00-0002	SF		Aluminum Oxide Abrasive Floor Finish, 0.25 LB/SF	1.20	
			For Up To 100, Add	1.62	
			For >100 To 250, Add	0.41	
			For >250 To 500, Add	0.20	
			For >5,000 To 10,000, Deduct	-0.04	
			For >10,000, Deduct	-0.08	
03 35 63 00-0003	SF		Silicone Carbide Abrasive Floor Finish 0.25 LB/SF	1.10	
			For Up To 100, Add	1.62	
			For >100 To 250, Add	0.41	
			For >250 To 500, Add	0.20	
			For >5,000 To 10,000, Deduct	-0.04	
			For >10,000, Deduct	-0.08	
03 35 66			Acid Etch Floor Finishing (03 35)		
03 35 66 00-0001			Acid Etch Floor (03 35 66)		
03 35 66 00-0002	SF		Concrete Floor Finishes, Etch With Acid And Rinse	0.78	
			For Up To 100, Add	0.78	
			For >100 To 250, Add	0.20	
			For >250 To 500, Add	0.10	
			For >5,000 To 10,000, Deduct	-0.02	
			For >10,000, Deduct	-0.04	
03 35 83			Concrete Wall Finishing (03 35)		
03 35 83 00-0001			Wall Finishes (03 35 83)		
03 35 83 00-0002	SF		Burlap Rub With Grout, New Concrete Wall Finishes	1.49	
			For Up To 100, Add	2.84	
			For >100 To 250, Add	0.71	
			For >250 To 500, Add	0.36	
			For >5,000 To 10,000, Deduct	-0.07	
			For >10,000, Deduct	-0.14	
03 35 83 00-0003	SF		1/16" Float Finish, New Concrete Wall Finishes	2.25	
			For Up To 100, Add	4.28	
			For >100 To 250, Add	1.07	
			For >250 To 500, Add	0.54	
			For >5,000 To 10,000, Deduct	-0.11	
			For >10,000, Deduct	-0.21	
03 35 83 00-0004	SF		Etch With Acid And Rinse, New Concrete Wall Finishes	0.86	
			For Up To 100, Add	0.94	
			For >100 To 250, Add	0.24	
			For >250 To 500, Add	0.12	
			For >5,000 To 10,000, Deduct	-0.02	
			For >10,000, Deduct	-0.05	
03 35 83 00-0005	SF		Bush Hammer Green Concrete, New Concrete Wall Finishes	4.55	
			For Up To 100, Add	9.02	
			For >100 To 250, Add	2.26	
			For >250 To 500, Add	1.13	
			For >5,000 To 10,000, Deduct	-0.23	
			For >10,000, Deduct	-0.45	
03 35 83 00-0006	SF		Bush Hammer Cured Concrete, New Concrete Wall Finishes	7.05	
			For Up To 100, Add	13.96	
			For >100 To 250, Add	3.49	
			For >250 To 500, Add	1.75	
			For >5,000 To 10,000, Deduct	-0.35	
			For >10,000, Deduct	-0.70	
03 35 83 00-0007	SF		Break Ties And Patch, New Concrete Wall Finishes	0.86	
			For Up To 100, Add	1.54	
			For >100 To 250, Add	0.39	
			For >250 To 500, Add	0.19	
			For >5,000 To 10,000, Deduct	-0.04	
			For >10,000, Deduct	-0.08	



Concrete	03	CS
Cast-In-Place Concrete	03 30	
Concrete Finishing	03 35	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
03 35 83 00-0008	SF		Carborundum Dry Rub, New Concrete Wall Finishes	2.93	
			<i>For Up To 100, Add</i>	5.68	
			<i>For >100 To 250, Add</i>	1.42	
			<i>For >250 To 500, Add</i>	0.71	
			<i>For >5,000 To 10,000, Deduct</i>	-0.14	
			<i>For >10,000, Deduct</i>	-0.28	
03 35 83 00-0009	SF		Carborundum Wet Rub, New Concrete Wall Finishes	4.47	
			<i>For Up To 100, Add</i>	8.76	
			<i>For >100 To 250, Add</i>	2.19	
			<i>For >250 To 500, Add</i>	1.10	
			<i>For >5,000 To 10,000, Deduct</i>	-0.22	
			<i>For >10,000, Deduct</i>	-0.44	
03 35 83 00-0010	SF		Up To 1/4" Penetration Sand Blasting, New Concrete Wall Finishes	2.89	
			<i>For Up To 100, Add</i>	4.98	
			<i>For >100 To 250, Add</i>	1.25	
			<i>For >250 To 500, Add</i>	0.62	
			<i>For >5,000 To 10,000, Deduct</i>	-0.12	
			<i>For >10,000, Deduct</i>	-0.25	
03 35 83 00-0011	SF		>1/4" To 1/2" Penetration Sand Blasting, New Concrete Wall Finishes	8.12	
			<i>For Up To 100, Add</i>	14.64	
			<i>For >100 To 250, Add</i>	3.66	
			<i>For >250 To 500, Add</i>	1.83	
			<i>For >5,000 To 10,000, Deduct</i>	-0.37	
			<i>For >10,000, Deduct</i>	-0.73	

03 37 Specialty Placed Concrete (03 30)

Note: Includes gun finish. Not to be used for pumping concrete tasks. See CSI section 03 35 00 00-0000 for finishing.

03 37 13 Shotcrete (03 37)

03 37 13 00-0001 Shotcrete, Fiber Reinforced, Structural Repair (03 37 13)

03 37 13 00-0002	SF		1" Thick Shotcrete, Fiber Reinforced	4.08	
			<i>For Up To 25, Add</i>	0.67	
			<i>For >25 To 50, Add</i>	0.38	
			<i>For >50 To 150, Add</i>	0.13	
03 37 13 00-0003	SF		2" Thick Shotcrete, Fiber Reinforced	7.79	
			<i>For Up To 25, Add</i>	1.25	
			<i>For >25 To 50, Add</i>	0.70	
			<i>For >50 To 150, Add</i>	0.23	
03 37 13 00-0004	SF		3" Thick Shotcrete, Fiber Reinforced	11.22	
			<i>For Up To 25, Add</i>	1.75	
			<i>For >25 To 50, Add</i>	0.98	
			<i>For >50 To 150, Add</i>	0.32	
03 37 13 00-0005	SF		4" Thick Shotcrete, Fiber Reinforced	14.40	
			<i>For Up To 25, Add</i>	2.20	
			<i>For >25 To 50, Add</i>	1.23	
			<i>For >50 To 150, Add</i>	0.38	
03 37 13 00-0006	SF		6" Thick Shotcrete, Fiber Reinforced	20.15	
			<i>For Up To 25, Add</i>	2.94	
			<i>For >25 To 50, Add</i>	1.62	
			<i>For >50 To 150, Add</i>	0.46	

03 37 13 00-0007 Gunite (Dry Mix Shotcrete), Sprayed (03 37 13)

See CSI section 03 22 11 00-0001 for wire mesh reinforcing.

03 37 13 00-0008	SF		1" Thick Gunite (Dry Mix Shotcrete), Sprayed	3.98	
			<i>For Radius Or Irregular Surface, Add</i>	0.96	
			<i>For Up To 25, Add</i>	0.76	
			<i>For >25 To 50, Add</i>	0.44	
			<i>For >50 To 150, Add</i>	0.18	
03 37 13 00-0009	SF		2" Thick Gunite (Dry Mix Shotcrete), Sprayed	7.48	
			<i>For Radius Or Irregular Surface, Add</i>	1.72	
			<i>For Up To 25, Add</i>	1.39	
			<i>For >25 To 50, Add</i>	0.80	
			<i>For >50 To 150, Add</i>	0.32	
03 37 13 00-0010	SF		3" Thick Gunite (Dry Mix Shotcrete), Sprayed	10.57	
			<i>For Radius Or Irregular Surface, Add</i>	2.32	
			<i>For Up To 25, Add</i>	1.93	
			<i>For >25 To 50, Add</i>	1.11	
			<i>For >50 To 150, Add</i>	0.44	
03 37 13 00-0011	SF		4" Thick Gunite (Dry Mix Shotcrete), Sprayed	13.32	
			<i>For Radius Or Irregular Surface, Add</i>	2.78	
			<i>For Up To 25, Add</i>	2.38	
			<i>For >25 To 50, Add</i>	1.36	
			<i>For >50 To 150, Add</i>	0.52	
03 37 13 00-0012	SF		5" Thick Gunite (Dry Mix Shotcrete), Sprayed	15.77	
			<i>For Radius Or Irregular Surface, Add</i>	3.13	
			<i>For Up To 25, Add</i>	2.75	
			<i>For >25 To 50, Add</i>	1.57	
			<i>For >50 To 150, Add</i>	0.59	
03 37 13 00-0013	SF		6" Thick Gunite (Dry Mix Shotcrete), Sprayed	18.00	
			<i>For Radius Or Irregular Surface, Add</i>	3.38	
			<i>For Up To 25, Add</i>	3.07	
			<i>For >25 To 50, Add</i>	1.75	
			<i>For >50 To 150, Add</i>	0.63	

03	Concrete
03 30	Cast-In-Place Concrete
03 37	Specialty Placed Concrete



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
03 37 13 00-0014 SF 8" Thick Gunitite (Dry Mix Shotcrete), Sprayed.....	22.86	
For Radius Or Irregular Surface, Add	4.06	
For Up To 25, Add	3.81	
For >25 To 50, Add	2.16	
For >50 To 150, Add	0.76	
03 37 13 00-0015 SF 10" Thick Gunitite (Dry Mix Shotcrete), Sprayed.....	27.30	
For Radius Or Irregular Surface, Add	4.56	
For Up To 25, Add	4.44	
For >25 To 50, Add	2.51	
For >50 To 150, Add	0.86	
03 37 13 00-0016 SF 12" Thick Gunitite (Dry Mix Shotcrete), Sprayed.....	31.39	
For Radius Or Irregular Surface, Add	4.93	
For Up To 25, Add	4.99	
For >25 To 50, Add	2.80	
For >50 To 150, Add	0.92	
03 37 16 Pumped Concrete (03 37)		
03 37 16 00-0001 Concrete Pumping With Boom Truck (03 37 16)		
Note: Includes truck rental, operator, and local travel delivery. For delivery/set-up of equipment add one hour, for clean-up of equipment add one hour. Use four hours as the minimum cost including set-up and clean-up. Excludes concrete, use "Concrete Pump" concrete tasks from appropriate section to place into pump hopper and place concrete. Sizes are measured at a 30 degree vertical reach. See CSI section 03 31 13 00-0010 for concrete placement.		
03 37 16 00-0002 HR 55' To 60' Boom Truck For Concrete Placement (95 CY Per Hour Rating).....	133.65	
03 37 16 00-0003 HR 70' To 80' Boom Truck For Concrete Placement (117 CY Per Hour Rating).....	139.62	
03 37 16 00-0004 HR 90' To 100' Boom Truck For Concrete Placement (117 CY Per Hour Rating).....	161.19	
03 37 16 00-0005 HR 105' To 115' Boom Truck For Concrete Placement (117 CY Per Hour Rating).....	174.61	
03 37 16 00-0006 HR 120' To 130' Boom Truck For Concrete Placement (170 CY Per Hour Rating).....	188.46	
03 37 16 00-0007 HR 135' To 140' Boom Truck For Concrete Placement (170 CY Per Hour Rating).....	217.81	
03 37 16 00-0008 HR 148' To 155' Boom Truck For Concrete Placement (170 CY Per Hour Rating).....	235.31	
03 37 16 00-0009 HR 170' To 175' Boom Truck For Concrete Placement (182 CY Per Hour Rating).....	277.71	
03 37 16 00-0010 HR 35 CY/HR, 66 HP Trailer Mounted Concrete Pump	100.72	
Note: Includes hoses		
03 39 Concrete Curing (03 39)		
03 39 13 Water Concrete Curing (03 39)		
03 39 13 00-0001 Water Concrete Curing (03 39 13)		
03 39 13 00-0002 SF Water Based Curing, Sealing, Hardening And Dustproofing Compound	0.26	
Note: Coverage rates: rough finish = 300 SF/GAL, broom finish = 300 to 400 SF/GAL, steel troweled = 500 to 600 SF/GAL, and vertical surface = 400 - 500 SF/GAL.		
03 39 23 Membrane Concrete Curing (03 39)		
03 39 23 23 Sheet Membrane Concrete Curing (03 39 23)		
03 39 23 23-0001 Warm Weather Concrete Curing Blankets (03 39 23 23)		
03 39 23 23-0002 CSF Warm Weather Concrete Curing Blankets	27.26	
03 39 23 23-0003 Cold Weather Concrete Curing Blankets (03 39 23 23)		
03 39 23 23-0004 CSF Electric, Cold Weather Concrete Curing Blanket.....	182.75	
03 39 23 23-0005 CSF Non-Electric, Cold Weather Concrete Curing Blanket.....	27.93	
03 40 Precast Concrete (03)		
Note: Precast concrete material prices are based on a precast operation producing large quantities of precast products. Material prices include the concrete panel, delivery to construction site and overhead/mobilization charges for the precast plant.		
03 41 Precast Structural Concrete (03 40)		
03 41 16 Precast Concrete Slabs (03 41)		
03 41 16 00-0001 Flat Floor Slab/Floor Plank (03 41 16)		
03 41 16 00-0002 Erection Costs For Using A 90 Ton Crawler Crane (03 41 16 00-0001)		
Note: Includes handling, hoisting into place, alignment, bracing and permanent connections. Excludes grouting or caulking joints.		
03 41 16 00-0003 EA Erect Precast Floor Deck, 0-2 Ton/Piece 150' Maximum Radius With 90 Ton Crane.....	290.30	232.26
03 41 16 00-0004 EA Erect Precast Floor Deck, 2-3 Ton/Piece 121' Maximum Radius With 90 Ton Crane.....	322.71	258.13
03 41 16 00-0005 EA Erect Precast Floor Deck, 3-4 Ton/Piece 105' Maximum Radius With 90 Ton Crane.....	342.67	274.12
03 41 16 00-0006 EA Erect Precast Floor Deck, 4-5 Ton/Piece 88' Maximum Radius With 90 Ton Crane.....	363.27	290.63
03 41 16 00-0007 EA Erect Precast Floor Deck, 5-6 Ton/Piece 82' Maximum Radius With 90 Ton Crane.....	388.77	310.99
03 41 16 00-0008 EA Erect Precast Floor Deck, 6-7 Ton/Piece 75' Maximum Radius With 90 Ton Crane.....	415.49	332.39
03 41 16 00-0009 EA Erect Precast Floor Deck, 7-8 Ton/Piece 70' Maximum Radius With 90 Ton Crane.....	446.16	356.90
03 41 16 00-0010 EA Erect Precast Floor Deck, 8-9 Ton/Piece 65' Maximum Radius With 90 Ton Crane.....	485.24	388.17
03 41 16 00-0011 EA Erect Precast Floor Deck, 9-10 Ton/Piece 60' Maximum Radius With 90 Ton Crane.....	527.60	422.14



Concrete	03	CS
Precast Concrete	03 40	
Precast Structural Concrete	03 41	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
------------------------------	---------------------------	-------------------------

03 41 16 00-0012	Material Cost <small>(03 41 16 00-0001)</small> Note: Includes cost for 3000 PSI concrete, reinforcing steel, imbedded items, formwork and precast plant operations cost.		
03 41 16 00-0013	SF 4" Thick 3,000 PSI Concrete, Precast Floor Slab Or Plank, Ready To Erect..... <i>For 3,500 PSI Concrete, Add</i> <i>For 4,000 PSI Concrete, Add</i> <i>For 4,500 PSI Concrete, Add</i> <i>For 5,000 PSI Concrete, Add</i>	26.60 0.53 0.80 1.06 1.60	
03 41 16 00-0014	SF 5" Thick 3,000 PSI Concrete, Precast Floor Slab Or Plank, Ready To Erect..... <i>For 3,500 PSI Concrete, Add</i> <i>For 4,000 PSI Concrete, Add</i> <i>For 4,500 PSI Concrete, Add</i> <i>For 5,000 PSI Concrete, Add</i>	31.93 0.64 0.96 1.28 1.92	
03 41 16 00-0015	SF 6" Thick 3,000 PSI Concrete, Precast Floor Slab Or Plank, Ready To Erect..... <i>For 3,500 PSI Concrete, Add</i> <i>For 4,000 PSI Concrete, Add</i> <i>For 4,500 PSI Concrete, Add</i> <i>For 5,000 PSI Concrete, Add</i>	39.02 0.78 1.17 1.56 2.34	
03 41 16 00-0016	SF 8" Thick 3,000 PSI Concrete, Precast Floor Slab Or Plank, Ready To Erect..... <i>For 3,500 PSI Concrete, Add</i> <i>For 4,000 PSI Concrete, Add</i> <i>For 4,500 PSI Concrete, Add</i> <i>For 5,000 PSI Concrete, Add</i>	51.79 1.04 1.55 2.07 3.11	
03 41 16 00-0017	Floor Units, Combination Beam And Slab <small>(03 41 16)</small>		
03 41 16 00-0018	Erection Costs For Using 90 Ton Crawler Crane <small>(03 41 16 00-0017)</small> Note: Includes handling, hoisting into place, alignment, bracing and permanent connections. Excludes grouting or caulking joints.		
03 41 16 00-0019	EA Erect Precast Comb Deck, 0-5 Ton/Piece Beam And Slab, 88' Maximum Radius With 90 Ton Crane.....	358.24	286.58
03 41 16 00-0020	EA Erect Precast Comb Deck, 5-10 Ton/Piece Beam And Slab, 60' Maximum Radius With 90 Ton Crane.....	390.45	312.40
03 41 16 00-0021	EA Erect Precast Comb Deck, 10-15 Ton/Piece Beam And Slab, 43' Maximum Radius With 90 Ton Crane.....	431.56	345.20
03 41 16 00-0022	EA Erect Precast Comb Deck, 15-20 Ton/Piece Beam And Slab, 36' Maximum Radius With 90 Ton Crane.....	479.20	383.33
03 41 16 00-0023	EA Erect Precast Comb Deck, 20-25 Ton/Piece Beam And Slab, 31' Maximum Radius With 90 Ton Crane.....	538.66	430.89
03 41 16 00-0024	Erection Costs Using A 125 Ton Crawler Crane <small>(03 41 16 00-0017)</small> Note: Includes handling, hoisting into place, alignment, bracing and permanent connections. Excludes grouting or caulking joints.		
03 41 16 00-0025	EA Erect Precast Comb Deck, 0-5 Ton/Piece Beam And Slab, 110' Maximum Radius, 125 Ton Crane.....	445.93	356.77
03 41 16 00-0026	EA Erect Precast Comb Deck, 5-10 Ton/Piece Beam And Slab, 75' Maximum Radius, 125 Ton Crane.....	486.04	388.81
03 41 16 00-0027	EA Erect Precast Comb Deck, 10-15 Ton/Piece Beam And Slab, 55' Maximum Radius, 125 Ton Crane.....	537.21	429.80
03 41 16 00-0028	EA Erect Precast Comb Deck, 15-20 Ton/Piece Beam And Slab, 50' Maximum Radius, 125 Ton Crane.....	596.51	477.23
03 41 16 00-0029	EA Erect Precast Comb Deck, 20-25 Ton/Piece Beam And Slab, 40' Maximum Radius, 125 Ton Crane.....	670.53	536.47
03 41 16 00-0030	EA Erect Precast Comb Deck, 20-25 Ton/Piece Beam And Slab, 33' Maximum Radius, 125 Ton Crane.....	729.07	583.22
03 41 16 00-0031	EA Erect Precast Comb Deck, 20-25 Ton/Piece Beam And Slab, 30' Maximum Radius, 125 Ton Crane.....	805.81	644.65
03 41 16 00-0032	EA Erect Precast Comb Deck, 20-25 Ton/Piece Beam And Slab, 28' Maximum Radius, 125 Ton Crane.....	891.87	713.54
03 41 16 00-0033	EA Erect Precast Comb Deck, 20-25 Ton/Piece Beam And Slab, 26' Maximum Radius, 125 Ton Crane.....	1,009.48	807.59
03 41 16 00-0034	Material Cost <small>(03 41 16 00-0017)</small> Note: Includes cost of 3000 PSI concrete, reinforcing steel, imbedded items, formwork and precast plant operation.		
03 41 16 00-0035	4" Slab <small>(03 41 16 00-0034)</small>		
03 41 16 00-0036	CY Precast Combination Deck, 4" Slab With Beams Edge Beam Only, 3,000 PSI Concrete..... <i>For 3,500 PSI Concrete, Add</i> <i>For 4,000 PSI Concrete, Add</i> <i>For 4,500 PSI Concrete, Add</i> <i>For 5,000 PSI Concrete, Add</i>	2,802.35 56.05 84.07 112.09 168.14	
03 41 16 00-0037	CY Precast Combination Deck, 4" Slab With Beams Edge Beam + 1 Interim Beam, 3,000 PSI Concrete..... <i>For 3,500 PSI Concrete, Add</i> <i>For 4,000 PSI Concrete, Add</i> <i>For 4,500 PSI Concrete, Add</i> <i>For 5,000 PSI Concrete, Add</i>	2,837.82 56.76 85.13 113.51 170.27	
03 41 16 00-0038	CY Precast Combination Deck, 4" Slab With Beams Edge Beam + 2 Interim Beam, 3,000 PSI Concrete..... <i>For 3,500 PSI Concrete, Add</i> <i>For 4,000 PSI Concrete, Add</i> <i>For 4,500 PSI Concrete, Add</i> <i>For 5,000 PSI Concrete, Add</i>	3,192.55 63.85 95.78 127.70 191.55	
03 41 16 00-0039	5" Slab <small>(03 41 16 00-0034)</small>		
03 41 16 00-0040	CY Precast Combination Deck, 5" Slab With Beams Edge Beam Only, 3,000 PSI Concrete..... <i>For 3,500 PSI Concrete, Add</i> <i>For 4,000 PSI Concrete, Add</i> <i>For 4,500 PSI Concrete, Add</i> <i>For 5,000 PSI Concrete, Add</i>	2,873.29 57.47 86.20 114.93 172.40	
03 41 16 00-0041	CY Precast Combination Deck, 5" Slab With Beams Edge Beam + 1 Interim Beam, 3,000 PSI Concrete..... <i>For 3,500 PSI Concrete, Add</i> <i>For 4,000 PSI Concrete, Add</i> <i>For 4,500 PSI Concrete, Add</i> <i>For 5,000 PSI Concrete, Add</i>	2,979.71 59.59 89.39 119.19 178.78	

03	03 Concrete
	03 40 Precast Concrete
	03 41 Precast Structural Concrete



MINOR		TOTAL DIRECT	DEMOLITION
CSI	UOM DESCRIPTION	UNIT COST	UNIT COST
03 41 16 00-0042	CY Precast Combination Deck, 5" Slab With Beams Edge Beam + 2 Interim Beam, 3,000 PSI Concrete..... <i>For 3,500 PSI Concrete, Add</i> <i>For 4,000 PSI Concrete, Add</i> <i>For 4,500 PSI Concrete, Add</i> <i>For 5,000 PSI Concrete, Add</i>	3,795.58 75.91 113.87 151.82 227.73	
03 41 16 00-0043	6" Slab (03 41 16 00-0034)		
03 41 16 00-0044	CY Precast Combination Deck, 6" Slab With Beams Edge Beam Only, 3,000 PSI Concrete..... <i>For 3,500 PSI Concrete, Add</i> <i>For 4,000 PSI Concrete, Add</i> <i>For 4,500 PSI Concrete, Add</i> <i>For 5,000 PSI Concrete, Add</i>	2,979.71 59.59 89.39 119.19 178.78	
03 41 16 00-0045	CY Precast Combination Deck, 6" Slab With Beams Edge Beam + 1 Interim Beam, 3,000 PSI Concrete..... <i>For 3,500 PSI Concrete, Add</i> <i>For 4,000 PSI Concrete, Add</i> <i>For 4,500 PSI Concrete, Add</i> <i>For 5,000 PSI Concrete, Add</i>	3,547.27 70.95 106.42 141.89 212.84	
03 41 16 00-0046	CY Precast Combination Deck, 6" Slab With Beams Edge Beam + 2 Interim Beam, 3,000 PSI Concrete..... <i>For 3,500 PSI Concrete, Add</i> <i>For 4,000 PSI Concrete, Add</i> <i>For 4,500 PSI Concrete, Add</i> <i>For 5,000 PSI Concrete, Add</i>	4,327.67 86.55 129.83 173.11 259.66	
03 41 19	Precast Concrete Wall Panels (03 41)		
03 41 19 00-0001	Structural Wall Panels (03 41 19) Note: Gray, smooth form or board finish one side.		
03 41 19 00-0002	Erection Cost Using 50 Ton Hydraulic Crane (03 41 19 00-0001) Note: Includes handling, hoisting into place, alignment, bracing and permanent connections. Excludes grouting or caulking of joints.		
03 41 19 00-0003	EA Erect Precast Wall Panel 0-1 Ton/Piece 100' Maximum Radius With 50 Ton Crane.....	286.08	228.88
03 41 19 00-0004	EA Erect Precast Wall Panel 1-3 Ton/Piece 65' Maximum Radius With 50 Ton Crane.....	318.02	254.37
03 41 19 00-0005	EA Erect Precast Wall Panel 3-5 Ton/Piece 50' Maximum Radius With 50 Ton Crane.....	357.99	286.41
03 41 19 00-0006	EA Erect Precast Wall Panel 5-7 Ton/Piece 40' Maximum Radius With 50 Ton Crane.....	383.11	306.47
03 41 19 00-0007	EA Erect Precast Wall Panel 7-9 Ton/Piece 33' Maximum Radius With 50 Ton Crane.....	409.44	327.56
03 41 19 00-0008	EA Erect Precast Wall Panel 9-11 Ton/Piece 30' Maximum Radius With 50 Ton Crane.....	439.68	351.71
03 41 19 00-0009	EA Erect Precast Wall Panel 11-13 Ton/Piece 25' Maximum Radius With 50 Ton Crane.....	478.19	382.53
03 41 19 00-0010	EA Erect Precast Wall Panel 13-15 Ton/Piece 23' Maximum Radius With 50 Ton Crane.....	519.93	416.00
03 41 19 00-0011	Erection Cost Using 90 Ton Crawler Crane (03 41 19 00-0001) Note: Includes handling, hoisting into place, alignment, bracing and permanent connections. Excludes grouting or caulking of joints.		
03 41 19 00-0012	EA Erect Precast Wall Panel 0-1 Ton/Piece 180' Maximum Radius With 90 Ton Crane.....	322.25	257.77
03 41 19 00-0013	EA Erect Precast Wall Panel 1-3 Ton/Piece 121' Maximum Radius With 90 Ton Crane.....	358.24	286.58
03 41 19 00-0014	EA Erect Precast Wall Panel 3-5 Ton/Piece 89' Maximum Radius With 90 Ton Crane.....	403.26	322.65
03 41 19 00-0015	EA Erect Precast Wall Panel 5-7 Ton/Piece 75' Maximum Radius With 90 Ton Crane.....	431.56	345.20
03 41 19 00-0016	EA Erect Precast Wall Panel 7-9 Ton/Piece 65' Maximum Radius With 90 Ton Crane.....	461.23	368.98
03 41 19 00-0017	EA Erect Precast Wall Panel 9-11 Ton/Piece 55' Maximum Radius With 90 Ton Crane.....	495.28	396.25
03 41 19 00-0018	EA Erect Precast Wall Panel 11-13 Ton/Piece 50' Maximum Radius With 90 Ton Crane.....	538.66	430.89
03 41 19 00-0019	EA Erect Precast Wall Panel 13-15 Ton/Piece 43' Maximum Radius With 90 Ton Crane.....	585.69	468.50
03 41 19 00-0020	EA Erect Precast Wall Panel 15-20 Ton/Piece 36' Maximum Radius With 90 Ton Crane.....	647.34	517.91
03 41 19 00-0021	EA Erect Precast Wall Panel 20-25 Ton/Piece 31' Maximum Radius With 90 Ton Crane.....	716.47	573.15
03 41 19 00-0022	EA Erect Precast Wall Panel 25-30 Ton/Piece 26' Maximum Radius With 90 Ton Crane.....	810.96	648.80
03 41 19 00-0023	EA Erect Precast Wall Panel 30-35 Ton/Piece 25' Maximum Radius With 90 Ton Crane.....	922.46	737.97
03 41 19 00-0024	EA Erect Precast Wall Panel 35-40 Ton/Piece 23' Maximum Radius With 90 Ton Crane.....	1,069.52	855.63
03 41 19 00-0025	Material Cost (03 41 19 00-0001) Note: Includes cost of 3000 PSI concrete, reinforcing steel, imbedded items, formwork and precast plant operations.		
03 41 19 00-0026	SF 4" Thick 3,000 PSI Concrete, Precast Wall Panel, Ready To Erect..... <i>For 3,500 PSI Concrete, Add</i> <i>For 4,000 PSI Concrete, Add</i> <i>For 4,500 PSI Concrete, Add</i> <i>For 5,000 PSI Concrete, Add</i> <i>For White Facing, Add</i> <i>For Solid White Through Thickness, Add</i> <i>For Broken Rib Finish, Add</i> <i>For Fluted Surface, Add</i> <i>For Exposed Aggregate, Add</i> <i>For Sandblasting Of Surface, Add</i> <i>For 2" Polystyrene Insulation, Add</i>	35.47 0.71 1.06 1.42 2.13 7.09 7.09 3.55 3.55 7.09 3.55 1.15	



Concrete	03	CS
Precast Concrete	03 40	
Precast Structural Concrete	03 41	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
03 41 19 00-0027 SF 5" Thick 3,000 PSI Concrete, Precast Wall Panel, Ready To Erect	43.63	
For 3,500 PSI Concrete, Add	0.87	
For 4,000 PSI Concrete, Add	1.31	
For 4,500 PSI Concrete, Add	1.75	
For 5,000 PSI Concrete, Add	2.62	
For White Facing, Add	8.73	
For Solid White Through Thickness, Add	8.73	
For Broken Rib Finish, Add	4.36	
For Fluted Surface, Add	4.36	
For Exposed Aggregate, Add	8.73	
For Sandblasting Of Surface, Add	4.36	
For 2" Polystyrene Insulation, Add	1.15	
03 41 19 00-0028 SF 6" Thick 3,000 PSI Concrete, Precast Wall Panel, Ready To Erect	52.50	
For 3,500 PSI Concrete, Add	1.05	
For 4,000 PSI Concrete, Add	1.58	
For 4,500 PSI Concrete, Add	2.10	
For 5,000 PSI Concrete, Add	3.15	
For White Facing, Add	10.50	
For Solid White Through Thickness, Add	10.50	
For Broken Rib Finish, Add	5.25	
For Fluted Surface, Add	5.25	
For Exposed Aggregate, Add	10.50	
For Sandblasting Of Surface, Add	5.25	
For 2" Polystyrene Insulation, Add	1.15	
03 41 19 00-0029 SF 8" Thick 3,000 PSI Concrete, Precast Wall Panel, Ready To Erect	69.17	
For 3,500 PSI Concrete, Add	1.38	
For 4,000 PSI Concrete, Add	2.08	
For 4,500 PSI Concrete, Add	2.77	
For 5,000 PSI Concrete, Add	4.15	
For White Facing, Add	13.83	
For Solid White Through Thickness, Add	13.83	
For Broken Rib Finish, Add	6.92	
For Fluted Surface, Add	6.92	
For Exposed Aggregate, Add	13.83	
For Sandblasting Of Surface, Add	6.92	
For 2" Polystyrene Insulation, Add	1.15	
03 41 19 00-0030 Partition Panels <small>(03 41 19)</small>		
03 41 19 00-0031 Erection Costs Using 20 Ton Hydraulic Crane <small>(03 41 19 00-0030)</small>		
Note: Includes handling, hoisting into place, alignment, bracing and permanent connections. Excludes grouting or caulking joints.		
03 41 19 00-0032 EA Erect Precast Partition Wall 0-1 Ton/Piece 69' Maximum Radius With 20 Ton Crane	232.11	185.65
03 41 19 00-0033 EA Erect Precast Partition Wall 1-2 Ton/Piece 50' Maximum Radius With 20 Ton Crane	258.01	206.44
03 41 19 00-0034 EA Erect Precast Partition Wall 2-3 Ton/Piece 41' Maximum Radius With 20 Ton Crane	290.44	232.35
03 41 19 00-0035 EA Erect Precast Partition Wall 3-4 Ton/Piece 33' Maximum Radius With 20 Ton Crane	332.20	265.76
03 41 19 00-0036 EA Erect Precast Partition Wall 4-5 Ton/Piece 30' Maximum Radius With 20 Ton Crane	356.72	285.40
03 41 19 00-0037 EA Erect Precast Partition Wall 5-6 Ton/Piece 26' Maximum Radius With 20 Ton Crane	387.97	310.37
03 41 19 00-0038 EA Erect Precast Partition Wall 6-7 Ton/Piece 23' Maximum Radius With 20 Ton Crane	421.84	337.51
03 41 19 00-0039 EA Erect Precast Partition Wall 7-8 Ton/Piece 20' Maximum Radius With 20 Ton Crane	466.24	373.01
03 41 19 00-0040 Erection Costs Using 50 Ton Hydraulic Crane <small>(03 41 19 00-0030)</small>		
Note: Includes handling, hoisting in place, alignment, bracing and permanent connections. Excludes grouting or caulking of joints.		
03 41 19 00-0041 EA Erect Precast Partition Wall 0-1 Ton/Piece 100' Maximum Radius With 50 Ton Crane	286.08	228.88
03 41 19 00-0042 EA Erect Precast Partition Wall 1-2 Ton/Piece 82' Maximum Radius With 50 Ton Crane	318.02	254.37
03 41 19 00-0043 EA Erect Precast Partition Wall 2-3 Ton/Piece 65' Maximum Radius With 50 Ton Crane	357.99	286.41
03 41 19 00-0044 EA Erect Precast Partition Wall 3-4 Ton/Piece 57' Maximum Radius With 50 Ton Crane	409.44	327.56
03 41 19 00-0045 EA Erect Precast Partition Wall 4-5 Ton/Piece 50' Maximum Radius With 50 Ton Crane	439.68	351.71
03 41 19 00-0046 EA Erect Precast Partition Wall 5-6 Ton/Piece 44' Maximum Radius With 50 Ton Crane	478.19	382.53
03 41 19 00-0047 EA Erect Precast Partition Wall 6-7 Ton/Piece 40' Maximum Radius With 50 Ton Crane	519.93	416.00
03 41 19 00-0048 EA Erect Precast Partition Wall 7-8 Ton/Piece 36' Maximum Radius With 50 Ton Crane	574.66	459.71
03 41 19 00-0049 EA Erect Precast Partition Wall 8-10 Ton/Piece 31' Maximum Radius With 50 Ton Crane	636.04	508.84
03 41 19 00-0050 EA Erect Precast Partition Wall 10-12 Ton/Piece 26' Maximum Radius With 50 Ton Crane	719.91	575.89
03 41 19 00-0051 EA Erect Precast Partition Wall 12-14 Ton/Piece 25' Maximum Radius With 50 Ton Crane	818.90	655.12
03 41 19 00-0052 EA Erect Precast Partition Wall 14-16 Ton/Piece 21' Maximum Radius With 50 Ton Crane	949.44	759.53
03 41 19 00-0053 Material Cost <small>(03 41 19 00-0030)</small>		
Note: Includes cost of 3000 PSI concrete, reinforcing steel, imbedded items, formwork and precast plant operations.		
03 41 19 00-0054 SF 4" Thick 3,000 PSI Concrete, Precast Partition Wall, Ready To Erect	33.70	
For 4,000 PSI Concrete, Add	1.01	
For 4,500 PSI Concrete, Add	1.35	
For 5,000 PSI Concrete, Add	2.02	
For White Facing, Add	6.74	
For Solid White Through Thickness, Add	6.74	
For Broken Rib Finish, Add	3.37	
For Fluted Surface, Add	3.37	
For Exposed Aggregate, Add	6.74	
For Sandblasting Of Surface, Add	3.37	

03 Concrete**03 40 Precast Concrete****03 41 Precast Structural Concrete**

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
03 41 19 00-0055 SF 5" Thick 3,000 PSI Concrete, Precast Partition Wall, Ready To Erect	41.50	
For 4,000 PSI Concrete, Add	1.25	
For 4,500 PSI Concrete, Add	1.66	
For 5,000 PSI Concrete, Add	2.49	
For White Facing, Add	8.30	
For Solid White Through Thickness, Add	8.30	
For Broken Rib Finish, Add	4.15	
For Fluted Surface, Add	4.15	
For Exposed Aggregate, Add	8.30	
For Sandblasting Of Surface, Add	4.15	
03 41 19 00-0056 SF 6" Thick 3,000 PSI Concrete, Precast Partition Wall, Ready To Erect	49.66	
For 4,000 PSI Concrete, Add	1.49	
For 4,500 PSI Concrete, Add	1.99	
For 5,000 PSI Concrete, Add	2.98	
For White Facing, Add	9.93	
For Solid White Through Thickness, Add	9.93	
For Broken Rib Finish, Add	4.97	
For Fluted Surface, Add	4.97	
For Exposed Aggregate, Add	9.93	
For Sandblasting Of Surface, Add	4.97	
03 41 19 00-0057 SF 8" Thick 3,000 PSI Concrete, Precast Partition Wall, Ready To Erect	65.62	
For 4,000 PSI Concrete, Add	1.97	
For 4,500 PSI Concrete, Add	2.62	
For 5,000 PSI Concrete, Add	3.94	
For White Facing, Add	13.12	
For Solid White Through Thickness, Add	13.12	
For Broken Rib Finish, Add	6.56	
For Fluted Surface, Add	6.56	
For Exposed Aggregate, Add	13.12	
For Sandblasting Of Surface, Add	6.56	
03 41 19 00-0058 Cladding Panels (03 41 19)		
03 41 19 00-0059 Erection Costs Using 50 Ton Hydraulic Crane (03 41 19 00-0058)		
Note: Includes handling, hoisting into place, alignment, bracing and permanent connections. Excludes grouting or caulking joints.		
03 41 19 00-0060 EA Erect Precast Cladding 0-1 Ton/Piece 100' Maximum Radius With 50 Ton Crane	301.90	241.47
03 41 19 00-0061 EA Erect Precast Cladding 1-3 Ton/Piece 65' Maximum Radius With 50 Ton Crane	337.69	270.14
03 41 19 00-0062 EA Erect Precast Cladding 3-5 Ton/Piece 50' Maximum Radius With 50 Ton Crane	383.11	306.47
03 41 19 00-0063 EA Erect Precast Cladding 5-7 Ton/Piece 40' Maximum Radius With 50 Ton Crane	409.44	327.56
03 41 19 00-0064 EA Erect Precast Cladding 7-9 Ton/Piece 33' Maximum Radius With 50 Ton Crane	439.68	351.71
03 41 19 00-0065 EA Erect Precast Cladding 9-11 Ton/Piece 30' Maximum Radius With 50 Ton Crane	478.19	382.53
03 41 19 00-0066 EA Erect Precast Cladding 11-13 Ton/Piece 25' Maximum Radius With 50 Ton Crane	519.93	416.00
03 41 19 00-0067 EA Erect Precast Cladding 13-15 Ton/Piece 23' Maximum Radius With 50 Ton Crane	574.66	459.71
03 41 19 00-0068 Erection Costs Using 90 Ton Crawler Crane (03 41 19 00-0058)		
Note: Includes handling, hoisting into place, alignment, bracing and permanent connections. Excludes grouting or caulking joints.		
03 41 19 00-0069 EA Erect Precast Cladding 0-1 Ton/Piece 180' Maximum Radius With 90 Ton Crane	340.08	272.03
03 41 19 00-0070 EA Erect Precast Cladding 1-3 Ton/Piece 121' Maximum Radius With 90 Ton Crane	380.39	304.30
03 41 19 00-0071 EA Erect Precast Cladding 3-5 Ton/Piece 89' Maximum Radius With 90 Ton Crane	431.56	345.20
03 41 19 00-0072 EA Erect Precast Cladding 5-7 Ton/Piece 75' Maximum Radius With 90 Ton Crane	461.23	368.98
03 41 19 00-0073 EA Erect Precast Cladding 7-9 Ton/Piece 65' Maximum Radius With 90 Ton Crane	495.28	396.25
03 41 19 00-0074 EA Erect Precast Cladding 9-11 Ton/Piece 55' Maximum Radius With 90 Ton Crane	538.66	430.89
03 41 19 00-0075 EA Erect Precast Cladding 11-13 Ton/Piece 90' Maximum Radius With 90 Ton Crane	585.69	468.50
03 41 19 00-0076 EA Erect Precast Cladding 13-15 Ton/Piece 43' Maximum Radius With 90 Ton Crane	647.34	517.91
03 41 19 00-0077 EA Erect Precast Cladding 15-20 Ton/Piece 36' Maximum Radius With 90 Ton Crane	716.47	573.15
03 41 19 00-0078 EA Erect Precast Cladding 20-25 Ton/Piece 31' Maximum Radius With 90 Ton Crane	810.96	648.80
03 41 19 00-0079 EA Erect Precast Cladding 25-30 Ton/Piece 26' Maximum Radius With 90 Ton Crane	922.46	737.97
03 41 19 00-0080 EA Erect Precast Cladding 30-35 Ton/Piece 25' Maximum Radius With 90 Ton Crane	1,069.52	855.63
03 41 19 00-0081 Material Cost (03 41 19 00-0058)		
Note: Includes cost of 3000 PSI concrete, reinforcing steel, imbedded items, formwork, and precast plant operations.		
03 41 19 00-0082 SF 4" Thick 3,000 PSI Concrete, Precast Cladding Panel, Ready To Erect	33.70	
For 3,500 PSI Concrete, Add	0.67	
For 4,000 PSI Concrete, Add	1.01	
For 4,500 PSI Concrete, Add	1.35	
For 5,000 PSI Concrete, Add	2.02	
For White Facing, Add	6.74	
For Solid White Through Thickness, Add	6.74	
For Broken Rib Finish, Add	3.37	
For Fluted Surface, Add	3.37	
For Exposed Aggregate, Add	6.74	
For Sandblasting Of Surface, Add	3.37	



Concrete	03	CS
Precast Concrete	03 40	
Precast Structural Concrete	03 41	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
03 41 19 00-0083 SF 5" Thick 3,000 PSI Concrete, Precast Cladding Panel, Ready To Erect.....	41.50	
For 3,500 PSI Concrete, Add	0.83	
For 4,000 PSI Concrete, Add	1.25	
For 4,500 PSI Concrete, Add	1.66	
For 5,000 PSI Concrete, Add	2.49	
For White Facing, Add	8.30	
For Solid White Through Thickness, Add	8.30	
For Broken Rib Finish, Add	4.15	
For Fluted Surface, Add	4.15	
For Exposed Aggregate, Add	8.30	
For Sandblasting Of Surface, Add	4.15	
03 41 19 00-0084 SF 6" Thick 3,000 PSI Concrete, Precast Cladding Panel, Ready To Erect.....	49.66	
For 3,500 PSI Concrete, Add	0.99	
For 4,000 PSI Concrete, Add	1.49	
For 4,500 PSI Concrete, Add	1.99	
For 5,000 PSI Concrete, Add	2.98	
For White Facing, Add	9.93	
For Solid White Through Thickness, Add	9.93	
For Broken Rib Finish, Add	4.97	
For Fluted Surface, Add	4.97	
For Exposed Aggregate, Add	9.93	
For Sandblasting Of Surface, Add	4.97	
03 41 19 00-0085 SF 8" Thick 3,000 PSI Concrete, Precast Cladding Panel, Ready To Erect.....	65.62	
For 3,500 PSI Concrete, Add	1.31	
For 4,000 PSI Concrete, Add	1.97	
For 4,500 PSI Concrete, Add	2.62	
For 5,000 PSI Concrete, Add	3.94	
For White Facing, Add	13.12	
For Solid White Through Thickness, Add	13.12	
For Broken Rib Finish, Add	6.56	
For Fluted Surface, Add	6.56	
For Exposed Aggregate, Add	13.12	
For Sandblasting Of Surface, Add	6.56	
03 41 19 00-0086 Sandwich Panel (03 41 19)		
03 41 19 00-0087 Erection Costs Using 50 Ton Hydraulic Crane (03 41 19 00-0086)		
Note: Includes handling, hoisting into place, alignment, bracing and permanent connections. Excludes grouting or caulking joints.		
03 41 19 00-0088 EA Erect Precast Sandwich Panel 0-1 Ton/Piece 100' Maximum Radius With 50 Ton Crane	301.90	241.47
03 41 19 00-0089 EA Erect Precast Sandwich Panel 1-3 Ton/Piece 65' Maximum Radius With 50 Ton Crane	337.69	270.14
03 41 19 00-0090 EA Erect Precast Sandwich Panel 3-5 Ton/Piece 50' Maximum Radius With 50 Ton Crane	383.11	306.47
03 41 19 00-0091 EA Erect Precast Sandwich Panel 5-7 Ton/Piece 40' Maximum Radius With 50 Ton Crane	409.44	327.56
03 41 19 00-0092 EA Erect Precast Sandwich Panel 7-9 Ton/Piece 33' Maximum Radius With 50 Ton Crane	439.68	351.71
03 41 19 00-0093 EA Erect Precast Sandwich Panel 9-11 Ton/Piece 30' Maximum Radius With 50 Ton Crane	478.19	382.53
03 41 19 00-0094 EA Erect Precast Sandwich Panel 11-13 Ton/Piece 25' Maximum Radius With 50 Ton Crane	519.93	416.00
03 41 19 00-0095 EA Erect Precast Sandwich Panel 13-15 Ton/Piece 23' Maximum Radius With 50 Ton Crane	574.66	459.71
03 41 19 00-0096 Erection Costs Using 90 Ton Crawler Crane (03 41 19 00-0086)		
Note: Includes handling, hoisting into place, alignment, bracing and permanent connections. Excludes grouting or caulking joints.		
03 41 19 00-0097 EA Erect Precast Sandwich Panel 0-1 Ton/Piece 180' Maximum Radius With 90 Ton Crane	306.36	245.03
03 41 19 00-0098 EA Erect Precast Sandwich Panel 1-3 Ton/Piece 121' Maximum Radius With 90 Ton Crane	342.67	274.12
03 41 19 00-0099 EA Erect Precast Sandwich Panel 3-5 Ton/Piece 89' Maximum Radius With 90 Ton Crane	388.77	310.99
03 41 19 00-0100 EA Erect Precast Sandwich Panel 5-7 Ton/Piece 75' Maximum Radius With 90 Ton Crane	415.49	332.39
03 41 19 00-0101 EA Erect Precast Sandwich Panel 7-9 Ton/Piece 65' Maximum Radius With 90 Ton Crane	446.16	356.90
03 41 19 00-0102 EA Erect Precast Sandwich Panel 9-11 Ton/Piece 55' Maximum Radius With 90 Ton Crane	485.24	388.17
03 41 19 00-0103 EA Erect Precast Sandwich Panel 11-13 Ton/Piece 50' Maximum Radius With 90 Ton Crane	527.60	422.14
03 41 19 00-0104 EA Erect Precast Sandwich Panel 13-15 Ton/Piece 43' Maximum Radius With 90 Ton Crane	583.14	466.49
03 41 19 00-0105 EA Erect Precast Sandwich Panel 15-20 Ton/Piece 36' Maximum Radius With 90 Ton Crane	645.42	516.35
03 41 19 00-0106 EA Erect Precast Sandwich Panel 20-25 Ton/Piece 31' Maximum Radius With 90 Ton Crane	730.53	584.38
03 41 19 00-0107 EA Erect Precast Sandwich Panel 25-30 Ton/Piece 26' Maximum Radius With 90 Ton Crane	830.98	664.79
03 41 19 00-0108 EA Erect Precast Sandwich Panel 30-35 Ton/Piece 25' Maximum Radius With 90 Ton Crane	963.45	770.74
03 41 19 00-0109 Material Cost (03 41 19 00-0086)		
Note: Includes cost of 3000 PSI concrete, reinforcing steel, imbedded items, formwork, and precast plant operations. Sandwich panel consists of 2.5" cladding panel, 2" fiber board insulation and the structural panel as defined.		
03 41 19 00-0110 SF 4" Thick 3,000 PSI Concrete, Precast Sandwich Panel, Ready To Erect	46.11	
For 3,500 PSI Concrete, Add	0.92	
For 4,000 PSI Concrete, Add	1.38	
For 4,500 PSI Concrete, Add	1.84	
For 5,000 PSI Concrete, Add	2.77	
For White Facing, Add	9.22	
For Solid White Through Thickness, Add	9.22	
For Broken Rib Finish, Add	4.61	
For Fluted Surface, Add	4.61	
For Exposed Aggregate, Add	9.22	
For Sandblasting Of Surface, Add	4.61	

03 Concrete**03 40 Precast Concrete****03 41 Precast Structural Concrete**

MINOR
CSI UOM DESCRIPTION

TOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

03 41 19 00-0111	SF	5" Thick 3,000 PSI Concrete, Precast Sandwich Panel, Ready To Erect.....	54.27	
		<i>For 3,500 PSI Concrete, Add</i>	1.09	
		<i>For 4,000 PSI Concrete, Add</i>	1.63	
		<i>For 4,500 PSI Concrete, Add</i>	2.17	
		<i>For 5,000 PSI Concrete, Add</i>	3.26	
		<i>For White Facing, Add</i>	10.85	
		<i>For Solid White Through Thickness, Add</i>	10.85	
		<i>For Broken Rib Finish, Add</i>	5.43	
		<i>For Fluted Surface, Add</i>	5.43	
		<i>For Exposed Aggregate, Add</i>	10.85	
		<i>For Sandblasting Of Surface, Add</i>	5.43	
03 41 19 00-0112	SF	6" Thick 3,000 PSI Concrete, Precast Sandwich Panel, Ready To Erect.....	63.14	
		<i>For 3,500 PSI Concrete, Add</i>	1.26	
		<i>For 4,000 PSI Concrete, Add</i>	1.89	
		<i>For 4,500 PSI Concrete, Add</i>	2.53	
		<i>For 5,000 PSI Concrete, Add</i>	3.79	
		<i>For White Facing, Add</i>	12.63	
		<i>For Solid White Through Thickness, Add</i>	12.63	
		<i>For Broken Rib Finish, Add</i>	6.31	
		<i>For Fluted Surface, Add</i>	6.31	
		<i>For Exposed Aggregate, Add</i>	12.63	
		<i>For Sandblasting Of Surface, Add</i>	6.31	
03 41 19 00-0113	SF	8" Thick 3,000 PSI Concrete, Precast Sandwich Panel, Ready To Erect.....	79.81	
		<i>For 3,500 PSI Concrete, Add</i>	1.60	
		<i>For 4,000 PSI Concrete, Add</i>	2.39	
		<i>For 4,500 PSI Concrete, Add</i>	3.19	
		<i>For 5,000 PSI Concrete, Add</i>	4.79	
		<i>For White Facing, Add</i>	15.96	
		<i>For Solid White Through Thickness, Add</i>	15.96	
		<i>For Broken Rib Finish, Add</i>	7.98	
		<i>For Fluted Surface, Add</i>	7.98	
		<i>For Exposed Aggregate, Add</i>	15.96	
		<i>For Sandblasting Of Surface, Add</i>	7.98	

03 41 23 Precast Concrete Stairs (03 41)**03 41 23 00-0001 Erection Costs Using A 50 Ton Hydraulic Crane (03 41 23)**

Note: Includes handling, hoisting into place, alignment, bracing and permanent connections. Excludes grouting or caulking joints.

03 41 23 00-0002	EA	Erect Precast Stairs, 0-2 Ton/Piece 82' Maximum Radius With 50 Ton Crane.....	318.02	254.37
03 41 23 00-0003	EA	Erect Precast Stairs, 2-3 Ton/Piece 65' Maximum Radius With 50 Ton Crane.....	337.69	270.14
03 41 23 00-0004	EA	Erect Precast Stairs, 3-4 Ton/Piece 57' Maximum Radius With 50 Ton Crane.....	357.99	286.41
03 41 23 00-0005	EA	Erect Precast Stairs, 4-5 Ton/Piece 50' Maximum Radius With 50 Ton Crane.....	383.11	306.47
03 41 23 00-0006	EA	Erect Precast Stairs, 5-6 Ton/Piece 44' Maximum Radius With 50 Ton Crane.....	409.44	327.56
03 41 23 00-0007	EA	Erect Precast Stairs, 6-7 Ton/Piece 40' Maximum Radius With 50 Ton Crane.....	439.68	351.71
03 41 23 00-0008	EA	Erect Precast Stairs, 7-8 Ton/Piece 36' Maximum Radius With 50 Ton Crane.....	478.19	382.53
03 41 23 00-0009	EA	Erect Precast Stairs, 8-9 Ton/Piece 33' Maximum Radius With 50 Ton Crane.....	519.93	416.00

03 41 23 00-0010 Erection Costs Using A 90 Ton Crawler Crane (03 41 23)

Note: Includes handling, hoisting into place, alignment, bracing and permanent connections. Excludes grouting or caulking joints.

03 41 23 00-0011	EA	Erect Precast Stairs, 0-2 Ton/Piece 151' Maximum Radius With 90 Ton Crane.....	318.02	254.37
03 41 23 00-0012	EA	Erect Precast Stairs, 2-3 Ton/Piece 121' Maximum Radius With 90 Ton Crane.....	337.69	270.14
03 41 23 00-0013	EA	Erect Precast Stairs, 3-4 Ton/Piece 105' Maximum Radius With 90 Ton Crane.....	357.99	286.41
03 41 23 00-0014	EA	Erect Precast Stairs, 4-5 Ton/Piece 89' Maximum Radius With 90 Ton Crane.....	383.11	306.47
03 41 23 00-0015	EA	Erect Precast Stairs, 5-6 Ton/Piece 82' Maximum Radius With 90 Ton Crane.....	409.44	327.56
03 41 23 00-0016	EA	Erect Precast Stairs, 6-7 Ton/Piece 75' Maximum Radius With 90 Ton Crane.....	439.68	351.71
03 41 23 00-0017	EA	Erect Precast Stairs, 7-8 Ton/Piece 70' Maximum Radius With 90 Ton Crane.....	478.19	382.53
03 41 23 00-0018	EA	Erect Precast Stairs, 8-9 Ton/Piece 65' Maximum Radius With 90 Ton Crane.....	519.93	416.00

03 41 23 00-0019 Material Cost (03 41 23)

Note: Includes cost of 3000 PSI concrete, reinforcing steel, imbedded items, formwork and precast operations.

03 41 23 00-0020	EA	3' Wide With 10-1/2" Depth Treads Precast Concrete Stair Unit, Per Riser.....	710.91	
		<i>For 3,500 PSI Concrete, Add</i>	92.77	
		<i>For 4,000 PSI Concrete, Add</i>	174.32	
		<i>For 4,500 PSI Concrete, Add</i>	256.21	
		<i>For 5,000 PSI Concrete, Add</i>	348.56	

03 41 26 Precast Concrete Structural Sections (03 41)**03 41 26 00-0001 Precast Beams, Girder And Joists (03 41 26)****03 41 26 00-0002 Erection Costs Using A 90 Ton Crawler Crane (03 41 26 00-0001)**

Note: Includes handling, hoisting into place, alignment, bracing and permanent connections. Excludes grouting or caulking joints.

03 41 26 00-0003	EA	Erect Precast Structural Sections, 0-5 Ton/Piece Beam, Girder, Joist; 89' Maximum Radius, 90 Ton Crane.....	403.26	322.65
03 41 26 00-0004	EA	Erect Precast Structural Sections, 5-10 Ton/Piece Beam, Girder, Joist; 60' Maximum Radius, 90 Ton Crane.....	431.56	345.20
03 41 26 00-0005	EA	Erect Precast Structural Sections, 10-15 Ton/Piece Beam, Girder, Joist; 43' Maximum Radius, 90 Ton Crane.....	461.23	368.98
03 41 26 00-0006	EA	Erect Precast Structural Sections, 15-20 Ton/Piece Beam, Girder, Joist; 36' Maximum Radius, 90 Ton Crane.....	495.28	396.25



Concrete	03	CS
Precast Concrete	03 40	
Precast Structural Concrete	03 41	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
03 41 26 00-0007 Erection Costs Using A 125 Ton Crawler Crane <small>(03 41 26 00-0001)</small>		
<small>Note: Includes handling, hoisting into place, alignment, bracing and permanent connections. Excludes grouting or caulking joints.</small>		
03 41 26 00-0008 EA Erect Precast Structural Sections, 0-5 Ton/Piece Beam, Girder, Joist; 110' Maximum Radius, 125 Ton Crane.....	501.98	401.56
03 41 26 00-0009 EA Erect Precast Structural Sections, 5-10 Ton/Piece Beam, Girder, Joist; 75' Maximum Radius, 125 Ton Crane.....	537.21	429.80
03 41 26 00-0010 EA Erect Precast Structural Sections, 10-15 Ton/Piece Beam, Girder, Joist; 55' Maximum Radius, 125 Ton Crane.....	574.14	459.31
03 41 26 00-0011 EA Erect Precast Structural Sections, 15-20 Ton/Piece Beam, Girder, Joist; 50' Maximum Radius, 125 Ton Crane.....	616.53	493.19
03 41 26 00-0012 EA Erect Precast Structural Sections, 20-25 Ton/Piece Beam, Girder, Joist; 40' Maximum Radius, 125 Ton Crane.....	670.53	536.47
03 41 26 00-0013 EA Erect Precast Structural Sections, 25-30 Ton/Piece Beam, Girder, Joist; 33' Maximum Radius, 125 Ton Crane.....	729.07	583.22
03 41 26 00-0014 EA Erect Precast Structural Sections, 30-35 Ton/Piece Beam, Girder, Joist; 30' Maximum Radius, 125 Ton Crane.....	805.81	644.65
03 41 26 00-0015 EA Erect Precast Structural Sections, 35-40 Ton/Piece Beam, Girder, Joist; 28' Maximum Radius, 125 Ton Crane.....	891.87	713.54
 03 41 26 00-0016 Material Cost <small>(03 41 26 00-0001)</small>		
<small>Note: Includes cost of 3000 PSI concrete, reinforcing steel, imbedded items, formwork, and precast plant operations.</small>		
03 41 26 00-0017 1,000 LB/LF Live Load <small>(03 41 26 00-0016)</small>		
03 41 26 00-0018 LF Precast Structural Sections, 1,000 LB/LF, 15' Span Live Load, Span, 3,000 PSI.....	142.16	
For 3,500 PSI Concrete, Add	3.88	
For 4,000 PSI Concrete, Add	5.83	
For 4,500 PSI Concrete, Add	7.76	
For 5,000 PSI Concrete, Add	11.66	
03 41 26 00-0019 LF Precast Structural Sections, 1,000 LB/LF, 20' Span Live Load, Span, 3,000 PSI.....	177.70	
For 3,500 PSI Concrete, Add	4.85	
For 4,000 PSI Concrete, Add	7.29	
For 4,500 PSI Concrete, Add	9.70	
For 5,000 PSI Concrete, Add	14.57	
03 41 26 00-0020 LF Precast Structural Sections, 1,000 LB/LF, 30' Span Live Load, Span, 3,000 PSI.....	213.24	
For 3,500 PSI Concrete, Add	5.82	
For 4,000 PSI Concrete, Add	8.74	
For 4,500 PSI Concrete, Add	11.64	
For 5,000 PSI Concrete, Add	17.49	
 03 41 26 00-0021 3,000 LB/LF Live Load <small>(03 41 26 00-0016)</small>		
03 41 26 00-0022 LF Precast Structural Sections, 3,000 LB/LF, 15' Span Live Load, Span, 3,000 PSI.....	177.70	
For 3,500 PSI Concrete, Add	4.85	
For 4,000 PSI Concrete, Add	7.29	
For 4,500 PSI Concrete, Add	9.70	
For 5,000 PSI Concrete, Add	14.57	
03 41 26 00-0023 LF Precast Structural Sections, 3,000 LB/LF, 20' Span Live Load, Span, 3,000 PSI.....	213.24	
For 3,500 PSI Concrete, Add	5.82	
For 4,000 PSI Concrete, Add	8.74	
For 4,500 PSI Concrete, Add	11.64	
For 5,000 PSI Concrete, Add	17.49	
03 41 26 00-0024 LF Precast Structural Sections, 3,000 LB/LF, 30' Span Live Load, Span, 3,000 PSI.....	284.32	
For 3,500 PSI Concrete, Add	7.76	
For 4,000 PSI Concrete, Add	11.66	
For 4,500 PSI Concrete, Add	15.52	
For 5,000 PSI Concrete, Add	23.31	
 03 41 26 00-0025 5,000 LB/LF Live Load <small>(03 41 26 00-0016)</small>		
03 41 26 00-0026 LF Precast Structural Sections, 5,000 LB/LF, 15' Span Live Load, Span, 3,000 PSI.....	248.78	
For 3,500 PSI Concrete, Add	6.79	
For 4,000 PSI Concrete, Add	10.20	
For 4,500 PSI Concrete, Add	13.58	
For 5,000 PSI Concrete, Add	20.40	
03 41 26 00-0027 LF Precast Structural Sections, 5,000 LB/LF, 20' Span Live Load, Span, 3,000 PSI.....	284.32	
For 3,500 PSI Concrete, Add	7.76	
For 4,000 PSI Concrete, Add	11.66	
For 4,500 PSI Concrete, Add	15.52	
For 5,000 PSI Concrete, Add	23.31	
03 41 26 00-0028 LF Precast Structural Sections, 5,000 LB/LF, 30' Span Live Load, Span, 3,000 PSI.....	355.40	
For 3,500 PSI Concrete, Add	9.70	
For 4,000 PSI Concrete, Add	14.57	
For 4,500 PSI Concrete, Add	19.40	
For 5,000 PSI Concrete, Add	29.14	
 03 41 26 00-0029 Precast Concrete Columns <small>(03 41 26)</small>		
03 41 26 00-0030 Erection Costs Using A 90 Ton Crawler Crane <small>(03 41 26 00-0029)</small>		
<small>Note: Includes handling, hoisting into place, alignment, bracing and permanent connections. Excludes grouting or caulking joints.</small>		
03 41 26 00-0031 EA Erect Precast Concrete Columns, 0-3 Ton/Piece 121' Maximum Radius With 90 Ton Crane	232.44	185.93
03 41 26 00-0032 EA Erect Precast Concrete Columns, 3-5 Ton/Piece 89' Maximum Radius With 90 Ton Crane	247.13	197.67
03 41 26 00-0033 EA Erect Precast Concrete Columns, 5-7 Ton/Piece 75' Maximum Radius With 90 Ton Crane	264.85	211.90
03 41 26 00-0034 EA Erect Precast Concrete Columns, 7-9 Ton/Piece 65' Maximum Radius With 90 Ton Crane	284.10	227.27
03 41 26 00-0035 EA Erect Precast Concrete Columns, 9-11 Ton/Piece 55' Maximum Radius With 90 Ton Crane	306.36	245.03
03 41 26 00-0036 EA Erect Precast Concrete Columns, 11-13 Ton/Piece 50' Maximum Radius With 90 Ton Crane	332.39	265.92
03 41 26 00-0037 EA Erect Precast Concrete Columns, 13-15 Ton/Piece 43' Maximum Radius With 90 Ton Crane	363.27	290.63

03	03 Concrete
	03 40 Precast Concrete
	03 41 Precast Structural Concrete



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
------------------------------	---------------------------	-------------------------

03 41 26 00-0038	Material Cost <small>(03 41 26 00-0029)</small> Note: Includes cost of 3000 PSI concrete, reinforcing steel, imbedded items, formwork, and precast operations.		
03 41 26 00-0039	12" x 12" Column, Square, Tied <small>(03 41 26 00-0038)</small>		
03 41 26 00-0040	CY 12" x 12" Precast Column, Tied, Average Reinforced 351 LB/CY.....	735.80	
	For 3,500 PSI Concrete, Add	55.19	
	For 4,000 PSI Concrete, Add	103.75	
	For 4,500 PSI Concrete, Add	153.05	
	For 5,000 PSI Concrete, Add	208.23	
03 41 26 00-0041	16" x 16" Column, Square, Tied <small>(03 41 26 00-0038)</small>		
03 41 26 00-0042	CY 16" x 16" Precast Column, Tied, Average Reinforced 368 LB/CY.....	753.97	
	For 3,500 PSI Concrete, Add	56.55	
	For 4,000 PSI Concrete, Add	106.31	
	For 4,500 PSI Concrete, Add	156.83	
	For 5,000 PSI Concrete, Add	213.37	
03 41 26 00-0043	20" x 20" Column, Square, Tied <small>(03 41 26 00-0038)</small>		
03 41 26 00-0044	CY 20" x 20" Precast Column, Tied, Average Reinforced 357 LB/CY.....	755.42	
	For 3,500 PSI Concrete, Add	56.66	
	For 4,000 PSI Concrete, Add	106.51	
	For 4,500 PSI Concrete, Add	157.13	
	For 5,000 PSI Concrete, Add	213.78	
03 41 26 00-0045	24" x 24" Column, Square, Tied <small>(03 41 26 00-0038)</small>		
03 41 26 00-0046	CY 24" x 24" Precast Column, Tied, Average Reinforced 365 LB/CY.....	755.42	
	For 3,500 PSI Concrete, Add	56.66	
	For 4,000 PSI Concrete, Add	106.51	
	For 4,500 PSI Concrete, Add	157.13	
	For 5,000 PSI Concrete, Add	213.78	
03 41 26 00-0047	28" x 28" Column, Square, Tied <small>(03 41 26 00-0038)</small>		
03 41 26 00-0048	CY 28" x 28" Precast Column, Tied, Average Reinforced 347 LB/CY.....	755.42	
	For 3,500 PSI Concrete, Add	56.66	
	For 4,000 PSI Concrete, Add	106.51	
	For 4,500 PSI Concrete, Add	157.13	
	For 5,000 PSI Concrete, Add	213.78	
03 41 26 00-0049	32" x 32" Column, Square, Tied <small>(03 41 26 00-0038)</small>		
03 41 26 00-0050	CY 32" x 32" Precast Column, Tied, Average Reinforced 351 LB/CY.....	753.97	
	For 3,500 PSI Concrete, Add	56.55	
	For 4,000 PSI Concrete, Add	106.31	
	For 4,500 PSI Concrete, Add	156.83	
	For 5,000 PSI Concrete, Add	213.37	
03 41 26 00-0051	36" x 36" Column, Square, Tied <small>(03 41 26 00-0038)</small>		
03 41 26 00-0052	CY 36" x 36" Precast Column, Tied, Average Reinforced 278 LB/CY.....	755.42	
	For 3,500 PSI Concrete, Add	56.66	
	For 4,000 PSI Concrete, Add	106.51	
	For 4,500 PSI Concrete, Add	157.13	
	For 5,000 PSI Concrete, Add	213.78	
03 41 33	Precast Structural Pretensioned Concrete <small>(03 41)</small>		
03 41 33 00-0001	Slabs, Roof And Floor Members <small>(03 41 33)</small>		
03 41 33 00-0002	SF 4" Thick Precast Prestressed Slab, 12-16' Span Roof/Floor.....	14.97	1.91
03 41 33 00-0003	SF 6" Thick Precast Prestressed Slab, 16-25' Span Roof/Floor.....	18.68	1.91
03 41 33 00-0004	SF 8" Thick Precast Prestressed Slab, 25-32' Span Roof/Floor.....	22.38	2.00
03 41 33 00-0005	SF 10" Thick Precast Prestressed Slab, 32-40' Span Roof/Floor.....	26.10	2.10
03 41 33 00-0006	Tee Members <small>(03 41 33)</small>		
03 41 33 00-0007	Multiple Tee, Roof And Floor <small>(03 41 33 00-0006)</small>		
03 41 33 00-0008	SF Prestressed Multiple Tee, Roof And Floor Members.....	33.69	2.48
03 41 33 00-0009	Double Tee Wall Member <small>(03 41 33 00-0006)</small>		
03 41 33 00-0010	SF Prestressed Double Tee Wall Members Precast Concrete, <40' Span.....	47.58	6.78
03 41 33 00-0011	Single Tee, Short Span, Roof Members <small>(03 41 33 00-0006)</small>		
03 41 33 00-0012	SF Prestressed Single Tee, Short Span Roof Precast Concrete Members, <40' Span.....	39.57	4.11



Concrete	03	CS
Precast Concrete	03 40	
Precast Structural Concrete	03 41	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
03 41 33 00-0013 Single Tee, Long Span, Roof Members <small>(03 41 33 00-0006)</small>		
03 41 33 00-0014 SF Prestressed Single Tee, Long Span Roof Precast Concrete Members, <40' Span	47.52	3.53
03 41 33 00-0015 Prestressed Concrete Items <small>(03 41 33)</small>		
03 41 33 00-0016 Prestressed Quad Tee <small>(03 41 33 00-0015)</small>		
03 41 33 00-0017 SF Tees, Prestressed Quad Tee, Short Spans, Roof	24.43	0.77
03 41 33 00-0018 SF Tees, Prestressed Quad Tee, Short Spans, Floor	25.50	0.77
03 41 33 00-0019 Prestressed Double Tee <small>(03 41 33 00-0015)</small>		
03 41 33 00-0020 SF Tees, Double Tee, Floor Members, 60' Span	40.63	0.67
03 41 33 00-0021 SF Tees, Double Tee, Floor Members, 80' Span	55.96	0.67
03 41 33 00-0022 SF Tees, Double Tee, Roof Members, 30' Span	27.70	1.15
03 41 33 00-0023 SF Tees, Double Tee, Roof Members, 50' Span	42.95	0.77
03 41 33 00-0024 SF Tees, Double Tee, Wall Members, Up To 55' High	30.01	1.53
03 41 33 00-0025 Prestressed Single Tee <small>(03 41 33 00-0015)</small>		
03 41 33 00-0026 SF Tees, Single Tee Roof Members, 40' Span	48.04	1.71
03 41 33 00-0027 SF Tees, Single Tee Roof Members, 80' Span	55.68	1.05
03 41 33 00-0028 SF Tees, Single Tee Roof Members, 100' Span	73.69	0.96
03 41 33 00-0029 SF Tees, Single Tee Roof Members, 120' Span	77.60	0.96
03 41 33 00-0030 Prestressed Double Tee Floor Members <small>(03 41 33 00-0015)</small>		
03 41 33 00-0031 EA Tees, Double Tees, Floor Members, Lightweight, 20" X 8' Wide, 45'	12,429.13	274.98
03 41 33 00-0032 EA Tees, Double Tees, Floor Members, Lightweight, 24" X 8' Wide, 50'	13,533.64	305.53
03 41 33 00-0033 EA Tees, Double Tees, Floor Members, Lightweight, 32" X 10' Wide, 60'	22,645.36	343.73
03 41 33 00-0034 EA Tees, Double Tees, Floor Members, Standard Weight, 12" X 8' Wide, 25'	4,862.33	250.06
03 41 33 00-0035 EA Tees, Double Tees, Floor Members, Standard Weight, 16" X 8' Wide, 25'	6,386.44	274.98
03 41 33 00-0036 EA Tees, Double Tees, Floor Members, Standard Weight, 18" X 8' Wide, 35'	8,163.71	274.98
03 41 33 00-0037 EA Tees, Double Tees, Floor Members, Standard Weight, 20" X 8' Wide, 45'	9,090.49	305.53
03 41 33 00-0038 EA Tees, Double Tees, Floor Members, Standard Weight, 24" X 8' Wide, 50'	11,626.35	343.73
03 41 33 00-0039 EA Tees, Double Tees, Floor Members, Standard Weight, 32" X 10' Wide, 60'	20,929.70	392.99
03 41 33 00-0040 Prestressed Double Tee Roof Members <small>(03 41 33 00-0015)</small>		
03 41 33 00-0041 EA Tees, Double Tees, Roof Members, Lightweight, 20" X 8' Wide, 45'	9,763.24	274.98
03 41 33 00-0042 EA Tees, Double Tees, Roof Members, Lightweight, 24" X 8' Wide, 50'	12,822.73	305.53
03 41 33 00-0043 EA Tees, Double Tees, Roof Members, Lightweight, 32" X 10' Wide, 60'	21,045.83	343.73
03 41 33 00-0044 EA Tees, Double Tees, Roof Members, Standard Weight, 12" X 8' Wide, 30'	6,532.95	250.06
03 41 33 00-0045 EA Tees, Double Tees, Roof Members, Standard Weight, 16" X 8' Wide, 30'	6,884.08	274.98
03 41 33 00-0046 EA Tees, Double Tees, Roof Members, Standard Weight, 18" X 8' Wide, 30'	7,630.53	274.98
03 41 33 00-0047 EA Tees, Double Tees, Roof Members, Standard Weight, 20" X 8' Wide, 40'	7,846.40	305.53
03 41 33 00-0048 EA Tees, Double Tees, Roof Members, Standard Weight, 24" X 8' Wide, 50'	10,382.27	343.73
03 41 33 00-0049 EA Tees, Double Tees, Roof Members, Standard Weight, 32" X 10' Wide, 60'	17,908.36	392.99
03 41 33 00-0050 Plant Produced Pretensioned Prestressed Concrete Hollow Core Slab <small>(03 41 33)</small>		
03 41 33 00-0051 SF Hollow Core Slab, 4" Slab, 12' - 16' Spans, Plant Produced Pretensioned Prestressed Concrete	25.81	
03 41 33 00-0052 SF Hollow Core Slab, 6" Slab, 16' - 25' Spans, Plant Produced Pretensioned Prestressed Concrete	26.87	
03 41 33 00-0053 SF Hollow Core Slab, 8" Slab, 25' - 30' Spans, Plant Produced Pretensioned Prestressed Concrete	28.12	
03 41 33 00-0054 SF Hollow Core Slab, 10" Slab, 30' - 35' Spans, Plant Produced Pretensioned Prestressed Concrete	29.04	
03 41 33 00-0055 SF Hollow Core Slab, 12" Slab, 35' - 40' Spans, Plant Produced Pretensioned Prestressed Concrete	31.02	
03 41 33 00-0056 Double And Single Tees <small>(03 41 33)</small>		
03 41 33 00-0057 Double And Single Tees With 16" Roof And Floor Loading <small>(03 41 33 00-0056)</small>		
03 41 33 00-0058 SF Double Tee With 16" Roof Loading, 30' Span, Pretensioned Prestressed Concrete	31.19	
03 41 33 00-0059 SF Double Tee With 16" Roof Loading, 40' Span, Pretensioned Prestressed Concrete	30.45	
03 41 33 00-0060 SF Double Tee With 16" Roof Loading, 45' Span, Pretensioned Prestressed Concrete	28.76	
03 41 33 00-0061 SF Double Tee With 16" Floor Loading, 30' Span, Pretensioned Prestressed Concrete	31.19	
03 41 33 00-0062 SF Double Tee With 16" Floor Loading, 40' Span, Pretensioned Prestressed Concrete	31.09	
03 41 33 00-0063 SF Single Tee With 16" Roof Loading, 30' Span, Pretensioned Prestressed Concrete	47.83	
03 41 33 00-0064 SF Single Tee With 16" Roof Loading, 40' Span, Pretensioned Prestressed Concrete	46.77	
03 41 33 00-0065 SF Single Tee With 16" Roof Loading, 45' Span, Pretensioned Prestressed Concrete	43.80	
03 41 33 00-0066 SF Single Tee With 16" Floor Loading, 30' Span, Pretensioned Prestressed Concrete	47.83	
03 41 33 00-0067 SF Single Tee With 16" Floor Loading, 40' Span, Pretensioned Prestressed Concrete	44.85	
03 41 33 00-0068 Double And Single Tees With 24" Roof And Floor Loading <small>(03 41 33 00-0056)</small>		
03 41 33 00-0069 SF Double Tee With 24" Roof Loading, 30' Span, Pretensioned Prestressed Concrete	32.15	
03 41 33 00-0070 SF Double Tee With 24" Roof Loading, 40' Span, Pretensioned Prestressed Concrete	31.41	
03 41 33 00-0071 SF Double Tee With 24" Roof Loading, 45' Span, Pretensioned Prestressed Concrete	30.36	
03 41 33 00-0072 SF Double Tee With 24" Floor Loading, 30' Span, Pretensioned Prestressed Concrete	32.15	

03	Concrete
03 40	Precast Concrete
03 41	Precast Structural Concrete



MINOR		TOTAL DIRECT		DEMOLITION	
CSI	UOM	DESCRIPTION	UNIT COST	UNIT COST	UNIT COST
03 41 33 00-0073	SF	Double Tee With 24" Floor Loading, 40' Span, Pretensioned Prestressed Concrete	31.09		
03 41 33 00-0074	SF	Single Tee With 24" Roof Loading, 30' Span, Pretensioned Prestressed Concrete	49.11		
03 41 33 00-0075	SF	Single Tee With 24" Roof Loading, 40' Span, Pretensioned Prestressed Concrete	48.05		
03 41 33 00-0076	SF	Single Tee With 24" Roof Loading, 45' Span, Pretensioned Prestressed Concrete	46.36		
03 41 33 00-0077	SF	Single Tee With 24" Floor Loading, 30' Span, Pretensioned Prestressed Concrete	49.11		
03 41 33 00-0078	SF	Single Tee With 24" Floor Loading, 40' Span, Pretensioned Prestressed Concrete	47.73		
03 41 33 00-0079		Double And Single Tees With 32" Roof And Floor Loading (03 41 33 00-0056)			
03 41 33 00-0080	SF	Double Tee With 32" Roof Load, 50' Span, Pretensioned Prestressed Concrete	33.86		
03 41 33 00-0081	SF	Double Tee With 32" Roof Load, 60' Span, Pretensioned Prestressed Concrete	32.81		
03 41 33 00-0082	SF	Double Tee With 32" Roof Load, 70' Span, Pretensioned Prestressed Concrete	31.74		
03 41 33 00-0083	SF	Single Tee With 32" Roof Load, 50' Span, Pretensioned Prestressed Concrete	52.10		
03 41 33 00-0084	SF	Single Tee With 32" Roof Load, 60' Span, Pretensioned Prestressed Concrete	50.41		
03 41 33 00-0085	SF	Single Tee With 32" Roof Load, 70' Span, Pretensioned Prestressed Concrete	48.38		
03 48		Precast Concrete Specialties (03 40)			
03 48 16		Precast Concrete Splash Blocks (03 48)			
03 48 16 00-0001		Precast Concrete Splash Blocks (03 48 16)			
03 48 16 00-0002	EA	Precast Concrete Splash Blocks, Standard Size	33.56		3.50
03 48 21		Precast Concrete Handrails (03 48)			
03 48 21 00-0001		Installation Cost (03 48 21)			
		Note: Includes handling, hoisting into place, alignment, and permanent connections. Excludes grouting.			
03 48 21 00-0002	EA	Install Precast Handrails, 0-2 Ton/Handrail	132.22		59.52
03 48 21 00-0003	EA	Install Precast Handrails, Over 2 Ton/Handrail	158.58		71.33
03 48 21 00-0004		Material Cost (03 48 21)			
		Note: Includes 3000 PSI concrete, imbedded items, formwork and precast operations.			
03 48 21 00-0005	CY	4" Thick 3,000 PSI Concrete Precast Concrete Handrail	2,808.16		
		For 3,500 PSI Concrete, Add	183.23		
		For 4,000 PSI Concrete, Add	344.28		
		For 4,500 PSI Concrete, Add	506.03		
		For 5,000 PSI Concrete, Add	688.42		
03 48 21 00-0006	CY	5" Thick 3,000 PSI Concrete Precast Concrete Handrail	2,914.80		
		For 3,500 PSI Concrete, Add	190.19		
		For 4,000 PSI Concrete, Add	357.35		
		For 4,500 PSI Concrete, Add	525.25		
		For 5,000 PSI Concrete, Add	714.56		
03 48 21 00-0007	CY	6" Thick 3,000 PSI Concrete Precast Concrete Handrail	3,021.44		
		For 3,500 PSI Concrete, Add	197.15		
		For 4,000 PSI Concrete, Add	370.43		
		For 4,500 PSI Concrete, Add	544.46		
		For 5,000 PSI Concrete, Add	740.71		
03 48 21 00-0008	CY	8" Thick 3,000 PSI Concrete Precast Concrete Handrail	3,163.63		
		For 3,500 PSI Concrete, Add	206.43		
		For 4,000 PSI Concrete, Add	387.86		
		For 4,500 PSI Concrete, Add	570.09		
		For 5,000 PSI Concrete, Add	775.56		
03 48 22		Precast Concrete Sun Screen And Trellis (03 48)			
03 48 22 00-0001		Sun Screen Blades (03 48 22)			
03 48 22 00-0002		Installation Cost (03 48 22 00-0001)			
		Note: Includes handling, hoisting into place, alignment, bracing, and permanent connections.			
03 48 22 00-0003	EA	Install Precast Sun Screen Blade, 0-1 Ton/Each	66.11		29.77
03 48 22 00-0004	EA	Install Precast Sun Screen Blade, 1-2 Ton/Each	79.43		35.72
03 48 22 00-0005	EA	Install Precast Sun Screen Blade, 2-3 Ton/Each	99.24		44.69
03 48 22 00-0006		Material Cost (03 48 22 00-0001)			
		Note: Includes 3000 PSI concrete, imbedded items, formwork and precast concrete operations.			
03 48 22 00-0007	CY	4" Thick 3,000 PSI Concrete Precast Sun Screen Blades	2,985.90		
		For 3,500 PSI Concrete, Add	194.83		
		For 4,000 PSI Concrete, Add	366.07		
		For 4,500 PSI Concrete, Add	538.06		
		For 5,000 PSI Concrete, Add	731.99		
03 48 22 00-0008	CY	5" Thick 3,000 PSI Concrete Precast Sun Screen Blades	3,092.53		
		For 3,500 PSI Concrete, Add	201.79		
		For 4,000 PSI Concrete, Add	379.14		
		For 4,500 PSI Concrete, Add	557.27		
		For 5,000 PSI Concrete, Add	758.13		



Concrete	03	CS
Precast Concrete	03 40	
Precast Concrete Specialties	03 48	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
03 48 22 00-0009 CY 6" Thick 3,000 PSI Concrete Precast Sun Screen Blades <i>For 3,500 PSI Concrete, Add</i> <i>For 4,000 PSI Concrete, Add</i> <i>For 4,500 PSI Concrete, Add</i> <i>For 5,000 PSI Concrete, Add</i>	3,234.72 211.07 396.58 582.90 792.99	
03 48 22 00-0010 CY 8" Thick 3,000 PSI Concrete Precast Sun Screen Blades <i>For 3,500 PSI Concrete, Add</i> <i>For 4,000 PSI Concrete, Add</i> <i>For 4,500 PSI Concrete, Add</i> <i>For 5,000 PSI Concrete, Add</i>	3,376.91 220.34 414.01 608.52 827.85	
03 48 22 00-0011 Sun Screen/Trellis Units (03 48 22)		
03 48 22 00-0012 Installation Cost Using A 50 Ton Hydraulic Crane (03 48 22 00-0011) Note: Includes handling, hoisting into place, alignment, bracing and permanent to connections.		
03 48 22 00-0013 EA Install Precast Trellis, 0-1 Tons/Unit 100' Maximum Radius With 50 Ton Crane	301.90	135.83
03 48 22 00-0014 EA Install Precast Trellis, 1-3 Tons/Unit 65' Maximum Radius With 50 Ton Crane	337.69	152.01
03 48 22 00-0015 EA Install Precast Trellis, 3-5 Tons/Unit 50' Maximum Radius With 50 Ton Crane	383.11	172.38
03 48 22 00-0016 EA Install Precast Trellis, 5-7 Tons/Unit 40' Maximum Radius With 50 Ton Crane	409.44	184.25
03 48 22 00-0017 Material Cost (03 48 22 00-0011) Note: Includes 3000 PSI concrete, imbedded items, formwork and precast concrete operations.		
03 48 22 00-0018 CY 4" Thick 3,000 PSI Concrete Precast Trellises Blades..... <i>For 3,500 PSI Concrete, Add</i> <i>For 4,000 PSI Concrete, Add</i> <i>For 4,500 PSI Concrete, Add</i> <i>For 5,000 PSI Concrete, Add</i>	3,448.00 224.98 422.72 621.33 845.28	
03 48 22 00-0019 CY 5" Thick 3,000 PSI Concrete Precast Trellises Blades..... <i>For 3,500 PSI Concrete, Add</i> <i>For 4,000 PSI Concrete, Add</i> <i>For 4,500 PSI Concrete, Add</i> <i>For 5,000 PSI Concrete, Add</i>	3,554.64 231.94 435.80 640.55 871.42	
03 48 22 00-0020 CY 6" Thick 3,000 PSI Concrete Precast Trellises Blades..... <i>For 3,500 PSI Concrete, Add</i> <i>For 4,000 PSI Concrete, Add</i> <i>For 4,500 PSI Concrete, Add</i> <i>For 5,000 PSI Concrete, Add</i>	3,696.82 241.22 453.23 666.17 906.28	
03 48 22 00-0021 CY 8" Thick 3,000 PSI Concrete Precast Trellises Blades..... <i>For 3,500 PSI Concrete, Add</i> <i>For 4,000 PSI Concrete, Add</i> <i>For 4,500 PSI Concrete, Add</i> <i>For 5,000 PSI Concrete, Add</i>	3,874.55 252.81 475.02 698.19 949.85	
03 48 24 Precast Minaret Segments (03 48)		
03 48 24 00-0001 Installation Costs Using A 50 Ton Hydraulic Crane (03 48 24) Note: Includes handling, hoisting into place, alignment, bracing and permanent connections.		
03 48 24 00-0002 L - Shaped Segments (03 48 24 00-0001)		
03 48 24 00-0003 EA Install Minaret, L-Shape Segment, 0-1 Ton/Each 100' Maximum Radius With 50 Ton Crane	293.77	235.02
03 48 24 00-0004 EA Install Minaret, L-Shape Segment, 1-3 Ton/Each 65' Maximum Radius With 50 Ton Crane	329.20	263.37
03 48 24 00-0005 EA Install Minaret, L-Shape Segment, 3-5 Ton/Each 50' Maximum Radius With 50 Ton Crane	372.22	297.77
03 48 24 00-0006 EA Install Minaret, L-Shape Segment, 5-7 Ton/Each 40' Maximum Radius With 50 Ton Crane	397.04	317.63
03 48 24 00-0007 O - Shaped Segments (03 48 24 00-0001)		
03 48 24 00-0008 EA Install Minaret, O-Shape Segment, 0-1 Ton/Each 100' Maximum Radius With 50 Ton Crane	310.48	248.44
03 48 24 00-0009 EA Install Minaret, O-Shape Segment, 1-3 Ton/Each 65' Maximum Radius With 50 Ton Crane	348.46	278.73
03 48 24 00-0010 EA Install Minaret, O-Shape Segment, 3-5 Ton/Each 50' Maximum Radius With 50 Ton Crane	394.65	315.68
03 48 24 00-0011 EA Install Minaret, O-Shape Segment, 5-7 Ton/Each 40' Maximum Radius With 50 Ton Crane	422.66	338.10
03 48 24 00-0012 Platform Segment (03 48 24 00-0001)		
03 48 24 00-0013 EA Install Minaret, Platform Segments, 0-1 Ton/Each 100' Maximum Radius With 50 Ton Crane.....	595.57	476.49
03 48 24 00-0014 EA Install Minaret, Platform Segments, 1-3 Ton/Each 65' Maximum Radius With 50 Ton Crane.....	719.91	575.89
03 48 24 00-0015 EA Install Minaret, Platform Segments, 3-5 Ton/Each 50' Maximum Radius With 50 Ton Crane.....	798.93	639.15
03 48 24 00-0016 EA Install Minaret, Platform Segments, 5-7 Ton/Each 40' Maximum Radius With 50 Ton Crane.....	897.42	717.96
03 48 24 00-0017 Cap Segment (03 48 24 00-0001)		
03 48 24 00-0018 EA Install Minaret, Cap Segments, 0-1 Ton/Each 100' Maximum Radius With 50 Ton Crane	325.93	260.72
03 48 24 00-0019 EA Install Minaret, Cap Segments, 1-3 Ton/Each 65' Maximum Radius With 50 Ton Crane	363.96	291.12
03 48 24 00-0020 EA Install Minaret, Cap Segments, 3-5 Ton/Each 50' Maximum Radius With 50 Ton Crane	414.63	331.66
03 48 24 00-0021 EA Install Minaret, Cap Segments, 5-7 Ton/Each 40' Maximum Radius With 50 Ton Crane	442.65	354.07
03 48 24 00-0022 Installation Costs Using A 90 Ton Crawler Crane (03 48 24) Note: Includes handling, hoisting into place, alignment, bracing and permanent connections. Excludes grouting and caulking of joints.		
03 48 24 00-0023 L - Shaped Segments (03 48 24 00-0022)		

03 Concrete**03 40 Precast Concrete****03 48 Precast Concrete Specialties**

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
03 48 24 00-0024 EA Install Minaret, L-Shaped Segments, 0-1 Ton/Each 180' Maximum Radius With 90 Ton Crane.....	298.10	238.49
03 48 24 00-0025 EA Install Minaret, L-Shaped Segments, 1-3 Ton/Each 135' Maximum Radius With 90 Ton Crane.....	334.06	267.26
03 48 24 00-0026 EA Install Minaret, L-Shaped Segments, 3-5 Ton/Each 100' Maximum Radius With 90 Ton Crane.....	377.71	302.16
03 48 24 00-0027 EA Install Minaret, L-Shaped Segments, 5-7 Ton/Each 79' Maximum Radius With 90 Ton Crane.....	402.90	322.32
03 48 24 00-0028 O - Shaped Segment (03 48 24 00-0022)		
03 48 24 00-0029 EA Install Minaret, O-Shaped Segments, 0-1 Ton/Each 180' Maximum Radius With 90 Ton Crane.....	315.06	252.10
03 48 24 00-0030 EA Install Minaret, O-Shaped Segments, 1-3 Ton/Each 135' Maximum Radius With 90 Ton Crane.....	353.60	282.84
03 48 24 00-0031 EA Install Minaret, O-Shaped Segments, 3-5 Ton/Each 100' Maximum Radius With 90 Ton Crane.....	400.47	320.34
03 48 24 00-0032 EA Install Minaret, O-Shaped Segments, 5-7 Ton/Each 795' Maximum Radius With 90 Ton Crane.....	428.90	343.09
03 48 24 00-0033 Platform Segment (03 48 24 00-0022)		
03 48 24 00-0034 EA Install Minaret, Platform Segment, 0-1 Ton/Each 180' Maximum Radius With 90 Ton Crane.....	481.73	385.36
03 48 24 00-0035 EA Install Minaret, Platform Segment, 1-3 Ton/Each 135' Maximum Radius With 90 Ton Crane.....	583.14	466.49
03 48 24 00-0036 EA Install Minaret, Platform Segment, 3-5 Ton/Each 100' Maximum Radius With 90 Ton Crane.....	645.42	516.35
03 48 24 00-0037 EA Install Minaret, Platform Segment, 5-7 Ton/Each 79' Maximum Radius With 90 Ton Crane.....	730.53	584.38
03 48 24 00-0038 Cap Segment (03 48 24 00-0022)		
03 48 24 00-0039 EA Install Minaret, Cap Segment, 0-1 Ton/Each 180' Maximum Radius With 90 Ton Crane.....	330.74	264.57
03 48 24 00-0040 EA Install Minaret, Cap Segment, 1-3 Ton/Each 135' Maximum Radius With 90 Ton Crane.....	369.33	295.41
03 48 24 00-0041 EA Install Minaret, Cap Segment, 3-5 Ton/Each 100' Maximum Radius With 90 Ton Crane.....	420.75	336.55
03 48 24 00-0042 EA Install Minaret, Cap Segment, 5-7 Ton/Each 79' Maximum Radius With 90 Ton Crane.....	449.18	359.30
03 48 24 00-0043 Material Costs (03 48 24)		
Note: Includes 3000 PSI concrete, imbedded items, formwork and precast concrete operations.		
03 48 24 00-0044 CY Precast Concrete Minaret, L-Shaped Segments, 3,000 PSI Concrete.....	8,530.65	
Note: Including Post Tension Cost		
03 48 24 00-0045 CY Precast Concrete Minaret, O-Shaped Segments, 3,000 PSI Concrete.....	8,530.65	
Note: Including Post Tension Cost		
03 48 24 00-0046 CY Precast Concrete Minaret, Platform Segments, 3,000 PSI Concrete.....	8,530.65	
Note: Including Post Tension Cost		
03 48 24 00-0047 CY Precast Concrete Minaret, Cap Segments, 3,000 PSI Concrete.....	8,530.65	
Note: Including Post Tension Cost		
03 48 29 Precast Accessories (03 48)		
Note: Includes installation labor, material and equipment.		
03 48 29 00-0001 Bearing Pads For Precast Members (03 48 29)		
03 48 29 00-0002 Continuous 2" Wide Strips (03 48 29 00-0001)		
03 48 29 00-0003 LF Bearing Pads, Continuous 2" Wide x 1/8" Thick Strips.....	1.26	
Note: For precast members		
03 48 29 00-0004 LF Bearing Pads, Continuous 2" Wide x 1/4" Thick Strips.....	1.81	
Note: For precast members.		
03 48 29 00-0005 LF Bearing Pads, Continuous 2" Wide x 1/2" Thick Strips.....	3.00	
Note: For precast members		
03 48 29 00-0006 LF Bearing Pads, Continuous 2" Wide x 3/4" Thick Strips.....	4.20	
Note: For precast members		
03 48 29 00-0007 LF Bearing Pads, Continuous 2" Wide x 1" Thick Strips.....	5.47	
Note: For precast members		
03 48 29 00-0008 LF Bearing Pads, Continuous 2" Wide x 1-1/2" Thick Strips.....	7.86	
Note: For precast members		
03 48 29 00-0009 Bearing Pad Pipe Supports (03 48 29)		
03 48 29 00-0010 LF 8" Diameter Precast Balustrade, Decorative Shapes.....	70.94	
03 48 29 00-0011 LF Precast Rail Cap, <1 SF Cross Section.....	45.56	
03 48 29 00-0012 LF 4" x 4" Precast Pipe Support.....	8.06	
03 48 46 Precast Skylight Shells (03 48)		
03 48 46 00-0001 Installation Cost Using A 90 Ton Crawler Crane (03 48 46)		
Note: Includes handling, hoisting into place, alignment, bracing and permanent connections.		
03 48 46 00-0002 EA Install Precast Skylight Shell, 0-4 Tons/Each Based On 90 Ton Crawler Crane.....	431.56	194.23
03 48 46 00-0003 EA Install Precast Skylight Shell, 4-6 Tons/Each Based On 90 Ton Crawler Crane.....	479.20	215.65
03 48 46 00-0004 EA Install Precast Skylight Shell, 6-8 Tons/Each Based On 90 Ton Crawler Crane.....	538.66	242.40
03 48 46 00-0005 Material Cost (03 48 46)		
Note: Includes 3000 PSI concrete, imbedded items, formwork and precast concrete operations.		
03 48 46 00-0006 CY 3.5" Thick 3,000 PSI Concrete Precast Skylight With 4.4' Radius.....	3,568.96	
03 48 49 Precast Landings (03 48)		
03 48 49 00-0001 SF 3" Thick Precast Landing.....	88.92	
03 48 49 00-0002 SF 4" Thick Precast Landing.....	103.69	



Concrete	03	CS
Precast Concrete	03 40	
Precast Concrete Specialties	03 48	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
------------------------------	---------------------------	-------------------------

03 48 49 00-0003	SF	5" Thick Precast Landing	117.78	
03 48 49 00-0004	SF	6" Thick Precast Landing	135.79	

03 48 54 Precast Concrete Blocks (03 48)

03 48 54 00-0001		Precast Concrete Blocks (03 48 54)		
03 48 54 00-0002	EA	2' x 2' x 2' Precast Concrete Block	93.00	36.18
03 48 54 00-0003	EA	2' x 2' x 4' Precast Concrete Block	133.21	45.22
03 48 54 00-0004	EA	2' x 2' x 8' Precast Concrete Block	223.17	54.28

03 50 Cast Decks And Underlayment (03)

03 51 Cast Roof Decks (03 50)

03 51 13 Cementitious Wood Fiber Decks (03 51)

03 51 13 00-0001		Cement Fiber Tongue And Groove Planks (03 51 13)		
03 51 13 00-0002	SF	1" Thick Cementitious Fiber Tongue And Groove Planks, Cement Wood Fiber System	2.82	
03 51 13 00-0003	SF	1-1/2" Thick Cementitious Fiber Tongue And Groove Planks, Cement Wood Fiber System	2.93	
03 51 13 00-0004	SF	2" Thick Cementitious Fiber Tongue And Groove Planks, Cement Wood Fiber System	3.07	
03 51 13 00-0005	SF	2-1/2" Thick Cementitious Fiber Tongue And Groove Planks, Cement Wood Fiber System	3.46	
03 51 13 00-0006	SF	3" Thick Cementitious Fiber Tongue And Groove Planks, Cement Wood Fiber System	3.90	
03 51 13 00-0007	SF	3-1/2" Thick Cementitious Fiber Tongue And Groove Planks, Cement Wood Fiber System	4.39	
03 51 13 00-0008	SF	4" Thick Cementitious Fiber Tongue And Groove Planks, Cement Wood Fiber System	5.01	

03 51 16 Gypsum Concrete Roof Decks (03 51)

03 51 16 00-0001		Class A Gypsum Fill Concrete Deck (03 51 16)		
03 51 16 00-0002	SF	2" Thick Precast Gypsum Fill Concrete Deck, Class A	9.83	0.49
03 51 16 00-0003	SF	2-1/2" Thick Precast Gypsum Fill Concrete Deck, Class A	12.19	0.57
03 51 16 00-0004	SF	3" Thick Precast Gypsum Fill Concrete Deck, Class A	14.56	0.65
03 51 16 00-0005	SF	3-1/2" Thick Precast Gypsum Fill Concrete Deck, Class A	16.95	0.73
03 51 16 00-0006	SF	4" Thick Precast Gypsum Fill Concrete Deck, Class A	19.35	0.82

03 51 16 00-0007 Form Board For Lightweight Deck (03 51 16)

03 51 16 00-0008	SF	Gypsum Deck Form Board, 1/2" Drywall For Lightweight Deck	1.75	
03 51 16 00-0009	SF	Gypsum Deck Form Board, 1" Mineral Fiber Board For Lightweight Deck	2.27	
03 51 16 00-0010	SF	Gypsum Deck Form Board, 1-1/2" Mineral Fiber Board For Lightweight Deck	4.54	
03 51 16 00-0011	SF	Gypsum Deck Form Board, 1" Cementitious Fiber Board For Lightweight Deck	1.92	0.50
03 51 16 00-0012	SF	Gypsum Deck Form Board, 1-1/2" Cementitious Fiber Board For Lightweight Deck	2.31	0.50
03 51 16 00-0013	SF	Gypsum Deck Form Board, 1" Glass Fiber Board For Lightweight Deck	2.53	0.50
03 51 16 00-0014	SF	Gypsum Deck Form Board, 1-1/2" Glass Fiber Board For Lightweight Deck	3.11	0.50

03 51 16 00-0015 Gypsum Plank (03 51 16)

03 51 16 00-0016	SF	2" Thick, Insulating Concrete Gypsum Plank, Roof Deck	3.06	
03 51 16 00-0017	SF	3" Thick, Insulating Concrete Gypsum Plank, Roof Deck	3.97	

03 53 Concrete Topping (03 50)

Note: Installed over new or existing concrete.

03 53 14 Granolithic Concrete Topping (03 53)

03 53 14 00-0001		Granolithic Topping Laid After (03 53 14)		
Note: Using 1:1:1-1/2 mix.				
03 53 14 00-0002	SF	1/2" Thick Concrete Topping, Granolithic Laid After Finish, 1:1:1-1/2 Mix	3.65	
03 53 14 00-0003	SF	1" Thick Concrete Topping, Granolithic Laid After Finish, 1:1:1-1/2 Mix	3.91	
03 53 14 00-0004	SF	2" Thick Concrete Topping, Granolithic Laid After Finish, 1:1:1-1/2 Mix	4.86	

03 53 19 Concrete Overlayment (03 53)

03 53 19 00-0001		Integral Topping Including Hard Trowel Finish (03 53 19)		
Note: Using 1:1:2 mix.				
03 53 19 00-0002	SF	3/16" Thick Hard Trowel Integral Concrete Topping, 1:1:2 Mix	2.17	
03 53 19 00-0003	SF	1/2" Thick Hard Trowel Integral Concrete Topping, 1:1:2 Mix	2.41	
03 53 19 00-0004	SF	3/4" Thick Hard Trowel Integral Concrete Topping, 1:1:2 Mix	2.79	
03 53 19 00-0005	SF	1" Thick Hard Trowel Integral Concrete Topping, 1:1:2 Mix	3.30	
03 53 19 00-0006	SF	2" Thick Hard Trowel Integral Concrete Topping, 1:1:2 Mix	4.62	
03 53 19 00-0007	SF	2-1/2" Thick Hard Trowel Integral Concrete Topping, 1:1:2 Mix	3.87	
03 53 19 00-0008	SF	3" Thick Hard Trowel Integral Concrete Topping, 1:1:2 Mix	4.31	

03 54 Cast Underlayment (03 50)

Note: Includes primer. Excludes sandblasting existing smooth finished concrete surface (where necessary).

03 Concrete**03 50 Cast Decks And Underlayment****03 54 Cast Underlayment**
 MINOR
 CSI UOM DESCRIPTION

 TOTAL DIRECT DEMOLITION
 UNIT COST UNIT COST
03 54 16 Hydraulic Cement Underlayment^(03 54)**03 54 16 00-0001 Self Leveling Cementitious Underlayment For Floors^(03 54 16)**

Note: Includes primer.

03 54 16 00-0002	SF	1/8" Thick Self Leveling Cementitious Underlayment For Floors	1.23
		Note: Including Surface Preparation	
		For Up To 100 SF, Add	0.12
		For >100 To 250 SF, Add	0.06
03 54 16 00-0003	SF	1/4" Thick Self Leveling Cementitious Underlayment For Floors	2.09
		Note: Including Surface Preparation	
		For Up To 100 SF, Add	0.12
		For >100 To 250 SF, Add	0.06
03 54 16 00-0004	SF	3/8" Thick Self Leveling Cementitious Underlayment For Floors	2.67
		Note: Including Surface Preparation	
		For Up To 100 SF, Add	0.12
		For >100 To 250 SF, Add	0.06
03 54 16 00-0005	SF	1/2" Thick Self Leveling Cementitious Underlayment For Floors	3.82
		Note: Including Surface Preparation	
		For Up To 100 SF, Add	0.12
		For >100 To 250 SF, Add	0.06
03 54 16 00-0006	SF	5/8" Thick Self Leveling Cementitious Underlayment For Floors	4.51
		Note: Including Surface Preparation	
		For Up To 100 SF, Add	0.12
		For >100 To 250 SF, Add	0.06
03 54 16 00-0007	SF	3/4" Thick Self Leveling Cementitious Underlayment For Floors	5.59
		Note: Including Surface Preparation	
		For Up To 100 SF, Add	0.14
		For >100 To 250 SF, Add	0.07
03 54 16 00-0008	SF	1" Thick Self Leveling Cementitious Underlayment For Floors	7.31
		Note: Including Surface Preparation	
		For Up To 100 SF, Add	0.14
		For >100 To 250 SF, Add	0.07
03 54 16 00-0009	SF	1-1/4" Thick Self Leveling Cementitious Underlayment For Floors	9.65
		Note: Including Surface Preparation	
		For Up To 100 SF, Add	0.16
		For >100 To 250 SF, Add	0.08
03 54 16 00-0010	SF	1-1/2" Thick Self Leveling Cementitious Underlayment For Floors	10.81
		Note: Including Surface Preparation	
		For Up To 100 SF, Add	0.16
		For >100 To 250 SF, Add	0.08
03 54 16 00-0011	SF	1-3/4" Thick Self Leveling Cementitious Underlayment For Floors	14.33
		Note: Including Surface Preparation	
		For Up To 100 SF, Add	0.20
		For >100 To 250 SF, Add	0.10

03 60 Grouting⁽⁰³⁾**03 61 Cementitious Grouting^(03 60)**

Note: 1 part cement to 3 parts sand by volume.

03 61 16 Cementitious Flowable Grout^(03 61)**03 61 16 00-0001 Cementitious Flowable Grout^(03 61 16)**

03 61 16 00-0002	CY	Cementitious Flowable Grout	355.04
------------------	----	-----------------------------	--------

03 62 Non-Shrink Grouting^(03 60)**03 62 13 Non-Metallic Non-Shrink Grouting^(03 62)****03 62 13 00-0001 Fluid Type, Non-Metallic Non-Shrink Grouting For Bases^(03 62 13)**

03 62 13 00-0002	SF	1" Deep, Fluid Type, Non-Metallic Non-Shrink Grout For Bases	21.09
03 62 13 00-0003	SF	2" Deep, Fluid Type, Non-Metallic Non-Shrink Grout For Bases	30.68

03 62 13 00-0004 Non-Metallic Non-Shrink Grouting For Bases^(03 62 13)

03 62 13 00-0005	SF	1" Deep, Non-Metallic Non-Shrink Grout For Bases	32.07
03 62 13 00-0006	SF	2" Deep, Non-Metallic Non-Shrink Grout For Bases	50.71

03 62 13 00-0007 Non-Metallic Non-Shrink Grouting For Joints^(03 62 13)**03 62 13 00-0008 1/2" Joint Thickness, Non-Metallic Non-Shrink Grout For Joints^(03 62 13 00-0007)**

03 62 13 00-0009	LF	4" Deep x 1/2" Thick, Non-Metallic Non-Shrink Grout For Joints	1.74
03 62 13 00-0010	LF	6" Deep x 1/2" Thick, Non-Metallic Non-Shrink Grout For Joints	2.26
03 62 13 00-0011	LF	8" Deep x 1/2" Thick, Non-Metallic Non-Shrink Grout For Joints	3.00

03 62 13 00-0012 1" Joint Thickness, Non-Metallic Non-Shrink Grout For Joints^(03 62 13 00-0007)

03 62 13 00-0013	LF	4" Deep x 1" Thick, Non-Metallic Non-Shrink Grout For Joints	2.53
03 62 13 00-0014	LF	6" Deep x 1" Thick, Non-Metallic Non-Shrink Grout For Joints	3.34
03 62 13 00-0015	LF	8" Deep x 1" Thick, Non-Metallic Non-Shrink Grout For Joints	4.43



Concrete	03	03
Grouting	03 60	
Non-Shrink Grouting	03 62	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
------------------------------	---------------------------	-------------------------

03 62 16 Metallic Non-Shrink Grouting (03 62)

03 62 16 00-0001	Metallic Non-Shrink Grouting For Bases (03 62 16)	
03 62 16 00-0002	SF 1" Deep, Metallic Non-Shrink Grout For Bases	27.67
03 62 16 00-0003	SF 2" Deep, Metallic Non-Shrink Grout For Bases	42.19
03 62 16 00-0004	Metallic Non-Shrink Grouting For Joints (03 62 16)	
03 62 16 00-0005	1/2" Joint Thickness, Metallic Non-Shrink Grout For Joints (03 62 16 00-0004)	
03 62 16 00-0006	LF 4" Deep x 1/2" Thick, Metallic Non-Shrink Grout For Joints	1.46
03 62 16 00-0007	LF 6" Deep x 1/2" Thick, Metallic Non-Shrink Grout For Joints	1.85
03 62 16 00-0008	LF 8" Deep x 1/2" Thick, Metallic Non-Shrink Grout For Joints	2.46
03 62 16 00-0009	1" Joint Thickness, Metallic Non-Shrink Grout For Joints (03 62 16 00-0004)	
03 62 16 00-0010	LF 4" Deep x 1" Thick, Metallic Non-Shrink Grout For Joints	1.99
03 62 16 00-0011	LF 6" Deep x 1" Thick, Metallic Non-Shrink Grout For Joints	2.51
03 62 16 00-0012	LF 8" Deep x 1" Thick, Metallic Non-Shrink Grout For Joints	3.34

03 63 Epoxy Grouting (03 60)

03 63 00 00-0001	Spray On Concrete Epoxy Grout (03 63)	
	Note: (Sika 224) per thickness per coat.	
03 63 00 00-0002	SF 1/2" Thick Coat Spray On Concrete Epoxy Grout	4.74
	For Color, Add	1.26
03 63 00 00-0003	SF 3/4" Thick Coat Spray On Concrete Epoxy Grout	6.48
	For Color, Add	1.90
03 63 00 00-0004	SF 1" Thick Coat Spray On Concrete Epoxy Grout	8.31
	For Color, Add	2.53

03 64 Injection Grouting (03 60)

Note: By volume of void filled. Includes injection ports.

03 64 23 Epoxy Injection Grouting (03 64)

03 64 23 00-0001	Pressure Injected Epoxy Grout (03 64 23)	
03 64 23 00-0002	CF Pressure Injected Epoxy Grout	1,136.56
	For >4, Deduct	-120.40

03 64 26 Cementitious Injection Grouting (03 64)

03 64 26 00-0001	Pressure Injected Cementitious Grout (03 64 26)	
03 64 26 00-0002	CF Pressure Injected Cementitious Grout	146.63
	For >4, Deduct	-34.81

03 80 Concrete Cutting And Boring (03)

03 81 Concrete Cutting (03 80)

03 81 13	Flat Concrete Sawing (03 81)	
	See CSI section 02 41 19 13-0057 for saw cutting.	
03 81 16	Track Mounted Concrete Wall Sawing (03 81)	
	See CSI section 02 41 19 13-0057 for saw cutting.	

03 82 Concrete Boring (03 80)

03 82 13	Concrete Core Drilling (03 82)	
	See CSI section 02 41 19 13-0080 for core drilling.	

END OF SECTION 03

03	03	Concrete
	03 80	Concrete Cutting And Boring
	03 82	Concrete Boring



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
------------------------------	---------------------------	-------------------------

THIS PAGE INTENTIONALLY LEFT BLANK

NOT FOR BID



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
------------------------------	---------------------------	-------------------------

04 Masonry

04 01 Maintenance Of Masonry ⁽⁰⁴⁾

04 01 20 Maintenance Of Unit Masonry ^(04 01)

Note: For use on existing brick. Includes clean-up of debris. Excludes disposal.

04 01 20 41 Unit Masonry Stabilization ^(04 01 20)

04 01 20 41-0001 Masonry Repair (Helifix®) ^(04 01 20 41)

04 01 20 41-0002 Grouted Ties For Stabilizing Solid Masonry (Helifix® CemTie) ^(04 01 20 41-0001)

Note: Austenitic stainless steel. For stabilizing solid masonry. Includes drilling, cementitious grout and patching surface.

04 01 20 41-0003 304 Stainless Steel Helical Pin, Grouted Ties For Stabilizing Solid Masonry (Helifix® CemTie) ^(04 01 20 41-0002)

04 01 20 41-0004	EA	8mm Diameter, 350mm Length, 304 Stainless Steel Helical Pin, Grouted Tie For Stabilizing Solid Masonry (Helifix® CemTie)	19.90
		For Up To 10, Add	8.07
		For >10 To 50, Add	4.04
04 01 20 41-0005	EA	8mm Diameter, 600mm Length, 304 Stainless Steel Helical Pin, Grouted Tie For Stabilizing Solid Masonry (Helifix® CemTie)	29.23
		For Up To 10, Add	8.07
		For >10 To 50, Add	4.04
04 01 20 41-0006	EA	8mm Diameter, 900mm Length, 304 Stainless Steel Helical Pin, Grouted Tie For Stabilizing Solid Masonry (Helifix® CemTie)	39.36
		For Up To 10, Add	8.07
		For >10 To 50, Add	4.04

04 01 20 41-0007 316 Stainless Steel Helical Pin, Grouted Ties For Stabilizing Solid Masonry (Helifix® CemTie) ^(04 01 20 41-0002)

04 01 20 41-0008	EA	8mm Diameter, 350mm Length, 316 Stainless Steel Helical Pin, Grouted Tie For Stabilizing Solid Masonry (Helifix® CemTie)	21.92
		For Up To 10, Add	8.07
		For >10 To 50, Add	4.04
04 01 20 41-0009	EA	8mm Diameter, 600mm Length, 316 Stainless Steel Helical Pin, Grouted Tie For Stabilizing Solid Masonry (Helifix® CemTie)	32.82
		For Up To 10, Add	8.07
		For >10 To 50, Add	4.04
04 01 20 41-0010	EA	8mm Diameter, 900mm Length, 316 Stainless Steel Helical Pin, Grouted Tie For Stabilizing Solid Masonry (Helifix® CemTie)	44.75
		For Up To 10, Add	8.07
		For >10 To 50, Add	4.04

04 01 20 41-0011 Ties For Stitching Masonry Cracks (Helifix® Helibar) ^(04 01 20 41-0001)

Note: Austenitic stainless steel. For stabilizing cracked masonry. Includes removing horizontal mortar and re-pointing mortar bed. Includes cementitious grout. Excludes repairing vertical crack.

04 01 20 41-0012 304 Stainless Steel Helical Pin, Ties For Stitching Masonry Cracks (Helifix® Helibar) ^(04 01 20 41-0011)

04 01 20 41-0013	EA	4.5mm Diameter, 1m Length, 304 Stainless Steel Helical Pin, Tie For Stitching Masonry Cracks (Helifix® Helibar)	51.57
		For Up To 10, Add	32.29
		For >10 To 50, Add	16.15
04 01 20 41-0014	EA	4.5mm Diameter, 1.2m Length, 304 Stainless Steel Helical Pin, Tie For Stitching Masonry Cracks (Helifix® Helibar)	56.88
		For Up To 10, Add	32.29
		For >10 To 50, Add	16.15
04 01 20 41-0015	EA	4.5mm Diameter, 7m Length, 304 Stainless Steel Helical Pin, Tie For Stitching Masonry Cracks (Helifix® Helibar)	179.85
		For Up To 10, Add	32.29
		For >10 To 50, Add	16.15
04 01 20 41-0016	EA	6mm Diameter, 1m Length, 304 Stainless Steel Helical Pin, Tie For Stitching Masonry Cracks (Helifix® Helibar)	51.57
		For Up To 10, Add	32.29
		For >10 To 50, Add	16.15
04 01 20 41-0017	EA	6mm Diameter, 1.2m Length, 304 Stainless Steel Helical Pin, Tie For Stitching Masonry Cracks (Helifix® Helibar)	56.88
		For Up To 10, Add	32.29
		For >10 To 50, Add	16.15
04 01 20 41-0018	EA	6mm Diameter, 1.5m Length, 304 Stainless Steel Helical Pin, Tie For Stitching Masonry Cracks (Helifix® Helibar)	62.90
		For Up To 10, Add	32.29
		For >10 To 50, Add	16.15
04 01 20 41-0019	EA	6mm Diameter, 2m Length, 304 Stainless Steel Helical Pin, Tie For Stitching Masonry Cracks (Helifix® Helibar)	74.24
		For Up To 10, Add	32.29
		For >10 To 50, Add	16.15
04 01 20 41-0020	EA	6mm Diameter, 7m Length, 304 Stainless Steel Helical Pin, Tie For Stitching Masonry Cracks (Helifix® Helibar)	179.85
		For Up To 10, Add	32.29
		For >10 To 50, Add	16.15



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
-------	-----	-----	-------------	------------------------	----------------------

04 01 20 41-0021			316 Stainless Steel Helical Pin, Ties For Stitching Masonry Cracks (Helifix® Helibar) <small>(04 01 20 41-0011)</small>		
04 01 20 41-0022	EA		4.5mm Diameter, 1m Length, 316 Stainless Steel Helical Pin, Tie For Stitching Masonry Cracks (Helifix® Helibar)	54.46	
			<i>For Up To 10, Add</i>	32.29	
			<i>For >10 To 50, Add</i>	16.15	
04 01 20 41-0023	EA		4.5mm Diameter, 1.2m Length, 316 Stainless Steel Helical Pin, Tie For Stitching Masonry Cracks (Helifix® Helibar)	60.72	
			<i>For Up To 10, Add</i>	32.29	
			<i>For >10 To 50, Add</i>	16.15	
04 01 20 41-0024	EA		4.5mm Diameter, 7m Length, 316 Stainless Steel Helical Pin, Tie For Stitching Masonry Cracks (Helifix® Helibar)	203.89	
			<i>For Up To 10, Add</i>	32.29	
			<i>For >10 To 50, Add</i>	16.15	
04 01 20 41-0025	EA		6mm Diameter, 1m Length, 316 Stainless Steel Helical Pin, Tie For Stitching Masonry Cracks (Helifix® Helibar)	54.46	
			<i>For Up To 10, Add</i>	32.29	
			<i>For >10 To 50, Add</i>	16.15	
04 01 20 41-0026	EA		6mm Diameter, 1.2m Length, 316 Stainless Steel Helical Pin, Tie For Stitching Masonry Cracks (Helifix® Helibar)	60.72	
			<i>For Up To 10, Add</i>	32.29	
			<i>For >10 To 50, Add</i>	16.15	
04 01 20 41-0027	EA		6mm Diameter, 1.5m Length, 316 Stainless Steel Helical Pin, Tie For Stitching Masonry Cracks (Helifix® Helibar)	67.71	
			<i>For Up To 10, Add</i>	32.29	
			<i>For >10 To 50, Add</i>	16.15	
04 01 20 41-0028	EA		6mm Diameter, 2m Length, 316 Stainless Steel Helical Pin, Tie For Stitching Masonry Cracks (Helifix® Helibar)	80.97	
			<i>For Up To 10, Add</i>	32.29	
			<i>For >10 To 50, Add</i>	16.15	
04 01 20 41-0029	EA		6mm Diameter, 7m Length, 316 Stainless Steel Helical Pin, Tie For Stitching Masonry Cracks (Helifix® Helibar)	203.89	
			<i>For Up To 10, Add</i>	32.29	
			<i>For >10 To 50, Add</i>	16.15	
04 01 20 41-0030			Mechanical Repair Anchors (Helifix® TorkFix) <small>(04 01 20 41-0001)</small>		
			Note: Austenitic stainless steel. For stabilizing masonry veneer walls to inner wythes of brick, concrete block, wood studs or steel studs. Includes drilling and patching surface.		
04 01 20 41-0031			304 Stainless Steel, Mechanical Repair Anchors (Helifix® TorkFix) <small>(04 01 20 41-0030)</small>		
04 01 20 41-0032	EA		4-1/2" Length, Brick To Brick/Concrete Block, 304 Stainless Steel, Mechanical Repair Anchor (Helifix® TorkFix)	9.93	
			<i>For Up To 10, Add</i>	4.84	
			<i>For >10 To 50, Add</i>	2.42	
04 01 20 41-0033	EA		5-1/2" Length, Brick To Brick/Concrete Block, 304 Stainless Steel, Mechanical Repair Anchor (Helifix® TorkFix)	10.88	
			<i>For Up To 10, Add</i>	4.84	
			<i>For >10 To 50, Add</i>	2.42	
04 01 20 41-0034	EA		6-1/2" Length, Brick To Brick/Concrete Block, 304 Stainless Steel, Mechanical Repair Anchor (Helifix® TorkFix)	11.83	
			<i>For Up To 10, Add</i>	4.84	
			<i>For >10 To 50, Add</i>	2.42	
04 01 20 41-0035	EA		7-1/2" Length, Brick To Brick/Concrete Block, 304 Stainless Steel, Mechanical Repair Anchor (Helifix® TorkFix)	12.78	
			<i>For Up To 10, Add</i>	4.84	
			<i>For >10 To 50, Add</i>	2.42	
04 01 20 41-0036	EA		8-1/2" Length, Brick To Brick/Concrete Block, 304 Stainless Steel, Mechanical Repair Anchor (Helifix® TorkFix)	13.73	
			<i>For Up To 10, Add</i>	4.84	
			<i>For >10 To 50, Add</i>	2.42	
04 01 20 41-0037	EA		9-1/2" Length, Brick To Brick/Concrete Block, 304 Stainless Steel, Mechanical Repair Anchor (Helifix® TorkFix)	14.68	
			<i>For Up To 10, Add</i>	4.84	
			<i>For >10 To 50, Add</i>	2.42	
04 01 20 41-0038	EA		4-1/2" Length, Brick To Wood Frame/Steel Stud, 304 Stainless Steel, Mechanical Repair Anchor (Helifix® TorkFix)	9.93	
			<i>For Up To 10, Add</i>	4.84	
			<i>For >10 To 50, Add</i>	2.42	
04 01 20 41-0039	EA		5-1/2" Length, Brick To Wood Frame/Steel Stud, 304 Stainless Steel, Mechanical Repair Anchor (Helifix® TorkFix)	10.88	
			<i>For Up To 10, Add</i>	4.84	
			<i>For >10 To 50, Add</i>	2.42	
04 01 20 41-0040	EA		6-1/2" Length, Brick To Wood Frame/Steel Stud, 304 Stainless Steel, Mechanical Repair Anchor (Helifix® TorkFix)	11.83	
			<i>For Up To 10, Add</i>	4.84	
			<i>For >10 To 50, Add</i>	2.42	
04 01 20 41-0041	EA		7-1/2" Length, Brick To Wood Frame/Steel Stud, 304 Stainless Steel, Mechanical Repair Anchor (Helifix® TorkFix)	12.78	
			<i>For Up To 10, Add</i>	4.84	
			<i>For >10 To 50, Add</i>	2.42	
04 01 20 41-0042	EA		8-1/2" Length, Brick To Wood Frame/Steel Stud, 304 Stainless Steel, Mechanical Repair Anchor (Helifix® TorkFix)	13.73	
			<i>For Up To 10, Add</i>	4.84	
			<i>For >10 To 50, Add</i>	2.42	
04 01 20 41-0043	EA		10-1/2" Length, Brick To Wood Frame/Steel Stud, 304 Stainless Steel, Mechanical Repair Anchor (Helifix® TorkFix)	15.63	
			<i>For Up To 10, Add</i>	4.84	
			<i>For >10 To 50, Add</i>	2.42	
04 01 20 41-0044	EA		4-1/2" Length, 304 Stainless Steel, Veneer Panel Anchor (Helifix® TorkFix)	9.93	
			<i>For Up To 10, Add</i>	4.84	
			<i>For >10 To 50, Add</i>	2.42	
04 01 20 41-0045	EA		6-1/2" Length, 304 Stainless Steel, Veneer Panel Anchor (Helifix® TorkFix)	11.83	
			<i>For Up To 10, Add</i>	4.84	
			<i>For >10 To 50, Add</i>	2.42	
04 01 20 41-0046	EA		8" Length, 304 Stainless Steel, Veneer Panel Anchor (Helifix® TorkFix)	13.25	
			<i>For Up To 10, Add</i>	4.84	
			<i>For >10 To 50, Add</i>	2.42	



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
-------	-----	-----	-------------	------------------------	----------------------

04 01 20 41-0047 316 Stainless Steel, Mechanical Repair Anchors (Helifix® TorkFix) (04 01 20 41-0030)					
04 01 20 41-0048	EA		4-1/2" Length, Brick To Brick/Concrete Block, 316 Stainless Steel, Mechanical Repair Anchor (Helifix® TorkFix)	9.93	
			<i>For Up To 10, Add</i>	4.84	
			<i>For >10 To 50, Add</i>	2.42	
04 01 20 41-0049	EA		5-1/2" Length, Brick To Brick/Concrete Block, 316 Stainless Steel, Mechanical Repair Anchor (Helifix® TorkFix)	10.88	
			<i>For Up To 10, Add</i>	4.84	
			<i>For >10 To 50, Add</i>	2.42	
04 01 20 41-0050	EA		6-1/2" Length, Brick To Brick/Concrete Block, 316 Stainless Steel, Mechanical Repair Anchor (Helifix® TorkFix)	11.83	
			<i>For Up To 10, Add</i>	4.84	
			<i>For >10 To 50, Add</i>	2.42	
04 01 20 41-0051	EA		7-1/2" Length, Brick To Brick/Concrete Block, 316 Stainless Steel, Mechanical Repair Anchor (Helifix® TorkFix)	12.78	
			<i>For Up To 10, Add</i>	4.84	
			<i>For >10 To 50, Add</i>	2.42	
04 01 20 41-0052	EA		8-1/2" Length, Brick To Brick/Concrete Block, 316 Stainless Steel, Mechanical Repair Anchor (Helifix® TorkFix)	13.73	
			<i>For Up To 10, Add</i>	4.84	
			<i>For >10 To 50, Add</i>	2.42	
04 01 20 41-0053	EA		9-1/2" Length, Brick To Brick/Concrete Block, 316 Stainless Steel, Mechanical Repair Anchor (Helifix® TorkFix)	14.68	
			<i>For Up To 10, Add</i>	4.84	
			<i>For >10 To 50, Add</i>	2.42	
04 01 20 41-0054	EA		4-1/2" Length, Brick To Wood Frame/Steel Stud, 316 Stainless Steel, Mechanical Repair Anchor (Helifix® TorkFix)	9.93	
			<i>For Up To 10, Add</i>	4.84	
			<i>For >10 To 50, Add</i>	2.42	
04 01 20 41-0055	EA		5-1/2" Length, Brick To Wood Frame/Steel Stud, 316 Stainless Steel, Mechanical Repair Anchor (Helifix® TorkFix)	10.88	
			<i>For Up To 10, Add</i>	4.84	
			<i>For >10 To 50, Add</i>	2.42	
04 01 20 41-0056	EA		6-1/2" Length, Brick To Wood Frame/Steel Stud, 316 Stainless Steel, Mechanical Repair Anchor (Helifix® TorkFix)	11.83	
			<i>For Up To 10, Add</i>	4.84	
			<i>For >10 To 50, Add</i>	2.42	
04 01 20 41-0057	EA		7-1/2" Length, Brick To Wood Frame/Steel Stud, 316 Stainless Steel, Mechanical Repair Anchor (Helifix® TorkFix)	12.78	
			<i>For Up To 10, Add</i>	4.84	
			<i>For >10 To 50, Add</i>	2.42	
04 01 20 41-0058	EA		8-1/2" Length, Brick To Wood Frame/Steel Stud, 316 Stainless Steel, Mechanical Repair Anchor (Helifix® TorkFix)	13.73	
			<i>For Up To 10, Add</i>	4.84	
			<i>For >10 To 50, Add</i>	2.42	
04 01 20 41-0059	EA		10-1/2" Length, Brick To Wood Frame/Steel Stud, 316 Stainless Steel, Mechanical Repair Anchor (Helifix® TorkFix)	15.63	
			<i>For Up To 10, Add</i>	4.84	
			<i>For >10 To 50, Add</i>	2.42	
04 01 20 41-0060	EA		4-1/2" Length, 316 Stainless Steel, Veneer Panel Anchor (Helifix® TorkFix)	9.93	
			<i>For Up To 10, Add</i>	4.84	
			<i>For >10 To 50, Add</i>	2.42	
04 01 20 41-0061	EA		6-1/2" Length, 316 Stainless Steel, Veneer Panel Anchor (Helifix® TorkFix)	11.83	
			<i>For Up To 10, Add</i>	4.84	
			<i>For >10 To 50, Add</i>	2.42	
04 01 20 41-0062	EA		8" Length, 316 Stainless Steel, Veneer Panel Anchor (Helifix® TorkFix)	13.25	
			<i>For Up To 10, Add</i>	4.84	
			<i>For >10 To 50, Add</i>	2.42	

04 01 20 41-0063 Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix®) (04 01 20 41-0001)
 Note: Austenitic stainless steel. For pinning stucco, terracotta, granite, marble, etc., to concrete block, brick or solid concrete. Includes drilling and patching surface.

04 01 20 41-0064 304 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix®) (04 01 20 41-0063)					
04 01 20 41-0065	EA		8mm Diameter, 115mm Length, 304 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix®)	7.69	
			<i>For Up To 10, Add</i>	4.84	
			<i>For >10 To 50, Add</i>	2.42	
			<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0066	EA		8mm Diameter, 155mm Length, 304 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix®)	8.03	
			<i>For Up To 10, Add</i>	4.84	
			<i>For >10 To 50, Add</i>	2.42	
			<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0067	EA		8mm Diameter, 170mm Length, 304 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix®)	8.10	
			<i>For Up To 10, Add</i>	4.84	
			<i>For >10 To 50, Add</i>	2.42	
			<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0068	EA		8mm Diameter, 195mm Length, 304 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix®)	8.24	
			<i>For Up To 10, Add</i>	4.84	
			<i>For >10 To 50, Add</i>	2.42	
			<i>For Metal Stud Clip, Add</i>	2.22	

04 Masonry**04 01 Maintenance Of Masonry****04 01 20 Maintenance Of Unit Masonry**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
04 01 20 41-0069	EA		8mm Diameter, 220mm Length, 304 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix®)	8.49	
			<i>For Up To 10, Add</i>	4.84	
			<i>For >10 To 50, Add</i>	2.42	
			<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0070	EA		8mm Diameter, 245mm Length, 304 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix®)	8.70	
			<i>For Up To 10, Add</i>	4.84	
			<i>For >10 To 50, Add</i>	2.42	
			<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0071	EA		8mm Diameter, 270mm Length, 304 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix®)	8.80	
			<i>For Up To 10, Add</i>	4.84	
			<i>For >10 To 50, Add</i>	2.42	
			<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0072	EA		8mm Diameter, 295mm Length, 304 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix®)	8.94	
			<i>For Up To 10, Add</i>	4.84	
			<i>For >10 To 50, Add</i>	2.42	
			<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0073	EA		8mm Diameter, 325mm Length, 304 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix®)	9.54	
			<i>For Up To 10, Add</i>	4.84	
			<i>For >10 To 50, Add</i>	2.42	
			<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0074	EA		8mm Diameter, 350mm Length, 304 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix®)	9.63	
			<i>For Up To 10, Add</i>	4.84	
			<i>For >10 To 50, Add</i>	2.42	
			<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0075	EA		8mm Diameter, 400mm Length, 304 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix®)	10.36	
			<i>For Up To 10, Add</i>	4.84	
			<i>For >10 To 50, Add</i>	2.42	
			<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0076	EA		8mm Diameter, 450mm Length, 304 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix®)	10.98	
			<i>For Up To 10, Add</i>	4.84	
			<i>For >10 To 50, Add</i>	2.42	
			<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0077	EA		8mm Diameter, 500mm Length, 304 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix®)	11.51	
			<i>For Up To 10, Add</i>	4.84	
			<i>For >10 To 50, Add</i>	2.42	
			<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0078	EA		8mm Diameter, 550mm Length, 304 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix®)	13.37	
			<i>For Up To 10, Add</i>	4.84	
			<i>For >10 To 50, Add</i>	2.42	
			<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0079	EA		8mm Diameter, 600mm Length, 304 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix®)	15.03	
			<i>For Up To 10, Add</i>	4.84	
			<i>For >10 To 50, Add</i>	2.42	
			<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0080	EA		8mm Diameter, 700mm Length, 304 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix®)	17.24	
			<i>For Up To 10, Add</i>	4.84	
			<i>For >10 To 50, Add</i>	2.42	
			<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0081	EA		10mm Diameter, 125mm Length, 304 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix®)	7.81	
			<i>For Up To 10, Add</i>	4.84	
			<i>For >10 To 50, Add</i>	2.42	
			<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0082	EA		10mm Diameter, 155mm Length, 304 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix®)	8.18	
			<i>For Up To 10, Add</i>	4.84	
			<i>For >10 To 50, Add</i>	2.42	
			<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0083	EA		10mm Diameter, 170mm Length, 304 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix®)	8.51	
			<i>For Up To 10, Add</i>	4.84	
			<i>For >10 To 50, Add</i>	2.42	
			<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0084	EA		10mm Diameter, 195mm Length, 304 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix®)	8.80	
			<i>For Up To 10, Add</i>	4.84	
			<i>For >10 To 50, Add</i>	2.42	
			<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0085	EA		10mm Diameter, 220mm Length, 304 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix®)	8.99	
			<i>For Up To 10, Add</i>	4.84	
			<i>For >10 To 50, Add</i>	2.42	
			<i>For Metal Stud Clip, Add</i>	2.22	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
04 01 20 41-0086 EA 10mm Diameter, 245mm Length, 304 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix®).....	9.13	
<i>For Up To 10, Add</i>	4.84	
<i>For >10 To 50, Add</i>	2.42	
<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0087 EA 10mm Diameter, 270mm Length, 304 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix®).....	9.35	
<i>For Up To 10, Add</i>	4.84	
<i>For >10 To 50, Add</i>	2.42	
<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0088 EA 10mm Diameter, 300mm Length, 304 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix®).....	9.44	
<i>For Up To 10, Add</i>	4.84	
<i>For >10 To 50, Add</i>	2.42	
<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0089 EA 10mm Diameter, 350mm Length, 304 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix®).....	9.87	
<i>For Up To 10, Add</i>	4.84	
<i>For >10 To 50, Add</i>	2.42	
<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0090 EA 10mm Diameter, 400mm Length, 304 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix®).....	10.48	
<i>For Up To 10, Add</i>	4.84	
<i>For >10 To 50, Add</i>	2.42	
<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0091 EA 10mm Diameter, 450mm Length, 304 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix®).....	11.00	
<i>For Up To 10, Add</i>	4.84	
<i>For >10 To 50, Add</i>	2.42	
<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0092 EA 10mm Diameter, 500mm Length, 304 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix®).....	11.64	
<i>For Up To 10, Add</i>	4.84	
<i>For >10 To 50, Add</i>	2.42	
<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0093 EA 10mm Diameter, 550mm Length, 304 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix®).....	15.14	
<i>For Up To 10, Add</i>	4.84	
<i>For >10 To 50, Add</i>	2.42	
<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0094 EA 10mm Diameter, 600mm Length, 304 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix®).....	17.10	
<i>For Up To 10, Add</i>	4.84	
<i>For >10 To 50, Add</i>	2.42	
<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0095 EA 10mm Diameter, 700mm Length, 304 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix®).....	20.14	
<i>For Up To 10, Add</i>	4.84	
<i>For >10 To 50, Add</i>	2.42	
<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0096 EA 8mm Tapered To 6.5mm Diameter, 155mm Length, 304 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix® Asymmetric).....	8.61	
<i>For Up To 10, Add</i>	4.84	
<i>For >10 To 50, Add</i>	2.42	
<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0097 EA 8mm Tapered To 6.5mm Diameter, 170mm Length, 304 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix® Asymmetric).....	8.83	
<i>For Up To 10, Add</i>	4.84	
<i>For >10 To 50, Add</i>	2.42	
<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0098 EA 8mm Tapered To 6.5mm Diameter, 185mm Length, 304 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix® Asymmetric).....	8.97	
<i>For Up To 10, Add</i>	4.84	
<i>For >10 To 50, Add</i>	2.42	
<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0099 EA 8mm Tapered To 6.5mm Diameter, 195mm Length, 304 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix® Asymmetric).....	9.07	
<i>For Up To 10, Add</i>	4.84	
<i>For >10 To 50, Add</i>	2.42	
<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0100 EA 8mm Tapered To 6.5mm Diameter, 220mm Length, 304 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix® Asymmetric).....	9.38	
<i>For Up To 10, Add</i>	4.84	
<i>For >10 To 50, Add</i>	2.42	
<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0101 EA 8mm Tapered To 6.5mm Diameter, 245mm Length, 304 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix® Asymmetric).....	9.86	
<i>For Up To 10, Add</i>	4.84	
<i>For >10 To 50, Add</i>	2.42	
<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0102 EA 8mm Tapered To 6.5mm Diameter, 270mm Length, 304 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix® Asymmetric).....	10.04	
<i>For Up To 10, Add</i>	4.84	
<i>For >10 To 50, Add</i>	2.42	
<i>For Metal Stud Clip, Add</i>	2.22	

04 Masonry**04 01 Maintenance Of Masonry****04 01 20 Maintenance Of Unit Masonry**
 MINOR
 CSI UOM DESCRIPTION

 TOTAL DIRECT DEMOLITION
 UNIT COST UNIT COST

04 01 20 41-0103	EA	8mm Tapered To 6.5mm Diameter, 295mm Length, 304 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix® Asymmetric).....	10.52	
		<i>For Up To 10, Add</i>	4.84	
		<i>For >10 To 50, Add</i>	2.42	
		<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0104	EA	10mm Tapered To 8mm Diameter, 155mm Length, 304 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix® Asymmetric).....	9.17	
		<i>For Up To 10, Add</i>	4.84	
		<i>For >10 To 50, Add</i>	2.42	
		<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0105	EA	10mm Tapered To 8mm Diameter, 170mm Length, 304 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix® Asymmetric).....	9.59	
		<i>For Up To 10, Add</i>	4.84	
		<i>For >10 To 50, Add</i>	2.42	
		<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0106	EA	10mm Tapered To 8mm Diameter, 195mm Length, 304 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix® Asymmetric).....	9.89	
		<i>For Up To 10, Add</i>	4.84	
		<i>For >10 To 50, Add</i>	2.42	
		<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0107	EA	10mm Tapered To 8mm Diameter, 220mm Length, 304 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix® Asymmetric).....	10.08	
		<i>For Up To 10, Add</i>	4.84	
		<i>For >10 To 50, Add</i>	2.42	
		<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0108	EA	10mm Tapered To 8mm Diameter, 245mm Length, 304 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix® Asymmetric).....	10.21	
		<i>For Up To 10, Add</i>	4.84	
		<i>For >10 To 50, Add</i>	2.42	
		<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0109	EA	10mm Tapered To 8mm Diameter, 300mm Length, 304 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix® Asymmetric).....	10.52	
		<i>For Up To 10, Add</i>	4.84	
		<i>For >10 To 50, Add</i>	2.42	
		<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0110	EA	304 Stainless Steel, Seismic Connector (Helifix® DryFix®).....	4.12	
		Note: For installation over the DryFix® helical pin. Excludes removal of grout from the horizontal mortar joint and installation of Helibar or 9 gauge continuous wire.		
		<i>For Up To 10, Add</i>	2.42	
		<i>For >10 To 50, Add</i>	1.21	
04 01 20 41-0111		316 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix®) (04 01 20 41-0063)		
04 01 20 41-0112	EA	8mm Diameter, 115mm Length, 316 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix®).....	8.23	
		<i>For Up To 10, Add</i>	4.84	
		<i>For >10 To 50, Add</i>	2.42	
		<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0113	EA	8mm Diameter, 155mm Length, 316 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix®).....	8.66	
		<i>For Up To 10, Add</i>	4.84	
		<i>For >10 To 50, Add</i>	2.42	
		<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0114	EA	8mm Diameter, 170mm Length, 316 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix®).....	8.75	
		<i>For Up To 10, Add</i>	4.84	
		<i>For >10 To 50, Add</i>	2.42	
		<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0115	EA	8mm Diameter, 195mm Length, 316 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix®).....	8.92	
		<i>For Up To 10, Add</i>	4.84	
		<i>For >10 To 50, Add</i>	2.42	
		<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0116	EA	8mm Diameter, 220mm Length, 316 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix®).....	9.23	
		<i>For Up To 10, Add</i>	4.84	
		<i>For >10 To 50, Add</i>	2.42	
		<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0117	EA	8mm Diameter, 245mm Length, 316 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix®).....	9.49	
		<i>For Up To 10, Add</i>	4.84	
		<i>For >10 To 50, Add</i>	2.42	
		<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0118	EA	8mm Diameter, 270mm Length, 316 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix®).....	9.62	
		<i>For Up To 10, Add</i>	4.84	
		<i>For >10 To 50, Add</i>	2.42	
		<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0119	EA	8mm Diameter, 295mm Length, 316 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix®).....	9.79	
		<i>For Up To 10, Add</i>	4.84	
		<i>For >10 To 50, Add</i>	2.42	
		<i>For Metal Stud Clip, Add</i>	2.22	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
04 01 20 41-0120 EA 8mm Diameter, 325mm Length, 316 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix®).....	10.42	
<i>For Up To 10, Add</i>	4.84	
<i>For >10 To 50, Add</i>	2.42	
<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0121 EA 8mm Diameter, 350mm Length, 316 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix®).....	10.53	
<i>For Up To 10, Add</i>	4.84	
<i>For >10 To 50, Add</i>	2.42	
<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0122 EA 8mm Diameter, 400mm Length, 316 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix®).....	11.44	
<i>For Up To 10, Add</i>	4.84	
<i>For >10 To 50, Add</i>	2.42	
<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0123 EA 8mm Diameter, 450mm Length, 316 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix®).....	12.21	
<i>For Up To 10, Add</i>	4.84	
<i>For >10 To 50, Add</i>	2.42	
<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0124 EA 8mm Diameter, 500mm Length, 316 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix®).....	12.88	
<i>For Up To 10, Add</i>	4.84	
<i>For >10 To 50, Add</i>	2.42	
<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0125 EA 8mm Diameter, 550mm Length, 316 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix®).....	15.21	
<i>For Up To 10, Add</i>	4.84	
<i>For >10 To 50, Add</i>	2.42	
<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0126 EA 8mm Diameter, 600mm Length, 316 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix®).....	17.09	
<i>For Up To 10, Add</i>	4.84	
<i>For >10 To 50, Add</i>	2.42	
<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0127 EA 8mm Diameter, 700mm Length, 316 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix®).....	19.85	
<i>For Up To 10, Add</i>	4.84	
<i>For >10 To 50, Add</i>	2.42	
<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0128 EA 10mm Diameter, 125mm Length, 316 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix®).....	8.45	
<i>For Up To 10, Add</i>	4.84	
<i>For >10 To 50, Add</i>	2.42	
<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0129 EA 10mm Diameter, 155mm Length, 316 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix®).....	8.87	
<i>For Up To 10, Add</i>	4.84	
<i>For >10 To 50, Add</i>	2.42	
<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0130 EA 10mm Diameter, 170mm Length, 316 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix®).....	9.29	
<i>For Up To 10, Add</i>	4.84	
<i>For >10 To 50, Add</i>	2.42	
<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0131 EA 10mm Diameter, 195mm Length, 316 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix®).....	9.66	
<i>For Up To 10, Add</i>	4.84	
<i>For >10 To 50, Add</i>	2.42	
<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0132 EA 10mm Diameter, 220mm Length, 316 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix®).....	9.90	
<i>For Up To 10, Add</i>	4.84	
<i>For >10 To 50, Add</i>	2.42	
<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0133 EA 10mm Diameter, 245mm Length, 316 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix®).....	10.06	
<i>For Up To 10, Add</i>	4.84	
<i>For >10 To 50, Add</i>	2.42	
<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0134 EA 10mm Diameter, 270mm Length, 316 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix®).....	10.33	
<i>For Up To 10, Add</i>	4.84	
<i>For >10 To 50, Add</i>	2.42	
<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0135 EA 10mm Diameter, 300mm Length, 316 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix®).....	10.45	
<i>For Up To 10, Add</i>	4.84	
<i>For >10 To 50, Add</i>	2.42	
<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0136 EA 10mm Diameter, 350mm Length, 316 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix®).....	10.95	
<i>For Up To 10, Add</i>	4.84	
<i>For >10 To 50, Add</i>	2.42	
<i>For Metal Stud Clip, Add</i>	2.22	

04 Masonry**04 01 Maintenance Of Masonry****04 01 20 Maintenance Of Unit Masonry**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
04 01 20 41-0137	EA		10mm Diameter, 400mm Length, 316 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix®).....	11.64	
			<i>For Up To 10, Add</i>	4.84	
			<i>For >10 To 50, Add</i>	2.42	
			<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0138	EA		10mm Diameter, 450mm Length, 316 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix®).....	12.28	
			<i>For Up To 10, Add</i>	4.84	
			<i>For >10 To 50, Add</i>	2.42	
			<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0139	EA		10mm Diameter, 500mm Length, 316 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix®).....	13.09	
			<i>For Up To 10, Add</i>	4.84	
			<i>For >10 To 50, Add</i>	2.42	
			<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0140	EA		10mm Diameter, 550mm Length, 316 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix®).....	17.46	
			<i>For Up To 10, Add</i>	4.84	
			<i>For >10 To 50, Add</i>	2.42	
			<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0141	EA		10mm Diameter, 600mm Length, 316 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix®).....	19.55	
			<i>For Up To 10, Add</i>	4.84	
			<i>For >10 To 50, Add</i>	2.42	
			<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0142	EA		10mm Diameter, 700mm Length, 316 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix®).....	23.35	
			<i>For Up To 10, Add</i>	4.84	
			<i>For >10 To 50, Add</i>	2.42	
			<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0143	EA		8mm Tapered To 6.5mm Diameter, 155mm Length, 316 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix® Asymmetric).....	9.47	
			<i>For Up To 10, Add</i>	4.84	
			<i>For >10 To 50, Add</i>	2.42	
			<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0144	EA		8mm Tapered To 6.5mm Diameter, 170mm Length, 316 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix® Asymmetric).....	9.71	
			<i>For Up To 10, Add</i>	4.84	
			<i>For >10 To 50, Add</i>	2.42	
			<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0145	EA		8mm Tapered To 6.5mm Diameter, 185mm Length, 316 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix® Asymmetric).....	9.88	
			<i>For Up To 10, Add</i>	4.84	
			<i>For >10 To 50, Add</i>	2.42	
			<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0146	EA		8mm Tapered To 6.5mm Diameter, 195mm Length, 316 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix® Asymmetric).....	10.01	
			<i>For Up To 10, Add</i>	4.84	
			<i>For >10 To 50, Add</i>	2.42	
			<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0147	EA		8mm Tapered To 6.5mm Diameter, 220mm Length, 316 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix® Asymmetric).....	10.39	
			<i>For Up To 10, Add</i>	4.84	
			<i>For >10 To 50, Add</i>	2.42	
			<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0148	EA		8mm Tapered To 6.5mm Diameter, 245mm Length, 316 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix® Asymmetric).....	11.00	
			<i>For Up To 10, Add</i>	4.84	
			<i>For >10 To 50, Add</i>	2.42	
			<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0149	EA		8mm Tapered To 6.5mm Diameter, 270mm Length, 316 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix® Asymmetric).....	11.20	
			<i>For Up To 10, Add</i>	4.84	
			<i>For >10 To 50, Add</i>	2.42	
			<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0150	EA		8mm Tapered To 6.5mm Diameter, 295mm Length, 316 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix® Asymmetric).....	11.80	
			<i>For Up To 10, Add</i>	4.84	
			<i>For >10 To 50, Add</i>	2.42	
			<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0151	EA		10mm Tapered To 8mm Diameter, 155mm Length, 316 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix® Asymmetric).....	10.09	
			<i>For Up To 10, Add</i>	4.84	
			<i>For >10 To 50, Add</i>	2.42	
			<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0152	EA		10mm Tapered To 8mm Diameter, 170mm Length, 316 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix® Asymmetric).....	10.61	
			<i>For Up To 10, Add</i>	4.84	
			<i>For >10 To 50, Add</i>	2.42	
			<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0153	EA		10mm Tapered To 8mm Diameter, 195mm Length, 316 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix® Asymmetric).....	10.98	
			<i>For Up To 10, Add</i>	4.84	
			<i>For >10 To 50, Add</i>	2.42	
			<i>For Metal Stud Clip, Add</i>	2.22	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
04 01 20 41-0154 EA 10mm Tapered To 8mm Diameter, 220mm Length, 316 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix® Asymmetric)	11.22	
<i>For Up To 10, Add</i>	4.84	
<i>For >10 To 50, Add</i>	2.42	
<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0155 EA 10mm Tapered To 8mm Diameter, 245mm Length, 316 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix® Asymmetric)	11.38	
<i>For Up To 10, Add</i>	4.84	
<i>For >10 To 50, Add</i>	2.42	
<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0156 EA 10mm Tapered To 8mm Diameter, 300mm Length, 316 Stainless Steel Helical Pin, Dry Mechanical Pinning And Remedial Tying System (Helifix® DryFix® Asymmetric)	11.77	
<i>For Up To 10, Add</i>	4.84	
<i>For >10 To 50, Add</i>	2.42	
<i>For Metal Stud Clip, Add</i>	2.22	
04 01 20 41-0157 EA 316 Stainless Steel, Seismic Connector (Helifix® DryFix®)	4.54	
Note: For installation over the DryFix® helical pin. Excludes removal of grout from the horizontal mortar joint and installation of Helibar or 9 gauge continuous wire.		
<i>For Up To 10, Add</i>	2.42	
<i>For >10 To 50, Add</i>	1.21	
04 01 20 41-0158 Concrete Patching Pins (Helifix® PatchPin) <small>(04 01 20 41-0001)</small>		
Note: Austenitic stainless steel. For patching reinforced concrete. Includes drilling. Excludes patching mortar.		
04 01 20 41-0159 304 Stainless Steel Helical Pin, Concrete Patching Pins (Helifix® PatchPin)		
<small>(04 01 20 41-0158)</small>		
04 01 20 41-0160 EA 8mm Diameter, 70mm Length, 304 Stainless Steel Helical Pin, Concrete Patching Pin (Helifix® PatchPin).....	6.37	
<i>For Up To 10, Add</i>	4.84	
<i>For >10 To 50, Add</i>	2.42	
04 01 20 41-0161 EA 8mm Diameter, 102mm Length, 304 Stainless Steel Helical Pin, Concrete Patching Pin (Helifix® PatchPin).....	6.42	
<i>For Up To 10, Add</i>	4.84	
<i>For >10 To 50, Add</i>	2.42	
04 01 20 41-0162 316 Stainless Steel Helical Pin, Concrete Patching Pins (Helifix® PatchPin)		
<small>(04 01 20 41-0158)</small>		
04 01 20 41-0163 EA 8mm Diameter, 70mm Length, 316 Stainless Steel Helical Pin, Concrete Patching Pin (Helifix® PatchPin).....	6.66	
<i>For Up To 10, Add</i>	4.84	
<i>For >10 To 50, Add</i>	2.42	
04 01 20 41-0164 EA 8mm Diameter, 102mm Length, 316 Stainless Steel Helical Pin, Concrete Patching Pin (Helifix® PatchPin).....	6.73	
<i>For Up To 10, Add</i>	4.84	
<i>For >10 To 50, Add</i>	2.42	
04 01 20 41-0165 Movement Joint Ties (Helifix® Movement Joint Tie) <small>(04 01 20 41-0001)</small>		
Note: Austenitic stainless steel. For creating movement joints in existing walls. Includes removing horizontal mortar and re-pointing mortar bed. Includes cementitious grout.		
04 01 20 41-0166 304 Stainless Steel Helical Pin, Movement Joint Ties (Helifix® Movement Joint Tie) <small>(04 01 20 41-0165)</small>		
04 01 20 41-0167 EA 6mm Diameter, 400mm Length, 304 Stainless Steel Helical Pin, Movement Joint Tie With De-Bond Sleeve (Helifix® Movement Joint Tie).....	40.99	
<i>For Up To 10, Add</i>	32.29	
<i>For >10 To 50, Add</i>	16.15	
04 01 20 41-0168 316 Stainless Steel Helical Pin, Movement Joint Ties (Helifix® Movement Joint Tie) <small>(04 01 20 41-0165)</small>		
04 01 20 41-0169 EA 6mm Diameter, 400mm Length, 316 Stainless Steel Helical Pin, Movement Joint Tie With De-Bond Sleeve (Helifix® Movement Joint Tie).....	42.32	
<i>For Up To 10, Add</i>	32.29	
<i>For >10 To 50, Add</i>	16.15	
04 01 20 41-0170 Unit Masonry Stabilization <small>(04 01 20 41)</small>		
04 01 20 41-0171 Repair Bulging Or Loose Masonry <small>(04 01 20 41-0170)</small>		
04 01 20 41-0172 SF Repair Bulging Or Loose Masonry Using Existing Masonry	68.76	
Note: Includes saw cutting, toothing, removing loose masonry, installing anchor and reinstalling brick and mortar.		
04 01 20 41-0173 SF Repair Bulging Or Loose Masonry Using New Masonry	73.60	
Note: Includes saw cutting, toothing, removing loose masonry, installing anchor and installing new brick and mortar.		
04 01 20 51 Unit Masonry Maintenance <small>(04 01 20)</small>		
04 01 20 51-0001 Grind Unit Masonry <small>(04 01 20 51)</small>		
04 01 20 51-0002 SF Grind Smooth Masonry Wall	3.20	
04 01 20 91 Unit Masonry Restoration <small>(04 01 20)</small>		
See CSI section 03 01 30 71-0078 for crack repair.		

04 Masonry**04 01 Maintenance Of Masonry****04 01 20 Maintenance Of Unit Masonry**MINOR
CSI UOM DESCRIPTIONTOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

04 01 20 91-0001	Cut And Repoint Masonry <small>(04 01 20 91)</small>	
	Note: Remove existing mortar to 3/4" depth. Repoint with pointing mortar. Includes pointing mortar, cutting, rinsing and cleaning joint.	
04 01 20 91-0002	SF Cut And Repoint Brick, Hard Intact Mortar, Running Bond	8.05
	<i>For Common Bond, Add</i>	0.30
	<i>For Flemish Bond, Add</i>	1.06
	<i>For English Bond, Add</i>	1.74
	<i>For Oversized Or Larger Than Standard, Deduct</i>	-1.21
	<i>For Historical Restoration, Add</i>	1.51
	<i>For >250 To 1,000, Deduct</i>	-0.38
	<i>For >1,000, Deduct</i>	-0.78
04 01 20 91-0003	SF Cut And Repoint Brick, Soft, Loose Or Crumbling Mortar, Running Bond.....	5.62
	<i>For Common Bond, Add</i>	0.21
	<i>For Flemish Bond, Add</i>	0.72
	<i>For English Bond, Add</i>	1.18
	<i>For Oversized Or Larger Than Standard, Deduct</i>	-0.84
	<i>For Historical Restoration, Add</i>	1.03
	<i>For >250 To 1,000, Deduct</i>	-0.26
	<i>For >1,000, Deduct</i>	-0.54
04 01 20 91-0004	SF Cut And Repoint Concrete Block, Hard Intact Mortar, Running Bond	4.28
	<i>For Common Bond, Add</i>	0.15
	<i>For Oversized Or Larger Than Standard, Deduct</i>	-0.64
	<i>For Historical Restoration, Add</i>	0.76
	<i>For >250 To 1,000, Deduct</i>	-0.19
	<i>For >1,000, Deduct</i>	-0.40
04 01 20 91-0005	SF Cut And Repoint Concrete Block, Soft, Loose Or Crumbling Mortar, Running Bond	3.07
	<i>For Common Bond, Add</i>	0.10
	<i>For Oversized Or Larger Than Standard, Deduct</i>	-0.46
	<i>For Historical Restoration, Add</i>	0.52
	<i>For >250 To 1,000, Deduct</i>	-0.13
	<i>For >1,000, Deduct</i>	-0.28
04 01 20 91-0006	LF Cut And Repoint Brick/Block, Irregular Shapes And Other Than Complete SF Area	2.51
04 01 20 91-0007	Repair Masonry <small>(04 01 20 91)</small>	
	Note: Includes mortar for repair.	
04 01 20 91-0008	SF Patch And Repair Terra Cotta Walls Or Coping	14.68
	Note: Including Replacement Of Damaged Material	
04 01 20 91-0009	SF Patch And Repair Terra Cotta Floors	13.57
	Note: Including Replacement Of Damaged Material	
04 01 20 91-0010	LF Chip And Repair With Masonry Patch, Cracks Up To 1/4"	3.70
04 01 20 91-0011	SF Patching Over Masonry Surface With Elastomeric Paint Using A Trowel 6" Blade	5.91
04 01 20 91-0012	EA Cutout Individual Damaged Brick And Replace With New Brick	11.41
04 01 20 91-0013	LF Pressure Grout Block/Brick Using LA City RGA Rule Of General Application 1-91 (Portland Cement Base).....	290.41
04 01 20 91-0014	LF Pressure Grout Block/Brick Master Builders RHEOCHEM 900 (Portland Cement Base).....	82.85
04 01 20 91-0015	LF Up To 1/4" Wide, Water Activated Polyurethane Foam Grout, Non Structural Crack Repair For Masonry, Installed With Automated Injection Equipment (SealBoss 1570)	26.79
	<i>For Cracks Accessible From Both Sides, Add</i>	5.42
04 01 20 91-0016	LF Up To 1/4" Wide, Moisture Tolerant, Low Viscosity, High Strength Epoxy Resin, Structural Crack Repair For Masonry, Installed With Automated Injection Equipment (Sikadur® 52)	24.72
	<i>For Cracks Accessible From Both Sides, Add</i>	5.42
04 01 20 91-0017	LF Up To 1/4" Wide, Moisture Tolerant, Low Viscosity, High Strength Epoxy Resin, Gravity Fed Structural Crack Repair For Masonry, Surface Applied Trowel (Sikadur® 52)	7.17
	<i>For V-Grooving Crack With Grinder, Add</i>	5.12
04 01 20 91-0018	LF >1/4" To 1/2" Wide, Moisture Tolerant, Low Viscosity, High Strength Epoxy Resin, Gravity Fed Structural Crack Repair For Masonry, Surface Applied With Trowel (Sikadur® 52)	9.67
	<i>For V-Grooving Crack With Grinder, Add</i>	4.86
04 01 50	Maintenance of Refractory Masonry <small>(04 01)</small>	
04 01 50 52	Refractory Masonry Cleaning <small>(04 01 50)</small>	
04 01 50 52-0001	Chimney Cleaning <small>(04 01 50 52)</small>	
04 01 50 52-0002	LF Up To 2 SF Cross Section Chimney Cleaning	6.22
04 01 50 52-0003	LF >2 To 4 SF Cross Section Chimney Cleaning	12.43
04 01 50 52-0004	LF >4 SF Cross Section Chimney Cleaning	18.65
04 05	Common Work Results For Masonry <small>(04)</small>	
04 05 13	Masonry Mortaring <small>(04 05)</small>	
04 05 13 26	Engineered Masonry Mortaring <small>(04 05 13)</small>	
	Note: Mortar, sand and standard supplements are included in the cost of brick, block, stone, simulated or synthetic masonry units.	
04 05 13 26-0001	Masonry Cement Mortar <small>(04 05 13 26)</small>	
	Note: Ratio is bag material to sand.	
04 05 13 26-0002	CF Type M Masonry Cement 1:1:6 Mix	5.93
04 05 13 26-0003	CF Type N Masonry Cement 1:3 Mix	5.47
04 05 13 26-0004	CF Type O Masonry Cement 1:3 Mix	5.61
04 05 13 26-0005	CF Type PM Masonry Cement 1:1:6 Mix, 2,500 PSI	6.14
04 05 13 26-0006	CF Type S Masonry Cement 1/2:1:4 Mix	6.48



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
04 05 13 26-0007 Mortar Admixture <small>(04 05 13 26)</small>		
04 05 13 26-0008 CF Water - Repellent Stearate - Cost Based On CF Of Mortar030	
04 05 13 26-0009 CF Pozzolanic Plasticizers - Cost Based On CF Of Mortar006	
04 05 13 26-0010 Color Admixtures For Mortar <small>(04 05 13 26)</small>		
Note: Costs are based on CF of mortar.		
04 05 13 26-0011 CF Buff Colored Admixture	1.90	
04 05 13 26-0012 CF Brown Colored Admixture	2.15	
04 05 13 26-0013 CF Black Colored Admixture	2.67	
04 05 13 26-0014 CF Red Colored Admixture	5.83	
04 05 13 26-0015 Portland Cement <small>(04 05 13 26)</small>		
04 05 13 26-0016 CF Normal Portland Cement (Type I)	10.11	
04 05 13 26-0017 CF Modified Portland Cement (Type II)	5.04	
04 05 13 26-0018 CF High Early Strength Portland Cement (Type III)	5.35	
04 05 13 26-0019 CF White Non Staining Portland Cement (Type I)	11.21	
04 05 16 Masonry Grouting <small>(04 05)</small>		
04 05 16 26 Engineered Masonry Grouting <small>(04 05 16)</small>		
Note: Does not include reinforcement.		
04 05 16 26-0001 Grout Bond Beams And Lintels, Grout Fill <small>(04 05 16 26)</small>		
Note: Excludes block.		
04 05 16 26-0002 LF Grout Bond Beams And Lintels - 6" Block, Grout Fill Only, 0.1125 CF/LF, 8" Deep	3.54	
04 05 16 26-0003 LF Grout Bond Beams And Lintels - 8" Block, Grout Fill Only, 0.20 CF/LF, 8" Deep	3.85	
04 05 16 26-0004 LF Grout Bond Beams And Lintels - 10" Block, Grout Fill Only, 0.25 CF/LF, 8" Deep	4.28	
04 05 16 26-0005 LF Grout Bond Beams And Lintels, 12" Block, Grout Fill Only, 0.30 CF/LF, 8" Deep	4.78	
04 05 16 26-0006 Grout Concrete Block Cores, Grout Fill <small>(04 05 16 26)</small>		
Note: Per SF of face area filled.		
04 05 16 26-0007 SF Grout Concrete Block Cores- 4" Block, Grout Fill Block Solid (0.067 CF/SF)	2.80	
04 05 16 26-0008 SF Grout Concrete Block Cores- 6" Block, Grout Fill Block Solid (0.175 CF/SF)	4.01	
04 05 16 26-0009 SF Grout Concrete Block Cores- 8" Block, Grout Fill Block Solid (0.258 CF/SF)	5.74	
04 05 16 26-0010 SF Grout Concrete Block Cores- 10" Block, Grout Fill Block Solid (0.34 CF/SF)	7.03	
04 05 16 26-0011 SF Grout Concrete Block Cores- 12" Block, Grout Fill Block Solid (0.422 CF/SF)	8.28	
04 05 16 26-0012 Grout Cavity Walls, Grout Fill <small>(04 05 16 26)</small>		
Note: Per SF of face area filled.		
04 05 16 26-0013 SF Grout Cavity Walls - 2" Space, Grout Fill (0.167 CF/SF)	3.24	
04 05 16 26-0014 SF Grout Cavity Walls - 3" Space, Grout Fill (0.250 CF/SF)	4.56	
04 05 16 26-0015 SF Grout Cavity Walls - 4" Space, Grout Fill (0.333 CF/SF)	5.73	
04 05 16 26-0016 SF Grout Cavity Walls - 6" Space, Grout Fill (0.500 CF/SF)	7.73	
04 05 16 26-0017 Grout Frames, Grout Fill <small>(04 05 16 26)</small>		
04 05 16 26-0018 LF Grout Door Frames - Grout Fill	5.08	
04 05 16 26-0019 LF Grout Window Frames - Grout Fill	4.35	
04 05 16 26-0020 Sand Filled Walls <small>(04 05 16 26)</small>		
04 05 16 26-0021 Sand Fill Cavity Walls, Sand Fill <small>(04 05 16 26-0020)</small>		
Note: Per SF of face area filled.		
04 05 16 26-0022 SF Sand Fill Cavity Walls - 2" Space, Sand Fill (0.167 CF/SF)	2.84	
04 05 16 26-0023 SF Sand Fill Cavity Walls - 3" Space, Sand Fill (0.250 CF/SF)	3.93	
04 05 16 26-0024 SF Sand Fill Cavity Walls - 4" Space, Sand Fill (0.333 CF/SF)	4.85	
04 05 16 26-0025 SF Sand Fill Cavity Walls - 6" Space, Sand Fill (0.500 CF/SF)	6.49	
04 05 19 Masonry Anchorage And Reinforcing <small>(04 05)</small>		
04 05 19 13 Continuous Joint Reinforcing <small>(04 05 19)</small>		
Note: Includes cutting and bending.		
04 05 19 13-0001 Continuous Joint Reinforcing <small>(04 05 19 13)</small>		
04 05 19 13-0002 Ladder-Type, Masonry Wall Reinforcement <small>(04 05 19 13-0001)</small>		
04 05 19 13-0003 Ladder-Type, Masonry Wall Reinforcement <small>(04 05 19 13-0002)</small>		
04 05 19 13-0004 Two-Wire, 9 Gauge Side Rods, 9 Gauge Cross Rods, Ladder-Type, Masonry Wall Reinforcement <small>(04 05 19 13-0003)</small>		

04 Masonry**04 05 Common Work Results For Masonry****04 05 19 Masonry Anchorage And Reinforcing**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
04 05 19 13-0005	CLF	#4	(For 4" Walls), Mill Galvanized, Two-Wire, 9 Gauge Side Rods, 9 Gauge Cross Rods, Ladder-Type, Masonry Wall Reinforcement.....	55.61	
			<i>For Hot-Dipped Galvanized, Add</i>	12.00	
			<i>For Stainless Steel, Add</i>	48.00	
04 05 19 13-0006	CLF	#6	(For 6" Walls), Mill Galvanized, Two-Wire, 9 Gauge Side Rods, 9 Gauge Cross Rods, Ladder-Type, Masonry Wall Reinforcement.....	58.98	
			<i>For Hot-Dipped Galvanized, Add</i>	12.61	
			<i>For Stainless Steel, Add</i>	50.42	
04 05 19 13-0007	CLF	#8	(For 8" Walls), Mill Galvanized, Two-Wire, 9 Gauge Side Rods, 9 Gauge Cross Rods, Ladder-Type, Masonry Wall Reinforcement.....	63.42	
			<i>For Hot-Dipped Galvanized, Add</i>	13.29	
			<i>For Stainless Steel, Add</i>	53.14	
04 05 19 13-0008	CLF	#10	(For 10" Walls), Mill Galvanized, Two-Wire, 9 Gauge Side Rods, 9 Gauge Cross Rods, Ladder-Type, Masonry Wall Reinforcement.....	68.65	
			<i>For Hot-Dipped Galvanized, Add</i>	14.06	
			<i>For Stainless Steel, Add</i>	56.24	
04 05 19 13-0009	CLF	#12	(For 12" Walls), Mill Galvanized, Two-Wire, 9 Gauge Side Rods, 9 Gauge Cross Rods, Ladder-Type, Masonry Wall Reinforcement.....	74.65	
			<i>For Hot-Dipped Galvanized, Add</i>	14.81	
			<i>For Stainless Steel, Add</i>	59.24	
04 05 19 13-0010	CLF	#13	(For 13" Walls), Mill Galvanized, Two-Wire, 9 Gauge Side Rods, 9 Gauge Cross Rods, Ladder-Type, Masonry Wall Reinforcement.....	78.99	
			<i>For Hot-Dipped Galvanized, Add</i>	15.18	
			<i>For Stainless Steel, Add</i>	60.72	
04 05 19 13-0011	CLF	#14	(For 14" Walls), Mill Galvanized, Two-Wire, 9 Gauge Side Rods, 9 Gauge Cross Rods, Ladder-Type, Masonry Wall Reinforcement.....	82.26	
			<i>For Hot-Dipped Galvanized, Add</i>	15.60	
			<i>For Stainless Steel, Add</i>	62.40	
04 05 19 13-0012	CLF	#16	(For 16" Walls), Mill Galvanized, Two-Wire, 9 Gauge Side Rods, 9 Gauge Cross Rods, Ladder-Type, Masonry Wall Reinforcement.....	97.20	
			<i>For Hot-Dipped Galvanized, Add</i>	21.45	
			<i>For Stainless Steel, Add</i>	85.78	
04 05 19 13-0013	CLF	#18	(For 18" Walls), Mill Galvanized, Two-Wire, 9 Gauge Side Rods, 9 Gauge Cross Rods, Ladder-Type, Masonry Wall Reinforcement.....	123.85	
			<i>For Hot-Dipped Galvanized, Add</i>	33.15	
			<i>For Stainless Steel, Add</i>	132.60	
04 05 19 13-0014			Two-Wire, 3/16" Side Rods, 9 Gauge Cross Rods, Ladder-Type, Masonry Wall Reinforcement (04 05 19 13-0003)		
04 05 19 13-0015	CLF	#4	(For 4" Walls), Mill Galvanized, Two-Wire, 3/16" Side Rods, 9 Gauge Cross Rods, Ladder-Type, Masonry Wall Reinforcement.....	68.92	
			<i>For Hot-Dipped Galvanized, Add</i>	18.65	
			<i>For Stainless Steel, Add</i>	74.60	
04 05 19 13-0016	CLF	#6	(For 6" Walls), Mill Galvanized, Two-Wire, 3/16" Side Rods, 9 Gauge Cross Rods, Ladder-Type, Masonry Wall Reinforcement.....	72.43	
			<i>For Hot-Dipped Galvanized, Add</i>	19.33	
			<i>For Stainless Steel, Add</i>	77.32	
04 05 19 13-0017	CLF	#8	(For 8" Walls), Mill Galvanized, Two-Wire, 3/16" Side Rods, 9 Gauge Cross Rods, Ladder-Type, Masonry Wall Reinforcement.....	77.02	
			<i>For Hot-Dipped Galvanized, Add</i>	20.09	
			<i>For Stainless Steel, Add</i>	80.34	
04 05 19 13-0018	CLF	#10	(For 10" Walls), Mill Galvanized, Two-Wire, 3/16" Side Rods, 9 Gauge Cross Rods, Ladder-Type, Masonry Wall Reinforcement.....	82.10	
			<i>For Hot-Dipped Galvanized, Add</i>	20.79	
			<i>For Stainless Steel, Add</i>	83.14	
04 05 19 13-0019	CLF	#12	(For 12" Walls), Mill Galvanized, Two-Wire, 3/16" Side Rods, 9 Gauge Cross Rods, Ladder-Type, Masonry Wall Reinforcement.....	88.07	
			<i>For Hot-Dipped Galvanized, Add</i>	21.52	
			<i>For Stainless Steel, Add</i>	86.08	
04 05 19 13-0020	CLF	#13	(For 13" Walls), Mill Galvanized, Two-Wire, 3/16" Side Rods, 9 Gauge Cross Rods, Ladder-Type, Masonry Wall Reinforcement.....	92.47	
			<i>For Hot-Dipped Galvanized, Add</i>	21.93	
			<i>For Stainless Steel, Add</i>	87.70	
04 05 19 13-0021	CLF	#14	(For 14" Walls), Mill Galvanized, Two-Wire, 3/16" Side Rods, 9 Gauge Cross Rods, Ladder-Type, Masonry Wall Reinforcement.....	95.65	
			<i>For Hot-Dipped Galvanized, Add</i>	22.29	
			<i>For Stainless Steel, Add</i>	89.16	
04 05 19 13-0022	CLF	#16	(For 16" Walls), Mill Galvanized, Two-Wire, 3/16" Side Rods, 9 Gauge Cross Rods, Ladder-Type, Masonry Wall Reinforcement.....	114.88	
			<i>For Hot-Dipped Galvanized, Add</i>	30.29	
			<i>For Stainless Steel, Add</i>	121.16	
04 05 19 13-0023	CLF	#18	(For 18" Walls), Mill Galvanized, Two-Wire, 3/16" Side Rods, 9 Gauge Cross Rods, Ladder-Type, Masonry Wall Reinforcement.....	154.20	
			<i>For Hot-Dipped Galvanized, Add</i>	48.33	
			<i>For Stainless Steel, Add</i>	193.32	
04 05 19 13-0024			Two-Wire, 3/16" Side Rods, 3/16" Cross Rods, Ladder-Type, Masonry Wall Reinforcement (04 05 19 13-0003)		
04 05 19 13-0025	CLF	#4	(For 4" Walls), Mill Galvanized, Two-Wire, 3/16" Side Rods, 3/16" Cross Rods, Ladder-Type, Masonry Wall Reinforcement.....	81.82	
			<i>For Hot-Dipped Galvanized, Add</i>	25.10	
			<i>For Stainless Steel, Add</i>	100.40	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
04 05 19 13-0026 CLF #6 (For 6" Walls), Mill Galvanized, Two-Wire, 3/16" Side Rods, 3/16" Cross Rods, Ladder-Type, Masonry Wall Reinforcement	87.01	
<i>For Hot-Dipped Galvanized, Add</i>	26.48	
<i>For Stainless Steel, Add</i>	105.92	
04 05 19 13-0027 CLF #8 (For 8" Walls), Mill Galvanized, Two-Wire, 3/16" Side Rods, 3/16" Cross Rods, Ladder-Type, Masonry Wall Reinforcement	92.20	
<i>For Hot-Dipped Galvanized, Add</i>	27.86	
<i>For Stainless Steel, Add</i>	111.44	
04 05 19 13-0028 CLF #10 (For 10" Walls), Mill Galvanized, Two-Wire, 3/16" Side Rods, 3/16" Cross Rods, Ladder-Type, Masonry Wall Reinforcement	99.56	
<i>For Hot-Dipped Galvanized, Add</i>	29.52	
<i>For Stainless Steel, Add</i>	118.06	
04 05 19 13-0029 CLF #12 (For 12" Walls), Mill Galvanized, Two-Wire, 3/16" Side Rods, 3/16" Cross Rods, Ladder-Type, Masonry Wall Reinforcement	106.88	
<i>For Hot-Dipped Galvanized, Add</i>	31.15	
<i>For Stainless Steel, Add</i>	124.60	
04 05 19 13-0030 CLF #13 (For 13" Walls), Mill Galvanized, Two-Wire, 3/16" Side Rods, 3/16" Cross Rods, Ladder-Type, Masonry Wall Reinforcement	112.69	
<i>For Hot-Dipped Galvanized, Add</i>	32.03	
<i>For Stainless Steel, Add</i>	128.12	
04 05 19 13-0031 CLF #14 (For 14" Walls), Mill Galvanized, Two-Wire, 3/16" Side Rods, 3/16" Cross Rods, Ladder-Type, Masonry Wall Reinforcement	116.23	
<i>For Hot-Dipped Galvanized, Add</i>	32.79	
<i>For Stainless Steel, Add</i>	131.14	
04 05 19 13-0032 CLF #16 (For 16" Walls), Mill Galvanized, Two-Wire, 3/16" Side Rods, 3/16" Cross Rods, Ladder-Type, Masonry Wall Reinforcement	122.89	
<i>For Hot-Dipped Galvanized, Add</i>	34.29	
<i>For Stainless Steel, Add</i>	137.16	
04 05 19 13-0033 CLF #18 (For 18" Walls), Mill Galvanized, Two-Wire, 3/16" Side Rods, 3/16" Cross Rods, Ladder-Type, Masonry Wall Reinforcement	171.48	
<i>For Hot-Dipped Galvanized, Add</i>	56.97	
<i>For Stainless Steel, Add</i>	227.86	
04 05 19 13-0034 Three-Wire, 9 Gauge Side Rods, 9 Gauge Cross Rods, Ladder-Type, Masonry Wall Reinforcement <small>(04 05 19 13-0003)</small>		
04 05 19 13-0035 CLF #4 (For 4" Walls), Mill Galvanized, Three-Wire, 9 Gauge Side Rods, 9 Gauge Cross Rods, Ladder-Type, Masonry Wall Reinforcement	86.26	
<i>For Hot-Dipped Galvanized, Add</i>	27.32	
<i>For Stainless Steel, Add</i>	109.28	
04 05 19 13-0036 CLF #6 (For 6" Walls), Mill Galvanized, Three-Wire, 9 Gauge Side Rods, 9 Gauge Cross Rods, Ladder-Type, Masonry Wall Reinforcement	89.60	
<i>For Hot-Dipped Galvanized, Add</i>	27.92	
<i>For Stainless Steel, Add</i>	111.66	
04 05 19 13-0037 CLF #8 (For 8" Walls), Mill Galvanized, Three-Wire, 9 Gauge Side Rods, 9 Gauge Cross Rods, Ladder-Type, Masonry Wall Reinforcement	94.03	
<i>For Hot-Dipped Galvanized, Add</i>	28.60	
<i>For Stainless Steel, Add</i>	114.38	
04 05 19 13-0038 CLF #10 (For 10" Walls), Mill Galvanized, Three-Wire, 9 Gauge Side Rods, 9 Gauge Cross Rods, Ladder-Type, Masonry Wall Reinforcement	99.27	
<i>For Hot-Dipped Galvanized, Add</i>	29.37	
<i>For Stainless Steel, Add</i>	117.48	
04 05 19 13-0039 CLF #12 (For 12" Walls), Mill Galvanized, Three-Wire, 9 Gauge Side Rods, 9 Gauge Cross Rods, Ladder-Type, Masonry Wall Reinforcement	105.28	
<i>For Hot-Dipped Galvanized, Add</i>	30.12	
<i>For Stainless Steel, Add</i>	120.48	
04 05 19 13-0040 CLF #13 (For 13" Walls), Mill Galvanized, Three-Wire, 9 Gauge Side Rods, 9 Gauge Cross Rods, Ladder-Type, Masonry Wall Reinforcement	109.61	
<i>For Hot-Dipped Galvanized, Add</i>	30.49	
<i>For Stainless Steel, Add</i>	121.96	
04 05 19 13-0041 CLF #14 (For 14" Walls), Mill Galvanized, Three-Wire, 9 Gauge Side Rods, 9 Gauge Cross Rods, Ladder-Type, Masonry Wall Reinforcement	112.88	
<i>For Hot-Dipped Galvanized, Add</i>	30.91	
<i>For Stainless Steel, Add</i>	123.64	
04 05 19 13-0042 CLF #16 (For 16" Walls), Mill Galvanized, Three-Wire, 9 Gauge Side Rods, 9 Gauge Cross Rods, Ladder-Type, Masonry Wall Reinforcement	127.82	
<i>For Hot-Dipped Galvanized, Add</i>	36.76	
<i>For Stainless Steel, Add</i>	147.02	
04 05 19 13-0043 Three-Wire, 3/16" Side Rods, 9 Gauge Cross Rods, Ladder-Type, Masonry Wall Reinforcement <small>(04 05 19 13-0003)</small>		
04 05 19 13-0044 CLF #4 (For 4" Walls), Mill Galvanized, Three-Wire, 3/16" Side Rods, 9 Gauge Cross Rods, Ladder-Type, Masonry Wall Reinforcement	99.56	
<i>For Hot-Dipped Galvanized, Add</i>	33.97	
<i>For Stainless Steel, Add</i>	135.88	
04 05 19 13-0045 CLF #6 (For 6" Walls), Mill Galvanized, Three-Wire, 3/16" Side Rods, 9 Gauge Cross Rods, Ladder-Type, Masonry Wall Reinforcement	103.08	
<i>For Hot-Dipped Galvanized, Add</i>	34.66	
<i>For Stainless Steel, Add</i>	138.62	
04 05 19 13-0046 CLF #8 (For 8" Walls), Mill Galvanized, Three-Wire, 3/16" Side Rods, 9 Gauge Cross Rods, Ladder-Type, Masonry Wall Reinforcement	107.65	
<i>For Hot-Dipped Galvanized, Add</i>	35.41	
<i>For Stainless Steel, Add</i>	141.62	

04 Masonry**04 05 Common Work Results For Masonry****04 05 19 Masonry Anchorage And Reinforcing**

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
04 05 19 13-0047 CLF #10 (For 10" Walls), Mill Galvanized, Three-Wire, 3/16" Side Rods, 9 Gauge Cross Rods, Ladder-Type, Masonry Wall Reinforcement.....	112.74	
For Hot-Dipped Galvanized, Add	36.11	
For Stainless Steel, Add	144.42	
04 05 19 13-0048 CLF #12 (For 12" Walls), Mill Galvanized, Three-Wire, 3/16" Side Rods, 9 Gauge Cross Rods, Ladder-Type, Masonry Wall Reinforcement.....	118.72	
For Hot-Dipped Galvanized, Add	36.84	
For Stainless Steel, Add	147.36	
04 05 19 13-0049 CLF #13 (For 13" Walls), Mill Galvanized, Three-Wire, 3/16" Side Rods, 9 Gauge Cross Rods, Ladder-Type, Masonry Wall Reinforcement.....	123.10	
For Hot-Dipped Galvanized, Add	37.25	
For Stainless Steel, Add	148.98	
04 05 19 13-0050 CLF #14 (For 14" Walls), Mill Galvanized, Three-Wire, 3/16" Side Rods, 9 Gauge Cross Rods, Ladder-Type, Masonry Wall Reinforcement.....	126.28	
For Hot-Dipped Galvanized, Add	37.61	
For Stainless Steel, Add	150.44	
04 05 19 13-0051 CLF #16 (For 16" Walls), Mill Galvanized, Three-Wire, 3/16" Side Rods, 9 Gauge Cross Rods, Ladder-Type, Masonry Wall Reinforcement.....	145.52	
For Hot-Dipped Galvanized, Add	45.61	
For Stainless Steel, Add	182.44	
04 05 19 13-0052 CLF #18 (For 18" Walls), Mill Galvanized, Three-Wire, 3/16" Side Rods, 9 Gauge Cross Rods, Ladder-Type, Masonry Wall Reinforcement.....	184.85	
For Hot-Dipped Galvanized, Add	63.66	
For Stainless Steel, Add	254.62	
04 05 19 13-0053 Three-Wire, 3/16" Side Rods, 3/16" Cross Rods, Ladder-Type, Masonry Wall Reinforcement <small>(04 05 19 13-0003)</small>		
04 05 19 13-0054 CLF #4 (For 4" Walls), Mill Galvanized, Three-Wire, 3/16" Side Rods, 3/16" Cross Rods, Ladder-Type, Masonry Wall Reinforcement.....	112.44	
For Hot-Dipped Galvanized, Add	40.41	
For Stainless Steel, Add	161.64	
04 05 19 13-0055 CLF #6 (For 6" Walls), Mill Galvanized, Three-Wire, 3/16" Side Rods, 3/16" Cross Rods, Ladder-Type, Masonry Wall Reinforcement.....	117.64	
For Hot-Dipped Galvanized, Add	41.80	
For Stainless Steel, Add	167.18	
04 05 19 13-0056 CLF #8 (For 8" Walls), Mill Galvanized, Three-Wire, 3/16" Side Rods, 3/16" Cross Rods, Ladder-Type, Masonry Wall Reinforcement.....	122.83	
For Hot-Dipped Galvanized, Add	43.18	
For Stainless Steel, Add	172.70	
04 05 19 13-0057 CLF #10 (For 10" Walls), Mill Galvanized, Three-Wire, 3/16" Side Rods, 3/16" Cross Rods, Ladder-Type, Masonry Wall Reinforcement.....	130.17	
For Hot-Dipped Galvanized, Add	44.82	
For Stainless Steel, Add	179.28	
04 05 19 13-0058 CLF #12 (For 12" Walls), Mill Galvanized, Three-Wire, 3/16" Side Rods, 3/16" Cross Rods, Ladder-Type, Masonry Wall Reinforcement.....	137.51	
For Hot-Dipped Galvanized, Add	46.47	
For Stainless Steel, Add	185.86	
04 05 19 13-0059 CLF #13 (For 13" Walls), Mill Galvanized, Three-Wire, 3/16" Side Rods, 3/16" Cross Rods, Ladder-Type, Masonry Wall Reinforcement.....	143.31	
For Hot-Dipped Galvanized, Add	47.34	
For Stainless Steel, Add	189.36	
04 05 19 13-0060 CLF #14 (For 14" Walls), Mill Galvanized, Three-Wire, 3/16" Side Rods, 3/16" Cross Rods, Ladder-Type, Masonry Wall Reinforcement.....	146.85	
For Hot-Dipped Galvanized, Add	48.10	
For Stainless Steel, Add	192.38	
04 05 19 13-0061 CLF #16 (For 16" Walls), Mill Galvanized, Three-Wire, 3/16" Side Rods, 3/16" Cross Rods, Ladder-Type, Masonry Wall Reinforcement.....	153.51	
For Hot-Dipped Galvanized, Add	49.60	
For Stainless Steel, Add	198.40	
04 05 19 13-0062 CLF #18 (For 18" Walls), Mill Galvanized, Three-Wire, 3/16" Side Rods, 3/16" Cross Rods, Ladder-Type, Masonry Wall Reinforcement.....	202.11	
For Hot-Dipped Galvanized, Add	72.28	
For Stainless Steel, Add	289.12	
04 05 19 13-0063 Four-Wire, 9 Gauge Side Rods, 9 Gauge Cross Rods, Ladder-Type, Masonry Wall Reinforcement <small>(04 05 19 13-0003)</small>		
04 05 19 13-0064 CLF #4 (For 4" Walls), Mill Galvanized, Four-Wire, 9 Gauge Side Rods, 9 Gauge Cross Rods, Ladder-Type, Masonry Wall Reinforcement.....	116.89	
For Hot-Dipped Galvanized, Add	42.64	
For Stainless Steel, Add	170.54	
04 05 19 13-0065 CLF #6 (For 6" Walls), Mill Galvanized, Four-Wire, 9 Gauge Side Rods, 9 Gauge Cross Rods, Ladder-Type, Masonry Wall Reinforcement.....	120.23	
For Hot-Dipped Galvanized, Add	43.23	
For Stainless Steel, Add	172.92	
04 05 19 13-0066 CLF #8 (For 8" Walls), Mill Galvanized, Four-Wire, 9 Gauge Side Rods, 9 Gauge Cross Rods, Ladder-Type, Masonry Wall Reinforcement.....	124.66	
For Hot-Dipped Galvanized, Add	43.91	
For Stainless Steel, Add	175.64	
04 05 19 13-0067 CLF #10 (For 10" Walls), Mill Galvanized, Four-Wire, 9 Gauge Side Rods, 9 Gauge Cross Rods, Ladder-Type, Masonry Wall Reinforcement.....	129.89	
For Hot-Dipped Galvanized, Add	44.68	
For Stainless Steel, Add	178.72	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
04 05 19 13-0068 CLF #12 (For 12" Walls), Mill Galvanized, Four-Wire, 9 Gauge Side Rods, 9 Gauge Cross Rods, Ladder-Type, Masonry Wall Reinforcement.....	135.91	
<i>For Hot-Dipped Galvanized, Add</i>	45.44	
<i>For Stainless Steel, Add</i>	181.74	
04 05 19 13-0069 CLF #13 (For 13" Walls), Mill Galvanized, Four-Wire, 9 Gauge Side Rods, 9 Gauge Cross Rods, Ladder-Type, Masonry Wall Reinforcement.....	140.23	
<i>For Hot-Dipped Galvanized, Add</i>	45.80	
<i>For Stainless Steel, Add</i>	183.20	
04 05 19 13-0070 CLF #14 (For 14" Walls), Mill Galvanized, Four-Wire, 9 Gauge Side Rods, 9 Gauge Cross Rods, Ladder-Type, Masonry Wall Reinforcement.....	143.50	
<i>For Hot-Dipped Galvanized, Add</i>	46.22	
<i>For Stainless Steel, Add</i>	184.88	
04 05 19 13-0071 CLF #16 (For 16" Walls), Mill Galvanized, Four-Wire, 9 Gauge Side Rods, 9 Gauge Cross Rods, Ladder-Type, Masonry Wall Reinforcement.....	158.44	
<i>For Hot-Dipped Galvanized, Add</i>	52.07	
<i>For Stainless Steel, Add</i>	208.26	
04 05 19 13-0072 CLF #18 (For 18" Walls), Mill Galvanized, Four-Wire, 9 Gauge Side Rods, 9 Gauge Cross Rods, Ladder-Type, Masonry Wall Reinforcement.....	185.09	
<i>For Hot-Dipped Galvanized, Add</i>	63.78	
<i>For Stainless Steel, Add</i>	255.10	
04 05 19 13-0073 Four-Wire, 3/16" Side Rods, 9 Gauge Cross Rods, Ladder-Type, Masonry Wall Reinforcement <small>(04 05 19 13-0003)</small>		
04 05 19 13-0074 CLF #4 (For 4" Walls), Mill Galvanized, Four-Wire, 3/16" Side Rods, 9 Gauge Cross Rods, Ladder-Type, Masonry Wall Reinforcement.....	130.19	
<i>For Hot-Dipped Galvanized, Add</i>	49.29	
<i>For Stainless Steel, Add</i>	197.14	
04 05 19 13-0075 CLF #6 (For 6" Walls), Mill Galvanized, Four-Wire, 3/16" Side Rods, 9 Gauge Cross Rods, Ladder-Type, Masonry Wall Reinforcement.....	133.70	
<i>For Hot-Dipped Galvanized, Add</i>	49.97	
<i>For Stainless Steel, Add</i>	199.86	
04 05 19 13-0076 CLF #8 (For 8" Walls), Mill Galvanized, Four-Wire, 3/16" Side Rods, 9 Gauge Cross Rods, Ladder-Type, Masonry Wall Reinforcement.....	138.28	
<i>For Hot-Dipped Galvanized, Add</i>	50.72	
<i>For Stainless Steel, Add</i>	202.88	
04 05 19 13-0077 CLF #10 (For 10" Walls), Mill Galvanized, Four-Wire, 3/16" Side Rods, Four-Wire, 9 Gauge Cross Rods, Ladder-Type, Masonry Wall Reinforcement.....	143.37	
<i>For Hot-Dipped Galvanized, Add</i>	51.42	
<i>For Stainless Steel, Add</i>	205.68	
04 05 19 13-0078 CLF #12 (For 12" Walls), Mill Galvanized, Four-Wire, 3/16" Side Rods, 9 Gauge Cross Rods, Ladder-Type, Masonry Wall Reinforcement.....	149.35	
<i>For Hot-Dipped Galvanized, Add</i>	52.16	
<i>For Stainless Steel, Add</i>	208.62	
04 05 19 13-0079 CLF #13 (For 13" Walls), Mill Galvanized, Four-Wire, 3/16" Side Rods, 9 Gauge Cross Rods, Ladder-Type, Masonry Wall Reinforcement.....	153.72	
<i>For Hot-Dipped Galvanized, Add</i>	52.56	
<i>For Stainless Steel, Add</i>	210.22	
04 05 19 13-0080 CLF #14 (For 14" Walls), Mill Galvanized, Four-Wire, 3/16" Side Rods, 9 Gauge Cross Rods, Ladder-Type, Masonry Wall Reinforcement.....	156.91	
<i>For Hot-Dipped Galvanized, Add</i>	52.93	
<i>For Stainless Steel, Add</i>	211.70	
04 05 19 13-0081 CLF #16 (For 16" Walls), Mill Galvanized, Four-Wire, 3/16" Side Rods, 9 Gauge Cross Rods, Ladder-Type, Masonry Wall Reinforcement.....	176.15	
<i>For Hot-Dipped Galvanized, Add</i>	60.93	
<i>For Stainless Steel, Add</i>	243.70	
04 05 19 13-0082 CLF #18 (For 18" Walls), Mill Galvanized, Four-Wire, 3/16" Side Rods, 9 Gauge Cross Rods, Ladder-Type, Masonry Wall Reinforcement.....	215.47	
<i>For Hot-Dipped Galvanized, Add</i>	78.97	
<i>For Stainless Steel, Add</i>	315.86	
04 05 19 13-0083 Four-Wire, 3/16" Side Rods, 3/16" Cross Rods, Ladder-Type, Masonry Wall Reinforcement <small>(04 05 19 13-0003)</small>		
04 05 19 13-0084 CLF #4 (For 4" Walls), Mill Galvanized, Four-Wire, 3/16" Side Rods, 3/16" Cross Rods, Ladder-Type, Masonry Wall Reinforcement.....	143.07	
<i>For Hot-Dipped Galvanized, Add</i>	55.73	
<i>For Stainless Steel, Add</i>	222.90	
04 05 19 13-0085 CLF #6 (For 6" Walls), Mill Galvanized, Four-Wire, 3/16" Side Rods, 3/16" Cross Rods, Ladder-Type, Masonry Wall Reinforcement.....	148.26	
<i>For Hot-Dipped Galvanized, Add</i>	57.11	
<i>For Stainless Steel, Add</i>	228.42	
04 05 19 13-0086 CLF #8 (For 8" Walls), Mill Galvanized, Four-Wire, 3/16" Side Rods, 3/16" Cross Rods, Ladder-Type, Masonry Wall Reinforcement.....	153.46	
<i>For Hot-Dipped Galvanized, Add</i>	58.49	
<i>For Stainless Steel, Add</i>	233.96	
04 05 19 13-0087 CLF #10 (For 10" Walls), Mill Galvanized, Four-Wire, 3/16" Side Rods, 3/16" Cross Rods, Ladder-Type, Masonry Wall Reinforcement.....	160.80	
<i>For Hot-Dipped Galvanized, Add</i>	60.14	
<i>For Stainless Steel, Add</i>	240.54	
04 05 19 13-0088 CLF #12 (For 12" Walls), Mill Galvanized, Four-Wire, 3/16" Side Rods, 3/16" Cross Rods, Ladder-Type, Masonry Wall Reinforcement.....	168.14	
<i>For Hot-Dipped Galvanized, Add</i>	61.78	
<i>For Stainless Steel, Add</i>	247.12	

04 Masonry**04 05 Common Work Results For Masonry****04 05 19 Masonry Anchorage And Reinforcing**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
04 05 19 13-0089	CLF	#13 (For 13" Walls), Mill Galvanized, Four-Wire, 3/16" Side Rods, 3/16" Cross Rods, Ladder-Type, Masonry Wall Reinforcement.....	173.94		
		<i>For Hot-Dipped Galvanized, Add</i>	62.66		
		<i>For Stainless Steel, Add</i>	250.62		
04 05 19 13-0090	CLF	#14 (For 14" Walls), Mill Galvanized, Four-Wire, 3/16" Side Rods, 3/16" Cross Rods, Ladder-Type, Masonry Wall Reinforcement.....	177.48		
		<i>For Hot-Dipped Galvanized, Add</i>	63.41		
		<i>For Stainless Steel, Add</i>	253.64		
04 05 19 13-0091	CLF	#16 (For 16" Walls), Mill Galvanized, Four-Wire, 3/16" Side Rods, 3/16" Cross Rods, Ladder-Type, Masonry Wall Reinforcement.....	184.14		
		<i>For Hot-Dipped Galvanized, Add</i>	64.92		
		<i>For Stainless Steel, Add</i>	259.66		
04 05 19 13-0092	CLF	#18 (For 18" Walls), Mill Galvanized, Four-Wire, 3/16" Side Rods, 3/16" Cross Rods, Ladder-Type, Masonry Wall Reinforcement.....	232.74		
		<i>For Hot-Dipped Galvanized, Add</i>	87.60		
		<i>For Stainless Steel, Add</i>	350.38		
04 05 19 13-0093		Ladder-Type With Tabs, Masonry Wall Reinforcement <small>(04 05 19 13-0002)</small>			
04 05 19 13-0094		9 Gauge Side Rods, 9 Gauge Cross Rods, Ladder-Type With Tabs, Masonry Wall Reinforcement <small>(04 05 19 13-0093)</small>			
04 05 19 13-0095	CLF	#8 (For 8" Walls), Mill Galvanized, 9 Gauge Side Rods, 9 Gauge Cross Rods, Ladder-Type With Tabs, Masonry Wall Reinforcement.....	81.83		
		<i>For Hot-Dipped Galvanized, Add</i>	20.40		
		<i>For Stainless Steel, Add</i>	81.60		
04 05 19 13-0096	CLF	#10 (For 10" Walls), Mill Galvanized, 9 Gauge Side Rods, 9 Gauge Cross Rods, Ladder-Type With Tabs, Masonry Wall Reinforcement.....	90.13		
		<i>For Hot-Dipped Galvanized, Add</i>	22.27		
		<i>For Stainless Steel, Add</i>	89.08		
04 05 19 13-0097	CLF	#12 (For 12" Walls), Mill Galvanized, 9 Gauge Side Rods, 9 Gauge Cross Rods, Ladder-Type With Tabs, Masonry Wall Reinforcement.....	98.00		
		<i>For Hot-Dipped Galvanized, Add</i>	23.93		
		<i>For Stainless Steel, Add</i>	95.70		
04 05 19 13-0098	CLF	#13 (For 13" Walls), Mill Galvanized, 9 Gauge Side Rods, 9 Gauge Cross Rods, Ladder-Type With Tabs, Masonry Wall Reinforcement.....	104.48		
		<i>For Hot-Dipped Galvanized, Add</i>	24.88		
		<i>For Stainless Steel, Add</i>	99.52		
04 05 19 13-0099	CLF	#14 (For 14" Walls), Mill Galvanized, 9 Gauge Side Rods, 9 Gauge Cross Rods, Ladder-Type With Tabs, Masonry Wall Reinforcement.....	108.53		
		<i>For Hot-Dipped Galvanized, Add</i>	25.77		
		<i>For Stainless Steel, Add</i>	103.06		
04 05 19 13-0100	CLF	#16 (For 16" Walls), Mill Galvanized, 9 Gauge Side Rods, 9 Gauge Cross Rods, Ladder-Type With Tabs, Masonry Wall Reinforcement.....	116.55		
		<i>For Hot-Dipped Galvanized, Add</i>	27.73		
		<i>For Stainless Steel, Add</i>	110.92		
04 05 19 13-0101	CLF	#18 (For 18" Walls), Mill Galvanized, 9 Gauge Side Rods, 9 Gauge Cross Rods, Ladder-Type With Tabs, Masonry Wall Reinforcement.....	123.44		
		<i>For Hot-Dipped Galvanized, Add</i>	29.35		
		<i>For Stainless Steel, Add</i>	117.38		
04 05 19 13-0102		3/16" Side Rods, 9 Gauge Cross Rods, Ladder-Type With Tabs, Masonry Wall Reinforcement <small>(04 05 19 13-0093)</small>			
04 05 19 13-0103	CLF	#8 (For 8" Walls), Mill Galvanized, 3/16" Side Rods, 9 Gauge Cross Rods, Ladder-Type With Tabs, Masonry Wall Reinforcement.....	98.40		
		<i>For Hot-Dipped Galvanized, Add</i>	28.69		
		<i>For Stainless Steel, Add</i>	114.74		
04 05 19 13-0104	CLF	#10 (For 10" Walls), Mill Galvanized, 3/16" Side Rods, 9 Gauge Cross Rods, Ladder-Type With Tabs, Masonry Wall Reinforcement.....	106.75		
		<i>For Hot-Dipped Galvanized, Add</i>	30.58		
		<i>For Stainless Steel, Add</i>	122.32		
04 05 19 13-0105	CLF	#12 (For 12" Walls), Mill Galvanized, 3/16" Side Rods, 9 Gauge Cross Rods, Ladder-Type With Tabs, Masonry Wall Reinforcement.....	114.43		
		<i>For Hot-Dipped Galvanized, Add</i>	32.14		
		<i>For Stainless Steel, Add</i>	128.56		
04 05 19 13-0106	CLF	#13 (For 13" Walls), Mill Galvanized, 3/16" Side Rods, 9 Gauge Cross Rods, Ladder-Type With Tabs, Masonry Wall Reinforcement.....	121.10		
		<i>For Hot-Dipped Galvanized, Add</i>	33.19		
		<i>For Stainless Steel, Add</i>	132.76		
04 05 19 13-0107	CLF	#14 (For 14" Walls), Mill Galvanized, 3/16" Side Rods, 9 Gauge Cross Rods, Ladder-Type With Tabs, Masonry Wall Reinforcement.....	125.10		
		<i>For Hot-Dipped Galvanized, Add</i>	34.05		
		<i>For Stainless Steel, Add</i>	136.20		
04 05 19 13-0108	CLF	#16 (For 16" Walls), Mill Galvanized, 3/16" Side Rods, 9 Gauge Cross Rods, Ladder-Type With Tabs, Masonry Wall Reinforcement.....	133.13		
		<i>For Hot-Dipped Galvanized, Add</i>	36.02		
		<i>For Stainless Steel, Add</i>	144.08		
04 05 19 13-0109	CLF	#18 (For 18" Walls), Mill Galvanized, 3/16" Side Rods, 9 Gauge Cross Rods, Ladder-Type With Tabs, Masonry Wall Reinforcement.....	140.24		
		<i>For Hot-Dipped Galvanized, Add</i>	37.75		
		<i>For Stainless Steel, Add</i>	150.98		



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
04 05 19 13-0110 3/16" Side Rods, 3/16" Cross Rods, Ladder-Type With Tabs, Masonry Wall Reinforcement <small>(04 05 19 13-0093)</small>		
04 05 19 13-0111 CLF #8 (For 8" Walls), Mill Galvanized, 3/16" Side Rods, 3/16" Cross Rods, Ladder-Type With Tabs, Masonry Wall Reinforcement	106.45	
For Hot-Dipped Galvanized, Add	32.71	
For Stainless Steel, Add	130.84	
04 05 19 13-0112 CLF #10 (For 10" Walls), Mill Galvanized, 3/16" Side Rods, 3/16" Cross Rods, Ladder-Type With Tabs, Masonry Wall Reinforcement	116.71	
For Hot-Dipped Galvanized, Add	35.56	
For Stainless Steel, Add	142.24	
04 05 19 13-0113 CLF #12 (For 12" Walls), Mill Galvanized, 3/16" Side Rods, 3/16" Cross Rods, Ladder-Type With Tabs, Masonry Wall Reinforcement	126.85	
For Hot-Dipped Galvanized, Add	38.35	
For Stainless Steel, Add	153.40	
04 05 19 13-0114 CLF #13 (For 13" Walls), Mill Galvanized, 3/16" Side Rods, 3/16" Cross Rods, Ladder-Type With Tabs, Masonry Wall Reinforcement	134.40	
For Hot-Dipped Galvanized, Add	39.84	
For Stainless Steel, Add	159.36	
04 05 19 13-0115 CLF #14 (For 14" Walls), Mill Galvanized, 3/16" Side Rods, 3/16" Cross Rods, Ladder-Type With Tabs, Masonry Wall Reinforcement	139.40	
For Hot-Dipped Galvanized, Add	41.20	
For Stainless Steel, Add	164.80	
04 05 19 13-0116 CLF #16 (For 16" Walls), Mill Galvanized, 3/16" Side Rods, 3/16" Cross Rods, Ladder-Type With Tabs, Masonry Wall Reinforcement	149.30	
For Hot-Dipped Galvanized, Add	44.11	
For Stainless Steel, Add	176.42	
04 05 19 13-0117 CLF #18 (For 18" Walls), Mill Galvanized, 3/16" Side Rods, 3/16" Cross Rods, Ladder-Type With Tabs, Masonry Wall Reinforcement	158.65	
For Hot-Dipped Galvanized, Add	46.95	
For Stainless Steel, Add	187.80	
04 05 19 13-0118 Ladder-Type With Adjustable Tabs For Composite Walls, Masonry Wall Reinforcement <small>(04 05 19 13-0002)</small>		
04 05 19 13-0119 9 Gauge Side Rods, 9 Gauge Cross Rods, Ladder-Type With Adjustable Tabs For Composite Walls, Masonry Wall Reinforcement <small>(04 05 19 13-0118)</small>		
04 05 19 13-0120 CLF #8 (For 4" + 4" Walls), Mill Galvanized, 9 Gauge Side Rods, 9 Gauge Cross Rods, Ladder-Type With Adjustable Tabs For Composite Walls, Masonry Wall Reinforcement	126.44	
For Hot-Dipped Galvanized, Add	42.71	
For Stainless Steel, Add	170.82	
04 05 19 13-0121 CLF #10 (For 6" + 4" Walls), Mill Galvanized, 9 Gauge Side Rods, 9 Gauge Cross Rods, Ladder-Type With Adjustable Tabs For Composite Walls, Masonry Wall Reinforcement	133.61	
For Hot-Dipped Galvanized, Add	44.01	
For Stainless Steel, Add	176.04	
04 05 19 13-0122 CLF #12 (For 8" + 4" Walls), Mill Galvanized, 9 Gauge Side Rods, 9 Gauge Cross Rods, Ladder-Type With Adjustable Tabs For Composite Walls, Masonry Wall Reinforcement	140.82	
For Hot-Dipped Galvanized, Add	45.34	
For Stainless Steel, Add	181.34	
04 05 19 13-0123 CLF #14 (For 10" + 4" Walls), Mill Galvanized, 9 Gauge Side Rods, 9 Gauge Cross Rods, Ladder-Type With Adjustable Tabs For Composite Walls, Masonry Wall Reinforcement	150.61	
For Hot-Dipped Galvanized, Add	46.81	
For Stainless Steel, Add	187.22	
04 05 19 13-0124 CLF #16 (For 12" + 4" Walls), Mill Galvanized, 9 Gauge Side Rods, 9 Gauge Cross Rods, Ladder-Type With Adjustable Tabs For Composite Walls, Masonry Wall Reinforcement	157.64	
For Hot-Dipped Galvanized, Add	48.28	
For Stainless Steel, Add	193.10	
04 05 19 13-0125 CLF #18 (For 14" + 4" Walls), Mill Galvanized, 9 Gauge Side Rods, 9 Gauge Cross Rods, Ladder-Type With Adjustable Tabs For Composite Walls, Masonry Wall Reinforcement	165.78	
For Hot-Dipped Galvanized, Add	50.52	
For Stainless Steel, Add	202.06	
04 05 19 13-0126 3/16" Side Rods, 9 Gauge Cross Rods, Ladder-Type With Adjustable Tabs For Composite Walls, Masonry Wall Reinforcement <small>(04 05 19 13-0118)</small>		
04 05 19 13-0127 CLF #8 (For 4" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 9 Gauge Cross Rods, Ladder-Type With Adjustable Tabs For Composite Walls, Masonry Wall Reinforcement	152.43	
For Hot-Dipped Galvanized, Add	55.70	
For Stainless Steel, Add	222.80	
04 05 19 13-0128 CLF #10 (For 6" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 9 Gauge Cross Rods, Ladder-Type With Adjustable Tabs For Composite Walls, Masonry Wall Reinforcement	159.63	
For Hot-Dipped Galvanized, Add	57.02	
For Stainless Steel, Add	228.08	
04 05 19 13-0129 CLF #12 (For 8" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 9 Gauge Cross Rods, Ladder-Type With Adjustable Tabs For Composite Walls, Masonry Wall Reinforcement	167.17	
For Hot-Dipped Galvanized, Add	58.51	
For Stainless Steel, Add	234.04	
04 05 19 13-0130 CLF #14 (For 10" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 9 Gauge Cross Rods, Ladder-Type With Adjustable Tabs For Composite Walls, Masonry Wall Reinforcement	176.63	
For Hot-Dipped Galvanized, Add	59.82	
For Stainless Steel, Add	239.26	

04 Masonry**04 05 Common Work Results For Masonry****04 05 19 Masonry Anchorage And Reinforcing**

MINOR CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
04 05 19 13-0131	CLF	#16 (For 12" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 9 Gauge Cross Rods, Ladder-Type With Adjustable Tabs For Composite Walls, Masonry Wall Reinforcement.....	183.70	
		<i>For Hot-Dipped Galvanized, Add</i>	61.31	
		<i>For Stainless Steel, Add</i>	245.22	
04 05 19 13-0132	CLF	#18 (For 14" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 9 Gauge Cross Rods, Ladder-Type With Adjustable Tabs For Composite Walls, Masonry Wall Reinforcement.....	190.34	
		<i>For Hot-Dipped Galvanized, Add</i>	62.80	
		<i>For Stainless Steel, Add</i>	251.18	
04 05 19 13-0133		3/16" Side Rods, 3/16" Cross Rods, Ladder-Type With Adjustable Tabs For Composite Walls, Masonry Wall Reinforcement (04 05 19 13-0118)		
04 05 19 13-0134	CLF	#8 (For 4" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 3/16" Cross Rods, Ladder-Type With Adjustable Tabs For Composite Walls, Masonry Wall Reinforcement.....	154.34	
		<i>For Hot-Dipped Galvanized, Add</i>	56.66	
		<i>For Stainless Steel, Add</i>	226.62	
04 05 19 13-0135	CLF	#10 (For 6" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 3/16" Cross Rods, Ladder-Type With Adjustable Tabs For Composite Walls, Masonry Wall Reinforcement.....	162.98	
		<i>For Hot-Dipped Galvanized, Add</i>	58.70	
		<i>For Stainless Steel, Add</i>	234.78	
04 05 19 13-0136	CLF	#12 (For 8" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 3/16" Cross Rods, Ladder-Type With Adjustable Tabs For Composite Walls, Masonry Wall Reinforcement.....	171.58	
		<i>For Hot-Dipped Galvanized, Add</i>	60.72	
		<i>For Stainless Steel, Add</i>	242.86	
04 05 19 13-0137	CLF	#14 (For 10" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 3/16" Cross Rods, Ladder-Type With Adjustable Tabs For Composite Walls, Masonry Wall Reinforcement.....	183.32	
		<i>For Hot-Dipped Galvanized, Add</i>	63.16	
		<i>For Stainless Steel, Add</i>	252.64	
04 05 19 13-0138	CLF	#16 (For 12" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 3/16" Cross Rods, Ladder-Type With Adjustable Tabs For Composite Walls, Masonry Wall Reinforcement.....	192.26	
		<i>For Hot-Dipped Galvanized, Add</i>	65.59	
		<i>For Stainless Steel, Add</i>	262.34	
04 05 19 13-0139	CLF	#18 (For 14" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 3/16" Cross Rods, Ladder-Type With Adjustable Tabs For Composite Walls, Masonry Wall Reinforcement.....	200.74	
		<i>For Hot-Dipped Galvanized, Add</i>	68.00	
		<i>For Stainless Steel, Add</i>	271.98	
04 05 19 13-0140		Ladder-Type With Adjustable Tabs For Cavity Walls, Masonry Wall Reinforcement (04 05 19 13-0002)		
04 05 19 13-0141		9 Gauge Side Rods, 9 Gauge Cross Rods, Ladder-Type With Adjustable Tabs For Cavity Walls, Masonry Wall Reinforcement (04 05 19 13-0140)		
04 05 19 13-0142	CLF	#10 (For 4" + 2" + 4" Walls), Mill Galvanized, 9 Gauge Side Rods, 9 Gauge Cross Rods, Ladder-Type With Adjustable Tabs For Cavity Walls, Masonry Wall Reinforcement.....	135.86	
		<i>For Hot-Dipped Galvanized, Add</i>	45.14	
		<i>For Stainless Steel, Add</i>	180.54	
04 05 19 13-0143	CLF	#12 (For 6" + 2" + 4" Walls), Mill Galvanized, 9 Gauge Side Rods, 9 Gauge Cross Rods, Ladder-Type With Adjustable Tabs For Cavity Walls, Masonry Wall Reinforcement.....	142.99	
		<i>For Hot-Dipped Galvanized, Add</i>	46.42	
		<i>For Stainless Steel, Add</i>	185.68	
04 05 19 13-0144	CLF	#14 (For 8" + 2" + 4" Walls), Mill Galvanized, 9 Gauge Side Rods, 9 Gauge Cross Rods, Ladder-Type With Adjustable Tabs For Cavity Walls, Masonry Wall Reinforcement.....	152.41	
		<i>For Hot-Dipped Galvanized, Add</i>	47.71	
		<i>For Stainless Steel, Add</i>	190.82	
04 05 19 13-0145	CLF	#16 (For 10" + 2" + 4" Walls), Mill Galvanized, 9 Gauge Side Rods, 9 Gauge Cross Rods, Ladder-Type With Adjustable Tabs For Cavity Walls, Masonry Wall Reinforcement.....	159.55	
		<i>For Hot-Dipped Galvanized, Add</i>	49.23	
		<i>For Stainless Steel, Add</i>	196.92	
04 05 19 13-0146	CLF	#18 (For 12" + 2" + 4" Walls), Mill Galvanized, 9 Gauge Side Rods, 9 Gauge Cross Rods, Ladder-Type With Adjustable Tabs For Cavity Walls, Masonry Wall Reinforcement.....	166.15	
		<i>For Hot-Dipped Galvanized, Add</i>	50.70	
		<i>For Stainless Steel, Add</i>	202.80	
04 05 19 13-0147	CLF	#20 (For 14" + 2" + 4" Walls), Mill Galvanized, 9 Gauge Side Rods, 9 Gauge Cross Rods, Ladder-Type With Adjustable Tabs For Cavity Walls, Masonry Wall Reinforcement.....	174.60	
		<i>For Hot-Dipped Galvanized, Add</i>	53.66	
		<i>For Stainless Steel, Add</i>	214.64	
04 05 19 13-0148		3/16" Side Rods, 9 Gauge Cross Rods, Ladder-Type With Adjustable Tabs For Cavity Walls, Masonry Wall Reinforcement (04 05 19 13-0140)		
04 05 19 13-0149	CLF	#10 (For 4" + 2" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 9 Gauge Cross Rods, Ladder-Type With Adjustable Tabs For Cavity Walls, Masonry Wall Reinforcement.....	161.88	
		<i>For Hot-Dipped Galvanized, Add</i>	58.15	
		<i>For Stainless Steel, Add</i>	232.58	
04 05 19 13-0150	CLF	#12 (For 6" + 2" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 9 Gauge Cross Rods, Ladder-Type With Adjustable Tabs For Cavity Walls, Masonry Wall Reinforcement.....	169.05	
		<i>For Hot-Dipped Galvanized, Add</i>	59.45	
		<i>For Stainless Steel, Add</i>	237.80	
04 05 19 13-0151	CLF	#14 (For 8" + 2" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 9 Gauge Cross Rods, Ladder-Type With Adjustable Tabs For Cavity Walls, Masonry Wall Reinforcement.....	178.84	
		<i>For Hot-Dipped Galvanized, Add</i>	60.92	
		<i>For Stainless Steel, Add</i>	243.68	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
04 05 19 13-0152 CLF #16 (For 10" + 2" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 9 Gauge Cross Rods, Ladder-Type With Adjustable Tabs For Cavity Walls, Masonry Wall Reinforcement	185.54	
<i>For Hot-Dipped Galvanized, Add</i>	62.23	
<i>For Stainless Steel, Add</i>	248.90	
04 05 19 13-0153 CLF #18 (For 12" + 2" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 9 Gauge Cross Rods, Ladder-Type With Adjustable Tabs For Cavity Walls, Masonry Wall Reinforcement	192.17	
<i>For Hot-Dipped Galvanized, Add</i>	63.71	
<i>For Stainless Steel, Add</i>	254.84	
04 05 19 13-0154 CLF #20 (For 14" + 2" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 9 Gauge Cross Rods, Ladder-Type With Adjustable Tabs For Cavity Walls, Masonry Wall Reinforcement	200.95	
<i>For Hot-Dipped Galvanized, Add</i>	66.84	
<i>For Stainless Steel, Add</i>	267.34	
04 05 19 13-0155 3/16" Side Rods, 3/16" Cross Rods, Ladder-Type With Adjustable Tabs For Cavity Walls, Masonry Wall Reinforcement <small>(04 05 19 13-0140)</small>		
04 05 19 13-0156 CLF #10 (For 4" + 2" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 3/16" Cross Rods, Ladder-Type With Adjustable Tabs For Cavity Walls, Masonry Wall Reinforcement	163.71	
<i>For Hot-Dipped Galvanized, Add</i>	59.06	
<i>For Stainless Steel, Add</i>	236.24	
04 05 19 13-0157 CLF #12 (For 6" + 2" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 3/16" Cross Rods, Ladder-Type With Adjustable Tabs For Cavity Walls, Masonry Wall Reinforcement	172.35	
<i>For Hot-Dipped Galvanized, Add</i>	61.10	
<i>For Stainless Steel, Add</i>	244.40	
04 05 19 13-0158 CLF #14 (For 8" + 2" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 3/16" Cross Rods, Ladder-Type With Adjustable Tabs For Cavity Walls, Masonry Wall Reinforcement	183.32	
<i>For Hot-Dipped Galvanized, Add</i>	63.16	
<i>For Stainless Steel, Add</i>	252.64	
04 05 19 13-0159 CLF #16 (For 10" + 2" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 3/16" Cross Rods, Ladder-Type With Adjustable Tabs For Cavity Walls, Masonry Wall Reinforcement	192.26	
<i>For Hot-Dipped Galvanized, Add</i>	65.59	
<i>For Stainless Steel, Add</i>	262.34	
04 05 19 13-0160 CLF #18 (For 12" + 2" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 3/16" Cross Rods, Ladder-Type With Adjustable Tabs For Cavity Walls, Masonry Wall Reinforcement	200.74	
<i>For Hot-Dipped Galvanized, Add</i>	68.00	
<i>For Stainless Steel, Add</i>	271.98	
04 05 19 13-0161 CLF #20 (For 14" + 2" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 3/16" Cross Rods, Ladder-Type With Adjustable Tabs For Cavity Walls, Masonry Wall Reinforcement	210.18	
<i>For Hot-Dipped Galvanized, Add</i>	71.45	
<i>For Stainless Steel, Add</i>	285.80	
04 05 19 13-0162 Ladder-Type With Hook And Eye Ties For Composite Walls, Masonry Wall Reinforcement <small>(04 05 19 13-0002)</small>		
04 05 19 13-0163 9 Gauge Side Rods, 9 Gauge Cross Rods, Ladder-Type With Hook And Eye Ties For Composite Walls, Masonry Wall Reinforcement <small>(04 05 19 13-0162)</small>		
04 05 19 13-0164 CLF #8 (For 4" + 4" Walls), Mill Galvanized, 9 Gauge Side Rods, 9 Gauge Cross Rods, Ladder-Type With Hook And Eye Ties For Composite Walls, Masonry Wall Reinforcement	127.29	
<i>For Hot-Dipped Galvanized, Add</i>	40.85	
<i>For Stainless Steel, Add</i>	163.40	
<i>For Seismic Hook And Eye, Add</i>	27.50	
04 05 19 13-0165 CLF #10 (For 6" + 4" Walls), Mill Galvanized, 9 Gauge Side Rods, 9 Gauge Cross Rods, Ladder-Type With Hook And Eye Ties For Composite Walls, Masonry Wall Reinforcement	133.98	
<i>For Hot-Dipped Galvanized, Add</i>	41.92	
<i>For Stainless Steel, Add</i>	167.66	
<i>For Seismic Hook And Eye, Add</i>	27.50	
04 05 19 13-0166 CLF #12 (For 8" + 4" Walls), Mill Galvanized, 9 Gauge Side Rods, 9 Gauge Cross Rods, Ladder-Type With Hook And Eye Ties For Composite Walls, Masonry Wall Reinforcement	143.11	
<i>For Hot-Dipped Galvanized, Add</i>	43.06	
<i>For Stainless Steel, Add</i>	172.22	
<i>For Seismic Hook And Eye, Add</i>	27.50	
04 05 19 13-0167 CLF #14 (For 10" + 4" Walls), Mill Galvanized, 9 Gauge Side Rods, 9 Gauge Cross Rods, Ladder-Type With Hook And Eye Ties For Composite Walls, Masonry Wall Reinforcement	149.63	
<i>For Hot-Dipped Galvanized, Add</i>	44.27	
<i>For Stainless Steel, Add</i>	177.08	
<i>For Seismic Hook And Eye, Add</i>	27.50	
04 05 19 13-0168 CLF #16 (For 12" + 4" Walls), Mill Galvanized, 9 Gauge Side Rods, 9 Gauge Cross Rods, Ladder-Type With Hook And Eye Ties For Composite Walls, Masonry Wall Reinforcement	155.82	
<i>For Hot-Dipped Galvanized, Add</i>	45.54	
<i>For Stainless Steel, Add</i>	182.14	
<i>For Seismic Hook And Eye, Add</i>	27.50	
04 05 19 13-0169 CLF #18 (For 14" + 4" Walls), Mill Galvanized, 9 Gauge Side Rods, 9 Gauge Cross Rods, Ladder-Type With Hook And Eye Ties For Composite Walls, Masonry Wall Reinforcement	160.63	
<i>For Hot-Dipped Galvanized, Add</i>	46.68	
<i>For Stainless Steel, Add</i>	186.70	
<i>For Seismic Hook And Eye, Add</i>	27.50	
04 05 19 13-0170 3/16" Side Rods, 9 Gauge Cross Rods, Ladder-Type With Hook And Eye Ties For Composite Walls, Masonry Wall Reinforcement <small>(04 05 19 13-0162)</small>		

04 Masonry**04 05 Common Work Results For Masonry****04 05 19 Masonry Anchorage And Reinforcing**

MINOR CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
04 05 19 13-0171	CLF	#8 (For 4" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 9 Gauge Cross Rods, Ladder-Type With Hook And Eye Ties For Composite Walls, Masonry Wall Reinforcement.....	151.70	
		<i>For Hot-Dipped Galvanized, Add</i>	53.06	
		<i>For Stainless Steel, Add</i>	212.22	
		<i>For Seismic Hook And Eye, Add</i>	27.50	
04 05 19 13-0172	CLF	#10 (For 6" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 9 Gauge Cross Rods, Ladder-Type With Hook And Eye Ties For Composite Walls, Masonry Wall Reinforcement.....	157.91	
		<i>For Hot-Dipped Galvanized, Add</i>	53.88	
		<i>For Stainless Steel, Add</i>	215.52	
		<i>For Seismic Hook And Eye, Add</i>	27.50	
04 05 19 13-0173	CLF	#12 (For 8" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 9 Gauge Cross Rods, Ladder-Type With Hook And Eye Ties For Composite Walls, Masonry Wall Reinforcement.....	167.11	
		<i>For Hot-Dipped Galvanized, Add</i>	55.06	
		<i>For Stainless Steel, Add</i>	220.22	
		<i>For Seismic Hook And Eye, Add</i>	27.50	
04 05 19 13-0174	CLF	#14 (For 10" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 9 Gauge Cross Rods, Ladder-Type With Hook And Eye Ties For Composite Walls, Masonry Wall Reinforcement.....	173.48	
		<i>For Hot-Dipped Galvanized, Add</i>	56.20	
		<i>For Stainless Steel, Add</i>	224.78	
		<i>For Seismic Hook And Eye, Add</i>	27.50	
04 05 19 13-0175	CLF	#16 (For 12" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 9 Gauge Cross Rods, Ladder-Type With Hook And Eye Ties For Composite Walls, Masonry Wall Reinforcement.....	179.42	
		<i>For Hot-Dipped Galvanized, Add</i>	57.34	
		<i>For Stainless Steel, Add</i>	229.34	
		<i>For Seismic Hook And Eye, Add</i>	27.50	
04 05 19 13-0176	CLF	#18 (For 14" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 9 Gauge Cross Rods, Ladder-Type With Hook And Eye Ties For Composite Walls, Masonry Wall Reinforcement.....	186.87	
		<i>For Hot-Dipped Galvanized, Add</i>	59.80	
		<i>For Stainless Steel, Add</i>	239.18	
		<i>For Seismic Hook And Eye, Add</i>	27.50	
04 05 19 13-0177		3/16" Side Rods, 3/16" Cross Rods, Ladder-Type With Hook And Eye Ties For Composite Walls, Masonry Wall Reinforcement (04 05 19 13-0162)		
04 05 19 13-0178	CLF	#8 (For 4" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 3/16" Cross Rods, Ladder-Type With Hook And Eye Ties For Composite Walls, Masonry Wall Reinforcement.....	153.50	
		<i>For Hot-Dipped Galvanized, Add</i>	53.96	
		<i>For Stainless Steel, Add</i>	215.82	
		<i>For Seismic Hook And Eye, Add</i>	27.50	
04 05 19 13-0179	CLF	#10 (For 6" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 3/16" Cross Rods, Ladder-Type With Hook And Eye Ties For Composite Walls, Masonry Wall Reinforcement.....	161.95	
		<i>For Hot-Dipped Galvanized, Add</i>	55.90	
		<i>For Stainless Steel, Add</i>	223.60	
		<i>For Seismic Hook And Eye, Add</i>	27.50	
04 05 19 13-0180	CLF	#12 (For 8" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 3/16" Cross Rods, Ladder-Type With Hook And Eye Ties For Composite Walls, Masonry Wall Reinforcement.....	172.66	
		<i>For Hot-Dipped Galvanized, Add</i>	57.83	
		<i>For Stainless Steel, Add</i>	231.32	
		<i>For Seismic Hook And Eye, Add</i>	27.50	
04 05 19 13-0181	CLF	#14 (For 10" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 3/16" Cross Rods, Ladder-Type With Hook And Eye Ties For Composite Walls, Masonry Wall Reinforcement.....	181.38	
		<i>For Hot-Dipped Galvanized, Add</i>	60.15	
		<i>For Stainless Steel, Add</i>	240.58	
		<i>For Seismic Hook And Eye, Add</i>	27.50	
04 05 19 13-0182	CLF	#16 (For 12" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 3/16" Cross Rods, Ladder-Type With Hook And Eye Ties For Composite Walls, Masonry Wall Reinforcement.....	189.67	
		<i>For Hot-Dipped Galvanized, Add</i>	62.46	
		<i>For Stainless Steel, Add</i>	249.84	
		<i>For Seismic Hook And Eye, Add</i>	27.50	
04 05 19 13-0183	CLF	#18 (For 14" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 3/16" Cross Rods, Ladder-Type With Hook And Eye Ties For Composite Walls, Masonry Wall Reinforcement.....	196.80	
		<i>For Hot-Dipped Galvanized, Add</i>	64.76	
		<i>For Stainless Steel, Add</i>	259.04	
		<i>For Seismic Hook And Eye, Add</i>	27.50	
04 05 19 13-0184		Ladder-Type With Hook And Eye Ties For Cavity Walls, Masonry Wall Reinforcement (04 05 19 13-0002)		
04 05 19 13-0185		9 Gauge Side Rods, 9 Gauge Cross Rods, Ladder-Type With Hook And Eye Ties For Cavity Walls, Masonry Wall Reinforcement (04 05 19 13-0184)		
04 05 19 13-0186	CLF	#10 (For 4" + 2" + 4" Walls), Mill Galvanized, 9 Gauge Side Rods, 9 Gauge Cross Rods, Ladder-Type With Hook And Eye Ties For Cavity Walls, Masonry Wall Reinforcement.....	136.70	
		<i>For Hot-Dipped Galvanized, Add</i>	43.28	
		<i>For Stainless Steel, Add</i>	173.10	
		<i>For Seismic Hook And Eye, Add</i>	27.50	
04 05 19 13-0187	CLF	#12 (For 6" + 2" + 4" Walls), Mill Galvanized, 9 Gauge Side Rods, 9 Gauge Cross Rods, Ladder-Type With Hook And Eye Ties For Cavity Walls, Masonry Wall Reinforcement.....	145.65	
		<i>For Hot-Dipped Galvanized, Add</i>	44.33	
		<i>For Stainless Steel, Add</i>	177.30	
		<i>For Seismic Hook And Eye, Add</i>	27.50	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
04 05 19 13-0188 CLF #14 (For 8" + 2" + 4" Walls), Mill Galvanized, 9 Gauge Side Rods, 9 Gauge Cross Rods, Ladder-Type With Hook And Eye Ties For Cavity Walls, Masonry Wall Reinforcement.....	151.83	
<i>For Hot-Dipped Galvanized, Add</i>	45.37	
<i>For Stainless Steel, Add</i>	181.48	
<i>For Seismic Hook And Eye, Add</i>	27.50	
04 05 19 13-0189 CLF #16 (For 10" + 2" + 4" Walls), Mill Galvanized, 9 Gauge Side Rods, 9 Gauge Cross Rods, Ladder-Type With Hook And Eye Ties For Cavity Walls, Masonry Wall Reinforcement.....	158.18	
<i>For Hot-Dipped Galvanized, Add</i>	46.72	
<i>For Stainless Steel, Add</i>	186.86	
<i>For Seismic Hook And Eye, Add</i>	27.50	
04 05 19 13-0190 CLF #18 (For 12" + 2" + 4" Walls), Mill Galvanized, 9 Gauge Side Rods, 9 Gauge Cross Rods, Ladder-Type With Hook And Eye Ties For Cavity Walls, Masonry Wall Reinforcement.....	163.13	
<i>For Hot-Dipped Galvanized, Add</i>	47.93	
<i>For Stainless Steel, Add</i>	191.70	
<i>For Seismic Hook And Eye, Add</i>	27.50	
04 05 19 13-0191 3/16" Side Rods, 9 Gauge Cross Rods, Ladder-Type With Hook And Eye Ties For Cavity Walls, Masonry Wall Reinforcement (04 05 19 13-0184)		
04 05 19 13-0192 CLF #10 (For 4" + 2" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 9 Gauge Cross Rods, Ladder-Type With Hook And Eye Ties For Cavity Walls, Masonry Wall Reinforcement.....	160.23	
<i>For Hot-Dipped Galvanized, Add</i>	55.04	
<i>For Stainless Steel, Add</i>	220.16	
<i>For Seismic Hook And Eye, Add</i>	27.50	
04 05 19 13-0193 CLF #12 (For 6" + 2" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 9 Gauge Cross Rods, Ladder-Type With Hook And Eye Ties For Cavity Walls, Masonry Wall Reinforcement.....	169.35	
<i>For Hot-Dipped Galvanized, Add</i>	56.18	
<i>For Stainless Steel, Add</i>	224.70	
<i>For Seismic Hook And Eye, Add</i>	27.50	
04 05 19 13-0194 CLF #14 (For 8" + 2" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 9 Gauge Cross Rods, Ladder-Type With Hook And Eye Ties For Cavity Walls, Masonry Wall Reinforcement.....	175.87	
<i>For Hot-Dipped Galvanized, Add</i>	57.39	
<i>For Stainless Steel, Add</i>	229.56	
<i>For Seismic Hook And Eye, Add</i>	27.50	
04 05 19 13-0195 CLF #16 (For 10" + 2" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 9 Gauge Cross Rods, Ladder-Type With Hook And Eye Ties For Cavity Walls, Masonry Wall Reinforcement.....	181.48	
<i>For Hot-Dipped Galvanized, Add</i>	58.37	
<i>For Stainless Steel, Add</i>	233.46	
<i>For Seismic Hook And Eye, Add</i>	27.50	
04 05 19 13-0196 CLF #18 (For 12" + 2" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 9 Gauge Cross Rods, Ladder-Type With Hook And Eye Ties For Cavity Walls, Masonry Wall Reinforcement.....	186.65	
<i>For Hot-Dipped Galvanized, Add</i>	59.69	
<i>For Stainless Steel, Add</i>	238.74	
<i>For Seismic Hook And Eye, Add</i>	27.50	
04 05 19 13-0197 3/16" Side Rods, 3/16" Cross Rods, Ladder-Type With Hook And Eye Ties For Cavity Walls, Masonry Wall Reinforcement (04 05 19 13-0184)		
04 05 19 13-0198 CLF #10 (For 4" + 2" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 3/16" Cross Rods, Ladder-Type With Hook And Eye Ties For Cavity Walls, Masonry Wall Reinforcement.....	162.65	
<i>For Hot-Dipped Galvanized, Add</i>	56.25	
<i>For Stainless Steel, Add</i>	225.00	
<i>For Seismic Hook And Eye, Add</i>	27.50	
04 05 19 13-0199 CLF #12 (For 6" + 2" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 3/16" Cross Rods, Ladder-Type With Hook And Eye Ties For Cavity Walls, Masonry Wall Reinforcement.....	173.40	
<i>For Hot-Dipped Galvanized, Add</i>	58.20	
<i>For Stainless Steel, Add</i>	232.80	
<i>For Seismic Hook And Eye, Add</i>	27.50	
04 05 19 13-0200 CLF #14 (For 8" + 2" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 3/16" Cross Rods, Ladder-Type With Hook And Eye Ties For Cavity Walls, Masonry Wall Reinforcement.....	181.38	
<i>For Hot-Dipped Galvanized, Add</i>	60.15	
<i>For Stainless Steel, Add</i>	240.58	
<i>For Seismic Hook And Eye, Add</i>	27.50	
04 05 19 13-0201 CLF #16 (For 10" + 2" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 3/16" Cross Rods, Ladder-Type With Hook And Eye Ties For Cavity Walls, Masonry Wall Reinforcement.....	189.67	
<i>For Hot-Dipped Galvanized, Add</i>	62.46	
<i>For Stainless Steel, Add</i>	249.84	
<i>For Seismic Hook And Eye, Add</i>	27.50	
04 05 19 13-0202 CLF #18 (For 12" + 2" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 3/16" Cross Rods, Ladder-Type With Hook And Eye Ties For Cavity Walls, Masonry Wall Reinforcement.....	196.80	
<i>For Hot-Dipped Galvanized, Add</i>	64.76	
<i>For Stainless Steel, Add</i>	259.04	
<i>For Seismic Hook And Eye, Add</i>	27.50	
04 05 19 13-0203 Truss-Type, Masonry Wall Reinforcement (04 05 19 13-0001)		
04 05 19 13-0204 Truss-Type, Masonry Wall Reinforcement (04 05 19 13-0203)		
04 05 19 13-0205 Two-Wire, 9 Gauge Side Rods, 9 Gauge Cross Rods, Truss-Type, Masonry Wall Reinforcement (04 05 19 13-0204)		
04 05 19 13-0206 CLF #4 (For 4" Walls), Mill Galvanized, 9 Gauge Side Rods, 9 Gauge Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	65.64	
<i>For Hot-Dipped Galvanized, Add</i>	17.02	
<i>For Stainless Steel, Add</i>	68.06	

04 Masonry**04 05 Common Work Results For Masonry****04 05 19 Masonry Anchorage And Reinforcing**

MINOR CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
04 05 19 13-0207	CLF	#6 (For 6" Walls), Mill Galvanized, 9 Gauge Side Rods, 9 Gauge Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	68.17	
		<i>For Hot-Dipped Galvanized, Add</i>	17.20	
		<i>For Stainless Steel, Add</i>	68.80	
04 05 19 13-0208	CLF	#8 (For 8" Walls), Mill Galvanized, 9 Gauge Side Rods, 9 Gauge Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	72.61	
		<i>For Hot-Dipped Galvanized, Add</i>	17.88	
		<i>For Stainless Steel, Add</i>	71.52	
04 05 19 13-0209	CLF	#10 (For 10" Walls), Mill Galvanized, 9 Gauge Side Rods, 9 Gauge Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	78.05	
		<i>For Hot-Dipped Galvanized, Add</i>	18.76	
		<i>For Stainless Steel, Add</i>	75.04	
04 05 19 13-0210	CLF	#12 (For 12" Walls), Mill Galvanized, 9 Gauge Side Rods, 9 Gauge Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	84.54	
		<i>For Hot-Dipped Galvanized, Add</i>	19.76	
		<i>For Stainless Steel, Add</i>	79.02	
04 05 19 13-0211	CLF	#13 (For 13" Walls), Mill Galvanized, 9 Gauge Side Rods, 9 Gauge Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	89.21	
		<i>For Hot-Dipped Galvanized, Add</i>	20.29	
		<i>For Stainless Steel, Add</i>	81.16	
04 05 19 13-0212	CLF	#14 (For 14" Walls), Mill Galvanized, 9 Gauge Side Rods, 9 Gauge Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	92.78	
		<i>For Hot-Dipped Galvanized, Add</i>	21.06	
		<i>For Stainless Steel, Add</i>	84.24	
04 05 19 13-0213	CLF	#16 (For 16" Walls), Mill Galvanized, 9 Gauge Side Rods, 9 Gauge Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	113.47	
		<i>For Hot-Dipped Galvanized, Add</i>	29.59	
		<i>For Stainless Steel, Add</i>	118.34	
04 05 19 13-0214	CLF	#18 (For 18" Walls), Mill Galvanized, 9 Gauge Side Rods, 9 Gauge Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	120.09	
		<i>For Hot-Dipped Galvanized, Add</i>	31.28	
		<i>For Stainless Steel, Add</i>	125.10	
04 05 19 13-0215	CLF	#20 (For 20" Walls), Mill Galvanized, 9 Gauge Side Rods, 9 Gauge Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	169.81	
		<i>For Hot-Dipped Galvanized, Add</i>	54.10	
		<i>For Stainless Steel, Add</i>	216.40	
04 05 19 13-0216		Two-Wire, 3/16" Side Rods, 9 Gauge Cross Rods, Truss-Type, Masonry Wall Reinforcement <small>(04 05 19 13-0204)</small>		
04 05 19 13-0217	CLF	#4 (For 4" Walls), Mill Galvanized, 3/16" Side Rods, 9 Gauge Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	78.81	
		<i>For Hot-Dipped Galvanized, Add</i>	23.60	
		<i>For Stainless Steel, Add</i>	94.38	
04 05 19 13-0218	CLF	#6 (For 6" Walls), Mill Galvanized, 3/16" Side Rods, 9 Gauge Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	81.62	
		<i>For Hot-Dipped Galvanized, Add</i>	23.93	
		<i>For Stainless Steel, Add</i>	95.70	
04 05 19 13-0219	CLF	#8 (For 8" Walls), Mill Galvanized, 3/16" Side Rods, 9 Gauge Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	86.06	
		<i>For Hot-Dipped Galvanized, Add</i>	24.61	
		<i>For Stainless Steel, Add</i>	98.42	
04 05 19 13-0220	CLF	#10 (For 10" Walls), Mill Galvanized, 3/16" Side Rods, 9 Gauge Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	91.47	
		<i>For Hot-Dipped Galvanized, Add</i>	25.47	
		<i>For Stainless Steel, Add</i>	101.88	
04 05 19 13-0221	CLF	#12 (For 12" Walls), Mill Galvanized, 3/16" Side Rods, 9 Gauge Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	97.77	
		<i>For Hot-Dipped Galvanized, Add</i>	26.37	
		<i>For Stainless Steel, Add</i>	105.48	
04 05 19 13-0222	CLF	#13 (For 13" Walls), Mill Galvanized, 3/16" Side Rods, 9 Gauge Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	102.61	
		<i>For Hot-Dipped Galvanized, Add</i>	27.00	
		<i>For Stainless Steel, Add</i>	107.98	
04 05 19 13-0223	CLF	#14 (For 14" Walls), Mill Galvanized, 3/16" Side Rods, 9 Gauge Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	105.97	
		<i>For Hot-Dipped Galvanized, Add</i>	27.66	
		<i>For Stainless Steel, Add</i>	110.62	
04 05 19 13-0224	CLF	#16 (For 16" Walls), Mill Galvanized, 3/16" Side Rods, 9 Gauge Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	131.19	
		<i>For Hot-Dipped Galvanized, Add</i>	38.45	
		<i>For Stainless Steel, Add</i>	153.78	
04 05 19 13-0225	CLF	#18 (For 18" Walls), Mill Galvanized, 3/16" Side Rods, 9 Gauge Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	137.81	
		<i>For Hot-Dipped Galvanized, Add</i>	40.14	
		<i>For Stainless Steel, Add</i>	160.54	
04 05 19 13-0226	CLF	#20 (For 20" Walls), Mill Galvanized, 3/16" Side Rods, 9 Gauge Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	209.18	
		<i>For Hot-Dipped Galvanized, Add</i>	75.82	
		<i>For Stainless Steel, Add</i>	303.28	
04 05 19 13-0227		Two-Wire, 3/16" Side Rods, 3/16" Cross Rods, Truss-Type, Masonry Wall Reinforcement <small>(04 05 19 13-0204)</small>		



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
04 05 19 13-0228 CLF #4 (For 4" Walls), Mill Galvanized, 3/16" Side Rods, 3/16" Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	98.95	
<i>For Hot-Dipped Galvanized, Add</i>	33.67	
<i>For Stainless Steel, Add</i>	134.66	
04 05 19 13-0229 CLF #6 (For 6" Walls), Mill Galvanized, 3/16" Side Rods, 3/16" Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	102.23	
<i>For Hot-Dipped Galvanized, Add</i>	34.09	
<i>For Stainless Steel, Add</i>	136.36	
04 05 19 13-0230 CLF #8 (For 8" Walls), Mill Galvanized, 3/16" Side Rods, 3/16" Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	107.16	
<i>For Hot-Dipped Galvanized, Add</i>	35.34	
<i>For Stainless Steel, Add</i>	141.36	
04 05 19 13-0231 CLF #10 (For 10" Walls), Mill Galvanized, 3/16" Side Rods, 3/16" Cross Rods, Truss-Type, Masonry Wall Reinforcement	114.62	
<i>For Hot-Dipped Galvanized, Add</i>	37.05	
<i>For Stainless Steel, Add</i>	148.18	
04 05 19 13-0232 CLF #12 (For 12" Walls), Mill Galvanized, 3/16" Side Rods, 3/16" Cross Rods, Truss-Type, Masonry Wall Reinforcement	122.94	
<i>For Hot-Dipped Galvanized, Add</i>	39.18	
<i>For Stainless Steel, Add</i>	156.72	
04 05 19 13-0233 CLF #13 (For 13" Walls), Mill Galvanized, 3/16" Side Rods, 3/16" Cross Rods, Truss-Type, Masonry Wall Reinforcement	128.94	
<i>For Hot-Dipped Galvanized, Add</i>	40.16	
<i>For Stainless Steel, Add</i>	160.62	
04 05 19 13-0234 CLF #14 (For 14" Walls), Mill Galvanized, 3/16" Side Rods, 3/16" Cross Rods, Truss-Type, Masonry Wall Reinforcement	133.87	
<i>For Hot-Dipped Galvanized, Add</i>	41.61	
<i>For Stainless Steel, Add</i>	166.42	
04 05 19 13-0235 CLF #16 (For 16" Walls), Mill Galvanized, 3/16" Side Rods, 3/16" Cross Rods, Truss-Type, Masonry Wall Reinforcement	171.11	
<i>For Hot-Dipped Galvanized, Add</i>	58.40	
<i>For Stainless Steel, Add</i>	233.60	
04 05 19 13-0236 CLF #18 (For 18" Walls), Mill Galvanized, 3/16" Side Rods, 3/16" Cross Rods, Truss-Type, Masonry Wall Reinforcement	180.97	
<i>For Hot-Dipped Galvanized, Add</i>	61.71	
<i>For Stainless Steel, Add</i>	246.84	
04 05 19 13-0237 CLF #20 (For 20" Walls), Mill Galvanized, 3/16" Side Rods, 3/16" Cross Rods, Truss-Type, Masonry Wall Reinforcement	275.00	
<i>For Hot-Dipped Galvanized, Add</i>	106.70	
<i>For Stainless Steel, Add</i>	426.78	
04 05 19 13-0238 Three-Wire, 9 Gauge Side Rods, 9 Gauge Cross Rods, Truss-Type, Masonry Wall Reinforcement <small>(04 05 19 13-0204)</small>		
04 05 19 13-0239 CLF #4 (For 4" Walls), Mill Galvanized, Three-Wire, 9 Gauge Side Rods, 9 Gauge Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	86.26	
<i>For Hot-Dipped Galvanized, Add</i>	27.32	
<i>For Stainless Steel, Add</i>	109.28	
04 05 19 13-0240 CLF #6 (For 6" Walls), Mill Galvanized, Three-Wire, 9 Gauge Side Rods, 9 Gauge Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	89.60	
<i>For Hot-Dipped Galvanized, Add</i>	27.92	
<i>For Stainless Steel, Add</i>	111.66	
04 05 19 13-0241 CLF #8 (For 8" Walls), Mill Galvanized, Three-Wire, 9 Gauge Side Rods, 9 Gauge Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	94.03	
<i>For Hot-Dipped Galvanized, Add</i>	28.60	
<i>For Stainless Steel, Add</i>	114.38	
04 05 19 13-0242 CLF #10 (For 10" Walls), Mill Galvanized, Three-Wire, 9 Gauge Side Rods, 9 Gauge Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	99.27	
<i>For Hot-Dipped Galvanized, Add</i>	29.37	
<i>For Stainless Steel, Add</i>	117.48	
04 05 19 13-0243 CLF #12 (For 12" Walls), Mill Galvanized, Three-Wire, 9 Gauge Side Rods, 9 Gauge Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	105.28	
<i>For Hot-Dipped Galvanized, Add</i>	30.12	
<i>For Stainless Steel, Add</i>	120.48	
04 05 19 13-0244 CLF #13 (For 13" Walls), Mill Galvanized, Three-Wire, 9 Gauge Side Rods, 9 Gauge Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	109.61	
<i>For Hot-Dipped Galvanized, Add</i>	30.49	
<i>For Stainless Steel, Add</i>	121.96	
04 05 19 13-0245 CLF #14 (For 14" Walls), Mill Galvanized, Three-Wire, 9 Gauge Side Rods, 9 Gauge Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	112.88	
<i>For Hot-Dipped Galvanized, Add</i>	30.91	
<i>For Stainless Steel, Add</i>	123.64	
04 05 19 13-0246 CLF #16 (For 16" Walls), Mill Galvanized, Three-Wire, 9 Gauge Side Rods, 9 Gauge Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	127.82	
<i>For Hot-Dipped Galvanized, Add</i>	36.76	
<i>For Stainless Steel, Add</i>	147.02	
04 05 19 13-0247 Three-Wire, 3/16" Side Rods, 9 Gauge Cross Rods, Truss-Type, Masonry Wall Reinforcement <small>(04 05 19 13-0204)</small>		
04 05 19 13-0248 CLF #4 (For 4" Walls), Mill Galvanized, Three-Wire, 3/16" Side Rods, 9 Gauge Cross Rods, Truss-Type, Masonry Wall Reinforcement	99.56	
<i>For Hot-Dipped Galvanized, Add</i>	33.97	
<i>For Stainless Steel, Add</i>	135.88	
04 05 19 13-0249 CLF #6 (For 6" Walls), Mill Galvanized, Three-Wire, 3/16" Side Rods, 9 Gauge Cross Rods, Truss-Type, Masonry Wall Reinforcement	103.08	
<i>For Hot-Dipped Galvanized, Add</i>	34.66	
<i>For Stainless Steel, Add</i>	138.62	

04 Masonry**04 05 Common Work Results For Masonry****04 05 19 Masonry Anchorage And Reinforcing**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
04 05 19 13-0250	CLF	#8 (For 8" Walls), Mill Galvanized, Three-Wire, 3/16" Side Rods, 9 Gauge Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	107.65		
		<i>For Hot-Dipped Galvanized, Add</i>	35.41		
		<i>For Stainless Steel, Add</i>	141.62		
04 05 19 13-0251	CLF	#10 (For 10" Walls), Mill Galvanized, Three-Wire, 3/16" Side Rods, 9 Gauge Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	112.74		
		<i>For Hot-Dipped Galvanized, Add</i>	36.11		
		<i>For Stainless Steel, Add</i>	144.42		
04 05 19 13-0252	CLF	#12 (For 12" Walls), Mill Galvanized, Three-Wire, 3/16" Side Rods, 9 Gauge Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	118.72		
		<i>For Hot-Dipped Galvanized, Add</i>	36.84		
		<i>For Stainless Steel, Add</i>	147.36		
04 05 19 13-0253	CLF	#13 (For 13" Walls), Mill Galvanized, Three-Wire, 3/16" Side Rods, 9 Gauge Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	123.10		
		<i>For Hot-Dipped Galvanized, Add</i>	37.25		
		<i>For Stainless Steel, Add</i>	148.98		
04 05 19 13-0254	CLF	#14 (For 14" Walls), Mill Galvanized, Three-Wire, 3/16" Side Rods, 9 Gauge Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	126.28		
		<i>For Hot-Dipped Galvanized, Add</i>	37.61		
		<i>For Stainless Steel, Add</i>	150.44		
04 05 19 13-0255	CLF	#16 (For 16" Walls), Mill Galvanized, Three-Wire, 3/16" Side Rods, 9 Gauge Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	145.52		
		<i>For Hot-Dipped Galvanized, Add</i>	45.61		
		<i>For Stainless Steel, Add</i>	182.44		
04 05 19 13-0256	CLF	#18 (For 18" Walls), Mill Galvanized, Three-Wire, 3/16" Side Rods, 9 Gauge Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	184.85		
		<i>For Hot-Dipped Galvanized, Add</i>	63.66		
		<i>For Stainless Steel, Add</i>	254.62		
04 05 19 13-0257		Three-Wire, 3/16" Side Rods, 3/16" Cross Rods, Truss-Type, Masonry Wall Reinforcement <small>(04 05 19 13-0204)</small>			
04 05 19 13-0258	CLF	#4 (For 4" Walls), Mill Galvanized, Three-Wire, 3/16" Side Rods, 3/16" Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	112.44		
		<i>For Hot-Dipped Galvanized, Add</i>	40.41		
		<i>For Stainless Steel, Add</i>	161.64		
04 05 19 13-0259	CLF	#6 (For 6" Walls), Mill Galvanized, Three-Wire, 3/16" Side Rods, 3/16" Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	117.64		
		<i>For Hot-Dipped Galvanized, Add</i>	41.80		
		<i>For Stainless Steel, Add</i>	167.18		
04 05 19 13-0260	CLF	#8 (For 8" Walls), Mill Galvanized, Three-Wire, 3/16" Side Rods, 3/16" Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	122.83		
		<i>For Hot-Dipped Galvanized, Add</i>	43.18		
		<i>For Stainless Steel, Add</i>	172.70		
04 05 19 13-0261	CLF	#10 (For 10" Walls), Mill Galvanized, Three-Wire, 3/16" Side Rods, 3/16" Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	130.17		
		<i>For Hot-Dipped Galvanized, Add</i>	44.82		
		<i>For Stainless Steel, Add</i>	179.28		
04 05 19 13-0262	CLF	#12 (For 12" Walls), Mill Galvanized, Three-Wire, 3/16" Side Rods, 3/16" Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	137.51		
		<i>For Hot-Dipped Galvanized, Add</i>	46.47		
		<i>For Stainless Steel, Add</i>	185.86		
04 05 19 13-0263	CLF	#13 (For 13" Walls), Mill Galvanized, Three-Wire, 3/16" Side Rods, 3/16" Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	143.31		
		<i>For Hot-Dipped Galvanized, Add</i>	47.34		
		<i>For Stainless Steel, Add</i>	189.36		
04 05 19 13-0264	CLF	#14 (For 14" Walls), Mill Galvanized, Three-Wire, 3/16" Side Rods, 3/16" Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	146.85		
		<i>For Hot-Dipped Galvanized, Add</i>	48.10		
		<i>For Stainless Steel, Add</i>	192.38		
04 05 19 13-0265	CLF	#16 (For 16" Walls), Mill Galvanized, Three-Wire, 3/16" Side Rods, 3/16" Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	153.51		
		<i>For Hot-Dipped Galvanized, Add</i>	49.60		
		<i>For Stainless Steel, Add</i>	198.40		
04 05 19 13-0266	CLF	#18 (For 18" Walls), Mill Galvanized, Three-Wire, 3/16" Side Rods, 3/16" Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	202.11		
		<i>For Hot-Dipped Galvanized, Add</i>	72.28		
		<i>For Stainless Steel, Add</i>	289.12		
04 05 19 13-0267		Four-Wire, 9 Gauge Side Rods, 9 Gauge Cross Rods, Truss-Type, Masonry Wall Reinforcement <small>(04 05 19 13-0204)</small>			
04 05 19 13-0268	CLF	#4 (For 4" Walls), Mill Galvanized, Four-Wire, 9 Gauge Side Rods, 9 Gauge Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	116.89		
		<i>For Hot-Dipped Galvanized, Add</i>	42.64		
		<i>For Stainless Steel, Add</i>	170.54		
04 05 19 13-0269	CLF	#6 (For 6" Walls), Mill Galvanized, Four-Wire, 9 Gauge Side Rods, 9 Gauge Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	120.23		
		<i>For Hot-Dipped Galvanized, Add</i>	43.23		
		<i>For Stainless Steel, Add</i>	172.92		
04 05 19 13-0270	CLF	#8 (For 8" Walls), Mill Galvanized, Four-Wire, 9 Gauge Side Rods, 9 Gauge Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	124.66		
		<i>For Hot-Dipped Galvanized, Add</i>	43.91		
		<i>For Stainless Steel, Add</i>	175.64		



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
04 05 19 13-0271 CLF #10 (For 10" Walls), Mill Galvanized, Four-Wire, 9 Gauge Side Rods, 9 Gauge Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	129.89	
<i>For Hot-Dipped Galvanized, Add</i>	44.68	
<i>For Stainless Steel, Add</i>	178.72	
04 05 19 13-0272 CLF #12 (For 12" Walls), Mill Galvanized, Four-Wire, 9 Gauge Side Rods, 9 Gauge Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	135.91	
<i>For Hot-Dipped Galvanized, Add</i>	45.44	
<i>For Stainless Steel, Add</i>	181.74	
04 05 19 13-0273 CLF #13 (For 13" Walls), Mill Galvanized, Four-Wire, 9 Gauge Side Rods, 9 Gauge Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	140.23	
<i>For Hot-Dipped Galvanized, Add</i>	45.80	
<i>For Stainless Steel, Add</i>	183.20	
04 05 19 13-0274 CLF #14 (For 14" Walls), Mill Galvanized, Four-Wire, 9 Gauge Side Rods, 9 Gauge Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	143.50	
<i>For Hot-Dipped Galvanized, Add</i>	46.22	
<i>For Stainless Steel, Add</i>	184.88	
04 05 19 13-0275 CLF #16 (For 16" Walls), Mill Galvanized, Four-Wire, 9 Gauge Side Rods, 9 Gauge Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	158.44	
<i>For Hot-Dipped Galvanized, Add</i>	52.07	
<i>For Stainless Steel, Add</i>	208.26	
04 05 19 13-0276 CLF #18 (For 18" Walls), Mill Galvanized, Four-Wire, 9 Gauge Side Rods, 9 Gauge Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	185.09	
<i>For Hot-Dipped Galvanized, Add</i>	63.78	
<i>For Stainless Steel, Add</i>	255.10	
04 05 19 13-0277 Four-Wire, 3/16" Side Rods, 9 Gauge Cross Rods, Truss-Type, Masonry Wall Reinforcement <small>(04 05 19 13-0204)</small>		
04 05 19 13-0278 CLF #4 (For 4" Walls), Mill Galvanized, Four-Wire, 3/16" Side Rods, 9 Gauge Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	130.19	
<i>For Hot-Dipped Galvanized, Add</i>	49.29	
<i>For Stainless Steel, Add</i>	197.14	
04 05 19 13-0279 CLF #6 (For 6" Walls), Mill Galvanized, Four-Wire, 3/16" Side Rods, 9 Gauge Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	133.70	
<i>For Hot-Dipped Galvanized, Add</i>	49.97	
<i>For Stainless Steel, Add</i>	199.86	
04 05 19 13-0280 CLF #8 (For 8" Walls), Mill Galvanized, Four-Wire, 3/16" Side Rods, 9 Gauge Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	138.28	
<i>For Hot-Dipped Galvanized, Add</i>	50.72	
<i>For Stainless Steel, Add</i>	202.88	
04 05 19 13-0281 CLF #10 (For 10" Walls), Mill Galvanized, Four-Wire, 3/16" Side Rods, 9 Gauge Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	143.37	
<i>For Hot-Dipped Galvanized, Add</i>	51.42	
<i>For Stainless Steel, Add</i>	205.68	
04 05 19 13-0282 CLF #12 (For 12" Walls), Mill Galvanized, Four-Wire, 3/16" Side Rods, 9 Gauge Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	149.35	
<i>For Hot-Dipped Galvanized, Add</i>	52.16	
<i>For Stainless Steel, Add</i>	208.62	
04 05 19 13-0283 CLF #13 (For 13" Walls), Mill Galvanized, Four-Wire, 3/16" Side Rods, 9 Gauge Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	153.72	
<i>For Hot-Dipped Galvanized, Add</i>	52.56	
<i>For Stainless Steel, Add</i>	210.22	
04 05 19 13-0284 CLF #14 (For 14" Walls), Mill Galvanized, Four-Wire, 3/16" Side Rods, 9 Gauge Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	156.91	
<i>For Hot-Dipped Galvanized, Add</i>	52.93	
<i>For Stainless Steel, Add</i>	211.70	
04 05 19 13-0285 CLF #16 (For 16" Walls), Mill Galvanized, Four-Wire, 3/16" Side Rods, 9 Gauge Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	176.15	
<i>For Hot-Dipped Galvanized, Add</i>	60.93	
<i>For Stainless Steel, Add</i>	243.70	
04 05 19 13-0286 CLF #18 (For 18" Walls), Mill Galvanized, Four-Wire, 3/16" Side Rods, 9 Gauge Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	215.47	
<i>For Hot-Dipped Galvanized, Add</i>	78.97	
<i>For Stainless Steel, Add</i>	315.86	
04 05 19 13-0287 Four-Wire, 3/16" Side Rods, 3/16" Cross Rods, Truss-Type, Masonry Wall Reinforcement <small>(04 05 19 13-0204)</small>		
04 05 19 13-0288 CLF #4 (For 4" Walls), Mill Galvanized, Four-Wire, 3/16" Side Rods, 3/16" Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	143.07	
<i>For Hot-Dipped Galvanized, Add</i>	55.73	
<i>For Stainless Steel, Add</i>	222.90	
04 05 19 13-0289 CLF #6 (For 6" Walls), Mill Galvanized, Four-Wire, 3/16" Side Rods, 3/16" Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	148.26	
<i>For Hot-Dipped Galvanized, Add</i>	57.11	
<i>For Stainless Steel, Add</i>	228.42	
04 05 19 13-0290 CLF #8 (For 8" Walls), Mill Galvanized, Four-Wire, 3/16" Side Rods, 3/16" Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	153.46	
<i>For Hot-Dipped Galvanized, Add</i>	58.49	
<i>For Stainless Steel, Add</i>	233.96	
04 05 19 13-0291 CLF #10 (For 10" Walls), Mill Galvanized, Four-Wire, 3/16" Side Rods, 3/16" Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	160.80	
<i>For Hot-Dipped Galvanized, Add</i>	60.14	
<i>For Stainless Steel, Add</i>	240.54	

04 Masonry**04 05 Common Work Results For Masonry****04 05 19 Masonry Anchorage And Reinforcing**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
04 05 19 13-0292	CLF	#12 (For 12" Walls), Mill Galvanized, Four-Wire, 3/16" Side Rods, 3/16" Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	168.14		
		<i>For Hot-Dipped Galvanized, Add</i>	61.78		
		<i>For Stainless Steel, Add</i>	247.12		
04 05 19 13-0293	CLF	#13 (For 13" Walls), Mill Galvanized, Four-Wire, 3/16" Side Rods, 3/16" Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	173.94		
		<i>For Hot-Dipped Galvanized, Add</i>	62.66		
		<i>For Stainless Steel, Add</i>	250.62		
04 05 19 13-0294	CLF	#14 (For 14" Walls), Mill Galvanized, Four-Wire, 3/16" Side Rods, 3/16" Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	177.48		
		<i>For Hot-Dipped Galvanized, Add</i>	63.41		
		<i>For Stainless Steel, Add</i>	253.64		
04 05 19 13-0295	CLF	#16 (For 16" Walls), Mill Galvanized, Four-Wire, 3/16" Side Rods, 3/16" Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	184.14		
		<i>For Hot-Dipped Galvanized, Add</i>	64.92		
		<i>For Stainless Steel, Add</i>	259.66		
04 05 19 13-0296	CLF	#18 (For 18" Walls), Mill Galvanized, Four-Wire, 3/16" Side Rods, 3/16" Cross Rods, Truss-Type, Masonry Wall Reinforcement.....	232.74		
		<i>For Hot-Dipped Galvanized, Add</i>	87.60		
		<i>For Stainless Steel, Add</i>	350.38		
04 05 19 13-0297		Truss-Type With Tabs, Masonry Wall Reinforcement <small>(04 05 19 13-0203)</small>			
04 05 19 13-0298		9 Gauge Side Rods, 9 Gauge Cross Rods, Truss-Type With Tabs, Masonry Wall Reinforcement <small>(04 05 19 13-0297)</small>			
04 05 19 13-0299	CLF	#8 (For 8" Walls), Mill Galvanized, 9 Gauge Side Rods, 9 Gauge Cross Rods, Truss-Type With Tabs, Masonry Wall Reinforcement.....	94.36		
		<i>For Hot-Dipped Galvanized, Add</i>	26.67		
		<i>For Stainless Steel, Add</i>	106.66		
04 05 19 13-0300	CLF	#10 (For 10" Walls), Mill Galvanized, 9 Gauge Side Rods, 9 Gauge Cross Rods, Truss-Type With Tabs, Masonry Wall Reinforcement.....	101.49		
		<i>For Hot-Dipped Galvanized, Add</i>	27.95		
		<i>For Stainless Steel, Add</i>	111.80		
04 05 19 13-0301	CLF	#12 (For 12" Walls), Mill Galvanized, 9 Gauge Side Rods, 9 Gauge Cross Rods, Truss-Type With Tabs, Masonry Wall Reinforcement.....	109.32		
		<i>For Hot-Dipped Galvanized, Add</i>	29.59		
		<i>For Stainless Steel, Add</i>	118.34		
04 05 19 13-0302	CLF	#13 (For 13" Walls), Mill Galvanized, 9 Gauge Side Rods, 9 Gauge Cross Rods, Truss-Type With Tabs, Masonry Wall Reinforcement.....	116.13		
		<i>For Hot-Dipped Galvanized, Add</i>	30.71		
		<i>For Stainless Steel, Add</i>	122.82		
04 05 19 13-0303	CLF	#14 (For 14" Walls), Mill Galvanized, 9 Gauge Side Rods, 9 Gauge Cross Rods, Truss-Type With Tabs, Masonry Wall Reinforcement.....	120.29		
		<i>For Hot-Dipped Galvanized, Add</i>	31.65		
		<i>For Stainless Steel, Add</i>	126.58		
04 05 19 13-0304	CLF	#16 (For 16" Walls), Mill Galvanized, 9 Gauge Side Rods, 9 Gauge Cross Rods, Truss-Type With Tabs, Masonry Wall Reinforcement.....	128.90		
		<i>For Hot-Dipped Galvanized, Add</i>	33.91		
		<i>For Stainless Steel, Add</i>	135.62		
04 05 19 13-0305	CLF	#18 (For 18" Walls), Mill Galvanized, 9 Gauge Side Rods, 9 Gauge Cross Rods, Truss-Type With Tabs, Masonry Wall Reinforcement.....	137.08		
		<i>For Hot-Dipped Galvanized, Add</i>	36.17		
		<i>For Stainless Steel, Add</i>	144.66		
04 05 19 13-0306		3/16" Side Rods, 9 Gauge Cross Rods, Truss-Type With Tabs, Masonry Wall Reinforcement <small>(04 05 19 13-0297)</small>			
04 05 19 13-0307	CLF	#8 (For 8" Walls), Mill Galvanized, 3/16" Side Rods, 9 Gauge Cross Rods, Truss-Type With Tabs, Masonry Wall Reinforcement.....	110.97		
		<i>For Hot-Dipped Galvanized, Add</i>	34.97		
		<i>For Stainless Steel, Add</i>	139.88		
04 05 19 13-0308	CLF	#10 (For 10" Walls), Mill Galvanized, 3/16" Side Rods, 9 Gauge Cross Rods, Truss-Type With Tabs, Masonry Wall Reinforcement.....	118.14		
		<i>For Hot-Dipped Galvanized, Add</i>	36.28		
		<i>For Stainless Steel, Add</i>	145.10		
04 05 19 13-0309	CLF	#12 (For 12" Walls), Mill Galvanized, 3/16" Side Rods, 9 Gauge Cross Rods, Truss-Type With Tabs, Masonry Wall Reinforcement.....	125.90		
		<i>For Hot-Dipped Galvanized, Add</i>	37.88		
		<i>For Stainless Steel, Add</i>	151.50		
04 05 19 13-0310	CLF	#13 (For 13" Walls), Mill Galvanized, 3/16" Side Rods, 9 Gauge Cross Rods, Truss-Type With Tabs, Masonry Wall Reinforcement.....	132.75		
		<i>For Hot-Dipped Galvanized, Add</i>	39.02		
		<i>For Stainless Steel, Add</i>	156.06		
04 05 19 13-0311	CLF	#14 (For 14" Walls), Mill Galvanized, 3/16" Side Rods, 9 Gauge Cross Rods, Truss-Type With Tabs, Masonry Wall Reinforcement.....	136.79		
		<i>For Hot-Dipped Galvanized, Add</i>	39.90		
		<i>For Stainless Steel, Add</i>	159.58		
04 05 19 13-0312	CLF	#16 (For 16" Walls), Mill Galvanized, 3/16" Side Rods, 9 Gauge Cross Rods, Truss-Type With Tabs, Masonry Wall Reinforcement.....	145.44		
		<i>For Hot-Dipped Galvanized, Add</i>	42.18		
		<i>For Stainless Steel, Add</i>	168.70		



	MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
04 05 19 13-0313	CLF	#18		(For 18" Walls), Mill Galvanized, 3/16" Side Rods, 9 Gauge Cross Rods, Truss-Type With Tabs, Masonry Wall Reinforcement.....	153.69	
				<i>For Hot-Dipped Galvanized, Add</i>	44.47	
				<i>For Stainless Steel, Add</i>	177.88	
04 05 19 13-0314				3/16" Side Rods, 3/16" Cross Rods, Truss-Type With Tabs, Masonry Wall Reinforcement <small>(04 05 19 13-0297)</small>		
04 05 19 13-0315	CLF	#8		(For 8" Walls), Mill Galvanized, 3/16" Side Rods, 3/16" Cross Rods, Truss-Type With Tabs, Masonry Wall Reinforcement.....	126.37	
				<i>For Hot-Dipped Galvanized, Add</i>	42.67	
				<i>For Stainless Steel, Add</i>	170.68	
04 05 19 13-0316	CLF	#10		(For 10" Walls), Mill Galvanized, 3/16" Side Rods, 3/16" Cross Rods, Truss-Type With Tabs, Masonry Wall Reinforcement.....	134.97	
				<i>For Hot-Dipped Galvanized, Add</i>	44.69	
				<i>For Stainless Steel, Add</i>	178.76	
04 05 19 13-0317	CLF	#12		(For 12" Walls), Mill Galvanized, 3/16" Side Rods, 3/16" Cross Rods, Truss-Type With Tabs, Masonry Wall Reinforcement.....	145.08	
				<i>For Hot-Dipped Galvanized, Add</i>	47.47	
				<i>For Stainless Steel, Add</i>	189.86	
04 05 19 13-0318	CLF	#13		(For 13" Walls), Mill Galvanized, 3/16" Side Rods, 3/16" Cross Rods, Truss-Type With Tabs, Masonry Wall Reinforcement.....	152.67	
				<i>For Hot-Dipped Galvanized, Add</i>	48.98	
				<i>For Stainless Steel, Add</i>	195.90	
04 05 19 13-0319	CLF	#14		(For 14" Walls), Mill Galvanized, 3/16" Side Rods, 3/16" Cross Rods, Truss-Type With Tabs, Masonry Wall Reinforcement.....	157.96	
				<i>For Hot-Dipped Galvanized, Add</i>	50.48	
				<i>For Stainless Steel, Add</i>	201.92	
04 05 19 13-0320	CLF	#16		(For 16" Walls), Mill Galvanized, 3/16" Side Rods, 3/16" Cross Rods, Truss-Type With Tabs, Masonry Wall Reinforcement.....	168.85	
				<i>For Hot-Dipped Galvanized, Add</i>	53.88	
				<i>For Stainless Steel, Add</i>	215.52	
04 05 19 13-0321	CLF	#18		(For 18" Walls), Mill Galvanized, 3/16" Side Rods, 3/16" Cross Rods, Truss-Type With Tabs, Masonry Wall Reinforcement.....	178.13	
				<i>For Hot-Dipped Galvanized, Add</i>	56.69	
				<i>For Stainless Steel, Add</i>	226.76	
04 05 19 13-0322				Truss-Type With Adjustable Tabs For Composite Walls, Masonry Wall Reinforcement <small>(04 05 19 13-0203)</small>		
04 05 19 13-0323				9 Gauge Side Rods, 9 Gauge Cross Rods, Truss-Type With Adjustable Tabs For Composite Walls, Masonry Wall Reinforcement <small>(04 05 19 13-0322)</small>		
04 05 19 13-0324	CLF	#8		(For 4" + 4" Walls), Mill Galvanized, 9 Gauge Side Rods, 9 Gauge Cross Rods, Truss-Type With Adjustable Tabs For Composite Walls, Masonry Wall Reinforcement.....	146.14	
				<i>For Hot-Dipped Galvanized, Add</i>	52.56	
				<i>For Stainless Steel, Add</i>	210.22	
04 05 19 13-0325	CLF	#10		(For 6" + 4" Walls), Mill Galvanized, 9 Gauge Side Rods, 9 Gauge Cross Rods, Truss-Type With Adjustable Tabs For Composite Walls, Masonry Wall Reinforcement.....	151.44	
				<i>For Hot-Dipped Galvanized, Add</i>	52.93	
				<i>For Stainless Steel, Add</i>	211.70	
04 05 19 13-0326	CLF	#12		(For 8" + 4" Walls), Mill Galvanized, 9 Gauge Side Rods, 9 Gauge Cross Rods, Truss-Type With Adjustable Tabs For Composite Walls, Masonry Wall Reinforcement.....	158.57	
				<i>For Hot-Dipped Galvanized, Add</i>	54.21	
				<i>For Stainless Steel, Add</i>	216.84	
04 05 19 13-0327	CLF	#14		(For 10" + 4" Walls), Mill Galvanized, 9 Gauge Side Rods, 9 Gauge Cross Rods, Truss-Type With Adjustable Tabs For Composite Walls, Masonry Wall Reinforcement.....	168.84	
				<i>For Hot-Dipped Galvanized, Add</i>	55.92	
				<i>For Stainless Steel, Add</i>	223.68	
04 05 19 13-0328	CLF	#16		(For 12" + 4" Walls), Mill Galvanized, 9 Gauge Side Rods, 9 Gauge Cross Rods, Truss-Type With Adjustable Tabs For Composite Walls, Masonry Wall Reinforcement.....	176.97	
				<i>For Hot-Dipped Galvanized, Add</i>	57.94	
				<i>For Stainless Steel, Add</i>	231.76	
04 05 19 13-0329	CLF	#18		(For 14" + 4" Walls), Mill Galvanized, 9 Gauge Side Rods, 9 Gauge Cross Rods, Truss-Type With Adjustable Tabs For Composite Walls, Masonry Wall Reinforcement.....	185.56	
				<i>For Hot-Dipped Galvanized, Add</i>	60.41	
				<i>For Stainless Steel, Add</i>	241.62	
04 05 19 13-0330				3/16" Side Rods, 9 Gauge Cross Rods, Truss-Type With Adjustable Tabs For Composite Walls, Masonry Wall Reinforcement <small>(04 05 19 13-0322)</small>		
04 05 19 13-0331	CLF	#8		(For 4" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 9 Gauge Cross Rods, Truss-Type With Adjustable Tabs For Composite Walls, Masonry Wall Reinforcement.....	171.83	
				<i>For Hot-Dipped Galvanized, Add</i>	65.40	
				<i>For Stainless Steel, Add</i>	261.60	
04 05 19 13-0332	CLF	#10		(For 6" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 9 Gauge Cross Rods, Truss-Type With Adjustable Tabs For Composite Walls, Masonry Wall Reinforcement.....	177.50	
				<i>For Hot-Dipped Galvanized, Add</i>	65.96	
				<i>For Stainless Steel, Add</i>	263.82	
04 05 19 13-0333	CLF	#12		(For 8" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 9 Gauge Cross Rods, Truss-Type With Adjustable Tabs For Composite Walls, Masonry Wall Reinforcement.....	184.63	
				<i>For Hot-Dipped Galvanized, Add</i>	67.24	
				<i>For Stainless Steel, Add</i>	268.96	

04 Masonry**04 05 Common Work Results For Masonry****04 05 19 Masonry Anchorage And Reinforcing**

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
04 05 19 13-0334 CLF #14 (For 10" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 9 Gauge Cross Rods, Truss-Type With Adjustable Tabs For Composite Walls, Masonry Wall Reinforcement.....	194.82	
For Hot-Dipped Galvanized, Add	68.91	
For Stainless Steel, Add	275.64	
04 05 19 13-0335 CLF #16 (For 12" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 9 Gauge Cross Rods, Truss-Type With Adjustable Tabs For Composite Walls, Masonry Wall Reinforcement.....	202.63	
For Hot-Dipped Galvanized, Add	70.77	
For Stainless Steel, Add	283.08	
04 05 19 13-0336 CLF #18 (For 14" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 9 Gauge Cross Rods, Truss-Type With Adjustable Tabs For Composite Walls, Masonry Wall Reinforcement.....	210.04	
For Hot-Dipped Galvanized, Add	72.65	
For Stainless Steel, Add	290.58	
04 05 19 13-0337 3/16" Side Rods, 3/16" Cross Rods, Truss-Type With Adjustable Tabs For Composite Walls, Masonry Wall Reinforcement (04 05 19 13-0322)		
04 05 19 13-0338 CLF #8 (For 4" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 3/16" Cross Rods, Truss-Type With Adjustable Tabs For Composite Walls, Masonry Wall Reinforcement.....	185.91	
For Hot-Dipped Galvanized, Add	72.44	
For Stainless Steel, Add	289.76	
04 05 19 13-0339 CLF #10 (For 6" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 3/16" Cross Rods, Truss-Type With Adjustable Tabs For Composite Walls, Masonry Wall Reinforcement.....	191.57	
For Hot-Dipped Galvanized, Add	72.99	
For Stainless Steel, Add	291.96	
04 05 19 13-0340 CLF #12 (For 8" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 3/16" Cross Rods, Truss-Type With Adjustable Tabs For Composite Walls, Masonry Wall Reinforcement.....	200.18	
For Hot-Dipped Galvanized, Add	75.02	
For Stainless Steel, Add	300.06	
04 05 19 13-0341 CLF #14 (For 10" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 3/16" Cross Rods, Truss-Type With Adjustable Tabs For Composite Walls, Masonry Wall Reinforcement.....	212.32	
For Hot-Dipped Galvanized, Add	77.66	
For Stainless Steel, Add	310.64	
04 05 19 13-0342 CLF #16 (For 12" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 3/16" Cross Rods, Truss-Type With Adjustable Tabs For Composite Walls, Masonry Wall Reinforcement.....	223.10	
For Hot-Dipped Galvanized, Add	81.01	
For Stainless Steel, Add	324.02	
04 05 19 13-0343 CLF #18 (For 14" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 3/16" Cross Rods, Truss-Type With Adjustable Tabs For Composite Walls, Masonry Wall Reinforcement.....	234.18	
For Hot-Dipped Galvanized, Add	84.72	
For Stainless Steel, Add	338.86	
04 05 19 13-0344 Truss-Type With Adjustable Tabs For Cavity Walls, Masonry Wall Reinforcement (04 05 19 13-0203)		
04 05 19 13-0345 9 Gauge Side Rods, 9 Gauge Cross Rods, Truss-Type With Adjustable Tabs For Cavity Walls, Masonry Wall Reinforcement (04 05 19 13-0344)		
04 05 19 13-0346 CLF #10 (For 4" + 2" + 4" Walls), Mill Galvanized, 9 Gauge Side Rods, 9 Gauge Cross Rods, Truss-Type With Adjustable Tabs For Cavity Walls, Masonry Wall Reinforcement.....	155.59	
For Hot-Dipped Galvanized, Add	55.00	
For Stainless Steel, Add	220.00	
04 05 19 13-0347 CLF #12 (For 6" + 2" + 4" Walls), Mill Galvanized, 9 Gauge Side Rods, 9 Gauge Cross Rods, Truss-Type With Adjustable Tabs For Cavity Walls, Masonry Wall Reinforcement.....	160.92	
For Hot-Dipped Galvanized, Add	55.39	
For Stainless Steel, Add	221.54	
04 05 19 13-0348 CLF #14 (For 8" + 2" + 4" Walls), Mill Galvanized, 9 Gauge Side Rods, 9 Gauge Cross Rods, Truss-Type With Adjustable Tabs For Cavity Walls, Masonry Wall Reinforcement.....	170.27	
For Hot-Dipped Galvanized, Add	56.64	
For Stainless Steel, Add	226.54	
04 05 19 13-0349 CLF #16 (For 10" + 2" + 4" Walls), Mill Galvanized, 9 Gauge Side Rods, 9 Gauge Cross Rods, Truss-Type With Adjustable Tabs For Cavity Walls, Masonry Wall Reinforcement.....	177.74	
For Hot-Dipped Galvanized, Add	58.33	
For Stainless Steel, Add	233.30	
04 05 19 13-0350 CLF #18 (For 12" + 2" + 4" Walls), Mill Galvanized, 9 Gauge Side Rods, 9 Gauge Cross Rods, Truss-Type With Adjustable Tabs For Cavity Walls, Masonry Wall Reinforcement.....	185.52	
For Hot-Dipped Galvanized, Add	60.39	
For Stainless Steel, Add	241.54	
04 05 19 13-0351 CLF #20 (For 14" + 2" + 4" Walls), Mill Galvanized, 9 Gauge Side Rods, 9 Gauge Cross Rods, Truss-Type With Adjustable Tabs For Cavity Walls, Masonry Wall Reinforcement.....	192.24	
For Hot-Dipped Galvanized, Add	62.48	
For Stainless Steel, Add	249.92	
04 05 19 13-0352 3/16" Side Rods, 9 Gauge Cross Rods, Truss-Type With Adjustable Tabs For Cavity Walls, Masonry Wall Reinforcement (04 05 19 13-0344)		
04 05 19 13-0353 CLF #10 (For 4" + 2" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 9 Gauge Cross Rods, Truss-Type With Adjustable Tabs For Cavity Walls, Masonry Wall Reinforcement.....	181.21	
For Hot-Dipped Galvanized, Add	67.81	
For Stainless Steel, Add	271.24	
04 05 19 13-0354 CLF #12 (For 6" + 2" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 9 Gauge Cross Rods, Truss-Type With Adjustable Tabs For Cavity Walls, Masonry Wall Reinforcement.....	186.87	
For Hot-Dipped Galvanized, Add	68.36	
For Stainless Steel, Add	273.44	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
04 05 19 13-0355 CLF #14 (For 8" + 2" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 9 Gauge Cross Rods, Truss-Type With Adjustable Tabs For Cavity Walls, Masonry Wall Reinforcement.....	196.29	
<i>For Hot-Dipped Galvanized, Add</i>	69.65	
<i>For Stainless Steel, Add</i>	278.58	
04 05 19 13-0356 CLF #16 (For 10" + 2" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 9 Gauge Cross Rods, Truss-Type With Adjustable Tabs For Cavity Walls, Masonry Wall Reinforcement.....	203.77	
<i>For Hot-Dipped Galvanized, Add</i>	71.34	
<i>For Stainless Steel, Add</i>	285.36	
04 05 19 13-0357 CLF #18 (For 12" + 2" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 9 Gauge Cross Rods, Truss-Type With Adjustable Tabs For Cavity Walls, Masonry Wall Reinforcement.....	211.14	
<i>For Hot-Dipped Galvanized, Add</i>	73.20	
<i>For Stainless Steel, Add</i>	292.78	
04 05 19 13-0358 CLF #20 (For 14" + 2" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 9 Gauge Cross Rods, Truss-Type With Adjustable Tabs For Cavity Walls, Masonry Wall Reinforcement.....	218.08	
<i>For Hot-Dipped Galvanized, Add</i>	75.40	
<i>For Stainless Steel, Add</i>	301.60	
04 05 19 13-0359 3/16" Side Rods, 3/16" Cross Rods, Truss-Type With Adjustable Tabs For Cavity Walls, Masonry Wall Reinforcement <small>(04 05 19 13-0344)</small>		
04 05 19 13-0360 CLF #10 (For 4" + 2" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 3/16" Cross Rods, Truss-Type With Adjustable Tabs For Cavity Walls, Masonry Wall Reinforcement.....	195.32	
<i>For Hot-Dipped Galvanized, Add</i>	74.87	
<i>For Stainless Steel, Add</i>	299.46	
04 05 19 13-0361 CLF #12 (For 6" + 2" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 3/16" Cross Rods, Truss-Type With Adjustable Tabs For Cavity Walls, Masonry Wall Reinforcement.....	200.95	
<i>For Hot-Dipped Galvanized, Add</i>	75.40	
<i>For Stainless Steel, Add</i>	301.60	
04 05 19 13-0362 CLF #14 (For 8" + 2" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 3/16" Cross Rods, Truss-Type With Adjustable Tabs For Cavity Walls, Masonry Wall Reinforcement.....	211.91	
<i>For Hot-Dipped Galvanized, Add</i>	77.46	
<i>For Stainless Steel, Add</i>	309.82	
04 05 19 13-0363 CLF #16 (For 10" + 2" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 3/16" Cross Rods, Truss-Type With Adjustable Tabs For Cavity Walls, Masonry Wall Reinforcement.....	221.26	
<i>For Hot-Dipped Galvanized, Add</i>	80.09	
<i>For Stainless Steel, Add</i>	320.34	
04 05 19 13-0364 CLF #18 (For 12" + 2" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 3/16" Cross Rods, Truss-Type With Adjustable Tabs For Cavity Walls, Masonry Wall Reinforcement.....	231.57	
<i>For Hot-Dipped Galvanized, Add</i>	83.41	
<i>For Stainless Steel, Add</i>	333.64	
04 05 19 13-0365 CLF #20 (For 14" + 2" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 3/16" Cross Rods, Truss-Type With Adjustable Tabs For Cavity Walls, Masonry Wall Reinforcement.....	239.17	
<i>For Hot-Dipped Galvanized, Add</i>	85.95	
<i>For Stainless Steel, Add</i>	343.78	
04 05 19 13-0366 Truss-Type With Hook And Eye Ties For Composite Walls, Masonry Wall Reinforcement <small>(04 05 19 13-0203)</small>		
04 05 19 13-0367 9 Gauge Side Rods, 9 Gauge Cross Rods, Truss-Type With Hook And Eye Ties For Composite Walls, Masonry Wall Reinforcement <small>(04 05 19 13-0366)</small>		
04 05 19 13-0368 CLF #8 (For 4" + 4" Walls), Mill Galvanized, 9 Gauge Side Rods, 9 Gauge Cross Rods, Truss-Type With Hook And Eye Ties For Composite Walls, Masonry Wall Reinforcement.....	145.71	
<i>For Hot-Dipped Galvanized, Add</i>	50.06	
<i>For Stainless Steel, Add</i>	200.24	
<i>For Seismic Hook And Eye, Add</i>	27.50	
04 05 19 13-0369 CLF #10 (For 6" + 4" Walls), Mill Galvanized, 9 Gauge Side Rods, 9 Gauge Cross Rods, Truss-Type With Hook And Eye Ties For Composite Walls, Masonry Wall Reinforcement.....	150.96	
<i>For Hot-Dipped Galvanized, Add</i>	50.41	
<i>For Stainless Steel, Add</i>	201.62	
<i>For Seismic Hook And Eye, Add</i>	27.50	
04 05 19 13-0370 CLF #12 (For 8" + 4" Walls), Mill Galvanized, 9 Gauge Side Rods, 9 Gauge Cross Rods, Truss-Type With Hook And Eye Ties For Composite Walls, Masonry Wall Reinforcement.....	159.98	
<i>For Hot-Dipped Galvanized, Add</i>	51.49	
<i>For Stainless Steel, Add</i>	205.96	
<i>For Seismic Hook And Eye, Add</i>	27.50	
04 05 19 13-0371 CLF #14 (For 10" + 4" Walls), Mill Galvanized, 9 Gauge Side Rods, 9 Gauge Cross Rods, Truss-Type With Hook And Eye Ties For Composite Walls, Masonry Wall Reinforcement.....	167.20	
<i>For Hot-Dipped Galvanized, Add</i>	53.06	
<i>For Stainless Steel, Add</i>	212.22	
<i>For Seismic Hook And Eye, Add</i>	27.50	
04 05 19 13-0372 CLF #16 (For 12" + 4" Walls), Mill Galvanized, 9 Gauge Side Rods, 9 Gauge Cross Rods, Truss-Type With Hook And Eye Ties For Composite Walls, Masonry Wall Reinforcement.....	174.09	
<i>For Hot-Dipped Galvanized, Add</i>	54.67	
<i>For Stainless Steel, Add</i>	218.68	
<i>For Seismic Hook And Eye, Add</i>	27.50	
04 05 19 13-0373 CLF #18 (For 14" + 4" Walls), Mill Galvanized, 9 Gauge Side Rods, 9 Gauge Cross Rods, Truss-Type With Hook And Eye Ties For Composite Walls, Masonry Wall Reinforcement.....	180.59	
<i>For Hot-Dipped Galvanized, Add</i>	56.66	
<i>For Stainless Steel, Add</i>	226.62	
<i>For Seismic Hook And Eye, Add</i>	27.50	

04 Masonry**04 05 Common Work Results For Masonry****04 05 19 Masonry Anchorage And Reinforcing**MINOR
CSI UOM DESCRIPTIONTOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

04 05 19 13-0374	3/16" Side Rods, 9 Gauge Cross Rods, Truss-Type With Hook And Eye Ties For Composite Walls, Masonry Wall Reinforcement <small>(04 05 19 13-0366)</small>	
04 05 19 13-0375	CLF #8 (For 4" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 9 Gauge Cross Rods, Truss-Type With Hook And Eye Ties For Composite Walls, Masonry Wall Reinforcement.....	169.30
	For Hot-Dipped Galvanized, Add	61.86
	For Stainless Steel, Add	247.42
	For Seismic Hook And Eye, Add	27.50
04 05 19 13-0376	CLF #10 (For 6" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 9 Gauge Cross Rods, Truss-Type With Hook And Eye Ties For Composite Walls, Masonry Wall Reinforcement.....	174.82
	For Hot-Dipped Galvanized, Add	62.34
	For Stainless Steel, Add	249.34
	For Seismic Hook And Eye, Add	27.50
04 05 19 13-0377	CLF #12 (For 8" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 9 Gauge Cross Rods, Truss-Type With Hook And Eye Ties For Composite Walls, Masonry Wall Reinforcement.....	183.65
	For Hot-Dipped Galvanized, Add	63.33
	For Stainless Steel, Add	253.30
	For Seismic Hook And Eye, Add	27.50
04 05 19 13-0378	CLF #14 (For 10" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 9 Gauge Cross Rods, Truss-Type With Hook And Eye Ties For Composite Walls, Masonry Wall Reinforcement.....	190.72
	For Hot-Dipped Galvanized, Add	64.82
	For Stainless Steel, Add	259.26
	For Seismic Hook And Eye, Add	27.50
04 05 19 13-0379	CLF #16 (For 12" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 9 Gauge Cross Rods, Truss-Type With Hook And Eye Ties For Composite Walls, Masonry Wall Reinforcement.....	197.58
	For Hot-Dipped Galvanized, Add	66.42
	For Stainless Steel, Add	265.66
	For Seismic Hook And Eye, Add	27.50
04 05 19 13-0380	CLF #18 (For 14" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 9 Gauge Cross Rods, Truss-Type With Hook And Eye Ties For Composite Walls, Masonry Wall Reinforcement.....	203.63
	For Hot-Dipped Galvanized, Add	68.18
	For Stainless Steel, Add	272.70
	For Seismic Hook And Eye, Add	27.50
04 05 19 13-0381	3/16" Side Rods, 3/16" Cross Rods, Truss-Type With Hook And Eye Ties For Composite Walls, Masonry Wall Reinforcement <small>(04 05 19 13-0366)</small>	
04 05 19 13-0382	CLF #8 (For 4" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 3/16" Cross Rods, Truss-Type With Hook And Eye Ties For Composite Walls, Masonry Wall Reinforcement.....	183.56
	For Hot-Dipped Galvanized, Add	68.99
	For Stainless Steel, Add	275.94
	For Seismic Hook And Eye, Add	27.50
04 05 19 13-0383	CLF #10 (For 6" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 3/16" Cross Rods, Truss-Type With Hook And Eye Ties For Composite Walls, Masonry Wall Reinforcement.....	189.19
	For Hot-Dipped Galvanized, Add	69.52
	For Stainless Steel, Add	278.08
	For Seismic Hook And Eye, Add	27.50
04 05 19 13-0384	CLF #12 (For 8" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 3/16" Cross Rods, Truss-Type With Hook And Eye Ties For Composite Walls, Masonry Wall Reinforcement.....	199.90
	For Hot-Dipped Galvanized, Add	71.45
	For Stainless Steel, Add	285.80
	For Seismic Hook And Eye, Add	27.50
04 05 19 13-0385	CLF #14 (For 10" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 3/16" Cross Rods, Truss-Type With Hook And Eye Ties For Composite Walls, Masonry Wall Reinforcement.....	209.02
	For Hot-Dipped Galvanized, Add	73.97
	For Stainless Steel, Add	295.86
	For Seismic Hook And Eye, Add	27.50
04 05 19 13-0386	CLF #16 (For 12" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 3/16" Cross Rods, Truss-Type With Hook And Eye Ties For Composite Walls, Masonry Wall Reinforcement.....	219.04
	For Hot-Dipped Galvanized, Add	77.15
	For Stainless Steel, Add	308.58
	For Seismic Hook And Eye, Add	27.50
04 05 19 13-0387	CLF #18 (For 14" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 3/16" Cross Rods, Truss-Type With Hook And Eye Ties For Composite Walls, Masonry Wall Reinforcement.....	228.63
	For Hot-Dipped Galvanized, Add	80.68
	For Stainless Steel, Add	322.70
	For Seismic Hook And Eye, Add	27.50
04 05 19 13-0388	Truss-Type With Hook And Eye Ties For Cavity Walls, Masonry Wall Reinforcement <small>(04 05 19 13-0203)</small>	
04 05 19 13-0389	9 Gauge Side Rods, 9 Gauge Cross Rods, Truss-Type With Hook And Eye Ties For Cavity Walls, Masonry Wall Reinforcement <small>(04 05 19 13-0388)</small>	
04 05 19 13-0390	CLF #10 (For 4" + 2" + 4" Walls), Mill Galvanized, 9 Gauge Side Rods, 9 Gauge Cross Rods, Truss-Type With Hook And Eye Ties For Cavity Walls, Masonry Wall Reinforcement.....	154.97
	For Hot-Dipped Galvanized, Add	52.41
	For Stainless Steel, Add	209.64
	For Seismic Hook And Eye, Add	27.50
04 05 19 13-0391	CLF #12 (For 6" + 2" + 4" Walls), Mill Galvanized, 9 Gauge Side Rods, 9 Gauge Cross Rods, Truss-Type With Hook And Eye Ties For Cavity Walls, Masonry Wall Reinforcement.....	162.56
	For Hot-Dipped Galvanized, Add	52.78
	For Stainless Steel, Add	211.12
	For Seismic Hook And Eye, Add	27.50



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
04 05 19 13-0392 CLF #14 (For 8" + 2" + 4" Walls), Mill Galvanized, 9 Gauge Side Rods, 9 Gauge Cross Rods, Truss-Type With Hook And Eye Ties For Cavity Walls, Masonry Wall Reinforcement.....	168.96	
<i>For Hot-Dipped Galvanized, Add</i>	53.94	
<i>For Stainless Steel, Add</i>	215.74	
<i>For Seismic Hook And Eye, Add</i>	27.50	
04 05 19 13-0393 CLF #16 (For 10" + 2" + 4" Walls), Mill Galvanized, 9 Gauge Side Rods, 9 Gauge Cross Rods, Truss-Type With Hook And Eye Ties For Cavity Walls, Masonry Wall Reinforcement.....	175.93	
<i>For Hot-Dipped Galvanized, Add</i>	55.59	
<i>For Stainless Steel, Add</i>	222.36	
<i>For Seismic Hook And Eye, Add</i>	27.50	
04 05 19 13-0394 CLF #18 (For 12" + 2" + 4" Walls), Mill Galvanized, 9 Gauge Side Rods, 9 Gauge Cross Rods, Truss-Type With Hook And Eye Ties For Cavity Walls, Masonry Wall Reinforcement.....	182.28	
<i>For Hot-Dipped Galvanized, Add</i>	57.50	
<i>For Stainless Steel, Add</i>	230.00	
<i>For Seismic Hook And Eye, Add</i>	27.50	
04 05 19 13-0395 3/16" Side Rods, 9 Gauge Cross Rods, Truss-Type With Hook And Eye Ties For Cavity Walls, Masonry Wall Reinforcement <small>(04 05 19 13-0388)</small>		
04 05 19 13-0396 CLF #10 (For 4" + 2" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 9 Gauge Cross Rods, Truss-Type With Hook And Eye Ties For Cavity Walls, Masonry Wall Reinforcement.....	180.40	
<i>For Hot-Dipped Galvanized, Add</i>	65.13	
<i>For Stainless Steel, Add</i>	260.50	
<i>For Seismic Hook And Eye, Add</i>	27.50	
04 05 19 13-0397 CLF #12 (For 6" + 2" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 9 Gauge Cross Rods, Truss-Type With Hook And Eye Ties For Cavity Walls, Masonry Wall Reinforcement.....	188.06	
<i>For Hot-Dipped Galvanized, Add</i>	65.53	
<i>For Stainless Steel, Add</i>	262.12	
<i>For Seismic Hook And Eye, Add</i>	27.50	
04 05 19 13-0398 CLF #14 (For 8" + 2" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 9 Gauge Cross Rods, Truss-Type With Hook And Eye Ties For Cavity Walls, Masonry Wall Reinforcement.....	194.39	
<i>For Hot-Dipped Galvanized, Add</i>	66.65	
<i>For Stainless Steel, Add</i>	266.60	
<i>For Seismic Hook And Eye, Add</i>	27.50	
04 05 19 13-0399 CLF #16 (For 10" + 2" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 9 Gauge Cross Rods, Truss-Type With Hook And Eye Ties For Cavity Walls, Masonry Wall Reinforcement.....	201.07	
<i>For Hot-Dipped Galvanized, Add</i>	68.16	
<i>For Stainless Steel, Add</i>	272.64	
<i>For Seismic Hook And Eye, Add</i>	27.50	
04 05 19 13-0400 CLF #18 (For 12" + 2" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 9 Gauge Cross Rods, Truss-Type With Hook And Eye Ties For Cavity Walls, Masonry Wall Reinforcement.....	206.68	
<i>For Hot-Dipped Galvanized, Add</i>	69.70	
<i>For Stainless Steel, Add</i>	278.80	
<i>For Seismic Hook And Eye, Add</i>	27.50	
04 05 19 13-0401 3/16" Side Rods, 3/16" Cross Rods, Truss-Type With Hook And Eye Ties For Cavity Walls, Masonry Wall Reinforcement <small>(04 05 19 13-0388)</small>		
04 05 19 13-0402 CLF #10 (For 4" + 2" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 3/16" Cross Rods, Truss-Type With Hook And Eye Ties For Cavity Walls, Masonry Wall Reinforcement.....	192.75	
<i>For Hot-Dipped Galvanized, Add</i>	71.30	
<i>For Stainless Steel, Add</i>	285.20	
<i>For Seismic Hook And Eye, Add</i>	27.50	
04 05 19 13-0403 CLF #12 (For 6" + 2" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 3/16" Cross Rods, Truss-Type With Hook And Eye Ties For Cavity Walls, Masonry Wall Reinforcement.....	200.63	
<i>For Hot-Dipped Galvanized, Add</i>	71.82	
<i>For Stainless Steel, Add</i>	287.26	
<i>For Seismic Hook And Eye, Add</i>	27.50	
04 05 19 13-0404 CLF #14 (For 8" + 2" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 3/16" Cross Rods, Truss-Type With Hook And Eye Ties For Cavity Walls, Masonry Wall Reinforcement.....	208.62	
<i>For Hot-Dipped Galvanized, Add</i>	73.77	
<i>For Stainless Steel, Add</i>	295.06	
<i>For Seismic Hook And Eye, Add</i>	27.50	
04 05 19 13-0405 CLF #16 (For 10" + 2" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 3/16" Cross Rods, Truss-Type With Hook And Eye Ties For Cavity Walls, Masonry Wall Reinforcement.....	217.28	
<i>For Hot-Dipped Galvanized, Add</i>	76.27	
<i>For Stainless Steel, Add</i>	305.06	
<i>For Seismic Hook And Eye, Add</i>	27.50	
04 05 19 13-0406 CLF #18 (For 12" + 2" + 4" Walls), Mill Galvanized, 3/16" Side Rods, 3/16" Cross Rods, Truss-Type With Hook And Eye Ties For Cavity Walls, Masonry Wall Reinforcement.....	226.16	
<i>For Hot-Dipped Galvanized, Add</i>	79.44	
<i>For Stainless Steel, Add</i>	317.76	
<i>For Seismic Hook And Eye, Add</i>	27.50	
04 05 19 16 Masonry Anchors <small>(04 05 19)</small>		
04 05 19 16-0001 Rectangular, Wire Masonry Wall Ties <small>(04 05 19 16)</small>		
04 05 19 16-0002 Hot-Dipped Galvanized, Rectangular, Wire Masonry Wall Ties <small>(04 05 19 16-0001)</small>		
04 05 19 16-0003 EA 2" Width x 4" Length, 3/16" Diameter, Hot-Dipped Galvanized, Rectangular, Wire Masonry Wall Tie.....	0.97	
04 05 19 16-0004 EA 2" Width x 6" Length, 3/16" Diameter, Hot-Dipped Galvanized, Rectangular, Wire Masonry Wall Tie.....	1.02	
04 05 19 16-0005 EA 2" Width x 8" Length, 3/16" Diameter, Hot-Dipped Galvanized, Rectangular, Wire Masonry Wall Tie.....	1.06	
04 05 19 16-0006 EA 2" Width x 10" Length, 3/16" Diameter, Hot-Dipped Galvanized, Rectangular, Wire Masonry Wall Tie.....	1.11	
04 05 19 16-0007 EA 2" Width x 12" Length, 3/16" Diameter, Hot-Dipped Galvanized, Rectangular, Wire Masonry Wall Tie.....	1.17	

04 Masonry**04 05 Common Work Results For Masonry****04 05 19 Masonry Anchorage And Reinforcing**

MINOR
CSI UOM DESCRIPTION

TOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

04 05 19 16-0008	EA	4" Width x 6" Length, 3/16" Diameter, Hot-Dipped Galvanized, Rectangular, Wire Masonry Wall Tie.....	1.06
04 05 19 16-0009	EA	4" Width x 8" Length, 3/16" Diameter, Hot-Dipped Galvanized, Rectangular, Wire Masonry Wall Tie.....	1.11
04 05 19 16-0010	EA	4" Width x 10" Length, 3/16" Diameter, Hot-Dipped Galvanized, Rectangular, Wire Masonry Wall Tie.....	1.17
04 05 19 16-0011	EA	4" Width x 12" Length, 3/16" Diameter, Hot-Dipped Galvanized, Rectangular, Wire Masonry Wall Tie.....	1.22
04 05 19 16-0012		Mill Galvanized, Rectangular, Wire Masonry Wall Ties (04 05 19 16-0001)	
04 05 19 16-0013	EA	2" Width x 4" Length, 3/16" Diameter, Mill Galvanized, Rectangular, Wire Masonry Wall Tie.....	0.89
04 05 19 16-0014	EA	2" Width x 6" Length, 3/16" Diameter, Mill Galvanized, Rectangular, Wire Masonry Wall Tie.....	0.91
04 05 19 16-0015	EA	2" Width x 8" Length, 3/16" Diameter, Mill Galvanized, Rectangular, Wire Masonry Wall Tie.....	0.93
04 05 19 16-0016	EA	2" Width x 10" Length, 3/16" Diameter, Mill Galvanized, Rectangular, Wire Masonry Wall Tie.....	0.96
04 05 19 16-0017	EA	2" Width x 12" Length, 3/16" Diameter, Mill Galvanized, Rectangular, Wire Masonry Wall Tie.....	0.99
04 05 19 16-0018	EA	4" Width x 6" Length, 3/16" Diameter, Mill Galvanized, Rectangular, Wire Masonry Wall Tie.....	0.93
04 05 19 16-0019	EA	4" Width x 8" Length, 3/16" Diameter, Mill Galvanized, Rectangular, Wire Masonry Wall Tie.....	0.96
04 05 19 16-0020	EA	4" Width x 10" Length, 3/16" Diameter, Mill Galvanized, Rectangular, Wire Masonry Wall Tie.....	0.99
04 05 19 16-0021	EA	4" Width x 12" Length, 3/16" Diameter, Mill Galvanized, Rectangular, Wire Masonry Wall Tie.....	1.02
04 05 19 16-0022		Z-Type, Wire Masonry Wall Ties (04 05 19 16)	
04 05 19 16-0023		Hot-Dipped Galvanized, Z-Type, Wire Masonry Wall Ties (04 05 19 16-0022)	
04 05 19 16-0024	EA	6" Length, 2" Bends, 3/16" Diameter, Hot-Dipped Galvanized, Z-Type, Wire Masonry Wall Tie.....	0.89
04 05 19 16-0025	EA	8" Length, 2" Bends, 3/16" Diameter, Hot-Dipped Galvanized, Z-Type, Wire Masonry Wall Tie.....	0.92
04 05 19 16-0026	EA	10" Length, 2" Bends, 3/16" Diameter, Hot-Dipped Galvanized, Z-Type, Wire Masonry Wall Tie.....	1.00
04 05 19 16-0027	EA	12" Length, 2" Bends, 3/16" Diameter, Hot-Dipped Galvanized, Z-Type, Wire Masonry Wall Tie.....	1.04
04 05 19 16-0028	EA	6" Length, 2" Bends, 1/4" Diameter, Hot-Dipped Galvanized, Z-Type, Wire Masonry Wall Tie.....	1.04
04 05 19 16-0029	EA	8" Length, 2" Bends, 1/4" Diameter, Hot-Dipped Galvanized, Z-Type, Wire Masonry Wall Tie.....	1.10
04 05 19 16-0030	EA	10" Length, 2" Bends, 1/4" Diameter, Hot-Dipped Galvanized, Z-Type, Wire Masonry Wall Tie.....	1.16
04 05 19 16-0031	EA	12" Length, 2" Bends, 1/4" Diameter, Hot-Dipped Galvanized, Z-Type, Wire Masonry Wall Tie.....	1.19
04 05 19 16-0032		Mill Galvanized, Z-Type, Wire Masonry Wall Ties (04 05 19 16-0022)	
04 05 19 16-0033	EA	6" Length, 2" Bends, 3/16" Diameter, Mill Galvanized, Z-Type, Wire Masonry Wall Tie.....	0.84
04 05 19 16-0034	EA	8" Length, 2" Bends, 3/16" Diameter, Mill Galvanized, Z-Type, Wire Masonry Wall Tie.....	0.84
04 05 19 16-0035	EA	10" Length, 2" Bends, 3/16" Diameter, Mill Galvanized, Z-Type, Wire Masonry Wall Tie.....	0.91
04 05 19 16-0036	EA	12" Length, 2" Bends, 3/16" Diameter, Mill Galvanized, Z-Type, Wire Masonry Wall Tie.....	0.92
04 05 19 16-0037	EA	6" Length, 2" Bends, 1/4" Diameter, Mill Galvanized, Z-Type, Wire Masonry Wall Tie.....	0.93
04 05 19 16-0038	EA	8" Length, 2" Bends, 1/4" Diameter, Mill Galvanized, Z-Type, Wire Masonry Wall Tie.....	0.96
04 05 19 16-0039	EA	10" Length, 2" Bends, 1/4" Diameter, Mill Galvanized, Z-Type, Wire Masonry Wall Tie.....	0.99
04 05 19 16-0040	EA	12" Length, 2" Bends, 1/4" Diameter, Mill Galvanized, Z-Type, Wire Masonry Wall Tie.....	1.03
04 05 19 16-0041		Wire Beam Ties (04 05 19 16)	
04 05 19 16-0042		Hot-Dipped Galvanized, Wire Beam Ties (04 05 19 16-0041)	
04 05 19 16-0043	EA	2" Width x 12" Length, 3/16" Diameter, Hot-Dipped Galvanized, Wire Beam Tie.....	1.11
04 05 19 16-0044	EA	4" Width x 12" Length, 3/16" Diameter, Hot-Dipped Galvanized, Wire Beam Tie.....	1.13
04 05 19 16-0045	EA	6" Width x 12" Length, 3/16" Diameter, Hot-Dipped Galvanized, Wire Beam Tie.....	1.15
04 05 19 16-0046	EA	8" Width x 12" Length, 3/16" Diameter, Hot-Dipped Galvanized, Wire Beam Tie.....	1.17
04 05 19 16-0047	EA	10" Width x 12" Length, 3/16" Diameter, Hot-Dipped Galvanized, Wire Beam Tie.....	1.20
04 05 19 16-0048		Mill Galvanized, Wire Beam Ties (04 05 19 16-0041)	
04 05 19 16-0049	EA	2" Width x 12" Length, 3/16" Diameter, Mill Galvanized, Wire Beam Tie.....	1.27
04 05 19 16-0050	EA	4" Width x 12" Length, 3/16" Diameter, Mill Galvanized, Wire Beam Tie.....	1.32
04 05 19 16-0051	EA	6" Width x 12" Length, 3/16" Diameter, Mill Galvanized, Wire Beam Tie.....	1.36
04 05 19 16-0052	EA	8" Width x 12" Length, 3/16" Diameter, Mill Galvanized, Wire Beam Tie.....	1.39
04 05 19 16-0053	EA	10" Width x 12" Length, 3/16" Diameter, Mill Galvanized, Wire Beam Tie.....	1.42
04 05 19 16-0054		Adjustable Double Pintle, Wire Masonry Wall Ties (04 05 19 16)	
04 05 19 16-0055		Hot-Dipped Galvanized, Adjustable Double Pintle, Wire Masonry Wall Ties (04 05 19 16-0054)	
04 05 19 16-0056	EA	6" Total Length, 3/16" Diameter, Hot-Dipped Galvanized, Adjustable Double Pintle, Wire Masonry Wall Tie.....	1.20
04 05 19 16-0057	EA	7" Total Length, 3/16" Diameter, Hot-Dipped Galvanized, Adjustable Double Pintle, Wire Masonry Wall Tie.....	1.24
04 05 19 16-0058	EA	8" Total Length, 3/16" Diameter, Hot-Dipped Galvanized, Adjustable Double Pintle, Wire Masonry Wall Tie.....	1.26
04 05 19 16-0059	EA	9" Total Length, 3/16" Diameter, Hot-Dipped Galvanized, Adjustable Double Pintle, Wire Masonry Wall Tie.....	1.29
04 05 19 16-0060	EA	10" Total Length, 3/16" Diameter, Hot-Dipped Galvanized, Adjustable Double Pintle, Wire Masonry Wall Tie.....	1.31
04 05 19 16-0061		Mill Galvanized, Adjustable Double Pintle, Wire Masonry Wall Ties (04 05 19 16-0054)	
04 05 19 16-0062	EA	6" Total Length, 3/16" Diameter, Mill Galvanized, Adjustable Double Pintle, Wire Masonry Wall Tie.....	1.06
04 05 19 16-0063	EA	7" Total Length, 3/16" Diameter, Mill Galvanized, Adjustable Double Pintle, Wire Masonry Wall Tie.....	1.09
04 05 19 16-0064	EA	8" Total Length, 3/16" Diameter, Mill Galvanized, Adjustable Double Pintle, Wire Masonry Wall Tie.....	1.10
04 05 19 16-0065	EA	9" Total Length, 3/16" Diameter, Mill Galvanized, Adjustable Double Pintle, Wire Masonry Wall Tie.....	1.12
04 05 19 16-0066	EA	10" Total Length, 3/16" Diameter, Mill Galvanized, Adjustable Double Pintle, Wire Masonry Wall Tie.....	1.13
04 05 19 16-0067		Corrugated Buck (Brick) Anchors (04 05 19 16)	



	MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
04 05 19 16-0068 Hot-Dipped Galvanized, Corrugated Buck (Brick) Anchors <small>(04 05 19 16-0067)</small>						
	EA			3-1/2" Length, 1-1/4" Width, 16 Gauge, Hot-Dipped Galvanized, Corrugated Buck (Brick) Anchor	1.41	
	EA			4-1/2" Length, 1-1/4" Width, 16 Gauge, Hot-Dipped Galvanized, Corrugated Buck (Brick) Anchor	1.45	
	EA			5-1/2" Length, 1-1/4" Width, 16 Gauge, Hot-Dipped Galvanized, Corrugated Buck (Brick) Anchor	1.49	
	EA			6-1/2" Length, 1-1/4" Width, 16 Gauge, Hot-Dipped Galvanized, Corrugated Buck (Brick) Anchor	1.54	
	EA			7-1/2" Length, 1-1/4" Width, 16 Gauge, Hot-Dipped Galvanized, Corrugated Buck (Brick) Anchor	1.58	
	EA			3-1/2" Length, 1-1/4" Width, 14 Gauge, Hot-Dipped Galvanized, Corrugated Buck (Brick) Anchor	1.44	
	EA			4-1/2" Length, 1-1/4" Width, 14 Gauge, Hot-Dipped Galvanized, Corrugated Buck (Brick) Anchor	1.49	
	EA			5-1/2" Length, 1-1/4" Width, 14 Gauge, Hot-Dipped Galvanized, Corrugated Buck (Brick) Anchor	1.54	
	EA			6-1/2" Length, 1-1/4" Width, 14 Gauge, Hot-Dipped Galvanized, Corrugated Buck (Brick) Anchor	1.59	
	EA			7-1/2" Length, 1-1/4" Width, 14 Gauge, Hot-Dipped Galvanized, Corrugated Buck (Brick) Anchor	1.63	
04 05 19 16-0079 Mill Galvanized, Corrugated Buck (Brick) Anchors <small>(04 05 19 16-0067)</small>						
	EA			3-1/2" Length, 1-1/4" Width, 16 Gauge, Mill Galvanized, Corrugated Buck (Brick) Anchor	1.25	
	EA			4-1/2" Length, 1-1/4" Width, 16 Gauge, Mill Galvanized, Corrugated Buck (Brick) Anchor	1.28	
	EA			5-1/2" Length, 1-1/4" Width, 16 Gauge, Mill Galvanized, Corrugated Buck (Brick) Anchor	1.31	
	EA			6-1/2" Length, 1-1/4" Width, 16 Gauge, Mill Galvanized, Corrugated Buck (Brick) Anchor	1.35	
	EA			7-1/2" Length, 1-1/4" Width, 16 Gauge, Mill Galvanized, Corrugated Buck (Brick) Anchor	1.38	
	EA			3-1/2" Length, 1-1/4" Width, 14 Gauge, Mill Galvanized, Corrugated Buck (Brick) Anchor	1.28	
	EA			4-1/2" Length, 1-1/4" Width, 14 Gauge, Mill Galvanized, Corrugated Buck (Brick) Anchor	1.31	
	EA			5-1/2" Length, 1-1/4" Width, 14 Gauge, Mill Galvanized, Corrugated Buck (Brick) Anchor	1.35	
	EA			6-1/2" Length, 1-1/4" Width, 14 Gauge, Mill Galvanized, Corrugated Buck (Brick) Anchor	1.38	
	EA			7-1/2" Length, 1-1/4" Width, 14 Gauge, Mill Galvanized, Corrugated Buck (Brick) Anchor	1.42	
04 05 19 16-0090 Corrugated Wall Ties <small>(04 05 19 16)</small>						
04 05 19 16-0091 Hot-Dipped Galvanized, Corrugated Wall Ties <small>(04 05 19 16-0090)</small>						
	EA			7/8" Width, 7" Length, 28 Gauge, Hot-Dipped Galvanized, Corrugated Wall Tie	0.83	
	EA			7/8" Width, 7" Length, 26 Gauge, Hot-Dipped Galvanized, Corrugated Wall Tie	0.87	
	EA			7/8" Width, 7" Length, 24 Gauge, Hot-Dipped Galvanized, Corrugated Wall Tie	0.88	
	EA			7/8" Width, 7" Length, 22 Gauge, Hot-Dipped Galvanized, Corrugated Wall Tie	0.90	
	EA			7/8" Width, 7" Length, 16 Gauge, Hot-Dipped Galvanized, Corrugated Wall Tie	1.02	
04 05 19 16-0097 Mill Galvanized, Corrugated Wall Ties <small>(04 05 19 16-0090)</small>						
	EA			7/8" Width, 7" Length, 26 Gauge, Mill Galvanized, Corrugated Wall Tie	0.85	
	EA			7/8" Width, 7" Length, 24 Gauge, Mill Galvanized, Corrugated Wall Tie	0.86	
	EA			7/8" Width, 7" Length, 22 Gauge, Mill Galvanized, Corrugated Wall Tie	0.87	
	EA			7/8" Width, 7" Length, 16 Gauge, Mill Galvanized, Corrugated Wall Tie	0.96	
04 05 19 16-0102 Stainless Steel, Corrugated Wall Ties <small>(04 05 19 16-0090)</small>						
	EA			7/8" Width, 7" Length, 28 Gauge, Stainless Steel, Corrugated Wall Tie	1.14	
	EA			7/8" Width, 7" Length, 26 Gauge, Stainless Steel, Corrugated Wall Tie	1.19	
	EA			7/8" Width, 7" Length, 24 Gauge, Stainless Steel, Corrugated Wall Tie	1.24	
	EA			7/8" Width, 7" Length, 22 Gauge, Stainless Steel, Corrugated Wall Tie	1.29	
	EA			7/8" Width, 7" Length, 16 Gauge, Stainless Steel, Corrugated Wall Tie	1.56	
04 05 19 16-0108 Wire Mesh Wall Ties <small>(04 05 19 16)</small>						
Note: 1/2" square mesh.						
	EA			3" Width, 8" Length, 16 Gauge, Hot-Dipped Galvanized, Wire Mesh Wall Tie	1.54	
	EA			3" Width, 12" Length, 16 Gauge, Hot-Dipped Galvanized, Wire Mesh Wall Tie	1.82	
	EA			6" Width, 8" Length, 16 Gauge, Hot-Dipped Galvanized, Wire Mesh Wall Tie	2.14	
	EA			6" Width, 12" Length, 16 Gauge, Hot-Dipped Galvanized, Wire Mesh Wall Tie	2.65	
	EA			10" Width, 8" Length, 16 Gauge, Hot-Dipped Galvanized, Wire Mesh Wall Tie	2.56	
	EA			10" Width, 12" Length, 16 Gauge, Hot-Dipped Galvanized, Wire Mesh Wall Tie	3.02	
04 05 19 16-0115 Triangle Brick Ties <small>(04 05 19 16)</small>						
04 05 19 16-0116 Hot-Dipped Galvanized, Triangle Brick Ties <small>(04 05 19 16-0115)</small>						
	EA			3" Length, 3/16" Diameter, Hot-Dipped Galvanized, Triangle Brick Tie	1.39	
	EA			3-1/2" Length, 3/16" Diameter, Hot-Dipped Galvanized, Triangle Brick Tie	1.41	
	EA			4" Length, 3/16" Diameter, Hot-Dipped Galvanized, Triangle Brick Tie	1.43	
	EA			4-1/2" Length, 3/16" Diameter, Hot-Dipped Galvanized, Triangle Brick Tie	1.48	
	EA			5" Length, 3/16" Diameter, Hot-Dipped Galvanized, Triangle Brick Tie	1.49	
	EA			6" Length, 3/16" Diameter, Hot-Dipped Galvanized, Triangle Brick Tie	1.57	
	EA			7" Length, 3/16" Diameter, Hot-Dipped Galvanized, Triangle Brick Tie	1.61	
	EA			9" Length, 3/16" Diameter, Hot-Dipped Galvanized, Triangle Brick Tie	1.71	
	EA			3" Length, 1/4" Diameter, Hot-Dipped Galvanized, Triangle Brick Tie	1.59	
	EA			3-1/2" Length, 1/4" Diameter, Hot-Dipped Galvanized, Triangle Brick Tie	1.60	
	EA			4" Length, 1/4" Diameter, Hot-Dipped Galvanized, Triangle Brick Tie	1.62	
	EA			4-1/2" Length, 1/4" Diameter, Hot-Dipped Galvanized, Triangle Brick Tie	1.66	
	EA			5" Length, 1/4" Diameter, Hot-Dipped Galvanized, Triangle Brick Tie	1.68	
	EA			6" Length, 1/4" Diameter, Hot-Dipped Galvanized, Triangle Brick Tie	1.75	
	EA			7" Length, 1/4" Diameter, Hot-Dipped Galvanized, Triangle Brick Tie	1.78	
	EA			9" Length, 1/4" Diameter, Hot-Dipped Galvanized, Triangle Brick Tie	1.88	

04 Masonry**04 05 Common Work Results For Masonry****04 05 19 Masonry Anchorage And Reinforcing**
 MINOR
 CSI UOM DESCRIPTION

 TOTAL DIRECT DEMOLITION
 UNIT COST UNIT COST

04 05 19 16-0133		Mill Galvanized, Triangle Brick Ties <small>(04 05 19 16-0115)</small>	
04 05 19 16-0134	EA	3" Length, 3/16" Diameter, Mill Galvanized, Triangle Brick Tie	1.29
04 05 19 16-0135	EA	3-1/2" Length, 3/16" Diameter, Mill Galvanized, Triangle Brick Tie	1.30
04 05 19 16-0136	EA	4" Length, 3/16" Diameter, Mill Galvanized, Triangle Brick Tie	1.31
04 05 19 16-0137	EA	4-1/2" Length, 3/16" Diameter, Mill Galvanized, Triangle Brick Tie	1.34
04 05 19 16-0138	EA	5" Length, 3/16" Diameter, Mill Galvanized, Triangle Brick Tie	1.35
04 05 19 16-0139	EA	6" Length, 3/16" Diameter, Mill Galvanized, Triangle Brick Tie	1.40
04 05 19 16-0140	EA	7" Length, 3/16" Diameter, Mill Galvanized, Triangle Brick Tie	1.42
04 05 19 16-0141	EA	9" Length, 3/16" Diameter, Mill Galvanized, Triangle Brick Tie	1.45
04 05 19 16-0142	EA	3" Length, 1/4" Diameter, Mill Galvanized, Triangle Brick Tie	1.41
04 05 19 16-0143	EA	3-1/2" Length, 1/4" Diameter, Mill Galvanized, Triangle Brick Tie	1.42
04 05 19 16-0144	EA	4" Length, 1/4" Diameter, Mill Galvanized, Triangle Brick Tie	1.43
04 05 19 16-0145	EA	4-1/2" Length, 1/4" Diameter, Mill Galvanized, Triangle Brick Tie	1.47
04 05 19 16-0146	EA	5" Length, 1/4" Diameter, Mill Galvanized, Triangle Brick Tie	1.48
04 05 19 16-0147	EA	6" Length, 1/4" Diameter, Mill Galvanized, Triangle Brick Tie	1.54
04 05 19 16-0148	EA	7" Length, 1/4" Diameter, Mill Galvanized, Triangle Brick Tie	1.57
04 05 19 16-0149	EA	9" Length, 1/4" Diameter, Mill Galvanized, Triangle Brick Tie	1.62
04 05 19 16-0150		Seismic Veneer Anchors <small>(04 05 19 16)</small>	
04 05 19 16-0151	EA	3-1/2" Length, 1-1/4" Width, Stainless Steel, Seismic Notch Veneer Anchor	4.97
		Note: For horizontal wire attachment. Excludes wire.	
04 05 19 16-0152		Slip-Set, Joint Stabilization Anchors <small>(04 05 19 16)</small>	
		Note: For restraining lateral movement at control joints. Field bendable.	
04 05 19 16-0153	EA	9-5/8" Length, 1-5/8" Width, Mill Galvanized, Slip-Set, Joint Stabilization Anchor	3.66
04 05 19 16-0154	EA	9-5/8" Length, 1-5/8" Width, Hot-Dipped Galvanized, Slip-Set, Joint Stabilization Anchor	3.95
04 05 19 16-0155	EA	9-5/8" Length, 1-5/8" Width, Stainless Steel, Slip-Set, Joint Stabilization Anchor	4.97
04 05 19 16-0156		Strap Partition Top Anchors <small>(04 05 19 16)</small>	
04 05 19 16-0157	EA	12 Gauge Strap, 3/8" Rod, Hot-Dipped Galvanized, Partition Top Anchor	2.22
04 05 19 16-0158	EA	12 Gauge Strap, 3/8" Rod, Stainless Steel, Partition Top Anchor	5.23
04 05 19 16-0159		Rigid Partition Anchors <small>(04 05 19 16)</small>	
04 05 19 16-0160		Hot-Dipped Galvanized, Rigid Partition Anchors <small>(04 05 19 16-0159)</small>	
04 05 19 16-0161	EA	1" Width, 8" Length, 1/8" Thick, Hot-Dipped Galvanized, U Or Z Style, Rigid Partition Anchor	1.85
04 05 19 16-0162	EA	1-1/4" Width, 8" Length, 1/8" Thick, Hot-Dipped Galvanized, U Or Z Style, Rigid Partition Anchor	1.97
04 05 19 16-0163	EA	1-1/2" Width, 8" Length, 1/8" Thick, Hot-Dipped Galvanized, U Or Z Style, Rigid Partition Anchor	2.13
04 05 19 16-0164	EA	1-3/4" Width, 8" Length, 1/8" Thick, Hot-Dipped Galvanized, U Or Z Style, Rigid Partition Anchor	2.27
04 05 19 16-0165	EA	2" Width, 8" Length, 1/8" Thick, Hot-Dipped Galvanized, U Or Z Style, Rigid Partition Anchor	2.40
04 05 19 16-0166	EA	2-1/4" Width, 8" Length, 1/8" Thick, Hot-Dipped Galvanized, U Or Z Style, Rigid Partition Anchor	2.54
04 05 19 16-0167	EA	1" Width, 8" Length, 1/4" Thick, Hot-Dipped Galvanized, U Or Z Style, Rigid Partition Anchor	2.41
04 05 19 16-0168	EA	1-1/4" Width, 8" Length, 1/4" Thick, Hot-Dipped Galvanized, U Or Z Style, Rigid Partition Anchor	2.84
04 05 19 16-0169	EA	1-1/2" Width, 8" Length, 1/4" Thick, Hot-Dipped Galvanized, U Or Z Style, Rigid Partition Anchor	3.29
04 05 19 16-0170	EA	1-3/4" Width, 8" Length, 1/4" Thick, Hot-Dipped Galvanized, U Or Z Style, Rigid Partition Anchor	3.73
04 05 19 16-0171	EA	2" Width, 8" Length, 1/4" Thick, Hot-Dipped Galvanized, U Or Z Style, Rigid Partition Anchor	4.17
04 05 19 16-0172	EA	2-1/4" Width, 8" Length, 1/4" Thick, Hot-Dipped Galvanized, U Or Z Style, Rigid Partition Anchor	4.61
04 05 19 16-0173		Mill Galvanized, Rigid Partition Anchors <small>(04 05 19 16-0159)</small>	
04 05 19 16-0174	EA	1" Width, 8" Length, 1/8" Thick, Mill Galvanized, U Or Z Style, Rigid Partition Anchor	1.73
04 05 19 16-0175	EA	1-1/4" Width, 8" Length, 1/8" Thick, Mill Galvanized, U Or Z Style, Rigid Partition Anchor	1.84
04 05 19 16-0176	EA	1-1/2" Width, 8" Length, 1/8" Thick, Mill Galvanized, U Or Z Style, Rigid Partition Anchor	1.94
04 05 19 16-0177	EA	1-3/4" Width, 8" Length, 1/8" Thick, Mill Galvanized, U Or Z Style, Rigid Partition Anchor	2.05
04 05 19 16-0178	EA	2" Width, 8" Length, 1/8" Thick, Mill Galvanized, U Or Z Style, Rigid Partition Anchor	2.16
04 05 19 16-0179	EA	2-1/4" Width, 8" Length, 1/8" Thick, Mill Galvanized, U Or Z Style, Rigid Partition Anchor	2.27
04 05 19 16-0180		Screw-On Masonry Veneer Anchor Plates <small>(04 05 19 16)</small>	
04 05 19 16-0181	EA	12 Gauge, Hot-Dipped Galvanized, Screw-On Masonry Veneer Anchor Plate	1.20
04 05 19 16-0182	EA	14 Gauge, Hot-Dipped Galvanized, Screw-On Masonry Veneer Anchor Plate	1.25
04 05 19 16-0183		Wire Column Ties <small>(04 05 19 16)</small>	
04 05 19 16-0184		Hot-Dipped Galvanized, Wire Column Ties <small>(04 05 19 16-0183)</small>	
04 05 19 16-0185	EA	3" Length, 3/16" Diameter, Hot-Dipped Galvanized, Wire Column Tie	1.40
04 05 19 16-0186	EA	5" Length, 3/16" Diameter, Hot-Dipped Galvanized, Wire Column Tie	1.47
04 05 19 16-0187	EA	7" Length, 3/16" Diameter, Hot-Dipped Galvanized, Wire Column Tie	1.53
04 05 19 16-0188	EA	9" Length, 3/16" Diameter, Hot-Dipped Galvanized, Wire Column Tie	1.60
04 05 19 16-0189	EA	10" Length, 3/16" Diameter, Hot-Dipped Galvanized, Wire Column Tie	1.46
04 05 19 16-0190	EA	12" Length, 3/16" Diameter, Hot-Dipped Galvanized, Wire Column Tie	1.53
04 05 19 16-0191	EA	14" Length, 3/16" Diameter, Hot-Dipped Galvanized, Wire Column Tie	1.57
04 05 19 16-0192	EA	16" Length, 3/16" Diameter, Hot-Dipped Galvanized, Wire Column Tie	1.62



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
04 05 19 16-0193 EA 3" Length, 1/4" Diameter, Hot-Dipped Galvanized, Wire Column Tie.....	1.78	
04 05 19 16-0194 EA 5" Length, 1/4" Diameter, Hot-Dipped Galvanized, Wire Column Tie.....	1.91	
04 05 19 16-0195 EA 7" Length, 1/4" Diameter, Hot-Dipped Galvanized, Wire Column Tie.....	1.99	
04 05 19 16-0196 EA 9" Length, 1/4" Diameter, Hot-Dipped Galvanized, Wire Column Tie.....	2.11	
04 05 19 16-0197 EA 10" Length, 1/4" Diameter, Hot-Dipped Galvanized, Wire Column Tie.....	1.91	
04 05 19 16-0198 EA 12" Length, 1/4" Diameter, Hot-Dipped Galvanized, Wire Column Tie.....	1.99	
04 05 19 16-0199 EA 14" Length, 1/4" Diameter, Hot-Dipped Galvanized, Wire Column Tie.....	2.07	
04 05 19 16-0200 EA 16" Length, 1/4" Diameter, Hot-Dipped Galvanized, Wire Column Tie.....	2.15	
04 05 19 16-0201 Mill Galvanized, Wire Column Ties (04 05 19 16-0183)		
04 05 19 16-0202 EA 3" Length, 3/16" Diameter, Mill Galvanized, Wire Column Tie.....	1.27	
04 05 19 16-0203 EA 5" Length, 3/16" Diameter, Mill Galvanized, Wire Column Tie.....	1.31	
04 05 19 16-0204 EA 7" Length, 3/16" Diameter, Mill Galvanized, Wire Column Tie.....	1.34	
04 05 19 16-0205 EA 9" Length, 3/16" Diameter, Mill Galvanized, Wire Column Tie.....	1.39	
04 05 19 16-0206 EA 10" Length, 3/16" Diameter, Mill Galvanized, Wire Column Tie.....	1.29	
04 05 19 16-0207 EA 12" Length, 3/16" Diameter, Mill Galvanized, Wire Column Tie.....	1.33	
04 05 19 16-0208 EA 14" Length, 3/16" Diameter, Mill Galvanized, Wire Column Tie.....	1.36	
04 05 19 16-0209 EA 16" Length, 3/16" Diameter, Mill Galvanized, Wire Column Tie.....	1.40	
04 05 19 16-0210 EA 3" Length, 1/4" Diameter, Mill Galvanized, Wire Column Tie.....	1.55	
04 05 19 16-0211 EA 5" Length, 1/4" Diameter, Mill Galvanized, Wire Column Tie.....	1.64	
04 05 19 16-0212 EA 7" Length, 1/4" Diameter, Mill Galvanized, Wire Column Tie.....	1.67	
04 05 19 16-0213 EA 9" Length, 1/4" Diameter, Mill Galvanized, Wire Column Tie.....	1.76	
04 05 19 16-0214 EA 10" Length, 1/4" Diameter, Mill Galvanized, Wire Column Tie.....	1.52	
04 05 19 16-0215 EA 12" Length, 1/4" Diameter, Mill Galvanized, Wire Column Tie.....	1.65	
04 05 19 16-0216 EA 14" Length, 1/4" Diameter, Mill Galvanized, Wire Column Tie.....	1.71	
04 05 19 16-0217 EA 16" Length, 1/4" Diameter, Mill Galvanized, Wire Column Tie.....	1.76	
04 05 19 16-0218 Dovetail Anchors, Slots And Ties (04 05 19 16)		
04 05 19 16-0219 Dovetail Anchor Slots (04 05 19 16-0218)		
04 05 19 16-0220 Hot-Dipped Galvanized, Dovetail Anchor Slot (04 05 19 16-0219)		
04 05 19 16-0221 LF 24 Gauge, Hot-Dipped Galvanized, Dovetail Anchor Slot.....	2.93	
04 05 19 16-0222 LF 22 Gauge, Hot-Dipped Galvanized, Dovetail Anchor Slot.....	3.15	
04 05 19 16-0223 LF 20 Gauge, Hot-Dipped Galvanized, Dovetail Anchor Slot.....	3.28	
04 05 19 16-0224 LF 18 Gauge, Hot-Dipped Galvanized, Dovetail Anchor Slot.....	3.34	
04 05 19 16-0225 LF 16 Gauge, Hot-Dipped Galvanized, Dovetail Anchor Slot.....	3.48	
04 05 19 16-0226 Mill Galvanized, Dovetail Anchor Slot (04 05 19 16-0219)		
04 05 19 16-0227 LF 24 Gauge, Mill Galvanized, Dovetail Anchor Slot.....	2.50	
04 05 19 16-0228 LF 22 Gauge, Mill Galvanized, Dovetail Anchor Slot.....	2.77	
04 05 19 16-0229 LF 20 Gauge, Mill Galvanized, Dovetail Anchor Slot.....	2.84	
04 05 19 16-0230 LF 18 Gauge, Mill Galvanized, Dovetail Anchor Slot.....	2.93	
04 05 19 16-0231 LF 16 Gauge, Mill Galvanized, Dovetail Anchor Slot.....	2.99	
04 05 19 16-0232 304 Stainless Steel, Dovetail Anchor Slot (04 05 19 16-0219)		
04 05 19 16-0233 LF 24 Gauge, 304 Stainless Steel, Dovetail Anchor Slot.....	3.23	
04 05 19 16-0234 LF 22 Gauge, 304 Stainless Steel, Dovetail Anchor Slot.....	3.59	
04 05 19 16-0235 LF 20 Gauge, 304 Stainless Steel, Dovetail Anchor Slot.....	3.71	
04 05 19 16-0236 LF 18 Gauge, 304 Stainless Steel, Dovetail Anchor Slot.....	4.11	
04 05 19 16-0237 LF 16 Gauge, 304 Stainless Steel, Dovetail Anchor Slot.....	4.50	
04 05 19 16-0238 316 Stainless Steel, Dovetail Anchor Slot (04 05 19 16-0219)		
04 05 19 16-0239 LF 24 Gauge, 316 Stainless Steel, Dovetail Anchor Slot.....	3.51	
04 05 19 16-0240 LF 22 Gauge, 316 Stainless Steel, Dovetail Anchor Slot.....	3.78	
04 05 19 16-0241 LF 20 Gauge, 316 Stainless Steel, Dovetail Anchor Slot.....	4.05	
04 05 19 16-0242 LF 18 Gauge, 316 Stainless Steel, Dovetail Anchor Slot.....	4.39	
04 05 19 16-0243 LF 16 Gauge, 316 Stainless Steel, Dovetail Anchor Slot.....	4.60	
04 05 19 16-0244 Dovetail Corrugated Brick Ties (04 05 19 16-0218)		
04 05 19 16-0245 Hot-Dipped Galvanized, Dovetail Corrugated Brick Tie (04 05 19 16-0244)		
04 05 19 16-0246 EA 3-1/2" Length, 1" Width, 16 Gauge, Hot-Dipped Galvanized, Dovetail Corrugated Brick Tie.....	1.05	
04 05 19 16-0247 EA 5-1/2" Length, 1" Width, 16 Gauge, Hot-Dipped Galvanized, Dovetail Corrugated Brick Tie.....	1.12	
04 05 19 16-0248 EA 7-1/2" Length, 1" Width, 16 Gauge, Hot-Dipped Galvanized, Dovetail Corrugated Brick Tie.....	1.19	
04 05 19 16-0249 EA 3-1/2" Length, 1" Width, 14 Gauge, Hot-Dipped Galvanized, Dovetail Corrugated Brick Tie.....	1.06	
04 05 19 16-0250 EA 5-1/2" Length, 1" Width, 14 Gauge, Hot-Dipped Galvanized, Dovetail Corrugated Brick Tie.....	1.19	
04 05 19 16-0251 EA 7-1/2" Length, 1" Width, 14 Gauge, Hot-Dipped Galvanized, Dovetail Corrugated Brick Tie.....	1.29	
04 05 19 16-0252 EA 3-1/2" Length, 1" Width, 12 Gauge, Hot-Dipped Galvanized, Dovetail Corrugated Brick Tie.....	1.10	
04 05 19 16-0253 EA 5-1/2" Length, 1" Width, 12 Gauge, Hot-Dipped Galvanized, Dovetail Corrugated Brick Tie.....	1.19	
04 05 19 16-0254 EA 7-1/2" Length, 1" Width, 12 Gauge, Hot-Dipped Galvanized, Dovetail Corrugated Brick Tie.....	1.28	
04 05 19 16-0255 Mill Galvanized, Dovetail Corrugated Brick Tie (04 05 19 16-0244)		
04 05 19 16-0256 EA 3-1/2" Length, 1" Width, 16 Gauge, Mill Galvanized, Dovetail Corrugated Brick Tie.....	0.98	

04 Masonry**04 05 Common Work Results For Masonry****04 05 19 Masonry Anchorage And Reinforcing**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
04 05 19 16-0257	EA		5-1/2" Length, 1" Width, 16 Gauge, Mill Galvanized, Dovetail Corrugated Brick Tie	1.03	
04 05 19 16-0258	EA		7-1/2" Length, 1" Width, 16 Gauge, Mill Galvanized, Dovetail Corrugated Brick Tie	1.07	
04 05 19 16-0259	EA		3-1/2" Length, 1" Width, 14 Gauge, Mill Galvanized, Dovetail Corrugated Brick Tie	1.02	
04 05 19 16-0260	EA		5-1/2" Length, 1" Width, 14 Gauge, Mill Galvanized, Dovetail Corrugated Brick Tie	1.11	
04 05 19 16-0261	EA		7-1/2" Length, 1" Width, 14 Gauge, Mill Galvanized, Dovetail Corrugated Brick Tie	1.18	
04 05 19 16-0262	EA		3-1/2" Length, 1" Width, 12 Gauge, Mill Galvanized, Dovetail Corrugated Brick Tie	1.03	
04 05 19 16-0263	EA		5-1/2" Length, 1" Width, 12 Gauge, Mill Galvanized, Dovetail Corrugated Brick Tie	1.14	
04 05 19 16-0264	EA		7-1/2" Length, 1" Width, 12 Gauge, Mill Galvanized, Dovetail Corrugated Brick Tie	1.21	
04 05 19 16-0265			Dovetail Stone Anchors (04 05 19 16-0218)		
04 05 19 16-0266			Hot-Dipped Galvanized, Dovetail Stone Anchors (04 05 19 16-0265)		
04 05 19 16-0267	EA		3-1/2" Length, 1" Width, 16 Gauge, Hot-Dipped Galvanized, Dovetail Stone Anchor	1.19	
04 05 19 16-0268	EA		5-1/2" Length, 1" Width, 16 Gauge, Hot-Dipped Galvanized, Dovetail Stone Anchor	1.27	
04 05 19 16-0269	EA		7-1/2" Length, 1" Width, 16 Gauge, Hot-Dipped Galvanized, Dovetail Stone Anchor	1.34	
04 05 19 16-0270			Dovetail Partition Top Anchors (04 05 19 16-0218)		
04 05 19 16-0271	EA		3/8" Rod, Hot-Dipped Galvanized, Dovetail Partition Top Anchor	2.35	
04 05 19 16-0272	EA		3/8" Rod, Stainless Steel, Dovetail Partition Top Anchor	5.62	
04 05 19 16-0273			Dovetail Flexible Triangle Brick Ties (04 05 19 16-0218)		
04 05 19 16-0274			Hot-Dipped Galvanized, Dovetail Flexible Triangle Brick Ties (04 05 19 16-0273)		
04 05 19 16-0275	EA		3" Length, 3/16" Diameter, Hot-Dipped Galvanized, Dovetail Flexible Triangle Brick Tie	1.71	
04 05 19 16-0276	EA		5" Length, 3/16" Diameter, Hot-Dipped Galvanized, Dovetail Flexible Triangle Brick Tie	1.80	
04 05 19 16-0277	EA		7" Length, 3/16" Diameter, Hot-Dipped Galvanized, Dovetail Flexible Triangle Brick Tie	1.86	
04 05 19 16-0278	EA		9" Length, 3/16" Diameter, Hot-Dipped Galvanized, Dovetail Flexible Triangle Brick Tie	1.93	
04 05 19 16-0279			Mill Galvanized, Dovetail Flexible Triangle Brick Ties (04 05 19 16-0273)		
04 05 19 16-0280	EA		3" Length, 3/16" Diameter, Mill Galvanized, Dovetail Flexible Triangle Brick Tie	1.58	
04 05 19 16-0281	EA		5" Length, 3/16" Diameter, Mill Galvanized, Dovetail Flexible Triangle Brick Tie	1.59	
04 05 19 16-0282	EA		7" Length, 3/16" Diameter, Mill Galvanized, Dovetail Flexible Triangle Brick Tie	1.63	
04 05 19 16-0283	EA		9" Length, 3/16" Diameter, Mill Galvanized, Dovetail Flexible Triangle Brick Tie	1.73	
04 05 19 26			Masonry Reinforcing Bars (04 05 19)		
			Note: Includes cutting and bending.		
04 05 19 26-0001			Plain Steel Masonry Reinforcement Bar (04 05 19 26)		
04 05 19 26-0002	LF		#3, Grade 40, Horizontal Placed, Steel Masonry Reinforcement Bar	0.80	
04 05 19 26-0003	LF		#4, Grade 40, Horizontal Placed, Steel Masonry Reinforcement Bar	1.28	
04 05 19 26-0004	LF		#5, Grade 40, Horizontal Placed, Steel Masonry Reinforcement Bar	1.79	
04 05 19 26-0005	LF		#6, Grade 40, Horizontal Placed, Steel Masonry Reinforcement Bar	2.34	
04 05 19 26-0006	LF		#3, Grade 50, Horizontal Placed, Steel Masonry Reinforcement Bar	0.81	
04 05 19 26-0007	LF		#4, Grade 50, Horizontal Placed, Steel Masonry Reinforcement Bar	1.30	
04 05 19 26-0008	LF		#5, Grade 50, Horizontal Placed, Steel Masonry Reinforcement Bar	1.82	
04 05 19 26-0009	LF		#6, Grade 50, Horizontal Placed, Steel Masonry Reinforcement Bar	2.38	
04 05 19 26-0010	LF		#3, Grade 40, Vertical Placed, Steel Masonry Reinforcement Bar	0.95	
04 05 19 26-0011	LF		#4, Grade 40, Vertical Placed, Steel Masonry Reinforcement Bar	1.51	
04 05 19 26-0012	LF		#5, Grade 40, Vertical Placed, Steel Masonry Reinforcement Bar	2.12	
04 05 19 26-0013	LF		#6, Grade 40, Vertical Placed, Steel Masonry Reinforcement Bar	2.73	
04 05 19 26-0014	LF		#3, Grade 50, Vertical Placed, Steel Masonry Reinforcement Bar	0.96	
04 05 19 26-0015	LF		#4, Grade 50, Vertical Placed, Steel Masonry Reinforcement Bar	1.53	
04 05 19 26-0016	LF		#5, Grade 50, Vertical Placed, Steel Masonry Reinforcement Bar	2.15	
04 05 19 26-0017	LF		#6, Grade 50, Vertical Placed, Steel Masonry Reinforcement Bar	2.77	
04 05 19 26-0018			Galvanized Steel Masonry Reinforcement Bar (04 05 19 26)		
04 05 19 26-0019	LF		#3, Grade 40, Horizontal Placed, Galvanized Steel Masonry Reinforcement Bar	0.90	
04 05 19 26-0020	LF		#4, Grade 40, Horizontal Placed, Galvanized Steel Masonry Reinforcement Bar	1.46	
04 05 19 26-0021	LF		#5, Grade 40, Horizontal Placed, Galvanized Steel Masonry Reinforcement Bar	2.07	
04 05 19 26-0022	LF		#6, Grade 40, Horizontal Placed, Galvanized Steel Masonry Reinforcement Bar	2.75	
04 05 19 26-0023	LF		#3, Grade 50, Horizontal Placed, Galvanized Steel Masonry Reinforcement Bar	0.91	
04 05 19 26-0024	LF		#4, Grade 50, Horizontal Placed, Galvanized Steel Masonry Reinforcement Bar	1.47	
04 05 19 26-0025	LF		#5, Grade 50, Horizontal Placed, Galvanized Steel Masonry Reinforcement Bar	2.10	
04 05 19 26-0026	LF		#6, Grade 50, Horizontal Placed, Galvanized Steel Masonry Reinforcement Bar	2.78	
04 05 19 26-0027	LF		#3, Grade 40, Vertical Placed, Galvanized Steel Masonry Reinforcement Bar	1.05	
04 05 19 26-0028	LF		#4, Grade 40, Vertical Placed, Galvanized Steel Masonry Reinforcement Bar	1.69	
04 05 19 26-0029	LF		#5, Grade 40, Vertical Placed, Galvanized Steel Masonry Reinforcement Bar	2.40	
04 05 19 26-0030	LF		#6, Grade 40, Vertical Placed, Galvanized Steel Masonry Reinforcement Bar	3.14	
04 05 19 26-0031	LF		#3, Grade 50, Vertical Placed, Galvanized Steel Masonry Reinforcement Bar	1.06	
04 05 19 26-0032	LF		#4, Grade 50, Vertical Placed, Galvanized Steel Masonry Reinforcement Bar	1.70	
04 05 19 26-0033	LF		#5, Grade 50, Vertical Placed, Galvanized Steel Masonry Reinforcement Bar	2.43	
04 05 19 26-0034	LF		#6, Grade 50, Vertical Placed, Galvanized Steel Masonry Reinforcement Bar	3.17	
04 05 19 26-0035			Epoxy-Coated Masonry Reinforcement Bar (04 05 19 26)		



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
04 05 19 26-0036 LF #3, Grade 40, Horizontal Placed, Epoxy-Coated Masonry Reinforcement Bar	0.89	
04 05 19 26-0037 LF #4, Grade 40, Horizontal Placed, Epoxy-Coated Masonry Reinforcement Bar	1.44	
04 05 19 26-0038 LF #5, Grade 40, Horizontal Placed, Epoxy-Coated Masonry Reinforcement Bar	2.04	
04 05 19 26-0039 LF #6, Grade 40, Horizontal Placed, Epoxy-Coated Masonry Reinforcement Bar	2.70	
04 05 19 26-0040 LF #3, Grade 50, Horizontal Placed, Epoxy-Coated Masonry Reinforcement Bar	0.90	
04 05 19 26-0041 LF #4, Grade 50, Horizontal Placed, Epoxy-Coated Masonry Reinforcement Bar	1.46	
04 05 19 26-0042 LF #5, Grade 50, Horizontal Placed, Epoxy-Coated Masonry Reinforcement Bar	2.07	
04 05 19 26-0043 LF #6, Grade 50, Horizontal Placed, Epoxy-Coated Masonry Reinforcement Bar	2.74	
04 05 19 26-0044 LF #3, Grade 40, Vertical Placed, Epoxy-Coated Masonry Reinforcement Bar	1.04	
04 05 19 26-0045 LF #4, Grade 40, Vertical Placed, Epoxy-Coated Masonry Reinforcement Bar	1.67	
04 05 19 26-0046 LF #5, Grade 40, Vertical Placed, Epoxy-Coated Masonry Reinforcement Bar	2.37	
04 05 19 26-0047 LF #6, Grade 40, Vertical Placed, Epoxy-Coated Masonry Reinforcement Bar	3.09	
04 05 19 26-0048 LF #3, Grade 50, Vertical Placed, Epoxy-Coated Masonry Reinforcement Bar	1.05	
04 05 19 26-0049 LF #4, Grade 50, Vertical Placed, Epoxy-Coated Masonry Reinforcement Bar	1.69	
04 05 19 26-0050 LF #5, Grade 50, Vertical Placed, Epoxy-Coated Masonry Reinforcement Bar	2.40	
04 05 19 26-0051 LF #6, Grade 50, Vertical Placed, Epoxy-Coated Masonry Reinforcement Bar	3.13	
04 05 23 Masonry Accessories (04 05)		
04 05 23 13 Masonry Control And Expansion Joints (04 05 23)		
04 05 23 13-0001 Masonry Control Joints (04 05 23 13)		
04 05 23 13-0002 Rubber, Masonry Control Joints (04 05 23 13-0001)		
04 05 23 13-0003 LF 1-5/8" Width, T-Style, Rubber, Masonry Control Joint	3.96	0.81
04 05 23 13-0004 LF 2-5/8" Width, Rubber, Masonry Control Joint	3.87	0.81
04 05 23 13-0005 LF 6-7/8" Width, Rubber, Masonry Control Joint	7.67	0.81
04 05 23 13-0006 Polyvinyl Chloride (PVC), Masonry Control Joints (04 05 23 13-0001)		
04 05 23 13-0007 LF 1-5/8" Width, T-Style, Polyvinyl Chloride (PVC), Masonry Control Joint	2.71	0.81
04 05 23 13-0008 LF 2-5/8" Width, Polyvinyl Chloride (PVC), Masonry Control Joint	2.78	0.81
04 05 23 13-0009 LF 4-7/8" Width, Polyvinyl Chloride (PVC), Masonry Control Joint	3.50	0.81
04 05 23 13-0010 LF 6-7/8" Width, Polyvinyl Chloride (PVC), Masonry Control Joint	3.90	0.81
04 05 23 13-0011 LF 11-1/8" Width, Polyvinyl Chloride (PVC), Masonry Control Joint	3.74	0.81
04 05 23 16 Masonry Embedded Flashing (04 05 23)		
04 05 23 16-0001 Lead Coated Copper Through Wall Flashing (04 05 23 16)		
04 05 23 16-0002 Mastic Backed 2 Sides, Lead Coated Copper Through Wall Flashing (04 05 23 16-0001)		
04 05 23 16-0003 SF 2 Ounce, Mastic Backed 2 Sides, Lead Coated Copper Through Wall Flashing	6.62	1.38
04 05 23 16-0004 SF 3 Ounce, Mastic Backed 2 Sides, Lead Coated Copper Through Wall Flashing	7.31	1.38
04 05 23 16-0005 SF 5 Ounce, Mastic Backed 2 Sides, Lead Coated Copper Through Wall Flashing	9.22	1.38
04 05 23 16-0006 SF 7 Ounce, Mastic Backed 2 Sides, Lead Coated Copper Through Wall Flashing	10.90	1.38
04 05 23 16-0007 Fabric Backed 2 Sides, Lead Coated Copper Through Wall Flashing (04 05 23 16-0001)		
04 05 23 16-0008 SF 2 Ounce, Fabric Backed 2 Sides, Lead Coated Copper Through Wall Flashing	7.29	1.38
04 05 23 16-0009 SF 3 Ounce, Fabric Backed 2 Sides, Lead Coated Copper Through Wall Flashing	7.91	1.38
04 05 23 16-0010 SF 5 Ounce, Fabric Backed 2 Sides, Lead Coated Copper Through Wall Flashing	10.11	1.38
04 05 23 16-0011 SF 7 Ounce, Fabric Backed 2 Sides, Lead Coated Copper Through Wall Flashing	12.13	1.38
04 05 23 16-0012 Paper Backed 2 Sides, Lead Coated Copper Through Wall Flashing (04 05 23 16-0001)		
04 05 23 16-0013 SF 2 Ounce, Paper Backed 2 Sides, Lead Coated Copper Through Wall Flashing	6.78	1.38
04 05 23 16-0014 SF 3 Ounce, Paper Backed 2 Sides, Lead Coated Copper Through Wall Flashing	7.64	1.38
04 05 23 16-0015 SF 5 Ounce, Paper Backed 2 Sides, Lead Coated Copper Through Wall Flashing	8.87	1.38
04 05 23 16-0016 SF 7 Ounce, Paper Backed 2 Sides, Lead Coated Copper Through Wall Flashing	11.45	1.38
04 05 23 16-0017 Stainless Steel Through Wall Flashing (04 05 23 16)		
04 05 23 16-0018 Paper Backed 2 Sides, Stainless Steel Through Wall Flashing (04 05 23 16-0017)		
04 05 23 16-0019 SF 0.005" Thick Paper Backed 2 Sides, Stainless Steel Through Wall Flashing	5.32	1.28
04 05 23 16-0020 Polyvinyl Chloride (PVC) Through Wall Flashing (04 05 23 16)		
04 05 23 16-0021 SF 0.010" Thick Black Polyvinyl Chloride (PVC) Through Wall Flashing	3.48	1.49
04 05 23 16-0022 SF 0.020" Thick Black Polyvinyl Chloride (PVC) Through Wall Flashing	3.64	1.49
04 05 23 16-0023 SF 0.030" Thick Black Polyvinyl Chloride (PVC) Through Wall Flashing	3.82	1.49
04 05 23 16-0024 SF 0.056" Thick Black Polyvinyl Chloride (PVC) Through Wall Flashing	4.42	1.49
04 05 23 16-0025 Copper Through Wall Flashing (04 05 23 16)		
04 05 23 16-0026 2 Sides Coated With Asphalt, Thru-Wall Copper Flashing (04 05 23 16-0025)		
04 05 23 16-0027 SF 2 Ounce, 2 Sides Coated With Asphalt, Thru-Wall Copper Flashing	5.59	1.28

04 Masonry**04 05 Common Work Results For Masonry****04 05 23 Masonry Accessories**

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
04 05 23 16-0028 SF 3 Ounce, 2 Sides Coated With Asphalt, Thru-Wall Copper Flashing	6.10	1.28
04 05 23 16-0029 SF 5 Ounce, 2 Sides Coated With Asphalt, Thru-Wall Copper Flashing	7.50	1.28
04 05 23 16-0030 SF 7 Ounce, 2 Sides Coated With Asphalt, Thru-Wall Copper Flashing	8.73	1.28
04 05 23 16-0031 SF 10 Ounce, 2 Sides Coated With Asphalt, Thru-Wall Copper Flashing	9.25	1.28
04 05 23 16-0032 2 Sides Glass Fabric And Asphalt, Thru-Wall Copper Flashing (04 05 23 16-0025)		
04 05 23 16-0033 SF 2 Ounce, 2 Sides Glass Fabric And Asphalt, Thru-Wall Copper Flashing.....	6.09	1.28
04 05 23 16-0034 SF 3 Ounce, 2 Sides Glass Fabric And Asphalt, Thru-Wall Copper Flashing.....	6.54	1.28
04 05 23 16-0035 SF 5 Ounce, 2 Sides Glass Fabric And Asphalt, Thru-Wall Copper Flashing.....	8.15	1.28
04 05 23 16-0036 SF 7 Ounce, 2 Sides Glass Fabric And Asphalt, Thru-Wall Copper Flashing.....	9.63	1.28
04 05 23 16-0037 SF 10 Ounce, 2 Sides Glass Fabric And Asphalt, Thru-Wall Copper Flashing.....	10.50	1.28
04 05 23 16-0038 1 Side Kraft Paper And Asphalt, Thru-Wall Copper Flashing (04 05 23 16-0025)		
04 05 23 16-0039 SF 2 Ounce, 1 Side Kraft Paper And Asphalt, Thru-Wall Copper Flashing	5.65	1.28
04 05 23 16-0040 SF 3 Ounce, 1 Side Kraft Paper And Asphalt, Thru-Wall Copper Flashing	6.16	1.28
04 05 23 16-0041 SF 5 Ounce, 1 Side Kraft Paper And Asphalt, Thru-Wall Copper Flashing	7.55	1.28
04 05 23 16-0042 SF 7 Ounce, 1 Side Kraft Paper And Asphalt, Thru-Wall Copper Flashing	8.78	1.28
04 05 23 16-0043 SF 10 Ounce, 1 Side Kraft Paper And Asphalt, Thru-Wall Copper Flashing	9.30	1.28
04 05 23 16-0044 2 Sides Kraft Paper And Asphalt, Thru-Wall Copper Flashing (04 05 23 16-0025)		
04 05 23 16-0045 SF 2 Ounce, 2 Sides Kraft Paper And Asphalt, Thru-Wall Copper Flashing.....	5.71	1.28
04 05 23 16-0046 SF 3 Ounce, 2 Sides Kraft Paper And Asphalt, Thru-Wall Copper Flashing.....	6.33	1.28
04 05 23 16-0047 SF 5 Ounce, 2 Sides Kraft Paper And Asphalt, Thru-Wall Copper Flashing.....	7.24	1.28
04 05 23 16-0048 SF 7 Ounce, 2 Sides Kraft Paper And Asphalt, Thru-Wall Copper Flashing.....	9.13	1.28
04 05 23 16-0049 SF 10 Ounce, 2 Sides Kraft Paper And Asphalt, Thru-Wall Copper Flashing.....	5.03	1.28
04 05 23 16-0050 2 Sides Kraft Paper Reinforced With Glass Fabric And Asphalt, Thru-Wall Copper Flashing (04 05 23 16-0025)		
04 05 23 16-0051 SF 3 Ounce, 2 Sides Kraft Paper Reinforced With Glass Fabric And Asphalt, Thru-Wall Copper Flashing	7.78	1.28
04 05 23 16-0052 SF 5 Ounce, 2 Sides Kraft Paper Reinforced With Glass Fabric And Asphalt, Thru-Wall Copper Flashing	9.64	1.28
04 05 23 16-0053 2 Sides Glass Fabric, Thru-Wall Copper Flashing (04 05 23 16-0025)		
Note: Glass fabric is bonded to both sides with a non-asphaltic adhesive.		
04 05 23 16-0054 SF 3 Ounce, 2 Sides Glass Fabric, Thru-Wall Copper Flashing.....	6.70	1.28
04 05 23 16-0055 SF 5 Ounce, 2 Sides Glass Fabric, Thru-Wall Copper Flashing.....	8.37	1.28
04 05 23 19 Masonry Cavity Drainage, Weepholes, And Vents (04 05 23)		
04 05 23 19-0001 Brick Vents, 4" Deep, With Insect Screen (04 05 23 19)		
Note: 0.100" nominal wall thickness, three mortar ribs on top and bottom of frame.		
04 05 23 19-0002 EA 8-1/8" x 2-3/8" Aluminum Brick Vent	51.93	
04 05 23 19-0003 EA 8-1/8" x 4-3/4" Aluminum Brick Vent	64.29	
04 05 23 19-0004 EA 8-1/8" x 7-3/4" Aluminum Brick Vent	80.86	
04 05 23 19-0005 EA 12" x 2-3/8" Aluminum Brick Vent	63.07	
04 05 23 19-0006 EA 12" x 4-3/4" Aluminum Brick Vent	77.75	
04 05 23 19-0007 EA 12" x 7-3/4" Aluminum Brick Vent	98.10	
04 05 23 19-0008 EA 16-1/2" x 2-3/8" Aluminum Brick Vent	74.25	
04 05 23 19-0009 EA 16-1/2" x 4-3/4" Aluminum Brick Vent	100.16	
04 05 23 19-0010 EA 16-1/2" x 7-3/4" Aluminum Brick Vent	121.91	
04 05 23 19-0011 EA 24" x 2-3/8" Aluminum Brick Vent	99.95	
04 05 23 19-0012 EA 24" x 4-3/4" Aluminum Brick Vent	129.98	
04 05 23 19-0013 EA 24" x 7-3/4" Aluminum Brick Vent	159.33	
04 20 Unit Masonry (04)		
Note: Includes pointing and cleaning of new brick and mortar. Cutting of new bricks/blocks to size. Weep holes and wicking material.		
04 21 Clay Unit Masonry (04 20)		
04 21 13 Brick Masonry (04 21)		
Note: Includes brick and mortar. See CSI section 04 05 19 13-0000 for reinforcing, 04 05 19 16-0000 for masonry anchors.		
04 21 13 00-0001 Brick Masonry (04 21 13)		
04 21 13 00-0002 SF Standard Size Brick, Red, Running Bond	20.82	
Note: Standard size brick, 3-5/8" x 2-1/4" x 8". (6.55 Bricks/SF)		
For Buff Or Gray, Add	0.81	
For Common Or American Bond, Add	0.64	
For English Bond, Add	1.28	
For Flemish Bond, Add	2.64	
For Stacked Bond, Add	1.84	
For <10, Small Area Replacements (Individual Areas), Add	24.21	
For Curved Wall, Add	3.20	
For Corbels, Add	11.99	
For Severe Weather (SW) Brick, Add	0.73	
For Glazed Brick, Add	16.94	



Masonry	04	04
Unit Masonry	04 20	
Clay Unit Masonry	04 21	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
04 21 13 00-0003 SF Engineer Standard Size Brick, Red, Running Bond.....	21.61	
Note: Engineer standard size brick, 3-5/8" x 2-3/4" x 8". (5.39 Bricks/SF)		
For Buff Or Gray, Add	1.00	
For Common Or American Bond, Add	0.62	
For English Bond, Add	1.25	
For Flemish Bond, Add	2.64	
For Stacked Bond, Add	1.86	
For <10, Small Area Replacements (Individual Areas), Add	23.72	
For Curved Wall, Add	3.12	
For Corbels, Add	11.71	
For Severe Weather (SW) Brick, Add	0.90	
For Glazed Brick, Add	21.00	
04 21 13 00-0004 SF Modular Size Brick, Red, Running Bond.....	20.82	
Note: Modular size brick, 3-5/8" x 2-1/4" x 7-5/8". (6.75 Bricks/SF)		
For Buff Or Gray, Add	0.81	
For Common Or American Bond, Add	0.64	
For English Bond, Add	1.28	
For Flemish Bond, Add	2.64	
For Stacked Bond, Add	1.84	
For <10, Small Area Replacements (Individual Areas), Add	24.21	
For Curved Wall, Add	3.20	
For Corbels, Add	11.99	
For Severe Weather (SW) Brick, Add	0.73	
For Glazed Brick, Add	16.94	
04 21 13 00-0005 SF Engineer Modular Size Brick, Red, Running Bond.....	21.61	
Note: Engineer modular size brick, 3-5/8" x 2-3/4" x 7-5/8". (5.63 Bricks/SF)		
For Buff Or Gray, Add	1.00	
For Common Or American Bond, Add	0.62	
For English Bond, Add	1.25	
For Flemish Bond, Add	2.64	
For Stacked Bond, Add	1.86	
For <10, Small Area Replacements (Individual Areas), Add	23.72	
For Curved Wall, Add	3.12	
For Corbels, Add	11.71	
For Severe Weather (SW) Brick, Add	0.90	
For Glazed Brick, Add	21.00	
04 21 13 00-0006 SF Economy Size Brick, Red, Running Bond.....	21.45	
Note: Economy size brick, 3-5/8" x 3-5/8" x 7-5/8". (4.5 Bricks/SF)		
For Buff Or Gray, Add	0.97	
For Common Or American Bond, Add	0.62	
For English Bond, Add	1.25	
For Flemish Bond, Add	2.63	
For Stacked Bond, Add	1.85	
For <10, Small Area Replacements (Individual Areas), Add	23.71	
For Curved Wall, Add	3.12	
For Corbels, Add	11.71	
For Severe Weather (SW) Brick, Add	0.88	
For Glazed Brick, Add	20.44	
04 21 13 00-0007 SF Utility Size Brick, Red, Running Bond.....	15.90	
Note: Utility size brick, 3-5/8" x 3-5/8" x 11-5/8". (3.0 Bricks/SF)		
For Buff Or Gray, Add	0.83	
For Common Or American Bond, Add	0.44	
For English Bond, Add	0.87	
For Flemish Bond, Add	1.89	
For Stacked Bond, Add	1.34	
For <10, Small Area Replacements (Individual Areas), Add	16.60	
For Curved Wall, Add	2.18	
For Corbels, Add	8.18	
For Severe Weather (SW) Brick, Add	0.75	
For Glazed Brick, Add	17.50	
04 21 13 00-0008 SF Double Utility Size Brick, Red, Running Bond.....	14.40	
Note: Double utility size brick, 3-5/8" x 7-5/8" x 11-5/8". (1.5 Bricks/SF)		
For Buff Or Gray, Add	0.58	
For Common Or American Bond, Add	0.44	
For English Bond, Add	0.87	
For Flemish Bond, Add	1.81	
For Stacked Bond, Add	1.27	
For <10, Small Area Replacements (Individual Areas), Add	16.53	
For Curved Wall, Add	2.18	
For Corbels, Add	8.18	
For Severe Weather (SW) Brick, Add	0.53	
For Glazed Brick, Add	12.25	
04 21 13 00-0009 SF Norman Size Brick, Red, Running Bond.....	21.91	
Note: Norman size brick, 3-5/8" x 2-1/4" x 11-5/8". (4.5 Bricks/SF)		
For Buff Or Gray, Add	1.05	
For Common Or American Bond, Add	0.62	
For English Bond, Add	1.25	
For Flemish Bond, Add	2.66	
For Stacked Bond, Add	1.88	
For <10, Small Area Replacements (Individual Areas), Add	23.73	
For Curved Wall, Add	3.12	
For Corbels, Add	11.71	
For Severe Weather (SW) Brick, Add	0.95	
For Glazed Brick, Add	22.05	

04	04	Masonry
	04 20	Unit Masonry
	04 21	Clay Unit Masonry



MINOR CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
04 21 13 00-0010	SF	Roman Size Brick, Red, Running Bond Note: Roman size brick, 3-5/8" x 1-5/8" x 11-5/8". (6.0 Bricks/SF)	23.23	
		<i>For Buff Or Gray, Add</i>	1.27	
		<i>For Common Or American Bond, Add</i>	0.62	
		<i>For English Bond, Add</i>	1.25	
		<i>For Flemish Bond, Add</i>	2.72	
		<i>For Stacked Bond, Add</i>	1.94	
		<i>For <10, Small Area Replacements (Individual Areas), Add</i>	23.80	
		<i>For Curved Wall, Add</i>	3.12	
		<i>For Corbels, Add</i>	11.71	
		<i>For Severe Weather (SW) Brick, Add</i>	1.14	
		<i>For Glazed Brick, Add</i>	26.67	
04 21 13 00-0011		Fire Brick <small>(04 21 13)</small>		
04 21 13 00-0012	SF	Fire Brick, Red, Running Bond <i>For Buff Or Gray, Add</i>	24.56 1.49	
		<i>For Common Or American Bond, Add</i>	0.62	
		<i>For English Bond, Add</i>	1.25	
		<i>For Flemish Bond, Add</i>	2.79	
		<i>For Stacked Bond, Add</i>	2.01	
		<i>For <10, Small Area Replacements (Individual Areas), Add</i>	23.86	
04 21 13 00-0013		Window Sill <small>(04 21 13)</small>		
04 21 13 00-0014	LF	Window Sill, Standard Size Brick, Red, On Edge Note: Standard size brick, 3-5/8" x 2-1/4" x 8". <i>For Buff Or Gray, Add</i>	18.16 0.16	
04 21 13 00-0015	LF	Window Sill, Engineer Standard Size Brick, Red, On Edge Note: Engineer standard size brick, 3-5/8" x 2-3/4" x 8". <i>For Buff Or Gray, Add</i>	18.27 0.18	
04 21 13 00-0016	LF	Window Sill, Modular Size Brick, Red, On Edge Note: Modular size brick, 3-5/8" x 2-1/4" x 7-5/8". <i>For Buff Or Gray, Add</i>	18.16 0.16	
04 21 13 00-0017	LF	Window Sill, Engineer Modular Size Brick, Red, On Edge Note: Engineer modular size brick, 3-5/8" x 2-3/4" x 7-5/8". <i>For Buff Or Gray, Add</i>	18.35 0.19	
04 21 13 00-0018	LF	Window Sill, Economy Size Brick, Red, On Edge Note: Economy size brick, 3-5/8" x 3-5/8" x 7-5/8". <i>For Buff Or Gray, Add</i>	18.85 0.28	
04 21 13 00-0019	LF	Window Sill, Utility Size Brick, Red, On Edge Note: Utility size brick, 3-5/8" x 3-5/8" x 11-5/8". <i>For Buff Or Gray, Add</i>	18.95 0.29	
04 21 13 00-0020	LF	Window Sill, Double Utility Size Brick, Red, On Edge Note: Double utility size brick, 3-5/8" x 7-5/8" x 11-5/8". <i>For Buff Or Gray, Add</i>	18.95 0.29	
04 21 13 00-0021	LF	Window Sill, Norman Size Brick, Red, On Edge Note: Norman size brick, 3-5/8" x 2-1/4" x 11-5/8". <i>For Buff Or Gray, Add</i>	18.41 0.20	
04 21 13 00-0022	LF	Window Sill, Roman Size Brick, Red, On Edge Note: Roman size brick, 3-5/8" x 1-5/8" x 11-5/8". <i>For Buff Or Gray, Add</i>	18.46 0.21	
04 21 26		Glazed Structural Clay Tile Masonry <small>(04 21)</small>		
		Note: Includes tile and mortar in all colors.		
04 21 26 00-0001		6T Series Structural Glazed Clay Tile <small>(04 21 26)</small>		
04 21 26 00-0002		Glazed On One Side 6T Series Structural Glazed Clay Tile <small>(04 21 26 00-0001)</small>		
04 21 26 00-0003	SF	2" Thick 1 Sided 6T Series Structural Glazed Clay Tile, 5-1/3" x 12" <i>For Stacked Bond, Add</i>	27.60 1.71	
04 21 26 00-0004	SF	4" Thick 1 Sided 6T Series Structural Glazed Clay Tile, 5-1/3" x 12" <i>For Stacked Bond, Add</i>	31.27 1.71	
04 21 26 00-0005	SF	6" Thick 1 Sided 6T Series Structural Glazed Clay Tile, 5-1/3" x 12" <i>For Stacked Bond, Add</i>	38.68 1.78	
04 21 26 00-0006		Special Shapes 6T Series Structural Glazed Clay Tile <small>(04 21 26 00-0001)</small>		
04 21 26 00-0007	LF	Bullnose, Jamb Or Sill Shapes 6T Series Structural Glazed Clay Tile <i>For Stacked Bond, Add</i>	28.51 2.02	
04 21 26 00-0008	LF	2" Or 4" Cove Base 6T Series Structural Glazed Clay Tile <i>For Stacked Bond, Add</i>	34.62 2.02	
04 21 26 00-0009		8W Series Structural Glazed Clay Tile <small>(04 21 26)</small>		
04 21 26 00-0010		Glazed On One Side 8W Series Structural Glazed Clay Tile <small>(04 21 26 00-0009)</small>		
04 21 26 00-0011	SF	2" Thick 1 Sided 8W Series Structural Glazed Clay Tile, 8" x 16" <i>For Stacked Bond, Add</i>	22.08 1.09	
04 21 26 00-0012	SF	4" Thick 1 Sided 8W Series Structural Glazed Clay Tile, 8" x 16" <i>For Stacked Bond, Add</i>	27.78 1.16	
04 21 26 00-0013	SF	6" Thick 1 Sided 8W Series Structural Glazed Clay Tile, 8" x 16" <i>For Stacked Bond, Add</i>	38.97 1.24	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
04 21 26 00-0014 Special Shapes 8W Series Structural Glazed Clay Tile <small>(04 21 26 00-0009)</small>		
04 21 26 00-0015 LF Bullnose, Jamb Or Sill Shapes 8W Series Structural Glazed Clay Tile.....	30.35	
For Stacked Bond, Add	1.40	
04 21 26 00-0016 LF 2" Or 4" Cove Base 8W Series Structural Glazed Clay Tile.....	30.30	
For Stacked Bond, Add	1.40	
04 21 26 00-0017 4W Series Structural Glazed Clay Tile <small>(04 21 26)</small>		
04 21 26 00-0018 Glazed On One Side 4W Series Structural Glazed Clay Tile <small>(04 21 26 00-0017)</small>		
04 21 26 00-0019 SF 2" Thick 1 Sided 4W Series Structural Glazed Tile, 8" x 8".....	28.98	
For Stacked Bond, Add	1.71	
04 21 26 00-0020 SF 4" Thick 1 Sided 4W Series Structural Glazed Tile, 8" x 8".....	30.81	
For Stacked Bond, Add	1.71	
04 21 26 00-0021 SF 6" Thick 1 Sided 4W Series Structural Glazed Tile, 8" x 8".....	38.91	
For Stacked Bond, Add	1.78	
04 21 26 00-0022 Special Shapes 4W Series Structural Glazed Clay Tile <small>(04 21 26 00-0017)</small>		
04 21 26 00-0023 LF Bullnose, Jamb Or Sill Shapes 4W Series Structural Glazed Clay Tile.....	29.63	
For Stacked Bond, Add	2.02	
04 21 26 00-0024 LF 2" Or 4" Cove Base 4W Series Structural Glazed Clay Tile.....	34.52	
For Stacked Bond, Add	2.02	
04 21 26 00-0025 6T Series Sound Absorbing Structural Glazed Tile <small>(04 21 26)</small>		
04 21 26 00-0026 SF 4" Thick, 6T Sound Absorbing Structural Glazed Tile.....	38.68	
04 21 26 00-0027 SF 6" Thick, 6T Sound Absorbing Structural Glazed Tile.....	42.20	
04 21 26 00-0028 SF 8" Thick, 6T Sound Absorbing Structural Glazed Tile.....	49.13	
04 21 26 00-0029 8T Series Sound Absorbing Structural Glazed Tile <small>(04 21 26)</small>		
04 21 26 00-0030 SF 4" Thick, 8T Sound Absorbing Structural Glazed Tile.....	50.96	
04 21 26 00-0031 SF 6" Thick, 8T Sound Absorbing Structural Glazed Tile.....	58.66	
04 21 26 00-0032 SF 8" Thick, 8T Acoustical Glazed Tile.....	68.85	
04 22 Concrete Unit Masonry <small>(04 20)</small>		
Note: Includes block and mortar. Excludes horizontal and vertical reinforcing. See CSI section 04 05 19 13-0000 for joint reinforcing.		
04 22 23 Architectural Concrete Unit Masonry <small>(04 22)</small>		
04 22 23 13 Exposed Aggregate Concrete Unit Masonry <small>(04 22 23)</small>		
04 22 23 13-0001 Concrete Blocks <small>(04 22 23 13)</small>		
04 22 23 13-0002 Lightweight Concrete Blocks <small>(04 22 23 13-0001)</small>		
04 22 23 13-0003 Cored, Lightweight, Concrete Blocks <small>(04 22 23 13-0002)</small>		
04 22 23 13-0004 SF 4" x 8" x 16", Cored, Lightweight, Concrete Block.....	9.30	
For Stacked Bond, Add	2.15	
For Scored Block, Add	0.21	
For Curved Wall Application, Add	1.65	
For <10, Small Area Replacements (Individual Areas), Add	12.45	
04 22 23 13-0005 SF 6" x 8" x 16", Cored, Lightweight, Concrete Block.....	10.26	
For Stacked Bond, Add	2.32	
For Scored Block, Add	0.27	
For Curved Wall Application, Add	1.79	
For <10, Small Area Replacements (Individual Areas), Add	13.49	
04 22 23 13-0006 SF 8" x 8" x 16", Cored, Lightweight, Concrete Block.....	11.09	
For Stacked Bond, Add	2.49	
For Scored Block, Add	0.30	
For Curved Wall Application, Add	1.92	
For <10, Small Area Replacements (Individual Areas), Add	14.50	
04 22 23 13-0007 SF 10" x 8" x 16", Cored, Lightweight, Concrete Block.....	12.03	
For Stacked Bond, Add	2.61	
For Scored Block, Add	0.40	
For Curved Wall Application, Add	2.01	
For <10, Small Area Replacements (Individual Areas), Add	15.20	
04 22 23 13-0008 SF 12" x 8" x 16", Cored, Lightweight, Concrete Block.....	14.49	
For Stacked Bond, Add	3.21	
For Scored Block, Add	0.43	
For Curved Wall Application, Add	2.47	
For <10, Small Area Replacements (Individual Areas), Add	18.67	
04 22 23 13-0009 Solid, Lightweight, Concrete Blocks <small>(04 22 23 13-0002)</small>		
04 22 23 13-0010 SF 4" x 8" x 16", Solid, Lightweight, Concrete Block.....	9.86	
For Stacked Bond, Add	2.20	
For Scored Block, Add	0.28	
For Curved Wall Application, Add	1.69	
For <10, Small Area Replacements (Individual Areas), Add	12.80	



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
04 22 23	13-0011	SF	6" x 8" x 16", Solid, Lightweight, Concrete Block	10.83	
			For Stacked Bond, Add	2.42	
			For Scored Block, Add	0.30	
			For Curved Wall Application, Add	1.86	
			For <10, Small Area Replacements (Individual Areas), Add	14.08	
04 22 23	13-0012	SF	8" x 8" x 16", Solid, Lightweight, Concrete Block	11.44	
			For Stacked Bond, Add	2.57	
			For Scored Block, Add	0.31	
			For Curved Wall Application, Add	1.97	
			For <10, Small Area Replacements (Individual Areas), Add	14.92	
04 22 23	13-0013	SF	10" x 8" x 16", Solid, Lightweight, Concrete Block	12.50	
			For Stacked Bond, Add	2.69	
			For Scored Block, Add	0.43	
			For Curved Wall Application, Add	2.07	
			For <10, Small Area Replacements (Individual Areas), Add	15.67	
04 22 23	13-0014	SF	12" x 8" x 16", Solid, Lightweight, Concrete Block	15.06	
			For Stacked Bond, Add	3.32	
			For Scored Block, Add	0.46	
			For Curved Wall Application, Add	2.55	
			For <10, Small Area Replacements (Individual Areas), Add	19.30	
04 22 23	13-0015		Normal Weight Concrete Blocks (04 22 23 13-0001)		
04 22 23	13-0016		Cored, Normal Weight, Concrete Blocks (04 22 23 13-0015)		
04 22 23	13-0017	SF	4" x 8" x 16", Cored, Normal Weight, Concrete Block	9.51	
			For Stacked Bond, Add	2.20	
			For Scored Block, Add	0.21	
			For Curved Wall Application, Add	1.69	
			For <10, Small Area Replacements (Individual Areas), Add	12.77	
04 22 23	13-0018	SF	6" x 8" x 16", Cored, Normal Weight, Concrete Block	10.51	
			For Stacked Bond, Add	2.42	
			For Scored Block, Add	0.24	
			For Curved Wall Application, Add	1.86	
			For <10, Small Area Replacements (Individual Areas), Add	14.06	
04 22 23	13-0019	SF	8" x 8" x 16", Cored, Normal Weight, Concrete Block	11.25	
			For Stacked Bond, Add	2.57	
			For Scored Block, Add	0.28	
			For Curved Wall Application, Add	1.97	
			For <10, Small Area Replacements (Individual Areas), Add	14.91	
04 22 23	13-0020	SF	10" x 8" x 16", Cored, Normal Weight, Concrete Block	13.00	
			For Stacked Bond, Add	2.69	
			For Scored Block, Add	0.53	
			For Curved Wall Application, Add	2.07	
			For <10, Small Area Replacements (Individual Areas), Add	15.71	
04 22 23	13-0021	SF	12" x 8" x 16", Cored, Normal Weight, Concrete Block	15.50	
			For Stacked Bond, Add	3.32	
			For Scored Block, Add	0.55	
			For Curved Wall Application, Add	2.55	
			For <10, Small Area Replacements (Individual Areas), Add	19.33	
04 22 23	13-0022		Solid, Normal Weight, Concrete Blocks (04 22 23 13-0015)		
04 22 23	13-0023	SF	4" x 8" x 16", Solid, Normal Weight, Concrete Block	10.02	
			For Stacked Bond, Add	2.26	
			For Scored Block, Add	0.27	
			For Curved Wall Application, Add	1.74	
			For <10, Small Area Replacements (Individual Areas), Add	13.13	
04 22 23	13-0024	SF	6" x 8" x 16", Solid, Normal Weight, Concrete Block	10.82	
			For Stacked Bond, Add	2.49	
			For Scored Block, Add	0.25	
			For Curved Wall Application, Add	1.92	
			For <10, Small Area Replacements (Individual Areas), Add	14.48	
04 22 23	13-0025	SF	8" x 8" x 16", Solid, Normal Weight, Concrete Block	11.61	
			For Stacked Bond, Add	2.65	
			For Scored Block, Add	0.29	
			For Curved Wall Application, Add	2.04	
			For <10, Small Area Replacements (Individual Areas), Add	15.38	
04 22 23	13-0026	SF	10" x 8" x 16", Solid, Normal Weight, Concrete Block	12.60	
			For Stacked Bond, Add	2.78	
			For Scored Block, Add	0.38	
			For Curved Wall Application, Add	2.14	
			For <10, Small Area Replacements (Individual Areas), Add	16.16	
04 22 23	13-0027	SF	12" x 8" x 16", Solid, Normal Weight, Concrete Block	15.18	
			For Stacked Bond, Add	3.43	
			For Scored Block, Add	0.40	
			For Curved Wall Application, Add	2.64	
			For <10, Small Area Replacements (Individual Areas), Add	19.92	
04 22 23	13-0028		Bond Beam Or Lintel Concrete Blocks (04 22 23 13)		
04 22 23	13-0029		Lightweight, Bond Beam Or Lintel Concrete Blocks (04 22 23 13-0028)		
			Note: Excludes concrete fill and reinforcing.		



	MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
	04 22 23	13-0030	LF	6" x 8" x 16", Lightweight, Bond Beam Or Lintel Concrete Block <i>For Stacked Bond, Add</i> <i>For Grout And Fill With 2 #5 Rebar, Add</i> <i>For Scored Block, Add</i> <i>For Curved Wall Application, Add</i>	10.57 2.32 6.11 0.33 1.79	
	04 22 23	13-0031	LF	8" x 8" x 16", Lightweight, Bond Beam Or Lintel Concrete Block <i>For Stacked Bond, Add</i> <i>For Grout And Fill With 2 #5 Rebar, Add</i> <i>For Scored Block, Add</i> <i>For Curved Wall Application, Add</i>	11.57 2.49 6.78 0.40 1.92	
	04 22 23	13-0032	LF	12" x 8" x 16", Lightweight, Bond Beam Or Lintel Concrete Block <i>For Stacked Bond, Add</i> <i>For Grout And Fill With 2 #5 Rebar, Add</i> <i>For Scored Block, Add</i> <i>For Curved Wall Application, Add</i>	14.45 3.21 8.28 0.42 2.47	
	04 22 23	13-0033		Normal Weight, Bond Beam Or Lintel Concrete Blocks (04 22 23 13-0028) Note: Excludes concrete fill and reinforcing.		
	04 22 23	13-0034	LF	6" x 8" x 16", Normal Weight, Bond Beam Or Lintel Concrete Block <i>For Stacked Bond, Add</i> <i>For Grout And Fill With 2 #5 Rebar, Add</i> <i>For Scored Block, Add</i> <i>For Curved Wall Application, Add</i>	10.72 2.42 6.07 0.28 1.86	
	04 22 23	13-0035	LF	8" x 8" x 16", Normal Weight, Bond Beam Or Lintel Concrete Block <i>For Stacked Bond, Add</i> <i>For Grout And Fill With 2 #5 Rebar, Add</i> <i>For Scored Block, Add</i> <i>For Curved Wall Application, Add</i>	11.62 2.57 6.69 0.35 1.97	
	04 22 23	13-0036	LF	12" x 8" x 16", Normal Weight, Bond Beam Or Lintel Concrete Block <i>For Stacked Bond, Add</i> <i>For Grout And Fill With 2 #5 Rebar, Add</i> <i>For Scored Block, Add</i> <i>For Curved Wall Application, Add</i>	14.63 3.32 8.26 0.38 2.55	
	04 22 23 23			Prefaced Concrete Unit Masonry (04 22 23)		
	04 22 23 23-0001			Ground Face Concrete Blocks (04 22 23 23)		
	04 22 23 23-0002	SF	4" x 8" x 16", Ground Face, Concrete Block <i>For Stacked Bond, Add</i> <i>For Scored Block, Add</i> <i>For Curved Wall Application, Add</i> <i>For <10, Small Area Replacements (Individual Areas), Add</i>	12.02 2.69 0.34 2.07 15.64		
	04 22 23 23-0003	SF	6" x 8" x 16", Ground Face, Concrete Block <i>For Stacked Bond, Add</i> <i>For Scored Block, Add</i> <i>For Curved Wall Application, Add</i> <i>For <10, Small Area Replacements (Individual Areas), Add</i>	13.56 3.03 0.38 2.33 17.60		
	04 22 23 23-0004	SF	8" x 8" x 16", Ground Face, Concrete Block <i>For Stacked Bond, Add</i> <i>For Scored Block, Add</i> <i>For Curved Wall Application, Add</i> <i>For <10, Small Area Replacements (Individual Areas), Add</i>	14.57 3.20 0.45 2.46 18.62		
	04 22 23 23-0005	SF	10" x 8" x 16", Ground Face, Concrete Block <i>For Stacked Bond, Add</i> <i>For Scored Block, Add</i> <i>For Curved Wall Application, Add</i> <i>For <10, Small Area Replacements (Individual Areas), Add</i>	15.53 3.39 0.50 2.61 19.73		
	04 22 23 23-0006	SF	12" x 8" x 16", Ground Face, Concrete Block <i>For Stacked Bond, Add</i> <i>For Scored Block, Add</i> <i>For Curved Wall Application, Add</i> <i>For <10, Small Area Replacements (Individual Areas), Add</i>	18.66 4.14 0.55 3.19 24.10		
	04 22 23 26			Sound-Absorbing Concrete Unit Masonry (04 22 23)		
	04 22 23 26-0001			Slotted, Acoustical Concrete Block (04 22 23 26)		
	04 22 23 26-0002	SF	4" x 8" x 16", .45 - .55 NRC, Slotted, Acoustical Concrete Block <i>For Stacked Bond, Add</i> <i>For Curved Wall Application, Add</i> <i>For <10, Small Area Replacements (Individual Areas), Add</i>	14.98 2.69 2.07 15.86		
	04 22 23 26-0003	SF	6" x 8" x 16", .45 - .55 NRC, Slotted, Acoustical Concrete Block <i>For Stacked Bond, Add</i> <i>For Curved Wall Application, Add</i> <i>For <10, Small Area Replacements (Individual Areas), Add</i>	16.68 2.92 2.25 17.27		
	04 22 23 26-0004	SF	8" x 8" x 16", .45 - .55 NRC, Slotted, Acoustical Concrete Block <i>For Stacked Bond, Add</i> <i>For Curved Wall Application, Add</i> <i>For <10, Small Area Replacements (Individual Areas), Add</i>	19.01 3.20 2.46 18.95		
	04 22 23 29			Split-Face Concrete Unit Masonry (04 22 23)		
	04 22 23 29-0001			Split Face, Concrete Blocks (04 22 23 29)		



MINOR
CSI UOM DESCRIPTION

TOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

04 22 23 29-0002	Plain Or Scored, Split Face, Concrete Blocks (04 22 23 29-0001)	
04 22 23 29-0003	SF 4" x 8" x 16", Plain Or Scored, Split Face, Concrete Block	12.22
	For Stacked Bond, Add	2.69
	For Curved Wall Application, Add	2.07
	For <10, Small Area Replacements (Individual Areas), Add	15.65
04 22 23 29-0004	SF 6" x 8" x 16", Plain Or Scored, Split Face, Concrete Block	13.79
	For Stacked Bond, Add	3.03
	For Curved Wall Application, Add	2.33
	For <10, Small Area Replacements (Individual Areas), Add	17.62
04 22 23 29-0005	SF 8" x 8" x 16", Plain Or Scored, Split Face, Concrete Block	14.83
	For Stacked Bond, Add	3.20
	For Curved Wall Application, Add	2.46
	For <10, Small Area Replacements (Individual Areas), Add	18.64
04 22 23 29-0006	SF 10" x 8" x 16", Plain Or Scored, Split Face, Concrete Block	15.84
	For Stacked Bond, Add	3.39
	For Curved Wall Application, Add	2.61
	For <10, Small Area Replacements (Individual Areas), Add	19.76
04 22 23 29-0007	SF 12" x 8" x 16", Plain Or Scored, Split Face, Concrete Block	18.64
	For Stacked Bond, Add	4.14
	For Curved Wall Application, Add	3.19
	For <10, Small Area Replacements (Individual Areas), Add	24.10
04 22 23 29-0008	Plain Or Scored, Split Face, Bond Beam Or Lintel Concrete Blocks (04 22 23 29-0001)	
04 22 23 29-0009	SF 4" x 8" x 16", Plain Or Scored, Split Face, Bond Beam Or Lintel Concrete Block	12.69
	For Stacked Bond, Add	2.69
	For Grout And Fill With 2 #5 Rebar, Add	7.52
	For Curved Wall Application, Add	2.07
	For <10, Small Area Replacements (Individual Areas), Add	15.69
04 22 23 29-0010	SF 6" x 8" x 16", Plain Or Scored, Split Face, Bond Beam Or Lintel Concrete Block	14.33
	For Stacked Bond, Add	3.03
	For Grout And Fill With 2 #5 Rebar, Add	8.51
	For Curved Wall Application, Add	2.33
	For <10, Small Area Replacements (Individual Areas), Add	17.66
04 22 23 29-0011	SF 8" x 8" x 16", Plain Or Scored, Split Face, Bond Beam Or Lintel Concrete Block	15.46
	For Stacked Bond, Add	3.20
	For Grout And Fill With 2 #5 Rebar, Add	9.31
	For Curved Wall Application, Add	2.46
	For <10, Small Area Replacements (Individual Areas), Add	18.69
04 22 23 29-0012	SF 10" x 8" x 16", Plain Or Scored, Split Face, Bond Beam Or Lintel Concrete Block	16.55
	For Stacked Bond, Add	3.39
	For Grout And Fill With 2 #5 Rebar, Add	10.04
	For Curved Wall Application, Add	2.61
	For <10, Small Area Replacements (Individual Areas), Add	19.81
04 22 23 29-0013	SF 12" x 8" x 16", Plain Or Scored, Split Face, Bond Beam Or Lintel Concrete Block	19.32
	For Stacked Bond, Add	4.14
	For Grout And Fill With 2 #5 Rebar, Add	11.36
	For Curved Wall Application, Add	3.19
	For <10, Small Area Replacements (Individual Areas), Add	24.15
04 22 23 29-0014	Split Rib, Concrete Block (04 22 23 29)	
04 22 23 29-0015	Split Rib, Concrete Block (04 22 23 29-0014)	
04 22 23 29-0016	SF 4" x 8" x 16", Split Rib, Concrete Block	12.07
	For Stacked Bond, Add	2.69
	For Curved Wall Application, Add	2.07
	For <10, Small Area Replacements (Individual Areas), Add	15.64
04 22 23 29-0017	SF 6" x 8" x 16", Split Rib, Concrete Block	14.14
	For Stacked Bond, Add	3.03
	For Curved Wall Application, Add	2.33
	For <10, Small Area Replacements (Individual Areas), Add	17.65
04 22 23 29-0018	SF 8" x 8" x 16", Split Rib, Concrete Block	15.01
	For Stacked Bond, Add	3.20
	For Curved Wall Application, Add	2.46
	For <10, Small Area Replacements (Individual Areas), Add	18.65
04 22 23 29-0019	SF 10" x 8" x 16", Split Rib, Concrete Block	15.99
	For Stacked Bond, Add	3.39
	For Curved Wall Application, Add	2.61
	For <10, Small Area Replacements (Individual Areas), Add	19.77
04 22 23 29-0020	SF 12" x 8" x 16", Split Rib, Concrete Block	19.18
	For Stacked Bond, Add	4.14
	For Curved Wall Application, Add	3.19
	For <10, Small Area Replacements (Individual Areas), Add	24.14
04 22 23 31	Glazed Concrete Masonry Unit (04 22 23)	
04 22 23 31-0001	One Glazed Face, Concrete Blocks (04 22 23 31)	
04 22 23 31-0002	One Glazed Face, Concrete Blocks (04 22 23 31-0001)	
04 22 23 31-0003	SF 4" x 8" x 16", One Glazed Face, Concrete Block	18.35
	For Stacked Bond, Add	2.61
	For Curved Wall Application, Add	2.01
	For <10, Small Area Replacements (Individual Areas), Add	15.67



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
04 22 23 31-0004	SF		6" x 8" x 16", One Glazed Face, Concrete Block	19.76	
			<i>For Stacked Bond, Add</i>	2.87	
			<i>For Curved Wall Application, Add</i>	2.21	
			<i>For <10, Small Area Replacements (Individual Areas), Add</i>	17.21	
04 22 23 31-0005	SF		8" x 8" x 16", One Glazed Face, Concrete Block	20.91	
			<i>For Stacked Bond, Add</i>	3.03	
			<i>For Curved Wall Application, Add</i>	2.33	
			<i>For <10, Small Area Replacements (Individual Areas), Add</i>	18.16	
04 22 23 31-0006	SF		10" x 8" x 16", One Glazed Face, Concrete Block	22.14	
			<i>For Stacked Bond, Add</i>	3.20	
			<i>For Curved Wall Application, Add</i>	2.46	
			<i>For <10, Small Area Replacements (Individual Areas), Add</i>	19.19	
04 22 23 31-0007	SF		12" x 8" x 16", One Glazed Face, Concrete Block	25.32	
			<i>For Stacked Bond, Add</i>	3.90	
			<i>For Curved Wall Application, Add</i>	3.00	
			<i>For <10, Small Area Replacements (Individual Areas), Add</i>	23.27	
04 22 23 31-0008			Two Glazed Faces, Concrete Blocks <small>(04 22 23 31)</small>		
04 22 23 31-0009			Two Glazed Faces, Concrete Blocks <small>(04 22 23 31-0008)</small>		
04 22 23 31-0010	SF		4" x 8" x 16", Two Glazed Faces, Concrete Block	23.80	
			<i>For Stacked Bond, Add</i>	2.97	
			<i>For Curved Wall Application, Add</i>	2.29	
			<i>For <10, Small Area Replacements (Individual Areas), Add</i>	18.09	
04 22 23 31-0011	SF		6" x 8" x 16", Two Glazed Faces, Concrete Block	25.07	
			<i>For Stacked Bond, Add</i>	3.20	
			<i>For Curved Wall Application, Add</i>	2.46	
			<i>For <10, Small Area Replacements (Individual Areas), Add</i>	19.41	
04 22 23 31-0012	SF		8" x 8" x 16", Two Glazed Faces, Concrete Block	26.90	
			<i>For Stacked Bond, Add</i>	3.53	
			<i>For Curved Wall Application, Add</i>	2.72	
			<i>For <10, Small Area Replacements (Individual Areas), Add</i>	21.37	
04 23			Glass Unit Masonry <small>(04 20)</small>		
04 23 13			Vertical Glass Unit Masonry <small>(04 23)</small>		
			Note: Includes 1/4" mortar joints and caulking. Excludes joint reinforcement and anchors.		
04 23 13 00-0001			Glass Block Unit Masonry <small>(04 23 13)</small>		
04 23 13 00-0002	SF		6" x 6" x 4" Plain Glass Block	50.40	
			<i>For Solar Reflective (Suntrol) Blocks, Add</i>	8.41	
			<i>For Essex (Horizontal Striated) Blocks, Add</i>	4.80	
			<i>For Sculptured Or Patterned Blocks, Add</i>	8.41	
			<i>For Colored Glass, Add</i>	24.02	
			<i>For Thinline Block, Deduct</i>	-6.01	
			<i>For >1,000 To 5,000, Deduct</i>	-3.83	
			<i>For >5,000, Deduct</i>	-6.34	
04 23 13 00-0003	SF		8" x 8" x 4" Plain Glass Block	36.40	
			<i>For Solar Reflective (Suntrol) Blocks, Add</i>	5.95	
			<i>For Essex (Horizontal Striated) Blocks, Add</i>	3.40	
			<i>For Sculptured Or Patterned Blocks, Add</i>	5.95	
			<i>For Colored Glass, Add</i>	17.00	
			<i>For Thinline Block, Deduct</i>	-4.25	
			<i>For >1,000 To 5,000, Deduct</i>	-2.78	
			<i>For >5,000, Deduct</i>	-4.60	
04 23 13 00-0004	SF		12" x 12" x 4" Plain Glass Block	39.57	
			<i>For Solar Reflective (Suntrol) Blocks, Add</i>	7.61	
			<i>For Essex (Horizontal Striated) Blocks, Add</i>	4.35	
			<i>For Sculptured Or Patterned Blocks, Add</i>	7.61	
			<i>For Colored Glass, Add</i>	21.73	
			<i>For Thinline Block, Deduct</i>	-5.43	
			<i>For >1,000 To 5,000, Deduct</i>	-2.86	
			<i>For >5,000, Deduct</i>	-4.64	
04 23 13 00-0005			Solid Glass Block (Vistabrik®) <small>(04 23 13)</small>		
04 23 13 00-0006	SF		3" x 8" x 3" Solid Glass Block (Vistabrik®)	429.10	
04 23 13 00-0007	SF		4" x 8" x 3" Solid Glass Block (Vistabrik®)	327.04	
04 23 13 00-0008	SF		6" x 8" x 3" Solid Glass Block (Vistabrik®)	226.18	
04 23 13 00-0009	SF		8" x 8" x 3" Solid Glass Block (Vistabrik®)	158.69	
04 40			Stone Assemblies <small>(04)</small>		
			Note: Includes pointing and cleaning of new stone and mortar. All stone prices include material and mortar.		
04 41			Dry-Placed Stone <small>(04 40)</small>		
04 41 00 00-0001			Ashlar Veneer, Random Size, Square Cut Rough Stone <small>(04 41)</small>		
04 41 00 00-0002	SF		4" Thick Ashlar Veneer, Random Size, Square Cut Rough Stone	29.52	6.23
04 41 00 00-0003	SF		6" Thick Ashlar Veneer, Random Size, Square Cut Rough Stone	30.26	6.23

04	04	Masonry
	04 40	Stone Assemblies
	04 42	Exterior Stone Cladding



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
------------------------------	---------------------------	-------------------------

04 42 Exterior Stone Cladding (04 40)

04 42 43 Stone Panels For Curtain Walls (04 42)

04 42 43 00-0001 Marble Facing Panels (04 42 43)

Note: 3' x 1.5'

04 42 43 00-0002	SF	3/4" Thick Marble Facing Panels	53.97	13.70
04 42 43 00-0003	SF	7/8" Thick Marble Facing Panels	56.86	13.87
04 42 43 00-0004	SF	1-1/2" Thick Marble Facing Panels	65.29	14.14
04 42 43 00-0005	SF	2" Thick Marble Facing Panels	71.54	14.58
04 42 43 00-0006	SF	2-1/4" Thick Marble Facing Panels	76.22	15.47
04 42 43 00-0007	CF	Marble Face Panel	318.18	50.37

04 42 43 00-0008 Smooth Limestone Panels (04 42 43)

Note: Up to 12' x 5' panels.

04 42 43 00-0009	SF	1-1/2" Thick Smooth Limestone Panels	49.11	27.48
04 42 43 00-0010	SF	2" Thick Smooth Limestone Panels	52.13	28.81
04 42 43 00-0011	SF	3" Thick Smooth Limestone Panels	55.34	30.13
04 42 43 00-0012	SF	4" Thick Smooth Limestone Panels	64.42	33.13

04 42 43 00-0013 Sandstone Panels (04 42 43)

04 42 43 00-0014	SF	2-1/2" Thick Sandstone Panels	56.77	28.81
04 42 43 00-0015	SF	4" Thick Sandstone Panels	62.08	33.13
04 42 43 00-0016	SF	Split Face Sandstone Panels, Random Sizes	56.59	33.13

04 43 Stone Masonry (04 40)

04 43 16 Stone Fabrications (04 43)

04 43 16 00-0001 Marble (04 43 16)

04 43 16 00-0002 Marble Base (04 43 16 00-0001)

Note: 1" thick.

04 43 16 00-0003	LF	4" High Marble Base	87.02	56.41
04 43 16 00-0004	LF	6" High Marble Base	98.23	61.45

04 43 16 00-0005 Marble Columns (04 43 16 00-0001)

04 43 16 00-0006	CF	Plain Faced Solid Marble Columns	222.78	50.37
04 43 16 00-0007	CF	Fluted, Carved Solid Marble Columns	362.94	50.37

04 43 16 00-0008 Marble Flooring (04 43 16 00-0001)

04 43 16 00-0009	SF	3/8" Uniform Color Marble Flooring	23.86	12.92
04 43 16 00-0010	SF	1/2" Uniform Color Marble Flooring	25.41	12.92
04 43 16 00-0011	SF	1/2" Travertine Marble Flooring	30.34	14.75

04 43 16 00-0012 Marble Items (04 43 16 00-0001)

04 43 16 00-0013	LF	12" Wide Marble Stair Treads	60.70	20.33
04 43 16 00-0014	LF	6" Wide Marble Stair Risers	46.37	16.30
04 43 16 00-0015	LF	6" Wide x 2" Thick Marble Window Sills	28.23	12.08
04 43 16 00-0016	LF	5" Wide x 7/8" Thick Marble Window Stool, Polished	53.22	14.83
04 43 16 00-0017	SF	7/8" Thick, Non Skid, Marble Patio Blocks	32.14	18.72

04 43 16 00-0018 Limestone (04 43 16)

04 43 16 00-0019 Ashlar Veneer Limestone (04 43 16 00-0018)

04 43 16 00-0020	SF	4" Ashlar Veneer Limestone, Random Sizes	51.77	20.33
04 43 16 00-0021	SF	6" To 8" Thick, Pitched Face Ashlar Veneer Limestone, Random Sizes	79.02	27.93

04 43 16 00-0022 Limestone Coping (04 43 16 00-0018)

Note: Measured from the highest point. Includes drilling into existing materials, caulk and ties.

04 43 16 00-0023	SF	2-1/2" Thick Limestone Coping	24.72	7.07
04 43 16 00-0024	SF	3" Thick Limestone Coping	27.73	7.51
04 43 16 00-0025	SF	3-1/2" Thick Limestone Coping	30.73	7.95
04 43 16 00-0026	SF	4" Thick Limestone Coping	32.84	8.22
04 43 16 00-0027	SF	5" Thick Limestone Coping	37.96	8.39
04 43 16 00-0028	SF	6" Thick Limestone Coping	55.53	8.83
04 43 16 00-0029	CF	>6" Thick Limestone Coping	91.86	18.34

04 43 16 00-0030 Limestone Stair Treads (04 43 16 00-0018)

04 43 16 00-0031	SF	2" Thick Limestone Treads	29.37	6.62
04 43 16 00-0032	SF	2-1/2" Thick Limestone Treads	31.27	7.07
04 43 16 00-0033	SF	3" Thick Limestone Treads	35.04	7.51



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
04 43 16 00-0034 SF 3-1/2" Thick Limestone Treads	37.94	7.95
04 43 16 00-0035 SF 4" Thick Limestone Treads	40.83	7.95
04 43 16 00-0036 SF 5" Thick Limestone Treads	44.85	8.39
04 43 16 00-0037 SF 6" Thick Limestone Tread, Smooth Finish	62.47	8.83
04 43 16 00-0038 Limestone Items (04 43 16 00-0018)		
04 43 16 00-0039 CF Sawn Edge Limestone Block, Sill, Lintel, Jamb And Other Trim	157.21	68.79
04 43 16 00-0040 Granite (04 43 16)		
04 43 16 00-0041 Polished Granite Veneer Facing Panels (04 43 16 00-0040)		
Note: Excludes structural support steel.		
04 43 16 00-0042 SF 7/8" Thick Black Polished Granite Veneer Facing Panels	86.42	27.66
04 43 16 00-0043 SF 7/8" Thick Gray Polished Granite Veneer Facing Panels	78.58	27.66
04 43 16 00-0044 Granite Stair Treads (04 43 16 00-0040)		
04 43 16 00-0045 SF 2" Thick Granite Stair Tread	50.60	6.62
04 43 16 00-0046 Slate (04 43 16)		
04 43 16 00-0047 Slate Panels Or Sills (04 43 16 00-0046)		
04 43 16 00-0048 SF 1" Thick Slate Panels	50.79	27.66
04 43 16 00-0049 SF 2" Thick Slate Panels	59.81	27.66
04 43 16 00-0050 Slate Sills Or Stools (04 43 16 00-0046)		
04 43 16 00-0051 LF 6" Wide, 1" Thick Slate Sills Or Stools With Sand Finish	23.58	12.16
04 43 16 00-0052 LF 10" Wide, 1" Thick Slate Sills Or Stools With Sand Finish	29.32	12.16
04 43 16 00-0053 LF 6" Wide, 2" Thick Slate Sills Or Stools With Sand Finish	28.50	12.16
04 43 16 00-0054 LF 10" Wide, 2" Thick Slate Sills Or Stools With Sand Finish	40.81	12.16
04 43 16 00-0055 Slate Stair Treads (04 43 16 00-0046)		
04 43 16 00-0056 SF 2" Thick Slate Stair Tread	34.96	6.62
04 50 Refractory Masonry (04)		
04 51 Flue Liner Masonry (04 50)		
Note: Includes mortar joints.		
04 51 00 00-0001 Rectangular Flue Liners (04 51)		
04 51 00 00-0002 VLF 4" x 8" Clay Flue Liners	16.14	
04 51 00 00-0003 VLF 8" x 8" Clay Flue Liners	22.42	
04 51 00 00-0004 VLF 8" x 12" Clay Flue Liners	25.52	
04 51 00 00-0005 VLF 12" x 12" Clay Flue Liners	31.80	
04 51 00 00-0006 VLF 12" x 16" Clay Flue Liners	38.97	
04 51 00 00-0007 VLF 12" x 18" Clay Flue Liners	44.38	
04 51 00 00-0008 VLF 16" x 16" Clay Flue Liners	48.35	
04 51 00 00-0009 VLF 16" x 20" Clay Flue Liners	59.85	
04 51 00 00-0010 VLF 18" x 18" Clay Flue Liners	63.96	
04 51 00 00-0011 VLF 20" x 20" Clay Flue Liners	82.58	
04 51 00 00-0012 VLF 20" x 24" Clay Flue Liners	89.98	
04 51 00 00-0013 VLF 24" x 24" Clay Flue Liners	106.83	
04 51 00 00-0014 Round Flue Liners (04 51)		
04 51 00 00-0015 VLF 6" Diameter Clay Flue Liners	39.83	
04 51 00 00-0016 VLF 8" Diameter Clay Flue Liners	58.32	
04 51 00 00-0017 VLF 10" Diameter Clay Flue Liners	76.90	
04 51 00 00-0018 VLF 12" Diameter Clay Flue Liners	93.79	
04 51 00 00-0019 VLF 15" Diameter Clay Flue Liners	115.22	
04 51 00 00-0020 VLF 18" Diameter Clay Flue Liners	124.55	
04 51 00 00-0021 VLF 21" Diameter Clay Flue Liners	159.02	
04 51 00 00-0022 VLF 24" Diameter Clay Flue Liners	195.35	
04 51 00 00-0023 VLF 27" Diameter Clay Flue Liners	225.47	
04 51 00 00-0024 VLF 30" Diameter Clay Flue Liners	256.47	
04 51 00 00-0025 VLF 33" Diameter Clay Flue Liners	268.85	
04 51 00 00-0026 VLF 36" Diameter Clay Flue Liners	274.18	
04 51 00 00-0027 Standard Chimney Block (04 51)		
Note: Includes refractory mortar. Excludes flue liners.		
04 51 00 00-0028 EA 14" x 14" x 8" Concrete Block Chimney Unit	23.76	
04 51 00 00-0029 EA 14" x 18" x 8" Concrete Block Chimney Unit	25.73	
04 51 00 00-0030 EA 16" x 16" x 8" Concrete Block Chimney Unit	25.91	

04	04	Masonry
	04 50	Refractory Masonry
	04 51	Flue Liner Masonry



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
------------------------------	---------------------------	-------------------------

04 51 00 00-0031	EA	17" x 17" x 8" Concrete Block Chimney Unit	27.14	
04 51 00 00-0032	EA	16" x 20" x 8" Concrete Block Chimney Unit	28.51	
04 51 00 00-0033	EA	17" x 21" x 8" Concrete Block Chimney Unit	29.96	
04 51 00 00-0034	EA	21" x 21" x 8" Concrete Block Chimney Unit	33.72	

04 70 Manufactured Masonry (04)

04 72 Cast Stone Masonry (04 70)

04 72 00 00-0001 Precast Concrete Lintels (04 72)

04 72 00 00-0002 Solid Precast Concrete Lintels (04 72 00 00-0001)

04 72 00 00-0003	LF	4" x 8", Solid Precast Concrete Lintel	12.39	
04 72 00 00-0004	LF	6" x 8", Solid Precast Concrete Lintel	15.37	
04 72 00 00-0005	LF	8" x 8", Solid Precast Concrete Lintel	18.71	

04 72 00 00-0006 U Shaped Precast Concrete Lintels (04 72 00 00-0001)

Note: Excludes concrete fill and field added reinforcing. See CSI section 04 05 16 26-0001 for concrete fill.

04 72 00 00-0007	LF	6" x 8", U Shaped Precast Concrete Lintel	13.26	
04 72 00 00-0008	LF	8" x 8", U Shaped Precast Concrete Lintel	15.85	
04 72 00 00-0009	LF	12" x 8", U Shaped Precast Concrete Lintel	24.85	

04 72 00 00-0010 Precast Concrete Coping (04 72)

Note: Includes caulk and ties. Excludes drilling into existing materials or other anchoring bolts.

04 72 00 00-0011 Precast Concrete Coping (04 72 00 00-0010)

Note: Measured at highest point.

04 72 00 00-0012	SF	2" Thick Precast Concrete Coping	35.33	9.94
04 72 00 00-0013	SF	2-1/2" Thick Precast Concrete Coping	38.67	10.70
04 72 00 00-0014	SF	3" Thick Precast Concrete Coping	44.08	11.46
04 72 00 00-0015	SF	3-1/2" Thick Precast Concrete Coping	46.68	12.23
04 72 00 00-0016	SF	4" Thick Precast Concrete Coping	49.31	12.99
04 72 00 00-0017	SF	5" Thick Precast Concrete Coping	57.43	13.75
04 72 00 00-0018	SF	6" Thick Precast Concrete Coping	64.34	14.53

04 72 00 00-0019 Precast Concrete Window Sills (04 72)

Note: Includes caulk and ties.

04 72 00 00-0020 Precast Concrete Window Sills (04 72 00 00-0019)

04 72 00 00-0021	LF	6" Wide Precast Concrete Window Sill	25.28	7.64
04 72 00 00-0022	LF	10" Wide Precast Concrete Window Sill	35.24	7.64
04 72 00 00-0023	LF	14" Wide Precast Concrete Window Sill	40.47	7.64

END OF SECTION 04



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
------------------------------	---------------------------	-------------------------

05 Metals

05 05 Common Work Results For Metals ⁽⁰⁵⁾

05 05 19 Post-Installed Concrete Anchors ^(05 05)

See CSI section 03 15 19 00-0000 for cast-in concrete anchors.

05 05 19 00-0001 Concrete And Masonry Anchors ^(05 05 19)

05 05 19 00-0002 Expansion Anchors ^(05 05 19 00-0001)

Note: Includes drilling.

05 05 19 00-0003 Wedge Expansion Bolt Anchors ^(05 05 19 00-0002)

05 05 19 00-0004 Zinc Plated Steel, Wedge Anchor Expansion Bolt ^(05 05 19 00-0003)

Note: Includes nut and washer.

05 05 19 00-0005	EA 1/4" Diameter x 1-3/4" Length, Zinc Plated Steel, Wedge Anchor Expansion Bolt.....	9.38	
	For >10 To 50, Deduct	-0.44	
	For >50 To 100, Deduct	-0.89	
	For >100, Deduct	-1.78	
05 05 19 00-0006	EA 1/4" Diameter x 2-1/4" Length, Zinc Plated Steel, Wedge Anchor Expansion Bolt.....	9.48	
	For >10 To 50, Deduct	-0.44	
	For >50 To 100, Deduct	-0.89	
	For >100, Deduct	-1.79	
05 05 19 00-0007	EA 1/4" Diameter x 3-1/4" Length, Zinc Plated Steel, Wedge Anchor Expansion Bolt.....	9.78	
	For >10 To 50, Deduct	-0.45	
	For >50 To 100, Deduct	-0.92	
	For >100, Deduct	-1.83	
05 05 19 00-0008	EA 3/8" Diameter x 2-1/4" Length, Zinc Plated Steel, Wedge Anchor Expansion Bolt.....	11.52	
	For >10 To 50, Deduct	-0.53	
	For >50 To 100, Deduct	-1.08	
	For >100, Deduct	-2.17	
05 05 19 00-0009	EA 3/8" Diameter x 2-3/4" Length, Zinc Plated Steel, Wedge Anchor Expansion Bolt.....	11.60	
	For >10 To 50, Deduct	-0.53	
	For >50 To 100, Deduct	-1.09	
	For >100, Deduct	-2.17	
05 05 19 00-0010	EA 3/8" Diameter x 3" Length, Zinc Plated Steel, Wedge Anchor Expansion Bolt.....	11.63	
	For >10 To 50, Deduct	-0.53	
	For >50 To 100, Deduct	-1.09	
	For >100, Deduct	-2.17	
05 05 19 00-0011	EA 3/8" Diameter x 5" Length, Zinc Plated Steel, Wedge Anchor Expansion Bolt.....	11.92	
	For >10 To 50, Deduct	-0.53	
	For >50 To 100, Deduct	-1.09	
	For >100, Deduct	-2.19	
05 05 19 00-0012	EA 1/2" Diameter x 2-3/4" Length, Zinc Plated Steel, Wedge Anchor Expansion Bolt.....	16.75	
	For >10 To 50, Deduct	-0.76	
	For >50 To 100, Deduct	-1.55	
	For >100, Deduct	-3.10	
05 05 19 00-0013	EA 1/2" Diameter x 3-3/4" Length, Zinc Plated Steel, Wedge Anchor Expansion Bolt.....	16.81	
	For >10 To 50, Deduct	-0.76	
	For >50 To 100, Deduct	-1.55	
	For >100, Deduct	-3.11	
05 05 19 00-0014	EA 1/2" Diameter x 4-1/4" Length, Zinc Plated Steel, Wedge Anchor Expansion Bolt.....	16.93	
	For >10 To 50, Deduct	-0.76	
	For >50 To 100, Deduct	-1.56	
	For >100, Deduct	-3.11	
05 05 19 00-0015	EA 1/2" Diameter x 5-1/2" Length, Zinc Plated Steel, Wedge Anchor Expansion Bolt.....	17.25	
	For >10 To 50, Deduct	-0.76	
	For >50 To 100, Deduct	-1.56	
	For >100, Deduct	-3.13	
05 05 19 00-0016	EA 1/2" Diameter x 7" Length, Zinc Plated Steel, Wedge Anchor Expansion Bolt.....	17.69	
	For >10 To 50, Deduct	-0.76	
	For >50 To 100, Deduct	-1.58	
	For >100, Deduct	-3.15	
05 05 19 00-0017	EA 5/8" Diameter x 3-1/2" Length, Zinc Plated Steel, Wedge Anchor Expansion Bolt.....	21.94	
	For >10 To 50, Deduct	-0.93	
	For >50 To 100, Deduct	-1.95	
	For >100, Deduct	-3.89	
05 05 19 00-0018	EA 5/8" Diameter x 4-1/4" Length, Zinc Plated Steel, Wedge Anchor Expansion Bolt.....	22.04	
	For >10 To 50, Deduct	-0.93	
	For >50 To 100, Deduct	-1.95	
	For >100, Deduct	-3.90	
05 05 19 00-0019	EA 5/8" Diameter x 5" Length, Zinc Plated Steel, Wedge Anchor Expansion Bolt.....	22.25	
	For >10 To 50, Deduct	-0.93	
	For >50 To 100, Deduct	-1.96	
	For >100, Deduct	-3.91	
05 05 19 00-0020	EA 5/8" Diameter x 6" Length, Zinc Plated Steel, Wedge Anchor Expansion Bolt.....	22.64	
	For >10 To 50, Deduct	-0.93	
	For >50 To 100, Deduct	-1.96	
	For >100, Deduct	-3.93	
05 05 19 00-0021	EA 5/8" Diameter x 7" Length, Zinc Plated Steel, Wedge Anchor Expansion Bolt.....	23.04	
	For >10 To 50, Deduct	-0.93	
	For >50 To 100, Deduct	-1.97	
	For >100, Deduct	-3.95	

05 Metals**05 05 Common Work Results For Metals****05 05 19 Post-Installed Concrete Anchors**
 MINOR
 CSI UOM DESCRIPTION

 TOTAL DIRECT DEMOLITION
 UNIT COST UNIT COST

05 05 19 00-0022	EA	5/8" Diameter x 8-1/2" Length, Zinc Plated Steel, Wedge Anchor Expansion Bolt.....	26.18	
		<i>For >10 To 50, Deduct</i>	-0.93	
		<i>For >50 To 100, Deduct</i>	-2.05	
		<i>For >100, Deduct</i>	-4.11	
05 05 19 00-0023	EA	5/8" Diameter x 10" Length, Zinc Plated Steel, Wedge Anchor Expansion Bolt.....	28.87	
		<i>For >10 To 50, Deduct</i>	-0.93	
		<i>For >50 To 100, Deduct</i>	-2.12	
		<i>For >100, Deduct</i>	-4.24	
05 05 19 00-0024	EA	3/4" Diameter x 4-1/4" Length, Zinc Plated Steel, Wedge Anchor Expansion Bolt.....	26.55	
		<i>For >10 To 50, Deduct</i>	-1.11	
		<i>For >50 To 100, Deduct</i>	-2.33	
		<i>For >100, Deduct</i>	-4.66	
05 05 19 00-0025	EA	3/4" Diameter x 4-3/4" Length, Zinc Plated Steel, Wedge Anchor Expansion Bolt.....	26.64	
		<i>For >10 To 50, Deduct</i>	-1.11	
		<i>For >50 To 100, Deduct</i>	-2.33	
		<i>For >100, Deduct</i>	-4.66	
05 05 19 00-0026	EA	3/4" Diameter x 5-1/2" Length, Zinc Plated Steel, Wedge Anchor Expansion Bolt.....	27.12	
		<i>For >10 To 50, Deduct</i>	-1.11	
		<i>For >50 To 100, Deduct</i>	-2.34	
		<i>For >100, Deduct</i>	-4.69	
05 05 19 00-0027	EA	3/4" Diameter x 6-1/4" Length, Zinc Plated Steel, Wedge Anchor Expansion Bolt.....	27.69	
		<i>For >10 To 50, Deduct</i>	-1.11	
		<i>For >50 To 100, Deduct</i>	-2.36	
		<i>For >100, Deduct</i>	-4.71	
05 05 19 00-0028	EA	3/4" Diameter x 7" Length, Zinc Plated Steel, Wedge Anchor Expansion Bolt.....	28.36	
		<i>For >10 To 50, Deduct</i>	-1.11	
		<i>For >50 To 100, Deduct</i>	-2.37	
		<i>For >100, Deduct</i>	-4.75	
05 05 19 00-0029	EA	3/4" Diameter x 8-1/2" Length, Zinc Plated Steel, Wedge Anchor Expansion Bolt.....	30.87	
		<i>For >10 To 50, Deduct</i>	-1.11	
		<i>For >50 To 100, Deduct</i>	-2.44	
		<i>For >100, Deduct</i>	-4.87	
05 05 19 00-0030	EA	3/4" Diameter x 10" Length, Zinc Plated Steel, Wedge Anchor Expansion Bolt.....	34.21	
		<i>For >10 To 50, Deduct</i>	-1.11	
		<i>For >50 To 100, Deduct</i>	-2.52	
		<i>For >100, Deduct</i>	-5.04	
05 05 19 00-0031	EA	3/4" Diameter x 12" Length, Zinc Plated Steel, Wedge Anchor Expansion Bolt.....	37.99	
		<i>For >10 To 50, Deduct</i>	-1.11	
		<i>For >50 To 100, Deduct</i>	-2.61	
		<i>For >100, Deduct</i>	-5.23	
05 05 19 00-0032	EA	7/8" Diameter x 6" Length, Zinc Plated Steel, Wedge Anchor Expansion Bolt.....	36.52	
		<i>For >10 To 50, Deduct</i>	-1.20	
		<i>For >50 To 100, Deduct</i>	-2.72	
		<i>For >100, Deduct</i>	-5.44	
05 05 19 00-0033	EA	7/8" Diameter x 8" Length, Zinc Plated Steel, Wedge Anchor Expansion Bolt.....	38.51	
		<i>For >10 To 50, Deduct</i>	-1.20	
		<i>For >50 To 100, Deduct</i>	-2.77	
		<i>For >100, Deduct</i>	-5.54	
05 05 19 00-0034	EA	7/8" Diameter x 10" Length, Zinc Plated Steel, Wedge Anchor Expansion Bolt.....	41.14	
		<i>For >10 To 50, Deduct</i>	-1.20	
		<i>For >50 To 100, Deduct</i>	-2.83	
		<i>For >100, Deduct</i>	-5.67	
05 05 19 00-0035	EA	1" Diameter x 6" Length, Zinc Plated Steel, Wedge Anchor Expansion Bolt.....	45.01	
		<i>For >10 To 50, Deduct</i>	-1.56	
		<i>For >50 To 100, Deduct</i>	-3.46	
		<i>For >100, Deduct</i>	-6.93	
05 05 19 00-0036	EA	1" Diameter x 9" Length, Zinc Plated Steel, Wedge Anchor Expansion Bolt.....	48.75	
		<i>For >10 To 50, Deduct</i>	-1.56	
		<i>For >50 To 100, Deduct</i>	-3.56	
		<i>For >100, Deduct</i>	-7.11	
05 05 19 00-0037	EA	1" Diameter x 12" Length, Zinc Plated Steel, Wedge Anchor Expansion Bolt.....	52.45	
		<i>For >10 To 50, Deduct</i>	-1.56	
		<i>For >50 To 100, Deduct</i>	-3.65	
		<i>For >100, Deduct</i>	-7.30	
05 05 19 00-0038	EA	1-1/4" Diameter x 9" Length, Zinc Plated Steel, Wedge Anchor Expansion Bolt.....	58.74	
		<i>For >10 To 50, Deduct</i>	-2.00	
		<i>For >50 To 100, Deduct</i>	-4.46	
		<i>For >100, Deduct</i>	-8.92	
05 05 19 00-0039	EA	1-1/4" Diameter x 12" Length, Zinc Plated Steel, Wedge Anchor Expansion Bolt.....	61.41	
		<i>For >10 To 50, Deduct</i>	-2.00	
		<i>For >50 To 100, Deduct</i>	-4.53	
		<i>For >100, Deduct</i>	-9.06	
05 05 19 00-0040		304/18-8 Stainless Steel, Wedge Anchor Expansion Bolt <small>(05 05 19 00-0003)</small>		
		Note: Includes nut and washer.		
05 05 19 00-0041	EA	1/4" Diameter x 1-3/4" Length, 304/18-8 Stainless Steel, Wedge Anchor Expansion Bolt.....	10.17	
		<i>For >10 To 50, Deduct</i>	-0.44	
		<i>For >50 To 100, Deduct</i>	-0.91	
		<i>For >100, Deduct</i>	-1.82	
05 05 19 00-0042	EA	1/4" Diameter x 2-1/4" Length, 304/18-8 Stainless Steel, Wedge Anchor Expansion Bolt.....	10.50	
		<i>For >10 To 50, Deduct</i>	-0.44	
		<i>For >50 To 100, Deduct</i>	-0.92	
		<i>For >100, Deduct</i>	-1.84	



	MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 05 19 00-0043	EA			1/4" Diameter x 3-1/4" Length, 304/18-8 Stainless Steel, Wedge Anchor Expansion Bolt.....	10.94	
				<i>For >10 To 50, Deduct</i>	-0.45	
				<i>For >50 To 100, Deduct</i>	-0.95	
				<i>For >100, Deduct</i>	-1.89	
05 05 19 00-0044	EA			3/8" Diameter x 2-1/4" Length, 304/18-8 Stainless Steel, Wedge Anchor Expansion Bolt.....	13.02	
				<i>For >10 To 50, Deduct</i>	-0.53	
				<i>For >50 To 100, Deduct</i>	-1.12	
				<i>For >100, Deduct</i>	-2.24	
05 05 19 00-0045	EA			3/8" Diameter x 2-3/4" Length, 304/18-8 Stainless Steel, Wedge Anchor Expansion Bolt.....	13.31	
				<i>For >10 To 50, Deduct</i>	-0.53	
				<i>For >50 To 100, Deduct</i>	-1.13	
				<i>For >100, Deduct</i>	-2.26	
05 05 19 00-0046	EA			3/8" Diameter x 3" Length, 304/18-8 Stainless Steel, Wedge Anchor Expansion Bolt.....	13.51	
				<i>For >10 To 50, Deduct</i>	-0.53	
				<i>For >50 To 100, Deduct</i>	-1.13	
				<i>For >100, Deduct</i>	-2.27	
05 05 19 00-0047	EA			3/8" Diameter x 5" Length, 304/18-8 Stainless Steel, Wedge Anchor Expansion Bolt.....	15.07	
				<i>For >10 To 50, Deduct</i>	-0.53	
				<i>For >50 To 100, Deduct</i>	-1.17	
				<i>For >100, Deduct</i>	-2.35	
05 05 19 00-0048	EA			1/2" Diameter x 2-3/4" Length, 304/18-8 Stainless Steel, Wedge Anchor Expansion Bolt.....	20.14	
				<i>For >10 To 50, Deduct</i>	-0.76	
				<i>For >50 To 100, Deduct</i>	-1.64	
				<i>For >100, Deduct</i>	-3.27	
05 05 19 00-0049	EA			1/2" Diameter x 3-3/4" Length, 304/18-8 Stainless Steel, Wedge Anchor Expansion Bolt.....	20.68	
				<i>For >10 To 50, Deduct</i>	-0.76	
				<i>For >50 To 100, Deduct</i>	-1.65	
				<i>For >100, Deduct</i>	-3.30	
05 05 19 00-0050	EA			1/2" Diameter x 4-1/4" Length, 304/18-8 Stainless Steel, Wedge Anchor Expansion Bolt.....	20.98	
				<i>For >10 To 50, Deduct</i>	-0.76	
				<i>For >50 To 100, Deduct</i>	-1.66	
				<i>For >100, Deduct</i>	-3.32	
05 05 19 00-0051	EA			1/2" Diameter x 5-1/2" Length, 304/18-8 Stainless Steel, Wedge Anchor Expansion Bolt.....	22.40	
				<i>For >10 To 50, Deduct</i>	-0.76	
				<i>For >50 To 100, Deduct</i>	-1.69	
				<i>For >100, Deduct</i>	-3.39	
05 05 19 00-0052	EA			1/2" Diameter x 7" Length, 304/18-8 Stainless Steel, Wedge Anchor Expansion Bolt.....	24.53	
				<i>For >10 To 50, Deduct</i>	-0.76	
				<i>For >50 To 100, Deduct</i>	-1.75	
				<i>For >100, Deduct</i>	-3.49	
05 05 19 00-0053	EA			5/8" Diameter x 3-1/2" Length, 304/18-8 Stainless Steel, Wedge Anchor Expansion Bolt.....	28.84	
				<i>For >10 To 50, Deduct</i>	-0.93	
				<i>For >50 To 100, Deduct</i>	-2.12	
				<i>For >100, Deduct</i>	-4.24	
05 05 19 00-0054	EA			5/8" Diameter x 5" Length, 304/18-8 Stainless Steel, Wedge Anchor Expansion Bolt.....	30.23	
				<i>For >10 To 50, Deduct</i>	-0.93	
				<i>For >50 To 100, Deduct</i>	-2.15	
				<i>For >100, Deduct</i>	-4.31	
05 05 19 00-0055	EA			5/8" Diameter x 6" Length, 304/18-8 Stainless Steel, Wedge Anchor Expansion Bolt.....	31.72	
				<i>For >10 To 50, Deduct</i>	-0.93	
				<i>For >50 To 100, Deduct</i>	-2.19	
				<i>For >100, Deduct</i>	-4.38	
05 05 19 00-0056	EA			5/8" Diameter x 7" Length, 304/18-8 Stainless Steel, Wedge Anchor Expansion Bolt.....	33.71	
				<i>For >10 To 50, Deduct</i>	-0.93	
				<i>For >50 To 100, Deduct</i>	-2.24	
				<i>For >100, Deduct</i>	-4.48	
05 05 19 00-0057	EA			5/8" Diameter x 8-1/2" Length, 304/18-8 Stainless Steel, Wedge Anchor Expansion Bolt.....	42.44	
				<i>For >10 To 50, Deduct</i>	-0.93	
				<i>For >50 To 100, Deduct</i>	-2.46	
				<i>For >100, Deduct</i>	-4.92	
05 05 19 00-0058	EA			3/4" Diameter x 4-1/4" Length, 304/18-8 Stainless Steel, Wedge Anchor Expansion Bolt.....	34.44	
				<i>For >10 To 50, Deduct</i>	-1.11	
				<i>For >50 To 100, Deduct</i>	-2.53	
				<i>For >100, Deduct</i>	-5.05	
05 05 19 00-0059	EA			3/4" Diameter x 4-3/4" Length, 304/18-8 Stainless Steel, Wedge Anchor Expansion Bolt.....	37.25	
				<i>For >10 To 50, Deduct</i>	-1.11	
				<i>For >50 To 100, Deduct</i>	-2.60	
				<i>For >100, Deduct</i>	-5.19	
05 05 19 00-0060	EA			3/4" Diameter x 5-1/2" Length, 304/18-8 Stainless Steel, Wedge Anchor Expansion Bolt.....	39.65	
				<i>For >10 To 50, Deduct</i>	-1.11	
				<i>For >50 To 100, Deduct</i>	-2.66	
				<i>For >100, Deduct</i>	-5.31	
05 05 19 00-0061	EA			3/4" Diameter x 6-1/4" Length, 304/18-8 Stainless Steel, Wedge Anchor Expansion Bolt.....	39.95	
				<i>For >10 To 50, Deduct</i>	-1.11	
				<i>For >50 To 100, Deduct</i>	-2.66	
				<i>For >100, Deduct</i>	-5.33	
05 05 19 00-0062	EA			3/4" Diameter x 7" Length, 304/18-8 Stainless Steel, Wedge Anchor Expansion Bolt.....	42.20	
				<i>For >10 To 50, Deduct</i>	-1.11	
				<i>For >50 To 100, Deduct</i>	-2.72	
				<i>For >100, Deduct</i>	-5.44	
05 05 19 00-0063	EA			3/4" Diameter x 8-1/2" Length, 304/18-8 Stainless Steel, Wedge Anchor Expansion Bolt.....	48.05	
				<i>For >10 To 50, Deduct</i>	-1.11	
				<i>For >50 To 100, Deduct</i>	-2.87	
				<i>For >100, Deduct</i>	-5.73	

05 Metals**05 05 Common Work Results For Metals****05 05 19 Post-Installed Concrete Anchors**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 05 19 00-0064	EA		3/4" Diameter x 10" Length, 304/18-8 Stainless Steel, Wedge Anchor Expansion Bolt	56.30	
			<i>For >10 To 50, Deduct</i>	-1.11	
			<i>For >50 To 100, Deduct</i>	-3.07	
			<i>For >100, Deduct</i>	-6.15	
05 05 19 00-0065	EA		7/8" Diameter x 8" Length, 304/18-8 Stainless Steel, Wedge Anchor Expansion Bolt	56.65	
			<i>For >10 To 50, Deduct</i>	-1.20	
			<i>For >50 To 100, Deduct</i>	-3.22	
			<i>For >100, Deduct</i>	-6.44	
05 05 19 00-0066	EA		1" Diameter x 6" Length, 304/18-8 Stainless Steel, Wedge Anchor Expansion Bolt	82.26	
			<i>For >10 To 50, Deduct</i>	-1.56	
			<i>For >50 To 100, Deduct</i>	-4.39	
			<i>For >100, Deduct</i>	-8.79	
05 05 19 00-0067	EA		1" Diameter x 9" Length, 304/18-8 Stainless Steel, Wedge Anchor Expansion Bolt	94.46	
			<i>For >10 To 50, Deduct</i>	-1.56	
			<i>For >50 To 100, Deduct</i>	-4.70	
			<i>For >100, Deduct</i>	-9.40	
05 05 19 00-0068			316 Stainless Steel, Wedge Anchor Expansion Bolt <small>(05 05 19 00-0003)</small>		
			Note: Includes nut and washer.		
05 05 19 00-0069	EA		1/4" Diameter x 2-1/4" Length, 316 Stainless Steel, Wedge Anchor Expansion Bolt	10.45	
			<i>For >10 To 50, Deduct</i>	-0.44	
			<i>For >50 To 100, Deduct</i>	-0.92	
			<i>For >100, Deduct</i>	-1.83	
05 05 19 00-0070	EA		1/4" Diameter x 3-1/4" Length, 316 Stainless Steel, Wedge Anchor Expansion Bolt	11.06	
			<i>For >10 To 50, Deduct</i>	-0.45	
			<i>For >50 To 100, Deduct</i>	-0.95	
			<i>For >100, Deduct</i>	-1.90	
05 05 19 00-0071	EA		3/8" Diameter x 2-1/4" Length, 316 Stainless Steel, Wedge Anchor Expansion Bolt	13.95	
			<i>For >10 To 50, Deduct</i>	-0.53	
			<i>For >50 To 100, Deduct</i>	-1.15	
			<i>For >100, Deduct</i>	-2.29	
05 05 19 00-0072	EA		3/8" Diameter x 2-3/4" Length, 316 Stainless Steel, Wedge Anchor Expansion Bolt	14.44	
			<i>For >10 To 50, Deduct</i>	-0.53	
			<i>For >50 To 100, Deduct</i>	-1.16	
			<i>For >100, Deduct</i>	-2.32	
05 05 19 00-0073	EA		3/8" Diameter x 3" Length, 316 Stainless Steel, Wedge Anchor Expansion Bolt	14.56	
			<i>For >10 To 50, Deduct</i>	-0.53	
			<i>For >50 To 100, Deduct</i>	-1.16	
			<i>For >100, Deduct</i>	-2.32	
05 05 19 00-0074	EA		3/8" Diameter x 5" Length, 316 Stainless Steel, Wedge Anchor Expansion Bolt	16.91	
			<i>For >10 To 50, Deduct</i>	-0.53	
			<i>For >50 To 100, Deduct</i>	-1.22	
			<i>For >100, Deduct</i>	-2.44	
05 05 19 00-0075	EA		1/2" Diameter x 2-3/4" Length, 316 Stainless Steel, Wedge Anchor Expansion Bolt	22.38	
			<i>For >10 To 50, Deduct</i>	-0.76	
			<i>For >50 To 100, Deduct</i>	-1.69	
			<i>For >100, Deduct</i>	-3.39	
05 05 19 00-0076	EA		1/2" Diameter x 3-3/4" Length, 316 Stainless Steel, Wedge Anchor Expansion Bolt	23.74	
			<i>For >10 To 50, Deduct</i>	-0.76	
			<i>For >50 To 100, Deduct</i>	-1.73	
			<i>For >100, Deduct</i>	-3.45	
05 05 19 00-0077	EA		1/2" Diameter x 4-1/4" Length, 316 Stainless Steel, Wedge Anchor Expansion Bolt	26.21	
			<i>For >10 To 50, Deduct</i>	-0.76	
			<i>For >50 To 100, Deduct</i>	-1.79	
			<i>For >100, Deduct</i>	-3.58	
05 05 19 00-0078	EA		1/2" Diameter x 5-1/2" Length, 316 Stainless Steel, Wedge Anchor Expansion Bolt	26.82	
			<i>For >10 To 50, Deduct</i>	-0.76	
			<i>For >50 To 100, Deduct</i>	-1.80	
			<i>For >100, Deduct</i>	-3.61	
05 05 19 00-0079	EA		5/8" Diameter x 5" Length, 316 Stainless Steel, Wedge Anchor Expansion Bolt	36.41	
			<i>For >10 To 50, Deduct</i>	-0.93	
			<i>For >50 To 100, Deduct</i>	-2.31	
			<i>For >100, Deduct</i>	-4.62	
05 05 19 00-0080	EA		5/8" Diameter x 7" Length, 316 Stainless Steel, Wedge Anchor Expansion Bolt	37.15	
			<i>For >10 To 50, Deduct</i>	-0.93	
			<i>For >50 To 100, Deduct</i>	-2.33	
			<i>For >100, Deduct</i>	-4.66	
05 05 19 00-0081	EA		3/4" Diameter x 4-3/4" Length, 316 Stainless Steel, Wedge Anchor Expansion Bolt	45.02	
			<i>For >10 To 50, Deduct</i>	-1.11	
			<i>For >50 To 100, Deduct</i>	-2.79	
			<i>For >100, Deduct</i>	-5.58	
05 05 19 00-0082	EA		3/4" Diameter x 5-1/2" Length, 316 Stainless Steel, Wedge Anchor Expansion Bolt	48.11	
			<i>For >10 To 50, Deduct</i>	-1.11	
			<i>For >50 To 100, Deduct</i>	-2.87	
			<i>For >100, Deduct</i>	-5.74	
05 05 19 00-0083			Hot Dipped Galvanized Steel, Wedge Anchor Expansion Bolt <small>(05 05 19 00-0003)</small>		
			Note: Includes nut and washer.		
05 05 19 00-0084	EA		1/2" Diameter x 2-3/4" Length, Hot Dipped Galvanized Steel, Wedge Anchor Expansion Bolt	19.92	
			<i>For >10 To 50, Deduct</i>	-0.76	
			<i>For >50 To 100, Deduct</i>	-1.63	
			<i>For >100, Deduct</i>	-3.26	



	MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 05 19 00-0085	EA			1/2" Diameter x 4-1/4" Length, Hot Dipped Galvanized Steel, Wedge Anchor Expansion Bolt.....	21.19	
				<i>For >10 To 50, Deduct</i>	-0.76	
				<i>For >50 To 100, Deduct</i>	-1.66	
				<i>For >100, Deduct</i>	-3.33	
05 05 19 00-0086	EA			1/2" Diameter x 5-1/2" Length, Hot Dipped Galvanized Steel, Wedge Anchor Expansion Bolt.....	22.46	
				<i>For >10 To 50, Deduct</i>	-0.76	
				<i>For >50 To 100, Deduct</i>	-1.69	
				<i>For >100, Deduct</i>	-3.39	
05 05 19 00-0087	EA			1/2" Diameter x 7" Length, Hot Dipped Galvanized Steel, Wedge Anchor Expansion Bolt.....	23.09	
				<i>For >10 To 50, Deduct</i>	-0.76	
				<i>For >50 To 100, Deduct</i>	-1.71	
				<i>For >100, Deduct</i>	-3.42	
05 05 19 00-0088	EA			5/8" Diameter x 3-1/2" Length, Hot Dipped Galvanized Steel, Wedge Anchor Expansion Bolt.....	27.77	
				<i>For >10 To 50, Deduct</i>	-0.93	
				<i>For >50 To 100, Deduct</i>	-2.09	
				<i>For >100, Deduct</i>	-4.19	
05 05 19 00-0089	EA			5/8" Diameter x 6" Length, Hot Dipped Galvanized Steel, Wedge Anchor Expansion Bolt.....	26.25	
				<i>For >10 To 50, Deduct</i>	-0.93	
				<i>For >50 To 100, Deduct</i>	-2.06	
				<i>For >100, Deduct</i>	-4.11	
05 05 19 00-0090	EA			3/4" Diameter x 4-3/4" Length, Hot Dipped Galvanized Steel, Wedge Anchor Expansion Bolt.....	36.40	
				<i>For >10 To 50, Deduct</i>	-1.11	
				<i>For >50 To 100, Deduct</i>	-2.58	
				<i>For >100, Deduct</i>	-5.15	
05 05 19 00-0091	EA			3/4" Diameter x 5-1/2" Length, Hot Dipped Galvanized Steel, Wedge Anchor Expansion Bolt.....	37.79	
				<i>For >10 To 50, Deduct</i>	-1.11	
				<i>For >50 To 100, Deduct</i>	-2.61	
				<i>For >100, Deduct</i>	-5.22	
05 05 19 00-0092	EA			3/4" Diameter x 8-1/2" Length, Hot Dipped Galvanized Steel, Wedge Anchor Expansion Bolt.....	44.65	
				<i>For >10 To 50, Deduct</i>	-1.11	
				<i>For >50 To 100, Deduct</i>	-2.78	
				<i>For >100, Deduct</i>	-5.56	
05 05 19 00-0093	EA			1" Diameter x 6" Length, Hot Dipped Galvanized Steel, Wedge Anchor Expansion Bolt.....	45.77	
				<i>For >10 To 50, Deduct</i>	-1.56	
				<i>For >50 To 100, Deduct</i>	-3.48	
				<i>For >100, Deduct</i>	-6.96	
05 05 19 00-0094	EA			1" Diameter x 9" Length, Hot Dipped Galvanized Steel, Wedge Anchor Expansion Bolt.....	49.72	
				<i>For >10 To 50, Deduct</i>	-1.56	
				<i>For >50 To 100, Deduct</i>	-3.58	
				<i>For >100, Deduct</i>	-7.16	
05 05 19 00-0095	EA			1" Diameter x 12" Length, Hot Dipped Galvanized Steel, Wedge Anchor Expansion Bolt.....	53.63	
				<i>For >10 To 50, Deduct</i>	-1.56	
				<i>For >50 To 100, Deduct</i>	-3.68	
				<i>For >100, Deduct</i>	-7.36	
05 05 19 00-0096				Concrete Sleeve Anchors <small>(05 05 19 00-0002)</small>		
05 05 19 00-0097				Zinc Plated Steel, Concrete Sleeve Anchors <small>(05 05 19 00-0096)</small>		
				Note: Includes nut and washer.		
05 05 19 00-0098	EA			1/4" Diameter x 5/8" Length, Zinc Plated Steel, Concrete Sleeve Anchor.....	9.40	
				<i>For >10 To 50, Deduct</i>	-0.45	
				<i>For >50 To 100, Deduct</i>	-0.90	
				<i>For >100, Deduct</i>	-1.81	
05 05 19 00-0099	EA			1/4" Diameter x 1-3/8" Length, Zinc Plated Steel, Concrete Sleeve Anchor.....	9.54	
				<i>For >10 To 50, Deduct</i>	-0.45	
				<i>For >50 To 100, Deduct</i>	-0.91	
				<i>For >100, Deduct</i>	-1.82	
05 05 19 00-0100	EA			1/4" Diameter x 2-1/4" Length, Zinc Plated Steel, Concrete Sleeve Anchor.....	9.72	
				<i>For >10 To 50, Deduct</i>	-0.45	
				<i>For >50 To 100, Deduct</i>	-0.91	
				<i>For >100, Deduct</i>	-1.83	
05 05 19 00-0101	EA			5/16" Diameter x 1-1/2" Length, Zinc Plated Steel, Concrete Sleeve Anchor.....	9.91	
				<i>For >10 To 50, Deduct</i>	-0.47	
				<i>For >50 To 100, Deduct</i>	-0.95	
				<i>For >100, Deduct</i>	-1.90	
05 05 19 00-0102	EA			5/16" Diameter x 2-1/2" Length, Zinc Plated Steel, Concrete Sleeve Anchor.....	10.04	
				<i>For >10 To 50, Deduct</i>	-0.47	
				<i>For >50 To 100, Deduct</i>	-0.95	
				<i>For >100, Deduct</i>	-1.91	
05 05 19 00-0103	EA			3/8" Diameter x 1-7/8" Length, Zinc Plated Steel, Concrete Sleeve Anchor.....	11.23	
				<i>For >10 To 50, Deduct</i>	-0.53	
				<i>For >50 To 100, Deduct</i>	-1.08	
				<i>For >100, Deduct</i>	-2.15	
05 05 19 00-0104	EA			3/8" Diameter x 3" Length, Zinc Plated Steel, Concrete Sleeve Anchor.....	11.47	
				<i>For >10 To 50, Deduct</i>	-0.53	
				<i>For >50 To 100, Deduct</i>	-1.08	
				<i>For >100, Deduct</i>	-2.17	
05 05 19 00-0105	EA			3/8" Diameter x 4" Length, Zinc Plated Steel, Concrete Sleeve Anchor.....	11.70	
				<i>For >10 To 50, Deduct</i>	-0.53	
				<i>For >50 To 100, Deduct</i>	-1.09	
				<i>For >100, Deduct</i>	-2.18	
05 05 19 00-0106	EA			1/2" Diameter x 2-1/4" Length, Zinc Plated Steel, Concrete Sleeve Anchor.....	16.21	
				<i>For >10 To 50, Deduct</i>	-0.75	
				<i>For >50 To 100, Deduct</i>	-1.54	
				<i>For >100, Deduct</i>	-3.07	

05 Metals**05 05 Common Work Results For Metals****05 05 19 Post-Installed Concrete Anchors**

MINOR CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 05 19 00-0107	EA	1/2" Diameter x 3" Length, Zinc Plated Steel, Concrete Sleeve Anchor.....	16.51	
		<i>For >10 To 50, Deduct</i>	-0.75	
		<i>For >50 To 100, Deduct</i>	-1.54	
		<i>For >100, Deduct</i>	-3.09	
05 05 19 00-0108	EA	1/2" Diameter x 4" Length, Zinc Plated Steel, Concrete Sleeve Anchor.....	16.77	
		<i>For >10 To 50, Deduct</i>	-0.75	
		<i>For >50 To 100, Deduct</i>	-1.55	
		<i>For >100, Deduct</i>	-3.10	
05 05 19 00-0109	EA	1/2" Diameter x 6" Length, Zinc Plated Steel, Concrete Sleeve Anchor.....	17.09	
		<i>For >10 To 50, Deduct</i>	-0.75	
		<i>For >50 To 100, Deduct</i>	-1.56	
		<i>For >100, Deduct</i>	-3.12	
05 05 19 00-0110	EA	5/8" Diameter x 2-1/4" Length, Zinc Plated Steel, Concrete Sleeve Anchor	20.38	
		<i>For >10 To 50, Deduct</i>	-0.93	
		<i>For >50 To 100, Deduct</i>	-1.91	
		<i>For >100, Deduct</i>	-3.82	
05 05 19 00-0111	EA	5/8" Diameter x 3" Length, Zinc Plated Steel, Concrete Sleeve Anchor.....	20.84	
		<i>For >10 To 50, Deduct</i>	-0.93	
		<i>For >50 To 100, Deduct</i>	-1.92	
		<i>For >100, Deduct</i>	-3.84	
05 05 19 00-0112	EA	5/8" Diameter x 4-1/4" Length, Zinc Plated Steel, Concrete Sleeve Anchor	21.19	
		<i>For >10 To 50, Deduct</i>	-0.93	
		<i>For >50 To 100, Deduct</i>	-1.93	
		<i>For >100, Deduct</i>	-3.86	
05 05 19 00-0113	EA	5/8" Diameter x 6" Length, Zinc Plated Steel, Concrete Sleeve Anchor.....	22.17	
		<i>For >10 To 50, Deduct</i>	-0.93	
		<i>For >50 To 100, Deduct</i>	-1.95	
		<i>For >100, Deduct</i>	-3.91	
05 05 19 00-0114	EA	3/4" Diameter x 2-1/2" Length, Zinc Plated Steel, Concrete Sleeve Anchor	25.09	
		<i>For >10 To 50, Deduct</i>	-1.11	
		<i>For >50 To 100, Deduct</i>	-2.29	
		<i>For >100, Deduct</i>	-4.58	
05 05 19 00-0115	EA	3/4" Diameter x 4-1/4" Length, Zinc Plated Steel, Concrete Sleeve Anchor	25.94	
		<i>For >10 To 50, Deduct</i>	-1.11	
		<i>For >50 To 100, Deduct</i>	-2.31	
		<i>For >100, Deduct</i>	-4.63	
05 05 19 00-0116	EA	3/4" Diameter x 5-1/2" Length, Zinc Plated Steel, Concrete Sleeve Anchor	26.71	
		<i>For >10 To 50, Deduct</i>	-1.11	
		<i>For >50 To 100, Deduct</i>	-2.33	
		<i>For >100, Deduct</i>	-4.67	
05 05 19 00-0117	EA	3/4" Diameter x 6-1/4" Length, Zinc Plated Steel, Concrete Sleeve Anchor	27.94	
		<i>For >10 To 50, Deduct</i>	-1.11	
		<i>For >50 To 100, Deduct</i>	-2.36	
		<i>For >100, Deduct</i>	-4.73	
05 05 19 00-0118		304/18-8 Stainless Steel, Concrete Sleeve Anchors <small>(05 05 19 00-0096)</small>		
		Note: Includes nut and washer.		
05 05 19 00-0119	EA	1/4" Diameter x 1-3/8" Length, 304/18-8 Stainless Steel, Concrete Sleeve Anchor.....	10.70	
		<i>For >10 To 50, Deduct</i>	-0.45	
		<i>For >50 To 100, Deduct</i>	-0.94	
		<i>For >100, Deduct</i>	-1.87	
05 05 19 00-0120	EA	3/8" Diameter x 1-7/8" Length, 304/18-8 Stainless Steel, Concrete Sleeve Anchor.....	13.93	
		<i>For >10 To 50, Deduct</i>	-0.53	
		<i>For >50 To 100, Deduct</i>	-1.14	
		<i>For >100, Deduct</i>	-2.29	
05 05 19 00-0121	EA	3/8" Diameter x 3" Length, 304/18-8 Stainless Steel, Concrete Sleeve Anchor	15.25	
		<i>For >10 To 50, Deduct</i>	-0.53	
		<i>For >50 To 100, Deduct</i>	-1.18	
		<i>For >100, Deduct</i>	-2.36	
05 05 19 00-0122	EA	1/2" Diameter x 2-1/4" Length, 304/18-8 Stainless Steel, Concrete Sleeve Anchor.....	20.71	
		<i>For >10 To 50, Deduct</i>	-0.75	
		<i>For >50 To 100, Deduct</i>	-1.65	
		<i>For >100, Deduct</i>	-3.30	
05 05 19 00-0123	EA	1/2" Diameter x 4" Length, 304/18-8 Stainless Steel, Concrete Sleeve Anchor	23.08	
		<i>For >10 To 50, Deduct</i>	-0.75	
		<i>For >50 To 100, Deduct</i>	-1.71	
		<i>For >100, Deduct</i>	-3.42	
05 05 19 00-0124	EA	5/8" Diameter x 4-1/4" Length, 304/18-8 Stainless Steel, Concrete Sleeve Anchor.....	31.51	
		<i>For >10 To 50, Deduct</i>	-0.93	
		<i>For >50 To 100, Deduct</i>	-2.19	
		<i>For >100, Deduct</i>	-4.37	
05 05 19 00-0125		Concrete Strike Anchors <small>(05 05 19 00-0002)</small>		
		Note: Includes nut and washer.		
05 05 19 00-0126	EA	1/4" Diameter x 1-3/4" Length, Zinc Plated Steel, Concrete Strike Anchor	10.09	
		<i>For >10 To 50, Deduct</i>	-0.45	
		<i>For >50 To 100, Deduct</i>	-0.92	
		<i>For >100, Deduct</i>	-1.84	
05 05 19 00-0127	EA	1/4" Diameter x 2-3/8" Length, Zinc Plated Steel, Concrete Strike Anchor	10.34	
		<i>For >10 To 50, Deduct</i>	-0.45	
		<i>For >50 To 100, Deduct</i>	-0.93	
		<i>For >100, Deduct</i>	-1.86	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 05 19 00-0128 EA 5/16" Diameter x 2-3/4" Length, Zinc Plated Steel, Concrete Strike Anchor <i>For >10 To 50, Deduct</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	10.77 -0.47 -0.97 -1.95	
05 05 19 00-0129 EA 5/16" Diameter x 4" Length, Zinc Plated Steel, Concrete Strike Anchor <i>For >10 To 50, Deduct</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	11.77 -0.47 -1.00 -2.00	
05 05 19 00-0130 EA 3/8" Diameter x 2-3/8" Length, Zinc Plated Steel, Concrete Strike Anchor <i>For >10 To 50, Deduct</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	12.32 -0.53 -1.10 -2.21	
05 05 19 00-0131 EA 3/8" Diameter x 3-1/2" Length, Zinc Plated Steel, Concrete Strike Anchor <i>For >10 To 50, Deduct</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	13.06 -0.53 -1.12 -2.25	
05 05 19 00-0132 EA 3/8" Diameter x 5" Length, Zinc Plated Steel, Concrete Strike Anchor <i>For >10 To 50, Deduct</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	13.64 -0.53 -1.14 -2.28	
05 05 19 00-0133 EA 1/2" Diameter x 2-3/4" Length, Zinc Plated Steel, Concrete Strike Anchor <i>For >10 To 50, Deduct</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	18.06 -0.75 -1.58 -3.17	
05 05 19 00-0134 EA 1/2" Diameter x 3-1/2" Length, Zinc Plated Steel, Concrete Strike Anchor <i>For >10 To 50, Deduct</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	18.50 -0.75 -1.59 -3.19	
05 05 19 00-0135 EA 1/2" Diameter x 4-3/4" Length, Zinc Plated Steel, Concrete Strike Anchor <i>For >10 To 50, Deduct</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	19.82 -0.75 -1.63 -3.25	
05 05 19 00-0136 EA 1/2" Diameter x 6" Length, Zinc Plated Steel, Concrete Strike Anchor <i>For >10 To 50, Deduct</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	21.51 -0.75 -1.67 -3.34	
05 05 19 00-0137 EA 5/8" Diameter x 4" Length, Zinc Plated Steel, Concrete Strike Anchor <i>For >10 To 50, Deduct</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	24.31 -0.93 -2.01 -4.01	
05 05 19 00-0138 EA 5/8" Diameter x 4-3/4" Length, Zinc Plated Steel, Concrete Strike Anchor <i>For >10 To 50, Deduct</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	25.88 -0.93 -2.05 -4.09	
05 05 19 00-0139 EA 5/8" Diameter x 6" Length, Zinc Plated Steel, Concrete Strike Anchor <i>For >10 To 50, Deduct</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	27.26 -0.93 -2.08 -4.16	
05 05 19 00-0140 EA 3/4" Diameter x 5" Length, Zinc Plated Steel, Concrete Strike Anchor <i>For >10 To 50, Deduct</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	31.61 -1.11 -2.46 -4.91	
05 05 19 00-0141 EA 3/4" Diameter x 6" Length, Zinc Plated Steel, Concrete Strike Anchor <i>For >10 To 50, Deduct</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	33.08 -1.11 -2.49 -4.98	
05 05 19 00-0142 Multi-Set Drop-In Anchors <small>(05 05 19 00-0002)</small>		
05 05 19 00-0143 Zinc Plated Steel, Multi-Set Drop-In Anchors <small>(05 05 19 00-0142)</small> Note: Excludes bolt, nut and washer.		
05 05 19 00-0144 EA 1/4" Bolt Diameter, Zinc Plated Steel, Multi-Set Drop-In Anchor <i>For >10 To 50, Deduct</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	13.05 -0.62 -1.26 -2.52	
05 05 19 00-0145 EA 3/8" Bolt Diameter, Zinc Plated Steel, Multi-Set Drop-In Anchor <i>For >10 To 50, Deduct</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	15.98 -0.76 -1.54 -3.07	
05 05 19 00-0146 EA 1/2" Bolt Diameter, Zinc Plated Steel, Multi-Set Drop-In Anchor <i>For >10 To 50, Deduct</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	19.61 -0.89 -1.83 -3.66	
05 05 19 00-0147 EA 5/8" Bolt Diameter, Zinc Plated Steel, Multi-Set Drop-In Anchor <i>For >10 To 50, Deduct</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	22.37 -0.98 -2.03 -4.06	
05 05 19 00-0148 EA 3/4" Bolt Diameter, Zinc Plated Steel, Multi-Set Drop-In Anchor <i>For >10 To 50, Deduct</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	27.06 -1.12 -2.35 -4.70	
05 05 19 00-0149 304/18-8 Stainless Steel, Multi-Set Drop-In Anchors <small>(05 05 19 00-0142)</small> Note: Excludes bolt, nut and washer.		

05 Metals**05 05 Common Work Results For Metals****05 05 19 Post-Installed Concrete Anchors**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 05 19 00-0150	EA		1/4" Bolt Diameter, 304/18-8 Stainless Steel, Multi-Set Drop-In Anchor	15.76	
			<i>For >10 To 50, Deduct</i>	-0.62	
			<i>For >50 To 100, Deduct</i>	-1.33	
			<i>For >100, Deduct</i>	-2.65	
05 05 19 00-0151	EA		3/8" Bolt Diameter, 304/18-8 Stainless Steel, Multi-Set Drop-In Anchor	21.11	
			<i>For >10 To 50, Deduct</i>	-0.76	
			<i>For >50 To 100, Deduct</i>	-1.66	
			<i>For >100, Deduct</i>	-3.33	
05 05 19 00-0152	EA		1/2" Bolt Diameter, 304/18-8 Stainless Steel, Multi-Set Drop-In Anchor	26.33	
			<i>For >10 To 50, Deduct</i>	-0.89	
			<i>For >50 To 100, Deduct</i>	-2.00	
			<i>For >100, Deduct</i>	-4.00	
05 05 19 00-0153	EA		5/8" Bolt Diameter, 304/18-8 Stainless Steel, Multi-Set Drop-In Anchor	33.19	
			<i>For >10 To 50, Deduct</i>	-0.98	
			<i>For >50 To 100, Deduct</i>	-2.30	
			<i>For >100, Deduct</i>	-4.60	
05 05 19 00-0154	EA		3/4" Bolt Diameter, 304/18-8 Stainless Steel, Multi-Set Drop-In Anchor	45.64	
			<i>For >10 To 50, Deduct</i>	-1.12	
			<i>For >50 To 100, Deduct</i>	-2.82	
			<i>For >100, Deduct</i>	-5.63	
05 05 19 00-0155			Single Bolt Expansion Anchors (05 05 19 00-0002)		
			Note: Excludes bolt, nut and washer.		
05 05 19 00-0156	EA		1/4" Bolt Diameter, Zinc Plated Steel, Single Bolt Expansion Anchor	9.61	
			<i>For >10 To 50, Deduct</i>	-0.45	
			<i>For >50 To 100, Deduct</i>	-0.91	
			<i>For >100, Deduct</i>	-1.82	
05 05 19 00-0157	EA		5/16" Bolt Diameter, Zinc Plated Steel, Single Bolt Expansion Anchor	10.31	
			<i>For >10 To 50, Deduct</i>	-0.47	
			<i>For >50 To 100, Deduct</i>	-0.96	
			<i>For >100, Deduct</i>	-1.92	
05 05 19 00-0158	EA		3/8" Bolt Diameter, Zinc Plated Steel, Single Bolt Expansion Anchor	11.65	
			<i>For >10 To 50, Deduct</i>	-0.53	
			<i>For >50 To 100, Deduct</i>	-1.09	
			<i>For >100, Deduct</i>	-2.18	
05 05 19 00-0159	EA		1/2" Bolt Diameter, Zinc Plated Steel, Single Bolt Expansion Anchor	17.09	
			<i>For >10 To 50, Deduct</i>	-0.75	
			<i>For >50 To 100, Deduct</i>	-1.56	
			<i>For >100, Deduct</i>	-3.12	
05 05 19 00-0160	EA		5/8" Bolt Diameter, Zinc Plated Steel, Single Bolt Expansion Anchor	24.12	
			<i>For >10 To 50, Deduct</i>	-0.93	
			<i>For >50 To 100, Deduct</i>	-2.00	
			<i>For >100, Deduct</i>	-4.00	
05 05 19 00-0161	EA		3/4" Bolt Diameter, Zinc Plated Steel, Single Bolt Expansion Anchor	29.16	
			<i>For >10 To 50, Deduct</i>	-1.11	
			<i>For >50 To 100, Deduct</i>	-2.39	
			<i>For >100, Deduct</i>	-4.79	
05 05 19 00-0162			Concrete Lag Shield Anchors (05 05 19 00-0002)		
			Note: Excludes lag bolt and washer.		
05 05 19 00-0163	EA		1/4" Bolt Diameter, Zinc Plated Steel, Concrete Lag Shield Anchor	9.78	
			<i>For >10 To 50, Deduct</i>	-0.45	
			<i>For >50 To 100, Deduct</i>	-0.91	
			<i>For >100, Deduct</i>	-1.83	
05 05 19 00-0164	EA		5/16" Bolt Diameter, Zinc Plated Steel, Concrete Lag Shield Anchor	11.64	
			<i>For >10 To 50, Deduct</i>	-0.53	
			<i>For >50 To 100, Deduct</i>	-1.09	
			<i>For >100, Deduct</i>	-2.18	
05 05 19 00-0165	EA		3/8" Bolt Diameter, Zinc Plated Steel, Concrete Lag Shield Anchor	12.33	
			<i>For >10 To 50, Deduct</i>	-0.53	
			<i>For >50 To 100, Deduct</i>	-1.10	
			<i>For >100, Deduct</i>	-2.21	
05 05 19 00-0166	EA		1/2" Bolt Diameter, Zinc Plated Steel, Concrete Lag Shield Anchor	17.34	
			<i>For >10 To 50, Deduct</i>	-0.75	
			<i>For >50 To 100, Deduct</i>	-1.57	
			<i>For >100, Deduct</i>	-3.13	
05 05 19 00-0167	EA		5/8" Bolt Diameter, Zinc Plated Steel, Concrete Lag Shield Anchor	23.18	
			<i>For >10 To 50, Deduct</i>	-0.93	
			<i>For >50 To 100, Deduct</i>	-1.98	
			<i>For >100, Deduct</i>	-3.96	
05 05 19 00-0168	EA		3/4" Bolt Diameter, Zinc Plated Steel, Concrete Lag Shield Anchor	25.78	
			<i>For >10 To 50, Deduct</i>	-1.11	
			<i>For >50 To 100, Deduct</i>	-2.31	
			<i>For >100, Deduct</i>	-4.62	
05 05 19 00-0169			Chemical And Adhesive Anchors (05 05 19 00-0001)		
05 05 19 00-0170			Chemically Adhered Anchor Rods (05 05 19 00-0169)		
			Note: Includes drilling hole, injected adhesive or pre-placed adhesive cartridge, nut and washer. Zinc coated carbon steel.		



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 05 19 00-0171 EA 1/4" x 1-9/16" Long Chemically Adhered Anchor Rod.....	12.59	
<i>For >10 To 50, Deduct</i>	-0.49	
<i>For >50 To 100, Deduct</i>	-1.05	
<i>For >100, Deduct</i>	-2.10	
05 05 19 00-0172 EA 5/16" x 2-3/8" Long Chemically Adhered Anchor Rod.....	14.75	
<i>For >10 To 50, Deduct</i>	-0.54	
<i>For >50 To 100, Deduct</i>	-1.17	
<i>For >100, Deduct</i>	-2.34	
05 05 19 00-0173 EA 3/8" x 2-3/4" Long Chemically Adhered Anchor Rod.....	18.30	
<i>For >10 To 50, Deduct</i>	-0.67	
<i>For >50 To 100, Deduct</i>	-1.46	
<i>For >100, Deduct</i>	-2.93	
05 05 19 00-0174 EA 1/2" x 3-11/16" Long Chemically Adhered Anchor Rod.....	21.56	
<i>For >10 To 50, Deduct</i>	-0.75	
<i>For >50 To 100, Deduct</i>	-1.67	
<i>For >100, Deduct</i>	-3.34	
05 05 19 00-0175 EA 1/2" x 5-1/2" Long Chemically Adhered Anchor Rod.....	23.03	
<i>For >10 To 50, Deduct</i>	-0.75	
<i>For >50 To 100, Deduct</i>	-1.71	
<i>For >100, Deduct</i>	-3.42	
05 05 19 00-0176 EA 5/8" x 7" Long Chemically Adhered Anchor Rod.....	28.51	
<i>For >10 To 50, Deduct</i>	-0.93	
<i>For >50 To 100, Deduct</i>	-2.11	
<i>For >100, Deduct</i>	-4.22	
05 05 19 00-0177 EA 3/4" x 9-1/2" Long Chemically Adhered Anchor Rod.....	37.48	
<i>For >10 To 50, Deduct</i>	-1.11	
<i>For >50 To 100, Deduct</i>	-2.60	
<i>For >100, Deduct</i>	-5.20	
05 05 19 00-0178 EA 7/8" x 10" Long Chemically Adhered Anchor Rod.....	44.90	
<i>For >10 To 50, Deduct</i>	-1.20	
<i>For >50 To 100, Deduct</i>	-2.92	
<i>For >100, Deduct</i>	-5.85	
05 05 19 00-0179 EA 1" x 11-3/4" Long Chemically Adhered Anchor Rod.....	61.72	
<i>For >10 To 50, Deduct</i>	-1.56	
<i>For >50 To 100, Deduct</i>	-3.88	
<i>For >100, Deduct</i>	-7.76	
05 05 19 00-0180 EA 1-1/4" x 14" Long Chemically Adhered Anchor Rod.....	89.76	
<i>For >10 To 50, Deduct</i>	-1.96	
<i>For >50 To 100, Deduct</i>	-5.19	
<i>For >100, Deduct</i>	-10.38	
05 05 19 00-0181 Chemical Adhesives For Bolts, Dowels Or Threaded Rod <small>(05 05 19 00-0169)</small>		
<small>Note: Injected or drop in cartridge. Sizes listed are for the diameter of the bolt, dowel or rod to be anchored. Includes drilling. Excludes bolt, dowel or rod.</small>		
05 05 19 00-0182 EA 1/4" Chemical Adhesive For Bolt Or Threaded Rod.....	10.16	
<i>For >10 To 50, Deduct</i>	-0.49	
<i>For >50 To 100, Deduct</i>	-0.99	
<i>For >100, Deduct</i>	-1.98	
05 05 19 00-0183 EA 5/16" Chemical Adhesive For Bolt, Dowel Or Threaded Rod.....	11.14	
<i>For >10 To 50, Deduct</i>	-0.54	
<i>For >50 To 100, Deduct</i>	-1.08	
<i>For >100, Deduct</i>	-2.16	
05 05 19 00-0184 EA 3/8" Chemical Adhesive For Bolt, Dowel Or Threaded Rod.....	13.97	
<i>For >10 To 50, Deduct</i>	-0.67	
<i>For >50 To 100, Deduct</i>	-1.35	
<i>For >100, Deduct</i>	-2.71	
05 05 19 00-0185 EA 1/2" Chemical Adhesive For Bolt, Dowel Or Threaded Rod.....	15.90	
<i>For >10 To 50, Deduct</i>	-0.75	
<i>For >50 To 100, Deduct</i>	-1.53	
<i>For >100, Deduct</i>	-3.06	
05 05 19 00-0186 EA 5/8" Chemical Adhesive For Bolt, Dowel Or Threaded Rod.....	20.61	
<i>For >10 To 50, Deduct</i>	-0.93	
<i>For >50 To 100, Deduct</i>	-1.91	
<i>For >100, Deduct</i>	-3.83	
05 05 19 00-0187 EA 3/4" Chemical Adhesive For Bolt, Dowel Or Threaded Rod.....	25.63	
<i>For >10 To 50, Deduct</i>	-1.11	
<i>For >50 To 100, Deduct</i>	-2.31	
<i>For >100, Deduct</i>	-4.61	
05 05 19 00-0188 EA 7/8" Chemical Adhesive For Bolt, Dowel Or Threaded Rod.....	28.59	
<i>For >10 To 50, Deduct</i>	-1.20	
<i>For >50 To 100, Deduct</i>	-2.52	
<i>For >100, Deduct</i>	-5.03	
05 05 19 00-0189 EA 1" Chemical Adhesive For Bolt, Dowel Or Threaded Rod.....	38.03	
<i>For >10 To 50, Deduct</i>	-1.56	
<i>For >50 To 100, Deduct</i>	-3.29	
<i>For >100, Deduct</i>	-6.58	
05 05 19 00-0190 EA 1-1/8" Chemical Adhesive For Bolt, Dowel Or Threaded Rod.....	43.67	
<i>For >10 To 50, Deduct</i>	-1.76	
<i>For >50 To 100, Deduct</i>	-3.73	
<i>For >100, Deduct</i>	-7.47	
05 05 19 00-0191 EA 1-1/4" Chemical Adhesive For Bolt, Dowel Or Threaded Rod.....	50.26	
<i>For >10 To 50, Deduct</i>	-1.96	
<i>For >50 To 100, Deduct</i>	-4.20	
<i>For >100, Deduct</i>	-8.41	

05 Metals**05 05 Common Work Results For Metals****05 05 19 Post-Installed Concrete Anchors**

MINOR		TOTAL DIRECT	DEMOLITION
CSI	UOM DESCRIPTION	UNIT COST	UNIT COST
05 05 19 00-0192	EA 1-3/8" Chemical Adhesive For Bolt, Dowel Or Threaded Rod.....	54.79	
	<i>For >10 To 50, Deduct</i>	-2.05	
	<i>For >50 To 100, Deduct</i>	-4.45	
	<i>For >100, Deduct</i>	-8.90	
05 05 19 00-0193	EA 1-1/2" Chemical Adhesive For Bolt, Dowel Or Threaded Rod.....	61.15	
	<i>For >10 To 50, Deduct</i>	-2.14	
	<i>For >50 To 100, Deduct</i>	-4.74	
	<i>For >100, Deduct</i>	-9.49	
05 05 19 00-0194	EA 1-3/4" Chemical Adhesive For Bolt, Dowel Or Threaded Rod.....	73.87	
	<i>For >10 To 50, Deduct</i>	-2.32	
	<i>For >50 To 100, Deduct</i>	-5.33	
	<i>For >100, Deduct</i>	-10.66	
05 05 19 00-0195	EA 2" Chemical Adhesive For Bolt, Dowel Or Threaded Rod.....	103.08	
	<i>For >10 To 50, Deduct</i>	-2.41	
	<i>For >50 To 100, Deduct</i>	-6.19	
	<i>For >100, Deduct</i>	-12.39	
05 05 19 00-0196	Grout Concrete Anchor Bolt Or Threaded Rod (05 05 19 00-0199)		
05 05 19 00-0197	EA Grout Concrete Anchor Bolt or Threaded Rod.....	3.95	
	<i>For >10 To 50, Deduct</i>	-0.19	
	<i>For >50 To 100, Deduct</i>	-0.39	
	<i>For >100, Deduct</i>	-0.77	
05 05 19 00-0198	Other Concrete And Masonry Anchors (05 05 19 00-0001)		
05 05 19 00-0199	Tapcon Masonry Screws (05 05 19 00-0198)		
	Note: Includes drilling. Countersunk or hex head.		
05 05 19 00-0200	EA 3/16" x 1-1/4" Tapcon Masonry Screw.....	9.20	
	<i>For >10 To 50, Deduct</i>	-0.45	
	<i>For >50 To 100, Deduct</i>	-0.90	
	<i>For >100, Deduct</i>	-1.80	
05 05 19 00-0201	EA 3/16" x 2-1/4" Tapcon Masonry Screw.....	9.28	
	<i>For >10 To 50, Deduct</i>	-0.45	
	<i>For >50 To 100, Deduct</i>	-0.90	
	<i>For >100, Deduct</i>	-1.80	
05 05 19 00-0202	EA 3/16" x 3-1/4" Tapcon Masonry Screw.....	9.43	
	<i>For >10 To 50, Deduct</i>	-0.45	
	<i>For >50 To 100, Deduct</i>	-0.91	
	<i>For >100, Deduct</i>	-1.81	
05 05 19 00-0203	EA 1/4" x 1-1/4" Tapcon Masonry Screw.....	9.29	
	<i>For >10 To 50, Deduct</i>	-0.45	
	<i>For >50 To 100, Deduct</i>	-0.90	
	<i>For >100, Deduct</i>	-1.80	
05 05 19 00-0204	EA 1/4" x 2-1/4" Tapcon Masonry Screw.....	9.38	
	<i>For >10 To 50, Deduct</i>	-0.45	
	<i>For >50 To 100, Deduct</i>	-0.90	
	<i>For >100, Deduct</i>	-1.81	
05 05 19 00-0205	EA 1/4" x 3-1/4" Tapcon Masonry Screw.....	9.56	
	<i>For >10 To 50, Deduct</i>	-0.45	
	<i>For >50 To 100, Deduct</i>	-0.91	
	<i>For >100, Deduct</i>	-1.82	
05 05 19 00-0206	Large Diameter, Self-Threading Concrete Fasteners (05 05 19 00-0198)		
	Note: Includes drilling. Zinc plated.		
05 05 19 00-0207	EA 3/8" x 1-3/4", Large Diameter, Self-Threading Concrete Fastener.....	9.70	
	<i>For >10 To 50, Deduct</i>	-0.45	
	<i>For >50 To 100, Deduct</i>	-0.91	
	<i>For >100, Deduct</i>	-1.82	
05 05 19 00-0208	EA 3/8" x 2-1/2", Large Diameter, Self-Threading Concrete Fastener.....	9.98	
	<i>For >10 To 50, Deduct</i>	-0.45	
	<i>For >50 To 100, Deduct</i>	-0.92	
	<i>For >100, Deduct</i>	-1.84	
05 05 19 00-0209	EA 3/8" x 3", Large Diameter, Self-Threading Concrete Fastener.....	10.05	
	<i>For >10 To 50, Deduct</i>	-0.45	
	<i>For >50 To 100, Deduct</i>	-0.92	
	<i>For >100, Deduct</i>	-1.84	
05 05 19 00-0210	EA 3/8" x 4", Large Diameter, Self-Threading Concrete Fastener.....	10.19	
	<i>For >10 To 50, Deduct</i>	-0.45	
	<i>For >50 To 100, Deduct</i>	-0.92	
	<i>For >100, Deduct</i>	-1.85	
05 05 19 00-0211	EA 3/8" x 5", Large Diameter, Self-Threading Concrete Fastener.....	10.30	
	<i>For >10 To 50, Deduct</i>	-0.45	
	<i>For >50 To 100, Deduct</i>	-0.93	
	<i>For >100, Deduct</i>	-1.85	
05 05 19 00-0212	EA 1/2" x 3", Large Diameter, Self-Threading Concrete Fastener.....	10.54	
	<i>For >10 To 50, Deduct</i>	-0.45	
	<i>For >50 To 100, Deduct</i>	-0.93	
	<i>For >100, Deduct</i>	-1.87	
05 05 19 00-0213	EA 1/2" x 4", Large Diameter, Self-Threading Concrete Fastener.....	10.84	
	<i>For >10 To 50, Deduct</i>	-0.45	
	<i>For >50 To 100, Deduct</i>	-0.94	
	<i>For >100, Deduct</i>	-1.88	



	MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 05 19 00-0214	EA			1/2" x 5", Large Diameter, Self-Threading Concrete Fastener11.11 <i>For >10 To 50, Deduct</i> -0.45 <i>For >50 To 100, Deduct</i> -0.95 <i>For >100, Deduct</i> -1.90		
05 05 19 00-0215	EA			1/2" x 6", Large Diameter, Self-Threading Concrete Fastener11.88 <i>For >10 To 50, Deduct</i> -0.45 <i>For >50 To 100, Deduct</i> -0.97 <i>For >100, Deduct</i> -1.93		
05 05 19 00-0216	EA			5/8" x 3", Large Diameter, Self-Threading Concrete Fastener11.97 <i>For >10 To 50, Deduct</i> -0.45 <i>For >50 To 100, Deduct</i> -0.97 <i>For >100, Deduct</i> -1.94		
05 05 19 00-0217	EA			5/8" x 4", Large Diameter, Self-Threading Concrete Fastener12.44 <i>For >10 To 50, Deduct</i> -0.45 <i>For >50 To 100, Deduct</i> -0.98 <i>For >100, Deduct</i> -1.96		
05 05 19 00-0218	EA			5/8" x 5", Large Diameter, Self-Threading Concrete Fastener12.92 <i>For >10 To 50, Deduct</i> -0.45 <i>For >50 To 100, Deduct</i> -0.99 <i>For >100, Deduct</i> -1.99		
05 05 19 00-0219	EA			5/8" x 6", Large Diameter, Self-Threading Concrete Fastener13.23 <i>For >10 To 50, Deduct</i> -0.45 <i>For >50 To 100, Deduct</i> -1.00 <i>For >100, Deduct</i> -2.00		
05 05 19 00-0220	EA			3/4" x 4-1/2", Large Diameter, Self-Threading Concrete Fastener13.09 <i>For >10 To 50, Deduct</i> -0.45 <i>For >50 To 100, Deduct</i> -1.00 <i>For >100, Deduct</i> -1.99		
05 05 19 00-0221	EA			3/4" x 5-1/2", Large Diameter, Self-Threading Concrete Fastener13.54 <i>For >10 To 50, Deduct</i> -0.45 <i>For >50 To 100, Deduct</i> -1.01 <i>For >100, Deduct</i> -2.02		
05 05 19 00-0222	EA			3/4" x 6-1/4", Large Diameter, Self-Threading Concrete Fastener14.58 <i>For >10 To 50, Deduct</i> -0.45 <i>For >50 To 100, Deduct</i> -1.03 <i>For >100, Deduct</i> -2.07		
05 05 19 00-0223				Pin Bolt Drives <small>(05 05 19 00-0198)</small> Note: Includes drilling, Zinc plated.		
05 05 19 00-0224	EA			1/4" x 1" Pin Bolt Drive5.78 <i>For >10 To 50, Deduct</i> -0.27 <i>For >50 To 100, Deduct</i> -0.55 <i>For >100, Deduct</i> -1.09		
05 05 19 00-0225	EA			1/4" x 1-1/4" Pin Bolt Drive5.78 <i>For >10 To 50, Deduct</i> -0.27 <i>For >50 To 100, Deduct</i> -0.55 <i>For >100, Deduct</i> -1.09		
05 05 19 00-0226	EA			1/4" x 1-1/2" Pin Bolt Drive5.84 <i>For >10 To 50, Deduct</i> -0.27 <i>For >50 To 100, Deduct</i> -0.55 <i>For >100, Deduct</i> -1.10		
05 05 19 00-0227	EA			1/4" x 2" Pin Bolt Drive5.85 <i>For >10 To 50, Deduct</i> -0.27 <i>For >50 To 100, Deduct</i> -0.55 <i>For >100, Deduct</i> -1.10		
05 05 19 00-0228				Powder Actuated, Shot-In Place Anchors <small>(05 05 19 00-0198)</small>		
05 05 19 00-0229	EA			0.15" Diameter x 1/2" Length, Stud Powder Actuated Anchor1.47 <i>For >10 To 50, Deduct</i> -0.06 <i>For >50 To 100, Deduct</i> -0.13 <i>For >100, Deduct</i> -0.26		
05 05 19 00-0230	EA			0.15" Diameter x 3/4" Length, Stud Powder Actuated Anchor1.55 <i>For >10 To 50, Deduct</i> -0.06 <i>For >50 To 100, Deduct</i> -0.13 <i>For >100, Deduct</i> -0.27		
05 05 19 00-0231	EA			0.15"/0.18" Diameter x 1" Length, Stud Powder Actuated Anchor1.69 <i>For >10 To 50, Deduct</i> -0.07 <i>For >50 To 100, Deduct</i> -0.14 <i>For >100, Deduct</i> -0.29		
05 05 19 00-0232	EA			0.15"/0.18" Diameter x 1-1/4" Length, Stud Powder Actuated Anchor1.88 <i>For >10 To 50, Deduct</i> -0.07 <i>For >50 To 100, Deduct</i> -0.15 <i>For >100, Deduct</i> -0.31		
05 05 19 00-0233	EA			0.15"/0.18" Diameter x 1-7/8" Length, Stud Powder Actuated Anchor1.99 <i>For >10 To 50, Deduct</i> -0.07 <i>For >50 To 100, Deduct</i> -0.16 <i>For >100, Deduct</i> -0.31		
05 05 19 00-0234				Powder Actuated, Shot-In Place Anchors With Exposed Thread <small>(05 05 19 00-0198)</small>		

05 Metals**05 05 Common Work Results For Metals****05 05 19 Post-Installed Concrete Anchors**

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 05 19 00-0235 EA 0.145" Diameter x 1" Long Shank, 3/4" Thread Length, 1/4" - 20 Treaded Stud Powder Actuated Anchor	1.77	
For >10 To 50, Deduct	-0.06	
For >50 To 100, Deduct	-0.14	
For >100, Deduct	-0.28	
05 05 19 00-0236 EA 0.205" Diameter x 1-1/16" Long Shank, 1" Thread Length, 3/8" - 16 Treaded Stud Powder Actuated Anchor	2.43	
For >10 To 50, Deduct	-0.08	
For >50 To 100, Deduct	-0.17	
For >100, Deduct	-0.35	
05 05 21 Fastening Methods for Metal (05 05)		
05 05 21 00-0001 Welding (05 05 21)		
05 05 21 00-0002 Welding Minimum Charge (05 05 21 00-0001)		
05 05 21 00-0003 EA Welding Minimum Charge	395.74	
Note: For projects where the total welding charge is less than the minimum charge, use this task exclusively. This task should not be used in conjunction with any other tasks in this section.		
05 05 21 00-0004 Spot Welding (05 05 21 00-0001)		
05 05 21 00-0005 EA Up To 15 Spot Weldings, Welds Up To 1" Length Each	10.19	
For Aluminum Welding, Add	1.58	
For Stainless Steel Welding, Add	2.61	
05 05 21 00-0006 EA >15 Spot Weldings, Welds Up To 1" Length Each	7.94	
For Aluminum Welding, Add	1.24	
For Stainless Steel Welding, Add	2.05	
05 05 21 00-0007 Field Welding (Seam And Stitch Welding) (05 05 21 00-0001)		
05 05 21 00-0008 Vertical Fillet Welds (05 05 21 00-0007)		
Note: For existing steel and moment connections. Includes tack welds for proper alignment until the final welds are made.		
05 05 21 00-0009 LF 1/8" Vertical Fillet Weld	6.40	
For Aluminum Welding, Add	1.21	
For Stainless Steel Welding, Add	1.92	
For Up To 25, Add	2.14	
For >25 To 50, Add	1.52	
05 05 21 00-0010 LF 3/16" Vertical Fillet Weld	12.48	
For Aluminum Welding, Add	2.18	
For Stainless Steel Welding, Add	3.50	
For Up To 25, Add	4.24	
For >25 To 50, Add	3.02	
05 05 21 00-0011 LF 1/4" Vertical Fillet Weld	18.73	
For Aluminum Welding, Add	3.28	
For Stainless Steel Welding, Add	5.27	
For Up To 25, Add	6.36	
For >25 To 50, Add	4.53	
05 05 21 00-0012 LF 5/16" Vertical Fillet Weld	24.72	
For Aluminum Welding, Add	4.34	
For Stainless Steel Welding, Add	6.98	
For Up To 25, Add	8.39	
For >25 To 50, Add	5.97	
05 05 21 00-0013 LF 3/8" Vertical Fillet Weld	31.22	
For Aluminum Welding, Add	5.46	
For Stainless Steel Welding, Add	8.78	
For Up To 25, Add	10.60	
For >25 To 50, Add	7.55	
05 05 21 00-0014 LF 7/16" Vertical Fillet Weld	36.46	
For Aluminum Welding, Add	6.09	
For Stainless Steel Welding, Add	9.89	
For Up To 25, Add	12.50	
For >25 To 50, Add	8.91	
05 05 21 00-0015 LF 1/2" Vertical Fillet Weld	42.67	
For Aluminum Welding, Add	7.49	
For Stainless Steel Welding, Add	12.03	
For Up To 25, Add	14.48	
For >25 To 50, Add	10.31	
05 05 21 00-0016 LF 9/16" Vertical Fillet Weld	50.05	
For Aluminum Welding, Add	8.48	
For Stainless Steel Welding, Add	13.73	
For Up To 25, Add	17.11	
For >25 To 50, Add	12.19	
05 05 21 00-0017 LF 5/8" Vertical Fillet Weld	58.02	
For Aluminum Welding, Add	9.86	
For Stainless Steel Welding, Add	15.95	
For Up To 25, Add	19.83	
For >25 To 50, Add	14.12	
05 05 21 00-0018 LF 3/4" Vertical Fillet Weld	78.09	
For Aluminum Welding, Add	13.69	
For Stainless Steel Welding, Add	22.00	
For Up To 25, Add	26.51	
For >25 To 50, Add	18.86	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 05 21 00-0019 LF 7/8" Vertical Fillet Weld <i>For Aluminum Welding, Add</i> <i>For Stainless Steel Welding, Add</i> <i>For Up To 25, Add</i> <i>For >25 To 50, Add</i>	115.87 19.59 31.73 39.63 28.23	
05 05 21 00-0020 LF 1" Vertical Fillet Weld <i>For Aluminum Welding, Add</i> <i>For Stainless Steel Welding, Add</i> <i>For Up To 25, Add</i> <i>For >25 To 50, Add</i>	155.76 27.07 43.57 52.97 37.71	
05 05 21 00-0021 Horizontal Or Flat Fillet Welds <small>(05 05 21 00-0007)</small> Note: For existing steel and moment connections. Includes tack welds for proper alignment until the final welds are made.		
05 05 21 00-0022 LF 1/8" Horizontal Or Flat Fillet Weld <i>For Aluminum Welding, Add</i> <i>For Stainless Steel Welding, Add</i> <i>For Up To 25, Add</i> <i>For >25 To 50, Add</i>	5.38 1.06 1.66 1.78 1.26	
05 05 21 00-0023 LF 3/16" Horizontal Or Flat Fillet Weld <i>For Aluminum Welding, Add</i> <i>For Stainless Steel Welding, Add</i> <i>For Up To 25, Add</i> <i>For >25 To 50, Add</i>	10.55 1.91 3.04 3.56 2.53	
05 05 21 00-0024 LF 1/4" Horizontal Or Flat Fillet Weld <i>For Aluminum Welding, Add</i> <i>For Stainless Steel Welding, Add</i> <i>For Up To 25, Add</i> <i>For >25 To 50, Add</i>	15.76 2.85 4.55 5.31 3.78	
05 05 21 00-0025 LF 5/16" Horizontal Or Flat Fillet Weld <i>For Aluminum Welding, Add</i> <i>For Stainless Steel Welding, Add</i> <i>For Up To 25, Add</i> <i>For >25 To 50, Add</i>	20.84 3.79 6.04 7.02 4.99	
05 05 21 00-0026 LF 3/8" Horizontal Or Flat Fillet Weld <i>For Aluminum Welding, Add</i> <i>For Stainless Steel Welding, Add</i> <i>For Up To 25, Add</i> <i>For >25 To 50, Add</i>	26.31 4.76 7.59 8.87 6.31	
05 05 21 00-0027 LF 7/16" Horizontal Or Flat Fillet Weld <i>For Aluminum Welding, Add</i> <i>For Stainless Steel Welding, Add</i> <i>For Up To 25, Add</i> <i>For >25 To 50, Add</i>	30.63 5.24 8.47 10.45 7.44	
05 05 21 00-0028 LF 1/2" Horizontal Or Flat Fillet Weld <i>For Aluminum Welding, Add</i> <i>For Stainless Steel Welding, Add</i> <i>For Up To 25, Add</i> <i>For >25 To 50, Add</i>	35.93 6.53 10.41 12.10 8.60	
05 05 21 00-0029 LF 9/16" Horizontal Or Flat Fillet Weld <i>For Aluminum Welding, Add</i> <i>For Stainless Steel Welding, Add</i> <i>For Up To 25, Add</i> <i>For >25 To 50, Add</i>	42.12 7.36 11.83 14.31 10.18	
05 05 21 00-0030 LF 5/8" Horizontal Or Flat Fillet Weld <i>For Aluminum Welding, Add</i> <i>For Stainless Steel Welding, Add</i> <i>For Up To 25, Add</i> <i>For >25 To 50, Add</i>	49.00 8.70 13.94 16.59 11.80	
05 05 21 00-0031 LF 3/4" Horizontal Or Flat Fillet Weld <i>For Aluminum Welding, Add</i> <i>For Stainless Steel Welding, Add</i> <i>For Up To 25, Add</i> <i>For >25 To 50, Add</i>	65.83 11.96 19.06 22.17 15.76	
05 05 21 00-0032 LF 7/8" Horizontal Or Flat Fillet Weld <i>For Aluminum Welding, Add</i> <i>For Stainless Steel Welding, Add</i> <i>For Up To 25, Add</i> <i>For >25 To 50, Add</i>	96.93 16.60 26.81 33.07 23.54	
05 05 21 00-0033 LF 1" Horizontal Or Flat Fillet Weld <i>For Aluminum Welding, Add</i> <i>For Stainless Steel Welding, Add</i> <i>For Up To 25, Add</i> <i>For >25 To 50, Add</i>	130.81 23.50 37.56 44.17 31.41	
05 05 23 Metal Fastenings <small>(05 05)</small>		
05 05 23 00-0001 Hex Bolts <small>(05 05 23)</small> Note: For owner furnished materials or where requested by the owner. Excludes drilling through wood, steel, concrete, brick or block. See CSI section 02 41 19 13-0269 for drilling into concrete, 02 41 19 13-0279 for drilling into brick or block, 02 41 19 13-0289 for drilling into wood or plastic, 05 05 23 00-1567 for drilling through steel.		
05 05 23 00-0002 A307B Heavy Hex Bolts <small>(05 05 23 00-0001)</small> Note: Includes A307B heavy hex nut and two structural washers.		

05 Metals

05 05 Common Work Results For Metals

05 05 23 Metal Fastenings



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 05 23 00-0003			Plain Finish A307B Heavy Hex Bolts <small>(05 05 23 00-0002)</small>		
05 05 23 00-0004	EA		1/2" Diameter x 1-1/2" Long, Plain Finish A307B Heavy Hex Bolt	11.99	1.15
			For >10 To 50, Deduct	-0.48	
			For >50 To 100, Deduct	-1.02	
			For >100, Deduct	-2.04	
05 05 23 00-0005	EA		1/2" Diameter x 3" Long, Plain Finish A307B Heavy Hex Bolt.....	13.37	1.15
			For >10 To 50, Deduct	-0.48	
			For >50 To 100, Deduct	-1.05	
			For >100, Deduct	-2.11	
05 05 23 00-0006	EA		5/8" Diameter x 2" Long, Plain Finish A307B Heavy Hex Bolt.....	13.41	1.15
			For >10 To 50, Deduct	-0.48	
			For >50 To 100, Deduct	-1.06	
			For >100, Deduct	-2.11	
05 05 23 00-0007	EA		5/8" Diameter x 4" Long, Plain Finish A307B Heavy Hex Bolt.....	16.05	1.32
			For >10 To 50, Deduct	-0.55	
			For >50 To 100, Deduct	-1.22	
			For >100, Deduct	-2.45	
05 05 23 00-0008	EA		3/4" Diameter x 2" Long, Plain Finish A307B Heavy Hex Bolt.....	15.73	1.15
			For >10 To 50, Deduct	-0.48	
			For >50 To 100, Deduct	-1.11	
			For >100, Deduct	-2.23	
05 05 23 00-0009	EA		3/4" Diameter x 4" Long, Plain Finish A307B Heavy Hex Bolt.....	18.93	1.32
			For >10 To 50, Deduct	-0.55	
			For >50 To 100, Deduct	-1.30	
			For >100, Deduct	-2.59	
05 05 23 00-0010	EA		3/4" Diameter x 6" Long, Plain Finish A307B Heavy Hex Bolt.....	24.29	1.38
			For >10 To 50, Deduct	-0.57	
			For >50 To 100, Deduct	-1.47	
			For >100, Deduct	-2.93	
05 05 23 00-0011	EA		3/4" Diameter x 8" Long, Plain Finish A307B Heavy Hex Bolt.....	26.12	1.45
			For >10 To 50, Deduct	-0.60	
			For >50 To 100, Deduct	-1.56	
			For >100, Deduct	-3.11	
05 05 23 00-0012	EA		7/8" Diameter x 2" Long, Plain Finish A307B Heavy Hex Bolt.....	19.00	1.25
			For >10 To 50, Deduct	-0.52	
			For >50 To 100, Deduct	-1.26	
			For >100, Deduct	-2.51	
05 05 23 00-0013	EA		7/8" Diameter x 4" Long, Plain Finish A307B Heavy Hex Bolt.....	23.08	1.38
			For >10 To 50, Deduct	-0.57	
			For >50 To 100, Deduct	-1.44	
			For >100, Deduct	-2.87	
05 05 23 00-0014	EA		1" Diameter x 4" Long, Plain Finish A307B Heavy Hex Bolt	27.36	1.45
			For >10 To 50, Deduct	-0.60	
			For >50 To 100, Deduct	-1.59	
			For >100, Deduct	-3.18	
05 05 23 00-0015	EA		1" Diameter x 6" Long, Plain Finish A307B Heavy Hex Bolt	39.72	1.52
			For >10 To 50, Deduct	-0.63	
			For >50 To 100, Deduct	-1.94	
			For >100, Deduct	-3.89	
05 05 23 00-0016	EA		1-1/4" Diameter x 4" Long, Plain Finish A307B Heavy Hex Bolt	46.58	1.72
			For >10 To 50, Deduct	-0.72	
			For >50 To 100, Deduct	-2.24	
			For >100, Deduct	-4.47	
05 05 23 00-0017	EA		1-1/4" Diameter x 6" Long, Plain Finish A307B Heavy Hex Bolt	52.53	1.84
			For >10 To 50, Deduct	-0.77	
			For >50 To 100, Deduct	-2.46	
			For >100, Deduct	-4.92	
05 05 23 00-0018			Galvanized A307B Heavy Hex Bolts <small>(05 05 23 00-0002)</small>		
05 05 23 00-0019	EA		1/2" Diameter x 1-1/2" Long, Galvanized A307B Heavy Hex Bolt.....	12.67	1.15
			For >10 To 50, Deduct	-0.48	
			For >50 To 100, Deduct	-1.04	
			For >100, Deduct	-2.07	
05 05 23 00-0020	EA		1/2" Diameter x 3" Long, Galvanized A307B Heavy Hex Bolt	13.83	1.15
			For >10 To 50, Deduct	-0.48	
			For >50 To 100, Deduct	-1.07	
			For >100, Deduct	-2.13	
05 05 23 00-0021	EA		5/8" Diameter x 2" Long, Galvanized A307B Heavy Hex Bolt	15.08	1.15
			For >10 To 50, Deduct	-0.48	
			For >50 To 100, Deduct	-1.10	
			For >100, Deduct	-2.19	
05 05 23 00-0022	EA		5/8" Diameter x 4" Long, Galvanized A307B Heavy Hex Bolt	17.72	1.32
			For >10 To 50, Deduct	-0.55	
			For >50 To 100, Deduct	-1.27	
			For >100, Deduct	-2.53	
05 05 23 00-0023	EA		3/4" Diameter x 2" Long, Galvanized A307B Heavy Hex Bolt	17.63	1.15
			For >10 To 50, Deduct	-0.48	
			For >50 To 100, Deduct	-1.16	
			For >100, Deduct	-2.32	
05 05 23 00-0024	EA		3/4" Diameter x 4" Long, Galvanized A307B Heavy Hex Bolt	22.44	1.32
			For >10 To 50, Deduct	-0.55	
			For >50 To 100, Deduct	-1.38	
			For >100, Deduct	-2.77	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 05 23 00-0025 EA 3/4" Diameter x 6" Long, Galvanized A307B Heavy Hex Bolt <i>For >10 To 50, Deduct</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	30.34 -0.57 -1.62 -3.24	1.38
05 05 23 00-0026 EA 3/4" Diameter x 8" Long, Galvanized A307B Heavy Hex Bolt <i>For >10 To 50, Deduct</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	35.91 -0.60 -1.80 -3.60	1.45
05 05 23 00-0027 EA 7/8" Diameter x 2" Long, Galvanized A307B Heavy Hex Bolt <i>For >10 To 50, Deduct</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	23.97 -0.52 -1.38 -2.76	1.25
05 05 23 00-0028 EA 7/8" Diameter x 4" Long, Galvanized A307B Heavy Hex Bolt <i>For >10 To 50, Deduct</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	28.68 -0.57 -1.58 -3.15	1.38
05 05 23 00-0029 EA 1" Diameter x 4" Long, Galvanized A307B Heavy Hex Bolt <i>For >10 To 50, Deduct</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	34.59 -0.60 -1.77 -3.54	1.45
05 05 23 00-0030 EA 1" Diameter x 6" Long, Galvanized A307B Heavy Hex Bolt <i>For >10 To 50, Deduct</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	52.82 -0.63 -2.27 -4.54	1.52
05 05 23 00-0031 EA 1-1/4" Diameter x 4" Long, Galvanized A307B Heavy Hex Bolt <i>For >10 To 50, Deduct</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	52.44 -0.72 -2.38 -4.77	1.72
05 05 23 00-0032 EA 1-1/4" Diameter x 6" Long, Galvanized A307B Heavy Hex Bolt <i>For >10 To 50, Deduct</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	66.10 -0.77 -2.80 -5.60	1.84
05 05 23 00-0033 A325 High Strength Structural Bolts <small>(05 05 23 00-0001)</small>		
05 05 23 00-0034 Plain Finish A325 High Strength Structural Bolts <small>(05 05 23 00-0033)</small> Note: Includes A325 heavy hex nut and structural washer.		
05 05 23 00-0035 EA 1/2" Diameter x 1-1/2" Long, Plain Finish A325 High Strength Structural Bolt <i>For >10 To 50, Deduct</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	11.67 -0.48 -1.01 -2.02	1.15
05 05 23 00-0036 EA 1/2" Diameter x 3" Long, Plain Finish A325 High Strength Structural Bolt <i>For >10 To 50, Deduct</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	11.98 -0.48 -1.02 -2.04	1.15
05 05 23 00-0037 EA 5/8" Diameter x 2" Long, Plain Finish A325 High Strength Structural Bolt <i>For >10 To 50, Deduct</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	12.95 -0.48 -1.04 -2.09	1.15
05 05 23 00-0038 EA 5/8" Diameter x 4" Long, Plain Finish A325 High Strength Structural Bolt <i>For >10 To 50, Deduct</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	16.07 -0.55 -1.22 -2.45	1.32
05 05 23 00-0039 EA 5/8" Diameter x 6" Long, Plain Finish A325 High Strength Structural Bolt <i>For >10 To 50, Deduct</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	18.89 -0.57 -1.33 -2.66	1.38
05 05 23 00-0040 EA 3/4" Diameter x 2" Long, Plain Finish A325 High Strength Structural Bolt <i>For >10 To 50, Deduct</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	14.31 -0.48 -1.08 -2.16	1.15
05 05 23 00-0041 EA 3/4" Diameter x 4" Long, Plain Finish A325 High Strength Structural Bolt <i>For >10 To 50, Deduct</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	17.52 -0.55 -1.26 -2.52	1.32
05 05 23 00-0042 EA 3/4" Diameter x 6" Long, Plain Finish A325 High Strength Structural Bolt <i>For >10 To 50, Deduct</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	20.17 -0.57 -1.36 -2.73	1.38
05 05 23 00-0043 EA 3/4" Diameter x 8" Long, Plain Finish A325 High Strength Structural Bolt <i>For >10 To 50, Deduct</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	25.26 -0.60 -1.54 -3.07	1.45
05 05 23 00-0044 EA 7/8" Diameter x 2" Long, Plain Finish A325 High Strength Structural Bolt <i>For >10 To 50, Deduct</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	16.77 -0.52 -1.20 -2.40	1.25
05 05 23 00-0045 EA 7/8" Diameter x 4" Long, Plain Finish A325 High Strength Structural Bolt <i>For >10 To 50, Deduct</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	20.70 -0.57 -1.38 -2.75	1.38
05 05 23 00-0046 EA 7/8" Diameter x 6" Long, Plain Finish A325 High Strength Structural Bolt <i>For >10 To 50, Deduct</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	23.85 -0.60 -1.50 -3.00	1.45

05 Metals**05 05 Common Work Results For Metals****05 05 23 Metal Fastenings**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 05 23 00-0047	EA		7/8" Diameter x 8" Long, Plain Finish A325 High Strength Structural Bolt	25.93	1.52
			<i>For >10 To 50, Deduct</i>	-0.63	
			<i>For >50 To 100, Deduct</i>	-1.60	
			<i>For >100, Deduct</i>	-3.20	
05 05 23 00-0048	EA		1" Diameter x 2" Long, Plain Finish A325 High Strength Structural Bolt	18.69	1.30
			<i>For >10 To 50, Deduct</i>	-0.54	
			<i>For >50 To 100, Deduct</i>	-1.28	
			<i>For >100, Deduct</i>	-2.56	
05 05 23 00-0049	EA		1" Diameter x 4" Long, Plain Finish A325 High Strength Structural Bolt	22.70	1.45
			<i>For >10 To 50, Deduct</i>	-0.60	
			<i>For >50 To 100, Deduct</i>	-1.47	
			<i>For >100, Deduct</i>	-2.94	
05 05 23 00-0050	EA		1" Diameter x 6" Long, Plain Finish A325 High Strength Structural Bolt	26.59	1.52
			<i>For >10 To 50, Deduct</i>	-0.63	
			<i>For >50 To 100, Deduct</i>	-1.61	
			<i>For >100, Deduct</i>	-3.23	
05 05 23 00-0051	EA		1" Diameter x 8" Long, Plain Finish A325 High Strength Structural Bolt	34.66	1.62
			<i>For >10 To 50, Deduct</i>	-0.67	
			<i>For >50 To 100, Deduct</i>	-1.88	
			<i>For >100, Deduct</i>	-3.76	
05 05 23 00-0052	EA		1-1/4" Diameter x 3" Long, Plain Finish A325 High Strength Structural Bolt	32.96	1.62
			<i>For >10 To 50, Deduct</i>	-0.67	
			<i>For >50 To 100, Deduct</i>	-1.84	
			<i>For >100, Deduct</i>	-3.67	
05 05 23 00-0053	EA		1-1/4" Diameter x 4" Long, Plain Finish A325 High Strength Structural Bolt	37.57	1.72
			<i>For >10 To 50, Deduct</i>	-0.72	
			<i>For >50 To 100, Deduct</i>	-2.01	
			<i>For >100, Deduct</i>	-4.02	
05 05 23 00-0054	EA		1-1/4" Diameter x 6" Long, Plain Finish A325 High Strength Structural Bolt	44.42	1.84
			<i>For >10 To 50, Deduct</i>	-0.77	
			<i>For >50 To 100, Deduct</i>	-2.26	
			<i>For >100, Deduct</i>	-4.52	
05 05 23 00-0055	EA		1-1/4" Diameter x 8" Long, Plain Finish A325 High Strength Structural Bolt	52.53	1.96
			<i>For >10 To 50, Deduct</i>	-0.82	
			<i>For >50 To 100, Deduct</i>	-2.54	
			<i>For >100, Deduct</i>	-5.08	
05 05 23 00-0056			Galvanized A325 High Strength Structural Bolts <small>(05 05 23 00-0033)</small>		
			Note: Includes A325 heavy hex nut and structural washer.		
05 05 23 00-0057	EA		1/2" Diameter x 1-1/2" Long, Galvanized A325 High Strength Structural Bolt	12.28	1.15
			<i>For >10 To 50, Deduct</i>	-0.48	
			<i>For >50 To 100, Deduct</i>	-1.03	
			<i>For >100, Deduct</i>	-2.05	
05 05 23 00-0058	EA		1/2" Diameter x 3" Long, Galvanized A325 High Strength Structural Bolt	12.50	1.15
			<i>For >10 To 50, Deduct</i>	-0.48	
			<i>For >50 To 100, Deduct</i>	-1.03	
			<i>For >100, Deduct</i>	-2.07	
05 05 23 00-0059	EA		5/8" Diameter x 2" Long, Galvanized A325 High Strength Structural Bolt	14.24	1.15
			<i>For >10 To 50, Deduct</i>	-0.48	
			<i>For >50 To 100, Deduct</i>	-1.08	
			<i>For >100, Deduct</i>	-2.15	
05 05 23 00-0060	EA		5/8" Diameter x 4" Long, Galvanized A325 High Strength Structural Bolt	16.99	1.32
			<i>For >10 To 50, Deduct</i>	-0.55	
			<i>For >50 To 100, Deduct</i>	-1.25	
			<i>For >100, Deduct</i>	-2.50	
05 05 23 00-0061	EA		5/8" Diameter x 6" Long, Galvanized A325 High Strength Structural Bolt	18.01	1.38
			<i>For >10 To 50, Deduct</i>	-0.57	
			<i>For >50 To 100, Deduct</i>	-1.31	
			<i>For >100, Deduct</i>	-2.62	
05 05 23 00-0062	EA		3/4" Diameter x 2" Long, Galvanized A325 High Strength Structural Bolt	14.90	1.15
			<i>For >10 To 50, Deduct</i>	-0.48	
			<i>For >50 To 100, Deduct</i>	-1.09	
			<i>For >100, Deduct</i>	-2.19	
05 05 23 00-0063	EA		3/4" Diameter x 4" Long, Galvanized A325 High Strength Structural Bolt	18.26	1.32
			<i>For >10 To 50, Deduct</i>	-0.55	
			<i>For >50 To 100, Deduct</i>	-1.28	
			<i>For >100, Deduct</i>	-2.56	
05 05 23 00-0064	EA		3/4" Diameter x 6" Long, Galvanized A325 High Strength Structural Bolt	21.33	1.38
			<i>For >10 To 50, Deduct</i>	-0.57	
			<i>For >50 To 100, Deduct</i>	-1.39	
			<i>For >100, Deduct</i>	-2.79	
05 05 23 00-0065	EA		3/4" Diameter x 8" Long, Galvanized A325 High Strength Structural Bolt	28.01	1.45
			<i>For >10 To 50, Deduct</i>	-0.60	
			<i>For >50 To 100, Deduct</i>	-1.60	
			<i>For >100, Deduct</i>	-3.21	
05 05 23 00-0066	EA		7/8" Diameter x 2" Long, Galvanized A325 High Strength Structural Bolt	20.32	1.25
			<i>For >10 To 50, Deduct</i>	-0.52	
			<i>For >50 To 100, Deduct</i>	-1.29	
			<i>For >100, Deduct</i>	-2.58	
05 05 23 00-0067	EA		7/8" Diameter x 4" Long, Galvanized A325 High Strength Structural Bolt	22.80	1.38
			<i>For >10 To 50, Deduct</i>	-0.57	
			<i>For >50 To 100, Deduct</i>	-1.43	
			<i>For >100, Deduct</i>	-2.86	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 05 23 00-0068 EA 7/8" Diameter x 6" Long, Galvanized A325 High Strength Structural Bolt.....	26.40	1.45
<i>For >10 To 50, Deduct</i>	-0.60	
<i>For >50 To 100, Deduct</i>	-1.56	
<i>For >100, Deduct</i>	-3.13	
05 05 23 00-0069 EA 7/8" Diameter x 8" Long, Galvanized A325 High Strength Structural Bolt.....	33.57	1.52
<i>For >10 To 50, Deduct</i>	-0.63	
<i>For >50 To 100, Deduct</i>	-1.79	
<i>For >100, Deduct</i>	-3.58	
05 05 23 00-0070 EA 1" Diameter x 2" Long, Galvanized A325 High Strength Structural Bolt.....	21.45	1.30
<i>For >10 To 50, Deduct</i>	-0.54	
<i>For >50 To 100, Deduct</i>	-1.35	
<i>For >100, Deduct</i>	-2.70	
05 05 23 00-0071 EA 1" Diameter x 4" Long, Galvanized A325 High Strength Structural Bolt.....	29.03	1.45
<i>For >10 To 50, Deduct</i>	-0.60	
<i>For >50 To 100, Deduct</i>	-1.63	
<i>For >100, Deduct</i>	-3.26	
05 05 23 00-0072 EA 1" Diameter x 6" Long, Galvanized A325 High Strength Structural Bolt.....	31.88	1.52
<i>For >10 To 50, Deduct</i>	-0.63	
<i>For >50 To 100, Deduct</i>	-1.75	
<i>For >100, Deduct</i>	-3.49	
05 05 23 00-0073 EA 1" Diameter x 8" Long, Galvanized A325 High Strength Structural Bolt.....	41.19	1.62
<i>For >10 To 50, Deduct</i>	-0.67	
<i>For >50 To 100, Deduct</i>	-2.04	
<i>For >100, Deduct</i>	-4.08	
05 05 23 00-0074 EA 1-1/4" Diameter x 3" Long, Galvanized A325 High Strength Structural Bolt.....	40.93	1.62
<i>For >10 To 50, Deduct</i>	-0.67	
<i>For >50 To 100, Deduct</i>	-2.03	
<i>For >100, Deduct</i>	-4.07	
05 05 23 00-0075 EA 1-1/4" Diameter x 4" Long, Galvanized A325 High Strength Structural Bolt.....	43.66	1.72
<i>For >10 To 50, Deduct</i>	-0.72	
<i>For >50 To 100, Deduct</i>	-2.16	
<i>For >100, Deduct</i>	-4.33	
05 05 23 00-0076 EA 1-1/4" Diameter x 6" Long, Galvanized A325 High Strength Structural Bolt.....	51.40	1.84
<i>For >10 To 50, Deduct</i>	-0.77	
<i>For >50 To 100, Deduct</i>	-2.43	
<i>For >100, Deduct</i>	-4.87	
05 05 23 00-0077 EA 1-1/4" Diameter x 8" Long, Galvanized A325 High Strength Structural Bolt.....	59.81	1.96
<i>For >10 To 50, Deduct</i>	-0.82	
<i>For >50 To 100, Deduct</i>	-2.72	
<i>For >100, Deduct</i>	-5.44	
05 05 23 00-0078 A490 High Strength Structural Bolts <small>(05 05 23 00-0001)</small>		
<i>Note: Includes A490 heavy hex nut and two structural washers.</i>		
05 05 23 00-0079 Plain Finish A490 High Strength Structural Bolts <small>(05 05 23 00-0078)</small>		
05 05 23 00-0080 EA 5/8" Diameter x 2" Long, Plain Finish A490 High Strength Structural Bolt.....	13.44	1.15
<i>For >10 To 50, Deduct</i>	-0.48	
<i>For >50 To 100, Deduct</i>	-1.06	
<i>For >100, Deduct</i>	-2.11	
05 05 23 00-0081 EA 5/8" Diameter x 4" Long, Plain Finish A490 High Strength Structural Bolt.....	19.39	1.32
<i>For >10 To 50, Deduct</i>	-0.55	
<i>For >50 To 100, Deduct</i>	-1.31	
<i>For >100, Deduct</i>	-2.62	
05 05 23 00-0082 EA 5/8" Diameter x 6" Long, Plain Finish A490 High Strength Structural Bolt.....	20.79	1.38
<i>For >10 To 50, Deduct</i>	-0.57	
<i>For >50 To 100, Deduct</i>	-1.38	
<i>For >100, Deduct</i>	-2.76	
05 05 23 00-0083 EA 3/4" Diameter x 2" Long, Plain Finish A490 High Strength Structural Bolt.....	15.31	1.15
<i>For >10 To 50, Deduct</i>	-0.48	
<i>For >50 To 100, Deduct</i>	-1.10	
<i>For >100, Deduct</i>	-2.21	
05 05 23 00-0084 EA 3/4" Diameter x 4" Long, Plain Finish A490 High Strength Structural Bolt.....	18.66	1.32
<i>For >10 To 50, Deduct</i>	-0.55	
<i>For >50 To 100, Deduct</i>	-1.29	
<i>For >100, Deduct</i>	-2.58	
05 05 23 00-0085 EA 3/4" Diameter x 6" Long, Plain Finish A490 High Strength Structural Bolt.....	22.01	1.38
<i>For >10 To 50, Deduct</i>	-0.57	
<i>For >50 To 100, Deduct</i>	-1.41	
<i>For >100, Deduct</i>	-2.82	
05 05 23 00-0086 EA 3/4" Diameter x 8" Long, Plain Finish A490 High Strength Structural Bolt.....	28.84	1.45
<i>For >10 To 50, Deduct</i>	-0.60	
<i>For >50 To 100, Deduct</i>	-1.62	
<i>For >100, Deduct</i>	-3.25	
05 05 23 00-0087 EA 7/8" Diameter x 2" Long, Plain Finish A490 High Strength Structural Bolt.....	17.92	1.25
<i>For >10 To 50, Deduct</i>	-0.52	
<i>For >50 To 100, Deduct</i>	-1.23	
<i>For >100, Deduct</i>	-2.46	
05 05 23 00-0088 EA 7/8" Diameter x 4" Long, Plain Finish A490 High Strength Structural Bolt.....	21.07	1.38
<i>For >10 To 50, Deduct</i>	-0.57	
<i>For >50 To 100, Deduct</i>	-1.38	
<i>For >100, Deduct</i>	-2.77	
05 05 23 00-0089 EA 7/8" Diameter x 6" Long, Plain Finish A490 High Strength Structural Bolt.....	31.33	1.45
<i>For >10 To 50, Deduct</i>	-0.60	
<i>For >50 To 100, Deduct</i>	-1.69	
<i>For >100, Deduct</i>	-3.37	

05 Metals**05 05 Common Work Results For Metals****05 05 23 Metal Fastenings**

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 05 23 00-0090 EA 1" Diameter x 2" Long, Plain Finish A490 High Strength Structural Bolt <i>For >10 To 50, Deduct</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	21.39 -0.54 -1.35 -2.69	1.30
05 05 23 00-0091 EA 1" Diameter x 4" Long, Plain Finish A490 High Strength Structural Bolt <i>For >10 To 50, Deduct</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	25.73 -0.60 -1.55 -3.09	1.45
05 05 23 00-0092 EA 1" Diameter x 6" Long, Plain Finish A490 High Strength Structural Bolt <i>For >10 To 50, Deduct</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	29.85 -0.63 -1.70 -3.39	1.52
05 05 23 00-0093 EA 1-1/4" Diameter x 3" Long, Plain Finish A490 High Strength Structural Bolt <i>For >10 To 50, Deduct</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	37.78 -0.67 -1.96 -3.91	1.62
05 05 23 00-0094 EA 1-1/4" Diameter x 4" Long, Plain Finish A490 High Strength Structural Bolt <i>For >10 To 50, Deduct</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	49.08 -0.72 -2.30 -4.60	1.72
05 05 23 00-0095 EA 1-1/4" Diameter x 6" Long, Plain Finish A490 High Strength Structural Bolt <i>For >10 To 50, Deduct</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	51.59 -0.77 -2.44 -4.88	1.84
05 05 23 00-0096 EA 1-1/4" Diameter x 8" Long, Plain Finish A490 High Strength Structural Bolt <i>For >10 To 50, Deduct</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	53.76 -0.82 -2.57 -5.14	1.96
05 05 23 00-0097 Hex Head Bolts <small>(05 05 23 00-0001)</small>		
05 05 23 00-0098 Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolts <small>(05 05 23 00-0097)</small>		
05 05 23 00-0099 1/4" Diameter, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolts <small>(05 05 23 00-0098)</small>		
05 05 23 00-0100 EA 1/4" Diameter x 1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	5.68 -1.12 -1.40 -1.67	
05 05 23 00-0101 EA 1/4" Diameter x 1" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	5.71 -1.12 -1.40 -1.67	
05 05 23 00-0102 EA 1/4" Diameter x 1-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	5.79 -1.12 -1.40 -1.67	
05 05 23 00-0103 EA 1/4" Diameter x 2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	5.83 -1.12 -1.40 -1.67	
05 05 23 00-0104 EA 1/4" Diameter x 2-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	6.04 -1.15 -1.44 -1.72	
05 05 23 00-0105 EA 1/4" Diameter x 3" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	6.07 -1.15 -1.44 -1.72	
05 05 23 00-0106 EA 1/4" Diameter x 3-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	6.19 -1.15 -1.44 -1.72	
05 05 23 00-0107 EA 1/4" Diameter x 4" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	6.36 -1.18 -1.48 -1.77	
05 05 23 00-0108 EA 1/4" Diameter x 4-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	6.40 -1.18 -1.48 -1.77	
05 05 23 00-0109 EA 1/4" Diameter x 5" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	6.58 -1.18 -1.48 -1.77	
05 05 23 00-0110 EA 1/4" Diameter x 5-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	6.88 -1.21 -1.52 -1.82	
05 05 23 00-0111 EA 1/4" Diameter x 6" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	7.01 -1.21 -1.52 -1.82	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 05 23 00-0112 EA 1/4" Diameter x 6-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt7.20 <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	-1.21 -1.52 -1.82	
05 05 23 00-0113 EA 1/4" Diameter x 7" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt7.78 <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	-1.25 -1.56 -1.87	
05 05 23 00-0114 EA 1/4" Diameter x 7-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt8.07 <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	-1.25 -1.56 -1.87	
05 05 23 00-0115 EA 1/4" Diameter x 8" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt8.15 <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	-1.25 -1.56 -1.87	
05 05 23 00-0116 5/16" Diameter, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolts <small>(05 05 23 00-0098)</small>		
05 05 23 00-0117 EA 5/16" Diameter x 1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt5.75 <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	-1.12 -1.40 -1.67	
05 05 23 00-0118 EA 5/16" Diameter x 1" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt5.78 <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	-1.12 -1.40 -1.67	
05 05 23 00-0119 EA 5/16" Diameter x 1-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt5.85 <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	-1.12 -1.40 -1.67	
05 05 23 00-0120 EA 5/16" Diameter x 2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt5.90 <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	-1.12 -1.40 -1.67	
05 05 23 00-0121 EA 5/16" Diameter x 2-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt6.12 <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	-1.15 -1.44 -1.72	
05 05 23 00-0122 EA 5/16" Diameter x 3" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt6.24 <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	-1.15 -1.44 -1.72	
05 05 23 00-0123 EA 5/16" Diameter x 3-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt6.29 <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	-1.15 -1.44 -1.72	
05 05 23 00-0124 EA 5/16" Diameter x 4" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt6.57 <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	-1.18 -1.48 -1.77	
05 05 23 00-0125 EA 5/16" Diameter x 4-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt6.75 <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	-1.18 -1.48 -1.77	
05 05 23 00-0126 EA 5/16" Diameter x 5" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt6.81 <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	-1.18 -1.48 -1.77	
05 05 23 00-0127 EA 5/16" Diameter x 5-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt7.03 <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	-1.21 -1.52 -1.82	
05 05 23 00-0128 EA 5/16" Diameter x 6" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt7.10 <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	-1.21 -1.52 -1.82	
05 05 23 00-0129 EA 5/16" Diameter x 6-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt7.76 <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	-1.21 -1.52 -1.82	
05 05 23 00-0130 EA 5/16" Diameter x 7" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt8.26 <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	-1.25 -1.56 -1.87	
05 05 23 00-0131 EA 5/16" Diameter x 7-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt8.55 <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	-1.25 -1.56 -1.87	
05 05 23 00-0132 EA 5/16" Diameter x 8" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt8.82 <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	-1.25 -1.56 -1.87	



MINOR CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 05 23 00-0133		3/8" Diameter, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolts (05 05 <small>23 00-0098</small>)		
05 05 23 00-0134	EA	3/8" Diameter x 1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	5.83	
		<i>For >100 To 250, Deduct</i>	-1.12	
		<i>For >250 To 500, Deduct</i>	-1.40	
		<i>For >500, Deduct</i>	-1.67	
05 05 23 00-0135	EA	3/8" Diameter x 1" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	5.86	
		<i>For >100 To 250, Deduct</i>	-1.12	
		<i>For >250 To 500, Deduct</i>	-1.40	
		<i>For >500, Deduct</i>	-1.67	
05 05 23 00-0136	EA	3/8" Diameter x 1-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	5.96	
		<i>For >100 To 250, Deduct</i>	-1.12	
		<i>For >250 To 500, Deduct</i>	-1.40	
		<i>For >500, Deduct</i>	-1.67	
05 05 23 00-0137	EA	3/8" Diameter x 2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	6.04	
		<i>For >100 To 250, Deduct</i>	-1.12	
		<i>For >250 To 500, Deduct</i>	-1.40	
		<i>For >500, Deduct</i>	-1.67	
05 05 23 00-0138	EA	3/8" Diameter x 2-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	6.28	
		<i>For >100 To 250, Deduct</i>	-1.15	
		<i>For >250 To 500, Deduct</i>	-1.44	
		<i>For >500, Deduct</i>	-1.72	
05 05 23 00-0139	EA	3/8" Diameter x 3" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	6.43	
		<i>For >100 To 250, Deduct</i>	-1.15	
		<i>For >250 To 500, Deduct</i>	-1.44	
		<i>For >500, Deduct</i>	-1.72	
05 05 23 00-0140	EA	3/8" Diameter x 3-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	6.58	
		<i>For >100 To 250, Deduct</i>	-1.15	
		<i>For >250 To 500, Deduct</i>	-1.44	
		<i>For >500, Deduct</i>	-1.72	
05 05 23 00-0141	EA	3/8" Diameter x 4" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	6.90	
		<i>For >100 To 250, Deduct</i>	-1.18	
		<i>For >250 To 500, Deduct</i>	-1.48	
		<i>For >500, Deduct</i>	-1.77	
05 05 23 00-0142	EA	3/8" Diameter x 4-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	7.09	
		<i>For >100 To 250, Deduct</i>	-1.18	
		<i>For >250 To 500, Deduct</i>	-1.48	
		<i>For >500, Deduct</i>	-1.77	
05 05 23 00-0143	EA	3/8" Diameter x 5" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	7.21	
		<i>For >100 To 250, Deduct</i>	-1.18	
		<i>For >250 To 500, Deduct</i>	-1.48	
		<i>For >500, Deduct</i>	-1.77	
05 05 23 00-0144	EA	3/8" Diameter x 5-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	7.57	
		<i>For >100 To 250, Deduct</i>	-1.21	
		<i>For >250 To 500, Deduct</i>	-1.52	
		<i>For >500, Deduct</i>	-1.82	
05 05 23 00-0145	EA	3/8" Diameter x 6" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	7.68	
		<i>For >100 To 250, Deduct</i>	-1.21	
		<i>For >250 To 500, Deduct</i>	-1.52	
		<i>For >500, Deduct</i>	-1.82	
05 05 23 00-0146	EA	3/8" Diameter x 6-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	7.76	
		<i>For >100 To 250, Deduct</i>	-1.21	
		<i>For >250 To 500, Deduct</i>	-1.52	
		<i>For >500, Deduct</i>	-1.82	
05 05 23 00-0147	EA	3/8" Diameter x 7" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	7.98	
		<i>For >100 To 250, Deduct</i>	-1.25	
		<i>For >250 To 500, Deduct</i>	-1.56	
		<i>For >500, Deduct</i>	-1.87	
05 05 23 00-0148	EA	3/8" Diameter x 7-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	8.11	
		<i>For >100 To 250, Deduct</i>	-1.25	
		<i>For >250 To 500, Deduct</i>	-1.56	
		<i>For >500, Deduct</i>	-1.87	
05 05 23 00-0149	EA	3/8" Diameter x 8" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	8.29	
		<i>For >100 To 250, Deduct</i>	-1.25	
		<i>For >250 To 500, Deduct</i>	-1.56	
		<i>For >500, Deduct</i>	-1.87	
05 05 23 00-0150		7/16" Diameter, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolts (05 05 <small>23 00-0098</small>)		
05 05 23 00-0151	EA	7/16" Diameter x 1" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	7.01	
		<i>For >100 To 250, Deduct</i>	-1.28	
		<i>For >250 To 500, Deduct</i>	-1.60	
		<i>For >500, Deduct</i>	-1.91	
05 05 23 00-0152	EA	7/16" Diameter x 1-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	7.13	
		<i>For >100 To 250, Deduct</i>	-1.28	
		<i>For >250 To 500, Deduct</i>	-1.60	
		<i>For >500, Deduct</i>	-1.91	
05 05 23 00-0153	EA	7/16" Diameter x 2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	7.15	
		<i>For >100 To 250, Deduct</i>	-1.28	
		<i>For >250 To 500, Deduct</i>	-1.60	
		<i>For >500, Deduct</i>	-1.91	
05 05 23 00-0154	EA	7/16" Diameter x 2-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	7.48	
		<i>For >100 To 250, Deduct</i>	-1.31	
		<i>For >250 To 500, Deduct</i>	-1.64	
		<i>For >500, Deduct</i>	-1.96	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 05 23 00-0155 EA 7/16" Diameter x 3" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	7.67	
<i>For >100 To 250, Deduct</i>	-1.31	
<i>For >250 To 500, Deduct</i>	-1.64	
<i>For >500, Deduct</i>	-1.96	
05 05 23 00-0156 EA 7/16" Diameter x 3-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	7.82	
<i>For >100 To 250, Deduct</i>	-1.31	
<i>For >250 To 500, Deduct</i>	-1.64	
<i>For >500, Deduct</i>	-1.96	
05 05 23 00-0157 EA 7/16" Diameter x 4" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	8.39	
<i>For >100 To 250, Deduct</i>	-1.34	
<i>For >250 To 500, Deduct</i>	-1.68	
<i>For >500, Deduct</i>	-2.01	
05 05 23 00-0158 EA 7/16" Diameter x 4-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	8.50	
<i>For >100 To 250, Deduct</i>	-1.34	
<i>For >250 To 500, Deduct</i>	-1.68	
<i>For >500, Deduct</i>	-2.01	
05 05 23 00-0159 EA 7/16" Diameter x 5" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	8.73	
<i>For >100 To 250, Deduct</i>	-1.34	
<i>For >250 To 500, Deduct</i>	-1.68	
<i>For >500, Deduct</i>	-2.01	
05 05 23 00-0160 EA 7/16" Diameter x 5-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	9.26	
<i>For >100 To 250, Deduct</i>	-1.37	
<i>For >250 To 500, Deduct</i>	-1.72	
<i>For >500, Deduct</i>	-2.06	
05 05 23 00-0161 EA 7/16" Diameter x 6" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	9.37	
<i>For >100 To 250, Deduct</i>	-1.37	
<i>For >250 To 500, Deduct</i>	-1.72	
<i>For >500, Deduct</i>	-2.06	
05 05 23 00-0162 EA 7/16" Diameter x 6-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	9.65	
<i>For >100 To 250, Deduct</i>	-1.37	
<i>For >250 To 500, Deduct</i>	-1.72	
<i>For >500, Deduct</i>	-2.06	
05 05 23 00-0163 EA 7/16" Diameter x 7" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	9.94	
<i>For >100 To 250, Deduct</i>	-1.40	
<i>For >250 To 500, Deduct</i>	-1.76	
<i>For >500, Deduct</i>	-2.11	
05 05 23 00-0164 EA 7/16" Diameter x 7-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	10.19	
<i>For >100 To 250, Deduct</i>	-1.40	
<i>For >250 To 500, Deduct</i>	-1.76	
<i>For >500, Deduct</i>	-2.11	
05 05 23 00-0165 EA 7/16" Diameter x 8" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	10.70	
<i>For >100 To 250, Deduct</i>	-1.40	
<i>For >250 To 500, Deduct</i>	-1.76	
<i>For >500, Deduct</i>	-2.11	
05 05 23 00-0166 1/2" Diameter, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolts <small>(05 05 23 00-0098)</small>		
05 05 23 00-0167 EA 1/2" Diameter x 1" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	6.91	
<i>For >100 To 250, Deduct</i>	-1.28	
<i>For >250 To 500, Deduct</i>	-1.60	
<i>For >500, Deduct</i>	-1.91	
05 05 23 00-0168 EA 1/2" Diameter x 1-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	7.06	
<i>For >100 To 250, Deduct</i>	-1.28	
<i>For >250 To 500, Deduct</i>	-1.60	
<i>For >500, Deduct</i>	-1.91	
05 05 23 00-0169 EA 1/2" Diameter x 2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	7.21	
<i>For >100 To 250, Deduct</i>	-1.28	
<i>For >250 To 500, Deduct</i>	-1.60	
<i>For >500, Deduct</i>	-1.91	
05 05 23 00-0170 EA 1/2" Diameter x 2-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	7.54	
<i>For >100 To 250, Deduct</i>	-1.31	
<i>For >250 To 500, Deduct</i>	-1.64	
<i>For >500, Deduct</i>	-1.96	
05 05 23 00-0171 EA 1/2" Diameter x 3" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	7.69	
<i>For >100 To 250, Deduct</i>	-1.31	
<i>For >250 To 500, Deduct</i>	-1.64	
<i>For >500, Deduct</i>	-1.96	
05 05 23 00-0172 EA 1/2" Diameter x 3-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	7.85	
<i>For >100 To 250, Deduct</i>	-1.31	
<i>For >250 To 500, Deduct</i>	-1.64	
<i>For >500, Deduct</i>	-1.96	
05 05 23 00-0173 EA 1/2" Diameter x 4" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	8.21	
<i>For >100 To 250, Deduct</i>	-1.34	
<i>For >250 To 500, Deduct</i>	-1.68	
<i>For >500, Deduct</i>	-2.01	
05 05 23 00-0174 EA 1/2" Diameter x 4-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	8.39	
<i>For >100 To 250, Deduct</i>	-1.34	
<i>For >250 To 500, Deduct</i>	-1.68	
<i>For >500, Deduct</i>	-2.01	
05 05 23 00-0175 EA 1/2" Diameter x 5" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	8.70	
<i>For >100 To 250, Deduct</i>	-1.34	
<i>For >250 To 500, Deduct</i>	-1.68	
<i>For >500, Deduct</i>	-2.01	

05 Metals**05 05 Common Work Results For Metals****05 05 23 Metal Fastenings**

MINOR CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 05 23 00-0176	EA	1/2" Diameter x 5-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	8.90	
		<i>For >100 To 250, Deduct</i>	-1.37	
		<i>For >250 To 500, Deduct</i>	-1.72	
		<i>For >500, Deduct</i>	-2.06	
05 05 23 00-0177	EA	1/2" Diameter x 6" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	8.94	
		<i>For >100 To 250, Deduct</i>	-1.37	
		<i>For >250 To 500, Deduct</i>	-1.72	
		<i>For >500, Deduct</i>	-2.06	
05 05 23 00-0178	EA	1/2" Diameter x 6-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	9.21	
		<i>For >100 To 250, Deduct</i>	-1.37	
		<i>For >250 To 500, Deduct</i>	-1.72	
		<i>For >500, Deduct</i>	-2.06	
05 05 23 00-0179	EA	1/2" Diameter x 7" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	9.61	
		<i>For >100 To 250, Deduct</i>	-1.40	
		<i>For >250 To 500, Deduct</i>	-1.76	
		<i>For >500, Deduct</i>	-2.11	
05 05 23 00-0180	EA	1/2" Diameter x 7-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	9.77	
		<i>For >100 To 250, Deduct</i>	-1.40	
		<i>For >250 To 500, Deduct</i>	-1.76	
		<i>For >500, Deduct</i>	-2.11	
05 05 23 00-0181	EA	1/2" Diameter x 8" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	10.23	
		<i>For >100 To 250, Deduct</i>	-1.40	
		<i>For >250 To 500, Deduct</i>	-1.76	
		<i>For >500, Deduct</i>	-2.11	
05 05 23 00-0182	EA	1/2" Diameter x 8-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	10.62	
		<i>For >100 To 250, Deduct</i>	-1.44	
		<i>For >250 To 500, Deduct</i>	-1.80	
		<i>For >500, Deduct</i>	-2.15	
05 05 23 00-0183	EA	1/2" Diameter x 9" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	10.78	
		<i>For >100 To 250, Deduct</i>	-1.44	
		<i>For >250 To 500, Deduct</i>	-1.80	
		<i>For >500, Deduct</i>	-2.15	
05 05 23 00-0184	EA	1/2" Diameter x 9-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	11.43	
		<i>For >100 To 250, Deduct</i>	-1.44	
		<i>For >250 To 500, Deduct</i>	-1.80	
		<i>For >500, Deduct</i>	-2.15	
05 05 23 00-0185	EA	1/2" Diameter x 10" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	11.61	
		<i>For >100 To 250, Deduct</i>	-1.44	
		<i>For >250 To 500, Deduct</i>	-1.80	
		<i>For >500, Deduct</i>	-2.15	
05 05 23 00-0186		9/16" Diameter, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolts <small>(05 05 23 00-0098)</small>		
05 05 23 00-0187	EA	9/16" Diameter x 1" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	7.06	
		<i>For >100 To 250, Deduct</i>	-1.28	
		<i>For >250 To 500, Deduct</i>	-1.60	
		<i>For >500, Deduct</i>	-1.91	
05 05 23 00-0188	EA	9/16" Diameter x 1-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	7.27	
		<i>For >100 To 250, Deduct</i>	-1.28	
		<i>For >250 To 500, Deduct</i>	-1.60	
		<i>For >500, Deduct</i>	-1.91	
05 05 23 00-0189	EA	9/16" Diameter x 2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	7.32	
		<i>For >100 To 250, Deduct</i>	-1.28	
		<i>For >250 To 500, Deduct</i>	-1.60	
		<i>For >500, Deduct</i>	-1.91	
05 05 23 00-0190	EA	9/16" Diameter x 2-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	8.15	
		<i>For >100 To 250, Deduct</i>	-1.31	
		<i>For >250 To 500, Deduct</i>	-1.64	
		<i>For >500, Deduct</i>	-1.96	
05 05 23 00-0191	EA	9/16" Diameter x 3" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	8.42	
		<i>For >100 To 250, Deduct</i>	-1.31	
		<i>For >250 To 500, Deduct</i>	-1.64	
		<i>For >500, Deduct</i>	-1.96	
05 05 23 00-0192	EA	9/16" Diameter x 3-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	8.51	
		<i>For >100 To 250, Deduct</i>	-1.31	
		<i>For >250 To 500, Deduct</i>	-1.64	
		<i>For >500, Deduct</i>	-1.96	
05 05 23 00-0193	EA	9/16" Diameter x 4" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	8.70	
		<i>For >100 To 250, Deduct</i>	-1.34	
		<i>For >250 To 500, Deduct</i>	-1.68	
		<i>For >500, Deduct</i>	-2.01	
05 05 23 00-0194	EA	9/16" Diameter x 4-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	8.77	
		<i>For >100 To 250, Deduct</i>	-1.34	
		<i>For >250 To 500, Deduct</i>	-1.68	
		<i>For >500, Deduct</i>	-2.01	
05 05 23 00-0195	EA	9/16" Diameter x 5" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	9.00	
		<i>For >100 To 250, Deduct</i>	-1.34	
		<i>For >250 To 500, Deduct</i>	-1.68	
		<i>For >500, Deduct</i>	-2.01	
05 05 23 00-0196	EA	9/16" Diameter x 5-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	9.21	
		<i>For >100 To 250, Deduct</i>	-1.37	
		<i>For >250 To 500, Deduct</i>	-1.72	
		<i>For >500, Deduct</i>	-2.06	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 05 23 00-0197 EA 9/16" Diameter x 6" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	9.27 -1.37 -1.72 -2.06	
05 05 23 00-0198 EA 9/16" Diameter x 6-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	9.47 -1.37 -1.72 -2.06	
05 05 23 00-0199 EA 9/16" Diameter x 7" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	9.85 -1.40 -1.76 -2.11	
05 05 23 00-0200 EA 9/16" Diameter x 7-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	10.09 -1.40 -1.76 -2.11	
05 05 23 00-0201 EA 9/16" Diameter x 8" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	10.33 -1.40 -1.76 -2.11	
05 05 23 00-0202 EA 9/16" Diameter x 8-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	10.71 -1.44 -1.80 -2.15	
05 05 23 00-0203 EA 9/16" Diameter x 9" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	10.99 -1.44 -1.80 -2.15	
05 05 23 00-0204 EA 9/16" Diameter x 9-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	11.18 -1.44 -1.80 -2.15	
05 05 23 00-0205 EA 9/16" Diameter x 10" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	11.47 -1.44 -1.80 -2.15	
05 05 23 00-0206 5/8" Diameter, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolts <small>(05 05 23 00-0098)</small> <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	8.31 -1.44 -1.80 -2.15	
05 05 23 00-0207 EA 5/8" Diameter x 1" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	8.45 -1.44 -1.80 -2.15	
05 05 23 00-0208 EA 5/8" Diameter x 1-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	8.63 -1.44 -1.80 -2.15	
05 05 23 00-0209 EA 5/8" Diameter x 2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	9.03 -1.47 -1.84 -2.20	
05 05 23 00-0210 EA 5/8" Diameter x 2-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	9.29 -1.47 -1.84 -2.20	
05 05 23 00-0211 EA 5/8" Diameter x 3" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	9.62 -1.47 -1.84 -2.20	
05 05 23 00-0212 EA 5/8" Diameter x 3-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	10.19 -1.50 -1.87 -2.25	
05 05 23 00-0213 EA 5/8" Diameter x 4" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	10.70 -1.50 -1.87 -2.25	
05 05 23 00-0214 EA 5/8" Diameter x 4-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	11.09 -1.50 -1.87 -2.25	
05 05 23 00-0215 EA 5/8" Diameter x 5" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	11.42 -1.53 -1.91 -2.30	
05 05 23 00-0216 EA 5/8" Diameter x 5-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	11.47 -1.53 -1.91 -2.30	
05 05 23 00-0217 EA 5/8" Diameter x 6" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>		

05 Metals**05 05 Common Work Results For Metals****05 05 23 Metal Fastenings**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 05 23 00-0218	EA		5/8" Diameter x 6-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	12.14	
			<i>For >100 To 250, Deduct</i>	-1.53	
			<i>For >250 To 500, Deduct</i>	-1.91	
			<i>For >500, Deduct</i>	-2.30	
05 05 23 00-0219	EA		5/8" Diameter x 7" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	12.68	
			<i>For >100 To 250, Deduct</i>	-1.56	
			<i>For >250 To 500, Deduct</i>	-1.95	
			<i>For >500, Deduct</i>	-2.34	
05 05 23 00-0220	EA		5/8" Diameter x 7-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	13.22	
			<i>For >100 To 250, Deduct</i>	-1.56	
			<i>For >250 To 500, Deduct</i>	-1.95	
			<i>For >500, Deduct</i>	-2.34	
05 05 23 00-0221	EA		5/8" Diameter x 8" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	13.84	
			<i>For >100 To 250, Deduct</i>	-1.56	
			<i>For >250 To 500, Deduct</i>	-1.95	
			<i>For >500, Deduct</i>	-2.34	
05 05 23 00-0222	EA		5/8" Diameter x 8-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	14.67	
			<i>For >100 To 250, Deduct</i>	-1.59	
			<i>For >250 To 500, Deduct</i>	-1.99	
			<i>For >500, Deduct</i>	-2.39	
05 05 23 00-0223	EA		5/8" Diameter x 9" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	15.28	
			<i>For >100 To 250, Deduct</i>	-1.59	
			<i>For >250 To 500, Deduct</i>	-1.99	
			<i>For >500, Deduct</i>	-2.39	
05 05 23 00-0224	EA		5/8" Diameter x 9-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	15.90	
			<i>For >100 To 250, Deduct</i>	-1.59	
			<i>For >250 To 500, Deduct</i>	-1.99	
			<i>For >500, Deduct</i>	-2.39	
05 05 23 00-0225	EA		5/8" Diameter x 10" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	16.38	
			<i>For >100 To 250, Deduct</i>	-1.59	
			<i>For >250 To 500, Deduct</i>	-1.99	
			<i>For >500, Deduct</i>	-2.39	
05 05 23 00-0226			3/4" Diameter, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolts <small>(05 05 23 00-0098)</small>		
05 05 23 00-0227	EA		3/4" Diameter x 1" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	8.77	
			<i>For >100 To 250, Deduct</i>	-1.44	
			<i>For >250 To 500, Deduct</i>	-1.80	
			<i>For >500, Deduct</i>	-2.15	
05 05 23 00-0228	EA		3/4" Diameter x 1-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	9.05	
			<i>For >100 To 250, Deduct</i>	-1.44	
			<i>For >250 To 500, Deduct</i>	-1.80	
			<i>For >500, Deduct</i>	-2.15	
05 05 23 00-0229	EA		3/4" Diameter x 2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	9.30	
			<i>For >100 To 250, Deduct</i>	-1.44	
			<i>For >250 To 500, Deduct</i>	-1.80	
			<i>For >500, Deduct</i>	-2.15	
05 05 23 00-0230	EA		3/4" Diameter x 2-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	9.78	
			<i>For >100 To 250, Deduct</i>	-1.47	
			<i>For >250 To 500, Deduct</i>	-1.84	
			<i>For >500, Deduct</i>	-2.20	
05 05 23 00-0231	EA		3/4" Diameter x 3" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	10.17	
			<i>For >100 To 250, Deduct</i>	-1.47	
			<i>For >250 To 500, Deduct</i>	-1.84	
			<i>For >500, Deduct</i>	-2.20	
05 05 23 00-0232	EA		3/4" Diameter x 3-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	10.51	
			<i>For >100 To 250, Deduct</i>	-1.47	
			<i>For >250 To 500, Deduct</i>	-1.84	
			<i>For >500, Deduct</i>	-2.20	
05 05 23 00-0233	EA		3/4" Diameter x 4" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	11.04	
			<i>For >100 To 250, Deduct</i>	-1.50	
			<i>For >250 To 500, Deduct</i>	-1.87	
			<i>For >500, Deduct</i>	-2.25	
05 05 23 00-0234	EA		3/4" Diameter x 4-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	11.52	
			<i>For >100 To 250, Deduct</i>	-1.50	
			<i>For >250 To 500, Deduct</i>	-1.87	
			<i>For >500, Deduct</i>	-2.25	
05 05 23 00-0235	EA		3/4" Diameter x 5" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	11.91	
			<i>For >100 To 250, Deduct</i>	-1.50	
			<i>For >250 To 500, Deduct</i>	-1.87	
			<i>For >500, Deduct</i>	-2.25	
05 05 23 00-0236	EA		3/4" Diameter x 5-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	12.85	
			<i>For >100 To 250, Deduct</i>	-1.53	
			<i>For >250 To 500, Deduct</i>	-1.91	
			<i>For >500, Deduct</i>	-2.30	
05 05 23 00-0237	EA		3/4" Diameter x 6" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	13.17	
			<i>For >100 To 250, Deduct</i>	-1.53	
			<i>For >250 To 500, Deduct</i>	-1.91	
			<i>For >500, Deduct</i>	-2.30	
05 05 23 00-0238	EA		3/4" Diameter x 6-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	13.77	
			<i>For >100 To 250, Deduct</i>	-1.53	
			<i>For >250 To 500, Deduct</i>	-1.91	
			<i>For >500, Deduct</i>	-2.30	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 05 23 00-0239 EA 3/4" Diameter x 7" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	13.96	
<i>For >100 To 250, Deduct</i>	-1.56	
<i>For >250 To 500, Deduct</i>	-1.95	
<i>For >500, Deduct</i>	-2.34	
05 05 23 00-0240 EA 3/4" Diameter x 7-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	15.36	
<i>For >100 To 250, Deduct</i>	-1.56	
<i>For >250 To 500, Deduct</i>	-1.95	
<i>For >500, Deduct</i>	-2.34	
05 05 23 00-0241 EA 3/4" Diameter x 8" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	16.01	
<i>For >100 To 250, Deduct</i>	-1.56	
<i>For >250 To 500, Deduct</i>	-1.95	
<i>For >500, Deduct</i>	-2.34	
05 05 23 00-0242 EA 3/4" Diameter x 8-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	17.02	
<i>For >100 To 250, Deduct</i>	-1.59	
<i>For >250 To 500, Deduct</i>	-1.99	
<i>For >500, Deduct</i>	-2.39	
05 05 23 00-0243 EA 3/4" Diameter x 9" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	17.66	
<i>For >100 To 250, Deduct</i>	-1.59	
<i>For >250 To 500, Deduct</i>	-1.99	
<i>For >500, Deduct</i>	-2.39	
05 05 23 00-0244 EA 3/4" Diameter x 9-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	18.53	
<i>For >100 To 250, Deduct</i>	-1.59	
<i>For >250 To 500, Deduct</i>	-1.99	
<i>For >500, Deduct</i>	-2.39	
05 05 23 00-0245 EA 3/4" Diameter x 10" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	19.36	
<i>For >100 To 250, Deduct</i>	-1.59	
<i>For >250 To 500, Deduct</i>	-1.99	
<i>For >500, Deduct</i>	-2.39	
05 05 23 00-0246 7/8" Diameter, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolts <small>(05 05 23 00-0098)</small>		
05 05 23 00-0247 EA 7/8" Diameter x 1" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	11.02	
<i>For >100 To 250, Deduct</i>	-1.59	
<i>For >250 To 500, Deduct</i>	-1.99	
<i>For >500, Deduct</i>	-2.39	
05 05 23 00-0248 EA 7/8" Diameter x 1-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	11.24	
<i>For >100 To 250, Deduct</i>	-1.59	
<i>For >250 To 500, Deduct</i>	-1.99	
<i>For >500, Deduct</i>	-2.39	
05 05 23 00-0249 EA 7/8" Diameter x 2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	11.36	
<i>For >100 To 250, Deduct</i>	-1.59	
<i>For >250 To 500, Deduct</i>	-1.99	
<i>For >500, Deduct</i>	-2.39	
05 05 23 00-0250 EA 7/8" Diameter x 2-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	11.84	
<i>For >100 To 250, Deduct</i>	-1.63	
<i>For >250 To 500, Deduct</i>	-2.04	
<i>For >500, Deduct</i>	-2.44	
05 05 23 00-0251 EA 7/8" Diameter x 3" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	12.48	
<i>For >100 To 250, Deduct</i>	-1.63	
<i>For >250 To 500, Deduct</i>	-2.04	
<i>For >500, Deduct</i>	-2.44	
05 05 23 00-0252 EA 7/8" Diameter x 3-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	13.22	
<i>For >100 To 250, Deduct</i>	-1.63	
<i>For >250 To 500, Deduct</i>	-2.04	
<i>For >500, Deduct</i>	-2.44	
05 05 23 00-0253 EA 7/8" Diameter x 4" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	14.00	
<i>For >100 To 250, Deduct</i>	-1.66	
<i>For >250 To 500, Deduct</i>	-2.08	
<i>For >500, Deduct</i>	-2.49	
05 05 23 00-0254 EA 7/8" Diameter x 4-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	15.08	
<i>For >100 To 250, Deduct</i>	-1.66	
<i>For >250 To 500, Deduct</i>	-2.08	
<i>For >500, Deduct</i>	-2.49	
05 05 23 00-0255 EA 7/8" Diameter x 5" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	15.67	
<i>For >100 To 250, Deduct</i>	-1.66	
<i>For >250 To 500, Deduct</i>	-2.08	
<i>For >500, Deduct</i>	-2.49	
05 05 23 00-0256 EA 7/8" Diameter x 5-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	16.30	
<i>For >100 To 250, Deduct</i>	-1.69	
<i>For >250 To 500, Deduct</i>	-2.12	
<i>For >500, Deduct</i>	-2.54	
05 05 23 00-0257 EA 7/8" Diameter x 6" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	16.66	
<i>For >100 To 250, Deduct</i>	-1.69	
<i>For >250 To 500, Deduct</i>	-2.12	
<i>For >500, Deduct</i>	-2.54	
05 05 23 00-0258 EA 7/8" Diameter x 6-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	17.51	
<i>For >100 To 250, Deduct</i>	-1.69	
<i>For >250 To 500, Deduct</i>	-2.12	
<i>For >500, Deduct</i>	-2.54	
05 05 23 00-0259 EA 7/8" Diameter x 7" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	18.51	
<i>For >100 To 250, Deduct</i>	-1.72	
<i>For >250 To 500, Deduct</i>	-2.15	
<i>For >500, Deduct</i>	-2.58	

05 Metals**05 05 Common Work Results For Metals****05 05 23 Metal Fastenings**

MINOR		TOTAL DIRECT	DEMOLITION
CSI	UOM DESCRIPTION	UNIT COST	UNIT COST
05 05 23 00-0260	EA 7/8" Diameter x 7-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	19.37	
	<i>For >100 To 250, Deduct</i>	-1.72	
	<i>For >250 To 500, Deduct</i>	-2.15	
	<i>For >500, Deduct</i>	-2.58	
05 05 23 00-0261	EA 7/8" Diameter x 8" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	20.22	
	<i>For >100 To 250, Deduct</i>	-1.72	
	<i>For >250 To 500, Deduct</i>	-2.15	
	<i>For >500, Deduct</i>	-2.58	
05 05 23 00-0262	EA 7/8" Diameter x 8-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	21.18	
	<i>For >100 To 250, Deduct</i>	-1.75	
	<i>For >250 To 500, Deduct</i>	-2.19	
	<i>For >500, Deduct</i>	-2.63	
05 05 23 00-0263	EA 7/8" Diameter x 9" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	22.08	
	<i>For >100 To 250, Deduct</i>	-1.75	
	<i>For >250 To 500, Deduct</i>	-2.19	
	<i>For >500, Deduct</i>	-2.63	
05 05 23 00-0264	EA 7/8" Diameter x 9-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	22.91	
	<i>For >100 To 250, Deduct</i>	-1.75	
	<i>For >250 To 500, Deduct</i>	-2.19	
	<i>For >500, Deduct</i>	-2.63	
05 05 23 00-0265	EA 7/8" Diameter x 10" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	23.79	
	<i>For >100 To 250, Deduct</i>	-1.75	
	<i>For >250 To 500, Deduct</i>	-2.19	
	<i>For >500, Deduct</i>	-2.63	
05 05 23 00-0266	1" Diameter, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolts <small>(05 05 23 00-0098)</small>		
05 05 23 00-0267	EA 1" Diameter x 1-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	12.06	
	<i>For >100 To 250, Deduct</i>	-1.59	
	<i>For >250 To 500, Deduct</i>	-1.99	
	<i>For >500, Deduct</i>	-2.39	
05 05 23 00-0268	EA 1" Diameter x 2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	13.62	
	<i>For >100 To 250, Deduct</i>	-1.59	
	<i>For >250 To 500, Deduct</i>	-1.99	
	<i>For >500, Deduct</i>	-2.39	
05 05 23 00-0269	EA 1" Diameter x 2-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	14.76	
	<i>For >100 To 250, Deduct</i>	-1.63	
	<i>For >250 To 500, Deduct</i>	-2.04	
	<i>For >500, Deduct</i>	-2.44	
05 05 23 00-0270	EA 1" Diameter x 3" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	15.99	
	<i>For >100 To 250, Deduct</i>	-1.63	
	<i>For >250 To 500, Deduct</i>	-2.04	
	<i>For >500, Deduct</i>	-2.44	
05 05 23 00-0271	EA 1" Diameter x 3-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	17.11	
	<i>For >100 To 250, Deduct</i>	-1.63	
	<i>For >250 To 500, Deduct</i>	-2.04	
	<i>For >500, Deduct</i>	-2.44	
05 05 23 00-0272	EA 1" Diameter x 4" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	18.43	
	<i>For >100 To 250, Deduct</i>	-1.66	
	<i>For >250 To 500, Deduct</i>	-2.08	
	<i>For >500, Deduct</i>	-2.49	
05 05 23 00-0273	EA 1" Diameter x 4-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	19.50	
	<i>For >100 To 250, Deduct</i>	-1.66	
	<i>For >250 To 500, Deduct</i>	-2.08	
	<i>For >500, Deduct</i>	-2.49	
05 05 23 00-0274	EA 1" Diameter x 5" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	20.62	
	<i>For >100 To 250, Deduct</i>	-1.66	
	<i>For >250 To 500, Deduct</i>	-2.08	
	<i>For >500, Deduct</i>	-2.49	
05 05 23 00-0275	EA 1" Diameter x 5-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	21.34	
	<i>For >100 To 250, Deduct</i>	-1.69	
	<i>For >250 To 500, Deduct</i>	-2.12	
	<i>For >500, Deduct</i>	-2.54	
05 05 23 00-0276	EA 1" Diameter x 6" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	21.87	
	<i>For >100 To 250, Deduct</i>	-1.69	
	<i>For >250 To 500, Deduct</i>	-2.12	
	<i>For >500, Deduct</i>	-2.54	
05 05 23 00-0277	EA 1" Diameter x 6-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	22.81	
	<i>For >100 To 250, Deduct</i>	-1.69	
	<i>For >250 To 500, Deduct</i>	-2.12	
	<i>For >500, Deduct</i>	-2.54	
05 05 23 00-0278	EA 1" Diameter x 7" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	23.90	
	<i>For >100 To 250, Deduct</i>	-1.72	
	<i>For >250 To 500, Deduct</i>	-2.15	
	<i>For >500, Deduct</i>	-2.58	
05 05 23 00-0279	EA 1" Diameter x 7-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	24.83	
	<i>For >100 To 250, Deduct</i>	-1.72	
	<i>For >250 To 500, Deduct</i>	-2.15	
	<i>For >500, Deduct</i>	-2.58	
05 05 23 00-0280	EA 1" Diameter x 8" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt	25.79	
	<i>For >100 To 250, Deduct</i>	-1.72	
	<i>For >250 To 500, Deduct</i>	-2.15	
	<i>For >500, Deduct</i>	-2.58	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 05 23 00-0281 EA 1" Diameter x 8-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt.....	26.72	
<i>For >100 To 250, Deduct</i>	-1.75	
<i>For >250 To 500, Deduct</i>	-2.19	
<i>For >500, Deduct</i>	-2.63	
05 05 23 00-0282 EA 1" Diameter x 9" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt.....	27.82	
<i>For >100 To 250, Deduct</i>	-1.75	
<i>For >250 To 500, Deduct</i>	-2.19	
<i>For >500, Deduct</i>	-2.63	
05 05 23 00-0283 EA 1" Diameter x 9-1/2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt.....	28.78	
<i>For >100 To 250, Deduct</i>	-1.75	
<i>For >250 To 500, Deduct</i>	-2.19	
<i>For >500, Deduct</i>	-2.63	
05 05 23 00-0284 EA 1" Diameter x 10" Length, Zinc Plated Steel, Low Carbon/Grade 2, Hex Head Bolt.....	29.76	
<i>For >100 To 250, Deduct</i>	-1.75	
<i>For >250 To 500, Deduct</i>	-2.19	
<i>For >500, Deduct</i>	-2.63	
05 05 23 00-0285 Zinc Plated Steel, Grade 5, Hex Head Bolts <small>(05 05 23 00-0097)</small>		
05 05 23 00-0286 1/4" Diameter, Zinc Plated Steel, Grade 5, Hex Head Bolts <small>(05 05 23 00-0285)</small>		
05 05 23 00-0287 EA 1/4" Diameter x 1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt.....	5.74	
<i>For >100 To 250, Deduct</i>	-1.12	
<i>For >250 To 500, Deduct</i>	-1.40	
<i>For >500, Deduct</i>	-1.67	
05 05 23 00-0288 EA 1/4" Diameter x 1" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt.....	5.79	
<i>For >100 To 250, Deduct</i>	-1.12	
<i>For >250 To 500, Deduct</i>	-1.40	
<i>For >500, Deduct</i>	-1.67	
05 05 23 00-0289 EA 1/4" Diameter x 1-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt.....	5.83	
<i>For >100 To 250, Deduct</i>	-1.12	
<i>For >250 To 500, Deduct</i>	-1.40	
<i>For >500, Deduct</i>	-1.67	
05 05 23 00-0290 EA 1/4" Diameter x 2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt.....	5.91	
<i>For >100 To 250, Deduct</i>	-1.12	
<i>For >250 To 500, Deduct</i>	-1.40	
<i>For >500, Deduct</i>	-1.67	
05 05 23 00-0291 EA 1/4" Diameter x 2-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt.....	6.16	
<i>For >100 To 250, Deduct</i>	-1.15	
<i>For >250 To 500, Deduct</i>	-1.44	
<i>For >500, Deduct</i>	-1.72	
05 05 23 00-0292 EA 1/4" Diameter x 3" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt.....	6.30	
<i>For >100 To 250, Deduct</i>	-1.15	
<i>For >250 To 500, Deduct</i>	-1.44	
<i>For >500, Deduct</i>	-1.72	
05 05 23 00-0293 EA 1/4" Diameter x 3-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt.....	6.46	
<i>For >100 To 250, Deduct</i>	-1.15	
<i>For >250 To 500, Deduct</i>	-1.44	
<i>For >500, Deduct</i>	-1.72	
05 05 23 00-0294 EA 1/4" Diameter x 4" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt.....	6.75	
<i>For >100 To 250, Deduct</i>	-1.18	
<i>For >250 To 500, Deduct</i>	-1.48	
<i>For >500, Deduct</i>	-1.77	
05 05 23 00-0295 EA 1/4" Diameter x 4-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt.....	6.94	
<i>For >100 To 250, Deduct</i>	-1.18	
<i>For >250 To 500, Deduct</i>	-1.48	
<i>For >500, Deduct</i>	-1.77	
05 05 23 00-0296 EA 1/4" Diameter x 5" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt.....	7.08	
<i>For >100 To 250, Deduct</i>	-1.18	
<i>For >250 To 500, Deduct</i>	-1.48	
<i>For >500, Deduct</i>	-1.77	
05 05 23 00-0297 EA 1/4" Diameter x 5-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt.....	7.38	
<i>For >100 To 250, Deduct</i>	-1.21	
<i>For >250 To 500, Deduct</i>	-1.52	
<i>For >500, Deduct</i>	-1.82	
05 05 23 00-0298 EA 1/4" Diameter x 6" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt.....	7.51	
<i>For >100 To 250, Deduct</i>	-1.21	
<i>For >250 To 500, Deduct</i>	-1.52	
<i>For >500, Deduct</i>	-1.82	
05 05 23 00-0299 EA 1/4" Diameter x 6-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt.....	7.63	
<i>For >100 To 250, Deduct</i>	-1.21	
<i>For >250 To 500, Deduct</i>	-1.52	
<i>For >500, Deduct</i>	-1.82	
05 05 23 00-0300 EA 1/4" Diameter x 7" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt.....	7.97	
<i>For >100 To 250, Deduct</i>	-1.25	
<i>For >250 To 500, Deduct</i>	-1.56	
<i>For >500, Deduct</i>	-1.87	
05 05 23 00-0301 EA 1/4" Diameter x 7-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt.....	8.15	
<i>For >100 To 250, Deduct</i>	-1.25	
<i>For >250 To 500, Deduct</i>	-1.56	
<i>For >500, Deduct</i>	-1.87	
05 05 23 00-0302 EA 1/4" Diameter x 8" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt.....	8.32	
<i>For >100 To 250, Deduct</i>	-1.25	
<i>For >250 To 500, Deduct</i>	-1.56	
<i>For >500, Deduct</i>	-1.87	

05 Metals**05 05 Common Work Results For Metals****05 05 23 Metal Fastenings**

MINOR		TOTAL DIRECT	DEMOLITION
CSI	UOM DESCRIPTION	UNIT COST	UNIT COST
05 05 23 00-0303	5/16" Diameter, Zinc Plated Steel, Grade 5, Hex Head Bolts <small>(05 05 23 00-0285)</small>		
05 05 23 00-0304	EA 5/16" Diameter x 1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	5.83	
	For >100 To 250, Deduct	-1.12	
	For >250 To 500, Deduct	-1.40	
	For >500, Deduct	-1.67	
05 05 23 00-0305	EA 5/16" Diameter x 1" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	5.87	
	For >100 To 250, Deduct	-1.12	
	For >250 To 500, Deduct	-1.40	
	For >500, Deduct	-1.67	
05 05 23 00-0306	EA 5/16" Diameter x 1-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	5.93	
	For >100 To 250, Deduct	-1.12	
	For >250 To 500, Deduct	-1.40	
	For >500, Deduct	-1.67	
05 05 23 00-0307	EA 5/16" Diameter x 2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	6.04	
	For >100 To 250, Deduct	-1.12	
	For >250 To 500, Deduct	-1.40	
	For >500, Deduct	-1.67	
05 05 23 00-0308	EA 5/16" Diameter x 2-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	6.29	
	For >100 To 250, Deduct	-1.15	
	For >250 To 500, Deduct	-1.44	
	For >500, Deduct	-1.72	
05 05 23 00-0309	EA 5/16" Diameter x 3" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	6.43	
	For >100 To 250, Deduct	-1.15	
	For >250 To 500, Deduct	-1.44	
	For >500, Deduct	-1.72	
05 05 23 00-0310	EA 5/16" Diameter x 3-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	6.67	
	For >100 To 250, Deduct	-1.15	
	For >250 To 500, Deduct	-1.44	
	For >500, Deduct	-1.72	
05 05 23 00-0311	EA 5/16" Diameter x 4" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	6.96	
	For >100 To 250, Deduct	-1.18	
	For >250 To 500, Deduct	-1.48	
	For >500, Deduct	-1.77	
05 05 23 00-0312	EA 5/16" Diameter x 4-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	7.15	
	For >100 To 250, Deduct	-1.18	
	For >250 To 500, Deduct	-1.48	
	For >500, Deduct	-1.77	
05 05 23 00-0313	EA 5/16" Diameter x 5" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	7.33	
	For >100 To 250, Deduct	-1.18	
	For >250 To 500, Deduct	-1.48	
	For >500, Deduct	-1.77	
05 05 23 00-0314	EA 5/16" Diameter x 5-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	7.85	
	For >100 To 250, Deduct	-1.21	
	For >250 To 500, Deduct	-1.52	
	For >500, Deduct	-1.82	
05 05 23 00-0315	EA 5/16" Diameter x 6" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	7.91	
	For >100 To 250, Deduct	-1.21	
	For >250 To 500, Deduct	-1.52	
	For >500, Deduct	-1.82	
05 05 23 00-0316	EA 5/16" Diameter x 6-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	8.15	
	For >100 To 250, Deduct	-1.21	
	For >250 To 500, Deduct	-1.52	
	For >500, Deduct	-1.82	
05 05 23 00-0317	EA 5/16" Diameter x 7" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	8.64	
	For >100 To 250, Deduct	-1.25	
	For >250 To 500, Deduct	-1.56	
	For >500, Deduct	-1.87	
05 05 23 00-0318	EA 5/16" Diameter x 7-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	8.97	
	For >100 To 250, Deduct	-1.25	
	For >250 To 500, Deduct	-1.56	
	For >500, Deduct	-1.87	
05 05 23 00-0319	EA 5/16" Diameter x 8" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	9.29	
	For >100 To 250, Deduct	-1.25	
	For >250 To 500, Deduct	-1.56	
	For >500, Deduct	-1.87	
05 05 23 00-0320	3/8" Diameter, Zinc Plated Steel, Grade 5, Hex Head Bolts <small>(05 05 23 00-0285)</small>		
05 05 23 00-0321	EA 3/8" Diameter x 1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	5.89	
	For >100 To 250, Deduct	-1.12	
	For >250 To 500, Deduct	-1.40	
	For >500, Deduct	-1.67	
05 05 23 00-0322	EA 3/8" Diameter x 1" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	5.92	
	For >100 To 250, Deduct	-1.12	
	For >250 To 500, Deduct	-1.40	
	For >500, Deduct	-1.67	
05 05 23 00-0323	EA 3/8" Diameter x 1-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	6.03	
	For >100 To 250, Deduct	-1.12	
	For >250 To 500, Deduct	-1.40	
	For >500, Deduct	-1.67	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 05 23 00-0324 EA 3/8" Diameter x 2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	6.15 -1.12 -1.40 -1.67	
05 05 23 00-0325 EA 3/8" Diameter x 2-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	6.44 -1.15 -1.44 -1.72	
05 05 23 00-0326 EA 3/8" Diameter x 3" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	6.57 -1.15 -1.44 -1.72	
05 05 23 00-0327 EA 3/8" Diameter x 3-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	6.79 -1.15 -1.44 -1.72	
05 05 23 00-0328 EA 3/8" Diameter x 4" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	7.18 -1.18 -1.48 -1.77	
05 05 23 00-0329 EA 3/8" Diameter x 4-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	7.69 -1.18 -1.48 -1.77	
05 05 23 00-0330 EA 3/8" Diameter x 5" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	7.92 -1.18 -1.48 -1.77	
05 05 23 00-0331 EA 3/8" Diameter x 5-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	8.38 -1.21 -1.52 -1.82	
05 05 23 00-0332 EA 3/8" Diameter x 6" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	8.60 -1.21 -1.52 -1.82	
05 05 23 00-0333 EA 3/8" Diameter x 6-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	8.98 -1.21 -1.52 -1.82	
05 05 23 00-0334 EA 3/8" Diameter x 7" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	9.43 -1.25 -1.56 -1.87	
05 05 23 00-0335 EA 3/8" Diameter x 7-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	9.93 -1.25 -1.56 -1.87	
05 05 23 00-0336 EA 3/8" Diameter x 8" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	10.34 -1.25 -1.56 -1.87	
05 05 23 00-0337 7/16" Diameter, Zinc Plated Steel, Grade 5, Hex Head Bolts <small>(05 05 23 00-0285)</small>		
05 05 23 00-0338 EA 7/16" Diameter x 1" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	6.92 -1.28 -1.60 -1.91	
05 05 23 00-0339 EA 7/16" Diameter x 1-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	7.02 -1.28 -1.60 -1.91	
05 05 23 00-0340 EA 7/16" Diameter x 2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	7.28 -1.28 -1.60 -1.91	
05 05 23 00-0341 EA 7/16" Diameter x 2-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	7.65 -1.31 -1.64 -1.96	
05 05 23 00-0342 EA 7/16" Diameter x 3" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	7.83 -1.31 -1.64 -1.96	
05 05 23 00-0343 EA 7/16" Diameter x 3-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	8.01 -1.31 -1.64 -1.96	
05 05 23 00-0344 EA 7/16" Diameter x 4" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	8.40 -1.34 -1.68 -2.01	

05 Metals**05 05 Common Work Results For Metals****05 05 23 Metal Fastenings**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 05 23 00-0345	EA		7/16" Diameter x 4-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	9.40	
			<i>For >100 To 250, Deduct</i>	-1.34	
			<i>For >250 To 500, Deduct</i>	-1.68	
			<i>For >500, Deduct</i>	-2.01	
05 05 23 00-0346	EA		7/16" Diameter x 5" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	9.85	
			<i>For >100 To 250, Deduct</i>	-1.34	
			<i>For >250 To 500, Deduct</i>	-1.68	
			<i>For >500, Deduct</i>	-2.01	
05 05 23 00-0347	EA		7/16" Diameter x 5-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	10.15	
			<i>For >100 To 250, Deduct</i>	-1.37	
			<i>For >250 To 500, Deduct</i>	-1.72	
			<i>For >500, Deduct</i>	-2.06	
05 05 23 00-0348	EA		7/16" Diameter x 6" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	10.35	
			<i>For >100 To 250, Deduct</i>	-1.37	
			<i>For >250 To 500, Deduct</i>	-1.72	
			<i>For >500, Deduct</i>	-2.06	
05 05 23 00-0349	EA		7/16" Diameter x 6-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	10.56	
			<i>For >100 To 250, Deduct</i>	-1.37	
			<i>For >250 To 500, Deduct</i>	-1.72	
			<i>For >500, Deduct</i>	-2.06	
05 05 23 00-0350	EA		7/16" Diameter x 7" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	11.02	
			<i>For >100 To 250, Deduct</i>	-1.40	
			<i>For >250 To 500, Deduct</i>	-1.76	
			<i>For >500, Deduct</i>	-2.11	
05 05 23 00-0351	EA		7/16" Diameter x 7-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	11.31	
			<i>For >100 To 250, Deduct</i>	-1.40	
			<i>For >250 To 500, Deduct</i>	-1.76	
			<i>For >500, Deduct</i>	-2.11	
05 05 23 00-0352	EA		7/16" Diameter x 8" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	11.60	
			<i>For >100 To 250, Deduct</i>	-1.40	
			<i>For >250 To 500, Deduct</i>	-1.76	
			<i>For >500, Deduct</i>	-2.11	
05 05 23 00-0353			1/2" Diameter, Zinc Plated Steel, Grade 5, Hex Head Bolts <small>(05 05 23 00-0285)</small>		
05 05 23 00-0354	EA		1/2" Diameter x 1" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	7.06	
			<i>For >100 To 250, Deduct</i>	-1.28	
			<i>For >250 To 500, Deduct</i>	-1.60	
			<i>For >500, Deduct</i>	-1.91	
05 05 23 00-0355	EA		1/2" Diameter x 1-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	7.20	
			<i>For >100 To 250, Deduct</i>	-1.28	
			<i>For >250 To 500, Deduct</i>	-1.60	
			<i>For >500, Deduct</i>	-1.91	
05 05 23 00-0356	EA		1/2" Diameter x 2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	7.34	
			<i>For >100 To 250, Deduct</i>	-1.28	
			<i>For >250 To 500, Deduct</i>	-1.60	
			<i>For >500, Deduct</i>	-1.91	
05 05 23 00-0357	EA		1/2" Diameter x 2-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	7.75	
			<i>For >100 To 250, Deduct</i>	-1.31	
			<i>For >250 To 500, Deduct</i>	-1.64	
			<i>For >500, Deduct</i>	-1.96	
05 05 23 00-0358	EA		1/2" Diameter x 3" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	7.97	
			<i>For >100 To 250, Deduct</i>	-1.31	
			<i>For >250 To 500, Deduct</i>	-1.64	
			<i>For >500, Deduct</i>	-1.96	
05 05 23 00-0359	EA		1/2" Diameter x 3-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	8.21	
			<i>For >100 To 250, Deduct</i>	-1.31	
			<i>For >250 To 500, Deduct</i>	-1.64	
			<i>For >500, Deduct</i>	-1.96	
05 05 23 00-0360	EA		1/2" Diameter x 4" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	8.59	
			<i>For >100 To 250, Deduct</i>	-1.34	
			<i>For >250 To 500, Deduct</i>	-1.68	
			<i>For >500, Deduct</i>	-2.01	
05 05 23 00-0361	EA		1/2" Diameter x 4-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	9.38	
			<i>For >100 To 250, Deduct</i>	-1.34	
			<i>For >250 To 500, Deduct</i>	-1.68	
			<i>For >500, Deduct</i>	-2.01	
05 05 23 00-0362	EA		1/2" Diameter x 5" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	9.43	
			<i>For >100 To 250, Deduct</i>	-1.34	
			<i>For >250 To 500, Deduct</i>	-1.68	
			<i>For >500, Deduct</i>	-2.01	
05 05 23 00-0363	EA		1/2" Diameter x 5-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	10.12	
			<i>For >100 To 250, Deduct</i>	-1.37	
			<i>For >250 To 500, Deduct</i>	-1.72	
			<i>For >500, Deduct</i>	-2.06	
05 05 23 00-0364	EA		1/2" Diameter x 6" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	10.43	
			<i>For >100 To 250, Deduct</i>	-1.37	
			<i>For >250 To 500, Deduct</i>	-1.72	
			<i>For >500, Deduct</i>	-2.06	
05 05 23 00-0365	EA		1/2" Diameter x 6-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	11.21	
			<i>For >100 To 250, Deduct</i>	-1.37	
			<i>For >250 To 500, Deduct</i>	-1.72	
			<i>For >500, Deduct</i>	-2.06	



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 05 23 00-0366	EA		1/2" Diameter x 7" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	12.08 -1.40 -1.76 -2.11	
05 05 23 00-0367	EA		1/2" Diameter x 7-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	12.53 -1.40 -1.76 -2.11	
05 05 23 00-0368	EA		1/2" Diameter x 8" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	12.69 -1.40 -1.76 -2.11	
05 05 23 00-0369	EA		1/2" Diameter x 8-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	13.66 -1.44 -1.80 -2.15	
05 05 23 00-0370	EA		1/2" Diameter x 9" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	14.44 -1.44 -1.80 -2.15	
05 05 23 00-0371	EA		1/2" Diameter x 9-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	15.53 -1.44 -1.80 -2.15	
05 05 23 00-0372	EA		1/2" Diameter x 10" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	15.95 -1.44 -1.80 -2.15	
05 05 23 00-0373			9/16" Diameter, Zinc Plated Steel, Grade 5, Hex Head Bolts (05 05 23 00-0285)		
05 05 23 00-0374	EA		9/16" Diameter x 1" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	7.48 -1.28 -1.60 -1.91	
05 05 23 00-0375	EA		9/16" Diameter x 1-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	7.74 -1.28 -1.60 -1.91	
05 05 23 00-0376	EA		9/16" Diameter x 2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	7.97 -1.28 -1.60 -1.91	
05 05 23 00-0377	EA		9/16" Diameter x 2-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	8.38 -1.31 -1.64 -1.96	
05 05 23 00-0378	EA		9/16" Diameter x 3" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	8.70 -1.31 -1.64 -1.96	
05 05 23 00-0379	EA		9/16" Diameter x 3-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	9.05 -1.31 -1.64 -1.96	
05 05 23 00-0380	EA		9/16" Diameter x 4" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	9.62 -1.34 -1.68 -2.01	
05 05 23 00-0381	EA		9/16" Diameter x 4-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	10.99 -1.34 -1.68 -2.01	
05 05 23 00-0382	EA		9/16" Diameter x 5" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	11.34 -1.34 -1.68 -2.01	
05 05 23 00-0383	EA		9/16" Diameter x 5-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	11.90 -1.37 -1.72 -2.06	
05 05 23 00-0384	EA		9/16" Diameter x 6" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	12.28 -1.37 -1.72 -2.06	
05 05 23 00-0385	EA		9/16" Diameter x 6-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	13.55 -1.37 -1.72 -2.06	
05 05 23 00-0386	EA		9/16" Diameter x 7" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	15.27 -1.40 -1.76 -2.11	

05 Metals**05 05 Common Work Results For Metals****05 05 23 Metal Fastenings**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 05 23 00-0387	EA		9/16" Diameter x 7-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	15.79	
			<i>For >100 To 250, Deduct</i>	-1.40	
			<i>For >250 To 500, Deduct</i>	-1.76	
			<i>For >500, Deduct</i>	-2.11	
05 05 23 00-0388	EA		9/16" Diameter x 8" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	16.66	
			<i>For >100 To 250, Deduct</i>	-1.40	
			<i>For >250 To 500, Deduct</i>	-1.76	
			<i>For >500, Deduct</i>	-2.11	
05 05 23 00-0389	EA		9/16" Diameter x 8-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	17.65	
			<i>For >100 To 250, Deduct</i>	-1.44	
			<i>For >250 To 500, Deduct</i>	-1.80	
			<i>For >500, Deduct</i>	-2.15	
05 05 23 00-0390	EA		9/16" Diameter x 9" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	17.97	
			<i>For >100 To 250, Deduct</i>	-1.44	
			<i>For >250 To 500, Deduct</i>	-1.80	
			<i>For >500, Deduct</i>	-2.15	
05 05 23 00-0391	EA		9/16" Diameter x 9-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	18.28	
			<i>For >100 To 250, Deduct</i>	-1.44	
			<i>For >250 To 500, Deduct</i>	-1.80	
			<i>For >500, Deduct</i>	-2.15	
05 05 23 00-0392	EA		9/16" Diameter x 10" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	19.07	
			<i>For >100 To 250, Deduct</i>	-1.44	
			<i>For >250 To 500, Deduct</i>	-1.80	
			<i>For >500, Deduct</i>	-2.15	
05 05 23 00-0393			5/8" Diameter, Zinc Plated Steel, Grade 5, Hex Head Bolts (05 05 23 00-0285)		
05 05 23 00-0394	EA		5/8" Diameter x 1" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	8.55	
			<i>For >100 To 250, Deduct</i>	-1.44	
			<i>For >250 To 500, Deduct</i>	-1.80	
			<i>For >500, Deduct</i>	-2.15	
05 05 23 00-0395	EA		5/8" Diameter x 1-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	8.64	
			<i>For >100 To 250, Deduct</i>	-1.44	
			<i>For >250 To 500, Deduct</i>	-1.80	
			<i>For >500, Deduct</i>	-2.15	
05 05 23 00-0396	EA		5/8" Diameter x 2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	8.72	
			<i>For >100 To 250, Deduct</i>	-1.44	
			<i>For >250 To 500, Deduct</i>	-1.80	
			<i>For >500, Deduct</i>	-2.15	
05 05 23 00-0397	EA		5/8" Diameter x 2-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	9.12	
			<i>For >100 To 250, Deduct</i>	-1.47	
			<i>For >250 To 500, Deduct</i>	-1.84	
			<i>For >500, Deduct</i>	-2.20	
05 05 23 00-0398	EA		5/8" Diameter x 3" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	9.54	
			<i>For >100 To 250, Deduct</i>	-1.47	
			<i>For >250 To 500, Deduct</i>	-1.84	
			<i>For >500, Deduct</i>	-2.20	
05 05 23 00-0399	EA		5/8" Diameter x 3-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	9.92	
			<i>For >100 To 250, Deduct</i>	-1.47	
			<i>For >250 To 500, Deduct</i>	-1.84	
			<i>For >500, Deduct</i>	-2.20	
05 05 23 00-0400	EA		5/8" Diameter x 4" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	10.46	
			<i>For >100 To 250, Deduct</i>	-1.50	
			<i>For >250 To 500, Deduct</i>	-1.87	
			<i>For >500, Deduct</i>	-2.25	
05 05 23 00-0401	EA		5/8" Diameter x 4-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	11.19	
			<i>For >100 To 250, Deduct</i>	-1.50	
			<i>For >250 To 500, Deduct</i>	-1.87	
			<i>For >500, Deduct</i>	-2.25	
05 05 23 00-0402	EA		5/8" Diameter x 5" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	11.59	
			<i>For >100 To 250, Deduct</i>	-1.50	
			<i>For >250 To 500, Deduct</i>	-1.87	
			<i>For >500, Deduct</i>	-2.25	
05 05 23 00-0403	EA		5/8" Diameter x 5-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	11.95	
			<i>For >100 To 250, Deduct</i>	-1.53	
			<i>For >250 To 500, Deduct</i>	-1.91	
			<i>For >500, Deduct</i>	-2.30	
05 05 23 00-0404	EA		5/8" Diameter x 6" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	12.59	
			<i>For >100 To 250, Deduct</i>	-1.53	
			<i>For >250 To 500, Deduct</i>	-1.91	
			<i>For >500, Deduct</i>	-2.30	
05 05 23 00-0405	EA		5/8" Diameter x 6-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	13.59	
			<i>For >100 To 250, Deduct</i>	-1.53	
			<i>For >250 To 500, Deduct</i>	-1.91	
			<i>For >500, Deduct</i>	-2.30	
05 05 23 00-0406	EA		5/8" Diameter x 7" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	14.66	
			<i>For >100 To 250, Deduct</i>	-1.56	
			<i>For >250 To 500, Deduct</i>	-1.95	
			<i>For >500, Deduct</i>	-2.34	
05 05 23 00-0407	EA		5/8" Diameter x 7-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	15.49	
			<i>For >100 To 250, Deduct</i>	-1.56	
			<i>For >250 To 500, Deduct</i>	-1.95	
			<i>For >500, Deduct</i>	-2.34	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 05 23 00-0408 EA 5/8" Diameter x 8" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	15.61	
<i>For >100 To 250, Deduct</i>	-1.56	
<i>For >250 To 500, Deduct</i>	-1.95	
<i>For >500, Deduct</i>	-2.34	
05 05 23 00-0409 EA 5/8" Diameter x 8-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	17.27	
<i>For >100 To 250, Deduct</i>	-1.59	
<i>For >250 To 500, Deduct</i>	-1.99	
<i>For >500, Deduct</i>	-2.39	
05 05 23 00-0410 EA 5/8" Diameter x 9" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	18.39	
<i>For >100 To 250, Deduct</i>	-1.59	
<i>For >250 To 500, Deduct</i>	-1.99	
<i>For >500, Deduct</i>	-2.39	
05 05 23 00-0411 EA 5/8" Diameter x 9-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	20.02	
<i>For >100 To 250, Deduct</i>	-1.59	
<i>For >250 To 500, Deduct</i>	-1.99	
<i>For >500, Deduct</i>	-2.39	
05 05 23 00-0412 EA 5/8" Diameter x 10" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	20.60	
<i>For >100 To 250, Deduct</i>	-1.59	
<i>For >250 To 500, Deduct</i>	-1.99	
<i>For >500, Deduct</i>	-2.39	
05 05 23 00-0413 3/4" Diameter, Zinc Plated Steel, Grade 5, Hex Head Bolts <small>(05 05 23 00-0285)</small>		
05 05 23 00-0414 EA 3/4" Diameter x 1" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	9.49	
<i>For >100 To 250, Deduct</i>	-1.44	
<i>For >250 To 500, Deduct</i>	-1.80	
<i>For >500, Deduct</i>	-2.15	
05 05 23 00-0415 EA 3/4" Diameter x 1-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	9.65	
<i>For >100 To 250, Deduct</i>	-1.44	
<i>For >250 To 500, Deduct</i>	-1.80	
<i>For >500, Deduct</i>	-2.15	
05 05 23 00-0416 EA 3/4" Diameter x 2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	9.74	
<i>For >100 To 250, Deduct</i>	-1.44	
<i>For >250 To 500, Deduct</i>	-1.80	
<i>For >500, Deduct</i>	-2.15	
05 05 23 00-0417 EA 3/4" Diameter x 2-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	10.26	
<i>For >100 To 250, Deduct</i>	-1.47	
<i>For >250 To 500, Deduct</i>	-1.84	
<i>For >500, Deduct</i>	-2.20	
05 05 23 00-0418 EA 3/4" Diameter x 3" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	10.68	
<i>For >100 To 250, Deduct</i>	-1.47	
<i>For >250 To 500, Deduct</i>	-1.84	
<i>For >500, Deduct</i>	-2.20	
05 05 23 00-0419 EA 3/4" Diameter x 3-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	11.31	
<i>For >100 To 250, Deduct</i>	-1.47	
<i>For >250 To 500, Deduct</i>	-1.84	
<i>For >500, Deduct</i>	-2.20	
05 05 23 00-0420 EA 3/4" Diameter x 4" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	11.89	
<i>For >100 To 250, Deduct</i>	-1.50	
<i>For >250 To 500, Deduct</i>	-1.87	
<i>For >500, Deduct</i>	-2.25	
05 05 23 00-0421 EA 3/4" Diameter x 4-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	12.30	
<i>For >100 To 250, Deduct</i>	-1.50	
<i>For >250 To 500, Deduct</i>	-1.87	
<i>For >500, Deduct</i>	-2.25	
05 05 23 00-0422 EA 3/4" Diameter x 5" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	13.16	
<i>For >100 To 250, Deduct</i>	-1.50	
<i>For >250 To 500, Deduct</i>	-1.87	
<i>For >500, Deduct</i>	-2.25	
05 05 23 00-0423 EA 3/4" Diameter x 5-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	13.72	
<i>For >100 To 250, Deduct</i>	-1.53	
<i>For >250 To 500, Deduct</i>	-1.91	
<i>For >500, Deduct</i>	-2.30	
05 05 23 00-0424 EA 3/4" Diameter x 6" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	14.43	
<i>For >100 To 250, Deduct</i>	-1.53	
<i>For >250 To 500, Deduct</i>	-1.91	
<i>For >500, Deduct</i>	-2.30	
05 05 23 00-0425 EA 3/4" Diameter x 6-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	15.29	
<i>For >100 To 250, Deduct</i>	-1.53	
<i>For >250 To 500, Deduct</i>	-1.91	
<i>For >500, Deduct</i>	-2.30	
05 05 23 00-0426 EA 3/4" Diameter x 7" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	16.68	
<i>For >100 To 250, Deduct</i>	-1.56	
<i>For >250 To 500, Deduct</i>	-1.95	
<i>For >500, Deduct</i>	-2.34	
05 05 23 00-0427 EA 3/4" Diameter x 7-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	17.58	
<i>For >100 To 250, Deduct</i>	-1.56	
<i>For >250 To 500, Deduct</i>	-1.95	
<i>For >500, Deduct</i>	-2.34	
05 05 23 00-0428 EA 3/4" Diameter x 8" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	18.09	
<i>For >100 To 250, Deduct</i>	-1.56	
<i>For >250 To 500, Deduct</i>	-1.95	
<i>For >500, Deduct</i>	-2.34	

05 Metals**05 05 Common Work Results For Metals****05 05 23 Metal Fastenings**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 05 23 00-0429	EA		3/4" Diameter x 8-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	19.59	
			<i>For >100 To 250, Deduct</i>	-1.59	
			<i>For >250 To 500, Deduct</i>	-1.99	
			<i>For >500, Deduct</i>	-2.39	
05 05 23 00-0430	EA		3/4" Diameter x 9" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	20.05	
			<i>For >100 To 250, Deduct</i>	-1.59	
			<i>For >250 To 500, Deduct</i>	-1.99	
			<i>For >500, Deduct</i>	-2.39	
05 05 23 00-0431	EA		3/4" Diameter x 9-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	21.53	
			<i>For >100 To 250, Deduct</i>	-1.59	
			<i>For >250 To 500, Deduct</i>	-1.99	
			<i>For >500, Deduct</i>	-2.39	
05 05 23 00-0432	EA		3/4" Diameter x 10" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	21.90	
			<i>For >100 To 250, Deduct</i>	-1.59	
			<i>For >250 To 500, Deduct</i>	-1.99	
			<i>For >500, Deduct</i>	-2.39	
05 05 23 00-0433			7/8" Diameter, Zinc Plated Steel, Grade 5, Hex Head Bolts (05 05 23 00-0285)		
05 05 23 00-0434	EA		7/8" Diameter x 1" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	11.46	
			<i>For >100 To 250, Deduct</i>	-1.59	
			<i>For >250 To 500, Deduct</i>	-1.99	
			<i>For >500, Deduct</i>	-2.39	
05 05 23 00-0435	EA		7/8" Diameter x 1-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	11.66	
			<i>For >100 To 250, Deduct</i>	-1.59	
			<i>For >250 To 500, Deduct</i>	-1.99	
			<i>For >500, Deduct</i>	-2.39	
05 05 23 00-0436	EA		7/8" Diameter x 2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	11.94	
			<i>For >100 To 250, Deduct</i>	-1.59	
			<i>For >250 To 500, Deduct</i>	-1.99	
			<i>For >500, Deduct</i>	-2.39	
05 05 23 00-0437	EA		7/8" Diameter x 2-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	12.39	
			<i>For >100 To 250, Deduct</i>	-1.63	
			<i>For >250 To 500, Deduct</i>	-2.04	
			<i>For >500, Deduct</i>	-2.44	
05 05 23 00-0438	EA		7/8" Diameter x 3" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	13.23	
			<i>For >100 To 250, Deduct</i>	-1.63	
			<i>For >250 To 500, Deduct</i>	-2.04	
			<i>For >500, Deduct</i>	-2.44	
05 05 23 00-0439	EA		7/8" Diameter x 3-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	13.79	
			<i>For >100 To 250, Deduct</i>	-1.63	
			<i>For >250 To 500, Deduct</i>	-2.04	
			<i>For >500, Deduct</i>	-2.44	
05 05 23 00-0440	EA		7/8" Diameter x 4" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	14.37	
			<i>For >100 To 250, Deduct</i>	-1.66	
			<i>For >250 To 500, Deduct</i>	-2.08	
			<i>For >500, Deduct</i>	-2.49	
05 05 23 00-0441	EA		7/8" Diameter x 4-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	15.35	
			<i>For >100 To 250, Deduct</i>	-1.66	
			<i>For >250 To 500, Deduct</i>	-2.08	
			<i>For >500, Deduct</i>	-2.49	
05 05 23 00-0442	EA		7/8" Diameter x 5" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	16.10	
			<i>For >100 To 250, Deduct</i>	-1.66	
			<i>For >250 To 500, Deduct</i>	-2.08	
			<i>For >500, Deduct</i>	-2.49	
05 05 23 00-0443	EA		7/8" Diameter x 5-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	16.62	
			<i>For >100 To 250, Deduct</i>	-1.69	
			<i>For >250 To 500, Deduct</i>	-2.12	
			<i>For >500, Deduct</i>	-2.54	
05 05 23 00-0444	EA		7/8" Diameter x 6" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	17.24	
			<i>For >100 To 250, Deduct</i>	-1.69	
			<i>For >250 To 500, Deduct</i>	-2.12	
			<i>For >500, Deduct</i>	-2.54	
05 05 23 00-0445	EA		7/8" Diameter x 6-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	19.90	
			<i>For >100 To 250, Deduct</i>	-1.69	
			<i>For >250 To 500, Deduct</i>	-2.12	
			<i>For >500, Deduct</i>	-2.54	
05 05 23 00-0446	EA		7/8" Diameter x 7" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	21.01	
			<i>For >100 To 250, Deduct</i>	-1.72	
			<i>For >250 To 500, Deduct</i>	-2.15	
			<i>For >500, Deduct</i>	-2.58	
05 05 23 00-0447	EA		7/8" Diameter x 7-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	22.17	
			<i>For >100 To 250, Deduct</i>	-1.72	
			<i>For >250 To 500, Deduct</i>	-2.15	
			<i>For >500, Deduct</i>	-2.58	
05 05 23 00-0448	EA		7/8" Diameter x 8" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	22.25	
			<i>For >100 To 250, Deduct</i>	-1.72	
			<i>For >250 To 500, Deduct</i>	-2.15	
			<i>For >500, Deduct</i>	-2.58	
05 05 23 00-0449	EA		7/8" Diameter x 8-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	24.10	
			<i>For >100 To 250, Deduct</i>	-1.75	
			<i>For >250 To 500, Deduct</i>	-2.19	
			<i>For >500, Deduct</i>	-2.63	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 05 23 00-0450 EA 7/8" Diameter x 9" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	25.24 -1.75 -2.19 -2.63	
05 05 23 00-0451 EA 7/8" Diameter x 9-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	26.22 -1.75 -2.19 -2.63	
05 05 23 00-0452 EA 7/8" Diameter x 10" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	27.19 -1.75 -2.19 -2.63	
05 05 23 00-0453 1" Diameter, Zinc Plated Steel, Grade 5, Hex Head Bolts <small>(05 05 23 00-0285)</small>		
05 05 23 00-0454 EA 1" Diameter x 1-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	13.32 -1.59 -1.99 -2.39	
05 05 23 00-0455 EA 1" Diameter x 2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	13.39 -1.59 -1.99 -2.39	
05 05 23 00-0456 EA 1" Diameter x 2-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	14.18 -1.63 -2.04 -2.44	
05 05 23 00-0457 EA 1" Diameter x 3" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	14.99 -1.63 -2.04 -2.44	
05 05 23 00-0458 EA 1" Diameter x 3-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	15.59 -1.63 -2.04 -2.44	
05 05 23 00-0459 EA 1" Diameter x 4" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	16.51 -1.66 -2.08 -2.49	
05 05 23 00-0460 EA 1" Diameter x 4-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	17.46 -1.66 -2.08 -2.49	
05 05 23 00-0461 EA 1" Diameter x 5" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	18.84 -1.66 -2.08 -2.49	
05 05 23 00-0462 EA 1" Diameter x 5-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	19.99 -1.69 -2.12 -2.54	
05 05 23 00-0463 EA 1" Diameter x 6" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	20.29 -1.69 -2.12 -2.54	
05 05 23 00-0464 EA 1" Diameter x 6-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	22.21 -1.69 -2.12 -2.54	
05 05 23 00-0465 EA 1" Diameter x 7" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	23.61 -1.72 -2.15 -2.58	
05 05 23 00-0466 EA 1" Diameter x 7-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	25.66 -1.72 -2.15 -2.58	
05 05 23 00-0467 EA 1" Diameter x 8" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	26.25 -1.72 -2.15 -2.58	
05 05 23 00-0468 EA 1" Diameter x 8-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	32.99 -1.75 -2.19 -2.63	
05 05 23 00-0469 EA 1" Diameter x 9" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	33.51 -1.75 -2.19 -2.63	
05 05 23 00-0470 EA 1" Diameter x 9-1/2" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	34.92 -1.75 -2.19 -2.63	

05 Metals**05 05 Common Work Results For Metals****05 05 23 Metal Fastenings**

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 05 23 00-0471 EA 1" Diameter x 10" Length, Zinc Plated Steel, Grade 5, Hex Head Bolt	35.89	
For >100 To 250, Deduct	-1.75	
For >250 To 500, Deduct	-2.19	
For >500, Deduct	-2.63	
05 05 23 00-0472 Zinc Plated Steel, Grade 8, Hex Head Bolts (05 05 23 00-0097)		
05 05 23 00-0473 1/4" Diameter, Zinc Plated Steel, Grade 8, Hex Head Bolts (05 05 23 00-0472)		
05 05 23 00-0474 EA 1/4" Diameter x 1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	5.77	
For >100 To 250, Deduct	-1.12	
For >250 To 500, Deduct	-1.40	
For >500, Deduct	-1.67	
05 05 23 00-0475 EA 1/4" Diameter x 1" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	5.86	
For >100 To 250, Deduct	-1.12	
For >250 To 500, Deduct	-1.40	
For >500, Deduct	-1.67	
05 05 23 00-0476 EA 1/4" Diameter x 1-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	5.91	
For >100 To 250, Deduct	-1.12	
For >250 To 500, Deduct	-1.40	
For >500, Deduct	-1.67	
05 05 23 00-0477 EA 1/4" Diameter x 2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	6.02	
For >100 To 250, Deduct	-1.12	
For >250 To 500, Deduct	-1.40	
For >500, Deduct	-1.67	
05 05 23 00-0478 EA 1/4" Diameter x 2-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	6.24	
For >100 To 250, Deduct	-1.15	
For >250 To 500, Deduct	-1.44	
For >500, Deduct	-1.72	
05 05 23 00-0479 EA 1/4" Diameter x 3" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	6.36	
For >100 To 250, Deduct	-1.15	
For >250 To 500, Deduct	-1.44	
For >500, Deduct	-1.72	
05 05 23 00-0480 EA 1/4" Diameter x 3-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	6.47	
For >100 To 250, Deduct	-1.15	
For >250 To 500, Deduct	-1.44	
For >500, Deduct	-1.72	
05 05 23 00-0481 EA 1/4" Diameter x 4" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	6.64	
For >100 To 250, Deduct	-1.18	
For >250 To 500, Deduct	-1.48	
For >500, Deduct	-1.77	
05 05 23 00-0482 EA 1/4" Diameter x 4-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	6.96	
For >100 To 250, Deduct	-1.18	
For >250 To 500, Deduct	-1.48	
For >500, Deduct	-1.77	
05 05 23 00-0483 EA 1/4" Diameter x 5" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	7.26	
For >100 To 250, Deduct	-1.18	
For >250 To 500, Deduct	-1.48	
For >500, Deduct	-1.77	
05 05 23 00-0484 EA 1/4" Diameter x 5-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	7.57	
For >100 To 250, Deduct	-1.21	
For >250 To 500, Deduct	-1.52	
For >500, Deduct	-1.82	
05 05 23 00-0485 EA 1/4" Diameter x 6" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	7.73	
For >100 To 250, Deduct	-1.21	
For >250 To 500, Deduct	-1.52	
For >500, Deduct	-1.82	
05 05 23 00-0486 EA 1/4" Diameter x 6-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	7.94	
For >100 To 250, Deduct	-1.21	
For >250 To 500, Deduct	-1.52	
For >500, Deduct	-1.82	
05 05 23 00-0487 EA 1/4" Diameter x 7" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	8.25	
For >100 To 250, Deduct	-1.25	
For >250 To 500, Deduct	-1.56	
For >500, Deduct	-1.87	
05 05 23 00-0488 EA 1/4" Diameter x 7-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	8.64	
For >100 To 250, Deduct	-1.25	
For >250 To 500, Deduct	-1.56	
For >500, Deduct	-1.87	
05 05 23 00-0489 EA 1/4" Diameter x 8" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	8.82	
For >100 To 250, Deduct	-1.25	
For >250 To 500, Deduct	-1.56	
For >500, Deduct	-1.87	
05 05 23 00-0490 5/16" Diameter, Zinc Plated Steel, Grade 8, Hex Head Bolts (05 05 23 00-0472)		
05 05 23 00-0491 EA 5/16" Diameter x 1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	5.85	
For >100 To 250, Deduct	-1.12	
For >250 To 500, Deduct	-1.40	
For >500, Deduct	-1.67	
05 05 23 00-0492 EA 5/16" Diameter x 1" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	5.91	
For >100 To 250, Deduct	-1.12	
For >250 To 500, Deduct	-1.40	
For >500, Deduct	-1.67	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 05 23 00-0493 EA 5/16" Diameter x 1-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	6.10	
<i>For >100 To 250, Deduct</i>	-1.12	
<i>For >250 To 500, Deduct</i>	-1.40	
<i>For >500, Deduct</i>	-1.67	
05 05 23 00-0494 EA 5/16" Diameter x 2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	6.14	
<i>For >100 To 250, Deduct</i>	-1.12	
<i>For >250 To 500, Deduct</i>	-1.40	
<i>For >500, Deduct</i>	-1.67	
05 05 23 00-0495 EA 5/16" Diameter x 2-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	6.40	
<i>For >100 To 250, Deduct</i>	-1.15	
<i>For >250 To 500, Deduct</i>	-1.44	
<i>For >500, Deduct</i>	-1.72	
05 05 23 00-0496 EA 5/16" Diameter x 3" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	6.68	
<i>For >100 To 250, Deduct</i>	-1.15	
<i>For >250 To 500, Deduct</i>	-1.44	
<i>For >500, Deduct</i>	-1.72	
05 05 23 00-0497 EA 5/16" Diameter x 3-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	6.77	
<i>For >100 To 250, Deduct</i>	-1.15	
<i>For >250 To 500, Deduct</i>	-1.44	
<i>For >500, Deduct</i>	-1.72	
05 05 23 00-0498 EA 5/16" Diameter x 4" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	7.09	
<i>For >100 To 250, Deduct</i>	-1.18	
<i>For >250 To 500, Deduct</i>	-1.48	
<i>For >500, Deduct</i>	-1.77	
05 05 23 00-0499 EA 5/16" Diameter x 4-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	7.27	
<i>For >100 To 250, Deduct</i>	-1.18	
<i>For >250 To 500, Deduct</i>	-1.48	
<i>For >500, Deduct</i>	-1.77	
05 05 23 00-0500 EA 5/16" Diameter x 5" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	7.68	
<i>For >100 To 250, Deduct</i>	-1.18	
<i>For >250 To 500, Deduct</i>	-1.48	
<i>For >500, Deduct</i>	-1.77	
05 05 23 00-0501 EA 5/16" Diameter x 5-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	8.08	
<i>For >100 To 250, Deduct</i>	-1.21	
<i>For >250 To 500, Deduct</i>	-1.52	
<i>For >500, Deduct</i>	-1.82	
05 05 23 00-0502 EA 5/16" Diameter x 6" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	8.23	
<i>For >100 To 250, Deduct</i>	-1.21	
<i>For >250 To 500, Deduct</i>	-1.52	
<i>For >500, Deduct</i>	-1.82	
05 05 23 00-0503 EA 5/16" Diameter x 6-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	8.47	
<i>For >100 To 250, Deduct</i>	-1.21	
<i>For >250 To 500, Deduct</i>	-1.52	
<i>For >500, Deduct</i>	-1.82	
05 05 23 00-0504 EA 5/16" Diameter x 7" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	8.81	
<i>For >100 To 250, Deduct</i>	-1.25	
<i>For >250 To 500, Deduct</i>	-1.56	
<i>For >500, Deduct</i>	-1.87	
05 05 23 00-0505 EA 5/16" Diameter x 7-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	8.98	
<i>For >100 To 250, Deduct</i>	-1.25	
<i>For >250 To 500, Deduct</i>	-1.56	
<i>For >500, Deduct</i>	-1.87	
05 05 23 00-0506 EA 5/16" Diameter x 8" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	9.33	
<i>For >100 To 250, Deduct</i>	-1.25	
<i>For >250 To 500, Deduct</i>	-1.56	
<i>For >500, Deduct</i>	-1.87	
05 05 23 00-0507 3/8" Diameter, Zinc Plated Steel, Grade 8, Hex Head Bolts (05 05 23 00-0472)		
05 05 23 00-0508 EA 3/8" Diameter x 1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	6.05	
<i>For >100 To 250, Deduct</i>	-1.12	
<i>For >250 To 500, Deduct</i>	-1.40	
<i>For >500, Deduct</i>	-1.67	
05 05 23 00-0509 EA 3/8" Diameter x 1" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	6.07	
<i>For >100 To 250, Deduct</i>	-1.12	
<i>For >250 To 500, Deduct</i>	-1.40	
<i>For >500, Deduct</i>	-1.67	
05 05 23 00-0510 EA 3/8" Diameter x 1-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	6.09	
<i>For >100 To 250, Deduct</i>	-1.12	
<i>For >250 To 500, Deduct</i>	-1.40	
<i>For >500, Deduct</i>	-1.67	
05 05 23 00-0511 EA 3/8" Diameter x 2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	6.31	
<i>For >100 To 250, Deduct</i>	-1.12	
<i>For >250 To 500, Deduct</i>	-1.40	
<i>For >500, Deduct</i>	-1.67	
05 05 23 00-0512 EA 3/8" Diameter x 2-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	6.60	
<i>For >100 To 250, Deduct</i>	-1.15	
<i>For >250 To 500, Deduct</i>	-1.44	
<i>For >500, Deduct</i>	-1.72	
05 05 23 00-0513 EA 3/8" Diameter x 3" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	6.82	
<i>For >100 To 250, Deduct</i>	-1.15	
<i>For >250 To 500, Deduct</i>	-1.44	
<i>For >500, Deduct</i>	-1.72	

05 Metals**05 05 Common Work Results For Metals****05 05 23 Metal Fastenings**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 05 23 00-0514	EA		3/8" Diameter x 3-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	7.02	
			<i>For >100 To 250, Deduct</i>	-1.15	
			<i>For >250 To 500, Deduct</i>	-1.44	
			<i>For >500, Deduct</i>	-1.72	
05 05 23 00-0515	EA		3/8" Diameter x 4" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	7.82	
			<i>For >100 To 250, Deduct</i>	-1.18	
			<i>For >250 To 500, Deduct</i>	-1.48	
			<i>For >500, Deduct</i>	-1.77	
05 05 23 00-0516	EA		3/8" Diameter x 4-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	8.07	
			<i>For >100 To 250, Deduct</i>	-1.18	
			<i>For >250 To 500, Deduct</i>	-1.48	
			<i>For >500, Deduct</i>	-1.77	
05 05 23 00-0517	EA		3/8" Diameter x 5" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	8.12	
			<i>For >100 To 250, Deduct</i>	-1.18	
			<i>For >250 To 500, Deduct</i>	-1.48	
			<i>For >500, Deduct</i>	-1.77	
05 05 23 00-0518	EA		3/8" Diameter x 5-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	8.38	
			<i>For >100 To 250, Deduct</i>	-1.21	
			<i>For >250 To 500, Deduct</i>	-1.52	
			<i>For >500, Deduct</i>	-1.82	
05 05 23 00-0519	EA		3/8" Diameter x 6" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	8.66	
			<i>For >100 To 250, Deduct</i>	-1.21	
			<i>For >250 To 500, Deduct</i>	-1.52	
			<i>For >500, Deduct</i>	-1.82	
05 05 23 00-0520	EA		3/8" Diameter x 6-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	9.90	
			<i>For >100 To 250, Deduct</i>	-1.21	
			<i>For >250 To 500, Deduct</i>	-1.52	
			<i>For >500, Deduct</i>	-1.82	
05 05 23 00-0521	EA		3/8" Diameter x 7" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	10.37	
			<i>For >100 To 250, Deduct</i>	-1.25	
			<i>For >250 To 500, Deduct</i>	-1.56	
			<i>For >500, Deduct</i>	-1.87	
05 05 23 00-0522	EA		3/8" Diameter x 7-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	10.92	
			<i>For >100 To 250, Deduct</i>	-1.25	
			<i>For >250 To 500, Deduct</i>	-1.56	
			<i>For >500, Deduct</i>	-1.87	
05 05 23 00-0523	EA		3/8" Diameter x 8" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	12.23	
			<i>For >100 To 250, Deduct</i>	-1.25	
			<i>For >250 To 500, Deduct</i>	-1.56	
			<i>For >500, Deduct</i>	-1.87	
05 05 23 00-0524			7/16" Diameter, Zinc Plated Steel, Grade 8, Hex Head Bolts <small>(05 05 23 00-0472)</small>		
05 05 23 00-0525	EA		7/16" Diameter x 1" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	7.07	
			<i>For >100 To 250, Deduct</i>	-1.28	
			<i>For >250 To 500, Deduct</i>	-1.60	
			<i>For >500, Deduct</i>	-1.91	
05 05 23 00-0526	EA		7/16" Diameter x 1-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	7.10	
			<i>For >100 To 250, Deduct</i>	-1.28	
			<i>For >250 To 500, Deduct</i>	-1.60	
			<i>For >500, Deduct</i>	-1.91	
05 05 23 00-0527	EA		7/16" Diameter x 2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	7.45	
			<i>For >100 To 250, Deduct</i>	-1.28	
			<i>For >250 To 500, Deduct</i>	-1.60	
			<i>For >500, Deduct</i>	-1.91	
05 05 23 00-0528	EA		7/16" Diameter x 2-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	7.64	
			<i>For >100 To 250, Deduct</i>	-1.31	
			<i>For >250 To 500, Deduct</i>	-1.64	
			<i>For >500, Deduct</i>	-1.96	
05 05 23 00-0529	EA		7/16" Diameter x 3" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	8.04	
			<i>For >100 To 250, Deduct</i>	-1.31	
			<i>For >250 To 500, Deduct</i>	-1.64	
			<i>For >500, Deduct</i>	-1.96	
05 05 23 00-0530	EA		7/16" Diameter x 3-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	8.25	
			<i>For >100 To 250, Deduct</i>	-1.31	
			<i>For >250 To 500, Deduct</i>	-1.64	
			<i>For >500, Deduct</i>	-1.96	
05 05 23 00-0531	EA		7/16" Diameter x 4" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	8.45	
			<i>For >100 To 250, Deduct</i>	-1.34	
			<i>For >250 To 500, Deduct</i>	-1.68	
			<i>For >500, Deduct</i>	-2.01	
05 05 23 00-0532	EA		7/16" Diameter x 4-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	9.33	
			<i>For >100 To 250, Deduct</i>	-1.34	
			<i>For >250 To 500, Deduct</i>	-1.68	
			<i>For >500, Deduct</i>	-2.01	
05 05 23 00-0533	EA		7/16" Diameter x 5" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	10.01	
			<i>For >100 To 250, Deduct</i>	-1.34	
			<i>For >250 To 500, Deduct</i>	-1.68	
			<i>For >500, Deduct</i>	-2.01	
05 05 23 00-0534	EA		7/16" Diameter x 5-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	10.63	
			<i>For >100 To 250, Deduct</i>	-1.37	
			<i>For >250 To 500, Deduct</i>	-1.72	
			<i>For >500, Deduct</i>	-2.06	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 05 23 00-0535 EA 7/16" Diameter x 6" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	10.87	
<i>For >100 To 250, Deduct</i>	-1.37	
<i>For >250 To 500, Deduct</i>	-1.72	
<i>For >500, Deduct</i>	-2.06	
05 05 23 00-0536 EA 7/16" Diameter x 6-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	11.22	
<i>For >100 To 250, Deduct</i>	-1.37	
<i>For >250 To 500, Deduct</i>	-1.72	
<i>For >500, Deduct</i>	-2.06	
05 05 23 00-0537 EA 7/16" Diameter x 7" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	11.92	
<i>For >100 To 250, Deduct</i>	-1.40	
<i>For >250 To 500, Deduct</i>	-1.76	
<i>For >500, Deduct</i>	-2.11	
05 05 23 00-0538 EA 7/16" Diameter x 7-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	13.07	
<i>For >100 To 250, Deduct</i>	-1.40	
<i>For >250 To 500, Deduct</i>	-1.76	
<i>For >500, Deduct</i>	-2.11	
05 05 23 00-0539 EA 7/16" Diameter x 8" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	13.16	
<i>For >100 To 250, Deduct</i>	-1.40	
<i>For >250 To 500, Deduct</i>	-1.76	
<i>For >500, Deduct</i>	-2.11	
05 05 23 00-0540 1/2" Diameter, Zinc Plated Steel, Grade 8, Hex Head Bolts (05 05 23 00-0472)		
05 05 23 00-0541 EA 1/2" Diameter x 1" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	7.30	
<i>For >100 To 250, Deduct</i>	-1.28	
<i>For >250 To 500, Deduct</i>	-1.60	
<i>For >500, Deduct</i>	-1.91	
05 05 23 00-0542 EA 1/2" Diameter x 1-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	7.55	
<i>For >100 To 250, Deduct</i>	-1.28	
<i>For >250 To 500, Deduct</i>	-1.60	
<i>For >500, Deduct</i>	-1.91	
05 05 23 00-0543 EA 1/2" Diameter x 2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	7.71	
<i>For >100 To 250, Deduct</i>	-1.28	
<i>For >250 To 500, Deduct</i>	-1.60	
<i>For >500, Deduct</i>	-1.91	
05 05 23 00-0544 EA 1/2" Diameter x 2-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	8.04	
<i>For >100 To 250, Deduct</i>	-1.31	
<i>For >250 To 500, Deduct</i>	-1.64	
<i>For >500, Deduct</i>	-1.96	
05 05 23 00-0545 EA 1/2" Diameter x 3" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	8.32	
<i>For >100 To 250, Deduct</i>	-1.31	
<i>For >250 To 500, Deduct</i>	-1.64	
<i>For >500, Deduct</i>	-1.96	
05 05 23 00-0546 EA 1/2" Diameter x 3-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	8.95	
<i>For >100 To 250, Deduct</i>	-1.31	
<i>For >250 To 500, Deduct</i>	-1.64	
<i>For >500, Deduct</i>	-1.96	
05 05 23 00-0547 EA 1/2" Diameter x 4" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	9.55	
<i>For >100 To 250, Deduct</i>	-1.34	
<i>For >250 To 500, Deduct</i>	-1.68	
<i>For >500, Deduct</i>	-2.01	
05 05 23 00-0548 EA 1/2" Diameter x 4-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	9.92	
<i>For >100 To 250, Deduct</i>	-1.34	
<i>For >250 To 500, Deduct</i>	-1.68	
<i>For >500, Deduct</i>	-2.01	
05 05 23 00-0549 EA 1/2" Diameter x 5" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	10.19	
<i>For >100 To 250, Deduct</i>	-1.34	
<i>For >250 To 500, Deduct</i>	-1.68	
<i>For >500, Deduct</i>	-2.01	
05 05 23 00-0550 EA 1/2" Diameter x 5-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	10.81	
<i>For >100 To 250, Deduct</i>	-1.37	
<i>For >250 To 500, Deduct</i>	-1.72	
<i>For >500, Deduct</i>	-2.06	
05 05 23 00-0551 EA 1/2" Diameter x 6" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	11.61	
<i>For >100 To 250, Deduct</i>	-1.37	
<i>For >250 To 500, Deduct</i>	-1.72	
<i>For >500, Deduct</i>	-2.06	
05 05 23 00-0552 EA 1/2" Diameter x 6-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	12.34	
<i>For >100 To 250, Deduct</i>	-1.37	
<i>For >250 To 500, Deduct</i>	-1.72	
<i>For >500, Deduct</i>	-2.06	
05 05 23 00-0553 EA 1/2" Diameter x 7" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	13.14	
<i>For >100 To 250, Deduct</i>	-1.40	
<i>For >250 To 500, Deduct</i>	-1.76	
<i>For >500, Deduct</i>	-2.11	
05 05 23 00-0554 EA 1/2" Diameter x 7-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	13.47	
<i>For >100 To 250, Deduct</i>	-1.40	
<i>For >250 To 500, Deduct</i>	-1.76	
<i>For >500, Deduct</i>	-2.11	
05 05 23 00-0555 EA 1/2" Diameter x 8" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	14.38	
<i>For >100 To 250, Deduct</i>	-1.40	
<i>For >250 To 500, Deduct</i>	-1.76	
<i>For >500, Deduct</i>	-2.11	

05 Metals**05 05 Common Work Results For Metals****05 05 23 Metal Fastenings**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 05 23 00-0556	EA		1/2" Diameter x 8-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	16.06	
			<i>For >100 To 250, Deduct</i>	-1.44	
			<i>For >250 To 500, Deduct</i>	-1.80	
			<i>For >500, Deduct</i>	-2.15	
05 05 23 00-0557	EA		1/2" Diameter x 9" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	16.72	
			<i>For >100 To 250, Deduct</i>	-1.44	
			<i>For >250 To 500, Deduct</i>	-1.80	
			<i>For >500, Deduct</i>	-2.15	
05 05 23 00-0558	EA		1/2" Diameter x 9-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	17.06	
			<i>For >100 To 250, Deduct</i>	-1.44	
			<i>For >250 To 500, Deduct</i>	-1.80	
			<i>For >500, Deduct</i>	-2.15	
05 05 23 00-0559	EA		1/2" Diameter x 10" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	18.70	
			<i>For >100 To 250, Deduct</i>	-1.44	
			<i>For >250 To 500, Deduct</i>	-1.80	
			<i>For >500, Deduct</i>	-2.15	
05 05 23 00-0560			9/16" Diameter, Zinc Plated Steel, Grade 8, Hex Head Bolts (05 05 23 00-0472)		
05 05 23 00-0561	EA		9/16" Diameter x 1" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	7.53	
			<i>For >100 To 250, Deduct</i>	-1.28	
			<i>For >250 To 500, Deduct</i>	-1.60	
			<i>For >500, Deduct</i>	-1.91	
05 05 23 00-0562	EA		9/16" Diameter x 1-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	7.69	
			<i>For >100 To 250, Deduct</i>	-1.28	
			<i>For >250 To 500, Deduct</i>	-1.60	
			<i>For >500, Deduct</i>	-1.91	
05 05 23 00-0563	EA		9/16" Diameter x 2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	8.04	
			<i>For >100 To 250, Deduct</i>	-1.28	
			<i>For >250 To 500, Deduct</i>	-1.60	
			<i>For >500, Deduct</i>	-1.91	
05 05 23 00-0564	EA		9/16" Diameter x 2-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	8.72	
			<i>For >100 To 250, Deduct</i>	-1.31	
			<i>For >250 To 500, Deduct</i>	-1.64	
			<i>For >500, Deduct</i>	-1.96	
05 05 23 00-0565	EA		9/16" Diameter x 3" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	8.85	
			<i>For >100 To 250, Deduct</i>	-1.31	
			<i>For >250 To 500, Deduct</i>	-1.64	
			<i>For >500, Deduct</i>	-1.96	
05 05 23 00-0566	EA		9/16" Diameter x 3-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	9.37	
			<i>For >100 To 250, Deduct</i>	-1.31	
			<i>For >250 To 500, Deduct</i>	-1.64	
			<i>For >500, Deduct</i>	-1.96	
05 05 23 00-0567	EA		9/16" Diameter x 4" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	9.87	
			<i>For >100 To 250, Deduct</i>	-1.34	
			<i>For >250 To 500, Deduct</i>	-1.68	
			<i>For >500, Deduct</i>	-2.01	
05 05 23 00-0568	EA		9/16" Diameter x 4-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	11.57	
			<i>For >100 To 250, Deduct</i>	-1.34	
			<i>For >250 To 500, Deduct</i>	-1.68	
			<i>For >500, Deduct</i>	-2.01	
05 05 23 00-0569	EA		9/16" Diameter x 5" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	11.90	
			<i>For >100 To 250, Deduct</i>	-1.34	
			<i>For >250 To 500, Deduct</i>	-1.68	
			<i>For >500, Deduct</i>	-2.01	
05 05 23 00-0570	EA		9/16" Diameter x 5-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	12.33	
			<i>For >100 To 250, Deduct</i>	-1.37	
			<i>For >250 To 500, Deduct</i>	-1.72	
			<i>For >500, Deduct</i>	-2.06	
05 05 23 00-0571	EA		9/16" Diameter x 6" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	13.06	
			<i>For >100 To 250, Deduct</i>	-1.37	
			<i>For >250 To 500, Deduct</i>	-1.72	
			<i>For >500, Deduct</i>	-2.06	
05 05 23 00-0572	EA		9/16" Diameter x 6-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	15.84	
			<i>For >100 To 250, Deduct</i>	-1.37	
			<i>For >250 To 500, Deduct</i>	-1.72	
			<i>For >500, Deduct</i>	-2.06	
05 05 23 00-0573	EA		9/16" Diameter x 7" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	19.26	
			<i>For >100 To 250, Deduct</i>	-1.40	
			<i>For >250 To 500, Deduct</i>	-1.76	
			<i>For >500, Deduct</i>	-2.11	
05 05 23 00-0574	EA		9/16" Diameter x 7-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	23.29	
			<i>For >100 To 250, Deduct</i>	-1.40	
			<i>For >250 To 500, Deduct</i>	-1.76	
			<i>For >500, Deduct</i>	-2.11	
05 05 23 00-0575	EA		9/16" Diameter x 8" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	27.66	
			<i>For >100 To 250, Deduct</i>	-1.40	
			<i>For >250 To 500, Deduct</i>	-1.76	
			<i>For >500, Deduct</i>	-2.11	
05 05 23 00-0576			5/8" Diameter, Zinc Plated Steel, Grade 8, Hex Head Bolts (05 05 23 00-0472)		



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 05 23 00-0577 EA 5/8" Diameter x 1" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	8.88	
<i>For >100 To 250, Deduct</i>	-1.44	
<i>For >250 To 500, Deduct</i>	-1.80	
<i>For >500, Deduct</i>	-2.15	
05 05 23 00-0578 EA 5/8" Diameter x 1-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	9.03	
<i>For >100 To 250, Deduct</i>	-1.44	
<i>For >250 To 500, Deduct</i>	-1.80	
<i>For >500, Deduct</i>	-2.15	
05 05 23 00-0579 EA 5/8" Diameter x 2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	9.43	
<i>For >100 To 250, Deduct</i>	-1.44	
<i>For >250 To 500, Deduct</i>	-1.80	
<i>For >500, Deduct</i>	-2.15	
05 05 23 00-0580 EA 5/8" Diameter x 2-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	10.16	
<i>For >100 To 250, Deduct</i>	-1.47	
<i>For >250 To 500, Deduct</i>	-1.84	
<i>For >500, Deduct</i>	-2.20	
05 05 23 00-0581 EA 5/8" Diameter x 3" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	10.63	
<i>For >100 To 250, Deduct</i>	-1.47	
<i>For >250 To 500, Deduct</i>	-1.84	
<i>For >500, Deduct</i>	-2.20	
05 05 23 00-0582 EA 5/8" Diameter x 3-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	10.88	
<i>For >100 To 250, Deduct</i>	-1.47	
<i>For >250 To 500, Deduct</i>	-1.84	
<i>For >500, Deduct</i>	-2.20	
05 05 23 00-0583 EA 5/8" Diameter x 4" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	11.21	
<i>For >100 To 250, Deduct</i>	-1.50	
<i>For >250 To 500, Deduct</i>	-1.87	
<i>For >500, Deduct</i>	-2.25	
05 05 23 00-0584 EA 5/8" Diameter x 4-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	12.05	
<i>For >100 To 250, Deduct</i>	-1.50	
<i>For >250 To 500, Deduct</i>	-1.87	
<i>For >500, Deduct</i>	-2.25	
05 05 23 00-0585 EA 5/8" Diameter x 5" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	12.41	
<i>For >100 To 250, Deduct</i>	-1.50	
<i>For >250 To 500, Deduct</i>	-1.87	
<i>For >500, Deduct</i>	-2.25	
05 05 23 00-0586 EA 5/8" Diameter x 5-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	12.97	
<i>For >100 To 250, Deduct</i>	-1.53	
<i>For >250 To 500, Deduct</i>	-1.91	
<i>For >500, Deduct</i>	-2.30	
05 05 23 00-0587 EA 5/8" Diameter x 6" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	13.36	
<i>For >100 To 250, Deduct</i>	-1.53	
<i>For >250 To 500, Deduct</i>	-1.91	
<i>For >500, Deduct</i>	-2.30	
05 05 23 00-0588 EA 5/8" Diameter x 6-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	14.18	
<i>For >100 To 250, Deduct</i>	-1.53	
<i>For >250 To 500, Deduct</i>	-1.91	
<i>For >500, Deduct</i>	-2.30	
05 05 23 00-0589 EA 5/8" Diameter x 7" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	16.30	
<i>For >100 To 250, Deduct</i>	-1.56	
<i>For >250 To 500, Deduct</i>	-1.95	
<i>For >500, Deduct</i>	-2.34	
05 05 23 00-0590 EA 5/8" Diameter x 7-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	17.24	
<i>For >100 To 250, Deduct</i>	-1.56	
<i>For >250 To 500, Deduct</i>	-1.95	
<i>For >500, Deduct</i>	-2.34	
05 05 23 00-0591 EA 5/8" Diameter x 8" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	17.63	
<i>For >100 To 250, Deduct</i>	-1.56	
<i>For >250 To 500, Deduct</i>	-1.95	
<i>For >500, Deduct</i>	-2.34	
05 05 23 00-0592 EA 5/8" Diameter x 8-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	19.45	
<i>For >100 To 250, Deduct</i>	-1.59	
<i>For >250 To 500, Deduct</i>	-1.99	
<i>For >500, Deduct</i>	-2.39	
05 05 23 00-0593 EA 5/8" Diameter x 9" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	21.29	
<i>For >100 To 250, Deduct</i>	-1.59	
<i>For >250 To 500, Deduct</i>	-1.99	
<i>For >500, Deduct</i>	-2.39	
05 05 23 00-0594 EA 5/8" Diameter x 9-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	21.43	
<i>For >100 To 250, Deduct</i>	-1.59	
<i>For >250 To 500, Deduct</i>	-1.99	
<i>For >500, Deduct</i>	-2.39	
05 05 23 00-0595 EA 5/8" Diameter x 10" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	23.15	
<i>For >100 To 250, Deduct</i>	-1.59	
<i>For >250 To 500, Deduct</i>	-1.99	
<i>For >500, Deduct</i>	-2.39	
05 05 23 00-0596 3/4" Diameter, Zinc Plated Steel, Grade 8, Hex Head Bolts (05 05 23 00-0472)		
05 05 23 00-0597 EA 3/4" Diameter x 1" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	9.76	
<i>For >100 To 250, Deduct</i>	-1.44	
<i>For >250 To 500, Deduct</i>	-1.80	
<i>For >500, Deduct</i>	-2.15	

05 Metals**05 05 Common Work Results For Metals****05 05 23 Metal Fastenings**

MINOR CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 05 23 00-0598	EA	3/4" Diameter x 1-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	9.92	
		<i>For >100 To 250, Deduct</i>	-1.44	
		<i>For >250 To 500, Deduct</i>	-1.80	
		<i>For >500, Deduct</i>	-2.15	
05 05 23 00-0599	EA	3/4" Diameter x 2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	10.03	
		<i>For >100 To 250, Deduct</i>	-1.44	
		<i>For >250 To 500, Deduct</i>	-1.80	
		<i>For >500, Deduct</i>	-2.15	
05 05 23 00-0600	EA	3/4" Diameter x 2-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	10.44	
		<i>For >100 To 250, Deduct</i>	-1.47	
		<i>For >250 To 500, Deduct</i>	-1.84	
		<i>For >500, Deduct</i>	-2.20	
05 05 23 00-0601	EA	3/4" Diameter x 3" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	10.78	
		<i>For >100 To 250, Deduct</i>	-1.47	
		<i>For >250 To 500, Deduct</i>	-1.84	
		<i>For >500, Deduct</i>	-2.20	
05 05 23 00-0602	EA	3/4" Diameter x 3-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	11.78	
		<i>For >100 To 250, Deduct</i>	-1.47	
		<i>For >250 To 500, Deduct</i>	-1.84	
		<i>For >500, Deduct</i>	-2.20	
05 05 23 00-0603	EA	3/4" Diameter x 4" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	12.35	
		<i>For >100 To 250, Deduct</i>	-1.50	
		<i>For >250 To 500, Deduct</i>	-1.87	
		<i>For >500, Deduct</i>	-2.25	
05 05 23 00-0604	EA	3/4" Diameter x 4-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	12.44	
		<i>For >100 To 250, Deduct</i>	-1.50	
		<i>For >250 To 500, Deduct</i>	-1.87	
		<i>For >500, Deduct</i>	-2.25	
05 05 23 00-0605	EA	3/4" Diameter x 5" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	13.80	
		<i>For >100 To 250, Deduct</i>	-1.50	
		<i>For >250 To 500, Deduct</i>	-1.87	
		<i>For >500, Deduct</i>	-2.25	
05 05 23 00-0606	EA	3/4" Diameter x 5-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	14.45	
		<i>For >100 To 250, Deduct</i>	-1.53	
		<i>For >250 To 500, Deduct</i>	-1.91	
		<i>For >500, Deduct</i>	-2.30	
05 05 23 00-0607	EA	3/4" Diameter x 6" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	15.16	
		<i>For >100 To 250, Deduct</i>	-1.53	
		<i>For >250 To 500, Deduct</i>	-1.91	
		<i>For >500, Deduct</i>	-2.30	
05 05 23 00-0608	EA	3/4" Diameter x 6-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	16.49	
		<i>For >100 To 250, Deduct</i>	-1.53	
		<i>For >250 To 500, Deduct</i>	-1.91	
		<i>For >500, Deduct</i>	-2.30	
05 05 23 00-0609	EA	3/4" Diameter x 7" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	18.28	
		<i>For >100 To 250, Deduct</i>	-1.56	
		<i>For >250 To 500, Deduct</i>	-1.95	
		<i>For >500, Deduct</i>	-2.34	
05 05 23 00-0610	EA	3/4" Diameter x 7-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	18.99	
		<i>For >100 To 250, Deduct</i>	-1.56	
		<i>For >250 To 500, Deduct</i>	-1.95	
		<i>For >500, Deduct</i>	-2.34	
05 05 23 00-0611	EA	3/4" Diameter x 8" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	19.36	
		<i>For >100 To 250, Deduct</i>	-1.56	
		<i>For >250 To 500, Deduct</i>	-1.95	
		<i>For >500, Deduct</i>	-2.34	
05 05 23 00-0612	EA	3/4" Diameter x 8-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	21.27	
		<i>For >100 To 250, Deduct</i>	-1.59	
		<i>For >250 To 500, Deduct</i>	-1.99	
		<i>For >500, Deduct</i>	-2.39	
05 05 23 00-0613	EA	3/4" Diameter x 9" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	22.56	
		<i>For >100 To 250, Deduct</i>	-1.59	
		<i>For >250 To 500, Deduct</i>	-1.99	
		<i>For >500, Deduct</i>	-2.39	
05 05 23 00-0614	EA	3/4" Diameter x 9-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	23.49	
		<i>For >100 To 250, Deduct</i>	-1.59	
		<i>For >250 To 500, Deduct</i>	-1.99	
		<i>For >500, Deduct</i>	-2.39	
05 05 23 00-0615	EA	3/4" Diameter x 10" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	23.83	
		<i>For >100 To 250, Deduct</i>	-1.59	
		<i>For >250 To 500, Deduct</i>	-1.99	
		<i>For >500, Deduct</i>	-2.39	
05 05 23 00-0616		7/8" Diameter, Zinc Plated Steel, Grade 8, Hex Head Bolts (05 05 23 00-0472)		
05 05 23 00-0617	EA	7/8" Diameter x 1-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	12.96	
		<i>For >100 To 250, Deduct</i>	-1.59	
		<i>For >250 To 500, Deduct</i>	-1.99	
		<i>For >500, Deduct</i>	-2.39	
05 05 23 00-0618	EA	7/8" Diameter x 2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	13.40	
		<i>For >100 To 250, Deduct</i>	-1.59	
		<i>For >250 To 500, Deduct</i>	-1.99	
		<i>For >500, Deduct</i>	-2.39	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 05 23 00-0619 EA 7/8" Diameter x 2-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	14.22	
<i>For >100 To 250, Deduct</i>	-1.63	
<i>For >250 To 500, Deduct</i>	-2.04	
<i>For >500, Deduct</i>	-2.44	
05 05 23 00-0620 EA 7/8" Diameter x 3" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	15.54	
<i>For >100 To 250, Deduct</i>	-1.63	
<i>For >250 To 500, Deduct</i>	-2.04	
<i>For >500, Deduct</i>	-2.44	
05 05 23 00-0621 EA 7/8" Diameter x 3-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	15.69	
<i>For >100 To 250, Deduct</i>	-1.63	
<i>For >250 To 500, Deduct</i>	-2.04	
<i>For >500, Deduct</i>	-2.44	
05 05 23 00-0622 EA 7/8" Diameter x 4" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	16.13	
<i>For >100 To 250, Deduct</i>	-1.66	
<i>For >250 To 500, Deduct</i>	-2.08	
<i>For >500, Deduct</i>	-2.49	
05 05 23 00-0623 EA 7/8" Diameter x 4-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	19.31	
<i>For >100 To 250, Deduct</i>	-1.66	
<i>For >250 To 500, Deduct</i>	-2.08	
<i>For >500, Deduct</i>	-2.49	
05 05 23 00-0624 EA 7/8" Diameter x 5" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	20.13	
<i>For >100 To 250, Deduct</i>	-1.66	
<i>For >250 To 500, Deduct</i>	-2.08	
<i>For >500, Deduct</i>	-2.49	
05 05 23 00-0625 EA 7/8" Diameter x 5-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	22.18	
<i>For >100 To 250, Deduct</i>	-1.69	
<i>For >250 To 500, Deduct</i>	-2.12	
<i>For >500, Deduct</i>	-2.54	
05 05 23 00-0626 EA 7/8" Diameter x 6" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	23.37	
<i>For >100 To 250, Deduct</i>	-1.69	
<i>For >250 To 500, Deduct</i>	-2.12	
<i>For >500, Deduct</i>	-2.54	
05 05 23 00-0627 EA 7/8" Diameter x 6-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	26.45	
<i>For >100 To 250, Deduct</i>	-1.69	
<i>For >250 To 500, Deduct</i>	-2.12	
<i>For >500, Deduct</i>	-2.54	
05 05 23 00-0628 EA 7/8" Diameter x 7" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	27.63	
<i>For >100 To 250, Deduct</i>	-1.72	
<i>For >250 To 500, Deduct</i>	-2.15	
<i>For >500, Deduct</i>	-2.58	
05 05 23 00-0629 EA 7/8" Diameter x 7-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	30.80	
<i>For >100 To 250, Deduct</i>	-1.72	
<i>For >250 To 500, Deduct</i>	-2.15	
<i>For >500, Deduct</i>	-2.58	
05 05 23 00-0630 EA 7/8" Diameter x 8" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	32.08	
<i>For >100 To 250, Deduct</i>	-1.72	
<i>For >250 To 500, Deduct</i>	-2.15	
<i>For >500, Deduct</i>	-2.58	
05 05 23 00-0631 EA 7/8" Diameter x 8-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	33.27	
<i>For >100 To 250, Deduct</i>	-1.75	
<i>For >250 To 500, Deduct</i>	-2.19	
<i>For >500, Deduct</i>	-2.63	
05 05 23 00-0632 EA 7/8" Diameter x 9" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	33.64	
<i>For >100 To 250, Deduct</i>	-1.75	
<i>For >250 To 500, Deduct</i>	-2.19	
<i>For >500, Deduct</i>	-2.63	
05 05 23 00-0633 EA 7/8" Diameter x 9-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	33.96	
<i>For >100 To 250, Deduct</i>	-1.75	
<i>For >250 To 500, Deduct</i>	-2.19	
<i>For >500, Deduct</i>	-2.63	
05 05 23 00-0634 EA 7/8" Diameter x 10" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	34.72	
<i>For >100 To 250, Deduct</i>	-1.75	
<i>For >250 To 500, Deduct</i>	-2.19	
<i>For >500, Deduct</i>	-2.63	
05 05 23 00-0635 1" Diameter, Zinc Plated Steel, Grade 8, Hex Head Bolts <small>(05 05 23 00-0472)</small>		
05 05 23 00-0636 EA 1" Diameter x 1-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	14.21	
<i>For >100 To 250, Deduct</i>	-1.59	
<i>For >250 To 500, Deduct</i>	-1.99	
<i>For >500, Deduct</i>	-2.39	
05 05 23 00-0637 EA 1" Diameter x 2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	15.32	
<i>For >100 To 250, Deduct</i>	-1.59	
<i>For >250 To 500, Deduct</i>	-1.99	
<i>For >500, Deduct</i>	-2.39	
05 05 23 00-0638 EA 1" Diameter x 2-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	15.97	
<i>For >100 To 250, Deduct</i>	-1.63	
<i>For >250 To 500, Deduct</i>	-2.04	
<i>For >500, Deduct</i>	-2.44	
05 05 23 00-0639 EA 1" Diameter x 3" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	16.79	
<i>For >100 To 250, Deduct</i>	-1.63	
<i>For >250 To 500, Deduct</i>	-2.04	
<i>For >500, Deduct</i>	-2.44	

05 Metals**05 05 Common Work Results For Metals****05 05 23 Metal Fastenings**

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 05 23 00-0640 EA 1" Diameter x 3-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	18.34	
For >100 To 250, Deduct	-1.63	
For >250 To 500, Deduct	-2.04	
For >500, Deduct	-2.44	
05 05 23 00-0641 EA 1" Diameter x 4" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	18.91	
For >100 To 250, Deduct	-1.66	
For >250 To 500, Deduct	-2.08	
For >500, Deduct	-2.49	
05 05 23 00-0642 EA 1" Diameter x 4-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	20.24	
For >100 To 250, Deduct	-1.66	
For >250 To 500, Deduct	-2.08	
For >500, Deduct	-2.49	
05 05 23 00-0643 EA 1" Diameter x 5" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	22.02	
For >100 To 250, Deduct	-1.66	
For >250 To 500, Deduct	-2.08	
For >500, Deduct	-2.49	
05 05 23 00-0644 EA 1" Diameter x 5-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	23.01	
For >100 To 250, Deduct	-1.69	
For >250 To 500, Deduct	-2.12	
For >500, Deduct	-2.54	
05 05 23 00-0645 EA 1" Diameter x 6" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	23.76	
For >100 To 250, Deduct	-1.69	
For >250 To 500, Deduct	-2.12	
For >500, Deduct	-2.54	
05 05 23 00-0646 EA 1" Diameter x 6-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	27.48	
For >100 To 250, Deduct	-1.69	
For >250 To 500, Deduct	-2.12	
For >500, Deduct	-2.54	
05 05 23 00-0647 EA 1" Diameter x 7" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	28.20	
For >100 To 250, Deduct	-1.72	
For >250 To 500, Deduct	-2.15	
For >500, Deduct	-2.58	
05 05 23 00-0648 EA 1" Diameter x 7-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	32.40	
For >100 To 250, Deduct	-1.72	
For >250 To 500, Deduct	-2.15	
For >500, Deduct	-2.58	
05 05 23 00-0649 EA 1" Diameter x 8" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	33.12	
For >100 To 250, Deduct	-1.72	
For >250 To 500, Deduct	-2.15	
For >500, Deduct	-2.58	
05 05 23 00-0650 EA 1" Diameter x 8-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	35.52	
For >100 To 250, Deduct	-1.75	
For >250 To 500, Deduct	-2.19	
For >500, Deduct	-2.63	
05 05 23 00-0651 EA 1" Diameter x 9" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	36.74	
For >100 To 250, Deduct	-1.75	
For >250 To 500, Deduct	-2.19	
For >500, Deduct	-2.63	
05 05 23 00-0652 EA 1" Diameter x 9-1/2" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	39.93	
For >100 To 250, Deduct	-1.75	
For >250 To 500, Deduct	-2.19	
For >500, Deduct	-2.63	
05 05 23 00-0653 EA 1" Diameter x 10" Length, Yellow Zinc Plated Steel, Grade 8, Hex Head Bolt.....	41.89	
For >100 To 250, Deduct	-1.75	
For >250 To 500, Deduct	-2.19	
For >500, Deduct	-2.63	
05 05 23 00-0654 Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolts (05 05 23 00-0654)		
05 05 23 00-0655 1/4" Diameter, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolts (05 05 23 00-0654)		
05 05 23 00-0656 EA 1/4" Diameter x 1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt.....	5.90	
For >100 To 250, Deduct	-1.12	
For >250 To 500, Deduct	-1.40	
For >500, Deduct	-1.67	
05 05 23 00-0657 EA 1/4" Diameter x 1" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt.....	5.91	
For >100 To 250, Deduct	-1.12	
For >250 To 500, Deduct	-1.40	
For >500, Deduct	-1.67	
05 05 23 00-0658 EA 1/4" Diameter x 1-1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt.....	5.93	
For >100 To 250, Deduct	-1.12	
For >250 To 500, Deduct	-1.40	
For >500, Deduct	-1.67	
05 05 23 00-0659 EA 1/4" Diameter x 2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt.....	6.16	
For >100 To 250, Deduct	-1.12	
For >250 To 500, Deduct	-1.40	
For >500, Deduct	-1.67	
05 05 23 00-0660 EA 1/4" Diameter x 2-1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt.....	6.43	
For >100 To 250, Deduct	-1.15	
For >250 To 500, Deduct	-1.44	
For >500, Deduct	-1.72	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 05 23 00-0661 EA 1/4" Diameter x 3" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	6.56 -1.15 -1.44 -1.72	
05 05 23 00-0662 EA 1/4" Diameter x 3-1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	6.62 -1.15 -1.44 -1.72	
05 05 23 00-0663 EA 1/4" Diameter x 4" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	6.80 -1.18 -1.48 -1.77	
05 05 23 00-0664 EA 1/4" Diameter x 4-1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	6.96 -1.18 -1.48 -1.77	
05 05 23 00-0665 EA 1/4" Diameter x 5" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	7.00 -1.18 -1.48 -1.77	
05 05 23 00-0666 EA 1/4" Diameter x 5-1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	7.27 -1.21 -1.52 -1.82	
05 05 23 00-0667 EA 1/4" Diameter x 6" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	7.40 -1.21 -1.52 -1.82	
05 05 23 00-0668 EA 1/4" Diameter x 6-1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	7.46 -1.21 -1.52 -1.82	
05 05 23 00-0669 EA 1/4" Diameter x 7" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	7.75 -1.25 -1.56 -1.87	
05 05 23 00-0670 EA 1/4" Diameter x 7-1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	8.13 -1.25 -1.56 -1.87	
05 05 23 00-0671 EA 1/4" Diameter x 8" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	8.62 -1.25 -1.56 -1.87	
05 05 23 00-0672 5/16" Diameter, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolts <small>(05 05 23 00-0654)</small>		
05 05 23 00-0673 EA 5/16" Diameter x 1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	5.79 -1.12 -1.40 -1.67	
05 05 23 00-0674 EA 5/16" Diameter x 1" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	6.23 -1.12 -1.40 -1.67	
05 05 23 00-0675 EA 5/16" Diameter x 1-1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	6.27 -1.12 -1.40 -1.67	
05 05 23 00-0676 EA 5/16" Diameter x 2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	6.29 -1.12 -1.40 -1.67	
05 05 23 00-0677 EA 5/16" Diameter x 2-1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	6.65 -1.15 -1.44 -1.72	
05 05 23 00-0678 EA 5/16" Diameter x 3" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	7.06 -1.15 -1.44 -1.72	
05 05 23 00-0679 EA 5/16" Diameter x 3-1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	7.14 -1.15 -1.44 -1.72	
05 05 23 00-0680 EA 5/16" Diameter x 4" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	7.41 -1.18 -1.48 -1.77	
05 05 23 00-0681 EA 5/16" Diameter x 4-1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	7.45 -1.18 -1.48 -1.77	

05 Metals**05 05 Common Work Results For Metals****05 05 23 Metal Fastenings**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 05 23 00-0682	EA		5/16" Diameter x 5" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	7.78	
			<i>For >100 To 250, Deduct</i>	-1.18	
			<i>For >250 To 500, Deduct</i>	-1.48	
			<i>For >500, Deduct</i>	-1.77	
05 05 23 00-0683	EA		5/16" Diameter x 5-1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	8.03	
			<i>For >100 To 250, Deduct</i>	-1.21	
			<i>For >250 To 500, Deduct</i>	-1.52	
			<i>For >500, Deduct</i>	-1.82	
05 05 23 00-0684	EA		5/16" Diameter x 6" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	8.15	
			<i>For >100 To 250, Deduct</i>	-1.21	
			<i>For >250 To 500, Deduct</i>	-1.52	
			<i>For >500, Deduct</i>	-1.82	
05 05 23 00-0685	EA		5/16" Diameter x 6-1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	8.47	
			<i>For >100 To 250, Deduct</i>	-1.21	
			<i>For >250 To 500, Deduct</i>	-1.52	
			<i>For >500, Deduct</i>	-1.82	
05 05 23 00-0686	EA		5/16" Diameter x 7" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	9.28	
			<i>For >100 To 250, Deduct</i>	-1.25	
			<i>For >250 To 500, Deduct</i>	-1.56	
			<i>For >500, Deduct</i>	-1.87	
05 05 23 00-0687	EA		5/16" Diameter x 7-1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	9.78	
			<i>For >100 To 250, Deduct</i>	-1.25	
			<i>For >250 To 500, Deduct</i>	-1.56	
			<i>For >500, Deduct</i>	-1.87	
05 05 23 00-0688	EA		5/16" Diameter x 8" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	10.25	
			<i>For >100 To 250, Deduct</i>	-1.25	
			<i>For >250 To 500, Deduct</i>	-1.56	
			<i>For >500, Deduct</i>	-1.87	
05 05 23 00-0689			3/8" Diameter, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolts <small>(05 05 23 00-0654)</small>		
05 05 23 00-0690	EA		3/8" Diameter x 1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	5.93	
			<i>For >100 To 250, Deduct</i>	-1.12	
			<i>For >250 To 500, Deduct</i>	-1.40	
			<i>For >500, Deduct</i>	-1.67	
05 05 23 00-0691	EA		3/8" Diameter x 1" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	6.03	
			<i>For >100 To 250, Deduct</i>	-1.12	
			<i>For >250 To 500, Deduct</i>	-1.40	
			<i>For >500, Deduct</i>	-1.67	
05 05 23 00-0692	EA		3/8" Diameter x 1-1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	6.14	
			<i>For >100 To 250, Deduct</i>	-1.12	
			<i>For >250 To 500, Deduct</i>	-1.40	
			<i>For >500, Deduct</i>	-1.67	
05 05 23 00-0693	EA		3/8" Diameter x 2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	6.40	
			<i>For >100 To 250, Deduct</i>	-1.12	
			<i>For >250 To 500, Deduct</i>	-1.40	
			<i>For >500, Deduct</i>	-1.67	
05 05 23 00-0694	EA		3/8" Diameter x 2-1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	6.68	
			<i>For >100 To 250, Deduct</i>	-1.15	
			<i>For >250 To 500, Deduct</i>	-1.44	
			<i>For >500, Deduct</i>	-1.72	
05 05 23 00-0695	EA		3/8" Diameter x 3" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	6.90	
			<i>For >100 To 250, Deduct</i>	-1.15	
			<i>For >250 To 500, Deduct</i>	-1.44	
			<i>For >500, Deduct</i>	-1.72	
05 05 23 00-0696	EA		3/8" Diameter x 3-1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	7.06	
			<i>For >100 To 250, Deduct</i>	-1.15	
			<i>For >250 To 500, Deduct</i>	-1.44	
			<i>For >500, Deduct</i>	-1.72	
05 05 23 00-0697	EA		3/8" Diameter x 4" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	7.44	
			<i>For >100 To 250, Deduct</i>	-1.18	
			<i>For >250 To 500, Deduct</i>	-1.48	
			<i>For >500, Deduct</i>	-1.77	
05 05 23 00-0698	EA		3/8" Diameter x 4-1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	7.55	
			<i>For >100 To 250, Deduct</i>	-1.18	
			<i>For >250 To 500, Deduct</i>	-1.48	
			<i>For >500, Deduct</i>	-1.77	
05 05 23 00-0699	EA		3/8" Diameter x 5" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	7.82	
			<i>For >100 To 250, Deduct</i>	-1.18	
			<i>For >250 To 500, Deduct</i>	-1.48	
			<i>For >500, Deduct</i>	-1.77	
05 05 23 00-0700	EA		3/8" Diameter x 5-1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	8.09	
			<i>For >100 To 250, Deduct</i>	-1.21	
			<i>For >250 To 500, Deduct</i>	-1.52	
			<i>For >500, Deduct</i>	-1.82	
05 05 23 00-0701	EA		3/8" Diameter x 6" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	8.46	
			<i>For >100 To 250, Deduct</i>	-1.21	
			<i>For >250 To 500, Deduct</i>	-1.52	
			<i>For >500, Deduct</i>	-1.82	
05 05 23 00-0702	EA		3/8" Diameter x 6-1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	8.52	
			<i>For >100 To 250, Deduct</i>	-1.21	
			<i>For >250 To 500, Deduct</i>	-1.52	
			<i>For >500, Deduct</i>	-1.82	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 05 23 00-0703 EA 3/8" Diameter x 7" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	8.72 -1.25 -1.56 -1.87	
05 05 23 00-0704 EA 3/8" Diameter x 7-1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	8.75 -1.25 -1.56 -1.87	
05 05 23 00-0705 EA 3/8" Diameter x 8" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	9.19 -1.25 -1.56 -1.87	
05 05 23 00-0706 7/16" Diameter, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolts <small>(05 05 23 00-0654)</small>		
05 05 23 00-0707 EA 7/16" Diameter x 1" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	7.39 -1.28 -1.60 -1.91	
05 05 23 00-0708 EA 7/16" Diameter x 1-1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	7.86 -1.28 -1.60 -1.91	
05 05 23 00-0709 EA 7/16" Diameter x 2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	8.23 -1.28 -1.60 -1.91	
05 05 23 00-0710 EA 7/16" Diameter x 2-1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	9.01 -1.31 -1.64 -1.96	
05 05 23 00-0711 EA 7/16" Diameter x 3" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	9.04 -1.31 -1.64 -1.96	
05 05 23 00-0712 EA 7/16" Diameter x 3-1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	9.08 -1.31 -1.64 -1.96	
05 05 23 00-0713 EA 7/16" Diameter x 4" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	9.54 -1.34 -1.68 -2.01	
05 05 23 00-0714 EA 7/16" Diameter x 4-1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	9.88 -1.34 -1.68 -2.01	
05 05 23 00-0715 EA 7/16" Diameter x 5" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	10.19 -1.34 -1.68 -2.01	
05 05 23 00-0716 EA 7/16" Diameter x 5-1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	10.69 -1.37 -1.72 -2.06	
05 05 23 00-0717 EA 7/16" Diameter x 6" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	11.05 -1.37 -1.72 -2.06	
05 05 23 00-0718 1/2" Diameter, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolts <small>(05 05 23 00-0654)</small>		
05 05 23 00-0719 EA 1/2" Diameter x 1" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	7.18 -1.28 -1.60 -1.91	
05 05 23 00-0720 EA 1/2" Diameter x 1-1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	7.34 -1.28 -1.60 -1.91	
05 05 23 00-0721 EA 1/2" Diameter x 2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	7.65 -1.28 -1.60 -1.91	
05 05 23 00-0722 EA 1/2" Diameter x 2-1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	8.16 -1.31 -1.64 -1.96	
05 05 23 00-0723 EA 1/2" Diameter x 3" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	8.41 -1.31 -1.64 -1.96	

05 Metals**05 05 Common Work Results For Metals****05 05 23 Metal Fastenings**

MINOR		TOTAL DIRECT	DEMOLITION
CSI	UOM DESCRIPTION	UNIT COST	UNIT COST
05 05 23 00-0724	EA 1/2" Diameter x 3-1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	8.85 -1.31 -1.64 -1.96	
05 05 23 00-0725	EA 1/2" Diameter x 4" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	9.09 -1.34 -1.68 -2.01	
05 05 23 00-0726	EA 1/2" Diameter x 4-1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	9.25 -1.34 -1.68 -2.01	
05 05 23 00-0727	EA 1/2" Diameter x 5" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	9.61 -1.34 -1.68 -2.01	
05 05 23 00-0728	EA 1/2" Diameter x 5-1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	9.93 -1.37 -1.72 -2.06	
05 05 23 00-0729	EA 1/2" Diameter x 6" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	10.32 -1.37 -1.72 -2.06	
05 05 23 00-0730	EA 1/2" Diameter x 6-1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	10.36 -1.37 -1.72 -2.06	
05 05 23 00-0731	EA 1/2" Diameter x 7" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	10.60 -1.40 -1.76 -2.11	
05 05 23 00-0732	EA 1/2" Diameter x 7-1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	10.70 -1.40 -1.76 -2.11	
05 05 23 00-0733	EA 1/2" Diameter x 8" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	11.00 -1.40 -1.76 -2.11	
05 05 23 00-0734	EA 1/2" Diameter x 8-1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	12.59 -1.44 -1.80 -2.15	
05 05 23 00-0735	EA 1/2" Diameter x 9" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	12.83 -1.44 -1.80 -2.15	
05 05 23 00-0736	EA 1/2" Diameter x 9-1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	12.88 -1.44 -1.80 -2.15	
05 05 23 00-0737	EA 1/2" Diameter x 10" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	13.02 -1.44 -1.80 -2.15	
05 05 23 00-0738	5/8" Diameter, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolts <small>(05 05 23 00-0654)</small>		
05 05 23 00-0739	EA 5/8" Diameter x 1" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	8.54 -1.44 -1.80 -2.15	
05 05 23 00-0740	EA 5/8" Diameter x 1-1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	8.78 -1.44 -1.80 -2.15	
05 05 23 00-0741	EA 5/8" Diameter x 2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	8.94 -1.44 -1.80 -2.15	
05 05 23 00-0742	EA 5/8" Diameter x 2-1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	9.37 -1.47 -1.84 -2.20	
05 05 23 00-0743	EA 5/8" Diameter x 3" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	9.73 -1.47 -1.84 -2.20	
05 05 23 00-0744	EA 5/8" Diameter x 3-1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	10.51 -1.47 -1.84 -2.20	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 05 23 00-0745 EA 5/8" Diameter x 4" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	10.79	
<i>For >100 To 250, Deduct</i>	-1.50	
<i>For >250 To 500, Deduct</i>	-1.87	
<i>For >500, Deduct</i>	-2.25	
05 05 23 00-0746 EA 5/8" Diameter x 4-1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	10.93	
<i>For >100 To 250, Deduct</i>	-1.50	
<i>For >250 To 500, Deduct</i>	-1.87	
<i>For >500, Deduct</i>	-2.25	
05 05 23 00-0747 EA 5/8" Diameter x 5" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	11.17	
<i>For >100 To 250, Deduct</i>	-1.50	
<i>For >250 To 500, Deduct</i>	-1.87	
<i>For >500, Deduct</i>	-2.25	
05 05 23 00-0748 EA 5/8" Diameter x 5-1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	11.65	
<i>For >100 To 250, Deduct</i>	-1.53	
<i>For >250 To 500, Deduct</i>	-1.91	
<i>For >500, Deduct</i>	-2.30	
05 05 23 00-0749 EA 5/8" Diameter x 6" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	11.93	
<i>For >100 To 250, Deduct</i>	-1.53	
<i>For >250 To 500, Deduct</i>	-1.91	
<i>For >500, Deduct</i>	-2.30	
05 05 23 00-0750 EA 5/8" Diameter x 6-1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	12.74	
<i>For >100 To 250, Deduct</i>	-1.53	
<i>For >250 To 500, Deduct</i>	-1.91	
<i>For >500, Deduct</i>	-2.30	
05 05 23 00-0751 EA 5/8" Diameter x 7" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	12.95	
<i>For >100 To 250, Deduct</i>	-1.56	
<i>For >250 To 500, Deduct</i>	-1.95	
<i>For >500, Deduct</i>	-2.34	
05 05 23 00-0752 EA 5/8" Diameter x 7-1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	14.37	
<i>For >100 To 250, Deduct</i>	-1.56	
<i>For >250 To 500, Deduct</i>	-1.95	
<i>For >500, Deduct</i>	-2.34	
05 05 23 00-0753 EA 5/8" Diameter x 8" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	14.79	
<i>For >100 To 250, Deduct</i>	-1.56	
<i>For >250 To 500, Deduct</i>	-1.95	
<i>For >500, Deduct</i>	-2.34	
05 05 23 00-0754 EA 5/8" Diameter x 8-1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	15.55	
<i>For >100 To 250, Deduct</i>	-1.59	
<i>For >250 To 500, Deduct</i>	-1.99	
<i>For >500, Deduct</i>	-2.39	
05 05 23 00-0755 EA 5/8" Diameter x 9" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	16.22	
<i>For >100 To 250, Deduct</i>	-1.59	
<i>For >250 To 500, Deduct</i>	-1.99	
<i>For >500, Deduct</i>	-2.39	
05 05 23 00-0756 EA 5/8" Diameter x 9-1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	17.75	
<i>For >100 To 250, Deduct</i>	-1.59	
<i>For >250 To 500, Deduct</i>	-1.99	
<i>For >500, Deduct</i>	-2.39	
05 05 23 00-0757 EA 5/8" Diameter x 10" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	17.87	
<i>For >100 To 250, Deduct</i>	-1.59	
<i>For >250 To 500, Deduct</i>	-1.99	
<i>For >500, Deduct</i>	-2.39	
05 05 23 00-0758 3/4" Diameter, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolts <small>(05 05 23 00-0654)</small>		
05 05 23 00-0759 EA 3/4" Diameter x 1" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	9.69	
<i>For >100 To 250, Deduct</i>	-1.44	
<i>For >250 To 500, Deduct</i>	-1.80	
<i>For >500, Deduct</i>	-2.15	
05 05 23 00-0760 EA 3/4" Diameter x 1-1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	9.74	
<i>For >100 To 250, Deduct</i>	-1.44	
<i>For >250 To 500, Deduct</i>	-1.80	
<i>For >500, Deduct</i>	-2.15	
05 05 23 00-0761 EA 3/4" Diameter x 2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	10.03	
<i>For >100 To 250, Deduct</i>	-1.44	
<i>For >250 To 500, Deduct</i>	-1.80	
<i>For >500, Deduct</i>	-2.15	
05 05 23 00-0762 EA 3/4" Diameter x 2-1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	10.85	
<i>For >100 To 250, Deduct</i>	-1.47	
<i>For >250 To 500, Deduct</i>	-1.84	
<i>For >500, Deduct</i>	-2.20	
05 05 23 00-0763 EA 3/4" Diameter x 3" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	11.96	
<i>For >100 To 250, Deduct</i>	-1.47	
<i>For >250 To 500, Deduct</i>	-1.84	
<i>For >500, Deduct</i>	-2.20	
05 05 23 00-0764 EA 3/4" Diameter x 3-1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	12.67	
<i>For >100 To 250, Deduct</i>	-1.47	
<i>For >250 To 500, Deduct</i>	-1.84	
<i>For >500, Deduct</i>	-2.20	
05 05 23 00-0765 EA 3/4" Diameter x 4" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	13.20	
<i>For >100 To 250, Deduct</i>	-1.50	
<i>For >250 To 500, Deduct</i>	-1.87	
<i>For >500, Deduct</i>	-2.25	

05 Metals**05 05 Common Work Results For Metals****05 05 23 Metal Fastenings**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 05 23 00-0766	EA		3/4" Diameter x 4-1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	13.26	
			<i>For >100 To 250, Deduct</i>	-1.50	
			<i>For >250 To 500, Deduct</i>	-1.87	
			<i>For >500, Deduct</i>	-2.25	
05 05 23 00-0767	EA		3/4" Diameter x 5" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	13.42	
			<i>For >100 To 250, Deduct</i>	-1.50	
			<i>For >250 To 500, Deduct</i>	-1.87	
			<i>For >500, Deduct</i>	-2.25	
05 05 23 00-0768	EA		3/4" Diameter x 5-1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	13.68	
			<i>For >100 To 250, Deduct</i>	-1.53	
			<i>For >250 To 500, Deduct</i>	-1.91	
			<i>For >500, Deduct</i>	-2.30	
05 05 23 00-0769	EA		3/4" Diameter x 6" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	14.62	
			<i>For >100 To 250, Deduct</i>	-1.53	
			<i>For >250 To 500, Deduct</i>	-1.91	
			<i>For >500, Deduct</i>	-2.30	
05 05 23 00-0770	EA		3/4" Diameter x 6-1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	15.01	
			<i>For >100 To 250, Deduct</i>	-1.53	
			<i>For >250 To 500, Deduct</i>	-1.91	
			<i>For >500, Deduct</i>	-2.30	
05 05 23 00-0771	EA		3/4" Diameter x 7" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	15.93	
			<i>For >100 To 250, Deduct</i>	-1.56	
			<i>For >250 To 500, Deduct</i>	-1.95	
			<i>For >500, Deduct</i>	-2.34	
05 05 23 00-0772	EA		3/4" Diameter x 7-1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	16.06	
			<i>For >100 To 250, Deduct</i>	-1.56	
			<i>For >250 To 500, Deduct</i>	-1.95	
			<i>For >500, Deduct</i>	-2.34	
05 05 23 00-0773	EA		3/4" Diameter x 8" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	16.44	
			<i>For >100 To 250, Deduct</i>	-1.56	
			<i>For >250 To 500, Deduct</i>	-1.95	
			<i>For >500, Deduct</i>	-2.34	
05 05 23 00-0774	EA		3/4" Diameter x 8-1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	17.17	
			<i>For >100 To 250, Deduct</i>	-1.59	
			<i>For >250 To 500, Deduct</i>	-1.99	
			<i>For >500, Deduct</i>	-2.39	
05 05 23 00-0775	EA		3/4" Diameter x 9" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	17.58	
			<i>For >100 To 250, Deduct</i>	-1.59	
			<i>For >250 To 500, Deduct</i>	-1.99	
			<i>For >500, Deduct</i>	-2.39	
05 05 23 00-0776	EA		3/4" Diameter x 9-1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	17.80	
			<i>For >100 To 250, Deduct</i>	-1.59	
			<i>For >250 To 500, Deduct</i>	-1.99	
			<i>For >500, Deduct</i>	-2.39	
05 05 23 00-0777	EA		3/4" Diameter x 10" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	17.92	
			<i>For >100 To 250, Deduct</i>	-1.59	
			<i>For >250 To 500, Deduct</i>	-1.99	
			<i>For >500, Deduct</i>	-2.39	
05 05 23 00-0778			7/8" Diameter, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolts <small>(05 05 23 00-0654)</small>		
05 05 23 00-0779	EA		7/8" Diameter x 1-1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	12.78	
			<i>For >100 To 250, Deduct</i>	-1.59	
			<i>For >250 To 500, Deduct</i>	-1.99	
			<i>For >500, Deduct</i>	-2.39	
05 05 23 00-0780	EA		7/8" Diameter x 2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	13.24	
			<i>For >100 To 250, Deduct</i>	-1.59	
			<i>For >250 To 500, Deduct</i>	-1.99	
			<i>For >500, Deduct</i>	-2.39	
05 05 23 00-0781	EA		7/8" Diameter x 2-1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	13.66	
			<i>For >100 To 250, Deduct</i>	-1.63	
			<i>For >250 To 500, Deduct</i>	-2.04	
			<i>For >500, Deduct</i>	-2.44	
05 05 23 00-0782	EA		7/8" Diameter x 3" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	16.03	
			<i>For >100 To 250, Deduct</i>	-1.63	
			<i>For >250 To 500, Deduct</i>	-2.04	
			<i>For >500, Deduct</i>	-2.44	
05 05 23 00-0783	EA		7/8" Diameter x 3-1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	16.39	
			<i>For >100 To 250, Deduct</i>	-1.63	
			<i>For >250 To 500, Deduct</i>	-2.04	
			<i>For >500, Deduct</i>	-2.44	
05 05 23 00-0784	EA		7/8" Diameter x 4" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	17.00	
			<i>For >100 To 250, Deduct</i>	-1.66	
			<i>For >250 To 500, Deduct</i>	-2.08	
			<i>For >500, Deduct</i>	-2.49	
05 05 23 00-0785	EA		7/8" Diameter x 4-1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	17.50	
			<i>For >100 To 250, Deduct</i>	-1.66	
			<i>For >250 To 500, Deduct</i>	-2.08	
			<i>For >500, Deduct</i>	-2.49	
05 05 23 00-0786	EA		7/8" Diameter x 5" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	18.13	
			<i>For >100 To 250, Deduct</i>	-1.66	
			<i>For >250 To 500, Deduct</i>	-2.08	
			<i>For >500, Deduct</i>	-2.49	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 05 23 00-0787 EA 7/8" Diameter x 5-1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	18.74	
For >100 To 250, Deduct	-1.69	
For >250 To 500, Deduct	-2.12	
For >500, Deduct	-2.54	
05 05 23 00-0788 EA 7/8" Diameter x 6" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	19.23	
For >100 To 250, Deduct	-1.69	
For >250 To 500, Deduct	-2.12	
For >500, Deduct	-2.54	
05 05 23 00-0789 EA 7/8" Diameter x 6-1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	23.15	
For >100 To 250, Deduct	-1.69	
For >250 To 500, Deduct	-2.12	
For >500, Deduct	-2.54	
05 05 23 00-0790 EA 7/8" Diameter x 7" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	23.85	
For >100 To 250, Deduct	-1.72	
For >250 To 500, Deduct	-2.15	
For >500, Deduct	-2.58	
05 05 23 00-0791 EA 7/8" Diameter x 7-1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	24.76	
For >100 To 250, Deduct	-1.72	
For >250 To 500, Deduct	-2.15	
For >500, Deduct	-2.58	
05 05 23 00-0792 EA 7/8" Diameter x 8" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	24.98	
For >100 To 250, Deduct	-1.72	
For >250 To 500, Deduct	-2.15	
For >500, Deduct	-2.58	
05 05 23 00-0793 EA 7/8" Diameter x 8-1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	25.39	
For >100 To 250, Deduct	-1.75	
For >250 To 500, Deduct	-2.19	
For >500, Deduct	-2.63	
05 05 23 00-0794 EA 7/8" Diameter x 9" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	25.90	
For >100 To 250, Deduct	-1.75	
For >250 To 500, Deduct	-2.19	
For >500, Deduct	-2.63	
05 05 23 00-0795 EA 7/8" Diameter x 9-1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	26.53	
For >100 To 250, Deduct	-1.75	
For >250 To 500, Deduct	-2.19	
For >500, Deduct	-2.63	
05 05 23 00-0796 EA 7/8" Diameter x 10" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	27.13	
For >100 To 250, Deduct	-1.75	
For >250 To 500, Deduct	-2.19	
For >500, Deduct	-2.63	
05 05 23 00-0797 1" Diameter, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolts <small>(05 05 23 00-0654)</small>		
05 05 23 00-0798 EA 1" Diameter x 2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	15.96	
For >100 To 250, Deduct	-1.59	
For >250 To 500, Deduct	-1.99	
For >500, Deduct	-2.39	
05 05 23 00-0799 EA 1" Diameter x 2-1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	16.27	
For >100 To 250, Deduct	-1.63	
For >250 To 500, Deduct	-2.04	
For >500, Deduct	-2.44	
05 05 23 00-0800 EA 1" Diameter x 3" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	17.12	
For >100 To 250, Deduct	-1.63	
For >250 To 500, Deduct	-2.04	
For >500, Deduct	-2.44	
05 05 23 00-0801 EA 1" Diameter x 3-1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	17.80	
For >100 To 250, Deduct	-1.63	
For >250 To 500, Deduct	-2.04	
For >500, Deduct	-2.44	
05 05 23 00-0802 EA 1" Diameter x 4" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	19.49	
For >100 To 250, Deduct	-1.66	
For >250 To 500, Deduct	-2.08	
For >500, Deduct	-2.49	
05 05 23 00-0803 EA 1" Diameter x 4-1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	19.83	
For >100 To 250, Deduct	-1.66	
For >250 To 500, Deduct	-2.08	
For >500, Deduct	-2.49	
05 05 23 00-0804 EA 1" Diameter x 5" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	20.82	
For >100 To 250, Deduct	-1.66	
For >250 To 500, Deduct	-2.08	
For >500, Deduct	-2.49	
05 05 23 00-0805 EA 1" Diameter x 5-1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	21.09	
For >100 To 250, Deduct	-1.69	
For >250 To 500, Deduct	-2.12	
For >500, Deduct	-2.54	
05 05 23 00-0806 EA 1" Diameter x 6" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	21.45	
For >100 To 250, Deduct	-1.69	
For >250 To 500, Deduct	-2.12	
For >500, Deduct	-2.54	
05 05 23 00-0807 EA 1" Diameter x 6-1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	24.82	
For >100 To 250, Deduct	-1.69	
For >250 To 500, Deduct	-2.12	
For >500, Deduct	-2.54	

05 Metals**05 05 Common Work Results For Metals****05 05 23 Metal Fastenings**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 05 23 00-0808	EA	1"	Diameter x 7" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	25.60	
			<i>For >100 To 250, Deduct</i>	-1.72	
			<i>For >250 To 500, Deduct</i>	-2.15	
			<i>For >500, Deduct</i>	-2.58	
05 05 23 00-0809	EA	1"	Diameter x 7-1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	27.01	
			<i>For >100 To 250, Deduct</i>	-1.72	
			<i>For >250 To 500, Deduct</i>	-2.15	
			<i>For >500, Deduct</i>	-2.58	
05 05 23 00-0810	EA	1"	Diameter x 8" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	28.40	
			<i>For >100 To 250, Deduct</i>	-1.72	
			<i>For >250 To 500, Deduct</i>	-2.15	
			<i>For >500, Deduct</i>	-2.58	
05 05 23 00-0811	EA	1"	Diameter x 8-1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	28.98	
			<i>For >100 To 250, Deduct</i>	-1.75	
			<i>For >250 To 500, Deduct</i>	-2.19	
			<i>For >500, Deduct</i>	-2.63	
05 05 23 00-0812	EA	1"	Diameter x 9" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	30.11	
			<i>For >100 To 250, Deduct</i>	-1.75	
			<i>For >250 To 500, Deduct</i>	-2.19	
			<i>For >500, Deduct</i>	-2.63	
05 05 23 00-0813	EA	1"	Diameter x 9-1/2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	30.97	
			<i>For >100 To 250, Deduct</i>	-1.75	
			<i>For >250 To 500, Deduct</i>	-2.19	
			<i>For >500, Deduct</i>	-2.63	
05 05 23 00-0814	EA	1"	Diameter x 10" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Hex Head Bolt	32.24	
			<i>For >100 To 250, Deduct</i>	-1.75	
			<i>For >250 To 500, Deduct</i>	-2.19	
			<i>For >500, Deduct</i>	-2.63	
05 05 23 00-0815			304/18-8 Stainless Steel, Hex Head Bolts <small>(05 05 23 00-0097)</small>		
05 05 23 00-0816			1/4" Diameter, 304/18-8 Stainless Steel, Hex Head Bolts <small>(05 05 23 00-0815)</small>		
05 05 23 00-0817	EA	1/4"	Diameter x 1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt.....	5.79	
			<i>For >100 To 250, Deduct</i>	-1.12	
			<i>For >250 To 500, Deduct</i>	-1.40	
			<i>For >500, Deduct</i>	-1.67	
05 05 23 00-0818	EA	1/4"	Diameter x 1" Length, 304/18-8 Stainless Steel, Hex Head Bolt.....	5.87	
			<i>For >100 To 250, Deduct</i>	-1.12	
			<i>For >250 To 500, Deduct</i>	-1.40	
			<i>For >500, Deduct</i>	-1.67	
05 05 23 00-0819	EA	1/4"	Diameter x 1-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt	5.98	
			<i>For >100 To 250, Deduct</i>	-1.12	
			<i>For >250 To 500, Deduct</i>	-1.40	
			<i>For >500, Deduct</i>	-1.67	
05 05 23 00-0820	EA	1/4"	Diameter x 2" Length, 304/18-8 Stainless Steel, Hex Head Bolt.....	6.09	
			<i>For >100 To 250, Deduct</i>	-1.12	
			<i>For >250 To 500, Deduct</i>	-1.40	
			<i>For >500, Deduct</i>	-1.67	
05 05 23 00-0821	EA	1/4"	Diameter x 2-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt	6.36	
			<i>For >100 To 250, Deduct</i>	-1.15	
			<i>For >250 To 500, Deduct</i>	-1.44	
			<i>For >500, Deduct</i>	-1.72	
05 05 23 00-0822	EA	1/4"	Diameter x 3" Length, 304/18-8 Stainless Steel, Hex Head Bolt.....	6.53	
			<i>For >100 To 250, Deduct</i>	-1.15	
			<i>For >250 To 500, Deduct</i>	-1.44	
			<i>For >500, Deduct</i>	-1.72	
05 05 23 00-0823	EA	1/4"	Diameter x 3-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt	6.72	
			<i>For >100 To 250, Deduct</i>	-1.15	
			<i>For >250 To 500, Deduct</i>	-1.44	
			<i>For >500, Deduct</i>	-1.72	
05 05 23 00-0824	EA	1/4"	Diameter x 4" Length, 304/18-8 Stainless Steel, Hex Head Bolt.....	7.03	
			<i>For >100 To 250, Deduct</i>	-1.18	
			<i>For >250 To 500, Deduct</i>	-1.48	
			<i>For >500, Deduct</i>	-1.77	
05 05 23 00-0825	EA	1/4"	Diameter x 4-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt	7.27	
			<i>For >100 To 250, Deduct</i>	-1.18	
			<i>For >250 To 500, Deduct</i>	-1.48	
			<i>For >500, Deduct</i>	-1.77	
05 05 23 00-0826	EA	1/4"	Diameter x 5" Length, 304/18-8 Stainless Steel, Hex Head Bolt.....	7.49	
			<i>For >100 To 250, Deduct</i>	-1.18	
			<i>For >250 To 500, Deduct</i>	-1.48	
			<i>For >500, Deduct</i>	-1.77	
05 05 23 00-0827	EA	1/4"	Diameter x 5-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt	7.83	
			<i>For >100 To 250, Deduct</i>	-1.21	
			<i>For >250 To 500, Deduct</i>	-1.52	
			<i>For >500, Deduct</i>	-1.82	
05 05 23 00-0828	EA	1/4"	Diameter x 6" Length, 304/18-8 Stainless Steel, Hex Head Bolt.....	8.20	
			<i>For >100 To 250, Deduct</i>	-1.21	
			<i>For >250 To 500, Deduct</i>	-1.52	
			<i>For >500, Deduct</i>	-1.82	
05 05 23 00-0829	EA	1/4"	Diameter x 6-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt	12.57	
			<i>For >100 To 250, Deduct</i>	-1.21	
			<i>For >250 To 500, Deduct</i>	-1.52	
			<i>For >500, Deduct</i>	-1.82	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 05 23 00-0830 EA 1/4" Diameter x 7" Length, 304/18-8 Stainless Steel, Hex Head Bolt	14.88	
<i>For >100 To 250, Deduct</i>	-1.25	
<i>For >250 To 500, Deduct</i>	-1.56	
<i>For >500, Deduct</i>	-1.87	
05 05 23 00-0831 EA 1/4" Diameter x 7-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt	15.09	
<i>For >100 To 250, Deduct</i>	-1.25	
<i>For >250 To 500, Deduct</i>	-1.56	
<i>For >500, Deduct</i>	-1.87	
05 05 23 00-0832 EA 1/4" Diameter x 8" Length, 304/18-8 Stainless Steel, Hex Head Bolt	15.58	
<i>For >100 To 250, Deduct</i>	-1.25	
<i>For >250 To 500, Deduct</i>	-1.56	
<i>For >500, Deduct</i>	-1.87	
05 05 23 00-0833 5/16" Diameter, 304/18-8 Stainless Steel, Hex Head Bolts <small>(05 05 23 00-0815)</small>		
05 05 23 00-0834 EA 5/16" Diameter x 1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt.....	5.94	
<i>For >100 To 250, Deduct</i>	-1.12	
<i>For >250 To 500, Deduct</i>	-1.40	
<i>For >500, Deduct</i>	-1.67	
05 05 23 00-0835 EA 5/16" Diameter x 1" Length, 304/18-8 Stainless Steel, Hex Head Bolt.....	6.02	
<i>For >100 To 250, Deduct</i>	-1.12	
<i>For >250 To 500, Deduct</i>	-1.40	
<i>For >500, Deduct</i>	-1.67	
05 05 23 00-0836 EA 5/16" Diameter x 1-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt	6.17	
<i>For >100 To 250, Deduct</i>	-1.12	
<i>For >250 To 500, Deduct</i>	-1.40	
<i>For >500, Deduct</i>	-1.67	
05 05 23 00-0837 EA 5/16" Diameter x 2" Length, 304/18-8 Stainless Steel, Hex Head Bolt.....	6.30	
<i>For >100 To 250, Deduct</i>	-1.12	
<i>For >250 To 500, Deduct</i>	-1.40	
<i>For >500, Deduct</i>	-1.67	
05 05 23 00-0838 EA 5/16" Diameter x 2-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt	6.69	
<i>For >100 To 250, Deduct</i>	-1.15	
<i>For >250 To 500, Deduct</i>	-1.44	
<i>For >500, Deduct</i>	-1.72	
05 05 23 00-0839 EA 5/16" Diameter x 3" Length, 304/18-8 Stainless Steel, Hex Head Bolt.....	6.77	
<i>For >100 To 250, Deduct</i>	-1.15	
<i>For >250 To 500, Deduct</i>	-1.44	
<i>For >500, Deduct</i>	-1.72	
05 05 23 00-0840 EA 5/16" Diameter x 3-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt	7.18	
<i>For >100 To 250, Deduct</i>	-1.15	
<i>For >250 To 500, Deduct</i>	-1.44	
<i>For >500, Deduct</i>	-1.72	
05 05 23 00-0841 EA 5/16" Diameter x 4" Length, 304/18-8 Stainless Steel, Hex Head Bolt.....	7.63	
<i>For >100 To 250, Deduct</i>	-1.18	
<i>For >250 To 500, Deduct</i>	-1.48	
<i>For >500, Deduct</i>	-1.77	
05 05 23 00-0842 EA 5/16" Diameter x 4-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt	8.08	
<i>For >100 To 250, Deduct</i>	-1.18	
<i>For >250 To 500, Deduct</i>	-1.48	
<i>For >500, Deduct</i>	-1.77	
05 05 23 00-0843 EA 5/16" Diameter x 5" Length, 304/18-8 Stainless Steel, Hex Head Bolt.....	8.31	
<i>For >100 To 250, Deduct</i>	-1.18	
<i>For >250 To 500, Deduct</i>	-1.48	
<i>For >500, Deduct</i>	-1.77	
05 05 23 00-0844 EA 5/16" Diameter x 5-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt	9.17	
<i>For >100 To 250, Deduct</i>	-1.21	
<i>For >250 To 500, Deduct</i>	-1.52	
<i>For >500, Deduct</i>	-1.82	
05 05 23 00-0845 EA 5/16" Diameter x 6" Length, 304/18-8 Stainless Steel, Hex Head Bolt.....	10.31	
<i>For >100 To 250, Deduct</i>	-1.21	
<i>For >250 To 500, Deduct</i>	-1.52	
<i>For >500, Deduct</i>	-1.82	
05 05 23 00-0846 EA 5/16" Diameter x 6-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt	12.92	
<i>For >100 To 250, Deduct</i>	-1.21	
<i>For >250 To 500, Deduct</i>	-1.52	
<i>For >500, Deduct</i>	-1.82	
05 05 23 00-0847 EA 5/16" Diameter x 7" Length, 304/18-8 Stainless Steel, Hex Head Bolt.....	17.30	
<i>For >100 To 250, Deduct</i>	-1.25	
<i>For >250 To 500, Deduct</i>	-1.56	
<i>For >500, Deduct</i>	-1.87	
05 05 23 00-0848 3/8" Diameter, 304/18-8 Stainless Steel, Hex Head Bolts <small>(05 05 23 00-0815)</small>		
05 05 23 00-0849 EA 3/8" Diameter x 1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt.....	6.14	
<i>For >100 To 250, Deduct</i>	-1.12	
<i>For >250 To 500, Deduct</i>	-1.40	
<i>For >500, Deduct</i>	-1.67	
05 05 23 00-0850 EA 3/8" Diameter x 1" Length, 304/18-8 Stainless Steel, Hex Head Bolt	6.23	
<i>For >100 To 250, Deduct</i>	-1.12	
<i>For >250 To 500, Deduct</i>	-1.40	
<i>For >500, Deduct</i>	-1.67	

05 Metals**05 05 Common Work Results For Metals****05 05 23 Metal Fastenings**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 05 23 00-0851	EA		3/8" Diameter x 1-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt	6.48	
			<i>For >100 To 250, Deduct</i>	-1.12	
			<i>For >250 To 500, Deduct</i>	-1.40	
			<i>For >500, Deduct</i>	-1.67	
05 05 23 00-0852	EA		3/8" Diameter x 2" Length, 304/18-8 Stainless Steel, Hex Head Bolt.....	6.79	
			<i>For >100 To 250, Deduct</i>	-1.12	
			<i>For >250 To 500, Deduct</i>	-1.40	
			<i>For >500, Deduct</i>	-1.67	
05 05 23 00-0853	EA		3/8" Diameter x 2-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt	7.11	
			<i>For >100 To 250, Deduct</i>	-1.15	
			<i>For >250 To 500, Deduct</i>	-1.44	
			<i>For >500, Deduct</i>	-1.72	
05 05 23 00-0854	EA		3/8" Diameter x 3" Length, 304/18-8 Stainless Steel, Hex Head Bolt.....	7.36	
			<i>For >100 To 250, Deduct</i>	-1.15	
			<i>For >250 To 500, Deduct</i>	-1.44	
			<i>For >500, Deduct</i>	-1.72	
05 05 23 00-0855	EA		3/8" Diameter x 3-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt	7.69	
			<i>For >100 To 250, Deduct</i>	-1.15	
			<i>For >250 To 500, Deduct</i>	-1.44	
			<i>For >500, Deduct</i>	-1.72	
05 05 23 00-0856	EA		3/8" Diameter x 4" Length, 304/18-8 Stainless Steel, Hex Head Bolt.....	8.15	
			<i>For >100 To 250, Deduct</i>	-1.18	
			<i>For >250 To 500, Deduct</i>	-1.48	
			<i>For >500, Deduct</i>	-1.77	
05 05 23 00-0857	EA		3/8" Diameter x 4-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt	8.54	
			<i>For >100 To 250, Deduct</i>	-1.18	
			<i>For >250 To 500, Deduct</i>	-1.48	
			<i>For >500, Deduct</i>	-1.77	
05 05 23 00-0858	EA		3/8" Diameter x 5" Length, 304/18-8 Stainless Steel, Hex Head Bolt.....	9.40	
			<i>For >100 To 250, Deduct</i>	-1.18	
			<i>For >250 To 500, Deduct</i>	-1.48	
			<i>For >500, Deduct</i>	-1.77	
05 05 23 00-0859	EA		3/8" Diameter x 5-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt	9.66	
			<i>For >100 To 250, Deduct</i>	-1.21	
			<i>For >250 To 500, Deduct</i>	-1.52	
			<i>For >500, Deduct</i>	-1.82	
05 05 23 00-0860	EA		3/8" Diameter x 6" Length, 304/18-8 Stainless Steel, Hex Head Bolt.....	10.37	
			<i>For >100 To 250, Deduct</i>	-1.21	
			<i>For >250 To 500, Deduct</i>	-1.52	
			<i>For >500, Deduct</i>	-1.82	
05 05 23 00-0861	EA		3/8" Diameter x 6-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt	11.88	
			<i>For >100 To 250, Deduct</i>	-1.21	
			<i>For >250 To 500, Deduct</i>	-1.52	
			<i>For >500, Deduct</i>	-1.82	
05 05 23 00-0862	EA		3/8" Diameter x 7" Length, 304/18-8 Stainless Steel, Hex Head Bolt.....	12.40	
			<i>For >100 To 250, Deduct</i>	-1.25	
			<i>For >250 To 500, Deduct</i>	-1.56	
			<i>For >500, Deduct</i>	-1.87	
05 05 23 00-0863	EA		3/8" Diameter x 7-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt	12.62	
			<i>For >100 To 250, Deduct</i>	-1.25	
			<i>For >250 To 500, Deduct</i>	-1.56	
			<i>For >500, Deduct</i>	-1.87	
05 05 23 00-0864	EA		3/8" Diameter x 8" Length, 304/18-8 Stainless Steel, Hex Head Bolt.....	14.13	
			<i>For >100 To 250, Deduct</i>	-1.25	
			<i>For >250 To 500, Deduct</i>	-1.56	
			<i>For >500, Deduct</i>	-1.87	
05 05 23 00-0865			7/16" Diameter, 304/18-8 Stainless Steel, Hex Head Bolts <small>(05 05 23 00-0815)</small>		
05 05 23 00-0866	EA		7/16" Diameter x 1" Length, 304/18-8 Stainless Steel, Hex Head Bolt.....	7.74	
			<i>For >100 To 250, Deduct</i>	-1.28	
			<i>For >250 To 500, Deduct</i>	-1.60	
			<i>For >500, Deduct</i>	-1.91	
05 05 23 00-0867	EA		7/16" Diameter x 1-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt	7.84	
			<i>For >100 To 250, Deduct</i>	-1.28	
			<i>For >250 To 500, Deduct</i>	-1.60	
			<i>For >500, Deduct</i>	-1.91	
05 05 23 00-0868	EA		7/16" Diameter x 2" Length, 304/18-8 Stainless Steel, Hex Head Bolt.....	8.24	
			<i>For >100 To 250, Deduct</i>	-1.28	
			<i>For >250 To 500, Deduct</i>	-1.60	
			<i>For >500, Deduct</i>	-1.91	
05 05 23 00-0869	EA		7/16" Diameter x 2-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt	8.64	
			<i>For >100 To 250, Deduct</i>	-1.31	
			<i>For >250 To 500, Deduct</i>	-1.64	
			<i>For >500, Deduct</i>	-1.96	
05 05 23 00-0870	EA		7/16" Diameter x 3" Length, 304/18-8 Stainless Steel, Hex Head Bolt.....	9.12	
			<i>For >100 To 250, Deduct</i>	-1.31	
			<i>For >250 To 500, Deduct</i>	-1.64	
			<i>For >500, Deduct</i>	-1.96	
05 05 23 00-0871	EA		7/16" Diameter x 3-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt	9.92	
			<i>For >100 To 250, Deduct</i>	-1.31	
			<i>For >250 To 500, Deduct</i>	-1.64	
			<i>For >500, Deduct</i>	-1.96	



	MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 05 23 00-0872	EA			7/16" Diameter x 4" Length, 304/18-8 Stainless Steel, Hex Head Bolt.....	10.45	
				<i>For >100 To 250, Deduct</i>	-1.34	
				<i>For >250 To 500, Deduct</i>	-1.68	
				<i>For >500, Deduct</i>	-2.01	
05 05 23 00-0873	EA			7/16" Diameter x 4-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt	11.39	
				<i>For >100 To 250, Deduct</i>	-1.34	
				<i>For >250 To 500, Deduct</i>	-1.68	
				<i>For >500, Deduct</i>	-2.01	
05 05 23 00-0874	EA			7/16" Diameter x 5" Length, 304/18-8 Stainless Steel, Hex Head Bolt.....	11.80	
				<i>For >100 To 250, Deduct</i>	-1.34	
				<i>For >250 To 500, Deduct</i>	-1.68	
				<i>For >500, Deduct</i>	-2.01	
05 05 23 00-0875	EA			7/16" Diameter x 5-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt	13.24	
				<i>For >100 To 250, Deduct</i>	-1.37	
				<i>For >250 To 500, Deduct</i>	-1.72	
				<i>For >500, Deduct</i>	-2.06	
05 05 23 00-0876	EA			7/16" Diameter x 6" Length, 304/18-8 Stainless Steel, Hex Head Bolt.....	14.67	
				<i>For >100 To 250, Deduct</i>	-1.37	
				<i>For >250 To 500, Deduct</i>	-1.72	
				<i>For >500, Deduct</i>	-2.06	
05 05 23 00-0877	EA			7/16" Diameter x 6-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt	14.86	
				<i>For >100 To 250, Deduct</i>	-1.37	
				<i>For >250 To 500, Deduct</i>	-1.72	
				<i>For >500, Deduct</i>	-2.06	
05 05 23 00-0878	EA			7/16" Diameter x 7" Length, 304/18-8 Stainless Steel, Hex Head Bolt.....	15.19	
				<i>For >100 To 250, Deduct</i>	-1.40	
				<i>For >250 To 500, Deduct</i>	-1.76	
				<i>For >500, Deduct</i>	-2.11	
05 05 23 00-0879				1/2" Diameter, 304/18-8 Stainless Steel, Hex Head Bolts (05 05 23 00-0815)		
05 05 23 00-0880	EA			1/2" Diameter x 1" Length, 304/18-8 Stainless Steel, Hex Head Bolt	7.73	
				<i>For >100 To 250, Deduct</i>	-1.28	
				<i>For >250 To 500, Deduct</i>	-1.60	
				<i>For >500, Deduct</i>	-1.91	
05 05 23 00-0881	EA			1/2" Diameter x 1-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt	7.84	
				<i>For >100 To 250, Deduct</i>	-1.28	
				<i>For >250 To 500, Deduct</i>	-1.60	
				<i>For >500, Deduct</i>	-1.91	
05 05 23 00-0882	EA			1/2" Diameter x 2" Length, 304/18-8 Stainless Steel, Hex Head Bolt	8.47	
				<i>For >100 To 250, Deduct</i>	-1.28	
				<i>For >250 To 500, Deduct</i>	-1.60	
				<i>For >500, Deduct</i>	-1.91	
05 05 23 00-0883	EA			1/2" Diameter x 2-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt	8.88	
				<i>For >100 To 250, Deduct</i>	-1.31	
				<i>For >250 To 500, Deduct</i>	-1.64	
				<i>For >500, Deduct</i>	-1.96	
05 05 23 00-0884	EA			1/2" Diameter x 3" Length, 304/18-8 Stainless Steel, Hex Head Bolt	9.45	
				<i>For >100 To 250, Deduct</i>	-1.31	
				<i>For >250 To 500, Deduct</i>	-1.64	
				<i>For >500, Deduct</i>	-1.96	
05 05 23 00-0885	EA			1/2" Diameter x 3-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt	9.76	
				<i>For >100 To 250, Deduct</i>	-1.31	
				<i>For >250 To 500, Deduct</i>	-1.64	
				<i>For >500, Deduct</i>	-1.96	
05 05 23 00-0886	EA			1/2" Diameter x 4" Length, 304/18-8 Stainless Steel, Hex Head Bolt	10.30	
				<i>For >100 To 250, Deduct</i>	-1.34	
				<i>For >250 To 500, Deduct</i>	-1.68	
				<i>For >500, Deduct</i>	-2.01	
05 05 23 00-0887	EA			1/2" Diameter x 4-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt	10.57	
				<i>For >100 To 250, Deduct</i>	-1.34	
				<i>For >250 To 500, Deduct</i>	-1.68	
				<i>For >500, Deduct</i>	-2.01	
05 05 23 00-0888	EA			1/2" Diameter x 5" Length, 304/18-8 Stainless Steel, Hex Head Bolt	12.07	
				<i>For >100 To 250, Deduct</i>	-1.34	
				<i>For >250 To 500, Deduct</i>	-1.68	
				<i>For >500, Deduct</i>	-2.01	
05 05 23 00-0889	EA			1/2" Diameter x 5-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt	12.64	
				<i>For >100 To 250, Deduct</i>	-1.37	
				<i>For >250 To 500, Deduct</i>	-1.72	
				<i>For >500, Deduct</i>	-2.06	
05 05 23 00-0890	EA			1/2" Diameter x 6" Length, 304/18-8 Stainless Steel, Hex Head Bolt	13.32	
				<i>For >100 To 250, Deduct</i>	-1.37	
				<i>For >250 To 500, Deduct</i>	-1.72	
				<i>For >500, Deduct</i>	-2.06	
05 05 23 00-0891	EA			1/2" Diameter x 6-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt	14.08	
				<i>For >100 To 250, Deduct</i>	-1.37	
				<i>For >250 To 500, Deduct</i>	-1.72	
				<i>For >500, Deduct</i>	-2.06	
05 05 23 00-0892	EA			1/2" Diameter x 7" Length, 304/18-8 Stainless Steel, Hex Head Bolt	15.37	
				<i>For >100 To 250, Deduct</i>	-1.40	
				<i>For >250 To 500, Deduct</i>	-1.76	
				<i>For >500, Deduct</i>	-2.11	

05 Metals**05 05 Common Work Results For Metals****05 05 23 Metal Fastenings**

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 05 23 00-0893 EA 1/2" Diameter x 7-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt	15.83	
For >100 To 250, Deduct	-1.40	
For >250 To 500, Deduct	-1.76	
For >500, Deduct	-2.11	
05 05 23 00-0894 EA 1/2" Diameter x 8" Length, 304/18-8 Stainless Steel, Hex Head Bolt.....	16.55	
For >100 To 250, Deduct	-1.40	
For >250 To 500, Deduct	-1.76	
For >500, Deduct	-2.11	
05 05 23 00-0895 EA 1/2" Diameter x 8-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt	20.23	
For >100 To 250, Deduct	-1.44	
For >250 To 500, Deduct	-1.80	
For >500, Deduct	-2.15	
05 05 23 00-0896 EA 1/2" Diameter x 9" Length, 304/18-8 Stainless Steel, Hex Head Bolt.....	20.52	
For >100 To 250, Deduct	-1.44	
For >250 To 500, Deduct	-1.80	
For >500, Deduct	-2.15	
05 05 23 00-0897 EA 1/2" Diameter x 9-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt	22.51	
For >100 To 250, Deduct	-1.44	
For >250 To 500, Deduct	-1.80	
For >500, Deduct	-2.15	
05 05 23 00-0898 EA 1/2" Diameter x 10" Length, 304/18-8 Stainless Steel, Hex Head Bolt.....	24.48	
For >100 To 250, Deduct	-1.44	
For >250 To 500, Deduct	-1.80	
For >500, Deduct	-2.15	
05 05 23 00-0899 9/16" Diameter, 304/18-8 Stainless Steel, Hex Head Bolts (05 05 23 00-0815)		
05 05 23 00-0900 EA 9/16" Diameter x 1" Length, 304/18-8 Stainless Steel, Hex Head Bolt.....	11.02	
For >100 To 250, Deduct	-1.28	
For >250 To 500, Deduct	-1.60	
For >500, Deduct	-1.91	
05 05 23 00-0901 EA 9/16" Diameter x 1-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt	12.32	
For >100 To 250, Deduct	-1.28	
For >250 To 500, Deduct	-1.60	
For >500, Deduct	-1.91	
05 05 23 00-0902 EA 9/16" Diameter x 2" Length, 304/18-8 Stainless Steel, Hex Head Bolt.....	14.61	
For >100 To 250, Deduct	-1.28	
For >250 To 500, Deduct	-1.60	
For >500, Deduct	-1.91	
05 05 23 00-0903 EA 9/16" Diameter x 2-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt	15.23	
For >100 To 250, Deduct	-1.31	
For >250 To 500, Deduct	-1.64	
For >500, Deduct	-1.96	
05 05 23 00-0904 EA 9/16" Diameter x 3" Length, 304/18-8 Stainless Steel, Hex Head Bolt.....	16.04	
For >100 To 250, Deduct	-1.31	
For >250 To 500, Deduct	-1.64	
For >500, Deduct	-1.96	
05 05 23 00-0905 EA 9/16" Diameter x 3-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt	17.45	
For >100 To 250, Deduct	-1.31	
For >250 To 500, Deduct	-1.64	
For >500, Deduct	-1.96	
05 05 23 00-0906 EA 9/16" Diameter x 4" Length, 304/18-8 Stainless Steel, Hex Head Bolt.....	19.69	
For >100 To 250, Deduct	-1.34	
For >250 To 500, Deduct	-1.68	
For >500, Deduct	-2.01	
05 05 23 00-0907 EA 9/16" Diameter x 4-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt	20.01	
For >100 To 250, Deduct	-1.34	
For >250 To 500, Deduct	-1.68	
For >500, Deduct	-2.01	
05 05 23 00-0908 EA 9/16" Diameter x 5" Length, 304/18-8 Stainless Steel, Hex Head Bolt.....	23.01	
For >100 To 250, Deduct	-1.34	
For >250 To 500, Deduct	-1.68	
For >500, Deduct	-2.01	
05 05 23 00-0909 EA 9/16" Diameter x 5-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt	24.57	
For >100 To 250, Deduct	-1.37	
For >250 To 500, Deduct	-1.72	
For >500, Deduct	-2.06	
05 05 23 00-0910 EA 9/16" Diameter x 6" Length, 304/18-8 Stainless Steel, Hex Head Bolt.....	26.17	
For >100 To 250, Deduct	-1.37	
For >250 To 500, Deduct	-1.72	
For >500, Deduct	-2.06	
05 05 23 00-0911 5/8" Diameter, 304/18-8 Stainless Steel, Hex Head Bolts (05 05 23 00-0815)		
05 05 23 00-0912 EA 5/8" Diameter x 1" Length, 304/18-8 Stainless Steel, Hex Head Bolt.....	9.64	
For >100 To 250, Deduct	-1.44	
For >250 To 500, Deduct	-1.80	
For >500, Deduct	-2.15	
05 05 23 00-0913 EA 5/8" Diameter x 1-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt	9.93	
For >100 To 250, Deduct	-1.44	
For >250 To 500, Deduct	-1.80	
For >500, Deduct	-2.15	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 05 23 00-0914 EA 5/8" Diameter x 2" Length, 304/18-8 Stainless Steel, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	11.18 -1.44 -1.80 -2.15	
05 05 23 00-0915 EA 5/8" Diameter x 2-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	11.55 -1.47 -1.84 -2.20	
05 05 23 00-0916 EA 5/8" Diameter x 3" Length, 304/18-8 Stainless Steel, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	12.14 -1.47 -1.84 -2.20	
05 05 23 00-0917 EA 5/8" Diameter x 3-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	12.99 -1.47 -1.84 -2.20	
05 05 23 00-0918 EA 5/8" Diameter x 4" Length, 304/18-8 Stainless Steel, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	14.20 -1.50 -1.87 -2.25	
05 05 23 00-0919 EA 5/8" Diameter x 4-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	14.21 -1.50 -1.87 -2.25	
05 05 23 00-0920 EA 5/8" Diameter x 5" Length, 304/18-8 Stainless Steel, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	15.16 -1.50 -1.87 -2.25	
05 05 23 00-0921 EA 5/8" Diameter x 5-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	15.86 -1.53 -1.91 -2.30	
05 05 23 00-0922 EA 5/8" Diameter x 6" Length, 304/18-8 Stainless Steel, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	16.71 -1.53 -1.91 -2.30	
05 05 23 00-0923 EA 5/8" Diameter x 6-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	19.84 -1.53 -1.91 -2.30	
05 05 23 00-0924 EA 5/8" Diameter x 7" Length, 304/18-8 Stainless Steel, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	21.72 -1.56 -1.95 -2.34	
05 05 23 00-0925 EA 5/8" Diameter x 7-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	23.14 -1.56 -1.95 -2.34	
05 05 23 00-0926 EA 5/8" Diameter x 8" Length, 304/18-8 Stainless Steel, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	23.78 -1.56 -1.95 -2.34	
05 05 23 00-0927 EA 5/8" Diameter x 8-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	26.55 -1.59 -1.99 -2.39	
05 05 23 00-0928 EA 5/8" Diameter x 9" Length, 304/18-8 Stainless Steel, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	27.39 -1.59 -1.99 -2.39	
05 05 23 00-0929 EA 5/8" Diameter x 9-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	31.11 -1.59 -1.99 -2.39	
05 05 23 00-0930 EA 5/8" Diameter x 10" Length, 304/18-8 Stainless Steel, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	32.64 -1.59 -1.99 -2.39	
05 05 23 00-0931 3/4" Diameter, 304/18-8 Stainless Steel, Hex Head Bolts (05 05 23 00-0815)		
05 05 23 00-0932 EA 3/4" Diameter x 1" Length, 304/18-8 Stainless Steel, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	11.00 -1.44 -1.80 -2.15	
05 05 23 00-0933 EA 3/4" Diameter x 1-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	11.58 -1.44 -1.80 -2.15	
05 05 23 00-0934 EA 3/4" Diameter x 2" Length, 304/18-8 Stainless Steel, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	12.35 -1.44 -1.80 -2.15	

05 Metals**05 05 Common Work Results For Metals****05 05 23 Metal Fastenings**

MINOR CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 05 23 00-0935	EA	3/4" Diameter x 2-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt	13.34	
		<i>For >100 To 250, Deduct</i>	-1.47	
		<i>For >250 To 500, Deduct</i>	-1.84	
		<i>For >500, Deduct</i>	-2.20	
05 05 23 00-0936	EA	3/4" Diameter x 3" Length, 304/18-8 Stainless Steel, Hex Head Bolt.....	14.19	
		<i>For >100 To 250, Deduct</i>	-1.47	
		<i>For >250 To 500, Deduct</i>	-1.84	
		<i>For >500, Deduct</i>	-2.20	
05 05 23 00-0937	EA	3/4" Diameter x 3-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt	15.61	
		<i>For >100 To 250, Deduct</i>	-1.47	
		<i>For >250 To 500, Deduct</i>	-1.84	
		<i>For >500, Deduct</i>	-2.20	
05 05 23 00-0938	EA	3/4" Diameter x 4" Length, 304/18-8 Stainless Steel, Hex Head Bolt.....	16.61	
		<i>For >100 To 250, Deduct</i>	-1.50	
		<i>For >250 To 500, Deduct</i>	-1.87	
		<i>For >500, Deduct</i>	-2.25	
05 05 23 00-0939	EA	3/4" Diameter x 4-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt	17.94	
		<i>For >100 To 250, Deduct</i>	-1.50	
		<i>For >250 To 500, Deduct</i>	-1.87	
		<i>For >500, Deduct</i>	-2.25	
05 05 23 00-0940	EA	3/4" Diameter x 5" Length, 304/18-8 Stainless Steel, Hex Head Bolt.....	19.00	
		<i>For >100 To 250, Deduct</i>	-1.50	
		<i>For >250 To 500, Deduct</i>	-1.87	
		<i>For >500, Deduct</i>	-2.25	
05 05 23 00-0941	EA	3/4" Diameter x 5-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt	20.26	
		<i>For >100 To 250, Deduct</i>	-1.53	
		<i>For >250 To 500, Deduct</i>	-1.91	
		<i>For >500, Deduct</i>	-2.30	
05 05 23 00-0942	EA	3/4" Diameter x 6" Length, 304/18-8 Stainless Steel, Hex Head Bolt.....	21.49	
		<i>For >100 To 250, Deduct</i>	-1.53	
		<i>For >250 To 500, Deduct</i>	-1.91	
		<i>For >500, Deduct</i>	-2.30	
05 05 23 00-0943	EA	3/4" Diameter x 6-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt	23.81	
		<i>For >100 To 250, Deduct</i>	-1.53	
		<i>For >250 To 500, Deduct</i>	-1.91	
		<i>For >500, Deduct</i>	-2.30	
05 05 23 00-0944	EA	3/4" Diameter x 7" Length, 304/18-8 Stainless Steel, Hex Head Bolt.....	30.13	
		<i>For >100 To 250, Deduct</i>	-1.56	
		<i>For >250 To 500, Deduct</i>	-1.95	
		<i>For >500, Deduct</i>	-2.34	
05 05 23 00-0945	EA	3/4" Diameter x 7-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt	32.10	
		<i>For >100 To 250, Deduct</i>	-1.56	
		<i>For >250 To 500, Deduct</i>	-1.95	
		<i>For >500, Deduct</i>	-2.34	
05 05 23 00-0946	EA	3/4" Diameter x 8" Length, 304/18-8 Stainless Steel, Hex Head Bolt.....	36.30	
		<i>For >100 To 250, Deduct</i>	-1.56	
		<i>For >250 To 500, Deduct</i>	-1.95	
		<i>For >500, Deduct</i>	-2.34	
05 05 23 00-0947	EA	3/4" Diameter x 8-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt	36.66	
		<i>For >100 To 250, Deduct</i>	-1.59	
		<i>For >250 To 500, Deduct</i>	-1.99	
		<i>For >500, Deduct</i>	-2.39	
05 05 23 00-0948	EA	3/4" Diameter x 9" Length, 304/18-8 Stainless Steel, Hex Head Bolt.....	37.32	
		<i>For >100 To 250, Deduct</i>	-1.59	
		<i>For >250 To 500, Deduct</i>	-1.99	
		<i>For >500, Deduct</i>	-2.39	
05 05 23 00-0949	EA	3/4" Diameter x 9-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt	39.11	
		<i>For >100 To 250, Deduct</i>	-1.59	
		<i>For >250 To 500, Deduct</i>	-1.99	
		<i>For >500, Deduct</i>	-2.39	
05 05 23 00-0950	EA	3/4" Diameter x 10" Length, 304/18-8 Stainless Steel, Hex Head Bolt.....	40.50	
		<i>For >100 To 250, Deduct</i>	-1.59	
		<i>For >250 To 500, Deduct</i>	-1.99	
		<i>For >500, Deduct</i>	-2.39	
05 05 23 00-0951		7/8" Diameter, 304/18-8 Stainless Steel, Hex Head Bolts (05 05 23 00-0815)		
05 05 23 00-0952	EA	7/8" Diameter x 1-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt	15.44	
		<i>For >100 To 250, Deduct</i>	-1.59	
		<i>For >250 To 500, Deduct</i>	-1.99	
		<i>For >500, Deduct</i>	-2.39	
05 05 23 00-0953	EA	7/8" Diameter x 2" Length, 304/18-8 Stainless Steel, Hex Head Bolt.....	16.90	
		<i>For >100 To 250, Deduct</i>	-1.59	
		<i>For >250 To 500, Deduct</i>	-1.99	
		<i>For >500, Deduct</i>	-2.39	
05 05 23 00-0954	EA	7/8" Diameter x 2-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt	18.17	
		<i>For >100 To 250, Deduct</i>	-1.63	
		<i>For >250 To 500, Deduct</i>	-2.04	
		<i>For >500, Deduct</i>	-2.44	
05 05 23 00-0955	EA	7/8" Diameter x 3" Length, 304/18-8 Stainless Steel, Hex Head Bolt.....	19.65	
		<i>For >100 To 250, Deduct</i>	-1.63	
		<i>For >250 To 500, Deduct</i>	-2.04	
		<i>For >500, Deduct</i>	-2.44	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 05 23 00-0956 EA 7/8" Diameter x 3-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt	20.13	
<i>For >100 To 250, Deduct</i>	-1.63	
<i>For >250 To 500, Deduct</i>	-2.04	
<i>For >500, Deduct</i>	-2.44	
05 05 23 00-0957 EA 7/8" Diameter x 4" Length, 304/18-8 Stainless Steel, Hex Head Bolt	21.50	
<i>For >100 To 250, Deduct</i>	-1.66	
<i>For >250 To 500, Deduct</i>	-2.08	
<i>For >500, Deduct</i>	-2.49	
05 05 23 00-0958 EA 7/8" Diameter x 4-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt	21.97	
<i>For >100 To 250, Deduct</i>	-1.66	
<i>For >250 To 500, Deduct</i>	-2.08	
<i>For >500, Deduct</i>	-2.49	
05 05 23 00-0959 EA 7/8" Diameter x 5" Length, 304/18-8 Stainless Steel, Hex Head Bolt	25.18	
<i>For >100 To 250, Deduct</i>	-1.66	
<i>For >250 To 500, Deduct</i>	-2.08	
<i>For >500, Deduct</i>	-2.49	
05 05 23 00-0960 EA 7/8" Diameter x 5-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt	25.82	
<i>For >100 To 250, Deduct</i>	-1.69	
<i>For >250 To 500, Deduct</i>	-2.12	
<i>For >500, Deduct</i>	-2.54	
05 05 23 00-0961 EA 7/8" Diameter x 6" Length, 304/18-8 Stainless Steel, Hex Head Bolt	27.05	
<i>For >100 To 250, Deduct</i>	-1.69	
<i>For >250 To 500, Deduct</i>	-2.12	
<i>For >500, Deduct</i>	-2.54	
05 05 23 00-0962 EA 7/8" Diameter x 6-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt	33.85	
<i>For >100 To 250, Deduct</i>	-1.69	
<i>For >250 To 500, Deduct</i>	-2.12	
<i>For >500, Deduct</i>	-2.54	
05 05 23 00-0963 EA 7/8" Diameter x 7" Length, 304/18-8 Stainless Steel, Hex Head Bolt	36.61	
<i>For >100 To 250, Deduct</i>	-1.72	
<i>For >250 To 500, Deduct</i>	-2.15	
<i>For >500, Deduct</i>	-2.58	
05 05 23 00-0964 EA 7/8" Diameter x 7-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt	39.66	
<i>For >100 To 250, Deduct</i>	-1.72	
<i>For >250 To 500, Deduct</i>	-2.15	
<i>For >500, Deduct</i>	-2.58	
05 05 23 00-0965 EA 7/8" Diameter x 8" Length, 304/18-8 Stainless Steel, Hex Head Bolt	42.12	
<i>For >100 To 250, Deduct</i>	-1.72	
<i>For >250 To 500, Deduct</i>	-2.15	
<i>For >500, Deduct</i>	-2.58	
05 05 23 00-0966 EA 7/8" Diameter x 8-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt	49.74	
<i>For >100 To 250, Deduct</i>	-1.75	
<i>For >250 To 500, Deduct</i>	-2.19	
<i>For >500, Deduct</i>	-2.63	
05 05 23 00-0967 EA 7/8" Diameter x 9" Length, 304/18-8 Stainless Steel, Hex Head Bolt	55.72	
<i>For >100 To 250, Deduct</i>	-1.75	
<i>For >250 To 500, Deduct</i>	-2.19	
<i>For >500, Deduct</i>	-2.63	
05 05 23 00-0968 EA 7/8" Diameter x 9-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt	58.48	
<i>For >100 To 250, Deduct</i>	-1.75	
<i>For >250 To 500, Deduct</i>	-2.19	
<i>For >500, Deduct</i>	-2.63	
05 05 23 00-0969 EA 7/8" Diameter x 10" Length, 304/18-8 Stainless Steel, Hex Head Bolt	61.24	
<i>For >100 To 250, Deduct</i>	-1.75	
<i>For >250 To 500, Deduct</i>	-2.19	
<i>For >500, Deduct</i>	-2.63	
05 05 23 00-0970 1" Diameter, 304/18-8 Stainless Steel, Hex Head Bolts <small>(05 05 23 00-0815)</small>		
05 05 23 00-0971 EA 1" Diameter x 1-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt	18.96	
<i>For >100 To 250, Deduct</i>	-1.59	
<i>For >250 To 500, Deduct</i>	-1.99	
<i>For >500, Deduct</i>	-2.39	
05 05 23 00-0972 EA 1" Diameter x 2" Length, 304/18-8 Stainless Steel, Hex Head Bolt	20.03	
<i>For >100 To 250, Deduct</i>	-1.59	
<i>For >250 To 500, Deduct</i>	-1.99	
<i>For >500, Deduct</i>	-2.39	
05 05 23 00-0973 EA 1" Diameter x 2-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt	21.77	
<i>For >100 To 250, Deduct</i>	-1.63	
<i>For >250 To 500, Deduct</i>	-2.04	
<i>For >500, Deduct</i>	-2.44	
05 05 23 00-0974 EA 1" Diameter x 3" Length, 304/18-8 Stainless Steel, Hex Head Bolt	23.11	
<i>For >100 To 250, Deduct</i>	-1.63	
<i>For >250 To 500, Deduct</i>	-2.04	
<i>For >500, Deduct</i>	-2.44	
05 05 23 00-0975 EA 1" Diameter x 3-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt	25.31	
<i>For >100 To 250, Deduct</i>	-1.63	
<i>For >250 To 500, Deduct</i>	-2.04	
<i>For >500, Deduct</i>	-2.44	
05 05 23 00-0976 EA 1" Diameter x 4" Length, 304/18-8 Stainless Steel, Hex Head Bolt	27.93	
<i>For >100 To 250, Deduct</i>	-1.66	
<i>For >250 To 500, Deduct</i>	-2.08	
<i>For >500, Deduct</i>	-2.49	

05 Metals**05 05 Common Work Results For Metals****05 05 23 Metal Fastenings**

MINOR		TOTAL DIRECT	DEMOLITION
CSI	UOM DESCRIPTION	UNIT COST	UNIT COST
05 05 23 00-0977	EA 1" Diameter x 4-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt	29.47	
	For >100 To 250, Deduct	-1.66	
	For >250 To 500, Deduct	-2.08	
	For >500, Deduct	-2.49	
05 05 23 00-0978	EA 1" Diameter x 5" Length, 304/18-8 Stainless Steel, Hex Head Bolt.....	31.73	
	For >100 To 250, Deduct	-1.66	
	For >250 To 500, Deduct	-2.08	
	For >500, Deduct	-2.49	
05 05 23 00-0979	EA 1" Diameter x 5-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt	34.01	
	For >100 To 250, Deduct	-1.69	
	For >250 To 500, Deduct	-2.12	
	For >500, Deduct	-2.54	
05 05 23 00-0980	EA 1" Diameter x 6" Length, 304/18-8 Stainless Steel, Hex Head Bolt.....	34.14	
	For >100 To 250, Deduct	-1.69	
	For >250 To 500, Deduct	-2.12	
	For >500, Deduct	-2.54	
05 05 23 00-0981	EA 1" Diameter x 6-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt	40.21	
	For >100 To 250, Deduct	-1.69	
	For >250 To 500, Deduct	-2.12	
	For >500, Deduct	-2.54	
05 05 23 00-0982	EA 1" Diameter x 7" Length, 304/18-8 Stainless Steel, Hex Head Bolt.....	48.04	
	For >100 To 250, Deduct	-1.72	
	For >250 To 500, Deduct	-2.15	
	For >500, Deduct	-2.58	
05 05 23 00-0983	EA 1" Diameter x 7-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt	49.18	
	For >100 To 250, Deduct	-1.72	
	For >250 To 500, Deduct	-2.15	
	For >500, Deduct	-2.58	
05 05 23 00-0984	EA 1" Diameter x 8" Length, 304/18-8 Stainless Steel, Hex Head Bolt.....	50.32	
	For >100 To 250, Deduct	-1.72	
	For >250 To 500, Deduct	-2.15	
	For >500, Deduct	-2.58	
05 05 23 00-0985	EA 1" Diameter x 8-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt	52.77	
	For >100 To 250, Deduct	-1.75	
	For >250 To 500, Deduct	-2.19	
	For >500, Deduct	-2.63	
05 05 23 00-0986	EA 1" Diameter x 9" Length, 304/18-8 Stainless Steel, Hex Head Bolt.....	56.28	
	For >100 To 250, Deduct	-1.75	
	For >250 To 500, Deduct	-2.19	
	For >500, Deduct	-2.63	
05 05 23 00-0987	EA 1" Diameter x 9-1/2" Length, 304/18-8 Stainless Steel, Hex Head Bolt	72.20	
	For >100 To 250, Deduct	-1.75	
	For >250 To 500, Deduct	-2.19	
	For >500, Deduct	-2.63	
05 05 23 00-0988	EA 1" Diameter x 10" Length, 304/18-8 Stainless Steel, Hex Head Bolt.....	90.75	
	For >100 To 250, Deduct	-1.75	
	For >250 To 500, Deduct	-2.19	
	For >500, Deduct	-2.63	
05 05 23 00-0989	316 Stainless Steel, Hex Head Bolts (05 05 23 00-0987)		
05 05 23 00-0990	1/4" Diameter, 316 Stainless Steel, Hex Head Bolts (05 05 23 00-0989)		
05 05 23 00-0991	EA 1/2" Length x 1/4" Diameter, 316 Stainless Steel, Hex Head Bolt.....	5.95	
	For >100 To 250, Deduct	-1.12	
	For >250 To 500, Deduct	-1.40	
	For >500, Deduct	-1.67	
05 05 23 00-0992	EA 1" Length x 1/4" Diameter, 316 Stainless Steel, Hex Head Bolt.....	6.12	
	For >100 To 250, Deduct	-1.12	
	For >250 To 500, Deduct	-1.40	
	For >500, Deduct	-1.67	
05 05 23 00-0993	EA 1-1/2" Length x 1/4" Diameter, 316 Stainless Steel, Hex Head Bolt.....	6.24	
	For >100 To 250, Deduct	-1.12	
	For >250 To 500, Deduct	-1.40	
	For >500, Deduct	-1.67	
05 05 23 00-0994	EA 2" Length x 1/4" Diameter, 316 Stainless Steel, Hex Head Bolt.....	6.32	
	For >100 To 250, Deduct	-1.12	
	For >250 To 500, Deduct	-1.40	
	For >500, Deduct	-1.67	
05 05 23 00-0995	EA 2-1/2" Length x 1/4" Diameter, 316 Stainless Steel, Hex Head Bolt.....	6.72	
	For >100 To 250, Deduct	-1.15	
	For >250 To 500, Deduct	-1.44	
	For >500, Deduct	-1.72	
05 05 23 00-0996	EA 3" Length x 1/4" Diameter, 316 Stainless Steel, Hex Head Bolt.....	6.94	
	For >100 To 250, Deduct	-1.15	
	For >250 To 500, Deduct	-1.44	
	For >500, Deduct	-1.72	
05 05 23 00-0997	EA 3-1/2" Length x 1/4" Diameter, 316 Stainless Steel, Hex Head Bolt.....	7.16	
	For >100 To 250, Deduct	-1.15	
	For >250 To 500, Deduct	-1.44	
	For >500, Deduct	-1.72	
05 05 23 00-0998	EA 4" Length x 1/4" Diameter, 316 Stainless Steel, Hex Head Bolt.....	7.49	
	For >100 To 250, Deduct	-1.18	
	For >250 To 500, Deduct	-1.48	
	For >500, Deduct	-1.77	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 05 23 00-0999 EA 4-1/2" Length x 1/4" Diameter, 316 Stainless Steel, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	7.67 -1.18 -1.48 -1.77	
05 05 23 00-1000 EA 5" Length x 1/4" Diameter, 316 Stainless Steel, Hex Head Bolt..... <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	7.75 -1.18 -1.48 -1.77	
05 05 23 00-1001 EA 5-1/2" Length x 1/4" Diameter, 316 Stainless Steel, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	8.47 -1.21 -1.52 -1.82	
05 05 23 00-1002 EA 6" Length x 1/4" Diameter, 316 Stainless Steel, Hex Head Bolt..... <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	8.62 -1.21 -1.52 -1.82	
05 05 23 00-1003 EA 6-1/2" Length x 1/4" Diameter, 316 Stainless Steel, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	14.20 -1.21 -1.52 -1.82	
05 05 23 00-1004 EA 7" Length x 1/4" Diameter, 316 Stainless Steel, Hex Head Bolt..... <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	21.12 -1.25 -1.56 -1.87	
05 05 23 00-1005 EA 7-1/2" Length x 1/4" Diameter, 316 Stainless Steel, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	36.00 -1.25 -1.56 -1.87	
05 05 23 00-1006 EA 8" Length x 1/4" Diameter, 316 Stainless Steel, Hex Head Bolt..... <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	39.40 -1.25 -1.56 -1.87	
05 05 23 00-1007 5/16" Diameter, 316 Stainless Steel, Hex Head Bolts (05 05 23 00-0999)		
05 05 23 00-1008 EA 5/16" Diameter x 1/2" Length, 316 Stainless Steel, Hex Head Bolt..... <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	6.18 -1.12 -1.40 -1.67	
05 05 23 00-1009 EA 5/16" Diameter x 1" Length, 316 Stainless Steel, Hex Head Bolt..... <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	6.37 -1.12 -1.40 -1.67	
05 05 23 00-1010 EA 5/16" Diameter x 1-1/2" Length, 316 Stainless Steel, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	6.69 -1.12 -1.40 -1.67	
05 05 23 00-1011 EA 5/16" Diameter x 2" Length, 316 Stainless Steel, Hex Head Bolt..... <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	6.93 -1.12 -1.40 -1.67	
05 05 23 00-1012 EA 5/16" Diameter x 2-1/2" Length, 316 Stainless Steel, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	7.19 -1.15 -1.44 -1.72	
05 05 23 00-1013 EA 5/16" Diameter x 3" Length, 316 Stainless Steel, Hex Head Bolt..... <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	7.68 -1.15 -1.44 -1.72	
05 05 23 00-1014 EA 5/16" Diameter x 3-1/2" Length, 316 Stainless Steel, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	8.03 -1.15 -1.44 -1.72	
05 05 23 00-1015 EA 5/16" Diameter x 4" Length, 316 Stainless Steel, Hex Head Bolt..... <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	8.33 -1.18 -1.48 -1.77	
05 05 23 00-1016 EA 5/16" Diameter x 4-1/2" Length, 316 Stainless Steel, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	9.07 -1.18 -1.48 -1.77	
05 05 23 00-1017 EA 5/16" Diameter x 5" Length, 316 Stainless Steel, Hex Head Bolt..... <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	9.21 -1.18 -1.48 -1.77	
05 05 23 00-1018 EA 5/16" Diameter x 5-1/2" Length, 316 Stainless Steel, Hex Head Bolt <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	9.89 -1.21 -1.52 -1.82	
05 05 23 00-1019 EA 5/16" Diameter x 6" Length, 316 Stainless Steel, Hex Head Bolt..... <i>For >100 To 250, Deduct</i> <i>For >250 To 500, Deduct</i> <i>For >500, Deduct</i>	10.46 -1.21 -1.52 -1.82	

05 Metals**05 05 Common Work Results For Metals****05 05 23 Metal Fastenings**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 05 23 00-1020	EA		5/16" Diameter x 6-1/2" Length, 316 Stainless Steel, Hex Head Bolt.....	15.20	
			<i>For >100 To 250, Deduct</i>	-1.21	
			<i>For >250 To 500, Deduct</i>	-1.52	
			<i>For >500, Deduct</i>	-1.82	
05 05 23 00-1021	EA		5/16" Diameter x 7" Length, 316 Stainless Steel, Hex Head Bolt.....	22.12	
			<i>For >100 To 250, Deduct</i>	-1.25	
			<i>For >250 To 500, Deduct</i>	-1.56	
			<i>For >500, Deduct</i>	-1.87	
05 05 23 00-1022			3/8" Diameter, 316 Stainless Steel, Hex Head Bolts (05 05 23 00-0989)		
05 05 23 00-1023	EA		3/8" Diameter x 1/2" Length, 316 Stainless Steel, Hex Head Bolt.....	6.68	
			<i>For >100 To 250, Deduct</i>	-1.12	
			<i>For >250 To 500, Deduct</i>	-1.40	
			<i>For >500, Deduct</i>	-1.67	
05 05 23 00-1024	EA		3/8" Diameter x 1" Length, 316 Stainless Steel, Hex Head Bolt.....	6.76	
			<i>For >100 To 250, Deduct</i>	-1.12	
			<i>For >250 To 500, Deduct</i>	-1.40	
			<i>For >500, Deduct</i>	-1.67	
05 05 23 00-1025	EA		3/8" Diameter x 1-1/2" Length, 316 Stainless Steel, Hex Head Bolt.....	7.05	
			<i>For >100 To 250, Deduct</i>	-1.12	
			<i>For >250 To 500, Deduct</i>	-1.40	
			<i>For >500, Deduct</i>	-1.67	
05 05 23 00-1026	EA		3/8" Diameter x 2" Length, 316 Stainless Steel, Hex Head Bolt.....	7.76	
			<i>For >100 To 250, Deduct</i>	-1.12	
			<i>For >250 To 500, Deduct</i>	-1.40	
			<i>For >500, Deduct</i>	-1.67	
05 05 23 00-1027	EA		3/8" Diameter x 2-1/2" Length, 316 Stainless Steel, Hex Head Bolt.....	8.17	
			<i>For >100 To 250, Deduct</i>	-1.15	
			<i>For >250 To 500, Deduct</i>	-1.44	
			<i>For >500, Deduct</i>	-1.72	
05 05 23 00-1028	EA		3/8" Diameter x 3" Length, 316 Stainless Steel, Hex Head Bolt.....	8.30	
			<i>For >100 To 250, Deduct</i>	-1.15	
			<i>For >250 To 500, Deduct</i>	-1.44	
			<i>For >500, Deduct</i>	-1.72	
05 05 23 00-1029	EA		3/8" Diameter x 3-1/2" Length, 316 Stainless Steel, Hex Head Bolt.....	8.92	
			<i>For >100 To 250, Deduct</i>	-1.15	
			<i>For >250 To 500, Deduct</i>	-1.44	
			<i>For >500, Deduct</i>	-1.72	
05 05 23 00-1030	EA		3/8" Diameter x 4" Length, 316 Stainless Steel, Hex Head Bolt.....	9.17	
			<i>For >100 To 250, Deduct</i>	-1.18	
			<i>For >250 To 500, Deduct</i>	-1.48	
			<i>For >500, Deduct</i>	-1.77	
05 05 23 00-1031	EA		3/8" Diameter x 4-1/2" Length, 316 Stainless Steel, Hex Head Bolt.....	9.56	
			<i>For >100 To 250, Deduct</i>	-1.18	
			<i>For >250 To 500, Deduct</i>	-1.48	
			<i>For >500, Deduct</i>	-1.77	
05 05 23 00-1032	EA		3/8" Diameter x 5" Length, 316 Stainless Steel, Hex Head Bolt.....	9.82	
			<i>For >100 To 250, Deduct</i>	-1.18	
			<i>For >250 To 500, Deduct</i>	-1.48	
			<i>For >500, Deduct</i>	-1.77	
05 05 23 00-1033	EA		3/8" Diameter x 5-1/2" Length, 316 Stainless Steel, Hex Head Bolt.....	10.84	
			<i>For >100 To 250, Deduct</i>	-1.21	
			<i>For >250 To 500, Deduct</i>	-1.52	
			<i>For >500, Deduct</i>	-1.82	
05 05 23 00-1034	EA		3/8" Diameter x 6" Length, 316 Stainless Steel, Hex Head Bolt.....	11.88	
			<i>For >100 To 250, Deduct</i>	-1.21	
			<i>For >250 To 500, Deduct</i>	-1.52	
			<i>For >500, Deduct</i>	-1.82	
05 05 23 00-1035	EA		3/8" Diameter x 6-1/2" Length, 316 Stainless Steel, Hex Head Bolt.....	11.92	
			<i>For >100 To 250, Deduct</i>	-1.21	
			<i>For >250 To 500, Deduct</i>	-1.52	
			<i>For >500, Deduct</i>	-1.82	
05 05 23 00-1036	EA		3/8" Diameter x 7" Length, 316 Stainless Steel, Hex Head Bolt.....	14.73	
			<i>For >100 To 250, Deduct</i>	-1.25	
			<i>For >250 To 500, Deduct</i>	-1.56	
			<i>For >500, Deduct</i>	-1.87	
05 05 23 00-1037	EA		3/8" Diameter x 7-1/2" Length, 316 Stainless Steel, Hex Head Bolt.....	19.03	
			<i>For >100 To 250, Deduct</i>	-1.25	
			<i>For >250 To 500, Deduct</i>	-1.56	
			<i>For >500, Deduct</i>	-1.87	
05 05 23 00-1038	EA		3/8" Diameter x 8" Length, 316 Stainless Steel, Hex Head Bolt.....	23.67	
			<i>For >100 To 250, Deduct</i>	-1.25	
			<i>For >250 To 500, Deduct</i>	-1.56	
			<i>For >500, Deduct</i>	-1.87	
05 05 23 00-1039			7/16" Diameter, 316 Stainless Steel, Hex Head Bolts (05 05 23 00-0989)		
05 05 23 00-1040	EA		7/16" Diameter x 1" Length, 316 Stainless Steel, Hex Head Bolt.....	8.67	
			<i>For >100 To 250, Deduct</i>	-1.28	
			<i>For >250 To 500, Deduct</i>	-1.60	
			<i>For >500, Deduct</i>	-1.91	



	MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 05 23 00-1041	EA			7/16" Diameter x 1-1/2" Length, 316 Stainless Steel, Hex Head Bolt9.11 <i>For >100 To 250, Deduct</i> -1.28 <i>For >250 To 500, Deduct</i> -1.60 <i>For >500, Deduct</i> -1.91		
05 05 23 00-1042	EA			7/16" Diameter x 2" Length, 316 Stainless Steel, Hex Head Bolt.....9.95 <i>For >100 To 250, Deduct</i> -1.28 <i>For >250 To 500, Deduct</i> -1.60 <i>For >500, Deduct</i> -1.91		
05 05 23 00-1043	EA			7/16" Diameter x 2-1/2" Length, 316 Stainless Steel, Hex Head Bolt10.83 <i>For >100 To 250, Deduct</i> -1.31 <i>For >250 To 500, Deduct</i> -1.64 <i>For >500, Deduct</i> -1.96		
05 05 23 00-1044	EA			7/16" Diameter x 3" Length, 316 Stainless Steel, Hex Head Bolt.....11.63 <i>For >100 To 250, Deduct</i> -1.31 <i>For >250 To 500, Deduct</i> -1.64 <i>For >500, Deduct</i> -1.96		
05 05 23 00-1045	EA			7/16" Diameter x 3-1/2" Length, 316 Stainless Steel, Hex Head Bolt12.94 <i>For >100 To 250, Deduct</i> -1.31 <i>For >250 To 500, Deduct</i> -1.64 <i>For >500, Deduct</i> -1.96		
05 05 23 00-1046	EA			7/16" Diameter x 4" Length, 316 Stainless Steel, Hex Head Bolt.....14.36 <i>For >100 To 250, Deduct</i> -1.34 <i>For >250 To 500, Deduct</i> -1.68 <i>For >500, Deduct</i> -2.01		
05 05 23 00-1047	EA			7/16" Diameter x 4-1/2" Length, 316 Stainless Steel, Hex Head Bolt14.59 <i>For >100 To 250, Deduct</i> -1.34 <i>For >250 To 500, Deduct</i> -1.68 <i>For >500, Deduct</i> -2.01		
05 05 23 00-1048	EA			7/16" Diameter x 5" Length, 316 Stainless Steel, Hex Head Bolt.....15.07 <i>For >100 To 250, Deduct</i> -1.34 <i>For >250 To 500, Deduct</i> -1.68 <i>For >500, Deduct</i> -2.01		
05 05 23 00-1049	EA			7/16" Diameter x 5-1/2" Length, 316 Stainless Steel, Hex Head Bolt15.55 <i>For >100 To 250, Deduct</i> -1.37 <i>For >250 To 500, Deduct</i> -1.72 <i>For >500, Deduct</i> -2.06		
05 05 23 00-1050	EA			7/16" Diameter x 6" Length, 316 Stainless Steel, Hex Head Bolt.....15.89 <i>For >100 To 250, Deduct</i> -1.37 <i>For >250 To 500, Deduct</i> -1.72 <i>For >500, Deduct</i> -2.06		
05 05 23 00-1051	EA			7/16" Diameter x 6-1/2" Length, 316 Stainless Steel, Hex Head Bolt16.23 <i>For >100 To 250, Deduct</i> -1.37 <i>For >250 To 500, Deduct</i> -1.72 <i>For >500, Deduct</i> -2.06		
05 05 23 00-1052	EA			7/16" Diameter x 7" Length, 316 Stainless Steel, Hex Head Bolt.....16.67 <i>For >100 To 250, Deduct</i> -1.40 <i>For >250 To 500, Deduct</i> -1.76 <i>For >500, Deduct</i> -2.11		
05 05 23 00-1053				1/2" Diameter, 316 Stainless Steel, Hex Head Bolts (05 05 23 00-0989)		
05 05 23 00-1054	EA			1/2" Diameter x 1" Length, 316 Stainless Steel, Hex Head Bolt.....8.64 <i>For >100 To 250, Deduct</i> -1.28 <i>For >250 To 500, Deduct</i> -1.60 <i>For >500, Deduct</i> -1.91		
05 05 23 00-1055	EA			1/2" Diameter x 1-1/2" Length, 316 Stainless Steel, Hex Head Bolt9.12 <i>For >100 To 250, Deduct</i> -1.28 <i>For >250 To 500, Deduct</i> -1.60 <i>For >500, Deduct</i> -1.91		
05 05 23 00-1056	EA			1/2" Diameter x 2" Length, 316 Stainless Steel, Hex Head Bolt.....9.80 <i>For >100 To 250, Deduct</i> -1.28 <i>For >250 To 500, Deduct</i> -1.60 <i>For >500, Deduct</i> -1.91		
05 05 23 00-1057	EA			1/2" Diameter x 2-1/2" Length, 316 Stainless Steel, Hex Head Bolt10.76 <i>For >100 To 250, Deduct</i> -1.31 <i>For >250 To 500, Deduct</i> -1.64 <i>For >500, Deduct</i> -1.96		
05 05 23 00-1058	EA			1/2" Diameter x 3" Length, 316 Stainless Steel, Hex Head Bolt.....11.50 <i>For >100 To 250, Deduct</i> -1.31 <i>For >250 To 500, Deduct</i> -1.64 <i>For >500, Deduct</i> -1.96		
05 05 23 00-1059	EA			1/2" Diameter x 3-1/2" Length, 316 Stainless Steel, Hex Head Bolt11.68 <i>For >100 To 250, Deduct</i> -1.31 <i>For >250 To 500, Deduct</i> -1.64 <i>For >500, Deduct</i> -1.96		
05 05 23 00-1060	EA			1/2" Diameter x 4" Length, 316 Stainless Steel, Hex Head Bolt.....12.15 <i>For >100 To 250, Deduct</i> -1.34 <i>For >250 To 500, Deduct</i> -1.68 <i>For >500, Deduct</i> -2.01		
05 05 23 00-1061	EA			1/2" Diameter x 4-1/2" Length, 316 Stainless Steel, Hex Head Bolt13.58 <i>For >100 To 250, Deduct</i> -1.34 <i>For >250 To 500, Deduct</i> -1.68 <i>For >500, Deduct</i> -2.01		

05 Metals**05 05 Common Work Results For Metals****05 05 23 Metal Fastenings**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 05 23 00-1062	EA		1/2" Diameter x 5" Length, 316 Stainless Steel, Hex Head Bolt.....	16.48	
			<i>For >100 To 250, Deduct</i>	-1.34	
			<i>For >250 To 500, Deduct</i>	-1.68	
			<i>For >500, Deduct</i>	-2.01	
05 05 23 00-1063	EA		1/2" Diameter x 5-1/2" Length, 316 Stainless Steel, Hex Head Bolt.....	16.86	
			<i>For >100 To 250, Deduct</i>	-1.37	
			<i>For >250 To 500, Deduct</i>	-1.72	
			<i>For >500, Deduct</i>	-2.06	
05 05 23 00-1064	EA		1/2" Diameter x 6" Length, 316 Stainless Steel, Hex Head Bolt.....	17.32	
			<i>For >100 To 250, Deduct</i>	-1.37	
			<i>For >250 To 500, Deduct</i>	-1.72	
			<i>For >500, Deduct</i>	-2.06	
05 05 23 00-1065	EA		1/2" Diameter x 6-1/2" Length, 316 Stainless Steel, Hex Head Bolt.....	20.91	
			<i>For >100 To 250, Deduct</i>	-1.37	
			<i>For >250 To 500, Deduct</i>	-1.72	
			<i>For >500, Deduct</i>	-2.06	
05 05 23 00-1066	EA		1/2" Diameter x 7" Length, 316 Stainless Steel, Hex Head Bolt.....	23.47	
			<i>For >100 To 250, Deduct</i>	-1.40	
			<i>For >250 To 500, Deduct</i>	-1.76	
			<i>For >500, Deduct</i>	-2.11	
05 05 23 00-1067	EA		1/2" Diameter x 7-1/2" Length, 316 Stainless Steel, Hex Head Bolt.....	25.02	
			<i>For >100 To 250, Deduct</i>	-1.40	
			<i>For >250 To 500, Deduct</i>	-1.76	
			<i>For >500, Deduct</i>	-2.11	
05 05 23 00-1068	EA		1/2" Diameter x 8" Length, 316 Stainless Steel, Hex Head Bolt.....	27.59	
			<i>For >100 To 250, Deduct</i>	-1.40	
			<i>For >250 To 500, Deduct</i>	-1.76	
			<i>For >500, Deduct</i>	-2.11	
05 05 23 00-1069	EA		1/2" Diameter x 8-1/2" Length, 316 Stainless Steel, Hex Head Bolt.....	34.55	
			<i>For >100 To 250, Deduct</i>	-1.44	
			<i>For >250 To 500, Deduct</i>	-1.80	
			<i>For >500, Deduct</i>	-2.15	
05 05 23 00-1070	EA		1/2" Diameter x 9" Length, 316 Stainless Steel, Hex Head Bolt.....	38.94	
			<i>For >100 To 250, Deduct</i>	-1.44	
			<i>For >250 To 500, Deduct</i>	-1.80	
			<i>For >500, Deduct</i>	-2.15	
05 05 23 00-1071	EA		1/2" Diameter x 9-1/2" Length, 316 Stainless Steel, Hex Head Bolt.....	39.66	
			<i>For >100 To 250, Deduct</i>	-1.44	
			<i>For >250 To 500, Deduct</i>	-1.80	
			<i>For >500, Deduct</i>	-2.15	
05 05 23 00-1072	EA		1/2" Diameter x 10" Length, 316 Stainless Steel, Hex Head Bolt.....	40.78	
			<i>For >100 To 250, Deduct</i>	-1.44	
			<i>For >250 To 500, Deduct</i>	-1.80	
			<i>For >500, Deduct</i>	-2.15	
05 05 23 00-1073			9/16" Diameter, 316 Stainless Steel, Hex Head Bolts (05 05 23 00-0989)		
05 05 23 00-1074	EA		9/16" Diameter x 1" Length, 316 Stainless Steel, Hex Head Bolt.....	20.67	
			<i>For >100 To 250, Deduct</i>	-1.28	
			<i>For >250 To 500, Deduct</i>	-1.60	
			<i>For >500, Deduct</i>	-1.91	
05 05 23 00-1075	EA		9/16" Diameter x 1-1/2" Length, 316 Stainless Steel, Hex Head Bolt.....	22.24	
			<i>For >100 To 250, Deduct</i>	-1.28	
			<i>For >250 To 500, Deduct</i>	-1.60	
			<i>For >500, Deduct</i>	-1.91	
05 05 23 00-1076	EA		9/16" Diameter x 2" Length, 316 Stainless Steel, Hex Head Bolt.....	27.52	
			<i>For >100 To 250, Deduct</i>	-1.28	
			<i>For >250 To 500, Deduct</i>	-1.60	
			<i>For >500, Deduct</i>	-1.91	
05 05 23 00-1077	EA		9/16" Diameter x 2-1/2" Length, 316 Stainless Steel, Hex Head Bolt.....	30.64	
			<i>For >100 To 250, Deduct</i>	-1.31	
			<i>For >250 To 500, Deduct</i>	-1.64	
			<i>For >500, Deduct</i>	-1.96	
05 05 23 00-1078	EA		9/16" Diameter x 3" Length, 316 Stainless Steel, Hex Head Bolt.....	33.76	
			<i>For >100 To 250, Deduct</i>	-1.31	
			<i>For >250 To 500, Deduct</i>	-1.64	
			<i>For >500, Deduct</i>	-1.96	
05 05 23 00-1079	EA		9/16" Diameter x 3-1/2" Length, 316 Stainless Steel, Hex Head Bolt.....	36.88	
			<i>For >100 To 250, Deduct</i>	-1.31	
			<i>For >250 To 500, Deduct</i>	-1.64	
			<i>For >500, Deduct</i>	-1.96	
05 05 23 00-1080	EA		9/16" Diameter x 4" Length, 316 Stainless Steel, Hex Head Bolt.....	38.99	
			<i>For >100 To 250, Deduct</i>	-1.34	
			<i>For >250 To 500, Deduct</i>	-1.68	
			<i>For >500, Deduct</i>	-2.01	
05 05 23 00-1081	EA		9/16" Diameter x 4-1/2" Length, 316 Stainless Steel, Hex Head Bolt.....	41.56	
			<i>For >100 To 250, Deduct</i>	-1.34	
			<i>For >250 To 500, Deduct</i>	-1.68	
			<i>For >500, Deduct</i>	-2.01	
05 05 23 00-1082	EA		9/16" Diameter x 5" Length, 316 Stainless Steel, Hex Head Bolt.....	43.84	
			<i>For >100 To 250, Deduct</i>	-1.34	
			<i>For >250 To 500, Deduct</i>	-1.68	
			<i>For >500, Deduct</i>	-2.01	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 05 23 00-1083 EA 9/16" Diameter x 5-1/2" Length, 316 Stainless Steel, Hex Head Bolt	44.69	
<i>For >100 To 250, Deduct</i>	-1.37	
<i>For >250 To 500, Deduct</i>	-1.72	
<i>For >500, Deduct</i>	-2.06	
05 05 23 00-1084 EA 9/16" Diameter x 6" Length, 316 Stainless Steel, Hex Head Bolt.....	46.70	
<i>For >100 To 250, Deduct</i>	-1.37	
<i>For >250 To 500, Deduct</i>	-1.72	
<i>For >500, Deduct</i>	-2.06	
05 05 23 00-1085 5/8" Diameter, 316 Stainless Steel, Hex Head Bolts (05 05 23 00-0989)		
05 05 23 00-1086 EA 5/8" Diameter x 1" Length, 316 Stainless Steel, Hex Head Bolt.....	11.89	
<i>For >100 To 250, Deduct</i>	-1.44	
<i>For >250 To 500, Deduct</i>	-1.80	
<i>For >500, Deduct</i>	-2.15	
05 05 23 00-1087 EA 5/8" Diameter x 1-1/2" Length, 316 Stainless Steel, Hex Head Bolt	12.03	
<i>For >100 To 250, Deduct</i>	-1.44	
<i>For >250 To 500, Deduct</i>	-1.80	
<i>For >500, Deduct</i>	-2.15	
05 05 23 00-1088 EA 5/8" Diameter x 2" Length, 316 Stainless Steel, Hex Head Bolt.....	12.07	
<i>For >100 To 250, Deduct</i>	-1.44	
<i>For >250 To 500, Deduct</i>	-1.80	
<i>For >500, Deduct</i>	-2.15	
05 05 23 00-1089 EA 5/8" Diameter x 2-1/2" Length, 316 Stainless Steel, Hex Head Bolt	13.13	
<i>For >100 To 250, Deduct</i>	-1.47	
<i>For >250 To 500, Deduct</i>	-1.84	
<i>For >500, Deduct</i>	-2.20	
05 05 23 00-1090 EA 5/8" Diameter x 3" Length, 316 Stainless Steel, Hex Head Bolt.....	14.06	
<i>For >100 To 250, Deduct</i>	-1.47	
<i>For >250 To 500, Deduct</i>	-1.84	
<i>For >500, Deduct</i>	-2.20	
05 05 23 00-1091 EA 5/8" Diameter x 3-1/2" Length, 316 Stainless Steel, Hex Head Bolt	17.00	
<i>For >100 To 250, Deduct</i>	-1.47	
<i>For >250 To 500, Deduct</i>	-1.84	
<i>For >500, Deduct</i>	-2.20	
05 05 23 00-1092 EA 5/8" Diameter x 4" Length, 316 Stainless Steel, Hex Head Bolt.....	17.76	
<i>For >100 To 250, Deduct</i>	-1.50	
<i>For >250 To 500, Deduct</i>	-1.87	
<i>For >500, Deduct</i>	-2.25	
05 05 23 00-1093 EA 5/8" Diameter x 4-1/2" Length, 316 Stainless Steel, Hex Head Bolt	20.34	
<i>For >100 To 250, Deduct</i>	-1.50	
<i>For >250 To 500, Deduct</i>	-1.87	
<i>For >500, Deduct</i>	-2.25	
05 05 23 00-1094 EA 5/8" Diameter x 5" Length, 316 Stainless Steel, Hex Head Bolt.....	21.23	
<i>For >100 To 250, Deduct</i>	-1.50	
<i>For >250 To 500, Deduct</i>	-1.87	
<i>For >500, Deduct</i>	-2.25	
05 05 23 00-1095 EA 5/8" Diameter x 5-1/2" Length, 316 Stainless Steel, Hex Head Bolt	23.08	
<i>For >100 To 250, Deduct</i>	-1.53	
<i>For >250 To 500, Deduct</i>	-1.91	
<i>For >500, Deduct</i>	-2.30	
05 05 23 00-1096 EA 5/8" Diameter x 6" Length, 316 Stainless Steel, Hex Head Bolt.....	23.81	
<i>For >100 To 250, Deduct</i>	-1.53	
<i>For >250 To 500, Deduct</i>	-1.91	
<i>For >500, Deduct</i>	-2.30	
05 05 23 00-1097 EA 5/8" Diameter x 6-1/2" Length, 316 Stainless Steel, Hex Head Bolt	28.31	
<i>For >100 To 250, Deduct</i>	-1.53	
<i>For >250 To 500, Deduct</i>	-1.91	
<i>For >500, Deduct</i>	-2.30	
05 05 23 00-1098 EA 5/8" Diameter x 7" Length, 316 Stainless Steel, Hex Head Bolt.....	30.10	
<i>For >100 To 250, Deduct</i>	-1.56	
<i>For >250 To 500, Deduct</i>	-1.95	
<i>For >500, Deduct</i>	-2.34	
05 05 23 00-1099 EA 5/8" Diameter x 7-1/2" Length, 316 Stainless Steel, Hex Head Bolt	30.67	
<i>For >100 To 250, Deduct</i>	-1.56	
<i>For >250 To 500, Deduct</i>	-1.95	
<i>For >500, Deduct</i>	-2.34	
05 05 23 00-1100 EA 5/8" Diameter x 8" Length, 316 Stainless Steel, Hex Head Bolt.....	32.77	
<i>For >100 To 250, Deduct</i>	-1.56	
<i>For >250 To 500, Deduct</i>	-1.95	
<i>For >500, Deduct</i>	-2.34	
05 05 23 00-1101 EA 5/8" Diameter x 8-1/2" Length, 316 Stainless Steel, Hex Head Bolt	34.83	
<i>For >100 To 250, Deduct</i>	-1.59	
<i>For >250 To 500, Deduct</i>	-1.99	
<i>For >500, Deduct</i>	-2.39	
05 05 23 00-1102 EA 5/8" Diameter x 9" Length, 316 Stainless Steel, Hex Head Bolt.....	36.61	
<i>For >100 To 250, Deduct</i>	-1.59	
<i>For >250 To 500, Deduct</i>	-1.99	
<i>For >500, Deduct</i>	-2.39	
05 05 23 00-1103 EA 5/8" Diameter x 9-1/2" Length, 316 Stainless Steel, Hex Head Bolt	45.11	
<i>For >100 To 250, Deduct</i>	-1.59	
<i>For >250 To 500, Deduct</i>	-1.99	
<i>For >500, Deduct</i>	-2.39	

05 Metals**05 05 Common Work Results For Metals****05 05 23 Metal Fastenings**
 MINOR
 CSI UOM DESCRIPTION

 TOTAL DIRECT DEMOLITION
 UNIT COST UNIT COST

05 05 23 00-1104	EA	5/8" Diameter x 10" Length, 316 Stainless Steel, Hex Head Bolt	54.20	
		<i>For >100 To 250, Deduct</i>	-1.59	
		<i>For >250 To 500, Deduct</i>	-1.99	
		<i>For >500, Deduct</i>	-2.39	
05 05 23 00-1105		3/4" Diameter, 316 Stainless Steel, Hex Head Bolts (05 05 23 00-0989)		
05 05 23 00-1106	EA	3/4" Diameter x 1" Length, 316 Stainless Steel, Hex Head Bolt	15.47	
		<i>For >100 To 250, Deduct</i>	-1.44	
		<i>For >250 To 500, Deduct</i>	-1.80	
		<i>For >500, Deduct</i>	-2.15	
05 05 23 00-1107	EA	3/4" Diameter x 1-1/2" Length, 316 Stainless Steel, Hex Head Bolt	15.79	
		<i>For >100 To 250, Deduct</i>	-1.44	
		<i>For >250 To 500, Deduct</i>	-1.80	
		<i>For >500, Deduct</i>	-2.15	
05 05 23 00-1108	EA	3/4" Diameter x 2" Length, 316 Stainless Steel, Hex Head Bolt	17.01	
		<i>For >100 To 250, Deduct</i>	-1.44	
		<i>For >250 To 500, Deduct</i>	-1.80	
		<i>For >500, Deduct</i>	-2.15	
05 05 23 00-1109	EA	3/4" Diameter x 2-1/2" Length, 316 Stainless Steel, Hex Head Bolt	18.24	
		<i>For >100 To 250, Deduct</i>	-1.47	
		<i>For >250 To 500, Deduct</i>	-1.84	
		<i>For >500, Deduct</i>	-2.20	
05 05 23 00-1110	EA	3/4" Diameter x 3" Length, 316 Stainless Steel, Hex Head Bolt	20.53	
		<i>For >100 To 250, Deduct</i>	-1.47	
		<i>For >250 To 500, Deduct</i>	-1.84	
		<i>For >500, Deduct</i>	-2.20	
05 05 23 00-1111	EA	3/4" Diameter x 3-1/2" Length, 316 Stainless Steel, Hex Head Bolt	21.85	
		<i>For >100 To 250, Deduct</i>	-1.47	
		<i>For >250 To 500, Deduct</i>	-1.84	
		<i>For >500, Deduct</i>	-2.20	
05 05 23 00-1112	EA	3/4" Diameter x 4" Length, 316 Stainless Steel, Hex Head Bolt	24.83	
		<i>For >100 To 250, Deduct</i>	-1.50	
		<i>For >250 To 500, Deduct</i>	-1.87	
		<i>For >500, Deduct</i>	-2.25	
05 05 23 00-1113	EA	3/4" Diameter x 4-1/2" Length, 316 Stainless Steel, Hex Head Bolt	25.99	
		<i>For >100 To 250, Deduct</i>	-1.50	
		<i>For >250 To 500, Deduct</i>	-1.87	
		<i>For >500, Deduct</i>	-2.25	
05 05 23 00-1114	EA	3/4" Diameter x 5" Length, 316 Stainless Steel, Hex Head Bolt	26.63	
		<i>For >100 To 250, Deduct</i>	-1.50	
		<i>For >250 To 500, Deduct</i>	-1.87	
		<i>For >500, Deduct</i>	-2.25	
05 05 23 00-1115	EA	3/4" Diameter x 5-1/2" Length, 316 Stainless Steel, Hex Head Bolt	27.65	
		<i>For >100 To 250, Deduct</i>	-1.53	
		<i>For >250 To 500, Deduct</i>	-1.91	
		<i>For >500, Deduct</i>	-2.30	
05 05 23 00-1116	EA	3/4" Diameter x 6" Length, 316 Stainless Steel, Hex Head Bolt	29.11	
		<i>For >100 To 250, Deduct</i>	-1.53	
		<i>For >250 To 500, Deduct</i>	-1.91	
		<i>For >500, Deduct</i>	-2.30	
05 05 23 00-1117	EA	3/4" Diameter x 6-1/2" Length, 316 Stainless Steel, Hex Head Bolt	33.62	
		<i>For >100 To 250, Deduct</i>	-1.53	
		<i>For >250 To 500, Deduct</i>	-1.91	
		<i>For >500, Deduct</i>	-2.30	
05 05 23 00-1118	EA	3/4" Diameter x 7" Length, 316 Stainless Steel, Hex Head Bolt	40.29	
		<i>For >100 To 250, Deduct</i>	-1.56	
		<i>For >250 To 500, Deduct</i>	-1.95	
		<i>For >500, Deduct</i>	-2.34	
05 05 23 00-1119	EA	3/4" Diameter x 7-1/2" Length, 316 Stainless Steel, Hex Head Bolt	45.36	
		<i>For >100 To 250, Deduct</i>	-1.56	
		<i>For >250 To 500, Deduct</i>	-1.95	
		<i>For >500, Deduct</i>	-2.34	
05 05 23 00-1120	EA	3/4" Diameter x 8" Length, 316 Stainless Steel, Hex Head Bolt	46.13	
		<i>For >100 To 250, Deduct</i>	-1.56	
		<i>For >250 To 500, Deduct</i>	-1.95	
		<i>For >500, Deduct</i>	-2.34	
05 05 23 00-1121	EA	3/4" Diameter x 8-1/2" Length, 316 Stainless Steel, Hex Head Bolt	49.34	
		<i>For >100 To 250, Deduct</i>	-1.59	
		<i>For >250 To 500, Deduct</i>	-1.99	
		<i>For >500, Deduct</i>	-2.39	
05 05 23 00-1122	EA	3/4" Diameter x 9" Length, 316 Stainless Steel, Hex Head Bolt	57.03	
		<i>For >100 To 250, Deduct</i>	-1.59	
		<i>For >250 To 500, Deduct</i>	-1.99	
		<i>For >500, Deduct</i>	-2.39	
05 05 23 00-1123	EA	3/4" Diameter x 9-1/2" Length, 316 Stainless Steel, Hex Head Bolt	57.68	
		<i>For >100 To 250, Deduct</i>	-1.59	
		<i>For >250 To 500, Deduct</i>	-1.99	
		<i>For >500, Deduct</i>	-2.39	
05 05 23 00-1124	EA	3/4" Diameter x 10" Length, 316 Stainless Steel, Hex Head Bolt	59.31	
		<i>For >100 To 250, Deduct</i>	-1.59	
		<i>For >250 To 500, Deduct</i>	-1.99	
		<i>For >500, Deduct</i>	-2.39	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 05 23 00-1125 7/8" Diameter, 316 Stainless Steel, Hex Head Bolts <small>(05 05 23 00-0989)</small>		
05 05 23 00-1126 EA 7/8" Diameter x 1-1/2" Length, 316 Stainless Steel, Hex Head Bolt	17.42	
For >100 To 250, Deduct	-1.59	
For >250 To 500, Deduct	-1.99	
For >500, Deduct	-2.39	
05 05 23 00-1127 EA 7/8" Diameter x 2" Length, 316 Stainless Steel, Hex Head Bolt.....	19.54	
For >100 To 250, Deduct	-1.59	
For >250 To 500, Deduct	-1.99	
For >500, Deduct	-2.39	
05 05 23 00-1128 EA 7/8" Diameter x 2-1/2" Length, 316 Stainless Steel, Hex Head Bolt	20.86	
For >100 To 250, Deduct	-1.63	
For >250 To 500, Deduct	-2.04	
For >500, Deduct	-2.44	
05 05 23 00-1129 EA 7/8" Diameter x 3" Length, 316 Stainless Steel, Hex Head Bolt.....	23.82	
For >100 To 250, Deduct	-1.63	
For >250 To 500, Deduct	-2.04	
For >500, Deduct	-2.44	
05 05 23 00-1130 EA 7/8" Diameter x 3-1/2" Length, 316 Stainless Steel, Hex Head Bolt	25.15	
For >100 To 250, Deduct	-1.63	
For >250 To 500, Deduct	-2.04	
For >500, Deduct	-2.44	
05 05 23 00-1131 EA 7/8" Diameter x 4" Length, 316 Stainless Steel, Hex Head Bolt.....	26.47	
For >100 To 250, Deduct	-1.66	
For >250 To 500, Deduct	-2.08	
For >500, Deduct	-2.49	
05 05 23 00-1132 EA 7/8" Diameter x 4-1/2" Length, 316 Stainless Steel, Hex Head Bolt	28.27	
For >100 To 250, Deduct	-1.66	
For >250 To 500, Deduct	-2.08	
For >500, Deduct	-2.49	
05 05 23 00-1133 EA 7/8" Diameter x 5" Length, 316 Stainless Steel, Hex Head Bolt.....	32.30	
For >100 To 250, Deduct	-1.66	
For >250 To 500, Deduct	-2.08	
For >500, Deduct	-2.49	
05 05 23 00-1134 EA 7/8" Diameter x 5-1/2" Length, 316 Stainless Steel, Hex Head Bolt	32.56	
For >100 To 250, Deduct	-1.69	
For >250 To 500, Deduct	-2.12	
For >500, Deduct	-2.54	
05 05 23 00-1135 EA 7/8" Diameter x 6" Length, 316 Stainless Steel, Hex Head Bolt.....	33.90	
For >100 To 250, Deduct	-1.69	
For >250 To 500, Deduct	-2.12	
For >500, Deduct	-2.54	
05 05 23 00-1136 EA 7/8" Diameter x 6-1/2" Length, 316 Stainless Steel, Hex Head Bolt	45.19	
For >100 To 250, Deduct	-1.69	
For >250 To 500, Deduct	-2.12	
For >500, Deduct	-2.54	
05 05 23 00-1137 EA 7/8" Diameter x 7" Length, 316 Stainless Steel, Hex Head Bolt.....	50.32	
For >100 To 250, Deduct	-1.72	
For >250 To 500, Deduct	-2.15	
For >500, Deduct	-2.58	
05 05 23 00-1138 EA 7/8" Diameter x 7-1/2" Length, 316 Stainless Steel, Hex Head Bolt	55.68	
For >100 To 250, Deduct	-1.72	
For >250 To 500, Deduct	-2.15	
For >500, Deduct	-2.58	
05 05 23 00-1139 EA 7/8" Diameter x 8" Length, 316 Stainless Steel, Hex Head Bolt.....	58.32	
For >100 To 250, Deduct	-1.72	
For >250 To 500, Deduct	-2.15	
For >500, Deduct	-2.58	
05 05 23 00-1140 EA 7/8" Diameter x 8-1/2" Length, 316 Stainless Steel, Hex Head Bolt	61.91	
For >100 To 250, Deduct	-1.75	
For >250 To 500, Deduct	-2.19	
For >500, Deduct	-2.63	
05 05 23 00-1141 EA 7/8" Diameter x 9" Length, 316 Stainless Steel, Hex Head Bolt.....	64.21	
For >100 To 250, Deduct	-1.75	
For >250 To 500, Deduct	-2.19	
For >500, Deduct	-2.63	
05 05 23 00-1142 EA 7/8" Diameter x 9-1/2" Length, 316 Stainless Steel, Hex Head Bolt	66.48	
For >100 To 250, Deduct	-1.75	
For >250 To 500, Deduct	-2.19	
For >500, Deduct	-2.63	
05 05 23 00-1143 EA 7/8" Diameter x 10" Length, 316 Stainless Steel, Hex Head Bolt.....	69.04	
For >100 To 250, Deduct	-1.75	
For >250 To 500, Deduct	-2.19	
For >500, Deduct	-2.63	
05 05 23 00-1144 1" Diameter, 316 Stainless Steel, Hex Head Bolts <small>(05 05 23 00-0989)</small>		
05 05 23 00-1145 EA 1" Diameter x 2" Length, 316 Stainless Steel, Hex Head Bolt.....	22.07	
For >100 To 250, Deduct	-1.59	
For >250 To 500, Deduct	-1.99	
For >500, Deduct	-2.39	
05 05 23 00-1146 EA 1" Diameter x 2-1/2" Length, 316 Stainless Steel, Hex Head Bolt	25.50	
For >100 To 250, Deduct	-1.63	
For >250 To 500, Deduct	-2.04	
For >500, Deduct	-2.44	

05 Metals**05 05 Common Work Results For Metals****05 05 23 Metal Fastenings**

MINOR		TOTAL DIRECT	DEMOLITION
CSI	UOM DESCRIPTION	UNIT COST	UNIT COST
05 05 23 00-1147	EA 1" Diameter x 3" Length, 316 Stainless Steel, Hex Head Bolt.....	27.68	
	<i>For >100 To 250, Deduct</i>	-1.63	
	<i>For >250 To 500, Deduct</i>	-2.04	
	<i>For >500, Deduct</i>	-2.44	
05 05 23 00-1148	EA 1" Diameter x 3-1/2" Length, 316 Stainless Steel, Hex Head Bolt.....	31.17	
	<i>For >100 To 250, Deduct</i>	-1.63	
	<i>For >250 To 500, Deduct</i>	-2.04	
	<i>For >500, Deduct</i>	-2.44	
05 05 23 00-1149	EA 1" Diameter x 4" Length, 316 Stainless Steel, Hex Head Bolt.....	32.57	
	<i>For >100 To 250, Deduct</i>	-1.66	
	<i>For >250 To 500, Deduct</i>	-2.08	
	<i>For >500, Deduct</i>	-2.49	
05 05 23 00-1150	EA 1" Diameter x 4-1/2" Length, 316 Stainless Steel, Hex Head Bolt.....	34.94	
	<i>For >100 To 250, Deduct</i>	-1.66	
	<i>For >250 To 500, Deduct</i>	-2.08	
	<i>For >500, Deduct</i>	-2.49	
05 05 23 00-1151	EA 1" Diameter x 5" Length, 316 Stainless Steel, Hex Head Bolt.....	37.33	
	<i>For >100 To 250, Deduct</i>	-1.66	
	<i>For >250 To 500, Deduct</i>	-2.08	
	<i>For >500, Deduct</i>	-2.49	
05 05 23 00-1152	EA 1" Diameter x 5-1/2" Length, 316 Stainless Steel, Hex Head Bolt.....	39.89	
	<i>For >100 To 250, Deduct</i>	-1.69	
	<i>For >250 To 500, Deduct</i>	-2.12	
	<i>For >500, Deduct</i>	-2.54	
05 05 23 00-1153	EA 1" Diameter x 6" Length, 316 Stainless Steel, Hex Head Bolt.....	46.06	
	<i>For >100 To 250, Deduct</i>	-1.69	
	<i>For >250 To 500, Deduct</i>	-2.12	
	<i>For >500, Deduct</i>	-2.54	
05 05 23 00-1154	EA 1" Diameter x 6-1/2" Length, 316 Stainless Steel, Hex Head Bolt.....	52.14	
	<i>For >100 To 250, Deduct</i>	-1.69	
	<i>For >250 To 500, Deduct</i>	-2.12	
	<i>For >500, Deduct</i>	-2.54	
05 05 23 00-1155	EA 1" Diameter x 7" Length, 316 Stainless Steel, Hex Head Bolt.....	60.61	
	<i>For >100 To 250, Deduct</i>	-1.72	
	<i>For >250 To 500, Deduct</i>	-2.15	
	<i>For >500, Deduct</i>	-2.58	
05 05 23 00-1156	EA 1" Diameter x 7-1/2" Length, 316 Stainless Steel, Hex Head Bolt.....	67.60	
	<i>For >100 To 250, Deduct</i>	-1.72	
	<i>For >250 To 500, Deduct</i>	-2.15	
	<i>For >500, Deduct</i>	-2.58	
05 05 23 00-1157	EA 1" Diameter x 8" Length, 316 Stainless Steel, Hex Head Bolt.....	68.61	
	<i>For >100 To 250, Deduct</i>	-1.72	
	<i>For >250 To 500, Deduct</i>	-2.15	
	<i>For >500, Deduct</i>	-2.58	
05 05 23 00-1158	EA 1" Diameter x 8-1/2" Length, 316 Stainless Steel, Hex Head Bolt.....	71.06	
	<i>For >100 To 250, Deduct</i>	-1.75	
	<i>For >250 To 500, Deduct</i>	-2.19	
	<i>For >500, Deduct</i>	-2.63	
05 05 23 00-1159	EA 1" Diameter x 9" Length, 316 Stainless Steel, Hex Head Bolt.....	72.02	
	<i>For >100 To 250, Deduct</i>	-1.75	
	<i>For >250 To 500, Deduct</i>	-2.19	
	<i>For >500, Deduct</i>	-2.63	
05 05 23 00-1160	EA 1" Diameter x 9-1/2" Length, 316 Stainless Steel, Hex Head Bolt.....	83.63	
	<i>For >100 To 250, Deduct</i>	-1.75	
	<i>For >250 To 500, Deduct</i>	-2.19	
	<i>For >500, Deduct</i>	-2.63	
05 05 23 00-1161	EA 1" Diameter x 10" Length, 316 Stainless Steel, Hex Head Bolt.....	94.84	
	<i>For >100 To 250, Deduct</i>	-1.75	
	<i>For >250 To 500, Deduct</i>	-2.19	
	<i>For >500, Deduct</i>	-2.63	
05 05 23 00-1162	Screws <small>(05 05 23)</small>		
05 05 23 00-1163	Teks® 5 Self Drilling Screws <small>(05 05 23 00-1162)</small>		
	Note: Screws include Climaseal® finish, self-drill point and tapping threads.		
05 05 23 00-1164	EA 12-24 x 1-1/4", Hex Washer Head, Teks® 5 Self Drilling Screw.....	2.96	
	<i>For >10 To 50, Deduct</i>	-0.13	
	<i>For >50 To 100, Deduct</i>	-0.27	
	<i>For >100, Deduct</i>	-0.55	
05 05 23 00-1165	EA 12-24 x 1-1/2", Hex Washer Head, Teks® 5 Self Drilling Screw.....	3.07	
	<i>For >10 To 50, Deduct</i>	-0.13	
	<i>For >50 To 100, Deduct</i>	-0.28	
	<i>For >100, Deduct</i>	-0.55	
05 05 23 00-1166	EA 12-24 x 2", Hex Washer Head, Teks® 5 Self Drilling Screw.....	3.40	
	<i>For >10 To 50, Deduct</i>	-0.14	
	<i>For >50 To 100, Deduct</i>	-0.30	
	<i>For >100, Deduct</i>	-0.60	
05 05 23 00-1167	EA 1/4"-28 x 3", Hex Washer Head, Teks® 5 Self Drilling Screw.....	4.61	
	<i>For >10 To 50, Deduct</i>	-0.18	
	<i>For >50 To 100, Deduct</i>	-0.38	
	<i>For >100, Deduct</i>	-0.76	
05 05 23 00-1168	EA 1/4"-28 x 4", Hex Washer Head, Teks® 5 Self Drilling Screw.....	4.91	
	<i>For >10 To 50, Deduct</i>	-0.19	
	<i>For >50 To 100, Deduct</i>	-0.40	
	<i>For >100, Deduct</i>	-0.80	



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 05 23 00-1169	EA		1/4"-28 x 6", Hex Washer Head, Teks® 5 Self Drilling Screw5.95 <i>For >10 To 50, Deduct</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	-0.20 -0.44 -0.88	
05 05 23 00-1170	EA		1/4"-28 x 8", Hex Washer Head, Teks® 5 Self Drilling Screw6.60 <i>For >10 To 50, Deduct</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	-0.20 -0.47 -0.94	
05 05 23 00-1171			Security Screws (05 05 23 00-1162)		
05 05 23 00-1172			304/18-8 Stainless Steel, Security Screws (05 05 23 00-1171) Note: Includes "security" style drive in machine or sheet metal screw threads.		
05 05 23 00-1173	EA		#4 Diameter x 1/2" Length, 304/18-8 Stainless Steel, Security Screws2.35 <i>For >10 To 50, Deduct</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	-0.11 -0.23 -0.45	
05 05 23 00-1174	EA		#6 Diameter x 1/2" Length, 304/18-8 Stainless Steel, Security Screw2.68 <i>For >10 To 50, Deduct</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	-0.11 -0.23 -0.47	
05 05 23 00-1175	EA		#6 Diameter x 1" Length, 304/18-8 Stainless Steel, Security Screw2.96 <i>For >10 To 50, Deduct</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	-0.11 -0.24 -0.48	
05 05 23 00-1176	EA		#6 Diameter x 1-1/2" Length, 304/18-8 Stainless Steel, Security Screw3.06 <i>For >10 To 50, Deduct</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	-0.11 -0.24 -0.49	
05 05 23 00-1177	EA		#6 Diameter x 2" Length, 304/18-8 Stainless Steel, Security Screw3.24 <i>For >10 To 50, Deduct</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	-0.11 -0.25 -0.50	
05 05 23 00-1178	EA		#8 Diameter x 1/2" Length, 304/18-8 Stainless Steel, Security Screw2.75 <i>For >10 To 50, Deduct</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	-0.11 -0.24 -0.47	
05 05 23 00-1179	EA		#8 Diameter x 1" Length, 304/18-8 Stainless Steel, Security Screw2.89 <i>For >10 To 50, Deduct</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	-0.11 -0.24 -0.48	
05 05 23 00-1180	EA		#8 Diameter x 1-1/2" Length, 304/18-8 Stainless Steel, Security Screw3.17 <i>For >10 To 50, Deduct</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	-0.11 -0.25 -0.49	
05 05 23 00-1181	EA		#8 Diameter x 2" Length, 304/18-8 Stainless Steel, Security Screw3.25 <i>For >10 To 50, Deduct</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	-0.11 -0.25 -0.50	
05 05 23 00-1182	EA		#10 Diameter x 1/2" Length, 304/18-8 Stainless Steel, Security Screw2.84 <i>For >10 To 50, Deduct</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	-0.11 -0.24 -0.48	
05 05 23 00-1183	EA		#10 Diameter x 1" Length, 304/18-8 Stainless Steel, Security Screw2.88 <i>For >10 To 50, Deduct</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	-0.11 -0.24 -0.48	
05 05 23 00-1184	EA		#10 Diameter x 1-1/2" Length, 304/18-8 Stainless Steel, Security Screw3.00 <i>For >10 To 50, Deduct</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	-0.11 -0.24 -0.48	
05 05 23 00-1185	EA		#10 Diameter x 2" Length, 304/18-8 Stainless Steel, Security Screw3.38 <i>For >10 To 50, Deduct</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	-0.11 -0.25 -0.50	
05 05 23 00-1186	EA		1/4" Diameter x 1/2" Length, 304/18-8 Stainless Steel, Security Screw3.06 <i>For >10 To 50, Deduct</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	-0.11 -0.24 -0.49	
05 05 23 00-1187	EA		1/4" Diameter x 1" Length, 304/18-8 Stainless Steel, Security Screw3.14 <i>For >10 To 50, Deduct</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	-0.11 -0.25 -0.49	
05 05 23 00-1188	EA		1/4" Diameter x 1-1/2" Length, 304/18-8 Stainless Steel, Security Screw3.51 <i>For >10 To 50, Deduct</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	-0.11 -0.26 -0.51	
05 05 23 00-1189	EA		1/4" Diameter x 2" Length, 304/18-8 Stainless Steel, Security Screw4.08 <i>For >10 To 50, Deduct</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	-0.11 -0.27 -0.54	

05 05 23 00-1190

Threaded Rod (05 05 23)

Note: Fully threaded. See CSI section 05 05 19 00-0169 for anchoring adhesive, 05 05 23 00-1283 for nuts and

05 Metals**05 05 Common Work Results For Metals****05 05 23 Metal Fastenings**
 MINOR
 CSI UOM DESCRIPTION

 TOTAL DIRECT DEMOLITION
 UNIT COST UNIT COST

washers.

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 05 23 00-1191			Plain Finish Steel, Low Carbon Threaded Rod (05 05 23 00-1190)		
05 05 23 00-1192	LF		1/4" Diameter, Plain Finish Steel, Low Carbon Threaded Rod.....	1.99	0.46
			<i>For Left Hand Threaded Rod, Add</i>	0.11	
05 05 23 00-1193	LF		5/16" Diameter, Plain Finish Steel, Low Carbon Threaded Rod.....	2.63	0.50
			<i>For Left Hand Threaded Rod, Add</i>	0.16	
05 05 23 00-1194	LF		3/8" Diameter, Plain Finish Steel, Low Carbon Threaded Rod.....	3.05	0.57
			<i>For Left Hand Threaded Rod, Add</i>	0.19	
05 05 23 00-1195	LF		7/16" Diameter, Plain Finish Steel, Low Carbon Threaded Rod.....	4.15	0.59
			<i>For Left Hand Threaded Rod, Add</i>	0.30	
05 05 23 00-1196	LF		1/2" Diameter, Plain Finish Steel, Low Carbon Threaded Rod.....	4.24	0.61
			<i>For Left Hand Threaded Rod, Add</i>	0.30	
05 05 23 00-1197	LF		9/16" Diameter, Plain Finish Steel, Low Carbon Threaded Rod.....	5.27	0.62
			<i>For Left Hand Threaded Rod, Add</i>	0.40	
05 05 23 00-1198	LF		5/8" Diameter, Plain Finish Steel, Low Carbon Threaded Rod.....	5.96	0.63
			<i>For Left Hand Threaded Rod, Add</i>	0.47	
05 05 23 00-1199	LF		3/4" Diameter, Plain Finish Steel, Low Carbon Threaded Rod.....	9.81	0.65
			<i>For Left Hand Threaded Rod, Add</i>	0.85	
05 05 23 00-1200	LF		7/8" Diameter, Plain Finish Steel, Low Carbon Threaded Rod.....	10.71	0.67
			<i>For Left Hand Threaded Rod, Add</i>	0.94	
05 05 23 00-1201	LF		1" Diameter, Plain Finish Steel, Low Carbon Threaded Rod.....	14.67	0.76
			<i>For Left Hand Threaded Rod, Add</i>	1.31	
05 05 23 00-1202	LF		1-1/8" Diameter, Plain Finish Steel, Low Carbon Threaded Rod.....	18.27	0.85
			<i>For Left Hand Threaded Rod, Add</i>	1.66	
05 05 23 00-1203	LF		1-1/4" Diameter, Plain Finish Steel, Low Carbon Threaded Rod.....	24.26	0.92
			<i>For Left Hand Threaded Rod, Add</i>	2.24	
05 05 23 00-1204	LF		1-3/8" Diameter, Plain Finish Steel, Low Carbon Threaded Rod.....	30.21	1.00
			<i>For Left Hand Threaded Rod, Add</i>	2.82	
05 05 23 00-1205	LF		1-1/2" Diameter, Plain Finish Steel, Low Carbon Threaded Rod.....	36.15	1.04
			<i>For Left Hand Threaded Rod, Add</i>	3.41	
05 05 23 00-1206	LF		1-3/4" Diameter, Plain Finish Steel, Low Carbon Threaded Rod.....	44.37	1.09
			<i>For Left Hand Threaded Rod, Add</i>	4.22	
05 05 23 00-1207	LF		2" Diameter, Plain Finish Steel, Low Carbon Threaded Rod.....	56.71	1.15
			<i>For Left Hand Threaded Rod, Add</i>	5.44	
05 05 23 00-1208			Zinc Plated Steel, Low Carbon Threaded Rod (05 05 23 00-1190)		
05 05 23 00-1209	LF		1/4" Diameter, Zinc Plated Steel, Low Carbon Threaded Rod.....	2.00	0.46
			<i>For Left Hand Threaded Rod, Add</i>	0.11	
05 05 23 00-1210	LF		5/16" Diameter, Zinc Plated Steel, Low Carbon Threaded Rod.....	2.98	0.50
			<i>For Left Hand Threaded Rod, Add</i>	0.20	
05 05 23 00-1211	LF		3/8" Diameter, Zinc Plated Steel, Low Carbon Threaded Rod.....	3.32	0.57
			<i>For Left Hand Threaded Rod, Add</i>	0.22	
05 05 23 00-1212	LF		7/16" Diameter, Zinc Plated Steel, Low Carbon Threaded Rod.....	4.81	0.59
			<i>For Left Hand Threaded Rod, Add</i>	0.36	
05 05 23 00-1213	LF		1/2" Diameter, Zinc Plated Steel, Low Carbon Threaded Rod.....	5.18	0.61
			<i>For Left Hand Threaded Rod, Add</i>	0.40	
05 05 23 00-1214	LF		9/16" Diameter, Zinc Plated Steel, Low Carbon Threaded Rod.....	6.80	0.62
			<i>For Left Hand Threaded Rod, Add</i>	0.56	
05 05 23 00-1215	LF		5/8" Diameter, Zinc Plated Steel, Low Carbon Threaded Rod.....	7.24	0.63
			<i>For Left Hand Threaded Rod, Add</i>	0.60	
05 05 23 00-1216	LF		3/4" Diameter, Zinc Plated Steel, Low Carbon Threaded Rod.....	10.91	0.65
			<i>For Left Hand Threaded Rod, Add</i>	0.96	
05 05 23 00-1217	LF		7/8" Diameter, Zinc Plated Steel, Low Carbon Threaded Rod.....	14.16	0.67
			<i>For Left Hand Threaded Rod, Add</i>	1.28	
05 05 23 00-1218	LF		1" Diameter, Zinc Plated Steel, Low Carbon Threaded Rod.....	19.02	0.76
			<i>For Left Hand Threaded Rod, Add</i>	1.75	
05 05 23 00-1219	LF		1-1/8" Diameter, Zinc Plated Steel, Low Carbon Threaded Rod.....	24.57	0.85
			<i>For Left Hand Threaded Rod, Add</i>	2.29	
05 05 23 00-1220	LF		1-1/4" Diameter, Zinc Plated Steel, Low Carbon Threaded Rod.....	29.33	0.92
			<i>For Left Hand Threaded Rod, Add</i>	2.74	
05 05 23 00-1221	LF		1-3/8" Diameter, Zinc Plated Steel, Low Carbon Threaded Rod.....	33.35	1.00
			<i>For Left Hand Threaded Rod, Add</i>	3.14	
05 05 23 00-1222	LF		1-1/2" Diameter, Zinc Plated Steel, Low Carbon Threaded Rod.....	42.02	1.04
			<i>For Left Hand Threaded Rod, Add</i>	3.99	
05 05 23 00-1223	LF		1-3/4" Diameter, Zinc Plated Steel, Low Carbon Threaded Rod.....	52.10	1.09
			<i>For Left Hand Threaded Rod, Add</i>	4.99	
05 05 23 00-1224	LF		2" Diameter, Zinc Plated Steel, Low Carbon Threaded Rod.....	76.09	1.15
			<i>For Left Hand Threaded Rod, Add</i>	7.38	
05 05 23 00-1225			Hot Dipped Galvanized Steel, Low Carbon Threaded Rod (05 05 23 00-1190)		
05 05 23 00-1226	LF		3/8" Diameter, Hot Dipped Galvanized Steel, Low Carbon Threaded Rod.....	5.52	0.57
			<i>For Left Hand Threaded Rod, Add</i>	0.44	
05 05 23 00-1227	LF		1/2" Diameter, Hot Dipped Galvanized Steel, Low Carbon Threaded Rod.....	7.74	0.61
			<i>For Left Hand Threaded Rod, Add</i>	0.65	
05 05 23 00-1228	LF		5/8" Diameter, Hot Dipped Galvanized Steel, Low Carbon Threaded Rod.....	10.48	0.63
			<i>For Left Hand Threaded Rod, Add</i>	0.92	
05 05 23 00-1229	LF		3/4" Diameter, Hot Dipped Galvanized Steel, Low Carbon Threaded Rod.....	14.41	0.65
			<i>For Left Hand Threaded Rod, Add</i>	1.31	
05 05 23 00-1230	LF		7/8" Diameter, Hot Dipped Galvanized Steel, Low Carbon Threaded Rod.....	19.98	0.67
			<i>For Left Hand Threaded Rod, Add</i>	1.86	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 05 23 00-1231 LF 1" Diameter, Hot Dipped Galvanized Steel, Low Carbon Threaded Rod <i>For Left Hand Threaded Rod, Add</i>	25.79 2.43	0.76
05 05 23 00-1232 LF 1-1/8" Diameter, Hot Dipped Galvanized Steel, Low Carbon Threaded Rod <i>For Left Hand Threaded Rod, Add</i>	33.95 3.23	0.85
05 05 23 00-1233 LF 1-1/4" Diameter, Hot Dipped Galvanized Steel, Low Carbon Threaded Rod <i>For Left Hand Threaded Rod, Add</i>	44.67 4.28	0.92
05 05 23 00-1234 LF 1-3/8" Diameter, Hot Dipped Galvanized Steel, Low Carbon Threaded Rod <i>For Left Hand Threaded Rod, Add</i>	49.93 4.79	1.00
05 05 23 00-1235 LF 1-1/2" Diameter, Hot Dipped Galvanized Steel, Low Carbon Threaded Rod <i>For Left Hand Threaded Rod, Add</i>	59.46 5.74	1.04
05 05 23 00-1236 LF 1-3/4" Diameter, Hot Dipped Galvanized Steel, Low Carbon Threaded Rod <i>For Left Hand Threaded Rod, Add</i>	72.27 7.01	1.09
05 05 23 00-1237 LF 2" Diameter, Hot Dipped Galvanized Steel, Low Carbon Threaded Rod <i>For Left Hand Threaded Rod, Add</i>	126.25 12.40	1.15
05 05 23 00-1238 304/18-8 Stainless Steel Threaded Rod (05 05 23 00-1190)		
05 05 23 00-1239 LF 1/4" Diameter, 304/18-8 Stainless Steel Threaded Rod <i>For Left Hand Threaded Rod, Add</i>	2.65 0.17	0.46
05 05 23 00-1240 LF 5/16" Diameter, 304/18-8 Stainless Steel Threaded Rod <i>For Left Hand Threaded Rod, Add</i>	3.96 0.30	0.50
05 05 23 00-1241 LF 3/8" Diameter, 304/18-8 Stainless Steel Threaded Rod <i>For Left Hand Threaded Rod, Add</i>	5.09 0.39	0.57
05 05 23 00-1242 LF 7/16" Diameter, 304/18-8 Stainless Steel Threaded Rod <i>For Left Hand Threaded Rod, Add</i>	7.05 0.59	0.59
05 05 23 00-1243 LF 1/2" Diameter, 304/18-8 Stainless Steel Threaded Rod <i>For Left Hand Threaded Rod, Add</i>	8.44 0.72	0.61
05 05 23 00-1244 LF 9/16" Diameter, 304/18-8 Stainless Steel Threaded Rod <i>For Left Hand Threaded Rod, Add</i>	12.10 1.09	0.62
05 05 23 00-1245 LF 5/8" Diameter, 304/18-8 Stainless Steel Threaded Rod <i>For Left Hand Threaded Rod, Add</i>	12.64 1.14	0.63
05 05 23 00-1246 LF 3/4" Diameter, 304/18-8 Stainless Steel Threaded Rod <i>For Left Hand Threaded Rod, Add</i>	17.67 1.64	0.65
05 05 23 00-1247 LF 7/8" Diameter, 304/18-8 Stainless Steel Threaded Rod <i>For Left Hand Threaded Rod, Add</i>	24.28 2.29	0.67
05 05 23 00-1248 LF 1" Diameter, 304/18-8 Stainless Steel Threaded Rod <i>For Left Hand Threaded Rod, Add</i>	31.14 2.96	0.76
05 05 23 00-1249 LF 1-1/4" Diameter, 304/18-8 Stainless Steel Threaded Rod <i>For Left Hand Threaded Rod, Add</i>	65.83 6.39	0.92
05 05 23 00-1250 LF 1-1/2" Diameter, 304/18-8 Stainless Steel Threaded Rod <i>For Left Hand Threaded Rod, Add</i>	100.19 9.81	1.04
05 05 23 00-1251 LF 1-3/4" Diameter, 304/18-8 Stainless Steel Threaded Rod <i>For Left Hand Threaded Rod, Add</i>	103.07 10.09	1.09
05 05 23 00-1252 LF 2" Diameter, 304/18-8 Stainless Steel Threaded Rod <i>For Left Hand Threaded Rod, Add</i>	142.58 14.03	1.15
05 05 23 00-1253 316 Stainless Steel Threaded Rod (05 05 23 00-1190)		
05 05 23 00-1254 LF 1/4" Diameter, 316 Stainless Steel Threaded Rod <i>For Left Hand Threaded Rod, Add</i>	3.81 0.29	0.46
05 05 23 00-1255 LF 5/16" Diameter, 316 Stainless Steel Threaded Rod <i>For Left Hand Threaded Rod, Add</i>	6.11 0.51	0.50
05 05 23 00-1256 LF 3/8" Diameter, 316 Stainless Steel Threaded Rod <i>For Left Hand Threaded Rod, Add</i>	8.10 0.70	0.57
05 05 23 00-1257 LF 7/16" Diameter, 316 Stainless Steel Threaded Rod <i>For Left Hand Threaded Rod, Add</i>	12.62 1.14	0.59
05 05 23 00-1258 LF 1/2" Diameter, 316 Stainless Steel Threaded Rod <i>For Left Hand Threaded Rod, Add</i>	13.37 1.22	0.61
05 05 23 00-1259 LF 9/16" Diameter, 316 Stainless Steel Threaded Rod <i>For Left Hand Threaded Rod, Add</i>	17.53 1.63	0.62
05 05 23 00-1260 LF 5/8" Diameter, 316 Stainless Steel Threaded Rod <i>For Left Hand Threaded Rod, Add</i>	18.87 1.76	0.63
05 05 23 00-1261 LF 3/4" Diameter, 316 Stainless Steel Threaded Rod <i>For Left Hand Threaded Rod, Add</i>	27.47 2.62	0.65
05 05 23 00-1262 LF 7/8" Diameter, 316 Stainless Steel Threaded Rod <i>For Left Hand Threaded Rod, Add</i>	37.59 3.62	0.67
05 05 23 00-1263 LF 1" Diameter, 316 Stainless Steel Threaded Rod <i>For Left Hand Threaded Rod, Add</i>	47.55 4.60	0.76
05 05 23 00-1264 LF 1-1/4" Diameter, 316 Stainless Steel Threaded Rod <i>For Left Hand Threaded Rod, Add</i>	100.32 9.84	0.92
05 05 23 00-1265 LF 1-1/2" Diameter, 316 Stainless Steel Threaded Rod <i>For Left Hand Threaded Rod, Add</i>	131.47 12.94	1.04
05 05 23 00-1266 Plain Finish Steel, B-7 Alloy Threaded Rod (05 05 23 00-1190)		
05 05 23 00-1267 LF 1/4" Diameter, Plain Finish Steel, B-7 Alloy Threaded Rod <i>For Zinc Plating, Add</i>	3.50 1.29	0.46
05 05 23 00-1268 LF 5/16" Diameter, Plain Finish Steel, B-7 Alloy Threaded Rod <i>For Zinc Plating, Add</i>	5.42 2.21	0.50
05 05 23 00-1269 LF 3/8" Diameter, Plain Finish Steel, B-7 Alloy Threaded Rod <i>For Zinc Plating, Add</i>	5.67 2.26	0.57
05 05 23 00-1270 LF 7/16" Diameter, Plain Finish Steel, B-7 Alloy Threaded Rod <i>For Zinc Plating, Add</i>	6.20 2.51	0.59

05 Metals**05 05 Common Work Results For Metals****05 05 23 Metal Fastenings**

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 05 23 00-1271 LF 1/2" Diameter, Plain Finish Steel, B-7 Alloy Threaded Rod.....	6.83	0.61
For Zinc Plating, Add	2.81	
05 05 23 00-1272 LF 9/16" Diameter, Plain Finish Steel, B-7 Alloy Threaded Rod.....	8.55	0.62
For Zinc Plating, Add	3.66	
05 05 23 00-1273 LF 5/8" Diameter, Plain Finish Steel, B-7 Alloy Threaded Rod.....	8.84	0.63
For Zinc Plating, Add	3.79	
05 05 23 00-1274 LF 3/4" Diameter, Plain Finish Steel, B-7 Alloy Threaded Rod.....	11.77	0.65
For Zinc Plating, Add	5.24	
05 05 23 00-1275 LF 7/8" Diameter, Plain Finish Steel, B-7 Alloy Threaded Rod.....	14.13	0.67
For Zinc Plating, Add	6.39	
05 05 23 00-1276 LF 1" Diameter, Plain Finish Steel, B-7 Alloy Threaded Rod.....	18.35	0.76
For Zinc Plating, Add	8.41	
05 05 23 00-1277 LF 1-1/8" Diameter, Plain Finish Steel, B-7 Alloy Threaded Rod.....	23.90	0.85
For Zinc Plating, Add	11.10	
05 05 23 00-1278 LF 1-1/4" Diameter, Plain Finish Steel, B-7 Alloy Threaded Rod.....	26.60	0.92
For Zinc Plating, Add	12.35	
05 05 23 00-1279 LF 1-3/8" Diameter, Plain Finish Steel, B-7 Alloy Threaded Rod.....	30.72	1.00
For Zinc Plating, Add	14.37	
05 05 23 00-1280 LF 1-1/2" Diameter, Plain Finish Steel, B-7 Alloy Threaded Rod.....	37.39	1.04
For Zinc Plating, Add	17.66	
05 05 23 00-1281 LF 1-3/4" Diameter, Plain Finish Steel, B-7 Alloy Threaded Rod.....	38.65	1.09
For Zinc Plating, Add	18.24	
05 05 23 00-1282 LF 2" Diameter, Plain Finish Steel, B-7 Alloy Threaded Rod.....	51.94	1.15
For Zinc Plating, Add	24.83	
05 05 23 00-1283 Nuts And Washers (05 05 23)		
05 05 23 00-1284 Hex Nuts (05 05 23 00-1283)		
05 05 23 00-1285 Zinc Plated Steel, Low Carbon/Grade 2 Hex Nuts (05 05 23 00-1284)		
05 05 23 00-1286 EA 1/4" Diameter, Zinc Plated Steel, Low Carbon/Grade 2 Hex Nut.....	0.51	0.22
05 05 23 00-1287 EA 5/16" Diameter, Zinc Plated Steel, Low Carbon/Grade 2 Hex Nut.....	0.57	0.22
05 05 23 00-1288 EA 3/8" Diameter, Zinc Plated Steel, Low Carbon/Grade 2 Hex Nut.....	0.61	0.22
05 05 23 00-1289 EA 7/16" Diameter, Zinc Plated Steel, Low Carbon/Grade 2 Hex Nut.....	0.72	0.22
05 05 23 00-1290 EA 1/2" Diameter, Zinc Plated Steel, Low Carbon/Grade 2 Hex Nut.....	0.79	0.22
05 05 23 00-1291 EA 9/16" Diameter, Zinc Plated Steel, Low Carbon/Grade 2 Hex Nut.....	1.09	0.22
05 05 23 00-1292 EA 5/8" Diameter, Zinc Plated Steel, Low Carbon/Grade 2 Hex Nut.....	1.13	0.22
05 05 23 00-1293 EA 3/4" Diameter, Zinc Plated Steel, Low Carbon/Grade 2 Hex Nut.....	1.35	0.44
05 05 23 00-1294 EA 7/8" Diameter, Zinc Plated Steel, Low Carbon/Grade 2 Hex Nut.....	2.05	0.44
05 05 23 00-1295 EA 1" Diameter, Zinc Plated Steel, Low Carbon/Grade 2 Hex Nut.....	2.62	0.44
05 05 23 00-1296 EA 1-1/8" Diameter, Zinc Plated Steel, Low Carbon/Grade 2 Hex Nut.....	4.40	0.44
05 05 23 00-1297 EA 1-1/4" Diameter, Zinc Plated Steel, Low Carbon/Grade 2 Hex Nut.....	5.41	0.44
05 05 23 00-1298 EA 1-3/8" Diameter, Zinc Plated Steel, Low Carbon/Grade 2 Hex Nut.....	8.06	0.44
05 05 23 00-1299 EA 1-1/2" Diameter, Zinc Plated Steel, Low Carbon/Grade 2 Hex Nut.....	9.36	0.66
05 05 23 00-1300 EA 1-3/4" Diameter, Zinc Plated Steel, Low Carbon/Grade 2 Hex Nut.....	13.85	0.66
05 05 23 00-1301 EA 2" Diameter, Zinc Plated Steel, Low Carbon/Grade 2 Hex Nut.....	20.12	0.66
05 05 23 00-1302 Zinc Plated Steel, Grade 5 Hex Nuts (05 05 23 00-1284)		
05 05 23 00-1303 EA 1/4" Diameter, Zinc Plated Steel, Grade 5 Hex Nut.....	0.53	0.22
05 05 23 00-1304 EA 5/16" Diameter, Zinc Plated Steel, Grade 5 Hex Nut.....	0.58	0.22
05 05 23 00-1305 EA 3/8" Diameter, Zinc Plated Steel, Grade 5 Hex Nut.....	0.63	0.22
05 05 23 00-1306 EA 7/16" Diameter, Zinc Plated Steel, Grade 5 Hex Nut.....	0.76	0.22
05 05 23 00-1307 EA 1/2" Diameter, Zinc Plated Steel, Grade 5 Hex Nut.....	0.91	0.22
05 05 23 00-1308 EA 9/16" Diameter, Zinc Plated Steel, Grade 5 Hex Nut.....	1.12	0.22
05 05 23 00-1309 EA 5/8" Diameter, Zinc Plated Steel, Grade 5 Hex Nut.....	1.16	0.22
05 05 23 00-1310 EA 3/4" Diameter, Zinc Plated Steel, Grade 5 Hex Nut.....	1.55	0.44
05 05 23 00-1311 EA 7/8" Diameter, Zinc Plated Steel, Grade 5 Hex Nut.....	2.25	0.44
05 05 23 00-1312 EA 1" Diameter, Zinc Plated Steel, Grade 5 Hex Nut.....	3.22	0.44
05 05 23 00-1313 EA 1-1/8" Diameter, Zinc Plated Steel, Grade 5 Hex Nut.....	4.99	0.44
05 05 23 00-1314 EA 1-1/4" Diameter, Zinc Plated Steel, Grade 5 Hex Nut.....	7.13	0.44
05 05 23 00-1315 EA 1-3/8" Diameter, Zinc Plated Steel, Grade 5 Hex Nut.....	10.58	0.44
05 05 23 00-1316 EA 1-1/2" Diameter, Zinc Plated Steel, Grade 5 Hex Nut.....	11.69	0.66
05 05 23 00-1317 EA 1-3/4" Diameter, Zinc Plated Steel, Grade 5 Hex Nut.....	21.30	0.66
05 05 23 00-1318 EA 2" Diameter, Zinc Plated Steel, Grade 5 Hex Nut.....	30.64	0.66
05 05 23 00-1319 Zinc Plated Steel, Grade 8 Hex Nuts (05 05 23 00-1284)		
05 05 23 00-1320 EA 1/4" Diameter, Zinc Plated Steel, Grade 8 Hex Nut.....	0.54	0.22
05 05 23 00-1321 EA 5/16" Diameter, Zinc Plated Steel, Grade 8 Hex Nut.....	0.63	0.22
05 05 23 00-1322 EA 3/8" Diameter, Zinc Plated Steel, Grade 8 Hex Nut.....	0.69	0.22
05 05 23 00-1323 EA 7/16" Diameter, Zinc Plated Steel, Grade 8 Hex Nut.....	0.88	0.22
05 05 23 00-1324 EA 1/2" Diameter, Zinc Plated Steel, Grade 8 Hex Nut.....	1.08	0.22
05 05 23 00-1325 EA 9/16" Diameter, Zinc Plated Steel, Grade 8 Hex Nut.....	1.32	0.22
05 05 23 00-1326 EA 5/8" Diameter, Zinc Plated Steel, Grade 8 Hex Nut.....	1.52	0.22
05 05 23 00-1327 EA 3/4" Diameter, Zinc Plated Steel, Grade 8 Hex Nut.....	1.92	0.44
05 05 23 00-1328 EA 7/8" Diameter, Zinc Plated Steel, Grade 8 Hex Nut.....	2.95	0.44
05 05 23 00-1329 EA 1" Diameter, Zinc Plated Steel, Grade 8 Hex Nut.....	3.95	0.44
05 05 23 00-1330 EA 1-1/8" Diameter, Zinc Plated Steel, Grade 8 Hex Nut.....	6.29	0.44
05 05 23 00-1331 EA 1-1/4" Diameter, Zinc Plated Steel, Grade 8 Hex Nut.....	7.88	0.44
05 05 23 00-1332 EA 1-3/8" Diameter, Zinc Plated Steel, Grade 8 Hex Nut.....	13.13	0.44



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 05 23 00-1333 EA 1-1/2" Diameter, Zinc Plated Steel, Grade 8 Hex Nut	13.93	0.66
05 05 23 00-1334 EA 1-3/4" Diameter, Zinc Plated Steel, Grade 8 Hex Nut	21.36	0.66
05 05 23 00-1335 EA 2" Diameter, Zinc Plated Steel, Grade 8 Hex Nut	30.29	0.66
05 05 23 00-1336 Hot Dipped Galvanized Steel, Low Carbon/Grade 2 Hex Nuts <small>(05 05 23 00-1284)</small>		
05 05 23 00-1337 EA 1/4" Diameter, Hot Dipped Galvanized Steel, Low Carbon/Grade 2 Hex Nut	0.54	0.22
05 05 23 00-1338 EA 5/16" Diameter, Hot Dipped Galvanized Steel, Low Carbon/Grade 2 Hex Nut	0.61	0.22
05 05 23 00-1339 EA 3/8" Diameter, Hot Dipped Galvanized Steel, Low Carbon/Grade 2 Hex Nut	0.66	0.22
05 05 23 00-1340 EA 7/16" Diameter, Hot Dipped Galvanized Steel, Low Carbon/Grade 2 Hex Nut	0.86	0.22
05 05 23 00-1341 EA 1/2" Diameter, Hot Dipped Galvanized Steel, Low Carbon/Grade 2 Hex Nut	1.01	0.22
05 05 23 00-1342 EA 9/16" Diameter, Hot Dipped Galvanized Steel, Low Carbon/Grade 2 Hex Nut	1.13	0.22
05 05 23 00-1343 EA 5/8" Diameter, Hot Dipped Galvanized Steel, Low Carbon/Grade 2 Hex Nut	1.27	0.22
05 05 23 00-1344 EA 3/4" Diameter, Hot Dipped Galvanized Steel, Low Carbon/Grade 2 Hex Nut	1.73	0.44
05 05 23 00-1345 EA 7/8" Diameter, Hot Dipped Galvanized Steel, Low Carbon/Grade 2 Hex Nut	2.58	0.44
05 05 23 00-1346 EA 1" Diameter, Hot Dipped Galvanized Steel, Low Carbon/Grade 2 Hex Nut	3.60	0.44
05 05 23 00-1347 EA 1-1/8" Diameter, Hot Dipped Galvanized Steel, Low Carbon/Grade 2 Hex Nut	6.07	0.44
05 05 23 00-1348 EA 1-1/4" Diameter, Hot Dipped Galvanized Steel, Low Carbon/Grade 2 Hex Nut	7.83	0.44
05 05 23 00-1349 EA 1-3/8" Diameter, Hot Dipped Galvanized Steel, Low Carbon/Grade 2 Hex Nut	11.73	0.44
05 05 23 00-1350 EA 1-1/2" Diameter, Hot Dipped Galvanized Steel, Low Carbon/Grade 2 Hex Nut	13.71	0.66
05 05 23 00-1351 EA 1-3/4" Diameter, Hot Dipped Galvanized Steel, Low Carbon/Grade 2 Hex Nut	24.09	0.66
05 05 23 00-1352 EA 2" Diameter, Hot Dipped Galvanized Steel, Low Carbon/Grade 2 Hex Nut	41.85	0.66
05 05 23 00-1353 304 Stainless Steel Hex Nuts <small>(05 05 23 00-1284)</small>		
05 05 23 00-1354 EA 1/4" Diameter, 304 Stainless Steel Hex Nut	0.58	0.22
05 05 23 00-1355 EA 5/16" Diameter, 304 Stainless Steel Hex Nut	0.69	0.22
05 05 23 00-1356 EA 3/8" Diameter, 304 Stainless Steel Hex Nut	0.77	0.22
05 05 23 00-1357 EA 7/16" Diameter, 304 Stainless Steel Hex Nut	1.15	0.22
05 05 23 00-1358 EA 1/2" Diameter, 304 Stainless Steel Hex Nut	1.25	0.22
05 05 23 00-1359 EA 9/16" Diameter, 304 Stainless Steel Hex Nut	1.90	0.22
05 05 23 00-1360 EA 5/8" Diameter, 304 Stainless Steel Hex Nut	2.12	0.22
05 05 23 00-1361 EA 3/4" Diameter, 304 Stainless Steel Hex Nut	2.44	0.44
05 05 23 00-1362 EA 7/8" Diameter, 304 Stainless Steel Hex Nut	4.00	0.44
05 05 23 00-1363 EA 1" Diameter, 304 Stainless Steel Hex Nut	6.14	0.44
05 05 23 00-1364 EA 1-1/4" Diameter, 304 Stainless Steel Hex Nut	14.78	0.44
05 05 23 00-1365 EA 1-1/2" Diameter, 304 Stainless Steel Hex Nut	28.40	0.66
05 05 23 00-1366 EA 1-3/4" Diameter, 304 Stainless Steel Hex Nut	49.96	0.66
05 05 23 00-1367 EA 2" Diameter, 304 Stainless Steel Hex Nut	71.21	0.66
05 05 23 00-1368 316 Stainless Steel Hex Nuts <small>(05 05 23 00-1284)</small>		
05 05 23 00-1369 EA 1/4" Diameter, 316 Stainless Steel Hex Nut	0.68	0.22
05 05 23 00-1370 EA 5/16" Diameter, 316 Stainless Steel Hex Nut	0.78	0.22
05 05 23 00-1371 EA 3/8" Diameter, 316 Stainless Steel Hex Nut	0.92	0.22
05 05 23 00-1372 EA 7/16" Diameter, 316 Stainless Steel Hex Nut	1.51	0.22
05 05 23 00-1373 EA 1/2" Diameter, 316 Stainless Steel Hex Nut	1.63	0.22
05 05 23 00-1374 EA 9/16" Diameter, 316 Stainless Steel Hex Nut	2.22	0.22
05 05 23 00-1375 EA 5/8" Diameter, 316 Stainless Steel Hex Nut	2.51	0.22
05 05 23 00-1376 EA 3/4" Diameter, 316 Stainless Steel Hex Nut	3.50	0.44
05 05 23 00-1377 EA 7/8" Diameter, 316 Stainless Steel Hex Nut	4.87	0.44
05 05 23 00-1378 EA 1" Diameter, 316 Stainless Steel Hex Nut	7.52	0.44
05 05 23 00-1379 EA 1-1/4" Diameter, 316 Stainless Steel Hex Nut	22.93	0.44
05 05 23 00-1380 EA 1-1/2" Diameter, 316 Stainless Steel Hex Nut	37.09	0.66
05 05 23 00-1381 EA 1-3/4" Diameter, 316 Stainless Steel Hex Nut	62.61	0.66
05 05 23 00-1382 EA 2" Diameter, 316 Stainless Steel Hex Nut	116.41	0.66
05 05 23 00-1383 Flat Washers <small>(05 05 23 00-1283)</small>		
05 05 23 00-1384 Zinc Plated Steel, Low Carbon Flat Washers <small>(05 05 23 00-1383)</small>		
05 05 23 00-1385 EA 1/4" Inside Diameter, Zinc Plated Steel, Low Carbon Flat Washer	0.04	
05 05 23 00-1386 EA 5/16" Inside Diameter, Zinc Plated Steel, Low Carbon Flat Washer	0.07	
05 05 23 00-1387 EA 3/8" Inside Diameter, Zinc Plated Steel, Low Carbon Flat Washer	0.13	
05 05 23 00-1388 EA 7/16" Inside Diameter, Zinc Plated Steel, Low Carbon Flat Washer	0.20	
05 05 23 00-1389 EA 1/2" Inside Diameter, Zinc Plated Steel, Low Carbon Flat Washer	0.29	
05 05 23 00-1390 EA 9/16" Inside Diameter, Zinc Plated Steel, Low Carbon Flat Washer	0.32	
05 05 23 00-1391 EA 5/8" Inside Diameter, Zinc Plated Steel, Low Carbon Flat Washer	0.55	
05 05 23 00-1392 EA 3/4" Inside Diameter, Zinc Plated Steel, Low Carbon Flat Washer	0.79	
05 05 23 00-1393 EA 7/8" Inside Diameter, Zinc Plated Steel, Low Carbon Flat Washer	0.94	
05 05 23 00-1394 EA 1" Inside Diameter, Zinc Plated Steel, Low Carbon Flat Washer	1.16	
05 05 23 00-1395 EA 1-1/8" Inside Diameter, Zinc Plated Steel, Low Carbon Flat Washer	1.31	
05 05 23 00-1396 EA 1-1/4" Inside Diameter, Zinc Plated Steel, Low Carbon Flat Washer	1.56	
05 05 23 00-1397 EA 1-3/8" Inside Diameter, Zinc Plated Steel, Low Carbon Flat Washer	2.45	
05 05 23 00-1398 EA 1-1/2" Inside Diameter, Zinc Plated Steel, Low Carbon Flat Washer	2.51	
05 05 23 00-1399 EA 1-3/4" Inside Diameter, Zinc Plated Steel, Low Carbon Flat Washer	3.72	
05 05 23 00-1400 EA 2" Inside Diameter, Zinc Plated Steel, Low Carbon Flat Washer	4.62	
05 05 23 00-1401 Zinc Plated Steel, Hardened Flat Washers <small>(05 05 23 00-1383)</small>		

05 Metals**05 05 Common Work Results For Metals****05 05 23 Metal Fastenings**

MINOR
CSI UOM DESCRIPTION

TOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

05 05 23 00-1402	EA	1/4" Inside Diameter, Zinc Plated Steel, Hardened Flat Washer.....	0.17	
05 05 23 00-1403	EA	5/16" Inside Diameter, Zinc Plated Steel, Hardened Flat Washer.....	0.23	
05 05 23 00-1404	EA	3/8" Inside Diameter, Zinc Plated Steel, Hardened Flat Washer.....	0.27	
05 05 23 00-1405	EA	7/16" Inside Diameter, Zinc Plated Steel, Hardened Flat Washer.....	0.36	
05 05 23 00-1406	EA	1/2" Inside Diameter, Zinc Plated Steel, Hardened Flat Washer.....	0.49	
05 05 23 00-1407	EA	9/16" Inside Diameter, Zinc Plated Steel, Hardened Flat Washer.....	0.79	
05 05 23 00-1408	EA	5/8" Inside Diameter, Zinc Plated Steel, Hardened Flat Washer.....	1.13	
05 05 23 00-1409	EA	3/4" Inside Diameter, Zinc Plated Steel, Hardened Flat Washer.....	1.60	
05 05 23 00-1410	EA	7/8" Inside Diameter, Zinc Plated Steel, Hardened Flat Washer.....	2.66	
05 05 23 00-1411	EA	1" Inside Diameter, Zinc Plated Steel, Hardened Flat Washer.....	2.96	
05 05 23 00-1412	EA	1-1/8" Inside Diameter, Zinc Plated Steel, Hardened Flat Washer.....	4.30	
05 05 23 00-1413	EA	1-1/4" Inside Diameter, Zinc Plated Steel, Hardened Flat Washer.....	4.69	
05 05 23 00-1414	EA	1-3/8" Inside Diameter, Zinc Plated Steel, Hardened Flat Washer.....	6.19	
05 05 23 00-1415	EA	1-1/2" Inside Diameter, Zinc Plated Steel, Hardened Flat Washer.....	7.08	
05 05 23 00-1416	EA	1-3/4" Inside Diameter, Zinc Plated Steel, Hardened Flat Washer.....	9.52	
05 05 23 00-1417	EA	2" Inside Diameter, Zinc Plated Steel, Hardened Flat Washer.....	11.42	

05 05 23 00-1418 Hot Dipped Galvanized Steel Flat Washers (05 05 23 00-1383)

05 05 23 00-1419	EA	1/4" Inside Diameter, Hot Dipped Galvanized Steel Flat Washer.....	0.11	
05 05 23 00-1420	EA	5/16" Inside Diameter, Hot Dipped Galvanized Steel Flat Washer.....	0.16	
05 05 23 00-1421	EA	3/8" Inside Diameter, Hot Dipped Galvanized Steel Flat Washer.....	0.18	
05 05 23 00-1422	EA	7/16" Inside Diameter, Hot Dipped Galvanized Steel Flat Washer.....	0.33	
05 05 23 00-1423	EA	1/2" Inside Diameter, Hot Dipped Galvanized Steel Flat Washer.....	0.42	
05 05 23 00-1424	EA	9/16" Inside Diameter, Hot Dipped Galvanized Steel Flat Washer.....	0.70	
05 05 23 00-1425	EA	5/8" Inside Diameter, Hot Dipped Galvanized Steel Flat Washer.....	0.78	
05 05 23 00-1426	EA	3/4" Inside Diameter, Hot Dipped Galvanized Steel Flat Washer.....	1.18	
05 05 23 00-1427	EA	7/8" Inside Diameter, Hot Dipped Galvanized Steel Flat Washer.....	1.66	
05 05 23 00-1428	EA	1" Inside Diameter, Hot Dipped Galvanized Steel Flat Washer.....	1.83	
05 05 23 00-1429	EA	1-1/8" Inside Diameter, Hot Dipped Galvanized Steel Flat Washer.....	2.79	
05 05 23 00-1430	EA	1-1/4" Inside Diameter, Hot Dipped Galvanized Steel Flat Washer.....	3.11	
05 05 23 00-1431	EA	1-3/8" Inside Diameter, Hot Dipped Galvanized Steel Flat Washer.....	4.44	
05 05 23 00-1432	EA	1-1/2" Inside Diameter, Hot Dipped Galvanized Steel Flat Washer.....	4.81	
05 05 23 00-1433	EA	1-3/4" Inside Diameter, Hot Dipped Galvanized Steel Flat Washer.....	6.98	

05 05 23 00-1434 304/18-8 Stainless Steel Flat Washers (05 05 23 00-1383)

05 05 23 00-1435	EA	1/4" Inside Diameter, 304/18-8 Stainless Steel Flat Washer.....	0.11	
05 05 23 00-1436	EA	5/16" Inside Diameter, 304/18-8 Stainless Steel Flat Washer.....	0.14	
05 05 23 00-1437	EA	3/8" Inside Diameter, 304/18-8 Stainless Steel Flat Washer.....	0.20	
05 05 23 00-1438	EA	7/16" Inside Diameter, 304/18-8 Stainless Steel Flat Washer.....	0.38	
05 05 23 00-1439	EA	1/2" Inside Diameter, 304/18-8 Stainless Steel Flat Washer.....	0.68	
05 05 23 00-1440	EA	9/16" Inside Diameter, 304/18-8 Stainless Steel Flat Washer.....	0.86	
05 05 23 00-1441	EA	5/8" Inside Diameter, 304/18-8 Stainless Steel Flat Washer.....	1.26	
05 05 23 00-1442	EA	3/4" Inside Diameter, 304/18-8 Stainless Steel Flat Washer.....	1.28	
05 05 23 00-1443	EA	7/8" Inside Diameter, 304/18-8 Stainless Steel Flat Washer.....	2.70	
05 05 23 00-1444	EA	1" Inside Diameter, 304/18-8 Stainless Steel Flat Washer.....	3.42	
05 05 23 00-1445	EA	1-1/8" Inside Diameter, 304/18-8 Stainless Steel Flat Washer.....	3.98	
05 05 23 00-1446	EA	1-1/4" Inside Diameter, 304/18-8 Stainless Steel Flat Washer.....	4.29	
05 05 23 00-1447	EA	1-3/8" Inside Diameter, 304/18-8 Stainless Steel Flat Washer.....	4.53	
05 05 23 00-1448	EA	1-1/2" Inside Diameter, 304/18-8 Stainless Steel Flat Washer.....	5.52	
05 05 23 00-1449	EA	1-3/4" Inside Diameter, 304/18-8 Stainless Steel Flat Washer.....	6.86	
05 05 23 00-1450	EA	2" Inside Diameter, 304/18-8 Stainless Steel Flat Washer.....	13.47	

05 05 23 00-1451 316 Stainless Steel Flat Washers (05 05 23 00-1383)

05 05 23 00-1452	EA	1/4" Inside Diameter, 316 Stainless Steel Flat Washer.....	0.21	
05 05 23 00-1453	EA	5/16" Inside Diameter, 316 Stainless Steel Flat Washer.....	0.23	
05 05 23 00-1454	EA	3/8" Inside Diameter, 316 Stainless Steel Flat Washer.....	0.41	
05 05 23 00-1455	EA	7/16" Inside Diameter, 316 Stainless Steel Flat Washer.....	0.48	
05 05 23 00-1456	EA	1/2" Inside Diameter, 316 Stainless Steel Flat Washer.....	0.89	
05 05 23 00-1457	EA	9/16" Inside Diameter, 316 Stainless Steel Flat Washer.....	1.60	
05 05 23 00-1458	EA	5/8" Inside Diameter, 316 Stainless Steel Flat Washer.....	1.89	
05 05 23 00-1459	EA	3/4" Inside Diameter, 316 Stainless Steel Flat Washer.....	2.38	
05 05 23 00-1460	EA	7/8" Inside Diameter, 316 Stainless Steel Flat Washer.....	3.68	
05 05 23 00-1461	EA	1" Inside Diameter, 316 Stainless Steel Flat Washer.....	4.11	
05 05 23 00-1462	EA	1-1/8" Inside Diameter, 316 Stainless Steel Flat Washer.....	4.69	
05 05 23 00-1463	EA	1-1/4" Inside Diameter, 316 Stainless Steel Flat Washer.....	5.77	
05 05 23 00-1464	EA	1-3/8" Inside Diameter, 316 Stainless Steel Flat Washer.....	6.10	
05 05 23 00-1465	EA	1-1/2" Inside Diameter, 316 Stainless Steel Flat Washer.....	6.24	
05 05 23 00-1466	EA	1-3/4" Inside Diameter, 316 Stainless Steel Flat Washer.....	9.14	

05 05 23 00-1467 Lock Washers (05 05 23 00-1283)**05 05 23 00-1468 Zinc Plated Steel, Low Carbon Lock Washers (05 05 23 00-1467)**

05 05 23 00-1469	EA	1/4" Inside Diameter, Zinc Plated Steel, Low Carbon Lock Washer.....	0.02	
05 05 23 00-1470	EA	5/16" Inside Diameter, Zinc Plated Steel, Low Carbon Lock Washer.....	0.03	
05 05 23 00-1471	EA	3/8" Inside Diameter, Zinc Plated Steel, Low Carbon Lock Washer.....	0.05	
05 05 23 00-1472	EA	7/16" Inside Diameter, Zinc Plated Steel, Low Carbon Lock Washer.....	0.08	
05 05 23 00-1473	EA	1/2" Inside Diameter, Zinc Plated Steel, Low Carbon Lock Washer.....	0.11	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 05 23 00-1474 EA 9/16" Inside Diameter, Zinc Plated Steel, Low Carbon Lock Washer.....	0.18	
05 05 23 00-1475 EA 5/8" Inside Diameter, Zinc Plated Steel, Low Carbon Lock Washer.....	0.21	
05 05 23 00-1476 EA 3/4" Inside Diameter, Zinc Plated Steel, Low Carbon Lock Washer.....	0.32	
05 05 23 00-1477 EA 7/8" Inside Diameter, Zinc Plated Steel, Low Carbon Lock Washer.....	0.52	
05 05 23 00-1478 EA 1" Inside Diameter, Zinc Plated Steel, Low Carbon Lock Washer.....	0.94	
05 05 23 00-1479 EA 1-1/8" Inside Diameter, Zinc Plated Steel, Low Carbon Lock Washer.....	1.38	
05 05 23 00-1480 EA 1-1/4" Inside Diameter, Zinc Plated Steel, Low Carbon Lock Washer.....	2.12	
05 05 23 00-1481 EA 1-3/8" Inside Diameter, Zinc Plated Steel, Low Carbon Lock Washer.....	3.35	
05 05 23 00-1482 EA 1-1/2" Inside Diameter, Zinc Plated Steel, Low Carbon Lock Washer.....	3.95	
05 05 23 00-1483 EA 1-3/4" Inside Diameter, Zinc Plated Steel, Low Carbon Lock Washer.....	7.04	
05 05 23 00-1484 EA 2" Inside Diameter, Zinc Plated Steel, Low Carbon Lock Washer.....	7.93	
05 05 23 00-1485 Hot Dipped Galvanized Steel Lock Washers (05 05 23 00-1467)		
05 05 23 00-1486 EA 1/4" Inside Diameter, Hot Dipped Galvanized Steel Lock Washer.....	0.09	
05 05 23 00-1487 EA 5/16" Inside Diameter, Hot Dipped Galvanized Steel Lock Washer.....	0.10	
05 05 23 00-1488 EA 3/8" Inside Diameter, Hot Dipped Galvanized Steel Lock Washer.....	0.13	
05 05 23 00-1489 EA 7/16" Inside Diameter, Hot Dipped Galvanized Steel Lock Washer.....	0.15	
05 05 23 00-1490 EA 1/2" Inside Diameter, Hot Dipped Galvanized Steel Lock Washer.....	0.23	
05 05 23 00-1491 EA 9/16" Inside Diameter, Hot Dipped Galvanized Steel Lock Washer.....	0.30	
05 05 23 00-1492 EA 5/8" Inside Diameter, Hot Dipped Galvanized Steel Lock Washer.....	0.36	
05 05 23 00-1493 EA 3/4" Inside Diameter, Hot Dipped Galvanized Steel Lock Washer.....	0.61	
05 05 23 00-1494 EA 7/8" Inside Diameter, Hot Dipped Galvanized Steel Lock Washer.....	0.87	
05 05 23 00-1495 EA 1" Inside Diameter, Hot Dipped Galvanized Steel Lock Washer.....	1.38	
05 05 23 00-1496 EA 1-1/8" Inside Diameter, Hot Dipped Galvanized Steel Lock Washer.....	2.50	
05 05 23 00-1497 EA 1-1/4" Inside Diameter, Hot Dipped Galvanized Steel Lock Washer.....	2.98	
05 05 23 00-1498 EA 1-3/8" Inside Diameter, Hot Dipped Galvanized Steel Lock Washer.....	4.30	
05 05 23 00-1499 EA 1-1/2" Inside Diameter, Hot Dipped Galvanized Steel Lock Washer.....	4.92	
05 05 23 00-1500 EA 1-3/4" Inside Diameter, Hot Dipped Galvanized Steel Lock Washer.....	6.66	
05 05 23 00-1501 EA 2" Inside Diameter, Hot Dipped Galvanized Steel Lock Washer.....	9.07	
05 05 23 00-1502 304/18-8 Stainless Steel Lock Washers (05 05 23 00-1467)		
05 05 23 00-1503 EA 1/4" Inside Diameter, 304/18-8 Stainless Steel Lock Washer.....	0.09	
05 05 23 00-1504 EA 5/16" Inside Diameter, 304/18-8 Stainless Steel Lock Washer.....	0.13	
05 05 23 00-1505 EA 3/8" Inside Diameter, 304/18-8 Stainless Steel Lock Washer.....	0.18	
05 05 23 00-1506 EA 7/16" Inside Diameter, 304/18-8 Stainless Steel Lock Washer.....	0.33	
05 05 23 00-1507 EA 1/2" Inside Diameter, 304/18-8 Stainless Steel Lock Washer.....	0.36	
05 05 23 00-1508 EA 9/16" Inside Diameter, 304/18-8 Stainless Steel Lock Washer.....	0.88	
05 05 23 00-1509 EA 5/8" Inside Diameter, 304/18-8 Stainless Steel Lock Washer.....	1.04	
05 05 23 00-1510 EA 3/4" Inside Diameter, 304/18-8 Stainless Steel Lock Washer.....	1.21	
05 05 23 00-1511 EA 7/8" Inside Diameter, 304/18-8 Stainless Steel Lock Washer.....	2.19	
05 05 23 00-1512 EA 1" Inside Diameter, 304/18-8 Stainless Steel Lock Washer.....	3.10	
05 05 23 00-1513 EA 1-1/8" Inside Diameter, 304/18-8 Stainless Steel Lock Washer.....	5.41	
05 05 23 00-1514 EA 1-1/4" Inside Diameter, 304/18-8 Stainless Steel Lock Washer.....	7.19	
05 05 23 00-1515 EA 1-3/8" Inside Diameter, 304/18-8 Stainless Steel Lock Washer.....	9.14	
05 05 23 00-1516 EA 1-1/2" Inside Diameter, 304/18-8 Stainless Steel Lock Washer.....	10.97	
05 05 23 00-1517 316 Stainless Steel Lock Washers (05 05 23 00-1467)		
05 05 23 00-1518 EA 1/4" Inside Diameter, 316 Stainless Steel Lock Washer.....	0.11	
05 05 23 00-1519 EA 5/16" Inside Diameter, 316 Stainless Steel Lock Washer.....	0.24	
05 05 23 00-1520 EA 3/8" Inside Diameter, 316 Stainless Steel Lock Washer.....	0.28	
05 05 23 00-1521 EA 7/16" Inside Diameter, 316 Stainless Steel Lock Washer.....	0.48	
05 05 23 00-1522 EA 1/2" Inside Diameter, 316 Stainless Steel Lock Washer.....	0.53	
05 05 23 00-1523 EA 9/16" Inside Diameter, 316 Stainless Steel Lock Washer.....	0.94	
05 05 23 00-1524 EA 5/8" Inside Diameter, 316 Stainless Steel Lock Washer.....	1.03	
05 05 23 00-1525 EA 3/4" Inside Diameter, 316 Stainless Steel Lock Washer.....	1.78	
05 05 23 00-1526 EA 7/8" Inside Diameter, 316 Stainless Steel Lock Washer.....	2.95	
05 05 23 00-1527 EA 1" Inside Diameter, 316 Stainless Steel Lock Washer.....	4.01	
05 05 23 00-1528 EA 1-1/8" Inside Diameter, 316 Stainless Steel Lock Washer.....	5.60	
05 05 23 00-1529 EA 1-1/4" Inside Diameter, 316 Stainless Steel Lock Washer.....	8.62	
05 05 23 00-1530 EA 1-3/8" Inside Diameter, 316 Stainless Steel Lock Washer.....	15.43	
05 05 23 00-1531 EA 1-1/2" Inside Diameter, 316 Stainless Steel Lock Washer.....	17.13	
05 05 23 00-1532 Load Indicating Washers (05 05 23 00-1283)		
05 05 23 00-1533 A325, Direct Tension Indicator, Load Indicating Washers (ASTM F959) (05 05 23 00-1532)		
05 05 23 00-1534 Plain Finish, A325, Direct Tension Indicator, Load Indicating Washers (ASTM F959) (05 05 23 00-1533)		
05 05 23 00-1535 EA 1/2", Plain Finish, A325, Direct Tension Indicator, Load Indicating Washer (ASTM F959).....	2.30	
05 05 23 00-1536 EA 5/8", Plain Finish, A325, Direct Tension Indicator, Load Indicating Washer (ASTM F959).....	2.60	
05 05 23 00-1537 EA 3/4", Plain Finish, A325, Direct Tension Indicator, Load Indicating Washer (ASTM F959).....	2.80	
05 05 23 00-1538 EA 7/8", Plain Finish, A325, Direct Tension Indicator, Load Indicating Washer (ASTM F959).....	3.18	
05 05 23 00-1539 EA 1", Plain Finish, A325, Direct Tension Indicator, Load Indicating Washer (ASTM F959).....	3.84	
05 05 23 00-1540 EA 1-1/8", Plain Finish, A325, Direct Tension Indicator, Load Indicating Washer (ASTM F959).....	6.40	
05 05 23 00-1541 EA 1-1/4", Plain Finish, A325, Direct Tension Indicator, Load Indicating Washer (ASTM F959).....	8.26	
05 05 23 00-1542 EA 1-3/8", Plain Finish, A325, Direct Tension Indicator, Load Indicating Washer (ASTM F959).....	10.54	



MINOR
CSI UOM DESCRIPTION

TOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

05 05 23 00-1543	EA	1-1/2", Plain Finish, A325, Direct Tension Indicator, Load Indicating Washer (ASTM F959)	11.60
05 05 23 00-1544 Galvanized, A325, Direct Tension Indicator, Load Indicating Washers (ASTM F959) (05 05 23 00-1533)			
05 05 23 00-1545	EA	1/2", Galvanized, A325, Direct Tension Indicator, Load Indicating Washer (ASTM F959)	2.91
05 05 23 00-1546	EA	5/8", Galvanized, A325, Direct Tension Indicator, Load Indicating Washer (ASTM F959)	3.24
05 05 23 00-1547	EA	3/4", Galvanized, A325, Direct Tension Indicator, Load Indicating Washer (ASTM F959)	3.15
05 05 23 00-1548	EA	7/8", Galvanized, A325, Direct Tension Indicator, Load Indicating Washer (ASTM F959)	3.84
05 05 23 00-1549	EA	1", Galvanized, A325, Direct Tension Indicator, Load Indicating Washer (ASTM F959)	4.56
05 05 23 00-1550	EA	1-1/8", Galvanized, A325, Direct Tension Indicator, Load Indicating Washer (ASTM F959)	6.86
05 05 23 00-1551	EA	1-1/4", Galvanized, A325, Direct Tension Indicator, Load Indicating Washer (ASTM F959)	8.64
05 05 23 00-1552	EA	1-3/8", Galvanized, A325, Direct Tension Indicator, Load Indicating Washer (ASTM F959)	12.30
05 05 23 00-1553	EA	1-1/2", Galvanized, A325, Direct Tension Indicator, Load Indicating Washer (ASTM F959)	13.53
05 05 23 00-1554 Beveled Washers (05 05 23 00-1283)			
05 05 23 00-1555 Plain Finish, Square Beveled Structural Washers (ASTM F436) (05 05 23 00-1554)			
05 05 23 00-1556	EA	1/2", Plain Finish, Square Beveled Structural Washer (ASTM F436)	3.79
05 05 23 00-1557	EA	5/8", Plain Finish, Square Beveled Structural Washer (ASTM F436)	3.87
05 05 23 00-1558	EA	3/4", Plain Finish, Square Beveled Structural Washer (ASTM F436)	3.96
05 05 23 00-1559	EA	7/8", Plain Finish, Square Beveled Structural Washer (ASTM F436)	4.81
05 05 23 00-1560	EA	1", Plain Finish, Square Beveled Structural Washer (ASTM F436)	5.06
05 05 23 00-1561 Galvanized, Square Beveled Structural Washers (ASTM F436) (05 05 23 00-1554)			
05 05 23 00-1562	EA	1/2", Galvanized, Square Beveled Structural Washer (ASTM F436)	5.46
05 05 23 00-1563	EA	5/8", Galvanized, Square Beveled Structural Washer (ASTM F436)	5.70
05 05 23 00-1564	EA	3/4", Galvanized, Square Beveled Structural Washer (ASTM F436)	5.70
05 05 23 00-1565	EA	7/8", Galvanized, Square Beveled Structural Washer (ASTM F436)	6.03
05 05 23 00-1566	EA	1", Galvanized, Square Beveled Structural Washer (ASTM F436)	6.41
05 05 23 00-1567 Drilling In Steel Plates (05 05 23)			
05 05 23 00-1568	EA	Up To 1/2" Diameter Drill Through Up To 1/4" Steel Plate	17.89
		For Aluminum, Deduct	-1.79
		For Stainless Steel, Add	2.24
		For >5 To 10, Deduct	-1.79
		For >10 To 25, Deduct	-4.47
		For >25 To 50, Deduct	-6.26
		For >50, Deduct	-8.95
05 05 23 00-1569	EA	>1/2" To 7/8" Diameter Drill Through Up To 1/4" Steel Plate	21.05
		For Aluminum, Deduct	-2.11
		For Stainless Steel, Add	2.63
		For >5 To 10, Deduct	-2.11
		For >10 To 25, Deduct	-5.26
		For >25 To 50, Deduct	-7.37
		For >50, Deduct	-10.53
05 05 23 00-1570	EA	>7/8" To 1-1/2" Diameter Drill Through Up To 1/4" Steel Plate	25.26
		For Aluminum, Deduct	-2.53
		For Stainless Steel, Add	3.16
		For >5 To 10, Deduct	-2.53
		For >10 To 25, Deduct	-6.32
		For >25 To 50, Deduct	-8.84
		For >50, Deduct	-12.63
05 05 23 00-1571	EA	>1-1/2" To 4" Diameter Drill Through Up To 1/4" Steel Plate	29.47
		For Aluminum, Deduct	-2.95
		For Stainless Steel, Add	3.68
		For >5 To 10, Deduct	-2.95
		For >10 To 25, Deduct	-7.37
		For >25 To 50, Deduct	-10.31
		For >50, Deduct	-14.74
05 05 23 00-1572	EA	>4" To 10" Diameter Drill Through Up To 1/4" Steel Plate	39.47
		For Aluminum, Deduct	-3.95
		For Stainless Steel, Add	4.93
		For >5 To 10, Deduct	-3.95
		For >10 To 25, Deduct	-9.87
		For >25 To 50, Deduct	-13.81
		For >50, Deduct	-19.74
05 05 23 00-1573	EA	Up To 1/2" Diameter Drill Through >1/4" To 1/2" Steel Plate	21.05
		For Aluminum, Deduct	-2.11
		For Stainless Steel, Add	2.63
		For >5 To 10, Deduct	-2.11
		For >10 To 25, Deduct	-5.26
		For >25 To 50, Deduct	-7.37
		For >50, Deduct	-10.53
05 05 23 00-1574	EA	>1/2" To 7/8" Diameter Drill Through >1/4" To 1/2" Steel Plate	26.32
		For Aluminum, Deduct	-2.63
		For Stainless Steel, Add	3.29
		For >5 To 10, Deduct	-2.63
		For >10 To 25, Deduct	-6.58
		For >25 To 50, Deduct	-9.21
		For >50, Deduct	-13.16



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 05 23 00-1575 EA >7/8" To 1-1/2" Diameter Drill Through >1/4" To 1/2" Steel Plate	31.57	
For Aluminum, Deduct	-3.16	
For Stainless Steel, Add	3.95	
For >5 To 10, Deduct	-3.16	
For >10 To 25, Deduct	-7.89	
For >25 To 50, Deduct	-11.05	
For >50, Deduct	-15.79	
05 05 23 00-1576 EA >1-1/2" To 4" Diameter Drill Through >1/4" To 1/2" Steel Plate	39.47	
For Aluminum, Deduct	-3.95	
For Stainless Steel, Add	4.93	
For >5 To 10, Deduct	-3.95	
For >10 To 25, Deduct	-9.87	
For >25 To 50, Deduct	-13.81	
For >50, Deduct	-19.74	
05 05 23 00-1577 EA Up To 1/2" Diameter Drill Through >1/2" To 1" Steel Plate	26.32	
For Aluminum, Deduct	-2.63	
For Stainless Steel, Add	3.29	
For >5 To 10, Deduct	-2.63	
For >10 To 25, Deduct	-6.58	
For >25 To 50, Deduct	-9.21	
For >50, Deduct	-13.16	
05 05 23 00-1578 EA >1/2" To 7/8" Diameter Drill Through >1/2" To 1" Steel Plate	34.73	
For Aluminum, Deduct	-3.47	
For Stainless Steel, Add	4.34	
For >5 To 10, Deduct	-3.47	
For >10 To 25, Deduct	-8.68	
For >25 To 50, Deduct	-12.16	
For >50, Deduct	-17.37	
05 05 23 00-1579 EA >7/8" To 1-1/2" Diameter Drill Through >1/2" To 1" Steel Plate	42.10	
For Aluminum, Deduct	-4.21	
For Stainless Steel, Add	5.26	
For >5 To 10, Deduct	-4.21	
For >10 To 25, Deduct	-10.53	
For >25 To 50, Deduct	-14.74	
For >50, Deduct	-21.05	
05 05 23 00-1580 Welded Stud Anchors (05 05 23)		
05 05 23 00-1581 EA 1-1/8" Long x 1/4" Diameter, Welded Stud Concrete Anchors	3.07	
05 05 23 00-1582 EA 2-11/16" Long x 1/4" Diameter, Welded Stud Concrete Anchors	3.13	
05 05 23 00-1583 EA 3-1/8" Long x 1/4" Diameter, Welded Stud Concrete Anchors	3.15	
05 05 23 00-1584 EA 4-1/8" Long x 1/4" Diameter, Welded Stud Concrete Anchors	3.18	
05 05 23 00-1585 EA 1-3/8" Long x 3/8" Diameter, Welded Stud Concrete Anchors	3.07	
05 05 23 00-1586 EA 1-5/8" Long x 3/8" Diameter, Welded Stud Concrete Anchors	3.21	
05 05 23 00-1587 EA 2-1/8" Long x 3/8" Diameter, Welded Stud Concrete Anchors	3.35	
05 05 23 00-1588 EA 2-5/8" Long x 3/8" Diameter, Welded Stud Concrete Anchors	3.43	
05 05 23 00-1589 EA 3-1/8" Long x 3/8" Diameter, Welded Stud Concrete Anchors	3.51	
05 05 23 00-1590 EA 4-1/8" Long x 3/8" Diameter, Welded Stud Concrete Anchors	3.80	
05 05 23 00-1591 EA 5-1/8" Long x 3/8" Diameter, Welded Stud Concrete Anchors	4.04	
05 05 23 00-1592 EA 6-1/8" Long x 3/8" Diameter, Welded Stud Concrete Anchors	4.24	
05 05 23 00-1593 EA 1-1/2" Long x 1/2" Diameter, Welded Stud Concrete Anchors	3.71	
05 05 23 00-1594 EA 1-5/8" Long x 1/2" Diameter, Welded Stud Concrete Anchors	3.73	
05 05 23 00-1595 EA 2-1/8" Long x 1/2" Diameter, Welded Stud Concrete Anchors	3.95	
05 05 23 00-1596 EA 2-5/8" Long x 1/2" Diameter, Welded Stud Concrete Anchors	4.16	
05 05 23 00-1597 EA 3-1/8" Long x 1/2" Diameter, Welded Stud Concrete Anchors	4.42	
05 05 23 00-1598 EA 4-1/8" Long x 1/2" Diameter, Welded Stud Concrete Anchors	4.82	
05 05 23 00-1599 EA 5-5/16" Long x 1/2" Diameter, Welded Stud Concrete Anchors	5.08	
05 05 23 00-1600 EA 6-1/8" Long x 1/2" Diameter, Welded Stud Concrete Anchors	5.79	
05 05 23 00-1601 EA 8-1/8" Long x 1/2" Diameter, Welded Stud Concrete Anchors	7.13	
05 05 23 00-1602 EA 2-11/16" Long x 5/8" Diameter, Welded Stud Concrete Anchors	5.17	
05 05 23 00-1603 EA 3-3/16" Long x 5/8" Diameter, Welded Stud Concrete Anchors	5.50	
05 05 23 00-1604 EA 3-11/16" Long x 5/8" Diameter, Welded Stud Concrete Anchors	5.78	
05 05 23 00-1605 EA 4-3/16" Long x 5/8" Diameter, Welded Stud Concrete Anchors	6.05	
05 05 23 00-1606 EA 4-11/16" Long x 5/8" Diameter, Welded Stud Concrete Anchors	6.28	
05 05 23 00-1607 EA 5-3/16" Long x 5/8" Diameter, Welded Stud Concrete Anchors	6.49	
05 05 23 00-1608 EA 6-3/16" Long x 5/8" Diameter, Welded Stud Concrete Anchors	6.76	
05 05 23 00-1609 EA 6-9/16" Long x 5/8" Diameter, Welded Stud Concrete Anchors	7.91	
05 05 23 00-1610 EA 8-3/16" Long x 5/8" Diameter, Welded Stud Concrete Anchors	9.49	
05 05 23 00-1611 Welded Shear Stud Connector (05 05 23)		
05 05 23 00-1612 3/4" Diameter Welded Shear Stud Connector (05 05 23 00-1611)		
05 05 23 00-1613 EA 3/4" Diameter x 3-3/16" Long, Welded Shear Stud Connector	6.54	
05 05 23 00-1614 EA 3/4" Diameter x 3-3/8" Long, Welded Shear Stud Connector	6.78	
05 05 23 00-1615 EA 3/4" Diameter x 3-7/8" Long, Welded Shear Stud Connector	6.84	
05 05 23 00-1616 EA 3/4" Diameter x 4-3/16" Long, Welded Shear Stud Connector	6.88	
05 05 23 00-1617 EA 3/4" Diameter x 4-3/8" Long, Welded Shear Stud Connector	7.15	
05 05 23 00-1618 EA 3/4" Diameter x 4-11/16" Long, Welded Shear Stud Connector	7.65	
05 05 23 00-1619 EA 3/4" Diameter x 4-7/8" Long, Welded Shear Stud Connector	12.50	
05 05 23 00-1620 EA 3/4" Diameter x 5-3/16" Long, Welded Shear Stud Connector	8.23	
05 05 23 00-1621 EA 3/4" Diameter x 5-3/8" Long, Welded Shear Stud Connector	9.12	
05 05 23 00-1622 EA 3/4" Diameter x 6-3/16" Long, Welded Shear Stud Connector	12.21	

05 Metals**05 05 Common Work Results For Metals****05 05 23 Metal Fastenings**

MINOR				TOTAL DIRECT	DEMOLITION
CSI	UOM	DESCRIPTION		UNIT COST	UNIT COST
05 05 23 00-1623	EA	3/4" Diameter x 7-3/16" Long, Welded Shear Stud Connector.....		12.49	
05 05 23 00-1624	EA	3/4" Diameter x 8-3/16" Long, Welded Shear Stud Connector.....		13.46	
05 05 23 00-1625	EA	3/4" Diameter x 10-3/16" Long, Welded Shear Stud Connector.....		17.52	
05 05 23 00-1626		7/8" Diameter Welded Shear Stud Connector (05 05 23 00-1611)			
05 05 23 00-1627	EA	7/8" Diameter x 3-3/16" Long, Welded Shear Stud Connector.....		7.75	
05 05 23 00-1628	EA	7/8" Diameter x 3-11/16" Long, Welded Shear Stud Connector.....		8.13	
05 05 23 00-1629	EA	7/8" Diameter x 4-3/16" Long, Welded Shear Stud Connector.....		8.52	
05 05 23 00-1630	EA	7/8" Diameter x 5-3/16" Long, Welded Shear Stud Connector.....		9.63	
05 05 23 00-1631	EA	7/8" Diameter x 6-3/16" Long, Welded Shear Stud Connector.....		12.81	
05 05 23 00-1632	EA	7/8" Diameter x 7-3/16" Long, Welded Shear Stud Connector.....		13.99	
05 05 23 00-1633	EA	7/8" Diameter x 8-3/16" Long, Welded Shear Stud Connector.....		15.15	
05 05 23 00-1634	EA	7/8" Diameter x 10-3/16" Long, Welded Shear Stud Connector.....		18.41	
05 05 23 00-1635		1" Diameter Welded Shear Stud Connector (05 05 23 00-1611)			
05 05 23 00-1636	EA	1" Diameter x 3-1/4" Long, Welded Shear Stud Connector.....		10.28	
05 05 23 00-1637	EA	1" Diameter x 4-1/4" Long, Welded Shear Stud Connector.....		11.47	
05 05 23 00-1638	EA	1" Diameter x 5-1/4" Long, Welded Shear Stud Connector.....		13.23	
05 05 23 00-1639	EA	1" Diameter x 6-1/4" Long, Welded Shear Stud Connector.....		17.21	
05 05 23 00-1640	EA	1" Diameter x 7-1/4" Long, Welded Shear Stud Connector.....		19.05	
05 05 23 00-1641	EA	1" Diameter x 8-1/4" Long, Welded Shear Stud Connector.....		20.89	
05 10 Structural Metal Framing (05)					
05 12 Structural Steel Framing (05 10)					
05 12 23 Structural Steel For Buildings (05 12)					
		See CSI section 05 05 21 00-0007 for moment connection welding, 05 12 23 00-0117 for field fabrication of additional structural metal connections.			
05 12 23 00-0001		Rolled Steel Members (05 12 23)			
		Note: Prices by Ton (or LB) are based on ASTM A992/A36 steel with bolted standard beam connections and shop primed with red primer paint. Stock sections only. Includes shop fabrication into sub-assemblies and delivery to site, all connecting bolts, connecting welds, and crane for erection (or demolition). Excludes moment connection welding. See CSI section 05 05 21 00-0007 for moment connection welding, 05 12 23 00-0117 for field fabrication of additional structural metal connections.			
05 12 23 00-0002		Beams, Girders And Columns (05 12 23 00-0001)			
		Note: For one and two story I beams and W shapes and HP shapes.			
05 12 23 00-0003	TON	Up To 30 LB/LF Beams, Girders And Columns.....		6,931.36	1,047.63
		For ASTM A242 Type 2 High Strength Steel, Add		381.12	
		For Hot Dip Galvanizing, Add		1,333.93	
05 12 23 00-0004	TON	>30-65 LB/LF Beams, Girders And Columns.....		4,632.33	677.22
		For ASTM A242 Type 2 High Strength Steel, Add		312.79	
		For Hot Dip Galvanizing, Add		1,094.77	
05 12 23 00-0005	TON	>65-100 LB/LF Beams, Girders And Columns.....		3,877.51	380.98
		For ASTM A242 Type 2 High Strength Steel, Add		277.69	
		For Hot Dip Galvanizing, Add		971.92	
05 12 23 00-0006	TON	>100-300 LB/LF Beams, Girders And Columns.....		2,589.67	202.78
		For ASTM A242 Type 2 High Strength Steel, Add		189.83	
		For Hot Dip Galvanizing, Add		664.42	
05 12 23 00-0007		Trusses, Built-Up (05 12 23 00-0001)			
05 12 23 00-0008	TON	Built-Up Trusses, Rolled Structural Steel Members.....		4,913.51	712.48
		For ASTM A242 Type 2 High Strength Steel, Add		332.31	
		For Hot Dip Galvanizing, Add		1,163.10	
05 12 23 00-0009		Shapes (05 12 23 00-0001)			
05 12 23 00-0010		Rolled Shape Steel Angles (05 12 23 00-0009)			
05 12 23 00-0011	TON	Up To 10 LB/LF Rolled Shape Steel Angles.....		10,125.85	1,947.54
		For ASTM A242 Type 2 High Strength Steel, Add		550.40	
		For Hot Dip Galvanizing, Add		1,926.38	
05 12 23 00-0012	TON	>10 To 20 LB/LF Rolled Shape Steel Angles.....		8,748.70	1,142.92
		For ASTM A242 Type 2 High Strength Steel, Add		526.51	
		For Hot Dip Galvanizing, Add		1,842.79	
05 12 23 00-0013	TON	>20 To 58 LB/LF Rolled Shape Steel Angles.....		6,511.86	677.22
		For ASTM A242 Type 2 High Strength Steel, Add		463.16	
		For Hot Dip Galvanizing, Add		1,621.07	
05 12 23 00-0014		Rolled C, MC Steel Channels (05 12 23 00-0009)			
05 12 23 00-0015	TON	Up To 10 LB/LF Rolled C, MC Steel Channels.....		11,241.74	2,666.83
		For ASTM A242 Type 2 High Strength Steel, Add		542.09	
		For Hot Dip Galvanizing, Add		1,897.31	
05 12 23 00-0016	TON	>10 To 20 Rolled C, MC Steel Channels.....		8,657.83	2,031.87
		For ASTM A242 Type 2 High Strength Steel, Add		519.24	
		For Hot Dip Galvanizing, Add		1,817.34	



Metals	05	05
Structural Metal Framing	05 10	
Structural Steel Framing	05 12	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 12 23 00-0017 TON >20 To 58 LB/LF Rolled C, MC Steel Channels..... <i>For ASTM A242 Type 2 High Strength Steel, Add For Hot Dip Galvanizing, Add</i>	6,408.01 454.86 1,591.99	677.22
05 12 23 00-0018 Double L Shape Steel Angles (05 12 23 00-0009)		
05 12 23 00-0019 TON Up To 20 LB/LF Double L Shape Steel Angles..... <i>For ASTM A242 Type 2 High Strength Steel, Add For Hot Dip Galvanizing, Add</i>	9,325.24 529.63 1,853.69	1,545.23
05 12 23 00-0020 TON >20 To 50 LB/LF Double L Shape Steel Angles..... <i>For ASTM A242 Type 2 High Strength Steel, Add For Hot Dip Galvanizing, Add</i>	6,953.21 498.47 1,744.65	677.22
05 12 23 00-0021 TON >50 To 80 LB/LF Double L Shape Steel Angles..... <i>For ASTM A242 Type 2 High Strength Steel, Add For Hot Dip Galvanizing, Add</i>	5,209.35 384.24 1,344.83	380.98
05 12 23 00-0022 TON >80 To 115 LB/LF Double L Shape Steel Angles..... <i>For ASTM A242 Type 2 High Strength Steel, Add For Hot Dip Galvanizing, Add</i>	3,331.84 249.24 872.33	203.09
05 12 23 00-0023 Structural WT, MT, ST Tee Shapes (05 12 23 00-0001)		
05 12 23 00-0024 TON Up To 30 LB/LF Structural WT, MT, ST Tee Shapes..... <i>For ASTM A242 Type 2 High Strength Steel, Add For Hot Dip Galvanizing, Add</i>	8,398.21 498.47 1,744.65	1,142.92
05 12 23 00-0025 TON >30 To 65 LB/LF Structural WT, MT, ST Tee Shapes..... <i>For ASTM A242 Type 2 High Strength Steel, Add For Hot Dip Galvanizing, Add</i>	5,486.48 381.12 1,333.93	677.22
05 12 23 00-0026 TON >65 To 100 LB/LF Structural WT, MT, ST Tee Shapes..... <i>For ASTM A242 Type 2 High Strength Steel, Add For Hot Dip Galvanizing, Add</i>	4,300.68 311.54 1,090.41	380.98
05 12 23 00-0027 TON >100 To 365 LB/LF Structural WT, MT, ST Tee Shapes..... <i>For ASTM A242 Type 2 High Strength Steel, Add For Hot Dip Galvanizing, Add</i>	3,150.45 234.70 821.44	202.78
05 12 23 00-0028 Combination Section Shapes (05 12 23 00-0001)		
05 12 23 00-0029 Combination Section, W Shapes And Angles (05 12 23 00-0028)		
05 12 23 00-0030 TON Up To 30 LB/LF Combination Section - W Shapes And Angles..... <i>For ASTM A242 Type 2 High Strength Steel, Add For Hot Dip Galvanizing, Add</i>	7,995.80 466.28 1,631.97	1,142.92
05 12 23 00-0031 TON >30-65 LB/LF Combination Section - W Shapes And Angles..... <i>For ASTM A242 Type 2 High Strength Steel, Add For Hot Dip Galvanizing, Add</i>	5,525.43 384.24 1,344.84	677.22
05 12 23 00-0032 TON >65-100 LB/LF Combination Section - W Shapes And Angles..... <i>For ASTM A242 Type 2 High Strength Steel, Add For Hot Dip Galvanizing, Add</i>	3,976.15 265.58 999.54	380.98
05 12 23 00-0033 TON >100-300 LB/LF Combination Section - W Shapes And Angles..... <i>For ASTM A242 Type 2 High Strength Steel, Add For Hot Dip Galvanizing, Add</i>	3,409.73 255.47 894.14	202.78
05 12 23 00-0034 TON >300-500 LB/LF Combination Section - W Shapes And Angles..... <i>For ASTM A242 Type 2 High Strength Steel, Add For Hot Dip Galvanizing, Add</i>	2,925.26 225.35 788.73	101.79
05 12 23 00-0035 Combination Section, S Shapes And Angles (05 12 23 00-0028)		
05 12 23 00-0036 TON >30-65 LB/LF Combination Section - S Shapes And Angles..... <i>For ASTM A242 Type 2 High Strength Steel, Add For Hot Dip Galvanizing, Add</i>	5,317.72 367.62 1,286.68	677.22
05 12 23 00-0037 TON >65-100 LB/LF Combination Section - S Shapes And Angles..... <i>For ASTM A242 Type 2 High Strength Steel, Add For Hot Dip Galvanizing, Add</i>	3,989.13 286.62 1,003.17	380.98
05 12 23 00-0038 Combination Section, Channels And Angles (05 12 23 00-0028)		
05 12 23 00-0039 TON Up To 30 LB/LF Combination Section - Channels And Angles..... <i>For ASTM A242 Type 2 High Strength Steel, Add For Hot Dip Galvanizing, Add</i>	8,398.21 498.47 1,744.65	1,142.92
05 12 23 00-0040 TON >30-65 LB/LF Combination Section - Channels And Angles..... <i>For ASTM A242 Type 2 High Strength Steel, Add For Hot Dip Galvanizing, Add</i>	5,785.04 405.01 1,417.53	677.22
05 12 23 00-0041 TON >65-100 LB/LF Combination Section - Channels And Angles..... <i>For ASTM A242 Type 2 High Strength Steel, Add For Hot Dip Galvanizing, Add</i>	4,080.00 293.89 1,028.62	380.98
05 12 23 00-0042 Standard Weight Pipe (05 12 23 00-0001)		
05 12 23 00-0043 TON 1/2" To 5" Diameter Standard Weight Pipe..... <i>For ASTM A242 Type 2 High Strength Steel, Add For Hot Dip Galvanizing, Add</i>	4,700.28 324.01 1,134.02	609.56
05 12 23 00-0044 TON >5" To 12" Diameter Standard Weight Pipe..... <i>For ASTM A242 Type 2 High Strength Steel, Add For Hot Dip Galvanizing, Add</i>	5,044.56 338.54 1,184.91	761.95

05	05 Metals
	05 10 Structural Metal Framing
	05 12 Structural Steel Framing



MINOR		TOTAL DIRECT		DEMOLITION	
CSI	UOM	DESCRIPTION	UNIT COST	UNIT COST	UNIT COST
05 12 23 00-0045		Structural Steel Shapes <small>(05 12 23)</small>			
		Note: Prices by Ton (or LB) are based on ASTM A992/A36 steel with bolted standard beam connections and shop primed with red primer paint. Stock sections only. Includes shop fabrication into sub-assemblies and delivery to site, all connecting bolts, connecting welds, and crane for erection (or demolition). Excludes moment connection welding. See CSI section 05 05 21 00-0007 for moment connection welding, 05 12 23 00-0117 for field fabrication of additional structural metal connections.			
05 12 23 00-0046		Steel Rods <small>(05 12 23 00-0045)</small>			
05 12 23 00-0047	TON	1/2" To 5" Diameter Extra Strong Steel, Solid.....	5,025.35		476.26
		For ASTM A242 Type 2 High Strength Steel, Add	361.39		
		For Hot Dip Galvanizing, Add	1,264.87		
05 12 23 00-0048	TON	>5" To 12" Diameter Extra Strong Steel, Solid.....	5,785.04		677.22
		For ASTM A242 Type 2 High Strength Steel, Add	405.01		
		For Hot Dip Galvanizing, Add	1,417.53		
05 12 23 00-0049		Column Base Plates <small>(05 12 23 00-0045)</small>			
05 12 23 00-0050	LB	Column Base Plates, Up To 150 LB / Each, A36 Miscellaneous Steel Items.....	2.62		0.64
		For ASTM A242 Type 2 High Strength Steel, Add	0.16		
		For Hot Dip Galvanizing, Add	0.55		
05 12 23 00-0051	LB	Column Base Plates, >150 LB / Each, A36 Miscellaneous Steel Items.....	2.46		0.55
		For ASTM A242 Type 2 High Strength Steel, Add	0.15		
		For Hot Dip Galvanizing, Add	0.52		
05 12 23 00-0052	TON	Column Base Plates, Up To 150 LB Each, A36 Miscellaneous Steel Items.....	4,626.52		572.81
		For ASTM A242 Type 2 High Strength Steel, Add	321.24		
		For Hot Dip Galvanizing, Add	1,124.35		
05 12 23 00-0053	TON	Column Base Plates, >150 LB Each, A36 Miscellaneous Steel Items.....	3,270.97		343.69
		For ASTM A242 Type 2 High Strength Steel, Add	232.35		
		For Hot Dip Galvanizing, Add	813.22		
05 12 23 00-0054		Double Extra Strong Pipes <small>(05 12 23 00-0045)</small>			
05 12 23 00-0055	TON	2" To 5" Diameter Double Extra Strong Pipe.....	6,095.30		870.76
		For ASTM A242 Type 2 High Strength Steel, Add	413.32		
		For Hot Dip Galvanizing, Add	1,446.61		
05 12 23 00-0056	TON	>5" To 8" Diameter Double Extra Strong Pipe.....	5,666.60		468.85
		For ASTM A242 Type 2 High Strength Steel, Add	413.32		
		For Hot Dip Galvanizing, Add	1,446.61		
05 12 23 00-0057		Structural Pipes <small>(05 12 23 00-0045)</small>			
05 12 23 00-0058	TON	3" To 5" Outside Diameter Structural Pipe, Extra Heavy A36 Miscellaneous Steel Items.....	4,253.69		402.31
		For ASTM A242 Type 2 High Strength Steel, Add	290.78		
		For Hot Dip Galvanizing, Add	1,017.71		
05 12 23 00-0059	TON	>5" To 12" Outside Diameter Structural Pipe, Extra Heavy A36 Miscellaneous Steel Items.....	4,658.30		463.98
		For ASTM A242 Type 2 High Strength Steel, Add	290.78		
		For Hot Dip Galvanizing, Add	1,017.71		
05 12 23 00-0060		Structural Tubing <small>(05 12 23 00-0045)</small>			
05 12 23 00-0061		Rectangle Structural Tubing <small>(05 12 23 00-0060)</small>			
05 12 23 00-0062	TON	3" x 2" Weight Range 5-7 LB/LF Structural Tubing - Rectangle.....	6,923.97		406.37
		For ASTM A242 Type 2 High Strength Steel, Add	519.24		
		For Hot Dip Galvanizing, Add	1,817.34		
05 12 23 00-0063	TON	4" x 3", 2" Weight Range 6-13 LB/LF Structural Tubing - Rectangle.....	6,990.66		468.85
		For ASTM A242 Type 2 High Strength Steel, Add	519.24		
		For Hot Dip Galvanizing, Add	1,817.34		
05 12 23 00-0064	TON	5" x 4", 2" Weight Range 8-20 LB/LF Structural Tubing - Rectangle.....	6,123.67		507.96
		For ASTM A242 Type 2 High Strength Steel, Add	446.55		
		For Hot Dip Galvanizing, Add	1,562.92		
05 12 23 00-0065	TON	6" x 4", 3", 2" Weight Range 9-29 LB/LF Structural Tubing - Rectangle.....	5,842.61		609.56
		For ASTM A242 Type 2 High Strength Steel, Add	415.39		
		For Hot Dip Galvanizing, Add	1,453.87		
05 12 23 00-0066	TON	7" x 5", 4", 3" Weight Range 12-35 LB/LF Structural Tubing - Rectangle.....	5,525.42		677.22
		For ASTM A242 Type 2 High Strength Steel, Add	384.24		
		For Hot Dip Galvanizing, Add	1,344.83		
05 12 23 00-0067	TON	8" x 6", 4", 3", 2" Weight Range 11-42 LB/LF Structural Tubing - Rectangle.....	5,802.67		937.19
		For ASTM A242 Type 2 High Strength Steel, Add	384.24		
		For Hot Dip Galvanizing, Add	1,344.83		
05 12 23 00-0068	TON	10" x 6", 4", 2" Weight Range 15-50 LB/LF Structural Tubing - Rectangle.....	6,228.37		1,238.93
		For ASTM A242 Type 2 High Strength Steel, Add	392.55		
		For Hot Dip Galvanizing, Add	1,373.91		
05 12 23 00-0069	TON	12" x 6", 4", 2" Weight Range 17-76 LB/LF Structural Tubing - Rectangle.....	6,402.35		1,353.32
		For ASTM A242 Type 2 High Strength Steel, Add	396.70		
		For Hot Dip Galvanizing, Add	1,388.45		
05 12 23 00-0070	TON	14" x 10", 6", 4" Weight Range 29-76 LB/LF Structural Tubing - Rectangle.....	6,584.24		1,523.90
		For ASTM A242 Type 2 High Strength Steel, Add	396.70		
		For Hot Dip Galvanizing, Add	1,388.45		
05 12 23 00-0071	TON	16" x 12", 8", 4" Weight Range 40-90 LB/LF Structural Tubing - Rectangle.....	8,321.73		3,201.51
		For ASTM A242 Type 2 High Strength Steel, Add	392.55		
		For Hot Dip Galvanizing, Add	1,373.91		



	Metals	05
	Structural Metal Framing	05 10
	Structural Steel Framing	05 12

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 12 23 00-0072	TON		18" x 6" Weight Range 48-76 LB/LF Structural Tubing - Rectangle <i>For ASTM A242 Type 2 High Strength Steel, Add For Hot Dip Galvanizing, Add</i>	6,944.34 382.16 1,337.57	2,031.87
05 12 23 00-0073	TON		20" x 12", 8", 4" Weight Range 48-105 LB/LF Structural Tubing - Rectangle <i>For ASTM A242 Type 2 High Strength Steel, Add For Hot Dip Galvanizing, Add</i>	10,022.82 402.93 1,410.26	4,674.61
05 12 23 00-0074			Square Structural Tubing <small>(05 12 23 00-0060)</small>		
05 12 23 00-0075	TON		2" x 2" Weight Range 4-6 LB/LF Structural Tubing - Square <i>For ASTM A242 Type 2 High Strength Steel, Add For Hot Dip Galvanizing, Add</i>	6,896.88 619.24 1,817.34	380.98
05 12 23 00-0076	TON		2.5" x 2.5" Weight Range 5-8 LB/LF Structural Tubing - Square <i>For ASTM A242 Type 2 High Strength Steel, Add For Hot Dip Galvanizing, Add</i>	6,923.97 519.24 1,817.34	406.37
05 12 23 00-0077	TON		3" x 3" Weight Range 6-11 LB/LF Structural Tubing - Square <i>For ASTM A242 Type 2 High Strength Steel, Add For Hot Dip Galvanizing, Add</i>	6,253.48 456.93 1,599.26	507.96
05 12 23 00-0078	TON		3.5" x 3.5" Weight Range 8-13 LB/LF Structural Tubing - Square <i>For ASTM A242 Type 2 High Strength Steel, Add For Hot Dip Galvanizing, Add</i>	6,232.04 446.55 1,562.92	609.56
05 12 23 00-0079	TON		4" x 4" Weight Range 10-22 LB/LF Structural Tubing - Square <i>For ASTM A242 Type 2 High Strength Steel, Add For Hot Dip Galvanizing, Add</i>	5,070.53 340.62 1,192.18	761.95
05 12 23 00-0080	TON		5" x 5" Weight Range 12-30 LB/LF Structural Tubing - Square <i>For ASTM A242 Type 2 High Strength Steel, Add For Hot Dip Galvanizing, Add</i>	5,186.63 340.62 1,192.18	870.76
05 12 23 00-0081	TON		6" x 6" Weight Range 15-35 LB/LF Structural Tubing - Square <i>For ASTM A242 Type 2 High Strength Steel, Add For Hot Dip Galvanizing, Add</i>	5,558.17 340.62 1,192.18	1,219.12
05 12 23 00-0082	TON		7" x 7" Weight Range 17-42 LB/LF Structural Tubing - Square <i>For ASTM A242 Type 2 High Strength Steel, Add For Hot Dip Galvanizing, Add</i>	5,961.15 346.85 1,213.98	1,523.90
05 12 23 00-0083	TON		8" x 8" Weight Range 20-60 LB/LF Structural Tubing - Square <i>For ASTM A242 Type 2 High Strength Steel, Add For Hot Dip Galvanizing, Add</i>	7,203.96 402.93 1,410.26	2,031.87
05 12 23 00-0084	TON		10" x 10" Weight Range 33-77 LB/LF Structural Tubing - Square <i>For ASTM A242 Type 2 High Strength Steel, Add For Hot Dip Galvanizing, Add</i>	8,287.63 402.93 1,410.26	3,047.80
05 12 23 00-0085	TON		12" x 12" Weight Range 40-80 LB/LF Structural Tubing - Square <i>For ASTM A242 Type 2 High Strength Steel, Add For Hot Dip Galvanizing, Add</i>	8,151.36 346.85 1,213.98	3,577.20
05 12 23 00-0086	TON		14" x 14" Weight Range 57-90 LB/LF Structural Tubing - Square <i>For ASTM A242 Type 2 High Strength Steel, Add For Hot Dip Galvanizing, Add</i>	9,918.97 394.62 1,381.18	4,674.61
05 12 23 00-0087	TON		16" x 16" Weight Range 65-105 LB/LF Structural Tubing - Square <i>For ASTM A242 Type 2 High Strength Steel, Add For Hot Dip Galvanizing, Add</i>	11,538.61 402.93 1,410.26	6,095.59
05 12 23 00-0088			Structural Shapes <small>(05 12 23 00-0045)</small>		
05 12 23 00-0089	TON		Structural Shapes, Steel Angle A36 Structural Steel, Purlins And Girts (Up To 20 LB/LF) <i>For ASTM A242 Type 2 High Strength Steel, Add For Hot Dip Galvanizing, Add For >20 To 50 LB/LF, Deduct For >50 To 75 LB/LF, Deduct For >75 To 100 LB/LF, Deduct</i>	7,076.71 275.19 963.15 -889.52 -1,425.19 -1,960.87	2,291.23
05 12 23 00-0090	TON		Structural Shapes, Steel Plate A36 Structural Steel Note: Up to 21.5 LB per SF <i>For ASTM A242 Type 2 High Strength Steel, Add For Hot Dip Galvanizing, Add For >21.5 To 50 LB/LF, Deduct</i>	5,372.76 332.32 1,163.13 -598.21	916.49
05 12 23 00-0091	LB		Structural Shapes, Primed Pipe Supports (Up To 20 LB/LF)		3.10
05 12 23 00-0092	LB		Structural Shapes, Galvanized Pipe Supports		3.75
05 12 23 00-0093			Built-Up Trusses <small>(05 12 23 00-0045)</small>		
05 12 23 00-0094	TON		Up To 50 LF Span Average Weight 100 LB/LF Trusses, Built-up	5,608.38	304.78
05 12 23 00-0095	TON		>50-100 LF Span Average Weight 120 LB/LF Trusses, Built-up	5,515.81	169.25
05 12 23 00-0096	TON		>100-200 LF Span Average Weight 150 LB/LF Trusses, Built-up	4,898.60	89.60
05 12 23 00-0097	TON		>200 LF Span Average Weight 180 LB/LF Trusses, Built-up	4,763.48	84.73
05 12 23 00-0098			Masonry Plates, Filler Plates, Sole Plates And Anchor Straps <small>(05 12 23 00-0045)</small> Note: Includes shop fabrication, welds, drilling and shop primer.		
05 12 23 00-0099	SF		1/4" Masonry Plates, Filler Plates, Sole Plates And Anchor Straps	20.16	6.60
05 12 23 00-0100	SF		3/8" Masonry Plates, Filler Plates, Sole Plates And Anchor Straps	30.24	9.87
05 12 23 00-0101	SF		1/2" Masonry Plates, Filler Plates, Sole Plates And Anchor Straps	40.32	13.16
05 12 23 00-0102	SF		5/8" Masonry Plates, Filler Plates, Sole Plates And Anchor Straps	50.42	16.45
05 12 23 00-0103	SF		3/4" Masonry Plates, Filler Plates, Sole Plates And Anchor Straps	60.50	19.64
05 12 23 00-0104	SF		7/8" Masonry Plates, Filler Plates, Sole Plates And Anchor Straps	70.58	23.02
05 12 23 00-0105	SF		1" Masonry Plates, Filler Plates, Sole Plates And Anchor Straps	80.66	26.31
05 12 23 00-0106	SF		1-1/8" Masonry Plates, Filler Plates, Sole Plates And Anchor Straps	90.74	29.60
05 12 23 00-0107	SF		1-1/4" Masonry Plates, Filler Plates, Sole Plates And Anchor Straps	100.82	32.89

05	05 Metals
	05 10 Structural Metal Framing
	05 12 Structural Steel Framing



MINOR		TOTAL DIRECT		DEMOLITION
CSI	UOM	DESCRIPTION	UNIT COST	UNIT COST
05 12 23 00-0108	SF	1-3/8" Masonry Plates, Filler Plates, Sole Plates And Anchor Straps	110.90	36.18
05 12 23 00-0109	SF	1-1/2" Masonry Plates, Filler Plates, Sole Plates And Anchor Straps	120.98	39.47
05 12 23 00-0110	SF	1-5/8" Masonry Plates, Filler Plates, Sole Plates And Anchor Straps	131.07	42.76
05 12 23 00-0111	SF	1-3/4" Masonry Plates, Filler Plates, Sole Plates And Anchor Straps	141.15	46.05
05 12 23 00-0112	SF	1-7/8" Masonry Plates, Filler Plates, Sole Plates And Anchor Straps	151.24	49.34
05 12 23 00-0113	SF	2" Masonry Plates, Filler Plates, Sole Plates And Anchor Straps	161.32	52.63
05 12 23 00-0114		Accessories For Steel <small>(05 12 23)</small>		
05 12 23 00-0115		Field Painting For Touch-Up Of Shop Prime Coat <small>(05 12 23 00-0114)</small>		
05 12 23 00-0116	SF	Touch Up Paint - Type 1 Red Oxide Field Painting Prime Coat	0.94	
05 12 23 00-0117		Connection And Stiffener Plates <small>(05 12 23 00-0114)</small>		
		Note: For field fabrication of additional structural metal connections.		
05 12 23 00-0118	TON	1/8" Plate Weight 6.16 LB/SF Connection And Stiffener Plates	11,992.23	
05 12 23 00-0119	TON	3/16" Plate Weight 8.71 LB/SF Connection And Stiffener Plates	10,231.72	
05 12 23 00-0120	TON	1/4" Plate Weight 11.26 LB/SF Connection And Stiffener Plates	7,912.40	
05 12 23 00-0121	TON	5/16" Plate Weight 13.81 LB/SF Connection And Stiffener Plates	7,912.40	
05 12 23 00-0122	TON	3/8" Plate Weight 16.37 LB/SF Connection And Stiffener Plates	7,912.40	
05 12 23 00-0123	TON	1/2" Plate Weight 21.47 LB/SF Connection And Stiffener Plates	7,912.40	
05 12 23 00-0124	TON	9/16" Plate Weight 24.02 LB/SF Connection And Stiffener Plates	7,912.40	
05 12 23 00-0125	TON	5/8" Plate Weight 26.58 LB/SF Connection And Stiffener Plates	7,912.40	
05 12 23 00-0126	TON	3/4" Plate Weight 31.68 LB/SF Connection And Stiffener Plates	7,417.88	
05 12 23 00-0127	TON	7/8" Plate Weight 36.78 LB/SF Connection And Stiffener Plates	7,417.88	
05 12 23 00-0128	TON	1" Plate Weight 41.89 LB/SF Connection And Stiffener Plates	7,417.88	
05 12 23 00-0129		Field Applied Cold Galvanizing <small>(05 12 23 00-0114)</small>		
05 12 23 00-0130	SF	Brush Applied Cold Galvanizing	1.40	
05 12 23 00-0131		Metal Grinding <small>(05 12 23 00-0114)</small>		
		Note: For use to prepare existing metal for welding by removing of rust or scale and smoothing surface after torch cutting.		
05 12 23 00-0132	SI	Metal Grinding Up To 1/32" Thickness To Be Removed	0.77	
		Note: Includes rust or scale removal on metal and smoothing surface.		
05 12 23 00-0133		Structural Steel For Buildings And Structures <small>(05 12 23)</small>		
		Note: Prices by Ton (or LB) are based on ASTM A992/A36 steel with bolted standard beam connections and shop primed with red primer paint. Stock sections only. Includes shop fabrication into sub-assemblies and delivery to site, all connecting bolts, connecting welds, and crane for erection (or demolition). Excludes moment connection welding.		
05 12 23 00-0134		First Tier A992/A36 Structural Steel Columns, W Shapes <small>(05 12 23 00-0133)</small>		
		Note: With base plate. Includes material delivery and erection.		
05 12 23 00-0135	LF	W14 x 730 A992/A36 Structural Column	1,138.66	63.55
		For Hot Dip Galvanizing, Add	297.18	
		For High Strength Low Alloy A572-50 Steel, Add	102.48	
		For High Strength Low Alloy A588 Grade B Steel, Add	227.73	
05 12 23 00-0136	LF	W14 x 665 A992/A36 Structural Column	1,038.69	59.23
		For Hot Dip Galvanizing, Add	270.72	
		For High Strength Low Alloy A572-50 Steel, Add	93.48	
		For High Strength Low Alloy A588 Grade B Steel, Add	207.74	
05 12 23 00-0137	LF	W14 x 605 A992/A36 Structural Column	946.32	55.13
		For Hot Dip Galvanizing, Add	246.29	
		For High Strength Low Alloy A572-50 Steel, Add	85.17	
		For High Strength Low Alloy A588 Grade B Steel, Add	189.26	
05 12 23 00-0138	LF	W14 x 550 A992/A36 Structural Column	861.53	51.29
		For Hot Dip Galvanizing, Add	223.90	
		For High Strength Low Alloy A572-50 Steel, Add	77.54	
		For High Strength Low Alloy A588 Grade B Steel, Add	172.31	
05 12 23 00-0139	LF	W14 x 500 A992/A36 Structural Column	789.87	52.83
		For Hot Dip Galvanizing, Add	203.55	
		For High Strength Low Alloy A572-50 Steel, Add	71.09	
		For High Strength Low Alloy A588 Grade B Steel, Add	157.97	
05 12 23 00-0140	LF	W14 x 426 A992/A36 Structural Column	674.09	46.13
		For Hot Dip Galvanizing, Add	173.42	
		For High Strength Low Alloy A572-50 Steel, Add	60.67	
		For High Strength Low Alloy A588 Grade B Steel, Add	134.82	
05 12 23 00-0141	LF	W14 x 342 A992/A36 Structural Column	545.50	39.92
		For Hot Dip Galvanizing, Add	139.57	
		For High Strength Low Alloy A572-50 Steel, Add	49.10	
		For High Strength Low Alloy A588 Grade B Steel, Add	109.10	
05 12 23 00-0142	LF	W14 x 311 A992/A36 Structural Column	491.53	37.28
		For Hot Dip Galvanizing, Add	125.36	
		For High Strength Low Alloy A572-50 Steel, Add	44.24	
		For High Strength Low Alloy A588 Grade B Steel, Add	98.31	
05 12 23 00-0143	LF	W14 x 283 A992/A36 Structural Column	446.34	35.16
		For Hot Dip Galvanizing, Add	113.47	
		For High Strength Low Alloy A572-50 Steel, Add	40.17	
		For High Strength Low Alloy A588 Grade B Steel, Add	89.27	



	MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05	12	23	00-0144	LF W14 x 257 A992/A36 Structural Column..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	392.72 99.12 35.34 78.54	33.32
05	12	23	00-0145	LF W14 x 233 A992/A36 Structural Column..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	361.45 91.14 32.53 72.29	30.98
05	12	23	00-0146	LF W14 x 211 A992/A36 Structural Column..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	321.71 80.73 28.95 64.34	28.86
05	12	23	00-0147	LF W14 x 193 A992/A36 Structural Column..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	291.18 72.68 26.21 58.24	27.43
05	12	23	00-0148	LF W14 x 176 A992/A36 Structural Column..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	262.67 65.14 23.64 52.53	26.21
05	12	23	00-0149	LF W14 x 159 A992/A36 Structural Column..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	237.74 58.50 21.40 47.55	25.30
05	12	23	00-0150	LF W14 x 145 A992/A36 Structural Column..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	229.77 56.52 20.68 45.95	24.49
05	12	23	00-0151	LF W14 x 132 A992/A36 Structural Column..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	196.88 47.73 17.72 39.38	23.37
05	12	23	00-0152	LF W14 x 120 A992/A36 Structural Column..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	184.73 44.52 16.63 36.95	22.76
05	12	23	00-0153	LF W14 x 109 A992/A36 Structural Column..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	165.64 39.51 14.91 33.13	21.84
05	12	23	00-0154	LF W14 x 99 A992/A36 Structural Column..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	151.34 35.74 13.62 30.27	21.24
05	12	23	00-0155	LF W14 x 90 A992/A36 Structural Column..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	140.75 32.94 12.67 28.15	20.73
05	12	23	00-0156	LF W14 x 82 A992/A36 Structural Column..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	129.83 30.08 11.68 25.97	20.11
05	12	23	00-0157	LF W14 x 74 A992/A36 Structural Column..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	117.44 26.81 10.57 23.49	19.60
05	12	23	00-0158	LF W14 x 68 A992/A36 Structural Column..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	109.85 24.79 9.89 21.97	19.30
05	12	23	00-0159	LF W14 x 61 A992/A36 Structural Column..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	100.37 22.30 9.03 20.07	18.79
05	12	23	00-0160	LF W14 x 53 A992/A36 Structural Column..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	91.61 20.01 8.24 18.32	18.29
05	12	23	00-0161	LF W14 x 48 A992/A36 Structural Column..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	85.96 18.52 7.74 17.19	17.98
05	12	23	00-0162	LF W14 x 43 A992/A36 Structural Column..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	77.78 16.37 7.00 15.56	17.68
05	12	23	00-0163	LF W12 x 336 A992/A36 Structural Column..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	519.11 135.68 46.72 103.82	28.30
05	12	23	00-0164	LF W12 x 305 A992/A36 Structural Column..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	473.41 123.16 42.61 94.68	27.74

05 Metals

05 10 Structural Metal Framing

05 12 Structural Steel Framing



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 12 23 00-0165	LF	W12 x 279 A992/A36	Structural Column.....	435.21	27.41
			<i>For Hot Dip Galvanizing, Add</i>	112.67	
			<i>For High Strength Low Alloy A572-50 Steel, Add</i>	39.17	
			<i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	87.04	
05 12 23 00-0166	LF	W12 x 252 A992/A36	Structural Column.....	395.19	26.72
			<i>For Hot Dip Galvanizing, Add</i>	101.76	
			<i>For High Strength Low Alloy A572-50 Steel, Add</i>	35.57	
			<i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	79.04	
05 12 23 00-0167	LF	W12 x 230 A992/A36	Structural Column.....	362.76	26.33
			<i>For Hot Dip Galvanizing, Add</i>	92.88	
			<i>For High Strength Low Alloy A572-50 Steel, Add</i>	32.65	
			<i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	72.55	
05 12 23 00-0168	LF	W12 x 210 A992/A36	Structural Column.....	333.27	25.97
			<i>For Hot Dip Galvanizing, Add</i>	84.80	
			<i>For High Strength Low Alloy A572-50 Steel, Add</i>	29.99	
			<i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	66.65	
05 12 23 00-0169	LF	W12 x 190 A992/A36	Structural Column.....	306.46	28.04
			<i>For Hot Dip Galvanizing, Add</i>	76.73	
			<i>For High Strength Low Alloy A572-50 Steel, Add</i>	27.58	
			<i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	61.29	
05 12 23 00-0170	LF	W12 x 170 A992/A36	Structural Column.....	277.20	27.22
			<i>For Hot Dip Galvanizing, Add</i>	68.89	
			<i>For High Strength Low Alloy A572-50 Steel, Add</i>	24.95	
			<i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	55.44	
05 12 23 00-0171	LF	W12 x 152 A992/A36	Structural Column.....	250.00	25.30
			<i>For Hot Dip Galvanizing, Add</i>	61.90	
			<i>For High Strength Low Alloy A572-50 Steel, Add</i>	22.50	
			<i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	50.00	
05 12 23 00-0172	LF	W12 x 136 A992/A36	Structural Column.....	237.76	24.59
			<i>For Hot Dip Galvanizing, Add</i>	58.71	
			<i>For High Strength Low Alloy A572-50 Steel, Add</i>	21.40	
			<i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	47.55	
05 12 23 00-0173	LF	W12 x 120 A992/A36	Structural Column.....	180.63	22.55
			<i>For Hot Dip Galvanizing, Add</i>	43.41	
			<i>For High Strength Low Alloy A572-50 Steel, Add</i>	16.26	
			<i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	36.13	
05 12 23 00-0174	LF	W12 x 106 A992/A36	Structural Column.....	166.61	21.84
			<i>For Hot Dip Galvanizing, Add</i>	39.78	
			<i>For High Strength Low Alloy A572-50 Steel, Add</i>	14.99	
			<i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	33.32	
05 12 23 00-0175	LF	W12 x 96 A992/A36	Structural Column.....	149.29	21.13
			<i>For Hot Dip Galvanizing, Add</i>	35.20	
			<i>For High Strength Low Alloy A572-50 Steel, Add</i>	13.44	
			<i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	29.86	
05 12 23 00-0176	LF	W12 x 87 A992/A36	Structural Column.....	137.87	20.43
			<i>For Hot Dip Galvanizing, Add</i>	32.20	
			<i>For High Strength Low Alloy A572-50 Steel, Add</i>	12.41	
			<i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	27.57	
05 12 23 00-0177	LF	W12 x 79 A992/A36	Structural Column.....	121.26	19.81
			<i>For Hot Dip Galvanizing, Add</i>	27.79	
			<i>For High Strength Low Alloy A572-50 Steel, Add</i>	10.91	
			<i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	24.25	
05 12 23 00-0178	LF	W12 x 72 A992/A36	Structural Column.....	111.16	19.30
			<i>For Hot Dip Galvanizing, Add</i>	25.12	
			<i>For High Strength Low Alloy A572-50 Steel, Add</i>	10.00	
			<i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	22.23	
05 12 23 00-0179	LF	W12 x 65 A992/A36	Structural Column.....	101.79	18.89
			<i>For Hot Dip Galvanizing, Add</i>	22.67	
			<i>For High Strength Low Alloy A572-50 Steel, Add</i>	9.16	
			<i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	20.36	
05 12 23 00-0180	LF	W12 x 58 A992/A36	Structural Column.....	98.57	18.70
			<i>For Hot Dip Galvanizing, Add</i>	21.83	
			<i>For High Strength Low Alloy A572-50 Steel, Add</i>	8.87	
			<i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	19.71	
05 12 23 00-0181	LF	W12 x 53 A992/A36	Structural Column.....	91.61	18.29
			<i>For Hot Dip Galvanizing, Add</i>	20.01	
			<i>For High Strength Low Alloy A572-50 Steel, Add</i>	8.24	
			<i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	18.32	
05 12 23 00-0182	LF	W12 x 50 A992/A36	Structural Column.....	88.84	18.19
			<i>For Hot Dip Galvanizing, Add</i>	19.27	
			<i>For High Strength Low Alloy A572-50 Steel, Add</i>	8.00	
			<i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	17.77	
05 12 23 00-0183	LF	W12 x 45 A992/A36	Structural Column.....	80.90	17.78
			<i>For Hot Dip Galvanizing, Add</i>	17.18	
			<i>For High Strength Low Alloy A572-50 Steel, Add</i>	7.28	
			<i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	16.18	
05 12 23 00-0184	LF	W12 x 40 A992/A36	Structural Column.....	72.72	17.37
			<i>For Hot Dip Galvanizing, Add</i>	15.02	
			<i>For High Strength Low Alloy A572-50 Steel, Add</i>	6.54	
			<i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	14.54	
05 12 23 00-0185	LF	W10 x 112 A992/A36	Structural Column.....	174.17	22.25
			<i>For Hot Dip Galvanizing, Add</i>	41.76	
			<i>For High Strength Low Alloy A572-50 Steel, Add</i>	15.68	
			<i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	34.83	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 12 23 00-0186 LF W10 x 110 A992/A36 Structural Column..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	157.73 37.45 14.20 31.55	21.33
05 12 23 00-0187 LF W10 x 88 A992/A36 Structural Column..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	141.99 33.31 12.78 28.40	20.62
05 12 23 00-0188 LF W10 x 77 A992/A36 Structural Column..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	126.48 29.23 11.38 25.30	19.81
05 12 23 00-0189 LF W10 x 68 A992/A36 Structural Column..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	114.10 25.97 10.27 22.82	19.30
05 12 23 00-0190 LF W10 x 60 A992/A36 Structural Column..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	100.37 22.30 9.03 20.07	18.79
05 12 23 00-0191 LF W10 x 54 A992/A36 Structural Column..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	99.67 22.16 8.97 19.93	18.49
05 12 23 00-0192 LF W10 x 49 A992/A36 Structural Column..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	87.75 18.99 7.90 17.55	18.19
05 12 23 00-0193 LF W10 x 45 A992/A36 Structural Column..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	84.76 18.22 7.63 16.95	17.88
05 12 23 00-0194 LF W10 x 39 A992/A36 Structural Column..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	74.05 15.36 6.66 14.81	17.57
05 12 23 00-0195 LF W10 x 33 A992/A36 Structural Column..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	64.80 12.93 5.83 12.96	17.06
05 12 23 00-0196 LF W8 x 67 A992/A36 Structural Column..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	109.97 24.82 9.90 21.99	19.30
05 12 23 00-0197 LF W8 x 58 A992/A36 Structural Column..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	98.92 21.93 8.90 19.78	18.70
05 12 23 00-0198 LF W8 x 48 A992/A36 Structural Column..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	88.73 19.27 7.99 17.75	18.19
05 12 23 00-0199 LF W8 x 40 A992/A36 Structural Column..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	76.44 16.00 6.88 15.29	17.68
05 12 23 00-0200 LF W8 x 35 A992/A36 Structural Column..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	69.25 14.11 6.23 13.85	17.27
05 12 23 00-0201 LF W8 x 31 A992/A36 Structural Column..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	63.46 12.56 5.71 12.69	17.06
05 12 23 00-0202 LF W8 x 28 A992/A36 Structural Column..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	59.85 11.62 5.39 11.97	16.86
05 12 23 00-0203 LF W8 x 24 A992/A36 Structural Column..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	55.53 10.48 5.00 11.11	16.66
05 12 23 00-0204 LF W8 x 21 A992/A36 Structural Column..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	52.65 9.73 4.74 10.53	16.56
05 12 23 00-0205 LF W8 x 18 A992/A36 Structural Column..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	47.23 8.29 4.25 9.45	16.25
05 12 23 00-0206 LF W6 x 25 A992/A36 Structural Column..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	58.20 11.22 5.24 11.64	16.66

05	05 Metals
	05 10 Structural Metal Framing
	05 12 Structural Steel Framing



MINOR		TOTAL DIRECT	DEMOLITION
CSI	UOM DESCRIPTION	UNIT COST	UNIT COST
05 12 23 00-0207	LF W6 x 20 A992/A36 Structural Column..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	49.52 8.89 4.46 9.90	16.35
05 12 23 00-0208	LF W6 x 15 A992/A36 Structural Column..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	42.70 7.14 3.84 8.54	15.84
05 12 23 00-0209	LF W6 x 12 A992/A36 Structural Column..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	40.15 6.43 3.61 8.03	15.84
05 12 23 00-0210	LF W6 x 9 A992/A36 Structural Column..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	36.89 5.56 3.32 7.38	15.75
05 12 23 00-0211	LF W5 x 19 A992/A36 Structural Column..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	48.79 8.69 4.39 9.76	16.35
05 12 23 00-0212	LF W5 x 16 A992/A36 Structural Column..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	45.06 7.71 4.06 9.01	16.25
05 12 23 00-0213	LF W4 x 13 A992/A36 Structural Column..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	42.32 7.01 3.81 8.46	16.05
05 12 23 00-0214	A992/A36 Structural Steel Beams And Girders, W Shapes <small>(05 12 23 00-0133)</small> Note: Includes material delivery and erection.		
05 12 23 00-0215	LF W36 x 300 A992/A36 Structural Beam Or Girder..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Steel, Add</i> <i>For Each Additional Top Copes >2, Add</i> <i>For Structural Tees, WT, MT Or ST, Deduct</i> <i>For Skewed Or Sloped Connections, Add</i>	385.95 86.50 34.74 77.19 3.12 -123.95 46.31	69.60
05 12 23 00-0216	LF W36 x 280 A992/A36 Structural Beam Or Girder..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Steel, Add</i> <i>For Each Additional Top Copes >2, Add</i> <i>For Structural Tees, WT, MT Or ST, Deduct</i> <i>For Skewed Or Sloped Connections, Add</i>	372.20 80.73 33.50 74.44 2.91 -118.08 44.66	76.19
05 12 23 00-0217	LF W36 x 260 A992/A36 Structural Beam Or Girder..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Steel, Add</i> <i>For Each Additional Top Copes >2, Add</i> <i>For Structural Tees, WT, MT Or ST, Deduct</i> <i>For Skewed Or Sloped Connections, Add</i>	353.10 75.72 31.78 70.62 2.73 -111.55 42.37	75.28
05 12 23 00-0218	LF W36 x 240 A992/A36 Structural Beam Or Girder..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Steel, Add</i> <i>For Each Additional Top Copes >2, Add</i> <i>For Structural Tees, WT, MT Or ST, Deduct</i> <i>For Skewed Or Sloped Connections, Add</i>	330.66 71.90 29.76 66.13 2.59 -105.00 39.68	67.08
05 12 23 00-0219	LF W36 x 230 A992/A36 Structural Beam Or Girder..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Steel, Add</i> <i>For Each Additional Top Copes >2, Add</i> <i>For Structural Tees, WT, MT Or ST, Deduct</i> <i>For Skewed Or Sloped Connections, Add</i>	320.88 68.91 28.88 64.18 2.48 -101.42 38.51	68.03
05 12 23 00-0220	LF W36 x 210 A992/A36 Structural Beam Or Girder..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Steel, Add</i> <i>For Each Additional Top Copes >2, Add</i> <i>For Structural Tees, WT, MT Or ST, Deduct</i> <i>For Skewed Or Sloped Connections, Add</i>	304.43 62.91 27.40 60.89 2.27 -94.89 36.53	72.84
05 12 23 00-0221	LF W36 x 194 A992/A36 Structural Beam Or Girder..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Steel, Add</i> <i>For Each Additional Top Copes >2, Add</i> <i>For Structural Tees, WT, MT Or ST, Deduct</i> <i>For Skewed Or Sloped Connections, Add</i>	288.38 60.77 25.95 57.68 2.19 -90.52 34.61	65.07



Metals	05	05
Structural Metal Framing	05 10	
Structural Steel Framing	05 12	

MINOR CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 12 23 00-0222	LF	W36 x 182 A992/A36 Structural Beam Or Girder..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Steel, Add</i> <i>For Each Additional Top Copes >2, Add</i> <i>For Structural Tees, WT, MT Or ST, Deduct</i> <i>For Skewed Or Sloped Connections, Add</i>	274.33 57.01 24.69 54.87 2.05 -85.68 32.92	64.58
05 12 23 00-0223	LF	W36 x 170 A992/A36 Structural Beam Or Girder..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Steel, Add</i> <i>For Each Additional Top Copes >2, Add</i> <i>For Structural Tees, WT, MT Or ST, Deduct</i> <i>For Skewed Or Sloped Connections, Add</i>	259.98 53.25 23.40 52.00 1.92 -80.78 31.20	63.85
05 12 23 00-0224	LF	W36 x 160 A992/A36 Structural Beam Or Girder..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Steel, Add</i> <i>For Each Additional Top Copes >2, Add</i> <i>For Structural Tees, WT, MT Or ST, Deduct</i> <i>For Skewed Or Sloped Connections, Add</i>	255.77 50.12 23.02 51.15 1.81 -78.24 30.69	70.51
05 12 23 00-0225	LF	W36 x 150 A992/A36 Structural Beam Or Girder..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Steel, Add</i> <i>For Each Additional Top Copes >2, Add</i> <i>For Structural Tees, WT, MT Or ST, Deduct</i> <i>For Skewed Or Sloped Connections, Add</i>	245.81 47.49 22.12 49.16 1.71 -74.83 29.50	70.00
05 12 23 00-0226	LF	W36 x 135 A992/A36 Structural Beam Or Girder..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Steel, Add</i> <i>For Each Additional Top Copes >2, Add</i> <i>For Structural Tees, WT, MT Or ST, Deduct</i> <i>For Skewed Or Sloped Connections, Add</i>	231.87 43.82 20.87 46.37 1.58 -70.06 27.82	69.39
05 12 23 00-0227	LF	W33 x 241 A992/A36 Structural Beam Or Girder..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Steel, Add</i> <i>For Each Additional Top Copes >2, Add</i> <i>For Structural Tees, WT, MT Or ST, Deduct</i> <i>For Skewed Or Sloped Connections, Add</i>	335.16 72.53 30.16 67.03 2.61 -106.24 40.22	69.19
05 12 23 00-0228	LF	W33 x 221 A992/A36 Structural Beam Or Girder..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Steel, Add</i> <i>For Each Additional Top Copes >2, Add</i> <i>For Structural Tees, WT, MT Or ST, Deduct</i> <i>For Skewed Or Sloped Connections, Add</i>	311.67 66.51 28.05 62.33 2.40 -98.29 37.40	67.49
05 12 23 00-0229	LF	W33 x 201 A992/A36 Structural Beam Or Girder..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Steel, Add</i> <i>For Each Additional Top Copes >2, Add</i> <i>For Structural Tees, WT, MT Or ST, Deduct</i> <i>For Skewed Or Sloped Connections, Add</i>	295.19 60.49 26.57 59.04 2.18 -91.74 35.42	72.33
05 12 23 00-0230	LF	W33 x 170 A992/A36 Structural Beam Or Girder..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Steel, Add</i> <i>For Each Additional Top Copes >2, Add</i> <i>For Structural Tees, WT, MT Or ST, Deduct</i> <i>For Skewed Or Sloped Connections, Add</i>	266.48 52.95 23.98 53.30 1.91 -81.92 31.98	71.01
05 12 23 00-0231	LF	W33 x 152 A992/A36 Structural Beam Or Girder..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Steel, Add</i> <i>For Each Additional Top Copes >2, Add</i> <i>For Structural Tees, WT, MT Or ST, Deduct</i> <i>For Skewed Or Sloped Connections, Add</i>	244.25 48.94 21.98 48.85 1.76 -75.31 29.31	63.65
05 12 23 00-0232	LF	W33 x 141 A992/A36 Structural Beam Or Girder..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Steel, Add</i> <i>For Each Additional Top Copes >2, Add</i> <i>For Structural Tees, WT, MT Or ST, Deduct</i> <i>For Skewed Or Sloped Connections, Add</i>	237.88 45.40 21.41 47.58 1.64 -72.12 28.55	69.59
05 12 23 00-0233	LF	W33 x 130 A992/A36 Structural Beam Or Girder..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Steel, Add</i> <i>For Each Additional Top Copes >2, Add</i> <i>For Structural Tees, WT, MT Or ST, Deduct</i> <i>For Skewed Or Sloped Connections, Add</i>	226.58 42.44 20.39 45.32 1.53 -68.26 27.19	69.08

05	05	Metals
	05 10	Structural Metal Framing
	05 12	Structural Steel Framing



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 12 23 00-0234	LF		W33 x 118 A992/A36 Structural Beam Or Girder.....	213.47	68.47
			<i>For Hot Dip Galvanizing, Add</i>	38.97	
			<i>For High Strength Low Alloy A572-50 Steel, Add</i>	19.21	
			<i>For High Strength Low Alloy A588 Steel, Add</i>	42.69	
			<i>For Each Additional Top Copes >2, Add</i>	1.40	
			<i>For Structural Tees, WT, MT Or ST, Deduct</i>	-63.76	
			<i>For Skewed Or Sloped Connections, Add</i>	25.62	
05 12 23 00-0235	LF		W30 x 211 A992/A36 Structural Beam Or Girder.....	299.53	67.36
			<i>For Hot Dip Galvanizing, Add</i>	63.18	
			<i>For High Strength Low Alloy A572-50 Steel, Add</i>	26.96	
			<i>For High Strength Low Alloy A588 Steel, Add</i>	59.91	
			<i>For Each Additional Top Copes >2, Add</i>	2.28	
			<i>For Structural Tees, WT, MT Or ST, Deduct</i>	-94.06	
			<i>For Skewed Or Sloped Connections, Add</i>	35.94	
05 12 23 00-0236	LF		W30 x 191 A992/A36 Structural Beam Or Girder.....	282.79	71.82
			<i>For Hot Dip Galvanizing, Add</i>	57.19	
			<i>For High Strength Low Alloy A572-50 Steel, Add</i>	25.45	
			<i>For High Strength Low Alloy A588 Steel, Add</i>	56.56	
			<i>For Each Additional Top Copes >2, Add</i>	2.06	
			<i>For Structural Tees, WT, MT Or ST, Deduct</i>	-87.47	
			<i>For Skewed Or Sloped Connections, Add</i>	33.93	
05 12 23 00-0237	LF		W30 x 173 A992/A36 Structural Beam Or Girder.....	260.97	64.29
			<i>For Hot Dip Galvanizing, Add</i>	53.39	
			<i>For High Strength Low Alloy A572-50 Steel, Add</i>	23.49	
			<i>For High Strength Low Alloy A588 Steel, Add</i>	52.19	
			<i>For Each Additional Top Copes >2, Add</i>	1.92	
			<i>For Structural Tees, WT, MT Or ST, Deduct</i>	-81.05	
			<i>For Skewed Or Sloped Connections, Add</i>	31.32	
05 12 23 00-0238	LF		W30 x 154 A992/A36 Structural Beam Or Girder.....	246.03	70.10
			<i>For Hot Dip Galvanizing, Add</i>	47.52	
			<i>For High Strength Low Alloy A572-50 Steel, Add</i>	22.14	
			<i>For High Strength Low Alloy A588 Steel, Add</i>	49.21	
			<i>For Each Additional Top Copes >2, Add</i>	1.71	
			<i>For Structural Tees, WT, MT Or ST, Deduct</i>	-74.90	
			<i>For Skewed Or Sloped Connections, Add</i>	29.52	
05 12 23 00-0239	LF		W30 x 132 A992/A36 Structural Beam Or Girder.....	221.40	62.03
			<i>For Hot Dip Galvanizing, Add</i>	43.08	
			<i>For High Strength Low Alloy A572-50 Steel, Add</i>	19.93	
			<i>For High Strength Low Alloy A588 Steel, Add</i>	44.28	
			<i>For Each Additional Top Copes >2, Add</i>	1.55	
			<i>For Structural Tees, WT, MT Or ST, Deduct</i>	-67.57	
			<i>For Skewed Or Sloped Connections, Add</i>	26.57	
05 12 23 00-0240	LF		W30 x 124 A992/A36 Structural Beam Or Girder.....	211.95	62.00
			<i>For Hot Dip Galvanizing, Add</i>	40.47	
			<i>For High Strength Low Alloy A572-50 Steel, Add</i>	19.08	
			<i>For High Strength Low Alloy A588 Steel, Add</i>	42.39	
			<i>For Each Additional Top Copes >2, Add</i>	1.46	
			<i>For Structural Tees, WT, MT Or ST, Deduct</i>	-64.26	
			<i>For Skewed Or Sloped Connections, Add</i>	25.43	
05 12 23 00-0241	LF		W30 x 116 A992/A36 Structural Beam Or Girder.....	209.37	68.38
			<i>For Hot Dip Galvanizing, Add</i>	37.86	
			<i>For High Strength Low Alloy A572-50 Steel, Add</i>	18.84	
			<i>For High Strength Low Alloy A588 Steel, Add</i>	41.87	
			<i>For Each Additional Top Copes >2, Add</i>	1.36	
			<i>For Structural Tees, WT, MT Or ST, Deduct</i>	-62.34	
			<i>For Skewed Or Sloped Connections, Add</i>	25.12	
05 12 23 00-0242	LF		W30 x 108 A992/A36 Structural Beam Or Girder.....	193.31	61.57
			<i>For Hot Dip Galvanizing, Add</i>	35.43	
			<i>For High Strength Low Alloy A572-50 Steel, Add</i>	17.40	
			<i>For High Strength Low Alloy A588 Steel, Add</i>	38.66	
			<i>For Each Additional Top Copes >2, Add</i>	1.28	
			<i>For Structural Tees, WT, MT Or ST, Deduct</i>	-57.81	
			<i>For Skewed Or Sloped Connections, Add</i>	23.20	
05 12 23 00-0243	LF		W30 x 99 A992/A36 Structural Beam Or Girder.....	185.26	61.26
			<i>For Hot Dip Galvanizing, Add</i>	33.31	
			<i>For High Strength Low Alloy A572-50 Steel, Add</i>	16.67	
			<i>For High Strength Low Alloy A588 Steel, Add</i>	37.05	
			<i>For Each Additional Top Copes >2, Add</i>	1.20	
			<i>For Structural Tees, WT, MT Or ST, Deduct</i>	-55.06	
			<i>For Skewed Or Sloped Connections, Add</i>	22.23	
05 12 23 00-0244	LF		W27 x 178 A992/A36 Structural Beam Or Girder.....	291.05	75.27
			<i>For Hot Dip Galvanizing, Add</i>	58.48	
			<i>For High Strength Low Alloy A572-50 Steel, Add</i>	26.19	
			<i>For High Strength Low Alloy A588 Steel, Add</i>	58.21	
			<i>For Each Additional Top Copes >2, Add</i>	2.11	
			<i>For Structural Tees, WT, MT Or ST, Deduct</i>	-89.82	
			<i>For Skewed Or Sloped Connections, Add</i>	34.93	
05 12 23 00-0245	LF		W27 x 161 A992/A36 Structural Beam Or Girder.....	267.88	72.43
			<i>For Hot Dip Galvanizing, Add</i>	52.90	
			<i>For High Strength Low Alloy A572-50 Steel, Add</i>	24.11	
			<i>For High Strength Low Alloy A588 Steel, Add</i>	53.58	
			<i>For Each Additional Top Copes >2, Add</i>	1.91	
			<i>For Structural Tees, WT, MT Or ST, Deduct</i>	-82.17	
			<i>For Skewed Or Sloped Connections, Add</i>	32.15	



Metals	05	05
Structural Metal Framing	05 10	
Structural Steel Framing	05 12	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 12 23 00-0246 LF W27 x 146 A992/A36 Structural Beam Or Girder.....	247.39	69.87
For Hot Dip Galvanizing, Add	47.97	
For High Strength Low Alloy A572-50 Steel, Add	22.27	
For High Strength Low Alloy A588 Steel, Add	49.48	
For Each Additional Top Copes >2, Add	1.73	
For Structural Tees, WT, MT Or ST, Deduct	-75.41	
For Skewed Or Sloped Connections, Add	29.69	
05 12 23 00-0247 LF W27 x 114 A992/A36 Structural Beam Or Girder.....	196.88	58.04
For Hot Dip Galvanizing, Add	37.45	
For High Strength Low Alloy A572-50 Steel, Add	17.72	
For High Strength Low Alloy A588 Steel, Add	39.38	
For Each Additional Top Copes >2, Add	1.35	
For Structural Tees, WT, MT Or ST, Deduct	-59.62	
For Skewed Or Sloped Connections, Add	23.63	
05 12 23 00-0248 LF W27 x 102 A992/A36 Structural Beam Or Girder.....	186.09	61.26
For Hot Dip Galvanizing, Add	33.51	
For High Strength Low Alloy A572-50 Steel, Add	16.75	
For High Strength Low Alloy A588 Steel, Add	37.22	
For Each Additional Top Copes >2, Add	1.21	
For Structural Tees, WT, MT Or ST, Deduct	-55.33	
For Skewed Or Sloped Connections, Add	22.33	
05 12 23 00-0249 LF W27 x 94 A992/A36 Structural Beam Or Girder.....	178.52	60.86
For Hot Dip Galvanizing, Add	31.52	
For High Strength Low Alloy A572-50 Steel, Add	16.07	
For High Strength Low Alloy A588 Steel, Add	35.70	
For Each Additional Top Copes >2, Add	1.14	
For Structural Tees, WT, MT Or ST, Deduct	-52.74	
For Skewed Or Sloped Connections, Add	21.42	
05 12 23 00-0250 LF W27 x 84 A992/A36 Structural Beam Or Girder.....	169.28	60.45
For Hot Dip Galvanizing, Add	29.10	
For High Strength Low Alloy A572-50 Steel, Add	15.24	
For High Strength Low Alloy A588 Steel, Add	33.86	
For Each Additional Top Copes >2, Add	1.05	
For Structural Tees, WT, MT Or ST, Deduct	-49.59	
For Skewed Or Sloped Connections, Add	20.31	
05 12 23 00-0251 LF W24 x 162 A992/A36 Structural Beam Or Girder.....	257.93	69.44
For Hot Dip Galvanizing, Add	51.02	
For High Strength Low Alloy A572-50 Steel, Add	23.21	
For High Strength Low Alloy A588 Steel, Add	51.59	
For Each Additional Top Copes >2, Add	1.84	
For Structural Tees, WT, MT Or ST, Deduct	-79.17	
For Skewed Or Sloped Connections, Add	30.95	
05 12 23 00-0252 LF W24 x 146 A992/A36 Structural Beam Or Girder.....	236.72	66.57
For Hot Dip Galvanizing, Add	45.98	
For High Strength Low Alloy A572-50 Steel, Add	21.30	
For High Strength Low Alloy A588 Steel, Add	47.34	
For Each Additional Top Copes >2, Add	1.66	
For Structural Tees, WT, MT Or ST, Deduct	-72.20	
For Skewed Or Sloped Connections, Add	28.41	
05 12 23 00-0253 LF W24 x 131 A992/A36 Structural Beam Or Girder.....	216.46	63.55
For Hot Dip Galvanizing, Add	41.26	
For High Strength Low Alloy A572-50 Steel, Add	19.48	
For High Strength Low Alloy A588 Steel, Add	43.29	
For Each Additional Top Copes >2, Add	1.49	
For Structural Tees, WT, MT Or ST, Deduct	-65.59	
For Skewed Or Sloped Connections, Add	25.98	
05 12 23 00-0254 LF W24 x 117 A992/A36 Structural Beam Or Girder.....	197.19	60.38
For Hot Dip Galvanizing, Add	36.85	
For High Strength Low Alloy A572-50 Steel, Add	17.75	
For High Strength Low Alloy A588 Steel, Add	39.44	
For Each Additional Top Copes >2, Add	1.33	
For Structural Tees, WT, MT Or ST, Deduct	-59.36	
For Skewed Or Sloped Connections, Add	23.66	
05 12 23 00-0255 LF W24 x 104 A992/A36 Structural Beam Or Girder.....	178.94	57.10
For Hot Dip Galvanizing, Add	32.76	
For High Strength Low Alloy A572-50 Steel, Add	16.10	
For High Strength Low Alloy A588 Steel, Add	35.79	
For Each Additional Top Copes >2, Add	1.18	
For Structural Tees, WT, MT Or ST, Deduct	-53.49	
For Skewed Or Sloped Connections, Add	21.47	
05 12 23 00-0256 LF W24 x 94 A992/A36 Structural Beam Or Girder.....	171.61	60.86
For Hot Dip Galvanizing, Add	29.61	
For High Strength Low Alloy A572-50 Steel, Add	15.44	
For High Strength Low Alloy A588 Steel, Add	34.32	
For Each Additional Top Copes >2, Add	1.07	
For Structural Tees, WT, MT Or ST, Deduct	-50.33	
For Skewed Or Sloped Connections, Add	20.59	
05 12 23 00-0257 LF W24 x 84 A992/A36 Structural Beam Or Girder.....	156.15	53.95
For Hot Dip Galvanizing, Add	27.35	
For High Strength Low Alloy A572-50 Steel, Add	14.05	
For High Strength Low Alloy A588 Steel, Add	31.23	
For Each Additional Top Copes >2, Add	0.99	
For Structural Tees, WT, MT Or ST, Deduct	-46.01	
For Skewed Or Sloped Connections, Add	18.74	

05	05	Metals
	05 10	Structural Metal Framing
	05 12	Structural Steel Framing



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 12 23	00-0258	LF	W24 x 76 A992/A36 Structural Beam Or Girder.....	149.07	53.54
			<i>For Hot Dip Galvanizing, Add</i>	25.50	
			<i>For High Strength Low Alloy A572-50 Steel, Add</i>	13.42	
			<i>For High Strength Low Alloy A588 Steel, Add</i>	29.81	
			<i>For Each Additional Top Copes >2, Add</i>	0.92	
			<i>For Structural Tees, WT, MT Or ST, Deduct</i>	-43.60	
			<i>For Skewed Or Sloped Connections, Add</i>	17.89	
05 12 23	00-0259	LF	W24 x 68 A992/A36 Structural Beam Or Girder.....	140.17	53.24
			<i>For Hot Dip Galvanizing, Add</i>	23.14	
			<i>For High Strength Low Alloy A572-50 Steel, Add</i>	12.62	
			<i>For High Strength Low Alloy A588 Steel, Add</i>	28.03	
			<i>For Each Additional Top Copes >2, Add</i>	0.83	
			<i>For Structural Tees, WT, MT Or ST, Deduct</i>	-40.54	
			<i>For Skewed Or Sloped Connections, Add</i>	16.82	
05 12 23	00-0260	LF	W24 x 62 A992/A36 Structural Beam Or Girder.....	135.50	52.93
			<i>For Hot Dip Galvanizing, Add</i>	21.93	
			<i>For High Strength Low Alloy A572-50 Steel, Add</i>	12.20	
			<i>For High Strength Low Alloy A588 Steel, Add</i>	27.10	
			<i>For Each Additional Top Copes >2, Add</i>	0.79	
			<i>For Structural Tees, WT, MT Or ST, Deduct</i>	-38.95	
			<i>For Skewed Or Sloped Connections, Add</i>	16.26	
05 12 23	00-0261	LF	W24 x 55 A992/A36 Structural Beam Or Girder.....	129.11	52.73
			<i>For Hot Dip Galvanizing, Add</i>	20.24	
			<i>For High Strength Low Alloy A572-50 Steel, Add</i>	11.62	
			<i>For High Strength Low Alloy A588 Steel, Add</i>	25.82	
			<i>For Each Additional Top Copes >2, Add</i>	0.73	
			<i>For Structural Tees, WT, MT Or ST, Deduct</i>	-36.76	
			<i>For Skewed Or Sloped Connections, Add</i>	15.49	
05 12 23	00-0262	LF	W21 x 147 A992/A36 Structural Beam Or Girder.....	224.76	57.11
			<i>For Hot Dip Galvanizing, Add</i>	45.47	
			<i>For High Strength Low Alloy A572-50 Steel, Add</i>	20.23	
			<i>For High Strength Low Alloy A588 Steel, Add</i>	44.95	
			<i>For Each Additional Top Copes >2, Add</i>	1.64	
			<i>For Structural Tees, WT, MT Or ST, Deduct</i>	-69.53	
			<i>For Skewed Or Sloped Connections, Add</i>	26.97	
05 12 23	00-0263	LF	W21 x 132 A992/A36 Structural Beam Or Girder.....	205.31	54.56
			<i>For Hot Dip Galvanizing, Add</i>	40.83	
			<i>For High Strength Low Alloy A572-50 Steel, Add</i>	18.48	
			<i>For High Strength Low Alloy A588 Steel, Add</i>	41.06	
			<i>For Each Additional Top Copes >2, Add</i>	1.47	
			<i>For Structural Tees, WT, MT Or ST, Deduct</i>	-63.13	
			<i>For Skewed Or Sloped Connections, Add</i>	24.64	
05 12 23	00-0264	LF	W21 x 122 A992/A36 Structural Beam Or Girder.....	193.19	53.65
			<i>For Hot Dip Galvanizing, Add</i>	37.73	
			<i>For High Strength Low Alloy A572-50 Steel, Add</i>	17.39	
			<i>For High Strength Low Alloy A588 Steel, Add</i>	38.64	
			<i>For Each Additional Top Copes >2, Add</i>	1.36	
			<i>For Structural Tees, WT, MT Or ST, Deduct</i>	-59.03	
			<i>For Skewed Or Sloped Connections, Add</i>	23.18	
05 12 23	00-0265	LF	W21 x 111 A992/A36 Structural Beam Or Girder.....	179.10	51.92
			<i>For Hot Dip Galvanizing, Add</i>	34.33	
			<i>For High Strength Low Alloy A572-50 Steel, Add</i>	16.12	
			<i>For High Strength Low Alloy A588 Steel, Add</i>	35.82	
			<i>For Each Additional Top Copes >2, Add</i>	1.24	
			<i>For Structural Tees, WT, MT Or ST, Deduct</i>	-54.38	
			<i>For Skewed Or Sloped Connections, Add</i>	21.49	
05 12 23	00-0266	LF	W21 x 101 A992/A36 Structural Beam Or Girder.....	166.18	50.27
			<i>For Hot Dip Galvanizing, Add</i>	31.24	
			<i>For High Strength Low Alloy A572-50 Steel, Add</i>	14.96	
			<i>For High Strength Low Alloy A588 Steel, Add</i>	33.24	
			<i>For Each Additional Top Copes >2, Add</i>	1.13	
			<i>For Structural Tees, WT, MT Or ST, Deduct</i>	-50.12	
			<i>For Skewed Or Sloped Connections, Add</i>	19.94	
05 12 23	00-0267	LF	W21 x 93 A992/A36 Structural Beam Or Girder.....	161.86	54.56
			<i>For Hot Dip Galvanizing, Add</i>	28.76	
			<i>For High Strength Low Alloy A572-50 Steel, Add</i>	14.57	
			<i>For High Strength Low Alloy A588 Steel, Add</i>	32.37	
			<i>For Each Additional Top Copes >2, Add</i>	1.04	
			<i>For Structural Tees, WT, MT Or ST, Deduct</i>	-47.92	
			<i>For Skewed Or Sloped Connections, Add</i>	19.42	
05 12 23	00-0268	LF	W21 x 83 A992/A36 Structural Beam Or Girder.....	153.48	53.95
			<i>For Hot Dip Galvanizing, Add</i>	26.61	
			<i>For High Strength Low Alloy A572-50 Steel, Add</i>	13.81	
			<i>For High Strength Low Alloy A588 Steel, Add</i>	30.70	
			<i>For Each Additional Top Copes >2, Add</i>	0.96	
			<i>For Structural Tees, WT, MT Or ST, Deduct</i>	-45.08	
			<i>For Skewed Or Sloped Connections, Add</i>	18.42	
05 12 23	00-0269	LF	W21 x 73 A992/A36 Structural Beam Or Girder.....	143.26	53.54
			<i>For Hot Dip Galvanizing, Add</i>	23.91	
			<i>For High Strength Low Alloy A572-50 Steel, Add</i>	12.89	
			<i>For High Strength Low Alloy A588 Steel, Add</i>	28.65	
			<i>For Each Additional Top Copes >2, Add</i>	0.86	
			<i>For Structural Tees, WT, MT Or ST, Deduct</i>	-41.58	
			<i>For Skewed Or Sloped Connections, Add</i>	17.19	



	Metals	05
	Structural Metal Framing	05 10
	Structural Steel Framing	05 12

05

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 12 23	00-0270	LF	W21 x 68 A992/A36 Structural Beam Or Girder..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Steel, Add</i> <i>For Each Additional Top Copes >2, Add</i> <i>For Structural Tees, WT, MT Or ST, Deduct</i> <i>For Skewed Or Sloped Connections, Add</i>	138.11 22.57 12.43 27.62 0.81 -39.82 16.57	53.24
05 12 23	00-0271	LF	W21 x 62 A992/A36 Structural Beam Or Girder..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Steel, Add</i> <i>For Each Additional Top Copes >2, Add</i> <i>For Structural Tees, WT, MT Or ST, Deduct</i> <i>For Skewed Or Sloped Connections, Add</i>	133.44 21.35 12.01 26.69 0.77 -38.23 16.01	52.93
05 12 23	00-0272	LF	W21 x 57 A992/A36 Structural Beam Or Girder..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Steel, Add</i> <i>For Each Additional Top Copes >2, Add</i> <i>For Structural Tees, WT, MT Or ST, Deduct</i> <i>For Skewed Or Sloped Connections, Add</i>	129.23 20.24 11.63 25.85 0.73 -36.79 15.51	52.83
05 12 23	00-0273	LF	W21 x 50 A992/A36 Structural Beam Or Girder..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Steel, Add</i> <i>For Each Additional Top Copes >2, Add</i> <i>For Structural Tees, WT, MT Or ST, Deduct</i> <i>For Skewed Or Sloped Connections, Add</i>	114.39 18.15 10.30 22.88 0.65 -32.69 13.73	45.82
05 12 23	00-0274	LF	W21 x 44 A992/A36 Structural Beam Or Girder..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Steel, Add</i> <i>For Each Additional Top Copes >2, Add</i> <i>For Structural Tees, WT, MT Or ST, Deduct</i> <i>For Skewed Or Sloped Connections, Add</i>	109.48 16.87 9.85 21.90 0.61 -31.02 13.14	45.62
05 12 23	00-0275	LF	W18 x 119 A992/A36 Structural Beam Or Girder..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Steel, Add</i> <i>For Each Additional Top Copes >2, Add</i> <i>For Structural Tees, WT, MT Or ST, Deduct</i> <i>For Skewed Or Sloped Connections, Add</i>	188.21 36.40 16.94 37.64 1.31 -57.32 22.59	53.45
05 12 23	00-0276	LF	W18 x 106 A992/A36 Structural Beam Or Girder..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Steel, Add</i> <i>For Each Additional Top Copes >2, Add</i> <i>For Structural Tees, WT, MT Or ST, Deduct</i> <i>For Skewed Or Sloped Connections, Add</i>	170.89 32.43 15.38 34.18 1.17 -51.71 20.51	50.67
05 12 23	00-0277	LF	W18 x 97 A992/A36 Structural Beam Or Girder..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Steel, Add</i> <i>For Each Additional Top Copes >2, Add</i> <i>For Structural Tees, WT, MT Or ST, Deduct</i> <i>For Skewed Or Sloped Connections, Add</i>	165.25 29.67 14.87 33.05 1.07 -49.09 19.83	54.56
05 12 23	00-0278	LF	W18 x 86 A992/A36 Structural Beam Or Girder..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Steel, Add</i> <i>For Each Additional Top Copes >2, Add</i> <i>For Structural Tees, WT, MT Or ST, Deduct</i> <i>For Skewed Or Sloped Connections, Add</i>	155.65 27.18 14.01 31.13 0.98 -45.82 18.68	54.05
05 12 23	00-0279	LF	W18 x 76 A992/A36 Structural Beam Or Girder..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Steel, Add</i> <i>For Each Additional Top Copes >2, Add</i> <i>For Structural Tees, WT, MT Or ST, Deduct</i> <i>For Skewed Or Sloped Connections, Add</i>	147.01 24.93 13.23 29.40 0.90 -42.88 17.64	53.54
05 12 23	00-0280	LF	W18 x 71 A992/A36 Structural Beam Or Girder..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Steel, Add</i> <i>For Each Additional Top Copes >2, Add</i> <i>For Structural Tees, WT, MT Or ST, Deduct</i> <i>For Skewed Or Sloped Connections, Add</i>	140.75 23.24 12.67 28.15 0.84 -40.71 16.89	53.44
05 12 23	00-0281	LF	W18 x 65 A992/A36 Structural Beam Or Girder..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Steel, Add</i> <i>For Each Additional Top Copes >2, Add</i> <i>For Structural Tees, WT, MT Or ST, Deduct</i> <i>For Skewed Or Sloped Connections, Add</i>	134.60 21.62 12.11 26.92 0.78 -38.61 16.15	53.24

05	05	Metals
	05 10	Structural Metal Framing
	05 12	Structural Steel Framing



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 12 23 00-0282 LF W18 x 60 A992/A36 Structural Beam Or Girder.....	129.08	52.83
For Hot Dip Galvanizing, Add	20.17	
For High Strength Low Alloy A572-50 Steel, Add	11.62	
For High Strength Low Alloy A588 Steel, Add	25.82	
For Each Additional Top Copes >2, Add	0.73	
For Structural Tees, WT, MT Or ST, Deduct	-36.72	
For Skewed Or Sloped Connections, Add	15.49	
05 12 23 00-0283 LF W18 x 55 A992/A36 Structural Beam Or Girder.....	123.53	52.73
For Hot Dip Galvanizing, Add	18.69	
For High Strength Low Alloy A572-50 Steel, Add	11.12	
For High Strength Low Alloy A588 Steel, Add	24.71	
For Each Additional Top Copes >2, Add	0.67	
For Structural Tees, WT, MT Or ST, Deduct	-34.81	
For Skewed Or Sloped Connections, Add	14.82	
05 12 23 00-0284 LF W18 x 50 A992/A36 Structural Beam Or Girder.....	110.99	45.82
For Hot Dip Galvanizing, Add	17.21	
For High Strength Low Alloy A572-50 Steel, Add	9.99	
For High Strength Low Alloy A588 Steel, Add	22.20	
For Each Additional Top Copes >2, Add	0.62	
For Structural Tees, WT, MT Or ST, Deduct	-31.50	
For Skewed Or Sloped Connections, Add	13.32	
05 12 23 00-0285 LF W18 x 46 A992/A36 Structural Beam Or Girder.....	106.66	45.71
For Hot Dip Galvanizing, Add	16.07	
For High Strength Low Alloy A572-50 Steel, Add	9.60	
For High Strength Low Alloy A588 Steel, Add	21.33	
For Each Additional Top Copes >2, Add	0.58	
For Structural Tees, WT, MT Or ST, Deduct	-30.02	
For Skewed Or Sloped Connections, Add	12.80	
05 12 23 00-0286 LF W18 x 40 A992/A36 Structural Beam Or Girder.....	93.11	39.01
For Hot Dip Galvanizing, Add	14.28	
For High Strength Low Alloy A572-50 Steel, Add	8.38	
For High Strength Low Alloy A588 Steel, Add	18.62	
For Each Additional Top Copes >2, Add	0.51	
For Structural Tees, WT, MT Or ST, Deduct	-26.34	
For Skewed Or Sloped Connections, Add	11.17	
05 12 23 00-0287 LF W18 x 35 A992/A36 Structural Beam Or Girder.....	87.69	38.91
For Hot Dip Galvanizing, Add	12.83	
For High Strength Low Alloy A572-50 Steel, Add	7.89	
For High Strength Low Alloy A588 Steel, Add	17.54	
For Each Additional Top Copes >2, Add	0.46	
For Structural Tees, WT, MT Or ST, Deduct	-24.47	
For Skewed Or Sloped Connections, Add	10.52	
05 12 23 00-0288 LF W16 x 100 A992/A36 Structural Beam Or Girder.....	152.73	35.46
For Hot Dip Galvanizing, Add	31.90	
For High Strength Low Alloy A572-50 Steel, Add	13.75	
For High Strength Low Alloy A588 Steel, Add	30.55	
For Each Additional Top Copes >2, Add	1.15	
For Structural Tees, WT, MT Or ST, Deduct	-47.79	
For Skewed Or Sloped Connections, Add	18.33	
05 12 23 00-0289 LF W16 x 89 A992/A36 Structural Beam Or Girder.....	140.48	34.84
For Hot Dip Galvanizing, Add	28.66	
For High Strength Low Alloy A572-50 Steel, Add	12.64	
For High Strength Low Alloy A588 Steel, Add	28.10	
For Each Additional Top Copes >2, Add	1.03	
For Structural Tees, WT, MT Or ST, Deduct	-43.59	
For Skewed Or Sloped Connections, Add	16.86	
05 12 23 00-0290 LF W16 x 77 A992/A36 Structural Beam Or Girder.....	127.35	34.44
For Hot Dip Galvanizing, Add	25.16	
For High Strength Low Alloy A572-50 Steel, Add	11.46	
For High Strength Low Alloy A588 Steel, Add	25.47	
For Each Additional Top Copes >2, Add	0.91	
For Structural Tees, WT, MT Or ST, Deduct	-39.07	
For Skewed Or Sloped Connections, Add	15.28	
05 12 23 00-0291 LF W16 x 67 A992/A36 Structural Beam Or Girder.....	116.15	33.93
For Hot Dip Galvanizing, Add	22.19	
For High Strength Low Alloy A572-50 Steel, Add	10.45	
For High Strength Low Alloy A588 Steel, Add	23.23	
For Each Additional Top Copes >2, Add	0.80	
For Structural Tees, WT, MT Or ST, Deduct	-35.23	
For Skewed Or Sloped Connections, Add	13.94	
05 12 23 00-0292 LF W16 x 57 A992/A36 Structural Beam Or Girder.....	105.09	33.43
For Hot Dip Galvanizing, Add	19.27	
For High Strength Low Alloy A572-50 Steel, Add	9.46	
For High Strength Low Alloy A588 Steel, Add	21.02	
For Each Additional Top Copes >2, Add	0.69	
For Structural Tees, WT, MT Or ST, Deduct	-31.43	
For Skewed Or Sloped Connections, Add	12.61	
05 12 23 00-0293 LF W16 x 50 A992/A36 Structural Beam Or Girder.....	97.37	33.12
For Hot Dip Galvanizing, Add	17.21	
For High Strength Low Alloy A572-50 Steel, Add	8.76	
For High Strength Low Alloy A588 Steel, Add	19.47	
For Each Additional Top Copes >2, Add	0.62	
For Structural Tees, WT, MT Or ST, Deduct	-28.78	
For Skewed Or Sloped Connections, Add	11.68	



	Metals	05
	Structural Metal Framing	05 10
	Structural Steel Framing	05 12

05

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 12 23	00-0294	LF	W16 x 45 A992/A36 Structural Beam Or Girder..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Steel, Add</i> <i>For Each Additional Top Copes >2, Add</i> <i>For Structural Tees, WT, MT Or ST, Deduct</i> <i>For Skewed Or Sloped Connections, Add</i>	91.95 15.76 8.28 18.39 0.57 -26.91 11.03	32.92
05 12 23	00-0295	LF	W16 x 40 A992/A36 Structural Beam Or Girder..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Steel, Add</i> <i>For Each Additional Top Copes >2, Add</i> <i>For Structural Tees, WT, MT Or ST, Deduct</i> <i>For Skewed Or Sloped Connections, Add</i>	86.30 14.28 7.77 17.26 0.51 -24.98 10.36	32.62
05 12 23	00-0296	LF	W16 x 36 A992/A36 Structural Beam Or Girder..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Steel, Add</i> <i>For Each Additional Top Copes >2, Add</i> <i>For Structural Tees, WT, MT Or ST, Deduct</i> <i>For Skewed Or Sloped Connections, Add</i>	81.88 13.14 7.37 16.38 0.47 -23.48 9.83	32.41
05 12 23	00-0297	LF	W16 x 31 A992/A36 Structural Beam Or Girder..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Steel, Add</i> <i>For Each Additional Top Copes >2, Add</i> <i>For Structural Tees, WT, MT Or ST, Deduct</i> <i>For Skewed Or Sloped Connections, Add</i>	69.53 11.65 6.26 13.91 0.42 -20.20 8.34	25.81
05 12 23	00-0298	LF	W16 x 26 A992/A36 Structural Beam Or Girder..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Steel, Add</i> <i>For Each Additional Top Copes >2, Add</i> <i>For Structural Tees, WT, MT Or ST, Deduct</i> <i>For Skewed Or Sloped Connections, Add</i>	62.43 9.77 5.62 12.49 0.35 -17.77 7.49	25.50
05 12 23	00-0299	LF	W14 x 99 A992/A36 Structural Beam Or Girder..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Steel, Add</i> <i>For Each Additional Top Copes >2, Add</i> <i>For Structural Tees, WT, MT Or ST, Deduct</i> <i>For Skewed Or Sloped Connections, Add</i>	144.83 31.59 13.03 28.97 1.14 -46.04 17.38	29.06
05 12 23	00-0300	LF	W14 x 90 A992/A36 Structural Beam Or Girder..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Steel, Add</i> <i>For Each Additional Top Copes >2, Add</i> <i>For Structural Tees, WT, MT Or ST, Deduct</i> <i>For Skewed Or Sloped Connections, Add</i>	134.85 28.97 12.14 26.97 1.04 -42.63 16.18	28.55
05 12 23	00-0301	LF	W14 x 82 A992/A36 Structural Beam Or Girder..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Steel, Add</i> <i>For Each Additional Top Copes >2, Add</i> <i>For Structural Tees, WT, MT Or ST, Deduct</i> <i>For Skewed Or Sloped Connections, Add</i>	125.96 26.61 11.34 25.19 0.96 -39.57 15.12	28.24
05 12 23	00-0302	LF	W14 x 74 A992/A36 Structural Beam Or Girder..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Steel, Add</i> <i>For Each Additional Top Copes >2, Add</i> <i>For Structural Tees, WT, MT Or ST, Deduct</i> <i>For Skewed Or Sloped Connections, Add</i>	117.07 24.25 10.54 23.41 0.87 -36.52 14.05	27.84
05 12 23	00-0303	LF	W14 x 68 A992/A36 Structural Beam Or Girder..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Steel, Add</i> <i>For Each Additional Top Copes >2, Add</i> <i>For Structural Tees, WT, MT Or ST, Deduct</i> <i>For Skewed Or Sloped Connections, Add</i>	110.44 22.50 9.94 22.09 0.81 -34.25 13.25	27.54
05 12 23	00-0304	LF	W14 x 61 A992/A36 Structural Beam Or Girder..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Steel, Add</i> <i>For Each Additional Top Copes >2, Add</i> <i>For Structural Tees, WT, MT Or ST, Deduct</i> <i>For Skewed Or Sloped Connections, Add</i>	102.73 20.44 9.25 20.55 0.74 -31.60 12.33	27.22
05 12 23	00-0305	LF	W14 x 53 A992/A36 Structural Beam Or Girder..... <i>For Hot Dip Galvanizing, Add</i> <i>For High Strength Low Alloy A572-50 Steel, Add</i> <i>For High Strength Low Alloy A588 Steel, Add</i> <i>For Each Additional Top Copes >2, Add</i> <i>For Structural Tees, WT, MT Or ST, Deduct</i> <i>For Skewed Or Sloped Connections, Add</i>	93.95 18.12 8.46 18.79 0.65 -28.59 11.27	26.82

05	05	Metals
	05 10	Structural Metal Framing
	05 12	Structural Steel Framing



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 12 23 00-0306 LF W14 x 48 A992/A36 Structural Beam Or Girder.....	88.31	26.52
For Hot Dip Galvanizing, Add	16.64	
For High Strength Low Alloy A572-50 Steel, Add	7.95	
For High Strength Low Alloy A588 Steel, Add	17.66	
For Each Additional Top Copes >2, Add	0.60	
For Structural Tees, WT, MT Or ST, Deduct	-26.66	
For Skewed Or Sloped Connections, Add	10.60	
05 12 23 00-0307 LF W14 x 43 A992/A36 Structural Beam Or Girder.....	82.76	26.41
For Hot Dip Galvanizing, Add	15.16	
For High Strength Low Alloy A572-50 Steel, Add	7.45	
For High Strength Low Alloy A588 Steel, Add	16.55	
For Each Additional Top Copes >2, Add	0.55	
For Structural Tees, WT, MT Or ST, Deduct	-24.75	
For Skewed Or Sloped Connections, Add	9.93	
05 12 23 00-0308 LF W14 x 38 A992/A36 Structural Beam Or Girder.....	77.24	26.21
For Hot Dip Galvanizing, Add	13.71	
For High Strength Low Alloy A572-50 Steel, Add	6.95	
For High Strength Low Alloy A588 Steel, Add	15.45	
For Each Additional Top Copes >2, Add	0.49	
For Structural Tees, WT, MT Or ST, Deduct	-22.86	
For Skewed Or Sloped Connections, Add	9.27	
05 12 23 00-0309 LF W14 x 34 A992/A36 Structural Beam Or Girder.....	72.78	25.91
For Hot Dip Galvanizing, Add	12.53	
For High Strength Low Alloy A572-50 Steel, Add	6.55	
For High Strength Low Alloy A588 Steel, Add	14.56	
For Each Additional Top Copes >2, Add	0.45	
For Structural Tees, WT, MT Or ST, Deduct	-21.33	
For Skewed Or Sloped Connections, Add	8.73	
05 12 23 00-0310 LF W14 x 30 A992/A36 Structural Beam Or Girder.....	68.33	25.81
For Hot Dip Galvanizing, Add	11.35	
For High Strength Low Alloy A572-50 Steel, Add	6.15	
For High Strength Low Alloy A588 Steel, Add	13.67	
For Each Additional Top Copes >2, Add	0.41	
For Structural Tees, WT, MT Or ST, Deduct	-19.80	
For Skewed Or Sloped Connections, Add	8.20	
05 12 23 00-0311 LF W14 x 26 A992/A36 Structural Beam Or Girder.....	63.87	25.50
For Hot Dip Galvanizing, Add	10.17	
For High Strength Low Alloy A572-50 Steel, Add	5.75	
For High Strength Low Alloy A588 Steel, Add	12.77	
For Each Additional Top Copes >2, Add	0.37	
For Structural Tees, WT, MT Or ST, Deduct	-18.27	
For Skewed Or Sloped Connections, Add	7.66	
05 12 23 00-0312 LF W14 x 22 A992/A36 Structural Beam Or Girder.....	59.56	25.40
For Hot Dip Galvanizing, Add	9.03	
For High Strength Low Alloy A572-50 Steel, Add	5.36	
For High Strength Low Alloy A588 Steel, Add	11.91	
For Each Additional Top Copes >2, Add	0.33	
For Structural Tees, WT, MT Or ST, Deduct	-16.79	
For Skewed Or Sloped Connections, Add	7.15	
05 12 23 00-0313 LF W12 x 87 A992/A36 Structural Beam Or Girder.....	131.60	28.44
For Hot Dip Galvanizing, Add	28.09	
For High Strength Low Alloy A572-50 Steel, Add	11.84	
For High Strength Low Alloy A588 Steel, Add	26.32	
For Each Additional Top Copes >2, Add	1.01	
For Structural Tees, WT, MT Or ST, Deduct	-41.50	
For Skewed Or Sloped Connections, Add	15.79	
05 12 23 00-0314 LF W12 x 79 A992/A36 Structural Beam Or Girder.....	122.70	28.04
For Hot Dip Galvanizing, Add	25.73	
For High Strength Low Alloy A572-50 Steel, Add	11.04	
For High Strength Low Alloy A588 Steel, Add	24.54	
For Each Additional Top Copes >2, Add	0.93	
For Structural Tees, WT, MT Or ST, Deduct	-38.45	
For Skewed Or Sloped Connections, Add	14.72	
05 12 23 00-0315 LF W12 x 72 A992/A36 Structural Beam Or Girder.....	114.89	27.73
For Hot Dip Galvanizing, Add	23.68	
For High Strength Low Alloy A572-50 Steel, Add	10.34	
For High Strength Low Alloy A588 Steel, Add	22.98	
For Each Additional Top Copes >2, Add	0.85	
For Structural Tees, WT, MT Or ST, Deduct	-35.78	
For Skewed Or Sloped Connections, Add	13.79	
05 12 23 00-0316 LF W12 x 65 A992/A36 Structural Beam Or Girder.....	107.18	27.43
For Hot Dip Galvanizing, Add	21.62	
For High Strength Low Alloy A572-50 Steel, Add	9.65	
For High Strength Low Alloy A588 Steel, Add	21.44	
For Each Additional Top Copes >2, Add	0.78	
For Structural Tees, WT, MT Or ST, Deduct	-33.12	
For Skewed Or Sloped Connections, Add	12.86	
05 12 23 00-0317 LF W12 x 58 A992/A36 Structural Beam Or Girder.....	99.38	27.03
For Hot Dip Galvanizing, Add	19.57	
For High Strength Low Alloy A572-50 Steel, Add	8.94	
For High Strength Low Alloy A588 Steel, Add	19.88	
For Each Additional Top Copes >2, Add	0.71	
For Structural Tees, WT, MT Or ST, Deduct	-30.45	
For Skewed Or Sloped Connections, Add	11.93	



	Metals	05
	Structural Metal Framing	05 10
	Structural Steel Framing	05 12

05

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 12 23 00-0318	LF		W12 x 53 A992/A36 Structural Beam Or Girder.....	93.95	26.82
			<i>For Hot Dip Galvanizing, Add</i>	18.12	
			<i>For High Strength Low Alloy A572-50 Steel, Add</i>	8.46	
			<i>For High Strength Low Alloy A588 Steel, Add</i>	18.79	
			<i>For Each Additional Top Copes >2, Add</i>	0.65	
			<i>For Structural Tees, WT, MT Or ST, Deduct</i>	-28.59	
			<i>For Skewed Or Sloped Connections, Add</i>	11.27	
05 12 23 00-0319	LF		W12 x 50 A992/A36 Structural Beam Or Girder.....	90.46	26.72
			<i>For Hot Dip Galvanizing, Add</i>	17.21	
			<i>For High Strength Low Alloy A572-50 Steel, Add</i>	8.14	
			<i>For High Strength Low Alloy A588 Steel, Add</i>	18.09	
			<i>For Each Additional Top Copes >2, Add</i>	0.62	
			<i>For Structural Tees, WT, MT Or ST, Deduct</i>	-27.40	
			<i>For Skewed Or Sloped Connections, Add</i>	10.86	
05 12 23 00-0320	LF		W12 x 45 A992/A36 Structural Beam Or Girder.....	85.04	26.52
			<i>For Hot Dip Galvanizing, Add</i>	15.76	
			<i>For High Strength Low Alloy A572-50 Steel, Add</i>	7.65	
			<i>For High Strength Low Alloy A588 Steel, Add</i>	17.01	
			<i>For Each Additional Top Copes >2, Add</i>	0.57	
			<i>For Structural Tees, WT, MT Or ST, Deduct</i>	-25.53	
			<i>For Skewed Or Sloped Connections, Add</i>	10.20	
05 12 23 00-0321	LF		W12 x 40 A992/A36 Structural Beam Or Girder.....	72.49	19.71
			<i>For Hot Dip Galvanizing, Add</i>	14.28	
			<i>For High Strength Low Alloy A572-50 Steel, Add</i>	6.52	
			<i>For High Strength Low Alloy A588 Steel, Add</i>	14.50	
			<i>For Each Additional Top Copes >2, Add</i>	0.51	
			<i>For Structural Tees, WT, MT Or ST, Deduct</i>	-22.22	
			<i>For Skewed Or Sloped Connections, Add</i>	8.70	
05 12 23 00-0322	LF		W12 x 35 A992/A36 Structural Beam Or Girder.....	67.07	19.60
			<i>For Hot Dip Galvanizing, Add</i>	12.83	
			<i>For High Strength Low Alloy A572-50 Steel, Add</i>	6.04	
			<i>For High Strength Low Alloy A588 Steel, Add</i>	13.41	
			<i>For Each Additional Top Copes >2, Add</i>	0.46	
			<i>For Structural Tees, WT, MT Or ST, Deduct</i>	-20.35	
			<i>For Skewed Or Sloped Connections, Add</i>	8.05	
05 12 23 00-0323	LF		W12 x 30 A992/A36 Structural Beam Or Girder.....	61.42	19.30
			<i>For Hot Dip Galvanizing, Add</i>	11.35	
			<i>For High Strength Low Alloy A572-50 Steel, Add</i>	5.53	
			<i>For High Strength Low Alloy A588 Steel, Add</i>	12.28	
			<i>For Each Additional Top Copes >2, Add</i>	0.41	
			<i>For Structural Tees, WT, MT Or ST, Deduct</i>	-18.42	
			<i>For Skewed Or Sloped Connections, Add</i>	7.37	
05 12 23 00-0324	LF		W12 x 26 A992/A36 Structural Beam Or Girder.....	56.97	19.10
			<i>For Hot Dip Galvanizing, Add</i>	10.17	
			<i>For High Strength Low Alloy A572-50 Steel, Add</i>	5.13	
			<i>For High Strength Low Alloy A588 Steel, Add</i>	11.39	
			<i>For Each Additional Top Copes >2, Add</i>	0.37	
			<i>For Structural Tees, WT, MT Or ST, Deduct</i>	-16.89	
			<i>For Skewed Or Sloped Connections, Add</i>	6.84	
05 12 23 00-0325	LF		W12 x 22 A992/A36 Structural Beam Or Girder.....	52.64	18.89
			<i>For Hot Dip Galvanizing, Add</i>	9.03	
			<i>For High Strength Low Alloy A572-50 Steel, Add</i>	4.74	
			<i>For High Strength Low Alloy A588 Steel, Add</i>	10.53	
			<i>For Each Additional Top Copes >2, Add</i>	0.33	
			<i>For Structural Tees, WT, MT Or ST, Deduct</i>	-15.41	
			<i>For Skewed Or Sloped Connections, Add</i>	6.32	
05 12 23 00-0326	LF		W12 x 19 A992/A36 Structural Beam Or Girder.....	49.27	18.79
			<i>For Hot Dip Galvanizing, Add</i>	8.12	
			<i>For High Strength Low Alloy A572-50 Steel, Add</i>	4.43	
			<i>For High Strength Low Alloy A588 Steel, Add</i>	9.85	
			<i>For Each Additional Top Copes >2, Add</i>	0.29	
			<i>For Structural Tees, WT, MT Or ST, Deduct</i>	-14.24	
			<i>For Skewed Or Sloped Connections, Add</i>	5.91	
05 12 23 00-0327	LF		W12 x 16 A992/A36 Structural Beam Or Girder.....	45.91	18.49
			<i>For Hot Dip Galvanizing, Add</i>	7.24	
			<i>For High Strength Low Alloy A572-50 Steel, Add</i>	4.13	
			<i>For High Strength Low Alloy A588 Steel, Add</i>	9.18	
			<i>For Each Additional Top Copes >2, Add</i>	0.26	
			<i>For Structural Tees, WT, MT Or ST, Deduct</i>	-13.10	
			<i>For Skewed Or Sloped Connections, Add</i>	5.51	
05 12 23 00-0328	LF		W12 x 14 A992/A36 Structural Beam Or Girder.....	43.74	18.49
			<i>For Hot Dip Galvanizing, Add</i>	6.67	
			<i>For High Strength Low Alloy A572-50 Steel, Add</i>	3.94	
			<i>For High Strength Low Alloy A588 Steel, Add</i>	8.75	
			<i>For Each Additional Top Copes >2, Add</i>	0.24	
			<i>For Structural Tees, WT, MT Or ST, Deduct</i>	-12.35	
			<i>For Skewed Or Sloped Connections, Add</i>	5.25	
05 12 23 00-0329	LF		W10 x 68 A992/A36 Structural Beam Or Girder.....	103.87	21.24
			<i>For Hot Dip Galvanizing, Add</i>	22.57	
			<i>For High Strength Low Alloy A572-50 Steel, Add</i>	9.35	
			<i>For High Strength Low Alloy A588 Steel, Add</i>	20.77	
			<i>For Each Additional Top Copes >2, Add</i>	0.81	
			<i>For Structural Tees, WT, MT Or ST, Deduct</i>	-32.97	
			<i>For Skewed Or Sloped Connections, Add</i>	12.46	

05	05	Metals
	05 10	Structural Metal Framing
	05 12	Structural Steel Framing



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 12 23	00-0330	LF	W10 x 60 A992/A36 Structural Beam Or Girder.....	95.08	20.83
			For Hot Dip Galvanizing, Add	20.24	
			For High Strength Low Alloy A572-50 Steel, Add	8.56	
			For High Strength Low Alloy A588 Steel, Add	19.02	
			For Each Additional Top Copes >2, Add	0.73	
			For Structural Tees, WT, MT Or ST, Deduct	-29.96	
			For Skewed Or Sloped Connections, Add	11.41	
05 12 23	00-0331	LF	W10 x 54 A992/A36 Structural Beam Or Girder.....	88.35	20.43
			For Hot Dip Galvanizing, Add	18.46	
			For High Strength Low Alloy A572-50 Steel, Add	7.95	
			For High Strength Low Alloy A588 Steel, Add	17.67	
			For Each Additional Top Copes >2, Add	0.67	
			For Structural Tees, WT, MT Or ST, Deduct	-27.65	
			For Skewed Or Sloped Connections, Add	10.60	
05 12 23	00-0332	LF	W10 x 49 A992/A36 Structural Beam Or Girder.....	82.83	20.22
			For Hot Dip Galvanizing, Add	17.01	
			For High Strength Low Alloy A572-50 Steel, Add	7.45	
			For High Strength Low Alloy A588 Steel, Add	16.57	
			For Each Additional Top Copes >2, Add	0.61	
			For Structural Tees, WT, MT Or ST, Deduct	-25.76	
			For Skewed Or Sloped Connections, Add	9.94	
05 12 23	00-0333	LF	W10 x 45 A992/A36 Structural Beam Or Girder.....	78.38	20.11
			For Hot Dip Galvanizing, Add	15.83	
			For High Strength Low Alloy A572-50 Steel, Add	7.05	
			For High Strength Low Alloy A588 Steel, Add	15.68	
			For Each Additional Top Copes >2, Add	0.57	
			For Structural Tees, WT, MT Or ST, Deduct	-24.23	
			For Skewed Or Sloped Connections, Add	9.41	
05 12 23	00-0334	LF	W10 x 39 A992/A36 Structural Beam Or Girder.....	71.76	19.71
			For Hot Dip Galvanizing, Add	14.08	
			For High Strength Low Alloy A572-50 Steel, Add	6.46	
			For High Strength Low Alloy A588 Steel, Add	14.35	
			For Each Additional Top Copes >2, Add	0.51	
			For Structural Tees, WT, MT Or ST, Deduct	-21.96	
			For Skewed Or Sloped Connections, Add	8.61	
05 12 23	00-0335	LF	W10 x 33 A992/A36 Structural Beam Or Girder.....	65.15	19.40
			For Hot Dip Galvanizing, Add	12.33	
			For High Strength Low Alloy A572-50 Steel, Add	5.86	
			For High Strength Low Alloy A588 Steel, Add	13.03	
			For Each Additional Top Copes >2, Add	0.44	
			For Structural Tees, WT, MT Or ST, Deduct	-19.69	
			For Skewed Or Sloped Connections, Add	7.82	
05 12 23	00-0336	LF	W10 x 30 A992/A36 Structural Beam Or Girder.....	61.77	19.30
			For Hot Dip Galvanizing, Add	11.42	
			For High Strength Low Alloy A572-50 Steel, Add	5.56	
			For High Strength Low Alloy A588 Steel, Add	12.35	
			For Each Additional Top Copes >2, Add	0.41	
			For Structural Tees, WT, MT Or ST, Deduct	-18.53	
			For Skewed Or Sloped Connections, Add	7.41	
05 12 23	00-0337	LF	W10 x 26 A992/A36 Structural Beam Or Girder.....	57.45	19.20
			For Hot Dip Galvanizing, Add	10.27	
			For High Strength Low Alloy A572-50 Steel, Add	5.17	
			For High Strength Low Alloy A588 Steel, Add	11.49	
			For Each Additional Top Copes >2, Add	0.37	
			For Structural Tees, WT, MT Or ST, Deduct	-17.04	
			For Skewed Or Sloped Connections, Add	6.89	
05 12 23	00-0338	LF	W10 x 22 A992/A36 Structural Beam Or Girder.....	52.88	18.89
			For Hot Dip Galvanizing, Add	9.09	
			For High Strength Low Alloy A572-50 Steel, Add	4.76	
			For High Strength Low Alloy A588 Steel, Add	10.58	
			For Each Additional Top Copes >2, Add	0.33	
			For Structural Tees, WT, MT Or ST, Deduct	-15.49	
			For Skewed Or Sloped Connections, Add	6.35	
05 12 23	00-0339	LF	W10 x 19 A992/A36 Structural Beam Or Girder.....	49.63	18.79
			For Hot Dip Galvanizing, Add	8.22	
			For High Strength Low Alloy A572-50 Steel, Add	4.47	
			For High Strength Low Alloy A588 Steel, Add	9.93	
			For Each Additional Top Copes >2, Add	0.30	
			For Structural Tees, WT, MT Or ST, Deduct	-14.37	
			For Skewed Or Sloped Connections, Add	5.96	
05 12 23	00-0340	LF	W10 x 17 A992/A36 Structural Beam Or Girder.....	47.34	18.70
			For Hot Dip Galvanizing, Add	7.61	
			For High Strength Low Alloy A572-50 Steel, Add	4.26	
			For High Strength Low Alloy A588 Steel, Add	9.47	
			For Each Additional Top Copes >2, Add	0.27	
			For Structural Tees, WT, MT Or ST, Deduct	-13.58	
			For Skewed Or Sloped Connections, Add	5.68	
05 12 23	00-0341	LF	W10 x 15 A992/A36 Structural Beam Or Girder.....	45.18	18.49
			For Hot Dip Galvanizing, Add	7.04	
			For High Strength Low Alloy A572-50 Steel, Add	4.07	
			For High Strength Low Alloy A588 Steel, Add	9.04	
			For Each Additional Top Copes >2, Add	0.25	
			For Structural Tees, WT, MT Or ST, Deduct	-12.84	
			For Skewed Or Sloped Connections, Add	5.42	



Metals	05	05
Structural Metal Framing	05 10	
Structural Steel Framing	05 12	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 12 23 00-0342 LF W10 x 12 A992/A36 Structural Beam Or Girder.....	41.92	18.49
For Hot Dip Galvanizing, Add	6.16	
For High Strength Low Alloy A572-50 Steel, Add	3.77	
For High Strength Low Alloy A588 Steel, Add	8.38	
For Each Additional Top Copes >2, Add	0.22	
For Structural Tees, WT, MT Or ST, Deduct	-11.72	
For Skewed Or Sloped Connections, Add	5.03	
05 12 23 00-0343 LF W8 x 35 A992/A36 Structural Beam Or Girder.....	67.32	19.60
For Hot Dip Galvanizing, Add	12.90	
For High Strength Low Alloy A572-50 Steel, Add	6.06	
For High Strength Low Alloy A588 Steel, Add	13.46	
For Each Additional Top Copes >2, Add	0.46	
For Structural Tees, WT, MT Or ST, Deduct	-20.44	
For Skewed Or Sloped Connections, Add	8.08	
05 12 23 00-0344 LF W8 x 31 A992/A36 Structural Beam Or Girder.....	62.86	19.30
For Hot Dip Galvanizing, Add	11.72	
For High Strength Low Alloy A572-50 Steel, Add	5.66	
For High Strength Low Alloy A588 Steel, Add	12.57	
For Each Additional Top Copes >2, Add	0.42	
For Structural Tees, WT, MT Or ST, Deduct	-18.91	
For Skewed Or Sloped Connections, Add	7.54	
05 12 23 00-0345 LF W8 x 28 A992/A36 Structural Beam Or Girder.....	58.48	18.19
For Hot Dip Galvanizing, Add	10.84	
For High Strength Low Alloy A572-50 Steel, Add	5.26	
For High Strength Low Alloy A588 Steel, Add	11.70	
For Each Additional Top Copes >2, Add	0.39	
For Structural Tees, WT, MT Or ST, Deduct	-17.56	
For Skewed Or Sloped Connections, Add	7.02	
05 12 23 00-0346 LF W8 x 24 A992/A36 Structural Beam Or Girder.....	53.40	17.06
For Hot Dip Galvanizing, Add	9.77	
For High Strength Low Alloy A572-50 Steel, Add	4.81	
For High Strength Low Alloy A588 Steel, Add	10.68	
For Each Additional Top Copes >2, Add	0.35	
For Structural Tees, WT, MT Or ST, Deduct	-15.96	
For Skewed Or Sloped Connections, Add	6.41	
05 12 23 00-0347 LF W8 x 21 A992/A36 Structural Beam Or Girder.....	49.70	15.84
For Hot Dip Galvanizing, Add	9.08	
For High Strength Low Alloy A572-50 Steel, Add	4.47	
For High Strength Low Alloy A588 Steel, Add	9.94	
For Each Additional Top Copes >2, Add	0.33	
For Structural Tees, WT, MT Or ST, Deduct	-14.85	
For Skewed Or Sloped Connections, Add	5.96	
05 12 23 00-0348 LF W8 x 18 A992/A36 Structural Beam Or Girder.....	43.62	14.73
For Hot Dip Galvanizing, Add	7.73	
For High Strength Low Alloy A572-50 Steel, Add	3.93	
For High Strength Low Alloy A588 Steel, Add	8.72	
For Each Additional Top Copes >2, Add	0.28	
For Structural Tees, WT, MT Or ST, Deduct	-12.90	
For Skewed Or Sloped Connections, Add	5.23	
05 12 23 00-0349 LF W8 x 10 A992/A36 Structural Beam Or Girder.....	26.05	10.57
For Hot Dip Galvanizing, Add	4.13	
For High Strength Low Alloy A572-50 Steel, Add	2.34	
For High Strength Low Alloy A588 Steel, Add	5.21	
For Each Additional Top Copes >2, Add	0.15	
For Structural Tees, WT, MT Or ST, Deduct	-7.44	
For Skewed Or Sloped Connections, Add	3.13	
05 12 23 00-0350 LF W6 x 9 A992/A36 Structural Beam Or Girder.....	23.83	8.63
For Hot Dip Galvanizing, Add	4.08	
For High Strength Low Alloy A572-50 Steel, Add	2.14	
For High Strength Low Alloy A588 Steel, Add	4.77	
For Each Additional Top Copes >2, Add	0.15	
For Structural Tees, WT, MT Or ST, Deduct	-6.97	
For Skewed Or Sloped Connections, Add	2.86	
05 12 23 00-0351 A992/A36 Structural Steel, M Shapes (05 12 23 00-0133)		
Note: Includes material delivery and erection.		
05 12 23 00-0352 LF M14 x 18 A992/A36 Structural Steel.....	48.80	14.09
For Hot Dip Galvanizing, Add	9.38	
For High Strength Low Alloy A572-50 Steel, Add	4.39	
For High Strength Low Alloy A588 Grade B Steel, Add	9.76	
05 12 23 00-0353 LF M12 x 11.8 A992/A36 Structural Steel.....	35.43	12.46
For Hot Dip Galvanizing, Add	6.15	
For High Strength Low Alloy A572-50 Steel, Add	3.19	
For High Strength Low Alloy A588 Grade B Steel, Add	7.09	
05 12 23 00-0354 LF M10 x 9 A992/A36 Structural Steel.....	27.55	10.00
For Hot Dip Galvanizing, Add	4.69	
For High Strength Low Alloy A572-50 Steel, Add	2.48	
For High Strength Low Alloy A588 Grade B Steel, Add	5.51	
05 12 23 00-0355 LF M8 x 6.5 A992/A36 Structural Steel.....	19.90	7.22
For Hot Dip Galvanizing, Add	3.39	
For High Strength Low Alloy A572-50 Steel, Add	1.79	
For High Strength Low Alloy A588 Grade B Steel, Add	3.98	
05 12 23 00-0356 LF M6 x 20 A992/A36 Structural Steel.....	54.82	16.35
For Hot Dip Galvanizing, Add	10.42	
For High Strength Low Alloy A572-50 Steel, Add	4.93	
For High Strength Low Alloy A588 Grade B Steel, Add	10.96	

05	05	Metals
	05 10	Structural Metal Framing
	05 12	Structural Steel Framing



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 12 23 00-0357 LF M6 x 4.4 A992/A36 Structural Steel	13.46	4.89
For Hot Dip Galvanizing, Add	2.29	
For High Strength Low Alloy A572-50 Steel, Add	1.21	
For High Strength Low Alloy A588 Grade B Steel, Add	2.69	
05 12 23 00-0358 LF M5 x 18.9 A992/A36 Structural Steel	52.90	16.35
For Hot Dip Galvanizing, Add	9.83	
For High Strength Low Alloy A572-50 Steel, Add	4.76	
For High Strength Low Alloy A588 Grade B Steel, Add	10.58	
05 12 23 00-0359 LF M4 x 13 A992/A36 Structural Steel	43.77	16.05
For Hot Dip Galvanizing, Add	7.41	
For High Strength Low Alloy A572-50 Steel, Add	3.94	
For High Strength Low Alloy A588 Grade B Steel, Add	8.75	
05 12 23 00-0360 A992/A36 Structural Steel, S Shapes (05 12 23 00-0133)		
Note: Includes material delivery and erection.		
05 12 23 00-0361 LF S24 x 121 A992/A36 Structural Steel	291.22	71.34
For Hot Dip Galvanizing, Add	59.71	
For High Strength Low Alloy A572-50 Steel, Add	26.21	
For High Strength Low Alloy A588 Grade B Steel, Add	58.24	
05 12 23 00-0362 LF S24 x 106 A992/A36 Structural Steel	258.63	65.79
For Hot Dip Galvanizing, Add	52.31	
For High Strength Low Alloy A572-50 Steel, Add	23.28	
For High Strength Low Alloy A588 Grade B Steel, Add	51.73	
05 12 23 00-0363 LF S24 x 100 A992/A36 Structural Steel	247.47	65.33
For Hot Dip Galvanizing, Add	49.35	
For High Strength Low Alloy A572-50 Steel, Add	22.27	
For High Strength Low Alloy A588 Grade B Steel, Add	49.49	
05 12 23 00-0364 LF S24 x 90 A992/A36 Structural Steel	226.03	61.90
For Hot Dip Galvanizing, Add	44.41	
For High Strength Low Alloy A572-50 Steel, Add	20.34	
For High Strength Low Alloy A588 Grade B Steel, Add	45.21	
05 12 23 00-0365 LF S24 x 80 A992/A36 Structural Steel	203.99	57.91
For Hot Dip Galvanizing, Add	39.48	
For High Strength Low Alloy A572-50 Steel, Add	18.36	
For High Strength Low Alloy A588 Grade B Steel, Add	40.80	
05 12 23 00-0366 LF S20 x 96 A992/A36 Structural Steel	237.58	62.71
For Hot Dip Galvanizing, Add	47.37	
For High Strength Low Alloy A572-50 Steel, Add	21.38	
For High Strength Low Alloy A588 Grade B Steel, Add	47.52	
05 12 23 00-0367 LF S20 x 86 A992/A36 Structural Steel	215.98	59.14
For Hot Dip Galvanizing, Add	42.44	
For High Strength Low Alloy A572-50 Steel, Add	19.44	
For High Strength Low Alloy A588 Grade B Steel, Add	43.20	
05 12 23 00-0368 LF S20 x 75 A992/A36 Structural Steel	191.25	54.29
For Hot Dip Galvanizing, Add	37.01	
For High Strength Low Alloy A572-50 Steel, Add	17.21	
For High Strength Low Alloy A588 Grade B Steel, Add	38.25	
05 12 23 00-0369 LF S20 x 66 A992/A36 Structural Steel	170.98	50.29
For Hot Dip Galvanizing, Add	32.57	
For High Strength Low Alloy A572-50 Steel, Add	15.39	
For High Strength Low Alloy A588 Grade B Steel, Add	34.20	
05 12 23 00-0370 LF S18 x 70 A992/A36 Structural Steel	181.35	53.34
For Hot Dip Galvanizing, Add	34.54	
For High Strength Low Alloy A572-50 Steel, Add	16.32	
For High Strength Low Alloy A588 Grade B Steel, Add	36.27	
05 12 23 00-0371 LF S18 x 54.7 A992/A36 Structural Steel	144.04	43.88
For Hot Dip Galvanizing, Add	26.99	
For High Strength Low Alloy A572-50 Steel, Add	12.96	
For High Strength Low Alloy A588 Grade B Steel, Add	28.81	
05 12 23 00-0372 LF S15 x 50 A992/A36 Structural Steel	133.92	42.22
For Hot Dip Galvanizing, Add	24.67	
For High Strength Low Alloy A572-50 Steel, Add	12.05	
For High Strength Low Alloy A588 Grade B Steel, Add	26.78	
05 12 23 00-0373 LF S15 x 42.9 A992/A36 Structural Steel	116.94	38.12
For Hot Dip Galvanizing, Add	21.17	
For High Strength Low Alloy A572-50 Steel, Add	10.52	
For High Strength Low Alloy A588 Grade B Steel, Add	23.39	
05 12 23 00-0374 LF S12 x 50 A992/A36 Structural Steel	131.66	40.10
For Hot Dip Galvanizing, Add	24.67	
For High Strength Low Alloy A572-50 Steel, Add	11.85	
For High Strength Low Alloy A588 Grade B Steel, Add	26.33	
05 12 23 00-0375 LF S12 x 40.8 A992/A36 Structural Steel	109.27	34.45
For Hot Dip Galvanizing, Add	20.13	
For High Strength Low Alloy A572-50 Steel, Add	9.83	
For High Strength Low Alloy A588 Grade B Steel, Add	21.85	
05 12 23 00-0376 LF S12 x 35 A992/A36 Structural Steel	95.40	31.11
For Hot Dip Galvanizing, Add	17.27	
For High Strength Low Alloy A572-50 Steel, Add	8.59	
For High Strength Low Alloy A588 Grade B Steel, Add	19.08	
05 12 23 00-0377 LF S12 x 31.8 A992/A36 Structural Steel	88.27	29.75
For Hot Dip Galvanizing, Add	15.69	
For High Strength Low Alloy A572-50 Steel, Add	7.94	
For High Strength Low Alloy A588 Grade B Steel, Add	17.65	



	MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 12 23 00-0378	LF	S10		S10 x 35 A992/A36 Structural Steel.....	97.15	32.75
				<i>For Hot Dip Galvanizing, Add</i>	17.27	
				<i>For High Strength Low Alloy A572-50 Steel, Add</i>	8.74	
				<i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	19.43	
05 12 23 00-0379	LF	S10		x 25.4 A992/A36 Structural Steel.....	71.84	25.01
				<i>For Hot Dip Galvanizing, Add</i>	12.53	
				<i>For High Strength Low Alloy A572-50 Steel, Add</i>	6.47	
				<i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	14.37	
05 12 23 00-0380	LF	S8		x 23 A992/A36 Structural Steel.....	65.05	22.65
				<i>For Hot Dip Galvanizing, Add</i>	11.35	
				<i>For High Strength Low Alloy A572-50 Steel, Add</i>	5.85	
				<i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	13.01	
05 12 23 00-0381	LF	S8		x 18.4 A992/A36 Structural Steel.....	53.05	19.08
				<i>For Hot Dip Galvanizing, Add</i>	9.08	
				<i>For High Strength Low Alloy A572-50 Steel, Add</i>	4.77	
				<i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	10.61	
05 12 23 00-0382	LF	S7		x 20 A992/A36 Structural Steel.....	57.66	20.74
				<i>For Hot Dip Galvanizing, Add</i>	9.87	
				<i>For High Strength Low Alloy A572-50 Steel, Add</i>	5.19	
				<i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	11.53	
05 12 23 00-0383	LF	S7		x 15.3 A992/A36 Structural Steel.....	45.01	16.70
				<i>For Hot Dip Galvanizing, Add</i>	7.55	
				<i>For High Strength Low Alloy A572-50 Steel, Add</i>	4.05	
				<i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	9.00	
05 12 23 00-0384	LF	S6		x 17.25 A992/A36 Structural Steel.....	48.96	17.15
				<i>For Hot Dip Galvanizing, Add</i>	8.51	
				<i>For High Strength Low Alloy A572-50 Steel, Add</i>	4.41	
				<i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	9.79	
05 12 23 00-0385	LF	S6		x 12.5 A992/A36 Structural Steel.....	42.13	15.84
				<i>For Hot Dip Galvanizing, Add</i>	6.98	
				<i>For High Strength Low Alloy A572-50 Steel, Add</i>	3.79	
				<i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	8.43	
05 12 23 00-0386	LF	S5		x 14.75 A992/A36 Structural Steel.....	44.75	16.16
				<i>For Hot Dip Galvanizing, Add</i>	7.65	
				<i>For High Strength Low Alloy A572-50 Steel, Add</i>	4.03	
				<i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	8.95	
05 12 23 00-0387	LF	S5		x 10 A992/A36 Structural Steel.....	38.27	15.75
				<i>For Hot Dip Galvanizing, Add</i>	5.94	
				<i>For High Strength Low Alloy A572-50 Steel, Add</i>	3.44	
				<i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	7.65	
05 12 23 00-0388	LF	S4		x 9.5 A992/A36 Structural Steel.....	37.27	15.75
				<i>For Hot Dip Galvanizing, Add</i>	5.66	
				<i>For High Strength Low Alloy A572-50 Steel, Add</i>	3.35	
				<i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	7.45	
05 12 23 00-0389	LF	S4		x 7.7 A992/A36 Structural Steel.....	34.97	15.75
				<i>For Hot Dip Galvanizing, Add</i>	5.05	
				<i>For High Strength Low Alloy A572-50 Steel, Add</i>	3.15	
				<i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	6.99	
05 12 23 00-0390	LF	S3		x 7.5 A992/A36 Structural Steel.....	34.75	15.75
				<i>For Hot Dip Galvanizing, Add</i>	4.99	
				<i>For High Strength Low Alloy A572-50 Steel, Add</i>	3.13	
				<i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	6.95	
05 12 23 00-0391	LF	S3		x 5.7 A992/A36 Structural Steel.....	32.01	15.65
				<i>For Hot Dip Galvanizing, Add</i>	4.26	
				<i>For High Strength Low Alloy A572-50 Steel, Add</i>	2.88	
				<i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	6.40	
05 12 23 00-0392				A992/A36 Structural Steel, HP Shapes <small>(05 12 23 00-0133)</small>		
				Note: Includes material delivery and erection.		
05 12 23 00-0393	LF	HP14		x 117 A992/A36 Structural Steel.....	175.35	21.14
				<i>For Hot Dip Galvanizing, Add</i>	42.41	
				<i>For High Strength Low Alloy A572-50 Steel, Add</i>	15.78	
				<i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	35.07	
05 12 23 00-0394	LF	HP14		x 102 A992/A36 Structural Steel.....	153.64	19.67
				<i>For Hot Dip Galvanizing, Add</i>	36.82	
				<i>For High Strength Low Alloy A572-50 Steel, Add</i>	13.83	
				<i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	30.73	
05 12 23 00-0395	LF	HP14		x 89 A992/A36 Structural Steel.....	137.05	18.45
				<i>For Hot Dip Galvanizing, Add</i>	32.57	
				<i>For High Strength Low Alloy A572-50 Steel, Add</i>	12.33	
				<i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	27.41	
05 12 23 00-0396	LF	HP14		x 73 A992/A36 Structural Steel.....	113.84	17.39
				<i>For Hot Dip Galvanizing, Add</i>	26.45	
				<i>For High Strength Low Alloy A572-50 Steel, Add</i>	10.25	
				<i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	22.77	
05 12 23 00-0397	LF	HP13		x 100 A992/A36 Structural Steel.....	150.63	19.29
				<i>For Hot Dip Galvanizing, Add</i>	36.10	
				<i>For High Strength Low Alloy A572-50 Steel, Add</i>	13.56	
				<i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	30.13	
05 12 23 00-0398	LF	HP13		x 87 A992/A36 Structural Steel.....	133.98	18.04
				<i>For Hot Dip Galvanizing, Add</i>	31.84	
				<i>For High Strength Low Alloy A572-50 Steel, Add</i>	12.06	
				<i>For High Strength Low Alloy A588 Grade B Steel, Add</i>	26.80	

05	05 Metals
	05 10 Structural Metal Framing
	05 12 Structural Steel Framing



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 12 23 00-0399	LF		HP13 x 73 A992/A36 Structural Steel	113.84	17.39
			For Hot Dip Galvanizing, Add	26.45	
			For High Strength Low Alloy A572-50 Steel, Add	10.25	
			For High Strength Low Alloy A588 Grade B Steel, Add	22.77	
05 12 23 00-0400	LF		HP13 x 60 A992/A36 Structural Steel	96.79	16.66
			For Hot Dip Galvanizing, Add	21.93	
			For High Strength Low Alloy A572-50 Steel, Add	8.71	
			For High Strength Low Alloy A588 Grade B Steel, Add	19.36	
05 12 23 00-0401	LF		HP12 x 84 A992/A36 Structural Steel	126.74	19.02
			For Hot Dip Galvanizing, Add	29.55	
			For High Strength Low Alloy A572-50 Steel, Add	11.41	
			For High Strength Low Alloy A588 Grade B Steel, Add	25.35	
05 12 23 00-0402	LF		HP12 x 74 A992/A36 Structural Steel	112.18	17.94
			For Hot Dip Galvanizing, Add	25.82	
			For High Strength Low Alloy A572-50 Steel, Add	10.10	
			For High Strength Low Alloy A588 Grade B Steel, Add	22.44	
05 12 23 00-0403	LF		HP12 x 63 A992/A36 Structural Steel	96.76	16.50
			For Hot Dip Galvanizing, Add	21.97	
			For High Strength Low Alloy A572-50 Steel, Add	8.71	
			For High Strength Low Alloy A588 Grade B Steel, Add	19.35	
05 12 23 00-0404	LF		HP12 x 53 A992/A36 Structural Steel	88.82	15.69
			For Hot Dip Galvanizing, Add	20.01	
			For High Strength Low Alloy A572-50 Steel, Add	7.99	
			For High Strength Low Alloy A588 Grade B Steel, Add	17.76	
05 12 23 00-0405	LF		HP10 x 57 A992/A36 Structural Steel	93.48	16.10
			For Hot Dip Galvanizing, Add	21.18	
			For High Strength Low Alloy A572-50 Steel, Add	8.41	
			For High Strength Low Alloy A588 Grade B Steel, Add	18.70	
05 12 23 00-0406	LF		HP10 x 42 A992/A36 Structural Steel	77.38	15.08
			For Hot Dip Galvanizing, Add	17.01	
			For High Strength Low Alloy A572-50 Steel, Add	6.96	
			For High Strength Low Alloy A588 Grade B Steel, Add	15.48	
05 12 23 00-0407	LF		HP8 x 36 A992/A36 Structural Steel	67.47	14.23
			For Hot Dip Galvanizing, Add	14.52	
			For High Strength Low Alloy A572-50 Steel, Add	6.07	
			For High Strength Low Alloy A588 Grade B Steel, Add	13.49	
05 12 23 00-0408			Lightweight Framing Steel Shapes <small>(05 12 23)</small>		
			Note: Includes cutting to length. When used with structural steel shapes by TON, connecting bolts or welds are considered included with structural steel tasks by TON.		
05 12 23 00-0409			Angle Iron - L <small>(05 12 23 00-0408)</small>		
05 12 23 00-0410			1/8" Thick <small>(05 12 23 00-0409)</small>		
05 12 23 00-0411	LF		1/2" x 1/2" x 1/8" Thick, Plain Steel Angle Iron	2.37	1.44
			For >100 To 250, Deduct	-0.14	
			For >250 To 500, Deduct	-0.20	
			For >500 To 1,000, Deduct	-0.31	
			For >1,000, Deduct	-0.42	
			For 316 Stainless Steel, Add	1.44	
			For Aluminum, Add	0.08	
			For Galvanized Steel, Add	0.28	
			For 304 Stainless Steel, Add	1.28	
			For High Strength Steel (HSS), Add	0.47	
05 12 23 00-0412	LF		3/4" x 1/2" x 1/8" Thick, Plain Steel Angle Iron	2.75	1.64
			For >100 To 250, Deduct	-0.16	
			For >250 To 500, Deduct	-0.23	
			For >500 To 1,000, Deduct	-0.36	
			For >1,000, Deduct	-0.48	
			For 316 Stainless Steel, Add	1.82	
			For Aluminum, Add	0.10	
			For Galvanized Steel, Add	0.35	
			For 304 Stainless Steel, Add	1.62	
			For High Strength Steel (HSS), Add	0.55	
05 12 23 00-0413	LF		3/4" x 3/4" x 1/8" Thick, Plain Steel Angle Iron	3.10	1.80
			For >100 To 250, Deduct	-0.18	
			For >250 To 500, Deduct	-0.26	
			For >500 To 1,000, Deduct	-0.40	
			For >1,000, Deduct	-0.53	
			For 316 Stainless Steel, Add	2.24	
			For Aluminum, Add	0.13	
			For Galvanized Steel, Add	0.43	
			For 304 Stainless Steel, Add	2.00	
			For High Strength Steel (HSS), Add	0.62	
05 12 23 00-0414	LF		1" x 3/4" x 1/8" Thick, Plain Steel Angle Iron	3.49	2.00
			For >100 To 250, Deduct	-0.20	
			For >250 To 500, Deduct	-0.29	
			For >500 To 1,000, Deduct	-0.44	
			For >1,000, Deduct	-0.60	
			For 316 Stainless Steel, Add	2.59	
			For Aluminum, Add	0.15	
			For Galvanized Steel, Add	0.50	
			For 304 Stainless Steel, Add	2.31	
			For High Strength Steel (HSS), Add	0.70	



Metals	05	05
Structural Metal Framing	05 10	
Structural Steel Framing	05 12	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 12 23 00-0415 LF 1" x 1" x 1/8" Thick, Plain Steel Angle Iron.....	3.83	2.16
For >100 To 250, Deduct	-0.22	
For >250 To 500, Deduct	-0.31	
For >500 To 1,000, Deduct	-0.48	
For >1,000, Deduct	-0.65	
For 316 Stainless Steel, Add	3.01	
For Aluminum, Add	0.17	
For Galvanized Steel, Add	0.58	
For 304 Stainless Steel, Add	2.68	
For High Strength Steel (HSS), Add	0.77	
05 12 23 00-0416 LF 1-1/4" x 1-1/4" x 1/8" Thick, Plain Steel Angle Iron.....	4.59	2.55
For >100 To 250, Deduct	-0.26	
For >250 To 500, Deduct	-0.37	
For >500 To 1,000, Deduct	-0.57	
For >1,000, Deduct	-0.77	
For 316 Stainless Steel, Add	3.81	
For Aluminum, Add	0.21	
For Galvanized Steel, Add	0.74	
For 304 Stainless Steel, Add	3.39	
For High Strength Steel (HSS), Add	0.92	
05 12 23 00-0417 LF 1-1/2" x 1" x 1/8" Thick, Plain Steel Angle Iron.....	4.59	2.55
For >100 To 250, Deduct	-0.26	
For >250 To 500, Deduct	-0.37	
For >500 To 1,000, Deduct	-0.57	
For >1,000, Deduct	-0.77	
For 316 Stainless Steel, Add	3.81	
For Aluminum, Add	0.21	
For Galvanized Steel, Add	0.74	
For 304 Stainless Steel, Add	3.39	
For High Strength Steel (HSS), Add	0.92	
05 12 23 00-0418 LF 1-1/2" x 1-1/2" x 1/8" Thick, Plain Steel Angle Iron.....	5.50	3.05
For >100 To 250, Deduct	-0.30	
For >250 To 500, Deduct	-0.44	
For >500 To 1,000, Deduct	-0.68	
For >1,000, Deduct	-0.92	
For 316 Stainless Steel, Add	4.61	
For Aluminum, Add	0.26	
For Galvanized Steel, Add	0.89	
For 304 Stainless Steel, Add	4.10	
For High Strength Steel (HSS), Add	1.10	
05 12 23 00-0419 LF 2" x 2" x 1/8" Thick, Plain Steel Angle Iron.....	7.48	4.15
For >100 To 250, Deduct	-0.41	
For >250 To 500, Deduct	-0.60	
For >500 To 1,000, Deduct	-0.93	
For >1,000, Deduct	-1.25	
For 316 Stainless Steel, Add	6.24	
For Aluminum, Add	0.35	
For Galvanized Steel, Add	1.21	
For 304 Stainless Steel, Add	5.56	
For High Strength Steel (HSS), Add	1.50	
05 12 23 00-0420 3/16" Thick (05 12 23 00-0409)		
05 12 23 00-0421 LF 1-1/4" x 1-1/4" x 3/16" Thick, Plain Steel Angle Iron.....	5.34	2.70
For >100 To 250, Deduct	-0.27	
For >250 To 500, Deduct	-0.40	
For >500 To 1,000, Deduct	-0.63	
For >1,000, Deduct	-0.85	
For 316 Stainless Steel, Add	5.60	
For Aluminum, Add	0.32	
For Galvanized Steel, Add	1.09	
For 304 Stainless Steel, Add	4.99	
For High Strength Steel (HSS), Add	1.07	
05 12 23 00-0422 LF 1-1/2" x 1" x 3/16" Thick, Plain Steel Angle Iron.....	5.34	2.70
For >100 To 250, Deduct	-0.27	
For >250 To 500, Deduct	-0.40	
For >500 To 1,000, Deduct	-0.63	
For >1,000, Deduct	-0.85	
For 316 Stainless Steel, Add	5.60	
For Aluminum, Add	0.32	
For Galvanized Steel, Add	1.09	
For 304 Stainless Steel, Add	4.99	
For High Strength Steel (HSS), Add	1.07	
05 12 23 00-0423 LF 1-1/2" x 1-1/2" x 3/16" Thick, Plain Steel Angle Iron.....	5.97	2.89
For >100 To 250, Deduct	-0.29	
For >250 To 500, Deduct	-0.44	
For >500 To 1,000, Deduct	-0.68	
For >1,000, Deduct	-0.93	
For 316 Stainless Steel, Add	6.78	
For Aluminum, Add	0.38	
For Galvanized Steel, Add	1.31	
For 304 Stainless Steel, Add	6.04	
For High Strength Steel (HSS), Add	1.19	

05 Metals**05 10 Structural Metal Framing****05 12 Structural Steel Framing**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 12 23 00-0424	LF		2" x 2" x 3/16" Thick, Plain Steel Angle Iron.....	7.01	3.10
			<i>For >100 To 250, Deduct</i>	-0.31	
			<i>For >250 To 500, Deduct</i>	-0.48	
			<i>For >500 To 1,000, Deduct</i>	-0.76	
			<i>For >1,000, Deduct</i>	-1.04	
			<i>For 316 Stainless Steel, Add</i>	9.25	
			<i>For Aluminum, Add</i>	0.52	
			<i>For Galvanized Steel, Add</i>	1.79	
			<i>For 304 Stainless Steel, Add</i>	8.24	
			<i>For High Strength Steel (HSS), Add</i>	1.40	
05 12 23 00-0425	LF		2-1/2" x 2" x 3/16" Thick, Plain Steel Angle Iron.....	7.67	3.32
			<i>For >100 To 250, Deduct</i>	-0.33	
			<i>For >250 To 500, Deduct</i>	-0.52	
			<i>For >500 To 1,000, Deduct</i>	-0.83	
			<i>For >1,000, Deduct</i>	-1.13	
			<i>For 316 Stainless Steel, Add</i>	10.40	
			<i>For Aluminum, Add</i>	0.59	
			<i>For Galvanized Steel, Add</i>	2.02	
			<i>For 304 Stainless Steel, Add</i>	9.26	
			<i>For High Strength Steel (HSS), Add</i>	1.53	
05 12 23 00-0426	LF		2-1/2" x 2-1/2" x 3/16" Thick, Plain Steel Angle Iron.....	8.38	3.55
			<i>For >100 To 250, Deduct</i>	-0.36	
			<i>For >250 To 500, Deduct</i>	-0.57	
			<i>For >500 To 1,000, Deduct</i>	-0.89	
			<i>For >1,000, Deduct</i>	-1.22	
			<i>For 316 Stainless Steel, Add</i>	11.65	
			<i>For Aluminum, Add</i>	0.66	
			<i>For Galvanized Steel, Add</i>	2.26	
			<i>For 304 Stainless Steel, Add</i>	10.37	
			<i>For High Strength Steel (HSS), Add</i>	1.68	
05 12 23 00-0427	LF		3" x 2" x 3/16" Thick, Plain Steel Angle Iron.....	8.37	3.55
			<i>For >100 To 250, Deduct</i>	-0.36	
			<i>For >250 To 500, Deduct</i>	-0.56	
			<i>For >500 To 1,000, Deduct</i>	-0.89	
			<i>For >1,000, Deduct</i>	-1.22	
			<i>For 316 Stainless Steel, Add</i>	11.62	
			<i>For Aluminum, Add</i>	0.65	
			<i>For Galvanized Steel, Add</i>	2.25	
			<i>For 304 Stainless Steel, Add</i>	10.35	
			<i>For High Strength Steel (HSS), Add</i>	1.67	
05 12 23 00-0428	LF		3" x 2-1/2" x 3/16" Thick, Plain Steel Angle Iron.....	9.24	3.92
			<i>For >100 To 250, Deduct</i>	-0.39	
			<i>For >250 To 500, Deduct</i>	-0.62	
			<i>For >500 To 1,000, Deduct</i>	-0.99	
			<i>For >1,000, Deduct</i>	-1.35	
			<i>For 316 Stainless Steel, Add</i>	12.83	
			<i>For Aluminum, Add</i>	0.72	
			<i>For Galvanized Steel, Add</i>	2.49	
			<i>For 304 Stainless Steel, Add</i>	11.43	
			<i>For High Strength Steel (HSS), Add</i>	1.85	
05 12 23 00-0429	LF		3" x 3" x 3/16" Thick, Plain Steel Angle Iron.....	10.11	4.30
			<i>For >100 To 250, Deduct</i>	-0.43	
			<i>For >250 To 500, Deduct</i>	-0.68	
			<i>For >500 To 1,000, Deduct</i>	-1.08	
			<i>For >1,000, Deduct</i>	-1.47	
			<i>For 316 Stainless Steel, Add</i>	14.05	
			<i>For Aluminum, Add</i>	0.79	
			<i>For Galvanized Steel, Add</i>	2.72	
			<i>For 304 Stainless Steel, Add</i>	12.51	
			<i>For High Strength Steel (HSS), Add</i>	2.02	
05 12 23 00-0430			1/4" Thick (05 12 23 00-0409)		
05 12 23 00-0431	LF		1-1/2" x 1" x 1/4" Thick, Plain Steel Angle Iron.....	6.03	2.85
			<i>For >100 To 250, Deduct</i>	-0.28	
			<i>For >250 To 500, Deduct</i>	-0.44	
			<i>For >500 To 1,000, Deduct</i>	-0.68	
			<i>For >1,000, Deduct</i>	-0.93	
			<i>For 316 Stainless Steel, Add</i>	7.17	
			<i>For Aluminum, Add</i>	0.40	
			<i>For Galvanized Steel, Add</i>	1.39	
			<i>For 304 Stainless Steel, Add</i>	6.38	
			<i>For High Strength Steel (HSS), Add</i>	1.21	
05 12 23 00-0432	LF		1-1/2" x 1-1/2" x 1/4" Thick, Plain Steel Angle Iron.....	6.80	3.05
			<i>For >100 To 250, Deduct</i>	-0.30	
			<i>For >250 To 500, Deduct</i>	-0.47	
			<i>For >500 To 1,000, Deduct</i>	-0.75	
			<i>For >1,000, Deduct</i>	-1.02	
			<i>For 316 Stainless Steel, Add</i>	8.77	
			<i>For Aluminum, Add</i>	0.49	
			<i>For Galvanized Steel, Add</i>	1.70	
			<i>For 304 Stainless Steel, Add</i>	7.81	
			<i>For High Strength Steel (HSS), Add</i>	1.36	



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 12 23 00-0433	LF		2" x 2" x 1/4" Thick, Plain Steel Angle Iron.....	8.10	3.25
			<i>For >100 To 250, Deduct</i>	-0.32	
			<i>For >250 To 500, Deduct</i>	-0.53	
			<i>For >500 To 1,000, Deduct</i>	-0.84	
			<i>For >1,000, Deduct</i>	-1.15	
			<i>For 316 Stainless Steel, Add</i>	12.06	
			<i>For Aluminum, Add</i>	0.68	
			<i>For Galvanized Steel, Add</i>	2.34	
			<i>For 304 Stainless Steel, Add</i>	10.74	
			<i>For High Strength Steel (HSS), Add</i>	1.62	
05 12 23 00-0434	LF		2-1/2" x 2" x 1/4" Thick, Plain Steel Angle Iron.....	9.08	3.60
			<i>For >100 To 250, Deduct</i>	-0.36	
			<i>For >250 To 500, Deduct</i>	-0.59	
			<i>For >500 To 1,000, Deduct</i>	-0.93	
			<i>For >1,000, Deduct</i>	-1.28	
			<i>For 316 Stainless Steel, Add</i>	13.70	
			<i>For Aluminum, Add</i>	0.77	
			<i>For Galvanized Steel, Add</i>	2.65	
			<i>For 304 Stainless Steel, Add</i>	12.20	
			<i>For High Strength Steel (HSS), Add</i>	1.82	
05 12 23 00-0435	LF		2-1/2" x 2-1/2" x 1/4" Thick, Plain Steel Angle Iron.....	10.10	3.94
			<i>For >100 To 250, Deduct</i>	-0.39	
			<i>For >250 To 500, Deduct</i>	-0.65	
			<i>For >500 To 1,000, Deduct</i>	-1.03	
			<i>For >1,000, Deduct</i>	-1.42	
			<i>For 316 Stainless Steel, Add</i>	15.49	
			<i>For Aluminum, Add</i>	0.87	
			<i>For Galvanized Steel, Add</i>	3.00	
			<i>For 304 Stainless Steel, Add</i>	13.79	
			<i>For High Strength Steel (HSS), Add</i>	2.02	
05 12 23 00-0436	LF		3" x 2" x 1/4" Thick, Plain Steel Angle Iron.....	10.10	3.94
			<i>For >100 To 250, Deduct</i>	-0.39	
			<i>For >250 To 500, Deduct</i>	-0.65	
			<i>For >500 To 1,000, Deduct</i>	-1.03	
			<i>For >1,000, Deduct</i>	-1.42	
			<i>For 316 Stainless Steel, Add</i>	15.49	
			<i>For Aluminum, Add</i>	0.87	
			<i>For Galvanized Steel, Add</i>	3.00	
			<i>For 304 Stainless Steel, Add</i>	13.79	
			<i>For High Strength Steel (HSS), Add</i>	2.02	
05 12 23 00-0437	LF		3" x 2-1/2" x 1/4" Thick, Plain Steel Angle Iron.....	11.16	4.38
			<i>For >100 To 250, Deduct</i>	-0.44	
			<i>For >250 To 500, Deduct</i>	-0.72	
			<i>For >500 To 1,000, Deduct</i>	-1.14	
			<i>For >1,000, Deduct</i>	-1.57	
			<i>For 316 Stainless Steel, Add</i>	17.02	
			<i>For Aluminum, Add</i>	0.96	
			<i>For Galvanized Steel, Add</i>	3.30	
			<i>For 304 Stainless Steel, Add</i>	15.16	
			<i>For High Strength Steel (HSS), Add</i>	2.23	
05 12 23 00-0438	LF		3" x 3" x 1/4" Thick, Plain Steel Angle Iron.....	12.20	4.81
			<i>For >100 To 250, Deduct</i>	-0.48	
			<i>For >250 To 500, Deduct</i>	-0.79	
			<i>For >500 To 1,000, Deduct</i>	-1.25	
			<i>For >1,000, Deduct</i>	-1.72	
			<i>For 316 Stainless Steel, Add</i>	18.50	
			<i>For Aluminum, Add</i>	1.04	
			<i>For Galvanized Steel, Add</i>	3.58	
			<i>For 304 Stainless Steel, Add</i>	16.47	
			<i>For High Strength Steel (HSS), Add</i>	2.44	
05 12 23 00-0439	LF		3-1/2" x 3" x 1/4" Thick, Plain Steel Angle Iron.....	13.26	5.17
			<i>For >100 To 250, Deduct</i>	-0.52	
			<i>For >250 To 500, Deduct</i>	-0.85	
			<i>For >500 To 1,000, Deduct</i>	-1.35	
			<i>For >1,000, Deduct</i>	-1.86	
			<i>For 316 Stainless Steel, Add</i>	20.38	
			<i>For Aluminum, Add</i>	1.15	
			<i>For Galvanized Steel, Add</i>	3.95	
			<i>For 304 Stainless Steel, Add</i>	18.15	
			<i>For High Strength Steel (HSS), Add</i>	2.65	
05 12 23 00-0440	LF		3-1/2" x 3-1/2" x 1/4" Thick, Plain Steel Angle Iron.....	14.06	0.54
			<i>For >100 To 250, Deduct</i>	-0.54	
			<i>For >250 To 500, Deduct</i>	-0.89	
			<i>For >500 To 1,000, Deduct</i>	-1.42	
			<i>For >1,000, Deduct</i>	-1.95	
			<i>For 316 Stainless Steel, Add</i>	21.95	
			<i>For Aluminum, Add</i>	1.23	
			<i>For Galvanized Steel, Add</i>	4.25	
			<i>For 304 Stainless Steel, Add</i>	19.55	
			<i>For High Strength Steel (HSS), Add</i>	2.81	

05 Metals**05 10 Structural Metal Framing****05 12 Structural Steel Framing**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 12 23 00-0441	LF		4" x 3" x 1/4" Thick, Plain Steel Angle Iron.....	14.06	5.40
			<i>For >100 To 250, Deduct</i>	-0.54	
			<i>For >250 To 500, Deduct</i>	-0.89	
			<i>For >500 To 1,000, Deduct</i>	-1.42	
			<i>For >1,000, Deduct</i>	-1.95	
			<i>For 316 Stainless Steel, Add</i>	21.95	
			<i>For Aluminum, Add</i>	1.23	
			<i>For Galvanized Steel, Add</i>	4.25	
			<i>For 304 Stainless Steel, Add</i>	19.55	
			<i>For High Strength Steel (HSS), Add</i>	2.81	
05 12 23 00-0442	LF		4" x 3-1/2" x 1/4" Thick, Plain Steel Angle Iron.....	14.83	5.63
			<i>For >100 To 250, Deduct</i>	-0.56	
			<i>For >250 To 500, Deduct</i>	-0.93	
			<i>For >500 To 1,000, Deduct</i>	-1.49	
			<i>For >1,000, Deduct</i>	-2.05	
			<i>For 316 Stainless Steel, Add</i>	23.42	
			<i>For Aluminum, Add</i>	1.32	
			<i>For Galvanized Steel, Add</i>	4.54	
			<i>For 304 Stainless Steel, Add</i>	20.86	
			<i>For High Strength Steel (HSS), Add</i>	2.97	
05 12 23 00-0443	LF		4" x 4" x 1/4" Thick, Plain Steel Angle Iron.....	15.64	5.87
			<i>For >100 To 250, Deduct</i>	-0.59	
			<i>For >250 To 500, Deduct</i>	-0.98	
			<i>For >500 To 1,000, Deduct</i>	-1.57	
			<i>For >1,000, Deduct</i>	-2.15	
			<i>For 316 Stainless Steel, Add</i>	24.99	
			<i>For Aluminum, Add</i>	1.41	
			<i>For Galvanized Steel, Add</i>	4.84	
			<i>For 304 Stainless Steel, Add</i>	22.26	
			<i>For High Strength Steel (HSS), Add</i>	3.13	
05 12 23 00-0444	LF		5" x 3" x 1/4" Thick, Plain Steel Angle Iron.....	15.64	5.87
			<i>For >100 To 250, Deduct</i>	-0.59	
			<i>For >250 To 500, Deduct</i>	-0.98	
			<i>For >500 To 1,000, Deduct</i>	-1.57	
			<i>For >1,000, Deduct</i>	-2.15	
			<i>For 316 Stainless Steel, Add</i>	24.99	
			<i>For Aluminum, Add</i>	1.41	
			<i>For Galvanized Steel, Add</i>	4.84	
			<i>For 304 Stainless Steel, Add</i>	22.26	
			<i>For High Strength Steel (HSS), Add</i>	3.13	
05 12 23 00-0445	LF		5" x 3-1/2" x 1/4" Thick, Plain Steel Angle Iron.....	16.51	6.19
			<i>For >100 To 250, Deduct</i>	-0.62	
			<i>For >250 To 500, Deduct</i>	-1.03	
			<i>For >500 To 1,000, Deduct</i>	-1.65	
			<i>For >1,000, Deduct</i>	-2.27	
			<i>For 316 Stainless Steel, Add</i>	26.43	
			<i>For Aluminum, Add</i>	1.49	
			<i>For Galvanized Steel, Add</i>	5.12	
			<i>For 304 Stainless Steel, Add</i>	23.54	
			<i>For High Strength Steel (HSS), Add</i>	3.30	
05 12 23 00-0446			5/16" Thick <small>(05 12 23 00-0409)</small>		
05 12 23 00-0447	LF		2-1/2" x 2" x 5/16" Thick, Plain Steel Angle Iron.....	10.89	4.19
			<i>For >100 To 250, Deduct</i>	-0.42	
			<i>For >250 To 500, Deduct</i>	-0.69	
			<i>For >500 To 1,000, Deduct</i>	-1.10	
			<i>For >1,000, Deduct</i>	-1.51	
			<i>For 316 Stainless Steel, Add</i>	17.02	
			<i>For Aluminum, Add</i>	0.96	
			<i>For Galvanized Steel, Add</i>	3.30	
			<i>For 304 Stainless Steel, Add</i>	15.16	
			<i>For High Strength Steel (HSS), Add</i>	2.18	
05 12 23 00-0448	LF		2-1/2" x 2-1/2" x 5/16" Thick, Plain Steel Angle Iron.....	11.84	4.44
			<i>For >100 To 250, Deduct</i>	-0.44	
			<i>For >250 To 500, Deduct</i>	-0.74	
			<i>For >500 To 1,000, Deduct</i>	-1.18	
			<i>For >1,000, Deduct</i>	-1.63	
			<i>For 316 Stainless Steel, Add</i>	18.94	
			<i>For Aluminum, Add</i>	1.07	
			<i>For Galvanized Steel, Add</i>	3.67	
			<i>For 304 Stainless Steel, Add</i>	16.87	
			<i>For High Strength Steel (HSS), Add</i>	2.37	
05 12 23 00-0449	LF		3" x 2" x 5/16" Thick, Plain Steel Angle Iron.....	11.84	4.44
			<i>For >100 To 250, Deduct</i>	-0.44	
			<i>For >250 To 500, Deduct</i>	-0.74	
			<i>For >500 To 1,000, Deduct</i>	-1.18	
			<i>For >1,000, Deduct</i>	-1.63	
			<i>For 316 Stainless Steel, Add</i>	18.94	
			<i>For Aluminum, Add</i>	1.07	
			<i>For Galvanized Steel, Add</i>	3.67	
			<i>For 304 Stainless Steel, Add</i>	16.87	
			<i>For High Strength Steel (HSS), Add</i>	2.37	



Metals	05	05
Structural Metal Framing	05 10	
Structural Steel Framing	05 12	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 12 23 00-0450	LF		3" x 2-1/2" x 5/16" Thick, Plain Steel Angle Iron.....	13.11	4.86
			<i>For >100 To 250, Deduct</i>	-0.49	
			<i>For >250 To 500, Deduct</i>	-0.81	
			<i>For >500 To 1,000, Deduct</i>	-1.30	
			<i>For >1,000, Deduct</i>	-1.79	
			<i>For 316 Stainless Steel, Add</i>	21.22	
			<i>For Aluminum, Add</i>	1.19	
			<i>For Galvanized Steel, Add</i>	4.11	
			<i>For 304 Stainless Steel, Add</i>	18.90	
			<i>For High Strength Steel (HSS), Add</i>	2.62	
05 12 23 00-0451	LF		3" x 3" x 5/16" Thick, Plain Steel Angle Iron.....	14.26	5.28
			<i>For >100 To 250, Deduct</i>	-0.53	
			<i>For >250 To 500, Deduct</i>	-0.88	
			<i>For >500 To 1,000, Deduct</i>	-1.42	
			<i>For >1,000, Deduct</i>	-1.95	
			<i>For 316 Stainless Steel, Add</i>	23.10	
			<i>For Aluminum, Add</i>	1.30	
			<i>For Galvanized Steel, Add</i>	4.48	
			<i>For 304 Stainless Steel, Add</i>	20.58	
			<i>For High Strength Steel (HSS), Add</i>	2.85	
05 12 23 00-0452	LF		3-1/2" x 3" x 5/16" Thick, Plain Steel Angle Iron.....	15.21	5.55
			<i>For >100 To 250, Deduct</i>	-0.56	
			<i>For >250 To 500, Deduct</i>	-0.94	
			<i>For >500 To 1,000, Deduct</i>	-1.50	
			<i>For >1,000, Deduct</i>	-2.07	
			<i>For 316 Stainless Steel, Add</i>	24.99	
			<i>For Aluminum, Add</i>	1.41	
			<i>For Galvanized Steel, Add</i>	4.84	
			<i>For 304 Stainless Steel, Add</i>	22.26	
			<i>For High Strength Steel (HSS), Add</i>	3.04	
05 12 23 00-0453	LF		3-1/2" x 3-1/2" x 5/16" Thick, Plain Steel Angle Iron.....	16.27	5.83
			<i>For >100 To 250, Deduct</i>	-0.58	
			<i>For >250 To 500, Deduct</i>	-0.99	
			<i>For >500 To 1,000, Deduct</i>	-1.59	
			<i>For >1,000, Deduct</i>	-2.19	
			<i>For 316 Stainless Steel, Add</i>	27.20	
			<i>For Aluminum, Add</i>	1.53	
			<i>For Galvanized Steel, Add</i>	5.27	
			<i>For 304 Stainless Steel, Add</i>	24.23	
			<i>For High Strength Steel (HSS), Add</i>	3.25	
05 12 23 00-0454	LF		4" x 3" x 5/16" Thick, Plain Steel Angle Iron.....	16.27	5.83
			<i>For >100 To 250, Deduct</i>	-0.58	
			<i>For >250 To 500, Deduct</i>	-0.99	
			<i>For >500 To 1,000, Deduct</i>	-1.59	
			<i>For >1,000, Deduct</i>	-2.19	
			<i>For 316 Stainless Steel, Add</i>	27.20	
			<i>For Aluminum, Add</i>	1.53	
			<i>For Galvanized Steel, Add</i>	5.27	
			<i>For 304 Stainless Steel, Add</i>	24.23	
			<i>For High Strength Steel (HSS), Add</i>	3.25	
05 12 23 00-0455	LF		4" x 3-1/2" x 5/16" Thick, Plain Steel Angle Iron.....	17.30	6.16
			<i>For >100 To 250, Deduct</i>	-0.62	
			<i>For >250 To 500, Deduct</i>	-1.05	
			<i>For >500 To 1,000, Deduct</i>	-1.69	
			<i>For >1,000, Deduct</i>	-2.32	
			<i>For 316 Stainless Steel, Add</i>	29.09	
			<i>For Aluminum, Add</i>	1.64	
			<i>For Galvanized Steel, Add</i>	5.64	
			<i>For 304 Stainless Steel, Add</i>	25.91	
			<i>For High Strength Steel (HSS), Add</i>	3.46	
05 12 23 00-0456	LF		4" x 4" x 5/16" Thick, Plain Steel Angle Iron.....	18.28	6.43
			<i>For >100 To 250, Deduct</i>	-0.64	
			<i>For >250 To 500, Deduct</i>	-1.10	
			<i>For >500 To 1,000, Deduct</i>	-1.77	
			<i>For >1,000, Deduct</i>	-2.44	
			<i>For 316 Stainless Steel, Add</i>	31.04	
			<i>For Aluminum, Add</i>	1.75	
			<i>For Galvanized Steel, Add</i>	6.01	
			<i>For 304 Stainless Steel, Add</i>	27.65	
			<i>For High Strength Steel (HSS), Add</i>	3.66	
05 12 23 00-0457	LF		5" x 3" x 5/16" Thick, Plain Steel Angle Iron.....	18.28	6.43
			<i>For >100 To 250, Deduct</i>	-0.64	
			<i>For >250 To 500, Deduct</i>	-1.10	
			<i>For >500 To 1,000, Deduct</i>	-1.77	
			<i>For >1,000, Deduct</i>	-2.44	
			<i>For 316 Stainless Steel, Add</i>	31.04	
			<i>For Aluminum, Add</i>	1.75	
			<i>For Galvanized Steel, Add</i>	6.01	
			<i>For 304 Stainless Steel, Add</i>	27.65	
			<i>For High Strength Steel (HSS), Add</i>	3.66	

05	05 Metals
	05 10 Structural Metal Framing
	05 12 Structural Steel Framing



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 12 23 00-0458	LF		5" x 3-1/2" x 5/16" Thick, Plain Steel Angle Iron.....	19.20	6.70
			<i>For >100 To 250, Deduct</i>	-0.67	
			<i>For >250 To 500, Deduct</i>	-1.15	
			<i>For >500 To 1,000, Deduct</i>	-1.85	
			<i>For >1,000, Deduct</i>	-2.56	
			<i>For 316 Stainless Steel, Add</i>	32.86	
			<i>For Aluminum, Add</i>	1.85	
			<i>For Galvanized Steel, Add</i>	6.37	
			<i>For 304 Stainless Steel, Add</i>	29.27	
			<i>For High Strength Steel (HSS), Add</i>	3.84	
05 12 23 00-0459	LF		5" x 5" x 5/16" Thick, Plain Steel Angle Iron.....	21.51	6.98
			<i>For >100 To 250, Deduct</i>	-0.70	
			<i>For >250 To 500, Deduct</i>	-1.24	
			<i>For >500 To 1,000, Deduct</i>	-2.01	
			<i>For >1,000, Deduct</i>	-2.78	
			<i>For 316 Stainless Steel, Add</i>	39.01	
			<i>For Aluminum, Add</i>	2.19	
			<i>For Galvanized Steel, Add</i>	7.56	
			<i>For 304 Stainless Steel, Add</i>	34.74	
			<i>For High Strength Steel (HSS), Add</i>	4.30	
05 12 23 00-0460	LF		6" x 3-1/2" x 5/16" Thick, Plain Steel Angle Iron.....	21.27	7.27
			<i>For >100 To 250, Deduct</i>	-0.73	
			<i>For >250 To 500, Deduct</i>	-1.26	
			<i>For >500 To 1,000, Deduct</i>	-2.03	
			<i>For >1,000, Deduct</i>	-2.81	
			<i>For 316 Stainless Steel, Add</i>	37.02	
			<i>For Aluminum, Add</i>	2.08	
			<i>For Galvanized Steel, Add</i>	7.17	
			<i>For 304 Stainless Steel, Add</i>	32.97	
			<i>For High Strength Steel (HSS), Add</i>	4.25	
05 12 23 00-0461			3/8" Thick <small>(05 12 23 00-0409)</small>		
05 12 23 00-0462	LF		3" x 2" x 3/8" Thick, Plain Steel Angle Iron.....	13.15	4.64
			<i>For >100 To 250, Deduct</i>	-0.46	
			<i>For >250 To 500, Deduct</i>	-0.79	
			<i>For >500 To 1,000, Deduct</i>	-1.28	
			<i>For >1,000, Deduct</i>	-1.76	
			<i>For 316 Stainless Steel, Add</i>	22.27	
			<i>For Aluminum, Add</i>	1.25	
			<i>For Galvanized Steel, Add</i>	4.32	
			<i>For 304 Stainless Steel, Add</i>	19.84	
			<i>For High Strength Steel (HSS), Add</i>	2.63	
05 12 23 00-0463	LF		3" x 2-1/2" x 3/8" Thick, Plain Steel Angle Iron.....	14.51	5.03
			<i>For >100 To 250, Deduct</i>	-0.50	
			<i>For >250 To 500, Deduct</i>	-0.87	
			<i>For >500 To 1,000, Deduct</i>	-1.40	
			<i>For >1,000, Deduct</i>	-1.93	
			<i>For 316 Stainless Steel, Add</i>	24.99	
			<i>For Aluminum, Add</i>	1.41	
			<i>For Galvanized Steel, Add</i>	4.84	
			<i>For 304 Stainless Steel, Add</i>	22.26	
			<i>For High Strength Steel (HSS), Add</i>	2.90	
05 12 23 00-0464	LF		3" x 3" x 3/8" Thick, Plain Steel Angle Iron.....	15.71	5.41
			<i>For >100 To 250, Deduct</i>	-0.54	
			<i>For >250 To 500, Deduct</i>	-0.93	
			<i>For >500 To 1,000, Deduct</i>	-1.51	
			<i>For >1,000, Deduct</i>	-2.08	
			<i>For 316 Stainless Steel, Add</i>	27.20	
			<i>For Aluminum, Add</i>	1.53	
			<i>For Galvanized Steel, Add</i>	5.27	
			<i>For 304 Stainless Steel, Add</i>	24.23	
			<i>For High Strength Steel (HSS), Add</i>	3.14	
05 12 23 00-0465	LF		3-1/2" x 3" x 3/8" Thick, Plain Steel Angle Iron.....	16.76	5.56
			<i>For >100 To 250, Deduct</i>	-0.56	
			<i>For >250 To 500, Deduct</i>	-0.97	
			<i>For >500 To 1,000, Deduct</i>	-1.58	
			<i>For >1,000, Deduct</i>	-2.18	
			<i>For 316 Stainless Steel, Add</i>	29.92	
			<i>For Aluminum, Add</i>	1.68	
			<i>For Galvanized Steel, Add</i>	5.80	
			<i>For 304 Stainless Steel, Add</i>	26.65	
			<i>For High Strength Steel (HSS), Add</i>	3.35	
05 12 23 00-0466	LF		3-1/2" x 3-1/2" x 3/8" Thick, Plain Steel Angle Iron.....	17.85	5.87
			<i>For >100 To 250, Deduct</i>	-0.59	
			<i>For >250 To 500, Deduct</i>	-1.03	
			<i>For >500 To 1,000, Deduct</i>	-1.67	
			<i>For >1,000, Deduct</i>	-2.32	
			<i>For 316 Stainless Steel, Add</i>	32.10	
			<i>For Aluminum, Add</i>	1.81	
			<i>For Galvanized Steel, Add</i>	6.22	
			<i>For 304 Stainless Steel, Add</i>	28.59	
			<i>For High Strength Steel (HSS), Add</i>	3.57	



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 12 23 00-0467	LF		4" x 3" x 3/8" Thick, Plain Steel Angle Iron.....	17.85	5.87
			<i>For >100 To 250, Deduct</i>	-0.59	
			<i>For >250 To 500, Deduct</i>	-1.03	
			<i>For >500 To 1,000, Deduct</i>	-1.67	
			<i>For >1,000, Deduct</i>	-2.32	
			<i>For 316 Stainless Steel, Add</i>	32.10	
			<i>For Aluminum, Add</i>	1.81	
			<i>For Galvanized Steel, Add</i>	6.22	
			<i>For 304 Stainless Steel, Add</i>	28.59	
			<i>For High Strength Steel (HSS), Add</i>	3.57	
05 12 23 00-0468	LF		4" x 3-1/2" x 3/8" Thick, Plain Steel Angle Iron.....	19.26	6.39
			<i>For >100 To 250, Deduct</i>	-0.64	
			<i>For >250 To 500, Deduct</i>	-1.12	
			<i>For >500 To 1,000, Deduct</i>	-1.82	
			<i>For >1,000, Deduct</i>	-2.51	
			<i>For 316 Stainless Steel, Add</i>	34.37	
			<i>For Aluminum, Add</i>	1.93	
			<i>For Galvanized Steel, Add</i>	6.66	
			<i>For 304 Stainless Steel, Add</i>	30.61	
			<i>For High Strength Steel (HSS), Add</i>	3.85	
05 12 23 00-0469	LF		4" x 4" x 3/8" Thick, Plain Steel Angle Iron.....	20.34	6.58
			<i>For >100 To 250, Deduct</i>	-0.66	
			<i>For >250 To 500, Deduct</i>	-1.17	
			<i>For >500 To 1,000, Deduct</i>	-1.89	
			<i>For >1,000, Deduct</i>	-2.62	
			<i>For 316 Stainless Steel, Add</i>	37.02	
			<i>For Aluminum, Add</i>	2.08	
			<i>For Galvanized Steel, Add</i>	7.17	
			<i>For 304 Stainless Steel, Add</i>	32.97	
			<i>For High Strength Steel (HSS), Add</i>	4.07	
05 12 23 00-0470	LF		5" x 3" x 3/8" Thick, Plain Steel Angle Iron.....	20.69	6.84
			<i>For >100 To 250, Deduct</i>	-0.68	
			<i>For >250 To 500, Deduct</i>	-1.20	
			<i>For >500 To 1,000, Deduct</i>	-1.95	
			<i>For >1,000, Deduct</i>	-2.69	
			<i>For 316 Stainless Steel, Add</i>	37.02	
			<i>For Aluminum, Add</i>	2.08	
			<i>For Galvanized Steel, Add</i>	7.17	
			<i>For 304 Stainless Steel, Add</i>	32.97	
			<i>For High Strength Steel (HSS), Add</i>	4.14	
05 12 23 00-0471	LF		5" x 3-1/2" x 3/8" Thick, Plain Steel Angle Iron.....	22.11	7.37
			<i>For >100 To 250, Deduct</i>	-0.74	
			<i>For >250 To 500, Deduct</i>	-1.29	
			<i>For >500 To 1,000, Deduct</i>	-2.09	
			<i>For >1,000, Deduct</i>	-2.89	
			<i>For 316 Stainless Steel, Add</i>	39.30	
			<i>For Aluminum, Add</i>	2.21	
			<i>For Galvanized Steel, Add</i>	7.61	
			<i>For 304 Stainless Steel, Add</i>	35.00	
			<i>For High Strength Steel (HSS), Add</i>	4.42	
05 12 23 00-0472	LF		5" x 5" x 3/8" Thick, Plain Steel Angle Iron.....	26.01	8.59
			<i>For >100 To 250, Deduct</i>	-0.86	
			<i>For >250 To 500, Deduct</i>	-1.51	
			<i>For >500 To 1,000, Deduct</i>	-2.45	
			<i>For >1,000, Deduct</i>	-3.38	
			<i>For 316 Stainless Steel, Add</i>	46.59	
			<i>For Aluminum, Add</i>	2.62	
			<i>For Galvanized Steel, Add</i>	9.03	
			<i>For 304 Stainless Steel, Add</i>	41.50	
			<i>For High Strength Steel (HSS), Add</i>	5.20	
05 12 23 00-0473	LF		6" x 3-1/2" x 3/8" Thick, Plain Steel Angle Iron.....	24.45	7.99
			<i>For >100 To 250, Deduct</i>	-0.80	
			<i>For >250 To 500, Deduct</i>	-1.41	
			<i>For >500 To 1,000, Deduct</i>	-2.29	
			<i>For >1,000, Deduct</i>	-3.16	
			<i>For 316 Stainless Steel, Add</i>	44.19	
			<i>For Aluminum, Add</i>	2.49	
			<i>For Galvanized Steel, Add</i>	8.56	
			<i>For 304 Stainless Steel, Add</i>	39.36	
			<i>For High Strength Steel (HSS), Add</i>	4.89	
05 12 23 00-0474	LF		6" x 4" x 3/8" Thick, Plain Steel Angle Iron.....	26.01	8.59
			<i>For >100 To 250, Deduct</i>	-0.86	
			<i>For >250 To 500, Deduct</i>	-1.51	
			<i>For >500 To 1,000, Deduct</i>	-2.45	
			<i>For >1,000, Deduct</i>	-3.38	
			<i>For 316 Stainless Steel, Add</i>	46.59	
			<i>For Aluminum, Add</i>	2.62	
			<i>For Galvanized Steel, Add</i>	9.03	
			<i>For 304 Stainless Steel, Add</i>	41.50	
			<i>For High Strength Steel (HSS), Add</i>	5.20	

05 Metals**05 10 Structural Metal Framing****05 12 Structural Steel Framing**

MINOR		TOTAL DIRECT	DEMOLITION
CSI	UOM DESCRIPTION	UNIT COST	UNIT COST
05 12 23 00-0475	LF 6" x 6" x 3/8" Thick, Plain Steel Angle Iron.....	31.36	10.31
	<i>For >100 To 250, Deduct</i>	-1.03	
	<i>For >250 To 500, Deduct</i>	-1.81	
	<i>For >500 To 1,000, Deduct</i>	-2.94	
	<i>For >1,000, Deduct</i>	-4.07	
	<i>For 316 Stainless Steel, Add</i>	56.42	
	<i>For Aluminum, Add</i>	3.17	
	<i>For Galvanized Steel, Add</i>	10.93	
	<i>For 304 Stainless Steel, Add</i>	50.25	
	<i>For High Strength Steel (HSS), Add</i>	6.27	
05 12 23 00-0476	LF 7" x 4" x 3/8" Thick, Plain Steel Angle Iron.....	28.70	9.45
	<i>For >100 To 250, Deduct</i>	-0.95	
	<i>For >250 To 500, Deduct</i>	-1.66	
	<i>For >500 To 1,000, Deduct</i>	-2.70	
	<i>For >1,000, Deduct</i>	-3.73	
	<i>For 316 Stainless Steel, Add</i>	51.49	
	<i>For Aluminum, Add</i>	2.90	
	<i>For Galvanized Steel, Add</i>	9.98	
	<i>For 304 Stainless Steel, Add</i>	45.86	
	<i>For High Strength Steel (HSS), Add</i>	5.74	
05 12 23 00-0477	1/2" Thick (05 12 23 00-0409)		
05 12 23 00-0478	LF 3" x 3" x 1/2" Thick, Plain Steel Angle Iron.....	18.49	5.53
	<i>For >100 To 250, Deduct</i>	-0.55	
	<i>For >250 To 500, Deduct</i>	-1.02	
	<i>For >500 To 1,000, Deduct</i>	-1.66	
	<i>For >1,000, Deduct</i>	-2.31	
	<i>For 316 Stainless Steel, Add</i>	35.58	
	<i>For Aluminum, Add</i>	2.00	
	<i>For Galvanized Steel, Add</i>	6.89	
	<i>For 304 Stainless Steel, Add</i>	31.69	
	<i>For High Strength Steel (HSS), Add</i>	3.70	
05 12 23 00-0479	LF 4" x 3" x 1/2" Thick, Plain Steel Angle Iron.....	21.84	6.53
	<i>For >100 To 250, Deduct</i>	-0.65	
	<i>For >250 To 500, Deduct</i>	-1.20	
	<i>For >500 To 1,000, Deduct</i>	-1.96	
	<i>For >1,000, Deduct</i>	-2.73	
	<i>For 316 Stainless Steel, Add</i>	42.02	
	<i>For Aluminum, Add</i>	2.36	
	<i>For Galvanized Steel, Add</i>	8.14	
	<i>For 304 Stainless Steel, Add</i>	37.42	
	<i>For High Strength Steel (HSS), Add</i>	4.37	
05 12 23 00-0480	LF 4" x 3-1/2" x 1/2" Thick, Plain Steel Angle Iron.....	23.42	7.00
	<i>For >100 To 250, Deduct</i>	-0.70	
	<i>For >250 To 500, Deduct</i>	-1.29	
	<i>For >500 To 1,000, Deduct</i>	-2.11	
	<i>For >1,000, Deduct</i>	-2.92	
	<i>For 316 Stainless Steel, Add</i>	45.06	
	<i>For Aluminum, Add</i>	2.53	
	<i>For Galvanized Steel, Add</i>	8.73	
	<i>For 304 Stainless Steel, Add</i>	40.13	
	<i>For High Strength Steel (HSS), Add</i>	4.68	
05 12 23 00-0481	LF 4" x 4" x 1/2" Thick, Plain Steel Angle Iron.....	25.19	7.54
	<i>For >100 To 250, Deduct</i>	-0.75	
	<i>For >250 To 500, Deduct</i>	-1.38	
	<i>For >500 To 1,000, Deduct</i>	-2.26	
	<i>For >1,000, Deduct</i>	-3.14	
	<i>For 316 Stainless Steel, Add</i>	48.48	
	<i>For Aluminum, Add</i>	2.73	
	<i>For Galvanized Steel, Add</i>	9.39	
	<i>For 304 Stainless Steel, Add</i>	43.18	
	<i>For High Strength Steel (HSS), Add</i>	5.04	
05 12 23 00-0482	LF 5" x 3" x 1/2" Thick, Plain Steel Angle Iron.....	25.19	7.54
	<i>For >100 To 250, Deduct</i>	-0.75	
	<i>For >250 To 500, Deduct</i>	-1.38	
	<i>For >500 To 1,000, Deduct</i>	-2.26	
	<i>For >1,000, Deduct</i>	-3.14	
	<i>For 316 Stainless Steel, Add</i>	48.48	
	<i>For Aluminum, Add</i>	2.73	
	<i>For Galvanized Steel, Add</i>	9.39	
	<i>For 304 Stainless Steel, Add</i>	43.18	
	<i>For High Strength Steel (HSS), Add</i>	5.04	
05 12 23 00-0483	LF 5" x 3-1/2" x 1/2" Thick, Plain Steel Angle Iron.....	26.75	8.00
	<i>For >100 To 250, Deduct</i>	-0.80	
	<i>For >250 To 500, Deduct</i>	-1.47	
	<i>For >500 To 1,000, Deduct</i>	-2.40	
	<i>For >1,000, Deduct</i>	-3.34	
	<i>For 316 Stainless Steel, Add</i>	51.49	
	<i>For Aluminum, Add</i>	2.90	
	<i>For Galvanized Steel, Add</i>	9.98	
	<i>For 304 Stainless Steel, Add</i>	45.86	
	<i>For High Strength Steel (HSS), Add</i>	5.35	



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 12 23 00-0484	LF		5" x 5" x 1/2" Thick, Plain Steel Angle Iron.....	31.88	9.53
			<i>For >100 To 250, Deduct</i>	-0.95	
			<i>For >250 To 500, Deduct</i>	-1.75	
			<i>For >500 To 1,000, Deduct</i>	-2.87	
			<i>For >1,000, Deduct</i>	-3.98	
			<i>For 316 Stainless Steel, Add</i>	61.34	
			<i>For Aluminum, Add</i>	3.45	
			<i>For Galvanized Steel, Add</i>	11.89	
			<i>For 304 Stainless Steel, Add</i>	54.63	
			<i>For High Strength Steel (HSS), Add</i>	6.38	
05 12 23 00-0485	LF		6" x 4" x 1/2" Thick, Plain Steel Angle Iron.....	31.88	9.53
			<i>For >100 To 250, Deduct</i>	-0.95	
			<i>For >250 To 500, Deduct</i>	-1.75	
			<i>For >500 To 1,000, Deduct</i>	-2.87	
			<i>For >1,000, Deduct</i>	-3.98	
			<i>For 316 Stainless Steel, Add</i>	61.34	
			<i>For Aluminum, Add</i>	3.45	
			<i>For Galvanized Steel, Add</i>	11.89	
			<i>For 304 Stainless Steel, Add</i>	54.63	
			<i>For High Strength Steel (HSS), Add</i>	6.38	
05 12 23 00-0486	LF		6" x 6" x 1/2" Thick, Plain Steel Angle Iron.....	38.57	11.53
			<i>For >100 To 250, Deduct</i>	-1.15	
			<i>For >250 To 500, Deduct</i>	-2.12	
			<i>For >500 To 1,000, Deduct</i>	-3.47	
			<i>For >1,000, Deduct</i>	-4.82	
			<i>For 316 Stainless Steel, Add</i>	74.21	
			<i>For Aluminum, Add</i>	4.17	
			<i>For Galvanized Steel, Add</i>	14.38	
			<i>For 304 Stainless Steel, Add</i>	66.09	
			<i>For High Strength Steel (HSS), Add</i>	7.71	
05 12 23 00-0487	LF		7" x 4" x 1/2" Thick, Plain Steel Angle Iron.....	35.22	10.53
			<i>For >100 To 250, Deduct</i>	-1.05	
			<i>For >250 To 500, Deduct</i>	-1.93	
			<i>For >500 To 1,000, Deduct</i>	-3.17	
			<i>For >1,000, Deduct</i>	-4.40	
			<i>For 316 Stainless Steel, Add</i>	67.74	
			<i>For Aluminum, Add</i>	3.81	
			<i>For Galvanized Steel, Add</i>	13.13	
			<i>For 304 Stainless Steel, Add</i>	60.33	
			<i>For High Strength Steel (HSS), Add</i>	7.04	
05 12 23 00-0488	LF		8" x 4" x 1/2" Thick, Plain Steel Angle Iron.....	38.57	11.53
			<i>For >100 To 250, Deduct</i>	-1.15	
			<i>For >250 To 500, Deduct</i>	-2.12	
			<i>For >500 To 1,000, Deduct</i>	-3.47	
			<i>For >1,000, Deduct</i>	-4.82	
			<i>For 316 Stainless Steel, Add</i>	74.21	
			<i>For Aluminum, Add</i>	4.17	
			<i>For Galvanized Steel, Add</i>	14.38	
			<i>For 304 Stainless Steel, Add</i>	66.09	
			<i>For High Strength Steel (HSS), Add</i>	7.71	
05 12 23 00-0489	LF		8" x 6" x 1/2" Thick, Plain Steel Angle Iron.....	45.27	13.53
			<i>For >100 To 250, Deduct</i>	-1.35	
			<i>For >250 To 500, Deduct</i>	-2.49	
			<i>For >500 To 1,000, Deduct</i>	-4.07	
			<i>For >1,000, Deduct</i>	-5.65	
			<i>For 316 Stainless Steel, Add</i>	87.10	
			<i>For Aluminum, Add</i>	4.90	
			<i>For Galvanized Steel, Add</i>	16.88	
			<i>For 304 Stainless Steel, Add</i>	77.58	
			<i>For High Strength Steel (HSS), Add</i>	9.05	
05 12 23 00-0490	LF		8" x 8" x 1/2" Thick, Plain Steel Angle Iron.....	51.95	15.53
			<i>For >100 To 250, Deduct</i>	-1.55	
			<i>For >250 To 500, Deduct</i>	-2.85	
			<i>For >500 To 1,000, Deduct</i>	-4.67	
			<i>For >1,000, Deduct</i>	-6.49	
			<i>For 316 Stainless Steel, Add</i>	99.94	
			<i>For Aluminum, Add</i>	5.62	
			<i>For Galvanized Steel, Add</i>	19.36	
			<i>For 304 Stainless Steel, Add</i>	89.01	
			<i>For High Strength Steel (HSS), Add</i>	10.39	
05 12 23 00-0491			5/8" Thick <small>(05 12 23 00-0409)</small>		
05 12 23 00-0492	LF		4" x 4" x 5/8" Thick, Plain Steel Angle Iron.....	30.09	8.63
			<i>For >100 To 250, Deduct</i>	-0.86	
			<i>For >250 To 500, Deduct</i>	-1.62	
			<i>For >500 To 1,000, Deduct</i>	-2.66	
			<i>For >1,000, Deduct</i>	-3.70	
			<i>For 316 Stainless Steel, Add</i>	59.46	
			<i>For Aluminum, Add</i>	3.34	
			<i>For Galvanized Steel, Add</i>	11.52	
			<i>For High Strength Steel (HSS), Add</i>	6.02	

05 Metals**05 10 Structural Metal Framing****05 12 Structural Steel Framing**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 12 23 00-0493	LF		5" x 3-1/2" x 5/8" Thick, Plain Steel Angle Iron.....	32.19	9.24
			<i>For >100 To 250, Deduct</i>	-0.92	
			<i>For >250 To 500, Deduct</i>	-1.73	
			<i>For >500 To 1,000, Deduct</i>	-2.84	
			<i>For >1,000, Deduct</i>	-3.95	
			<i>For 316 Stainless Steel, Add</i>	63.62	
			<i>For Aluminum, Add</i>	3.58	
			<i>For Galvanized Steel, Add</i>	12.33	
			<i>For High Strength Steel (HSS), Add</i>	6.44	
05 12 23 00-0494	LF		5" x 5" x 5/8" Thick, Plain Steel Angle Iron.....	38.32	11.00
			<i>For >100 To 250, Deduct</i>	-1.10	
			<i>For >250 To 500, Deduct</i>	-2.06	
			<i>For >500 To 1,000, Deduct</i>	-3.38	
			<i>For >1,000, Deduct</i>	-4.71	
			<i>For 316 Stainless Steel, Add</i>	75.71	
			<i>For Aluminum, Add</i>	4.26	
			<i>For Galvanized Steel, Add</i>	14.67	
			<i>For High Strength Steel (HSS), Add</i>	7.66	
05 12 23 00-0495	LF		6" x 4" x 5/8" Thick, Plain Steel Angle Iron.....	38.32	11.00
			<i>For >100 To 250, Deduct</i>	-1.10	
			<i>For >250 To 500, Deduct</i>	-2.06	
			<i>For >500 To 1,000, Deduct</i>	-3.38	
			<i>For >1,000, Deduct</i>	-4.71	
			<i>For 316 Stainless Steel, Add</i>	75.71	
			<i>For Aluminum, Add</i>	4.26	
			<i>For Galvanized Steel, Add</i>	14.67	
			<i>For High Strength Steel (HSS), Add</i>	7.66	
05 12 23 00-0496	LF		6" x 6" x 5/8" Thick, Plain Steel Angle Iron.....	46.39	13.31
			<i>For >100 To 250, Deduct</i>	-1.33	
			<i>For >250 To 500, Deduct</i>	-2.49	
			<i>For >500 To 1,000, Deduct</i>	-4.09	
			<i>For >1,000, Deduct</i>	-5.70	
			<i>For 316 Stainless Steel, Add</i>	91.65	
			<i>For Aluminum, Add</i>	5.16	
			<i>For Galvanized Steel, Add</i>	17.76	
			<i>For High Strength Steel (HSS), Add</i>	9.28	
05 12 23 00-0497	LF		7" x 4" x 5/8" Thick, Plain Steel Angle Iron.....	42.36	12.15
			<i>For >100 To 250, Deduct</i>	-1.22	
			<i>For >250 To 500, Deduct</i>	-2.27	
			<i>For >500 To 1,000, Deduct</i>	-3.74	
			<i>For >1,000, Deduct</i>	-5.20	
			<i>For 316 Stainless Steel, Add</i>	83.68	
			<i>For Aluminum, Add</i>	4.71	
			<i>For Galvanized Steel, Add</i>	16.21	
			<i>For High Strength Steel (HSS), Add</i>	8.47	
05 12 23 00-0498	LF		8" x 6" x 5/8" Thick, Plain Steel Angle Iron.....	54.62	15.68
			<i>For >100 To 250, Deduct</i>	-1.57	
			<i>For >250 To 500, Deduct</i>	-2.93	
			<i>For >500 To 1,000, Deduct</i>	-4.82	
			<i>For >1,000, Deduct</i>	-6.71	
			<i>For 316 Stainless Steel, Add</i>	107.90	
			<i>For Aluminum, Add</i>	6.07	
			<i>For Galvanized Steel, Add</i>	20.91	
			<i>For High Strength Steel (HSS), Add</i>	10.92	
05 12 23 00-0499	LF		8" x 8" x 5/8" Thick, Plain Steel Angle Iron.....	62.68	17.98
			<i>For >100 To 250, Deduct</i>	-1.80	
			<i>For >250 To 500, Deduct</i>	-3.37	
			<i>For >500 To 1,000, Deduct</i>	-5.53	
			<i>For >1,000, Deduct</i>	-7.70	
			<i>For 316 Stainless Steel, Add</i>	123.84	
			<i>For Aluminum, Add</i>	6.97	
			<i>For Galvanized Steel, Add</i>	23.99	
			<i>For High Strength Steel (HSS), Add</i>	12.54	
05 12 23 00-0500			3/4" Thick (05 12 23 00-0409)		
05 12 23 00-0501	LF		4" x 4" x 3/4" Thick, Plain Steel Angle Iron.....	34.62	9.54
			<i>For >100 To 250, Deduct</i>	-0.95	
			<i>For >250 To 500, Deduct</i>	-1.82	
			<i>For >500 To 1,000, Deduct</i>	-3.00	
			<i>For >1,000, Deduct</i>	-4.19	
			<i>For 316 Stainless Steel, Add</i>	70.08	
			<i>For Aluminum, Add</i>	3.94	
			<i>For Galvanized Steel, Add</i>	13.58	
			<i>For High Strength Steel (HSS), Add</i>	6.92	
05 12 23 00-0502	LF		5" x 3-1/2" x 3/4" Thick, Plain Steel Angle Iron.....	37.04	10.21
			<i>For >100 To 250, Deduct</i>	-1.02	
			<i>For >250 To 500, Deduct</i>	-1.95	
			<i>For >500 To 1,000, Deduct</i>	-3.21	
			<i>For >1,000, Deduct</i>	-4.48	
			<i>For 316 Stainless Steel, Add</i>	74.98	
			<i>For Aluminum, Add</i>	4.22	
			<i>For Galvanized Steel, Add</i>	14.53	
			<i>For High Strength Steel (HSS), Add</i>	7.41	



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 12 23 00-0503	LF		5" x 5" x 3/4" Thick, Plain Steel Angle Iron.....	44.15	12.17
			<i>For >100 To 250, Deduct</i>	-1.22	
			<i>For >250 To 500, Deduct</i>	-2.32	
			<i>For >500 To 1,000, Deduct</i>	-3.83	
			<i>For >1,000, Deduct</i>	-5.34	
			<i>For 316 Stainless Steel, Add</i>	89.38	
			<i>For Aluminum, Add</i>	5.03	
			<i>For Galvanized Steel, Add</i>	17.32	
			<i>For High Strength Steel (HSS), Add</i>	8.83	
05 12 23 00-0504	LF		6" x 4" x 3/4" Thick, Plain Steel Angle Iron.....	44.15	12.17
			<i>For >100 To 250, Deduct</i>	-1.22	
			<i>For >250 To 500, Deduct</i>	-2.32	
			<i>For >500 To 1,000, Deduct</i>	-3.83	
			<i>For >1,000, Deduct</i>	-5.34	
			<i>For 316 Stainless Steel, Add</i>	89.38	
			<i>For Aluminum, Add</i>	5.03	
			<i>For Galvanized Steel, Add</i>	17.32	
			<i>For High Strength Steel (HSS), Add</i>	8.83	
05 12 23 00-0505	LF		6" x 6" x 3/4" Thick, Plain Steel Angle Iron.....	53.69	14.79
			<i>For >100 To 250, Deduct</i>	-1.48	
			<i>For >250 To 500, Deduct</i>	-2.82	
			<i>For >500 To 1,000, Deduct</i>	-4.66	
			<i>For >1,000, Deduct</i>	-6.49	
			<i>For 316 Stainless Steel, Add</i>	108.67	
			<i>For Aluminum, Add</i>	6.11	
			<i>For Galvanized Steel, Add</i>	21.06	
			<i>For High Strength Steel (HSS), Add</i>	10.74	
05 12 23 00-0506	LF		7" x 4" x 3/4" Thick, Plain Steel Angle Iron.....	49.01	13.51
			<i>For >100 To 250, Deduct</i>	-1.35	
			<i>For >250 To 500, Deduct</i>	-2.58	
			<i>For >500 To 1,000, Deduct</i>	-4.25	
			<i>For >1,000, Deduct</i>	-5.93	
			<i>For 316 Stainless Steel, Add</i>	99.20	
			<i>For Aluminum, Add</i>	5.58	
			<i>For Galvanized Steel, Add</i>	19.22	
			<i>For High Strength Steel (HSS), Add</i>	9.80	
05 12 23 00-0507	LF		8" x 4" x 3/4" Thick, Plain Steel Angle Iron.....	53.69	14.79
			<i>For >100 To 250, Deduct</i>	-1.48	
			<i>For >250 To 500, Deduct</i>	-2.82	
			<i>For >500 To 1,000, Deduct</i>	-4.66	
			<i>For >1,000, Deduct</i>	-6.49	
			<i>For 316 Stainless Steel, Add</i>	108.67	
			<i>For Aluminum, Add</i>	6.11	
			<i>For Galvanized Steel, Add</i>	21.06	
			<i>For High Strength Steel (HSS), Add</i>	10.74	
05 12 23 00-0508	LF		8" x 6" x 3/4" Thick, Plain Steel Angle Iron.....	63.23	17.43
			<i>For >100 To 250, Deduct</i>	-1.74	
			<i>For >250 To 500, Deduct</i>	-3.32	
			<i>For >500 To 1,000, Deduct</i>	-5.48	
			<i>For >1,000, Deduct</i>	-7.65	
			<i>For 316 Stainless Steel, Add</i>	128.00	
			<i>For Aluminum, Add</i>	7.20	
			<i>For Galvanized Steel, Add</i>	24.80	
			<i>For High Strength Steel (HSS), Add</i>	12.65	
05 12 23 00-0509	LF		8" x 8" x 3/4" Thick, Plain Steel Angle Iron.....	72.77	20.05
			<i>For >100 To 250, Deduct</i>	-2.01	
			<i>For >250 To 500, Deduct</i>	-3.82	
			<i>For >500 To 1,000, Deduct</i>	-6.31	
			<i>For >1,000, Deduct</i>	-8.80	
			<i>For 316 Stainless Steel, Add</i>	147.30	
			<i>For Aluminum, Add</i>	8.29	
			<i>For Galvanized Steel, Add</i>	28.54	
			<i>For High Strength Steel (HSS), Add</i>	14.55	
05 12 23 00-0510			7/8" Thick <small>(05 12 23 00-0409)</small>		
05 12 23 00-0511	LF		5" x 5" x 7/8" Thick, Plain Steel Angle Iron.....	49.63	13.09
			<i>For >100 To 250, Deduct</i>	-1.31	
			<i>For >250 To 500, Deduct</i>	-2.55	
			<i>For >500 To 1,000, Deduct</i>	-4.23	
			<i>For >1,000, Deduct</i>	-5.90	
			<i>For 316 Stainless Steel, Add</i>	102.98	
			<i>For Aluminum, Add</i>	5.79	
			<i>For Galvanized Steel, Add</i>	19.95	
			<i>For High Strength Steel (HSS), Add</i>	9.93	
05 12 23 00-0512	LF		6" x 4" x 7/8" Thick, Plain Steel Angle Iron.....	49.63	13.09
			<i>For >100 To 250, Deduct</i>	-1.31	
			<i>For >250 To 500, Deduct</i>	-2.55	
			<i>For >500 To 1,000, Deduct</i>	-4.23	
			<i>For >1,000, Deduct</i>	-5.90	
			<i>For 316 Stainless Steel, Add</i>	102.98	
			<i>For Aluminum, Add</i>	5.79	
			<i>For Galvanized Steel, Add</i>	19.95	
			<i>For High Strength Steel (HSS), Add</i>	9.93	

05 Metals**05 10 Structural Metal Framing****05 12 Structural Steel Framing**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 12 23 00-0513	LF		6" x 6" x 7/8" Thick, Plain Steel Angle Iron.....	60.41	15.93
			<i>For >100 To 250, Deduct</i>	-1.59	
			<i>For >250 To 500, Deduct</i>	-3.10	
			<i>For >500 To 1,000, Deduct</i>	-5.14	
			<i>For >1,000, Deduct</i>	-7.19	
			<i>For 316 Stainless Steel, Add</i>	125.34	
			<i>For Aluminum, Add</i>	7.05	
			<i>For Galvanized Steel, Add</i>	24.29	
			<i>For High Strength Steel (HSS), Add</i>	12.08	
05 12 23 00-0514	LF		8" x 6" x 7/8" Thick, Plain Steel Angle Iron.....	71.35	18.81
			<i>For >100 To 250, Deduct</i>	-1.88	
			<i>For >250 To 500, Deduct</i>	-3.66	
			<i>For >500 To 1,000, Deduct</i>	-6.08	
			<i>For >1,000, Deduct</i>	-8.49	
			<i>For 316 Stainless Steel, Add</i>	148.06	
			<i>For Aluminum, Add</i>	8.33	
			<i>For Galvanized Steel, Add</i>	28.69	
			<i>For High Strength Steel (HSS), Add</i>	14.27	
05 12 23 00-0515	LF		8" x 8" x 7/8" Thick, Plain Steel Angle Iron.....	82.11	21.66
			<i>For >100 To 250, Deduct</i>	-2.17	
			<i>For >250 To 500, Deduct</i>	-4.22	
			<i>For >500 To 1,000, Deduct</i>	-6.99	
			<i>For >1,000, Deduct</i>	-9.77	
			<i>For 316 Stainless Steel, Add</i>	170.37	
			<i>For Aluminum, Add</i>	9.58	
			<i>For Galvanized Steel, Add</i>	33.01	
			<i>For High Strength Steel (HSS), Add</i>	16.42	
05 12 23 00-0516			Bar Channel (05 12 23 00-0408)		
05 12 23 00-0517	LF		1" x 1/2" x 1/8" Thick Bar Channel.....	4.18	
			<i>For 316 Stainless Steel, Add</i>	4.13	
			<i>For Aluminum, Add</i>	0.23	
			<i>For Galvanized Steel, Add</i>	0.80	
			<i>For 304 Stainless Steel, Add</i>	3.68	
			<i>For High Strength Steel (HSS), Add</i>	0.84	
05 12 23 00-0518	LF		1-1/4" x 1/2" x 1/8" Thick Bar Channel.....	4.68	
			<i>For 316 Stainless Steel, Add</i>	4.93	
			<i>For Aluminum, Add</i>	0.28	
			<i>For Galvanized Steel, Add</i>	0.95	
			<i>For 304 Stainless Steel, Add</i>	4.39	
			<i>For High Strength Steel (HSS), Add</i>	0.94	
05 12 23 00-0519	LF		1-1/2" x 1/2" x 1/8" Thick Bar Channel.....	5.11	
			<i>For 316 Stainless Steel, Add</i>	5.47	
			<i>For Aluminum, Add</i>	0.31	
			<i>For Galvanized Steel, Add</i>	1.06	
			<i>For 304 Stainless Steel, Add</i>	4.87	
			<i>For High Strength Steel (HSS), Add</i>	1.02	
05 12 23 00-0520	LF		1-1/2" x 3/4" x 1/8" Thick Bar Channel.....	5.84	
			<i>For 316 Stainless Steel, Add</i>	5.70	
			<i>For Aluminum, Add</i>	0.32	
			<i>For Galvanized Steel, Add</i>	1.10	
			<i>For 304 Stainless Steel, Add</i>	5.07	
			<i>For High Strength Steel (HSS), Add</i>	1.17	
05 12 23 00-0521	LF		2" x 1/2" x 1/8" Thick Bar Channel.....	6.24	
			<i>For 316 Stainless Steel, Add</i>	6.98	
			<i>For Aluminum, Add</i>	0.39	
			<i>For Galvanized Steel, Add</i>	1.35	
			<i>For 304 Stainless Steel, Add</i>	6.21	
05 12 23 00-0522	LF		2" x 1" x 1/8" Thick Bar Channel.....	8.25	
			<i>For 316 Stainless Steel, Add</i>	7.78	
			<i>For Aluminum, Add</i>	0.44	
			<i>For Galvanized Steel, Add</i>	1.51	
			<i>For 304 Stainless Steel, Add</i>	6.93	
05 12 23 00-0523			Channels - C (05 12 23 00-0408)		
05 12 23 00-0524	LF		C2 x 1.78 - 2" Wide Channel.....	6.85	3.58
			<i>For >100 To 250, Deduct</i>	-0.36	
			<i>For >250 To 500, Deduct</i>	-0.53	
			<i>For >500 To 1,000, Deduct</i>	-0.82	
			<i>For >1,000, Deduct</i>	-1.11	
			<i>For 316 Stainless Steel, Add</i>	6.62	
			<i>For Aluminum, Add</i>	0.37	
			<i>For Galvanized Steel, Add</i>	1.28	
			<i>For 304 Stainless Steel, Add</i>	5.90	
05 12 23 00-0525	LF		C3 x 4.1 - 3" Wide Channel.....	11.72	5.15
			<i>For >100 To 250, Deduct</i>	-0.52	
			<i>For >250 To 500, Deduct</i>	-0.81	
			<i>For >500 To 1,000, Deduct</i>	-1.27	
			<i>For >1,000, Deduct</i>	-1.74	
			<i>For 316 Stainless Steel, Add</i>	15.52	
			<i>For Aluminum, Add</i>	0.87	
			<i>For Galvanized Steel, Add</i>	3.01	
			<i>For 304 Stainless Steel, Add</i>	13.82	



Metals	05	05
Structural Metal Framing	05 10	
Structural Steel Framing	05 12	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 12 23 00-0526	LF		C3 x 5 - 3" Wide Channel.....	14.31	6.29
			For >100 To 250, Deduct	-0.63	
			For >250 To 500, Deduct	-0.99	
			For >500 To 1,000, Deduct	-1.55	
			For >1,000, Deduct	-2.12	
			For 316 Stainless Steel, Add	18.94	
			For Aluminum, Add	1.07	
			For Galvanized Steel, Add	3.67	
			For 304 Stainless Steel, Add	16.87	
05 12 23 00-0527	LF		C3 x 6 - 3" Wide Channel.....	17.16	7.55
			For >100 To 250, Deduct	-0.75	
			For >250 To 500, Deduct	-1.18	
			For >500 To 1,000, Deduct	-1.86	
			For >1,000, Deduct	-2.54	
			For 316 Stainless Steel, Add	22.72	
			For Aluminum, Add	1.28	
			For Galvanized Steel, Add	4.40	
			For 304 Stainless Steel, Add	20.24	
05 12 23 00-0528	LF		C4 x 5.4 - 4" Wide Channel.....	14.64	6.19
			For >100 To 250, Deduct	-0.62	
			For >250 To 500, Deduct	-0.98	
			For >500 To 1,000, Deduct	-1.56	
			For >1,000, Deduct	-2.13	
			For 316 Stainless Steel, Add	20.45	
			For Aluminum, Add	1.15	
			For Galvanized Steel, Add	3.96	
			For 304 Stainless Steel, Add	18.21	
05 12 23 00-0529	LF		C4 x 7.25 - 4" Wide Channel.....	19.65	8.30
			For >100 To 250, Deduct	-0.83	
			For >250 To 500, Deduct	-1.32	
			For >500 To 1,000, Deduct	-2.09	
			For >1,000, Deduct	-2.86	
			For 316 Stainless Steel, Add	27.46	
			For Aluminum, Add	1.54	
			For Galvanized Steel, Add	5.32	
			For 304 Stainless Steel, Add	24.45	
05 12 23 00-0530	LF		C5 x 6.7 - 5" Wide Channel.....	17.56	7.21
			For >100 To 250, Deduct	-0.72	
			For >250 To 500, Deduct	-1.16	
			For >500 To 1,000, Deduct	-1.84	
			For >1,000, Deduct	-2.52	
			For 316 Stainless Steel, Add	25.38	
			For Aluminum, Add	1.43	
			For Galvanized Steel, Add	4.92	
			For 304 Stainless Steel, Add	22.60	
05 12 23 00-0531	LF		C5 x 9 - 5" Wide Channel.....	23.57	9.70
			For >100 To 250, Deduct	-0.97	
			For >250 To 500, Deduct	-1.56	
			For >500 To 1,000, Deduct	-2.47	
			For >1,000, Deduct	-3.38	
			For 316 Stainless Steel, Add	34.08	
			For Aluminum, Add	1.92	
			For Galvanized Steel, Add	6.60	
			For 304 Stainless Steel, Add	30.35	
05 12 23 00-0532	LF		C6 x 8.2 - 6" Wide Channel.....	21.25	8.66
			For >100 To 250, Deduct	-0.87	
			For >250 To 500, Deduct	-1.40	
			For >500 To 1,000, Deduct	-2.22	
			For >1,000, Deduct	-3.04	
			For 316 Stainless Steel, Add	31.04	
			For Aluminum, Add	1.75	
			For Galvanized Steel, Add	6.01	
			For 304 Stainless Steel, Add	27.65	
05 12 23 00-0533	LF		C6 x 10.5 - 6" Wide Channel.....	27.20	11.09
			For >100 To 250, Deduct	-1.11	
			For >250 To 500, Deduct	-1.79	
			For >500 To 1,000, Deduct	-2.84	
			For >1,000, Deduct	-3.89	
			For 316 Stainless Steel, Add	39.74	
			For Aluminum, Add	2.24	
			For Galvanized Steel, Add	7.70	
			For 304 Stainless Steel, Add	35.40	
05 12 23 00-0534	LF		C6 x 13 - 6" Wide Channel.....	33.69	13.73
			For >100 To 250, Deduct	-1.37	
			For >250 To 500, Deduct	-2.22	
			For >500 To 1,000, Deduct	-3.52	
			For >1,000, Deduct	-4.82	
			For 316 Stainless Steel, Add	49.22	
			For Aluminum, Add	2.77	
			For Galvanized Steel, Add	9.54	
			For 304 Stainless Steel, Add	43.83	

05 Metals**05 10 Structural Metal Framing****05 12 Structural Steel Framing**

MINOR
CSI UOM DESCRIPTION

TOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

05 12 23 00-0535	LF	C7 x 9.8 - 7" Wide Channel	25.33	10.31
		<i>For >100 To 250, Deduct</i>	-1.03	
		<i>For >250 To 500, Deduct</i>	-1.66	
		<i>For >500 To 1,000, Deduct</i>	-2.64	
		<i>For >1,000, Deduct</i>	-3.62	
		<i>For 316 Stainless Steel, Add</i>	37.09	
		<i>For Aluminum, Add</i>	2.09	
		<i>For Galvanized Steel, Add</i>	7.19	
		<i>For 304 Stainless Steel, Add</i>	33.03	
05 12 23 00-0536	LF	C7 x 12.25 - 7" Wide Channel	31.67	12.89
		<i>For >100 To 250, Deduct</i>	-1.29	
		<i>For >250 To 500, Deduct</i>	-2.08	
		<i>For >500 To 1,000, Deduct</i>	-3.30	
		<i>For >1,000, Deduct</i>	-4.52	
		<i>For 316 Stainless Steel, Add</i>	46.37	
		<i>For Aluminum, Add</i>	2.61	
		<i>For Galvanized Steel, Add</i>	8.98	
		<i>For 304 Stainless Steel, Add</i>	41.30	
05 12 23 00-0537	LF	C7 x 14.75 - 7" Wide Channel	38.15	15.51
		<i>For >100 To 250, Deduct</i>	-1.55	
		<i>For >250 To 500, Deduct</i>	-2.51	
		<i>For >500 To 1,000, Deduct</i>	-3.98	
		<i>For >1,000, Deduct</i>	-5.45	
		<i>For 316 Stainless Steel, Add</i>	55.84	
		<i>For Aluminum, Add</i>	3.14	
		<i>For Galvanized Steel, Add</i>	10.82	
		<i>For 304 Stainless Steel, Add</i>	49.73	
05 12 23 00-0538	LF	C8 x 11.5 - 8" Wide Channel	28.73	11.34
		<i>For >100 To 250, Deduct</i>	-1.13	
		<i>For >250 To 500, Deduct</i>	-1.85	
		<i>For >500 To 1,000, Deduct</i>	-2.95	
		<i>For >1,000, Deduct</i>	-4.04	
		<i>For 316 Stainless Steel, Add</i>	43.55	
		<i>For Aluminum, Add</i>	2.45	
		<i>For Galvanized Steel, Add</i>	8.44	
		<i>For 304 Stainless Steel, Add</i>	38.79	
05 12 23 00-0539	LF	C8 x 13.75 - 8" Wide Channel	34.35	13.56
		<i>For >100 To 250, Deduct</i>	-1.36	
		<i>For >250 To 500, Deduct</i>	-2.21	
		<i>For >500 To 1,000, Deduct</i>	-3.53	
		<i>For >1,000, Deduct</i>	-4.84	
		<i>For 316 Stainless Steel, Add</i>	52.06	
		<i>For Aluminum, Add</i>	2.93	
		<i>For Galvanized Steel, Add</i>	10.09	
		<i>For 304 Stainless Steel, Add</i>	46.37	
05 12 23 00-0540	LF	C8 x 18.75 - 8" Wide Channel	46.83	18.49
		<i>For >100 To 250, Deduct</i>	-1.85	
		<i>For >250 To 500, Deduct</i>	-3.02	
		<i>For >500 To 1,000, Deduct</i>	-4.81	
		<i>For >1,000, Deduct</i>	-6.59	
		<i>For 316 Stainless Steel, Add</i>	70.98	
		<i>For Aluminum, Add</i>	3.99	
		<i>For Galvanized Steel, Add</i>	13.75	
		<i>For 304 Stainless Steel, Add</i>	63.21	
05 12 23 00-0541	LF	C9 x 13.4 - 9" Wide Channel	33.48	13.22
		<i>For >100 To 250, Deduct</i>	-1.32	
		<i>For >250 To 500, Deduct</i>	-2.16	
		<i>For >500 To 1,000, Deduct</i>	-3.44	
		<i>For >1,000, Deduct</i>	-4.71	
		<i>For 316 Stainless Steel, Add</i>	50.72	
		<i>For Aluminum, Add</i>	2.85	
		<i>For Galvanized Steel, Add</i>	9.83	
		<i>For 304 Stainless Steel, Add</i>	45.17	
05 12 23 00-0542	LF	C9 x 15 - 9" Wide Channel	37.47	14.79
		<i>For >100 To 250, Deduct</i>	-1.48	
		<i>For >250 To 500, Deduct</i>	-2.42	
		<i>For >500 To 1,000, Deduct</i>	-3.85	
		<i>For >1,000, Deduct</i>	-5.28	
		<i>For 316 Stainless Steel, Add</i>	56.80	
		<i>For Aluminum, Add</i>	3.20	
		<i>For Galvanized Steel, Add</i>	11.01	
		<i>For 304 Stainless Steel, Add</i>	50.59	
05 12 23 00-0543	LF	C9 x 20 - 9" Wide Channel	49.96	19.72
		<i>For >100 To 250, Deduct</i>	-1.97	
		<i>For >250 To 500, Deduct</i>	-3.22	
		<i>For >500 To 1,000, Deduct</i>	-5.13	
		<i>For >1,000, Deduct</i>	-7.03	
		<i>For 316 Stainless Steel, Add</i>	75.71	
		<i>For Aluminum, Add</i>	4.26	
		<i>For Galvanized Steel, Add</i>	14.67	
		<i>For 304 Stainless Steel, Add</i>	67.43	



Metals	05	05
Structural Metal Framing	05 10	
Structural Steel Framing	05 12	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 12 23 00-0544	LF		C10 x 15.3 - 10" Wide Channel.....	38.21	15.08
			For >100 To 250, Deduct	-1.51	
			For >250 To 500, Deduct	-2.46	
			For >500 To 1,000, Deduct	-3.92	
			For >1,000, Deduct	-5.38	
			For 316 Stainless Steel, Add	57.92	
			For Aluminum, Add	3.26	
			For Galvanized Steel, Add	11.22	
			For 304 Stainless Steel, Add	51.59	
05 12 23 00-0545	LF		C10 x 20 - 10" Wide Channel.....	49.96	19.72
			For >100 To 250, Deduct	-1.97	
			For >250 To 500, Deduct	-3.22	
			For >500 To 1,000, Deduct	-5.13	
			For >1,000, Deduct	-7.03	
			For 316 Stainless Steel, Add	75.71	
			For Aluminum, Add	4.26	
			For Galvanized Steel, Add	14.67	
			For 304 Stainless Steel, Add	67.43	
05 12 23 00-0546	LF		C10 x 25 - 10" Wide Channel.....	62.46	24.65
			For >100 To 250, Deduct	-2.47	
			For >250 To 500, Deduct	-4.03	
			For >500 To 1,000, Deduct	-6.41	
			For >1,000, Deduct	-8.79	
			For 316 Stainless Steel, Add	94.66	
			For Aluminum, Add	5.32	
			For Galvanized Steel, Add	18.34	
			For 304 Stainless Steel, Add	84.30	
05 12 23 00-0547	LF		C10 x 30 - 10" Wide Channel.....	74.94	29.58
			For >100 To 250, Deduct	-2.96	
			For >250 To 500, Deduct	-4.83	
			For >500 To 1,000, Deduct	-7.69	
			For >1,000, Deduct	-10.55	
			For 316 Stainless Steel, Add	113.57	
			For Aluminum, Add	6.39	
			For Galvanized Steel, Add	22.00	
			For 304 Stainless Steel, Add	101.15	
05 12 23 00-0548	LF		C12 x 20.7 - 12" Wide Channel.....	51.71	20.42
			For >100 To 250, Deduct	-2.04	
			For >250 To 500, Deduct	-3.33	
			For >500 To 1,000, Deduct	-5.31	
			For >1,000, Deduct	-7.28	
			For 316 Stainless Steel, Add	78.37	
			For Aluminum, Add	4.41	
			For Galvanized Steel, Add	15.18	
			For 304 Stainless Steel, Add	69.80	
05 12 23 00-0549	LF		C12 x 25 - 12" Wide Channel.....	62.46	24.65
			For >100 To 250, Deduct	-2.47	
			For >250 To 500, Deduct	-4.03	
			For >500 To 1,000, Deduct	-6.41	
			For >1,000, Deduct	-8.79	
			For 316 Stainless Steel, Add	94.66	
			For Aluminum, Add	5.32	
			For Galvanized Steel, Add	18.34	
			For 304 Stainless Steel, Add	84.30	
05 12 23 00-0550	LF		C12 x 30 - 12" Wide Channel.....	74.94	29.58
			For >100 To 250, Deduct	-2.96	
			For >250 To 500, Deduct	-4.83	
			For >500 To 1,000, Deduct	-7.69	
			For >1,000, Deduct	-10.55	
			For 316 Stainless Steel, Add	113.57	
			For Aluminum, Add	6.39	
			For Galvanized Steel, Add	22.00	
			For 304 Stainless Steel, Add	101.15	
05 12 23 00-0551	LF		C15 x 33.9 - 15" Wide Channel.....	84.69	33.43
			For >100 To 250, Deduct	-3.34	
			For >250 To 500, Deduct	-5.46	
			For >500 To 1,000, Deduct	-8.69	
			For >1,000, Deduct	-11.92	
			For 316 Stainless Steel, Add	128.35	
			For Aluminum, Add	7.22	
			For Galvanized Steel, Add	24.87	
			For 304 Stainless Steel, Add	114.31	
05 12 23 00-0552	LF		C15 x 40 - 15" Wide Channel.....	99.92	39.45
			For >100 To 250, Deduct	-3.95	
			For >250 To 500, Deduct	-6.44	
			For >500 To 1,000, Deduct	-10.26	
			For >1,000, Deduct	-14.07	
			For 316 Stainless Steel, Add	151.42	
			For Aluminum, Add	8.52	
			For Galvanized Steel, Add	29.34	
			For 304 Stainless Steel, Add	134.86	

05	05	Metals
	05 10	Structural Metal Framing
	05 12	Structural Steel Framing



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 12 23 00-0553 LF C15 x 50 - 15" Wide Channel.....	124.90	49.31
For >100 To 250, Deduct	-4.93	
For >250 To 500, Deduct	-8.05	
For >500 To 1,000, Deduct	-12.82	
For >1,000, Deduct	-17.59	
For 316 Stainless Steel, Add	189.28	
For Aluminum, Add	10.65	
For Galvanized Steel, Add	36.67	
For 304 Stainless Steel, Add	168.58	
05 12 23 00-0554 Miscellaneous Channels - MC <small>(05 12 23 00-0408)</small>		
05 12 23 00-0555 LF MC6 x 12 - 6" Wide Channel.....	31.10	12.68
For >100 To 250, Deduct	-1.27	
For >250 To 500, Deduct	-2.05	
For >500 To 1,000, Deduct	-3.25	
For >1,000, Deduct	-4.45	
For 316 Stainless Steel, Add	45.44	
For Aluminum, Add	2.56	
For Galvanized Steel, Add	8.80	
For 304 Stainless Steel, Add	40.47	
05 12 23 00-0556 LF MC6 x 15.1 - 6" Wide Channel.....	39.12	15.95
For >100 To 250, Deduct	-1.59	
For >250 To 500, Deduct	-2.57	
For >500 To 1,000, Deduct	-4.08	
For >1,000, Deduct	-5.59	
For 316 Stainless Steel, Add	57.15	
For Aluminum, Add	3.21	
For Galvanized Steel, Add	11.07	
For 304 Stainless Steel, Add	50.90	
05 12 23 00-0557 LF MC6 x 15.3 - 6" Wide Channel.....	39.65	16.16
For >100 To 250, Deduct	-1.62	
For >250 To 500, Deduct	-2.61	
For >500 To 1,000, Deduct	-4.14	
For >1,000, Deduct	-5.67	
For 316 Stainless Steel, Add	57.92	
For Aluminum, Add	3.26	
For Galvanized Steel, Add	11.22	
For 304 Stainless Steel, Add	51.59	
05 12 23 00-0558 LF MC6 x 16.3 - 6" Wide Channel.....	42.24	17.21
For >100 To 250, Deduct	-1.72	
For >250 To 500, Deduct	-2.78	
For >500 To 1,000, Deduct	-4.41	
For >1,000, Deduct	-6.04	
For 316 Stainless Steel, Add	61.70	
For Aluminum, Add	3.47	
For Galvanized Steel, Add	11.95	
For 304 Stainless Steel, Add	54.95	
05 12 23 00-0559 LF MC6 x 18 - 6" Wide Channel.....	46.65	19.01
For >100 To 250, Deduct	-1.90	
For >250 To 500, Deduct	-3.07	
For >500 To 1,000, Deduct	-4.87	
For >1,000, Deduct	-6.67	
For 316 Stainless Steel, Add	68.16	
For Aluminum, Add	3.83	
For Galvanized Steel, Add	13.21	
For 304 Stainless Steel, Add	60.71	
05 12 23 00-0560 LF MC7 x 17.6 - 7" Wide Channel.....	45.51	18.52
For >100 To 250, Deduct	-1.85	
For >250 To 500, Deduct	-2.99	
For >500 To 1,000, Deduct	-4.74	
For >1,000, Deduct	-6.50	
For 316 Stainless Steel, Add	66.62	
For Aluminum, Add	3.75	
For Galvanized Steel, Add	12.91	
For 304 Stainless Steel, Add	59.34	
05 12 23 00-0561 LF MC7 x 19.1 - 7" Wide Channel.....	49.40	20.10
For >100 To 250, Deduct	-2.01	
For >250 To 500, Deduct	-3.25	
For >500 To 1,000, Deduct	-5.15	
For >1,000, Deduct	-7.06	
For 316 Stainless Steel, Add	72.32	
For Aluminum, Add	4.07	
For Galvanized Steel, Add	14.01	
For 304 Stainless Steel, Add	64.41	
05 12 23 00-0562 LF MC7 x 22.7 - 7" Wide Channel.....	58.70	23.88
For >100 To 250, Deduct	-2.39	
For >250 To 500, Deduct	-3.86	
For >500 To 1,000, Deduct	-6.12	
For >1,000, Deduct	-8.38	
For 316 Stainless Steel, Add	85.95	
For Aluminum, Add	4.83	
For Galvanized Steel, Add	16.65	
For 304 Stainless Steel, Add	76.55	



Metals	05	05
Structural Metal Framing	05 10	
Structural Steel Framing	05 12	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 12 23 00-0563	LF		MC8 x 8.5 - 8" Wide Channel.....	21.24	8.39
			For >100 To 250, Deduct	-0.84	
			For >250 To 500, Deduct	-1.37	
			For >500 To 1,000, Deduct	-2.18	
			For >1,000, Deduct	-2.99	
			For 316 Stainless Steel, Add	32.19	
			For Aluminum, Add	1.81	
			For Galvanized Steel, Add	6.24	
			For 304 Stainless Steel, Add	28.67	
05 12 23 00-0564	LF		MC8 x 18.7 - 8" Wide Channel.....	46.71	18.44
			For >100 To 250, Deduct	-1.84	
			For >250 To 500, Deduct	-3.01	
			For >500 To 1,000, Deduct	-4.79	
			For >1,000, Deduct	-6.58	
			For 316 Stainless Steel, Add	70.78	
			For Aluminum, Add	3.98	
			For Galvanized Steel, Add	13.71	
			For 304 Stainless Steel, Add	63.04	
05 12 23 00-0565	LF		MC8 x 20 - 8" Wide Channel.....	49.96	19.72
			For >100 To 250, Deduct	-1.97	
			For >250 To 500, Deduct	-3.22	
			For >500 To 1,000, Deduct	-5.13	
			For >1,000, Deduct	-7.03	
			For 316 Stainless Steel, Add	75.71	
			For Aluminum, Add	4.26	
			For Galvanized Steel, Add	14.67	
			For 304 Stainless Steel, Add	67.43	
05 12 23 00-0566	LF		MC8 x 21.4 - 8" Wide Channel.....	53.46	21.11
			For >100 To 250, Deduct	-2.11	
			For >250 To 500, Deduct	-3.45	
			For >500 To 1,000, Deduct	-5.49	
			For >1,000, Deduct	-7.53	
			For 316 Stainless Steel, Add	81.02	
			For Aluminum, Add	4.56	
			For Galvanized Steel, Add	15.70	
			For 304 Stainless Steel, Add	72.16	
05 12 23 00-0567	LF		MC8 x 22.8 - 8" Wide Channel.....	56.95	22.49
			For >100 To 250, Deduct	-2.25	
			For >250 To 500, Deduct	-3.67	
			For >500 To 1,000, Deduct	-5.85	
			For >1,000, Deduct	-8.02	
			For 316 Stainless Steel, Add	86.30	
			For Aluminum, Add	4.85	
			For Galvanized Steel, Add	16.72	
			For 304 Stainless Steel, Add	76.86	
05 12 23 00-0568	LF		MC9 x 23.9 - 9" Wide Channel.....	59.71	23.57
			For >100 To 250, Deduct	-2.36	
			For >250 To 500, Deduct	-3.85	
			For >500 To 1,000, Deduct	-6.13	
			For >1,000, Deduct	-8.41	
			For 316 Stainless Steel, Add	90.50	
			For Aluminum, Add	5.09	
			For Galvanized Steel, Add	17.53	
			For 304 Stainless Steel, Add	80.60	
05 12 23 00-0569	LF		MC9 x 25.4 - 9" Wide Channel.....	63.44	25.05
			For >100 To 250, Deduct	-2.50	
			For >250 To 500, Deduct	-4.09	
			For >500 To 1,000, Deduct	-6.51	
			For >1,000, Deduct	-8.93	
			For 316 Stainless Steel, Add	96.16	
			For Aluminum, Add	5.41	
			For Galvanized Steel, Add	18.63	
			For 304 Stainless Steel, Add	85.64	
05 12 23 00-0570	LF		MC10 x 6.5 - 10" Wide Channel.....	16.24	6.41
			For >100 To 250, Deduct	-0.64	
			For >250 To 500, Deduct	-1.05	
			For >500 To 1,000, Deduct	-1.67	
			For >1,000, Deduct	-2.29	
			For 316 Stainless Steel, Add	24.61	
			For Aluminum, Add	1.38	
			For Galvanized Steel, Add	4.77	
			For 304 Stainless Steel, Add	21.92	
05 12 23 00-0571	LF		MC10 x 8.4 - 10" Wide Channel.....	20.99	8.28
			For >100 To 250, Deduct	-0.83	
			For >250 To 500, Deduct	-1.35	
			For >500 To 1,000, Deduct	-2.15	
			For >1,000, Deduct	-2.96	
			For 316 Stainless Steel, Add	31.81	
			For Aluminum, Add	1.79	
			For Galvanized Steel, Add	6.16	
			For 304 Stainless Steel, Add	28.33	

05 Metals**05 10 Structural Metal Framing****05 12 Structural Steel Framing**

MINOR
CSI UOM DESCRIPTION

TOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

05 12 23 00-0572	LF	MC10 x 21.9 - 10" Wide Channel	54.70	21.60
		<i>For >100 To 250, Deduct</i>	-2.16	
		<i>For >250 To 500, Deduct</i>	-3.53	
		<i>For >500 To 1,000, Deduct</i>	-5.61	
		<i>For >1,000, Deduct</i>	-7.70	
		<i>For 316 Stainless Steel, Add</i>	82.91	
		<i>For Aluminum, Add</i>	4.66	
		<i>For Galvanized Steel, Add</i>	16.06	
		<i>For 304 Stainless Steel, Add</i>	73.84	
05 12 23 00-0573	LF	MC10 x 24.9 - 10" Wide Channel	62.21	24.56
		<i>For >100 To 250, Deduct</i>	-2.46	
		<i>For >250 To 500, Deduct</i>	-4.01	
		<i>For >500 To 1,000, Deduct</i>	-6.39	
		<i>For >1,000, Deduct</i>	-8.76	
		<i>For 316 Stainless Steel, Add</i>	94.27	
		<i>For Aluminum, Add</i>	5.30	
		<i>For Galvanized Steel, Add</i>	18.27	
		<i>For 304 Stainless Steel, Add</i>	83.96	
05 12 23 00-0574	LF	MC10 x 25.3 - 10" Wide Channel	63.20	24.95
		<i>For >100 To 250, Deduct</i>	-2.50	
		<i>For >250 To 500, Deduct</i>	-4.08	
		<i>For >500 To 1,000, Deduct</i>	-6.49	
		<i>For >1,000, Deduct</i>	-8.90	
		<i>For 316 Stainless Steel, Add</i>	95.78	
		<i>For Aluminum, Add</i>	5.39	
		<i>For Galvanized Steel, Add</i>	18.56	
		<i>For 304 Stainless Steel, Add</i>	85.30	
05 12 23 00-0575	LF	MC10 x 28.3 - 10" Wide Channel	70.70	27.91
		<i>For >100 To 250, Deduct</i>	-2.79	
		<i>For >250 To 500, Deduct</i>	-4.56	
		<i>For >500 To 1,000, Deduct</i>	-7.26	
		<i>For >1,000, Deduct</i>	-9.96	
		<i>For 316 Stainless Steel, Add</i>	107.14	
		<i>For Aluminum, Add</i>	6.03	
		<i>For Galvanized Steel, Add</i>	20.76	
		<i>For 304 Stainless Steel, Add</i>	95.42	
05 12 23 00-0576	LF	MC10 x 28.5 - 10" Wide Channel	71.20	28.11
		<i>For >100 To 250, Deduct</i>	-2.81	
		<i>For >250 To 500, Deduct</i>	-4.59	
		<i>For >500 To 1,000, Deduct</i>	-7.31	
		<i>For >1,000, Deduct</i>	-10.03	
		<i>For 316 Stainless Steel, Add</i>	107.90	
		<i>For Aluminum, Add</i>	6.07	
		<i>For Galvanized Steel, Add</i>	20.91	
		<i>For 304 Stainless Steel, Add</i>	96.10	
05 12 23 00-0577	LF	MC10 x 33.6 - 10" Wide Channel	83.94	33.14
		<i>For >100 To 250, Deduct</i>	-3.31	
		<i>For >250 To 500, Deduct</i>	-5.41	
		<i>For >500 To 1,000, Deduct</i>	-8.62	
		<i>For >1,000, Deduct</i>	-11.82	
		<i>For 316 Stainless Steel, Add</i>	127.20	
		<i>For Aluminum, Add</i>	7.16	
		<i>For Galvanized Steel, Add</i>	24.65	
		<i>For 304 Stainless Steel, Add</i>	113.29	
05 12 23 00-0578	LF	MC10 x 41.1 - 10" Wide Channel	102.67	40.54
		<i>For >100 To 250, Deduct</i>	-4.05	
		<i>For >250 To 500, Deduct</i>	-6.62	
		<i>For >500 To 1,000, Deduct</i>	-10.54	
		<i>For >1,000, Deduct</i>	-14.46	
		<i>For 316 Stainless Steel, Add</i>	155.58	
		<i>For Aluminum, Add</i>	8.75	
		<i>For Galvanized Steel, Add</i>	30.14	
		<i>For 304 Stainless Steel, Add</i>	138.57	
05 12 23 00-0579	LF	MC12 x 30.9 - 12" Wide Channel	77.20	30.47
		<i>For >100 To 250, Deduct</i>	-3.05	
		<i>For >250 To 500, Deduct</i>	-4.98	
		<i>For >500 To 1,000, Deduct</i>	-7.92	
		<i>For >1,000, Deduct</i>	-10.87	
		<i>For 316 Stainless Steel, Add</i>	116.99	
		<i>For Aluminum, Add</i>	6.58	
		<i>For Galvanized Steel, Add</i>	22.67	
		<i>For 304 Stainless Steel, Add</i>	104.20	
05 12 23 00-0580	LF	MC12 x 32.9 - 12" Wide Channel	82.18	32.45
		<i>For >100 To 250, Deduct</i>	-3.24	
		<i>For >250 To 500, Deduct</i>	-5.30	
		<i>For >500 To 1,000, Deduct</i>	-8.44	
		<i>For >1,000, Deduct</i>	-11.57	
		<i>For 316 Stainless Steel, Add</i>	124.54	
		<i>For Aluminum, Add</i>	7.01	
		<i>For Galvanized Steel, Add</i>	24.13	
		<i>For 304 Stainless Steel, Add</i>	110.92	



Metals	05	05
Structural Metal Framing	05 10	
Structural Steel Framing	05 12	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 12 23 00-0581	LF		MC12 x 35 - 12" Wide Channel.....	87.44	34.52
			For >100 To 250, Deduct	-3.45	
			For >250 To 500, Deduct	-5.64	
			For >500 To 1,000, Deduct	-8.98	
			For >1,000, Deduct	-12.31	
			For 316 Stainless Steel, Add	132.51	
			For Aluminum, Add	7.45	
			For Galvanized Steel, Add	25.67	
			For 304 Stainless Steel, Add	118.02	
05 12 23 00-0582	LF		MC12 x 37 - 12" Wide Channel.....	92.43	36.49
			For >100 To 250, Deduct	-3.65	
			For >250 To 500, Deduct	-5.96	
			For >500 To 1,000, Deduct	-9.49	
			For >1,000, Deduct	-13.01	
			For 316 Stainless Steel, Add	140.06	
			For Aluminum, Add	7.88	
			For Galvanized Steel, Add	27.14	
			For 304 Stainless Steel, Add	124.74	
05 12 23 00-0583	LF		MC12 x 40 - 12" Wide Channel.....	99.92	39.45
			For >100 To 250, Deduct	-3.95	
			For >250 To 500, Deduct	-6.44	
			For >500 To 1,000, Deduct	-10.26	
			For >1,000, Deduct	-14.07	
			For 316 Stainless Steel, Add	151.42	
			For Aluminum, Add	8.52	
			For Galvanized Steel, Add	29.34	
			For 304 Stainless Steel, Add	134.86	
05 12 23 00-0584	LF		MC12 x 45 - 12" Wide Channel.....	112.42	44.39
			For >100 To 250, Deduct	-4.44	
			For >250 To 500, Deduct	-7.25	
			For >500 To 1,000, Deduct	-11.54	
			For >1,000, Deduct	-15.83	
			For 316 Stainless Steel, Add	170.37	
			For Aluminum, Add	9.58	
			For Galvanized Steel, Add	33.01	
			For 304 Stainless Steel, Add	151.73	
05 12 23 00-0585	LF		MC12 x 50 - 12" Wide Channel.....	124.90	49.32
			For >100 To 250, Deduct	-4.93	
			For >250 To 500, Deduct	-8.05	
			For >500 To 1,000, Deduct	-12.82	
			For >1,000, Deduct	-17.59	
			For 316 Stainless Steel, Add	189.28	
			For Aluminum, Add	10.65	
			For Galvanized Steel, Add	36.67	
			For 304 Stainless Steel, Add	168.58	
05 12 23 00-0586	LF		MC13 x 31.8 - 13" Wide Channel.....	79.44	31.36
			For >100 To 250, Deduct	-3.14	
			For >250 To 500, Deduct	-5.12	
			For >500 To 1,000, Deduct	-8.15	
			For >1,000, Deduct	-11.19	
			For 316 Stainless Steel, Add	120.38	
			For Aluminum, Add	6.77	
			For Galvanized Steel, Add	23.32	
			For 304 Stainless Steel, Add	107.22	
05 12 23 00-0587	LF		MC13 x 35 - 13" Wide Channel.....	87.44	34.52
			For >100 To 250, Deduct	-3.45	
			For >250 To 500, Deduct	-5.64	
			For >500 To 1,000, Deduct	-8.98	
			For >1,000, Deduct	-12.31	
			For 316 Stainless Steel, Add	132.51	
			For Aluminum, Add	7.45	
			For Galvanized Steel, Add	25.67	
			For 304 Stainless Steel, Add	118.02	
05 12 23 00-0588	LF		MC13 x 40 - 13" Wide Channel.....	99.92	39.45
			For >100 To 250, Deduct	-3.95	
			For >250 To 500, Deduct	-6.44	
			For >500 To 1,000, Deduct	-10.26	
			For >1,000, Deduct	-14.07	
			For 316 Stainless Steel, Add	151.42	
			For Aluminum, Add	8.52	
			For Galvanized Steel, Add	29.34	
			For 304 Stainless Steel, Add	134.86	
05 12 23 00-0589	LF		MC13 x 50 - 13" Wide Channel.....	124.90	49.32
			For >100 To 250, Deduct	-4.93	
			For >250 To 500, Deduct	-8.05	
			For >500 To 1,000, Deduct	-12.82	
			For >1,000, Deduct	-17.59	
			For 316 Stainless Steel, Add	189.28	
			For Aluminum, Add	10.65	
			For Galvanized Steel, Add	36.67	
			For 304 Stainless Steel, Add	168.58	

05	05 Metals
	05 10 Structural Metal Framing
	05 12 Structural Steel Framing



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 12 23 00-0590	LF		MC18 x 42.7 - 18" Wide Channel.....	106.67	42.12
			<i>For >100 To 250, Deduct</i>	-4.21	
			<i>For >250 To 500, Deduct</i>	-6.88	
			<i>For >500 To 1,000, Deduct</i>	-10.95	
			<i>For >1,000, Deduct</i>	-15.02	
			<i>For 316 Stainless Steel, Add</i>	161.66	
			<i>For Aluminum, Add</i>	9.09	
			<i>For Galvanized Steel, Add</i>	31.32	
			<i>For 304 Stainless Steel, Add</i>	143.98	
05 12 23 00-0591	LF		MC18 x 45.8 - 18" Wide Channel.....	114.42	45.17
			<i>For >100 To 250, Deduct</i>	-4.52	
			<i>For >250 To 500, Deduct</i>	-7.38	
			<i>For >500 To 1,000, Deduct</i>	-11.74	
			<i>For >1,000, Deduct</i>	-16.11	
			<i>For 316 Stainless Steel, Add</i>	173.41	
			<i>For Aluminum, Add</i>	9.75	
			<i>For Galvanized Steel, Add</i>	33.60	
			<i>For 304 Stainless Steel, Add</i>	154.44	
05 12 23 00-0592	LF		MC18 x 51.9 - 18" Wide Channel.....	129.65	51.19
			<i>For >100 To 250, Deduct</i>	-5.12	
			<i>For >250 To 500, Deduct</i>	-8.36	
			<i>For >500 To 1,000, Deduct</i>	-13.31	
			<i>For >1,000, Deduct</i>	-18.26	
			<i>For 316 Stainless Steel, Add</i>	196.48	
			<i>For Aluminum, Add</i>	11.05	
			<i>For Galvanized Steel, Add</i>	38.07	
			<i>For 304 Stainless Steel, Add</i>	174.99	
05 12 23 00-0593	LF		MC18 x 58 - 18" Wide Channel.....	144.89	57.20
			<i>For >100 To 250, Deduct</i>	-5.72	
			<i>For >250 To 500, Deduct</i>	-9.34	
			<i>For >500 To 1,000, Deduct</i>	-14.87	
			<i>For >1,000, Deduct</i>	-20.40	
			<i>For 316 Stainless Steel, Add</i>	219.58	
			<i>For Aluminum, Add</i>	12.35	
			<i>For Galvanized Steel, Add</i>	42.54	
			<i>For 304 Stainless Steel, Add</i>	195.57	
05 12 23 00-0594			Structural Bar Tees <small>(05 12 23 00-0408)</small>		
05 12 23 00-0595	LF		3/4" x 3/4" x 1/8" Structural Bar Tee.....	4.46	2.63
			<i>For >100 To 250, Deduct</i>	-0.26	
			<i>For >250 To 500, Deduct</i>	-0.37	
			<i>For >500 To 1,000, Deduct</i>	-0.57	
			<i>For >1,000, Deduct</i>	-0.77	
			<i>For 316 Stainless Steel, Add</i>	3.07	
			<i>For Aluminum, Add</i>	0.17	
			<i>For Galvanized Steel, Add</i>	0.60	
			<i>For 304 Stainless Steel, Add</i>	2.74	
05 12 23 00-0596	LF		1" x 1" x 1/8" Structural Bar Tee.....	5.43	3.09
			<i>For >100 To 250, Deduct</i>	-0.31	
			<i>For >250 To 500, Deduct</i>	-0.44	
			<i>For >500 To 1,000, Deduct</i>	-0.68	
			<i>For >1,000, Deduct</i>	-0.92	
			<i>For 316 Stainless Steel, Add</i>	4.19	
			<i>For Aluminum, Add</i>	0.24	
			<i>For Galvanized Steel, Add</i>	0.81	
			<i>For 304 Stainless Steel, Add</i>	3.73	
05 12 23 00-0597	LF		1-1/2" x 1-1/2" x 1/4" Structural Bar Tee.....	8.51	3.57
			<i>For >100 To 250, Deduct</i>	-0.36	
			<i>For >250 To 500, Deduct</i>	-0.57	
			<i>For >500 To 1,000, Deduct</i>	-0.90	
			<i>For >1,000, Deduct</i>	-1.23	
			<i>For 316 Stainless Steel, Add</i>	12.00	
			<i>For Aluminum, Add</i>	0.68	
			<i>For Galvanized Steel, Add</i>	2.33	
			<i>For 304 Stainless Steel, Add</i>	10.69	
05 12 23 00-0598	LF		2" x 2" x 1/4" Structural Bar Tee.....	11.82	4.67
			<i>For >100 To 250, Deduct</i>	-0.47	
			<i>For >250 To 500, Deduct</i>	-0.76	
			<i>For >500 To 1,000, Deduct</i>	-1.21	
			<i>For >1,000, Deduct</i>	-1.67	
			<i>For 316 Stainless Steel, Add</i>	17.89	
			<i>For Aluminum, Add</i>	1.01	
			<i>For Galvanized Steel, Add</i>	3.47	
			<i>For 304 Stainless Steel, Add</i>	15.93	
05 12 23 00-0599	LF		2-1/2" x 2-1/2" x 3/8" Structural Bar Tee.....	17.55	5.63
			<i>For >100 To 250, Deduct</i>	-0.56	
			<i>For >250 To 500, Deduct</i>	-1.00	
			<i>For >500 To 1,000, Deduct</i>	-1.63	
			<i>For >1,000, Deduct</i>	-2.26	
			<i>For 316 Stainless Steel, Add</i>	32.10	
			<i>For Aluminum, Add</i>	1.81	
			<i>For Galvanized Steel, Add</i>	6.22	
			<i>For 304 Stainless Steel, Add</i>	28.59	



Metals	05	05
Structural Metal Framing	05 10	
Structural Steel Framing	05 12	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 12 23 00-0600 LF 3" x 3" x 3/8" Structural Bar Tee.....	21.67	7.21
For >100 To 250, Deduct	-0.72	
For >250 To 500, Deduct	-1.26	
For >500 To 1,000, Deduct	-2.05	
For >1,000, Deduct	-2.83	
For 316 Stainless Steel, Add	38.53	
For Aluminum, Add	2.17	
For Galvanized Steel, Add	7.46	
For 304 Stainless Steel, Add	34.31	
05 12 23 00-0601 Structural Zees (05 12 23 00-0408)		
05 12 23 00-0602 LF 1-1/4" x 1-3/4" x 1-3/4" x 3/16" Structural Zee.....	10.35	3.57
For >100 To 250, Deduct	-0.36	
For >250 To 500, Deduct	-0.62	
For >500 To 1,000, Deduct	-0.99	
For >1,000, Deduct	-1.37	
For 316 Stainless Steel, Add	17.89	
For Aluminum, Add	1.01	
For Galvanized Steel, Add	3.47	
For 304 Stainless Steel, Add	15.93	
05 12 23 00-0603 LF 2-11/16" x 3" x 2-11/16" x 1/4" Structural Zee.....	19.06	4.26
For >100 To 250, Deduct	-0.43	
For >250 To 500, Deduct	-0.90	
For >500 To 1,000, Deduct	-1.52	
For >1,000, Deduct	-2.14	
For 316 Stainless Steel, Add	42.82	
For Aluminum, Add	2.41	
For Galvanized Steel, Add	8.30	
For 304 Stainless Steel, Add	38.13	
05 12 23 00-0604 LF 3-1/16" x 4" x 3-1/16" x 1/4" Structural Zee.....	22.80	4.81
For >100 To 250, Deduct	-0.48	
For >250 To 500, Deduct	-1.05	
For >500 To 1,000, Deduct	-1.78	
For >1,000, Deduct	-2.51	
For 316 Stainless Steel, Add	52.42	
For Aluminum, Add	2.95	
For Galvanized Steel, Add	10.16	
For 304 Stainless Steel, Add	46.68	
05 12 23 00-0605 LF 3-1/4" x 5" x 3-1/4" x 5/16" Structural Zee.....	30.50	5.49
For >100 To 250, Deduct	-0.55	
For >250 To 500, Deduct	-1.31	
For >500 To 1,000, Deduct	-2.26	
For >1,000, Deduct	-3.20	
For 316 Stainless Steel, Add	74.14	
For Aluminum, Add	4.17	
For Galvanized Steel, Add	14.37	
For 304 Stainless Steel, Add	66.03	
05 12 23 00-0606 LF 3-1/2" x 6" x 3-1/2" x 3/8" Structural Zee.....	39.34	5.98
For >100 To 250, Deduct	-0.60	
For >250 To 500, Deduct	-1.58	
For >500 To 1,000, Deduct	-2.77	
For >1,000, Deduct	-3.95	
For 316 Stainless Steel, Add	100.35	
For Aluminum, Add	5.64	
For Galvanized Steel, Add	19.44	
For 304 Stainless Steel, Add	89.38	
05 12 23 00-0607 Junior I-Beams (05 12 23 00-0408)		
05 12 23 00-0608 LF 3" Junior I-Beam, 2.9 LB/LF.....	14.24	5.15
For >100 To 250, Deduct	-0.52	
For >250 To 500, Deduct	-0.87	
For >500 To 1,000, Deduct	-1.40	
For >1,000, Deduct	-1.93	
For 316 Stainless Steel, Add	23.58	
For Aluminum, Add	1.33	
For Galvanized Steel, Add	4.57	
For 304 Stainless Steel, Add	21.00	
05 12 23 00-0609 LF 4" Junior I-Beam, 3.2 LB/LF.....	15.66	5.63
For >100 To 250, Deduct	-0.56	
For >250 To 500, Deduct	-0.96	
For >500 To 1,000, Deduct	-1.54	
For >1,000, Deduct	-2.11	
For 316 Stainless Steel, Add	26.05	
For Aluminum, Add	1.47	
For Galvanized Steel, Add	5.05	
For 304 Stainless Steel, Add	23.20	

05 Metals**05 10 Structural Metal Framing****05 12 Structural Steel Framing**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 12 23 00-0610	LF		5" Junior I-Beam, 3.8 LB/LF	17.91	6.19
			<i>For >100 To 250, Deduct</i>	-0.62	
			<i>For >250 To 500, Deduct</i>	-1.07	
			<i>For >500 To 1,000, Deduct</i>	-1.72	
			<i>For >1,000, Deduct</i>	-2.37	
			<i>For 316 Stainless Steel, Add</i>	30.91	
			<i>For Aluminum, Add</i>	1.74	
			<i>For Galvanized Steel, Add</i>	5.99	
			<i>For 304 Stainless Steel, Add</i>	27.53	
05 12 23 00-0611	LF		6" Junior I-Beam, 4.4 LB/LF	20.17	6.74
			<i>For >100 To 250, Deduct</i>	-0.67	
			<i>For >250 To 500, Deduct</i>	-1.18	
			<i>For >500 To 1,000, Deduct</i>	-1.91	
			<i>For >1,000, Deduct</i>	-2.64	
			<i>For 316 Stainless Steel, Add</i>	35.81	
			<i>For Aluminum, Add</i>	2.01	
			<i>For Galvanized Steel, Add</i>	6.94	
			<i>For 304 Stainless Steel, Add</i>	31.89	
05 12 23 00-0612	LF		7" Junior I-Beam, 5.5 LB/LF	23.60	7.21
			<i>For >100 To 250, Deduct</i>	-0.72	
			<i>For >250 To 500, Deduct</i>	-1.31	
			<i>For >500 To 1,000, Deduct</i>	-2.14	
			<i>For >1,000, Deduct</i>	-2.97	
			<i>For 316 Stainless Steel, Add</i>	44.74	
			<i>For Aluminum, Add</i>	2.52	
			<i>For Galvanized Steel, Add</i>	8.67	
			<i>For 304 Stainless Steel, Add</i>	39.84	
05 12 23 00-0613	LF		8" Junior I-Beam, 6.5 LB/LF	26.78	7.70
			<i>For >100 To 250, Deduct</i>	-0.77	
			<i>For >250 To 500, Deduct</i>	-1.44	
			<i>For >500 To 1,000, Deduct</i>	-2.37	
			<i>For >1,000, Deduct</i>	-3.29	
			<i>For 316 Stainless Steel, Add</i>	52.86	
			<i>For Aluminum, Add</i>	2.97	
			<i>For Galvanized Steel, Add</i>	10.24	
			<i>For 304 Stainless Steel, Add</i>	47.08	
05 12 23 00-0614	LF		10" Junior I-Beam, 9 LB/LF	34.61	8.79
			<i>For >100 To 250, Deduct</i>	-0.88	
			<i>For >250 To 500, Deduct</i>	-1.75	
			<i>For >500 To 1,000, Deduct</i>	-2.90	
			<i>For >1,000, Deduct</i>	-4.06	
			<i>For 316 Stainless Steel, Add</i>	73.22	
			<i>For Aluminum, Add</i>	4.12	
			<i>For Galvanized Steel, Add</i>	14.19	
			<i>For 304 Stainless Steel, Add</i>	65.21	
05 12 23 00-0615	LF		12" Junior I-Beam, 11.8 LB/LF	43.93	10.44
			<i>For >100 To 250, Deduct</i>	-1.04	
			<i>For >250 To 500, Deduct</i>	-2.14	
			<i>For >500 To 1,000, Deduct</i>	-3.59	
			<i>For >1,000, Deduct</i>	-5.04	
			<i>For 316 Stainless Steel, Add</i>	96.00	
			<i>For Aluminum, Add</i>	5.40	
			<i>For Galvanized Steel, Add</i>	18.60	
			<i>For 304 Stainless Steel, Add</i>	85.50	
05 12 23 00-0616			Round Stock <small>(05 12 23 00-0408)</small>		
05 12 23 00-0617	LF		1/4" Carbon Steel Rounds, ASTM A108	1.70	
			<i>For 316 Stainless Steel, Add</i>	2.50	
			<i>For Aluminum, Add</i>	0.14	
			<i>For Galvanized Steel, Add</i>	0.48	
			<i>For 304 Stainless Steel, Add</i>	2.22	
05 12 23 00-0618	LF		3/8" Carbon Steel Rounds, ASTM A108	2.59	
			<i>For 316 Stainless Steel, Add</i>	4.93	
			<i>For Aluminum, Add</i>	0.28	
			<i>For Galvanized Steel, Add</i>	0.95	
			<i>For 304 Stainless Steel, Add</i>	4.39	
05 12 23 00-0619	LF		1/2" Carbon Steel Rounds, ASTM A108	3.50	
			<i>For 316 Stainless Steel, Add</i>	7.52	
			<i>For Aluminum, Add</i>	0.42	
			<i>For Galvanized Steel, Add</i>	1.46	
			<i>For 304 Stainless Steel, Add</i>	6.70	
05 12 23 00-0620	LF		5/8" Carbon Steel Rounds, ASTM A108	5.20	
			<i>For 316 Stainless Steel, Add</i>	12.54	
			<i>For Aluminum, Add</i>	0.71	
			<i>For Galvanized Steel, Add</i>	2.43	
			<i>For 304 Stainless Steel, Add</i>	11.17	
05 12 23 00-0621	LF		3/4" Carbon Steel Rounds, ASTM A108	6.19	
			<i>For 316 Stainless Steel, Add</i>	14.91	
			<i>For Aluminum, Add</i>	0.84	
			<i>For Galvanized Steel, Add</i>	2.89	
			<i>For 304 Stainless Steel, Add</i>	13.28	
05 12 23 00-0622	LF		7/8" Carbon Steel Rounds, ASTM A108	7.20	
			<i>For 316 Stainless Steel, Add</i>	17.41	
			<i>For Aluminum, Add</i>	0.98	
			<i>For Galvanized Steel, Add</i>	3.37	
			<i>For 304 Stainless Steel, Add</i>	15.50	



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 12 23 00-0623	LF		1" Carbon Steel Rounds, ASTM A108 <i>For 316 Stainless Steel, Add</i> <i>For Aluminum, Add</i> <i>For Galvanized Steel, Add</i> <i>For 304 Stainless Steel, Add</i>	10.37 26.53 1.49 5.14 23.63	
05 12 23 00-0624	LF		1-1/8" Carbon Steel Rounds, ASTM A108 <i>For 316 Stainless Steel, Add</i> <i>For Aluminum, Add</i> <i>For Galvanized Steel, Add</i> <i>For 304 Stainless Steel, Add</i>	12.63 32.26 1.81 6.25 28.73	
05 12 23 00-0625	LF		1-1/4" Carbon Steel Rounds, ASTM A108 <i>For 316 Stainless Steel, Add</i> <i>For Aluminum, Add</i> <i>For Galvanized Steel, Add</i> <i>For 304 Stainless Steel, Add</i>	15.13 37.95 2.13 7.35 33.80	
05 12 23 00-0626	LF		1-3/8" Carbon Steel Rounds, ASTM A108 <i>For 316 Stainless Steel, Add</i> <i>For Aluminum, Add</i> <i>For Galvanized Steel, Add</i> <i>For 304 Stainless Steel, Add</i>	18.29 46.30 2.60 8.97 41.24	
05 12 23 00-0627	LF		1-1/2" Carbon Steel Rounds, ASTM A108 <i>For 316 Stainless Steel, Add</i> <i>For Aluminum, Add</i> <i>For Galvanized Steel, Add</i> <i>For 304 Stainless Steel, Add</i>	20.45 50.78 2.86 9.84 45.23	
05 12 23 00-0628	LF		1-5/8" Carbon Steel Rounds, ASTM A108 <i>For 316 Stainless Steel, Add</i> <i>For Aluminum, Add</i> <i>For Galvanized Steel, Add</i> <i>For 304 Stainless Steel, Add</i>	23.71 57.57 3.24 11.15 51.27	
05 12 23 00-0629	LF		1-3/4" Carbon Steel Rounds, ASTM A108 <i>For 316 Stainless Steel, Add</i> <i>For Aluminum, Add</i> <i>For Galvanized Steel, Add</i> <i>For 304 Stainless Steel, Add</i>	28.58 67.01 3.77 12.98 59.68	
05 12 23 00-0630	LF		1-7/8" Carbon Steel Rounds, ASTM A108 <i>For 316 Stainless Steel, Add</i> <i>For Aluminum, Add</i> <i>For Galvanized Steel, Add</i> <i>For 304 Stainless Steel, Add</i>	34.60 78.46 4.41 15.20 69.88	
05 12 23 00-0631	LF		2" Carbon Steel Rounds, ASTM A108 <i>For 316 Stainless Steel, Add</i> <i>For Aluminum, Add</i> <i>For Galvanized Steel, Add</i> <i>For 304 Stainless Steel, Add</i>	39.67 87.30 4.91 16.91 77.75	
05 12 23 00-0632	LF		2-1/8" Carbon Steel Rounds, ASTM A108 <i>For 316 Stainless Steel, Add</i> <i>For Aluminum, Add</i> <i>For Galvanized Steel, Add</i> <i>For 304 Stainless Steel, Add</i>	46.54 99.68 5.61 19.31 88.78	
05 12 23 00-0633	LF		2-1/4" Carbon Steel Rounds, ASTM A108 <i>For 316 Stainless Steel, Add</i> <i>For Aluminum, Add</i> <i>For Galvanized Steel, Add</i> <i>For 304 Stainless Steel, Add</i>	52.73 112.10 6.31 21.72 99.84	
05 12 23 00-0634	LF		2-3/8" Carbon Steel Rounds, ASTM A108 <i>For 316 Stainless Steel, Add</i> <i>For Aluminum, Add</i> <i>For Galvanized Steel, Add</i> <i>For 304 Stainless Steel, Add</i>	60.42 128.22 7.21 24.84 114.20	
05 12 23 00-0635	LF		2-1/2" Carbon Steel Rounds, ASTM A108 <i>For 316 Stainless Steel, Add</i> <i>For Aluminum, Add</i> <i>For Galvanized Steel, Add</i> <i>For 304 Stainless Steel, Add</i>	67.08 138.18 7.77 26.77 123.06	
05 12 23 00-0636	LF		2-5/8" Carbon Steel Rounds, ASTM A108 <i>For 316 Stainless Steel, Add</i> <i>For Aluminum, Add</i> <i>For Galvanized Steel, Add</i> <i>For 304 Stainless Steel, Add</i>	81.40 175.52 9.87 34.01 156.32	
05 12 23 00-0637	LF		2-3/4" Carbon Steel Rounds, ASTM A108 <i>For 316 Stainless Steel, Add</i> <i>For Aluminum, Add</i> <i>For Galvanized Steel, Add</i> <i>For 304 Stainless Steel, Add</i>	92.64 200.16 11.26 38.78 178.27	
05 12 23 00-0638	LF		2-7/8" Carbon Steel Rounds, ASTM A108 <i>For 316 Stainless Steel, Add</i> <i>For Aluminum, Add</i> <i>For Galvanized Steel, Add</i> <i>For 304 Stainless Steel, Add</i>	103.33 223.04 12.55 43.21 198.65	
05 12 23 00-0639	LF		3" Carbon Steel Rounds, ASTM A108 <i>For 316 Stainless Steel, Add</i> <i>For Aluminum, Add</i> <i>For Galvanized Steel, Add</i> <i>For 304 Stainless Steel, Add</i>	108.97 229.73 12.92 44.51 204.60	

05 Metals**05 10 Structural Metal Framing****05 12 Structural Steel Framing**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 12 23 00-0640	LF		3-1/8" Carbon Steel Rounds, ASTM A108	114.09	
			<i>For 316 Stainless Steel, Add</i>	234.82	
			<i>For Aluminum, Add</i>	13.21	
			<i>For Galvanized Steel, Add</i>	45.50	
			<i>For 304 Stainless Steel, Add</i>	209.13	
05 12 23 00-0641	LF		3-1/4" Carbon Steel Rounds, ASTM A108	120.64	
			<i>For 316 Stainless Steel, Add</i>	244.42	
			<i>For Aluminum, Add</i>	13.75	
			<i>For Galvanized Steel, Add</i>	47.36	
			<i>For 304 Stainless Steel, Add</i>	217.68	
05 12 23 00-0642	LF		3-1/2" Carbon Steel Rounds, ASTM A108	145.59	
			<i>For 316 Stainless Steel, Add</i>	310.11	
			<i>For Aluminum, Add</i>	17.44	
			<i>For Galvanized Steel, Add</i>	60.08	
			<i>For 304 Stainless Steel, Add</i>	276.19	
05 12 23 00-0643	LF		3-5/8" Carbon Steel Rounds, ASTM A108	161.52	
			<i>For 316 Stainless Steel, Add</i>	346.91	
			<i>For Aluminum, Add</i>	19.51	
			<i>For Galvanized Steel, Add</i>	67.21	
			<i>For 304 Stainless Steel, Add</i>	308.97	
05 12 23 00-0644	LF		3-3/4" Carbon Steel Rounds, ASTM A108	173.51	
			<i>For 316 Stainless Steel, Add</i>	371.10	
			<i>For Aluminum, Add</i>	20.87	
			<i>For Galvanized Steel, Add</i>	71.90	
			<i>For 304 Stainless Steel, Add</i>	330.51	
05 12 23 00-0645	LF		4" Carbon Steel Rounds, ASTM A108	193.99	
			<i>For 316 Stainless Steel, Add</i>	422.50	
			<i>For Aluminum, Add</i>	23.77	
			<i>For Galvanized Steel, Add</i>	81.86	
			<i>For 304 Stainless Steel, Add</i>	376.29	
05 12 23 00-0646			Square Stock (05 12 23 00-0408)		
05 12 23 00-0647	LF		3/8" Square Bar Stock.....	1.61	
			<i>For 316 Stainless Steel, Add</i>	1.79	
			<i>For Aluminum, Add</i>	0.10	
			<i>For Galvanized Steel, Add</i>	0.35	
			<i>For 304 Stainless Steel, Add</i>	1.60	
05 12 23 00-0648	LF		1/2" Square Bar Stock.....	2.15	
			<i>For 316 Stainless Steel, Add</i>	3.20	
			<i>For Aluminum, Add</i>	0.18	
			<i>For Galvanized Steel, Add</i>	0.62	
			<i>For 304 Stainless Steel, Add</i>	2.85	
05 12 23 00-0649	LF		5/8" Square Bar Stock.....	2.84	
			<i>For 316 Stainless Steel, Add</i>	4.99	
			<i>For Aluminum, Add</i>	0.28	
			<i>For Galvanized Steel, Add</i>	0.97	
			<i>For 304 Stainless Steel, Add</i>	4.45	
05 12 23 00-0650	LF		3/4" Square Bar Stock.....	3.78	
			<i>For 316 Stainless Steel, Add</i>	7.20	
			<i>For Aluminum, Add</i>	0.41	
			<i>For Galvanized Steel, Add</i>	1.40	
			<i>For 304 Stainless Steel, Add</i>	6.41	
05 12 23 00-0651	LF		7/8" Square Bar Stock.....	4.90	
			<i>For 316 Stainless Steel, Add</i>	10.05	
			<i>For Aluminum, Add</i>	0.57	
			<i>For Galvanized Steel, Add</i>	1.95	
			<i>For 304 Stainless Steel, Add</i>	8.95	
05 12 23 00-0652	LF		1" Square Bar Stock.....	6.09	
			<i>For 316 Stainless Steel, Add</i>	12.83	
			<i>For Aluminum, Add</i>	0.72	
			<i>For Galvanized Steel, Add</i>	2.49	
			<i>For 304 Stainless Steel, Add</i>	11.43	
05 12 23 00-0653	LF		1-1/4" Square Bar Stock.....	9.53	
			<i>For 316 Stainless Steel, Add</i>	20.03	
			<i>For Aluminum, Add</i>	1.13	
			<i>For Galvanized Steel, Add</i>	3.88	
			<i>For 304 Stainless Steel, Add</i>	17.84	
05 12 23 00-0654	LF		1-1/2" Square Bar Stock.....	13.60	
			<i>For 316 Stainless Steel, Add</i>	28.86	
			<i>For Aluminum, Add</i>	1.62	
			<i>For Galvanized Steel, Add</i>	5.59	
			<i>For 304 Stainless Steel, Add</i>	25.71	
05 12 23 00-0655	LF		1-3/4" Square Bar Stock.....	20.19	
			<i>For 316 Stainless Steel, Add</i>	40.16	
			<i>For Aluminum, Add</i>	2.26	
			<i>For Galvanized Steel, Add</i>	7.78	
			<i>For 304 Stainless Steel, Add</i>	35.77	
05 12 23 00-0656	LF		2" Square Bar Stock.....	28.88	
			<i>For 316 Stainless Steel, Add</i>	51.36	
			<i>For Aluminum, Add</i>	2.89	
			<i>For Galvanized Steel, Add</i>	9.95	
			<i>For 304 Stainless Steel, Add</i>	45.74	



Metals	05	05
Structural Metal Framing	05 10	
Structural Steel Framing	05 12	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 12 23 00-0657 Steel Tubing <small>(05 12 23 00-0408)</small> Note: General purpose low-carbon steel.		
05 12 23 00-0658 Square Steel Tubing <small>(05 12 23 00-0657)</small>		
05 12 23 00-0659 0.06" Wall Thickness <small>(05 12 23 00-0658)</small>		
05 12 23 00-0660 LF 1/2" x 1/2" x 0.06" Square Steel Tubing	2.12	0.49
For >100 To 250, Deduct	-0.05	
For >250 To 500, Deduct	-0.10	
For >500 To 1,000, Deduct	-0.17	
For >1,000, Deduct	-0.24	
For 316 Stainless Steel, Add	4.70	
For Aluminum, Add	0.26	
For Galvanized Steel, Add	0.91	
For 304 Stainless Steel, Add	4.19	
05 12 23 00-0661 LF 3/4" x 3/4" x 0.06" Square Steel Tubing	3.29	0.77
For >100 To 250, Deduct	-0.08	
For >250 To 500, Deduct	-0.16	
For >500 To 1,000, Deduct	-0.27	
For >1,000, Deduct	-0.38	
For 316 Stainless Steel, Add	7.20	
For Aluminum, Add	0.41	
For Galvanized Steel, Add	1.40	
For 304 Stainless Steel, Add	6.41	
05 12 23 00-0662 LF 1" x 1" x 0.06" Square Steel Tubing	4.41	1.41
For >100 To 250, Deduct	-0.11	
For >250 To 500, Deduct	-0.22	
For >500 To 1,000, Deduct	-0.36	
For >1,000, Deduct	-0.51	
For 316 Stainless Steel, Add	9.60	
For Aluminum, Add	0.54	
For Galvanized Steel, Add	1.86	
For 304 Stainless Steel, Add	8.55	
05 12 23 00-0663 LF 1-1/4" x 1-1/4" x 0.06" Square Steel Tubing	5.83	1.34
For >100 To 250, Deduct	-0.13	
For >250 To 500, Deduct	-0.28	
For >500 To 1,000, Deduct	-0.47	
For >1,000, Deduct	-0.66	
For 316 Stainless Steel, Add	12.96	
For Aluminum, Add	0.73	
For Galvanized Steel, Add	2.51	
For 304 Stainless Steel, Add	11.54	
05 12 23 00-0664 LF 1-1/2" x 1-1/2" x 0.06" Square Steel Tubing	6.90	1.62
For >100 To 250, Deduct	-0.16	
For >250 To 500, Deduct	-0.33	
For >500 To 1,000, Deduct	-0.56	
For >1,000, Deduct	-0.79	
For 316 Stainless Steel, Add	15.20	
For Aluminum, Add	0.86	
For Galvanized Steel, Add	2.95	
For 304 Stainless Steel, Add	13.54	
05 12 23 00-0665 0.083" Wall Thickness <small>(05 12 23 00-0658)</small>		
05 12 23 00-0666 LF 3/4" x 3/4" x 0.083" Square Steel Tubing	3.82	0.91
For >100 To 250, Deduct	-0.09	
For >250 To 500, Deduct	-0.19	
For >500 To 1,000, Deduct	-0.31	
For >1,000, Deduct	-0.44	
For 316 Stainless Steel, Add	8.35	
For Aluminum, Add	0.47	
For Galvanized Steel, Add	1.62	
For 304 Stainless Steel, Add	7.44	
05 12 23 00-0667 LF 1" x 1" x 0.083" Square Steel Tubing	5.56	1.25
For >100 To 250, Deduct	-0.12	
For >250 To 500, Deduct	-0.26	
For >500 To 1,000, Deduct	-0.44	
For >1,000, Deduct	-0.62	
For 316 Stainless Steel, Add	12.48	
For Aluminum, Add	0.70	
For Galvanized Steel, Add	2.42	
For 304 Stainless Steel, Add	11.12	
05 12 23 00-0668 LF 1-1/4" x 1-1/4" x 0.083" Square Steel Tubing	6.71	1.59
For >100 To 250, Deduct	-0.16	
For >250 To 500, Deduct	-0.33	
For >500 To 1,000, Deduct	-0.55	
For >1,000, Deduct	-0.77	
For 316 Stainless Steel, Add	14.72	
For Aluminum, Add	0.83	
For Galvanized Steel, Add	2.85	
For 304 Stainless Steel, Add	13.11	

05	05 Metals
	05 10 Structural Metal Framing
	05 12 Structural Steel Framing



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 12 23 00-0669 LF 1-1/2" x 1-1/2" x 0.083" Square Steel Tubing	8.12	1.92
For >100 To 250, Deduct	-0.19	
For >250 To 500, Deduct	-0.40	
For >500 To 1,000, Deduct	-0.66	
For >1,000, Deduct	-0.93	
For 316 Stainless Steel, Add	17.76	
For Aluminum, Add	1.00	
For Galvanized Steel, Add	3.44	
For 304 Stainless Steel, Add	15.82	
05 12 23 00-0670 LF 2" x 2" x 0.083" Square Steel Tubing	10.41	2.57
For >100 To 250, Deduct	-0.26	
For >250 To 500, Deduct	-0.52	
For >500 To 1,000, Deduct	-0.86	
For >1,000, Deduct	-1.21	
For 316 Stainless Steel, Add	22.37	
For Aluminum, Add	1.26	
For Galvanized Steel, Add	4.33	
For 304 Stainless Steel, Add	19.92	
05 12 23 00-0671 0.12" Wall Thickness <small>(05 12 23 00-0658)</small>		
05 12 23 00-0672 LF 1" x 1" x 0.12" Square Steel Tubing	6.12	1.48
For >100 To 250, Deduct	-0.15	
For >250 To 500, Deduct	-0.30	
For >500 To 1,000, Deduct	-0.50	
For >1,000, Deduct	-0.71	
For 316 Stainless Steel, Add	13.28	
For Aluminum, Add	0.75	
For Galvanized Steel, Add	2.57	
For 304 Stainless Steel, Add	11.83	
05 12 23 00-0673 LF 1-1/4" x 1-1/4" x 0.12" Square Steel Tubing	7.90	1.90
For >100 To 250, Deduct	-0.19	
For >250 To 500, Deduct	-0.39	
For >500 To 1,000, Deduct	-0.65	
For >1,000, Deduct	-0.91	
For 316 Stainless Steel, Add	17.15	
For Aluminum, Add	0.96	
For Galvanized Steel, Add	3.32	
For 304 Stainless Steel, Add	15.28	
05 12 23 00-0674 LF 1-1/2" x 1-1/2" x 0.12" Square Steel Tubing	9.70	2.32
For >100 To 250, Deduct	-0.23	
For >250 To 500, Deduct	-0.48	
For >500 To 1,000, Deduct	-0.80	
For >1,000, Deduct	-1.12	
For 316 Stainless Steel, Add	21.12	
For Aluminum, Add	1.19	
For Galvanized Steel, Add	4.09	
For 304 Stainless Steel, Add	18.81	
05 12 23 00-0675 LF 2" x 2" x 0.12" Square Steel Tubing	13.13	3.17
For >100 To 250, Deduct	-0.32	
For >250 To 500, Deduct	-0.65	
For >500 To 1,000, Deduct	-1.08	
For >1,000, Deduct	-1.51	
For 316 Stainless Steel, Add	28.48	
For Aluminum, Add	1.60	
For Galvanized Steel, Add	5.52	
For 304 Stainless Steel, Add	25.37	
05 12 23 00-0676 1/8" Wall Thickness <small>(05 12 23 00-0658)</small>		
05 12 23 00-0677 LF 2" x 2" x 1/8" Square Steel Tubing	11.81	3.29
For >100 To 250, Deduct	-0.33	
For >250 To 500, Deduct	-0.62	
For >500 To 1,000, Deduct	-1.03	
For >1,000, Deduct	-1.43	
For 316 Stainless Steel, Add	23.74	
For Aluminum, Add	1.34	
For Galvanized Steel, Add	4.60	
For 304 Stainless Steel, Add	21.15	
05 12 23 00-0678 LF 2-1/2" x 2-1/2" x 1/8" Square Steel Tubing	15.57	4.17
For >100 To 250, Deduct	-0.42	
For >250 To 500, Deduct	-0.81	
For >500 To 1,000, Deduct	-1.33	
For >1,000, Deduct	-1.86	
For 316 Stainless Steel, Add	32.06	
For Aluminum, Add	1.80	
For Galvanized Steel, Add	6.21	
For 304 Stainless Steel, Add	28.56	



Metals	05	05
Structural Metal Framing	05 10	
Structural Steel Framing	05 12	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 12 23 00-0679	LF		3" x 3" x 1/8" Square Steel Tubing	18.25	5.04
			<i>For >100 To 250, Deduct</i>	-0.50	
			<i>For >250 To 500, Deduct</i>	-0.96	
			<i>For >500 To 1,000, Deduct</i>	-1.58	
			<i>For >1,000, Deduct</i>	-2.21	
			<i>For 316 Stainless Steel, Add</i>	36.90	
			<i>For Aluminum, Add</i>	2.08	
			<i>For Galvanized Steel, Add</i>	7.15	
			<i>For 304 Stainless Steel, Add</i>	32.86	
05 12 23 00-0680	LF		3-1/2" x 3-1/2" x 1/8" Square Steel Tubing	21.15	5.93
			<i>For >100 To 250, Deduct</i>	-0.59	
			<i>For >250 To 500, Deduct</i>	-1.12	
			<i>For >500 To 1,000, Deduct</i>	-1.85	
			<i>For >1,000, Deduct</i>	-2.57	
			<i>For 316 Stainless Steel, Add</i>	42.40	
			<i>For Aluminum, Add</i>	2.39	
			<i>For Galvanized Steel, Add</i>	8.22	
			<i>For 304 Stainless Steel, Add</i>	37.76	
05 12 23 00-0681	LF		4" x 4" x 1/8" Square Steel Tubing	23.30	6.80
			<i>For >100 To 250, Deduct</i>	-0.68	
			<i>For >250 To 500, Deduct</i>	-1.26	
			<i>For >500 To 1,000, Deduct</i>	-2.07	
			<i>For >1,000, Deduct</i>	-2.88	
			<i>For 316 Stainless Steel, Add</i>	45.54	
			<i>For Aluminum, Add</i>	2.56	
			<i>For Galvanized Steel, Add</i>	8.82	
			<i>For 304 Stainless Steel, Add</i>	40.56	
05 12 23 00-0682			3/16" Wall Thickness (05 12 23 00-0659)		
05 12 23 00-0683	LF		2" x 2" x 3/16" Square Steel Tubing	13.39	3.71
			<i>For >100 To 250, Deduct</i>	-0.37	
			<i>For >250 To 500, Deduct</i>	-0.71	
			<i>For >500 To 1,000, Deduct</i>	-1.16	
			<i>For >1,000, Deduct</i>	-1.62	
			<i>For 316 Stainless Steel, Add</i>	27.01	
			<i>For Aluminum, Add</i>	1.52	
			<i>For Galvanized Steel, Add</i>	5.23	
			<i>For 304 Stainless Steel, Add</i>	24.05	
05 12 23 00-0684	LF		2-1/2" x 2-1/2" x 3/16" Square Steel Tubing	17.34	4.80
			<i>For >100 To 250, Deduct</i>	-0.48	
			<i>For >250 To 500, Deduct</i>	-0.91	
			<i>For >500 To 1,000, Deduct</i>	-1.51	
			<i>For >1,000, Deduct</i>	-2.10	
			<i>For 316 Stainless Steel, Add</i>	34.98	
			<i>For Aluminum, Add</i>	1.97	
			<i>For Galvanized Steel, Add</i>	6.78	
			<i>For 304 Stainless Steel, Add</i>	31.15	
05 12 23 00-0685	LF		3" x 3" x 3/16" Square Steel Tubing	21.30	5.91
			<i>For >100 To 250, Deduct</i>	-0.59	
			<i>For >250 To 500, Deduct</i>	-1.12	
			<i>For >500 To 1,000, Deduct</i>	-1.85	
			<i>For >1,000, Deduct</i>	-2.58	
			<i>For 316 Stainless Steel, Add</i>	42.98	
			<i>For Aluminum, Add</i>	2.42	
			<i>For Galvanized Steel, Add</i>	8.33	
			<i>For 304 Stainless Steel, Add</i>	38.28	
05 12 23 00-0686	LF		3-1/2" x 3-1/2" x 3/16" Square Steel Tubing	25.27	7.00
			<i>For >100 To 250, Deduct</i>	-0.70	
			<i>For >250 To 500, Deduct</i>	-1.33	
			<i>For >500 To 1,000, Deduct</i>	-2.20	
			<i>For >1,000, Deduct</i>	-3.06	
			<i>For 316 Stainless Steel, Add</i>	50.98	
			<i>For Aluminum, Add</i>	2.87	
			<i>For Galvanized Steel, Add</i>	9.88	
			<i>For 304 Stainless Steel, Add</i>	45.40	
05 12 23 00-0687	LF		4" x 4" x 3/16" Square Steel Tubing	29.21	8.09
			<i>For >100 To 250, Deduct</i>	-0.81	
			<i>For >250 To 500, Deduct</i>	-1.54	
			<i>For >500 To 1,000, Deduct</i>	-2.54	
			<i>For >1,000, Deduct</i>	-3.54	
			<i>For 316 Stainless Steel, Add</i>	58.91	
			<i>For Aluminum, Add</i>	3.31	
			<i>For Galvanized Steel, Add</i>	11.41	
			<i>For 304 Stainless Steel, Add</i>	52.47	
05 12 23 00-0688	LF		4-1/2" x 4-1/2" x 3/16" Square Steel Tubing	33.17	9.20
			<i>For >100 To 250, Deduct</i>	-0.92	
			<i>For >250 To 500, Deduct</i>	-1.75	
			<i>For >500 To 1,000, Deduct</i>	-2.88	
			<i>For >1,000, Deduct</i>	-4.02	
			<i>For 316 Stainless Steel, Add</i>	66.94	
			<i>For Aluminum, Add</i>	3.77	
			<i>For Galvanized Steel, Add</i>	12.97	
			<i>For 304 Stainless Steel, Add</i>	59.62	

05 Metals**05 10 Structural Metal Framing****05 12 Structural Steel Framing**

MINOR		TOTAL DIRECT	DEMOLITION
CSI	UOM DESCRIPTION	UNIT COST	UNIT COST
05 12 23 00-0689	LF 5" x 5" x 3/16" Square Steel Tubing	37.11	10.28
	For >100 To 250, Deduct	-1.03	
	For >250 To 500, Deduct	-1.96	
	For >500 To 1,000, Deduct	-3.23	
	For >1,000, Deduct	-4.50	
	For 316 Stainless Steel, Add	74.88	
	For Aluminum, Add	4.21	
	For Galvanized Steel, Add	14.51	
	For 304 Stainless Steel, Add	66.69	
05 12 23 00-0690	LF 6" x 6" x 3/16" Square Steel Tubing	45.04	12.49
	For >100 To 250, Deduct	-1.25	
	For >250 To 500, Deduct	-2.37	
	For >500 To 1,000, Deduct	-3.92	
	For >1,000, Deduct	-5.46	
	For 316 Stainless Steel, Add	90.88	
	For Aluminum, Add	5.11	
	For Galvanized Steel, Add	17.61	
	For 304 Stainless Steel, Add	80.94	
05 12 23 00-0691	1/4" Wall Thickness (05 12 23 00-0658)		
05 12 23 00-0692	LF 2" x 2" x 1/4" Square Steel Tubing	14.29	3.72
	For >100 To 250, Deduct	-0.37	
	For >250 To 500, Deduct	-0.73	
	For >500 To 1,000, Deduct	-1.21	
	For >1,000, Deduct	-1.69	
	For 316 Stainless Steel, Add	29.86	
	For Aluminum, Add	1.68	
	For Galvanized Steel, Add	5.78	
	For 304 Stainless Steel, Add	26.59	
05 12 23 00-0693	LF 2-1/2" x 2-1/2" x 1/4" Square Steel Tubing	18.79	4.89
	For >100 To 250, Deduct	-0.49	
	For >250 To 500, Deduct	-0.96	
	For >500 To 1,000, Deduct	-1.59	
	For >1,000, Deduct	-2.22	
	For 316 Stainless Steel, Add	39.26	
	For Aluminum, Add	2.21	
	For Galvanized Steel, Add	7.61	
	For 304 Stainless Steel, Add	34.97	
05 12 23 00-0694	LF 3" x 3" x 1/4" Square Steel Tubing	23.28	6.06
	For >100 To 250, Deduct	-0.61	
	For >250 To 500, Deduct	-1.19	
	For >500 To 1,000, Deduct	-1.97	
	For >1,000, Deduct	-2.76	
	For 316 Stainless Steel, Add	48.64	
	For Aluminum, Add	2.74	
	For Galvanized Steel, Add	9.42	
	For 304 Stainless Steel, Add	43.32	
05 12 23 00-0695	LF 3-1/2" x 3-1/2" x 1/4" Square Steel Tubing	27.76	7.22
	For >100 To 250, Deduct	-0.72	
	For >250 To 500, Deduct	-1.42	
	For >500 To 1,000, Deduct	-2.35	
	For >1,000, Deduct	-3.29	
	For 316 Stainless Steel, Add	58.02	
	For Aluminum, Add	3.26	
	For Galvanized Steel, Add	11.24	
	For 304 Stainless Steel, Add	51.67	
05 12 23 00-0696	LF 4" x 4" x 1/4" Square Steel Tubing	32.26	8.39
	For >100 To 250, Deduct	-0.84	
	For >250 To 500, Deduct	-1.65	
	For >500 To 1,000, Deduct	-2.73	
	For >1,000, Deduct	-3.82	
	For 316 Stainless Steel, Add	67.42	
	For Aluminum, Add	3.79	
	For Galvanized Steel, Add	13.06	
	For 304 Stainless Steel, Add	60.05	
05 12 23 00-0697	LF 4-1/2" x 4-1/2" x 1/4" Square Steel Tubing	36.75	9.56
	For >100 To 250, Deduct	-0.96	
	For >250 To 500, Deduct	-1.88	
	For >500 To 1,000, Deduct	-3.11	
	For >1,000, Deduct	-4.35	
	For 316 Stainless Steel, Add	76.80	
	For Aluminum, Add	4.32	
	For Galvanized Steel, Add	14.88	
	For 304 Stainless Steel, Add	68.40	
05 12 23 00-0698	LF 5" x 5" x 1/4" Square Steel Tubing	41.27	10.74
	For >100 To 250, Deduct	-1.07	
	For >250 To 500, Deduct	-2.11	
	For >500 To 1,000, Deduct	-3.50	
	For >1,000, Deduct	-4.89	
	For 316 Stainless Steel, Add	86.24	
	For Aluminum, Add	4.85	
	For Galvanized Steel, Add	16.71	
	For 304 Stainless Steel, Add	76.81	



	Metals	05
	Structural Metal Framing	05 10
	Structural Steel Framing	05 12

05

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 12 23 00-0699	LF		6" x 6" x 1/4" Square Steel Tubing	50.25	13.07
			<i>For >100 To 250, Deduct</i>	-1.31	
			<i>For >250 To 500, Deduct</i>	-2.56	
			<i>For >500 To 1,000, Deduct</i>	-4.26	
			<i>For >1,000, Deduct</i>	-5.95	
			<i>For 316 Stainless Steel, Add</i>	104.99	
			<i>For Aluminum, Add</i>	5.91	
			<i>For Galvanized Steel, Add</i>	20.34	
			<i>For 304 Stainless Steel, Add</i>	93.51	
05 12 23 00-0700			Rectangular Steel Tubing (05 12 23 00-0657)		
05 12 23 00-0701			3/16" Wall Thickness (05 12 23 00-0700)		
05 12 23 00-0702	LF		3" x 2" x 3/16" Square Steel Tubing	17.34	4.80
			<i>For >100 To 250, Deduct</i>	-0.48	
			<i>For >250 To 500, Deduct</i>	-0.91	
			<i>For >500 To 1,000, Deduct</i>	-1.51	
			<i>For >1,000, Deduct</i>	-2.10	
			<i>For 316 Stainless Steel, Add</i>	34.98	
			<i>For Aluminum, Add</i>	1.97	
			<i>For Galvanized Steel, Add</i>	6.78	
			<i>For 304 Stainless Steel, Add</i>	31.15	
05 12 23 00-0703	LF		4" x 2" x 3/16" Square Steel Tubing	21.30	5.91
			<i>For >100 To 250, Deduct</i>	-0.59	
			<i>For >250 To 500, Deduct</i>	-1.12	
			<i>For >500 To 1,000, Deduct</i>	-1.85	
			<i>For >1,000, Deduct</i>	-2.58	
			<i>For 316 Stainless Steel, Add</i>	42.98	
			<i>For Aluminum, Add</i>	2.42	
			<i>For Galvanized Steel, Add</i>	8.33	
			<i>For 304 Stainless Steel, Add</i>	38.28	
05 12 23 00-0704	LF		4" x 3" x 3/16" Square Steel Tubing	25.27	7.00
			<i>For >100 To 250, Deduct</i>	-0.70	
			<i>For >250 To 500, Deduct</i>	-1.33	
			<i>For >500 To 1,000, Deduct</i>	-2.20	
			<i>For >1,000, Deduct</i>	-3.06	
			<i>For 316 Stainless Steel, Add</i>	50.98	
			<i>For Aluminum, Add</i>	2.87	
			<i>For Galvanized Steel, Add</i>	9.88	
			<i>For 304 Stainless Steel, Add</i>	45.40	
05 12 23 00-0705	LF		5" x 2" x 3/16" Square Steel Tubing	25.27	7.00
			<i>For >100 To 250, Deduct</i>	-0.70	
			<i>For >250 To 500, Deduct</i>	-1.33	
			<i>For >500 To 1,000, Deduct</i>	-2.20	
			<i>For >1,000, Deduct</i>	-3.06	
			<i>For 316 Stainless Steel, Add</i>	50.98	
			<i>For Aluminum, Add</i>	2.87	
			<i>For Galvanized Steel, Add</i>	9.88	
			<i>For 304 Stainless Steel, Add</i>	45.40	
05 12 23 00-0706	LF		5" x 3" x 3/16" Square Steel Tubing	29.21	8.09
			<i>For >100 To 250, Deduct</i>	-0.81	
			<i>For >250 To 500, Deduct</i>	-1.54	
			<i>For >500 To 1,000, Deduct</i>	-2.54	
			<i>For >1,000, Deduct</i>	-3.54	
			<i>For 316 Stainless Steel, Add</i>	58.91	
			<i>For Aluminum, Add</i>	3.31	
			<i>For Galvanized Steel, Add</i>	11.41	
			<i>For 304 Stainless Steel, Add</i>	52.47	
05 12 23 00-0707	LF		5" x 4" x 3/16" Square Steel Tubing	33.17	9.20
			<i>For >100 To 250, Deduct</i>	-0.92	
			<i>For >250 To 500, Deduct</i>	-1.75	
			<i>For >500 To 1,000, Deduct</i>	-2.88	
			<i>For >1,000, Deduct</i>	-4.02	
			<i>For 316 Stainless Steel, Add</i>	66.94	
			<i>For Aluminum, Add</i>	3.77	
			<i>For Galvanized Steel, Add</i>	12.97	
			<i>For 304 Stainless Steel, Add</i>	59.62	
05 12 23 00-0708	LF		6" x 2" x 3/16" Square Steel Tubing	29.21	8.09
			<i>For >100 To 250, Deduct</i>	-0.81	
			<i>For >250 To 500, Deduct</i>	-1.54	
			<i>For >500 To 1,000, Deduct</i>	-2.54	
			<i>For >1,000, Deduct</i>	-3.54	
			<i>For 316 Stainless Steel, Add</i>	58.91	
			<i>For Aluminum, Add</i>	3.31	
			<i>For Galvanized Steel, Add</i>	11.41	
			<i>For 304 Stainless Steel, Add</i>	52.47	
05 12 23 00-0709	LF		6" x 3" x 3/16" Square Steel Tubing	33.17	9.20
			<i>For >100 To 250, Deduct</i>	-0.92	
			<i>For >250 To 500, Deduct</i>	-1.75	
			<i>For >500 To 1,000, Deduct</i>	-2.88	
			<i>For >1,000, Deduct</i>	-4.02	
			<i>For 316 Stainless Steel, Add</i>	66.94	
			<i>For Aluminum, Add</i>	3.77	
			<i>For Galvanized Steel, Add</i>	12.97	
			<i>For 304 Stainless Steel, Add</i>	59.62	

05 Metals**05 10 Structural Metal Framing****05 12 Structural Steel Framing**

MINOR		TOTAL DIRECT	DEMOLITION
CSI	UOM DESCRIPTION	UNIT COST	UNIT COST
05 12 23 00-0710	LF 6" x 4" x 3/16" Square Steel Tubing	37.11	10.28
	<i>For >100 To 250, Deduct</i>	-1.03	
	<i>For >250 To 500, Deduct</i>	-1.96	
	<i>For >500 To 1,000, Deduct</i>	-3.23	
	<i>For >1,000, Deduct</i>	-4.50	
	<i>For 316 Stainless Steel, Add</i>	74.88	
	<i>For Aluminum, Add</i>	4.21	
	<i>For Galvanized Steel, Add</i>	14.51	
	<i>For 304 Stainless Steel, Add</i>	66.69	
05 12 23 00-0711	1/4" Wall Thickness <small>(05 12 23 00-0700)</small>		
05 12 23 00-0712	LF 3" x 2" x 1/4" Square Steel Tubing	18.79	4.89
	<i>For >100 To 250, Deduct</i>	-0.49	
	<i>For >250 To 500, Deduct</i>	-0.96	
	<i>For >500 To 1,000, Deduct</i>	-1.59	
	<i>For >1,000, Deduct</i>	-2.22	
	<i>For 316 Stainless Steel, Add</i>	39.26	
	<i>For Aluminum, Add</i>	2.21	
	<i>For Galvanized Steel, Add</i>	7.61	
	<i>For 304 Stainless Steel, Add</i>	34.97	
05 12 23 00-0713	LF 4" x 2" x 1/4" Square Steel Tubing	23.28	6.06
	<i>For >100 To 250, Deduct</i>	-0.61	
	<i>For >250 To 500, Deduct</i>	-1.19	
	<i>For >500 To 1,000, Deduct</i>	-1.97	
	<i>For >1,000, Deduct</i>	-2.76	
	<i>For 316 Stainless Steel, Add</i>	48.64	
	<i>For Aluminum, Add</i>	2.74	
	<i>For Galvanized Steel, Add</i>	9.42	
	<i>For 304 Stainless Steel, Add</i>	43.32	
05 12 23 00-0714	LF 4" x 3" x 1/4" Square Steel Tubing	27.76	7.22
	<i>For >100 To 250, Deduct</i>	-0.72	
	<i>For >250 To 500, Deduct</i>	-1.42	
	<i>For >500 To 1,000, Deduct</i>	-2.35	
	<i>For >1,000, Deduct</i>	-3.29	
	<i>For 316 Stainless Steel, Add</i>	58.02	
	<i>For Aluminum, Add</i>	3.26	
	<i>For Galvanized Steel, Add</i>	11.24	
	<i>For 304 Stainless Steel, Add</i>	51.67	
05 12 23 00-0715	LF 5" x 2" x 1/4" Square Steel Tubing	27.76	7.22
	<i>For >100 To 250, Deduct</i>	-0.72	
	<i>For >250 To 500, Deduct</i>	-1.42	
	<i>For >500 To 1,000, Deduct</i>	-2.35	
	<i>For >1,000, Deduct</i>	-3.29	
	<i>For 316 Stainless Steel, Add</i>	58.02	
	<i>For Aluminum, Add</i>	3.26	
	<i>For Galvanized Steel, Add</i>	11.24	
	<i>For 304 Stainless Steel, Add</i>	51.67	
05 12 23 00-0716	LF 5" x 3" x 1/4" Square Steel Tubing	32.26	8.39
	<i>For >100 To 250, Deduct</i>	-0.84	
	<i>For >250 To 500, Deduct</i>	-1.65	
	<i>For >500 To 1,000, Deduct</i>	-2.73	
	<i>For >1,000, Deduct</i>	-3.82	
	<i>For 316 Stainless Steel, Add</i>	67.42	
	<i>For Aluminum, Add</i>	3.79	
	<i>For Galvanized Steel, Add</i>	13.06	
	<i>For 304 Stainless Steel, Add</i>	60.05	
05 12 23 00-0717	LF 5" x 4" x 1/4" Square Steel Tubing	36.75	9.56
	<i>For >100 To 250, Deduct</i>	-0.96	
	<i>For >250 To 500, Deduct</i>	-1.88	
	<i>For >500 To 1,000, Deduct</i>	-3.11	
	<i>For >1,000, Deduct</i>	-4.35	
	<i>For 316 Stainless Steel, Add</i>	76.80	
	<i>For Aluminum, Add</i>	4.32	
	<i>For Galvanized Steel, Add</i>	14.88	
	<i>For 304 Stainless Steel, Add</i>	68.40	
05 12 23 00-0718	LF 6" x 2" x 1/4" Square Steel Tubing	32.26	8.39
	<i>For >100 To 250, Deduct</i>	-0.84	
	<i>For >250 To 500, Deduct</i>	-1.65	
	<i>For >500 To 1,000, Deduct</i>	-2.73	
	<i>For >1,000, Deduct</i>	-3.82	
	<i>For 316 Stainless Steel, Add</i>	67.42	
	<i>For Aluminum, Add</i>	3.79	
	<i>For Galvanized Steel, Add</i>	13.06	
	<i>For 304 Stainless Steel, Add</i>	60.05	
05 12 23 00-0719	LF 6" x 3" x 1/4" Square Steel Tubing	36.75	9.56
	<i>For >100 To 250, Deduct</i>	-0.96	
	<i>For >250 To 500, Deduct</i>	-1.88	
	<i>For >500 To 1,000, Deduct</i>	-3.11	
	<i>For >1,000, Deduct</i>	-4.35	
	<i>For 316 Stainless Steel, Add</i>	76.80	
	<i>For Aluminum, Add</i>	4.32	
	<i>For Galvanized Steel, Add</i>	14.88	
	<i>For 304 Stainless Steel, Add</i>	68.40	



Metals	05	05
Structural Metal Framing	05 10	
Structural Steel Framing	05 12	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 12 23 00-0720	LF		6" x 4" x 1/4" Square Steel Tubing.....	41.27	10.74
			<i>For >100 To 250, Deduct</i>	-1.07	
			<i>For >250 To 500, Deduct</i>	-2.11	
			<i>For >500 To 1,000, Deduct</i>	-3.50	
			<i>For >1,000, Deduct</i>	-4.89	
			<i>For 316 Stainless Steel, Add</i>	86.24	
			<i>For Aluminum, Add</i>	4.85	
			<i>For Galvanized Steel, Add</i>	16.71	
			<i>For 304 Stainless Steel, Add</i>	76.81	
05 12 23 00-0721			Round Steel Tubing (05 12 23 00-0657)		
05 12 23 00-0722			0.065" Wall Thickness (05 12 23 00-0721)		
05 12 23 00-0723	LF		1" Diameter x 0.065" Round Steel Tubing.....	3.81	0.90
			<i>For >100 To 250, Deduct</i>	-0.09	
			<i>For >250 To 500, Deduct</i>	-0.18	
			<i>For >500 To 1,000, Deduct</i>	-0.31	
			<i>For >1,000, Deduct</i>	-0.43	
			<i>For 316 Stainless Steel, Add</i>	8.38	
			<i>For Aluminum, Add</i>	0.47	
			<i>For Galvanized Steel, Add</i>	1.62	
			<i>For 304 Stainless Steel, Add</i>	7.47	
05 12 23 00-0724	LF		1-1/4" Diameter x 0.065" Round Steel Tubing.....	4.84	1.13
			<i>For >100 To 250, Deduct</i>	-0.11	
			<i>For >250 To 500, Deduct</i>	-0.23	
			<i>For >500 To 1,000, Deduct</i>	-0.39	
			<i>For >1,000, Deduct</i>	-0.55	
			<i>For 316 Stainless Steel, Add</i>	10.66	
			<i>For Aluminum, Add</i>	0.60	
			<i>For Galvanized Steel, Add</i>	2.06	
			<i>For 304 Stainless Steel, Add</i>	9.49	
05 12 23 00-0725	LF		1-1/2" Diameter x 0.065" Round Steel Tubing.....	5.85	1.37
			<i>For >100 To 250, Deduct</i>	-0.14	
			<i>For >250 To 500, Deduct</i>	-0.28	
			<i>For >500 To 1,000, Deduct</i>	-0.47	
			<i>For >1,000, Deduct</i>	-0.67	
			<i>For 316 Stainless Steel, Add</i>	12.90	
			<i>For Aluminum, Add</i>	0.73	
			<i>For Galvanized Steel, Add</i>	2.50	
			<i>For 304 Stainless Steel, Add</i>	11.49	
05 12 23 00-0726	LF		2" Diameter x 0.065" Round Steel Tubing.....	7.89	1.85
			<i>For >100 To 250, Deduct</i>	-0.18	
			<i>For >250 To 500, Deduct</i>	-0.38	
			<i>For >500 To 1,000, Deduct</i>	-0.64	
			<i>For >1,000, Deduct</i>	-0.90	
			<i>For 316 Stainless Steel, Add</i>	17.38	
			<i>For Aluminum, Add</i>	0.98	
			<i>For Galvanized Steel, Add</i>	3.37	
			<i>For 304 Stainless Steel, Add</i>	15.48	
05 12 23 00-0727	LF		2-1/2" Diameter x 0.065" Round Steel Tubing.....	9.93	2.32
			<i>For >100 To 250, Deduct</i>	-0.23	
			<i>For >250 To 500, Deduct</i>	-0.48	
			<i>For >500 To 1,000, Deduct</i>	-0.81	
			<i>For >1,000, Deduct</i>	-1.13	
			<i>For 316 Stainless Steel, Add</i>	21.86	
			<i>For Aluminum, Add</i>	1.23	
			<i>For Galvanized Steel, Add</i>	4.23	
			<i>For 304 Stainless Steel, Add</i>	19.47	
05 12 23 00-0728	LF		3" Diameter x 0.065" Round Steel Tubing.....	11.96	2.80
			<i>For >100 To 250, Deduct</i>	-0.28	
			<i>For >250 To 500, Deduct</i>	-0.58	
			<i>For >500 To 1,000, Deduct</i>	-0.97	
			<i>For >1,000, Deduct</i>	-1.36	
			<i>For 316 Stainless Steel, Add</i>	26.34	
			<i>For Aluminum, Add</i>	1.48	
			<i>For Galvanized Steel, Add</i>	5.10	
			<i>For 304 Stainless Steel, Add</i>	23.46	
05 12 23 00-0729	LF		3-1/2" Diameter x 0.065" Round Steel Tubing.....	14.02	3.28
			<i>For >100 To 250, Deduct</i>	-0.33	
			<i>For >250 To 500, Deduct</i>	-0.68	
			<i>For >500 To 1,000, Deduct</i>	-1.14	
			<i>For >1,000, Deduct</i>	-1.60	
			<i>For 316 Stainless Steel, Add</i>	30.85	
			<i>For Aluminum, Add</i>	1.74	
			<i>For Galvanized Steel, Add</i>	5.98	
			<i>For 304 Stainless Steel, Add</i>	27.47	
05 12 23 00-0730	LF		4" Diameter x 0.065" Round Steel Tubing.....	16.05	3.75
			<i>For >100 To 250, Deduct</i>	-0.38	
			<i>For >250 To 500, Deduct</i>	-0.78	
			<i>For >500 To 1,000, Deduct</i>	-1.30	
			<i>For >1,000, Deduct</i>	-1.83	
			<i>For 316 Stainless Steel, Add</i>	35.33	
			<i>For Aluminum, Add</i>	1.99	
			<i>For Galvanized Steel, Add</i>	6.84	
			<i>For 304 Stainless Steel, Add</i>	31.46	

05	05 Metals
	05 10 Structural Metal Framing
	05 12 Structural Steel Framing



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 12 23 00-0731 0.083" Wall Thickness <small>(05 12 23 00-0721)</small>		
05 12 23 00-0732 LF 1" Diameter x 0.083" Round Steel Tubing.....	4.15	0.98
For >100 To 250, Deduct	-0.10	
For >250 To 500, Deduct	-0.20	
For >500 To 1,000, Deduct	-0.34	
For >1,000, Deduct	-0.48	
For 316 Stainless Steel, Add	9.09	
For Aluminum, Add	0.51	
For Galvanized Steel, Add	1.76	
For 304 Stainless Steel, Add	8.09	
05 12 23 00-0733 LF 1-1/4" Diameter x 0.083" Round Steel Tubing.....	5.27	1.25
For >100 To 250, Deduct	-0.12	
For >250 To 500, Deduct	-0.26	
For >500 To 1,000, Deduct	-0.43	
For >1,000, Deduct	-0.60	
For 316 Stainless Steel, Add	11.55	
For Aluminum, Add	0.65	
For Galvanized Steel, Add	2.24	
For 304 Stainless Steel, Add	10.29	
05 12 23 00-0734 LF 1-1/2" Diameter x 0.083" Round Steel Tubing.....	6.39	1.51
For >100 To 250, Deduct	-0.15	
For >250 To 500, Deduct	-0.31	
For >500 To 1,000, Deduct	-0.52	
For >1,000, Deduct	-0.73	
For 316 Stainless Steel, Add	14.02	
For Aluminum, Add	0.79	
For Galvanized Steel, Add	2.72	
For 304 Stainless Steel, Add	12.48	
05 12 23 00-0735 LF 2" Diameter x 0.083" Round Steel Tubing.....	8.66	2.04
For >100 To 250, Deduct	-0.20	
For >250 To 500, Deduct	-0.42	
For >500 To 1,000, Deduct	-0.71	
For >1,000, Deduct	-0.99	
For 316 Stainless Steel, Add	18.98	
For Aluminum, Add	1.07	
For Galvanized Steel, Add	3.68	
For 304 Stainless Steel, Add	16.90	
05 12 23 00-0736 LF 2-1/2" Diameter x 0.083" Round Steel Tubing.....	10.92	2.58
For >100 To 250, Deduct	-0.26	
For >250 To 500, Deduct	-0.53	
For >500 To 1,000, Deduct	-0.89	
For >1,000, Deduct	-1.25	
For 316 Stainless Steel, Add	23.94	
For Aluminum, Add	1.35	
For Galvanized Steel, Add	4.64	
For 304 Stainless Steel, Add	21.32	
05 12 23 00-0737 LF 3" Diameter x 0.083" Round Steel Tubing.....	13.18	3.11
For >100 To 250, Deduct	-0.31	
For >250 To 500, Deduct	-0.64	
For >500 To 1,000, Deduct	-1.07	
For >1,000, Deduct	-1.51	
For 316 Stainless Steel, Add	28.90	
For Aluminum, Add	1.63	
For Galvanized Steel, Add	5.60	
For 304 Stainless Steel, Add	25.74	
05 12 23 00-0738 LF 3-1/2" Diameter x 0.083" Round Steel Tubing.....	15.43	3.64
For >100 To 250, Deduct	-0.36	
For >250 To 500, Deduct	-0.75	
For >500 To 1,000, Deduct	-1.26	
For >1,000, Deduct	-1.76	
For 316 Stainless Steel, Add	33.82	
For Aluminum, Add	1.90	
For Galvanized Steel, Add	6.55	
For 304 Stainless Steel, Add	30.12	
05 12 23 00-0739 LF 4" Diameter x 0.083" Round Steel Tubing.....	17.68	4.18
For >100 To 250, Deduct	-0.42	
For >250 To 500, Deduct	-0.86	
For >500 To 1,000, Deduct	-1.44	
For >1,000, Deduct	-2.02	
For 316 Stainless Steel, Add	38.78	
For Aluminum, Add	2.18	
For Galvanized Steel, Add	7.51	
For 304 Stainless Steel, Add	34.54	

05 12 23 00-0740 0.125" Wall Thickness (05 12 23 00-0721)



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 12 23 00-0741	LF		2" Diameter x 0.125" Round Steel Tubing.....	9.26	2.59
			<i>For >100 To 250, Deduct</i>	-0.26	
			<i>For >250 To 500, Deduct</i>	-0.49	
			<i>For >500 To 1,000, Deduct</i>	-0.81	
			<i>For >1,000, Deduct</i>	-1.12	
			<i>For 316 Stainless Steel, Add</i>	18.62	
			<i>For Aluminum, Add</i>	1.05	
			<i>For Galvanized Steel, Add</i>	3.61	
			<i>For 304 Stainless Steel, Add</i>	16.59	
05 12 23 00-0742	LF		2-1/2" Diameter x 0.125" Round Steel Tubing.....	11.73	3.27
			<i>For >100 To 250, Deduct</i>	-0.33	
			<i>For >250 To 500, Deduct</i>	-0.62	
			<i>For >500 To 1,000, Deduct</i>	-1.02	
			<i>For >1,000, Deduct</i>	-1.42	
			<i>For 316 Stainless Steel, Add</i>	23.58	
			<i>For Aluminum, Add</i>	1.33	
			<i>For Galvanized Steel, Add</i>	4.57	
			<i>For 304 Stainless Steel, Add</i>	21.00	
05 12 23 00-0743	LF		3" Diameter x 0.125" Round Steel Tubing.....	14.20	3.95
			<i>For >100 To 250, Deduct</i>	-0.40	
			<i>For >250 To 500, Deduct</i>	-0.75	
			<i>For >500 To 1,000, Deduct</i>	-1.24	
			<i>For >1,000, Deduct</i>	-1.72	
			<i>For 316 Stainless Steel, Add</i>	28.58	
			<i>For Aluminum, Add</i>	1.61	
			<i>For Galvanized Steel, Add</i>	5.54	
			<i>For 304 Stainless Steel, Add</i>	25.45	
05 12 23 00-0744	LF		3-1/2" Diameter x 0.125" Round Steel Tubing.....	16.68	4.65
			<i>For >100 To 250, Deduct</i>	-0.47	
			<i>For >250 To 500, Deduct</i>	-0.88	
			<i>For >500 To 1,000, Deduct</i>	-1.45	
			<i>For >1,000, Deduct</i>	-2.03	
			<i>For 316 Stainless Steel, Add</i>	33.54	
			<i>For Aluminum, Add</i>	1.89	
			<i>For Galvanized Steel, Add</i>	6.50	
			<i>For 304 Stainless Steel, Add</i>	29.87	
05 12 23 00-0745	LF		4" Diameter x 0.125" Round Steel Tubing.....	19.14	5.33
			<i>For >100 To 250, Deduct</i>	-0.53	
			<i>For >250 To 500, Deduct</i>	-1.01	
			<i>For >500 To 1,000, Deduct</i>	-1.67	
			<i>For >1,000, Deduct</i>	-2.32	
			<i>For 316 Stainless Steel, Add</i>	38.50	
			<i>For Aluminum, Add</i>	2.17	
			<i>For Galvanized Steel, Add</i>	7.46	
			<i>For 304 Stainless Steel, Add</i>	34.29	
05 12 23 00-0746			Flat Steel Bar <small>(05 12 23 00-0408)</small>		
05 12 23 00-0747			1/8" Thick <small>(05 12 23 00-0746)</small>		
05 12 23 00-0748	LF		1/8" Thick x 1" Wide Flat Steel Bar.....	2.46	1.29
			<i>For 316 Stainless Steel, Add</i>	1.73	
			<i>For Aluminum, Add</i>	0.10	
			<i>For Galvanized Steel, Add</i>	0.33	
			<i>For 304 Stainless Steel, Add</i>	1.54	
05 12 23 00-0749	LF		1/8" Thick x 2" Wide Flat Steel Bar.....	3.80	1.92
			<i>For 316 Stainless Steel, Add</i>	2.91	
			<i>For Aluminum, Add</i>	0.16	
			<i>For Galvanized Steel, Add</i>	0.56	
			<i>For 304 Stainless Steel, Add</i>	2.59	
05 12 23 00-0750	LF		1/8" Thick x 4" Wide Flat Steel Bar.....	5.71	2.72
			<i>For 316 Stainless Steel, Add</i>	5.28	
			<i>For Aluminum, Add</i>	0.30	
			<i>For Galvanized Steel, Add</i>	1.02	
			<i>For 304 Stainless Steel, Add</i>	4.70	
05 12 23 00-0751	LF		1/8" Thick x 6" Wide Flat Steel Bar.....	7.74	3.68
			<i>For 316 Stainless Steel, Add</i>	7.10	
			<i>For Aluminum, Add</i>	0.40	
			<i>For Galvanized Steel, Add</i>	1.38	
			<i>For 304 Stainless Steel, Add</i>	6.33	
05 12 23 00-0752			3/16" Thick <small>(05 12 23 00-0746)</small>		
05 12 23 00-0753	LF		3/16" Thick x 1" Wide Flat Steel Bar.....	3.22	1.59
			<i>For 316 Stainless Steel, Add</i>	2.66	
			<i>For Aluminum, Add</i>	0.15	
			<i>For Galvanized Steel, Add</i>	0.51	
			<i>For 304 Stainless Steel, Add</i>	2.37	
05 12 23 00-0754	LF		3/16" Thick x 2" Wide Flat Steel Bar.....	5.02	2.39
			<i>For 316 Stainless Steel, Add</i>	4.58	
			<i>For Aluminum, Add</i>	0.26	
			<i>For Galvanized Steel, Add</i>	0.89	
			<i>For 304 Stainless Steel, Add</i>	4.08	

05 Metals**05 10 Structural Metal Framing****05 12 Structural Steel Framing**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 12 23 00-0755	LF		3/16" Thick x 4" Wide Flat Steel Bar	6.53	2.75
			<i>For 316 Stainless Steel, Add</i>	7.71	
			<i>For Aluminum, Add</i>	0.43	
			<i>For Galvanized Steel, Add</i>	1.49	
			<i>For 304 Stainless Steel, Add</i>	6.87	
05 12 23 00-0756	LF		3/16" Thick x 6" Wide Flat Steel Bar	9.05	3.81
			<i>For 316 Stainless Steel, Add</i>	10.69	
			<i>For Aluminum, Add</i>	0.60	
			<i>For Galvanized Steel, Add</i>	2.07	
			<i>For 304 Stainless Steel, Add</i>	9.52	
05 12 23 00-0757			1/4" Thick (05 12 23 00-0746)		
05 12 23 00-0758	LF		1/4" Thick x 1" Wide Flat Steel Bar	3.35	1.69
			<i>For 316 Stainless Steel, Add</i>	2.62	
			<i>For Aluminum, Add</i>	0.15	
			<i>For Galvanized Steel, Add</i>	0.51	
			<i>For 304 Stainless Steel, Add</i>	2.34	
05 12 23 00-0759	LF		1/4" Thick x 2" Wide Flat Steel Bar	5.45	2.53
			<i>For 316 Stainless Steel, Add</i>	5.31	
			<i>For Aluminum, Add</i>	0.30	
			<i>For Galvanized Steel, Add</i>	1.03	
			<i>For 304 Stainless Steel, Add</i>	4.73	
05 12 23 00-0760	LF		1/4" Thick x 4" Wide Flat Steel Bar	7.55	2.89
			<i>For 316 Stainless Steel, Add</i>	10.27	
			<i>For Aluminum, Add</i>	0.58	
			<i>For Galvanized Steel, Add</i>	1.99	
			<i>For 304 Stainless Steel, Add</i>	9.15	
05 12 23 00-0761	LF		1/4" Thick x 6" Wide Flat Steel Bar	10.96	4.27
			<i>For 316 Stainless Steel, Add</i>	14.53	
			<i>For Aluminum, Add</i>	0.82	
			<i>For Galvanized Steel, Add</i>	2.81	
			<i>For 304 Stainless Steel, Add</i>	12.94	
05 12 23 00-0762			3/8" Thick (05 12 23 00-0746)		
05 12 23 00-0763	LF		3/8" Thick x 1" Wide Flat Steel Bar	4.13	1.90
			<i>For 316 Stainless Steel, Add</i>	4.10	
			<i>For Aluminum, Add</i>	0.23	
			<i>For Galvanized Steel, Add</i>	0.79	
			<i>For 304 Stainless Steel, Add</i>	3.65	
05 12 23 00-0764	LF		3/8" Thick x 2" Wide Flat Steel Bar	6.64	2.84
			<i>For 316 Stainless Steel, Add</i>	7.58	
			<i>For Aluminum, Add</i>	0.43	
			<i>For Galvanized Steel, Add</i>	1.47	
			<i>For 304 Stainless Steel, Add</i>	6.75	
05 12 23 00-0765	LF		3/8" Thick x 4" Wide Flat Steel Bar	9.62	3.24
			<i>For 316 Stainless Steel, Add</i>	15.17	
			<i>For Aluminum, Add</i>	0.85	
			<i>For Galvanized Steel, Add</i>	2.94	
			<i>For 304 Stainless Steel, Add</i>	13.51	
05 12 23 00-0766	LF		3/8" Thick x 6" Wide Flat Steel Bar	13.89	4.80
			<i>For 316 Stainless Steel, Add</i>	21.34	
			<i>For Aluminum, Add</i>	1.20	
			<i>For Galvanized Steel, Add</i>	4.14	
			<i>For 304 Stainless Steel, Add</i>	19.01	
05 12 23 00-0767			1/2" Thick (05 12 23 00-0746)		
05 12 23 00-0768	LF		1/2" Thick x 1" Wide Flat Steel Bar	4.79	2.08
			<i>For 316 Stainless Steel, Add</i>	5.28	
			<i>For Aluminum, Add</i>	0.30	
			<i>For Galvanized Steel, Add</i>	1.02	
			<i>For 304 Stainless Steel, Add</i>	4.70	
05 12 23 00-0769	LF		1/2" Thick x 2" Wide Flat Steel Bar	7.73	3.14
			<i>For 316 Stainless Steel, Add</i>	9.70	
			<i>For Aluminum, Add</i>	0.55	
			<i>For Galvanized Steel, Add</i>	1.88	
			<i>For 304 Stainless Steel, Add</i>	8.64	
05 12 23 00-0770	LF		1/2" Thick x 4" Wide Flat Steel Bar	10.51	3.56
			<i>For 316 Stainless Steel, Add</i>	16.48	
			<i>For Aluminum, Add</i>	0.93	
			<i>For Galvanized Steel, Add</i>	3.19	
			<i>For 304 Stainless Steel, Add</i>	14.68	
05 12 23 00-0771	LF		1/2" Thick x 6" Wide Flat Steel Bar	18.22	5.29
			<i>For 316 Stainless Steel, Add</i>	32.90	
			<i>For Aluminum, Add</i>	1.85	
			<i>For Galvanized Steel, Add</i>	6.37	
			<i>For 304 Stainless Steel, Add</i>	29.30	
05 12 23 00-0772			Flat Steel Plate (05 12 23 00-0408)		



Metals	05	05
Structural Metal Framing	05 10	
Structural Steel Framing	05 12	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 12 23 00-0773 SF 1/8" Thick Flat Steel Plate..... For 316 Stainless Steel, Add For Aluminum, Add For Galvanized Steel, Add For 304 Stainless Steel, Add	12.17 12.42 0.70 2.41 11.06	5.52
05 12 23 00-0774 SF 3/16" Thick Flat Steel Plate..... For 316 Stainless Steel, Add For Aluminum, Add For Galvanized Steel, Add For 304 Stainless Steel, Add	13.44 15.62 0.87 3.01 13.82	5.71
05 12 23 00-0775 SF 1/4" Thick Flat Steel Plate..... For 316 Stainless Steel, Add For Aluminum, Add For Galvanized Steel, Add For 304 Stainless Steel, Add	15.81 19.81 1.11 3.84 17.64	6.41
05 12 23 00-0776 SF 3/8" Thick Flat Steel Plate..... For 316 Stainless Steel, Add For Aluminum, Add For Galvanized Steel, Add For 304 Stainless Steel, Add	20.54 31.07 1.75 6.02 27.67	7.21
05 12 23 00-0777 SF 1/2" Thick Flat Steel Plate..... For 316 Stainless Steel, Add For Aluminum, Add For Galvanized Steel, Add For 304 Stainless Steel, Add	24.00 38.72 2.18 7.50 34.49	7.93
05 12 23 00-0778 SF 3/4" Thick Flat Steel Plate..... For 316 Stainless Steel, Add For Aluminum, Add For Galvanized Steel, Add For 304 Stainless Steel, Add	37.58 72.64 4.09 14.07 64.70	9.82
05 12 23 00-0779 SF 1" Thick Flat Steel Plate..... For 316 Stainless Steel, Add For Aluminum, Add For Galvanized Steel, Add For 304 Stainless Steel, Add	49.68 99.46 5.59 19.27 88.58	12.27

05 13 Structural Stainless-Steel Framing (05 10)

05 13 00 00-0001 Stainless Steel Tube (05 13)		
05 13 00 00-0002 LF 1" x 1" Stainless Steel Tube.....	25.75	
05 13 00 00-0003 LF 1-1/2" x 1-1/2" Stainless Steel Tube.....	33.39	
05 13 00 00-0004 LF 2" x 2" Stainless Steel Tube.....	44.51	

05 14 Structural Aluminum Framing (05 10)

05 14 13 Architecturally-Exposed Structural Aluminum Framing (05 14)

05 14 13 00-0001 Rolled Or Plate Shapes (05 14 13) Note: 1" through 10" member.		
05 14 13 00-0002 LB Structural Aluminum, Up To 2,000 LB / Order 1" To 10" Rolled / Plate Structural Members.....	5.89	0.71
05 14 13 00-0003 LB Structural Aluminum, >2,000 - 9,999 LB / Order 1" To 10" Rolled / Plate Structural Members.....	5.20	0.66

05 14 13 00-0004 Aluminum Extrusions (05 14 13)		
05 14 13 00-0005 LB Aluminum Extrusions, Stock Shapes 1" To 10" Rolled / Plate Structural Members.....	10.23	2.95
05 14 13 00-0006 LB Aluminum Extrusions, Custom Shapes 1" To 10" Rolled / Plate Structural Members.....	10.77	2.95

05 14 13 00-0007 Aluminum Tubing (05 14 13)		
05 14 13 00-0008 LB Aluminum Extrusions, Tubular Shapes 1" To 10" Rolled / Plate Structural Members.....	11.55	3.09
05 14 13 00-0009 LF 1" x 1" Aluminum Tubing, 1/8" Wall Thickness.....	12.91	5.04
05 14 13 00-0010 LF 1-1/4" x 1-1/4" Aluminum Tubing, 1/8" Wall Thickness.....	14.95	5.50
05 14 13 00-0011 LF 1-1/2" x 1-1/2" Aluminum Tubing, 1/8" Wall Thickness.....	17.27	6.42
05 14 13 00-0012 LF 2" x 2" Aluminum Tubing, 1/8" Wall Thickness.....	19.68	6.87
05 14 13 00-0013 LF 4" x 4" Aluminum Tubing, 1/4" Wall Thickness.....	44.75	8.70
05 14 13 00-0014 LF 2" x 5" Aluminum Tubing, 1/4" Wall Thickness.....	37.39	7.79

05 14 13 00-0015 Columns (05 14 13) Note: Baked on paint finish, load bearing.		
--	--	--

05 14 13 00-0016 Round Columns (05 14 13 00-0015)		
05 14 13 00-0017 LF 6" Diameter Aluminum Column.....	35.68	5.93
05 14 13 00-0018 LF 8" Diameter Aluminum Column.....	47.43	8.50
05 14 13 00-0019 LF 10" Diameter Aluminum Column.....	57.50	9.56
05 14 13 00-0020 LF 12" Diameter Aluminum Column.....	84.38	10.00
05 14 13 00-0021 LF 15" Diameter Aluminum Column.....	107.17	11.59
05 14 13 00-0022 EA 6" Diameter Aluminum Base And Cap.....	68.64	11.06
05 14 13 00-0023 EA 8" Diameter Aluminum Base And Cap.....	78.26	11.95
05 14 13 00-0024 EA 10" Diameter Aluminum Base And Cap.....	98.02	13.28
05 14 13 00-0025 EA 12" Diameter Aluminum Base And Cap.....	165.63	14.17

05	05 Metals
	05 10 Structural Metal Framing
	05 14 Structural Aluminum Framing



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 14 13 00-0026 EA 15" Diameter Aluminum Base And Cap	250.96	15.49
05 14 13 00-0027 Octagonal Columns (05 14 13 00-0015)		
05 14 13 00-0028 LF 6" Diameter Aluminum Column	39.17	5.93
05 14 13 00-0029 LF 8" Diameter Aluminum Column	53.52	8.50
05 14 13 00-0030 LF 10" Diameter Aluminum Column	65.18	9.56
05 14 13 00-0031 LF 12" Diameter Aluminum Column	97.27	10.00
05 14 13 00-0032 LF 15" Diameter Aluminum Column	123.98	11.59
05 14 13 00-0033 EA 6" Diameter Aluminum Base And Cap	77.94	11.06
05 14 13 00-0034 EA 8" Diameter Aluminum Base And Cap	89.14	11.95
05 14 13 00-0035 EA 10" Diameter Aluminum Base And Cap	112.31	13.28
05 14 13 00-0036 EA 12" Diameter Aluminum Base And Cap	193.09	14.17
05 14 13 00-0037 EA 15" Diameter Aluminum Base And Cap	294.95	15.49
05 14 13 00-0038 Fluted Columns (05 14 13 00-0015)		
05 14 13 00-0039 LF 6" Diameter Aluminum Column	43.28	5.93
05 14 13 00-0040 LF 8" Diameter Aluminum Column	58.99	8.50
05 14 13 00-0041 LF 10" Diameter Aluminum Column	72.09	9.56
05 14 13 00-0042 LF 12" Diameter Aluminum Column	108.87	10.00
05 14 13 00-0043 LF 15" Diameter Aluminum Column	139.11	11.59
05 14 13 00-0044 EA 6" Diameter Aluminum Base And Cap	86.31	11.06
05 14 13 00-0045 EA 8" Diameter Aluminum Base And Cap	98.92	11.95
05 14 13 00-0046 EA 10" Diameter Aluminum Base And Cap	125.17	13.28
05 14 13 00-0047 EA 12" Diameter Aluminum Base And Cap	217.81	14.17
05 14 13 00-0048 EA 15" Diameter Aluminum Base And Cap	334.55	15.49
05 14 13 00-0049 Square Columns (05 14 13 00-0015)		
05 14 13 00-0050 LF 6" Aluminum Column	46.09	5.93
05 14 13 00-0051 LF 8" Aluminum Column	62.73	8.50
05 14 13 00-0052 LF 10" Aluminum Column	76.82	9.56
05 14 13 00-0053 LF 12" Aluminum Column	116.81	10.00
05 14 13 00-0054 LF 15" Aluminum Column	149.46	11.59
05 14 13 00-0055 EA 6" Aluminum Base And Cap	92.04	11.06
05 14 13 00-0056 EA 8" Aluminum Base And Cap	105.61	11.95
05 14 13 00-0057 EA 10" Aluminum Base And Cap	133.97	13.28
05 14 13 00-0058 EA 12" Aluminum Base And Cap	234.71	14.17
05 14 13 00-0059 EA 15" Aluminum Base And Cap	361.63	15.49
05 14 13 00-0060 Ornamental Or Decorative Cap And Bases (05 14 13 00-0015)		
05 14 13 00-0061 EA 8" Corinthian Capital And Base	500.14	13.28
05 14 13 00-0062 EA 10" Corinthian Capital And Base	734.27	15.49
05 14 13 00-0063 EA 12" Corinthian Capital And Base	1,158.64	17.70
05 14 13 00-0064 EA 8" Scamozzi Capital And Base	251.21	13.28
05 14 13 00-0065 EA 10" Scamozzi Capital And Base	335.57	15.49
05 14 13 00-0066 EA 12" Scamozzi Capital And Base	669.27	17.70
05 15 Wire Rope Assemblies (05 10)		
05 15 16 Steel Wire Rope Assemblies (05 15)		
05 15 16 00-0001 6x19, Independent Wire Rope Core (IWRC), Extra Improved Plow Steel (EIPS), Bright Finish, Wire Rope (05 15 16)		
05 15 16 00-0002 LF 1/4" Diameter, 6x19, Independent Wire Rope Core (IWRC), Extra Improved Plow Steel (EIPS), Bright Finish, Wire Rope	0.98	0.09
For >500, Deduct	-0.16	
05 15 16 00-0003 LF 5/16" Diameter, 6x19, Independent Wire Rope Core (IWRC), Extra Improved Plow Steel (EIPS), Bright Finish, Wire Rope	1.34	0.09
For >500, Deduct	-0.22	
05 15 16 00-0004 LF 3/8" Diameter, 6x19, Independent Wire Rope Core (IWRC), Extra Improved Plow Steel (EIPS), Bright Finish, Wire Rope	1.60	0.18
For >500, Deduct	-0.25	
05 15 16 00-0005 LF 7/16" Diameter, 6x19, Independent Wire Rope Core (IWRC), Extra Improved Plow Steel (EIPS), Bright Finish, Wire Rope	1.96	0.18
For >500, Deduct	-0.30	
05 15 16 00-0006 LF 1/2" Diameter, 6x19, Independent Wire Rope Core (IWRC), Extra Improved Plow Steel (EIPS), Bright Finish, Wire Rope	2.30	0.27
For >500, Deduct	-0.33	
05 15 16 00-0007 LF 9/16" Diameter, 6x19, Independent Wire Rope Core (IWRC), Extra Improved Plow Steel (EIPS), Bright Finish, Wire Rope	2.83	0.36
For >500, Deduct	-0.40	
05 15 16 00-0008 LF 5/8" Diameter, 6x19, Independent Wire Rope Core (IWRC), Extra Improved Plow Steel (EIPS), Bright Finish, Wire Rope	3.39	0.36
For >500, Deduct	-0.48	
05 15 16 00-0009 LF 3/4" Diameter, 6x19, Independent Wire Rope Core (IWRC), Extra Improved Plow Steel (EIPS), Bright Finish, Wire Rope	4.73	0.64
For >500, Deduct	-0.66	



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 15 16 00-0010	LF		7/8" Diameter, 6x19, Independent Wire Rope Core (IWRC), Extra Improved Plow Steel (EIPS), Bright Finish, Wire Rope.....	6.37	0.73
			<i>For >500, Deduct</i>	-0.88	
05 15 16 00-0011	LF		1" Diameter, 6x19, Independent Wire Rope Core (IWRC), Extra Improved Plow Steel (EIPS), Bright Finish, Wire Rope.....	7.99	1.01
			<i>For >500, Deduct</i>	-1.08	
05 15 16 00-0012	LF		1-1/8" Diameter, 6x19, Independent Wire Rope Core (IWRC), Extra Improved Plow Steel (EIPS), Bright Finish, Wire Rope.....	9.89	1.29
			<i>For >500, Deduct</i>	-1.33	
05 15 16 00-0013	LF		1-1/4" Diameter, 6x19, Independent Wire Rope Core (IWRC), Extra Improved Plow Steel (EIPS), Bright Finish, Wire Rope.....	12.05	1.56
			<i>For >500, Deduct</i>	-1.62	
05 15 16 00-0014			6x37, Independent Wire Rope Core (IWRC), Extra Improved Plow Steel (EIPS), Bright Finish, Wire Rope <small>(05 15 16)</small>		
05 15 16 00-0015	LF		1/4" Diameter, 6x37, Independent Wire Rope Core (IWRC), Extra Improved Plow Steel (EIPS), Bright Finish, Wire Rope.....	1.14	0.09
			<i>For >500, Deduct</i>	-0.20	
05 15 16 00-0016	LF		5/16" Diameter, 6x37, Independent Wire Rope Core (IWRC), Extra Improved Plow Steel (EIPS), Bright Finish, Wire Rope.....	1.50	0.09
			<i>For >500, Deduct</i>	-0.25	
05 15 16 00-0017	LF		3/8" Diameter, 6x37, Independent Wire Rope Core (IWRC), Extra Improved Plow Steel (EIPS), Bright Finish, Wire Rope.....	1.87	0.18
			<i>For >500, Deduct</i>	-0.30	
05 15 16 00-0018	LF		7/16" Diameter, 6x37, Independent Wire Rope Core (IWRC), Extra Improved Plow Steel (EIPS), Bright Finish, Wire Rope.....	2.16	0.18
			<i>For >500, Deduct</i>	-0.34	
05 15 16 00-0019	LF		1/2" Diameter, 6x37, Independent Wire Rope Core (IWRC), Extra Improved Plow Steel (EIPS), Bright Finish, Wire Rope.....	2.60	0.27
			<i>For >500, Deduct</i>	-0.39	
05 15 16 00-0020	LF		9/16" Diameter, 6x37, Independent Wire Rope Core (IWRC), Extra Improved Plow Steel (EIPS), Bright Finish, Wire Rope.....	3.03	0.36
			<i>For >500, Deduct</i>	-0.44	
05 15 16 00-0021	LF		5/8" Diameter, 6x37, Independent Wire Rope Core (IWRC), Extra Improved Plow Steel (EIPS), Bright Finish, Wire Rope.....	3.55	0.36
			<i>For >500, Deduct</i>	-0.51	
05 15 16 00-0022	LF		3/4" Diameter, 6x37, Independent Wire Rope Core (IWRC), Extra Improved Plow Steel (EIPS), Bright Finish, Wire Rope.....	5.21	0.64
			<i>For >500, Deduct</i>	-0.75	
05 15 16 00-0023	LF		7/8" Diameter, 6x37, Independent Wire Rope Core (IWRC), Extra Improved Plow Steel (EIPS), Bright Finish, Wire Rope.....	6.73	0.73
			<i>For >500, Deduct</i>	-0.95	
05 15 16 00-0024	LF		1" Diameter, 6x37, Independent Wire Rope Core (IWRC), Extra Improved Plow Steel (EIPS), Bright Finish, Wire Rope.....	8.32	1.01
			<i>For >500, Deduct</i>	-1.16	
05 15 16 00-0025	LF		1-1/8" Diameter, 6x37, Independent Wire Rope Core (IWRC), Extra Improved Plow Steel (EIPS), Bright Finish, Wire Rope.....	10.67	1.29
			<i>For >500, Deduct</i>	-1.48	
05 15 16 00-0026	LF		1-1/4" Diameter, 6x37, Independent Wire Rope Core (IWRC), Extra Improved Plow Steel (EIPS), Bright Finish, Wire Rope.....	12.95	1.56
			<i>For >500, Deduct</i>	-1.80	
05 15 16 00-0027			6x19, Fiber Core (FC), Improved Plow Steel (IPS), Bright Finish, Wire Rope <small>(05 15 16)</small>		
05 15 16 00-0028	LF		1/4" Diameter, 6x19, Fiber Core (FC), Improved Plow Steel (IPS), Bright Finish, Wire Rope.....	0.92	0.09
			<i>For >500, Deduct</i>	-0.15	
05 15 16 00-0029	LF		5/16" Diameter, 6x19, Fiber Core (FC), Improved Plow Steel (IPS), Bright Finish, Wire Rope.....	1.26	0.09
			<i>For >500, Deduct</i>	-0.20	
05 15 16 00-0030	LF		3/8" Diameter, 6x19, Fiber Core (FC), Improved Plow Steel (IPS), Bright Finish, Wire Rope.....	1.52	0.18
			<i>For >500, Deduct</i>	-0.23	
05 15 16 00-0031	LF		7/16" Diameter, 6x19, Fiber Core (FC), Improved Plow Steel (IPS), Bright Finish, Wire Rope.....	1.81	0.18
			<i>For >500, Deduct</i>	-0.27	
05 15 16 00-0032	LF		1/2" Diameter, 6x19, Fiber Core (FC), Improved Plow Steel (IPS), Bright Finish, Wire Rope.....	2.21	0.27
			<i>For >500, Deduct</i>	-0.31	
05 15 16 00-0033	LF		9/16" Diameter, 6x19, Fiber Core (FC), Improved Plow Steel (IPS), Bright Finish, Wire Rope.....	2.79	0.36
			<i>For >500, Deduct</i>	-0.40	
05 15 16 00-0034	LF		5/8" Diameter, 6x19, Fiber Core (FC), Improved Plow Steel (IPS), Bright Finish, Wire Rope.....	3.28	0.36
			<i>For >500, Deduct</i>	-0.46	
05 15 16 00-0035	LF		3/4" Diameter, 6x19, Fiber Core (FC), Improved Plow Steel (IPS), Bright Finish, Wire Rope.....	4.62	0.64
			<i>For >500, Deduct</i>	-0.63	
05 15 16 00-0036	LF		7/8" Diameter, 6x19, Fiber Core (FC), Improved Plow Steel (IPS), Bright Finish, Wire Rope.....	5.74	0.73
			<i>For >500, Deduct</i>	-0.76	
05 15 16 00-0037	LF		1" Diameter, 6x19, Fiber Core (FC), Improved Plow Steel (IPS), Bright Finish, Wire Rope.....	7.33	1.01
			<i>For >500, Deduct</i>	-0.95	
05 15 16 00-0038			6x37, Fiber Core (FC), Extra Improved Plow Steel (EIPS), Bright Finish, Wire Rope <small>(05 15 16)</small>		
05 15 16 00-0039	LF		1/4" Diameter, 6x37, Fiber Core (FC), Extra Improved Plow Steel (EIPS), Bright Finish, Wire Rope.....	0.91	0.09
			<i>For >500, Deduct</i>	-0.15	

05 Metals**05 10 Structural Metal Framing****05 15 Wire Rope Assemblies**

MINOR CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 15 16 00-0040	LF	5/16" Diameter, 6x37, Fiber Core (FC), Extra Improved Plow Steel (EIPS), Bright Finish, Wire Rope <i>For >500, Deduct</i>	1.22 -0.19	0.09
05 15 16 00-0041	LF	3/8" Diameter, 6x37, Fiber Core (FC), Extra Improved Plow Steel (EIPS), Bright Finish, Wire Rope <i>For >500, Deduct</i>	1.52 -0.23	0.18
05 15 16 00-0042	LF	7/16" Diameter, 6x37, Fiber Core (FC), Extra Improved Plow Steel (EIPS), Bright Finish, Wire Rope <i>For >500, Deduct</i>	1.81 -0.27	0.18
05 15 16 00-0043	LF	1/2" Diameter, 6x37, Fiber Core (FC), Extra Improved Plow Steel (EIPS), Bright Finish, Wire Rope <i>For >500, Deduct</i>	2.29 -0.33	0.27
05 15 16 00-0044	LF	9/16" Diameter, 6x37, Fiber Core (FC), Extra Improved Plow Steel (EIPS), Bright Finish, Wire Rope <i>For >500, Deduct</i>	2.75 -0.39	0.36
05 15 16 00-0045	LF	5/8" Diameter, 6x37, Fiber Core (FC), Extra Improved Plow Steel (EIPS), Bright Finish, Wire Rope <i>For >500, Deduct</i>	3.44 -0.49	0.36
05 15 16 00-0046	LF	3/4" Diameter, 6x37, Fiber Core (FC), Extra Improved Plow Steel (EIPS), Bright Finish, Wire Rope <i>For >500, Deduct</i>	4.82 -0.67	0.64
05 15 16 00-0047	LF	7/8" Diameter, 6x37, Fiber Core (FC), Extra Improved Plow Steel (EIPS), Bright Finish, Wire Rope <i>For >500, Deduct</i>	6.33 -0.87	0.73
05 15 16 00-0048	LF	1" Diameter, 6x37, Fiber Core (FC), Extra Improved Plow Steel (EIPS), Bright Finish, Wire Rope <i>For >500, Deduct</i>	7.85 -1.06	1.01
05 15 16 00-0049		6x19, Independent Wire Rope Core (IWRC), Extra Improved Plow Steel (EIPS), Galvanized Finish, Wire Rope ^(05 15 16)		
05 15 16 00-0050	LF	3/8" Diameter, 6x19, Independent Wire Rope Core (IWRC), Extra Improved Plow Steel (EIPS), Galvanized Finish, Wire Rope <i>For >500, Deduct</i>	1.70 -0.27	0.18
05 15 16 00-0051	LF	7/16" Diameter, 6x19, Independent Wire Rope Core (IWRC), Extra Improved Plow Steel (EIPS), Galvanized Finish, Wire Rope <i>For >500, Deduct</i>	2.02 -0.31	0.18
05 15 16 00-0052	LF	1/2" Diameter, 6x19, Independent Wire Rope Core (IWRC), Extra Improved Plow Steel (EIPS), Galvanized Finish, Wire Rope <i>For >500, Deduct</i>	2.40 -0.35	0.27
05 15 16 00-0053	LF	9/16" Diameter, 6x19, Independent Wire Rope Core (IWRC), Extra Improved Plow Steel (EIPS), Galvanized Finish, Wire Rope <i>For >500, Deduct</i>	3.21 -0.48	0.36
05 15 16 00-0054	LF	5/8" Diameter, 6x19, Independent Wire Rope Core (IWRC), Extra Improved Plow Steel (EIPS), Galvanized Finish, Wire Rope <i>For >500, Deduct</i>	3.58 -0.52	0.36
05 15 16 00-0055	LF	3/4" Diameter, 6x19, Independent Wire Rope Core (IWRC), Extra Improved Plow Steel (EIPS), Galvanized Finish, Wire Rope <i>For >500, Deduct</i>	4.91 -0.69	0.64
05 15 16 00-0056	LF	7/8" Diameter, 6x19, Independent Wire Rope Core (IWRC), Extra Improved Plow Steel (EIPS), Galvanized Finish, Wire Rope <i>For >500, Deduct</i>	6.35 -0.88	0.73
05 15 16 00-0057	LF	1" Diameter, 6x19, Independent Wire Rope Core (IWRC), Extra Improved Plow Steel (EIPS), Galvanized Finish, Wire Rope <i>For >500, Deduct</i>	8.37 -1.16	1.01
05 15 16 00-0058	LF	1-1/8" Diameter, 6x19, Independent Wire Rope Core (IWRC), Extra Improved Plow Steel (EIPS), Galvanized Finish, Wire Rope <i>For >500, Deduct</i>	10.17 -1.39	1.29
05 15 16 00-0059	LF	1-1/4" Diameter, 6x19, Independent Wire Rope Core (IWRC), Extra Improved Plow Steel (EIPS), Galvanized Finish, Wire Rope <i>For >500, Deduct</i>	12.29 -1.67	1.56
05 15 16 00-0060		6x37, Independent Wire Rope Core (IWRC), Extra Improved Plow Steel (EIPS), Galvanized Finish, Wire Rope ^(05 15 16)		
05 15 16 00-0061	LF	3/8" Diameter, 6x37, Independent Wire Rope Core (IWRC), Extra Improved Plow Steel (EIPS), Galvanized Finish, Wire Rope <i>For >500, Deduct</i>	1.74 -0.28	0.18
05 15 16 00-0062	LF	7/16" Diameter, 6x37, Independent Wire Rope Core (IWRC), Extra Improved Plow Steel (EIPS), Galvanized Finish, Wire Rope <i>For >500, Deduct</i>	2.13 -0.33	0.18
05 15 16 00-0063	LF	1/2" Diameter, 6x37, Independent Wire Rope Core (IWRC), Extra Improved Plow Steel (EIPS), Galvanized Finish, Wire Rope <i>For >500, Deduct</i>	2.55 -0.38	0.27
05 15 16 00-0064	LF	9/16" Diameter, 6x37, Independent Wire Rope Core (IWRC), Extra Improved Plow Steel (EIPS), Galvanized Finish, Wire Rope <i>For >500, Deduct</i>	3.53 -0.54	0.36
05 15 16 00-0065	LF	5/8" Diameter, 6x37, Independent Wire Rope Core (IWRC), Extra Improved Plow Steel (EIPS), Galvanized Finish, Wire Rope <i>For >500, Deduct</i>	3.63 -0.53	0.36
05 15 16 00-0066	LF	3/4" Diameter, 6x37, Independent Wire Rope Core (IWRC), Extra Improved Plow Steel (EIPS), Galvanized Finish, Wire Rope <i>For >500, Deduct</i>	5.02 -0.71	0.64
05 15 16 00-0067	LF	7/8" Diameter, 6x37, Independent Wire Rope Core (IWRC), Extra Improved Plow Steel (EIPS), Galvanized Finish, Wire Rope <i>For >500, Deduct</i>	6.67 -0.94	0.73
05 15 16 00-0068	LF	1" Diameter, 6x37, Independent Wire Rope Core (IWRC), Extra Improved Plow Steel (EIPS), Galvanized Finish, Wire Rope <i>For >500, Deduct</i>	8.48 -1.18	1.01



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 15 16 00-0069 19x7, Independent Wire Rope Core (IWRC), Extra Improved Plow Steel (EIPS), Bright Finish, Rotation Resistant Wire Rope <small>(05 15 16)</small>		
05 15 16 00-0070 LF 1/4" Diameter, 19x7, Independent Wire Rope Core (IWRC), Extra Improved Plow Steel (EIPS), Bright Finish, Rotation Resistant Wire Rope.....	1.73	0.09
For >500, Deduct	-0.31	
05 15 16 00-0071 LF 5/16" Diameter, 19x7, Independent Wire Rope Core (IWRC), Extra Improved Plow Steel (EIPS), Bright Finish, Rotation Resistant Wire Rope.....	1.88	0.09
For >500, Deduct	-0.33	
05 15 16 00-0072 LF 3/8" Diameter, 19x7, Independent Wire Rope Core (IWRC), Extra Improved Plow Steel (EIPS), Bright Finish, Rotation Resistant Wire Rope.....	2.25	0.18
For >500, Deduct	-0.38	
05 15 16 00-0073 LF 7/16" Diameter, 19x7, Independent Wire Rope Core (IWRC), Extra Improved Plow Steel (EIPS), Bright Finish, Rotation Resistant Wire Rope.....	3.01	0.18
For >500, Deduct	-0.51	
05 15 16 00-0074 LF 1/2" Diameter, 19x7, Independent Wire Rope Core (IWRC), Extra Improved Plow Steel (EIPS), Bright Finish, Rotation Resistant Wire Rope.....	3.41	0.18
For >500, Deduct	-0.59	
05 15 16 00-0075 LF 9/16" Diameter, 19x7, Independent Wire Rope Core (IWRC), Extra Improved Plow Steel (EIPS), Bright Finish, Rotation Resistant Wire Rope.....	4.04	0.36
For >500, Deduct	-0.65	
05 15 16 00-0076 LF 5/8" Diameter, 19x7, Independent Wire Rope Core (IWRC), Extra Improved Plow Steel (EIPS), Bright Finish, Rotation Resistant Wire Rope.....	4.82	0.36
For >500, Deduct	-0.77	
05 15 16 00-0077 LF 3/4" Diameter, 19x7, Independent Wire Rope Core (IWRC), Extra Improved Plow Steel (EIPS), Bright Finish, Rotation Resistant Wire Rope.....	6.65	0.55
For >500, Deduct	-1.05	
05 15 16 00-0078 7x7, Galvanized Finish, Aircraft Cable <small>(05 15 16)</small>		
05 15 16 00-0079 LF 1/16" Diameter, 7x7, Galvanized Finish, Aircraft Cable.....	0.23	0.06
For >500, Deduct	-0.03	
05 15 16 00-0080 LF 3/32" Diameter, 7x7, Galvanized Finish, Aircraft Cable.....	0.26	0.07
For >500, Deduct	-0.03	
05 15 16 00-0081 LF 1/8" Diameter, 7x7, Galvanized Finish, Aircraft Cable.....	0.30	0.08
For >500, Deduct	-0.03	
05 15 16 00-0082 LF 5/32" Diameter, 7x7, Galvanized Finish, Aircraft Cable.....	0.34	0.09
For >500, Deduct	-0.04	
05 15 16 00-0083 LF 3/16" Diameter, 7x7, Galvanized Finish, Aircraft Cable.....	0.41	0.09
For >500, Deduct	-0.05	
05 15 16 00-0084 7x19, Galvanized Finish, Aircraft Cable <small>(05 15 16)</small>		
05 15 16 00-0085 LF 1/8" Diameter, 7x19, Galvanized Finish, Aircraft Cable.....	0.39	0.08
For >500, Deduct	-0.05	
05 15 16 00-0086 LF 5/32" Diameter, 7x19, Galvanized Finish, Aircraft Cable.....	0.42	0.09
For >500, Deduct	-0.05	
05 15 16 00-0087 LF 3/16" Diameter, 7x19, Galvanized Finish, Aircraft Cable.....	0.49	0.09
For >500, Deduct	-0.06	
05 15 16 00-0088 LF 1/4" Diameter, 7x19, Galvanized Finish, Aircraft Cable.....	0.55	0.09
For >500, Deduct	-0.08	
05 15 16 00-0089 LF 5/16" Diameter, 7x19, Galvanized Finish, Aircraft Cable.....	0.84	0.09
For >500, Deduct	-0.12	
05 15 16 00-0090 LF 3/8" Diameter, 7x19, Galvanized Finish, Aircraft Cable.....	1.13	0.09
For >500, Deduct	-0.16	
05 15 16 00-0091 Heavy Duty, Galvanized Steel, Wire Rope Thimbles <small>(05 15 16)</small>		
05 15 16 00-0092 EA 1/4" Diameter, Heavy Duty, Galvanized Steel, Wire Rope Thimble.....	11.23	2.75
05 15 16 00-0093 EA 5/16" Diameter, Heavy Duty, Galvanized Steel, Wire Rope Thimble.....	12.51	2.75
05 15 16 00-0094 EA 3/8" Diameter, Heavy Duty, Galvanized Steel, Wire Rope Thimble.....	13.92	2.75
05 15 16 00-0095 EA 7/16" Diameter, Heavy Duty, Galvanized Steel, Wire Rope Thimble.....	17.81	2.75
05 15 16 00-0096 EA 1/2" Diameter, Heavy Duty, Galvanized Steel, Wire Rope Thimble.....	17.83	2.75
05 15 16 00-0097 EA 9/16" Diameter, Heavy Duty, Galvanized Steel, Wire Rope Thimble.....	17.83	2.75
05 15 16 00-0098 EA 5/8" Diameter, Heavy Duty, Galvanized Steel, Wire Rope Thimble.....	19.14	2.75
05 15 16 00-0099 EA 3/4" Diameter, Heavy Duty, Galvanized Steel, Wire Rope Thimble.....	34.47	4.22
05 15 16 00-0100 EA 7/8" Diameter, Heavy Duty, Galvanized Steel, Wire Rope Thimble.....	40.80	5.13
05 15 16 00-0101 EA 1" Diameter, Heavy Duty, Galvanized Steel, Wire Rope Thimble.....	72.14	8.43
05 15 16 00-0102 EA 1-1/8" Diameter, Heavy Duty, Galvanized Steel, Wire Rope Thimble.....	103.13	11.46
05 15 16 00-0103 EA 1-1/4" Diameter, Heavy Duty, Galvanized Steel, Wire Rope Thimble.....	103.13	11.46
05 15 16 00-0104 Galvanized Steel, Wire Rope Clips <small>(05 15 16)</small>		
05 15 16 00-0105 EA 1/8" Diameter, Galvanized Steel, Wire Rope Clip.....	14.09	2.75
05 15 16 00-0106 EA 3/16" Diameter, Galvanized Steel, Wire Rope Clip.....	14.39	2.75
05 15 16 00-0107 EA 1/4" Diameter, Galvanized Steel, Wire Rope Clip.....	16.47	2.75
05 15 16 00-0108 EA 5/16" Diameter, Galvanized Steel, Wire Rope Clip.....	16.80	2.75
05 15 16 00-0109 EA 3/8" Diameter, Galvanized Steel, Wire Rope Clip.....	17.26	2.75
05 15 16 00-0110 EA 7/16" Diameter, Galvanized Steel, Wire Rope Clip.....	21.73	2.75
05 15 16 00-0111 EA 1/2" Diameter, Galvanized Steel, Wire Rope Clip.....	22.08	2.75
05 15 16 00-0112 EA 9/16" Diameter, Galvanized Steel, Wire Rope Clip.....	25.30	2.75
05 15 16 00-0113 EA 5/8" Diameter, Galvanized Steel, Wire Rope Clip.....	25.77	2.75

05 Metals**05 10 Structural Metal Framing****05 15 Wire Rope Assemblies**

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 15 16 00-0114 EA 3/4" Diameter, Galvanized Steel, Wire Rope Clip	35.28	3.66
05 15 16 00-0115 EA 7/8" Diameter, Galvanized Steel, Wire Rope Clip	52.75	5.50
05 15 16 00-0116 EA 1" Diameter, Galvanized Steel, Wire Rope Clip	58.03	5.50
05 15 16 00-0117 EA 1-1/8" Diameter, Galvanized Steel, Wire Rope Clip	68.14	7.33
05 15 16 00-0118 EA 1-1/4" Diameter, Galvanized Steel, Wire Rope Clip	98.97	11.00
05 15 16 00-0119 Steel, Open Swage Sockets (05 15 16)		
05 15 16 00-0120 EA 1/4" Diameter, Steel, Open Swage Socket.....	65.37	2.75
05 15 16 00-0121 EA 5/16" Diameter, Steel, Open Swage Socket.....	103.59	2.75
05 15 16 00-0122 EA 3/8" Diameter, Steel, Open Swage Socket.....	107.22	3.66
05 15 16 00-0123 EA 7/16" Diameter, Steel, Open Swage Socket.....	127.90	4.58
05 15 16 00-0124 EA 1/2" Diameter, Steel, Open Swage Socket.....	127.90	4.58
05 15 16 00-0125 EA 9/16" Diameter, Steel, Open Swage Socket.....	189.24	10.08
05 15 16 00-0126 EA 5/8" Diameter, Steel, Open Swage Socket.....	189.24	10.08
05 15 16 00-0127 EA 3/4" Diameter, Steel, Open Swage Socket.....	245.47	19.25
05 15 16 00-0128 EA 7/8" Diameter, Steel, Open Swage Socket.....	331.22	27.50
05 15 16 00-0129 EA 1" Diameter, Steel, Open Swage Socket.....	468.62	42.16
05 15 16 00-0130 EA 1-1/8" Diameter, Steel, Open Swage Socket	622.24	65.99
05 15 16 00-0131 EA 1-1/4" Diameter, Steel, Open Swage Socket	724.56	76.07
05 15 16 00-0132 Steel, Closed Swage Sockets (05 15 16)		
05 15 16 00-0133 EA 1/4" Diameter, Steel, Closed Swage Socket	52.87	2.75
05 15 16 00-0134 EA 5/16" Diameter, Steel, Closed Swage Socket	71.05	2.75
05 15 16 00-0135 EA 3/8" Diameter, Steel, Closed Swage Socket	71.05	2.75
05 15 16 00-0136 EA 7/16" Diameter, Steel, Closed Swage Socket	88.83	3.66
05 15 16 00-0137 EA 1/2" Diameter, Steel, Closed Swage Socket	89.84	3.66
05 15 16 00-0138 EA 9/16" Diameter, Steel, Closed Swage Socket	124.35	6.42
05 15 16 00-0139 EA 5/8" Diameter, Steel, Closed Swage Socket	128.71	7.33
05 15 16 00-0140 EA 3/4" Diameter, Steel, Closed Swage Socket	160.45	11.91
05 15 16 00-0141 EA 7/8" Diameter, Steel, Closed Swage Socket	208.77	17.42
05 15 16 00-0142 EA 1" Diameter, Steel, Closed Swage Socket	298.52	23.82
05 15 16 00-0143 EA 1-1/8" Diameter, Steel, Closed Swage Socket	371.77	32.99
05 15 16 00-0144 EA 1-1/4" Diameter, Steel, Closed Swage Socket	508.11	51.32
05 15 16 00-0145 Galvanized Steel, Open Spelter Sockets (05 15 16)		
05 15 16 00-0146 EA 1/4" Galvanized Steel, Open Spelter Socket	108.48	2.75
05 15 16 00-0147 EA 5/16" Galvanized Steel, Open Spelter Socket	111.69	2.75
05 15 16 00-0148 EA 3/8" Galvanized Steel, Open Spelter Socket	111.69	2.75
05 15 16 00-0149 EA 7/16" Galvanized Steel, Open Spelter Socket	126.00	5.50
05 15 16 00-0150 EA 1/2" Galvanized Steel, Open Spelter Socket	126.00	5.50
05 15 16 00-0151 EA 9/16" Galvanized Steel, Open Spelter Socket	166.62	9.17
05 15 16 00-0152 EA 5/8" Galvanized Steel, Open Spelter Socket	166.62	9.17
05 15 16 00-0153 EA 3/4" Galvanized Steel, Open Spelter Socket	212.41	13.74
05 15 16 00-0154 EA 7/8" Galvanized Steel, Open Spelter Socket	319.12	22.91
05 15 16 00-0155 EA 1" Galvanized Steel, Open Spelter Socket	576.37	35.75
05 15 16 00-0156 EA 1-1/8" Galvanized Steel, Open Spelter Socket	687.33	57.74
05 15 16 00-0157 EA 1-1/4" Galvanized Steel, Open Spelter Socket	928.39	76.07
05 15 16 00-0158 Galvanized Steel, Closed Spelter Sockets (05 15 16)		
05 15 16 00-0159 EA 1/4" Galvanized Steel, Closed Spelter Socket	91.18	2.75
05 15 16 00-0160 EA 5/16" Galvanized Steel, Closed Spelter Socket	91.57	2.75
05 15 16 00-0161 EA 3/8" Galvanized Steel, Closed Spelter Socket	91.57	2.75
05 15 16 00-0162 EA 7/16" Galvanized Steel, Closed Spelter Socket	103.57	4.58
05 15 16 00-0163 EA 1/2" Galvanized Steel, Closed Spelter Socket	103.57	4.58
05 15 16 00-0164 EA 9/16" Galvanized Steel, Closed Spelter Socket	146.22	8.25
05 15 16 00-0165 EA 5/8" Galvanized Steel, Closed Spelter Socket	146.22	8.25
05 15 16 00-0166 EA 3/4" Galvanized Steel, Closed Spelter Socket	180.80	11.91
05 15 16 00-0167 EA 7/8" Galvanized Steel, Closed Spelter Socket	264.43	18.33
05 15 16 00-0168 EA 1" Galvanized Steel, Closed Spelter Socket	399.94	28.41
05 15 16 00-0169 EA 1-1/8" Galvanized Steel, Closed Spelter Socket	523.97	38.49
05 15 16 00-0170 EA 1-1/4" Galvanized Steel, Closed Spelter Socket	661.88	51.32
05 15 16 00-0171 Forged Steel, Jaw And Jaw Turnbuckles (05 15 16)		
05 15 16 00-0172 EA 1/4" x 4", Forged Steel, Jaw And Jaw Turnbuckle.....	63.14	2.75
For "Eye And Eye" Or "Hook and Hook" Turnbuckle, Deduct	-8.10	
05 15 16 00-0173 EA 5/16" x 4-1/2", Forged Steel, Jaw And Jaw Turnbuckle	67.63	2.75
For "Eye And Eye" Or "Hook and Hook" Turnbuckle, Deduct	-8.77	
05 15 16 00-0174 EA 3/8" x 6", Forged Steel, Jaw And Jaw Turnbuckle.....	75.95	2.75
For "Eye And Eye" Or "Hook and Hook" Turnbuckle, Deduct	-10.02	
05 15 16 00-0175 EA 1/2" x 6", Forged Steel, Jaw And Jaw Turnbuckle.....	84.87	3.66
For "Eye And Eye" Or "Hook and Hook" Turnbuckle, Deduct	-10.42	
05 15 16 00-0176 EA 1/2" x 9", Forged Steel, Jaw And Jaw Turnbuckle.....	111.55	4.58
For "Eye And Eye" Or "Hook and Hook" Turnbuckle, Deduct	-13.87	
05 15 16 00-0177 EA 1/2" x 12", Forged Steel, Jaw And Jaw Turnbuckle.....	126.77	5.50
For "Eye And Eye" Or "Hook and Hook" Turnbuckle, Deduct	-15.70	



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 15 16 00-0178	EA		5/8" x 6", Forged Steel, Jaw And Jaw Turnbuckle For "Eye And Eye" Or "Hook and Hook" Turnbuckle, Deduct	129.80 -15.24	7.33
05 15 16 00-0179	EA		5/8" x 9", Forged Steel, Jaw And Jaw Turnbuckle For "Eye And Eye" Or "Hook and Hook" Turnbuckle, Deduct	160.02 -19.42	7.33
05 15 16 00-0180	EA		5/8" x 12", Forged Steel, Jaw And Jaw Turnbuckle For "Eye And Eye" Or "Hook and Hook" Turnbuckle, Deduct	181.44 -22.31	8.25
05 15 16 00-0181	EA		3/4" x 6", Forged Steel, Jaw And Jaw Turnbuckle For "Eye And Eye" Or "Hook and Hook" Turnbuckle, Deduct	175.15 -20.42	10.08
05 15 16 00-0182	EA		3/4" x 9", Forged Steel, Jaw And Jaw Turnbuckle For "Eye And Eye" Or "Hook and Hook" Turnbuckle, Deduct	199.87 -22.75	11.91
05 15 16 00-0183	EA		3/4" x 12", Forged Steel, Jaw And Jaw Turnbuckle For "Eye And Eye" Or "Hook and Hook" Turnbuckle, Deduct	245.93 -29.03	12.83
05 15 16 00-0184	EA		3/4" x 18", Forged Steel, Jaw And Jaw Turnbuckle For "Eye And Eye" Or "Hook and Hook" Turnbuckle, Deduct	295.89 -34.90	15.58
05 15 16 00-0185	EA		7/8" x 12", Forged Steel, Jaw And Jaw Turnbuckle For "Eye And Eye" Or "Hook and Hook" Turnbuckle, Deduct	338.73 -37.72	21.99
05 15 16 00-0186	EA		7/8" x 18", Forged Steel, Jaw And Jaw Turnbuckle For "Eye And Eye" Or "Hook and Hook" Turnbuckle, Deduct	410.34 -46.28	25.67
05 15 16 00-0187	EA		1" x 6", Forged Steel, Jaw And Jaw Turnbuckle For "Eye And Eye" Or "Hook and Hook" Turnbuckle, Deduct	351.45 -39.62	21.99
05 15 16 00-0188	EA		1" x 12", Forged Steel, Jaw And Jaw Turnbuckle For "Eye And Eye" Or "Hook and Hook" Turnbuckle, Deduct	404.00 -43.41	28.41
05 15 16 00-0189	EA		1" x 18", Forged Steel, Jaw And Jaw Turnbuckle For "Eye And Eye" Or "Hook and Hook" Turnbuckle, Deduct	551.91 -61.64	35.75
05 15 16 00-0190	EA		1" x 24", Forged Steel, Jaw And Jaw Turnbuckle For "Eye And Eye" Or "Hook and Hook" Turnbuckle, Deduct	618.31 -67.75	42.16
05 15 16 00-0191	EA		1-1/4" x 12", Forged Steel, Jaw And Jaw Turnbuckle For "Eye And Eye" Or "Hook and Hook" Turnbuckle, Deduct	691.24 -73.14	51.32
05 15 16 00-0192	EA		1-1/4" x 18", Forged Steel, Jaw And Jaw Turnbuckle For "Eye And Eye" Or "Hook and Hook" Turnbuckle, Deduct	832.46 -90.50	57.74
05 15 16 00-0193	EA		1-1/4" x 24", Forged Steel, Jaw And Jaw Turnbuckle For "Eye And Eye" Or "Hook and Hook" Turnbuckle, Deduct	1,073.92 -121.81	65.99
05 15 16 00-0194	EA		1-1/2" x 12", Forged Steel, Jaw And Jaw Turnbuckle For "Eye And Eye" Or "Hook and Hook" Turnbuckle, Deduct	1,064.70 -117.41	70.57
05 15 16 00-0195	EA		1-1/2" x 18", Forged Steel, Jaw And Jaw Turnbuckle For "Eye And Eye" Or "Hook and Hook" Turnbuckle, Deduct	1,178.66 -121.81	91.65
05 15 16 00-0196	EA		1-1/2" x 24", Forged Steel, Jaw And Jaw Turnbuckle For "Eye And Eye" Or "Hook and Hook" Turnbuckle, Deduct	2,097.04 -245.82	119.14
05 15 16 00-0197	EA		2" x 24", Forged Steel, Jaw And Jaw Turnbuckle For "Eye And Eye" Or "Hook and Hook" Turnbuckle, Deduct	3,460.28 -381.57	229.12
05 15 16 00-0198			Galvanized Steel, Drop Forged, Shoulder Eye Bolts (05 15 16)		
05 15 16 00-0199	EA		1/4" Diameter Thread, 3/4" Inside Eye Diameter, Galvanized Steel, Drop Forged, Shoulder Eye Bolt.....	13.27	
05 15 16 00-0200	EA		5/16" Diameter Thread, 7/8" Inside Eye Diameter, Galvanized Steel, Drop Forged, Shoulder Eye Bolt.....	13.33	
05 15 16 00-0201	EA		3/8" Diameter Thread, 1" Inside Eye Diameter, Galvanized Steel, Drop Forged, Shoulder Eye Bolt.....	15.02	
05 15 16 00-0202	EA		7/16" Diameter Thread, 1-3/32" Inside Eye Diameter, Galvanized Steel, Drop Forged, Shoulder Eye Bolt.....	17.95	
05 15 16 00-0203	EA		1/2" Diameter Thread, 1-3/16" Inside Eye Diameter, Galvanized Steel, Drop Forged, Shoulder Eye Bolt.....	17.87	
05 15 16 00-0204	EA		5/8" Diameter Thread, 1-3/8" Inside Eye Diameter, Galvanized Steel, Drop Forged, Shoulder Eye Bolt.....	24.42	
05 15 16 00-0205	EA		3/4" Diameter Thread, 1-1/2" Inside Eye Diameter, Galvanized Steel, Drop Forged, Shoulder Eye Bolt.....	29.33	
05 15 16 00-0206	EA		7/8" Diameter Thread, 1-11/16" Inside Eye Diameter, Galvanized Steel, Drop Forged, Shoulder Eye Bolt.....	39.63	
05 15 16 00-0207	EA		1" Diameter Thread, 1-13/16" Inside Eye Diameter, Galvanized Steel, Drop Forged, Shoulder Eye Bolt.....	53.15	
05 15 16 00-0208	EA		1-1/8" Diameter Thread, 2" Inside Eye Diameter, Galvanized Steel, Drop Forged, Shoulder Eye Bolt.....	77.35	
05 15 16 00-0209	EA		1-1/4" Diameter Thread, 2-3/16" Inside Eye Diameter, Galvanized Steel, Drop Forged, Shoulder Eye Bolt.....	92.02	
05 15 16 00-0210	EA		1-1/2" Diameter Thread, 2-1/2" Inside Eye Diameter, Galvanized Steel, Drop Forged, Shoulder Eye Bolt.....	167.25	
05 15 16 00-0211	EA		1-3/4" Diameter Thread, 2-7/8" Inside Eye Diameter, Galvanized Steel, Drop Forged, Shoulder Eye Bolt.....	191.82	
05 15 16 00-0212	EA		2" Diameter Thread, 3-1/4" Inside Eye Diameter, Galvanized Steel, Drop Forged, Shoulder Eye Bolt.....	237.25	
05 15 16 00-0213			Galvanized Steel, Drop Forged, Eye Bolts (05 15 16)		
05 15 16 00-0214	EA		1/4" Diameter Thread, 3" Shank Length, 1/2" Inside Eye Diameter, Galvanized Steel, Drop Forged, Eye Bolt.....	17.45	
05 15 16 00-0215	EA		1/4" Diameter Thread, 4" Shank Length, 1/2" Inside Eye Diameter, Galvanized Steel, Drop Forged, Eye Bolt.....	15.75	
05 15 16 00-0216	EA		5/16" Diameter Thread, 2-1/4" Shank Length, 5/8" Inside Eye Diameter, Galvanized Steel, Drop Forged, Eye Bolt.....	21.36	
05 15 16 00-0217	EA		5/16" Diameter Thread, 4-1/4" Shank Length, 5/8" Inside Eye Diameter, Galvanized Steel, Drop Forged, Eye Bolt.....	14.34	
05 15 16 00-0218	EA		3/8" Diameter Thread, 2-1/2" Shank Length, 3/4" Inside Eye Diameter, Galvanized Steel, Drop Forged, Eye Bolt.....	19.36	
05 15 16 00-0219	EA		3/8" Diameter Thread, 3" Shank Length, 3/4" Inside Eye Diameter, Galvanized Steel, Drop Forged, Eye Bolt.....	29.17	
05 15 16 00-0220	EA		3/8" Diameter Thread, 4" Shank Length, 3/4" Inside Eye Diameter, Galvanized Steel, Drop Forged, Eye Bolt.....	28.29	
05 15 16 00-0221	EA		3/8" Diameter Thread, 4-1/2" Shank Length, 3/4" Inside Eye Diameter, Galvanized Steel, Drop Forged, Eye Bolt.....	26.88	
05 15 16 00-0222	EA		3/8" Diameter Thread, 5" Shank Length, 3/4" Inside Eye Diameter, Galvanized Steel, Drop Forged, Eye Bolt.....	24.10	
05 15 16 00-0223	EA		3/8" Diameter Thread, 6" Shank Length, 3/4" Inside Eye Diameter, Galvanized Steel, Drop Forged, Eye Bolt.....	24.88	
05 15 16 00-0224	EA		1/2" Diameter Thread, 2" Shank Length, 1" Inside Eye Diameter, Galvanized Steel, Drop Forged, Eye Bolt.....	22.00	
05 15 16 00-0225	EA		1/2" Diameter Thread, 3" Shank Length, 1" Inside Eye Diameter, Galvanized Steel, Drop Forged, Eye Bolt.....	17.55	
05 15 16 00-0226	EA		1/2" Diameter Thread, 3-1/4" Shank Length, 1" Inside Eye Diameter, Galvanized Steel, Drop Forged, Eye Bolt.....	22.84	
05 15 16 00-0227	EA		1/2" Diameter Thread, 4" Shank Length, 1" Inside Eye Diameter, Galvanized Steel, Drop Forged, Eye Bolt.....	31.20	
05 15 16 00-0228	EA		1/2" Diameter Thread, 4-1/2" Shank Length, 1" Inside Eye Diameter, Galvanized Steel, Drop Forged, Eye Bolt.....	23.69	
05 15 16 00-0229	EA		1/2" Diameter Thread, 6" Shank Length, 1" Inside Eye Diameter, Galvanized Steel, Drop Forged, Eye Bolt.....	38.11	
05 15 16 00-0230	EA		1/2" Diameter Thread, 8" Shank Length, 1" Inside Eye Diameter, Galvanized Steel, Drop Forged, Eye Bolt.....	33.55	
05 15 16 00-0231	EA		1/2" Diameter Thread, 10" Shank Length, 1" Inside Eye Diameter, Galvanized Steel, Drop Forged, Eye Bolt.....	30.61	
05 15 16 00-0232	EA		1/2" Diameter Thread, 12" Shank Length, 1" Inside Eye Diameter, Galvanized Steel, Drop Forged, Eye Bolt.....	36.01	
05 15 16 00-0233	EA		5/8" Diameter Thread, 4" Shank Length, 1-1/4" Inside Eye Diameter, Galvanized Steel, Drop Forged, Eye Bolt.....	36.53	
05 15 16 00-0234	EA		5/8" Diameter Thread, 4-1/2" Shank Length, 1-1/4" Inside Eye Diameter, Galvanized Steel, Drop Forged, Eye Bolt.....	32.53	
05 15 16 00-0235	EA		5/8" Diameter Thread, 6" Shank Length, 1-1/4" Inside Eye Diameter, Galvanized Steel, Drop Forged, Eye Bolt.....	40.93	

05 Metals**05 10 Structural Metal Framing****05 15 Wire Rope Assemblies**

MINOR
CSI UOM DESCRIPTION

TOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

05 15 16 00-0236	EA	5/8" Diameter Thread, 8" Shank Length, 1-1/4" Inside Eye Diameter, Galvanized Steel, Drop Forged, Eye Bolt.....	46.92	
05 15 16 00-0237	EA	5/8" Diameter Thread, 10" Shank Length, 1-1/4" Inside Eye Diameter, Galvanized Steel, Drop Forged, Eye Bolt.....	54.12	
05 15 16 00-0238	EA	5/8" Diameter Thread, 12" Shank Length, 1-1/4" Inside Eye Diameter, Galvanized Steel, Drop Forged, Eye Bolt.....	44.71	
05 15 16 00-0239	EA	3/4" Diameter Thread, 4-1/2" Shank Length, 1-1/2" Inside Eye Diameter, Galvanized Steel, Drop Forged, Eye Bolt.....	44.68	
05 15 16 00-0240	EA	3/4" Diameter Thread, 6" Shank Length, 1-1/2" Inside Eye Diameter, Galvanized Steel, Drop Forged, Eye Bolt.....	45.57	
05 15 16 00-0241	EA	3/4" Diameter Thread, 8" Shank Length, 1-1/2" Inside Eye Diameter, Galvanized Steel, Drop Forged, Eye Bolt.....	50.38	
05 15 16 00-0242	EA	3/4" Diameter Thread, 10" Shank Length, 1-1/2" Inside Eye Diameter, Galvanized Steel, Drop Forged, Eye Bolt.....	54.34	
05 15 16 00-0243	EA	3/4" Diameter Thread, 12" Shank Length, 1-1/2" Inside Eye Diameter, Galvanized Steel, Drop Forged, Eye Bolt.....	63.50	
05 15 16 00-0244	EA	1" Diameter Thread, 8" Shank Length, 2" Inside Eye Diameter, Galvanized Steel, Drop Forged, Eye Bolt.....	84.08	

05 15 19 Stainless Steel Wire Rope Assemblies (05 15)**05 15 19 00-0001 7x7, 304 Stainless Steel, Aircraft Cable (05 15 19)**

05 15 19 00-0002	LF	1/16" Diameter, 7x7, 304 Stainless Steel, Aircraft Cable	0.26	0.06
		<i>For >500, Deduct</i>	-0.03	
05 15 19 00-0003	LF	3/32" Diameter, 7x7, 304 Stainless Steel, Aircraft Cable	0.33	0.07
		<i>For >500, Deduct</i>	-0.04	
05 15 19 00-0004	LF	1/8" Diameter, 7x7, 304 Stainless Steel, Aircraft Cable	0.45	0.08
		<i>For >500, Deduct</i>	-0.06	
05 15 19 00-0005	LF	5/32" Diameter, 7x7, 304 Stainless Steel, Aircraft Cable	0.58	0.09
		<i>For >500, Deduct</i>	-0.09	
05 15 19 00-0006	LF	3/16" Diameter, 7x7, 304 Stainless Steel, Aircraft Cable	0.73	0.09
		<i>For >500, Deduct</i>	-0.11	

05 15 19 00-0007 7x19, 304 Stainless Steel, Aircraft Cable (05 15 19)

05 15 19 00-0008	LF	1/8" Diameter, 7x19, 304 Stainless Steel, Aircraft Cable	0.51	0.08
		<i>For >500, Deduct</i>	-0.08	
05 15 19 00-0009	LF	5/32" Diameter, 7x19, 304 Stainless Steel, Aircraft Cable	0.59	0.09
		<i>For >500, Deduct</i>	-0.09	
05 15 19 00-0010	LF	3/16" Diameter, 7x19, 304 Stainless Steel, Aircraft Cable	0.69	0.09
		<i>For >500, Deduct</i>	-0.10	
05 15 19 00-0011	LF	1/4" Diameter, 7x19, 304 Stainless Steel, Aircraft Cable	0.88	0.09
		<i>For >500, Deduct</i>	-0.14	
05 15 19 00-0012	LF	5/16" Diameter, 7x19, 304 Stainless Steel, Aircraft Cable	1.35	0.09
		<i>For >500, Deduct</i>	-0.22	
05 15 19 00-0013	LF	3/8" Diameter, 7x19, 304 Stainless Steel, Aircraft Cable	2.02	0.18
		<i>For >500, Deduct</i>	-0.33	

05 15 19 00-0014 7x7, 316 Stainless Steel, Aircraft Cable (05 15 19)

05 15 19 00-0015	LF	1/16" Diameter, 7x7, 316 Stainless Steel, Aircraft Cable	0.26	0.06
		<i>For >500, Deduct</i>	-0.03	
05 15 19 00-0016	LF	3/32" Diameter, 7x7, 316 Stainless Steel, Aircraft Cable	0.33	0.07
		<i>For >500, Deduct</i>	-0.04	
05 15 19 00-0017	LF	1/8" Diameter, 7x7, 316 Stainless Steel, Aircraft Cable	0.45	0.08
		<i>For >500, Deduct</i>	-0.06	
05 15 19 00-0018	LF	5/32" Diameter, 7x7, 316 Stainless Steel, Aircraft Cable	0.58	0.09
		<i>For >500, Deduct</i>	-0.09	
05 15 19 00-0019	LF	3/16" Diameter, 7x7, 316 Stainless Steel, Aircraft Cable	0.73	0.09
		<i>For >500, Deduct</i>	-0.11	

05 15 19 00-0020 7x19, 316 Stainless Steel, Aircraft Cable (05 15 19)

05 15 19 00-0021	LF	1/8" Diameter, 7x19, 316 Stainless Steel, Aircraft Cable	0.51	0.08
		<i>For >500, Deduct</i>	-0.08	
05 15 19 00-0022	LF	5/32" Diameter, 7x19, 316 Stainless Steel, Aircraft Cable	0.59	0.09
		<i>For >500, Deduct</i>	-0.09	
05 15 19 00-0023	LF	3/16" Diameter, 7x19, 316 Stainless Steel, Aircraft Cable	0.69	0.09
		<i>For >500, Deduct</i>	-0.10	
05 15 19 00-0024	LF	1/4" Diameter, 7x19, 316 Stainless Steel, Aircraft Cable	0.88	0.09
		<i>For >500, Deduct</i>	-0.14	
05 15 19 00-0025	LF	5/16" Diameter, 7x19, 316 Stainless Steel, Aircraft Cable	1.35	0.09
		<i>For >500, Deduct</i>	-0.22	
05 15 19 00-0026	LF	3/8" Diameter, 7x19, 316 Stainless Steel, Aircraft Cable	2.02	0.09
		<i>For >500, Deduct</i>	-0.33	

05 20 Metal Joists (05)

Note: Includes all connecting bolts and welds.

05 21 Steel Joist Framing (05 20)**05 21 19 Open Web Steel Joist Framing (05 21)****05 21 19 00-0001 Open Web Joists (05 21 19)**

05 21 19 00-0002	TON	H, J Or K Open Web Joist, Up To 30' Span, Steel, Horizontal Bridging.....	2,473.61	157.49
		<i>For Welded Cross Bridging, Add</i>	196.86	
		<i>For Shop Prime Paint Other Than Manufacturer's Standard, Add</i>	218.09	
05 21 19 00-0003	TON	H, J Or K Open Web Joist, >30' To 50' Span, Steel, Horizontal Bridging.....	2,270.88	147.65
		<i>For Welded Cross Bridging, Add</i>	174.99	
		<i>For Shop Prime Paint Other Than Manufacturer's Standard, Add</i>	202.51	



Metals	05	05
Metal Joists	05 20	
Steel Joist Framing	05 21	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 21	19 00-0004	TON	LJ Or LH Open Web Joist, Up To 96' Span, Steel, Bolted Cross Bridging <i>For Welded Cross Bridging, Add</i> <i>For Shop Prime Paint Other Than Manufacturer's Standard, Add</i>	2,744.49 181.72 256.65	147.65
05 21	19 00-0005	TON	DLJ Or DLH Open Web Joist, Up To 144' Span, Steel, Bolted Cross Bridging <i>For Welded Cross Bridging, Add</i> <i>For Shop Prime Paint Other Than Manufacturer's Standard, Add</i>	3,124.71 181.72 302.28	147.65
05 21	19 00-0006	TON	CS Open Web Joist, Up To 30' Span, Steel, Horizontal Bridging <i>For Welded Cross Bridging, Add</i> <i>For Shop Prime Paint Other Than Manufacturer's Standard, Add</i>	2,747.44 196.86 250.95	147.65
05 21	19 00-0007	TON	SLH Open Web Joist, Up To 200' Span, Steel, Bolted Cross Bridging <i>For Welded Cross Bridging, Add</i> <i>For Shop Prime Paint Other Than Manufacturer's Standard, Add</i>	3,457.41 181.72 342.20	147.65

05 30 Metal Decking (05 30)

Note: Includes all connecting bolts and welds.

05 31 Steel Decking (05 30)

See CSI section 03 30 00 00-0000 for concrete where required.

05 31 13 Steel Floor Decking (05 31)

Note: Floor or roof decking

05 31 13 00-0001 Open Ribbed Galvanized Steel Deck (05 31 13)

05 31	13 00-0002	SF	1" Deep, 22 Gauge Open Ribbed Galvanized Steel Deck <i>For Site Installed Insulation Between Ribs, Add</i> <i>For Painted, Deduct</i> <i>For Perforated Or Slotted, Add</i> <i>For Up To 100, Add</i> <i>For >100 To 500, Add</i> <i>For >500 To 1,500, Add</i>	3.33 0.91 -0.12 0.12 1.26 0.64 0.26	
05 31	13 00-0003	SF	1" Deep, 20 Gauge Open Ribbed Galvanized Steel Deck <i>For Site Installed Insulation Between Ribs, Add</i> <i>For Painted, Deduct</i> <i>For Perforated Or Slotted, Add</i> <i>For Up To 100, Add</i> <i>For >100 To 500, Add</i> <i>For >500 To 1,500, Add</i>	3.80 1.04 -0.13 0.13 1.46 0.74 0.30	
05 31	13 00-0004	SF	1" Deep, 18 Gauge Open Ribbed Galvanized Steel Deck <i>For Site Installed Insulation Between Ribs, Add</i> <i>For Painted, Deduct</i> <i>For Perforated Or Slotted, Add</i> <i>For Up To 100, Add</i> <i>For >100 To 500, Add</i> <i>For >500 To 1,500, Add</i>	4.75 1.30 -0.16 0.16 1.79 0.91 0.37	
05 31	13 00-0005	SF	1-1/2" Deep, 22 Gauge Open Ribbed Galvanized Steel Deck <i>For Site Installed Insulation Between Ribs, Add</i> <i>For Painted, Deduct</i> <i>For Perforated Or Slotted, Add</i> <i>For Up To 100, Add</i> <i>For >100 To 500, Add</i> <i>For >500 To 1,500, Add</i>	3.67 1.01 -0.13 0.13 1.41 0.72 0.29	
05 31	13 00-0006	SF	1-1/2" Deep, 20 Gauge Open Ribbed Galvanized Steel Deck <i>For Site Installed Insulation Between Ribs, Add</i> <i>For Painted, Deduct</i> <i>For Perforated Or Slotted, Add</i> <i>For Up To 100, Add</i> <i>For >100 To 500, Add</i> <i>For >500 To 1,500, Add</i>	4.23 1.16 -0.14 0.14 1.63 0.83 0.34	
05 31	13 00-0007	SF	1-1/2" Deep, 18 Gauge Open Ribbed Galvanized Steel Deck <i>For Site Installed Insulation Between Ribs, Add</i> <i>For Painted, Deduct</i> <i>For Perforated Or Slotted, Add</i> <i>For Up To 100, Add</i> <i>For >100 To 500, Add</i> <i>For >500 To 1,500, Add</i>	5.28 1.44 -0.18 0.18 2.00 1.02 0.41	
05 31	13 00-0008	SF	2" Deep, 22 Gauge Open Ribbed Galvanized Steel Deck <i>For Site Installed Insulation Between Ribs, Add</i> <i>For Painted, Deduct</i> <i>For Perforated Or Slotted, Add</i> <i>For Up To 100, Add</i> <i>For >100 To 500, Add</i> <i>For >500 To 1,500, Add</i>	4.11 1.12 -0.14 0.14 1.51 0.78 0.31	0.61
05 31	13 00-0009	SF	2" Deep, 20 Gauge Open Ribbed Galvanized Steel Deck <i>For Site Installed Insulation Between Ribs, Add</i> <i>For Painted, Deduct</i> <i>For Perforated Or Slotted, Add</i> <i>For Up To 100, Add</i> <i>For >100 To 500, Add</i> <i>For >500 To 1,500, Add</i>	4.77 1.30 -0.17 0.17 1.74 0.90 0.35	0.70



MINOR
CSI UOM DESCRIPTION

TOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

05 31 13 00-0010	SF 2" Deep, 18 Gauge Open Ribbed Galvanized Steel Deck	5.94	0.86
	For Site Installed Insulation Between Ribs, Add	1.62	
	For Painted, Deduct	-0.21	
	For Perforated Or Slotted, Add	0.21	
	For Up To 100, Add	2.14	
	For >100 To 500, Add	1.11	
	For >500 To 1,500, Add	0.43	
05 31 13 00-0011	SF 2" Deep, 16 Gauge Open Ribbed Galvanized Steel Deck	7.17	0.86
	For Site Installed Insulation Between Ribs, Add	1.92	
	For Painted, Deduct	-0.27	
	For Perforated Or Slotted, Add	0.27	
	For Up To 100, Add	2.27	
	For >100 To 500, Add	1.23	
	For >500 To 1,500, Add	0.43	
05 31 13 00-0012	SF 3" Deep, 22 Gauge Open Ribbed Galvanized Steel Deck	4.56	
	For Site Installed Insulation Between Ribs, Add	1.24	
	For Painted, Deduct	-0.16	
	For Perforated Or Slotted, Add	0.16	
	For Up To 100, Add	1.62	
	For >100 To 500, Add	0.84	
	For >500 To 1,500, Add	0.32	
05 31 13 00-0013	SF 3" Deep, 20 Gauge Open Ribbed Galvanized Steel Deck	5.30	
	For Site Installed Insulation Between Ribs, Add	1.44	
	For Painted, Deduct	-0.19	
	For Perforated Or Slotted, Add	0.19	
	For Up To 100, Add	1.84	
	For >100 To 500, Add	0.97	
	For >500 To 1,500, Add	0.37	
05 31 13 00-0014	SF 3" Deep, 18 Gauge Open Ribbed Galvanized Steel Deck	6.59	
	For Site Installed Insulation Between Ribs, Add	1.78	
	For Painted, Deduct	-0.24	
	For Perforated Or Slotted, Add	0.24	
	For Up To 100, Add	2.28	
	For >100 To 500, Add	1.20	
	For >500 To 1,500, Add	0.45	
05 31 13 00-0015	SF 3" Deep, 16 Gauge Open Ribbed Galvanized Steel Deck	8.27	
	For Site Installed Insulation Between Ribs, Add	2.23	
	For Painted, Deduct	-0.30	
	For Perforated Or Slotted, Add	0.30	
	For Up To 100, Add	2.80	
	For >100 To 500, Add	1.48	
	For >500 To 1,500, Add	0.55	
05 31 13 00-0016	SF 4-1/2" Deep, 18 Gauge Open Ribbed Galvanized Steel Deck	11.63	
	For Site Installed Insulation Between Ribs, Add	3.06	
	For Painted, Deduct	-0.48	
	For Perforated Or Slotted, Add	0.48	
	For Up To 100, Add	2.94	
	For >100 To 500, Add	1.75	
	For >500 To 1,500, Add	0.49	
05 31 13 00-0017	SF 4-1/2" Deep, 16 Gauge Open Ribbed Galvanized Steel Deck	14.69	
	For Site Installed Insulation Between Ribs, Add	3.86	
	For Painted, Deduct	-0.61	
	For Perforated Or Slotted, Add	0.61	
	For Up To 100, Add	3.64	
	For >100 To 500, Add	2.19	
	For >500 To 1,500, Add	0.60	
05 31 13 00-0018	SF 6" Deep, 20 Gauge Open Ribbed Galvanized Steel Deck	13.10	
	For Site Installed Insulation Between Ribs, Add	3.41	
	For Painted, Deduct	-0.57	
	For Perforated Or Slotted, Add	0.57	
	For Up To 100, Add	2.89	
	For >100 To 500, Add	1.84	
	For >500 To 1,500, Add	0.44	
05 31 13 00-0019	SF 6" Deep, 18 Gauge Open Ribbed Galvanized Steel Deck	13.91	
	For Site Installed Insulation Between Ribs, Add	3.64	
	For Painted, Deduct	-0.59	
	For Perforated Or Slotted, Add	0.59	
	For Up To 100, Add	3.36	
	For >100 To 500, Add	2.05	
	For >500 To 1,500, Add	0.55	
05 31 13 00-0020	SF 6" Deep, 16 Gauge Open Ribbed Galvanized Steel Deck	17.34	
	For Site Installed Insulation Between Ribs, Add	4.54	
	For Painted, Deduct	-0.73	
	For Perforated Or Slotted, Add	0.73	
	For Up To 100, Add	4.13	
	For >100 To 500, Add	2.53	
	For >500 To 1,500, Add	0.67	
05 31 13 00-0021	SF 7-1/2" Deep, 18 Gauge Open Ribbed Galvanized Steel Deck	15.38	
	For Site Installed Insulation Between Ribs, Add	4.03	
	For Painted, Deduct	-0.65	
	For Perforated Or Slotted, Add	0.65	
	For Up To 100, Add	3.71	
	For >100 To 500, Add	2.26	
	For >500 To 1,500, Add	0.60	



	Metals	05
	Metal Decking	05 30
	Steel Decking	05 31

05

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 31 13 00-0022 SF 7-1/2" Deep, 16 Gauge Open Ribbed Galvanized Steel Deck.....	19.12	
For Site Installed Insulation Between Ribs, Add	5.00	
For Painted, Deduct	-0.81	
For Perforated Or Slotted, Add	0.81	
For Up To 100, Add	4.54	
For >100 To 500, Add	2.79	
For >500 To 1,500, Add	0.73	
05 31 13 00-0023 Cellular Galvanized Steel Deck <small>(05 31 13)</small>		
Note: Cellular decking is made of a top ribbed sheet and a flat bottom sheet welded together to create hollow longitudinal cells within the panels.		
05 31 13 00-0024 SF 1" Deep, 22/18 Gauge Cellular Galvanized Steel Deck.....	10.27	
For Site Installed Insulation Between Ribs, Add	2.71	
For Painted, Deduct	-0.42	
For Perforated Or Slotted, Add	0.42	
For Insulated Cells, Add	1.90	
For Up To 100, Add	2.68	
For >100 To 500, Add	1.58	
For >500 To 1,500, Add	0.46	
05 31 13 00-0025 SF 1" Deep, 18/18 Gauge Cellular Galvanized Steel Deck.....	11.38	
For Site Installed Insulation Between Ribs, Add	3.03	
For Painted, Deduct	-0.45	
For Perforated Or Slotted, Add	0.45	
For Insulated Cells, Add	2.01	
For Up To 100, Add	3.34	
For >100 To 500, Add	1.87	
For >500 To 1,500, Add	0.61	
05 31 13 00-0026 SF 1-1/2" Deep, 22/18 Gauge Cellular Galvanized Steel Deck.....	12.46	
For Site Installed Insulation Between Ribs, Add	3.26	
For Painted, Deduct	-0.53	
For Perforated Or Slotted, Add	0.53	
For Insulated Cells, Add	2.37	
For Up To 100, Add	2.98	
For >100 To 500, Add	1.83	
For >500 To 1,500, Add	0.48	
05 31 13 00-0027 SF 1-1/2" Deep, 18/18 Gauge Cellular Galvanized Steel Deck.....	13.71	
For Site Installed Insulation Between Ribs, Add	3.62	
For Painted, Deduct	-0.56	
For Perforated Or Slotted, Add	0.56	
For Insulated Cells, Add	2.50	
For Up To 100, Add	3.69	
For >100 To 500, Add	2.15	
For >500 To 1,500, Add	0.65	
05 31 13 00-0028 SF 3" Deep, 20/18 Gauge Cellular Galvanized Steel Deck.....	14.36	
For Site Installed Insulation Between Ribs, Add	3.77	
For Painted, Deduct	-0.60	
For Perforated Or Slotted, Add	0.60	
For Insulated Cells, Add	2.70	
For Up To 100, Add	3.56	
For >100 To 500, Add	2.14	
For >500 To 1,500, Add	0.59	
05 31 13 00-0029 SF 3" Deep, 18/18 Gauge Cellular Galvanized Steel Deck.....	17.08	
For Site Installed Insulation Between Ribs, Add	4.48	
For Painted, Deduct	-0.72	
For Perforated Or Slotted, Add	0.72	
For Insulated Cells, Add	3.24	
For Up To 100, Add	4.14	
For >100 To 500, Add	2.52	
For >500 To 1,500, Add	0.68	
05 31 13 00-0030 SF 3" Deep, 18/16 Gauge Cellular Galvanized Steel Deck.....	19.11	
For Site Installed Insulation Between Ribs, Add	5.00	
For Painted, Deduct	-0.81	
For Perforated Or Slotted, Add	0.81	
For Insulated Cells, Add	3.64	
For Up To 100, Add	4.54	
For >100 To 500, Add	2.79	
For >500 To 1,500, Add	0.73	
05 31 13 00-0031 SF 3" Deep, 16/16 Gauge Cellular Galvanized Steel Deck.....	20.82	
For Site Installed Insulation Between Ribs, Add	5.46	
For Painted, Deduct	-0.88	
For Perforated Or Slotted, Add	0.88	
For Insulated Cells, Add	3.94	
For Up To 100, Add	5.06	
For >100 To 500, Add	3.08	
For >500 To 1,500, Add	0.83	
05 31 13 00-0032 SF 4-1/2" Deep, 20/18 Gauge Cellular Galvanized Steel Deck.....	21.61	
For Site Installed Insulation Between Ribs, Add	5.58	
For Painted, Deduct	-0.96	
For Perforated Or Slotted, Add	0.96	
For Insulated Cells, Add	4.34	
For Up To 100, Add	4.25	
For >100 To 500, Add	2.86	
For >500 To 1,500, Add	0.58	

05	05 Metals
	05 30 Metal Decking
	05 31 Steel Decking



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 31 13 00-0033 SF 4-1/2" Deep, 18/18 Gauge Cellular Galvanized Steel Deck.....	23.13	
For Site Installed Insulation Between Ribs, Add	5.99	
For Painted, Deduct	-1.02	
For Perforated Or Slotted, Add	1.02	
For Insulated Cells, Add	4.59	
For Up To 100, Add	4.79	
For >100 To 500, Add	3.14	
For >500 To 1,500, Add	0.69	
05 31 13 00-0034 SF 4-1/2" Deep, 18/16 Gauge Cellular Galvanized Steel Deck.....	24.48	
For Site Installed Insulation Between Ribs, Add	6.34	
For Painted, Deduct	-1.08	
For Perforated Or Slotted, Add	1.08	
For Insulated Cells, Add	4.84	
For Up To 100, Add	5.12	
For >100 To 500, Add	3.34	
For >500 To 1,500, Add	0.74	
05 31 13 00-0035 SF 4-1/2" Deep, 16/16 Gauge Cellular Galvanized Steel Deck.....	26.11	
For Site Installed Insulation Between Ribs, Add	6.77	
For Painted, Deduct	-1.15	
For Perforated Or Slotted, Add	1.15	
For Insulated Cells, Add	5.16	
For Up To 100, Add	5.47	
For >100 To 500, Add	3.57	
For >500 To 1,500, Add	0.80	
05 31 23 Steel Roof Decking <small>(05 31)</small>		
See CSI section 05 31 13 00-0000 for Steel floor or roof decking.		
05 31 33 Steel Form Decking <small>(05 31)</small>		
05 31 33 00-0001 Open Ribbed Galvanized Steel Form Deck <small>(05 31 33)</small>		
05 31 33 00-0002 SF 9/16" Deep, 28 Gauge Open Ribbed Galvanized Steel Form Deck.....	2.51	
For Painted, Deduct	-0.09	
For Perforated Or Slotted, Add	0.09	
For Up To 100, Add	0.94	
For >100 To 500, Add	0.48	
For >500 To 1,500, Add	0.19	
05 31 33 00-0003 SF 9/16" Deep, 26 Gauge Open Ribbed Galvanized Steel Form Deck.....	2.68	
For Painted, Deduct	-0.09	
For Perforated Or Slotted, Add	0.09	
For Up To 100, Add	1.01	
For >100 To 500, Add	0.51	
For >500 To 1,500, Add	0.21	
05 31 33 00-0004 SF 9/16" Deep, 24 Gauge Open Ribbed Galvanized Steel Form Deck.....	2.95	
For Painted, Deduct	-0.10	
For Perforated Or Slotted, Add	0.10	
For Up To 100, Add	1.14	
For >100 To 500, Add	0.58	
For >500 To 1,500, Add	0.24	
05 31 33 00-0005 SF 9/16" Deep, 22 Gauge Open Ribbed Galvanized Steel Form Deck.....	3.19	
For Painted, Deduct	-0.11	
For Perforated Or Slotted, Add	0.11	
For Up To 100, Add	1.28	
For >100 To 500, Add	0.64	
For >500 To 1,500, Add	0.27	
05 31 33 00-0006 SF 15/16" Deep, 26 Gauge Open Ribbed Galvanized Steel Form Deck.....	3.04	
For Painted, Deduct	-0.11	
For Perforated Or Slotted, Add	0.11	
For Up To 100, Add	1.04	
For >100 To 500, Add	0.55	
For >500 To 1,500, Add	0.21	
05 31 33 00-0007 SF 15/16" Deep, 25 Gauge Open Ribbed Galvanized Steel Form Deck.....	3.19	
For Painted, Deduct	-0.12	
For Perforated Or Slotted, Add	0.12	
For Up To 100, Add	1.09	
For >100 To 500, Add	0.58	
For >500 To 1,500, Add	0.22	
05 31 33 00-0008 SF 15/16" Deep, 24 Gauge Open Ribbed Galvanized Steel Form Deck.....	3.35	
For Painted, Deduct	-0.12	
For Perforated Or Slotted, Add	0.12	
For Up To 100, Add	1.18	
For >100 To 500, Add	0.62	
For >500 To 1,500, Add	0.24	
05 31 33 00-0009 SF 15/16" Deep, 22 Gauge Open Ribbed Galvanized Steel Form Deck.....	3.57	
For Painted, Deduct	-0.13	
For Perforated Or Slotted, Add	0.13	
For Up To 100, Add	1.32	
For >100 To 500, Add	0.68	
For >500 To 1,500, Add	0.27	
05 31 33 00-0010 SF 1-15/16" Deep, 26 Gauge Open Ribbed Galvanized Steel Form Deck.....	3.76	
For Painted, Deduct	-0.13	
For Perforated Or Slotted, Add	0.13	
For Up To 100, Add	1.38	
For >100 To 500, Add	0.71	
For >500 To 1,500, Add	0.28	



Metals	05
Metal Decking	05 30
Steel Decking	05 31

05

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 31 33 00-0011 SF 1-15/16" Deep, 24 Gauge Open Ribbed Galvanized Steel Form Deck.....	4.12	
For Painted, Deduct	-0.15	
For Perforated Or Slotted, Add	0.15	
For Up To 100, Add	1.46	
For >100 To 500, Add	0.76	
For >500 To 1,500, Add	0.29	
05 31 33 00-0012 SF 1-15/16" Deep, 22 Gauge Open Ribbed Galvanized Steel Form Deck.....	4.72	
For Painted, Deduct	-0.17	
For Perforated Or Slotted, Add	0.17	
For Up To 100, Add	1.59	
For >100 To 500, Add	0.84	
For >500 To 1,500, Add	0.31	
05 31 33 00-0013 SF 1-15/16" Deep, 20 Gauge Open Ribbed Galvanized Steel Form Deck.....	5.24	
For Painted, Deduct	-0.19	
For Perforated Or Slotted, Add	0.19	
For Up To 100, Add	1.80	
For >100 To 500, Add	0.95	
For >500 To 1,500, Add	0.36	
05 36 Composite Metal Decking (05 30)		
See CSI section 03 30 00 00-0000 for concrete.		
05 36 00 00-0001 Composite Open Ribbed Galvanized Steel Deck (05 36)		
Note: Composite decking has rolled-in embossments or ridges designed to interlock with the concrete slab.		
05 36 00 00-0002 SF 1-1/2" Deep, 22 Gauge Composite Open Ribbed Galvanized Steel Deck.....	3.80	
For Painted, Deduct	-0.13	
For Perforated Or Slotted, Add	0.13	
For Up To 100, Add	1.38	
For >100 To 500, Add	0.71	
For >500 To 1,500, Add	0.28	
05 36 00 00-0003 SF 1-1/2" Deep, 20 Gauge Composite Open Ribbed Galvanized Steel Deck.....	4.06	
For Painted, Deduct	-0.14	
For Perforated Or Slotted, Add	0.14	
For Up To 100, Add	1.52	
For >100 To 500, Add	0.78	
For >500 To 1,500, Add	0.31	
05 36 00 00-0004 SF 1-1/2" Deep, 18 Gauge Composite Open Ribbed Galvanized Steel Deck.....	4.53	
For Painted, Deduct	-0.15	
For Perforated Or Slotted, Add	0.15	
For Up To 100, Add	1.85	
For >100 To 500, Add	0.92	
For >500 To 1,500, Add	0.39	
05 36 00 00-0005 SF 1-1/2" Deep, 16 Gauge Composite Open Ribbed Galvanized Steel Deck.....	4.92	
For Painted, Deduct	-0.15	
For Perforated Or Slotted, Add	0.15	
For Up To 100, Add	2.15	
For >100 To 500, Add	1.04	
For >500 To 1,500, Add	0.46	
05 36 00 00-0006 SF 2" Deep, 22 Gauge Composite Open Ribbed Galvanized Steel Deck.....	4.06	
For Painted, Deduct	-0.14	
For Perforated Or Slotted, Add	0.14	
For Up To 100, Add	1.52	
For >100 To 500, Add	0.78	
For >500 To 1,500, Add	0.31	
05 36 00 00-0007 SF 2" Deep, 20 Gauge Composite Open Ribbed Galvanized Steel Deck.....	4.39	
For Painted, Deduct	-0.15	
For Perforated Or Slotted, Add	0.15	
For Up To 100, Add	1.68	
For >100 To 500, Add	0.85	
For >500 To 1,500, Add	0.35	
05 36 00 00-0008 SF 2" Deep, 18 Gauge Composite Open Ribbed Galvanized Steel Deck.....	4.85	
For Painted, Deduct	-0.16	
For Perforated Or Slotted, Add	0.16	
For Up To 100, Add	1.99	
For >100 To 500, Add	0.99	
For >500 To 1,500, Add	0.42	
05 36 00 00-0009 SF 2" Deep, 16 Gauge Composite Open Ribbed Galvanized Steel Deck.....	5.28	
For Painted, Deduct	-0.17	
For Perforated Or Slotted, Add	0.17	
For Up To 100, Add	2.30	
For >100 To 500, Add	1.12	
For >500 To 1,500, Add	0.49	
05 36 00 00-0010 SF 3" Deep, 22 Gauge Composite Open Ribbed Galvanized Steel Deck.....	4.27	
For Painted, Deduct	-0.15	
For Perforated Or Slotted, Add	0.15	
For Up To 100, Add	1.59	
For >100 To 500, Add	0.81	
For >500 To 1,500, Add	0.32	
05 36 00 00-0011 SF 3" Deep, 20 Gauge Composite Open Ribbed Galvanized Steel Deck.....	4.57	
For Painted, Deduct	-0.16	
For Perforated Or Slotted, Add	0.16	
For Up To 100, Add	1.77	
For >100 To 500, Add	0.90	
For >500 To 1,500, Add	0.37	

05	05 Metals
	05 30 Metal Decking
	05 36 Composite Metal Decking



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 36 00 00-0012 SF 3" Deep, 18 Gauge Composite Open Ribbed Galvanized Steel Deck	5.11	
For Painted, Deduct	-0.17	
For Perforated Or Slotted, Add	0.17	
For Up To 100, Add	2.13	
For >100 To 500, Add	1.05	
For >500 To 1,500, Add	0.45	
05 36 00 00-0013 SF 3" Deep, 16 Gauge Composite Open Ribbed Galvanized Steel Deck	5.68	
For Painted, Deduct	-0.18	
For Perforated Or Slotted, Add	0.18	
For Up To 100, Add	2.50	
For >100 To 500, Add	1.21	
For >500 To 1,500, Add	0.54	
05 36 00 00-0014 Composite Cellular Galvanized Steel Deck ^(05 36)		
Note: Composite decking has rolled-in embossments or ridges designed to interlock with the concrete slab. Cellular decking is made of a top ribbed sheet and a bottom flat sheet welded together to create hollow longitudinal cells within the panels.		
05 36 00 00-0015 SF 1-1/2" Deep, 20/20 Gauge Composite Cellular Galvanized Steel Deck	6.97	
For Site Installed Insulation Between Ribs, Add	1.90	
For Painted, Deduct	-0.25	
For Perforated Or Slotted, Add	0.25	
For Insulated Cells, Add	1.12	
For Up To 100, Add	2.51	
For >100 To 500, Add	1.30	
For >500 To 1,500, Add	0.50	
05 36 00 00-0016 SF 1-1/2" Deep, 20/18 Gauge Composite Cellular Galvanized Steel Deck	7.46	
For Site Installed Insulation Between Ribs, Add	2.03	
For Painted, Deduct	-0.26	
For Perforated Or Slotted, Add	0.26	
For Insulated Cells, Add	1.17	
For Up To 100, Add	2.76	
For >100 To 500, Add	1.42	
For >500 To 1,500, Add	0.56	
05 36 00 00-0017 SF 1-1/2" Deep, 18/20 Gauge Composite Cellular Galvanized Steel Deck	7.54	
For Site Installed Insulation Between Ribs, Add	2.06	
For Painted, Deduct	-0.26	
For Perforated Or Slotted, Add	0.26	
For Insulated Cells, Add	1.17	
For Up To 100, Add	2.84	
For >100 To 500, Add	1.45	
For >500 To 1,500, Add	0.58	
05 36 00 00-0018 SF 1-1/2" Deep, 18/18 Gauge Composite Cellular Galvanized Steel Deck	7.99	
For Site Installed Insulation Between Ribs, Add	2.19	
For Painted, Deduct	-0.27	
For Perforated Or Slotted, Add	0.27	
For Insulated Cells, Add	1.22	
For Up To 100, Add	3.12	
For >100 To 500, Add	1.57	
For >500 To 1,500, Add	0.65	
05 36 00 00-0019 SF 1-1/2" Deep, 18/16 Gauge Composite Cellular Galvanized Steel Deck	8.56	
For Site Installed Insulation Between Ribs, Add	2.35	
For Painted, Deduct	-0.29	
For Perforated Or Slotted, Add	0.29	
For Insulated Cells, Add	1.30	
For Up To 100, Add	3.37	
For >100 To 500, Add	1.69	
For >500 To 1,500, Add	0.70	
05 36 00 00-0020 SF 1-1/2" Deep, 16/18 Gauge Composite Cellular Galvanized Steel Deck	8.64	
For Site Installed Insulation Between Ribs, Add	2.38	
For Painted, Deduct	-0.29	
For Perforated Or Slotted, Add	0.29	
For Insulated Cells, Add	1.30	
For Up To 100, Add	3.45	
For >100 To 500, Add	1.73	
For >500 To 1,500, Add	0.72	
05 36 00 00-0021 SF 1-1/2" Deep, 16/16 Gauge Composite Cellular Galvanized Steel Deck	9.10	
For Site Installed Insulation Between Ribs, Add	2.51	
For Painted, Deduct	-0.30	
For Perforated Or Slotted, Add	0.30	
For Insulated Cells, Add	1.34	
For Up To 100, Add	3.74	
For >100 To 500, Add	1.85	
For >500 To 1,500, Add	0.79	
05 36 00 00-0022 SF 2" Deep, 20/20 Gauge Composite Cellular Galvanized Steel Deck	7.21	
For Site Installed Insulation Between Ribs, Add	1.96	
For Painted, Deduct	-0.25	
For Perforated Or Slotted, Add	0.25	
For Insulated Cells, Add	1.14	
For Up To 100, Add	2.66	
For >100 To 500, Add	1.37	
For >500 To 1,500, Add	0.54	



	Metals	05
	Metal Decking	05 30
	Composite Metal Decking	05 36

05

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 36 00 00-0023 SF 2" Deep, 20/18 Gauge Composite Cellular Galvanized Steel Deck	7.60	
For Site Installed Insulation Between Ribs, Add	2.08	
For Painted, Deduct	-0.26	
For Perforated Or Slotted, Add	0.26	
For Insulated Cells, Add	1.19	
For Up To 100, Add	2.85	
For >100 To 500, Add	1.46	
For >500 To 1,500, Add	0.58	
05 36 00 00-0024 SF 2" Deep, 18/20 Gauge Composite Cellular Galvanized Steel Deck	7.69	
For Site Installed Insulation Between Ribs, Add	2.11	
For Painted, Deduct	-0.26	
For Perforated Or Slotted, Add	0.26	
For Insulated Cells, Add	1.19	
For Up To 100, Add	2.94	
For >100 To 500, Add	1.49	
For >500 To 1,500, Add	0.60	
05 36 00 00-0025 SF 2" Deep, 18/18 Gauge Composite Cellular Galvanized Steel Deck	8.24	
For Site Installed Insulation Between Ribs, Add	2.26	
For Painted, Deduct	-0.28	
For Perforated Or Slotted, Add	0.28	
For Insulated Cells, Add	1.26	
For Up To 100, Add	3.22	
For >100 To 500, Add	1.62	
For >500 To 1,500, Add	0.67	
05 36 00 00-0026 SF 2" Deep, 18/16 Gauge Composite Cellular Galvanized Steel Deck	8.71	
For Site Installed Insulation Between Ribs, Add	2.40	
For Painted, Deduct	-0.29	
For Perforated Or Slotted, Add	0.29	
For Insulated Cells, Add	1.31	
For Up To 100, Add	3.45	
For >100 To 500, Add	1.73	
For >500 To 1,500, Add	0.72	
05 36 00 00-0027 SF 2" Deep, 16/18 Gauge Composite Cellular Galvanized Steel Deck	8.85	
For Site Installed Insulation Between Ribs, Add	2.44	
For Painted, Deduct	-0.29	
For Perforated Or Slotted, Add	0.29	
For Insulated Cells, Add	1.31	
For Up To 100, Add	3.59	
For >100 To 500, Add	1.79	
For >500 To 1,500, Add	0.75	
05 36 00 00-0028 SF 2" Deep, 16/16 Gauge Composite Cellular Galvanized Steel Deck	9.31	
For Site Installed Insulation Between Ribs, Add	2.57	
For Painted, Deduct	-0.30	
For Perforated Or Slotted, Add	0.30	
For Insulated Cells, Add	1.37	
For Up To 100, Add	3.83	
For >100 To 500, Add	1.90	
For >500 To 1,500, Add	0.81	
05 36 00 00-0029 SF 3" Deep, 20/20 Gauge Composite Cellular Galvanized Steel Deck	7.24	
For Site Installed Insulation Between Ribs, Add	1.97	
For Painted, Deduct	-0.25	
For Perforated Or Slotted, Add	0.25	
For Insulated Cells, Add	1.15	
For Up To 100, Add	2.66	
For >100 To 500, Add	1.37	
For >500 To 1,500, Add	0.54	
05 36 00 00-0030 SF 3" Deep, 20/18 Gauge Composite Cellular Galvanized Steel Deck	7.64	
For Site Installed Insulation Between Ribs, Add	2.09	
For Painted, Deduct	-0.26	
For Perforated Or Slotted, Add	0.26	
For Insulated Cells, Add	1.19	
For Up To 100, Add	2.89	
For >100 To 500, Add	1.47	
For >500 To 1,500, Add	0.59	
05 36 00 00-0031 SF 3" Deep, 18/20 Gauge Composite Cellular Galvanized Steel Deck	7.77	
For Site Installed Insulation Between Ribs, Add	2.13	
For Painted, Deduct	-0.26	
For Perforated Or Slotted, Add	0.26	
For Insulated Cells, Add	1.19	
For Up To 100, Add	3.02	
For >100 To 500, Add	1.52	
For >500 To 1,500, Add	0.62	
05 36 00 00-0032 SF 3" Deep, 18/18 Gauge Composite Cellular Galvanized Steel Deck	8.31	
For Site Installed Insulation Between Ribs, Add	2.28	
For Painted, Deduct	-0.28	
For Perforated Or Slotted, Add	0.28	
For Insulated Cells, Add	1.26	
For Up To 100, Add	3.26	
For >100 To 500, Add	1.64	
For >500 To 1,500, Add	0.68	

05	05 Metals
	05 30 Metal Decking
	05 36 Composite Metal Decking



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 36 00 00-0033 SF 3" Deep, 18/16 Gauge Composite Cellular Galvanized Steel Deck	8.85	
For Site Installed Insulation Between Ribs, Add	2.44	
For Painted, Deduct	-0.30	
For Perforated Or Slotted, Add	0.30	
For Insulated Cells, Add	1.33	
For Up To 100, Add	3.51	
For >100 To 500, Add	1.76	
For >500 To 1,500, Add	0.73	
05 36 00 00-0034 SF 3" Deep, 16/18 Gauge Composite Cellular Galvanized Steel Deck	9.03	
For Site Installed Insulation Between Ribs, Add	2.49	
For Painted, Deduct	-0.30	
For Perforated Or Slotted, Add	0.30	
For Insulated Cells, Add	1.33	
For Up To 100, Add	3.69	
For >100 To 500, Add	1.83	
For >500 To 1,500, Add	0.78	
05 36 00 00-0035 SF 3" Deep, 16/16 Gauge Composite Cellular Galvanized Steel Deck	9.40	
For Site Installed Insulation Between Ribs, Add	2.60	
For Painted, Deduct	-0.30	
For Perforated Or Slotted, Add	0.30	
For Insulated Cells, Add	1.37	
For Up To 100, Add	3.92	
For >100 To 500, Add	1.93	
For >500 To 1,500, Add	0.83	
05 36 00 00-0036 Non-Cellular, Composite Deck, Galvanized (05 36)		
05 36 00 00-0037 SF 1" Deep x 16 Gauge Composite Metal Deck Galvanized, Non Cellular	5.44	
05 36 00 00-0038 SF 1" Deep x 18 Gauge Composite Metal Deck Galvanized, Non Cellular	4.45	
05 36 00 00-0039 SF 1" Deep x 20 Gauge Composite Metal Deck Galvanized, Non Cellular	3.69	
05 36 00 00-0040 SF 1" Deep x 22 Gauge Composite Metal Deck Galvanized, Non Cellular	3.17	
05 36 00 00-0041 SF 1-1/2" Deep x 16 Gauge Composite Metal Deck Galvanized, Non Cellular	5.99	
05 36 00 00-0042 SF 1-1/2" Deep x 18 Gauge Composite Metal Deck Galvanized, Non Cellular	4.86	
05 36 00 00-0043 SF 1-1/2" Deep x 20 Gauge Composite Metal Deck Galvanized, Non Cellular	4.01	
05 36 00 00-0044 SF 1-1/2" Deep x 22 Gauge Composite Metal Deck Galvanized, Non Cellular	3.45	
05 36 00 00-0045 SF 3" Deep x 16 Gauge Composite Metal Deck Galvanized, Non Cellular	6.89	
05 36 00 00-0046 SF 3" Deep x 18 Gauge Composite Metal Deck Galvanized, Non Cellular	5.51	
05 36 00 00-0047 SF 3" Deep x 20 Gauge Composite Metal Deck Galvanized, Non Cellular	4.61	
05 36 00 00-0048 SF 3" Deep x 22 Gauge Composite Metal Deck Galvanized, Non Cellular	4.15	
05 40 Cold-Formed Metal Framing (05)		
Note: Includes all connecting bolts and welds.		
05 41 Structural Metal Stud Framing (05 40)		
Note: Includes studs, bridging, fasteners, and metal stiffener at half height. Do not deduct for openings of less than 25 SF.		
05 41 00 00-0001 18 Gauge, Load Bearing, Structural Metal Stud Framing With Tracks And Runners (05 41)		
05 41 00 00-0002 SF 2-1/2" Width, 16" On Center, 18 Gauge, Load Bearing, Structural Metal Stud Framing With Tracks And Runners	3.15	0.73
For Walls >10' High, Add	0.63	
For Curved Wall, Add	0.52	
For Up To 200, Add	0.97	
For >200 To 500, Add	0.49	
For 12" On Center, Add	0.54	
For 24" On Center, Deduct	-0.54	
05 41 00 00-0003 SF 3-5/8" Width, 16" On Center, 18 Gauge, Load Bearing, Structural Metal Stud Framing With Tracks And Runners	3.49	0.73
For Walls >10' High, Add	0.70	
For Curved Wall, Add	0.54	
For Up To 200, Add	1.06	
For >200 To 500, Add	0.53	
For 12" On Center, Add	0.61	
For 24" On Center, Deduct	-0.61	
05 41 00 00-0004 SF 4" Width, 16" On Center, 18 Gauge, Load Bearing, Structural Metal Stud Framing With Tracks And Runners	3.63	0.73
For Walls >10' High, Add	0.73	
For Curved Wall, Add	0.56	
For Up To 200, Add	1.10	
For >200 To 500, Add	0.55	
For 12" On Center, Add	0.63	
For 24" On Center, Deduct	-0.63	
05 41 00 00-0005 SF 6" Width, 16" On Center, 18 Gauge, Load Bearing, Structural Metal Stud Framing With Tracks And Runners	4.49	0.81
For Walls >10' High, Add	0.90	
For Curved Wall, Add	0.59	
For Up To 200, Add	1.29	
For >200 To 500, Add	0.65	
For 12" On Center, Add	0.80	
For 24" On Center, Deduct	-0.80	
05 41 00 00-0006 SF 8" Width, 16" On Center, 18 Gauge, Load Bearing, Structural Metal Stud Framing With Tracks And Runners	4.97	0.90
For Walls >10' High, Add	0.99	
For Curved Wall, Add	0.62	
For Up To 200, Add	1.40	
For >200 To 500, Add	0.70	
For 12" On Center, Add	0.89	
For 24" On Center, Deduct	-0.89	



Metals	05	05
Cold-Formed Metal Framing	05 40	
Structural Metal Stud Framing	05 41	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
------------------------------	---------------------------	-------------------------

05 41 00 00-0007 16 Gauge, Load Bearing, Structural Metal Stud Framing With Tracks And Runners (05 41)

05 41 00 00-0008	SF 2-1/2" Width, 16" On Center, 16 Gauge, Load Bearing, Structural Metal Stud Framing With Tracks And Runners.....	3.38	0.73
	For Walls >10' High, Add	0.68	
	For Curved Wall, Add	0.54	
	For Up To 200, Add	1.04	
	For >200 To 500, Add	0.52	
	For 12" On Center, Add	0.59	
	For 24" On Center, Deduct	-0.59	
05 41 00 00-0009	SF 3-5/8" Width, 16" On Center, 16 Gauge, Load Bearing, Structural Metal Stud Framing With Tracks And Runners.....	3.84	0.74
	For Walls >10' High, Add	0.77	
	For Curved Wall, Add	0.57	
	For Up To 200, Add	1.15	
	For >200 To 500, Add	0.57	
	For 12" On Center, Add	0.67	
	For 24" On Center, Deduct	-0.67	
05 41 00 00-0010	SF 4" Width, 16" On Center, 16 Gauge, Load Bearing, Structural Metal Stud Framing With Tracks And Runners.....	4.04	0.74
	For Walls >10' High, Add	0.81	
	For Curved Wall, Add	0.59	
	For Up To 200, Add	1.20	
	For >200 To 500, Add	0.60	
	For 12" On Center, Add	0.71	
	For 24" On Center, Deduct	-0.71	
05 41 00 00-0011	SF 6" Width, 16" On Center, 16 Gauge, Load Bearing, Structural Metal Stud Framing With Tracks And Runners.....	4.98	0.90
	For Walls >10' High, Add	1.00	
	For Curved Wall, Add	0.62	
	For Up To 200, Add	1.41	
	For >200 To 500, Add	0.71	
	For 12" On Center, Add	0.89	
	For 24" On Center, Deduct	-0.89	
05 41 00 00-0012	SF 8" Width, 16" On Center, 16 Gauge, Load Bearing, Structural Metal Stud Framing With Tracks And Runners.....	5.45	0.98
	For Walls >10' High, Add	1.09	
	For Curved Wall, Add	0.65	
	For Up To 200, Add	1.52	
	For >200 To 500, Add	0.76	
	For 12" On Center, Add	0.98	
	For 24" On Center, Deduct	-0.98	

05 41 00 00-0013 14 Gauge, Load Bearing, Structural Metal Stud Framing With Tracks And Runners (05 41)

05 41 00 00-0014	SF 3-5/8" Width, 16" On Center, 14 Gauge, Load Bearing, Structural Metal Stud Framing With Tracks And Runners.....	4.56	1.02
	For Walls >10' High, Add	0.91	
	For Curved Wall, Add	0.68	
	For Up To 200, Add	1.37	
	For >200 To 500, Add	0.68	
	For 12" On Center, Add	0.80	
	For 24" On Center, Deduct	-0.80	
05 41 00 00-0015	SF 4" Width, 16" On Center, 14 Gauge, Load Bearing, Structural Metal Stud Framing With Tracks And Runners.....	4.69	1.04
	For Walls >10' High, Add	0.94	
	For Curved Wall, Add	0.70	
	For Up To 200, Add	1.40	
	For >200 To 500, Add	0.70	
	For 12" On Center, Add	0.82	
	For 24" On Center, Deduct	-0.82	
05 41 00 00-0016	SF 6" Width, 16" On Center, 14 Gauge, Load Bearing, Structural Metal Stud Framing With Tracks And Runners.....	5.73	1.10
	For Walls >10' High, Add	1.15	
	For Curved Wall, Add	0.73	
	For Up To 200, Add	1.63	
	For >200 To 500, Add	0.82	
	For 12" On Center, Add	1.02	
	For 24" On Center, Deduct	-1.02	
05 41 00 00-0017	SF 8" Width, 16" On Center, 14 Gauge, Load Bearing, Structural Metal Stud Framing With Tracks And Runners.....	6.25	1.15
	For Walls >10' High, Add	1.25	
	For Curved Wall, Add	0.76	
	For Up To 200, Add	1.76	
	For >200 To 500, Add	0.88	
	For 12" On Center, Add	1.12	
	For 24" On Center, Deduct	-1.12	

05 42 Cold-Formed Metal Joist Framing (05 40)

05 42 13 Cold-Formed Metal Floor Joist Framing (05 42)

Note: Floor or roof joist framing

05 42 13 00-0001 Steel Joists, 20 Gauge (05 42 13)

05 42 13 00-0002	LF 5-1/2" - 20 Gauge Steel Joists	6.33	1.76
05 42 13 00-0003	LF 6" - 20 Gauge Steel Joists	7.04	2.21
05 42 13 00-0004	LF 7-1/4" - 20 Gauge Steel Joists	7.60	2.42
05 42 13 00-0005	LF 8" - 20 Gauge Steel Joists	8.46	2.58

05	05 Metals
	05 40 Cold-Formed Metal Framing
	05 42 Cold-Formed Metal Joist Framing



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 42 13 00-0006 Steel Joists, 18 Gauge <small>(05 42 13)</small>		
05 42 13 00-0007 LF 5-1/2" - 18 Gauge Steel Joists	7.05	1.96
05 42 13 00-0008 LF 6" - 18 Gauge Steel Joists.....	7.84	2.45
05 42 13 00-0009 LF 7-1/4" - 18 Gauge Steel Joists	8.49	2.69
05 42 13 00-0010 LF 8" - 18 Gauge Steel Joists.....	8.77	2.86
05 42 13 00-0011 Steel Joists, 16 Gauge <small>(05 42 13)</small>		
05 42 13 00-0012 LF 7-1/4" - 16 Gauge Steel Joists	9.09	2.71
05 42 13 00-0013 LF 8" - 16 Gauge Steel Joists.....	9.60	2.86
05 42 13 00-0014 Steel Joists, 14 Gauge <small>(05 42 13)</small>		
05 42 13 00-0015 LF 9-1/4" - 14 Gauge Steel Joists	10.68	2.86
05 42 13 00-0016 LF 11-1/2" - 14 Gauge Steel Joists	11.56	3.02
05 42 13 00-0017 Steel Joists, 12 Gauge <small>(05 42 13)</small>		
05 42 13 00-0018 LF 9-1/4" - 12 Gauge Steel Joists	12.60	3.16
05 42 13 00-0019 LF 11-1/2" - 12 Gauge Steel Joists	13.73	3.33
05 42 13 00-0020 Steel Joists, 10 Gauge <small>(05 42 13)</small>		
05 42 13 00-0021 LF 9-1/4" - 10 Gauge Steel Joists	14.55	3.47
05 42 13 00-0022 LF 11-1/2" - 10 Gauge Steel Joists	15.94	3.65
05 42 13 00-0023 Steel Joists, 8 Gauge <small>(05 42 13)</small>		
05 42 13 00-0024 LF 9-1/4" - 8 Gauge Steel Joists	16.57	3.82
05 42 13 00-0025 LF 11-1/2" - 8 Gauge Steel Joists	18.17	4.02
05 42 23 Cold-Formed Metal Roof Joist Framing <small>(05 42)</small>		
See CSI section 05 42 13 00-0000 for metal joist framing.		
05 43 Slotted Channel Framing <small>(05 40)</small>		
05 43 00 00-0001 Unistrut Channel <small>(05 43)</small>		
Note: Excludes fasteners and accessories.		
05 43 00 00-0002 Steel Unistrut Channel <small>(05 43 00 00-0001)</small>		
05 43 00 00-0003 LF 1-5/8" Wide x 1-5/8" High, 12 Gauge, Steel Unistrut Channel	7.58	2.07
<i>For Powder Coating, Add</i>		
	0.52	
<i>For Galvanizing, Add</i>		
	0.58	
05 43 00 00-0004 LF 1-5/8" Wide x 1-3/8" High, 12 Gauge, Steel Unistrut Channel	7.74	2.07
<i>For Powder Coating, Add</i>		
	0.54	
<i>For Galvanizing, Add</i>		
	0.61	
05 43 00 00-0005 LF 1-5/8" Wide x 13/16" High, 12 Gauge, Steel Unistrut Channel.....	8.00	2.07
<i>For Powder Coating, Add</i>		
	0.58	
<i>For Galvanizing, Add</i>		
	0.66	
05 43 00 00-0006 LF 1-5/8" Wide x 1-5/8" High, 14 Gauge, Steel Unistrut Channel	7.24	2.07
<i>For Powder Coating, Add</i>		
	0.47	
<i>For Galvanizing, Add</i>		
	0.53	
05 43 00 00-0007 LF 1-5/8" Wide x 13/16" High, 14 Gauge, Steel Unistrut Channel.....	6.51	2.07
<i>For Powder Coating, Add</i>		
	0.36	
<i>For Galvanizing, Add</i>		
	0.40	
05 43 00 00-0008 Stainless Steel Unistrut Channel <small>(05 43 00 00-0001)</small>		
05 43 00 00-0009 304 Stainless Steel Unistrut Channel <small>(05 43 00 00-0008)</small>		
05 43 00 00-0010 LF 1-5/8" Wide x 13/16" High, 14 Gauge, 304 Stainless Steel Unistrut Channel	21.07	2.07
05 43 00 00-0011 LF 1-5/8" Wide x 13/16" High, 12 Gauge, 304 Stainless Steel Unistrut Channel	25.20	2.07
05 43 00 00-0012 LF 1-5/8" Wide x 1-5/8" High, 14 Gauge, 304 Stainless Steel Unistrut Channel	24.17	2.07
05 43 00 00-0013 LF 1-5/8" Wide x 1-5/8" High, 12 Gauge, 304 Stainless Steel Unistrut Channel	30.56	2.07
05 43 00 00-0014 316 Stainless Steel Unistrut Channel <small>(05 43 00 00-0008)</small>		
05 43 00 00-0015 LF 1-5/8" Wide x 13/16" High, 14 Gauge, 316 Stainless Steel Unistrut Channel	34.48	2.07
05 43 00 00-0016 Unistrut Closure Strips <small>(05 43)</small>		
05 43 00 00-0017 LF Steel Raceway Closure Strip For Unistrut Channel.....	3.51	0.45
05 43 00 00-0018 Lock Nuts With Spring For Unistrut Channel <small>(05 43)</small>		
Note: Includes hex bolt.		
05 43 00 00-0019 Steel Lock Nuts With Spring For Unistrut Channel <small>(05 43 00 00-0018)</small>		
Note: Includes hex bolt.		
05 43 00 00-0020 EA 1/4-20, Steel Lock Nut With Spring For Unistrut Channel	5.58	



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 43 00 00-0021	EA		3/8-16, Steel Lock Nut With Spring For Unistrut Channel.....	5.93	
05 43 00 00-0022	EA		1/2-13, Steel Lock Nut With Spring For Unistrut Channel.....	6.20	
05 43 00 00-0023	EA		5/8-11, Steel Lock Nut With Spring For Unistrut Channel.....	7.64	
05 43 00 00-0024			Stainless Steel Lock Nuts With Spring For Unistrut Channel (05 43 00 00-0018) Note: Includes hex bolt.		
05 43 00 00-0025	EA		1/4-20, 316 Stainless Steel Lock Nut With Spring For Unistrut Channel.....	12.35	
05 43 00 00-0026	EA		3/8-16, 316 Stainless Steel Lock Nut With Spring For Unistrut Channel.....	13.11	
05 43 00 00-0027	EA		1/2-13, 316 Stainless Steel Lock Nut With Spring For Unistrut Channel.....	18.31	
05 43 00 00-0028	EA		5/8-11, 316 Stainless Steel Lock Nut With Spring For Unistrut Channel.....	30.91	
05 43 00 00-0029			Lock Nuts Without Spring For Unistrut Channel (05 43) Note: Includes hex bolt.		
05 43 00 00-0030			Steel Lock Nuts Without Spring For Unistrut Channel (05 43 00 00-0029) Note: Includes hex bolt.		
05 43 00 00-0031	EA		1/4-20, Steel Lock Nut Without Spring For Unistrut Channel.....	5.59	
05 43 00 00-0032	EA		3/8-16, Steel Lock Nut Without Spring For Unistrut Channel.....	5.98	
05 43 00 00-0033	EA		1/2-13, Steel Lock Nut Without Spring For Unistrut Channel.....	6.22	
05 43 00 00-0034	EA		5/8-11, Steel Lock Nut Without Spring For Unistrut Channel.....	8.05	
05 43 00 00-0035			Stainless Steel Lock Nuts Without Spring For Unistrut Channel (05 43 00 00-0029) Note: Includes hex bolt.		
05 43 00 00-0036	EA		1/4-20, 316 Stainless Steel Lock Nut Without Spring For Unistrut Channel.....	9.01	
05 43 00 00-0037	EA		3/8-16, 316 Stainless Steel Lock Nut Without Spring For Unistrut Channel.....	10.75	
05 43 00 00-0038	EA		1/2-13, 316 Stainless Steel Lock Nut Without Spring For Unistrut Channel.....	11.66	
05 43 00 00-0039	EA		5/8-11, 316 Stainless Steel Lock Nut Without Spring For Unistrut Channel.....	30.12	
05 43 00 00-0040			Beam Clamp For Unistrut Channel (05 43)		
05 43 00 00-0041	EA		1-5/8" Channel, P2675 Unistrut Beam Clamp.....	17.84	6.87
05 43 00 00-0042	EA		1-5/8" Channel, P2676 Unistrut Beam Clamp.....	21.66	6.87
05 43 00 00-0043	EA		Add For Unistrut Swivel Nut, P2676.....	2.08	
05 43 00 00-0044			Beam Clamp Clevis Hangers For Unistrut Channel (05 43)		
05 43 00 00-0045	EA		Up To 3/8" Rod, Beam Clamp Clevis Hanger (Unistrut P2674).....	19.17	6.87
05 43 00 00-0046	EA		Up To 1/2" Rod, Beam Clamp Clevis Hanger (Unistrut P2677).....	22.20	6.87
05 43 00 00-0047	EA		Add For Unistrut Swivel Nut.....	2.08	
05 43 00 00-0048	EA		6-Hole ElectroGalvanized Steel Shelf Bracket For Unistrut.....	108.85	9.17
05 45			Metal Support Assemblies (05 40)		
05 45 13			Mechanical Metal Supports (05 45) See CSI section 23 05 29 00-0000 for metal supports.		
05 45 16			Electrical Metal Supports (05 45) See CSI section 26 05 29 00-0000 for metal supports.		
05 50			Metal Fabrications (05)		
05 51			Metal Stairs (05 50)		
05 51 13			Metal Pan Stairs (05 51) Note: Open concrete filled metal pan stair and landing including steel stringer, safety nosing and concrete. Excludes handrail. See CSI section 05 52 13 00-0000 for handrails.		
05 51 13 00-0001			Open Concrete Filled Metal Pan Stair And Landing (05 51 13) Note: Includes steel stringer, safety nosing and concrete. Excludes handrail.		
05 51 13 00-0002	RSR		3'-6" Wide Open Concrete Filled Metal Pan Tread Stair.....	622.63	26.56
			For Closed Riser, Add	71.07	
05 51 13 00-0003	RSR		4'-0" Wide Open Concrete Filled Metal Pan Tread Stair.....	708.15	30.98
			For Closed Riser, Add	80.73	
05 51 13 00-0004	RSR		5'-0" Wide Open Concrete Filled Metal Pan Tread Stair.....	790.20	36.29
			For Closed Riser, Add	89.85	
05 51 13 00-0005	SF		Concrete Filled Steel Pan Landing.....	69.20	4.42
			Note: Conventional shape.		
05 51 19			Metal Grating Stairs (05 51) Note: Open steel grating tread metal stair and landing including steel stringers, safety nosing and 2 pipe handrail.		
05 51 19 00-0001			Open Steel Grating Tread Metal Stair And Landing (05 51 19) Note: Includes steel stringers, safety nosing and 2 pipe handrail.		
05 51 19 00-0002	RSR		3'-6" Wide Open Steel Grating Tread Metal Stair.....	310.43	35.40
			For Closed Riser, Add	36.46	
			For Galvanized Steel, Add	59.91	
05 51 19 00-0003	RSR		4'-0" Wide Open Steel Grating Tread Metal Stair.....	332.47	40.71
			For Closed Riser, Add	38.74	
			For Galvanized Steel, Add	62.76	

05 Metals**05 50 Metal Fabrications****05 51 Metal Stairs**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 51 19 00-0004	RSR		5'-0" Wide Open Steel Grating Tread Metal Stair.....	369.44	47.80
			<i>For Closed Riser, Add</i>	42.77	
			<i>For Galvanized Steel, Add</i>	68.46	
05 51 19 00-0005	SF		Steel Grating Landing With Framing And 2 Pipe Handrail	58.78	4.42
			Note: Conventional shape.		
			<i>For Galvanized Steel, Add</i>	10.27	
05 51 33			Metal Ladders <small>(05 51)</small>		
			Note: Includes factory prime.		
05 51 33 13			Vertical Metal Ladders <small>(05 51 33)</small>		
05 51 33 13-0001			Vertical Ladders <small>(05 51 33 13)</small>		
			Note: Climbing rungs are 3/4" corrugated steel round rungs on 12" centers. Stand-off brackets are 7"		
05 51 33 13-0002	VL		20" Wide Vertical Steel Ladder Primed	74.69	10.62
			<i>For Galvanized Steel, Add</i>	10.34	
			<i>For Aluminum, Add</i>	20.69	
05 51 33 13-0003	VL		24" Wide Vertical Steel Ladder Primed	85.17	10.62
			<i>For Galvanized Steel, Add</i>	12.96	
			<i>For Aluminum, Add</i>	25.93	
05 51 33 13-0004	VL		20" Wide Vertical Steel Caged Ladder Primed.....	176.60	17.70
			<i>For Galvanized Steel, Add</i>	30.05	
			<i>For Aluminum, Add</i>	60.09	
05 51 33 13-0005	VL		24" Wide Vertical Steel Caged Ladder Primed.....	197.56	17.70
			<i>For Galvanized Steel, Add</i>	35.29	
			<i>For Aluminum, Add</i>	70.57	
05 51 33 13-0006			Vertical Ladders Options <small>(05 51 33 13)</small>		
05 51 33 13-0007	EA		20" Wide Vertical Steel Ladder Walk-Thru Handrails, Primed.....	230.98	33.20
			Note: Extends 42" above landing surface. Includes mounting bracket.		
			<i>For Galvanized Steel, Add</i>	41.15	
			<i>For Aluminum, Add</i>	82.30	
05 51 33 13-0008	EA		24" Wide Vertical Steel Ladder Walk-Thru Handrails, Primed.....	252.35	35.40
			Note: Extends 42" above landing surface. Includes mounting bracket.		
			<i>For Galvanized Steel, Add</i>	45.39	
			<i>For Aluminum, Add</i>	90.77	
05 51 33 13-0009	EA		Security Cage Entry Gate With Lockable Hasp.....	324.70	11.06
05 51 33 13-0010	EA		6' Security Ladder Guard	717.34	66.38
05 51 33 13-0011	EA		8' Security Ladder Guard	856.87	77.45
05 51 33 13-0012	EA		Safety Chain Attachment	129.05	
05 51 33 13-0013			Welded Steel Ladder Cages <small>(05 51 33 13)</small>		
			Note: For existing fixed ladders up to 20" wide. Excludes the ladder.		
05 51 33 13-0014			Powder Coated, Welded Steel Ladder Cages <small>(05 51 33 13-0013)</small>		
05 51 33 13-0015	EA		7-1/2' Length, Powder Coated, Welded Steel Ladder Cage.....	1,329.86	132.77
05 51 33 13-0016	EA		8-1/2' Length, Powder Coated, Welded Steel Ladder Cage.....	1,440.84	137.20
05 51 33 13-0017	EA		9-1/2' Length, Powder Coated, Welded Steel Ladder Cage.....	1,529.64	141.62
05 51 33 13-0018	EA		10-1/2' Length, Powder Coated, Welded Steel Ladder Cage.....	1,624.33	146.05
05 51 33 13-0019	EA		11-1/2' Length, Powder Coated, Welded Steel Ladder Cage.....	1,680.56	150.47
05 51 33 13-0020	EA		12-1/2' Length, Powder Coated, Welded Steel Ladder Cage.....	1,770.82	154.90
05 51 33 13-0021	EA		13-1/2' Length, Powder Coated, Welded Steel Ladder Cage.....	1,850.73	159.32
05 51 33 13-0022	EA		14-1/2' Length, Powder Coated, Welded Steel Ladder Cage.....	1,954.32	163.75
05 51 33 13-0023	EA		15-1/2' Length, Powder Coated, Welded Steel Ladder Cage.....	2,054.94	168.17
05 51 33 13-0024	EA		16-1/2' Length, Powder Coated, Welded Steel Ladder Cage.....	2,137.82	172.60
05 51 33 13-0025	EA		17-1/2' Length, Powder Coated, Welded Steel Ladder Cage.....	2,238.43	177.03
05 51 33 13-0026	EA		18-1/2' Length, Powder Coated, Welded Steel Ladder Cage.....	2,336.11	181.45
05 51 33 13-0027	EA		19-1/2' Length, Powder Coated, Welded Steel Ladder Cage.....	2,432.30	185.88
05 51 33 13-0028	EA		20-1/2' Length, Powder Coated, Welded Steel Ladder Cage.....	2,605.46	190.31
05 51 33 13-0029	EA		21-1/2' Length, Powder Coated, Welded Steel Ladder Cage.....	2,658.71	194.73
05 51 33 13-0030	EA		22-1/2' Length, Powder Coated, Welded Steel Ladder Cage.....	2,748.98	199.15
05 51 33 13-0031	EA		23-1/2' Length, Powder Coated, Welded Steel Ladder Cage.....	2,831.84	203.58
05 51 33 13-0032	EA		24-1/2' Length, Powder Coated, Welded Steel Ladder Cage.....	2,908.78	208.01
05 51 33 13-0033	EA		25-1/2' Length, Powder Coated, Welded Steel Ladder Cage.....	3,077.50	212.43
05 51 33 13-0034	EA		26-1/2' Length, Powder Coated, Welded Steel Ladder Cage.....	3,169.26	216.86
05 51 33 13-0035	EA		27-1/2' Length, Powder Coated, Welded Steel Ladder Cage.....	3,255.08	221.29
05 51 33 13-0036			Stainless Steel, Welded Steel Ladder Cages <small>(05 51 33 13-0013)</small>		
05 51 33 13-0037	EA		7-1/2' Length, Stainless Steel, Welded Steel Ladder Cage.....	3,080.22	132.77
05 51 33 13-0038	EA		8-1/2' Length, Stainless Steel, Welded Steel Ladder Cage.....	3,288.29	137.20
05 51 33 13-0039	EA		9-1/2' Length, Stainless Steel, Welded Steel Ladder Cage.....	3,633.44	141.62
05 51 33 13-0040	EA		10-1/2' Length, Stainless Steel, Welded Steel Ladder Cage.....	3,804.77	146.05
05 51 33 13-0041	EA		11-1/2' Length, Stainless Steel, Welded Steel Ladder Cage.....	3,949.28	150.47
05 51 33 13-0042	EA		12-1/2' Length, Stainless Steel, Welded Steel Ladder Cage.....	4,140.39	154.90
05 51 33 13-0043	EA		13-1/2' Length, Stainless Steel, Welded Steel Ladder Cage.....	4,482.72	159.32
05 51 33 13-0044	EA		14-1/2' Length, Stainless Steel, Welded Steel Ladder Cage.....	4,656.89	163.75
05 51 33 13-0045	EA		15-1/2' Length, Stainless Steel, Welded Steel Ladder Cage.....	4,836.71	168.17
05 51 33 13-0046	EA		16-1/2' Length, Stainless Steel, Welded Steel Ladder Cage.....	5,033.49	172.60
05 51 33 13-0047	EA		17-1/2' Length, Stainless Steel, Welded Steel Ladder Cage.....	5,382.86	177.03



	MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
	05 51 33	13-0048	EA	18-1/2' Length, Stainless Steel, Welded Steel Ladder Cage.....	5,558.46	181.45
	05 51 33	13-0049	EA	19-1/2' Length, Stainless Steel, Welded Steel Ladder Cage.....	5,725.56	185.88
	05 51 33	13-0050	EA	20-1/2' Length, Stainless Steel, Welded Steel Ladder Cage.....	6,001.46	190.31
	05 51 33	13-0051	EA	21-1/2' Length, Stainless Steel, Welded Steel Ladder Cage.....	6,311.28	194.73
	05 51 33	13-0052	EA	22-1/2' Length, Stainless Steel, Welded Steel Ladder Cage.....	6,484.04	199.15
	05 51 33	13-0053	EA	23-1/2' Length, Stainless Steel, Welded Steel Ladder Cage.....	6,661.03	203.58
	05 51 33	13-0054	EA	24-1/2' Length, Stainless Steel, Welded Steel Ladder Cage.....	6,826.72	208.01
	05 51 33	13-0055	EA	25-1/2' Length, Stainless Steel, Welded Steel Ladder Cage.....	7,249.58	212.43
	05 51 33	13-0056	EA	26-1/2' Length, Stainless Steel, Welded Steel Ladder Cage.....	7,415.28	216.86
	05 51 33	13-0057	EA	27-1/2' Length, Stainless Steel, Welded Steel Ladder Cage.....	7,585.21	221.29

05 51 33 16 Inclined Metal Ladders (05 51 33)

05 51 33 16-0001 Industrial Ship Ladder, Incline Stairs (05 51 33 16)
 Note: Includes factory prime.

	05 51 33	16-0002	RSR	3' Wide Industrial Steel Ship Ladder With 2 Rails Each Side.....	231.94	44.26
				<i>For Aluminum, Add</i>	71.71	

05 51 33 23 Alternating Tread Ladders (05 51 33)

05 51 33 23-0001 Vertical Ladders With Alternating Tread (05 51 33 23)

	05 51 33	23-0002	EA	4' Vertical Height Aluminum Alternating Tread Ladder.....	1,356.00	132.77
				<i>For Stainless Steel, Add</i>	196.80	
				<i>For Primed Steel, Deduct</i>	-191.42	
	05 51 33	23-0003	EA	5' Vertical Height Aluminum Alternating Tread Ladder.....	1,540.55	140.74
				<i>For Stainless Steel, Add</i>	240.90	
				<i>For Primed Steel, Deduct</i>	-223.30	
	05 51 33	23-0004	EA	6' Vertical Height Aluminum Alternating Tread Ladder.....	1,691.75	140.74
				<i>For Stainless Steel, Add</i>	288.67	
				<i>For Primed Steel, Deduct</i>	-241.55	
	05 51 33	23-0005	EA	7' Vertical Height Aluminum Alternating Tread Ladder.....	1,949.63	176.85
				<i>For Stainless Steel, Add</i>	347.24	
				<i>For Primed Steel, Deduct</i>	-256.61	
	05 51 33	23-0006	EA	8' Vertical Height Aluminum Alternating Tread Ladder.....	2,127.49	183.12
				<i>For Stainless Steel, Add</i>	388.99	
				<i>For Primed Steel, Deduct</i>	-298.53	
	05 51 33	23-0007	EA	9' Vertical Height Aluminum Alternating Tread Ladder.....	2,261.10	183.12
				<i>For Stainless Steel, Add</i>	453.51	
				<i>For Primed Steel, Deduct</i>	-293.53	
	05 51 33	23-0008	EA	10' Vertical Height Aluminum Alternating Tread Ladder.....	2,486.81	204.26
				<i>For Stainless Steel, Add</i>	497.40	
				<i>For Primed Steel, Deduct</i>	-327.55	
	05 51 33	23-0009	EA	11' Vertical Height Aluminum Alternating Tread Ladder.....	2,636.50	204.26
				<i>For Stainless Steel, Add</i>	546.61	
				<i>For Primed Steel, Deduct</i>	-347.07	
	05 51 33	23-0010	EA	12' Vertical Height Aluminum Alternating Tread Ladder.....	2,752.97	204.26
				<i>For Stainless Steel, Add</i>	623.99	
				<i>For Primed Steel, Deduct</i>	-346.65	

05 52 Metal Railings (05 50)

05 52 13 Pipe And Tube Railings (05 52)

Note: Includes embedded steel sleeves, grouting, connection bolts (where necessary) and drilling of bolt (where necessary).

05 52 13 00-0001 Welded Steel Pipe Railing (05 52 13)
 Note: Includes field welds and touch-up of welds.

05 52 13 00-0002 One Rail, Up To 42" High, Welded Steel Pipe Railings (05 52 13 00-0001)
 Note: Includes factory primed posts and one rail.



MINOR
CSI UOM DESCRIPTION

TOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

05 52 13 00-0003	LF 1" Diameter, Schedule 40, One Rail, Up To 42" High, Welded Steel Pipe Railing.....	37.07	8.86
	For Schedule 80 Handrail, Add	3.05	
	For 11 Gauge A513 Steel Tubing, Deduct	-4.26	
	For 12 Gauge A513 Steel Tubing, Deduct	-4.84	
	For 14 Gauge A513 Steel Tubing, Deduct	-6.39	
	For 16 Gauge A513 Steel Tubing, Deduct	-7.55	
	For Additional Off Set Handrail, ADA Attachment, Add	12.03	
	For Aluminum, Satin Finish, Add	8.14	
	For Aluminum, Clear Anodized Finish, Add	12.59	
	For Aluminum, Dark Anodized Finish, Add	14.53	
	For Galvanizing, Add	7.75	
	For Wrought Iron, Add	3.71	
	For Solid Steel Rails, Add	7.41	
	For 304 Stainless Steel, Add	61.98	
	For 316 Stainless Steel, Add	69.73	
	For 2" Wheel Guard, Add	1.84	
	For 4" High Kick Plate, Add	2.42	
	For 6" High Kick Plate, Add	3.87	
	For Curved Rail, Add	16.93	
	For Mounting On Stairs, Add	4.59	
	For Mounting On Slopes, Add	1.77	
	For Post Base Flange With Screws, Add Per Post	19.27	
	For Embedded Stainless Steel Post Sleeves (Excludes Core Drilling), Add Per Post	29.16	
	For Custom Design Or Shapes (Square Tops, etc), Add	14.11	
	For Nylon Coating, Add	2.91	
05 52 13 00-0004	LF 1-1/4" Diameter, Schedule 40, One Rail, Up To 42" High, Welded Steel Pipe Railing.....	40.40	8.86
	For Schedule 80 Handrail, Add	4.48	
	For 11 Gauge A513 Steel Tubing, Deduct	-4.99	
	For 12 Gauge A513 Steel Tubing, Deduct	-5.68	
	For 14 Gauge A513 Steel Tubing, Deduct	-7.49	
	For 16 Gauge A513 Steel Tubing, Deduct	-8.85	
	For Additional Off Set Handrail, ADA Attachment, Add	12.03	
	For Aluminum, Satin Finish, Add	9.53	
	For Aluminum, Clear Anodized Finish, Add	14.76	
	For Aluminum, Dark Anodized Finish, Add	17.03	
	For Galvanizing, Add	9.08	
	For Wrought Iron, Add	4.04	
	For Solid Steel Rails, Add	8.08	
	For 304 Stainless Steel, Add	72.64	
	For 316 Stainless Steel, Add	81.72	
	For 2" Wheel Guard, Add	2.16	
	For 4" High Kick Plate, Add	2.84	
	For 6" High Kick Plate, Add	4.54	
	For Curved Rail, Add	18.93	
	For Mounting On Stairs, Add	4.93	
	For Mounting On Slopes, Add	1.77	
	For Post Base Flange With Screws, Add Per Post	19.27	
	For Embedded Stainless Steel Post Sleeves (Excludes Core Drilling), Add Per Post	29.16	
	For Custom Design Or Shapes (Square Tops, etc), Add	15.78	
	For Nylon Coating, Add	3.41	
05 52 13 00-0005	LF 1-1/2" Diameter, Schedule 40, One Rail, Up To 42" High, Welded Steel Pipe Railing.....	43.74	8.86
	For Schedule 80 Handrail, Add	4.48	
	For 11 Gauge A513 Steel Tubing, Deduct	-5.73	
	For 12 Gauge A513 Steel Tubing, Deduct	-6.51	
	For 14 Gauge A513 Steel Tubing, Deduct	-8.59	
	For 16 Gauge A513 Steel Tubing, Deduct	-10.16	
	For Additional Off Set Handrail, ADA Attachment, Add	12.03	
	For Aluminum, Satin Finish, Add	10.94	
	For Aluminum, Clear Anodized Finish, Add	16.93	
	For Aluminum, Dark Anodized Finish, Add	19.53	
	For Galvanizing, Add	10.42	
	For Wrought Iron, Add	4.37	
	For Solid Steel Rails, Add	8.75	
	For 304 Stainless Steel, Add	83.33	
	For 316 Stainless Steel, Add	93.74	
	For 2" Wheel Guard, Add	2.47	
	For 4" High Kick Plate, Add	3.26	
	For 6" High Kick Plate, Add	5.21	
	For Curved Rail, Add	20.93	
	For Mounting On Stairs, Add	5.26	
	For Mounting On Slopes, Add	1.77	
	For Post Base Flange With Screws, Add Per Post	19.27	
	For Embedded Stainless Steel Post Sleeves (Excludes Core Drilling), Add Per Post	29.16	
	For Custom Design Or Shapes (Square Tops, etc), Add	17.45	
	For Nylon Coating, Add	3.91	



Metals	05	05
Metal Fabrications	05 50	
Metal Railings	05 52	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 52 13 00-0006 LF 2" Diameter, Schedule 40, One Rail, Up To 42" High, Welded Steel Pipe Railing.....	49.53	8.86
For Schedule 80 Handrail, Add	5.06	
For 11 Gauge A513 Steel Tubing, Deduct	-7.00	
For 12 Gauge A513 Steel Tubing, Deduct	-7.96	
For 14 Gauge A513 Steel Tubing, Deduct	-10.50	
For 16 Gauge A513 Steel Tubing, Deduct	-12.41	
For Additional Off Set Handrail, ADA Attachment, Add	12.03	
For Aluminum, Satin Finish, Add	13.37	
For Aluminum, Clear Anodized Finish, Add	20.69	
For Aluminum, Dark Anodized Finish, Add	23.87	
For Galvanizing, Add	12.73	
For Wrought Iron, Add	4.95	
For Solid Steel Rails, Add	9.91	
For 304 Stainless Steel, Add	101.86	
For 316 Stainless Steel, Add	114.59	
For 2" Wheel Guard, Add	3.02	
For 4" High Kick Plate, Add	3.98	
For 6" High Kick Plate, Add	6.37	
For Curved Rail, Add	24.41	
For Mounting On Stairs, Add	5.84	
For Mounting On Slopes, Add	1.77	
For Post Base Flange With Screws, Add Per Post	19.27	
For Embedded Stainless Steel Post Sleeves (Excludes Core Drilling), Add Per Post	29.16	
For Custom Design Or Shapes (Square Tops, etc), Add	20.34	
For Nylon Coating, Add	4.77	
05 52 13 00-0007 LF 2-1/2" Diameter, Schedule 40, One Rail, Up To 42" High, Welded Steel Pipe Railing.....	56.46	8.86
For Schedule 80 Handrail, Add	5.64	
For 11 Gauge A513 Steel Tubing, Deduct	-8.53	
For 12 Gauge A513 Steel Tubing, Deduct	-9.69	
For 14 Gauge A513 Steel Tubing, Deduct	-12.79	
For 16 Gauge A513 Steel Tubing, Deduct	-15.12	
For Additional Off Set Handrail, ADA Attachment, Add	12.03	
For Aluminum, Satin Finish, Add	16.28	
For Aluminum, Clear Anodized Finish, Add	25.19	
For Aluminum, Dark Anodized Finish, Add	29.07	
For Galvanizing, Add	15.50	
For Wrought Iron, Add	5.65	
For Solid Steel Rails, Add	11.29	
For 304 Stainless Steel, Add	124.03	
For 316 Stainless Steel, Add	139.54	
For 2" Wheel Guard, Add	3.68	
For 4" High Kick Plate, Add	4.85	
For 6" High Kick Plate, Add	7.75	
For Curved Rail, Add	28.57	
For Mounting On Stairs, Add	6.53	
For Mounting On Slopes, Add	1.77	
For Post Base Flange With Screws, Add Per Post	19.27	
For Embedded Stainless Steel Post Sleeves (Excludes Core Drilling), Add Per Post	29.16	
For Custom Design Or Shapes (Square Tops, etc), Add	23.81	
For Nylon Coating, Add	5.81	
05 52 13 00-0008 Two Rail, Up To 42" High, Welded Steel Pipe Railings (05 52 13 00-0001)		
Note: Includes factory primed posts and two rails.		
05 52 13 00-0009 LF 1" Diameter, Schedule 40, Two Rail, Up To 42" High, Welded Steel Pipe Railing.....	41.91	8.86
For Schedule 80 Handrail, Add	3.05	
For 11 Gauge A513 Steel Tubing, Deduct	-5.33	
For 12 Gauge A513 Steel Tubing, Deduct	-6.05	
For 14 Gauge A513 Steel Tubing, Deduct	-7.99	
For 16 Gauge A513 Steel Tubing, Deduct	-9.44	
For Additional Off Set Handrail, ADA Attachment, Add	12.03	
For Aluminum, Satin Finish, Add	10.17	
For Aluminum, Clear Anodized Finish, Add	15.74	
For Aluminum, Dark Anodized Finish, Add	18.16	
For Galvanizing, Add	9.68	
For Wrought Iron, Add	4.19	
For Solid Steel Rails, Add	8.38	
For 304 Stainless Steel, Add	77.47	
For 316 Stainless Steel, Add	87.16	
For 2" Wheel Guard, Add	2.30	
For 4" High Kick Plate, Add	3.03	
For 6" High Kick Plate, Add	4.84	
For Curved Rail, Add	19.84	
For Mounting On Stairs, Add	5.08	
For Mounting On Slopes, Add	1.77	
For Post Base Flange With Screws, Add Per Post	19.27	
For Embedded Stainless Steel Post Sleeves (Excludes Core Drilling), Add Per Post	29.16	
For Custom Design Or Shapes (Square Tops, etc), Add	16.53	
For Nylon Coating, Add	3.63	

05	05 Metals
	05 50 Metal Fabrications
	05 52 Metal Railings



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 52 13 00-0010 LF 1-1/4" Diameter, Schedule 40, Two Rail, Up To 42" High, Welded Steel Pipe Railing.....	46.08	8.86
For Schedule 80 Handrail, Add	4.48	
For 11 Gauge A513 Steel Tubing, Deduct	-6.24	
For 12 Gauge A513 Steel Tubing, Deduct	-7.10	
For 14 Gauge A513 Steel Tubing, Deduct	-9.37	
For 16 Gauge A513 Steel Tubing, Deduct	-11.07	
For Additional Off Set Handrail, ADA Attachment, Add	12.03	
For Aluminum, Satin Finish, Add	11.92	
For Aluminum, Clear Anodized Finish, Add	18.45	
For Aluminum, Dark Anodized Finish, Add	21.29	
For Galvanizing, Add	11.35	
For Wrought Iron, Add	4.61	
For Solid Steel Rails, Add	9.22	
For 304 Stainless Steel, Add	90.82	
For 316 Stainless Steel, Add	102.17	
For 2" Wheel Guard, Add	2.70	
For 4" High Kick Plate, Add	3.55	
For 6" High Kick Plate, Add	5.68	
For Curved Rail, Add	22.34	
For Mounting On Stairs, Add	5.49	
For Mounting On Slopes, Add	1.77	
For Post Base Flange With Screws, Add Per Post	19.27	
For Embedded Stainless Steel Post Sleeves (Excludes Core Drilling), Add Per Post	29.16	
For Custom Design Or Shapes (Square Tops, etc), Add	18.62	
For Nylon Coating, Add	4.26	
05 52 13 00-0011 LF 1-1/2" Diameter, Schedule 40, Two Rail, Up To 42" High, Welded Steel Pipe Railing.....	50.25	8.86
For Schedule 80 Handrail, Add	4.48	
For 11 Gauge A513 Steel Tubing, Deduct	-7.16	
For 12 Gauge A513 Steel Tubing, Deduct	-8.14	
For 14 Gauge A513 Steel Tubing, Deduct	-10.74	
For 16 Gauge A513 Steel Tubing, Deduct	-12.69	
For Additional Off Set Handrail, ADA Attachment, Add	12.03	
For Aluminum, Satin Finish, Add	13.67	
For Aluminum, Clear Anodized Finish, Add	21.16	
For Aluminum, Dark Anodized Finish, Add	24.41	
For Galvanizing, Add	13.02	
For Wrought Iron, Add	5.03	
For Solid Steel Rails, Add	10.05	
For 304 Stainless Steel, Add	104.16	
For 316 Stainless Steel, Add	117.18	
For 2" Wheel Guard, Add	3.09	
For 4" High Kick Plate, Add	4.07	
For 6" High Kick Plate, Add	6.51	
For Curved Rail, Add	24.84	
For Mounting On Stairs, Add	5.91	
For Mounting On Slopes, Add	1.77	
For Post Base Flange With Screws, Add Per Post	19.27	
For Embedded Stainless Steel Post Sleeves (Excludes Core Drilling), Add Per Post	29.16	
For Custom Design Or Shapes (Square Tops, etc), Add	20.70	
For Nylon Coating, Add	4.88	
05 52 13 00-0012 LF 2" Diameter, Schedule 40, Two Rail, Up To 42" High, Welded Steel Pipe Railing.....	57.48	8.86
For Schedule 80 Handrail, Add	5.06	
For 11 Gauge A513 Steel Tubing, Deduct	-8.75	
For 12 Gauge A513 Steel Tubing, Deduct	-9.95	
For 14 Gauge A513 Steel Tubing, Deduct	-13.13	
For 16 Gauge A513 Steel Tubing, Deduct	-15.51	
For Additional Off Set Handrail, ADA Attachment, Add	12.03	
For Aluminum, Satin Finish, Add	16.71	
For Aluminum, Clear Anodized Finish, Add	25.86	
For Aluminum, Dark Anodized Finish, Add	29.84	
For Galvanizing, Add	15.91	
For Wrought Iron, Add	5.75	
For Solid Steel Rails, Add	11.50	
For 304 Stainless Steel, Add	127.30	
For 316 Stainless Steel, Add	143.21	
For 2" Wheel Guard, Add	3.78	
For 4" High Kick Plate, Add	4.97	
For 6" High Kick Plate, Add	7.96	
For Curved Rail, Add	29.18	
For Mounting On Stairs, Add	6.63	
For Mounting On Slopes, Add	1.77	
For Post Base Flange With Screws, Add Per Post	19.27	
For Embedded Stainless Steel Post Sleeves (Excludes Core Drilling), Add Per Post	29.16	
For Custom Design Or Shapes (Square Tops, etc), Add	24.32	
For Nylon Coating, Add	5.97	




Metals	05	05
Metal Fabrications	05 50	
Metal Railings	05 52	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 52 13 00-0013 LF 2-1/2" Diameter, Schedule 40, Two Rail, Up To 42" High, Welded Steel Pipe Railing.....	66.15	8.86
For Schedule 80 Handrail, Add	5.64	
For 11 Gauge A513 Steel Tubing, Deduct	-10.66	
For 12 Gauge A513 Steel Tubing, Deduct	-12.11	
For 14 Gauge A513 Steel Tubing, Deduct	-15.99	
For 16 Gauge A513 Steel Tubing, Deduct	-18.90	
For Additional Off Set Handrail, ADA Attachment, Add	12.03	
For Aluminum, Satin Finish, Add	20.35	
For Aluminum, Clear Anodized Finish, Add	31.49	
For Aluminum, Dark Anodized Finish, Add	36.34	
For Galvanizing, Add	19.38	
For Wrought Iron, Add	6.62	
For Solid Steel Rails, Add	13.23	
For 304 Stainless Steel, Add	155.04	
For 316 Stainless Steel, Add	174.42	
For 2" Wheel Guard, Add	4.60	
For 4" High Kick Plate, Add	6.06	
For 6" High Kick Plate, Add	9.69	
For Curved Rail, Add	34.38	
For Mounting On Stairs, Add	7.50	
For Mounting On Slopes, Add	1.77	
For Post Base Flange With Screws, Add Per Post	19.27	
For Embedded Stainless Steel Post Sleeves (Excludes Core Drilling), Add Per Post	29.16	
For Custom Design Or Shapes (Square Tops, etc), Add	28.65	
For Nylon Coating, Add	7.27	
05 52 13 00-0014 Three Rail, Up To 42" High, Welded Steel Pipe Railings (05 52 13 00-0001)		
Note: Includes factory primed posts and three rails.		
05 52 13 00-0015 LF 1" Diameter, Schedule 40, Three Rail, Up To 42" High, Welded Steel Pipe Railing	55.85	10.62
For Schedule 80 Handrail, Add	4.53	
For 11 Gauge A513 Steel Tubing, Deduct	-7.61	
For 12 Gauge A513 Steel Tubing, Deduct	-8.65	
For 14 Gauge A513 Steel Tubing, Deduct	-11.42	
For 16 Gauge A513 Steel Tubing, Deduct	-13.49	
For Additional Off Set Handrail, ADA Attachment, Add	12.74	
For Aluminum, Satin Finish, Add	14.53	
For Aluminum, Clear Anodized Finish, Add	22.49	
For Aluminum, Dark Anodized Finish, Add	25.95	
For Galvanizing, Add	13.84	
For Wrought Iron, Add	5.59	
For Solid Steel Rails, Add	11.17	
For 304 Stainless Steel, Add	110.72	
For 316 Stainless Steel, Add	124.56	
For 2" Wheel Guard, Add	3.29	
For 4" High Kick Plate, Add	4.33	
For 6" High Kick Plate, Add	6.92	
For Curved Rail, Add	27.14	
For Mounting On Stairs, Add	6.65	
For Mounting On Slopes, Add	2.13	
For Post Base Flange With Screws, Add Per Post	19.63	
For Embedded Stainless Steel Post Sleeves (Excludes Core Drilling), Add Per Post	29.69	
For Custom Design Or Shapes (Square Tops, etc), Add	22.61	
For Nylon Coating, Add	5.19	
05 52 13 00-0016 LF 1-1/4" Diameter, Schedule 40, Three Rail, Up To 42" High, Welded Steel Pipe Railing	61.81	10.62
For Schedule 80 Handrail, Add	6.43	
For 11 Gauge A513 Steel Tubing, Deduct	-8.92	
For 12 Gauge A513 Steel Tubing, Deduct	-10.14	
For 14 Gauge A513 Steel Tubing, Deduct	-13.38	
For 16 Gauge A513 Steel Tubing, Deduct	-15.82	
For Additional Off Set Handrail, ADA Attachment, Add	12.74	
For Aluminum, Satin Finish, Add	17.04	
For Aluminum, Clear Anodized Finish, Add	26.36	
For Aluminum, Dark Anodized Finish, Add	30.42	
For Galvanizing, Add	16.22	
For Wrought Iron, Add	6.18	
For Solid Steel Rails, Add	12.36	
For 304 Stainless Steel, Add	129.79	
For 316 Stainless Steel, Add	146.02	
For 2" Wheel Guard, Add	3.85	
For 4" High Kick Plate, Add	5.07	
For 6" High Kick Plate, Add	8.11	
For Curved Rail, Add	30.71	
For Mounting On Stairs, Add	7.24	
For Mounting On Slopes, Add	2.13	
For Post Base Flange With Screws, Add Per Post	19.63	
For Embedded Stainless Steel Post Sleeves (Excludes Core Drilling), Add Per Post	29.69	
For Custom Design Or Shapes (Square Tops, etc), Add	25.59	
For Nylon Coating, Add	6.08	

05	05 Metals
	05 50 Metal Fabrications
	05 52 Metal Railings



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 52 13 00-0017 LF 1-1/2" Diameter, Schedule 40, Three Rail, Up To 42" High, Welded Steel Pipe Railing	67.77	10.62
For Schedule 80 Handrail, Add	6.43	
For 11 Gauge A513 Steel Tubing, Deduct	-10.23	
For 12 Gauge A513 Steel Tubing, Deduct	-11.63	
For 14 Gauge A513 Steel Tubing, Deduct	-15.35	
For 16 Gauge A513 Steel Tubing, Deduct	-18.14	
For Additional Off Set Handrail, ADA Attachment, Add	12.74	
For Aluminum, Satin Finish, Add	19.54	
For Aluminum, Clear Anodized Finish, Add	30.24	
For Aluminum, Dark Anodized Finish, Add	34.89	
For Galvanizing, Add	18.61	
For Wrought Iron, Add	6.78	
For Solid Steel Rails, Add	13.55	
For 304 Stainless Steel, Add	148.86	
For 316 Stainless Steel, Add	167.47	
For 2" Wheel Guard, Add	4.42	
For 4" High Kick Plate, Add	5.82	
For 6" High Kick Plate, Add	9.30	
For Curved Rail, Add	34.29	
For Mounting On Stairs, Add	7.84	
For Mounting On Slopes, Add	2.13	
For Post Base Flange With Screws, Add Per Post	19.63	
For Embedded Stainless Steel Post Sleeves (Excludes Core Drilling), Add Per Post	29.69	
For Custom Design Or Shapes (Square Tops, etc), Add	28.57	
For Nylon Coating, Add	6.98	
05 52 13 00-0018 LF 2" Diameter, Schedule 40, Three Rail, Up To 42" High, Welded Steel Pipe Railing	78.13	10.62
For Schedule 80 Handrail, Add	7.20	
For 11 Gauge A513 Steel Tubing, Deduct	-12.51	
For 12 Gauge A513 Steel Tubing, Deduct	-14.22	
For 14 Gauge A513 Steel Tubing, Deduct	-18.77	
For 16 Gauge A513 Steel Tubing, Deduct	-22.18	
For Additional Off Set Handrail, ADA Attachment, Add	12.74	
For Aluminum, Satin Finish, Add	23.89	
For Aluminum, Clear Anodized Finish, Add	36.97	
For Aluminum, Dark Anodized Finish, Add	42.66	
For Galvanizing, Add	22.75	
For Wrought Iron, Add	7.81	
For Solid Steel Rails, Add	15.63	
For 304 Stainless Steel, Add	182.02	
For 316 Stainless Steel, Add	204.77	
For 2" Wheel Guard, Add	5.40	
For 4" High Kick Plate, Add	7.11	
For 6" High Kick Plate, Add	11.38	
For Curved Rail, Add	40.50	
For Mounting On Stairs, Add	8.88	
For Mounting On Slopes, Add	2.13	
For Post Base Flange With Screws, Add Per Post	19.63	
For Embedded Stainless Steel Post Sleeves (Excludes Core Drilling), Add Per Post	29.69	
For Custom Design Or Shapes (Square Tops, etc), Add	33.75	
For Nylon Coating, Add	8.53	
05 52 13 00-0019 LF 2-1/2" Diameter, Schedule 40, Three Rail, Up To 42" High, Welded Steel Pipe Railing	90.46	10.62
For Schedule 80 Handrail, Add	7.97	
For 11 Gauge A513 Steel Tubing, Deduct	-15.23	
For 12 Gauge A513 Steel Tubing, Deduct	-17.30	
For 14 Gauge A513 Steel Tubing, Deduct	-22.84	
For 16 Gauge A513 Steel Tubing, Deduct	-26.99	
For Additional Off Set Handrail, ADA Attachment, Add	12.74	
For Aluminum, Satin Finish, Add	29.07	
For Aluminum, Clear Anodized Finish, Add	44.99	
For Aluminum, Dark Anodized Finish, Add	51.91	
For Galvanizing, Add	27.68	
For Wrought Iron, Add	9.05	
For Solid Steel Rails, Add	18.09	
For 304 Stainless Steel, Add	221.47	
For 316 Stainless Steel, Add	249.16	
For 2" Wheel Guard, Add	6.57	
For 4" High Kick Plate, Add	8.65	
For 6" High Kick Plate, Add	13.84	
For Curved Rail, Add	47.90	
For Mounting On Stairs, Add	10.11	
For Mounting On Slopes, Add	2.13	
For Post Base Flange With Screws, Add Per Post	19.63	
For Embedded Stainless Steel Post Sleeves (Excludes Core Drilling), Add Per Post	29.69	
For Custom Design Or Shapes (Square Tops, etc), Add	39.92	
For Nylon Coating, Add	10.38	



05 52 13 00-0020 Four Rail, Up To 42" High, Welded Steel Pipe Railings (05 52 13 00-0001)
 Note: Includes factory primed posts and four rails.



Metals	05	05
Metal Fabrications	05 50	
Metal Railings	05 52	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 52 13 00-0021 LF 1" Diameter, Schedule 40, Four Rail, Up To 42" High, Welded Steel Pipe Railing	67.25	12.39
For Schedule 80 Handrail, Add	6.23	
For 11 Gauge A513 Steel Tubing, Deduct	-9.34	
For 12 Gauge A513 Steel Tubing, Deduct	-10.62	
For 14 Gauge A513 Steel Tubing, Deduct	-14.02	
For 16 Gauge A513 Steel Tubing, Deduct	-16.56	
For Additional Off Set Handrail, ADA Attachment, Add	13.45	
For Aluminum, Satin Finish, Add	17.84	
For Aluminum, Clear Anodized Finish, Add	27.61	
For Aluminum, Dark Anodized Finish, Add	31.85	
For Galvanizing, Add	16.99	
For Wrought Iron, Add	6.73	
For Solid Steel Rails, Add	13.45	
For 304 Stainless Steel, Add	135.90	
For 316 Stainless Steel, Add	152.89	
For 2" Wheel Guard, Add	4.03	
For 4" High Kick Plate, Add	5.31	
For 6" High Kick Plate, Add	8.49	
For Curved Rail, Add	32.92	
For Mounting On Stairs, Add	7.96	
For Mounting On Slopes, Add	2.48	
For Post Base Flange With Screws, Add Per Post	19.98	
For Embedded Stainless Steel Post Sleeves (Excludes Core Drilling), Add Per Post	30.22	
For Custom Design Or Shapes (Square Tops, etc), Add	27.43	
For Nylon Coating, Add	6.37	
05 52 13 00-0022 LF 1-1/4" Diameter, Schedule 40, Four Rail, Up To 42" High, Welded Steel Pipe Railing	72.54	12.39
For Schedule 80 Handrail, Add	8.60	
For 11 Gauge A513 Steel Tubing, Deduct	-10.51	
For 12 Gauge A513 Steel Tubing, Deduct	-11.94	
For 14 Gauge A513 Steel Tubing, Deduct	-15.76	
For 16 Gauge A513 Steel Tubing, Deduct	-18.63	
For Additional Off Set Handrail, ADA Attachment, Add	13.45	
For Aluminum, Satin Finish, Add	20.06	
For Aluminum, Clear Anodized Finish, Add	31.04	
For Aluminum, Dark Anodized Finish, Add	35.82	
For Galvanizing, Add	19.10	
For Wrought Iron, Add	7.25	
For Solid Steel Rails, Add	14.51	
For 304 Stainless Steel, Add	152.83	
For 316 Stainless Steel, Add	171.94	
For 2" Wheel Guard, Add	4.54	
For 4" High Kick Plate, Add	5.97	
For 6" High Kick Plate, Add	9.55	
For Curved Rail, Add	36.09	
For Mounting On Stairs, Add	8.49	
For Mounting On Slopes, Add	2.48	
For Post Base Flange With Screws, Add Per Post	19.98	
For Embedded Stainless Steel Post Sleeves (Excludes Core Drilling), Add Per Post	30.22	
For Custom Design Or Shapes (Square Tops, etc), Add	30.08	
For Nylon Coating, Add	7.16	
05 52 13 00-0023 LF 1-1/2" Diameter, Schedule 40, Four Rail, Up To 42" High, Welded Steel Pipe Railing	77.83	12.39
For Schedule 80 Handrail, Add	8.60	
For 11 Gauge A513 Steel Tubing, Deduct	-11.67	
For 12 Gauge A513 Steel Tubing, Deduct	-13.26	
For 14 Gauge A513 Steel Tubing, Deduct	-17.51	
For 16 Gauge A513 Steel Tubing, Deduct	-20.69	
For Additional Off Set Handrail, ADA Attachment, Add	13.45	
For Aluminum, Satin Finish, Add	22.28	
For Aluminum, Clear Anodized Finish, Add	34.48	
For Aluminum, Dark Anodized Finish, Add	39.79	
For Galvanizing, Add	21.22	
For Wrought Iron, Add	7.78	
For Solid Steel Rails, Add	15.57	
For 304 Stainless Steel, Add	169.76	
For 316 Stainless Steel, Add	190.98	
For 2" Wheel Guard, Add	5.04	
For 4" High Kick Plate, Add	6.63	
For 6" High Kick Plate, Add	10.61	
For Curved Rail, Add	39.26	
For Mounting On Stairs, Add	9.02	
For Mounting On Slopes, Add	2.48	
For Post Base Flange With Screws, Add Per Post	19.98	
For Embedded Stainless Steel Post Sleeves (Excludes Core Drilling), Add Per Post	30.22	
For Custom Design Or Shapes (Square Tops, etc), Add	32.72	
For Nylon Coating, Add	7.96	

05	05 Metals
	05 50 Metal Fabrications
	05 52 Metal Railings



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 52 13 00-0024 LF 2" Diameter, Schedule 40, Four Rail, Up To 42" High, Welded Steel Pipe Railing	89.62	12.39
For Schedule 80 Handrail, Add	9.57	
For 11 Gauge A513 Steel Tubing, Deduct	-14.26	
For 12 Gauge A513 Steel Tubing, Deduct	-16.21	
For 14 Gauge A513 Steel Tubing, Deduct	-21.40	
For 16 Gauge A513 Steel Tubing, Deduct	-25.29	
For Additional Off Set Handrail, ADA Attachment, Add	13.45	
For Aluminum, Satin Finish, Add	27.23	
For Aluminum, Clear Anodized Finish, Add	42.15	
For Aluminum, Dark Anodized Finish, Add	48.63	
For Galvanizing, Add	25.94	
For Wrought Iron, Add	8.96	
For Solid Steel Rails, Add	17.92	
For 304 Stainless Steel, Add	207.49	
For 316 Stainless Steel, Add	233.42	
For 2" Wheel Guard, Add	6.16	
For 4" High Kick Plate, Add	8.11	
For 6" High Kick Plate, Add	12.97	
For Curved Rail, Add	46.34	
For Mounting On Stairs, Add	10.20	
For Mounting On Slopes, Add	2.48	
For Post Base Flange With Screws, Add Per Post	19.98	
For Embedded Stainless Steel Post Sleeves (Excludes Core Drilling), Add Per Post	30.22	
For Custom Design Or Shapes (Square Tops, etc), Add	38.62	
For Nylon Coating, Add	9.73	
05 52 13 00-0025 LF 2-1/2" Diameter, Schedule 40, Four Rail, Up To 42" High, Welded Steel Pipe Railing	103.43	12.39
For Schedule 80 Handrail, Add	10.54	
For 11 Gauge A513 Steel Tubing, Deduct	-17.30	
For 12 Gauge A513 Steel Tubing, Deduct	-19.66	
For 14 Gauge A513 Steel Tubing, Deduct	-25.95	
For 16 Gauge A513 Steel Tubing, Deduct	-30.67	
For Additional Off Set Handrail, ADA Attachment, Add	13.45	
For Aluminum, Satin Finish, Add	33.03	
For Aluminum, Clear Anodized Finish, Add	51.12	
For Aluminum, Dark Anodized Finish, Add	58.99	
For Galvanizing, Add	31.46	
For Wrought Iron, Add	10.34	
For Solid Steel Rails, Add	20.69	
For 304 Stainless Steel, Add	251.68	
For 316 Stainless Steel, Add	283.14	
For 2" Wheel Guard, Add	7.47	
For 4" High Kick Plate, Add	9.83	
For 6" High Kick Plate, Add	15.73	
For Curved Rail, Add	54.62	
For Mounting On Stairs, Add	11.58	
For Mounting On Slopes, Add	2.48	
For Post Base Flange With Screws, Add Per Post	19.98	
For Embedded Stainless Steel Post Sleeves (Excludes Core Drilling), Add Per Post	30.22	
For Custom Design Or Shapes (Square Tops, etc), Add	45.52	
For Nylon Coating, Add	11.80	
05 52 13 00-0026 Railing Infill Panels (05 52 13)		
Note: Includes field welds and touch-up of welds.		
05 52 13 00-0027 Wire Mesh Or Welded Wire Mesh, Railing Infill Panels (05 52 13 00-0026)		
Note: Square weave or square welded wire mesh.		
05 52 13 00-0028 SF Powder Coated Steel, Wire Mesh Or Welded Wire Mesh, Railing Infill Panel.....	8.58	
05 52 13 00-0029 SF Galvanized Steel, Wire Mesh Or Welded Wire Mesh, Railing Infill Panel	9.11	
05 52 13 00-0030 SF Aluminum, Wire Mesh Or Welded Wire Mesh, Railing Infill Panel.....	9.58	
05 52 13 00-0031 SF Stainless Steel, Wire Mesh Or Welded Wire Mesh, Railing Infill Panel.....	16.20	
05 52 13 00-0032 Perforated Metal, Railing Infill Panels (05 52 13 00-0026)		
05 52 13 00-0033 SF Powder Coated Steel, Perforated Metal, Railing Infill Panel	8.42	
05 52 13 00-0034 SF Galvanized Steel, Perforated Metal, Railing Infill Panel	8.70	
05 52 13 00-0035 SF Aluminum, Perforated Metal, Railing Infill Panel	9.32	
05 52 13 00-0036 SF Stainless Steel, Perforated Metal, Railing Infill Panel.....	18.70	
05 52 13 00-0037 Expanded Metal, Railing Infill Panels (05 52 13 00-0026)		
05 52 13 00-0038 SF Powder Coated Steel, Expanded Metal, Railing Infill Panel.....	3.80	
05 52 13 00-0039 SF Galvanized Steel, Expanded Metal, Railing Infill Panel.....	7.76	
05 52 13 00-0040 SF Aluminum, Expanded Metal, Railing Infill Panel.....	10.19	
05 52 13 00-0041 SF Stainless Steel, Expanded Metal, Railing Infill Panel.....	15.19	
05 52 13 00-0042 Wall Bracket Mounted, Up To 42" High, Welded Steel Pipe Railings (05 52 13)		
Note: Includes factory primed, fasteners and field touch-up of welds.		



	Metals	05
	Metal Fabrications	05 50
	Metal Railings	05 52

05

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 52 13 00-0043 LF 1" Diameter, Schedule 40, Wall Bracket Mounted, Up To 42" High, Welded Steel Pipe Railing.....	31.81	5.31
<i>For Schedule 80 Handrail, Add</i>	1.83	
<i>For 11 Gauge A513 Steel Tubing, Deduct</i>	-4.08	
<i>For 12 Gauge A513 Steel Tubing, Deduct</i>	-4.63	
<i>For 14 Gauge A513 Steel Tubing, Deduct</i>	-6.11	
<i>For 16 Gauge A513 Steel Tubing, Deduct</i>	-7.23	
<i>For Stainless Steel, Add</i>	37.06	
<i>For Aluminum, Satin Finish, Add</i>	7.78	
<i>For Curved Rail, Add</i>	9.54	
<i>For Aluminum, Clear Anodized Finish, Add</i>	12.04	
<i>For Aluminum, Dark Anodized Finish, Add</i>	13.90	
<i>For Galvanized Finish, Add</i>	5.56	
05 52 13 00-0044 LF 1-1/4" Diameter, Schedule 40, Wall Bracket Mounted, Up To 42" High, Welded Steel Pipe Railing.....	32.41	5.31
<i>For Schedule 80 Handrail, Add</i>	2.07	
<i>For 11 Gauge A513 Steel Tubing, Deduct</i>	-4.21	
<i>For 12 Gauge A513 Steel Tubing, Deduct</i>	-4.78	
<i>For 14 Gauge A513 Steel Tubing, Deduct</i>	-6.31	
<i>For 16 Gauge A513 Steel Tubing, Deduct</i>	-7.46	
<i>For Stainless Steel, Add</i>	38.26	
<i>For Aluminum, Satin Finish, Add</i>	8.03	
<i>For Curved Rail, Add</i>	9.72	
<i>For Aluminum, Clear Anodized Finish, Add</i>	12.43	
<i>For Aluminum, Dark Anodized Finish, Add</i>	14.35	
<i>For Galvanized Finish, Add</i>	5.74	
05 52 13 00-0045 LF 1-1/2" Diameter, Schedule 40, Wall Bracket Mounted, Up To 42" High, Welded Steel Pipe Railing.....	33.01	5.31
<i>For Schedule 80 Handrail, Add</i>	5.24	
<i>For 11 Gauge A513 Steel Tubing, Deduct</i>	-4.34	
<i>For 12 Gauge A513 Steel Tubing, Deduct</i>	-4.93	
<i>For 14 Gauge A513 Steel Tubing, Deduct</i>	-6.51	
<i>For 16 Gauge A513 Steel Tubing, Deduct</i>	-7.69	
<i>For Stainless Steel, Add</i>	39.46	
<i>For Aluminum, Satin Finish, Add</i>	8.29	
<i>For Curved Rail, Add</i>	9.90	
<i>For Aluminum, Clear Anodized Finish, Add</i>	12.82	
<i>For Aluminum, Dark Anodized Finish, Add</i>	14.80	
<i>For Galvanized Finish, Add</i>	5.92	
05 52 13 00-0046 LF 2" Diameter, Schedule 40, Wall Bracket Mounted, Up To 42" High, Welded Steel Pipe Railing.....	39.88	5.31
<i>For Schedule 80 Handrail, Add</i>	2.50	
<i>For 11 Gauge A513 Steel Tubing, Deduct</i>	-5.85	
<i>For 12 Gauge A513 Steel Tubing, Deduct</i>	-6.65	
<i>For 14 Gauge A513 Steel Tubing, Deduct</i>	-8.78	
<i>For 16 Gauge A513 Steel Tubing, Deduct</i>	-10.37	
<i>For Stainless Steel, Add</i>	53.20	
<i>For Aluminum, Satin Finish, Add</i>	11.17	
<i>For Curved Rail, Add</i>	11.96	
<i>For Aluminum, Clear Anodized Finish, Add</i>	17.29	
<i>For Aluminum, Dark Anodized Finish, Add</i>	19.95	
<i>For Galvanized Finish, Add</i>	7.98	
05 52 13 00-0047 LF 2-1/2" Diameter, Schedule 40, Wall Bracket Mounted, Up To 42" High, Welded Steel Pipe Railing.....	45.56	5.31
<i>For Schedule 80 Handrail, Add</i>	2.69	
<i>For 11 Gauge A513 Steel Tubing, Deduct</i>	-7.10	
<i>For 12 Gauge A513 Steel Tubing, Deduct</i>	-8.07	
<i>For 14 Gauge A513 Steel Tubing, Deduct</i>	-10.65	
<i>For 16 Gauge A513 Steel Tubing, Deduct</i>	-12.59	
<i>For Stainless Steel, Add</i>	64.56	
<i>For Aluminum, Satin Finish, Add</i>	13.56	
<i>For Curved Rail, Add</i>	13.67	
<i>For Aluminum, Clear Anodized Finish, Add</i>	20.98	
<i>For Aluminum, Dark Anodized Finish, Add</i>	24.21	
<i>For Galvanized Finish, Add</i>	9.68	
05 52 13 00-0048 Custom Shapes, Wall Bracket Mounted, Up To 42" High, Welded Steel Pipe Railings <small>(05 52 13)</small>		
Note: Includes factory primed, fasteners and field touch-up of welds.		
05 52 13 00-0049 LF 1" Diameter, Custom Shapes, Wall Bracket Mounted, Up To 42" High, Welded Steel Pipe Railing	38.84	5.58
<i>For Schedule 80 Handrail, Add</i>	1.83	
<i>For 11 Gauge A513 Steel Tubing, Deduct</i>	-5.62	
<i>For 12 Gauge A513 Steel Tubing, Deduct</i>	-6.39	
<i>For 14 Gauge A513 Steel Tubing, Deduct</i>	-8.43	
<i>For 16 Gauge A513 Steel Tubing, Deduct</i>	-9.97	
<i>For Stainless Steel, Add</i>	51.12	
<i>For Aluminum, Satin Finish, Add</i>	10.74	
<i>For Curved Rail, Add</i>	11.65	
<i>For Aluminum, Clear Anodized Finish, Add</i>	16.61	
<i>For Aluminum, Dark Anodized Finish, Add</i>	19.17	
<i>For Galvanized Finish, Add</i>	7.67	

05	05 Metals
	05 50 Metal Fabrications
	05 52 Metal Railings



MINOR		TOTAL DIRECT	DEMOLITION
CSI	UOM DESCRIPTION	UNIT COST	UNIT COST
05 52 13 00-0050	LF 1-1/4" Diameter, Custom Shapes, Wall Bracket Mounted, Up To 42" High, Welded Steel Pipe Railing	39.67	5.58
	<i>For Schedule 80 Handrail, Add</i>	2.07	
	<i>For 11 Gauge A513 Steel Tubing, Deduct</i>	-5.81	
	<i>For 12 Gauge A513 Steel Tubing, Deduct</i>	-6.60	
	<i>For 14 Gauge A513 Steel Tubing, Deduct</i>	-8.71	
	<i>For 16 Gauge A513 Steel Tubing, Deduct</i>	-10.29	
	<i>For Stainless Steel, Add</i>	52.78	
	<i>For Aluminum, Satin Finish, Add</i>	11.08	
	<i>For Curved Rail, Add</i>	11.90	
	<i>For Aluminum, Clear Anodized Finish, Add</i>	17.15	
	<i>For Aluminum, Dark Anodized Finish, Add</i>	19.79	
	<i>For Galvanized Finish, Add</i>	7.92	
05 52 13 00-0051	LF 1-1/2" Diameter, Custom Shapes, Wall Bracket Mounted, Up To 42" High, Welded Steel Pipe Railing	40.30	5.58
	<i>For Schedule 80 Handrail, Add</i>	5.24	
	<i>For 11 Gauge A513 Steel Tubing, Deduct</i>	-5.94	
	<i>For 12 Gauge A513 Steel Tubing, Deduct</i>	-6.76	
	<i>For 14 Gauge A513 Steel Tubing, Deduct</i>	-8.92	
	<i>For 16 Gauge A513 Steel Tubing, Deduct</i>	-10.54	
	<i>For Stainless Steel, Add</i>	54.04	
	<i>For Aluminum, Satin Finish, Add</i>	11.35	
	<i>For Curved Rail, Add</i>	12.09	
	<i>For Aluminum, Clear Anodized Finish, Add</i>	17.56	
	<i>For Aluminum, Dark Anodized Finish, Add</i>	20.27	
	<i>For Galvanized Finish, Add</i>	8.11	
05 52 13 00-0052	LF 2" Diameter, Custom Shapes, Wall Bracket Mounted, Up To 42" High, Welded Steel Pipe Railing	49.89	5.58
	<i>For Schedule 80 Handrail, Add</i>	2.50	
	<i>For 11 Gauge A513 Steel Tubing, Deduct</i>	-8.05	
	<i>For 12 Gauge A513 Steel Tubing, Deduct</i>	-9.15	
	<i>For 14 Gauge A513 Steel Tubing, Deduct</i>	-12.08	
	<i>For 16 Gauge A513 Steel Tubing, Deduct</i>	-14.28	
	<i>For Stainless Steel, Add</i>	73.22	
	<i>For Aluminum, Satin Finish, Add</i>	15.38	
	<i>For Curved Rail, Add</i>	14.97	
	<i>For Aluminum, Clear Anodized Finish, Add</i>	23.80	
	<i>For Aluminum, Dark Anodized Finish, Add</i>	27.46	
	<i>For Galvanized Finish, Add</i>	10.98	
05 52 13 00-0053	LF 2-1/2" Diameter, Custom Shapes, Wall Bracket Mounted, Up To 42" High, Welded Steel Pipe Railing	56.17	5.58
	<i>For Schedule 80 Handrail, Add</i>	2.69	
	<i>For 11 Gauge A513 Steel Tubing, Deduct</i>	-9.44	
	<i>For 12 Gauge A513 Steel Tubing, Deduct</i>	-10.72	
	<i>For 14 Gauge A513 Steel Tubing, Deduct</i>	-14.15	
	<i>For 16 Gauge A513 Steel Tubing, Deduct</i>	-16.73	
	<i>For Stainless Steel, Add</i>	85.78	
	<i>For Aluminum, Satin Finish, Add</i>	18.01	
	<i>For Curved Rail, Add</i>	16.85	
	<i>For Aluminum, Clear Anodized Finish, Add</i>	27.88	
	<i>For Aluminum, Dark Anodized Finish, Add</i>	32.17	
	<i>For Galvanized Finish, Add</i>	12.87	
05 52 13 00-0054	Remove And Reinstall Pipe Railing <small>(05 52 13)</small>		
05 52 13 00-0055	LF Removal And Reinstallation Of Wall Bracket Mounted Pipe Railing	19.92	
05 52 13 00-0056	LF Removal And Reinstallation Of Floor Mounted Pipe Railing	26.08	
05 52 13 00-0057	EA Install New Galvanized Steel Pipe Railing Bracket	45.45	
	<i>For Stainless Steel, Add</i>	37.78	
05 53	Metal Gratings <small>(05 50)</small>		
05 53 13	Bar Gratings <small>(05 53)</small>		
05 53 13 00-0001	Welded Grating <small>(05 53 13)</small>		
	Note: Sizes are for height and width of bearing bars. Welded grating is open grid grating which has bearing bars and cross bars locked in place by resistance welding, or conventional hand welding. Resistance welded grating is produced on precise automated production equipment by combining hydraulic pressure with a powerful electric current to fuse - electroforge - the cross bar and bearing bar into a single rigid panel.		
05 53 13 00-0002	Steel, Welded Grating <small>(05 53 13 00-0001)</small>		
	Note: Bearing bars at 1-3/16" on-center, crossbars at 4" on-center, bolted or tack welded, unpainted steel, and in all sizes.		
05 53 13 00-0003	SF 3/4" x 1/8" Steel, Welded Grating	7.61	0.97
	<i>For One Coat Of Shop Applied Paint (Red Or Black), Add</i>	0.22	
	<i>For Galvanized Steel, Add</i>	0.96	
	<i>For 304 Stainless Steel, Add</i>	18.17	
	Note: Bearing bars at 1-3/16" on-center and crossbars at 4" on-center		
	<i>For Bearing Bars At 15/16" On-Center, Add</i>	1.65	
	<i>For Crossbars At 2" On-Center, Add</i>	0.61	
	<i>For Set In Place Without Bolting Or Tack Welding, Deduct</i>	-1.45	
05 53 13 00-0004	SF 3/4" x 3/16" Steel, Welded Grating	9.95	0.97
	<i>For One Coat Of Shop Applied Paint (Red Or Black), Add</i>	0.22	
	<i>For Galvanized Steel, Add</i>	1.36	
	<i>For 304 Stainless Steel, Add</i>	25.68	
	Note: Bearing bars at 1-3/16" on-center and crossbars at 4" on-center		
	<i>For Bearing Bars At 15/16" On-Center, Add</i>	2.34	
	<i>For Crossbars At 2" On-Center, Add</i>	0.86	
	<i>For Set In Place Without Bolting Or Tack Welding, Deduct</i>	-1.51	



Metals	05	05
Metal Fabrications	05 50	
Metal Gratings	05 53	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 53 13 00-0005 SF 1" x 1/8" Steel, Welded Grating.....	9.11	0.97
For One Coat Of Shop Applied Paint (Red Or Black), Add	0.22	
For Galvanized Steel, Add	1.22	
For 304 Stainless Steel, Add	22.98	
Note: Bearing bars at 1-3/16" on-center and crossbars at 4" on-center		
For Bearing Bars At 15/16" On-Center, Add	2.09	
For Crossbars At 2" On-Center, Add	0.77	
For Serrated Wear Surface, Add	0.16	
For Set In Place Without Bolting Or Tack Welding, Deduct	-1.49	
05 53 13 00-0006 SF 1" x 3/16" Steel, Welded Grating.....	12.29	0.97
For One Coat Of Shop Applied Paint (Red Or Black), Add	0.22	
For Galvanized Steel, Add	1.76	
For 304 Stainless Steel, Add	33.19	
Note: Bearing bars at 1-3/16" on-center and crossbars at 4" on-center		
For Bearing Bars At 15/16" On-Center, Add	3.02	
For Crossbars At 2" On-Center, Add	1.12	
For Serrated Wear Surface, Add	0.16	
For Set In Place Without Bolting Or Tack Welding, Deduct	-1.57	
05 53 13 00-0007 SF 1" x 1/4" Steel, Welded Grating.....	15.47	0.97
For One Coat Of Shop Applied Paint (Red Or Black), Add	0.22	
For Galvanized Steel, Add	2.30	
For 304 Stainless Steel, Add	43.40	
Note: Bearing bars at 1-3/16" on-center and crossbars at 4" on-center		
For Bearing Bars At 15/16" On-Center, Add	3.95	
For Crossbars At 2" On-Center, Add	1.46	
For Serrated Wear Surface, Add	0.16	
For Set In Place Without Bolting Or Tack Welding, Deduct	-1.64	
05 53 13 00-0008 SF 1-1/4" x 1/8" Steel, Welded Grating	10.63	0.97
For One Coat Of Shop Applied Paint (Red Or Black), Add	0.22	
For Galvanized Steel, Add	1.48	
For 304 Stainless Steel, Add	27.86	
Note: Bearing bars at 1-3/16" on-center and crossbars at 4" on-center		
For Bearing Bars At 15/16" On-Center, Add	2.53	
For Crossbars At 2" On-Center, Add	0.94	
For Serrated Wear Surface, Add	0.16	
For Set In Place Without Bolting Or Tack Welding, Deduct	-1.52	
05 53 13 00-0009 SF 1-1/4" x 3/16" Steel, Welded Grating.....	14.50	0.97
For One Coat Of Shop Applied Paint (Red Or Black), Add	0.22	
For Galvanized Steel, Add	2.13	
For 304 Stainless Steel, Add	40.29	
Note: Bearing bars at 1-3/16" on-center and crossbars at 4" on-center		
For Bearing Bars At 15/16" On-Center, Add	3.66	
For Crossbars At 2" On-Center, Add	1.36	
For Serrated Wear Surface, Add	0.16	
For Set In Place Without Bolting Or Tack Welding, Deduct	-1.62	
05 53 13 00-0010 SF 1-1/2" x 1/8" Steel, Welded Grating	12.16	0.97
For One Coat Of Shop Applied Paint (Red Or Black), Add	0.22	
For Galvanized Steel, Add	1.74	
For 304 Stainless Steel, Add	32.77	
Note: Bearing bars at 1-3/16" on-center and crossbars at 4" on-center		
For Bearing Bars At 15/16" On-Center, Add	2.98	
For Crossbars At 2" On-Center, Add	1.10	
For Serrated Wear Surface, Add	0.16	
For Set In Place Without Bolting Or Tack Welding, Deduct	-1.56	
05 53 13 00-0011 SF 1-1/2" x 3/16" Steel, Welded Grating.....	17.27	1.19
For One Coat Of Shop Applied Paint (Red Or Black), Add	0.22	
For Galvanized Steel, Add	2.53	
For 304 Stainless Steel, Add	47.76	
Note: Bearing bars at 1-3/16" on-center and crossbars at 4" on-center		
For Bearing Bars At 15/16" On-Center, Add	4.34	
For Crossbars At 2" On-Center, Add	1.61	
For Serrated Wear Surface, Add	0.16	
For Set In Place Without Bolting Or Tack Welding, Deduct	-1.97	
05 53 13 00-0012 SF 1-1/2" x 1/4" Steel, Welded Grating	22.10	1.19
For One Coat Of Shop Applied Paint (Red Or Black), Add	0.22	
For Galvanized Steel, Add	3.35	
For 304 Stainless Steel, Add	63.27	
Note: Bearing bars at 1-3/16" on-center and crossbars at 4" on-center		
For Bearing Bars At 15/16" On-Center, Add	5.76	
For Crossbars At 2" On-Center, Add	2.13	
For Serrated Wear Surface, Add	0.16	
For Set In Place Without Bolting Or Tack Welding, Deduct	-2.09	
05 53 13 00-0013 SF 1-3/4" x 3/16" Steel, Welded Grating.....	19.63	1.19
For One Coat Of Shop Applied Paint (Red Or Black), Add	0.22	
For Galvanized Steel, Add	2.93	
For 304 Stainless Steel, Add	55.34	
Note: Bearing bars at 1-3/16" on-center and crossbars at 4" on-center		
For Bearing Bars At 15/16" On-Center, Add	5.03	
For Crossbars At 2" On-Center, Add	1.86	
For Serrated Wear Surface, Add	0.16	
For Set In Place Without Bolting Or Tack Welding, Deduct	-2.03	

05	05	Metals
	05 50	Metal Fabrications
	05 53	Metal Gratings



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 53 13 00-0014 SF 2" x 3/16" Steel, Welded Grating.....	21.84	1.19
For One Coat Of Shop Applied Paint (Red Or Black), Add	0.22	
For Galvanized Steel, Add	3.31	
For 304 Stainless Steel, Add	62.43	
Note: Bearing bars at 1-3/16" on-center and crossbars at 4" on-center		
For Bearing Bars At 15/16" On-Center, Add	5.68	
For Crossbars At 2" On-Center, Add	2.10	
For Serrated Wear Surface, Add	0.16	
For Set In Place Without Bolting Or Tack Welding, Deduct	-2.09	
05 53 13 00-0015 SF 2-1/4" x 3/16" Steel, Welded Grating.....	24.18	1.19
For One Coat Of Shop Applied Paint (Red Or Black), Add	0.22	
For Galvanized Steel, Add	3.70	
For 304 Stainless Steel, Add	69.95	
Note: Bearing bars at 1-3/16" on-center and crossbars at 4" on-center		
For Bearing Bars At 15/16" On-Center, Add	6.36	
For Crossbars At 2" On-Center, Add	2.35	
For Serrated Wear Surface, Add	0.16	
For Set In Place Without Bolting Or Tack Welding, Deduct	-2.15	
05 53 13 00-0016 SF 2-1/2" x 3/16" Steel, Welded Grating.....	26.39	1.19
For One Coat Of Shop Applied Paint (Red Or Black), Add	0.22	
For Galvanized Steel, Add	4.08	
For 304 Stainless Steel, Add	77.04	
Note: Bearing bars at 1-3/16" on-center and crossbars at 4" on-center		
For Bearing Bars At 15/16" On-Center, Add	7.01	
For Crossbars At 2" On-Center, Add	2.59	
For Serrated Wear Surface, Add	0.16	
For Set In Place Without Bolting Or Tack Welding, Deduct	-2.20	
05 53 13 00-0017 Pressure Locked Grating <small>(05 53 13)</small>		
Note: Sizes are for height and width of bearing bars. Pressure locked grating is an open grid grating which is an assembly of tight-fitting, slotted bearing bars and cross bars, interlocked together. The permanent locking of the bars is accomplished by slotting the bearing bars with a wider 'dovetail' shape at the bottom of the slot. The bearing bar slot is usually 1/2 the depth of the cross bar. The cross bars are slotted to a depth slightly less than half its depth. When the bars are pressed together under hydraulic pressure, the cross bar material is forced into the 'dovetail' shape of the bearing bar notch, forming a strong, rigid unit.		
05 53 13 00-0018 Steel, Pressure Locked Grating <small>(05 53 13 00-0017)</small>		
Note: Bearing bars at 1-3/16" on-center, crossbars at 4" on-center, bolted or tack welded, unpainted steel, and in all sizes.		
05 53 13 00-0019 SF 3/4" x 1/8" Steel, Pressure Locked Grating.....	13.75	0.97
For One Coat Of Shop Applied Paint (Red Or Black), Add	0.22	
For Galvanized Steel, Add	1.94	
For 304 Stainless Steel, Add	22.08	
Note: Bearing bars at 1-3/16" on-center and crossbars at 4" on-center		
For Bearing Bars At 15/16" On-Center, Add	3.45	
For Crossbars At 2" On-Center, Add	1.27	
For Set In Place Without Bolting Or Tack Welding, Deduct	-1.60	
05 53 13 00-0020 SF 3/4" x 3/16" Steel, Pressure Locked Grating.....	16.76	0.97
For One Coat Of Shop Applied Paint (Red Or Black), Add	0.22	
For Galvanized Steel, Add	2.43	
For 304 Stainless Steel, Add	27.71	
Note: Bearing bars at 1-3/16" on-center and crossbars at 4" on-center		
For Bearing Bars At 15/16" On-Center, Add	4.32	
For Crossbars At 2" On-Center, Add	1.60	
For Set In Place Without Bolting Or Tack Welding, Deduct	-1.68	
05 53 13 00-0021 SF 1" x 1/8" Steel, Pressure Locked Grating.....	15.04	0.97
For One Coat Of Shop Applied Paint (Red Or Black), Add	0.22	
For Galvanized Steel, Add	2.15	
For 304 Stainless Steel, Add	24.49	
Note: Bearing bars at 1-3/16" on-center and crossbars at 4" on-center		
For Bearing Bars At 15/16" On-Center, Add	3.82	
For Crossbars At 2" On-Center, Add	1.41	
For Serrated Wear Surface, Add	0.16	
For Set In Place Without Bolting Or Tack Welding, Deduct	-1.63	
05 53 13 00-0022 SF 1" x 3/16" Steel, Pressure Locked Grating.....	20.21	0.97
For One Coat Of Shop Applied Paint (Red Or Black), Add	0.22	
For Galvanized Steel, Add	2.99	
For 304 Stainless Steel, Add	34.16	
Note: Bearing bars at 1-3/16" on-center and crossbars at 4" on-center		
For Bearing Bars At 7/16" On-Center, Add	26.48	
For Bearing Bars At 15/16" On-Center, Add	5.33	
For Crossbars At 2" On-Center, Add	1.97	
For Serrated Wear Surface, Add	0.16	
For Set In Place Without Bolting Or Tack Welding, Deduct	-1.76	
05 53 13 00-0023 SF 1-1/4" x 1/8" Steel, Pressure Locked Grating.....	16.76	0.97
For One Coat Of Shop Applied Paint (Red Or Black), Add	0.22	
For Galvanized Steel, Add	2.43	
For 304 Stainless Steel, Add	27.71	
Note: Bearing bars at 1-3/16" on-center and crossbars at 4" on-center		
For Bearing Bars At 15/16" On-Center, Add	4.32	
For Crossbars At 2" On-Center, Add	1.60	
For Serrated Wear Surface, Add	0.16	
For Set In Place Without Bolting Or Tack Welding, Deduct	-1.68	



Metals	05	05
Metal Fabrications	05 50	
Metal Gratings	05 53	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 53 13 00-0024	SF		1-1/4" x 3/16" Steel, Pressure Locked Grating.....	22.60	0.97
			For One Coat Of Shop Applied Paint (Red Or Black), Add	0.22	
			For Galvanized Steel, Add	3.39	
			For 304 Stainless Steel, Add	38.64	
			Note: Bearing bars at 1-3/16" on-center and crossbars at 4" on-center		
			For Bearing Bars At 15/16" On-Center, Add	6.03	
			For Crossbars At 2" On-Center, Add	2.23	
			For Serrated Wear Surface, Add	0.16	
			For Set In Place Without Bolting Or Tack Welding, Deduct	-1.82	
05 53 13 00-0025	SF		1-1/2" x 1/8" Steel, Pressure Locked Grating.....	18.57	0.97
			For One Coat Of Shop Applied Paint (Red Or Black), Add	0.22	
			For Galvanized Steel, Add	2.73	
			For 304 Stainless Steel, Add	31.10	
			Note: Bearing bars at 1-3/16" on-center and crossbars at 4" on-center		
			For Bearing Bars At 15/16" On-Center, Add	4.85	
			For Crossbars At 2" On-Center, Add	1.79	
			For Serrated Wear Surface, Add	0.16	
			For Set In Place Without Bolting Or Tack Welding, Deduct	-1.72	
05 53 13 00-0026	SF		1-1/2" x 3/16" Steel, Pressure Locked Grating.....	25.55	1.19
			For One Coat Of Shop Applied Paint (Red Or Black), Add	0.22	
			For Galvanized Steel, Add	3.80	
			For 304 Stainless Steel, Add	43.33	
			Note: Bearing bars at 1-3/16" on-center and crossbars at 4" on-center		
			For Bearing Bars At 7/16" On-Center, Add	33.58	
			For Bearing Bars At 15/16" On-Center, Add	6.76	
			For Crossbars At 2" On-Center, Add	2.50	
			For Serrated Wear Surface, Add	0.16	
			For Set In Place Without Bolting Or Tack Welding, Deduct	-2.18	
05 53 13 00-0027	SF		1-3/4" x 3/16" Steel, Pressure Locked Grating.....	28.08	1.19
			For One Coat Of Shop Applied Paint (Red Or Black), Add	0.22	
			For Galvanized Steel, Add	4.21	
			For 304 Stainless Steel, Add	48.07	
			Note: Bearing bars at 1-3/16" on-center and crossbars at 4" on-center		
			For Bearing Bars At 15/16" On-Center, Add	7.50	
			For Crossbars At 2" On-Center, Add	2.77	
			For Serrated Wear Surface, Add	0.16	
			For Set In Place Without Bolting Or Tack Welding, Deduct	-2.24	
05 53 13 00-0028	SF		2" x 3/16" Steel, Pressure Locked Grating.....	30.14	1.19
			For One Coat Of Shop Applied Paint (Red Or Black), Add	0.22	
			For Galvanized Steel, Add	4.55	
			For 304 Stainless Steel, Add	51.92	
			Note: Bearing bars at 1-3/16" on-center and crossbars at 4" on-center		
			For Bearing Bars At 15/16" On-Center, Add	8.10	
			For Crossbars At 2" On-Center, Add	3.00	
			For Serrated Wear Surface, Add	0.16	
			For Set In Place Without Bolting Or Tack Welding, Deduct	-2.30	
05 53 13 00-0029	SF		2-1/4" x 3/16" Steel, Pressure Locked Grating.....	32.11	1.19
			For One Coat Of Shop Applied Paint (Red Or Black), Add	0.22	
			For Galvanized Steel, Add	4.87	
			For 304 Stainless Steel, Add	55.61	
			Note: Bearing bars at 1-3/16" on-center and crossbars at 4" on-center		
			For Bearing Bars At 15/16" On-Center, Add	8.68	
			For Crossbars At 2" On-Center, Add	3.21	
			For Serrated Wear Surface, Add	0.16	
			For Set In Place Without Bolting Or Tack Welding, Deduct	-2.34	
05 53 13 00-0030	SF		2-1/2" x 3/16" Steel, Pressure Locked Grating.....	33.82	1.19
			For One Coat Of Shop Applied Paint (Red Or Black), Add	0.22	
			For Galvanized Steel, Add	5.15	
			For 304 Stainless Steel, Add	58.81	
			Note: Bearing bars at 1-3/16" on-center and crossbars at 4" on-center		
			For Bearing Bars At 15/16" On-Center, Add	9.18	
			For Crossbars At 2" On-Center, Add	3.39	
			For Serrated Wear Surface, Add	0.16	
			For Set In Place Without Bolting Or Tack Welding, Deduct	-2.39	
05 53 13 00-0031			Aluminum, Type 6063, Pressure Locked Grating (05 53 13 00-0017)		
			Note: Bearing bars at 1-3/16" on-center, crossbars at 4" on-center, bolted in place, and in all sizes.		
05 53 13 00-0032	SF		3/4" x 1/8" Aluminum, Pressure Locked Grating.....	14.35	0.97
			For Bearing Bars At 15/16" On-Center, Add	3.62	
			For Crossbars At 2" On-Center, Add	1.34	
			For Set In Place Without Bolting, Deduct	-1.62	
			For Powder Coating, Add	1.86	
05 53 13 00-0033	SF		3/4" x 3/16" Aluminum, Pressure Locked Grating.....	19.43	0.97
			For Bearing Bars At 15/16" On-Center, Add	5.10	
			For Crossbars At 2" On-Center, Add	1.89	
			For Set In Place Without Bolting, Deduct	-1.74	
			For Powder Coating, Add	2.62	
05 53 13 00-0034	SF		1" x 1/8" Aluminum, Pressure Locked Grating.....	18.34	0.97
			For Bearing Bars At 15/16" On-Center, Add	4.79	
			For Crossbars At 2" On-Center, Add	1.77	
			For Serrated Wear Surface, Add	0.16	
			For Set In Place Without Bolting, Deduct	-1.72	
			For Powder Coating, Add	2.46	

05	05 Metals
	05 50 Metal Fabrications
	05 53 Metal Gratings



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 53 13 00-0035 SF 1" x 3/16" Aluminum, Pressure Locked Grating	24.91	0.97
For Bearing Bars At 7/16" On-Center, Add	33.29	
For Bearing Bars At 15/16" On-Center, Add	6.70	
For Crossbars At 2" On-Center, Add	2.48	
For Serrated Wear Surface, Add	0.16	
For Set In Place Without Bolting, Deduct	-1.88	
For Powder Coating, Add	3.44	
05 53 13 00-0036 SF 1-1/4" x 1/8" Aluminum, Pressure Locked Grating	21.23	0.97
For Bearing Bars At 15/16" On-Center, Add	5.63	
For Crossbars At 2" On-Center, Add	2.08	
For Serrated Wear Surface, Add	0.16	
For Set In Place Without Bolting, Deduct	-1.79	
For Powder Coating, Add	2.89	
05 53 13 00-0037 SF 1-1/4" x 3/16" Aluminum, Pressure Locked Grating	28.39	0.97
For Bearing Bars At 15/16" On-Center, Add	7.72	
For Crossbars At 2" On-Center, Add	2.86	
For Serrated Wear Surface, Add	0.16	
For Set In Place Without Bolting, Deduct	-1.97	
For Powder Coating, Add	3.97	
05 53 13 00-0038 SF 1-1/2" x 1/8" Aluminum, Pressure Locked Grating	23.94	0.97
For Bearing Bars At 15/16" On-Center, Add	6.42	
For Crossbars At 2" On-Center, Add	2.37	
For Serrated Wear Surface, Add	0.16	
For Set In Place Without Bolting, Deduct	-1.86	
For Powder Coating, Add	3.30	
05 53 13 00-0039 SF 1-1/2" x 3/16" Aluminum, Pressure Locked Grating	31.98	0.97
For Bearing Bars At 7/16" On-Center, Add	43.54	
For Bearing Bars At 15/16" On-Center, Add	8.77	
For Crossbars At 2" On-Center, Add	3.24	
For Serrated Wear Surface, Add	0.16	
For Set In Place Without Bolting, Deduct	-2.06	
For Powder Coating, Add	4.50	
05 53 13 00-0040 SF 1-3/4" x 3/16" Aluminum, Pressure Locked Grating	35.42	0.97
For Bearing Bars At 15/16" On-Center, Add	9.77	
For Crossbars At 2" On-Center, Add	3.61	
For Serrated Wear Surface, Add	0.16	
For Set In Place Without Bolting, Deduct	-2.14	
For Powder Coating, Add	5.02	
05 53 13 00-0041 SF 2" x 3/16" Aluminum, Pressure Locked Grating	39.50	0.97
For Bearing Bars At 15/16" On-Center, Add	10.96	
For Crossbars At 2" On-Center, Add	4.06	
For Serrated Wear Surface, Add	0.16	
For Set In Place Without Bolting, Deduct	-2.25	
For Powder Coating, Add	5.63	
05 53 13 00-0042 SF 2-1/4" x 3/16" Aluminum, Pressure Locked Grating	42.69	0.97
For Bearing Bars At 15/16" On-Center, Add	11.90	
For Crossbars At 2" On-Center, Add	4.40	
For Serrated Wear Surface, Add	0.16	
For Set In Place Without Bolting, Deduct	-2.33	
For Powder Coating, Add	6.11	
05 53 13 00-0043 SF 2-1/2" x 3/16" Aluminum, Pressure Locked Grating	46.51	0.97
For Bearing Bars At 15/16" On-Center, Add	13.01	
For Crossbars At 2" On-Center, Add	4.81	
For Serrated Wear Surface, Add	0.16	
For Set In Place Without Bolting, Deduct	-2.42	
For Powder Coating, Add	6.68	
05 53 13 00-0044 Swage Locked Grating ^(05 53 13)		
Note: Sizes are for height and width of bearing bars. Swage locked grating is an open grid grating where bearing bars are pre-punched to receive a cross bar without penetrating or cutting the top surface of the bearing bar. The cross bar is then inserted through the pre-punched hole and deformed by swaging or squeezing under hydraulic pressure to permanently lock the bars in place.		
05 53 13 00-0045 Steel, Swage Locked Grating ^(05 53 13 00-0044)		
Note: Bearing bars at 1-3/16" on-center, crossbars at 4" on-center, bolted or tack welded, unpainted steel, and in all sizes.		
05 53 13 00-0046 SF 1" x 3/16" Steel, Swaged Grating	22.05	0.97
For One Coat Of Shop Applied Paint (Red Or Black), Add	0.22	
For Galvanized Steel, Add	1.85	
For 304 Stainless Steel, Add	33.33	
Note: Bearing bars at 1-3/16" on-center and crossbars at 4" on-center		
For Bearing Bars At 15/16" On-Center, Add	12.86	
For Crossbars At 2" On-Center, Add	1.61	
For Serrated Wear Surface, Add	0.16	
For Set In Place Without Bolting Or Tack Welding, Deduct	-1.81	
05 53 13 00-0047 SF 1-1/4" x 3/16" Steel, Swaged Grating	24.52	0.97
For One Coat Of Shop Applied Paint (Red Or Black), Add	0.22	
For Galvanized Steel, Add	2.08	
For 304 Stainless Steel, Add	37.42	
Note: Bearing bars at 1-3/16" on-center and crossbars at 4" on-center		
For Bearing Bars At 15/16" On-Center, Add	14.44	
For Crossbars At 2" On-Center, Add	1.81	
For Serrated Wear Surface, Add	0.16	
For Set In Place Without Bolting Or Tack Welding, Deduct	-1.87	



Metals	05	05
Metal Fabrications	05 50	
Metal Gratings	05 53	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 53 13 00-0048 SF 1-1/2" x 3/16" Steel, Swaged Grating.....	26.91	1.19
For One Coat Of Shop Applied Paint (Red Or Black), Add	0.22	
For Galvanized Steel, Add	2.26	
For 304 Stainless Steel, Add	40.65	
Note: Bearing bars at 1-3/16" on-center and crossbars at 4" on-center		
For Bearing Bars At 15/16" On-Center, Add	15.69	
For Crossbars At 2" On-Center, Add	1.96	
For Serrated Wear Surface, Add	0.16	
For Set In Place Without Bolting Or Tack Welding, Deduct	-2.21	
05 53 13 00-0049 SF 1-3/4" x 3/16" Steel, Swaged Grating.....	30.70	1.19
For One Coat Of Shop Applied Paint (Red Or Black), Add	0.22	
For Galvanized Steel, Add	2.60	
For 304 Stainless Steel, Add	46.94	
Note: Bearing bars at 1-3/16" on-center and crossbars at 4" on-center		
For Bearing Bars At 15/16" On-Center, Add	18.12	
For Crossbars At 2" On-Center, Add	2.26	
For Serrated Wear Surface, Add	0.16	
For Set In Place Without Bolting Or Tack Welding, Deduct	-2.31	
05 53 13 00-0050 SF 2" x 3/16" Steel, Swaged Grating.....	34.52	1.19
For One Coat Of Shop Applied Paint (Red Or Black), Add	0.22	
For Galvanized Steel, Add	2.96	
For 304 Stainless Steel, Add	53.27	
Note: Bearing bars at 1-3/16" on-center and crossbars at 4" on-center		
For Bearing Bars At 15/16" On-Center, Add	20.56	
For Crossbars At 2" On-Center, Add	2.57	
For Serrated Wear Surface, Add	0.16	
For Set In Place Without Bolting Or Tack Welding, Deduct	-2.40	
05 53 13 00-0051 SF 2-1/4" x 3/16" Steel, Swaged Grating.....	38.32	1.19
For One Coat Of Shop Applied Paint (Red Or Black), Add	0.22	
For Galvanized Steel, Add	3.31	
For 304 Stainless Steel, Add	59.57	
Note: Bearing bars at 1-3/16" on-center and crossbars at 4" on-center		
For Bearing Bars At 15/16" On-Center, Add	23.00	
For Crossbars At 2" On-Center, Add	2.87	
For Serrated Wear Surface, Add	0.16	
For Set In Place Without Bolting Or Tack Welding, Deduct	-2.50	
05 53 13 00-0052 SF 2-1/2" x 3/16" Steel, Swaged Grating.....	42.13	1.19
For One Coat Of Shop Applied Paint (Red Or Black), Add	0.22	
For Galvanized Steel, Add	3.66	
For 304 Stainless Steel, Add	65.89	
Note: Bearing bars at 1-3/16" on-center and crossbars at 4" on-center		
For Bearing Bars At 15/16" On-Center, Add	25.43	
For Crossbars At 2" On-Center, Add	3.18	
For Serrated Wear Surface, Add	0.16	
For Set In Place Without Bolting Or Tack Welding, Deduct	-2.59	
05 53 13 00-0053 Aluminum Grating, Type 6063, Swage Locked (05 53 13 00-0044)		
Note: Bearing bars at 1-3/16" on-center, crossbars at 4" on-center, bolted in place, and in all sizes.		
05 53 13 00-0054 SF 1" x 1/8" Aluminum, Swaged Grating.....	16.93	0.97
For Bearing Bars At 15/16" On-Center, Add	9.59	
For Crossbars At 2" On-Center, Add	1.20	
For Serrated Wear Surface, Add	0.16	
For Set In Place Without Bolting, Deduct	-1.68	
For Powder Coating, Add	2.25	
05 53 13 00-0055 SF 1" x 3/16" Aluminum, Swaged Grating.....	21.95	0.97
For Bearing Bars At 15/16" On-Center, Add	12.80	
For Crossbars At 2" On-Center, Add	1.60	
For Serrated Wear Surface, Add	0.16	
For Set In Place Without Bolting, Deduct	-1.81	
For Powder Coating, Add	3.00	
05 53 13 00-0056 SF 1-1/4" x 1/8" Aluminum, Swaged Grating.....	19.19	0.97
For Bearing Bars At 15/16" On-Center, Add	11.03	
For Crossbars At 2" On-Center, Add	1.38	
For Serrated Wear Surface, Add	0.16	
For Set In Place Without Bolting, Deduct	-1.74	
For Powder Coating, Add	2.59	
05 53 13 00-0057 SF 1-1/4" x 3/16" Aluminum, Swaged Grating.....	25.32	0.97
For Bearing Bars At 15/16" On-Center, Add	14.96	
For Crossbars At 2" On-Center, Add	1.87	
For Serrated Wear Surface, Add	0.16	
For Set In Place Without Bolting, Deduct	-1.89	
For Powder Coating, Add	3.51	
05 53 13 00-0058 SF 1-1/2" x 1/8" Aluminum, Swaged Grating.....	21.86	0.97
For Bearing Bars At 15/16" On-Center, Add	12.74	
For Crossbars At 2" On-Center, Add	1.59	
For Serrated Wear Surface, Add	0.16	
For Set In Place Without Bolting, Deduct	-1.80	
For Powder Coating, Add	2.99	
05 53 13 00-0059 SF 1-1/2" x 3/16" Aluminum, Swaged Grating.....	28.94	0.97
For Bearing Bars At 15/16" On-Center, Add	17.27	
For Crossbars At 2" On-Center, Add	2.16	
For Serrated Wear Surface, Add	0.16	
For Set In Place Without Bolting, Deduct	-1.98	
For Powder Coating, Add	4.05	

05	05 Metals
	05 50 Metal Fabrications
	05 53 Metal Gratings



MINOR		TOTAL DIRECT	DEMOLITION
CSI	UOM DESCRIPTION	UNIT COST	UNIT COST
05 53 13 00-0060	SF 1-3/4" x 3/16" Aluminum, Swaged Grating <i>For Bearing Bars At 15/16" On-Center, Add</i> <i>For Crossbars At 2" On-Center, Add</i> <i>For Serrated Wear Surface, Add</i> <i>For Set In Place Without Bolting, Deduct</i> <i>For Powder Coating, Add</i>	33.10 19.94 2.49 0.16 -2.09 4.67	0.97
05 53 13 00-0061	SF 2" x 3/16" Aluminum, Swaged Grating <i>For Bearing Bars At 15/16" On-Center, Add</i> <i>For Crossbars At 2" On-Center, Add</i> <i>For Serrated Wear Surface, Add</i> <i>For Set In Place Without Bolting, Deduct</i> <i>For Powder Coating, Add</i>	37.24 22.59 2.82 0.16 -2.19 5.29	0.97
05 53 13 00-0062	SF 2-1/4" x 3/16" Aluminum, Swaged Grating <i>For Bearing Bars At 15/16" On-Center, Add</i> <i>For Crossbars At 2" On-Center, Add</i> <i>For Serrated Wear Surface, Add</i> <i>For Set In Place Without Bolting, Deduct</i> <i>For Powder Coating, Add</i>	41.40 25.25 3.16 0.16 -2.29 5.92	0.97
05 53 13 00-0063	SF 2-1/2" x 3/16" Aluminum, Swaged Grating <i>For Bearing Bars At 15/16" On-Center, Add</i> <i>For Crossbars At 2" On-Center, Add</i> <i>For Serrated Wear Surface, Add</i> <i>For Set In Place Without Bolting, Deduct</i> <i>For Powder Coating, Add</i>	45.54 27.90 3.49 0.16 -2.40 6.54	0.97
05 53 13 00-0064	Riveted Grating <small>(05 53 13)</small> Note: Riveted grating is an open grid grating where bearing bars are pre-punched to receive a solid round rivet. Crimp/lacing bars are pre-punched as well and then formed into a reticulated shape. Bearing bars and crimp bars are then assembled and clamped in place by rivets which are cold driven under hydraulic pressure to permanently lock the assembly together.		
05 53 13 00-0065	Steel, Riveted Grating <small>(05 53 13 00-0064)</small> Note: 1" clear opening, bolted or tack welded in place, unpainted steel, all sizes.		
05 53 13 00-0066	SF 3/4" x 1/8", 7.0 LB/SF, Steel, Riveted Grating <i>For One Coat Of Shop Applied Paint (Red Or Black), Add</i> <i>For Galvanized Steel, Add</i> <i>For 304 Stainless Steel, Add</i> <i>For 5/8" Clear Opening, Add</i> <i>For Set In Place Without Bolting Or Tack Welding, Deduct</i>	41.26 0.22 1.89 33.77 13.56 -2.29	0.97
05 53 13 00-0067	SF 3/4" x 3/16", 8.5 LB/SF, Steel, Riveted Grating <i>For One Coat Of Shop Applied Paint (Red Or Black), Add</i> <i>For Galvanized Steel, Add</i> <i>For 304 Stainless Steel, Add</i> <i>For 5/8" Clear Opening, Add</i> <i>For Set In Place Without Bolting Or Tack Welding, Deduct</i>	48.45 0.22 2.23 39.94 16.04 -2.47	0.97
05 53 13 00-0068	SF 1" x 1/8", 8.0 LB/SF, Steel, Riveted Grating <i>For One Coat Of Shop Applied Paint (Red Or Black), Add</i> <i>For Galvanized Steel, Add</i> <i>For 304 Stainless Steel, Add</i> <i>For 5/8" Clear Opening, Add</i> <i>For Serrated Wear Surface, Add</i> <i>For Set In Place Without Bolting Or Tack Welding, Deduct</i>	44.57 0.22 2.05 36.61 14.70 0.16 -2.37	0.97
05 53 13 00-0069	SF 1" x 3/16", 9.5 LB/SF, Steel, Riveted Grating <i>For One Coat Of Shop Applied Paint (Red Or Black), Add</i> <i>For Galvanized Steel, Add</i> <i>For 304 Stainless Steel, Add</i> <i>For 5/8" Clear Opening, Add</i> <i>For Serrated Wear Surface, Add</i> <i>For Set In Place Without Bolting Or Tack Welding, Deduct</i>	51.20 0.22 2.36 42.31 16.99 0.16 -2.54	0.97
05 53 13 00-0070	SF 1-1/4" x 1/8", 9.0 LB/SF, Steel, Riveted Grating <i>For One Coat Of Shop Applied Paint (Red Or Black), Add</i> <i>For Galvanized Steel, Add</i> <i>For 304 Stainless Steel, Add</i> <i>For 5/8" Clear Opening, Add</i> <i>For Serrated Wear Surface, Add</i> <i>For Set In Place Without Bolting Or Tack Welding, Deduct</i>	47.32 0.22 2.18 38.97 15.65 0.16 -2.44	0.97
05 53 13 00-0071	SF 1-1/4" x 3/16", 11.1 LB/SF, Steel, Riveted Grating <i>For One Coat Of Shop Applied Paint (Red Or Black), Add</i> <i>For Galvanized Steel, Add</i> <i>For 304 Stainless Steel, Add</i> <i>For 5/8" Clear Opening, Add</i> <i>For Serrated Wear Surface, Add</i> <i>For Set In Place Without Bolting Or Tack Welding, Deduct</i>	56.30 0.22 2.61 46.69 18.75 0.16 -2.67	0.97
05 53 13 00-0072	SF 1-1/2" x 1/8", 10.1 LB/SF, Steel, Riveted Grating <i>For One Coat Of Shop Applied Paint (Red Or Black), Add</i> <i>For Galvanized Steel, Add</i> <i>For 304 Stainless Steel, Add</i> <i>For 5/8" Clear Opening, Add</i> <i>For Serrated Wear Surface, Add</i> <i>For Set In Place Without Bolting Or Tack Welding, Deduct</i>	50.40 0.22 2.30 41.24 16.56 0.16 -2.80	1.19



Metals	05	05
Metal Fabrications	05 50	
Metal Gratings	05 53	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 53 13 00-0073	SF		1-1/2" x 3/16", 12.5 LB/SF, Steel, Riveted Grating.....	60.01	1.19
			<i>For One Coat Of Shop Applied Paint (Red Or Black), Add</i>	0.22	
			<i>For Galvanized Steel, Add</i>	2.77	
			<i>For 304 Stainless Steel, Add</i>	49.50	
			<i>For 5/8" Clear Opening, Add</i>	19.88	
			<i>For Serrated Wear Surface, Add</i>	0.16	
			<i>For Set In Place Without Bolting Or Tack Welding, Deduct</i>	-3.04	
05 53 13 00-0074	SF		1-3/4" x 3/16", 14.0 LB/SF, Steel, Riveted Grating.....	64.91	1.19
			<i>For One Coat Of Shop Applied Paint (Red Or Black), Add</i>	0.22	
			<i>For Galvanized Steel, Add</i>	3.00	
			<i>For 304 Stainless Steel, Add</i>	53.70	
			<i>For 5/8" Clear Opening, Add</i>	21.57	
			<i>For Serrated Wear Surface, Add</i>	0.16	
			<i>For Set In Place Without Bolting Or Tack Welding, Deduct</i>	-3.16	
05 53 13 00-0075	SF		2" x 3/16", 17.0 LB/SF, Steel, Riveted Grating.....	75.85	1.19
			<i>For One Coat Of Shop Applied Paint (Red Or Black), Add</i>	0.22	
			<i>For Galvanized Steel, Add</i>	3.53	
			<i>For 304 Stainless Steel, Add</i>	63.10	
			<i>For 5/8" Clear Opening, Add</i>	25.34	
			<i>For Serrated Wear Surface, Add</i>	0.16	
			<i>For Set In Place Without Bolting Or Tack Welding, Deduct</i>	-3.44	
05 53 13 00-0076	SF		2-1/4" x 3/16", 18.5 LB/SF, Steel, Riveted Grating.....	79.67	1.19
			<i>For One Coat Of Shop Applied Paint (Red Or Black), Add</i>	0.22	
			<i>For Galvanized Steel, Add</i>	3.71	
			<i>For 304 Stainless Steel, Add</i>	66.38	
			<i>For 5/8" Clear Opening, Add</i>	26.66	
			<i>For Serrated Wear Surface, Add</i>	0.16	
			<i>For Set In Place Without Bolting Or Tack Welding, Deduct</i>	-3.53	
05 53 13 00-0077	SF		2-1/2" x 3/16", 20.0 LB/SF, Steel, Riveted Grating.....	83.07	1.19
			<i>For One Coat Of Shop Applied Paint (Red Or Black), Add</i>	0.22	
			<i>For Galvanized Steel, Add</i>	3.87	
			<i>For 304 Stainless Steel, Add</i>	69.30	
			<i>For 5/8" Clear Opening, Add</i>	27.83	
			<i>For Serrated Wear Surface, Add</i>	0.16	
			<i>For Set In Place Without Bolting Or Tack Welding, Deduct</i>	-3.62	
05 53 13 00-0078			Aluminum, Riveted Grating (05 53 13 00-0064)		
			Note: 1" clear opening, bolted in place and in all sizes.		
05 53 13 00-0079	SF		3/4" x 1/8", 2.4 LB/SF, Aluminum, Riveted Grating.....	36.17	0.97
			<i>For 5/8" Clear Opening, Add</i>	11.81	
			<i>For Powder Coating, Add</i>	5.13	
			<i>For Set In Place Without Bolting, Deduct</i>	-2.16	
05 53 13 00-0080	SF		3/4" x 3/16", 2.9 LB/SF, Aluminum, Riveted Grating.....	42.94	0.97
			<i>For 5/8" Clear Opening, Add</i>	14.14	
			<i>For Powder Coating, Add</i>	6.15	
			<i>For Set In Place Without Bolting, Deduct</i>	-2.33	
05 53 13 00-0081	SF		1" x 1/8", 2.7 LB/SF, Aluminum, Riveted Grating.....	39.78	0.97
			<i>For 5/8" Clear Opening, Add</i>	13.05	
			<i>For Serrated Wear Surface, Add</i>	0.16	
			<i>For Powder Coating, Add</i>	5.67	
			<i>For Set In Place Without Bolting, Deduct</i>	-2.25	
05 53 13 00-0082	SF		1" x 3/16", 3.2 LB/SF, Aluminum, Riveted Grating.....	46.40	0.97
			<i>For 5/8" Clear Opening, Add</i>	15.34	
			<i>For Serrated Wear Surface, Add</i>	0.16	
			<i>For Powder Coating, Add</i>	6.67	
			<i>For Set In Place Without Bolting, Deduct</i>	-2.42	
05 53 13 00-0083	SF		1-1/4" x 1/8", 3.1 LB/SF, Aluminum, Riveted Grating.....	44.62	0.97
			<i>For 5/8" Clear Opening, Add</i>	14.72	
			<i>For Serrated Wear Surface, Add</i>	0.16	
			<i>For Powder Coating, Add</i>	6.40	
			<i>For Set In Place Without Bolting, Deduct</i>	-2.37	
05 53 13 00-0084	SF		1-1/4" x 3/16", 3.8 LB/SF, Aluminum, Riveted Grating.....	53.80	0.97
			<i>For 5/8" Clear Opening, Add</i>	17.89	
			<i>For Serrated Wear Surface, Add</i>	0.16	
			<i>For Powder Coating, Add</i>	7.78	
			<i>For Set In Place Without Bolting, Deduct</i>	-2.60	
05 53 13 00-0085	SF		1-1/2" x 1/8", 3.4 LB/SF, Aluminum, Riveted Grating.....	47.93	0.97
			<i>For 5/8" Clear Opening, Add</i>	15.86	
			<i>For Serrated Wear Surface, Add</i>	0.16	
			<i>For Powder Coating, Add</i>	6.90	
			<i>For Set In Place Without Bolting, Deduct</i>	-2.46	
05 53 13 00-0086	SF		1-1/2" x 3/16", 4.3 LB/SF, Aluminum, Riveted Grating.....	59.58	0.97
			<i>For 5/8" Clear Opening, Add</i>	19.88	
			<i>For Serrated Wear Surface, Add</i>	0.16	
			<i>For Powder Coating, Add</i>	8.64	
			<i>For Set In Place Without Bolting, Deduct</i>	-2.75	
05 53 13 00-0087	SF		1-3/4" x 3/16", 4.8 LB/SF, Aluminum, Riveted Grating.....	65.70	0.97
			<i>For 5/8" Clear Opening, Add</i>	21.99	
			<i>For Serrated Wear Surface, Add</i>	0.16	
			<i>For Powder Coating, Add</i>	9.56	
			<i>For Set In Place Without Bolting, Deduct</i>	-2.90	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 53 13 00-0088 SF 2" x 3/16", 5.8 LB/SF, Aluminum, Riveted Grating	78.25	0.97
For 5/8" Clear Opening, Add	26.32	
For Serrated Wear Surface, Add	0.16	
For Powder Coating, Add	11.45	
For Set In Place Without Bolting, Deduct	-3.21	
05 53 13 00-0089 SF 2-1/4" x 3/16", 6.4 LB/SF, Aluminum, Riveted Grating	85.37	0.97
For 5/8" Clear Opening, Add	28.78	
For Serrated Wear Surface, Add	0.16	
For Powder Coating, Add	12.51	
For Set In Place Without Bolting, Deduct	-3.39	
05 53 13 00-0090 SF 2-1/2" x 3/16", 7.2 LB/SF, Aluminum, Riveted Grating	94.92	0.97
For 5/8" Clear Opening, Add	32.07	
For Serrated Wear Surface, Add	0.16	
For Powder Coating, Add	13.95	
For Set In Place Without Bolting, Deduct	-3.63	
05 53 16 Plank Gratings (05 53)		
05 53 16 00-0001 Grate-Lock Steel Plank Grating (05 53 16)		
Note: Smooth or traction grip surface.		
05 53 16 00-0002 SF 1-1/2" Height, 18 Gauge Steel Grate-Lock Plank Grating	10.60	0.76
For Stair Tread Application, Add	1.29	
05 53 16 00-0003 SF 2-1/2" Height, 18 Gauge Steel Grate-Lock Plank Grating	11.40	0.93
For Stair Tread Application, Add	1.42	
05 53 16 00-0004 SF 3" Height, 18 Gauge Steel Grate-Lock Plank Grating	12.04	1.02
For Stair Tread Application, Add	1.51	
05 53 16 00-0005 SF 4" Height, 18 Gauge Steel Grate-Lock Plank Grating	13.16	1.10
For Stair Tread Application, Add	1.65	
05 53 16 00-0006 SF 1-1/2" Height, 16 Gauge Steel Grate-Lock Plank Grating	12.88	0.84
For Stair Tread Application, Add	1.54	
05 53 16 00-0007 SF 2-1/2" Height, 16 Gauge Steel Grate-Lock Plank Grating	13.77	1.02
For Stair Tread Application, Add	1.68	
05 53 16 00-0008 SF 1-1/2" Height, 14 Gauge Steel Grate-Lock Plank Grating	15.77	0.97
For Stair Tread Application, Add	1.87	
05 53 16 00-0009 SF 2-1/2" Height, 14 Gauge Steel Grate-Lock Plank Grating	16.88	1.19
For Stair Tread Application, Add	2.05	
05 53 16 00-0010 SF 3" Height, 14 Gauge Steel Grate-Lock Plank Grating	18.20	1.50
For Stair Tread Application, Add	2.27	
05 53 16 00-0011 SF 4" Height, 14 Gauge Steel Grate-Lock Plank Grating	20.10	1.69
For Stair Tread Application, Add	2.51	
05 54 Metal Floor Plates (05 50)		
05 54 00 00-0001 Steel Floor Plates (05 54)		
05 54 00 00-0002 SF 16 Gauge Steel Raised Or Diamond Pattern Floor Plates	12.37	1.15
05 54 00 00-0003 SF 14 Gauge Steel Raised Or Diamond Pattern Floor Plates	14.08	1.15
05 54 00 00-0004 SF 12 Gauge Steel Raised Or Diamond Pattern Floor Plates	17.52	1.15
05 54 00 00-0005 SF 1/8" Steel Raised Or Diamond Pattern Floor Plates	23.38	1.24
05 54 00 00-0006 SF 1/4" Steel Raised Or Diamond Pattern Floor Plates	29.56	1.33
05 54 00 00-0007 Aluminum Alloy Floor Plates (05 54)		
05 54 00 00-0008 SF 0.125" Aluminum Alloy Raised Or Diamond Pattern Floor Plate	17.87	0.97
For Powder Coating, Add	2.39	
05 54 00 00-0009 SF 0.188" Aluminum Alloy Raised Or Diamond Pattern Floor Plate	20.50	1.15
For Powder Coating, Add	2.74	
05 54 00 00-0010 SF 0.25" Aluminum Alloy Raised Or Diamond Pattern Floor Plate	23.13	1.24
For Powder Coating, Add	3.10	
05 54 00 00-0011 Type 304 Stainless Steel Floor Plates (05 54)		
05 54 00 00-0012 SF 1/8" Type 304 Stainless Steel Raised Or Diamond Pattern Floor Plate	27.04	1.33
05 54 00 00-0013 SF 3/16" Type 304 Stainless Steel Raised Or Diamond Pattern Floor Plate	32.32	1.50
05 54 00 00-0014 SF 1/4" Type 304 Stainless Raised Or Diamond Pattern Steel Floor Plate	41.82	1.77
05 55 Metal Stair Treads And Nosings (05 50)		
05 55 13 Metal Stair Treads (05 55)		
05 55 13 00-0001 Abrasive Cast Aluminum Stair Treads (05 55 13)		
Note: Includes abrasive diamond pattern surface and anchors. Excludes stringers.		
05 55 13 00-0002 LF 8" Depth, 5/16" Thick, 1/4" Lip, Abrasive Cast Aluminum Stair Tread	43.55	4.88
For 3/8" Thick, Add	8.94	
05 55 13 00-0003 LF 9" Depth, 5/16" Thick, 1/4" Lip, Abrasive Cast Aluminum Stair Tread	47.79	4.88
For 3/8" Thick, Add	10.00	
05 55 13 00-0004 LF 10" Depth, 5/16" Thick, 1/4" Lip, Abrasive Cast Aluminum Stair Tread	52.01	4.88
For 3/8" Thick, Add	11.05	
05 55 13 00-0005 LF 11" Depth, 5/16" Thick, 1/4" Lip, Abrasive Cast Aluminum Stair Tread	56.25	4.88
For 3/8" Thick, Add	12.11	



Metals	05	05
Metal Fabrications	05 50	
Metal Stair Treads And Nosings	05 55	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 55 13 00-0006 LF 12" Depth, 5/16" Thick, 1/4" Lip, Abrasive Cast Aluminum Stair Tread..... <i>For 3/8" Thick, Add</i>	60.46 13.17	4.88
05 55 13 00-0007 Abrasive Cast Iron Stair Treads (05 55 13) Note: Includes abrasive diamond pattern surface and anchors. Excludes stringers.		
05 55 13 00-0008 LF 8" Depth, 3/8" Thick, 1/4" Lip, Abrasive Cast Iron Stair Tread	59.97	4.88
05 55 13 00-0009 LF 9" Depth, 3/8" Thick, 1/4" Lip, Abrasive Cast Iron Stair Tread	66.24	4.88
05 55 13 00-0010 LF 10" Depth, 3/8" Thick, 1/4" Lip, Abrasive Cast Iron Stair Tread	72.52	4.88
05 55 13 00-0011 LF 11" Depth, 3/8" Thick, 1/4" Lip, Abrasive Cast Iron Stair Tread	78.79	4.88
05 55 13 00-0012 LF 12" Depth, 3/8" Thick, 1/4" Lip, Abrasive Cast Iron Stair Tread	85.08	4.88
05 55 13 00-0013 Aluminum/Ceramic Grit Coating, Extruded Aluminum Safety Stair Treads (05 55 13) Note: Includes extruded aluminum base with diamond hard aluminum oxide abrasive filler/surface. Includes anchors. Excludes stringers.		
05 55 13 00-0014 LF 6-1/2" Depth, 5/32" Thick, 1-1/16" Lip, Aluminum/Ceramic Grit Coating, Extruded Aluminum Safety Stair Tread	23.76	4.88
05 55 13 00-0015 LF 9" Depth, 5/32" Thick, 1-1/16" Lip, Aluminum/Ceramic Grit Coating, Extruded Aluminum Safety Stair Tread	27.59	4.88
05 55 13 00-0016 LF 11" Depth, 5/32" Thick, 1-1/16" Lip, Aluminum/Ceramic Grit Coating, Extruded Aluminum Safety Stair Tread	29.28	4.88
05 55 13 00-0017 Aluminum/Ceramic Grit Coating, Extruded Aluminum Renovation Stair Treads (05 55 13) Note: Includes extruded aluminum base with diamond hard aluminum oxide abrasive filler/surface. Includes anchors. Excludes stringers.		
05 55 13 00-0018 LF 8" Depth, 9/32" Thick, 1-1/8" Lip, Aluminum/Ceramic Grit Coating, Extruded Aluminum Renovation Stair Tread	34.34	4.88
<i>For Epoxy Sealed For Corrosive Environment, Add</i>	2.66	
<i>For Two Color Tread, Add</i>	2.00	
05 55 13 00-0019 LF 9" Depth, 9/32" Thick, 1-1/8" Lip, Aluminum/Ceramic Grit Coating, Extruded Aluminum Renovation Stair Tread	34.66	4.88
<i>For Epoxy Sealed For Corrosive Environment, Add</i>	2.66	
<i>For Two Color Tread, Add</i>	2.00	
05 55 13 00-0020 LF 11" Depth, 9/32" Thick, 1-1/8" Lip, Aluminum/Ceramic Grit Coating, Extruded Aluminum Renovation Stair Tread	41.56	4.88
<i>For Epoxy Sealed For Corrosive Environment, Add</i>	2.66	
<i>For Two Color Tread, Add</i>	2.00	
05 55 13 00-0021 LF 12" Depth, 9/32" Thick, 1-1/8" Lip, Aluminum/Ceramic Grit Coating, Extruded Aluminum Renovation Stair Tread	47.60	4.88
<i>For Epoxy Sealed For Corrosive Environment, Add</i>	2.66	
<i>For Two Color Tread, Add</i>	2.00	
05 55 13 00-0022 LF 15" Depth, 9/32" Thick, 1-1/8" Lip, Aluminum/Ceramic Grit Coating, Extruded Aluminum Renovation Stair Tread	55.48	4.88
<i>For Epoxy Sealed For Corrosive Environment, Add</i>	2.66	
<i>For Two Color Tread, Add</i>	2.00	
05 55 13 00-0023 Stair Landing Treads (05 55 13)		
05 55 13 00-0024 Abrasive Cast Aluminum Stair Landing Treads (05 55 13 00-0023) Note: Includes abrasive diamond pattern surface and anchors.		
05 55 13 00-0025 SF 5/16" Thick, Abrasive Cast Aluminum Landing Treads	60.46	4.88
<i>For 3/8" Thick, Add</i>	13.17	
05 55 13 00-0026 Abrasive Cast Iron Stair Landing Treads (05 55 13 00-0023) Note: Includes abrasive diamond pattern surface and anchors.		
05 55 13 00-0027 SF 3/8" Thick, Abrasive Cast Iron Landing Treads	85.08	4.88
05 55 13 00-0028 Aluminum/Ceramic Grit Coating, Extruded Aluminum Renovation Stair Landing Treads (05 55 13 00-0023) Note: Includes extruded aluminum base with diamond hard aluminum oxide abrasive filler/surface. Includes anchors.		
05 55 13 00-0029 SF 9/32" Thick, Aluminum/Ceramic Grit Coating, Extruded Aluminum Renovation Stair Landing Treads.....	56.17	4.88
<i>For Epoxy Sealed For Corrosive Environment, Add</i>	2.66	
05 55 13 00-0030 Open Cast Iron Stair Tread (05 55 13) Note: Includes steel stringers, safety nosing and 2 pipe handrail. Excludes landings.		
05 55 13 00-0031 RSR 3'-6" Wide, Open Cast Iron Stair Tread.....	428.73	35.40
<i>For Closed Riser, Add</i>	36.54	
05 55 13 00-0032 RSR 4'-0" Wide, Open Cast Iron Stair Tread.....	483.82	40.71
<i>For Closed Riser, Add</i>	41.12	
05 55 13 00-0033 RSR 5'-0" Wide, Open Cast Iron Stair Tread.....	534.54	47.80
<i>For Closed Riser, Add</i>	45.36	
05 55 16 Metal Stair Nosings (05 55)		
05 55 16 00-0001 Abrasive Cast Aluminum Nosings (05 55 16) Note: Includes abrasive diamond pattern surface and anchors.		
05 55 16 00-0002 LF 3" Depth, 5/16" Thick, 1/4" Lip, Abrasive Cast Aluminum Nosing	18.82	3.32
<i>For 3/8" Thick, Add</i>	3.38	
05 55 16 00-0003 LF 4" Depth, 5/16" Thick, 1/4" Lip, Abrasive Cast Aluminum Nosing	22.91	3.32
<i>For 3/8" Thick, Add</i>	4.40	

05	05 Metals
	05 50 Metal Fabrications
	05 55 Metal Stair Treads And Nosings



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 55 16 00-0004 LF 6" Depth, 5/16" Thick, 1/4" Lip, Abrasive Cast Aluminum Nosing <i>For 3/8" Thick, Add</i>	32.01 6.67	3.32
05 55 16 00-0005 Abrasive Cast Iron Nosings <small>(05 55 16)</small> Note: Includes abrasive diamond pattern surface and anchors.		
05 55 16 00-0006 LF 3" Depth, 5/16" Thick, 1/4" Lip, Abrasive Cast Iron Nosing <i>For 3/8" Thick, Add</i>	21.80 4.12	3.32
05 55 16 00-0007 LF 4" Depth, 5/16" Thick, 1/4" Lip, Abrasive Cast Iron Nosing <i>For 3/8" Thick, Add</i>	26.83 5.38	3.32
05 55 16 00-0008 LF 6" Depth, 5/16" Thick, 1/4" Lip, Abrasive Cast Iron Nosing <i>For 3/8" Thick, Add</i>	36.78 7.87	3.32
05 55 16 00-0009 Aluminum/Ceramic Grit Coating, Extruded Aluminum Nosings <small>(05 55 16)</small> Note: Includes extruded aluminum base with diamond hard aluminum oxide abrasive filler/surface. Includes anchors.		
05 55 16 00-0010 LF 1-7/8" Depth, 1/4" Thick, 1/4" Lip, Aluminum/Ceramic Grit Coating, Extruded Aluminum Nosing.....	16.05	3.32
05 55 16 00-0011 LF 3" Depth, 1/4" Thick, 1/4" Lip, Aluminum/Ceramic Grit Coating, Extruded Aluminum Nosing	18.02	3.32
05 55 16 00-0012 LF 4" Depth, 1/4" Thick, 1/4" Lip, Aluminum/Ceramic Grit Coating, Extruded Aluminum Nosing	19.52	3.32
05 55 16 00-0013 LF 6" Depth, 1/4" Thick, 1/4" Lip, Aluminum/Ceramic Grit Coating, Extruded Aluminum Nosing	24.20	3.32
05 55 16 00-0014 LF 1-7/8" Depth, 1/4" Thick, 1-1/8" Lip, Aluminum/Ceramic Grit Coating, Extruded Aluminum Nosing.....	16.58	3.32
05 55 16 00-0015 LF 3" Depth, 1/4" Thick, 1-1/8" Lip, Aluminum/Ceramic Grit Coating, Extruded Aluminum Nosing.....	18.26	3.32
05 55 16 00-0016 LF 4" Depth, 1/4" Thick, 1-1/8" Lip, Aluminum/Ceramic Grit Coating, Extruded Aluminum Nosing.....	19.92	3.32
05 55 16 00-0017 LF 3" Depth, 1/4" Thick, 1-3/4" Lip, Aluminum/Ceramic Grit Coating, Extruded Aluminum Nosing.....	18.91	3.32
05 56 Metal Castings <small>(05 50)</small>		
05 56 00 00-0001 Castings <small>(05 56)</small>		
05 56 00 00-0002 LB Up To 150 LB, Miscellaneous Castings, Light Section.....	3.49	0.44
05 56 00 00-0003 LB >150 LB, Miscellaneous Castings, Heavy Section.....	5.73	0.36
05 58 Formed Metal Fabrications <small>(05 50)</small>		
05 58 16 Formed Metal Enclosures <small>(05 58)</small>		
05 58 16 00-0001 Drip Pan <small>(05 58 16)</small>		
05 58 16 00-0002 SF Stainless Steel Drip Pan	66.70	4.58
05 58 16 00-0003 SF Galvanized Steel Drip Pan	65.91	4.58
05 58 16 00-0004 SF Aluminum Drip Pan	46.39	3.66
05 58 16 00-0005 SF Plastic Drip Pan.....	12.66	3.21
05 58 23 Formed Metal Guards <small>(05 58)</small>		
05 58 23 00-0001 Protective Guard Rails <small>(05 58 23)</small> Note: Includes painted finish.		
05 58 23 00-0002 2-Rib, 11 Gauge Steel, Protective Guard Rails <small>(05 58 23 00-0001)</small> Note: Steel King Armor Guard.		
05 58 23 00-0003 Bolt-On, 2-Rib, 11 Gauge Steel, Protective Guard Rails <small>(05 58 23 00-0002)</small> Note: Excludes posts. Includes fasteners.		
05 58 23 00-0004 EA 1' Length, 10-1/2" Height, Bolt-On, 2-Rib, 11 Gauge Steel, Protective Guard Rail	125.25	15.96
05 58 23 00-0005 EA 2' Length, 10-1/2" Height, Bolt-On, 2-Rib, 11 Gauge Steel, Protective Guard Rail	146.41	15.96
05 58 23 00-0006 EA 3' Length, 10-1/2" Height, Bolt-On, 2-Rib, 11 Gauge Steel, Protective Guard Rail	166.37	15.96
05 58 23 00-0007 EA 4' Length, 10-1/2" Height, Bolt-On, 2-Rib, 11 Gauge Steel, Protective Guard Rail	187.53	15.96
05 58 23 00-0008 EA 5' Length, 10-1/2" Height, Bolt-On, 2-Rib, 11 Gauge Steel, Protective Guard Rail	207.60	15.96
05 58 23 00-0009 EA 6' Length, 10-1/2" Height, Bolt-On, 2-Rib, 11 Gauge Steel, Protective Guard Rail	233.63	15.96
05 58 23 00-0010 EA 7' Length, 10-1/2" Height, Bolt-On, 2-Rib, 11 Gauge Steel, Protective Guard Rail	251.36	15.96
05 58 23 00-0011 EA 8' Length, 10-1/2" Height, Bolt-On, 2-Rib, 11 Gauge Steel, Protective Guard Rail	278.81	15.96
05 58 23 00-0012 EA 9' Length, 10-1/2" Height, Bolt-On, 2-Rib, 11 Gauge Steel, Protective Guard Rail	296.82	15.96
05 58 23 00-0013 EA 10' Length, 10-1/2" Height, Bolt-On, 2-Rib, 11 Gauge Steel, Protective Guard Rail	309.69	15.96
05 58 23 00-0014 Posts For 2-Rib Guard Rails <small>(05 58 23 00-0002)</small> Note: Includes drilling, surface mounting plate and anchors.		
05 58 23 00-0015 EA 12" Height, Single Rail Post For 2-Rib Guard Rails	254.07	33.24
05 58 23 00-0016 EA 42" Height, Triple Rail Post For 2-Rib Guard Rails	327.56	33.24
05 58 23 00-0017 3-Rib, 11 Gauge Steel, Protective Guard Rails <small>(05 58 23 00-0001)</small> Note: Steel King Steel Guard.		
05 58 23 00-0018 Bolt-On, 3-Rib, 11 Gauge Steel, Protective Guard Rails <small>(05 58 23 00-0017)</small> Note: Excludes posts. Includes fasteners.		
05 58 23 00-0019 EA 1' Length, 15" Height, Bolt-On, 3-Rib, 11 Gauge Steel, Protective Guard Rail	138.00	15.96
05 58 23 00-0020 EA 2' Length, 15" Height, Bolt-On, 3-Rib, 11 Gauge Steel, Protective Guard Rail	152.07	15.96
05 58 23 00-0021 EA 3' Length, 15" Height, Bolt-On, 3-Rib, 11 Gauge Steel, Protective Guard Rail	169.63	15.96
05 58 23 00-0022 EA 4' Length, 15" Height, Bolt-On, 3-Rib, 11 Gauge Steel, Protective Guard Rail	186.04	15.96
05 58 23 00-0023 EA 5' Length, 15" Height, Bolt-On, 3-Rib, 11 Gauge Steel, Protective Guard Rail	205.03	15.96



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 58 23 00-0024 EA 6' Length, 15" Height, Bolt-On, 3-Rib, 11 Gauge Steel, Protective Guard Rail	214.18	15.96
05 58 23 00-0025 EA 7' Length, 15" Height, Bolt-On, 3-Rib, 11 Gauge Steel, Protective Guard Rail	236.20	15.96
05 58 23 00-0026 EA 8' Length, 15" Height, Bolt-On, 3-Rib, 11 Gauge Steel, Protective Guard Rail	254.79	15.96
05 58 23 00-0027 EA 9' Length, 15" Height, Bolt-On, 3-Rib, 11 Gauge Steel, Protective Guard Rail	274.52	15.96
05 58 23 00-0028 EA 10' Length, 15" Height, Bolt-On, 3-Rib, 11 Gauge Steel, Protective Guard Rail	294.54	15.96
05 58 23 00-0029 Lift-Out, 3-Rib, 11 Gauge Steel, Protective Guard Rails <small>(05 58 23 00-0017)</small>		
<small>Note: Excludes posts. Includes fasteners and lift-out mounting plate.</small>		
05 58 23 00-0030 EA 1' Length, 15" Height, Lift-Out, 3-Rib, 11 Gauge Steel, Protective Guard Rail	201.31	15.96
05 58 23 00-0031 EA 2' Length, 15" Height, Lift-Out, 3-Rib, 11 Gauge Steel, Protective Guard Rail	216.75	15.96
05 58 23 00-0032 EA 3' Length, 15" Height, Lift-Out, 3-Rib, 11 Gauge Steel, Protective Guard Rail	232.77	15.96
05 58 23 00-0033 EA 4' Length, 15" Height, Lift-Out, 3-Rib, 11 Gauge Steel, Protective Guard Rail	251.36	15.96
05 58 23 00-0034 EA 5' Length, 15" Height, Lift-Out, 3-Rib, 11 Gauge Steel, Protective Guard Rail	269.94	15.96
05 58 23 00-0035 EA 6' Length, 15" Height, Lift-Out, 3-Rib, 11 Gauge Steel, Protective Guard Rail	285.10	15.96
05 58 23 00-0036 EA 7' Length, 15" Height, Lift-Out, 3-Rib, 11 Gauge Steel, Protective Guard Rail	302.54	15.96
05 58 23 00-0037 EA 8' Length, 15" Height, Lift-Out, 3-Rib, 11 Gauge Steel, Protective Guard Rail	322.27	15.96
05 58 23 00-0038 EA 9' Length, 15" Height, Lift-Out, 3-Rib, 11 Gauge Steel, Protective Guard Rail	343.44	15.96
05 58 23 00-0039 EA 10' Length, 15" Height, Lift-Out, 3-Rib, 11 Gauge Steel, Protective Guard Rail	362.02	15.96
05 58 23 00-0040 Posts For 3-Rib Guard Rails <small>(05 58 23 00-0017)</small>		
<small>Note: Includes drilling, surface mounting plate and anchors.</small>		
05 58 23 00-0041 EA 18" Height, Single Rail Post For 3-Rib Guard Rails	224.79	33.24
05 58 23 00-0042 EA 42" Height, Double Rail Post For 3-Rib Guard Rails	284.38	33.24
05 58 23 00-0043 All-Welded, Protective Guards <small>(05 58 23)</small>		
<small>Note: Surface mounted inverted-U style protective barriers. Includes painted finish, drilling, surface mounting plate and anchors.</small>		
05 58 23 00-0044 All-Welded, Protective Guards <small>(05 58 23 00-0043)</small>		
05 58 23 00-0045 EA 36" Length, 9" Height, 4-1/2" Diameter Steel Pipe, All-Welded, Protective Guard	293.67	44.33
05 58 23 00-0046 EA 48" Length, 9" Height, 4-1/2" Diameter Steel Pipe, All-Welded, Protective Guard	307.97	44.33
05 58 23 00-0047 EA 36" Length, 16" Height, 4-1/2" Diameter Steel Pipe, All-Welded, Protective Guard	316.27	44.33
05 58 23 00-0048 EA 48" Length, 16" Height, 4-1/2" Diameter Steel Pipe, All-Welded, Protective Guard	328.56	44.33
05 58 23 00-0049 EA 36" Length, 24" Height, 4-1/2" Diameter Steel Pipe, All-Welded, Protective Guard	325.70	44.33
05 58 23 00-0050 EA 48" Length, 24" Height, 4-1/2" Diameter Steel Pipe, All-Welded, Protective Guard	340.86	44.33
05 58 23 00-0051 EA 36" Length, 36" Height, 4-1/2" Diameter Steel Pipe, All-Welded, Protective Guard	345.15	44.33
05 58 23 00-0052 EA 48" Length, 36" Height, 4-1/2" Diameter Steel Pipe, All-Welded, Protective Guard	350.01	44.33
05 58 23 00-0053 EA 48" Length, 42" Height, 4-1/2" Diameter Steel Pipe, All-Welded, Protective Guard	373.17	44.33
05 58 23 00-0054 Corner Style, All-Welded, Protective Guards <small>(05 58 23 00-0043)</small>		
05 58 23 00-0055 EA 24" Length, 24" Height, 4-1/2" Diameter Steel Pipe, Corner Style, All-Welded, Protective Guard	382.32	44.33
05 58 23 00-0056 EA 30" Length, 24" Height, 4-1/2" Diameter Steel Pipe, Corner Style, All-Welded, Protective Guard	399.48	44.33
05 58 23 00-0057 EA 24" Length, 36" Height, 4-1/2" Diameter Steel Pipe, Corner Style, All-Welded, Protective Guard	406.63	44.33
05 58 23 00-0058 EA 30" Length, 36" Height, 4-1/2" Diameter Steel Pipe, Corner Style, All-Welded, Protective Guard	441.80	44.33
05 58 23 00-0059 Warehouse Safety Bollards <small>(05 58 23)</small>		
<small>Note: Includes painted finish, drilling, surface mounting plate and anchors.</small>		
05 58 23 00-0060 EA 24" Height, 4-1/2" Diameter Steel Pipe, Bolt Down, Warehouse Safety Bollard	190.60	33.24
05 58 23 00-0061 EA 36" Height, 4-1/2" Diameter Steel Pipe, Bolt Down, Warehouse Safety Bollard	218.86	33.24
05 58 23 00-0062 EA 42" Height, 4-1/2" Diameter Steel Pipe, Bolt Down, Warehouse Safety Bollard	248.77	33.24
05 58 23 00-0063 EA 36" Height, 5-1/2" Diameter Steel Pipe, Bolt Down, Warehouse Safety Bollard	256.95	33.24
05 58 23 00-0064 EA 42" Height, 5-1/2" Diameter Steel Pipe, Bolt Down, Warehouse Safety Bollard	275.82	33.24
05 59 Metal Specialties <small>(05 50)</small>		
05 59 65 Metal Chain <small>(05 59)</small>		
05 59 65 00-0001 Alloy Steel Chain, Self Colored, Cut Length <small>(05 59 65)</small>		
<small>Note: Includes all connecting links, double clevis mid-Links, slip or grab hooks, or shackles as required.</small>		
05 59 65 00-0002 LF 3/16" Diameter Alloy Steel Chain, Cut Length, Self Colored	4.26	0.86
<small>For Plastic Dipped, Add</small>		
	0.38	
05 59 65 00-0003 LF 1/4" Diameter Alloy Steel Chain, Cut Length, Self Colored	5.71	1.15
<small>For Plastic Dipped, Add</small>		
	0.51	
05 59 65 00-0004 LF 3/8" Diameter Alloy Steel Chain, Cut Length, Self Colored	9.19	2.29
<small>For Plastic Dipped, Add</small>		
	0.69	
05 59 65 00-0005 LF 1/2" Diameter Alloy Steel Chain, Cut Length, Self Colored	14.82	3.86
<small>For Plastic Dipped, Add</small>		
	1.06	
05 59 65 00-0006 LF 5/8" Diameter Alloy Steel Chain, Cut Length, Self Colored	25.01	6.53
<small>For Plastic Dipped, Add</small>		
	1.79	
05 59 65 00-0007 LF 3/4" Diameter Alloy Steel Chain, Cut Length, Self Colored	35.11	9.17
<small>For Plastic Dipped, Add</small>		
	2.52	
05 59 65 00-0008 LF 7/8" Diameter Alloy Steel Chain, Cut Length, Self Colored	47.51	11.46
<small>For Plastic Dipped, Add</small>		
	3.69	
05 59 65 00-0009 LF 1" Diameter Alloy Steel Chain, Cut Length, Self Colored	68.26	15.27
<small>For Plastic Dipped, Add</small>		
	5.66	

05	05	Metals
	05 50	Metal Fabrications
	05 59	Metal Specialties



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 59 65 00-0010 LF 1-1/4" Diameter Alloy Steel Chain, Cut Length, Self Colored..... <i>For Plastic Dipped, Add</i>	110.37 9.68	22.91
05 59 69 Metal Panels <small>(05 59)</small>		
05 59 69 00-0001 Woven And Welded Wire Cloth <small>(05 59 69)</small> Note: Excludes frame and fastening to frame. See CSI section 05 05 21 00-0004 for spot welding.		
05 59 69 00-0002 Plain Steel Woven And Welded Wire Cloth Panels <small>(05 59 69 00-0001)</small>		
05 59 69 00-0003 2" Square Wire Spacing <small>(05 59 69 00-0002)</small>		
05 59 69 00-0004 SF 0.12" Thick Wire, 2" Spacing, 0.44 LB/SF Woven And Welded Wire Cloth Panels..... <i>For Up To 2, Add</i> <i>For >2 To 6, Add</i> <i>For >15 To 40, Deduct</i> <i>For >40, Deduct</i> <i>For Galvanized, Add</i> <i>For Aluminum, Add</i> <i>For 304 Stainless Steel, Add</i> <i>For 316 Stainless Steel, Add</i>	6.99 2.05 1.19 -0.19 -0.56 1.64 2.24 8.95 10.26	2.45
05 59 69 00-0005 SF 0.135" Thick Wire, 2" Spacing, 0.55 LB/SF Woven And Welded Wire Cloth Panels..... <i>For Up To 2, Add</i> <i>For >2 To 6, Add</i> <i>For >15 To 40, Deduct</i> <i>For >40, Deduct</i> <i>For Galvanized, Add</i> <i>For Aluminum, Add</i> <i>For 304 Stainless Steel, Add</i> <i>For 316 Stainless Steel, Add</i>	7.50 2.18 1.26 -0.21 -0.62 1.80 2.46 9.84 11.28	2.55
05 59 69 00-0006 SF 0.148" Thick Wire, 2" Spacing, 0.65 LB/SF Woven And Welded Wire Cloth Panels..... <i>For Up To 2, Add</i> <i>For >2 To 6, Add</i> <i>For >15 To 40, Deduct</i> <i>For >40, Deduct</i> <i>For Galvanized, Add</i> <i>For Aluminum, Add</i> <i>For 304 Stainless Steel, Add</i> <i>For 316 Stainless Steel, Add</i>	8.00 2.35 1.36 -0.21 -0.64 1.87 2.54 10.18 11.66	2.83
05 59 69 00-0007 SF 0.162" Thick Wire, 2" Spacing, 0.78 LB/SF Woven And Welded Wire Cloth Panels..... <i>For Up To 2, Add</i> <i>For >2 To 6, Add</i> <i>For >15 To 40, Deduct</i> <i>For >40, Deduct</i> <i>For Galvanized, Add</i> <i>For Aluminum, Add</i> <i>For 304 Stainless Steel, Add</i> <i>For 316 Stainless Steel, Add</i>	8.43 2.47 1.43 -0.23 -0.68 1.98 2.71 10.82 12.40	2.94
05 59 69 00-0008 SF 0.177" Thick Wire, 2" Spacing, 0.92 LB/SF Woven And Welded Wire Cloth Panels..... <i>For Up To 2, Add</i> <i>For >2 To 6, Add</i> <i>For >15 To 40, Deduct</i> <i>For >40, Deduct</i> <i>For Galvanized, Add</i> <i>For Aluminum, Add</i> <i>For 304 Stainless Steel, Add</i> <i>For 316 Stainless Steel, Add</i>	9.24 2.73 1.58 -0.24 -0.73 2.13 2.90 11.62 13.31	3.30
05 59 69 00-0009 SF 0.192" Thick Wire, 2" Spacing, 1.08 LB/SF Woven And Welded Wire Cloth Panels..... <i>For Up To 2, Add</i> <i>For >2 To 6, Add</i> <i>For >15 To 40, Deduct</i> <i>For >40, Deduct</i> <i>For Galvanized, Add</i> <i>For Aluminum, Add</i> <i>For 304 Stainless Steel, Add</i> <i>For 316 Stainless Steel, Add</i>	10.58 3.10 1.79 -0.28 -0.85 2.50 3.41 13.63 15.62	3.67
05 59 69 00-0010 SF 0.207" Thick Wire, 2" Spacing, 1.25 LB/SF Woven And Welded Wire Cloth Panels..... <i>For Up To 2, Add</i> <i>For >2 To 6, Add</i> <i>For >15 To 40, Deduct</i> <i>For >40, Deduct</i> <i>For Galvanized, Add</i> <i>For Aluminum, Add</i> <i>For 304 Stainless Steel, Add</i> <i>For 316 Stainless Steel, Add</i>	11.97 3.47 2.01 -0.33 -0.99 2.90 3.95 15.79 18.10	4.04
05 59 69 00-0011 SF 0.225" Thick Wire, 2" Spacing, 1.46 LB/SF Woven And Welded Wire Cloth Panels..... <i>For Up To 2, Add</i> <i>For >2 To 6, Add</i> <i>For >15 To 40, Deduct</i> <i>For >40, Deduct</i> <i>For Galvanized, Add</i> <i>For Aluminum, Add</i> <i>For 304 Stainless Steel, Add</i> <i>For 316 Stainless Steel, Add</i>	13.67 3.93 2.27 -0.38 -1.15 3.38 4.61 18.43 21.12	4.49
05 59 69 00-0012 1-3/4" Square Wire Spacing <small>(05 59 69 00-0002)</small>		



Metals	05	05
Metal Fabrications	05 50	
Metal Specialties	05 59	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 59 69 00-0013 SF 0.12" Thick Wire, 1-3/4" Spacing, 0.49 LB/SF Woven And Welded Wire Cloth Panels.....	7.34	2.60
For Up To 2, Add	2.16	
For >2 To 6, Add	1.25	
For >15 To 40, Deduct	-0.19	
For >40, Deduct	-0.58	
For Galvanized, Add	1.71	
For Aluminum, Add	2.33	
For 304 Stainless Steel, Add	9.34	
For 316 Stainless Steel, Add	10.70	
05 59 69 00-0014 SF 0.135" Thick Wire, 1-3/4" Spacing, 0.62 LB/SF Woven And Welded Wire Cloth Panels.....	8.05	2.73
For Up To 2, Add	2.34	
For >2 To 6, Add	1.35	
For >15 To 40, Deduct	-0.22	
For >40, Deduct	-0.66	
For Galvanized, Add	1.94	
For Aluminum, Add	2.64	
For 304 Stainless Steel, Add	10.56	
For 316 Stainless Steel, Add	12.10	
05 59 69 00-0015 SF 0.148" Thick Wire, 1-3/4" Spacing, 0.74 LB/SF Woven And Welded Wire Cloth Panels.....	8.68	3.06
For Up To 2, Add	2.55	
For >2 To 6, Add	1.48	
For >15 To 40, Deduct	-0.23	
For >40, Deduct	-0.69	
For Galvanized, Add	2.02	
For Aluminum, Add	2.75	
For 304 Stainless Steel, Add	11.02	
For 316 Stainless Steel, Add	12.62	
05 59 69 00-0016 SF 0.162" Thick Wire, 1-3/4" Spacing, 0.88 LB/SF Woven And Welded Wire Cloth Panels.....	9.06	3.16
For Up To 2, Add	2.66	
For >2 To 6, Add	1.54	
For >15 To 40, Deduct	-0.24	
For >40, Deduct	-0.73	
For Galvanized, Add	2.13	
For Aluminum, Add	2.90	
For 304 Stainless Steel, Add	11.62	
For 316 Stainless Steel, Add	13.31	
05 59 69 00-0017 SF 0.177" Thick Wire, 1-3/4" Spacing, 1.04 LB/SF Woven And Welded Wire Cloth Panels.....	9.94	3.55
For Up To 2, Add	2.93	
For >2 To 6, Add	1.70	
For >15 To 40, Deduct	-0.26	
For >40, Deduct	-0.78	
For Galvanized, Add	2.29	
For Aluminum, Add	3.13	
For 304 Stainless Steel, Add	12.50	
For 316 Stainless Steel, Add	14.33	
05 59 69 00-0018 SF 0.192" Thick Wire, 1-3/4" Spacing, 1.22 LB/SF Woven And Welded Wire Cloth Panels.....	11.39	3.96
For Up To 2, Add	3.33	
For >2 To 6, Add	1.93	
For >15 To 40, Deduct	-0.31	
For >40, Deduct	-0.92	
For Galvanized, Add	2.69	
For Aluminum, Add	3.67	
For 304 Stainless Steel, Add	14.66	
For 316 Stainless Steel, Add	16.80	
05 59 69 00-0019 SF 0.207" Thick Wire, 1-3/4" Spacing, 1.41 LB/SF Woven And Welded Wire Cloth Panels.....	12.86	4.35
For Up To 2, Add	3.73	
For >2 To 6, Add	2.16	
For >15 To 40, Deduct	-0.35	
For >40, Deduct	-1.06	
For Galvanized, Add	3.11	
For Aluminum, Add	4.24	
For 304 Stainless Steel, Add	16.94	
For 316 Stainless Steel, Add	19.42	
05 59 69 00-0020 SF 0.225" Thick Wire, 1-3/4" Spacing, 1.65 LB/SF Woven And Welded Wire Cloth Panels.....	14.71	4.83
For Up To 2, Add	4.23	
For >2 To 6, Add	2.44	
For >15 To 40, Deduct	-0.41	
For >40, Deduct	-1.24	
For Galvanized, Add	3.64	
For Aluminum, Add	4.96	
For 304 Stainless Steel, Add	19.85	
For 316 Stainless Steel, Add	22.74	
05 59 69 00-0021 1-1/2" Square Wire Spacing (05 59 69 00-0002)		
05 59 69 00-0022 SF 0.12" Thick Wire, 1-1/2" Spacing, 0.57 LB/SF Woven And Welded Wire Cloth Panels.....	8.13	2.88
For Up To 2, Add	2.39	
For >2 To 6, Add	1.39	
For >15 To 40, Deduct	-0.22	
For >40, Deduct	-0.65	
For Galvanized, Add	1.89	
For Aluminum, Add	2.58	
For 304 Stainless Steel, Add	10.32	
For 316 Stainless Steel, Add	11.83	

05	Metals
05 50	Metal Fabrications
05 59	Metal Specialties



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 59 69 00-0023	SF		0.135" Thick Wire, 1-1/2" Spacing, 0.72 LB/SF Woven And Welded Wire Cloth Panels.....	8.90	3.03
			For Up To 2, Add	2.59	
			For >2 To 6, Add	1.49	
			For >15 To 40, Deduct	-0.24	
			For >40, Deduct	-0.73	
			For Galvanized, Add	2.14	
			For Aluminum, Add	2.92	
			For 304 Stainless Steel, Add	11.69	
			For 316 Stainless Steel, Add	13.39	
05 59 69 00-0024	SF		0.148" Thick Wire, 1-1/2" Spacing, 0.85 LB/SF Woven And Welded Wire Cloth Panels.....	9.51	3.35
			For Up To 2, Add	2.80	
			For >2 To 6, Add	1.62	
			For >15 To 40, Deduct	-0.25	
			For >40, Deduct	-0.75	
			For Galvanized, Add	2.21	
			For Aluminum, Add	3.02	
			For 304 Stainless Steel, Add	12.07	
			For 316 Stainless Steel, Add	13.83	
05 59 69 00-0025	SF		0.162" Thick Wire, 1-1/2" Spacing, 1.02 LB/SF Woven And Welded Wire Cloth Panels.....	10.01	3.49
			For Up To 2, Add	2.93	
			For >2 To 6, Add	1.70	
			For >15 To 40, Deduct	-0.27	
			For >40, Deduct	-0.80	
			For Galvanized, Add	2.35	
			For Aluminum, Add	3.21	
			For 304 Stainless Steel, Add	12.84	
			For 316 Stainless Steel, Add	14.71	
05 59 69 00-0026	SF		0.177" Thick Wire, 1-1/2" Spacing, 1.2 LB/SF Woven And Welded Wire Cloth Panels.....	10.93	3.90
			For Up To 2, Add	3.23	
			For >2 To 6, Add	1.87	
			For >15 To 40, Deduct	-0.29	
			For >40, Deduct	-0.86	
			For Galvanized, Add	2.52	
			For Aluminum, Add	3.44	
			For 304 Stainless Steel, Add	13.75	
			For 316 Stainless Steel, Add	15.76	
05 59 69 00-0027	SF		0.192" Thick Wire, 1-1/2" Spacing, 1.4 LB/SF Woven And Welded Wire Cloth Panels.....	12.45	4.33
			For Up To 2, Add	3.64	
			For >2 To 6, Add	2.11	
			For >15 To 40, Deduct	-0.33	
			For >40, Deduct	-1.00	
			For Galvanized, Add	2.94	
			For Aluminum, Add	4.01	
			For 304 Stainless Steel, Add	16.03	
			For 316 Stainless Steel, Add	18.37	
05 59 69 00-0028	SF		0.207" Thick Wire, 1-1/2" Spacing, 1.62 LB/SF Woven And Welded Wire Cloth Panels.....	14.06	4.76
			For Up To 2, Add	4.08	
			For >2 To 6, Add	2.36	
			For >15 To 40, Deduct	-0.39	
			For >40, Deduct	-1.16	
			For Galvanized, Add	3.40	
			For Aluminum, Add	4.64	
			For 304 Stainless Steel, Add	18.55	
			For 316 Stainless Steel, Add	21.26	
05 59 69 00-0029	SF		0.225" Thick Wire, 1-1/2" Spacing, 1.89 LB/SF Woven And Welded Wire Cloth Panels.....	16.04	5.27
			For Up To 2, Add	4.61	
			For >2 To 6, Add	2.66	
			For >15 To 40, Deduct	-0.45	
			For >40, Deduct	-1.35	
			For Galvanized, Add	3.97	
			For Aluminum, Add	5.41	
			For 304 Stainless Steel, Add	21.65	
			For 316 Stainless Steel, Add	24.81	
05 59 69 00-0030			1-1/4" Square Wire Spacing (05 59 69 00-0002)		
05 59 69 00-0031	SF		0.105" Thick Wire, 1-1/4" Spacing, 0.52 LB/SF Woven And Welded Wire Cloth Panels.....	8.38	3.11
			For Up To 2, Add	2.51	
			For >2 To 6, Add	1.46	
			For >15 To 40, Deduct	-0.21	
			For >40, Deduct	-0.63	
			For Galvanized, Add	1.86	
			For Aluminum, Add	2.53	
			For 304 Stainless Steel, Add	10.13	
			For 316 Stainless Steel, Add	11.61	
05 59 69 00-0032	SF		0.12" Thick Wire, 1-1/4" Spacing, 0.68 LB/SF Woven And Welded Wire Cloth Panels.....	9.03	3.26
			For Up To 2, Add	2.68	
			For >2 To 6, Add	1.56	
			For >15 To 40, Deduct	-0.23	
			For >40, Deduct	-0.70	
			For Galvanized, Add	2.05	
			For Aluminum, Add	2.80	
			For 304 Stainless Steel, Add	11.21	
			For 316 Stainless Steel, Add	12.84	



Metals	05	05
Metal Fabrications	05 50	
Metal Specialties	05 59	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 59 69 00-0033	SF		0.135" Thick Wire, 1-1/4" Spacing, 0.85 LB/SF Woven And Welded Wire Cloth Panels.....	9.76	3.40
			<i>For Up To 2, Add</i>	2.86	
			<i>For >2 To 6, Add</i>	1.66	
			<i>For >15 To 40, Deduct</i>	-0.26	
			<i>For >40, Deduct</i>	-0.78	
			<i>For Galvanized, Add</i>	2.30	
			<i>For Aluminum, Add</i>	3.13	
			<i>For 304 Stainless Steel, Add</i>	12.53	
			<i>For 316 Stainless Steel, Add</i>	14.36	
05 59 69 00-0034	SF		0.148" Thick Wire, 1-1/4" Spacing, 1.01 LB/SF Woven And Welded Wire Cloth Panels.....	10.05	3.46
			<i>For Up To 2, Add</i>	2.93	
			<i>For >2 To 6, Add</i>	1.70	
			<i>For >15 To 40, Deduct</i>	-0.27	
			<i>For >40, Deduct</i>	-0.81	
			<i>For Galvanized, Add</i>	2.39	
			<i>For Aluminum, Add</i>	3.26	
			<i>For 304 Stainless Steel, Add</i>	13.03	
			<i>For 316 Stainless Steel, Add</i>	14.93	
05 59 69 00-0035	SF		0.162" Thick Wire, 1-1/4" Spacing, 1.2 LB/SF Woven And Welded Wire Cloth Panels	10.93	3.91
			<i>For Up To 2, Add</i>	3.23	
			<i>For >2 To 6, Add</i>	1.87	
			<i>For >15 To 40, Deduct</i>	-0.29	
			<i>For >40, Deduct</i>	-0.86	
			<i>For Galvanized, Add</i>	2.52	
			<i>For Aluminum, Add</i>	3.43	
			<i>For 304 Stainless Steel, Add</i>	13.73	
			<i>For 316 Stainless Steel, Add</i>	15.73	
05 59 69 00-0036	SF		0.177" Thick Wire, 1-1/4" Spacing, 1.42 LB/SF Woven And Welded Wire Cloth Panels.....	12.32	4.40
			<i>For Up To 2, Add</i>	3.64	
			<i>For >2 To 6, Add</i>	2.11	
			<i>For >15 To 40, Deduct</i>	-0.32	
			<i>For >40, Deduct</i>	-0.97	
			<i>For Galvanized, Add</i>	2.84	
			<i>For Aluminum, Add</i>	3.87	
			<i>For 304 Stainless Steel, Add</i>	15.48	
			<i>For 316 Stainless Steel, Add</i>	17.74	
05 59 69 00-0037	SF		0.192" Thick Wire, 1-1/4" Spacing, 1.65 LB/SF Woven And Welded Wire Cloth Panels.....	13.97	4.86
			<i>For Up To 2, Add</i>	4.09	
			<i>For >2 To 6, Add</i>	2.37	
			<i>For >15 To 40, Deduct</i>	-0.38	
			<i>For >40, Deduct</i>	-1.13	
			<i>For Galvanized, Add</i>	3.30	
			<i>For Aluminum, Add</i>	4.50	
			<i>For 304 Stainless Steel, Add</i>	18.00	
			<i>For 316 Stainless Steel, Add</i>	20.63	
05 59 69 00-0038	SF		0.207" Thick Wire, 1-1/4" Spacing, 1.9 LB/SF Woven And Welded Wire Cloth Panels	15.70	5.30
			<i>For Up To 2, Add</i>	4.55	
			<i>For >2 To 6, Add</i>	2.63	
			<i>For >15 To 40, Deduct</i>	-0.43	
			<i>For >40, Deduct</i>	-1.29	
			<i>For Galvanized, Add</i>	3.80	
			<i>For Aluminum, Add</i>	5.18	
			<i>For 304 Stainless Steel, Add</i>	20.71	
			<i>For 316 Stainless Steel, Add</i>	23.73	
05 59 69 00-0039	SF		0.225" Thick Wire, 1-1/4" Spacing, 2.22 LB/SF Woven And Welded Wire Cloth Panels.....	17.95	5.90
			<i>For Up To 2, Add</i>	5.16	
			<i>For >2 To 6, Add</i>	2.97	
			<i>For >15 To 40, Deduct</i>	-0.50	
			<i>For >40, Deduct</i>	-1.51	
			<i>For Galvanized, Add</i>	4.44	
			<i>For Aluminum, Add</i>	6.05	
			<i>For 304 Stainless Steel, Add</i>	24.22	
			<i>For 316 Stainless Steel, Add</i>	27.75	
05 59 69 00-0040			1" Square Wire Spacing (05 59 69 00-0002)		
05 59 69 00-0041	SF		0.105" Thick Wire, 1" Spacing, 0.64 LB/SF Woven And Welded Wire Cloth Panels.....	9.58	3.65
			<i>For Up To 2, Add</i>	2.89	
			<i>For >2 To 6, Add</i>	1.69	
			<i>For >15 To 40, Deduct</i>	-0.24	
			<i>For >40, Deduct</i>	-0.71	
			<i>For Galvanized, Add</i>	2.08	
			<i>For Aluminum, Add</i>	2.83	
			<i>For 304 Stainless Steel, Add</i>	11.33	
			<i>For 316 Stainless Steel, Add</i>	12.98	
05 59 69 00-0042	SF		0.12" Thick Wire, 1" Spacing, 0.83 LB/SF Woven And Welded Wire Cloth Panels.....	10.24	3.79
			<i>For Up To 2, Add</i>	3.06	
			<i>For >2 To 6, Add</i>	1.78	
			<i>For >15 To 40, Deduct</i>	-0.26	
			<i>For >40, Deduct</i>	-0.78	
			<i>For Galvanized, Add</i>	2.28	
			<i>For Aluminum, Add</i>	3.11	
			<i>For 304 Stainless Steel, Add</i>	12.43	
			<i>For 316 Stainless Steel, Add</i>	14.25	



MINOR
CSI UOM DESCRIPTION

TOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

05 59 69 00-0043	SF	0.135" Thick Wire, 1" Spacing, 1.04 LB/SF Woven And Welded Wire Cloth Panels.....	10.67	3.96
		For Up To 2, Add	3.19	
		For >2 To 6, Add	1.86	
		For >15 To 40, Deduct	-0.27	
		For >40, Deduct	-0.81	
		For Galvanized, Add	2.37	
		For Aluminum, Add	3.23	
		For 304 Stainless Steel, Add	12.91	
		For 316 Stainless Steel, Add	14.80	
05 59 69 00-0044	SF	0.148" Thick Wire, 1" Spacing, 1.23 LB/SF Woven And Welded Wire Cloth Panels.....	11.37	4.01
		For Up To 2, Add	3.35	
		For >2 To 6, Add	1.94	
		For >15 To 40, Deduct	-0.30	
		For >40, Deduct	-0.90	
		For Galvanized, Add	2.64	
		For Aluminum, Add	3.61	
		For 304 Stainless Steel, Add	14.42	
		For 316 Stainless Steel, Add	16.53	
05 59 69 00-0045	SF	0.162" Thick Wire, 1" Spacing, 1.46 LB/SF Woven And Welded Wire Cloth Panels.....	12.66	4.53
		For Up To 2, Add	3.74	
		For >2 To 6, Add	2.17	
		For >15 To 40, Deduct	-0.33	
		For >40, Deduct	-0.99	
		For Galvanized, Add	2.91	
		For Aluminum, Add	3.97	
		For 304 Stainless Steel, Add	15.89	
		For 316 Stainless Steel, Add	18.21	
05 59 69 00-0046	SF	0.177" Thick Wire, 1" Spacing, 1.72 LB/SF Woven And Welded Wire Cloth Panels.....	14.20	5.07
		For Up To 2, Add	4.19	
		For >2 To 6, Add	2.43	
		For >15 To 40, Deduct	-0.37	
		For >40, Deduct	-1.12	
		For Galvanized, Add	3.27	
		For Aluminum, Add	4.46	
		For 304 Stainless Steel, Add	17.86	
		For 316 Stainless Steel, Add	20.46	
05 59 69 00-0047	SF	0.192" Thick Wire, 1" Spacing, 2.01 LB/SF Woven And Welded Wire Cloth Panels.....	16.21	5.62
		For Up To 2, Add	4.74	
		For >2 To 6, Add	2.75	
		For >15 To 40, Deduct	-0.44	
		For >40, Deduct	-1.31	
		For Galvanized, Add	3.83	
		For Aluminum, Add	5.22	
		For 304 Stainless Steel, Add	20.88	
		For 316 Stainless Steel, Add	23.93	
05 59 69 00-0048	SF	0.207" Thick Wire, 1" Spacing, 2.31 LB/SF Woven And Welded Wire Cloth Panels.....	18.19	6.15
		For Up To 2, Add	5.28	
		For >2 To 6, Add	3.05	
		For >15 To 40, Deduct	-0.50	
		For >40, Deduct	-1.50	
		For Galvanized, Add	4.40	
		For Aluminum, Add	6.00	
		For 304 Stainless Steel, Add	24.00	
		For 316 Stainless Steel, Add	27.50	
05 59 69 00-0049	SF	0.225" Thick Wire, 1" Spacing, 2.69 LB/SF Woven And Welded Wire Cloth Panels.....	20.71	6.80
		For Up To 2, Add	5.96	
		For >2 To 6, Add	3.43	
		For >15 To 40, Deduct	-0.58	
		For >40, Deduct	-1.75	
		For Galvanized, Add	5.12	
		For Aluminum, Add	6.98	
		For 304 Stainless Steel, Add	27.94	
		For 316 Stainless Steel, Add	32.01	
05 59 69 00-0050		3/4" Square Wire Spacing (05 59 69 00-0002)		
05 59 69 00-0051	SF	0.105" Thick Wire, 3/4" Spacing, 0.83 LB/SF Woven And Welded Wire Cloth Panels.....	9.68	3.64
		For Up To 2, Add	2.91	
		For >2 To 6, Add	1.70	
		For >15 To 40, Deduct	-0.24	
		For >40, Deduct	-0.72	
		For Galvanized, Add	2.13	
		For Aluminum, Add	2.90	
		For 304 Stainless Steel, Add	11.59	
		For 316 Stainless Steel, Add	13.28	
05 59 69 00-0052	SF	0.12" Thick Wire, 3/4" Spacing, 1.07 LB/SF Woven And Welded Wire Cloth Panels.....	10.81	4.08
		For Up To 2, Add	3.25	
		For >2 To 6, Add	1.90	
		For >15 To 40, Deduct	-0.27	
		For >40, Deduct	-0.81	
		For Galvanized, Add	2.37	
		For Aluminum, Add	3.23	
		For 304 Stainless Steel, Add	12.91	
		For 316 Stainless Steel, Add	14.80	



Metals	05	05
Metal Fabrications	05 50	
Metal Specialties	05 59	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 59 69 00-0053 SF 0.135" Thick Wire, 3/4" Spacing, 1.33 LB/SF Woven And Welded Wire Cloth Panels.....	11.99	4.61
For Up To 2, Add	3.63	
For >2 To 6, Add	2.12	
For >15 To 40, Deduct	-0.29	
For >40, Deduct	-0.88	
For Galvanized, Add	2.57	
For Aluminum, Add	3.51	
For 304 Stainless Steel, Add	14.04	
For 316 Stainless Steel, Add	16.09	
05 59 69 00-0054 SF 0.148" Thick Wire, 3/4" Spacing, 1.58 LB/SF Woven And Welded Wire Cloth Panels.....	12.95	4.91
For Up To 2, Add	3.90	
For >2 To 6, Add	2.28	
For >15 To 40, Deduct	-0.32	
For >40, Deduct	-0.96	
For Galvanized, Add	2.82	
For Aluminum, Add	3.84	
For 304 Stainless Steel, Add	15.36	
For 316 Stainless Steel, Add	17.60	
05 59 69 00-0055 SF 0.162" Thick Wire, 3/4" Spacing, 1.87 LB/SF Woven And Welded Wire Cloth Panels.....	14.94	5.52
For Up To 2, Add	4.46	
For >2 To 6, Add	2.60	
For >15 To 40, Deduct	-0.38	
For >40, Deduct	-1.14	
For Galvanized, Add	3.33	
For Aluminum, Add	4.54	
For 304 Stainless Steel, Add	18.17	
For 316 Stainless Steel, Add	20.82	
05 59 69 00-0056 SF 0.177" Thick Wire, 3/4" Spacing, 2.2 LB/SF Woven And Welded Wire Cloth Panels.....	17.15	6.18
For Up To 2, Add	5.08	
For >2 To 6, Add	2.95	
For >15 To 40, Deduct	-0.45	
For >40, Deduct	-1.34	
For Galvanized, Add	3.92	
For Aluminum, Add	5.35	
For 304 Stainless Steel, Add	21.38	
For 316 Stainless Steel, Add	24.50	
05 59 69 00-0057 SF 0.192" Thick Wire, 3/4" Spacing, 2.56 LB/SF Woven And Welded Wire Cloth Panels.....	19.48	6.83
For Up To 2, Add	5.72	
For >2 To 6, Add	3.31	
For >15 To 40, Deduct	-0.52	
For >40, Deduct	-1.56	
For Galvanized, Add	4.56	
For Aluminum, Add	6.22	
For 304 Stainless Steel, Add	24.89	
For 316 Stainless Steel, Add	28.52	
05 59 69 00-0058 SF 0.207" Thick Wire, 3/4" Spacing, 2.93 LB/SF Woven And Welded Wire Cloth Panels.....	21.76	7.43
For Up To 2, Add	6.33	
For >2 To 6, Add	3.66	
For >15 To 40, Deduct	-0.59	
For >40, Deduct	-1.78	
For Galvanized, Add	5.22	
For Aluminum, Add	7.12	
For 304 Stainless Steel, Add	28.46	
For 316 Stainless Steel, Add	32.62	
05 59 69 00-0059 SF 0.225" Thick Wire, 3/4" Spacing, 3.41 LB/SF Woven And Welded Wire Cloth Panels.....	24.76	8.21
For Up To 2, Add	7.14	
For >2 To 6, Add	4.12	
For >15 To 40, Deduct	-0.69	
For >40, Deduct	-2.07	
For Galvanized, Add	6.08	
For Aluminum, Add	8.29	
For 304 Stainless Steel, Add	33.14	
For 316 Stainless Steel, Add	37.98	
05 59 69 00-0060 1/2" Square Wire Spacing (05 59 69 00-0002)		
05 59 69 00-0061 SF 0.105" Thick Wire, 1/2" Spacing, 1.18 LB/SF Woven And Welded Wire Cloth Panels.....	10.13	3.89
For Up To 2, Add	3.06	
For >2 To 6, Add	1.79	
For >15 To 40, Deduct	-0.25	
For >40, Deduct	-0.74	
For Galvanized, Add	2.17	
For Aluminum, Add	2.96	
For 304 Stainless Steel, Add	11.86	
For 316 Stainless Steel, Add	13.59	
05 59 69 00-0062 SF 0.12" Thick Wire, 1/2" Spacing, 1.51 LB/SF Woven And Welded Wire Cloth Panels.....	11.91	4.73
For Up To 2, Add	3.65	
For >2 To 6, Add	2.14	
For >15 To 40, Deduct	-0.28	
For >40, Deduct	-0.84	
For Galvanized, Add	2.46	
For Aluminum, Add	3.35	
For 304 Stainless Steel, Add	13.42	
For 316 Stainless Steel, Add	15.37	

05	Metals
05 50	Metal Fabrications
05 59	Metal Specialties



MINOR
CSI UOM DESCRIPTION

TOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

05 59 69 00-0063	SF 0.135" Thick Wire, 1/2" Spacing, 1.88 LB/SF Woven And Welded Wire Cloth Panels.....	14.36	5.60
	For Up To 2, Add	4.37	
	For >2 To 6, Add	2.56	
	For >15 To 40, Deduct	-0.34	
	For >40, Deduct	-1.03	
	For Galvanized, Add	3.03	
	For Aluminum, Add	4.13	
	For 304 Stainless Steel, Add	16.54	
	For 316 Stainless Steel, Add	18.95	
05 59 69 00-0064	SF 0.148" Thick Wire, 1/2" Spacing, 2.22 LB/SF Woven And Welded Wire Cloth Panels.....	16.52	6.28
	For Up To 2, Add	4.98	
	For >2 To 6, Add	2.91	
	For >15 To 40, Deduct	-0.41	
	For >40, Deduct	-1.22	
	For Galvanized, Add	3.58	
	For Aluminum, Add	4.88	
	For 304 Stainless Steel, Add	19.54	
	For 316 Stainless Steel, Add	22.39	
05 59 69 00-0065	SF 0.162" Thick Wire, 1/2" Spacing, 2.61 LB/SF Woven And Welded Wire Cloth Panels.....	18.92	7.01
	For Up To 2, Add	5.65	
	For >2 To 6, Add	3.29	
	For >15 To 40, Deduct	-0.48	
	For >40, Deduct	-1.44	
	For Galvanized, Add	4.21	
	For Aluminum, Add	5.74	
	For 304 Stainless Steel, Add	22.97	
	For 316 Stainless Steel, Add	26.32	
05 59 69 00-0066	SF 0.177" Thick Wire, 1/2" Spacing, 3.06 LB/SF Woven And Welded Wire Cloth Panels.....	21.64	7.81
	For Up To 2, Add	6.41	
	For >2 To 6, Add	3.73	
	For >15 To 40, Deduct	-0.56	
	For >40, Deduct	-1.68	
	For Galvanized, Add	4.94	
	For Aluminum, Add	6.73	
	For 304 Stainless Steel, Add	26.93	
	For 316 Stainless Steel, Add	30.86	
05 59 69 00-0067	SF 0.192" Thick Wire, 1/2" Spacing, 3.54 LB/SF Woven And Welded Wire Cloth Panels.....	24.42	8.59
	For Up To 2, Add	7.17	
	For >2 To 6, Add	4.16	
	For >15 To 40, Deduct	-0.65	
	For >40, Deduct	-1.95	
	For Galvanized, Add	5.71	
	For Aluminum, Add	7.78	
	For 304 Stainless Steel, Add	31.13	
	For 316 Stainless Steel, Add	35.67	
05 59 69 00-0068	SF 0.207" Thick Wire, 1/2" Spacing, 4.04 LB/SF Woven And Welded Wire Cloth Panels.....	27.22	9.32
	For Up To 2, Add	7.93	
	For >2 To 6, Add	4.58	
	For >15 To 40, Deduct	-0.74	
	For >40, Deduct	-2.22	
	For Galvanized, Add	6.52	
	For Aluminum, Add	8.89	
	For 304 Stainless Steel, Add	35.54	
	For 316 Stainless Steel, Add	40.73	
05 59 69 00-0069	SF 0.225" Thick Wire, 1/2" Spacing, 4.68 LB/SF Woven And Welded Wire Cloth Panels.....	28.46	10.24
	For Up To 2, Add	8.42	
	For >2 To 6, Add	4.89	
	For >15 To 40, Deduct	-0.74	
	For >40, Deduct	-2.22	
	For Galvanized, Add	6.52	
	For Aluminum, Add	8.89	
	For 304 Stainless Steel, Add	35.54	
	For 316 Stainless Steel, Add	40.73	
05 59 69 00-0070	Expanded Metal Panels <small>(05 59 69)</small>		
	Note: Excludes frame and fastening to frame. See CSI section 05 05 21 00-0004 for spot welding.		
05 59 69 00-0071	Plain Flattened Expanded Metal Diamond Shape Panels <small>(05 59 69 00-0070)</small>		
	Note: Excludes frame and fastening to frame. See CSI section 05 05 21 00-0004 for spot welding.		
05 59 69 00-0072	SF 1/4" #20-F Plain Expanded Metal Panel, 0.82 LB/SF.....	7.92	3.35
	For Galvanized, Add	1.51	
	For Aluminum, Add	2.06	
	For 304 Stainless Steel, Add	8.26	
	For 316 Stainless Steel, Add	9.46	
05 59 69 00-0073	SF 1/4" #18-F Plain Expanded Metal Panel, 1.08 LB/SF.....	9.76	3.67
	For Galvanized, Add	2.14	
	For Aluminum, Add	2.92	
	For 304 Stainless Steel, Add	11.66	
	For 316 Stainless Steel, Add	13.37	
05 59 69 00-0074	SF 1/2" #20-F Plain Expanded Metal Panel, 0.40 LB/SF.....	5.76	2.60
	For Galvanized, Add	1.02	
	For Aluminum, Add	1.39	
	For 304 Stainless Steel, Add	5.54	
	For 316 Stainless Steel, Add	6.35	



Metals	05	05
Metal Fabrications	05 50	
Metal Specialties	05 59	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 59 69 00-0075	SF		1/2" #18-F Plain Expanded Metal Panel, 0.66 LB/SF.....	6.29	2.83
			<i>For Galvanized, Add</i>	1.11	
			<i>For Aluminum, Add</i>	1.52	
			<i>For 304 Stainless Steel, Add</i>	6.07	
			<i>For 316 Stainless Steel, Add</i>	6.96	
05 59 69 00-0076	SF		1/2" #16-F Plain Expanded Metal Panel, 0.82 LB/SF.....	7.18	3.35
			<i>For Galvanized, Add</i>	1.19	
			<i>For Aluminum, Add</i>	1.62	
			<i>For 304 Stainless Steel, Add</i>	6.48	
			<i>For 316 Stainless Steel, Add</i>	7.43	
05 59 69 00-0077	SF		1/2" #13-F Plain Expanded Metal Panel, 1.4 LB/SF.....	9.20	4.33
			<i>For Galvanized, Add</i>	1.51	
			<i>For Aluminum, Add</i>	2.06	
			<i>For 304 Stainless Steel, Add</i>	8.23	
			<i>For 316 Stainless Steel, Add</i>	9.43	
05 59 69 00-0078	SF		3/4" #16-F Plain Expanded Metal Panel, 0.51 LB/SF.....	5.12	2.55
			<i>For Galvanized, Add</i>	0.76	
			<i>For Aluminum, Add</i>	1.03	
			<i>For 304 Stainless Steel, Add</i>	4.13	
			<i>For 316 Stainless Steel, Add</i>	4.73	
05 59 69 00-0079	SF		3/4" #14-F Plain Expanded Metal Panel, 0.63 LB/SF.....	5.70	2.73
			<i>For Galvanized, Add</i>	0.90	
			<i>For Aluminum, Add</i>	1.23	
			<i>For 304 Stainless Steel, Add</i>	4.92	
			<i>For 316 Stainless Steel, Add</i>	5.64	
05 59 69 00-0080	SF		3/4" #13-F Plain Expanded Metal Panel, 0.75 LB/SF.....	6.49	3.06
			<i>For Galvanized, Add</i>	1.06	
			<i>For Aluminum, Add</i>	1.44	
			<i>For 304 Stainless Steel, Add</i>	5.76	
			<i>For 316 Stainless Steel, Add</i>	6.60	
05 59 69 00-0081	SF		3/4" #9-F Plain Expanded Metal Panel, 1.50 LB/SF.....	10.31	5.07
			<i>For Galvanized, Add</i>	1.56	
			<i>For Aluminum, Add</i>	2.13	
			<i>For 304 Stainless Steel, Add</i>	8.52	
			<i>For 316 Stainless Steel, Add</i>	9.76	
05 59 69 00-0082	SF		1" #16-F Plain Expanded Metal Panel, 0.41 LB/SF.....	5.83	3.11
			<i>For Galvanized, Add</i>	0.73	
			<i>For Aluminum, Add</i>	1.00	
			<i>For 304 Stainless Steel, Add</i>	4.01	
			<i>For 316 Stainless Steel, Add</i>	4.59	
05 59 69 00-0083	SF		1-1/2" #16-F Plain Expanded Metal Panel, 0.38 LB/SF.....	4.94	2.45
			<i>For Galvanized, Add</i>	0.74	
			<i>For Aluminum, Add</i>	1.01	
			<i>For 304 Stainless Steel, Add</i>	4.03	
			<i>For 316 Stainless Steel, Add</i>	4.62	
05 59 69 00-0084	SF		1-1/2" #13-F Plain Expanded Metal Panel, 0.57 LB/SF.....	5.72	2.88
			<i>For Galvanized, Add</i>	0.83	
			<i>For Aluminum, Add</i>	1.13	
			<i>For 304 Stainless Steel, Add</i>	4.54	
			<i>For 316 Stainless Steel, Add</i>	5.20	
05 59 69 00-0085	SF		1-1/2" #9-F Plain Expanded Metal Panel, 1.14 LB/SF.....	8.67	3.89
			<i>For Galvanized, Add</i>	1.53	
			<i>For Aluminum, Add</i>	2.09	
			<i>For 304 Stainless Steel, Add</i>	8.35	
			<i>For 316 Stainless Steel, Add</i>	9.57	

05 70 Decorative Metal (05)

Note: Includes anchors and related accessories.

05 71 Decorative Metal Stairs (05 70)

05 71 13 Fabricated Metal Spiral Stairs (05 71)

Note: Includes factory prime.

05 71 13 00-0001 Spiral Stairs, Stock Units (05 71 13)

Note: Includes factory prime.

05 71 13 00-0002 Steel Tread (05 71 13 00-0001)

05 71 13 00-0003	VLF		3'-6" Diameter, Spiral Steel Stair With Rails.....	292.89	44.26
			<i>For Galvanized, Add</i>	143.06	
05 71 13 00-0004	VLF		4' Diameter, Spiral Steel Stair With Rails.....	332.62	48.68
			<i>For Galvanized, Add</i>	164.68	
05 71 13 00-0005	VLF		4'-6" Diameter, Spiral Steel Stair With Rails.....	367.62	53.11
			<i>For Galvanized, Add</i>	182.98	
05 71 13 00-0006	VLF		5' Diameter, Spiral Steel Stair With Rails.....	394.30	57.54
			<i>For Galvanized, Add</i>	195.46	

05 73 Decorative Metal Railings (05 70)

Note: Factory primed. Includes brackets.

05 73 23 Decorative Metal Railings (05 73)

05 73 23 00-0001 Railings; Vertical Square Bars At 6" (05 73 23)

Note: Centers with shaped top rails (round, square, rectangular, diamond, triangular or other shape).

05	05 Metals
	05 70 Decorative Metal
	05 73 Decorative Metal Railings



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 73 23 00-0002 LF Steel Ornamental Handrail Vertical Square Bars At 6", Shaped Top Rail, Up To 42" High.....	66.23	9.73
For Rake Or Angle Railings, Add	8.84	
For Curved Railings, Add	18.57	
For 4" On Center Standards, Add	2.03	
For 4-1/2" On Center Standards, Add	1.62	
For 5" On Center Standards, Add	1.08	
For 5-1/2" On Center Standards, Add	0.54	
For Each Field Bending Of Rails, Add	12.31	
For Galvanized, Add	3.78	
05 73 23 00-0003 LF Aluminum Ornamental Handrail Vertical Square Bars At 6", Shaped Top Rail, Up To 42" High.....	121.32	13.28
For Rake Or Angle Railings, Add	14.16	
For Curved Railings, Add	39.76	
For 4" On Center Standards, Add	5.05	
For 4-1/2" On Center Standards, Add	4.04	
For 5" On Center Standards, Add	2.69	
For 5-1/2" On Center Standards, Add	1.35	
For Each Field Bending Of Rails, Add	15.99	
05 73 23 00-0004 LF Bronze Ornamental Handrail Vertical Square Bars At 6", Shaped Top Rail, Up To 42" High.....	182.94	22.12
For Rake Or Angle Railings, Add	20.95	
For Curved Railings, Add	61.06	
For 4" On Center Standards, Add	7.88	
For 4-1/2" On Center Standards, Add	6.30	
For 5" On Center Standards, Add	4.20	
For 5-1/2" On Center Standards, Add	2.10	
For Each Field Bending Of Rails, Add	21.97	
05 73 23 00-0005 LF Stainless Steel Ornamental Handrail Vertical Square Bars At 6", Shaped Top Rail, Up To 42" High.....	212.44	17.70
For Rake Or Angle Railings, Add	22.22	
For Curved Railings, Add	76.84	
For 4" On Center Standards, Add	10.54	
For 4-1/2" On Center Standards, Add	8.43	
For 5" On Center Standards, Add	5.62	
For 5-1/2" On Center Standards, Add	2.81	
For Each Field Bending Of Rails, Add	20.47	
05 73 23 00-0006 LF Black Wrought Iron Ornamental Handrail Vertical Square Bars At 6", Shaped Top Rail, Up To 42" High.....	187.59	27.00
For Rake Or Angle Railings, Add	18.54	
For Curved Railings, Add	70.89	
For 4" On Center Standards, Add	10.02	
For 4-1/2" On Center Standards, Add	8.02	
For 5" On Center Standards, Add	5.34	
For 5-1/2" On Center Standards, Add	2.67	
For Each Field Bending Of Rails, Add	16.00	
05 73 23 00-0007 Laminated Metal Or Wood Handrails With Metal Supports (05 73 23)		
05 73 23 00-0008 LF 2-1/2" Laminated Metal Or Wood Handrail Round/Oval Shape With Metal Supports.....	103.82	4.42
For Rake Or Angle Railings, Add	8.65	
For Curved Railings, Add	43.76	
For 4" On Center Standards, Add	6.61	
For 4-1/2" On Center Standards, Add	5.28	
For 5" On Center Standards, Add	3.52	
For 5-1/2" On Center Standards, Add	1.76	
For Each Field Bending Of Rails, Add	6.44	
05 73 23 00-0009 Plain Handrails (05 73 23)		
05 73 23 00-0010 LF 2" Brass Handrail.....	40.92	9.56
05 73 23 00-0011 EA 90 Degree Angle For 2" Brass Handrail.....	93.81	35.06
05 73 23 00-0012 EA End Cap For 2" Brass Handrail.....	43.14	17.58
05 73 23 00-0013 EA Brass Bracket And Joint For 2" Brass Handrail.....	71.23	35.06
05 73 23 00-0014 LF 2" Stainless Steel Handrail.....	52.69	11.95
05 73 23 00-0015 Restoration Of Existing Metal Handrail And Railing (05 73 23)		
Note: Task includes rust removal by grinding, cleaning, surface prep and one coat of protective primer. See CSI section 09 91 13 00-0372 for painting.		
05 73 23 00-0016 LF Refinish Metal Handrail.....	8.59	
05 73 23 00-0017 LF Refinish Wrought Iron Balustrade.....	8.54	
05 73 23 00-0018 Remove And Reinstall Ornamental Railing (05 73 23)		
05 73 23 00-0019 LF Removal And Reinstallation Of Ornamental Handrail And Pickets.....	81.44	
05 75 Decorative Formed Metal (05 70)		
05 75 00 00-0001 Metal Sheets, Installed On Walls (05 75)		
Note: Includes field fabrication (bending) where noted.		
05 75 00 00-0002 Copper Sheets, Installed On Walls (05 75 00 00-0001)		
Note: Includes field fabrication.		
05 75 00 00-0003 SF 0.0162" (12 Ounce) Thick Copper Sheet, Installed On Walls.....	18.92	1.73
For >16 To 200, Deduct	-1.08	
For >200 To 500, Deduct	-2.15	
For >500, Deduct	-3.10	



Metals	05	05
Decorative Metal	05 70	
Decorative Formed Metal	05 75	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 75 00 00-0004	SF		0.0215" (16 Ounce) Thick Copper Sheet, Installed On Walls	23.57	1.93
			<i>For >16 To 200, Deduct</i>	-1.32	
			<i>For >200 To 500, Deduct</i>	-2.65	
			<i>For >500, Deduct</i>	-3.83	
05 75 00 00-0005	SF		0.0242" (18 Ounce) Thick Copper Sheet, Installed On Walls	25.79	2.08
			<i>For >16 To 200, Deduct</i>	-1.45	
			<i>For >200 To 500, Deduct</i>	-2.89	
			<i>For >500, Deduct</i>	-4.18	
05 75 00 00-0006	SF		0.027" (20 Ounce) Thick Copper Sheet, Installed On Walls	27.84	2.19
			<i>For >16 To 200, Deduct</i>	-1.56	
			<i>For >200 To 500, Deduct</i>	-3.11	
			<i>For >500, Deduct</i>	-4.50	
05 75 00 00-0007	SF		0.0323" (24 Ounce) Thick Copper Sheet, Installed On Walls	31.68	2.29
			<i>For >16 To 200, Deduct</i>	-1.76	
			<i>For >200 To 500, Deduct</i>	-3.51	
			<i>For >500, Deduct</i>	-5.10	
05 75 00 00-0008	SF		0.0431" (32 Ounce) Thick Copper Sheet, Installed On Walls	40.02	2.39
			<i>For >16 To 200, Deduct</i>	-2.18	
			<i>For >200 To 500, Deduct</i>	-4.36	
			<i>For >500, Deduct</i>	-6.36	
05 75 00 00-0009	SF		0.052" (40 Ounce) Thick Copper Sheet, Installed On Walls	46.82	2.50
			<i>For >16 To 200, Deduct</i>	-2.53	
			<i>For >200 To 500, Deduct</i>	-5.06	
			<i>For >500, Deduct</i>	-7.40	
05 75 00 00-0010	SF		0.0646" (48 Ounce) Thick Copper Sheet, Installed On Walls	56.62	2.71
			<i>For >16 To 200, Deduct</i>	-3.03	
			<i>For >200 To 500, Deduct</i>	-6.07	
			<i>For >500, Deduct</i>	-8.90	
05 75 00 00-0011	SF		0.08" Thick Copper Sheet, Installed On Walls	69.45	2.91
			<i>For >16 To 200, Deduct</i>	-3.69	
			<i>For >200 To 500, Deduct</i>	-7.38	
			<i>For >500, Deduct</i>	-10.86	
05 75 00 00-0012	SF		0.125" Thick Copper Sheet, Installed On Walls	101.69	3.12
			<i>For >16 To 200, Deduct</i>	-5.32	
			<i>For >200 To 500, Deduct</i>	-10.64	
			<i>For >500, Deduct</i>	-15.72	
05 75 00 00-0013			Stainless Steel Sheets, Installed On Walls (05 75 00 00-0001)		
			Note: Includes field fabrication.		
05 75 00 00-0014	SF		0.026" Thick (24 Gauge) 304 Brushed Stainless Steel Sheet, Installed On Walls	10.84	1.98
			<i>For >16 To 200, Deduct</i>	-0.69	
			<i>For >200 To 500, Deduct</i>	-1.38	
			<i>For >500, Deduct</i>	-1.92	
05 75 00 00-0015	SF		0.0312" Thick (22 Gauge) 304 Brushed Stainless Steel Sheet, Installed On Walls	12.20	2.13
			<i>For >16 To 200, Deduct</i>	-0.77	
			<i>For >200 To 500, Deduct</i>	-1.54	
			<i>For >500, Deduct</i>	-2.15	
05 75 00 00-0016	SF		0.0375" Thick (20 Gauge) 304 Brushed Stainless Steel Sheet, Installed On Walls	13.22	2.24
			<i>For >16 To 200, Deduct</i>	-0.83	
			<i>For >200 To 500, Deduct</i>	-1.66	
			<i>For >500, Deduct</i>	-2.32	
05 75 00 00-0017	SF		0.050" Thick (18 Gauge) 304 Brushed Stainless Steel Sheet, Installed On Walls	15.27	2.34
			<i>For >16 To 200, Deduct</i>	-0.94	
			<i>For >200 To 500, Deduct</i>	-1.88	
			<i>For >500, Deduct</i>	-2.64	
05 75 00 00-0018	SF		0.0625" Thick (16 Gauge) 304 Brushed Stainless Steel Sheet, Installed On Walls	17.29	2.45
			<i>For >16 To 200, Deduct</i>	-1.05	
			<i>For >200 To 500, Deduct</i>	-2.10	
			<i>For >500, Deduct</i>	-2.96	
05 75 00 00-0019	SF		0.078" Thick (14 Gauge) 304 Brushed Stainless Steel Sheet, Installed On Walls	19.81	2.57
			<i>For >16 To 200, Deduct</i>	-1.18	
			<i>For >200 To 500, Deduct</i>	-2.37	
			<i>For >500, Deduct</i>	-3.36	
05 75 00 00-0020	SF		0.125" Thick (11 Gauge) 304 Brushed Stainless Steel Sheet, Installed On Walls	28.00	2.99
			<i>For >16 To 200, Deduct</i>	-1.62	
			<i>For >200 To 500, Deduct</i>	-3.25	
			<i>For >500, Deduct</i>	-4.65	
05 75 00 00-0021	SF		3/16" Thick (7 Gauge) 304 Brushed Stainless Steel Sheet, Installed On Walls	37.25	3.17
			<i>For >16 To 200, Deduct</i>	-2.10	
			<i>For >200 To 500, Deduct</i>	-4.20	
			<i>For >500, Deduct</i>	-6.06	
05 75 00 00-0022	SF		1/4" Thick (3 Gauge) 304 Brushed Stainless Steel Sheet, Installed On Walls	50.65	3.85
			<i>For >16 To 200, Deduct</i>	-2.82	
			<i>For >200 To 500, Deduct</i>	-5.64	
			<i>For >500, Deduct</i>	-8.18	
05 75 00 00-0023	SF		3/8" Thick 304 Brushed Stainless Steel Sheet, Installed On Walls	83.03	4.12
			<i>For >16 To 200, Deduct</i>	-4.46	
			<i>For >200 To 500, Deduct</i>	-8.92	
			<i>For >500, Deduct</i>	-13.07	
05 75 00 00-0024	SF		1/2" Thick 304 Brushed Stainless Steel Sheet, Installed On Walls	105.90	4.80
			<i>For >16 To 200, Deduct</i>	-5.66	
			<i>For >200 To 500, Deduct</i>	-11.31	
			<i>For >500, Deduct</i>	-16.61	

05	05 Metals
	05 70 Decorative Metal
	05 75 Decorative Formed Metal



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 75 00 00-0025 Aluminum Sheets, Installed On Walls <small>(05 75 00 00-0001)</small> Note: Includes field fabrication.		
05 75 00 00-0026 SF 0.016" Thick (26 Gauge) Aluminum Sheet, Installed On Walls	7.95	1.73
For >16 To 200, Deduct	-0.53	
For >200 To 500, Deduct	-1.06	
For >500, Deduct	-1.45	
05 75 00 00-0027 SF 0.020" Thick (24 Gauge) Aluminum Sheet, Installed On Walls	9.02	1.93
For >16 To 200, Deduct	-0.60	
For >200 To 500, Deduct	-1.19	
For >500, Deduct	-1.64	
05 75 00 00-0028 SF 0.025" Thick (22 Gauge) Aluminum Sheet, Installed On Walls	10.04	2.08
For >16 To 200, Deduct	-0.66	
For >200 To 500, Deduct	-1.32	
For >500, Deduct	-1.82	
05 75 00 00-0029 SF 0.032" Thick (20 Gauge) Aluminum Sheet, Installed On Walls	11.11	2.19
For >16 To 200, Deduct	-0.72	
For >200 To 500, Deduct	-1.44	
For >500, Deduct	-2.00	
05 75 00 00-0030 SF 0.040" Thick (18 Gauge) Aluminum Sheet, Installed On Walls	12.15	2.29
For >16 To 200, Deduct	-0.78	
For >200 To 500, Deduct	-1.56	
For >500, Deduct	-2.17	
05 75 00 00-0031 SF 0.050" Thick (16 Gauge) Aluminum Sheet, Installed On Walls	13.31	2.39
For >16 To 200, Deduct	-0.85	
For >200 To 500, Deduct	-1.69	
For >500, Deduct	-2.36	
05 75 00 00-0032 SF 0.064" Thick (14 Gauge) Aluminum Sheet, Installed On Walls	14.72	2.50
For >16 To 200, Deduct	-0.92	
For >200 To 500, Deduct	-1.85	
For >500, Deduct	-2.58	
05 75 00 00-0033 SF 0.090" Thick (11 Gauge) Aluminum Sheet, Installed On Walls	17.50	2.91
For >16 To 200, Deduct	-1.09	
For >200 To 500, Deduct	-2.19	
For >500, Deduct	-3.06	
05 75 00 00-0034 Galvanized Steel Sheets, Installed On Walls <small>(05 75 00 00-0001)</small> Note: Includes field fabrication.		
05 75 00 00-0035 SF 0.0217" (26 Gauge) Thick Galvanized Steel Sheet, Installed On Walls	7.04	1.73
For >16 To 200, Deduct	-0.48	
For >200 To 500, Deduct	-0.96	
For >500, Deduct	-1.32	
05 75 00 00-0036 SF 0.0276" (24 Gauge) Thick Galvanized Steel Sheet, Installed On Walls	7.81	1.93
For >16 To 200, Deduct	-0.54	
For >200 To 500, Deduct	-1.07	
For >500, Deduct	-1.46	
05 75 00 00-0037 SF 0.0336" (22 Gauge) Thick Galvanized Steel Sheet, Installed On Walls	8.32	2.08
For >16 To 200, Deduct	-0.57	
For >200 To 500, Deduct	-1.14	
For >500, Deduct	-1.56	
05 75 00 00-0038 SF 0.0396" (20 Gauge) Thick Galvanized Steel Sheet, Installed On Walls	8.83	2.19
For >16 To 200, Deduct	-0.61	
For >200 To 500, Deduct	-1.21	
For >500, Deduct	-1.65	
05 75 00 00-0039 SF 0.0516" (18 Gauge) Thick Galvanized Steel Sheet, Installed On Walls	9.45	2.29
For >16 To 200, Deduct	-0.64	
For >200 To 500, Deduct	-1.29	
For >500, Deduct	-1.76	
05 75 00 00-0040 SF 0.0635" (16 Gauge) Thick Galvanized Steel Sheet, Installed On Walls	10.15	2.39
For >16 To 200, Deduct	-0.69	
For >200 To 500, Deduct	-1.37	
For >500, Deduct	-1.88	
05 75 00 00-0041 SF 0.0785" (14 Gauge) Thick Galvanized Steel Sheet, Installed On Walls	11.22	2.50
For >16 To 200, Deduct	-0.75	
For >200 To 500, Deduct	-1.50	
For >500, Deduct	-2.06	
05 75 00 00-0042 SF 0.1084" (12 Gauge) Thick Galvanized Steel Sheet, Installed On Walls	12.79	2.71
For >16 To 200, Deduct	-0.84	
For >200 To 500, Deduct	-1.69	
For >500, Deduct	-2.33	
05 75 00 00-0043 SF 0.1382" (10 Gauge) Thick Galvanized Steel Sheet, Installed On Walls	14.75	3.12
For >16 To 200, Deduct	-0.97	
For >200 To 500, Deduct	-1.94	
For >500, Deduct	-2.68	
05 75 00 00-0044 Galvanized Zinc-Plated Steel Sheets, Installed On Walls <small>(05 75 00 00-0001)</small> Note: Includes field fabrication.		
05 75 00 00-0045 SF 0.013" Thick Galvanized Zinc Plated Steel Sheet, Installed On Walls	8.80	1.64
For >16 To 200, Deduct	-0.60	
For >200 To 500, Deduct	-1.21	
For >500, Deduct	-1.65	



Metals	05	05
Decorative Metal	05 70	
Decorative Formed Metal	05 75	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
05 75 00 00-0046 SF 0.016" Thick Galvanized Zinc Plated Steel Sheet, Installed On Walls	10.13	1.85
<i>For >16 To 200, Deduct</i>	-0.69	
<i>For >200 To 500, Deduct</i>	-1.39	
<i>For >500, Deduct</i>	-1.89	
05 75 00 00-0047 SF 0.019" Thick Galvanized Zinc Plated Steel Sheet, Installed On Walls	11.43	2.07
<i>For >16 To 200, Deduct</i>	-0.78	
<i>For >200 To 500, Deduct</i>	-1.56	
<i>For >500, Deduct</i>	-2.13	
05 75 00 00-0048 SF 0.024" Thick Galvanized Zinc Plated Steel Sheet, Installed On Walls	12.57	2.23
<i>For >16 To 200, Deduct</i>	-0.85	
<i>For >200 To 500, Deduct</i>	-1.70	
<i>For >500, Deduct</i>	-2.33	

END OF SECTION 05

NOT FOR BIDD

05	05	Metals
	05 70	Decorative Metal
	05 75	Decorative Formed Metal



MINOR CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
--------------	-----	-------------	---------------------------	-------------------------

THIS PAGE INTENTIONALLY LEFT BLANK

NOT FOR BID



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
------------------------------	---------------------------	-------------------------

06 Wood, Plastics, and Composites

06 01 Maintenance of Wood, Plastics, and Composites ⁽⁰⁶⁾

06 01 20 Maintenance of Finish Carpentry ^(06 01)

06 01 20 91 Finish Carpentry Restoration ^(06 01 20)

06 01 20 91-0001 Wood Trim Repair ^(06 01 20 91)

06 01 20 91-0002	SF	Restoration Of Existing Decorative Woodwork.....	6.76	
Note: Includes stripping to bare wood, filling or patching, stain or paint to match existing.				

06 01 40 Maintenance Of Architectural Woodwork ^(06 01)

06 01 40 91 Architectural Woodwork Restoration ^(06 01 40)

06 01 40 91-0001 Cabinet Hardware Replacement ^(06 01 40 91)

06 01 40 91-0002	EA	Removal And Replacement Of Concealed, Full Or Half Overlay, Self Closing, Steel Cabinet Hinges.....	29.97	
06 01 40 91-0003	EA	Removal And Replacement Of Semi Concealed, Brass Cabinet Hinges.....	29.68	

06 05 Common Work Results For Wood, Plastics, And Composites ⁽⁰⁶⁾

06 05 23 Wood, Plastic, And Composite Fastenings ^(06 05)

Note: For additional fasteners above normal conditions, for replacing existing fasteners, for relocating existing materials or fixtures, or for different fasteners required due to load limits on standard fasteners.

06 05 23 00-0001 Threaded Anchor Bolts ^(06 05 23)

Note: Threaded on two ends with two nuts and flat washers.

06 05 23 00-0002	EA	1/2" Diameter x 4" Long, Threaded Anchor Bolt.....	11.31	
		For >10 To 50, Deduct	-0.32	
		For >50 To 100, Deduct	-0.76	
		For >100 To 250, Deduct	-1.52	
		For >250 To 500, Deduct	-2.59	
		For >500, Deduct	-3.66	
06 05 23 00-0003	EA	1/2" Diameter x 7-1/2" Long, Threaded Anchor Bolt.....	15.44	
		For >10 To 50, Deduct	-0.34	
		For >50 To 100, Deduct	-0.90	
		For >100 To 250, Deduct	-1.80	
		For >250 To 500, Deduct	-3.03	
		For >500, Deduct	-4.27	
06 05 23 00-0004	EA	3/4" Diameter x 7-1/2" Long, Threaded Anchor Bolt.....	17.19	
		For >10 To 50, Deduct	-0.34	
		For >50 To 100, Deduct	-0.94	
		For >100 To 250, Deduct	-1.88	
		For >250 To 500, Deduct	-3.16	
		For >500, Deduct	-4.45	
06 05 23 00-0005	EA	3/4" Diameter x 12" Long, Threaded Anchor Bolt.....	34.95	
		For >10 To 50, Deduct	-0.47	
		For >50 To 100, Deduct	-1.57	
		For >100 To 250, Deduct	-3.15	
		For >250 To 500, Deduct	-5.19	
		For >500, Deduct	-7.23	

06 05 23 00-0006 Framing Anchors ^(06 05 23)

Note: Including nails.

06 05 23 00-0007	EA	1-7/16" x 2-1/2" Galvanized Framing Angle Anchor (Simpson A34).....	5.54	2.66
		For >10 To 50, Deduct	-0.25	
		For >50 To 100, Deduct	-0.52	
		For >100 To 250, Deduct	-1.04	
		For >250 To 500, Deduct	-1.81	
		For >500, Deduct	-2.58	

06 05 23 00-0008 Hold Down Anchors ^(06 05 23)

Note: Including nails.

06 05 23 00-0009	EA	8-5/8" High x 2-1/2" Wide x 2-1/4" Deep, 12 Gauge, Hold Downs (Simpson Strong Tie® HD3B).....	37.45	
		For >10 To 50, Deduct	-1.37	
		For >50 To 100, Deduct	-3.00	
		For >100 To 250, Deduct	-5.99	
		For >250 To 500, Deduct	-10.37	
		For >500, Deduct	-14.74	
06 05 23 00-0010	EA	9-3/8" High x 2-1/2" Wide x 2-1/2" Deep, 10 Gauge, Hold Downs (Simpson Strong Tie® HD5B).....	52.26	
		For >10 To 50, Deduct	-1.37	
		For >50 To 100, Deduct	-3.37	
		For >100 To 250, Deduct	-6.74	
		For >250 To 500, Deduct	-11.48	
		For >500, Deduct	-16.22	

06 Wood, Plastics, and Composites**06 05 Common Work Results For Wood, Plastics, And Composites****06 05 23 Wood, Plastic, And Composite Fastenings**

MINOR		TOTAL DIRECT	DEMOLITION
CSI	UOM DESCRIPTION	UNIT COST	UNIT COST
06 05 23 00-0011	EA 12-3/8" High x 2-1/2" Wide x 2-1/2" Deep, 10 Gauge, Hold Downs (Simpson Strong Tie® HD7B)	59.26	
	For >10 To 50, Deduct	-1.51	
	For >50 To 100, Deduct	-3.74	
	For >100 To 250, Deduct	-7.48	
	For >250 To 500, Deduct	-12.73	
	For >500, Deduct	-17.98	
06 05 23 00-0012	EA 14" High x 2-1/2" Wide x 2-1/2" Deep, 7 Gauge, Hold Downs (Simpson Strong Tie® HD9B)	72.41	
	For >10 To 50, Deduct	-1.68	
	For >50 To 100, Deduct	-4.34	
	For >100 To 250, Deduct	-8.67	
	For >250 To 500, Deduct	-14.69	
	For >500, Deduct	-20.71	
06 05 23 00-0013	EA 20-5/16" High x 3-1/2" Wide x 4-1/2" Deep, 3 Gauge, Hold Downs (Simpson Strong Tie® HD12).....	143.27	
	For >10 To 50, Deduct	-2.13	
	For >50 To 100, Deduct	-6.77	
	For >100 To 250, Deduct	-13.54	
	For >250 To 500, Deduct	-22.44	
	For >500, Deduct	-31.34	
06 05 23 00-0014	EA 24-1/2" High x 3-1/2" Wide x 4-1/2" Deep, 3 Gauge, Hold Downs (Simpson Strong Tie® HD19).....	164.82	
	For >10 To 50, Deduct	-2.22	
	For >50 To 100, Deduct	-7.44	
	For >100 To 250, Deduct	-14.89	
	For >250 To 500, Deduct	-24.55	
	For >500, Deduct	-34.21	
06 05 23 00-0015	Joist And Beam Hangers <small>(06 05 23)</small>		
	Note: Including nails.		
06 05 23 00-0016	EA 18 Gauge Joist Hanger, For 2" x 4" Joist, Also Acceptable For Beam Hangers.....	5.55	2.48
	For >10 To 50, Deduct	-0.25	
	For >50 To 100, Deduct	-0.52	
	For >100 To 250, Deduct	-1.04	
	For >250 To 500, Deduct	-1.81	
	For >500, Deduct	-2.58	
06 05 23 00-0017	EA 18 Gauge Joist Hanger, For 2" x 6"-2" x 10" Joist, Also Acceptable For Beam Hangers	6.25	2.48
	For >10 To 50, Deduct	-0.27	
	For >50 To 100, Deduct	-0.56	
	For >100 To 250, Deduct	-1.12	
	For >250 To 500, Deduct	-1.95	
	For >500, Deduct	-2.77	
06 05 23 00-0018	EA 16 Gauge Joist Hanger, For 3" x 6"-3" x 9" Joist, Also Acceptable For Beam Hangers	7.68	2.48
	For >10 To 50, Deduct	-0.28	
	For >50 To 100, Deduct	-0.61	
	For >100 To 250, Deduct	-1.22	
	For >250 To 500, Deduct	-2.10	
	For >500, Deduct	-2.98	
06 05 23 00-0019	EA 16 Gauge Joist Hanger, For 3" x 10"-3" x 14" Joist, Also Acceptable For Beam Hangers	7.81	2.48
	For >10 To 50, Deduct	-0.28	
	For >50 To 100, Deduct	-0.61	
	For >100 To 250, Deduct	-1.22	
	For >250 To 500, Deduct	-2.11	
	For >500, Deduct	-3.00	
06 05 23 00-0020	EA 14 Gauge Joist Hanger, For 4" x 6"-4" x 8" Joist, Also Acceptable For Beam Hangers	7.90	2.57
	For >10 To 50, Deduct	-0.29	
	For >50 To 100, Deduct	-0.63	
	For >100 To 250, Deduct	-1.25	
	For >250 To 500, Deduct	-2.16	
	For >500, Deduct	-3.07	
06 05 23 00-0021	EA 14 Gauge Joist Hanger, For 4" x 10"-4" x 14" Joist, Also Acceptable For Beam Hangers	8.27	2.57
	For >10 To 50, Deduct	-0.29	
	For >50 To 100, Deduct	-0.64	
	For >100 To 250, Deduct	-1.27	
	For >250 To 500, Deduct	-2.19	
	For >500, Deduct	-3.11	
06 05 23 00-0022	Anchor And Ties <small>(06 05 23)</small>		
	Note: Including nails.		
06 05 23 00-0023	EA Pre-Deflected Hold Down With SDS Screws (Simpson Strong Tie® PHD5-SDS).....	35.79	
06 05 23 00-0024	EA 12-3/8" Heavy Tension Tie (Simpson Strong Tie® HTT4)	23.10	
06 05 23 00-0025	EA 16" Heavy Tension Tie (Simpson Strong Tie® HTT5).....	33.61	
06 05 23 00-0026	EA 2" x 4" Or 2" x 6" Mudsill Anchor 16 Gauge Zinc Galvanized Finish (Simpson Strong Tie® MAS)	3.23	
06 05 23 00-0027	Hurricane Clips <small>(06 05 23)</small>		
06 05 23 00-0028	EA 18 Gauge Zinc Galvanized Finish Hurricane Clips (Simpson Strong Tie® H2.5A)	2.40	
06 05 23 00-0029	EA 18 Gauge Stainless Steel Hurricane Clips (Simpson Strong Tie® H2.5SS)	5.81	
06 05 23 00-0030	EA Hurricane Strap (Simpson Strong Tie® H6).....	9.36	
06 05 23 00-0031	Post Framing <small>(06 05 23)</small>		
	Note: Including nails.		



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 05 23 00-0032 EA 16 Gauge Post Framing With 4" x 4" Base	10.31	3.10
For >10 To 50, Deduct	-0.34	
For >50 To 100, Deduct	-0.77	
For >100 To 250, Deduct	-1.54	
For >250 To 500, Deduct	-2.65	
For >500, Deduct	-3.76	
06 05 23 00-0033 EA 16 Gauge Post Framing With 4" x 4" Cap	8.93	3.10
For >10 To 50, Deduct	-0.34	
For >50 To 100, Deduct	-0.73	
For >100 To 250, Deduct	-1.47	
For >250 To 500, Deduct	-2.55	
For >500, Deduct	-3.62	
06 05 23 00-0034 Rafter Anchors <small>(06 05 23)</small>		
06 05 23 00-0035 EA 1-1/2" Wide x 5-1/4" Long, 18 Gauge Rafter Anchor	6.36	2.75
For >10 To 50, Deduct	-0.31	
For >50 To 100, Deduct	-0.62	
For >100 To 250, Deduct	-1.23	
For >250 To 500, Deduct	-2.16	
For >500, Deduct	-3.08	
06 05 23 00-0036 EA 1-1/2" Wide x 10-3/4" Long, 18 Gauge Rafter Anchor.....	6.51	2.75
For >10 To 50, Deduct	-0.31	
For >50 To 100, Deduct	-0.62	
For >100 To 250, Deduct	-1.24	
For >250 To 500, Deduct	-2.17	
For >500, Deduct	-3.10	
06 05 23 00-0037 EA Galvanized Rigid Rafter Connector, For 2" x 6"	8.07	2.75
For >10 To 50, Deduct	-0.31	
For >50 To 100, Deduct	-0.66	
For >100 To 250, Deduct	-1.32	
For >250 To 500, Deduct	-2.29	
For >500, Deduct	-3.25	
06 05 23 00-0038 Bolts And Fasteners <small>(06 05 23)</small>		
06 05 23 00-0039 Carriage Bolts <small>(06 05 23 00-0038)</small>		
Note: Includes drilling of holes in any material. Includes nut and washer.		
06 05 23 00-0040 Zinc Plated Steel, Low Carbon/Grade 2, Carriage Bolts <small>(06 05 23 00-0039)</small>		
06 05 23 00-0041 EA 1/4" Diameter x 2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Carriage Bolt	11.88	
For >10 To 50, Deduct	-0.58	
For >50 To 100, Deduct	-1.16	
For >100 To 250, Deduct	-2.32	
For >250 To 500, Deduct	-4.06	
For >500, Deduct	-5.79	
06 05 23 00-0042 EA 1/4" Diameter x 4" Length, Zinc Plated Steel, Low Carbon/Grade 2, Carriage Bolt	12.04	
For >10 To 50, Deduct	-0.58	
For >50 To 100, Deduct	-1.16	
For >100 To 250, Deduct	-2.33	
For >250 To 500, Deduct	-4.07	
For >500, Deduct	-5.81	
06 05 23 00-0043 EA 1/4" Diameter x 6" Length, Zinc Plated Steel, Low Carbon/Grade 2, Carriage Bolt	12.14	
For >10 To 50, Deduct	-0.58	
For >50 To 100, Deduct	-1.17	
For >100 To 250, Deduct	-2.33	
For >250 To 500, Deduct	-4.08	
For >500, Deduct	-5.82	
06 05 23 00-0044 EA 1/4" Diameter x 8" Length, Zinc Plated Steel, Low Carbon/Grade 2, Carriage Bolt	14.22	
For >10 To 50, Deduct	-0.67	
For >50 To 100, Deduct	-1.35	
For >100 To 250, Deduct	-2.71	
For >250 To 500, Deduct	-4.72	
For >500, Deduct	-6.74	
06 05 23 00-0045 EA 3/8" Diameter x 2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Carriage Bolt	13.21	
For >10 To 50, Deduct	-0.62	
For >50 To 100, Deduct	-1.26	
For >100 To 250, Deduct	-2.52	
For >250 To 500, Deduct	-4.40	
For >500, Deduct	-6.29	
06 05 23 00-0046 EA 3/8" Diameter x 4" Length, Zinc Plated Steel, Low Carbon/Grade 2, Carriage Bolt	14.36	
For >10 To 50, Deduct	-0.67	
For >50 To 100, Deduct	-1.36	
For >100 To 250, Deduct	-2.71	
For >250 To 500, Deduct	-4.73	
For >500, Deduct	-6.76	
06 05 23 00-0047 EA 3/8" Diameter x 6" Length, Zinc Plated Steel, Low Carbon/Grade 2, Carriage Bolt	14.63	
For >10 To 50, Deduct	-0.67	
For >50 To 100, Deduct	-1.36	
For >100 To 250, Deduct	-2.73	
For >250 To 500, Deduct	-4.75	
For >500, Deduct	-6.78	

06 Wood, Plastics, and Composites**06 05 Common Work Results For Wood, Plastics, And Composites****06 05 23 Wood, Plastic, And Composite Fastenings**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 05 23 00-0048	EA		3/8" Diameter x 8" Length, Zinc Plated Steel, Low Carbon/Grade 2, Carriage Bolt	17.46	
			<i>For >10 To 50, Deduct</i>	-0.80	
			<i>For >50 To 100, Deduct</i>	-1.63	
			<i>For >100 To 250, Deduct</i>	-3.27	
			<i>For >250 To 500, Deduct</i>	-5.70	
			<i>For >500, Deduct</i>	-8.13	
06 05 23 00-0049	EA		3/8" Diameter x 10" Length, Zinc Plated Steel, Low Carbon/Grade 2, Carriage Bolt	19.13	
			<i>For >10 To 50, Deduct</i>	-0.84	
			<i>For >50 To 100, Deduct</i>	-1.74	
			<i>For >100 To 250, Deduct</i>	-3.48	
			<i>For >250 To 500, Deduct</i>	-6.07	
			<i>For >500, Deduct</i>	-8.65	
06 05 23 00-0050	EA		3/8" Diameter x 12" Length, Zinc Plated Steel, Low Carbon/Grade 2, Carriage Bolt	21.66	
			<i>For >10 To 50, Deduct</i>	-0.93	
			<i>For >50 To 100, Deduct</i>	-1.94	
			<i>For >100 To 250, Deduct</i>	-3.87	
			<i>For >250 To 500, Deduct</i>	-6.74	
			<i>For >500, Deduct</i>	-9.61	
06 05 23 00-0051	EA		1/2" Diameter x 2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Carriage Bolt	14.92	
			<i>For >10 To 50, Deduct</i>	-0.67	
			<i>For >50 To 100, Deduct</i>	-1.37	
			<i>For >100 To 250, Deduct</i>	-2.74	
			<i>For >250 To 500, Deduct</i>	-4.78	
			<i>For >500, Deduct</i>	-6.81	
06 05 23 00-0052	EA		1/2" Diameter x 4" Length, Zinc Plated Steel, Low Carbon/Grade 2, Carriage Bolt	16.47	
			<i>For >10 To 50, Deduct</i>	-0.71	
			<i>For >50 To 100, Deduct</i>	-1.48	
			<i>For >100 To 250, Deduct</i>	-2.95	
			<i>For >250 To 500, Deduct</i>	-5.13	
			<i>For >500, Deduct</i>	-7.32	
06 05 23 00-0053	EA		1/2" Diameter x 6" Length, Zinc Plated Steel, Low Carbon/Grade 2, Carriage Bolt	17.56	
			<i>For >10 To 50, Deduct</i>	-0.75	
			<i>For >50 To 100, Deduct</i>	-1.57	
			<i>For >100 To 250, Deduct</i>	-3.14	
			<i>For >250 To 500, Deduct</i>	-5.46	
			<i>For >500, Deduct</i>	-7.78	
06 05 23 00-0054	EA		1/2" Diameter x 8" Length, Zinc Plated Steel, Low Carbon/Grade 2, Carriage Bolt	19.71	
			<i>For >10 To 50, Deduct</i>	-0.84	
			<i>For >50 To 100, Deduct</i>	-1.76	
			<i>For >100 To 250, Deduct</i>	-3.51	
			<i>For >250 To 500, Deduct</i>	-6.11	
			<i>For >500, Deduct</i>	-8.71	
06 05 23 00-0055	EA		1/2" Diameter x 10" Length, Zinc Plated Steel, Low Carbon/Grade 2, Carriage Bolt	23.26	
			<i>For >10 To 50, Deduct</i>	-0.97	
			<i>For >50 To 100, Deduct</i>	-2.04	
			<i>For >100 To 250, Deduct</i>	-4.09	
			<i>For >250 To 500, Deduct</i>	-7.10	
			<i>For >500, Deduct</i>	-10.12	
06 05 23 00-0056	EA		1/2" Diameter x 12" Length, Zinc Plated Steel, Low Carbon/Grade 2, Carriage Bolt	26.26	
			<i>For >10 To 50, Deduct</i>	-1.06	
			<i>For >50 To 100, Deduct</i>	-2.25	
			<i>For >100 To 250, Deduct</i>	-4.50	
			<i>For >250 To 500, Deduct</i>	-7.82	
			<i>For >500, Deduct</i>	-11.13	
06 05 23 00-0057	EA		3/4" Diameter x 2" Length, Zinc Plated Steel, Low Carbon/Grade 2, Carriage Bolt	21.09	
			<i>For >10 To 50, Deduct</i>	-0.80	
			<i>For >50 To 100, Deduct</i>	-1.72	
			<i>For >100 To 250, Deduct</i>	-3.45	
			<i>For >250 To 500, Deduct</i>	-5.97	
			<i>For >500, Deduct</i>	-8.49	
06 05 23 00-0058	EA		3/4" Diameter x 4" Length, Zinc Plated Steel, Low Carbon/Grade 2, Carriage Bolt	23.02	
			<i>For >10 To 50, Deduct</i>	-0.84	
			<i>For >50 To 100, Deduct</i>	-1.84	
			<i>For >100 To 250, Deduct</i>	-3.68	
			<i>For >250 To 500, Deduct</i>	-6.36	
			<i>For >500, Deduct</i>	-9.04	
06 05 23 00-0059	EA		3/4" Diameter x 6" Length, Zinc Plated Steel, Low Carbon/Grade 2, Carriage Bolt	27.81	
			<i>For >10 To 50, Deduct</i>	-0.97	
			<i>For >50 To 100, Deduct</i>	-2.16	
			<i>For >100 To 250, Deduct</i>	-4.31	
			<i>For >250 To 500, Deduct</i>	-7.45	
			<i>For >500, Deduct</i>	-10.58	
06 05 23 00-0060	EA		3/4" Diameter x 8" Length, Zinc Plated Steel, Low Carbon/Grade 2, Carriage Bolt	31.78	
			<i>For >10 To 50, Deduct</i>	-1.02	
			<i>For >50 To 100, Deduct</i>	-2.32	
			<i>For >100 To 250, Deduct</i>	-4.65	
			<i>For >250 To 500, Deduct</i>	-7.99	
			<i>For >500, Deduct</i>	-11.33	
06 05 23 00-0061	EA		3/4" Diameter x 10" Length, Zinc Plated Steel, Low Carbon/Grade 2, Carriage Bolt	34.49	
			<i>For >10 To 50, Deduct</i>	-1.11	
			<i>For >50 To 100, Deduct</i>	-2.52	
			<i>For >100 To 250, Deduct</i>	-5.05	
			<i>For >250 To 500, Deduct</i>	-8.68	
			<i>For >500, Deduct</i>	-12.31	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 05 23 00-0062 EA 3/4" Diameter x 12" Length, Zinc Plated Steel, Low Carbon/Grade 2, Carriage Bolt	35.02	
<i>For >10 To 50, Deduct</i>	-1.15	
<i>For >50 To 100, Deduct</i>	-2.60	
<i>For >100 To 250, Deduct</i>	-5.21	
<i>For >250 To 500, Deduct</i>	-8.96	
<i>For >500, Deduct</i>	-12.72	
06 05 23 00-0063 Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Carriage Bolts <small>(06 05 23 00-0039)</small>		
06 05 23 00-0064 EA 1/4" Diameter x 2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Carriage Bolt	12.17	
<i>For >10 To 50, Deduct</i>	-0.58	
<i>For >50 To 100, Deduct</i>	-1.17	
<i>For >100 To 250, Deduct</i>	-2.34	
<i>For >250 To 500, Deduct</i>	-4.08	
<i>For >500, Deduct</i>	-5.82	
06 05 23 00-0065 EA 1/4" Diameter x 4" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Carriage Bolt	12.47	
<i>For >10 To 50, Deduct</i>	-0.58	
<i>For >50 To 100, Deduct</i>	-1.18	
<i>For >100 To 250, Deduct</i>	-2.35	
<i>For >250 To 500, Deduct</i>	-4.10	
<i>For >500, Deduct</i>	-5.85	
06 05 23 00-0066 EA 1/4" Diameter x 6" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Carriage Bolt	12.81	
<i>For >10 To 50, Deduct</i>	-0.58	
<i>For >50 To 100, Deduct</i>	-1.18	
<i>For >100 To 250, Deduct</i>	-2.37	
<i>For >250 To 500, Deduct</i>	-4.13	
<i>For >500, Deduct</i>	-5.89	
06 05 23 00-0067 EA 1/4" Diameter x 8" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Carriage Bolt	15.35	
<i>For >10 To 50, Deduct</i>	-0.67	
<i>For >50 To 100, Deduct</i>	-1.38	
<i>For >100 To 250, Deduct</i>	-2.76	
<i>For >250 To 500, Deduct</i>	-4.81	
<i>For >500, Deduct</i>	-6.86	
06 05 23 00-0068 EA 3/8" Diameter x 2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Carriage Bolt	13.62	
<i>For >10 To 50, Deduct</i>	-0.62	
<i>For >50 To 100, Deduct</i>	-1.27	
<i>For >100 To 250, Deduct</i>	-2.54	
<i>For >250 To 500, Deduct</i>	-4.43	
<i>For >500, Deduct</i>	-6.33	
06 05 23 00-0069 EA 3/8" Diameter x 4" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Carriage Bolt	15.00	
<i>For >10 To 50, Deduct</i>	-0.67	
<i>For >50 To 100, Deduct</i>	-1.37	
<i>For >100 To 250, Deduct</i>	-2.75	
<i>For >250 To 500, Deduct</i>	-4.78	
<i>For >500, Deduct</i>	-6.82	
06 05 23 00-0070 EA 3/8" Diameter x 6" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Carriage Bolt	15.37	
<i>For >10 To 50, Deduct</i>	-0.67	
<i>For >50 To 100, Deduct</i>	-1.38	
<i>For >100 To 250, Deduct</i>	-2.76	
<i>For >250 To 500, Deduct</i>	-4.81	
<i>For >500, Deduct</i>	-6.86	
06 05 23 00-0071 EA 3/8" Diameter x 8" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Carriage Bolt	18.59	
<i>For >10 To 50, Deduct</i>	-0.80	
<i>For >50 To 100, Deduct</i>	-1.66	
<i>For >100 To 250, Deduct</i>	-3.32	
<i>For >250 To 500, Deduct</i>	-5.78	
<i>For >500, Deduct</i>	-8.24	
06 05 23 00-0072 EA 3/8" Diameter x 10" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Carriage Bolt	20.39	
<i>For >10 To 50, Deduct</i>	-0.84	
<i>For >50 To 100, Deduct</i>	-1.77	
<i>For >100 To 250, Deduct</i>	-3.55	
<i>For >250 To 500, Deduct</i>	-6.16	
<i>For >500, Deduct</i>	-8.78	
06 05 23 00-0073 EA 3/8" Diameter x 12" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Carriage Bolt	22.84	
<i>For >10 To 50, Deduct</i>	-0.93	
<i>For >50 To 100, Deduct</i>	-1.97	
<i>For >100 To 250, Deduct</i>	-3.93	
<i>For >250 To 500, Deduct</i>	-6.83	
<i>For >500, Deduct</i>	-9.72	
06 05 23 00-0074 EA 1/2" Diameter x 2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Carriage Bolt	15.86	
<i>For >10 To 50, Deduct</i>	-0.67	
<i>For >50 To 100, Deduct</i>	-1.39	
<i>For >100 To 250, Deduct</i>	-2.79	
<i>For >250 To 500, Deduct</i>	-4.85	
<i>For >500, Deduct</i>	-6.91	
06 05 23 00-0075 EA 1/2" Diameter x 4" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Carriage Bolt	17.21	
<i>For >10 To 50, Deduct</i>	-0.71	
<i>For >50 To 100, Deduct</i>	-1.49	
<i>For >100 To 250, Deduct</i>	-2.99	
<i>For >250 To 500, Deduct</i>	-5.19	
<i>For >500, Deduct</i>	-7.39	

06 Wood, Plastics, and Composites**06 05 Common Work Results For Wood, Plastics, And Composites****06 05 23 Wood, Plastic, And Composite Fastenings**

MINOR		TOTAL DIRECT	DEMOLITION
CSI	UOM DESCRIPTION	UNIT COST	UNIT COST
06 05 23 00-0076	EA 1/2" Diameter x 6" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Carriage Bolt.....	18.45	
	For >10 To 50, Deduct	-0.75	
	For >50 To 100, Deduct	-1.59	
	For >100 To 250, Deduct	-3.18	
	For >250 To 500, Deduct	-5.53	
	For >500, Deduct	-7.87	
06 05 23 00-0077	EA 1/2" Diameter x 8" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Carriage Bolt.....	20.99	
	For >10 To 50, Deduct	-0.84	
	For >50 To 100, Deduct	-1.79	
	For >100 To 250, Deduct	-3.58	
	For >250 To 500, Deduct	-6.21	
	For >500, Deduct	-8.84	
06 05 23 00-0078	EA 1/2" Diameter x 10" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Carriage Bolt.....	24.51	
	For >10 To 50, Deduct	-0.97	
	For >50 To 100, Deduct	-2.07	
	For >100 To 250, Deduct	-4.15	
	For >250 To 500, Deduct	-7.20	
	For >500, Deduct	-10.25	
06 05 23 00-0079	EA 1/2" Diameter x 12" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Carriage Bolt.....	27.22	
	For >10 To 50, Deduct	-1.06	
	For >50 To 100, Deduct	-2.28	
	For >100 To 250, Deduct	-4.55	
	For >250 To 500, Deduct	-7.89	
	For >500, Deduct	-11.23	
06 05 23 00-0080	EA 3/4" Diameter x 2" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Carriage Bolt.....	23.94	
	For >10 To 50, Deduct	-0.80	
	For >50 To 100, Deduct	-1.79	
	For >100 To 250, Deduct	-3.59	
	For >250 To 500, Deduct	-6.18	
	For >500, Deduct	-8.77	
06 05 23 00-0081	EA 3/4" Diameter x 4" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Carriage Bolt.....	25.01	
	For >10 To 50, Deduct	-0.84	
	For >50 To 100, Deduct	-1.89	
	For >100 To 250, Deduct	-3.78	
	For >250 To 500, Deduct	-6.51	
	For >500, Deduct	-9.24	
06 05 23 00-0082	EA 3/4" Diameter x 6" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Carriage Bolt.....	29.22	
	For >10 To 50, Deduct	-0.97	
	For >50 To 100, Deduct	-2.19	
	For >100 To 250, Deduct	-4.38	
	For >250 To 500, Deduct	-7.55	
	For >500, Deduct	-10.72	
06 05 23 00-0083	EA 3/4" Diameter x 8" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Carriage Bolt.....	31.67	
	For >10 To 50, Deduct	-1.02	
	For >50 To 100, Deduct	-2.32	
	For >100 To 250, Deduct	-4.64	
	For >250 To 500, Deduct	-7.98	
	For >500, Deduct	-11.32	
06 05 23 00-0084	EA 3/4" Diameter x 10" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Carriage Bolt.....	36.32	
	For >10 To 50, Deduct	-1.11	
	For >50 To 100, Deduct	-2.57	
	For >100 To 250, Deduct	-5.14	
	For >250 To 500, Deduct	-8.82	
	For >500, Deduct	-12.49	
06 05 23 00-0085	EA 3/4" Diameter x 12" Length, Hot Dipped Galvanized Steel, Low Carbon/Grade 2, Carriage Bolt.....	38.85	
	For >10 To 50, Deduct	-1.15	
	For >50 To 100, Deduct	-2.70	
	For >100 To 250, Deduct	-5.40	
	For >250 To 500, Deduct	-9.25	
	For >500, Deduct	-13.10	
06 05 23 00-0086	304/18-8 Stainless Steel, Carriage Bolts (06 05 23 00-0039)		
06 05 23 00-0087	EA 1/4" Diameter x 2" Length, 304/18-8 Stainless Steel, Carriage Bolt.....	12.64	
	For >10 To 50, Deduct	-0.58	
	For >50 To 100, Deduct	-1.18	
	For >100 To 250, Deduct	-2.36	
	For >250 To 500, Deduct	-4.11	
	For >500, Deduct	-5.87	
06 05 23 00-0088	EA 1/4" Diameter x 4" Length, 304/18-8 Stainless Steel, Carriage Bolt.....	13.88	
	For >10 To 50, Deduct	-0.58	
	For >50 To 100, Deduct	-1.21	
	For >100 To 250, Deduct	-2.42	
	For >250 To 500, Deduct	-4.21	
	For >500, Deduct	-5.99	
06 05 23 00-0089	EA 1/4" Diameter x 6" Length, 304/18-8 Stainless Steel, Carriage Bolt.....	14.69	
	For >10 To 50, Deduct	-0.58	
	For >50 To 100, Deduct	-1.23	
	For >100 To 250, Deduct	-2.46	
	For >250 To 500, Deduct	-4.27	
	For >500, Deduct	-6.07	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 05 23 00-0090 EA 1/4" Diameter x 8" Length, 304/18-8 Stainless Steel, Carriage Bolt.....	25.20	
<i>For >10 To 50, Deduct</i>	-0.67	
<i>For >50 To 100, Deduct</i>	-1.63	
<i>For >100 To 250, Deduct</i>	-3.26	
<i>For >250 To 500, Deduct</i>	-5.55	
<i>For >500, Deduct</i>	-7.84	
06 05 23 00-0091 EA 3/8" Diameter x 2" Length, 304/18-8 Stainless Steel, Carriage Bolt.....	14.69	
<i>For >10 To 50, Deduct</i>	-0.62	
<i>For >50 To 100, Deduct</i>	-1.30	
<i>For >100 To 250, Deduct</i>	-2.60	
<i>For >250 To 500, Deduct</i>	-4.51	
<i>For >500, Deduct</i>	-6.43	
06 05 23 00-0092 EA 3/8" Diameter x 4" Length, 304/18-8 Stainless Steel, Carriage Bolt.....	17.37	
<i>For >10 To 50, Deduct</i>	-0.67	
<i>For >50 To 100, Deduct</i>	-1.43	
<i>For >100 To 250, Deduct</i>	-2.86	
<i>For >250 To 500, Deduct</i>	-4.96	
<i>For >500, Deduct</i>	-7.06	
06 05 23 00-0093 EA 3/8" Diameter x 6" Length, 304/18-8 Stainless Steel, Carriage Bolt.....	17.76	
<i>For >10 To 50, Deduct</i>	-0.67	
<i>For >50 To 100, Deduct</i>	-1.44	
<i>For >100 To 250, Deduct</i>	-2.88	
<i>For >250 To 500, Deduct</i>	-4.99	
<i>For >500, Deduct</i>	-7.10	
06 05 23 00-0094 EA 3/8" Diameter x 8" Length, 304/18-8 Stainless Steel, Carriage Bolt.....	33.33	
<i>For >10 To 50, Deduct</i>	-0.80	
<i>For >50 To 100, Deduct</i>	-2.03	
<i>For >100 To 250, Deduct</i>	-4.06	
<i>For >250 To 500, Deduct</i>	-6.89	
<i>For >500, Deduct</i>	-9.71	
06 05 23 00-0095 EA 3/8" Diameter x 10" Length, 304/18-8 Stainless Steel, Carriage Bolt.....	40.66	
<i>For >10 To 50, Deduct</i>	-0.84	
<i>For >50 To 100, Deduct</i>	-2.28	
<i>For >100 To 250, Deduct</i>	-4.56	
<i>For >250 To 500, Deduct</i>	-7.68	
<i>For >500, Deduct</i>	-10.80	
06 05 23 00-0096 EA 3/8" Diameter x 12" Length, 304/18-8 Stainless Steel, Carriage Bolt.....	45.55	
<i>For >10 To 50, Deduct</i>	-0.93	
<i>For >50 To 100, Deduct</i>	-2.53	
<i>For >100 To 250, Deduct</i>	-5.07	
<i>For >250 To 500, Deduct</i>	-8.53	
<i>For >500, Deduct</i>	-12.00	
06 05 23 00-0097 EA 1/2" Diameter x 2" Length, 304/18-8 Stainless Steel, Carriage Bolt.....	18.82	
<i>For >10 To 50, Deduct</i>	-0.67	
<i>For >50 To 100, Deduct</i>	-1.47	
<i>For >100 To 250, Deduct</i>	-2.94	
<i>For >250 To 500, Deduct</i>	-5.07	
<i>For >500, Deduct</i>	-7.20	
06 05 23 00-0098 EA 1/2" Diameter x 4" Length, 304/18-8 Stainless Steel, Carriage Bolt.....	21.42	
<i>For >10 To 50, Deduct</i>	-0.71	
<i>For >50 To 100, Deduct</i>	-1.60	
<i>For >100 To 250, Deduct</i>	-3.20	
<i>For >250 To 500, Deduct</i>	-5.51	
<i>For >500, Deduct</i>	-7.81	
06 05 23 00-0099 EA 1/2" Diameter x 6" Length, 304/18-8 Stainless Steel, Carriage Bolt.....	26.06	
<i>For >10 To 50, Deduct</i>	-0.75	
<i>For >50 To 100, Deduct</i>	-1.78	
<i>For >100 To 250, Deduct</i>	-3.56	
<i>For >250 To 500, Deduct</i>	-6.10	
<i>For >500, Deduct</i>	-8.63	
06 05 23 00-0100 EA 1/2" Diameter x 8" Length, 304/18-8 Stainless Steel, Carriage Bolt.....	41.80	
<i>For >10 To 50, Deduct</i>	-0.84	
<i>For >50 To 100, Deduct</i>	-2.31	
<i>For >100 To 250, Deduct</i>	-4.62	
<i>For >250 To 500, Deduct</i>	-7.77	
<i>For >500, Deduct</i>	-10.92	
06 05 23 00-0101 EA 1/2" Diameter x 10" Length, 304/18-8 Stainless Steel, Carriage Bolt.....	47.18	
<i>For >10 To 50, Deduct</i>	-0.97	
<i>For >50 To 100, Deduct</i>	-2.64	
<i>For >100 To 250, Deduct</i>	-5.28	
<i>For >250 To 500, Deduct</i>	-8.90	
<i>For >500, Deduct</i>	-12.51	
06 05 23 00-0102 EA 1/2" Diameter x 12" Length, 304/18-8 Stainless Steel, Carriage Bolt.....	74.55	
<i>For >10 To 50, Deduct</i>	-1.06	
<i>For >50 To 100, Deduct</i>	-3.46	
<i>For >100 To 250, Deduct</i>	-6.92	
<i>For >250 To 500, Deduct</i>	-11.44	
<i>For >500, Deduct</i>	-15.96	
06 05 23 00-0103 EA 3/4" Diameter x 4" Length, 304/18-8 Stainless Steel, Carriage Bolt.....	57.88	
<i>For >10 To 50, Deduct</i>	-0.84	
<i>For >50 To 100, Deduct</i>	-2.71	
<i>For >100 To 250, Deduct</i>	-5.42	
<i>For >250 To 500, Deduct</i>	-8.97	
<i>For >500, Deduct</i>	-12.52	

06 Wood, Plastics, and Composites**06 05 Common Work Results For Wood, Plastics, And Composites****06 05 23 Wood, Plastic, And Composite Fastenings**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 05 23 00-0104	EA		3/4" Diameter x 6" Length, 304/18-8 Stainless Steel, Carriage Bolt.....	82.16	
			<i>For >10 To 50, Deduct</i>	-0.97	
			<i>For >50 To 100, Deduct</i>	-3.52	
			<i>For >100 To 250, Deduct</i>	-7.03	
			<i>For >250 To 500, Deduct</i>	-11.52	
			<i>For >500, Deduct</i>	-16.01	
06 05 23 00-0105	EA		3/4" Diameter x 8" Length, 304/18-8 Stainless Steel, Carriage Bolt.....	91.12	
			<i>For >10 To 50, Deduct</i>	-1.02	
			<i>For >50 To 100, Deduct</i>	-3.81	
			<i>For >100 To 250, Deduct</i>	-7.61	
			<i>For >250 To 500, Deduct</i>	-12.44	
			<i>For >500, Deduct</i>	-17.27	
06 05 23 00-0106	EA		3/4" Diameter x 10" Length, 304/18-8 Stainless Steel, Carriage Bolt.....	134.88	
			<i>For >10 To 50, Deduct</i>	-1.11	
			<i>For >50 To 100, Deduct</i>	-5.03	
			<i>For >100 To 250, Deduct</i>	-10.07	
			<i>For >250 To 500, Deduct</i>	-16.21	
			<i>For >500, Deduct</i>	-22.35	
06 05 23 00-0107	EA		3/4" Diameter x 12" Length, 304/18-8 Stainless Steel, Carriage Bolt.....	141.90	
			<i>For >10 To 50, Deduct</i>	-1.15	
			<i>For >50 To 100, Deduct</i>	-5.28	
			<i>For >100 To 250, Deduct</i>	-10.55	
			<i>For >250 To 500, Deduct</i>	-16.98	
			<i>For >500, Deduct</i>	-23.41	
06 05 23 00-0108			316 Stainless Steel, Carriage Bolts <small>(06 05 23 00-0039)</small>		
06 05 23 00-0109	EA		1/4" Diameter x 2" Length, 316 Stainless Steel, Carriage Bolt.....	18.36	
			<i>For >10 To 50, Deduct</i>	-0.58	
			<i>For >50 To 100, Deduct</i>	-1.32	
			<i>For >100 To 250, Deduct</i>	-2.64	
			<i>For >250 To 500, Deduct</i>	-4.54	
			<i>For >500, Deduct</i>	-6.44	
06 05 23 00-0110	EA		1/4" Diameter x 4" Length, 316 Stainless Steel, Carriage Bolt.....	20.53	
			<i>For >10 To 50, Deduct</i>	-0.58	
			<i>For >50 To 100, Deduct</i>	-1.38	
			<i>For >100 To 250, Deduct</i>	-2.75	
			<i>For >250 To 500, Deduct</i>	-4.71	
			<i>For >500, Deduct</i>	-6.66	
06 05 23 00-0111	EA		3/8" Diameter x 2" Length, 316 Stainless Steel, Carriage Bolt.....	22.17	
			<i>For >10 To 50, Deduct</i>	-0.62	
			<i>For >50 To 100, Deduct</i>	-1.49	
			<i>For >100 To 250, Deduct</i>	-2.97	
			<i>For >250 To 500, Deduct</i>	-5.08	
			<i>For >500, Deduct</i>	-7.18	
06 05 23 00-0112	EA		3/8" Diameter x 4" Length, 316 Stainless Steel, Carriage Bolt.....	26.08	
			<i>For >10 To 50, Deduct</i>	-0.67	
			<i>For >50 To 100, Deduct</i>	-1.65	
			<i>For >100 To 250, Deduct</i>	-3.30	
			<i>For >250 To 500, Deduct</i>	-5.61	
			<i>For >500, Deduct</i>	-7.93	
06 05 23 00-0113	EA		1/2" Diameter x 2" Length, 316 Stainless Steel, Carriage Bolt.....	35.75	
			<i>For >10 To 50, Deduct</i>	-0.67	
			<i>For >50 To 100, Deduct</i>	-1.89	
			<i>For >100 To 250, Deduct</i>	-3.78	
			<i>For >250 To 500, Deduct</i>	-6.34	
			<i>For >500, Deduct</i>	-8.90	
06 05 23 00-0114	EA		1/2" Diameter x 4" Length, 316 Stainless Steel, Carriage Bolt.....	38.97	
			<i>For >10 To 50, Deduct</i>	-0.71	
			<i>For >50 To 100, Deduct</i>	-2.04	
			<i>For >100 To 250, Deduct</i>	-4.08	
			<i>For >250 To 500, Deduct</i>	-6.82	
			<i>For >500, Deduct</i>	-9.57	
06 05 23 00-0115	EA		1/2" Diameter x 6" Length, 316 Stainless Steel, Carriage Bolt.....	42.01	
			<i>For >10 To 50, Deduct</i>	-0.75	
			<i>For >50 To 100, Deduct</i>	-2.18	
			<i>For >100 To 250, Deduct</i>	-4.36	
			<i>For >250 To 500, Deduct</i>	-7.29	
			<i>For >500, Deduct</i>	-10.23	
06 05 23 00-0116			Hex Lag Bolts <small>(06 05 23 00-0038)</small>		
			Note: Includes drilling of holes in any material.		
06 05 23 00-0117			Zinc Plated Steel, Hex Lag Bolts <small>(06 05 23 00-0116)</small>		
06 05 23 00-0118	EA		1/4" Diameter x 2" Length, Zinc Plated Steel, Hex Lag Bolt.....	11.29	
			<i>For >10 To 50, Deduct</i>	-0.55	
			<i>For >50 To 100, Deduct</i>	-1.11	
			<i>For >100 To 250, Deduct</i>	-2.23	
			<i>For >250 To 500, Deduct</i>	-3.89	
			<i>For >500, Deduct</i>	-5.56	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 05 23 00-0119 EA 1/4" Diameter x 4" Length, Zinc Plated Steel, Hex Lag Bolt.....	11.43	
<i>For >10 To 50, Deduct</i>	-0.55	
<i>For >50 To 100, Deduct</i>	-1.12	
<i>For >100 To 250, Deduct</i>	-2.23	
<i>For >250 To 500, Deduct</i>	-3.90	
<i>For >500, Deduct</i>	-5.57	
06 05 23 00-0120 EA 1/4" Diameter x 6" Length, Zinc Plated Steel, Hex Lag Bolt.....	11.72	
<i>For >10 To 50, Deduct</i>	-0.55	
<i>For >50 To 100, Deduct</i>	-1.12	
<i>For >100 To 250, Deduct</i>	-2.25	
<i>For >250 To 500, Deduct</i>	-3.92	
<i>For >500, Deduct</i>	-5.60	
06 05 23 00-0121 EA 3/8" Diameter x 2" Length, Zinc Plated Steel, Hex Lag Bolt.....	12.50	
<i>For >10 To 50, Deduct</i>	-0.60	
<i>For >50 To 100, Deduct</i>	-1.22	
<i>For >100 To 250, Deduct</i>	-2.44	
<i>For >250 To 500, Deduct</i>	-4.26	
<i>For >500, Deduct</i>	-6.08	
06 05 23 00-0122 EA 3/8" Diameter x 4" Length, Zinc Plated Steel, Hex Lag Bolt.....	13.63	
<i>For >10 To 50, Deduct</i>	-0.65	
<i>For >50 To 100, Deduct</i>	-1.31	
<i>For >100 To 250, Deduct</i>	-2.62	
<i>For >250 To 500, Deduct</i>	-4.58	
<i>For >500, Deduct</i>	-6.54	
06 05 23 00-0123 EA 3/8" Diameter x 6" Length, Zinc Plated Steel, Hex Lag Bolt.....	13.94	
<i>For >10 To 50, Deduct</i>	-0.65	
<i>For >50 To 100, Deduct</i>	-1.32	
<i>For >100 To 250, Deduct</i>	-2.64	
<i>For >250 To 500, Deduct</i>	-4.60	
<i>For >500, Deduct</i>	-6.57	
06 05 23 00-0124 EA 3/8" Diameter x 8" Length, Zinc Plated Steel, Hex Lag Bolt.....	17.18	
<i>For >10 To 50, Deduct</i>	-0.78	
<i>For >50 To 100, Deduct</i>	-1.59	
<i>For >100 To 250, Deduct</i>	-3.19	
<i>For >250 To 500, Deduct</i>	-5.56	
<i>For >500, Deduct</i>	-7.93	
06 05 23 00-0125 EA 3/8" Diameter x 10" Length, Zinc Plated Steel, Hex Lag Bolt.....	18.22	
<i>For >10 To 50, Deduct</i>	-0.82	
<i>For >50 To 100, Deduct</i>	-1.68	
<i>For >100 To 250, Deduct</i>	-3.37	
<i>For >250 To 500, Deduct</i>	-5.87	
<i>For >500, Deduct</i>	-8.37	
06 05 23 00-0126 EA 1/2" Diameter x 2" Length, Zinc Plated Steel, Hex Lag Bolt.....	13.93	
<i>For >10 To 50, Deduct</i>	-0.65	
<i>For >50 To 100, Deduct</i>	-1.33	
<i>For >100 To 250, Deduct</i>	-2.65	
<i>For >250 To 500, Deduct</i>	-4.63	
<i>For >500, Deduct</i>	-6.61	
06 05 23 00-0127 EA 1/2" Diameter x 4" Length, Zinc Plated Steel, Hex Lag Bolt.....	15.26	
<i>For >10 To 50, Deduct</i>	-0.70	
<i>For >50 To 100, Deduct</i>	-1.42	
<i>For >100 To 250, Deduct</i>	-2.85	
<i>For >250 To 500, Deduct</i>	-4.97	
<i>For >500, Deduct</i>	-7.09	
06 05 23 00-0128 EA 1/2" Diameter x 6" Length, Zinc Plated Steel, Hex Lag Bolt.....	16.70	
<i>For >10 To 50, Deduct</i>	-0.74	
<i>For >50 To 100, Deduct</i>	-1.52	
<i>For >100 To 250, Deduct</i>	-3.05	
<i>For >250 To 500, Deduct</i>	-5.31	
<i>For >500, Deduct</i>	-7.57	
06 05 23 00-0129 EA 1/2" Diameter x 8" Length, Zinc Plated Steel, Hex Lag Bolt.....	19.11	
<i>For >10 To 50, Deduct</i>	-0.83	
<i>For >50 To 100, Deduct</i>	-1.72	
<i>For >100 To 250, Deduct</i>	-3.43	
<i>For >250 To 500, Deduct</i>	-5.97	
<i>For >500, Deduct</i>	-8.51	
06 05 23 00-0130 EA 1/2" Diameter x 10" Length, Zinc Plated Steel, Hex Lag Bolt.....	22.62	
<i>For >10 To 50, Deduct</i>	-0.96	
<i>For >50 To 100, Deduct</i>	-2.00	
<i>For >100 To 250, Deduct</i>	-4.00	
<i>For >250 To 500, Deduct</i>	-6.95	
<i>For >500, Deduct</i>	-9.91	
06 05 23 00-0131 EA 1/2" Diameter x 12" Length, Zinc Plated Steel, Hex Lag Bolt.....	24.69	
<i>For >10 To 50, Deduct</i>	-1.04	
<i>For >50 To 100, Deduct</i>	-2.18	
<i>For >100 To 250, Deduct</i>	-4.36	
<i>For >250 To 500, Deduct</i>	-7.59	
<i>For >500, Deduct</i>	-10.81	
06 05 23 00-0132 EA 3/4" Diameter x 4" Length, Zinc Plated Steel, Hex Lag Bolt.....	21.02	
<i>For >10 To 50, Deduct</i>	-0.83	
<i>For >50 To 100, Deduct</i>	-1.76	
<i>For >100 To 250, Deduct</i>	-3.53	
<i>For >250 To 500, Deduct</i>	-6.11	
<i>For >500, Deduct</i>	-8.70	

06 Wood, Plastics, and Composites**06 05 Common Work Results For Wood, Plastics, And Composites****06 05 23 Wood, Plastic, And Composite Fastenings**

MINOR CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 05 23 00-0133	EA	3/4" Diameter x 6" Length, Zinc Plated Steel, Hex Lag Bolt.....	25.26	
		<i>For >10 To 50, Deduct</i>	-0.96	
		<i>For >50 To 100, Deduct</i>	-2.06	
		<i>For >100 To 250, Deduct</i>	-4.13	
		<i>For >250 To 500, Deduct</i>	-7.15	
		<i>For >500, Deduct</i>	-10.17	
06 05 23 00-0134	EA	3/4" Diameter x 8" Length, Zinc Plated Steel, Hex Lag Bolt.....	28.30	
		<i>For >10 To 50, Deduct</i>	-1.00	
		<i>For >50 To 100, Deduct</i>	-2.21	
		<i>For >100 To 250, Deduct</i>	-4.41	
		<i>For >250 To 500, Deduct</i>	-7.62	
		<i>For >500, Deduct</i>	-10.82	
06 05 23 00-0135	EA	3/4" Diameter x 10" Length, Zinc Plated Steel, Hex Lag Bolt.....	32.02	
		<i>For >10 To 50, Deduct</i>	-1.09	
		<i>For >50 To 100, Deduct</i>	-2.43	
		<i>For >100 To 250, Deduct</i>	-4.86	
		<i>For >250 To 500, Deduct</i>	-8.37	
		<i>For >500, Deduct</i>	-11.89	
06 05 23 00-0136	EA	3/4" Diameter x 12" Length, Zinc Plated Steel, Hex Lag Bolt.....	36.38	
		<i>For >10 To 50, Deduct</i>	-1.13	
		<i>For >50 To 100, Deduct</i>	-2.60	
		<i>For >100 To 250, Deduct</i>	-5.21	
		<i>For >250 To 500, Deduct</i>	-8.94	
		<i>For >500, Deduct</i>	-12.67	
06 05 23 00-0137		Hot Dipped Galvanized Steel, Hex Lag Bolts <small>(06 05 23 00-0116)</small>		
06 05 23 00-0138	EA	1/4" Diameter x 2" Length, Hot Dipped Galvanized Steel, Hex Lag Bolt.....	11.36	
		<i>For >10 To 50, Deduct</i>	-0.55	
		<i>For >50 To 100, Deduct</i>	-1.11	
		<i>For >100 To 250, Deduct</i>	-2.23	
		<i>For >250 To 500, Deduct</i>	-3.90	
		<i>For >500, Deduct</i>	-5.56	
06 05 23 00-0139	EA	1/4" Diameter x 4" Length, Hot Dipped Galvanized Steel, Hex Lag Bolt.....	11.58	
		<i>For >10 To 50, Deduct</i>	-0.55	
		<i>For >50 To 100, Deduct</i>	-1.12	
		<i>For >100 To 250, Deduct</i>	-2.24	
		<i>For >250 To 500, Deduct</i>	-3.91	
		<i>For >500, Deduct</i>	-5.59	
06 05 23 00-0140	EA	1/4" Diameter x 6" Length, Hot Dipped Galvanized Steel, Hex Lag Bolt.....	11.80	
		<i>For >10 To 50, Deduct</i>	-0.55	
		<i>For >50 To 100, Deduct</i>	-1.13	
		<i>For >100 To 250, Deduct</i>	-2.25	
		<i>For >250 To 500, Deduct</i>	-3.93	
		<i>For >500, Deduct</i>	-5.61	
06 05 23 00-0141	EA	3/8" Diameter x 2" Length, Hot Dipped Galvanized Steel, Hex Lag Bolt.....	12.62	
		<i>For >10 To 50, Deduct</i>	-0.60	
		<i>For >50 To 100, Deduct</i>	-1.22	
		<i>For >100 To 250, Deduct</i>	-2.44	
		<i>For >250 To 500, Deduct</i>	-4.27	
		<i>For >500, Deduct</i>	-6.09	
06 05 23 00-0142	EA	3/8" Diameter x 4" Length, Hot Dipped Galvanized Steel, Hex Lag Bolt.....	13.82	
		<i>For >10 To 50, Deduct</i>	-0.65	
		<i>For >50 To 100, Deduct</i>	-1.32	
		<i>For >100 To 250, Deduct</i>	-2.63	
		<i>For >250 To 500, Deduct</i>	-4.59	
		<i>For >500, Deduct</i>	-6.55	
06 05 23 00-0143	EA	3/8" Diameter x 6" Length, Hot Dipped Galvanized Steel, Hex Lag Bolt.....	14.17	
		<i>For >10 To 50, Deduct</i>	-0.65	
		<i>For >50 To 100, Deduct</i>	-1.32	
		<i>For >100 To 250, Deduct</i>	-2.65	
		<i>For >250 To 500, Deduct</i>	-4.62	
		<i>For >500, Deduct</i>	-6.59	
06 05 23 00-0144	EA	3/8" Diameter x 8" Length, Hot Dipped Galvanized Steel, Hex Lag Bolt.....	17.60	
		<i>For >10 To 50, Deduct</i>	-0.78	
		<i>For >50 To 100, Deduct</i>	-1.60	
		<i>For >100 To 250, Deduct</i>	-3.21	
		<i>For >250 To 500, Deduct</i>	-5.59	
		<i>For >500, Deduct</i>	-7.97	
06 05 23 00-0145	EA	3/8" Diameter x 10" Length, Hot Dipped Galvanized Steel, Hex Lag Bolt.....	18.93	
		<i>For >10 To 50, Deduct</i>	-0.82	
		<i>For >50 To 100, Deduct</i>	-1.70	
		<i>For >100 To 250, Deduct</i>	-3.40	
		<i>For >250 To 500, Deduct</i>	-5.92	
		<i>For >500, Deduct</i>	-8.45	
06 05 23 00-0146	EA	1/2" Diameter x 2" Length, Hot Dipped Galvanized Steel, Hex Lag Bolt.....	14.26	
		<i>For >10 To 50, Deduct</i>	-0.65	
		<i>For >50 To 100, Deduct</i>	-1.33	
		<i>For >100 To 250, Deduct</i>	-2.67	
		<i>For >250 To 500, Deduct</i>	-4.65	
		<i>For >500, Deduct</i>	-6.64	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 05 23 00-0147 EA 1/2" Diameter x 4" Length, Hot Dipped Galvanized Steel, Hex Lag Bolt.....	15.44	
<i>For >10 To 50, Deduct</i>	-0.70	
<i>For >50 To 100, Deduct</i>	-1.43	
<i>For >100 To 250, Deduct</i>	-2.86	
<i>For >250 To 500, Deduct</i>	-4.98	
<i>For >500, Deduct</i>	-7.10	
06 05 23 00-0148 EA 1/2" Diameter x 6" Length, Hot Dipped Galvanized Steel, Hex Lag Bolt.....	17.02	
<i>For >10 To 50, Deduct</i>	-0.74	
<i>For >50 To 100, Deduct</i>	-1.53	
<i>For >100 To 250, Deduct</i>	-3.07	
<i>For >250 To 500, Deduct</i>	-5.34	
<i>For >500, Deduct</i>	-7.61	
06 05 23 00-0149 EA 1/2" Diameter x 8" Length, Hot Dipped Galvanized Steel, Hex Lag Bolt.....	20.08	
<i>For >10 To 50, Deduct</i>	-0.83	
<i>For >50 To 100, Deduct</i>	-1.74	
<i>For >100 To 250, Deduct</i>	-3.48	
<i>For >250 To 500, Deduct</i>	-6.04	
<i>For >500, Deduct</i>	-8.61	
06 05 23 00-0150 EA 1/2" Diameter x 10" Length, Hot Dipped Galvanized Steel, Hex Lag Bolt.....	23.09	
<i>For >10 To 50, Deduct</i>	-0.96	
<i>For >50 To 100, Deduct</i>	-2.01	
<i>For >100 To 250, Deduct</i>	-4.02	
<i>For >250 To 500, Deduct</i>	-6.99	
<i>For >500, Deduct</i>	-9.95	
06 05 23 00-0151 EA 1/2" Diameter x 12" Length, Hot Dipped Galvanized Steel, Hex Lag Bolt.....	25.85	
<i>For >10 To 50, Deduct</i>	-1.04	
<i>For >50 To 100, Deduct</i>	-2.21	
<i>For >100 To 250, Deduct</i>	-4.42	
<i>For >250 To 500, Deduct</i>	-7.67	
<i>For >500, Deduct</i>	-10.93	
06 05 23 00-0152 EA 3/4" Diameter x 4" Length, Hot Dipped Galvanized Steel, Hex Lag Bolt.....	21.73	
<i>For >10 To 50, Deduct</i>	-0.83	
<i>For >50 To 100, Deduct</i>	-1.78	
<i>For >100 To 250, Deduct</i>	-3.56	
<i>For >250 To 500, Deduct</i>	-6.17	
<i>For >500, Deduct</i>	-8.77	
06 05 23 00-0153 EA 3/4" Diameter x 6" Length, Hot Dipped Galvanized Steel, Hex Lag Bolt.....	25.91	
<i>For >10 To 50, Deduct</i>	-0.96	
<i>For >50 To 100, Deduct</i>	-2.08	
<i>For >100 To 250, Deduct</i>	-4.16	
<i>For >250 To 500, Deduct</i>	-7.20	
<i>For >500, Deduct</i>	-10.24	
06 05 23 00-0154 EA 3/4" Diameter x 8" Length, Hot Dipped Galvanized Steel, Hex Lag Bolt.....	29.38	
<i>For >10 To 50, Deduct</i>	-1.00	
<i>For >50 To 100, Deduct</i>	-2.23	
<i>For >100 To 250, Deduct</i>	-4.47	
<i>For >250 To 500, Deduct</i>	-7.70	
<i>For >500, Deduct</i>	-10.93	
06 05 23 00-0155 EA 3/4" Diameter x 10" Length, Hot Dipped Galvanized Steel, Hex Lag Bolt.....	34.57	
<i>For >10 To 50, Deduct</i>	-1.09	
<i>For >50 To 100, Deduct</i>	-2.49	
<i>For >100 To 250, Deduct</i>	-4.99	
<i>For >250 To 500, Deduct</i>	-8.57	
<i>For >500, Deduct</i>	-12.15	
06 05 23 00-0156 EA 3/4" Diameter x 12" Length, Hot Dipped Galvanized Steel, Hex Lag Bolt.....	39.11	
<i>For >10 To 50, Deduct</i>	-1.13	
<i>For >50 To 100, Deduct</i>	-2.67	
<i>For >100 To 250, Deduct</i>	-5.34	
<i>For >250 To 500, Deduct</i>	-9.15	
<i>For >500, Deduct</i>	-12.95	
06 05 23 00-0157 304/18-8 Stainless Steel, Hex Lag Bolts <small>(06 05 23 00-0116)</small>		
06 05 23 00-0158 EA 1/4" Diameter x 2" Length, 304/18-8 Stainless Steel, Hex Lag Bolt.....	11.85	
<i>For >10 To 50, Deduct</i>	-0.55	
<i>For >50 To 100, Deduct</i>	-1.13	
<i>For >100 To 250, Deduct</i>	-2.25	
<i>For >250 To 500, Deduct</i>	-3.93	
<i>For >500, Deduct</i>	-5.61	
06 05 23 00-0159 EA 1/4" Diameter x 4" Length, 304/18-8 Stainless Steel, Hex Lag Bolt.....	12.43	
<i>For >10 To 50, Deduct</i>	-0.55	
<i>For >50 To 100, Deduct</i>	-1.14	
<i>For >100 To 250, Deduct</i>	-2.28	
<i>For >250 To 500, Deduct</i>	-3.98	
<i>For >500, Deduct</i>	-5.67	
06 05 23 00-0160 EA 1/4" Diameter x 6" Length, 304/18-8 Stainless Steel, Hex Lag Bolt.....	14.01	
<i>For >10 To 50, Deduct</i>	-0.55	
<i>For >50 To 100, Deduct</i>	-1.18	
<i>For >100 To 250, Deduct</i>	-2.36	
<i>For >250 To 500, Deduct</i>	-4.10	
<i>For >500, Deduct</i>	-5.83	

06 Wood, Plastics, and Composites**06 05 Common Work Results For Wood, Plastics, And Composites****06 05 23 Wood, Plastic, And Composite Fastenings**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 05 23 00-0161	EA		3/8" Diameter x 2" Length, 304/18-8 Stainless Steel, Hex Lag Bolt	14.06	
			<i>For >10 To 50, Deduct</i>	-0.60	
			<i>For >50 To 100, Deduct</i>	-1.26	
			<i>For >100 To 250, Deduct</i>	-2.51	
			<i>For >250 To 500, Deduct</i>	-4.37	
			<i>For >500, Deduct</i>	-6.23	
06 05 23 00-0162	EA		3/8" Diameter x 4" Length, 304/18-8 Stainless Steel, Hex Lag Bolt	15.80	
			<i>For >10 To 50, Deduct</i>	-0.65	
			<i>For >50 To 100, Deduct</i>	-1.36	
			<i>For >100 To 250, Deduct</i>	-2.73	
			<i>For >250 To 500, Deduct</i>	-4.74	
			<i>For >500, Deduct</i>	-6.75	
06 05 23 00-0163	EA		3/8" Diameter x 6" Length, 304/18-8 Stainless Steel, Hex Lag Bolt	16.80	
			<i>For >10 To 50, Deduct</i>	-0.65	
			<i>For >50 To 100, Deduct</i>	-1.39	
			<i>For >100 To 250, Deduct</i>	-2.78	
			<i>For >250 To 500, Deduct</i>	-4.82	
			<i>For >500, Deduct</i>	-6.85	
06 05 23 00-0164	EA		3/8" Diameter x 8" Length, 304/18-8 Stainless Steel, Hex Lag Bolt	33.43	
			<i>For >10 To 50, Deduct</i>	-0.78	
			<i>For >50 To 100, Deduct</i>	-2.00	
			<i>For >100 To 250, Deduct</i>	-4.00	
			<i>For >250 To 500, Deduct</i>	-6.78	
			<i>For >500, Deduct</i>	-9.55	
06 05 23 00-0165	EA		3/8" Diameter x 10" Length, 304/18-8 Stainless Steel, Hex Lag Bolt	46.57	
			<i>For >10 To 50, Deduct</i>	-0.82	
			<i>For >50 To 100, Deduct</i>	-2.39	
			<i>For >100 To 250, Deduct</i>	-4.79	
			<i>For >250 To 500, Deduct</i>	-8.00	
			<i>For >500, Deduct</i>	-11.21	
06 05 23 00-0166	EA		1/2" Diameter x 2" Length, 304/18-8 Stainless Steel, Hex Lag Bolt	16.94	
			<i>For >10 To 50, Deduct</i>	-0.65	
			<i>For >50 To 100, Deduct</i>	-1.40	
			<i>For >100 To 250, Deduct</i>	-2.80	
			<i>For >250 To 500, Deduct</i>	-4.85	
			<i>For >500, Deduct</i>	-6.91	
06 05 23 00-0167	EA		1/2" Diameter x 4" Length, 304/18-8 Stainless Steel, Hex Lag Bolt	19.91	
			<i>For >10 To 50, Deduct</i>	-0.70	
			<i>For >50 To 100, Deduct</i>	-1.54	
			<i>For >100 To 250, Deduct</i>	-3.08	
			<i>For >250 To 500, Deduct</i>	-5.32	
			<i>For >500, Deduct</i>	-7.55	
06 05 23 00-0168	EA		1/2" Diameter x 6" Length, 304/18-8 Stainless Steel, Hex Lag Bolt	24.41	
			<i>For >10 To 50, Deduct</i>	-0.74	
			<i>For >50 To 100, Deduct</i>	-1.72	
			<i>For >100 To 250, Deduct</i>	-3.43	
			<i>For >250 To 500, Deduct</i>	-5.89	
			<i>For >500, Deduct</i>	-8.35	
06 05 23 00-0169	EA		1/2" Diameter x 8" Length, 304/18-8 Stainless Steel, Hex Lag Bolt	49.54	
			<i>For >10 To 50, Deduct</i>	-0.83	
			<i>For >50 To 100, Deduct</i>	-2.48	
			<i>For >100 To 250, Deduct</i>	-4.95	
			<i>For >250 To 500, Deduct</i>	-8.25	
			<i>For >500, Deduct</i>	-11.55	
06 05 23 00-0170	EA		1/2" Diameter x 10" Length, 304/18-8 Stainless Steel, Hex Lag Bolt	67.19	
			<i>For >10 To 50, Deduct</i>	-0.96	
			<i>For >50 To 100, Deduct</i>	-3.11	
			<i>For >100 To 250, Deduct</i>	-6.23	
			<i>For >250 To 500, Deduct</i>	-10.29	
			<i>For >500, Deduct</i>	-14.36	
06 05 23 00-0171	EA		1/2" Diameter x 12" Length, 304/18-8 Stainless Steel, Hex Lag Bolt	78.38	
			<i>For >10 To 50, Deduct</i>	-1.04	
			<i>For >50 To 100, Deduct</i>	-3.52	
			<i>For >100 To 250, Deduct</i>	-7.05	
			<i>For >250 To 500, Deduct</i>	-11.61	
			<i>For >500, Deduct</i>	-16.18	
06 05 23 00-0172	EA		3/4" Diameter x 4" Length, 304/18-8 Stainless Steel, Hex Lag Bolt	72.50	
			<i>For >10 To 50, Deduct</i>	-0.83	
			<i>For >50 To 100, Deduct</i>	-3.05	
			<i>For >100 To 250, Deduct</i>	-6.10	
			<i>For >250 To 500, Deduct</i>	-9.98	
			<i>For >500, Deduct</i>	-13.85	
06 05 23 00-0173	EA		3/4" Diameter x 6" Length, 304/18-8 Stainless Steel, Hex Lag Bolt	82.89	
			<i>For >10 To 50, Deduct</i>	-0.96	
			<i>For >50 To 100, Deduct</i>	-3.51	
			<i>For >100 To 250, Deduct</i>	-7.01	
			<i>For >250 To 500, Deduct</i>	-11.47	
			<i>For >500, Deduct</i>	-15.93	
06 05 23 00-0174	EA		3/4" Diameter x 8" Length, 304/18-8 Stainless Steel, Hex Lag Bolt	86.27	
			<i>For >10 To 50, Deduct</i>	-1.00	
			<i>For >50 To 100, Deduct</i>	-3.66	
			<i>For >100 To 250, Deduct</i>	-7.31	
			<i>For >250 To 500, Deduct</i>	-11.96	
			<i>For >500, Deduct</i>	-16.62	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 05 23 00-0175 EA 3/4" Diameter x 10" Length, 304/18-8 Stainless Steel, Hex Lag Bolt	119.09	
<i>For >10 To 50, Deduct</i>	-1.09	
<i>For >50 To 100, Deduct</i>	-4.61	
<i>For >100 To 250, Deduct</i>	-9.21	
<i>For >250 To 500, Deduct</i>	-14.90	
<i>For >500, Deduct</i>	-20.60	
06 05 23 00-0176 EA 3/4" Diameter x 12" Length, 304/18-8 Stainless Steel, Hex Lag Bolt	129.87	
<i>For >10 To 50, Deduct</i>	-1.13	
<i>For >50 To 100, Deduct</i>	-4.94	
<i>For >100 To 250, Deduct</i>	-9.88	
<i>For >250 To 500, Deduct</i>	-15.95	
<i>For >500, Deduct</i>	-22.02	
06 05 23 00-0177 Timber Bolts <small>(06 05 23 00-0038)</small>		
Note: Includes drilling of holes in any material.		
06 05 23 00-0178 EA 5/8" - 11 x 4" Threaded x 8" OAL A153 Galvanized Timber Bolt (Fastenal #11103914).....	25.48	
<i>For >10 To 50, Deduct</i>	-0.92	
<i>For >50 To 100, Deduct</i>	-2.01	
<i>For >100 To 250, Deduct</i>	-4.03	
<i>For >250 To 500, Deduct</i>	-6.96	
<i>For >500, Deduct</i>	-9.89	
06 05 23 00-0179 EA 5/8" - 11 x 4" Threaded x 10" OAL A153 Galvanized Timber Bolt (Fastenal #11103915).....	28.73	
<i>For >10 To 50, Deduct</i>	-1.03	
<i>For >50 To 100, Deduct</i>	-2.26	
<i>For >100 To 250, Deduct</i>	-4.52	
<i>For >250 To 500, Deduct</i>	-7.80	
<i>For >500, Deduct</i>	-11.09	
06 05 23 00-0180 EA 5/8" - 11 x 6" Threaded x 12" OAL A153 Galvanized Timber Bolt (Fastenal #11103916).....	30.95	
<i>For >10 To 50, Deduct</i>	-1.09	
<i>For >50 To 100, Deduct</i>	-2.41	
<i>For >100 To 250, Deduct</i>	-4.83	
<i>For >250 To 500, Deduct</i>	-8.34	
<i>For >500, Deduct</i>	-11.85	
06 05 23 00-0181 EA 5/8" - 11 x 6" Threaded x 14" OAL A153 Galvanized Timber Bolt (Fastenal #11103917).....	34.17	
<i>For >10 To 50, Deduct</i>	-1.16	
<i>For >50 To 100, Deduct</i>	-2.59	
<i>For >100 To 250, Deduct</i>	-5.18	
<i>For >250 To 500, Deduct</i>	-8.92	
<i>For >500, Deduct</i>	-12.67	
06 05 23 00-0182 EA 5/8" - 11 x 6" Threaded x 16" OAL A153 Galvanized Timber Bolt (Fastenal #11103918).....	36.30	
<i>For >10 To 50, Deduct</i>	-1.22	
<i>For >50 To 100, Deduct</i>	-2.74	
<i>For >100 To 250, Deduct</i>	-5.47	
<i>For >250 To 500, Deduct</i>	-9.43	
<i>For >500, Deduct</i>	-13.38	
06 05 23 00-0183 EA 5/8" - 11 x 6" Threaded x 18" OAL A153 Galvanized Timber Bolt (Fastenal #11103919).....	37.73	
<i>For >10 To 50, Deduct</i>	-1.27	
<i>For >50 To 100, Deduct</i>	-2.85	
<i>For >100 To 250, Deduct</i>	-5.70	
<i>For >250 To 500, Deduct</i>	-9.83	
<i>For >500, Deduct</i>	-13.95	
06 05 23 00-0184 EA 3/4" - 11 x 4" Threaded x 10" OAL A153 Galvanized Timber Bolt (Fastenal #11103920).....	33.60	
<i>For >10 To 50, Deduct</i>	-1.09	
<i>For >50 To 100, Deduct</i>	-2.48	
<i>For >100 To 250, Deduct</i>	-4.96	
<i>For >250 To 500, Deduct</i>	-8.54	
<i>For >500, Deduct</i>	-12.11	
06 05 23 00-0185 EA 3/4" - 11 x 6" Threaded x 12" OAL A153 Galvanized Timber Bolt (Fastenal #11103921).....	35.12	
<i>For >10 To 50, Deduct</i>	-1.14	
<i>For >50 To 100, Deduct</i>	-2.59	
<i>For >100 To 250, Deduct</i>	-5.17	
<i>For >250 To 500, Deduct</i>	-8.90	
<i>For >500, Deduct</i>	-12.62	
06 05 23 00-0186 EA 3/4" - 11 x 6" Threaded x 14" OAL A153 Galvanized Timber Bolt (Fastenal #11103922).....	38.60	
<i>For >10 To 50, Deduct</i>	-1.21	
<i>For >50 To 100, Deduct</i>	-2.77	
<i>For >100 To 250, Deduct</i>	-5.55	
<i>For >250 To 500, Deduct</i>	-9.53	
<i>For >500, Deduct</i>	-13.50	
06 05 23 00-0187 EA 3/4" - 11 x 6" Threaded x 16" OAL A153 Galvanized Timber Bolt (Fastenal #11103923).....	41.31	
<i>For >10 To 50, Deduct</i>	-1.27	
<i>For >50 To 100, Deduct</i>	-2.93	
<i>For >100 To 250, Deduct</i>	-5.87	
<i>For >250 To 500, Deduct</i>	-10.07	
<i>For >500, Deduct</i>	-14.28	
06 05 23 00-0188 EA 3/4" - 11 x 6" Threaded x 18" OAL A153 Galvanized Timber Bolt (Fastenal #11103924).....	44.24	
<i>For >10 To 50, Deduct</i>	-1.33	
<i>For >50 To 100, Deduct</i>	-3.10	
<i>For >100 To 250, Deduct</i>	-6.21	
<i>For >250 To 500, Deduct</i>	-10.64	
<i>For >500, Deduct</i>	-15.07	

06 05 23 00-0189 Supports (06 05 23)

06 Wood, Plastics, and Composites**06 05 Common Work Results For Wood, Plastics, And Composites****06 05 23 Wood, Plastic, And Composite Fastenings**

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 05 23 00-0190 Shear Plates (06 05 23 00-0189)		
06 05 23 00-0191 EA 2-5/8" Diameter, Shear Plate	8.96	3.28
For >10 To 50, Deduct	-0.37	
For >50 To 100, Deduct	-0.78	
For >100 To 250, Deduct	-1.56	
For >250 To 500, Deduct	-2.70	
For >500, Deduct	-3.85	
06 05 23 00-0192 EA 4" Diameter, Shear Plate	11.36	3.46
For >10 To 50, Deduct	-0.39	
For >50 To 100, Deduct	-0.86	
For >100 To 250, Deduct	-1.72	
For >250 To 500, Deduct	-2.97	
For >500, Deduct	-4.22	
06 05 23 00-0193 Sill Anchors (06 05 23 00-0189)		
06 05 23 00-0194 EA Sill Anchor Embedded In Concrete	8.13	3.46
For >10 To 50, Deduct	-0.39	
For >50 To 100, Deduct	-0.78	
For >100 To 250, Deduct	-1.56	
For >250 To 500, Deduct	-2.73	
For >500, Deduct	-3.89	
06 05 23 00-0195 Spike Grids (06 05 23 00-0189)		
06 05 23 00-0196 EA 4" x 4" Flat Or Curved Spike Grid	7.95	3.28
For >10 To 50, Deduct	-0.37	
For >50 To 100, Deduct	-0.75	
For >100 To 250, Deduct	-1.50	
For >250 To 500, Deduct	-2.63	
For >500, Deduct	-3.75	
06 05 23 00-0197 Split Rings (06 05 23 00-0189)		
06 05 23 00-0198 EA 2-1/2" Diameter Split Ring	8.30	3.28
For >10 To 50, Deduct	-0.37	
For >50 To 100, Deduct	-0.76	
For >100 To 250, Deduct	-1.52	
For >250 To 500, Deduct	-2.65	
For >500, Deduct	-3.78	
06 05 23 00-0199 EA 4" Diameter Split Ring	9.59	3.63
For >10 To 50, Deduct	-0.40	
For >50 To 100, Deduct	-0.84	
For >100 To 250, Deduct	-1.69	
For >250 To 500, Deduct	-2.94	
For >500, Deduct	-4.18	
06 05 23 00-0200 Toothed Rings (06 05 23 00-0189)		
06 05 23 00-0201 EA 2-5/8" Or 4" Toothed Ring	9.63	3.28
For >10 To 50, Deduct	-0.37	
For >50 To 100, Deduct	-0.79	
For >100 To 250, Deduct	-1.59	
For >250 To 500, Deduct	-2.75	
For >500, Deduct	-3.92	
06 05 23 00-0202 Straps And Shields (06 05 23)		
06 05 23 00-0203 Shield Plate (06 05 23 00-0202)		
06 05 23 00-0204 EA 5" Wide x 8" Long, 16 Gauge, Shield Plate (Simpson Strong Tie® PSPN58Z)	5.76	
For >10 To 50, Deduct	-0.06	
For >50 To 100, Deduct	-0.20	
For >100 To 250, Deduct	-0.40	
For >250 To 500, Deduct	-0.71	
For >500, Deduct	-1.08	
06 05 23 00-0205 EA 5" Wide x 16" Long, 16 Gauge, Shield Plate (Simpson Strong Tie® PSPN516Z)	8.67	
For >10 To 50, Deduct	-0.07	
For >50 To 100, Deduct	-0.28	
For >100 To 250, Deduct	-0.57	
For >250 To 500, Deduct	-0.98	
For >500, Deduct	-1.48	
06 05 23 00-0206 Strap Ties (06 05 23 00-0202)		
06 05 23 00-0207 EA 1-1/4" Wide x 9" Long, 20 Gauge, Strap Tie (Simpson Strong Tie® LSTA9)	2.36	
For >10 To 50, Deduct	-0.04	
For >50 To 100, Deduct	-0.10	
For >100 To 250, Deduct	-0.21	
For >250 To 500, Deduct	-0.40	
For >500, Deduct	-0.64	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 05 23 00-0208 EA 1-1/4" Wide x 12" Long, 20 Gauge, Strap Tie (Simpson Strong Tie® LSTA12).....	2.42	
<i>For >10 To 50, Deduct</i>	-0.04	
<i>For >50 To 100, Deduct</i>	-0.10	
<i>For >100 To 250, Deduct</i>	-0.21	
<i>For >250 To 500, Deduct</i>	-0.40	
<i>For >500, Deduct</i>	-0.65	
06 05 23 00-0209 EA 1-1/4" Wide x 15" Long, 20 Gauge, Strap Tie (Simpson Strong Tie® LSTA15).....	3.19	
<i>For >10 To 50, Deduct</i>	-0.06	
<i>For >50 To 100, Deduct</i>	-0.14	
<i>For >100 To 250, Deduct</i>	-0.27	
<i>For >250 To 500, Deduct</i>	-0.52	
<i>For >500, Deduct</i>	-0.83	
06 05 23 00-0210 EA 1-1/4" Wide x 18" Long, 20 Gauge, Strap Tie (Simpson Strong Tie® LSTA18).....	3.35	
<i>For >10 To 50, Deduct</i>	-0.06	
<i>For >50 To 100, Deduct</i>	-0.14	
<i>For >100 To 250, Deduct</i>	-0.28	
<i>For >250 To 500, Deduct</i>	-0.53	
<i>For >500, Deduct</i>	-0.84	
06 05 23 00-0211 EA 1-1/4" Wide x 21" Long, 20 Gauge, Strap Tie (Simpson Strong Tie® LSTA21).....	3.49	
<i>For >10 To 50, Deduct</i>	-0.06	
<i>For >50 To 100, Deduct</i>	-0.14	
<i>For >100 To 250, Deduct</i>	-0.29	
<i>For >250 To 500, Deduct</i>	-0.54	
<i>For >500, Deduct</i>	-0.86	
06 05 23 00-0212 EA 1-1/4" Wide x 24" Long, 20 Gauge, Strap Tie (Simpson Strong Tie® LSTA24).....	4.09	
<i>For >10 To 50, Deduct</i>	-0.07	
<i>For >50 To 100, Deduct</i>	-0.17	
<i>For >100 To 250, Deduct</i>	-0.34	
<i>For >250 To 500, Deduct</i>	-0.64	
<i>For >500, Deduct</i>	-1.02	
06 05 23 00-0213 EA 1-1/4" Wide x 30" Long, 20 Gauge, Strap Tie (Simpson Strong Tie® LSTA30).....	4.49	
<i>For >10 To 50, Deduct</i>	-0.07	
<i>For >50 To 100, Deduct</i>	-0.18	
<i>For >100 To 250, Deduct</i>	-0.36	
<i>For >250 To 500, Deduct</i>	-0.67	
<i>For >500, Deduct</i>	-1.06	
06 05 23 00-0214 EA 1-1/4" Wide x 36" Long, 20 Gauge, Strap Tie (Simpson Strong Tie® LSTA36).....	5.34	
<i>For >10 To 50, Deduct</i>	-0.08	
<i>For >50 To 100, Deduct</i>	-0.21	
<i>For >100 To 250, Deduct</i>	-0.42	
<i>For >250 To 500, Deduct</i>	-0.79	
<i>For >500, Deduct</i>	-1.25	
06 05 23 00-0215 EA 1-1/4" Wide x 9" Long, 18 Gauge, Strap Tie (Simpson Strong Tie® MSTA9).....	2.42	
<i>For >10 To 50, Deduct</i>	-0.04	
<i>For >50 To 100, Deduct</i>	-0.10	
<i>For >100 To 250, Deduct</i>	-0.21	
<i>For >250 To 500, Deduct</i>	-0.40	
<i>For >500, Deduct</i>	-0.65	
06 05 23 00-0216 EA 1-1/4" Wide x 12" Long, 18 Gauge, Strap Tie (Simpson Strong Tie® MSTA12).....	2.61	
<i>For >10 To 50, Deduct</i>	-0.04	
<i>For >50 To 100, Deduct</i>	-0.11	
<i>For >100 To 250, Deduct</i>	-0.22	
<i>For >250 To 500, Deduct</i>	-0.42	
<i>For >500, Deduct</i>	-0.67	
06 05 23 00-0217 EA 1-1/4" Wide x 15" Long, 18 Gauge, Strap Tie (Simpson Strong Tie® MSTA15).....	3.31	
<i>For >10 To 50, Deduct</i>	-0.06	
<i>For >50 To 100, Deduct</i>	-0.14	
<i>For >100 To 250, Deduct</i>	-0.28	
<i>For >250 To 500, Deduct</i>	-0.52	
<i>For >500, Deduct</i>	-0.84	
06 05 23 00-0218 EA 1-1/4" Wide x 18" Long, 18 Gauge, Strap Tie (Simpson Strong Tie® MSTA18).....	3.53	
<i>For >10 To 50, Deduct</i>	-0.06	
<i>For >50 To 100, Deduct</i>	-0.14	
<i>For >100 To 250, Deduct</i>	-0.29	
<i>For >250 To 500, Deduct</i>	-0.54	
<i>For >500, Deduct</i>	-0.86	
06 05 23 00-0219 EA 1-1/4" Wide x 21" Long, 18 Gauge, Strap Tie (Simpson Strong Tie® MSTA21).....	3.74	
<i>For >10 To 50, Deduct</i>	-0.06	
<i>For >50 To 100, Deduct</i>	-0.15	
<i>For >100 To 250, Deduct</i>	-0.30	
<i>For >250 To 500, Deduct</i>	-0.56	
<i>For >500, Deduct</i>	-0.88	
06 05 23 00-0220 EA 1-1/4" Wide x 24" Long, 18 Gauge, Strap Tie (Simpson Strong Tie® MSTA24).....	4.41	
<i>For >10 To 50, Deduct</i>	-0.07	
<i>For >50 To 100, Deduct</i>	-0.18	
<i>For >100 To 250, Deduct</i>	-0.35	
<i>For >250 To 500, Deduct</i>	-0.66	
<i>For >500, Deduct</i>	-1.05	
06 05 23 00-0221 EA 1-1/4" Wide x 30" Long, 18 Gauge, Strap Tie (Simpson Strong Tie® MSTA30).....	4.73	
<i>For >10 To 50, Deduct</i>	-0.07	
<i>For >50 To 100, Deduct</i>	-0.18	
<i>For >100 To 250, Deduct</i>	-0.37	
<i>For >250 To 500, Deduct</i>	-0.69	
<i>For >500, Deduct</i>	-1.08	

06 Wood, Plastics, and Composites**06 05 Common Work Results For Wood, Plastics, And Composites****06 05 23 Wood, Plastic, And Composite Fastenings**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 05 23 00-0222	EA		1-1/4" Wide x 36" Long, 18 Gauge, Strap Tie (Simpson Strong Tie® MSTA36).....	5.72	
			<i>For >10 To 50, Deduct</i>	-0.08	
			<i>For >50 To 100, Deduct</i>	-0.22	
			<i>For >100 To 250, Deduct</i>	-0.44	
			<i>For >250 To 500, Deduct</i>	-0.82	
			<i>For >500, Deduct</i>	-1.29	
06 05 23 00-0223	EA		1-1/4" Wide x 36" Long, 18 Gauge, Strap Tie (Simpson Strong Tie® MSTA49).....	7.36	
			<i>For >10 To 50, Deduct</i>	-0.09	
			<i>For >50 To 100, Deduct</i>	-0.27	
			<i>For >100 To 250, Deduct</i>	-0.55	
			<i>For >250 To 500, Deduct</i>	-0.99	
			<i>For >500, Deduct</i>	-1.55	
06 05 23 00-0224	EA		1-1/4" Wide x 9" Long, 16 Gauge, Strap Tie (Simpson Strong Tie® ST9).....	2.68	
			<i>For >10 To 50, Deduct</i>	-0.04	
			<i>For >50 To 100, Deduct</i>	-0.11	
			<i>For >100 To 250, Deduct</i>	-0.22	
			<i>For >250 To 500, Deduct</i>	-0.42	
			<i>For >500, Deduct</i>	-0.68	
06 05 23 00-0225	EA		1-1/4" Wide x 12" Long, 16 Gauge, Strap Tie (Simpson Strong Tie® ST12).....	2.91	
			<i>For >10 To 50, Deduct</i>	-0.04	
			<i>For >50 To 100, Deduct</i>	-0.12	
			<i>For >100 To 250, Deduct</i>	-0.23	
			<i>For >250 To 500, Deduct</i>	-0.44	
			<i>For >500, Deduct</i>	-0.70	
06 05 23 00-0226	EA		1-1/4" Wide x 18" Long, 16 Gauge, Strap Tie (Simpson Strong Tie® ST18).....	3.91	
			<i>For >10 To 50, Deduct</i>	-0.06	
			<i>For >50 To 100, Deduct</i>	-0.15	
			<i>For >100 To 250, Deduct</i>	-0.31	
			<i>For >250 To 500, Deduct</i>	-0.57	
			<i>For >500, Deduct</i>	-0.90	
06 05 23 00-0227	EA		1-1/4" Wide x 22" Long, 16 Gauge, Strap Tie® (Simpson Strong Tie ST22).....	5.06	
			<i>For >10 To 50, Deduct</i>	-0.07	
			<i>For >50 To 100, Deduct</i>	-0.19	
			<i>For >100 To 250, Deduct</i>	-0.39	
			<i>For >250 To 500, Deduct</i>	-0.71	
			<i>For >500, Deduct</i>	-1.12	
06 05 23 00-0228	EA		1-3/8" Wide x 6" Long, 12 Gauge, Strap Tie (Simpson Strong Tie® HRS6).....	3.35	
			<i>For >10 To 50, Deduct</i>	-0.04	
			<i>For >50 To 100, Deduct</i>	-0.13	
			<i>For >100 To 250, Deduct</i>	-0.26	
			<i>For >250 To 500, Deduct</i>	-0.47	
			<i>For >500, Deduct</i>	-0.74	
06 05 23 00-0229	EA		1-3/8" Wide x 8" Long, 12 Gauge, Strap Tie (Simpson Strong Tie® HRS8).....	3.53	
			<i>For >10 To 50, Deduct</i>	-0.04	
			<i>For >50 To 100, Deduct</i>	-0.13	
			<i>For >100 To 250, Deduct</i>	-0.27	
			<i>For >250 To 500, Deduct</i>	-0.49	
			<i>For >500, Deduct</i>	-0.76	
06 05 23 00-0230	EA		1-3/8" Wide x 12" Long, 12 Gauge, Strap Tie (Simpson Strong Tie® HRS12).....	4.78	
			<i>For >10 To 50, Deduct</i>	-0.06	
			<i>For >50 To 100, Deduct</i>	-0.17	
			<i>For >100 To 250, Deduct</i>	-0.35	
			<i>For >250 To 500, Deduct</i>	-0.63	
			<i>For >500, Deduct</i>	-0.99	
06 05 23 00-0231	EA		2-1/16" Wide x 27" Long, 12 Gauge, Medium Strap Tie (Simpson Strong Tie® MST27).....	8.42	
			<i>For >10 To 50, Deduct</i>	-0.07	
			<i>For >50 To 100, Deduct</i>	-0.28	
			<i>For >100 To 250, Deduct</i>	-0.55	
			<i>For >250 To 500, Deduct</i>	-0.96	
			<i>For >500, Deduct</i>	-1.45	
06 05 23 00-0232	EA		2-1/16" Wide x 37" Long, 12 Gauge, Medium Strap Tie (Simpson Strong Tie® MST37).....	11.34	
			<i>For >10 To 50, Deduct</i>	-0.08	
			<i>For >50 To 100, Deduct</i>	-0.36	
			<i>For >100 To 250, Deduct</i>	-0.72	
			<i>For >250 To 500, Deduct</i>	-1.24	
			<i>For >500, Deduct</i>	-1.85	
06 05 23 00-0233	EA		2-1/16" Wide x 48" Long, 12 Gauge, Medium Strap Tie (Simpson Strong Tie® MST48).....	14.94	
			<i>For >10 To 50, Deduct</i>	-0.09	
			<i>For >50 To 100, Deduct</i>	-0.46	
			<i>For >100 To 250, Deduct</i>	-0.92	
			<i>For >250 To 500, Deduct</i>	-1.56	
			<i>For >500, Deduct</i>	-2.31	
06 05 23 00-0234	EA		2-1/16" Wide x 60" Long, 12 Gauge, Medium Strap Tie (Simpson Strong Tie® MST60).....	21.53	
			<i>For >10 To 50, Deduct</i>	-0.10	
			<i>For >50 To 100, Deduct</i>	-0.64	
			<i>For >100 To 250, Deduct</i>	-1.28	
			<i>For >250 To 500, Deduct</i>	-2.11	
			<i>For >500, Deduct</i>	-3.07	
06 05 23 00-0235	EA		2-1/16" Wide x 72" Long, 12 Gauge, Medium Strap Tie (Simpson Strong Tie® MST72).....	27.68	
			<i>For >10 To 50, Deduct</i>	-0.11	
			<i>For >50 To 100, Deduct</i>	-0.80	
			<i>For >100 To 250, Deduct</i>	-1.61	
			<i>For >250 To 500, Deduct</i>	-2.63	
			<i>For >500, Deduct</i>	-3.79	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 05 23 00-0236 EA 3" Wide x 28" Long, 16 Gauge, Strap Ties (Simpson Strong Tie® MSTC28).....	9.01	
<i>For >10 To 50, Deduct</i>	-0.07	
<i>For >50 To 100, Deduct</i>	-0.29	
<i>For >100 To 250, Deduct</i>	-0.58	
<i>For >250 To 500, Deduct</i>	-1.01	
<i>For >500, Deduct</i>	-1.51	
06 05 23 00-0237 EA 3" Wide x 40" Long, 16 Gauge, Strap Ties (Simpson Strong Tie® MSTC40).....	12.19	
<i>For >10 To 50, Deduct</i>	-0.08	
<i>For >50 To 100, Deduct</i>	-0.38	
<i>For >100 To 250, Deduct</i>	-0.76	
<i>For >250 To 500, Deduct</i>	-1.30	
<i>For >500, Deduct</i>	-1.93	
06 05 23 00-0238 EA 3" Wide x 52" Long, 16 Gauge, Strap Ties (Simpson Strong Tie® MSTC52).....	15.18	
<i>For >10 To 50, Deduct</i>	-0.09	
<i>For >50 To 100, Deduct</i>	-0.47	
<i>For >100 To 250, Deduct</i>	-0.94	
<i>For >250 To 500, Deduct</i>	-1.58	
<i>For >500, Deduct</i>	-2.33	
06 05 23 00-0239 EA 3" Wide x 66" Long, 16 Gauge, Strap Ties (Simpson Strong Tie® MSTC66).....	21.99	
<i>For >10 To 50, Deduct</i>	-0.10	
<i>For >50 To 100, Deduct</i>	-0.65	
<i>For >100 To 250, Deduct</i>	-1.30	
<i>For >250 To 500, Deduct</i>	-2.15	
<i>For >500, Deduct</i>	-3.12	
06 05 23 00-0240 Twist Strap Ties <small>(06 05 23 00-0202)</small>		
06 05 23 00-0241 EA 1-1/4" Wide x 9" Long, 16 Gauge, Twist Strap Tie (Simpson Strong Tie® TS9).....	2.99	
<i>For >10 To 50, Deduct</i>	-0.04	
<i>For >50 To 100, Deduct</i>	-0.12	
<i>For >100 To 250, Deduct</i>	-0.24	
<i>For >250 To 500, Deduct</i>	-0.45	
<i>For >500, Deduct</i>	-0.71	
06 05 23 00-0242 EA 1-1/4" Wide x 12" Long, 16 Gauge, Twist Strap Tie (Simpson Strong Tie® TS12).....	3.43	
<i>For >10 To 50, Deduct</i>	-0.04	
<i>For >50 To 100, Deduct</i>	-0.13	
<i>For >100 To 250, Deduct</i>	-0.26	
<i>For >250 To 500, Deduct</i>	-0.48	
<i>For >500, Deduct</i>	-0.75	
06 05 23 00-0243 EA 1-1/4" Wide x 18" Long, 16 Gauge, Twist Strap Tie (Simpson Strong Tie® TS18).....	4.61	
<i>For >10 To 50, Deduct</i>	-0.06	
<i>For >50 To 100, Deduct</i>	-0.17	
<i>For >100 To 250, Deduct</i>	-0.34	
<i>For >250 To 500, Deduct</i>	-0.62	
<i>For >500, Deduct</i>	-0.97	
06 05 23 00-0244 EA 1-1/4" Wide x 22" Long, 16 Gauge, Twist Strap Tie (Simpson Strong Tie® TS22).....	5.47	
<i>For >10 To 50, Deduct</i>	-0.07	
<i>For >50 To 100, Deduct</i>	-0.20	
<i>For >100 To 250, Deduct</i>	-0.41	
<i>For >250 To 500, Deduct</i>	-0.74	
<i>For >500, Deduct</i>	-1.16	
06 05 23 00-0245 Retrofit Plate Strap <small>(06 05 23 00-0202)</small>		
06 05 23 00-0246 EA 1-3/8" Wide x 18" Long, 16 Gauge, Retrofit Plate Strap (Simpson Strong Tie® RPS18).....	4.12	
<i>For >10 To 50, Deduct</i>	-0.06	
<i>For >50 To 100, Deduct</i>	-0.16	
<i>For >100 To 250, Deduct</i>	-0.32	
<i>For >250 To 500, Deduct</i>	-0.59	
<i>For >500, Deduct</i>	-0.92	
06 05 23 00-0247 EA 1-3/8" Wide x 22" Long, 16 Gauge, Retrofit Plate Strap (Simpson Strong Tie® RPS22).....	4.53	
<i>For >10 To 50, Deduct</i>	-0.06	
<i>For >50 To 100, Deduct</i>	-0.17	
<i>For >100 To 250, Deduct</i>	-0.34	
<i>For >250 To 500, Deduct</i>	-0.62	
<i>For >500, Deduct</i>	-0.96	
06 05 23 00-0248 EA 1-3/8" Wide x 28" Long, 16 Gauge, Retrofit Plate Strap (Simpson Strong Tie® RPS28).....	5.16	
<i>For >10 To 50, Deduct</i>	-0.06	
<i>For >50 To 100, Deduct</i>	-0.18	
<i>For >100 To 250, Deduct</i>	-0.37	
<i>For >250 To 500, Deduct</i>	-0.66	
<i>For >500, Deduct</i>	-1.02	
06 05 23 00-0249 Stud Shoe <small>(06 05 23 00-0202)</small>		
06 05 23 00-0250 EA 6" High With 3-1/4" Wide Tabs For 2X Stud, 16 Gauge, Stud Shoe (Simpson Strong Tie® SS1.5).....	7.45	
<i>For >10 To 50, Deduct</i>	-0.07	
<i>For >50 To 100, Deduct</i>	-0.25	
<i>For >100 To 250, Deduct</i>	-0.51	
<i>For >250 To 500, Deduct</i>	-0.89	
<i>For >500, Deduct</i>	-1.36	

06 Wood, Plastics, and Composites**06 05 Common Work Results For Wood, Plastics, And Composites****06 05 23 Wood, Plastic, And Composite Fastenings**

MINOR		TOTAL DIRECT	DEMOLITION
CSI	UOM DESCRIPTION	UNIT COST	UNIT COST
06 05 23 00-0251	EA 6" High With 3-1/4" Wide Tabs For 3X Stud, 16 Gauge, Stud Shoe (Simpson Strong Tie® SS2.5)	11.09	
	For >10 To 50, Deduct	-0.07	
	For >50 To 100, Deduct	-0.34	
	For >100 To 250, Deduct	-0.69	
	For >250 To 500, Deduct	-1.16	
	For >500, Deduct	-1.72	
06 05 23 00-0252	EA 6" High With 3-1/4" Wide Tabs For 2-2X Studs, 16 Gauge, Stud Shoe (Simpson Strong Tie® SS3)	12.13	
	For >10 To 50, Deduct	-0.07	
	For >50 To 100, Deduct	-0.37	
	For >100 To 250, Deduct	-0.74	
	For >250 To 500, Deduct	-1.24	
	For >500, Deduct	-1.82	
06 05 23 00-0253	EA 6" High With 3-1/4" Wide Tabs For 3-2X Studs, 16 Gauge, Stud Shoe (Simpson Strong Tie SS4.5)	15.61	
	For >10 To 50, Deduct	-0.07	
	For >50 To 100, Deduct	-0.46	
	For >100 To 250, Deduct	-0.91	
	For >250 To 500, Deduct	-1.50	
	For >500, Deduct	-2.17	
06 05 23 00-0254	EA 7-1/8" High With 3-1/4" Wide Tabs For 2X Studs, 16 Gauge, Stud Shoe (Simpson Strong Tie HSS2-SDS1.5)	17.49	
	For >10 To 50, Deduct	-0.07	
	For >50 To 100, Deduct	-0.50	
	For >100 To 250, Deduct	-1.01	
	For >250 To 500, Deduct	-1.64	
	For >500, Deduct	-2.36	
06 05 23 00-0255	EA 7-1/8" High With 3-1/4" Wide Tabs For 2-2X Studs, 16 Gauge, Stud Shoe (Simpson Strong Tie HSS2-2-SDS3)	21.53	
	For >10 To 50, Deduct	-0.07	
	For >50 To 100, Deduct	-0.60	
	For >100 To 250, Deduct	-1.21	
	For >250 To 500, Deduct	-1.95	
	For >500, Deduct	-2.76	
06 05 23 00-0256	EA 7-1/8" High With 3-1/4" Wide Tabs For 3-2X Studs, 16 Gauge, Stud Shoe (Simpson Strong Tie HSS2-3-SDS3)	21.53	
	For >10 To 50, Deduct	-0.07	
	For >50 To 100, Deduct	-0.60	
	For >100 To 250, Deduct	-1.21	
	For >250 To 500, Deduct	-1.95	
	For >500, Deduct	-2.76	
06 05 23 00-0257	EA 7-1/8" High With 3-1/4" Wide Tabs For 4X Studs, 16 Gauge, Stud Shoe (Simpson Strong Tie HSS4-SDS3)	21.53	
	For >10 To 50, Deduct	-0.07	
	For >50 To 100, Deduct	-0.60	
	For >100 To 250, Deduct	-1.21	
	For >250 To 500, Deduct	-1.95	
	For >500, Deduct	-2.76	
06 05 23 00-0258	Nail Stops (06 05 23 00-0202)		
06 05 23 00-0259	EA 1-1/2" Wide x 3" Long, 16 Gauge, Nail Stops (Simpson Strong Tie® NS1)	2.22	
	For >10 To 50, Deduct	-0.04	
	For >50 To 100, Deduct	-0.10	
	For >100 To 250, Deduct	-0.20	
	For >250 To 500, Deduct	-0.39	
	For >500, Deduct	-0.63	
06 05 23 00-0260	EA 1-1/2" Wide x 6" Long, 16 Gauge, Nail Stops (Simpson Strong Tie® NS2)	2.54	
	For >10 To 50, Deduct	-0.04	
	For >50 To 100, Deduct	-0.11	
	For >100 To 250, Deduct	-0.22	
	For >250 To 500, Deduct	-0.41	
	For >500, Deduct	-0.66	
06 05 73	Wood Treatment (06 05)		
06 05 73 13	Fire-Retardant Wood Treatment (06 05 73)		
06 05 73 13-0001	Preservative Treated Lumber (06 05 73 13)		
06 05 73 13-0002	Fire Retardant Treatment (FRT) For Lumber (06 05 73 13-0001)		
06 05 73 13-0003	MBF Fire Retardant Treatment (FRT) For Lumber	442.34	
06 05 73 33	Preservative Wood Treatment (06 05 73)		
06 05 73 33-0001	Preservative Treatment For Marine And Fresh Water Uses (06 05 73 33)		
06 05 73 33-0002	MBF Preservative Treatment For Marine And Fresh Water Lumber	108.79	
06 10	Rough Carpentry (06)		
06 11	Wood Framing (06 10)		
	Note: All framing lumber is grade #2 or better unless otherwise listed. Dimensions are nominal. See CSI section 06 05 23 00-0000 for anchors and supports.		
06 11 13	Engineered Wood Products (06 11)		
	Note: All framing lumber is grade #2 or better unless otherwise listed. Dimensions are nominal.		



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 11 13 00-0001 Built-Up Members <small>(06 11 13)</small> Note: A structural framing member made from fastening separate pieces of lumber together.		
06 11 13 00-0002 Built-Up Beams Or Joists <small>(06 11 13 00-0001)</small>		
06 11 13 00-0003 LF Two 2" x 6" Built-up Wood Beam Or Joist.....	3.66	1.51
For Each Additional 2" x_ " In The Built Up Member, Add	0.67	
06 11 13 00-0004 LF Two 2" x 8" Built-up Wood Beam Or Joist.....	4.58	1.78
For Each Additional 2" x_ " In The Built Up Member, Add	0.95	
06 11 13 00-0005 LF Two 2" x 10" Built-up Wood Beam Or Joist.....	5.84	2.14
For Each Additional 2" x_ " In The Built Up Member, Add	1.32	
06 11 13 00-0006 Built-Up Posts <small>(06 11 13 00-0001)</small>		
06 11 13 00-0007 LF Two 2" x 6" Built-up Wood Post.....	3.66	1.51
For Each Additional 2" x_ " In The Built Up Member, Add	0.67	
06 11 13 00-0008 LF Two 2" x 8" Built-up Wood Post.....	4.58	1.78
For Each Additional 2" x_ " In The Built Up Member, Add	0.95	
06 11 13 00-0009 LF Two 2" x 10" Built-up Wood Post.....	5.84	2.14
For Each Additional 2" x_ " In The Built Up Member, Add	1.32	
06 11 16 Mechanically Graded Lumber <small>(06 11)</small>		
06 11 16 00-0001 Rafters And Joists <small>(06 11 16)</small>		
06 11 16 00-0002 Rafters <small>(06 11 16 00-0001)</small> Note: An inclined roof framing member to which a roof covering is attached.		
06 11 16 00-0003 LF 2" x 6" Wood Rafter.....	2.10	1.06
06 11 16 00-0004 LF 2" x 8" Wood Rafter.....	2.46	1.16
06 11 16 00-0005 LF 2" x 10" Wood Rafter.....	3.55	1.69
06 11 16 00-0006 LF 2" x 12" Wood Rafter.....	4.09	1.88
06 11 16 00-0007 LF 2" x 14" Wood Rafter.....	4.45	2.05
06 11 16 00-0008 LF 2" x 6" Pressure Treated Wood Rafter.....	2.31	1.06
06 11 16 00-0009 LF 2" x 8" Pressure Treated Wood Rafter.....	2.75	1.16
06 11 16 00-0010 LF 2" x 10" Pressure Treated Wood Rafter.....	3.77	1.69
06 11 16 00-0011 LF 2" x 12" Pressure Treated Wood Rafter.....	4.50	1.88
06 11 16 00-0012 Joists <small>(06 11 16 00-0001)</small> Note: A series of parallel beams to support floors or ceilings.		
06 11 16 00-0013 LF 2" x 6" Wood Floor Joist.....	1.83	0.89
06 11 16 00-0014 LF 2" x 8" Wood Floor Joist.....	2.29	0.98
06 11 16 00-0015 LF 2" x 10" Wood Floor Joist.....	2.92	1.25
06 11 16 00-0016 LF 2" x 12" Wood Floor Joist.....	3.48	1.43
06 11 16 00-0017 LF 2" x 14" Wood Floor Joist.....	3.82	1.51
06 11 16 00-0018 LF 2" x 6" Pressure Treated Wood Floor Joist.....	2.04	0.89
06 11 16 00-0019 LF 2" x 8" Pressure Treated Wood Floor Joist.....	2.58	0.98
06 11 16 00-0020 LF 2" x 10" Pressure Treated Wood Floor Joist.....	3.14	1.25
06 11 16 00-0021 LF 2" x 12" Pressure Treated Wood Floor Joist.....	3.89	1.43
06 11 16 00-0022 Purlins <small>(06 11 16 00-0001)</small> Note: A horizontal structural member in a roof, supporting the loads from the roof deck or sheathing.		
06 11 16 00-0023 LF 2" x 4" Wood Purlin.....	1.46	0.54
06 11 16 00-0024 LF 2" x 6" Wood Purlin.....	1.85	0.59
06 11 16 00-0025 LF 2" x 8" Wood Purlin.....	2.24	0.65
06 11 16 00-0026 LF 2" x 10" Wood Purlin.....	2.75	0.71
06 11 16 00-0027 LF 2" x 4" Pressure Treated Wood Purlin.....	1.59	0.54
06 11 16 00-0028 LF 2" x 6" Pressure Treated Wood Purlin.....	2.06	0.59
06 11 16 00-0029 LF 2" x 8" Pressure Treated Wood Purlin.....	2.53	0.65
06 11 16 00-0030 LF 2" x 10" Pressure Treated Wood Purlin.....	2.97	0.71
06 11 16 00-0031 Exposed Rafters Or Joists <small>(06 11 16 00-0001)</small>		
06 11 16 00-0032 Redwood Rafters Or Joists <small>(06 11 16 00-0031)</small>		
06 11 16 00-0033 LF 2" x 6" Redwood Rafter Or Joist.....	2.81	0.89
06 11 16 00-0034 LF 2" x 8" Redwood Rafter Or Joist.....	3.43	0.98
06 11 16 00-0035 LF 2" x 10" Redwood Rafter Or Joist.....	4.27	1.25
06 11 16 00-0036 LF 2" x 12" Redwood Rafter Or Joist.....	5.19	1.43
06 11 16 00-0037 Cedar Rafters Or Joists <small>(06 11 16 00-0031)</small>		
06 11 16 00-0038 LF 2" x 6" Cedar Rafter Or Joist.....	1.84	0.89
06 11 16 00-0039 LF 2" x 8" Cedar Rafter Or Joist.....	2.06	0.98
06 11 16 00-0040 LF 2" x 10" Cedar Rafter Or Joist.....	2.36	1.25
06 11 16 00-0041 LF 2" x 12" Cedar Rafter Or Joist.....	2.69	1.43
06 11 16 00-0042 Oak Rafters Or Joists <small>(06 11 16 00-0031)</small>		
06 11 16 00-0043 LF 2" x 6" Oak Rafter Or Joist.....	2.24	0.89
06 11 16 00-0044 LF 2" x 8" Oak Rafter Or Joist.....	3.07	0.98

06 Wood, Plastics, and Composites**06 10 Rough Carpentry****06 11 Wood Framing**

MINOR				TOTAL DIRECT	DEMOLITION
CSI	UOM	DESCRIPTION		UNIT COST	UNIT COST
06 11 16 00-0045	LF	2" x 10" Oak Rafter Or Joist		3.99	1.25
06 11 16 00-0046	LF	2" x 12" Oak Rafter Or Joist		4.92	1.43
06 11 16 00-0047		Framing <small>(06 11 16)</small>			
06 11 16 00-0048		Partition Framing <small>(06 11 16 00-0047)</small>			
06 11 16 00-0049	LF	2" x 4" Wood Stud Framing, For Partition Walls.....		1.42	0.71
06 11 16 00-0050	LF	2" x 6" Wood Stud Framing, For Partition Walls.....		1.73	0.76
06 11 16 00-0051	LF	2" x 8" Wood Stud Framing, For Partition Walls.....		2.07	0.80
06 11 16 00-0052	LF	2" x 4" Pressure Treated Wood Stud Framing, For Partition Walls		1.55	0.71
06 11 16 00-0053	LF	2" x 6" Pressure Treated Wood Stud Framing, For Partition Walls		1.94	0.76
06 11 16 00-0054	LF	2" x 8" Pressure Treated Wood Stud Framing, For Partition Walls		2.36	0.80
06 11 16 00-0055		Wall Framing Assemblies By The SF <small>(06 11 16 00-0047)</small>			
		Note: Includes single bottom and double top plates, center support bracing, vertical studs and appropriate fastening devices. Excludes blocking for wall mounted fixtures or cabinets. Per SF of wall area measures one side. Do not deduct for openings of less than 25 SF when calculating total wall square footage.			
06 11 16 00-0056		Wall Framing By The SF, 12" On Center <small>(06 11 16 00-0055)</small>			
06 11 16 00-0057	SF	2" x 4" Wood Wall Framing At 12" On Center		1.85	0.86
		For Up To 200, Add		0.62	
		For >200 To 500, Add		0.31	
06 11 16 00-0058	SF	2" x 6" Wood Wall Framing At 12" On Center		2.49	1.11
		For Up To 200, Add		0.82	
		For >200 To 500, Add		0.41	
06 11 16 00-0059	SF	2" x 8" Wood Wall Framing At 12" On Center		3.32	1.47
		For Up To 200, Add		1.10	
		For >200 To 500, Add		0.55	
06 11 16 00-0060		Wall Framing By The SF, 16" On Center <small>(06 11 16 00-0055)</small>			
06 11 16 00-0061	SF	2" x 4" Wood Wall Framing At 16" On Center		1.50	0.70
		For Up To 200, Add		0.50	
		For >200 To 500, Add		0.25	
06 11 16 00-0062	SF	2" x 6" Wood Wall Framing At 16" On Center		2.06	0.92
		For Up To 200, Add		0.68	
		For >200 To 500, Add		0.34	
06 11 16 00-0063	SF	2" x 8" Wood Wall Framing At 16" On Center		2.77	1.23
		For Up To 200, Add		0.92	
		For >200 To 500, Add		0.46	
06 11 16 00-0064		Wall Framing By The SF, 24" On Center <small>(06 11 16 00-0055)</small>			
06 11 16 00-0065	SF	2" x 4" Wood Wall Framing At 24" On Center		1.18	0.55
		For Up To 200, Add		0.40	
		For >200 To 500, Add		0.20	
06 11 16 00-0066	SF	2" x 6" Wood Wall Framing At 24" On Center		1.61	0.72
		For Up To 200, Add		0.53	
		For >200 To 500, Add		0.27	
06 11 16 00-0067	SF	2" x 8" Wood Wall Framing At 24" On Center		2.17	0.95
		For Up To 200, Add		0.72	
		For >200 To 500, Add		0.36	
06 11 16 00-0068		Sills And Plates <small>(06 11 16)</small>			
06 11 16 00-0069		Sills <small>(06 11 16 00-0068)</small>			
		Note: A horizontal member which rests on and is attached to the foundation.			
06 11 16 00-0070	LF	2" x 4" Wood Sill.....		2.41	1.34
06 11 16 00-0071	LF	2" x 6" Wood Sill.....		2.90	1.51
06 11 16 00-0072	LF	2" x 8" Wood Sill.....		3.47	1.69
06 11 16 00-0073	LF	2" x 4" Pressure Treated Wood Sill		2.54	1.34
06 11 16 00-0074	LF	2" x 6" Pressure Treated Wood Sill		3.11	1.51
06 11 16 00-0075	LF	2" x 8" Pressure Treated Wood Sill.....		3.76	1.69
06 11 16 00-0076		Plates <small>(06 11 16 00-0068)</small>			
		Note: A horizontal member connecting and terminating studs, posts, joists, rafters, etc. such as the top and bottom plate on a stud framed partition wall.			
06 11 16 00-0077	LF	2" x 4" Wood Plate		2.41	1.34
06 11 16 00-0078	LF	2" x 6" Wood Plate		2.90	1.51
06 11 16 00-0079	LF	2" x 8" Wood Plate		3.44	1.69
06 11 16 00-0080	LF	2" x 4" Pressure Treated Wood Plate.....		2.54	1.34
06 11 16 00-0081	LF	2" x 6" Pressure Treated Wood Plate.....		3.11	1.51
06 11 16 00-0082	LF	2" x 8" Pressure Treated Wood Plate.....		3.73	1.69
06 11 16 00-0083		Sills And Plates From Redwood <small>(06 11 16 00-0068)</small>			
06 11 16 00-0084		Construction Grade/Rough <small>(06 11 16 00-0083)</small>			
06 11 16 00-0085	LF	2" x 6" Redwood, Construction Grade/Rough.....		4.09	1.51



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 11 16 00-0086 LF 2" x 8" Redwood, Construction Grade/Rough	5.37	1.69
06 11 16 00-0087 LF 2" x 10" Redwood, Construction Grade/Rough	6.50	1.88
06 11 16 00-0088 LF 2" x 12" Redwood, Construction Grade/Rough	7.85	2.05
06 11 16 00-0089 Con Heart/Smooth <small>(06 11 16 00-0083)</small>		
06 11 16 00-0090 LF 2" x 6" Redwood, Con Heart/Smooth	4.89	1.51
06 11 16 00-0091 LF 2" x 8" Redwood, Con Heart/Smooth	6.56	1.69
06 11 16 00-0092 LF 2" x 10" Redwood, Con Heart/Smooth	8.52	1.88
06 11 16 00-0093 LF 2" x 12" Redwood, Con Heart/Smooth	10.25	2.05
06 11 16 00-0094 Suspended Ceiling Framing <small>(06 11 16)</small>		
06 11 16 00-0095 LF 1" x 2" Wood Suspended Ceiling Framing	1.96	1.16
06 11 16 00-0096 LF 1" x 3" Wood Suspended Ceiling Framing	2.15	1.25
06 11 16 00-0097 LF 2" x 2" Wood Suspended Ceiling Framing	2.32	1.34
06 11 16 00-0098 LF 2" x 4" Wood Suspended Ceiling Framing	2.76	1.51
06 11 16 00-0099 LF 1" x 2" Pressure Treated Wood Suspended Ceiling Framing	2.10	1.16
06 11 16 00-0100 LF 1" x 3" Pressure Treated Wood Suspended Ceiling Framing	2.14	1.25
06 11 16 00-0101 LF 2" x 2" Pressure Treated Wood Suspended Ceiling Framing	2.44	1.34
06 11 16 00-0102 LF 2" x 4" Pressure Treated Wood Suspended Ceiling Framing	2.85	1.51
06 11 16 00-0103 Posts And Girts <small>(06 11 16)</small>		
06 11 16 00-0104 Posts <small>(06 11 16 00-0103)</small>		
Note: A vertical, upright framing member.		
06 11 16 00-0105 LF 4" x 4" Wood Post	3.37	1.69
06 11 16 00-0106 LF 4" x 5" Wood Post	3.83	1.96
06 11 16 00-0107 LF 4" x 6" Wood Post	4.22	2.14
06 11 16 00-0108 LF 6" x 6" Wood Post	4.70	2.32
06 11 16 00-0109 LF 8" x 8" Wood Post	5.17	2.40
06 11 16 00-0110 LF 10" x 10" Wood Post	5.65	2.76
06 11 16 00-0111 LF 4" x 4" Pressure Treated Wood Post	3.92	1.69
06 11 16 00-0112 LF 3" x 6" Pressure Treated Wood Post	4.42	2.14
06 11 16 00-0113 LF 4" x 6" Pressure Treated Wood Post	5.04	2.14
06 11 16 00-0114 LF 6" x 6" Pressure Treated Wood Post	6.29	2.32
06 11 16 00-0115 Girts <small>(06 11 16 00-0103)</small>		
Note: A horizontal member at intermediate level between columns, studs, or posts.		
06 11 16 00-0116 LF 2" x 4" Wood Girt	1.69	0.64
06 11 16 00-0117 LF 2" x 6" Wood Girt	2.08	0.70
06 11 16 00-0118 LF 2" x 8" Wood Girt	2.50	0.77
06 11 16 00-0119 LF 2" x 10" Wood Girt	3.03	0.85
06 11 16 00-0120 LF 4" x 4" Wood Girt	3.27	1.29
06 11 16 00-0121 LF 4" x 5" Wood Girt	3.75	1.44
06 11 16 00-0122 LF 4" x 6" Wood Girt	4.21	1.60
06 11 16 00-0123 LF 6" x 6" Wood Girt	4.68	1.76
06 11 16 00-0124 LF 8" x 8" Wood Girt	5.15	1.93
06 11 16 00-0125 LF 10" x 10" Wood Girt	5.64	2.10
06 11 16 00-0126 LF 2" x 4" Pressure Treated Wood Girt	1.82	0.64
06 11 16 00-0127 LF 2" x 6" Pressure Treated Wood Girt	2.29	0.70
06 11 16 00-0128 LF 2" x 8" Pressure Treated Wood Girt	2.79	0.77
06 11 16 00-0129 LF 2" x 10" Pressure Treated Wood Girt	3.25	0.85
06 11 16 00-0130 LF 4" x 4" Pressure Treated Wood Girt	3.92	1.29
06 11 16 00-0131 LF 3" x 6" Pressure Treated Wood Girt	4.42	1.60
06 11 16 00-0132 LF 4" x 6" Pressure Treated Wood Girt	5.04	1.60
06 11 16 00-0133 LF 6" x 6" Pressure Treated Wood Girt	6.29	1.76
06 11 16 00-0134 Construction Grade/Rough Redwood Posts <small>(06 11 16 00-0103)</small>		
06 11 16 00-0135 LF 4" x 4" Redwood, Construction Grade/Rough Post	6.16	1.69
For Smooth "Clear", Add	0.72	
06 11 16 00-0136 LF 4" x 5" Redwood, Construction Grade/Rough Post	7.37	1.96
For Smooth "Clear", Add	0.90	
06 11 16 00-0137 LF 4" x 6" Redwood, Construction Grade/Rough Post	8.61	2.14
For Smooth "Clear", Add	1.08	
06 11 16 00-0138 LF 4" x 8" Redwood, Construction Grade/Rough Post	10.56	2.20
For Smooth "Clear", Add	1.44	
06 11 16 00-0139 LF 4" x 10" Redwood, Construction Grade/Rough Post	12.56	2.34
For Smooth "Clear", Add	1.80	
06 11 16 00-0140 LF 6" x 6" Redwood, Construction Grade/Rough Post	11.64	2.32
For Smooth "Clear", Add	1.62	
06 11 16 00-0141 LF 6" x 8" Redwood, Construction Grade/Rough Post	14.49	2.40
For Smooth "Clear", Add	2.16	
06 11 16 00-0142 LF 6" x 10" Redwood, Construction Grade/Rough Post	17.28	2.26
For Smooth "Clear", Add	2.70	
06 11 16 00-0143 LF 8" x 8" Redwood, Construction Grade/Rough Post	18.27	2.40
For Smooth "Clear", Add	2.88	

06 Wood, Plastics, and Composites**06 10 Rough Carpentry****06 11 Wood Framing**

MINOR				TOTAL DIRECT	DEMOLITION
CSI	UOM	DESCRIPTION		UNIT COST	UNIT COST
06 11 16 00-0144		Stair Stringers <small>(06 11 16)</small>			
06 11 16 00-0145	LF	2" x 10" Wood Stair Stringer.....		6.63	3.57
06 11 16 00-0146	LF	2" x 12" Wood Stair Stringer.....		7.85	4.19
06 11 16 00-0147	LF	2" x 10" Pressure Treated Wood Stair Stringer.....		6.88	3.57
06 11 16 00-0148	LF	2" x 12" Pressure Treated Wood Stair Stringer.....		8.25	4.19
06 11 16 00-0149		Blocking <small>(06 11 16)</small>			
06 11 16 00-0150		Blocking <small>(06 11 16 00-0149)</small>			
06 11 16 00-0151		Blocking To Wood <small>(06 11 16 00-0150)</small>			
06 11 16 00-0152	LF	2" x 4" Pressure Treated Wood Blocking To Wood.....		5.06	2.14
06 11 16 00-0153	LF	2" x 6" Pressure Treated Wood Blocking To Wood.....		5.99	2.36
06 11 16 00-0154	LF	2" x 8" Pressure Treated Wood Blocking To Wood.....		6.84	2.59
06 11 16 00-0155	LF	4" x 4" Pressure Treated Wood Blocking To Wood.....		7.92	2.85
06 11 16 00-0156	LF	4" x 6" Pressure Treated Wood Blocking To Wood.....		8.53	3.13
06 11 16 00-0157	LF	2" x 4" Wood Blocking To Wood.....		4.69	2.14
06 11 16 00-0158	LF	2" x 6" Wood Blocking To Wood.....		5.38	2.36
06 11 16 00-0159	LF	2" x 8" Wood Blocking To Wood.....		6.14	2.59
06 11 16 00-0160	LF	4" x 4" Wood Blocking To Wood.....		6.52	2.85
06 11 16 00-0161	LF	4" x 6" Wood Blocking To Wood.....		7.29	3.13
06 11 16 00-0162		Blocking To Steel <small>(06 11 16 00-0150)</small>			
06 11 16 00-0163	LF	2" x 4" Pressure Treated Wood Blocking To Steel.....		5.77	2.46
06 11 16 00-0164	LF	2" x 6" Pressure Treated Wood Blocking To Steel.....		6.82	2.72
06 11 16 00-0165	LF	2" x 8" Pressure Treated Wood Blocking To Steel.....		7.78	2.98
06 11 16 00-0166	LF	2" x 4" Wood Blocking To Steel.....		5.37	2.46
06 11 16 00-0167	LF	2" x 6" Wood Blocking To Steel.....		6.16	2.72
06 11 16 00-0168	LF	2" x 8" Wood Blocking To Steel.....		7.01	2.98
06 11 16 00-0169		Blocking To Concrete <small>(06 11 16 00-0150)</small>			
06 11 16 00-0170	LF	2" x 4" Pressure Treated Wood Blocking To Concrete.....		5.77	2.46
06 11 16 00-0171	LF	2" x 6" Pressure Treated Wood Blocking To Concrete.....		6.82	2.72
06 11 16 00-0172	LF	2" x 8" Pressure Treated Wood Blocking To Concrete.....		7.78	2.98
06 11 16 00-0173	LF	2" x 4" Wood Blocking To Concrete.....		5.37	2.46
06 11 16 00-0174	LF	2" x 6" Wood Blocking To Concrete.....		6.16	2.72
06 11 16 00-0175	LF	2" x 8" Wood Blocking To Concrete.....		7.01	2.98
06 11 16 00-0176		Pressure Treated Lattice <small>(06 11 16 00-0149)</small>			
06 11 16 00-0177	SF	3/4" Thick Pressure Treated Wood Lattice.....		5.46	1.88
06 11 16 00-0178		Roofing Nailers <small>(06 11 16)</small>			
06 11 16 00-0179	LF	2" x 4" Pressure Treated Lumber, For Roofing Nailers.....		2.58	0.71
06 11 16 00-0180	LF	2" x 6" Pressure Treated Lumber, For Roofing Nailers.....		3.02	0.76
06 11 16 00-0181	LF	2" x 8" Pressure Treated Lumber, For Roofing Nailers.....		3.47	0.80
06 11 16 00-0182		Roofing Sleepers <small>(06 11 16)</small>			
06 11 16 00-0183	LF	2" x 4" Pressure Treated Lumber, For Roofing Sleepers.....		1.20	
06 11 16 00-0184	LF	4" x 4" Pressure Treated Lumber, For Roofing Sleepers.....		2.65	
06 11 16 00-0185	LF	4" x 6" Pressure Treated Lumber, For Roofing Sleepers.....		3.44	
06 11 16 00-0186	LF	6" x 6" Pressure Treated Lumber, For Roofing Sleepers.....		4.54	
06 11 16 00-0187		Canopy Framing, Bridging, And Furring <small>(06 11 16)</small>			
06 11 16 00-0188		Wood And Steel Bridging <small>(06 11 16 00-0187)</small>			
06 11 16 00-0189		Wood Bridging <small>(06 11 16 00-0188)</small>			
06 11 16 00-0190	EA	1 Pair Wood Bridging, 1" x 3" Cross Type..... Note: For joists spaced at 16" on center.		7.22	3.12
06 11 16 00-0191	EA	1 Pair Wood Bridging, 2" x 3" Cross Type..... Note: For joists spaced at 16" on center.		7.43	3.12
06 11 16 00-0192		Steel Bridging <small>(06 11 16 00-0188)</small>			
06 11 16 00-0193	EA	1 Pair Steel Bridging, Wood Joists At 16" On Center.....		8.39	3.12
06 11 16 00-0194	EA	1 Pair Steel Bridging, Wood Joists At 24" On Center.....		8.37	3.12
06 11 16 00-0195		Light Framing, Trim And Furring <small>(06 11 16 00-0187)</small>			
06 11 16 00-0196		Pine/Spruce/Fir Light Framing, Trim And Furring <small>(06 11 16 00-0195)</small>			
06 11 16 00-0197	LF	1" x 1" Pine/Spruce/Fir Light Framing, Trim And Furring.....		1.58	0.73
06 11 16 00-0198	LF	1" x 2" Pine/Spruce/Fir Light Framing, Trim And Furring.....		1.78	0.80



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 11 16 00-0199 LF 1" x 4" Pine/Spruce/Fir Light Framing, Trim And Furring	2.05	0.88
06 11 16 00-0200 LF 1" x 6" Pine/Spruce/Fir Light Framing, Trim And Furring	2.30	0.97
06 11 16 00-0201 LF 1" x 8" Pine/Spruce/Fir Light Framing, Trim And Furring	2.55	1.06
06 11 16 00-0202 LF 1" x 10" Pine/Spruce/Fir Light Framing, Trim And Furring	2.81	1.18
06 11 16 00-0203 LF 2" x 2" Pine/Spruce/Fir Light Framing, Trim And Furring	2.31	0.97
06 11 16 00-0204 LF 2" x 4" Pine/Spruce/Fir Light Framing, Trim And Furring	2.58	1.06
06 11 16 00-0205 LF 2" x 6" Pine/Spruce/Fir Light Framing, Trim And Furring	3.02	1.18
06 11 16 00-0206 LF 2" x 8" Pine/Spruce/Fir Light Framing, Trim And Furring	3.54	1.29
06 11 16 00-0207 LF 2" x 10" Pine/Spruce/Fir Light Framing, Trim And Furring	4.16	1.43
06 11 16 00-0208 Cedar Light Framing, Trim And Furring (06 11 16 00-0195)		
06 11 16 00-0209 LF 1" x 1" Cedar Light Framing, Trim And Furring	1.61	0.73
06 11 16 00-0210 LF 1" x 2" Cedar Light Framing, Trim And Furring	1.89	0.80
06 11 16 00-0211 LF 1" x 4" Cedar Light Framing, Trim And Furring	2.48	0.88
06 11 16 00-0212 LF 1" x 6" Cedar Light Framing, Trim And Furring	3.03	0.97
06 11 16 00-0213 LF 1" x 8" Cedar Light Framing, Trim And Furring	4.47	1.06
06 11 16 00-0214 LF 1" x 10" Cedar Light Framing, Trim And Furring	5.26	1.18
06 11 16 00-0215 LF 2" x 2" Cedar Light Framing, Trim And Furring	2.59	0.97
06 11 16 00-0216 LF 2" x 4" Cedar Light Framing, Trim And Furring	2.99	1.06
06 11 16 00-0217 Oak Light Framing, Trim And Furring (06 11 16 00-0195)		
06 11 16 00-0218 LF 1" x 1" Oak Light Framing, Trim And Furring	1.61	0.73
06 11 16 00-0219 LF 1" x 2" Oak Light Framing, Trim And Furring	1.91	0.80
06 11 16 00-0220 LF 1" x 4" Oak Light Framing, Trim And Furring	2.37	0.88
06 11 16 00-0221 LF 1" x 6" Oak Light Framing, Trim And Furring	2.87	0.97
06 11 16 00-0222 LF 1" x 8" Oak Light Framing, Trim And Furring	3.37	1.06
06 11 16 00-0223 LF 1" x 10" Oak Light Framing, Trim And Furring	3.88	1.18
06 11 16 00-0224 LF 2" x 2" Oak Light Framing, Trim And Furring	2.56	0.97
06 11 16 00-0225 LF 2" x 4" Oak Light Framing, Trim And Furring	3.37	1.06
06 11 16 00-0226 Redwood Light Framing, Trim And Furring (06 11 16 00-0195)		
06 11 16 00-0227 LF 1" x 1" Redwood Light Framing, Trim And Furring	1.57	0.73
06 11 16 00-0228 LF 1" x 2" Redwood Light Framing, Trim And Furring	1.82	0.80
06 11 16 00-0229 LF 1" x 4" Redwood Light Framing, Trim And Furring	2.23	0.88
06 11 16 00-0230 LF 1" x 6" Redwood Light Framing, Trim And Furring	2.69	0.97
06 11 16 00-0231 LF 1" x 8" Redwood Light Framing, Trim And Furring	3.18	1.06
06 11 16 00-0232 LF 1" x 10" Redwood Light Framing, Trim And Furring	3.71	1.18
06 11 16 00-0233 LF 2" x 2" Redwood Light Framing, Trim And Furring	2.70	0.97
06 11 16 00-0234 LF 2" x 4" Redwood Light Framing, Trim And Furring	3.19	1.06
06 11 16 00-0235 Poplar Light Framing, Trim And Furring (06 11 16 00-0195)		
06 11 16 00-0236 LF 1" x 1" Poplar Light Framing, Trim And Furring	1.83	0.73
06 11 16 00-0237 LF 1" x 2" Poplar Light Framing, Trim And Furring	2.23	0.80
06 11 16 00-0238 LF 1" x 4" Poplar Light Framing, Trim And Furring	2.80	0.88
06 11 16 00-0239 LF 1" x 6" Poplar Light Framing, Trim And Furring	3.57	0.97
06 11 16 00-0240 LF 1" x 8" Poplar Light Framing, Trim And Furring	4.14	1.06
06 11 16 00-0241 LF 1" x 10" Poplar Light Framing, Trim And Furring	5.45	1.18
06 11 16 00-0242 LF 1" x 12" Poplar Light Framing, Trim And Furring	5.89	1.18
06 11 16 00-0243 LF 2" x 2" Poplar Light Framing, Trim And Furring	4.68	0.97
06 11 16 00-0244 LF 2" x 4" Poplar Light Framing, Trim And Furring	5.24	1.06
06 11 16 00-0245 LF 2" x 6" Poplar Light Framing, Trim And Furring	6.99	1.18
06 11 16 00-0246 Maple Light Framing, Trim And Furring (06 11 16 00-0195)		
06 11 16 00-0247 LF 1" x 4" Maple Light Framing, Trim And Furring	3.92	0.88
06 11 16 00-0248 LF 1" x 6" Maple Light Framing, Trim And Furring	5.31	0.97
06 11 16 00-0249 LF 1" x 8" Maple Light Framing, Trim And Furring	6.72	1.06
06 13 Heavy Timber Construction (06 10)		
06 13 23 Heavy Timber Framing (06 13)		
06 13 23 00-0001 Heavy Timber Framing (06 13 23) Note: Excludes fasteners.		
06 13 23 00-0002 Heavy Timber Beams (06 13 23 00-0001)		
06 13 23 00-0003 Pine, Heavy Timber Beams (06 13 23 00-0002)		
06 13 23 00-0004 LF 4" x 4", Pine, Heavy Timber Beam	4.95	1.58
06 13 23 00-0005 LF 4" x 6", Pine, Heavy Timber Beam	5.98	1.65
06 13 23 00-0006 LF 4" x 8", Pine, Heavy Timber Beam	7.01	1.71
06 13 23 00-0007 LF 4" x 10", Pine, Heavy Timber Beam	9.08	1.83
06 13 23 00-0008 LF 4" x 12", Pine, Heavy Timber Beam	10.78	1.94
06 13 23 00-0009 LF 6" x 6", Pine, Heavy Timber Beam	7.56	1.78
06 13 23 00-0010 LF 6" x 8", Pine, Heavy Timber Beam	9.06	1.88
06 13 23 00-0011 LF 6" x 10", Pine, Heavy Timber Beam	12.17	2.01

06 Wood, Plastics, and Composites**06 10 Rough Carpentry****06 13 Heavy Timber Construction**MINOR
CSI UOM DESCRIPTIONTOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

06 13 23 00-0012	LF	6" x 12", Pine, Heavy Timber Beam	14.45	2.05
06 13 23 00-0013	LF	8" x 8", Pine, Heavy Timber Beam	11.02	1.94
06 13 23 00-0014	LF	8" x 10", Pine, Heavy Timber Beam	14.88	2.01
06 13 23 00-0015	LF	8" x 12", Pine, Heavy Timber Beam	17.98	2.05
06 13 23 00-0016	LF	10" x 10", Pine, Heavy Timber Beam	17.76	2.05
06 13 23 00-0017	LF	10" x 12", Pine, Heavy Timber Beam	21.71	2.23
06 13 23 00-0018	LF	12" x 12", Pine, Heavy Timber Beam	25.60	2.45
06 13 23 00-0019 Douglas Fir, Heavy Timber Beams (06 13 23 00-0002)				
06 13 23 00-0020	LF	4" x 4", Douglas Fir, Heavy Timber Beam	5.13	1.58
06 13 23 00-0021	LF	4" x 6", Douglas Fir, Heavy Timber Beam	6.25	1.65
06 13 23 00-0022	LF	4" x 8", Douglas Fir, Heavy Timber Beam	7.37	1.71
06 13 23 00-0023	LF	4" x 10", Douglas Fir, Heavy Timber Beam	9.63	1.83
06 13 23 00-0024	LF	4" x 12", Douglas Fir, Heavy Timber Beam	11.46	1.94
06 13 23 00-0025	LF	6" x 6", Douglas Fir, Heavy Timber Beam	7.95	1.78
06 13 23 00-0026	LF	6" x 8", Douglas Fir, Heavy Timber Beam	9.59	1.88
06 13 23 00-0027	LF	6" x 10", Douglas Fir, Heavy Timber Beam	12.98	2.01
06 13 23 00-0028	LF	6" x 12", Douglas Fir, Heavy Timber Beam	15.49	2.05
06 13 23 00-0029	LF	8" x 8", Douglas Fir, Heavy Timber Beam	11.74	1.94
06 13 23 00-0030	LF	8" x 10", Douglas Fir, Heavy Timber Beam	15.97	2.01
06 13 23 00-0031	LF	8" x 12", Douglas Fir, Heavy Timber Beam	19.36	2.05
06 13 23 00-0032	LF	10" x 10", Douglas Fir, Heavy Timber Beam	19.11	2.05
06 13 23 00-0033	LF	10" x 12", Douglas Fir, Heavy Timber Beam	23.42	2.23
06 13 23 00-0034	LF	12" x 12", Douglas Fir, Heavy Timber Beam	27.67	2.45
06 13 23 00-0035 Pressure Treated, Heavy Timber Beams (06 13 23 00-0002)				
06 13 23 00-0036	LF	4" x 4", Pressure Treated, Heavy Timber Beam	5.13	1.58
06 13 23 00-0037	LF	4" x 6", Pressure Treated, Heavy Timber Beam	6.43	1.65
06 13 23 00-0038	LF	4" x 8", Pressure Treated, Heavy Timber Beam	7.56	1.71
06 13 23 00-0039	LF	4" x 10", Pressure Treated, Heavy Timber Beam	9.92	1.83
06 13 23 00-0040	LF	4" x 12", Pressure Treated, Heavy Timber Beam	11.83	1.94
06 13 23 00-0041	LF	6" x 6", Pressure Treated, Heavy Timber Beam	8.81	1.78
06 13 23 00-0042	LF	6" x 8", Pressure Treated, Heavy Timber Beam	10.76	1.88
06 13 23 00-0043	LF	6" x 10", Pressure Treated, Heavy Timber Beam	12.88	2.01
06 13 23 00-0044	LF	6" x 12", Pressure Treated, Heavy Timber Beam	15.74	2.05
06 13 23 00-0045	LF	8" x 8", Pressure Treated, Heavy Timber Beam	15.87	1.94
06 13 23 00-0046	LF	8" x 10", Pressure Treated, Heavy Timber Beam	18.42	2.01
06 13 23 00-0047	LF	8" x 12", Pressure Treated, Heavy Timber Beam	21.64	2.05
06 13 23 00-0048	LF	10" x 10", Pressure Treated, Heavy Timber Beam	21.73	2.05
06 13 23 00-0049	LF	10" x 12", Pressure Treated, Heavy Timber Beam	28.67	2.23
06 13 23 00-0050	LF	12" x 12", Pressure Treated, Heavy Timber Beam	33.98	2.45
06 13 23 00-0051 Heavy Timber Columns (06 13 23 00-0001)				
06 13 23 00-0052 Pine, Heavy Timber Columns (06 13 23 00-0051)				
06 13 23 00-0053	LF	4" x 4", Pine, Heavy Timber Column	3.45	0.83
06 13 23 00-0054	LF	4" x 6", Pine, Heavy Timber Column	4.44	0.88
06 13 23 00-0055	LF	4" x 8", Pine, Heavy Timber Column	5.39	0.90
06 13 23 00-0056	LF	4" x 10", Pine, Heavy Timber Column	7.36	0.96
06 13 23 00-0057	LF	4" x 12", Pine, Heavy Timber Column	8.95	1.02
06 13 23 00-0058	LF	6" x 6", Pine, Heavy Timber Column	5.89	0.93
06 13 23 00-0059	LF	6" x 8", Pine, Heavy Timber Column	7.32	0.97
06 13 23 00-0060	LF	6" x 10", Pine, Heavy Timber Column	10.26	1.05
06 13 23 00-0061	LF	6" x 12", Pine, Heavy Timber Column	12.51	1.08
06 13 23 00-0062	LF	8" x 8", Pine, Heavy Timber Column	9.19	1.02
06 13 23 00-0063	LF	8" x 10", Pine, Heavy Timber Column	12.97	1.05
06 13 23 00-0064	LF	8" x 12", Pine, Heavy Timber Column	16.00	1.10
06 13 23 00-0065	LF	10" x 10", Pine, Heavy Timber Column	15.78	1.11
06 13 23 00-0066	LF	10" x 12", Pine, Heavy Timber Column	19.60	1.18
06 13 23 00-0067	LF	12" x 12", Pine, Heavy Timber Column	23.28	1.29
06 13 23 00-0068 Douglas Fir, Heavy Timber Columns (06 13 23 00-0051)				
06 13 23 00-0069	LF	4" x 4", Douglas Fir, Heavy Timber Column	3.63	0.83
06 13 23 00-0070	LF	4" x 6", Douglas Fir, Heavy Timber Column	4.71	0.88
06 13 23 00-0071	LF	4" x 8", Douglas Fir, Heavy Timber Column	5.75	0.90
06 13 23 00-0072	LF	4" x 10", Douglas Fir, Heavy Timber Column	7.91	0.96
06 13 23 00-0073	LF	4" x 12", Douglas Fir, Heavy Timber Column	9.63	1.02
06 13 23 00-0074	LF	6" x 6", Douglas Fir, Heavy Timber Column	6.28	0.93
06 13 23 00-0075	LF	6" x 8", Douglas Fir, Heavy Timber Column	7.85	0.97
06 13 23 00-0076	LF	6" x 10", Douglas Fir, Heavy Timber Column	11.07	1.05
06 13 23 00-0077	LF	6" x 12", Douglas Fir, Heavy Timber Column	13.55	1.08
06 13 23 00-0078	LF	8" x 8", Douglas Fir, Heavy Timber Column	9.91	1.02
06 13 23 00-0079	LF	8" x 10", Douglas Fir, Heavy Timber Column	14.06	1.05
06 13 23 00-0080	LF	8" x 12", Douglas Fir, Heavy Timber Column	17.38	1.10
06 13 23 00-0081	LF	10" x 10", Douglas Fir, Heavy Timber Column	17.13	1.11
06 13 23 00-0082	LF	10" x 12", Douglas Fir, Heavy Timber Column	21.31	1.18
06 13 23 00-0083	LF	12" x 12", Douglas Fir, Heavy Timber Column	25.35	1.29



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 13 23 00-0084 Pressure Treated, Heavy Timber Columns <small>(06 13 23 00-0051)</small>		
06 13 23 00-0085 LF 4" x 4", Pressure Treated, Heavy Timber Column	3.63	0.83
06 13 23 00-0086 LF 4" x 6", Pressure Treated, Heavy Timber Column	4.89	0.88
06 13 23 00-0087 LF 4" x 8", Pressure Treated, Heavy Timber Column	5.94	0.90
06 13 23 00-0088 LF 4" x 10", Pressure Treated, Heavy Timber Column	8.20	0.96
06 13 23 00-0089 LF 4" x 12", Pressure Treated, Heavy Timber Column	10.00	1.02
06 13 23 00-0090 LF 6" x 6", Pressure Treated, Heavy Timber Column	7.14	0.93
06 13 23 00-0091 LF 6" x 8", Pressure Treated, Heavy Timber Column	9.02	0.97
06 13 23 00-0092 LF 6" x 10", Pressure Treated, Heavy Timber Column	10.97	1.05
06 13 23 00-0093 LF 6" x 12", Pressure Treated, Heavy Timber Column	13.80	1.08
06 13 23 00-0094 LF 8" x 8", Pressure Treated, Heavy Timber Column	14.04	1.02
06 13 23 00-0095 LF 8" x 10", Pressure Treated, Heavy Timber Column	16.51	1.05
06 13 23 00-0096 LF 8" x 12", Pressure Treated, Heavy Timber Column	19.66	1.10
06 13 23 00-0097 LF 10" x 10", Pressure Treated, Heavy Timber Column	19.75	1.11
06 13 23 00-0098 LF 10" x 12", Pressure Treated, Heavy Timber Column	26.56	1.18
06 13 23 00-0099 LF 12" x 12", Pressure Treated, Heavy Timber Column	31.66	1.29
06 15 Wood Decking <small>(06 10)</small>		
06 15 13 Wood Floor Decking <small>(06 15)</small>		
06 15 13 00-0001 Wood Deck Systems <small>(06 15 13)</small>		
Note: Includes the deck, joists, girders, posts 8' on-center, pickets and railing.		
06 15 13 00-0002 Pressure Treated Wood Deck System <small>(06 15 13 00-0001)</small>		
06 15 13 00-0003 2" x 8" Joists At 16" On Center, Pressure Treated Wood Deck System <small>(06 15 13 00-0002)</small>		
06 15 13 00-0004 SF 5/4" x 4" Pressure Treated Decking, 2" x 8" Pressure Treated Joists 16" On Center, Wood Deck System	30.24	6.17
06 15 13 00-0005 SF 5/4" x 6" Pressure Treated Decking, 2" x 8" Pressure Treated Joists 16" On Center, Wood Deck System	29.29	5.87
06 15 13 00-0006 SF 2" x 4" Pressure Treated Decking, 2" x 8" Pressure Treated Joists 16" On Center, Wood Deck System	31.38	6.33
06 15 13 00-0007 SF 2" x 6" Pressure Treated Decking, 2" x 8" Pressure Treated Joists 16" On Center, Wood Deck System	30.45	6.02
06 15 13 00-0008 2" x 10" Joists At 16" On Center, Pressure Treated Wood Deck System <small>(06 15 13 00-0002)</small>		
06 15 13 00-0009 SF 5/4" x 4" Pressure Treated Decking, 2" x 10" Pressure Treated Joists 16" On Center, Wood Deck System	31.26	6.33
06 15 13 00-0010 SF 5/4" x 6" Pressure Treated Decking, 2" x 10" Pressure Treated Joists 16" On Center, Wood Deck System	30.29	6.01
06 15 13 00-0011 SF 2" x 4" Pressure Treated Decking, 2" x 10" Pressure Treated Joists 16" On Center, Wood Deck System	32.43	6.49
06 15 13 00-0012 SF 2" x 6" Pressure Treated Decking, 2" x 10" Pressure Treated Joists 16" On Center	31.48	6.17
06 15 13 00-0013 2" x 10" Joists At 24" On Center, Pressure Treated Wood Deck System <small>(06 15 13 00-0002)</small>		
06 15 13 00-0014 SF 5/4" x 4" Pressure Treated Decking, 2" x 10" Pressure Treated Joists 24" On Center, Wood Deck System	30.24	6.17
06 15 13 00-0015 SF 5/4" x 6" Pressure Treated Decking, 2" x 10" Pressure Treated Joists 24" On Center, Wood Deck System	29.29	5.87
06 15 13 00-0016 SF 2" x 4" Pressure Treated Decking, 2" x 10" Pressure Treated Joists 24" On Center, Wood Deck System	31.38	6.33
06 15 13 00-0017 SF 2" x 6" Pressure Treated Decking, 2" x 10" Pressure Treated Joists 24" On Center, Wood Deck System	30.45	6.02
06 15 13 00-0018 Redwood With Pressure Treated Joists, Wood Deck System <small>(06 15 13 00-0001)</small>		
06 15 13 00-0019 2" x 8" Joists At 16" On Center, Redwood With Pressure Treated Joists, Wood Deck System <small>(06 15 13 00-0018)</small>		
06 15 13 00-0020 SF 5/4" x 4" Redwood Decking, 2" x 8" Pressure Treated Joists 16" On Center, Wood Deck System	32.38	6.17
06 15 13 00-0021 SF 5/4" x 6" Redwood Decking, 2" x 8" Pressure Treated Joists 16" On Center, Wood Deck System	31.54	5.72
06 15 13 00-0022 SF 2" x 4" Redwood Decking, 2" x 8" Pressure Treated Joists 16" On Center, Wood Deck System	34.06	6.33
06 15 13 00-0023 SF 2" x 6" Redwood Decking, 2" x 8" Pressure Treated Joists 16" On Center, Wood Deck System	32.98	6.02
06 15 13 00-0024 2" x 10" Joists At 16" On Center, Redwood With Pressure Treated Joists, Wood Deck System <small>(06 15 13 00-0018)</small>		
06 15 13 00-0025 SF 5/4" x 4" Redwood Decking, 2" x 10" Pressure Treated Joists 16" On Center, Wood Deck System	34.62	6.33
06 15 13 00-0026 SF 5/4" x 6" Redwood Decking, 2" x 10" Pressure Treated Joists 16" On Center, Wood Deck System	33.75	6.01
06 15 13 00-0027 SF 2" x 4" Redwood Decking, 2" x 10" Pressure Treated Joists 16" On Center, Wood Deck System	36.45	6.49
06 15 13 00-0028 SF 2" x 6" Redwood Decking, 2" x 10" Pressure Treated Joists 16" On Center, Wood Deck System	35.37	6.17
06 15 13 00-0029 2" x 10" Joists At 24" On Center, Redwood With Pressure Treated Joists, Wood Deck System <small>(06 15 13 00-0018)</small>		
06 15 13 00-0030 SF 5/4" x 4" Redwood Decking, 2" x 10" Pressure Treated Joists 24" On Center, Wood Deck System	33.24	6.17
06 15 13 00-0031 SF 5/4" x 6" Redwood Decking, 2" x 10" Pressure Treated Joists 24" On Center, Wood Deck System	32.40	5.87
06 15 13 00-0032 SF 2" x 4" Redwood Decking, 2" x 10" Pressure Treated Joists 24" On Center, Wood Deck System	34.97	6.33
06 15 13 00-0033 SF 2" x 6" Redwood Decking, 2" x 10" Pressure Treated Joists 24" On Center, Wood Deck System	34.58	6.02
06 15 13 00-0034 Wood Ramp Systems <small>(06 15 13)</small>		
Note: Includes the decking, joists, girders, posts at corners and along ramp, pickets and railing.		

06 Wood, Plastics, and Composites**06 10 Rough Carpentry****06 15 Wood Decking**MINOR
CSI UOM DESCRIPTIONTOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

06 15 13 00-0035	Pressure Treated Wood Ramp System <small>(06 15 13 00-0034)</small>		
06 15 13 00-0036	2" x 6" Joists, Pressure Treated Wood Ramp System <small>(06 15 13 00-0035)</small>		
06 15 13 00-0037	SF 5/4" x 4" Pressure Treated Decking, 2" x 6" Pressure Treated Joists, Wood Ramp System.....	35.11	6.02
06 15 13 00-0038	SF 5/4" x 6" Pressure Treated Decking, 2" x 6" Pressure Treated Joists, Wood Ramp System.....	33.90	5.72
06 15 13 00-0039	SF 2" x 4" Pressure Treated Decking, 2" x 6" Pressure Treated Joists, Wood Ramp System.....	36.36	6.17
06 15 13 00-0040	SF 2" x 6" Pressure Treated Decking, 2" x 6" Pressure Treated Joists, Wood Ramp System.....	35.16	5.87
06 15 13 00-0041	2" x 8" Joists, Pressure Treated Wood Ramp System <small>(06 15 13 00-0035)</small>		
06 15 13 00-0042	SF 5/4" x 4" Pressure Treated Decking, 2" x 8" Pressure Treated Joists, Wood Ramp System.....	36.24	6.17
06 15 13 00-0043	SF 5/4" x 6" Pressure Treated Decking, 2" x 8" Pressure Treated Joists, Wood Ramp System.....	35.00	5.87
06 15 13 00-0044	SF 2" x 4" Pressure Treated Decking, 2" x 8" Pressure Treated Joists, Wood Ramp System.....	37.54	6.33
06 15 13 00-0045	SF 2" x 6" Pressure Treated Decking, 2" x 8" Pressure Treated Joists, Wood Ramp System.....	36.30	6.02
06 15 13 00-0046	2" x 10" Joists, Pressure Treated Wood Ramp System <small>(06 15 13 00-0035)</small>		
06 15 13 00-0047	SF 5/4" x 4" Pressure Treated Decking, 2" x 10" Pressure Treated Joists, Wood Ramp System.....	37.40	6.32
06 15 13 00-0048	SF 5/4" x 6" Pressure Treated Decking, 2" x 10" Pressure Treated Joists, Wood Ramp System.....	36.15	6.01
06 15 13 00-0049	SF 2" x 4" Pressure Treated Decking, 2" x 10" Pressure Treated Joists, Wood Ramp System.....	38.75	6.49
06 15 13 00-0050	SF 2" x 6" Pressure Treated Decking, 2" x 10" Pressure Treated Joists, Wood Ramp System.....	37.48	6.17
06 15 13 00-0051	Redwood With Pressure Treated Joists, Wood Ramp System <small>(06 15 13 00-0034)</small>		
06 15 13 00-0052	2" x 6" Joists, Redwood With Pressure Treated Joists, Wood Ramp System <small>(06 15 13 00-0051)</small>		
06 15 13 00-0053	SF 5/4" x 4" Redwood Decking, 2" x 6" Pressure Treated Joists, Wood Ramp System.....	37.13	6.02
06 15 13 00-0054	SF 5/4" x 6" Redwood Decking, 2" x 6" Pressure Treated Joists, Wood Ramp System.....	36.01	5.72
06 15 13 00-0055	SF 2" x 4" Redwood Decking, 2" x 6" Pressure Treated Joists, Wood Ramp System.....	38.89	6.17
06 15 13 00-0056	SF 2" x 6" Redwood Decking, 2" x 6" Pressure Treated Joists, Wood Ramp System.....	37.54	5.87
06 15 13 00-0057	2" x 8" Joists, Redwood With Pressure Treated Joists, Wood Ramp System <small>(06 15 13 00-0051)</small>		
06 15 13 00-0058	SF 5/4" x 4" Redwood Decking, 2" x 8" Pressure Treated Joists, Wood Ramp System.....	38.38	6.17
06 15 13 00-0059	SF 5/4" x 6" Redwood Decking, 2" x 8" Pressure Treated Joists, Wood Ramp System.....	37.25	5.87
06 15 13 00-0060	SF 2" x 4" Redwood Decking, 2" x 8" Pressure Treated Joists, Wood Ramp System.....	40.22	6.33
06 15 13 00-0061	SF 2" x 6" Redwood Decking, 2" x 8" Pressure Treated Joists, Wood Ramp System.....	38.83	6.02
06 15 13 00-0062	2" x 10" Joists, Redwood With Pressure Treated Joists, Wood Ramp System <small>(06 15 13 00-0051)</small>		
06 15 13 00-0063	SF 5/4" x 4" Redwood Decking, 2" x 10" Pressure Treated Joists, Wood Ramp System.....	40.78	6.32
06 15 13 00-0064	SF 5/4" x 6" Redwood Decking, 2" x 10" Pressure Treated Joists, Wood Ramp System.....	39.61	6.01
06 15 13 00-0065	SF 2" x 4" Redwood Decking, 2" x 10" Pressure Treated Joists, Wood Ramp System.....	42.78	6.49
06 15 13 00-0066	SF 2" x 6" Redwood Decking, 2" x 10" Pressure Treated Joists, Wood Ramp System.....	41.81	6.17
06 15 13 00-0067	Cedar With Pressure Treated Joists, Wood Ramp System <small>(06 15 13 00-0034)</small>		
06 15 13 00-0068	2" x 6" Joists, Cedar With Pressure Treated Joists, Wood Ramp System <small>(06 15 13 00-0067)</small>		
06 15 13 00-0069	SF 5/4" x 4" Cedar Decking, 2" x 6" Pressure Treated Joists, Wood Ramp System.....	35.83	6.02
06 15 13 00-0070	SF 5/4" x 6" Cedar Decking, 2" x 6" Pressure Treated Joists, Wood Ramp System.....	34.64	5.72
06 15 13 00-0071	SF 2" x 4" Cedar Decking, 2" x 6" Pressure Treated Joists, Wood Ramp System.....	37.14	6.17
06 15 13 00-0072	SF 2" x 6" Cedar Decking, 2" x 6" Pressure Treated Joists, Wood Ramp System.....	35.97	5.87
06 15 13 00-0073	2" x 8" Joists, Cedar With Pressure Treated Joists, Wood Ramp System <small>(06 15 13 00-0067)</small>		
06 15 13 00-0074	SF 5/4" x 4" Cedar Decking, 2" x 8" Pressure Treated Joists, Wood Ramp System.....	36.99	6.17
06 15 13 00-0075	SF 5/4" x 6" Cedar Decking, 2" x 8" Pressure Treated Joists, Wood Ramp System.....	35.79	5.87
06 15 13 00-0076	SF 2" x 4" Cedar Decking, 2" x 8" Pressure Treated Joists, Wood Ramp System.....	38.36	6.33
06 15 13 00-0077	SF 2" x 6" Cedar Decking, 2" x 8" Pressure Treated Joists, Wood Ramp System.....	37.16	6.02
06 15 13 00-0078	2" x 10" Joists, Cedar With Pressure Treated Joists, Wood Ramp System <small>(06 15 13 00-0067)</small>		
06 15 13 00-0079	SF 5/4" x 4" Cedar Decking, 2" x 10" Pressure Treated Joists, Wood Ramp System.....	38.23	6.32
06 15 13 00-0080	SF 5/4" x 6" Cedar Decking, 2" x 10" Pressure Treated Joists, Wood Ramp System.....	36.99	6.01
06 15 13 00-0081	SF 2" x 4" Cedar Decking, 2" x 10" Pressure Treated Joists, Wood Ramp System.....	39.63	6.49
06 15 13 00-0082	SF 2" x 6" Cedar Decking, 2" x 10" Pressure Treated Joists, Wood Ramp System.....	38.40	6.17
06 15 13 00-0083	Wood Stair Systems <small>(06 15 13)</small>		
	Note: Includes the decking, joists, girders, posts at corners and along stairs, pickets and railing.		
06 15 13 00-0084	Pressure Treated Wood Stair System <small>(06 15 13 00-0083)</small>		
06 15 13 00-0085	2" x 10" Joists, Pressure Treated Wood Stair System <small>(06 15 13 00-0084)</small>		
06 15 13 00-0086	RSR 3' Wide, 5/4" x 4" Pressure Treated Decking With 2" x 10" Pressure Treated Joists, Wood Stair System.....	95.89	14.82
06 15 13 00-0087	RSR 3' Wide, 5/4" x 6" Pressure Treated Decking With 2" x 10" Pressure Treated Joists, Wood Stair System.....	93.68	14.07



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 15 13 00-0088	RSR	3'	3' Wide, 2" x 4" Pressure Treated Decking With 2" x 10" Pressure Treated Joists, Wood Stair System.....	98.89	15.19
06 15 13 00-0089	RSR	3'	3' Wide, 2" x 6" Pressure Treated Decking With 2" x 10" Pressure Treated Joists, Wood Stair System.....	96.17	14.43
06 15 13 00-0090	RSR	3'-6"	3'-6" Wide, 5/4" x 4" Pressure Treated Decking With 2" x 10" Pressure Treated Joists, Wood Stair System.....	100.69	15.56
06 15 13 00-0091	RSR	3'-6"	3'-6" Wide, 5/4" x 6" Pressure Treated Decking With 2" x 10" Pressure Treated Joists, Wood Stair System.....	98.37	14.78
06 15 13 00-0092	RSR	3'-6"	3'-6" Wide, 2" x 4" Pressure Treated Decking With 2" x 10" Pressure Treated Joists, Wood Stair System.....	103.83	15.95
06 15 13 00-0093	RSR	3'-6"	3'-6" Wide, 2" x 6" Pressure Treated Decking With 2" x 10" Pressure Treated Joists, Wood Stair System.....	100.98	15.16
06 15 13 00-0094	RSR	4'	4' Wide, 5/4" x 4" Pressure Treated Decking With 2" x 10" Pressure Treated Joists, Wood Stair System.....	105.61	16.34
06 15 13 00-0095	RSR	4'	4' Wide, 5/4" x 6" Pressure Treated Decking With 2" x 10" Pressure Treated Joists, Wood Stair System.....	103.16	15.52
06 15 13 00-0096	RSR	4'	4' Wide, 2" x 4" Pressure Treated Decking With 2" x 10" Pressure Treated Joists, Wood Stair System.....	108.90	16.75
06 15 13 00-0097	RSR	4'	4' Wide, 2" x 6" Pressure Treated Decking With 2" x 10" Pressure Treated Joists, Wood Stair System.....	105.89	15.91
06 15 13 00-0098	RSR	5'	5' Wide, 5/4" x 4" Pressure Treated Decking With 2" x 10" Pressure Treated Joists, Wood Stair System.....	112.20	17.15
06 15 13 00-0099	RSR	5'	5' Wide, 5/4" x 6" Pressure Treated Decking With 2" x 10" Pressure Treated Joists, Wood Stair System.....	109.70	16.30
06 15 13 00-0100	RSR	5'	5' Wide, 2" x 4" Pressure Treated Decking With 2" x 10" Pressure Treated Joists, Wood Stair System.....	115.71	17.60
06 15 13 00-0101	RSR	5'	5' Wide, 2" x 6" Pressure Treated Decking With 2" x 10" Pressure Treated Joists, Wood Stair System.....	112.61	16.71
06 15 13 00-0102			2" x 12" Joists, Pressure Treated Wood Stair System <small>(06 15 13 00-0084)</small>		
06 15 13 00-0103	RSR	3'	3' Wide, 5/4" x 4" Pressure Treated Decking With 2" x 12" Pressure Treated Joists, Wood Stair System.....	97.93	15.18
06 15 13 00-0104	RSR	3'	3' Wide, 5/4" x 6" Pressure Treated Decking With 2" x 12" Pressure Treated Joists, Wood Stair System.....	95.25	14.42
06 15 13 00-0105	RSR	3'	3' Wide, 2" x 4" Pressure Treated Decking With 2" x 12" Pressure Treated Joists, Wood Stair System.....	101.11	15.58
06 15 13 00-0106	RSR	3'	3' Wide, 2" x 6" Pressure Treated Decking With 2" x 12" Pressure Treated Joists, Wood Stair System.....	98.37	14.80
06 15 13 00-0107	RSR	3'-6"	3'-6" Wide, 5/4" x 4" Pressure Treated Decking With 2" x 12" Pressure Treated Joists, Wood Stair System.....	102.83	15.94
06 15 13 00-0108	RSR	3'-6"	3'-6" Wide, 5/4" x 6" Pressure Treated Decking With 2" x 12" Pressure Treated Joists, Wood Stair System.....	100.02	15.15
06 15 13 00-0109	RSR	3'-6"	3'-6" Wide, 2" x 4" Pressure Treated Decking With 2" x 12" Pressure Treated Joists, Wood Stair System.....	106.15	16.35
06 15 13 00-0110	RSR	3'-6"	3'-6" Wide, 2" x 6" Pressure Treated Decking With 2" x 12" Pressure Treated Joists, Wood Stair System.....	103.28	15.54
06 15 13 00-0111	RSR	4'	4' Wide, 5/4" x 4" Pressure Treated Decking With 2" x 12" Pressure Treated Joists, Wood Stair System.....	107.85	16.74
06 15 13 00-0112	RSR	4'	4' Wide, 5/4" x 6" Pressure Treated Decking With 2" x 12" Pressure Treated Joists, Wood Stair System.....	104.88	15.90
06 15 13 00-0113	RSR	4'	4' Wide, 2" x 4" Pressure Treated Decking With 2" x 12" Pressure Treated Joists, Wood Stair System.....	111.32	17.17
06 15 13 00-0114	RSR	4'	4' Wide, 2" x 6" Pressure Treated Decking With 2" x 12" Pressure Treated Joists, Wood Stair System.....	108.31	16.32
06 15 13 00-0115	RSR	5'	5' Wide, 5/4" x 4" Pressure Treated Decking With 2" x 12" Pressure Treated Joists, Wood Stair System.....	114.56	17.58
06 15 13 00-0116	RSR	5'	5' Wide, 5/4" x 6" Pressure Treated Decking With 2" x 12" Pressure Treated Joists, Wood Stair System.....	111.50	16.70
06 15 13 00-0117	RSR	5'	5' Wide, 2" x 4" Pressure Treated Decking With 2" x 12" Pressure Treated Joists, Wood Stair System.....	118.28	18.03
06 15 13 00-0118	RSR	5'	5' Wide, 2" x 6" Pressure Treated Decking With 2" x 12" Pressure Treated Joists, Wood Stair System.....	115.17	17.13
06 15 13 00-0119			Redwood With Pressure Treated Joists, Wood Stair System <small>(06 15 13 00-0083)</small>		
06 15 13 00-0120			2" x 10" Joists, Redwood With Pressure Treated Joists, Wood Stair System <small>(06 15 13 00-0119)</small>		
06 15 13 00-0121	RSR	3'	3' Wide, 5/4" x 4" Redwood Decking With 2" x 10" Pressure Treated Joists, Wood Stair System.....	107.80	14.82
06 15 13 00-0122	RSR	3'	3' Wide, 5/4" x 6" Redwood Decking With 2" x 10" Pressure Treated Joists, Wood Stair System.....	105.48	14.07
06 15 13 00-0123	RSR	3'	3' Wide, 2" x 4" Redwood Decking With 2" x 10" Pressure Treated Joists, Wood Stair System.....	111.55	15.19
06 15 13 00-0124	RSR	3'	3' Wide, 2" x 6" Redwood Decking With 2" x 10" Pressure Treated Joists, Wood Stair System.....	109.20	14.43
06 15 13 00-0125	RSR	3'-6"	3'-6" Wide, 5/4" x 4" Redwood Decking With 2" x 10" Pressure Treated Joists, Wood Stair System.....	113.20	15.56
06 15 13 00-0126	RSR	3'-6"	3'-6" Wide, 5/4" x 6" Redwood Decking With 2" x 10" Pressure Treated Joists, Wood Stair System.....	110.76	14.78
06 15 13 00-0127	RSR	3'-6"	3'-6" Wide, 2" x 4" Redwood Decking With 2" x 10" Pressure Treated Joists, Wood Stair System.....	117.12	15.95
06 15 13 00-0128	RSR	3'-6"	3'-6" Wide, 2" x 6" Redwood Decking With 2" x 10" Pressure Treated Joists, Wood Stair System.....	114.66	15.16
06 15 13 00-0129	RSR	4'	4' Wide, 5/4" x 4" Redwood Decking With 2" x 10" Pressure Treated Joists, Wood Stair System.....	118.68	16.34
06 15 13 00-0130	RSR	4'	4' Wide, 5/4" x 6" Redwood Decking With 2" x 10" Pressure Treated Joists, Wood Stair System.....	116.11	15.52
06 15 13 00-0131	RSR	4'	4' Wide, 2" x 4" Redwood Decking With 2" x 10" Pressure Treated Joists, Wood Stair System.....	122.78	16.75
06 15 13 00-0132	RSR	4'	4' Wide, 2" x 6" Redwood Decking With 2" x 10" Pressure Treated Joists, Wood Stair System.....	120.18	15.91
06 15 13 00-0133	RSR	5'	5' Wide, 5/4" x 4" Redwood Decking With 2" x 10" Pressure Treated Joists, Wood Stair System.....	126.57	17.15
06 15 13 00-0134	RSR	5'	5' Wide, 5/4" x 6" Redwood Decking With 2" x 10" Pressure Treated Joists, Wood Stair System.....	123.95	16.30
06 15 13 00-0135	RSR	5'	5' Wide, 2" x 4" Redwood Decking With 2" x 10" Pressure Treated Joists, Wood Stair System.....	130.99	17.60
06 15 13 00-0136	RSR	5'	5' Wide, 2" x 6" Redwood Decking With 2" x 10" Pressure Treated Joists, Wood Stair System.....	128.34	16.71
06 15 13 00-0137			2" x 12" Joists, Redwood With Pressure Treated Joists, Wood Stair System <small>(06 15 13 00-0119)</small>		
06 15 13 00-0138	RSR	3'	3' Wide, 5/4" x 4" Redwood Decking With 2" x 12" Pressure Treated Joists, Wood Stair System.....	106.33	15.18
06 15 13 00-0139	RSR	3'	3' Wide, 5/4" x 6" Redwood Decking With 2" x 12" Pressure Treated Joists, Wood Stair System.....	103.95	14.42
06 15 13 00-0140	RSR	3'	3' Wide, 2" x 4" Redwood Decking With 2" x 12" Pressure Treated Joists, Wood Stair System.....	109.85	15.58
06 15 13 00-0141	RSR	3'	3' Wide, 2" x 6" Redwood Decking With 2" x 12" Pressure Treated Joists, Wood Stair System.....	107.52	14.80
06 15 13 00-0142	RSR	3'-6"	3'-6" Wide, 5/4" x 4" Redwood Decking With 2" x 12" Pressure Treated Joists, Wood Stair System.....	111.65	15.94
06 15 13 00-0143	RSR	3'-6"	3'-6" Wide, 5/4" x 6" Redwood Decking With 2" x 12" Pressure Treated Joists, Wood Stair System.....	109.16	15.15
06 15 13 00-0144	RSR	3'-6"	3'-6" Wide, 2" x 4" Redwood Decking With 2" x 12" Pressure Treated Joists, Wood Stair System.....	115.33	16.35
06 15 13 00-0145	RSR	3'-6"	3'-6" Wide, 2" x 6" Redwood Decking With 2" x 12" Pressure Treated Joists, Wood Stair System.....	112.89	15.54
06 15 13 00-0146	RSR	4'	4' Wide, 5/4" x 4" Redwood Decking With 2" x 12" Pressure Treated Joists, Wood Stair System.....	117.07	16.74
06 15 13 00-0147	RSR	4'	4' Wide, 5/4" x 6" Redwood Decking With 2" x 12" Pressure Treated Joists, Wood Stair System.....	114.43	15.90
06 15 13 00-0148	RSR	4'	4' Wide, 2" x 4" Redwood Decking With 2" x 12" Pressure Treated Joists, Wood Stair System.....	120.92	17.17
06 15 13 00-0149	RSR	4'	4' Wide, 2" x 6" Redwood Decking With 2" x 12" Pressure Treated Joists, Wood Stair System.....	118.36	16.32
06 15 13 00-0150	RSR	5'	5' Wide, 5/4" x 4" Redwood Decking With 2" x 12" Pressure Treated Joists, Wood Stair System.....	124.70	17.58
06 15 13 00-0151	RSR	5'	5' Wide, 5/4" x 6" Redwood Decking With 2" x 12" Pressure Treated Joists, Wood Stair System.....	122.00	16.70
06 15 13 00-0152	RSR	5'	5' Wide, 2" x 4" Redwood Decking With 2" x 12" Pressure Treated Joists, Wood Stair System.....	128.83	18.03
06 15 13 00-0153	RSR	5'	5' Wide, 2" x 6" Redwood Decking With 2" x 12" Pressure Treated Joists, Wood Stair System.....	126.22	17.13
06 15 13 00-0154			Wood Deck And Ramp Systems Repairs <small>(06 15 13)</small> Note: Includes removal of material and screws. Excludes anchors and bolts.		
06 15 13 00-0155			Deck Joist Or Girt <small>(06 15 13 00-0154)</small> See CSI section 06 11 16 00-0012 for treated wood joist replacement, 06 51 13 00-0012 for plastic/composite lumber joist replacement.		

06 Wood, Plastics, and Composites**06 10 Rough Carpentry****06 15 Wood Decking**MINOR
CSI UOM DESCRIPTIONTOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

06 15 13 00-0156	Deck Boards (06 15 13 00-0154)		
	See CSI section 06 51 13 00-0035 for plastic/composite lumber decking replacement.		
06 15 13 00-0157	LF 5/4" x 4" Round Edge Pressure Treated Deck Boards.....	1.66	0.69
06 15 13 00-0158	LF 5/4" x 6" Round Edge Pressure Treated Deck Boards.....	1.84	0.81
06 15 13 00-0159	LF 2" x 4" Round Edge Pressure Treated Deck Boards.....	1.77	0.81
06 15 13 00-0160	LF 2" x 6" Round Edge Pressure Treated Deck Boards.....	2.30	0.93
06 15 13 00-0161	LF 2" x 8" Round Edge Pressure Treated Deck Boards.....	2.92	1.13
06 15 13 00-0162	LF 2" x 10" Round Edge Pressure Treated Deck Boards.....	3.57	1.37
06 15 13 00-0163	LF 2" x 12" Round Edge Pressure Treated Deck Boards.....	4.40	1.62
06 15 13 00-0164	LF 2" x 4" Round Edge Cedar Deck Boards.....	2.09	0.81
06 15 13 00-0165	LF 2" x 6" Round Edge Cedar Deck Boards.....	2.69	0.93
06 15 13 00-0166	LF 2" x 4" Round Edge Redwood Deck Boards.....	2.29	0.81
06 15 13 00-0167	LF 2" x 6" Round Edge Redwood Deck Boards.....	3.00	0.93

06 15 13 00-0168	Deck Posts (06 15 13 00-0154)		
	See CSI section 06 11 16 00-0103 for treated wood post replacement, 06 51 13 00-0024 for plastic/composite lumber column replacement.		

06 15 13 00-0169	Deck Railing And Pickets (06 15 13 00-0154)		
	See CSI section 06 51 13 00-0035 for plastic/composite lumber railing replacement.		
06 15 13 00-0170	LF 2" x 4" Pressure Treated Deck Railing.....	1.77	0.81
06 15 13 00-0171	LF 2" x 2" Pressure Treated Deck Railing Picket.....	1.29	0.63
06 15 13 00-0172	LF 2" x 4" Cedar Deck Railing.....	2.09	0.81
06 15 13 00-0173	LF 2" x 2" Cedar Deck Railing Picket.....	1.57	0.63
06 15 13 00-0174	LF 2" x 4" Redwood Deck Railing.....	2.29	0.81
06 15 13 00-0175	LF 2" x 2" Redwood Deck Railing Picket.....	1.72	0.63

06 16 Sheathing (06 10)**06 16 23 Subflooring** (06 16)

06 16 23 00-0001	Board Type Subflooring (06 16 23)		
06 16 23 00-0002	SF 1" x 8" Regular Surface Board Type Subfloor.....	2.29	0.71
	Note: 4 Sides Laid In A Regular Pattern.		
	For Water Resistant Coating Or Treatment, Add	0.04	
	For Foil Backing, Add	0.07	
	For Tongue And Groove, Add	0.05	
06 16 23 00-0003	SF 1" x 8" Diagonal Surface Board Type Subfloor.....	2.58	0.89
	Note: 4 Sides Laid In A Diagonal Pattern.		
	For Water Resistant Coating Or Treatment, Add	0.04	
	For Foil Backing, Add	0.07	
	For Tongue And Groove, Add	0.05	
06 16 23 00-0004	SF 1" x 10" Regular Surface Board Type Subfloor.....	2.17	0.63
	Note: 4 sides laid in a regular pattern.		
	For Water Resistant Coating Or Treatment, Add	0.04	
	For Foil Backing, Add	0.07	
	For Tongue And Groove, Add	0.05	
06 16 23 00-0005	SF 1" x 10" Diagonal Surface Board Type Subfloor.....	2.38	0.71
	Note: 4 sides laid in a diagonal pattern.		
	For Water Resistant Coating Or Treatment, Add	0.04	
	For Foil Backing, Add	0.07	
	For Tongue And Groove, Add	0.05	

06 16 33 Wood Board Sheathing (06 16)

06 16 33 00-0001	Plywood (06 16 33)		
06 16 33 00-0002	Roof Decking (06 16 33 00-0001)		
06 16 33 00-0003	SF 3/8" Thick CDX Plywood Roof Decking.....	1.41	0.45
	Note: Applied to wood rafters.		
	For Shear Wall Construction, Add	0.21	
	For Exterior CC Grade Plywood, Add	0.06	
	For Application To Metal Studs, Joists, Or Rafters, Add	0.21	
	For ACQ Preservative Treatment, Add	0.18	
	For Selective Replacement <400 (Includes Removal Of Damaged Plywood And Fitting New Plywood To Size), Add	1.56	
	For Fire Retardant Treatment, Add	0.29	
	For >1,696 To 3,200, Deduct	-0.02	
	For >3,200 To 6,400, Deduct	-0.03	
	For >6,400 To 12,800, Deduct	-0.07	
	For >12,800, Deduct	-0.10	
06 16 33 00-0004	SF 1/2" Thick CDX Plywood Roof Decking.....	1.61	0.54
	Note: Applied to wood rafters.		
	For Shear Wall Construction, Add	0.23	
	For Exterior CC Grade Plywood, Add	0.07	
	For Application To Metal Studs, Joists, Or Rafters, Add	0.23	
	For ACQ Preservative Treatment, Add	0.22	
	For Selective Replacement <400 (Includes Removal Of Damaged Plywood And Fitting New Plywood To Size), Add	1.73	
	For Fire Retardant Treatment, Add	0.36	
	For >1,696 To 3,200, Deduct	-0.03	
	For >3,200 To 6,400, Deduct	-0.04	
	For >6,400 To 12,800, Deduct	-0.08	
	For >12,800, Deduct	-0.11	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 16 33 00-0005 SF 5/8" Thick CDX Plywood Roof Decking.....	1.84	0.54
Note: Applied to wood rafters.		
<i>For Shear Wall Construction, Add</i>	0.25	
<i>For Exterior CC Grade Plywood, Add</i>	0.09	
<i>For Application To Metal Studs, Joists, Or Rafters, Add</i>	0.25	
<i>For ACQ Preservative Treatment, Add</i>	0.29	
<i>For Selective Replacement <400 (Includes Removal Of Damaged Plywood And Fitting New Plywood To Size), Add</i>	1.86	
<i>For Fire Retardant Treatment, Add</i>	0.47	
<i>For >1,696 To 3,200, Deduct</i>	-0.04	
<i>For >3,200 To 6,400, Deduct</i>	-0.05	
<i>For >6,400 To 12,800, Deduct</i>	-0.10	
<i>For >12,800, Deduct</i>	-0.13	
<i>For Tongue And Groove, Add</i>	0.04	
06 16 33 00-0006 SF 3/4" Thick CDX Plywood Roof Decking.....	2.03	0.63
Note: Applied to wood rafters.		
<i>For Shear Wall Construction, Add</i>	0.27	
<i>For Exterior CC Grade Plywood, Add</i>	0.11	
<i>For Application To Metal Studs, Joists, Or Rafters, Add</i>	0.27	
<i>For ACQ Preservative Treatment, Add</i>	0.34	
<i>For Selective Replacement <400 (Includes Removal Of Damaged Plywood And Fitting New Plywood To Size), Add</i>	2.00	
<i>For Fire Retardant Treatment, Add</i>	0.55	
<i>For >1,696 To 3,200, Deduct</i>	-0.04	
<i>For >3,200 To 6,400, Deduct</i>	-0.06	
<i>For >6,400 To 12,800, Deduct</i>	-0.11	
<i>For >12,800, Deduct</i>	-0.15	
<i>For Tongue And Groove, Add</i>	0.05	
06 16 33 00-0007 SF 1" Thick CDX Plywood Roof Decking.....	2.39	0.71
Note: Applied to wood rafters.		
<i>For Shear Wall Construction, Add</i>	0.29	
<i>For Exterior CC Grade Plywood, Add</i>	0.14	
<i>For Application To Metal Studs, Joists, Or Rafters, Add</i>	0.29	
<i>For ACQ Preservative Treatment, Add</i>	0.45	
<i>For Selective Replacement <400 (Includes Removal Of Damaged Plywood And Fitting New Plywood To Size), Add</i>	2.18	
<i>For Fire Retardant Treatment, Add</i>	0.74	
<i>For >1,696 To 3,200, Deduct</i>	-0.06	
<i>For >3,200 To 6,400, Deduct</i>	-0.08	
<i>For >6,400 To 12,800, Deduct</i>	-0.14	
<i>For >12,800, Deduct</i>	-0.19	
<i>For Tongue And Groove, Add</i>	0.07	
06 16 33 00-0008 Wall Sheathing (06 16 33 00-0001)		
06 16 33 00-0009 SF 1/4" Interior BC Plywood Wall Sheathing.....	1.70	0.63
Note: Applied to wall studs.		
<i>For Shear Wall Construction, Add</i>	0.27	
<i>For Exterior CC Grade Plywood, Add</i>	0.06	
<i>For Application To Metal Studs, Joists, Or Rafters, Add</i>	0.27	
<i>For Ceiling Installation, Add</i>	0.13	
<i>For Selective Replacement <400 (Includes Removal Of Damaged Plywood And Fitting New Plywood To Size), Add</i>	2.00	
<i>For Fire Retardant Treatment, Add</i>	0.29	
<i>For >1,696 To 3,200, Deduct</i>	-0.02	
<i>For >3,200 To 6,400, Deduct</i>	-0.03	
<i>For >6,400 To 12,800, Deduct</i>	-0.07	
<i>For >12,800, Deduct</i>	-0.11	
06 16 33 00-0010 SF 5/16" Interior BC Plywood Wall Sheathing.....	1.72	0.63
Note: Applied to wall studs.		
<i>For Shear Wall Construction, Add</i>	0.27	
<i>For Exterior CC Grade Plywood, Add</i>	0.06	
<i>For Application To Metal Studs, Joists, Or Rafters, Add</i>	0.27	
<i>For Ceiling Installation, Add</i>	0.13	
<i>For Selective Replacement <400 (Includes Removal Of Damaged Plywood And Fitting New Plywood To Size), Add</i>	2.00	
<i>For Fire Retardant Treatment, Add</i>	0.31	
<i>For >1,696 To 3,200, Deduct</i>	-0.02	
<i>For >3,200 To 6,400, Deduct</i>	-0.04	
<i>For >6,400 To 12,800, Deduct</i>	-0.08	
<i>For >12,800, Deduct</i>	-0.11	
06 16 33 00-0011 SF 3/8" Interior BC Plywood Wall Sheathing.....	1.75	0.71
Note: Applied to wall studs.		
<i>For Shear Wall Construction, Add</i>	0.27	
<i>For Exterior CC Grade Plywood, Add</i>	0.06	
<i>For Application To Metal Studs, Joists, Or Rafters, Add</i>	0.27	
<i>For Ceiling Installation, Add</i>	0.13	
<i>For Selective Replacement <400 (Includes Removal Of Damaged Plywood And Fitting New Plywood To Size), Add</i>	2.00	
<i>For Fire Retardant Treatment, Add</i>	0.33	
<i>For >1,696 To 3,200, Deduct</i>	-0.03	
<i>For >3,200 To 6,400, Deduct</i>	-0.04	
<i>For >6,400 To 12,800, Deduct</i>	-0.08	
<i>For >12,800, Deduct</i>	-0.12	

06 Wood, Plastics, and Composites**06 10 Rough Carpentry****06 16 Sheathing**MINOR
CSI UOM DESCRIPTIONTOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

06 16 33 00-0012	SF	1/2" Interior BC Plywood Wall Sheathing	1.95	0.71
		Note: Applied to wall studs.		
		For Shear Wall Construction, Add	0.28	
		For Exterior CC Grade Plywood, Add	0.08	
		For Application To Metal Studs, Joists, Or Rafters, Add	0.28	
		For Ceiling Installation, Add	0.14	
		For Selective Replacement <400 (Includes Removal Of Damaged Plywood And Fitting New Plywood To Size), Add	2.13	
		For Fire Retardant Treatment, Add	0.42	
		For >1,696 To 3,200, Deduct	-0.03	
		For >3,200 To 6,400, Deduct	-0.05	
		For >6,400 To 12,800, Deduct	-0.09	
		For >12,800, Deduct	-0.13	
06 16 33 00-0013	SF	5/8" Interior BC Plywood Wall Sheathing	2.22	0.80
		Note: Applied to wall studs.		
		For Shear Wall Construction, Add	0.31	
		For Exterior CC Grade Plywood, Add	0.10	
		For Application To Metal Studs, Joists, Or Rafters, Add	0.31	
		For Ceiling Installation, Add	0.15	
		For Selective Replacement <400 (Includes Removal Of Damaged Plywood And Fitting New Plywood To Size), Add	2.30	
		For Fire Retardant Treatment, Add	0.55	
		For >1,696 To 3,200, Deduct	-0.04	
		For >3,200 To 6,400, Deduct	-0.06	
		For >6,400 To 12,800, Deduct	-0.11	
		For >12,800, Deduct	-0.16	
06 16 33 00-0014	SF	3/4" Interior BC Plywood Wall Sheathing	2.43	0.89
		Note: Applied to wall studs.		
		For Shear Wall Construction, Add	0.33	
		For Exterior CC Grade Plywood, Add	0.12	
		For Application To Metal Studs, Joists, Or Rafters, Add	0.33	
		For Ceiling Installation, Add	0.16	
		For Selective Replacement <400 (Includes Removal Of Damaged Plywood And Fitting New Plywood To Size), Add	2.46	
		For Fire Retardant Treatment, Add	0.62	
		For >1,696 To 3,200, Deduct	-0.05	
		For >3,200 To 6,400, Deduct	-0.07	
		For >6,400 To 12,800, Deduct	-0.13	
		For >12,800, Deduct	-0.18	
06 16 33 00-0015		Floor Decking <small>(06 16 33 00-0001)</small>		
		Note: Includes patching of seams and all fastener holes where necessary.		
06 16 33 00-0016	SF	5/16" CD Grade Plywood Floor Decking	1.30	0.54
		Note: Applied to floor or joists.		
		For Selective Replacement <400 (Includes Removal Of Damaged Plywood And Fitting New Plywood To Size), Add	1.50	
		For Fire Retardant Treatment, Add	0.24	
		For >1,696 To 3,200, Deduct	-0.02	
		For >3,200 To 6,400, Deduct	-0.03	
		For >6,400 To 12,800, Deduct	-0.06	
		For >12,800, Deduct	-0.09	
		For ACQ Preservative Treatment, Add	0.14	
		For Fir Plywood, Add	0.06	
		For BC Grade Plywood, Add	0.04	
		For Exterior Glue, Add	0.03	
		For Marine Grade, Add	0.23	
06 16 33 00-0017	SF	3/8" CD Grade Plywood Floor Decking	1.36	0.54
		Note: Applied to floor or joists.		
		For Selective Replacement <400 (Includes Removal Of Damaged Plywood And Fitting New Plywood To Size), Add	1.58	
		For Fire Retardant Treatment, Add	0.24	
		For >1,696 To 3,200, Deduct	-0.02	
		For >3,200 To 6,400, Deduct	-0.03	
		For >6,400 To 12,800, Deduct	-0.06	
		For >12,800, Deduct	-0.09	
		For ACQ Preservative Treatment, Add	0.15	
		For Fir Plywood, Add	0.06	
		For BC Grade Plywood, Add	0.05	
		For Exterior Glue, Add	0.03	
		For Marine Grade, Add	0.24	
06 16 33 00-0018	SF	1/2" CD Grade Plywood Floor Decking	1.53	0.54
		Note: Applied to floor or joists.		
		For Selective Replacement <400 (Includes Removal Of Damaged Plywood And Fitting New Plywood To Size), Add	1.68	
		For Fire Retardant Treatment, Add	0.32	
		For >1,696 To 3,200, Deduct	-0.02	
		For >3,200 To 6,400, Deduct	-0.04	
		For >6,400 To 12,800, Deduct	-0.07	
		For >12,800, Deduct	-0.11	
		For ACQ Preservative Treatment, Add	0.20	
		For Fir Plywood, Add	0.08	
		For BC Grade Plywood, Add	0.06	
		For Exterior Glue, Add	0.04	
		For Marine Grade, Add	0.32	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 16 33 00-0019 SF 5/8" CD Grade Plywood Floor Decking.....	1.74	0.54
Note: Applied to floor or joists.		
For Selective Replacement <400 (Includes Removal Of Damaged Plywood And Fitting New Plywood To Size), Add	1.83	
For Fire Retardant Treatment, Add	0.41	
For >1,696 To 3,200, Deduct	-0.03	
For >3,200 To 6,400, Deduct	-0.05	
For >6,400 To 12,800, Deduct	-0.09	
For >12,800, Deduct	-0.12	
For ACQ Preservative Treatment, Add	0.25	
For Fir Plywood, Add	0.10	
For BC Grade Plywood, Add	0.08	
For Exterior Glue, Add	0.05	
For Marine Grade, Add	0.41	
06 16 33 00-0020 SF 3/4" CD Grade Plywood Floor Decking.....	1.96	0.54
Note: Applied to floor or joists.		
For Selective Replacement <400 (Includes Removal Of Damaged Plywood And Fitting New Plywood To Size), Add	1.94	
For Fire Retardant Treatment, Add	0.53	
For >1,696 To 3,200, Deduct	-0.04	
For >3,200 To 6,400, Deduct	-0.06	
For >6,400 To 12,800, Deduct	-0.11	
For >12,800, Deduct	-0.14	
For ACQ Preservative Treatment, Add	0.32	
For Fir Plywood, Add	0.12	
For BC Grade Plywood, Add	0.10	
For Exterior Glue, Add	0.06	
For Marine Grade, Add	0.52	
06 16 33 00-0021 SF 1-1/8" CD Grade Plywood Floor Decking.....	2.80	0.80
Note: Applied to floor or joists.		
For Selective Replacement <400 (Includes Removal Of Damaged Plywood And Fitting New Plywood To Size), Add	2.30	
For Fire Retardant Treatment, Add	1.00	
For >1,696 To 3,200, Deduct	-0.08	
For >3,200 To 6,400, Deduct	-0.11	
For >6,400 To 12,800, Deduct	-0.18	
For >12,800, Deduct	-0.23	
For ACQ Preservative Treatment, Add	0.61	
For Fir Plywood, Add	0.23	
For BC Grade Plywood, Add	0.19	
For Exterior Glue, Add	0.12	
For Marine Grade, Add	0.99	
06 16 33 00-0022 SF 1/2" AC Fir Plywood Floor Decking.....	1.77	0.54
Note: Applied to floor or joists.		
For Selective Replacement <400 (Includes Removal Of Damaged Plywood And Fitting New Plywood To Size), Add	1.68	
For Fire Retardant Treatment, Add	0.51	
For >1,696 To 3,200, Deduct	-0.04	
For >3,200 To 6,400, Deduct	-0.06	
For >6,400 To 12,800, Deduct	-0.10	
For >12,800, Deduct	-0.13	
For ACQ Preservative Treatment, Add	0.31	
For Exterior Glue, Add	0.06	
For Marine Grade, Add	0.51	
For Tongue And Groove, Add	0.05	
06 16 33 00-0023 SF 5/8" AC Fir Plywood Floor Decking.....	2.03	0.54
Note: Applied to floor or joists.		
For Selective Replacement <400 (Includes Removal Of Damaged Plywood And Fitting New Plywood To Size), Add	1.83	
For Fire Retardant Treatment, Add	0.64	
For >1,696 To 3,200, Deduct	-0.05	
For >3,200 To 6,400, Deduct	-0.07	
For >6,400 To 12,800, Deduct	-0.12	
For >12,800, Deduct	-0.16	
For ACQ Preservative Treatment, Add	0.39	
For Exterior Glue, Add	0.08	
For Marine Grade, Add	0.63	
For Tongue And Groove, Add	0.06	
06 16 33 00-0024 SF 3/4" AC Fir Plywood Floor Decking.....	2.17	0.54
Note: Applied to floor or joists.		
For Selective Replacement <400 (Includes Removal Of Damaged Plywood And Fitting New Plywood To Size), Add	1.94	
For Fire Retardant Treatment, Add	0.70	
For >1,696 To 3,200, Deduct	-0.05	
For >3,200 To 6,400, Deduct	-0.08	
For >6,400 To 12,800, Deduct	-0.13	
For >12,800, Deduct	-0.17	
For ACQ Preservative Treatment, Add	0.42	
For Exterior Glue, Add	0.08	
For Marine Grade, Add	0.69	
For Tongue And Groove, Add	0.06	
06 16 33 00-0025 Underlayment Grade <small>(06 16 33 00-0001)</small>		
Note: Includes patching of seams and all fastener holes where necessary.		
06 16 33 00-0026 SF 1/4" Thick Plywood Underlayment BC Grade	1.38	0.54
For Fire Retardant Treatment, Add	0.28	
For >1,696 To 3,200, Deduct	-0.02	
For >3,200 To 6,400, Deduct	-0.03	
For >6,400 To 12,800, Deduct	-0.06	
For >12,800, Deduct	-0.09	

06	06 Wood, Plastics, and Composites
	06 10 Rough Carpentry
	06 16 Sheathing



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 16 33 00-0027	SF		3/8" Thick Plywood Underlayment BC Grade.....	1.48	0.54
			<i>For Fire Retardant Treatment, Add</i>	0.31	
			<i>For >1,696 To 3,200, Deduct</i>	-0.02	
			<i>For >3,200 To 6,400, Deduct</i>	-0.04	
			<i>For >6,400 To 12,800, Deduct</i>	-0.06	
			<i>For >12,800, Deduct</i>	-0.10	
06 16 33 00-0028	SF		1/2" Thick Plywood Underlayment BC Grade.....	1.53	0.63
			<i>For Fire Retardant Treatment, Add</i>	0.33	
			<i>For >1,696 To 3,200, Deduct</i>	-0.03	
			<i>For >3,200 To 6,400, Deduct</i>	-0.04	
			<i>For >6,400 To 12,800, Deduct</i>	-0.07	
			<i>For >12,800, Deduct</i>	-0.11	
06 16 33 00-0029	SF		5/8" Thick Plywood Underlayment BC Grade.....	1.74	0.63
			<i>For Fire Retardant Treatment, Add</i>	0.40	
			<i>For >1,696 To 3,200, Deduct</i>	-0.03	
			<i>For >3,200 To 6,400, Deduct</i>	-0.05	
			<i>For >6,400 To 12,800, Deduct</i>	-0.08	
			<i>For >12,800, Deduct</i>	-0.12	
			<i>For Tongue And Groove, Add</i>	0.04	
06 16 33 00-0030	SF		3/4" Thick Plywood Underlayment BC Grade.....	1.84	0.63
			<i>For Fire Retardant Treatment, Add</i>	0.47	
			<i>For >1,696 To 3,200, Deduct</i>	-0.04	
			<i>For >3,200 To 6,400, Deduct</i>	-0.05	
			<i>For >6,400 To 12,800, Deduct</i>	-0.09	
			<i>For >12,800, Deduct</i>	-0.13	
			<i>For Tongue And Groove, Add</i>	0.04	
06 16 33 00-0031	SF		1-1/8" Thick Plywood Underlayment BC Grade.....	2.30	0.71
			<i>For Fire Retardant Treatment, Add</i>	0.73	
			<i>For >1,696 To 3,200, Deduct</i>	-0.06	
			<i>For >3,200 To 6,400, Deduct</i>	-0.08	
			<i>For >6,400 To 12,800, Deduct</i>	-0.12	
			<i>For >12,800, Deduct</i>	-0.18	
			<i>For Tongue And Groove, Add</i>	0.06	
06 16 33 00-0032	SF		3/8" Thick Plywood CDX Grade.....	1.56	0.54
			<i>For Fire Retardant Treatment, Add</i>	0.37	
			<i>For >1,696 To 3,200, Deduct</i>	-0.03	
			<i>For >3,200 To 6,400, Deduct</i>	-0.04	
			<i>For >6,400 To 12,800, Deduct</i>	-0.07	
			<i>For >12,800, Deduct</i>	-0.11	
06 16 33 00-0033	SF		5/8" Thick Plywood CDX Grade.....	1.94	0.63
			<i>For Fire Retardant Treatment, Add</i>	0.57	
			<i>For >1,696 To 3,200, Deduct</i>	-0.04	
			<i>For >3,200 To 6,400, Deduct</i>	-0.06	
			<i>For >6,400 To 12,800, Deduct</i>	-0.10	
			<i>For >12,800, Deduct</i>	-0.15	
06 16 33 00-0034			Oriented Strand Board <small>(06 16 33)</small>		
06 16 33 00-0035			On Roof <small>(06 16 33 00-0034)</small>		
06 16 33 00-0036	SF		3/8" Thick Structural Oriented Strand Board On Roof.....	1.31	0.54
			<i>For >1,408 To 3,200, Deduct</i>	-0.02	
			<i>For >3,200 To 6,400, Deduct</i>	-0.02	
			<i>For >6,400 To 12,800, Deduct</i>	-0.05	
			<i>For >12,800, Deduct</i>	-0.08	
			<i>For Fire Retardant Treatment, Add</i>	0.21	
			<i>For Selective Replacement <400 (Includes Removal Of Damaged OSB And Fitting New OSB To Size), Add</i>	1.58	
06 16 33 00-0037	SF		1/2" Thick Structural Oriented Strand Board On Roof.....	1.45	0.54
			<i>For >1,408 To 3,200, Deduct</i>	-0.02	
			<i>For >3,200 To 6,400, Deduct</i>	-0.03	
			<i>For >6,400 To 12,800, Deduct</i>	-0.06	
			<i>For >12,800, Deduct</i>	-0.09	
			<i>For Fire Retardant Treatment, Add</i>	0.24	
			<i>For Selective Replacement <400 (Includes Removal Of Damaged OSB And Fitting New OSB To Size), Add</i>	1.73	
06 16 33 00-0038	SF		5/8" Thick Structural Oriented Strand Board On Roof.....	1.68	0.63
			<i>For >1,408 To 3,200, Deduct</i>	-0.03	
			<i>For >3,200 To 6,400, Deduct</i>	-0.04	
			<i>For >6,400 To 12,800, Deduct</i>	-0.08	
			<i>For >12,800, Deduct</i>	-0.11	
			<i>For Fire Retardant Treatment, Add</i>	0.35	
			<i>For Selective Replacement <400 (Includes Removal Of Damaged OSB And Fitting New OSB To Size), Add</i>	1.86	
06 16 33 00-0039	SF		3/4" Thick Structural Oriented Strand Board On Roof.....	1.92	0.63
			<i>For >1,408 To 3,200, Deduct</i>	-0.04	
			<i>For >3,200 To 6,400, Deduct</i>	-0.05	
			<i>For >6,400 To 12,800, Deduct</i>	-0.10	
			<i>For >12,800, Deduct</i>	-0.14	
			<i>For Fire Retardant Treatment, Add</i>	0.47	
			<i>For Selective Replacement <400 (Includes Removal Of Damaged OSB And Fitting New OSB To Size), Add</i>	2.00	
06 16 33 00-0040			On Walls <small>(06 16 33 00-0034)</small>		



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 16 33 00-0041 SF 3/8" Thick Structural Oriented Strand Board On Walls.....	1.59	0.63
For >1,408 To 3,200, Deduct	-0.02	
For >3,200 To 6,400, Deduct	-0.02	
For >6,400 To 12,800, Deduct	-0.06	
For >12,800, Deduct	-0.10	
For Fire Retardant Treatment, Add	0.21	
For Selective Replacement <400 (Includes Removal Of Damaged OSB And Fitting New OSB To Size), Add	2.00	
06 16 33 00-0042 SF 1/2" Thick Structural Oriented Strand Board On Walls.....	1.72	0.71
For >1,408 To 3,200, Deduct	-0.02	
For >3,200 To 6,400, Deduct	-0.03	
For >6,400 To 12,800, Deduct	-0.07	
For >12,800, Deduct	-0.11	
For Fire Retardant Treatment, Add	0.24	
For Selective Replacement <400 (Includes Removal Of Damaged OSB And Fitting New OSB To Size), Add	2.13	
06 16 33 00-0043 SF 5/8" Thick Structural Oriented Strand Board On Walls.....	1.97	0.80
For >1,408 To 3,200, Deduct	-0.03	
For >3,200 To 6,400, Deduct	-0.04	
For >6,400 To 12,800, Deduct	-0.09	
For >12,800, Deduct	-0.13	
For Fire Retardant Treatment, Add	0.35	
For Selective Replacement <400 (Includes Removal Of Damaged OSB And Fitting New OSB To Size), Add	2.30	
06 16 33 00-0044 SF 3/4" Thick Structural Oriented Strand Board On Walls.....	2.23	0.80
For >1,408 To 3,200, Deduct	-0.04	
For >3,200 To 6,400, Deduct	-0.05	
For >6,400 To 12,800, Deduct	-0.11	
For >12,800, Deduct	-0.15	
For Fire Retardant Treatment, Add	0.47	
For Selective Replacement <400 (Includes Removal Of Damaged OSB And Fitting New OSB To Size), Add	2.46	
06 16 33 00-0045 On Floors <small>(06 16 33 00-0034)</small>		
Note: Includes patching of seams and all fastener holes where necessary.		
06 16 33 00-0046 SF 3/8" Thick Structural Oriented Strand Board On Floors.....	1.34	0.54
For >1,408 To 3,200, Deduct	-0.02	
For >3,200 To 6,400, Deduct	-0.02	
For >6,400 To 12,800, Deduct	-0.06	
For >12,800, Deduct	-0.09	
For Fire Retardant Treatment, Add	0.21	
For Selective Replacement <400 (Includes Removal Of Damaged OSB And Fitting New OSB To Size), Add	1.62	
06 16 33 00-0047 SF 1/2" Thick Structural Oriented Strand Board On Floors.....	1.59	0.63
For >1,408 To 3,200, Deduct	-0.02	
For >3,200 To 6,400, Deduct	-0.03	
For >6,400 To 12,800, Deduct	-0.07	
For >12,800, Deduct	-0.10	
For Fire Retardant Treatment, Add	0.24	
For Selective Replacement <400 (Includes Removal Of Damaged OSB And Fitting New OSB To Size), Add	1.94	
06 16 33 00-0048 SF 5/8" Thick Structural Oriented Strand Board On Floors.....	1.84	0.71
For >1,408 To 3,200, Deduct	-0.03	
For >3,200 To 6,400, Deduct	-0.04	
For >6,400 To 12,800, Deduct	-0.08	
For >12,800, Deduct	-0.12	
For Fire Retardant Treatment, Add	0.35	
For Selective Replacement <400 (Includes Removal Of Damaged OSB And Fitting New OSB To Size), Add	2.10	
06 16 33 00-0049 SF 3/4" Thick Structural Oriented Strand Board On Floors.....	2.12	0.80
For >1,408 To 3,200, Deduct	-0.04	
For >3,200 To 6,400, Deduct	-0.05	
For >6,400 To 12,800, Deduct	-0.10	
For >12,800, Deduct	-0.15	
For Fire Retardant Treatment, Add	0.47	
For Selective Replacement <400 (Includes Removal Of Damaged OSB And Fitting New OSB To Size), Add	2.30	
06 16 33 00-0050 Particle Board <small>(06 16 33)</small>		
06 16 33 00-0051 Particle Board Floor Decking <small>(06 16 33 00-0050)</small>		
Note: Includes patching of seams and all fastener holes where necessary.		
06 16 33 00-0052 SF 3/8" Particle Board Floor Decking.....	1.38	0.45
Note: Applied to plywood subfloor.		
For Fire Retardant Treatment Add	0.26	
For >1,536 To 3,200, Deduct	-0.02	
For >3,200 To 6,400, Deduct	-0.03	
For >6,400 To 12,800, Deduct	-0.06	
For >12,800, Deduct	-0.09	
For Tongue And Groove, Add	0.02	
06 16 33 00-0053 SF 1/2" Particle Board Floor Decking.....	1.57	0.45
Note: Applied to plywood subfloor.		
For Fire Retardant Treatment Add	0.36	
For >1,536 To 3,200, Deduct	-0.03	
For >3,200 To 6,400, Deduct	-0.04	
For >6,400 To 12,800, Deduct	-0.08	
For >12,800, Deduct	-0.11	
For Tongue And Groove, Add	0.03	

06 Wood, Plastics, and Composites**06 10 Rough Carpentry****06 16 Sheathing**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 16 33 00-0054	SF		5/8" Particle Board Floor Decking Note: Applied to plywood subfloor. <i>For Fire Retardant Treatment Add</i> <i>For >1,536 To 3,200, Deduct</i> <i>For >3,200 To 6,400, Deduct</i> <i>For >6,400 To 12,800, Deduct</i> <i>For >12,800, Deduct</i> <i>For Tongue And Groove, Add</i>	1.74 0.45 -0.03 -0.05 -0.09 -0.13 0.04	0.54
06 16 33 00-0055	SF		3/4" Particle Board Floor Decking Note: Applied to plywood subfloor. <i>For Fire Retardant Treatment Add</i> <i>For >1,536 To 3,200, Deduct</i> <i>For >3,200 To 6,400, Deduct</i> <i>For >6,400 To 12,800, Deduct</i> <i>For >12,800, Deduct</i> <i>For Tongue And Groove, Add</i>	1.92 0.53 -0.04 -0.06 -0.10 -0.14 0.05	0.54
06 16 43 Gypsum Sheathing (06 16)					
06 16 43 00-0001			Exterior Gypsum Sheathing (06 16 43) Note: Includes moisture resistant core and fiberglass mats on both sides and long edges.		
06 16 43 00-0002	SF		1/2" Exterior Gypsum Sheathing (GP Dens-Glass Gold) <i>For Selective Replacement <400 (Includes Removal Of Damaged Gypsum And Fitting New Gypsum To Size), Add</i> <i>For Application To Metal Studs, Joists, Or Rafters, Add</i> <i>For Ceiling Installation, Add</i> <i>For >1,696 To 3,200, Deduct</i> <i>For >3,200 To 6,400, Deduct</i> <i>For >6,400 To 12,800, Deduct</i> <i>For >12,800, Deduct</i>	2.26 2.13 0.28 0.14 -0.05 -0.08 -0.13 -0.17	0.71
06 16 43 00-0003	SF		5/8" Exterior Gypsum Sheathing (GP Dens-Glass Gold) <i>For Selective Replacement <400 (Includes Removal Of Damaged Gypsum And Fitting New Gypsum To Size), Add</i> <i>For Application To Metal Studs, Joists, Or Rafters, Add</i> <i>For Ceiling Installation, Add</i> <i>For >1,696 To 3,200, Deduct</i> <i>For >3,200 To 6,400, Deduct</i> <i>For >6,400 To 12,800, Deduct</i> <i>For >12,800, Deduct</i>	2.45 2.30 0.31 0.15 -0.06 -0.08 -0.14 -0.19	0.89
06 17 Shop-Fabricated Structural Wood (06 10)					
06 17 13 Laminated Veneer Lumber (06 17)					
06 17 13 00-0001			Laminated Veneer Lumber (LVL) (06 17 13)		
06 17 13 00-0002	LF		1-3/4" Wide x 5-1/2" Deep Laminated Veneer Lumber (LVL).....	5.99	1.54
06 17 13 00-0003	LF		1-3/4" Wide x 7-1/4" Deep Laminated Veneer Lumber (LVL).....	6.56	1.56
06 17 13 00-0004	LF		1-3/4" Wide x 9-1/2" Deep Laminated Veneer Lumber (LVL).....	7.22	1.59
06 17 13 00-0005	LF		1-3/4" Wide x 11-7/8" Deep Laminated Veneer Lumber (LVL).....	8.05	1.61
06 17 13 00-0006	LF		1-3/4" Wide x 14" Deep Laminated Veneer Lumber (LVL).....	8.67	1.64
06 17 13 00-0007	LF		1-3/4" Wide x 16" Deep Laminated Veneer Lumber (LVL).....	9.55	1.70
06 17 13 00-0008	LF		1-3/4" Wide x 18" Deep Laminated Veneer Lumber (LVL).....	10.80	1.72
06 17 13 00-0009	LF		1-3/4" Wide x 24" Deep Laminated Veneer Lumber (LVL).....	14.73	1.96
06 17 23 Parallel Strand Lumber (06 17)					
06 17 23 00-0001			Laminated Strand Lumber (LSL) (06 17 23)		
06 17 23 00-0002	LF		2" x 4" Laminated Strand Lumber (LSL).....	2.07	0.71
06 17 23 00-0003	LF		2" x 6" Laminated Strand Lumber (LSL).....	2.77	0.76
06 17 33 Wood I-Joists (06 17)					
06 17 33 00-0001			Prefabricated Wood I-Joists (06 17 33)		
06 17 33 00-0002	LF		9-1/2" Deep, 3/8" Web With 1-1/2" x 1-3/4" Flanges Prefabricated Wood I-Joist, Up To 30' Length..... <i>For I-Joists 30' To 40' In Length, Add</i> <i>For I-Joists >40' In Length, Add</i>	3.65 0.42 1.04	0.98
06 17 33 00-0003	LF		11-7/8" Deep, 3/8" Web With 1-1/2" x 1-3/4" Flanges Prefabricated Wood I-Joist, Up To 30' Length..... <i>For I-Joists 30' To 40' In Length, Add</i> <i>For I-Joists >40' In Length, Add</i>	3.94 0.48 1.17	1.08
06 17 33 00-0004	LF		14" Deep, 3/8" Web With 1-1/2" x 1-3/4" Flanges Prefabricated Wood I-Joist, Up To 30' Length..... <i>For I-Joists 30' To 40' In Length, Add</i> <i>For I-Joists >40' In Length, Add</i>	4.60 0.53 1.31	1.21
06 17 33 00-0005	LF		16" Deep, 3/8" Web With 1-1/2" x 1-3/4" Flanges Prefabricated Wood I-Joist, Up To 30' Length..... <i>For I-Joists 30' To 40' In Length, Add</i> <i>For I-Joists >40' In Length, Add</i>	5.19 0.59 1.46	1.35
06 17 43 Rim Boards (06 17)					
06 17 43 00-0001			Oriented Strand Board (OSB) Rim Board (06 17 43)		
06 17 43 00-0002	LF		1-1/8" Wide x 9-1/2" Deep, Oriented Strand Board (OSB) Rim Board	4.90	1.59
06 17 43 00-0003	LF		1-1/8" Wide x 11-7/8" Deep, Oriented Strand Board (OSB) Rim Board	5.36	1.61
06 17 43 00-0004	LF		1-1/8" Wide x 14" Deep, Oriented Strand Board (OSB) Rim Board	5.88	1.64



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
-------	-----	-----	-------------	------------------------	----------------------

06 17 53 Shop-Fabricated Wood Trusses (06 17)

Note: Includes temporary and permanent bracing, and fastening with truss tie-downs.

06 17 53 00-0001 Pre-Assembled Wood Roof Trusses (06 17 53)

Note: For King Post, Queen Post, Fink or Howe types. Includes 2" x 4" top and bottom chords up to 42' and with 2" x 6" top and bottom chords >42'.

06 17 53 00-0002	EA	10'	Pre-Assembled Wood Roof Truss, 4 In 12 Slope	144.88	56.64
			For Up To 15, Add	2.37	
			For >35, Deduct	-1.58	
			For 3 In 12 Slope, Add	0.95	
			For 5 In 12 Slope, Add	2.53	
			For 6 In 12 Slope, Add	4.74	
			For 7 In 12 Slope, Add	6.32	
			For 8 In 12 Slope, Add	7.58	
06 17 53 00-0003	EA	12'	Pre-Assembled Wood Roof Truss, 4 In 12 Slope	160.97	62.04
			For Up To 15, Add	2.77	
			For >35, Deduct	-1.85	
			For 3 In 12 Slope, Add	1.11	
			For 5 In 12 Slope, Add	2.95	
			For 6 In 12 Slope, Add	5.54	
			For 7 In 12 Slope, Add	7.38	
			For 8 In 12 Slope, Add	8.86	
06 17 53 00-0004	EA	14'	Pre-Assembled Wood Roof Truss, 4 In 12 Slope	179.26	67.43
			For Up To 15, Add	3.33	
			For >35, Deduct	-2.22	
			For 3 In 12 Slope, Add	1.33	
			For 5 In 12 Slope, Add	3.55	
			For 6 In 12 Slope, Add	6.66	
			For 7 In 12 Slope, Add	8.88	
			For 8 In 12 Slope, Add	10.66	
06 17 53 00-0005	EA	16'	Pre-Assembled Wood Roof Truss, 4 In 12 Slope	203.36	72.82
			For Up To 15, Add	4.33	
			For >35, Deduct	-2.89	
			For 3 In 12 Slope, Add	1.73	
			For 5 In 12 Slope, Add	4.62	
			For 6 In 12 Slope, Add	8.66	
			For 7 In 12 Slope, Add	11.54	
			For 8 In 12 Slope, Add	13.85	
06 17 53 00-0006	EA	18'	Pre-Assembled Wood Roof Truss, 4 In 12 Slope	224.11	78.22
			For Up To 15, Add	5.08	
			For >35, Deduct	-3.38	
			For 3 In 12 Slope, Add	2.03	
			For 5 In 12 Slope, Add	5.41	
			For 6 In 12 Slope, Add	10.15	
			For 7 In 12 Slope, Add	13.54	
			For 8 In 12 Slope, Add	16.24	
06 17 53 00-0007	EA	20'	Pre-Assembled Wood Roof Truss, 4 In 12 Slope	235.80	86.31
			For Up To 15, Add	4.74	
			For >35, Deduct	-3.16	
			For 3 In 12 Slope, Add	1.90	
			For 5 In 12 Slope, Add	5.06	
			For 6 In 12 Slope, Add	9.48	
			For 7 In 12 Slope, Add	12.64	
			For 8 In 12 Slope, Add	15.17	
06 17 53 00-0008	EA	22'	Pre-Assembled Wood Roof Truss, 4 In 12 Slope	248.44	137.55
			For Up To 15, Add	4.88	
			For >35, Deduct	-3.25	
			For 3 In 12 Slope, Add	1.95	
			For 5 In 12 Slope, Add	5.20	
			For 6 In 12 Slope, Add	9.75	
			For 7 In 12 Slope, Add	13.01	
			For 8 In 12 Slope, Add	15.61	
06 17 53 00-0009	EA	24'	Pre-Assembled Wood Roof Truss, 4 In 12 Slope	264.74	97.09
			For Up To 15, Add	5.29	
			For >35, Deduct	-3.53	
			For 3 In 12 Slope, Add	2.12	
			For 5 In 12 Slope, Add	5.64	
			For 6 In 12 Slope, Add	10.58	
			For 7 In 12 Slope, Add	14.11	
			For 8 In 12 Slope, Add	16.93	
06 17 53 00-0010	EA	26'	Pre-Assembled Wood Roof Truss, 4 In 12 Slope	281.64	153.74
			For Up To 15, Add	5.75	
			For >35, Deduct	-3.83	
			For 3 In 12 Slope, Add	2.30	
			For 5 In 12 Slope, Add	6.13	
			For 6 In 12 Slope, Add	11.50	
			For 7 In 12 Slope, Add	15.33	
			For 8 In 12 Slope, Add	18.40	

06 Wood, Plastics, and Composites**06 10 Rough Carpentry****06 17 Shop-Fabricated Structural Wood**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 17 53 00-0011	EA		28' Pre-Assembled Wood Roof Truss, 4 In 12 Slope	299.32	107.89
			<i>For Up To 15, Add</i>	6.27	
			<i>For >35, Deduct</i>	-4.18	
			<i>For 3 In 12 Slope, Add</i>	2.51	
			<i>For 5 In 12 Slope, Add</i>	6.68	
			<i>For 6 In 12 Slope, Add</i>	12.53	
			<i>For 7 In 12 Slope, Add</i>	16.71	
			<i>For 8 In 12 Slope, Add</i>	20.05	
06 17 53 00-0012	EA		30' Pre-Assembled Wood Roof Truss, 4 In 12 Slope	312.78	169.91
			<i>For Up To 15, Add</i>	6.47	
			<i>For >35, Deduct</i>	-4.31	
			<i>For 3 In 12 Slope, Add</i>	2.59	
			<i>For 5 In 12 Slope, Add</i>	6.90	
			<i>For 6 In 12 Slope, Add</i>	12.93	
			<i>For 7 In 12 Slope, Add</i>	17.24	
			<i>For 8 In 12 Slope, Add</i>	20.69	
06 17 53 00-0013	EA		32' Pre-Assembled Wood Roof Truss, 4 In 12 Slope	326.78	115.98
			<i>For Up To 15, Add</i>	7.11	
			<i>For >35, Deduct</i>	-4.74	
			<i>For 3 In 12 Slope, Add</i>	2.84	
			<i>For 5 In 12 Slope, Add</i>	7.59	
			<i>For 6 In 12 Slope, Add</i>	14.22	
			<i>For 7 In 12 Slope, Add</i>	18.97	
			<i>For 8 In 12 Slope, Add</i>	22.76	
06 17 53 00-0014	EA		34' Pre-Assembled Wood Roof Truss, 4 In 12 Slope	356.45	182.11
			<i>For Up To 15, Add</i>	8.53	
			<i>For >35, Deduct</i>	-5.69	
			<i>For 3 In 12 Slope, Add</i>	3.41	
			<i>For 5 In 12 Slope, Add</i>	9.10	
			<i>For 6 In 12 Slope, Add</i>	17.06	
			<i>For 7 In 12 Slope, Add</i>	22.74	
			<i>For 8 In 12 Slope, Add</i>	27.29	
06 17 53 00-0015	EA		36' Pre-Assembled Wood Roof Truss, 4 In 12 Slope	370.79	124.07
			<i>For Up To 15, Add</i>	9.20	
			<i>For >35, Deduct</i>	-6.13	
			<i>For 3 In 12 Slope, Add</i>	3.68	
			<i>For 5 In 12 Slope, Add</i>	9.81	
			<i>For 6 In 12 Slope, Add</i>	18.40	
			<i>For 7 In 12 Slope, Add</i>	24.53	
			<i>For 8 In 12 Slope, Add</i>	29.44	
06 17 53 00-0016	EA		38' Pre-Assembled Wood Roof Truss, 4 In 12 Slope	389.96	194.19
			<i>For Up To 15, Add</i>	9.83	
			<i>For >35, Deduct</i>	-6.55	
			<i>For 3 In 12 Slope, Add</i>	3.93	
			<i>For 5 In 12 Slope, Add</i>	10.48	
			<i>For 6 In 12 Slope, Add</i>	19.65	
			<i>For 7 In 12 Slope, Add</i>	26.21	
			<i>For 8 In 12 Slope, Add</i>	31.45	
06 17 53 00-0017	EA		40' Pre-Assembled Wood Roof Truss, 4 In 12 Slope	403.55	134.85
			<i>For Up To 15, Add</i>	10.04	
			<i>For >35, Deduct</i>	-6.69	
			<i>For 3 In 12 Slope, Add</i>	4.02	
			<i>For 5 In 12 Slope, Add</i>	10.71	
			<i>For 6 In 12 Slope, Add</i>	20.08	
			<i>For 7 In 12 Slope, Add</i>	26.77	
			<i>For 8 In 12 Slope, Add</i>	32.12	
06 17 53 00-0018	EA		42' Pre-Assembled Wood Roof Truss, 4 In 12 Slope	442.64	210.37
			<i>For Up To 15, Add</i>	12.16	
			<i>For >35, Deduct</i>	-8.11	
			<i>For 3 In 12 Slope, Add</i>	4.86	
			<i>For 5 In 12 Slope, Add</i>	12.97	
			<i>For 6 In 12 Slope, Add</i>	24.32	
			<i>For 7 In 12 Slope, Add</i>	32.43	
			<i>For 8 In 12 Slope, Add</i>	38.91	
06 17 53 00-0019	EA		44' Pre-Assembled Wood Roof Truss, 4 In 12 Slope	480.95	145.65
			<i>For Up To 15, Add</i>	14.23	
			<i>For >35, Deduct</i>	-9.48	
			<i>For 3 In 12 Slope, Add</i>	5.69	
			<i>For 5 In 12 Slope, Add</i>	15.17	
			<i>For 6 In 12 Slope, Add</i>	28.45	
			<i>For 7 In 12 Slope, Add</i>	37.93	
			<i>For 8 In 12 Slope, Add</i>	45.52	
06 17 53 00-0020	EA		46' Pre-Assembled Wood Roof Truss, 4 In 12 Slope	497.87	151.04
			<i>For Up To 15, Add</i>	14.68	
			<i>For >35, Deduct</i>	-9.79	
			<i>For 3 In 12 Slope, Add</i>	5.87	
			<i>For 5 In 12 Slope, Add</i>	15.66	
			<i>For 6 In 12 Slope, Add</i>	29.37	
			<i>For 7 In 12 Slope, Add</i>	39.16	
			<i>For 8 In 12 Slope, Add</i>	46.99	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 17 53 00-0021 EA 48' Pre-Assembled Wood Roof Truss, 4 In 12 Slope	522.15	156.43
<i>For Up To 15, Add</i>	15.70	
<i>For >35, Deduct</i>	-10.46	
<i>For 3 In 12 Slope, Add</i>	6.28	
<i>For 5 In 12 Slope, Add</i>	16.74	
<i>For 6 In 12 Slope, Add</i>	31.39	
<i>For 7 In 12 Slope, Add</i>	41.86	
<i>For 8 In 12 Slope, Add</i>	50.23	
06 17 53 00-0022 EA 50' Pre-Assembled Wood Roof Truss, 4 In 12 Slope	591.54	161.83
<i>For Up To 15, Add</i>	20.09	
<i>For >35, Deduct</i>	-13.39	
<i>For 3 In 12 Slope, Add</i>	8.04	
<i>For 5 In 12 Slope, Add</i>	21.43	
<i>For 6 In 12 Slope, Add</i>	40.18	
<i>For 7 In 12 Slope, Add</i>	53.58	
<i>For 8 In 12 Slope, Add</i>	64.29	
06 17 53 00-0023 EA 52' Pre-Assembled Wood Roof Truss, 4 In 12 Slope	563.26	145.53
<i>For Up To 15, Add</i>	17.97	
<i>For >35, Deduct</i>	-11.98	
<i>For 3 In 12 Slope, Add</i>	7.19	
<i>For 5 In 12 Slope, Add</i>	19.17	
<i>For 6 In 12 Slope, Add</i>	35.94	
<i>For 7 In 12 Slope, Add</i>	47.92	
<i>For 8 In 12 Slope, Add</i>	57.51	
06 17 53 00-0024 EA 54' Pre-Assembled Wood Roof Truss, 4 In 12 Slope	591.02	169.91
<i>For Up To 15, Add</i>	18.84	
<i>For >35, Deduct</i>	-12.56	
<i>For 3 In 12 Slope, Add</i>	7.54	
<i>For 5 In 12 Slope, Add</i>	20.09	
<i>For 6 In 12 Slope, Add</i>	37.68	
<i>For 7 In 12 Slope, Add</i>	50.24	
<i>For 8 In 12 Slope, Add</i>	60.28	
06 17 53 00-0025 EA 56' Pre-Assembled Wood Roof Truss, 4 In 12 Slope	614.15	157.51
<i>For Up To 15, Add</i>	19.76	
<i>For >35, Deduct</i>	-13.18	
<i>For 3 In 12 Slope, Add</i>	7.91	
<i>For 5 In 12 Slope, Add</i>	21.08	
<i>For 6 In 12 Slope, Add</i>	39.53	
<i>For 7 In 12 Slope, Add</i>	52.70	
<i>For 8 In 12 Slope, Add</i>	63.24	
06 17 53 00-0026 EA 58' Pre-Assembled Wood Roof Truss, 4 In 12 Slope	634.18	178.01
<i>For Up To 15, Add</i>	20.86	
<i>For >35, Deduct</i>	-13.91	
<i>For 3 In 12 Slope, Add</i>	8.34	
<i>For 5 In 12 Slope, Add</i>	22.25	
<i>For 6 In 12 Slope, Add</i>	41.72	
<i>For 7 In 12 Slope, Add</i>	55.63	
<i>For 8 In 12 Slope, Add</i>	66.76	
06 17 53 00-0027 EA 60' Pre-Assembled Wood Roof Truss, 4 In 12 Slope	647.10	180.71
<i>For Up To 15, Add</i>	21.43	
<i>For >35, Deduct</i>	-14.28	
<i>For 3 In 12 Slope, Add</i>	8.57	
<i>For 5 In 12 Slope, Add</i>	22.86	
<i>For 6 In 12 Slope, Add</i>	42.85	
<i>For 7 In 12 Slope, Add</i>	57.14	
<i>For 8 In 12 Slope, Add</i>	68.57	
06 17 53 00-0028 Pre-Assembled Wood Gable End Roof Trusses <small>(06 17 53)</small>		
<small>Note: 24" on center gable studs. Includes 2" x 4" top and bottom chords up to 42' and with 2" x 6" top and bottom chords >42'.</small>		
06 17 53 00-0029 EA 10' Pre-Assembled Wood Gable End Roof Truss, 4 In 12 Slope	148.89	56.64
<i>For 3 In 12 Slope, Add</i>	1.07	
<i>For 5 In 12 Slope, Add</i>	2.85	
<i>For 6 In 12 Slope, Add</i>	5.34	
<i>For 7 In 12 Slope, Add</i>	7.12	
<i>For 8 In 12 Slope, Add</i>	8.55	
<i>For 16" On Center Gable Studs, Add</i>	7.12	
06 17 53 00-0030 EA 12' Pre-Assembled Wood Gable End Roof Truss, 4 In 12 Slope	165.67	62.04
<i>For 3 In 12 Slope, Add</i>	1.25	
<i>For 5 In 12 Slope, Add</i>	3.33	
<i>For 6 In 12 Slope, Add</i>	6.24	
<i>For 7 In 12 Slope, Add</i>	8.32	
<i>For 8 In 12 Slope, Add</i>	9.98	
<i>For 16" On Center Gable Studs, Add</i>	8.32	
06 17 53 00-0031 EA 14' Pre-Assembled Wood Gable End Roof Truss, 4 In 12 Slope	184.91	67.43
<i>For 3 In 12 Slope, Add</i>	1.50	
<i>For 5 In 12 Slope, Add</i>	4.00	
<i>For 6 In 12 Slope, Add</i>	7.51	
<i>For 7 In 12 Slope, Add</i>	10.01	
<i>For 8 In 12 Slope, Add</i>	12.01	
<i>For 16" On Center Gable Studs, Add</i>	10.01	

06 Wood, Plastics, and Composites**06 10 Rough Carpentry****06 17 Shop-Fabricated Structural Wood**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 17 53 00-0032	EA		16' Pre-Assembled Wood Gable End Roof Truss, 4 In 12 Slope	210.70	72.82
			<i>For 3 In 12 Slope, Add</i>	1.95	
			<i>For 5 In 12 Slope, Add</i>	5.20	
			<i>For 6 In 12 Slope, Add</i>	9.76	
			<i>For 7 In 12 Slope, Add</i>	13.01	
			<i>For 8 In 12 Slope, Add</i>	15.61	
			<i>For 16" On Center Gable Studs, Add</i>	13.01	
06 17 53 00-0033	EA		18' Pre-Assembled Wood Gable End Roof Truss, 4 In 12 Slope	232.71	78.22
			<i>For 3 In 12 Slope, Add</i>	2.29	
			<i>For 5 In 12 Slope, Add</i>	6.10	
			<i>For 6 In 12 Slope, Add</i>	11.44	
			<i>For 7 In 12 Slope, Add</i>	15.26	
			<i>For 8 In 12 Slope, Add</i>	18.31	
			<i>For 16" On Center Gable Studs, Add</i>	15.26	
06 17 53 00-0034	EA		20' Pre-Assembled Wood Gable End Roof Truss, 4 In 12 Slope	252.87	86.31
			<i>For 3 In 12 Slope, Add</i>	2.41	
			<i>For 5 In 12 Slope, Add</i>	6.42	
			<i>For 6 In 12 Slope, Add</i>	12.04	
			<i>For 7 In 12 Slope, Add</i>	16.05	
			<i>For 8 In 12 Slope, Add</i>	19.26	
			<i>For 16" On Center Gable Studs, Add</i>	16.05	
06 17 53 00-0035	EA		22' Pre-Assembled Wood Gable End Roof Truss, 4 In 12 Slope	266.01	91.70
			<i>For 3 In 12 Slope, Add</i>	2.48	
			<i>For 5 In 12 Slope, Add</i>	6.61	
			<i>For 6 In 12 Slope, Add</i>	12.39	
			<i>For 7 In 12 Slope, Add</i>	16.52	
			<i>For 8 In 12 Slope, Add</i>	19.82	
			<i>For 16" On Center Gable Studs, Add</i>	16.52	
06 17 53 00-0036	EA		24' Pre-Assembled Wood Gable End Roof Truss, 4 In 12 Slope	283.79	97.09
			<i>For 3 In 12 Slope, Add</i>	2.69	
			<i>For 5 In 12 Slope, Add</i>	7.17	
			<i>For 6 In 12 Slope, Add</i>	13.44	
			<i>For 7 In 12 Slope, Add</i>	17.92	
			<i>For 8 In 12 Slope, Add</i>	21.50	
			<i>For 16" On Center Gable Studs, Add</i>	17.92	
06 17 53 00-0037	EA		26' Pre-Assembled Wood Gable End Roof Truss, 4 In 12 Slope	302.34	102.49
			<i>For 3 In 12 Slope, Add</i>	2.92	
			<i>For 5 In 12 Slope, Add</i>	7.79	
			<i>For 6 In 12 Slope, Add</i>	14.60	
			<i>For 7 In 12 Slope, Add</i>	19.47	
			<i>For 8 In 12 Slope, Add</i>	23.37	
			<i>For 16" On Center Gable Studs, Add</i>	19.47	
06 17 53 00-0038	EA		28' Pre-Assembled Wood Gable End Roof Truss, 4 In 12 Slope	321.90	107.89
			<i>For 3 In 12 Slope, Add</i>	3.18	
			<i>For 5 In 12 Slope, Add</i>	8.49	
			<i>For 6 In 12 Slope, Add</i>	15.92	
			<i>For 7 In 12 Slope, Add</i>	21.23	
			<i>For 8 In 12 Slope, Add</i>	25.47	
			<i>For 16" On Center Gable Studs, Add</i>	21.23	
06 17 53 00-0039	EA		30' Pre-Assembled Wood Gable End Roof Truss, 4 In 12 Slope	337.00	113.28
			<i>For 3 In 12 Slope, Add</i>	3.31	
			<i>For 5 In 12 Slope, Add</i>	8.84	
			<i>For 6 In 12 Slope, Add</i>	16.57	
			<i>For 7 In 12 Slope, Add</i>	22.09	
			<i>For 8 In 12 Slope, Add</i>	26.51	
			<i>For 16" On Center Gable Studs, Add</i>	22.09	
06 17 53 00-0040	EA		32' Pre-Assembled Wood Gable End Roof Truss, 4 In 12 Slope	353.44	115.98
			<i>For 3 In 12 Slope, Add</i>	3.64	
			<i>For 5 In 12 Slope, Add</i>	9.72	
			<i>For 6 In 12 Slope, Add</i>	18.22	
			<i>For 7 In 12 Slope, Add</i>	24.30	
			<i>For 8 In 12 Slope, Add</i>	29.16	
			<i>For 16" On Center Gable Studs, Add</i>	24.30	
06 17 53 00-0041	EA		34' Pre-Assembled Wood Gable End Roof Truss, 4 In 12 Slope	388.39	121.37
			<i>For 3 In 12 Slope, Add</i>	4.37	
			<i>For 5 In 12 Slope, Add</i>	11.65	
			<i>For 6 In 12 Slope, Add</i>	21.85	
			<i>For 7 In 12 Slope, Add</i>	29.13	
			<i>For 8 In 12 Slope, Add</i>	34.96	
			<i>For 16" On Center Gable Studs, Add</i>	29.13	
06 17 53 00-0042	EA		36' Pre-Assembled Wood Gable End Roof Truss, 4 In 12 Slope	405.26	124.07
			<i>For 3 In 12 Slope, Add</i>	4.71	
			<i>For 5 In 12 Slope, Add</i>	12.57	
			<i>For 6 In 12 Slope, Add</i>	23.57	
			<i>For 7 In 12 Slope, Add</i>	31.43	
			<i>For 8 In 12 Slope, Add</i>	37.71	
			<i>For 16" On Center Gable Studs, Add</i>	31.43	
06 17 53 00-0043	EA		38' Pre-Assembled Wood Gable End Roof Truss, 4 In 12 Slope	426.78	129.46
			<i>For 3 In 12 Slope, Add</i>	5.04	
			<i>For 5 In 12 Slope, Add</i>	13.43	
			<i>For 6 In 12 Slope, Add</i>	25.18	
			<i>For 7 In 12 Slope, Add</i>	33.57	
			<i>For 8 In 12 Slope, Add</i>	40.28	
			<i>For 16" On Center Gable Studs, Add</i>	33.57	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 17 53 00-0044 EA 40' Pre-Assembled Wood Gable End Roof Truss, 4 In 12 Slope	451.96	134.85
<i>For 3 In 12 Slope, Add</i>	5.47	
<i>For 5 In 12 Slope, Add</i>	14.58	
<i>For 6 In 12 Slope, Add</i>	27.34	
<i>For 7 In 12 Slope, Add</i>	36.45	
<i>For 8 In 12 Slope, Add</i>	43.74	
<i>For 16" On Center Gable Studs, Add</i>	36.45	
06 17 53 00-0045 EA 42' Pre-Assembled Wood Gable End Roof Truss, 4 In 12 Slope	501.29	140.25
<i>For 3 In 12 Slope, Add</i>	6.62	
<i>For 5 In 12 Slope, Add</i>	17.66	
<i>For 6 In 12 Slope, Add</i>	33.12	
<i>For 7 In 12 Slope, Add</i>	44.16	
<i>For 8 In 12 Slope, Add</i>	52.99	
<i>For 16" On Center Gable Studs, Add</i>	44.16	
06 17 53 00-0046 EA 44' Pre-Assembled Wood Gable End Roof Truss, 4 In 12 Slope	549.56	145.65
<i>For 3 In 12 Slope, Add</i>	7.75	
<i>For 5 In 12 Slope, Add</i>	20.66	
<i>For 6 In 12 Slope, Add</i>	38.74	
<i>For 7 In 12 Slope, Add</i>	51.66	
<i>For 8 In 12 Slope, Add</i>	61.99	
<i>For 16" On Center Gable Studs, Add</i>	51.66	
06 17 53 00-0047 EA 46' Pre-Assembled Wood Gable End Roof Truss, 4 In 12 Slope	568.69	151.04
<i>For 3 In 12 Slope, Add</i>	8.00	
<i>For 5 In 12 Slope, Add</i>	21.33	
<i>For 6 In 12 Slope, Add</i>	39.99	
<i>For 7 In 12 Slope, Add</i>	53.32	
<i>For 8 In 12 Slope, Add</i>	63.99	
<i>For 16" On Center Gable Studs, Add</i>	53.32	
06 17 53 00-0048 EA 48' Pre-Assembled Wood Gable End Roof Truss, 4 In 12 Slope	597.85	156.43
<i>For 3 In 12 Slope, Add</i>	8.55	
<i>For 5 In 12 Slope, Add</i>	22.80	
<i>For 6 In 12 Slope, Add</i>	42.75	
<i>For 7 In 12 Slope, Add</i>	57.00	
<i>For 8 In 12 Slope, Add</i>	68.40	
<i>For 16" On Center Gable Studs, Add</i>	57.00	
06 17 53 00-0049 EA 50' Pre-Assembled Wood Gable End Roof Truss, 4 In 12 Slope	650.66	161.83
<i>For 3 In 12 Slope, Add</i>	9.81	
<i>For 5 In 12 Slope, Add</i>	26.16	
<i>For 6 In 12 Slope, Add</i>	49.05	
<i>For 7 In 12 Slope, Add</i>	65.40	
<i>For 8 In 12 Slope, Add</i>	78.48	
<i>For 16" On Center Gable Studs, Add</i>	65.40	
06 17 53 00-0050 EA 52' Pre-Assembled Wood Gable End Roof Truss, 4 In 12 Slope	665.81	167.22
<i>For 3 In 12 Slope, Add</i>	9.94	
<i>For 5 In 12 Slope, Add</i>	26.51	
<i>For 6 In 12 Slope, Add</i>	49.71	
<i>For 7 In 12 Slope, Add</i>	66.27	
<i>For 8 In 12 Slope, Add</i>	79.53	
<i>For 16" On Center Gable Studs, Add</i>	66.27	
06 17 53 00-0051 EA 54' Pre-Assembled Wood Gable End Roof Truss, 4 In 12 Slope	687.22	169.91
<i>For 3 In 12 Slope, Add</i>	10.42	
<i>For 5 In 12 Slope, Add</i>	27.79	
<i>For 6 In 12 Slope, Add</i>	52.11	
<i>For 7 In 12 Slope, Add</i>	69.48	
<i>For 8 In 12 Slope, Add</i>	83.37	
<i>For 16" On Center Gable Studs, Add</i>	69.48	
06 17 53 00-0052 EA 56' Pre-Assembled Wood Gable End Roof Truss, 4 In 12 Slope	715.08	175.31
<i>For 3 In 12 Slope, Add</i>	10.93	
<i>For 5 In 12 Slope, Add</i>	29.16	
<i>For 6 In 12 Slope, Add</i>	54.67	
<i>For 7 In 12 Slope, Add</i>	72.89	
<i>For 8 In 12 Slope, Add</i>	87.47	
<i>For 16" On Center Gable Studs, Add</i>	72.89	
06 17 53 00-0053 EA 58' Pre-Assembled Wood Gable End Roof Truss, 4 In 12 Slope	740.69	178.01
<i>For 3 In 12 Slope, Add</i>	11.54	
<i>For 5 In 12 Slope, Add</i>	30.77	
<i>For 6 In 12 Slope, Add</i>	57.70	
<i>For 7 In 12 Slope, Add</i>	76.93	
<i>For 8 In 12 Slope, Add</i>	92.32	
<i>For 16" On Center Gable Studs, Add</i>	76.93	
06 17 53 00-0054 EA 60' Pre-Assembled Wood Gable End Roof Truss, 4 In 12 Slope	756.51	180.71
<i>For 3 In 12 Slope, Add</i>	11.85	
<i>For 5 In 12 Slope, Add</i>	31.61	
<i>For 6 In 12 Slope, Add</i>	59.27	
<i>For 7 In 12 Slope, Add</i>	79.02	
<i>For 8 In 12 Slope, Add</i>	94.82	
<i>For 16" On Center Gable Studs, Add</i>	79.02	

06 18 Glued-Laminated Construction (06 10)

06 18 13 Glued-Laminated Beams (06 18)

06 18 13 00-0001 Glue Laminated Straight Beams (06 18 13)

Note: Based on southern yellow pine or hemlock lumber with waterproof glue and factor applied sealer.

06 18 13 00-0002	LF	3-1/2" x 6" Glue Laminated Straight Beam	7.65	2.40
06 18 13 00-0003	LF	3-1/2" x 7-1/2" Glue Laminated Straight Beam	9.56	3.01

06 Wood, Plastics, and Composites**06 10 Rough Carpentry****06 18 Glued-Laminated Construction**MINOR
CSI UOM DESCRIPTIONTOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

06 18 13 00-0004	LF	3-1/2" x 9" Glue Laminated Straight Beam.....	11.47	3.60
06 18 13 00-0005	LF	3-1/2" x 9-1/2" Glue Laminated Straight Beam.....	12.11	3.80
06 18 13 00-0006	LF	3-1/2" x 10-1/2" Glue Laminated Straight Beam.....	13.38	4.21
06 18 13 00-0007	LF	3-1/2" x 12" Glue Laminated Straight Beam.....	15.30	4.80
06 18 13 00-0008	LF	3-1/2" x 13-1/2" Glue Laminated Straight Beam.....	17.22	5.41
06 18 13 00-0009	LF	3-1/2" x 14" Glue Laminated Straight Beam.....	17.84	5.61
06 18 13 00-0010	LF	3-1/2" x 15" Glue Laminated Straight Beam.....	19.13	6.00
06 18 13 00-0011	LF	3-1/2" x 16" Glue Laminated Straight Beam.....	20.38	6.42
06 18 13 00-0012	LF	3-1/2" x 16-1/2" Glue Laminated Straight Beam.....	21.04	6.62
06 18 13 00-0013	LF	3-1/2" x 18" Glue Laminated Straight Beam.....	22.94	7.22
06 18 13 00-0014	LF	3-1/2" x 19-1/2" Glue Laminated Straight Beam.....	24.86	7.82
06 18 13 00-0015	LF	3-1/2" x 21" Glue Laminated Straight Beam.....	26.76	8.42
06 18 13 00-0016	LF	3-1/2" x 22.5" Glue Laminated Straight Beam.....	28.69	9.02
06 18 13 00-0017	LF	5-1/2" x 6" Glue Laminated Straight Beam.....	12.01	3.78
06 18 13 00-0018	LF	5-1/2" x 7-1/2" Glue Laminated Straight Beam.....	15.03	4.72
06 18 13 00-0019	LF	5-1/2" x 9" Glue Laminated Straight Beam.....	18.03	5.67
06 18 13 00-0020	LF	5-1/2" x 9-1/2" Glue Laminated Straight Beam.....	19.02	5.99
06 18 13 00-0021	LF	5-1/2" x 10-1/2" Glue Laminated Straight Beam.....	21.04	6.62
06 18 13 00-0022	LF	5-1/2" x 12" Glue Laminated Straight Beam.....	24.03	7.56
06 18 13 00-0023	LF	5-1/2" x 13-1/2" Glue Laminated Straight Beam.....	27.04	8.51
06 18 13 00-0024	LF	5-1/2" x 14" Glue Laminated Straight Beam.....	28.04	8.82
06 18 13 00-0025	LF	5-1/2" x 15" Glue Laminated Straight Beam.....	30.04	9.45
06 18 13 00-0026	LF	5-1/2" x 16" Glue Laminated Straight Beam.....	32.05	10.08
06 18 13 00-0027	LF	5-1/2" x 16-1/2" Glue Laminated Straight Beam.....	33.05	10.40
06 18 13 00-0028	LF	5-1/2" x 18" Glue Laminated Straight Beam.....	36.05	11.33
06 18 13 00-0029	LF	5-1/2" x 19-1/2" Glue Laminated Straight Beam.....	39.07	12.29
06 18 13 00-0030	LF	5-1/2" x 21" Glue Laminated Straight Beam.....	42.07	13.23
06 18 13 00-0031	LF	5-1/2" x 22.5" Glue Laminated Straight Beam.....	45.07	14.17
06 18 13 00-0032	LF	5-1/2" x 24" Glue Laminated Straight Beam.....	48.08	15.11
06 18 13 00-0033	LF	6-3/4" x 9" Glue Laminated Straight Beam.....	22.12	6.96
06 18 13 00-0034	LF	6-3/4" x 9-1/2" Glue Laminated Straight Beam.....	23.35	7.35
06 18 13 00-0035	LF	6-3/4" x 10-1/2" Glue Laminated Straight Beam.....	25.81	8.12
06 18 13 00-0036	LF	6-3/4" x 12" Glue Laminated Straight Beam.....	29.50	9.27
06 18 13 00-0037	LF	6-3/4" x 13-1/2" Glue Laminated Straight Beam.....	33.20	10.44
06 18 13 00-0038	LF	6-3/4" x 14" Glue Laminated Straight Beam.....	34.42	10.83
06 18 13 00-0039	LF	6-3/4" x 15" Glue Laminated Straight Beam.....	36.87	11.60
06 18 13 00-0040	LF	6-3/4" x 16" Glue Laminated Straight Beam.....	39.33	12.36
06 18 13 00-0041	LF	6-3/4" x 16-1/2" Glue Laminated Straight Beam.....	40.56	12.75
06 18 13 00-0042	LF	6-3/4" x 18" Glue Laminated Straight Beam.....	44.25	13.91
06 18 13 00-0043	LF	6-3/4" x 19-1/2" Glue Laminated Straight Beam.....	47.94	15.08
06 18 13 00-0044	LF	6-3/4" x 21" Glue Laminated Straight Beam.....	51.62	16.23
06 18 13 00-0045	LF	6-3/4" x 22.5" Glue Laminated Straight Beam.....	55.30	17.39
06 18 13 00-0046	LF	6-3/4" x 24" Glue Laminated Straight Beam.....	58.99	18.56
06 18 13 00-0047	LF	8-3/4" x 9" Glue Laminated Straight Beam.....	28.69	9.02
06 18 13 00-0048	LF	8-3/4" x 9-1/2" Glue Laminated Straight Beam.....	30.27	9.52
06 18 13 00-0049	LF	8-3/4" x 10-1/2" Glue Laminated Straight Beam.....	33.45	10.52
06 18 13 00-0050	LF	8-3/4" x 12" Glue Laminated Straight Beam.....	38.24	12.03
06 18 13 00-0051	LF	8-3/4" x 13-1/2" Glue Laminated Straight Beam.....	43.02	13.53
06 18 13 00-0052	LF	8-3/4" x 14" Glue Laminated Straight Beam.....	44.61	14.03
06 18 13 00-0053	LF	8-3/4" x 15" Glue Laminated Straight Beam.....	47.78	15.02
06 18 13 00-0054	LF	8-3/4" x 16" Glue Laminated Straight Beam.....	50.98	16.03
06 18 13 00-0055	LF	8-3/4" x 16-1/2" Glue Laminated Straight Beam.....	52.59	16.53
06 18 13 00-0056	LF	8-3/4" x 18" Glue Laminated Straight Beam.....	57.36	18.03
06 18 13 00-0057	LF	8-3/4" x 19-1/2" Glue Laminated Straight Beam.....	62.14	19.53
06 18 13 00-0058	LF	8-3/4" x 21" Glue Laminated Straight Beam.....	66.92	21.05
06 18 13 00-0059	LF	8-3/4" x 22.5" Glue Laminated Straight Beam.....	71.70	22.55
06 18 13 00-0060	LF	8-3/4" x 24" Glue Laminated Straight Beam.....	76.47	24.05

06 18 13 00-0061 Glue Laminated Decking (06 18 13)

06 18 13 00-0062	LF	2" - 4" Thick x 4" Wide Glue Laminated Decking.....	3.92	1.53
06 18 13 00-0063	LF	2" - 4" Thick x 6" Wide Glue Laminated Decking.....	4.03	1.53
06 18 13 00-0064	LF	2" - 4" Thick x 8" Wide Glue Laminated Decking.....	4.14	1.45

06 18 16 Glued-Laminated Columns (06 18)**06 18 16 00-0001 Glue Laminated Structural Units** (06 18 16)

Note: Based on southern yellow pine or hemlock lumber in 2" laminations with waterproof glue and factor applied sealer.

06 18 16 00-0002	LF	3-1/4" x 7-1/2" Glue Laminated Purlin Or Column.....	11.49	3.12
06 18 16 00-0003	LF	3-1/4" x 9-1/4" Glue Laminated Purlin Or Column.....	12.95	3.46
06 18 16 00-0004	LF	5-1/4" x 9-1/4" Glue Laminated Purlin Or Column.....	24.37	7.39
06 18 16 00-0005	LF	5-1/4" x 13" Glue Laminated Purlin Or Column.....	26.76	7.76

06 20 Finish Carpentry (06)**06 22 Millwork** (06 20)**06 22 13 Standard Pattern Wood Trim** (06 22)



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 22 13 00-0001 Pine Moldings (All Dimensions Are Nominal) <small>(06 22 13)</small>		
06 22 13 00-0002 LF 1/4" x 1-1/4" Wood Lattice Strip <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	2.52 0.33	0.88
06 22 13 00-0003 LF 1/4" x 1-5/8" Wood Lattice Strip <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	2.65 0.33	0.70
06 22 13 00-0004 LF 1/4" x 2-1/2" Wood Lattice Strip <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	3.35 0.33	0.70
06 22 13 00-0005 LF 1/4" x 3-1/2" Wood Lattice Strip <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	3.77 0.33	0.70
06 22 13 00-0006 Ceilings (All Dimensions Are Nominal) <small>(06 22 13)</small>		
06 22 13 00-0007 White Pine <small>(06 22 13 00-0006)</small>		
06 22 13 00-0008 LF 9/16" x 3-5/8" White Pine Crown Or Bed Molding <i>For Birch, Add</i> <i>For Mahogany, Oak, Maple Or Walnut, Add</i> <i>For Poplar, Add</i> <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i> <i>For Stain Grade Material (No Finger Joints), Add</i>	11.84 2.67 3.78 1.48 1.02 0.96	3.10
06 22 13 00-0009 LF 11/16" x 4-5/8" White Pine Crown Or Bed Molding <i>For Birch, Add</i> <i>For Mahogany, Oak, Maple Or Walnut, Add</i> <i>For Poplar, Add</i> <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i> <i>For Stain Grade Material (No Finger Joints), Add</i>	15.89 3.81 5.29 2.11 1.22 1.37	3.72
06 22 13 00-0010 LF 3/4" x 3/4" White Pine Crown Or Bed Molding <i>For Birch, Add</i> <i>For Mahogany, Oak, Maple Or Walnut, Add</i> <i>For Poplar, Add</i> <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i> <i>For Stain Grade Material (No Finger Joints), Add</i>	5.75 0.80 1.35 0.44 0.81 0.29	2.12
06 22 13 00-0011 LF 9/16" x 1-5/8" White Pine Crown Or Bed Molding <i>For Birch, Add</i> <i>For Mahogany, Oak, Maple Or Walnut, Add</i> <i>For Poplar, Add</i> <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i> <i>For Stain Grade Material (No Finger Joints), Add</i>	6.55 1.08 1.71 0.60 0.81 0.39	2.12
06 22 13 00-0012 LF 9/16" x 2-1/4" White Pine Crown Or Bed Molding <i>For Birch, Add</i> <i>For Mahogany, Oak, Maple Or Walnut, Add</i> <i>For Poplar, Add</i> <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i> <i>For Stain Grade Material (No Finger Joints), Add</i>	8.60 1.50 2.32 0.83 1.02 0.54	2.66
06 22 13 00-0013 LF 3/4" x 3-1/2" White Pine Crown Or Bed Molding <i>For Birch, Add</i> <i>For Mahogany, Oak, Maple Or Walnut, Add</i> <i>For Poplar, Add</i> <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i> <i>For Stain Grade Material (No Finger Joints), Add</i>	9.92 1.98 2.91 1.10 1.02 0.71	2.66
06 22 13 00-0014 LF 5/8" x 4-1/4" White Pine Crown Or Bed Molding <i>For Birch, Add</i> <i>For Mahogany, Oak, Maple Or Walnut, Add</i> <i>For Poplar, Add</i> <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i> <i>For Stain Grade Material (No Finger Joints), Add</i>	12.34 2.53 3.69 1.40 1.22 0.91	3.19
06 22 13 00-0015 LF 1" x 2" White Pine Dentil Molding <i>For Birch, Add</i> <i>For Mahogany, Oak, Maple Or Walnut, Add</i> <i>For Poplar, Add</i> <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i> <i>For Stain Grade Material (No Finger Joints), Add</i>	5.95 0.87 1.44 0.48 0.81 0.31	2.48
06 22 13 00-0016 LF 9/16" x 1-3/4" White Pine Cove Molding <i>For Birch, Add</i> <i>For Mahogany, Oak, Maple Or Walnut, Add</i> <i>For Poplar, Add</i> <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i> <i>For Stain Grade Material (No Finger Joints), Add</i>	5.03 0.85 1.33 0.47 0.61 0.31	1.86
06 22 13 00-0017 LF 11/16" x 2-3/4" White Pine Cove Molding <i>For Birch, Add</i> <i>For Mahogany, Oak, Maple Or Walnut, Add</i> <i>For Poplar, Add</i> <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i> <i>For Stain Grade Material (No Finger Joints), Add</i>	7.57 1.77 2.48 0.98 0.61 0.64	1.86
06 22 13 00-0018 LF 3/8" x 3/8" White Pine Cove Molding <i>For Birch, Add</i> <i>For Mahogany, Oak, Maple Or Walnut, Add</i> <i>For Poplar, Add</i> <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i> <i>For Stain Grade Material (No Finger Joints), Add</i>	2.97 0.40 0.69 0.22 0.43 0.15	1.07
06 22 13 00-0019 LF 1/2" x 1/2" White Pine Cove Molding <i>For Birch, Add</i> <i>For Mahogany, Oak, Maple Or Walnut, Add</i> <i>For Poplar, Add</i> <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i> <i>For Stain Grade Material (No Finger Joints), Add</i>	3.25 0.50 0.82 0.28 0.43 0.18	1.07

06	06	Wood, Plastics, and Composites
	06 20	Finish Carpentry
	06 22	Millwork



MINOR				TOTAL DIRECT	DEMOLITION
CSI	UOM	DESCRIPTION		UNIT COST	UNIT COST
06 22 13 00-0020	LF	5/8" x 5/8" White Pine Cove Molding.....		4.34	1.33
		<i>For Birch, Add</i>		0.77	
		<i>For Mahogany, Oak, Maple Or Walnut, Add</i>		1.18	
		<i>For Poplar, Add</i>		0.43	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		0.51	
		<i>For Stain Grade Material (No Finger Joints), Add</i>		0.28	
06 22 13 00-0021	LF	3/4" x 3/4" White Pine Cove Molding.....		4.34	1.33
		<i>For Birch, Add</i>		0.77	
		<i>For Mahogany, Oak, Maple Or Walnut, Add</i>		1.18	
		<i>For Poplar, Add</i>		0.43	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		0.51	
		<i>For Stain Grade Material (No Finger Joints), Add</i>		0.28	
06 22 13 00-0022	LF	15/16" x 15/16" White Pine Cove Molding.....		5.62	1.33
		<i>For Birch, Add</i>		1.23	
		<i>For Mahogany, Oak, Maple Or Walnut, Add</i>		1.76	
		<i>For Poplar, Add</i>		0.68	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		0.51	
		<i>For Stain Grade Material (No Finger Joints), Add</i>		0.44	
06 22 13 00-0023	LF	7-1/2" Wide Mullion Covers.....		36.63	1.60
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		0.73	
06 22 13 00-0024	LF	Three Piece Mullion Trim, 2 Cove Moldings.....		46.37	1.60
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		0.73	
06 22 13 00-0025		Cedar Trim <small>(06 22 13 00-0006)</small>			
06 22 13 00-0026	LF	2" x 4" Cedar Ceiling Trim.....		10.04	4.45
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		1.48	
06 22 13 00-0027		Oak Trim <small>(06 22 13 00-0006)</small>			
06 22 13 00-0028	LF	1" x 8" Clear Oak Ceiling Trim.....		10.44	4.10
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		1.37	
06 22 13 00-0029		Closet Poles <small>(06 22 13)</small>			
06 22 13 00-0030	LF	1-1/8" Diameter Pine Closet Poles.....		7.23	2.30
06 22 13 00-0031	LF	1-5/8" Diameter Pine Closet Poles.....		10.69	2.30
06 22 13 00-0032	LF	2" Diameter Pine Closet Poles.....		14.60	2.57
06 25		Prefinished Paneling <small>(06 20)</small>			
06 25 16		Prefinished Plywood Paneling <small>(06 25)</small>			
06 25 16 00-0001		Hardboard Panels <small>(06 25 16)</small>			
		Note: Excludes furring and trim.			
06 25 16 00-0002		Tempered Hardboard Panels <small>(06 25 16 00-0001)</small>			
06 25 16 00-0003	SF	1/4" Tempered Hardboard Panels.....		4.44	1.60
		<i>For Waterproof Glue, Add</i>		0.06	
		<i>For Ceiling Installation, Add</i>		1.10	
		<i>For Glue Laminated Installation, Add</i>		0.22	
		<i>For 1/8" Thick Paneling, Deduct</i>		-0.39	
		<i>For 1/2" Thick Paneling, Add</i>		0.86	
		<i>For 5/8" Thick Paneling, Add</i>		1.03	
		<i>For 3/4" Thick Paneling, Add</i>		1.24	
		<i>For Fire Retardant Treatment (Class I), Add</i>		0.62	
06 25 16 00-0004	SF	1/4" Plastic Faced Tempered Hardboard Panels.....		5.00	1.96
		<i>For Waterproof Glue, Add</i>		0.05	
		<i>For Ceiling Installation, Add</i>		1.28	
		<i>For Glue Laminated Installation, Add</i>		0.25	
		<i>For 1/8" Thick Paneling, Deduct</i>		-0.42	
		<i>For 1/2" Thick Paneling, Add</i>		0.90	
		<i>For 5/8" Thick Paneling, Add</i>		1.05	
		<i>For 3/4" Thick Paneling, Add</i>		1.25	
		<i>For Fire Retardant Treatment (Class I), Add</i>		0.57	
06 25 16 00-0005	SF	1/4" Pegboard Tempered Hardboard Panels.....		4.97	1.60
		<i>For Waterproof Glue, Add</i>		0.09	
		<i>For Ceiling Installation, Add</i>		1.10	
		<i>For Glue Laminated Installation, Add</i>		0.25	
		<i>For 1/8" Thick Paneling, Deduct</i>		-0.48	
		<i>For 1/2" Thick Paneling, Add</i>		1.15	
		<i>For 5/8" Thick Paneling, Add</i>		1.43	
		<i>For 3/4" Thick Paneling, Add</i>		1.78	
		<i>For Fire Retardant Treatment (Class I), Add</i>		1.04	
06 25 16 00-0006	SF	1/4" Plastic Faced Pegboard Tempered Hardboard.....		5.16	1.96
		<i>For Waterproof Glue, Add</i>		0.06	
		<i>For Ceiling Installation, Add</i>		1.28	
		<i>For Glue Laminated Installation, Add</i>		0.26	
		<i>For 1/8" Thick Paneling, Deduct</i>		-0.45	
		<i>For 1/2" Thick Paneling, Add</i>		0.99	
		<i>For 5/8" Thick Paneling, Add</i>		1.17	
		<i>For 3/4" Thick Paneling, Add</i>		1.41	
		<i>For Fire Retardant Treatment (Class I), Add</i>		0.70	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 25 16 00-0007 Untempered Hardboard Panels <small>(06 25 16 00-0001)</small>		
06 25 16 00-0008 SF 1/4" Untempered Hardboard Panels	4.27	1.60
<i>For Waterproof Glue, Add</i>	0.04	
<i>For Glue Laminated Installation, Add</i>	0.21	
<i>For Lumber Core, Add</i>	0.07	
<i>For Fire Retardant Treatment (Class I), Add</i>	0.49	
 06 40 Architectural Woodwork <small>(06)</small>		
06 41 Architectural Wood Casework <small>(06 40)</small>		
06 41 13 Wood-Veneer-Faced Architectural Cabinets <small>(06 41)</small>		
06 41 13 00-0001 Wall And Base Cabinets <small>(06 41 13)</small>		
Note: Kitchen cabinets are constructed of 3/8" and 1/2" thick laminated particleboard with corner braces. Shelves are 3/4" laminated particleboard. The face frame is 3/4" x 1-1/2" solid wood. Hinges are 6 way adjustable, fully concealed steel. Drawers are 1/2" thick laminated particleboard boxes with 3/8" laminated particleboard bottoms. Drawer guides are side mounted, epoxy coated double rails. Excludes door or drawer pull hardware.		
06 41 13 00-0002 Solid Maple Face Frame And Door, Wall And Base Cabinets <small>(06 41 13 00-0001)</small>		
06 41 13 00-0003 Base Cabinets, 35" High, 23-3/4" Deep <small>(06 41 13 00-0002)</small>		
06 41 13 00-0004 EA 12" Wide, 35" High x 23-3/4" Deep, Single Drawer and Single Door, Solid Maple Face Frame, Door and Drawer Front, Base Cabinet	253.32	17.73
<i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i>	71.65	
<i>For All Plywood Box Construction, Add</i>	74.69	
06 41 13 00-0005 EA 15" Wide, 35" High x 23-3/4" Deep, Single Drawer and Single Door, Solid Maple Face Frame, Door and Drawer Front, Base Cabinet	269.18	22.16
<i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i>	71.65	
<i>For All Plywood Box Construction, Add</i>	74.69	
06 41 13 00-0006 EA 18" Wide, 35" High x 23-3/4" Deep, Single Drawer and Single Door, Solid Maple Face Frame, Door and Drawer Front, Base Cabinet	281.29	26.59
<i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i>	71.65	
<i>For All Plywood Box Construction, Add</i>	74.69	
06 41 13 00-0007 EA 21" Wide, 35" High x 23-3/4" Deep, Single Drawer and Single Door, Solid Maple Face Frame, Door and Drawer Front, Base Cabinet	295.65	31.03
<i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i>	71.65	
<i>For All Plywood Box Construction, Add</i>	74.69	
06 41 13 00-0008 EA 24" Wide, 35" High x 23-3/4" Deep, Single Drawer and Single Door, Solid Maple Face Frame, Door and Drawer Front, Base Cabinet	335.02	35.45
<i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i>	71.65	
<i>For All Plywood Box Construction, Add</i>	74.69	
06 41 13 00-0009 EA 27" Wide, 35" High x 23-3/4" Deep, Single Drawer and Double Door, Solid Maple Face Frame, Door and Drawer Front, Base Cabinet	349.85	39.89
<i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i>	71.65	
<i>For All Plywood Box Construction, Add</i>	74.69	
06 41 13 00-0010 EA 30" Wide, 35" High x 23-3/4" Deep, Single Drawer and Double Door, Solid Maple Face Frame, Door and Drawer Front, Base Cabinet	377.77	44.33
<i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i>	71.65	
<i>For All Plywood Box Construction, Add</i>	74.69	
06 41 13 00-0011 EA 33" Wide, 35" High x 23-3/4" Deep, Single Drawer and Double Door, Solid Maple Face Frame, Door and Drawer Front, Base Cabinet	397.58	48.75
<i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i>	71.65	
<i>For All Plywood Box Construction, Add</i>	74.69	
06 41 13 00-0012 EA 36" Wide, 35" High x 23-3/4" Deep, Single Drawer and Double Door, Solid Maple Face Frame, Door and Drawer Front, Base Cabinet	409.90	53.19
<i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i>	71.65	
<i>For All Plywood Box Construction, Add</i>	74.69	
06 41 13 00-0013 EA 48" Wide, 35" High x 23-3/4" Deep, Double Drawer and Double Door, Solid Maple Face Frame, Door and Drawer Front, Base Cabinet	466.69	70.92
<i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i>	143.30	
<i>For All Plywood Box Construction, Add</i>	74.69	
06 41 13 00-0014 EA 30" Wide, 35" High x 23-3/4" Deep, Double Drawer with False Panel Drawer Front, Solid Maple Face Frame and Drawer Fronts, Base Cabinet	513.79	44.33
<i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i>	143.30	
<i>For All Plywood Box Construction, Add</i>	74.69	
06 41 13 00-0015 EA 36" Wide, 35" High x 23-3/4" Deep, Double Drawer with False Panel Drawer Front, Solid Maple Face Frame and Drawer Fronts, Base Cabinet	569.60	53.19
<i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i>	143.30	
<i>For All Plywood Box Construction, Add</i>	74.69	
06 41 13 00-0016 EA 30" Wide, 35" High x 23-3/4" Deep, Triple Drawer with False Panel Drawer Front, Solid Maple Face Frame and Drawer Fronts, Base Cabinet	538.68	44.33
<i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i>	214.95	
<i>For All Plywood Box Construction, Add</i>	74.69	
06 41 13 00-0017 EA 36" Wide, 35" High x 23-3/4" Deep, Triple Drawer with False Panel Drawer Front, Solid Maple Face Frame and Drawer Fronts, Base Cabinet	600.56	53.19
<i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i>	214.95	
<i>For All Plywood Box Construction, Add</i>	74.69	
06 41 13 00-0018 EA 12" Wide, 35" High x 23-3/4" Deep, Three Drawer Base, Solid Maple Face Frame and Drawer Fronts, Base Cabinet	256.96	17.73
<i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i>	214.95	
<i>For All Plywood Box Construction, Add</i>	74.69	

06 Wood, Plastics, and Composites**06 40 Architectural Woodwork****06 41 Architectural Wood Casework**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 41 13 00-0019	EA		15" Wide, 35" High x 23-3/4" Deep, Three Drawer Base, Solid Maple Face Frame and Drawer Fronts, Base Cabinet <i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i> <i>For All Plywood Box Construction, Add</i>	263.11 214.95 74.69	22.16
06 41 13 00-0020	EA		18" Wide, 35" High x 23-3/4" Deep, Three Drawer Base, Solid Maple Face Frame and Drawer Fronts, Base Cabinet <i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i> <i>For All Plywood Box Construction, Add</i>	286.76 214.95 74.69	26.59
06 41 13 00-0021	EA		21" Wide, 35" High x 23-3/4" Deep, Three Drawer Base, Solid Maple Face Frame and Drawer Fronts, Base Cabinet <i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i> <i>For All Plywood Box Construction, Add</i>	304.76 214.95 74.69	31.03
06 41 13 00-0022	EA		24" Wide, 35" High x 23-3/4" Deep, Three Drawer Base, Solid Maple Face Frame and Drawer Fronts, Base Cabinet <i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i> <i>For All Plywood Box Construction, Add</i>	317.41 214.95 74.69	35.45
06 41 13 00-0023	EA		27" Wide, 35" High x 23-3/4" Deep, Three Drawer Base, Solid Maple Face Frame and Drawer Fronts, Base Cabinet <i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i> <i>For All Plywood Box Construction, Add</i>	332.85 214.95 74.69	39.89
06 41 13 00-0024	EA		30" Wide, 35" High x 23-3/4" Deep, Three Drawer Base, Solid Maple Face Frame and Drawer Fronts, Base Cabinet <i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i> <i>For All Plywood Box Construction, Add</i>	537.47 214.95 74.69	44.33
06 41 13 00-0025	EA		33" Wide, 35" High x 23-3/4" Deep, Three Drawer Base, Solid Maple Face Frame and Drawer Fronts, Base Cabinet <i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i> <i>For All Plywood Box Construction, Add</i>	566.38 214.95 74.69	48.75
06 41 13 00-0026	EA		36" Wide, 35" High x 23-3/4" Deep, Three Drawer Base, Solid Maple Face Frame and Drawer Fronts, Base Cabinet <i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i> <i>For All Plywood Box Construction, Add</i>	595.10 214.95 74.69	53.19
06 41 13 00-0027	EA		12" Wide, 35" High x 23-3/4" Deep, Four Drawer Base, Solid Maple Face Frame and Drawer Fronts, Base Cabinet <i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i> <i>For All Plywood Box Construction, Add</i>	312.82 286.60 74.69	17.73
06 41 13 00-0028	EA		15" Wide, 35" High x 23-3/4" Deep, Four Drawer Base, Solid Maple Face Frame and Drawer Fronts, Base Cabinet <i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i> <i>For All Plywood Box Construction, Add</i>	319.58 286.60 74.69	22.16
06 41 13 00-0029	EA		18" Wide, 35" High x 23-3/4" Deep, Four Drawer Base, Solid Maple Face Frame and Drawer Fronts, Base Cabinet <i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i> <i>For All Plywood Box Construction, Add</i>	346.26 286.60 74.69	26.59
06 41 13 00-0030	EA		21" Wide, 35" High x 23-3/4" Deep, Four Drawer Base, Solid Maple Face Frame and Drawer Fronts, Base Cabinet <i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i> <i>For All Plywood Box Construction, Add</i>	367.91 286.60 74.69	31.03
06 41 13 00-0031	EA		24" Wide, 35" High x 23-3/4" Deep, Four Drawer Base, Solid Maple Face Frame and Drawer Fronts, Base Cabinet <i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i> <i>For All Plywood Box Construction, Add</i>	386.63 286.60 74.69	35.45
06 41 13 00-0032	EA		27" Wide, 35" High x 23-3/4" Deep, Four Drawer Base, Solid Maple Face Frame and Drawer Fronts, Base Cabinet <i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i> <i>For All Plywood Box Construction, Add</i>	405.72 286.60 74.69	39.89
06 41 13 00-0033	EA		30" Wide, 35" High x 23-3/4" Deep, Four Drawer Base, Solid Maple Face Frame and Drawer Fronts, Base Cabinet <i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i> <i>For All Plywood Box Construction, Add</i>	562.97 286.60 74.69	44.33
06 41 13 00-0034	EA		33" Wide, 35" High x 23-3/4" Deep, Four Drawer Base, Solid Maple Face Frame and Drawer Fronts, Base Cabinet <i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i> <i>For All Plywood Box Construction, Add</i>	594.92 286.60 74.69	48.75
06 41 13 00-0035	EA		36" Wide, 35" High x 23-3/4" Deep, Four Drawer Base, Solid Maple Face Frame and Drawer Fronts, Base Cabinet <i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i> <i>For All Plywood Box Construction, Add</i>	627.89 286.60 74.69	53.19
06 41 13 00-0036			Wall Cabinet, 12" High, 12" Deep (06 41 13 00-0002)		
06 41 13 00-0037	EA		30" Wide, 12" High x 12" Deep, Double Door, Solid Maple Face Frame and Doors, Wall Cabinet <i>For All Plywood Box Construction, Add</i>	228.42 40.08	44.33
06 41 13 00-0038	EA		33" Wide, 12" High x 12" Deep, Double Door, Solid Maple Face Frame and Doors, Wall Cabinet <i>For All Plywood Box Construction, Add</i>	243.10 40.08	48.75
06 41 13 00-0039	EA		36" Wide, 12" High x 12" Deep, Double Door, Solid Maple Face Frame and Doors, Wall Cabinet <i>For All Plywood Box Construction, Add</i>	267.72 40.08	53.19
06 41 13 00-0040	EA		39" Wide, 12" High x 12" Deep, Double Door, Solid Maple Face Frame and Doors, Wall Cabinet <i>For All Plywood Box Construction, Add</i>	284.73 40.08	57.62
06 41 13 00-0041			Wall Cabinets, 14" High, 12" Deep (06 41 13 00-0002)		
06 41 13 00-0042	EA		12" Wide, 14" High x 12" Deep, Single Door, Solid Maple Face Frame and Door, Wall Cabinet <i>For All Plywood Box Construction, Add</i>	194.14 40.08	17.73



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 41 13 00-0043 EA 15" Wide, 14" High x 12" Deep, Single Door, Solid Maple Face Frame and Door, Wall Cabinet..... <i>For All Plywood Box Construction, Add</i>	198.95 40.08	22.16
06 41 13 00-0044 EA 18" Wide, 14" High x 12" Deep, Single Door, Solid Maple Face Frame and Door, Wall Cabinet..... <i>For All Plywood Box Construction, Add</i>	208.62 40.08	26.59
06 41 13 00-0045 EA 21" Wide, 14" High x 12" Deep, Single Door, Solid Maple Face Frame and Door, Wall Cabinet..... <i>For All Plywood Box Construction, Add</i>	214.03 40.08	31.03
06 41 13 00-0046 EA 24" Wide, 14" High x 12" Deep, Single Door, Solid Maple Face Frame and Door, Wall Cabinet..... <i>For All Plywood Box Construction, Add</i>	220.05 40.08	35.45
06 41 13 00-0047 EA 30" Wide, 14" High x 12" Deep, Double Door, Solid Maple Face Frame and Door, Wall Cabinet..... <i>For All Plywood Box Construction, Add</i>	230.32 40.08	44.33
06 41 13 00-0048 EA 33" Wide, 14" High x 12" Deep, Double Door, Solid Maple Face Frame and Door, Wall Cabinet..... <i>For All Plywood Box Construction, Add</i>	246.08 40.08	48.75
06 41 13 00-0049 EA 36" Wide, 14" High x 12" Deep, Double Door, Solid Maple Face Frame and Door, Wall Cabinet..... <i>For All Plywood Box Construction, Add</i>	267.72 40.08	53.19
06 41 13 00-0050 EA 39" Wide, 14" High x 12" Deep, Double Door, Solid Maple Face Frame and Door, Wall Cabinet..... <i>For All Plywood Box Construction, Add</i>	284.73 40.08	57.62
06 41 13 00-0051 Wall Cabinets, 18" High, 12" Deep (06 41 13 00-0002)		
06 41 13 00-0052 EA 12" Wide, 18" High x 12" Deep, Single Door, Solid Maple Face Frame and Door, Wall Cabinet..... <i>For All Plywood Box Construction, Add</i>	201.42 40.08	17.73
06 41 13 00-0053 EA 15" Wide, 18" High x 12" Deep, Single Door, Solid Maple Face Frame and Door, Wall Cabinet..... <i>For All Plywood Box Construction, Add</i>	211.70 40.08	22.16
06 41 13 00-0054 EA 18" Wide, 18" High x 12" Deep, Single Door, Solid Maple Face Frame and Door, Wall Cabinet..... <i>For All Plywood Box Construction, Add</i>	219.55 40.08	26.59
06 41 13 00-0055 EA 21" Wide, 18" High x 12" Deep, Single Door, Solid Maple Face Frame and Door, Wall Cabinet..... <i>For All Plywood Box Construction, Add</i>	227.99 40.08	31.03
06 41 13 00-0056 EA 24" Wide, 18" High x 12" Deep, Single Door, Solid Maple Face Frame and Door, Wall Cabinet..... <i>For All Plywood Box Construction, Add</i>	239.48 40.08	35.45
06 41 13 00-0057 EA 27" Wide, 18" High x 12" Deep, Double Door, Solid Maple Face Frame and Door, Wall Cabinet..... <i>For All Plywood Box Construction, Add</i>	252.51 40.08	39.91
06 41 13 00-0058 EA 30" Wide, 18" High x 12" Deep, Double Door, Solid Maple Face Frame and Door, Wall Cabinet..... <i>For All Plywood Box Construction, Add</i>	264.32 40.08	44.33
06 41 13 00-0059 EA 33" Wide, 18" High x 12" Deep, Double Door, Solid Maple Face Frame and Door, Wall Cabinet..... <i>For All Plywood Box Construction, Add</i>	274.01 40.08	48.75
06 41 13 00-0060 EA 36" Wide, 18" High x 12" Deep, Double Door, Solid Maple Face Frame and Door, Wall Cabinet..... <i>For All Plywood Box Construction, Add</i>	279.87 40.08	53.19
06 41 13 00-0061 Wall Cabinets, 30" High, 12" Deep (06 41 13 00-0002)		
06 41 13 00-0062 EA 12" Wide, 30" High x 12" Deep, Single Door, Solid Maple Face Frame and Door, Wall Cabinet..... <i>For All Plywood Box Construction, Add</i>	221.13 40.08	17.73
06 41 13 00-0063 EA 15" Wide, 30" High x 12" Deep, Single Door, Solid Maple Face Frame and Door, Wall Cabinet..... <i>For All Plywood Box Construction, Add</i>	239.94 40.08	22.16
06 41 13 00-0064 EA 18" Wide, 30" High x 12" Deep, Single Door, Solid Maple Face Frame and Door, Wall Cabinet..... <i>For All Plywood Box Construction, Add</i>	255.49 40.08	26.59
06 41 13 00-0065 EA 21" Wide, 30" High x 12" Deep, Single Door, Solid Maple Face Frame and Door, Wall Cabinet..... <i>For All Plywood Box Construction, Add</i>	274.08 40.08	31.03
06 41 13 00-0066 EA 24" Wide, 30" High x 12" Deep, Single Door, Solid Maple Face Frame and Door, Wall Cabinet..... <i>For All Plywood Box Construction, Add</i>	292.11 40.08	35.45
06 41 13 00-0067 EA 27" Wide, 30" High x 12" Deep, Double Door, Solid Maple Face Frame and Door, Wall Cabinet..... <i>For All Plywood Box Construction, Add</i>	319.08 40.08	39.91
06 41 13 00-0068 EA 30" Wide, 30" High x 12" Deep, Double Door, Solid Maple Face Frame and Door, Wall Cabinet..... <i>For All Plywood Box Construction, Add</i>	326.65 40.08	44.33
06 41 13 00-0069 EA 33" Wide, 30" High x 12" Deep, Double Door, Solid Maple Face Frame and Door, Wall Cabinet..... <i>For All Plywood Box Construction, Add</i>	355.28 40.08	48.75
06 41 13 00-0070 EA 36" Wide, 30" High x 12" Deep, Double Door, Solid Maple Face Frame and Door, Wall Cabinet..... <i>For All Plywood Box Construction, Add</i>	365.68 40.08	53.19
06 41 13 00-0071 Wall Cabinets, 36" High, 12" Deep (06 41 13 00-0002)		
06 41 13 00-0072 EA 12" Wide, 36" High x 12" Deep, Single Door, Solid Maple Face Frame and Door, Wall Cabinet..... <i>For All Plywood Box Construction, Add</i>	247.24 40.08	17.73
06 41 13 00-0073 EA 15" Wide, 36" High x 12" Deep, Single Door, Solid Maple Face Frame and Door, Wall Cabinet..... <i>For All Plywood Box Construction, Add</i>	267.26 40.08	22.16
06 41 13 00-0074 EA 18" Wide, 36" High x 12" Deep, Single Door, Solid Maple Face Frame and Door, Wall Cabinet..... <i>For All Plywood Box Construction, Add</i>	284.64 40.08	26.59
06 41 13 00-0075 EA 21" Wide, 36" High x 12" Deep, Single Door, Solid Maple Face Frame and Door, Wall Cabinet..... <i>For All Plywood Box Construction, Add</i>	304.44 40.08	31.03
06 41 13 00-0076 EA 24" Wide, 36" High x 12" Deep, Single Door, Solid Maple Face Frame and Door, Wall Cabinet..... <i>For All Plywood Box Construction, Add</i>	354.65 40.08	35.45
06 41 13 00-0077 EA 27" Wide, 36" High x 12" Deep, Double Door, Solid Maple Face Frame and Door, Wall Cabinet..... <i>For All Plywood Box Construction, Add</i>	356.73 40.08	39.91
06 41 13 00-0078 EA 30" Wide, 36" High x 12" Deep, Double Door, Solid Maple Face Frame and Door, Wall Cabinet..... <i>For All Plywood Box Construction, Add</i>	369.16 40.08	44.33
06 41 13 00-0079 EA 33" Wide, 36" High x 12" Deep, Double Door, Solid Maple Face Frame and Door, Wall Cabinet..... <i>For All Plywood Box Construction, Add</i>	402.64 40.08	48.75
06 41 13 00-0080 EA 36" Wide, 36" High x 12" Deep, Double Door, Solid Maple Face Frame and Door, Wall Cabinet..... <i>For All Plywood Box Construction, Add</i>	413.04 40.08	53.19
06 41 13 00-0081 Wall Cabinets, 42" High, 12" Deep (06 41 13 00-0002)		

06 Wood, Plastics, and Composites**06 40 Architectural Woodwork****06 41 Architectural Wood Casework**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 41 13 00-0082	EA		12" Wide, 42" High x 12" Deep, Single Door, Solid Maple Face Frame and Door, Wall Cabinet.....	274.56	17.73
			<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0083	EA		15" Wide, 42" High x 12" Deep, Single Door, Solid Maple Face Frame and Door, Wall Cabinet.....	298.84	22.16
			<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0084	EA		18" Wide, 42" High x 12" Deep, Single Door, Solid Maple Face Frame and Door, Wall Cabinet.....	317.43	26.59
			<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0085	EA		21" Wide, 42" High x 12" Deep, Single Door, Solid Maple Face Frame and Door, Wall Cabinet.....	336.63	31.03
			<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0086	EA		24" Wide, 42" High x 12" Deep, Single Door, Solid Maple Face Frame and Door, Wall Cabinet.....	365.58	35.45
			<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0087	EA		27" Wide, 42" High x 12" Deep, Double Door, Solid Maple Face Frame and Door, Wall Cabinet.....	389.52	39.91
			<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0088	EA		30" Wide, 42" High x 12" Deep, Double Door, Solid Maple Face Frame and Door, Wall Cabinet.....	409.23	44.33
			<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0089	EA		33" Wide, 42" High x 12" Deep, Double Door, Solid Maple Face Frame and Door, Wall Cabinet.....	446.97	48.75
			<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0090	EA		36" Wide, 42" High x 12" Deep, Double Door, Solid Maple Face Frame and Door, Wall Cabinet.....	460.40	53.19
			<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0091			Wall Cabinets, 12" High, 23-3/4" Deep (06 41 13 00-0002)		
06 41 13 00-0092	EA		30" Wide, 12" High x 23-3/4" Deep, Double Door, Solid Maple Face Frame and Door, Wall Cabinet.....	261.80	44.33
			<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0093	EA		33" Wide, 12" High x 23-3/4" Deep, Double Door, Solid Maple Face Frame and Door, Wall Cabinet.....	280.39	48.75
			<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0094	EA		36" Wide, 12" High x 23-3/4" Deep, Double Door, Solid Maple Face Frame and Door, Wall Cabinet.....	300.61	53.19
			<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0095	EA		39" Wide, 12" High x 23-3/4" Deep, Double Door, Solid Maple Face Frame and Door, Wall Cabinet.....	324.20	57.62
			<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0096	EA		48" Wide, 12" High x 23-3/4" Deep, Triple Door, Solid Maple Face Frame and Door, Wall Cabinet.....	380.63	70.92
			<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0097			Utility Cabinets, 84" High (06 41 13 00-0002)		
06 41 13 00-0098	EA		15" Wide, 84" High x 12" Deep, Two Door, Solid Maple Face Frame and Door, Pantry Cabinet.....	503.72	39.40
			<i>For All Plywood Box Construction, Add</i>	148.16	
06 41 13 00-0099	EA		18" Wide, 84" High x 12" Deep, Two Door, Solid Maple Face Frame and Door, Pantry Cabinet.....	568.37	47.27
			<i>For All Plywood Box Construction, Add</i>	148.16	
06 41 13 00-0100	EA		21" Wide, 84" High x 12" Deep, Two Door, Solid Maple Face Frame and Door, Pantry Cabinet.....	637.25	370.34
			<i>For All Plywood Box Construction, Add</i>	148.16	
06 41 13 00-0101	EA		24" Wide, 84" High x 12" Deep, Two Door, Solid Maple Face Frame and Door, Pantry Cabinet.....	670.33	63.04
			<i>For All Plywood Box Construction, Add</i>	148.16	
06 41 13 00-0102	EA		30" Wide, 84" High x 12" Deep, Four Door, Solid Maple Face Frame and Door, Pantry Cabinet.....	806.03	78.79
			<i>For All Plywood Box Construction, Add</i>	148.16	
06 41 13 00-0103	EA		36" Wide, 84" High x 12" Deep, Four Door, Solid Maple Face Frame and Door, Pantry Cabinet.....	925.93	94.56
			<i>For All Plywood Box Construction, Add</i>	148.16	
06 41 13 00-0104	EA		15" Wide, 84" High x 24" Deep, Two Door, Solid Maple Face Frame and Door, Pantry Cabinet.....	565.66	39.40
			<i>For All Plywood Box Construction, Add</i>	148.16	
06 41 13 00-0105	EA		18" Wide, 84" High x 24" Deep, Two Door, Solid Maple Face Frame and Door, Pantry Cabinet.....	624.84	47.27
			<i>For All Plywood Box Construction, Add</i>	148.16	
06 41 13 00-0106	EA		21" Wide, 84" High x 24" Deep, Two Door, Solid Maple Face Frame and Door, Pantry Cabinet.....	711.33	55.16
			<i>For All Plywood Box Construction, Add</i>	148.16	
06 41 13 00-0107	EA		24" Wide, 84" High x 24" Deep, Two Door, Solid Maple Face Frame and Door, Pantry Cabinet.....	755.94	63.04
			<i>For All Plywood Box Construction, Add</i>	148.16	
06 41 13 00-0108	EA		30" Wide, 84" High x 24" Deep, Four Door, Solid Maple Face Frame and Door, Pantry Cabinet.....	931.72	78.79
			<i>For All Plywood Box Construction, Add</i>	148.16	
06 41 13 00-0109	EA		36" Wide, 84" High x 24" Deep, Four Door, Solid Maple Face Frame and Door, Pantry Cabinet.....	1,061.94	94.56
			<i>For All Plywood Box Construction, Add</i>	148.16	
06 41 13 00-0110			Solid Oak Face Frame And Door, Wall And Base Cabinets (06 41 13 00-0001)		
06 41 13 00-0111			Base Cabinets, 35" High, 23-3/4" Deep (06 41 13 00-0110)		
06 41 13 00-0112	EA		12" Wide, 35" High x 23-3/4" Deep, Single Drawer and Single Door, Solid Oak Face Frame, Door and Drawer Front, Base Cabinet.....	229.63	17.73
			<i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i>	71.65	
			<i>For All Plywood Box Construction, Add</i>	74.69	
06 41 13 00-0113	EA		15" Wide, 35" High x 23-3/4" Deep, Single Drawer and Single Door, Solid Oak Face Frame, Door and Drawer Front, Base Cabinet.....	243.68	22.16
			<i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i>	71.65	
			<i>For All Plywood Box Construction, Add</i>	74.69	
06 41 13 00-0114	EA		18" Wide, 35" High x 23-3/4" Deep, Single Drawer and Single Door, Solid Oak Face Frame, Door and Drawer Front, Base Cabinet.....	254.58	26.59
			<i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i>	71.65	
			<i>For All Plywood Box Construction, Add</i>	74.69	
06 41 13 00-0115	EA		21" Wide, 35" High x 23-3/4" Deep, Single Drawer and Single Door, Solid Oak Face Frame, Door and Drawer Front, Base Cabinet.....	267.72	31.03
			<i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i>	71.65	
			<i>For All Plywood Box Construction, Add</i>	74.69	
06 41 13 00-0116	EA		24" Wide, 35" High x 23-3/4" Deep, Single Drawer and Single Door, Solid Oak Face Frame, Door and Drawer Front, Base Cabinet.....	302.23	35.45
			<i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i>	71.65	
			<i>For All Plywood Box Construction, Add</i>	74.69	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 41 13 00-0117 EA 27" Wide, 35" High x 23-3/4" Deep, Single Drawer and Double Door, Solid Oak Face Frame, Door and Drawer Front, Base Cabinet.....	315.85	39.89
For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add	71.65	
For All Plywood Box Construction, Add	74.69	
06 41 13 00-0118 EA 30" Wide, 35" High x 23-3/4" Deep, Single Drawer and Double Door, Solid Oak Face Frame, Door and Drawer Front, Base Cabinet.....	340.13	44.33
For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add	71.65	
For All Plywood Box Construction, Add	74.69	
06 41 13 00-0119 EA 33" Wide, 35" High x 23-3/4" Deep, Single Drawer and Double Door, Solid Oak Face Frame, Door and Drawer Front, Base Cabinet.....	358.11	48.75
For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add	71.65	
For All Plywood Box Construction, Add	74.69	
06 41 13 00-0120 EA 36" Wide, 35" High x 23-3/4" Deep, Single Drawer and Double Door, Solid Oak Face Frame, Door and Drawer Front, Base Cabinet.....	369.22	53.19
For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add	71.65	
For All Plywood Box Construction, Add	74.69	
06 41 13 00-0121 EA 48" Wide, 35" High x 23-3/4" Deep, Double Drawer and Double Door, Solid Oak Face Frame, Door and Drawer Front, Base Cabinet.....	419.94	70.92
For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add	143.30	
For All Plywood Box Construction, Add	74.69	
06 41 13 00-0122 EA 30" Wide, 35" High x 23-3/4" Deep, Double Drawer with False Panel Drawer Front, Solid Oak Face Frame and Drawer Fronts, Base Cabinet.....	460.35	44.33
For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add	143.30	
For All Plywood Box Construction, Add	74.69	
06 41 13 00-0123 EA 36" Wide, 35" High x 23-3/4" Deep, Double Drawer with False Panel Drawer Front, Solid Oak Face Frame and Drawer Fronts, Base Cabinet.....	509.48	53.19
For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add	143.30	
For All Plywood Box Construction, Add	74.69	
06 41 13 00-0124 EA 30" Wide, 35" High x 23-3/4" Deep, Triple Drawer with False Panel Drawer Front, Solid Oak Face Frame and Drawer Fronts, Base Cabinet.....	482.21	44.33
For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add	214.95	
For All Plywood Box Construction, Add	74.69	
06 41 13 00-0125 EA 36" Wide, 35" High x 23-3/4" Deep, Triple Drawer with False Panel Drawer Front, Solid Oak Face Frame and Drawer Fronts, Base Cabinet.....	536.81	53.19
For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add	214.95	
For All Plywood Box Construction, Add	74.69	
06 41 13 00-0126 EA 12" Wide, 35" High x 23-3/4" Deep, Three Drawer Base, Solid Oak Face Frame and Drawer Fronts, Base Cabinet.....	233.28	17.73
For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add	214.95	
For All Plywood Box Construction, Add	74.69	
06 41 13 00-0127 EA 15" Wide, 35" High x 23-3/4" Deep, Three Drawer Base, Solid Oak Face Frame and Drawer Fronts, Base Cabinet.....	238.82	22.16
For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add	214.95	
For All Plywood Box Construction, Add	74.69	
06 41 13 00-0128 EA 18" Wide, 35" High x 23-3/4" Deep, Three Drawer Base, Solid Oak Face Frame and Drawer Fronts, Base Cabinet.....	259.43	26.59
For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add	214.95	
For All Plywood Box Construction, Add	74.69	
06 41 13 00-0129 EA 21" Wide, 35" High x 23-3/4" Deep, Three Drawer Base, Solid Oak Face Frame and Drawer Fronts, Base Cabinet.....	275.62	31.03
For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add	214.95	
For All Plywood Box Construction, Add	74.69	
06 41 13 00-0130 EA 24" Wide, 35" High x 23-3/4" Deep, Three Drawer Base, Solid Oak Face Frame and Drawer Fronts, Base Cabinet.....	287.05	35.45
For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add	214.95	
For All Plywood Box Construction, Add	74.69	
06 41 13 00-0131 EA 27" Wide, 35" High x 23-3/4" Deep, Three Drawer Base, Solid Oak Face Frame and Drawer Fronts, Base Cabinet.....	300.67	39.89
For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add	214.95	
For All Plywood Box Construction, Add	74.69	
06 41 13 00-0132 EA 30" Wide, 35" High x 23-3/4" Deep, Three Drawer Base, Solid Oak Face Frame and Drawer Fronts, Base Cabinet.....	481.00	44.33
For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add	214.95	
For All Plywood Box Construction, Add	74.69	
06 41 13 00-0133 EA 33" Wide, 35" High x 23-3/4" Deep, Three Drawer Base, Solid Oak Face Frame and Drawer Fronts, Base Cabinet.....	506.27	48.75
For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add	214.95	
For All Plywood Box Construction, Add	74.69	
06 41 13 00-0134 EA 36" Wide, 35" High x 23-3/4" Deep, Three Drawer Base, Solid Oak Face Frame and Drawer Fronts, Base Cabinet.....	531.95	53.19
For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add	214.95	
For All Plywood Box Construction, Add	74.69	
06 41 13 00-0135 EA 12" Wide, 35" High x 23-3/4" Deep, Four Drawer Base, Solid Oak Face Frame and Drawer Fronts, Base Cabinet.....	281.85	17.73
For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add	286.60	
For All Plywood Box Construction, Add	74.69	
06 41 13 00-0136 EA 15" Wide, 35" High x 23-3/4" Deep, Four Drawer Base, Solid Oak Face Frame and Drawer Fronts, Base Cabinet.....	288.61	22.16
For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add	286.60	
For All Plywood Box Construction, Add	74.69	
06 41 13 00-0137 EA 18" Wide, 35" High x 23-3/4" Deep, Four Drawer Base, Solid Oak Face Frame and Drawer Fronts, Base Cabinet.....	312.26	26.59
For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add	286.60	
For All Plywood Box Construction, Add	74.69	
06 41 13 00-0138 EA 21" Wide, 35" High x 23-3/4" Deep, Four Drawer Base, Solid Oak Face Frame and Drawer Fronts, Base Cabinet.....	331.48	31.03
For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add	286.60	
For All Plywood Box Construction, Add	74.69	
06 41 13 00-0139 EA 24" Wide, 35" High x 23-3/4" Deep, Four Drawer Base, Solid Oak Face Frame and Drawer Fronts, Base Cabinet.....	347.77	35.45
For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add	286.60	
For All Plywood Box Construction, Add	74.69	
06 41 13 00-0140 EA 27" Wide, 35" High x 23-3/4" Deep, Four Drawer Base, Solid Oak Face Frame and Drawer Fronts, Base Cabinet.....	365.03	39.89
For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add	286.60	
For All Plywood Box Construction, Add	74.69	
06 41 13 00-0141 EA 30" Wide, 35" High x 23-3/4" Deep, Four Drawer Base, Solid Oak Face Frame and Drawer Fronts, Base Cabinet.....	503.46	44.33
For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add	286.60	
For All Plywood Box Construction, Add	74.69	

06 Wood, Plastics, and Composites**06 40 Architectural Woodwork****06 41 Architectural Wood Casework**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 41 13 00-0142	EA		33" Wide, 35" High x 23-3/4" Deep, Four Drawer Base, Solid Oak Face Frame and Drawer Fronts, Base Cabinet.....	531.77	48.75
			<i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i>	286.60	
			<i>For All Plywood Box Construction, Add</i>	74.69	
06 41 13 00-0143	EA		36" Wide, 35" High x 23-3/4" Deep, Four Drawer Base, Solid Oak Face Frame and Drawer Fronts, Base Cabinet.....	561.09	53.19
			<i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i>	286.60	
			<i>For All Plywood Box Construction, Add</i>	74.69	
06 41 13 00-0144			Wall Cabinets, 12" High, 12" Deep (06 41 13 00-0110)		
06 41 13 00-0145	EA		30" Wide, 12" High x 12" Deep, Double Door, Solid Oak Face Frame and Doors, Wall Cabinet.....	207.78	44.33
			<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0146	EA		33" Wide, 12" High x 12" Deep, Double Door, Solid Oak Face Frame and Doors, Wall Cabinet.....	220.63	48.75
			<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0147	EA		36" Wide, 12" High x 12" Deep, Double Door, Solid Oak Face Frame and Doors, Wall Cabinet.....	242.83	53.19
			<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0148	EA		39" Wide, 12" High x 12" Deep, Double Door, Solid Oak Face Frame and Doors, Wall Cabinet.....	258.01	57.62
			<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0149			Wall Cabinets, 14" High, 12" Deep (06 41 13 00-0110)		
06 41 13 00-0150	EA		12" Wide, 14" High x 12" Deep, Single Door, Solid Oak Face Frame and Door, Wall Cabinet.....	177.13	17.73
			<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0151	EA		15" Wide, 14" High x 12" Deep, Single Door, Solid Oak Face Frame and Door, Wall Cabinet.....	181.34	22.16
			<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0152	EA		18" Wide, 14" High x 12" Deep, Single Door, Solid Oak Face Frame and Door, Wall Cabinet.....	189.79	26.59
			<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0153	EA		21" Wide, 14" High x 12" Deep, Single Door, Solid Oak Face Frame and Door, Wall Cabinet.....	195.21	31.03
			<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0154	EA		24" Wide, 14" High x 12" Deep, Single Door, Solid Oak Face Frame and Door, Wall Cabinet.....	200.62	35.45
			<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0155	EA		30" Wide, 14" High x 12" Deep, Double Door, Solid Oak Face Frame and Door, Wall Cabinet.....	209.68	44.33
			<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0156	EA		33" Wide, 14" High x 12" Deep, Double Door, Solid Oak Face Frame and Door, Wall Cabinet.....	223.61	48.75
			<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0157	EA		36" Wide, 14" High x 12" Deep, Double Door, Solid Oak Face Frame and Door, Wall Cabinet.....	242.83	53.19
			<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0158	EA		39" Wide, 14" High x 12" Deep, Double Door, Solid Oak Face Frame and Door, Wall Cabinet.....	258.01	57.62
			<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0159			Wall Cabinets, 18" High, 12" Deep (06 41 13 00-0110)		
06 41 13 00-0160	EA		12" Wide, 18" High x 12" Deep, Single Door, Solid Oak Face Frame and Door, Wall Cabinet.....	183.21	17.73
			<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0161	EA		15" Wide, 18" High x 12" Deep, Single Door, Solid Oak Face Frame and Door, Wall Cabinet.....	192.27	22.16
			<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0162	EA		18" Wide, 18" High x 12" Deep, Single Door, Solid Oak Face Frame and Door, Wall Cabinet.....	199.51	26.59
			<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0163	EA		21" Wide, 18" High x 12" Deep, Single Door, Solid Oak Face Frame and Door, Wall Cabinet.....	207.35	31.03
			<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0164	EA		24" Wide, 18" High x 12" Deep, Single Door, Solid Oak Face Frame and Door, Wall Cabinet.....	217.62	35.45
			<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0165	EA		27" Wide, 18" High x 12" Deep, Double Door, Solid Oak Face Frame and Door, Wall Cabinet.....	229.44	39.91
			<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0166	EA		30" Wide, 18" High x 12" Deep, Double Door, Solid Oak Face Frame and Door, Wall Cabinet.....	239.43	44.33
			<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0167	EA		33" Wide, 18" High x 12" Deep, Double Door, Solid Oak Face Frame and Door, Wall Cabinet.....	248.50	48.75
			<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0168	EA		36" Wide, 18" High x 12" Deep, Double Door, Solid Oak Face Frame and Door, Wall Cabinet.....	253.76	53.19
			<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0169			Wall Cabinets, 30" High, 12" Deep (06 41 13 00-0110)		
06 41 13 00-0170	EA		12" Wide, 30" High x 12" Deep, Single Door, Solid Oak Face Frame and Door, Wall Cabinet.....	202.30	17.73
			<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0171	EA		15" Wide, 30" High x 12" Deep, Single Door, Solid Oak Face Frame and Door, Wall Cabinet.....	219.29	22.16
			<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0172	EA		18" Wide, 30" High x 12" Deep, Single Door, Solid Oak Face Frame and Door, Wall Cabinet.....	233.03	26.59
			<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0173	EA		21" Wide, 30" High x 12" Deep, Single Door, Solid Oak Face Frame and Door, Wall Cabinet.....	249.19	31.03
			<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0174	EA		24" Wide, 30" High x 12" Deep, Single Door, Solid Oak Face Frame and Door, Wall Cabinet.....	265.39	35.45
			<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0175	EA		27" Wide, 30" High x 12" Deep, Double Door, Solid Oak Face Frame and Door, Wall Cabinet.....	289.33	39.91
			<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0176	EA		30" Wide, 30" High x 12" Deep, Double Door, Solid Oak Face Frame and Door, Wall Cabinet.....	296.29	44.33
			<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0177	EA		33" Wide, 30" High x 12" Deep, Double Door, Solid Oak Face Frame and Door, Wall Cabinet.....	321.28	48.75
			<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0178	EA		36" Wide, 30" High x 12" Deep, Double Door, Solid Oak Face Frame and Door, Wall Cabinet.....	331.07	53.19
			<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0179			Wall Cabinets, 36" High, 12" Deep (06 41 13 00-0110)		



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 41 13 00-0180 EA 12" Wide, 36" High x 12" Deep, Single Door, Solid Oak Face Frame and Door, Wall Cabinet..... <i>For All Plywood Box Construction, Add</i>	225.38 40.08	17.73
06 41 13 00-0181 EA 15" Wide, 36" High x 12" Deep, Single Door, Solid Oak Face Frame and Door, Wall Cabinet..... <i>For All Plywood Box Construction, Add</i>	242.98 40.08	22.16
06 41 13 00-0182 EA 18" Wide, 36" High x 12" Deep, Single Door, Solid Oak Face Frame and Door, Wall Cabinet..... <i>For All Plywood Box Construction, Add</i>	258.53 40.08	26.59
06 41 13 00-0183 EA 21" Wide, 36" High x 12" Deep, Single Door, Solid Oak Face Frame and Door, Wall Cabinet..... <i>For All Plywood Box Construction, Add</i>	275.91 40.08	31.03
06 41 13 00-0184 EA 24" Wide, 36" High x 12" Deep, Single Door, Solid Oak Face Frame and Door, Wall Cabinet..... <i>For All Plywood Box Construction, Add</i>	320.64 40.08	35.45
06 41 13 00-0185 EA 27" Wide, 36" High x 12" Deep, Double Door, Solid Oak Face Frame and Door, Wall Cabinet..... <i>For All Plywood Box Construction, Add</i>	322.12 40.08	39.91
06 41 13 00-0186 EA 30" Wide, 36" High x 12" Deep, Double Door, Solid Oak Face Frame and Door, Wall Cabinet..... <i>For All Plywood Box Construction, Add</i>	333.33 40.08	44.33
06 41 13 00-0187 EA 33" Wide, 36" High x 12" Deep, Double Door, Solid Oak Face Frame and Door, Wall Cabinet..... <i>For All Plywood Box Construction, Add</i>	363.17 40.08	48.75
06 41 13 00-0188 EA 36" Wide, 36" High x 12" Deep, Double Door, Solid Oak Face Frame and Door, Wall Cabinet..... <i>For All Plywood Box Construction, Add</i>	372.36 40.08	53.19
06 41 13 00-0189 Wall Cabinets, 42" High, 12" Deep (06 41 13 00-0110)		
06 41 13 00-0190 EA 12" Wide, 42" High x 12" Deep, Single Door, Solid Oak Face Frame and Door, Wall Cabinet..... <i>For All Plywood Box Construction, Add</i>	249.06 40.08	17.73
06 41 13 00-0191 EA 15" Wide, 42" High x 12" Deep, Single Door, Solid Oak Face Frame and Door, Wall Cabinet..... <i>For All Plywood Box Construction, Add</i>	270.91 40.08	22.16
06 41 13 00-0192 EA 18" Wide, 42" High x 12" Deep, Single Door, Solid Oak Face Frame and Door, Wall Cabinet..... <i>For All Plywood Box Construction, Add</i>	287.68 40.08	26.59
06 41 13 00-0193 EA 21" Wide, 42" High x 12" Deep, Single Door, Solid Oak Face Frame and Door, Wall Cabinet..... <i>For All Plywood Box Construction, Add</i>	304.44 40.08	31.03
06 41 13 00-0194 EA 24" Wide, 42" High x 12" Deep, Single Door, Solid Oak Face Frame and Door, Wall Cabinet..... <i>For All Plywood Box Construction, Add</i>	330.36 40.08	35.45
06 41 13 00-0195 EA 27" Wide, 42" High x 12" Deep, Double Door, Solid Oak Face Frame and Door, Wall Cabinet..... <i>For All Plywood Box Construction, Add</i>	351.27 40.08	39.91
06 41 13 00-0196 EA 30" Wide, 42" High x 12" Deep, Double Door, Solid Oak Face Frame and Door, Wall Cabinet..... <i>For All Plywood Box Construction, Add</i>	368.55 40.08	44.33
06 41 13 00-0197 EA 33" Wide, 42" High x 12" Deep, Double Door, Solid Oak Face Frame and Door, Wall Cabinet..... <i>For All Plywood Box Construction, Add</i>	402.04 40.08	48.75
06 41 13 00-0198 EA 36" Wide, 42" High x 12" Deep, Double Door, Solid Oak Face Frame and Door, Wall Cabinet..... <i>For All Plywood Box Construction, Add</i>	414.26 40.08	53.19
06 41 13 00-0199 Wall Cabinets, 12" High, 23-3/4" Deep (06 41 13 00-0110)		
06 41 13 00-0200 EA 30" Wide, 12" High x 23-3/4" Deep, Double Door, Solid Oak Face Frame and Door, Wall Cabinet..... <i>For All Plywood Box Construction, Add</i>	238.12 40.08	44.33
06 41 13 00-0201 EA 33" Wide, 12" High x 23-3/4" Deep, Double Door, Solid Oak Face Frame and Door, Wall Cabinet..... <i>For All Plywood Box Construction, Add</i>	254.89 40.08	48.75
06 41 13 00-0202 EA 36" Wide, 12" High x 23-3/4" Deep, Double Door, Solid Oak Face Frame and Door, Wall Cabinet..... <i>For All Plywood Box Construction, Add</i>	272.67 40.08	53.19
06 41 13 00-0203 EA 39" Wide, 12" High x 23-3/4" Deep, Double Door, Solid Oak Face Frame and Door, Wall Cabinet..... <i>For All Plywood Box Construction, Add</i>	293.84 40.08	57.62
06 41 13 00-0204 EA 48" Wide, 12" High x 23-3/4" Deep, Triple Door, Solid Oak Face Frame and Door, Wall Cabinet..... <i>For All Plywood Box Construction, Add</i>	343.59 40.08	70.92
06 41 13 00-0205 Utility Cabinets, 84" High (06 41 13 00-0110)		
06 41 13 00-0206 EA 15" Wide, 84" High x 12" Deep, Two Door, Solid Oak Face Frame and Door, Pantry Cabinet..... <i>For All Plywood Box Construction, Add</i>	460.00 148.16	39.40
06 41 13 00-0207 EA 18" Wide, 84" High x 12" Deep, Two Door, Solid Oak Face Frame and Door, Pantry Cabinet..... <i>For All Plywood Box Construction, Add</i>	518.58 148.16	47.27
06 41 13 00-0208 EA 21" Wide, 84" High x 12" Deep, Two Door, Solid Oak Face Frame and Door, Pantry Cabinet..... <i>For All Plywood Box Construction, Add</i>	580.78 148.16	370.34
06 41 13 00-0209 EA 24" Wide, 84" High x 12" Deep, Two Door, Solid Oak Face Frame and Door, Pantry Cabinet..... <i>For All Plywood Box Construction, Add</i>	611.43 148.16	63.04
06 41 13 00-0210 EA 30" Wide, 84" High x 12" Deep, Four Door, Solid Oak Face Frame and Door, Pantry Cabinet..... <i>For All Plywood Box Construction, Add</i>	731.95 148.16	78.79
06 41 13 00-0211 EA 36" Wide, 84" High x 12" Deep, Four Door, Solid Oak Face Frame and Door, Pantry Cabinet..... <i>For All Plywood Box Construction, Add</i>	839.10 148.16	94.56
06 41 13 00-0212 EA 15" Wide, 84" High x 24" Deep, Two Door, Solid Oak Face Frame and Door, Pantry Cabinet..... <i>For All Plywood Box Construction, Add</i>	514.65 148.16	39.40
06 41 13 00-0213 EA 18" Wide, 84" High x 24" Deep, Two Door, Solid Oak Face Frame and Door, Pantry Cabinet..... <i>For All Plywood Box Construction, Add</i>	568.37 148.16	47.27
06 41 13 00-0214 EA 21" Wide, 84" High x 24" Deep, Two Door, Solid Oak Face Frame and Door, Pantry Cabinet..... <i>For All Plywood Box Construction, Add</i>	645.76 148.16	55.16
06 41 13 00-0215 EA 24" Wide, 84" High x 24" Deep, Two Door, Solid Oak Face Frame and Door, Pantry Cabinet..... <i>For All Plywood Box Construction, Add</i>	686.72 148.16	63.04
06 41 13 00-0216 EA 30" Wide, 84" High x 24" Deep, Four Door, Solid Oak Face Frame and Door, Pantry Cabinet..... <i>For All Plywood Box Construction, Add</i>	842.46 148.16	78.79
06 41 13 00-0217 EA 36" Wide, 84" High x 24" Deep, Four Door, Solid Oak Face Frame and Door, Pantry Cabinet..... <i>For All Plywood Box Construction, Add</i>	958.72 148.16	94.56
06 41 13 00-0218 Solid Wood Face Frame And Thermofoil Door, Wall And Base Cabinets (06 41 13 00-0001)		

06 Wood, Plastics, and Composites**06 40 Architectural Woodwork****06 41 Architectural Wood Casework**MINOR
CSI UOM DESCRIPTIONTOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 41 13 00-0219			Base Cabinets, 35" High, 23-3/4" Deep <small>(06 41 13 00-0218)</small>		
06 41 13 00-0220	EA		12" Wide, 35" High x 23-3/4" Deep, Single Drawer and Single Door, Solid Wood Face Frame, Thermofoil Door and Drawer Front, Base Cabinet.....	229.63	17.73
			<i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i>	71.65	
			<i>For All Plywood Box Construction, Add</i>	74.69	
06 41 13 00-0221	EA		15" Wide, 35" High x 23-3/4" Deep, Single Drawer and Single Door, Solid Wood Face Frame, Thermofoil Door and Drawer Front, Base Cabinet.....	243.68	22.16
			<i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i>	71.65	
			<i>For All Plywood Box Construction, Add</i>	74.69	
06 41 13 00-0222	EA		18" Wide, 35" High x 23-3/4" Deep, Single Drawer and Single Door, Solid Wood Face Frame, Thermofoil Door and Drawer Front, Base Cabinet.....	254.58	26.59
			<i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i>	71.65	
			<i>For All Plywood Box Construction, Add</i>	74.69	
06 41 13 00-0223	EA		21" Wide, 35" High x 23-3/4" Deep, Single Drawer and Single Door, Solid Wood Face Frame, Thermofoil Door and Drawer Front, Base Cabinet.....	267.72	31.03
			<i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i>	71.65	
			<i>For All Plywood Box Construction, Add</i>	74.69	
06 41 13 00-0224	EA		24" Wide, 35" High x 23-3/4" Deep, Single Drawer and Single Door, Solid Wood Face Frame, Thermofoil Door and Drawer Front, Base Cabinet.....	302.23	35.45
			<i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i>	71.65	
			<i>For All Plywood Box Construction, Add</i>	74.69	
06 41 13 00-0225	EA		27" Wide, 35" High x 23-3/4" Deep, Single Drawer and Double Door, Solid Wood Face Frame, Thermofoil Door and Drawer Front, Base Cabinet.....	315.85	39.89
			<i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i>	71.65	
			<i>For All Plywood Box Construction, Add</i>	74.69	
06 41 13 00-0226	EA		30" Wide, 35" High x 23-3/4" Deep, Single Drawer and Double Door, Solid Wood Face Frame, Thermofoil Door and Drawer Front, Base Cabinet.....	340.13	44.33
			<i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i>	71.65	
			<i>For All Plywood Box Construction, Add</i>	74.69	
06 41 13 00-0227	EA		33" Wide, 35" High x 23-3/4" Deep, Single Drawer and Double Door, Solid Wood Face Frame, Thermofoil Door and Drawer Front, Base Cabinet.....	358.11	48.75
			<i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i>	71.65	
			<i>For All Plywood Box Construction, Add</i>	74.69	
06 41 13 00-0228	EA		36" Wide, 35" High x 23-3/4" Deep, Single Drawer and Double Door, Solid Wood Face Frame, Thermofoil Door and Drawer Front, Base Cabinet.....	369.22	53.19
			<i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i>	71.65	
			<i>For All Plywood Box Construction, Add</i>	74.69	
06 41 13 00-0229	EA		48" Wide, 35" High x 23-3/4" Deep, Double Drawer and Double Door, Solid Wood Face Frame, Thermofoil Door and Drawer Front, Base Cabinet.....	419.94	70.92
			<i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i>	143.30	
			<i>For All Plywood Box Construction, Add</i>	74.69	
06 41 13 00-0230	EA		30" Wide, 35" High x 23-3/4" Deep, Double Drawer with False Panel Drawer Front, Solid Wood Face Frame and Thermofoil Drawer Fronts, Base Cabinet.....	460.35	44.33
			<i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i>	143.30	
			<i>For All Plywood Box Construction, Add</i>	74.69	
06 41 13 00-0231	EA		36" Wide, 35" High x 23-3/4" Deep, Double Drawer with False Panel Drawer Front, Solid Wood Face Frame and Thermofoil Drawer Fronts, Base Cabinet.....	509.48	53.19
			<i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i>	143.30	
			<i>For All Plywood Box Construction, Add</i>	74.69	
06 41 13 00-0232	EA		30" Wide, 35" High x 23-3/4" Deep, Triple Drawer with False Panel Drawer Front, Solid Wood Face Frame and Thermofoil Drawer Fronts, Base Cabinet.....	482.21	44.33
			<i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i>	214.95	
			<i>For All Plywood Box Construction, Add</i>	74.69	
06 41 13 00-0233	EA		36" Wide, 35" High x 23-3/4" Deep, Triple Drawer with False Panel Drawer Front, Solid Wood Face Frame and Thermofoil Drawer Fronts, Base Cabinet.....	536.81	53.19
			<i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i>	214.95	
			<i>For All Plywood Box Construction, Add</i>	74.69	
06 41 13 00-0234	EA		12" Wide, 35" High x 23-3/4" Deep, Three Drawer Base, Solid Wood Face Frame and Thermofoil Drawer Fronts, Base Cabinet.....	233.28	17.73
			<i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i>	214.95	
			<i>For All Plywood Box Construction, Add</i>	74.69	
06 41 13 00-0235	EA		15" Wide, 35" High x 23-3/4" Deep, Three Drawer Base, Solid Wood Face Frame and Thermofoil Drawer Fronts, Base Cabinet.....	238.82	22.16
			<i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i>	214.95	
			<i>For All Plywood Box Construction, Add</i>	74.69	
06 41 13 00-0236	EA		18" Wide, 35" High x 23-3/4" Deep, Three Drawer Base, Solid Wood Face Frame and Thermofoil Drawer Fronts, Base Cabinet.....	259.43	26.59
			<i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i>	214.95	
			<i>For All Plywood Box Construction, Add</i>	74.69	
06 41 13 00-0237	EA		21" Wide, 35" High x 23-3/4" Deep, Three Drawer Base, Solid Wood Face Frame and Thermofoil Drawer Fronts, Base Cabinet.....	275.62	31.03
			<i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i>	214.95	
			<i>For All Plywood Box Construction, Add</i>	74.69	
06 41 13 00-0238	EA		24" Wide, 35" High x 23-3/4" Deep, Three Drawer Base, Solid Wood Face Frame and Thermofoil Drawer Fronts, Base Cabinet.....	287.05	35.45
			<i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i>	214.95	
			<i>For All Plywood Box Construction, Add</i>	74.69	
06 41 13 00-0239	EA		27" Wide, 35" High x 23-3/4" Deep, Three Drawer Base, Solid Wood Face Frame and Thermofoil Drawer Fronts, Base Cabinet.....	300.67	39.89
			<i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i>	214.95	
			<i>For All Plywood Box Construction, Add</i>	74.69	
06 41 13 00-0240	EA		30" Wide, 35" High x 23-3/4" Deep, Three Drawer Base, Solid Wood Face Frame and Thermofoil Drawer Fronts, Base Cabinet.....	481.00	44.33
			<i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i>	214.95	
			<i>For All Plywood Box Construction, Add</i>	74.69	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 41 13 00-0241 EA 33" Wide, 35" High x 23-3/4" Deep, Three Drawer Base, Solid Wood Face Frame and Thermofoil Drawer Fronts, Base Cabinet <i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i> <i>For All Plywood Box Construction, Add</i>	506.27 214.95 74.69	48.75
06 41 13 00-0242 EA 36" Wide, 35" High x 23-3/4" Deep, Three Drawer Base, Solid Wood Face Frame and Thermofoil Drawer Fronts, Base Cabinet <i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i> <i>For All Plywood Box Construction, Add</i>	531.95 214.95 74.69	53.19
06 41 13 00-0243 EA 12" Wide, 35" High x 23-3/4" Deep, Four Drawer Base, Solid Wood Face Frame and Thermofoil Drawer Fronts, Base Cabinet <i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i> <i>For All Plywood Box Construction, Add</i>	281.85 286.60 74.69	17.73
06 41 13 00-0244 EA 15" Wide, 35" High x 23-3/4" Deep, Four Drawer Base, Solid Wood Face Frame and Thermofoil Drawer Fronts, Base Cabinet <i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i> <i>For All Plywood Box Construction, Add</i>	288.61 286.60 74.69	22.16
06 41 13 00-0245 EA 18" Wide, 35" High x 23-3/4" Deep, Four Drawer Base, Solid Wood Face Frame and Thermofoil Drawer Fronts, Base Cabinet <i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i> <i>For All Plywood Box Construction, Add</i>	312.26 286.60 74.69	26.59
06 41 13 00-0246 EA 21" Wide, 35" High x 23-3/4" Deep, Four Drawer Base, Solid Wood Face Frame and Thermofoil Drawer Fronts, Base Cabinet <i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i> <i>For All Plywood Box Construction, Add</i>	331.48 286.60 74.69	31.03
06 41 13 00-0247 EA 24" Wide, 35" High x 23-3/4" Deep, Four Drawer Base, Solid Wood Face Frame and Thermofoil Drawer Fronts, Base Cabinet <i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i> <i>For All Plywood Box Construction, Add</i>	347.77 286.60 74.69	35.45
06 41 13 00-0248 EA 27" Wide, 35" High x 23-3/4" Deep, Four Drawer Base, Solid Wood Face Frame and Thermofoil Drawer Fronts, Base Cabinet <i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i> <i>For All Plywood Box Construction, Add</i>	365.03 286.60 74.69	39.89
06 41 13 00-0249 EA 30" Wide, 35" High x 23-3/4" Deep, Four Drawer Base, Solid Wood Face Frame and Thermofoil Drawer Fronts, Base Cabinet <i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i> <i>For All Plywood Box Construction, Add</i>	503.46 286.60 74.69	44.33
06 41 13 00-0250 EA 33" Wide, 35" High x 23-3/4" Deep, Four Drawer Base, Solid Wood Face Frame and Thermofoil Drawer Fronts, Base Cabinet <i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i> <i>For All Plywood Box Construction, Add</i>	531.77 286.60 74.69	48.75
06 41 13 00-0251 EA 36" Wide, 35" High x 23-3/4" Deep, Four Drawer Base, Solid Wood Face Frame and Thermofoil Drawer Fronts, Base Cabinet <i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i> <i>For All Plywood Box Construction, Add</i>	561.09 286.60 74.69	53.19
06 41 13 00-0252 Wall Cabinets, 12" High, 12" Deep (06 41 13 00-0218)		
06 41 13 00-0253 EA 30" Wide, 12" High x 12" Deep, Double Door, Solid Wood Face Frame and Thermofoil Doors, Wall Cabinet <i>For All Plywood Box Construction, Add</i>	207.78 40.08	44.33
06 41 13 00-0254 EA 33" Wide, 12" High x 12" Deep, Double Door, Solid Wood Face Frame and Thermofoil Doors, Wall Cabinet <i>For All Plywood Box Construction, Add</i>	220.63 40.08	48.75
06 41 13 00-0255 EA 36" Wide, 12" High x 12" Deep, Double Door, Solid Wood Face Frame and Thermofoil Doors, Wall Cabinet <i>For All Plywood Box Construction, Add</i>	242.83 40.08	53.19
06 41 13 00-0256 EA 39" Wide, 12" High x 12" Deep, Double Door, Solid Wood Face Frame and Thermofoil Doors, Wall Cabinet <i>For All Plywood Box Construction, Add</i>	258.01 40.08	57.62
06 41 13 00-0257 Wall Cabinets, 14" High, 12" Deep (06 41 13 00-0218)		
06 41 13 00-0258 EA 12" Wide, 14" High x 12" Deep, Single Door, Solid Wood Face Frame and Thermofoil Door, Wall Cabinet <i>For All Plywood Box Construction, Add</i>	177.13 40.08	17.73
06 41 13 00-0259 EA 15" Wide, 14" High x 12" Deep, Single Door, Solid Wood Face Frame and Thermofoil Door, Wall Cabinet <i>For All Plywood Box Construction, Add</i>	181.34 40.08	22.16
06 41 13 00-0260 EA 18" Wide, 14" High x 12" Deep, Single Door, Solid Wood Face Frame and Thermofoil Door, Wall Cabinet <i>For All Plywood Box Construction, Add</i>	189.79 40.08	26.59
06 41 13 00-0261 EA 21" Wide, 14" High x 12" Deep, Single Door, Solid Wood Face Frame and Thermofoil Door, Wall Cabinet <i>For All Plywood Box Construction, Add</i>	195.21 40.08	31.03
06 41 13 00-0262 EA 24" Wide, 14" High x 12" Deep, Single Door, Solid Wood Face Frame and Thermofoil Door, Wall Cabinet <i>For All Plywood Box Construction, Add</i>	200.62 40.08	35.45
06 41 13 00-0263 EA 30" Wide, 14" High x 12" Deep, Double Doors, Solid Wood Face Frame and Thermofoil Doors, Wall Cabinet <i>For All Plywood Box Construction, Add</i>	209.68 40.08	44.33
06 41 13 00-0264 EA 33" Wide, 14" High x 12" Deep, Double Doors, Solid Wood Face Frame and Thermofoil Doors, Wall Cabinet <i>For All Plywood Box Construction, Add</i>	223.61 40.08	48.75
06 41 13 00-0265 EA 36" Wide, 14" High x 12" Deep, Double Doors, Solid Wood Face Frame and Thermofoil Doors, Wall Cabinet <i>For All Plywood Box Construction, Add</i>	242.83 40.08	53.19
06 41 13 00-0266 EA 39" Wide, 14" High x 12" Deep, Double Doors, Solid Wood Face Frame and Thermofoil Doors, Wall Cabinet <i>For All Plywood Box Construction, Add</i>	258.01 40.08	57.62
06 41 13 00-0267 Wall Cabinets, 18" High, 12" Deep (06 41 13 00-0218)		
06 41 13 00-0268 EA 12" Wide, 18" High x 12" Deep, Single Door, Solid Wood Face Frame and Thermofoil Door, Wall Cabinet <i>For All Plywood Box Construction, Add</i>	183.21 40.08	17.73
06 41 13 00-0269 EA 15" Wide, 18" High x 12" Deep, Single Door, Solid Wood Face Frame and Thermofoil Door, Wall Cabinet <i>For All Plywood Box Construction, Add</i>	192.27 40.08	22.16

06 Wood, Plastics, and Composites**06 40 Architectural Woodwork****06 41 Architectural Wood Casework**

MINOR				TOTAL DIRECT	DEMOLITION
CSI	UOM	DESCRIPTION		UNIT COST	UNIT COST
06 41 13 00-0270	EA	18" Wide, 18" High x 12" Deep, Single Door, Solid Wood Face Frame and Thermofoil Door, Wall Cabinet.....	199.51		26.59
		<i>For All Plywood Box Construction, Add</i>	40.08		
06 41 13 00-0271	EA	21" Wide, 18" High x 12" Deep, Single Door, Solid Wood Face Frame and Thermofoil Door, Wall Cabinet.....	207.35		31.03
		<i>For All Plywood Box Construction, Add</i>	40.08		
06 41 13 00-0272	EA	24" Wide, 18" High x 12" Deep, Single Door, Solid Wood Face Frame and Thermofoil Door, Wall Cabinet.....	217.62		35.45
		<i>For All Plywood Box Construction, Add</i>	40.08		
06 41 13 00-0273	EA	27" Wide, 18" High x 12" Deep, Double Doors, Solid Wood Face Frame and Thermofoil Doors, Wall Cabinet.....	229.44		39.91
		<i>For All Plywood Box Construction, Add</i>	40.08		
06 41 13 00-0274	EA	30" Wide, 18" High x 12" Deep, Double Doors, Solid Wood Face Frame and Thermofoil Doors, Wall Cabinet.....	239.43		44.33
		<i>For All Plywood Box Construction, Add</i>	40.08		
06 41 13 00-0275	EA	33" Wide, 18" High x 12" Deep, Double Doors, Solid Wood Face Frame and Thermofoil Doors, Wall Cabinet.....	248.50		48.75
		<i>For All Plywood Box Construction, Add</i>	40.08		
06 41 13 00-0276	EA	36" Wide, 18" High x 12" Deep, Double Doors, Solid Wood Face Frame and Thermofoil Doors, Wall Cabinet.....	253.76		53.19
		<i>For All Plywood Box Construction, Add</i>	40.08		
06 41 13 00-0277		Wall Cabinets, 30" High, 12" Deep (06 41 13 00-0218)			
06 41 13 00-0278	EA	12" Wide, 30" High x 12" Deep, Single Door, Solid Wood Face Frame and Thermofoil Door, Wall Cabinet.....	202.30		17.73
		<i>For All Plywood Box Construction, Add</i>	40.08		
06 41 13 00-0279	EA	15" Wide, 30" High x 12" Deep, Single Door, Solid Wood Face Frame and Thermofoil Door, Wall Cabinet.....	219.29		22.16
		<i>For All Plywood Box Construction, Add</i>	40.08		
06 41 13 00-0280	EA	18" Wide, 30" High x 12" Deep, Single Door, Solid Wood Face Frame and Thermofoil Door, Wall Cabinet.....	233.03		26.59
		<i>For All Plywood Box Construction, Add</i>	40.08		
06 41 13 00-0281	EA	21" Wide, 30" High x 12" Deep, Single Door, Solid Wood Face Frame and Thermofoil Door, Wall Cabinet.....	249.19		31.03
		<i>For All Plywood Box Construction, Add</i>	40.08		
06 41 13 00-0282	EA	24" Wide, 30" High x 12" Deep, Single Door, Solid Wood Face Frame and Thermofoil Door, Wall Cabinet.....	265.39		35.45
		<i>For All Plywood Box Construction, Add</i>	40.08		
06 41 13 00-0283	EA	27" Wide, 30" High x 12" Deep, Double Doors, Solid Wood Face Frame and Thermofoil Doors, Wall Cabinet.....	289.33		39.91
		<i>For All Plywood Box Construction, Add</i>	40.08		
06 41 13 00-0284	EA	30" Wide, 30" High x 12" Deep, Double Doors, Solid Wood Face Frame and Thermofoil Doors, Wall Cabinet.....	296.29		44.33
		<i>For All Plywood Box Construction, Add</i>	40.08		
06 41 13 00-0285	EA	33" Wide, 30" High x 12" Deep, Double Doors, Solid Wood Face Frame and Thermofoil Doors, Wall Cabinet.....	321.28		48.75
		<i>For All Plywood Box Construction, Add</i>	40.08		
06 41 13 00-0286	EA	36" Wide, 30" High x 12" Deep, Double Doors, Solid Wood Face Frame and Thermofoil Doors, Wall Cabinet.....	331.07		53.19
		<i>For All Plywood Box Construction, Add</i>	40.08		
06 41 13 00-0287		Wall Cabinets, 36" High, 12" Deep (06 41 13 00-0218)			
06 41 13 00-0288	EA	12" Wide, 36" High x 12" Deep, Single Door, Solid Wood Face Frame and Thermofoil Door, Wall Cabinet.....	225.38		17.73
		<i>For All Plywood Box Construction, Add</i>	40.08		
06 41 13 00-0289	EA	15" Wide, 36" High x 12" Deep, Single Door, Solid Wood Face Frame and Thermofoil Door, Wall Cabinet.....	242.98		22.16
		<i>For All Plywood Box Construction, Add</i>	40.08		
06 41 13 00-0290	EA	18" Wide, 36" High x 12" Deep, Single Door, Solid Wood Face Frame and Thermofoil Door, Wall Cabinet.....	258.53		26.59
		<i>For All Plywood Box Construction, Add</i>	40.08		
06 41 13 00-0291	EA	21" Wide, 36" High x 12" Deep, Single Door, Solid Wood Face Frame and Thermofoil Door, Wall Cabinet.....	275.91		31.03
		<i>For All Plywood Box Construction, Add</i>	40.08		
06 41 13 00-0292	EA	24" Wide, 36" High x 12" Deep, Single Door, Solid Wood Face Frame and Thermofoil Door, Wall Cabinet.....	320.64		35.45
		<i>For All Plywood Box Construction, Add</i>	40.08		
06 41 13 00-0293	EA	27" Wide, 36" High x 12" Deep, Double Doors, Solid Wood Face Frame and Thermofoil Doors, Wall Cabinet.....	322.12		39.91
		<i>For All Plywood Box Construction, Add</i>	40.08		
06 41 13 00-0294	EA	30" Wide, 36" High x 12" Deep, Double Doors, Solid Wood Face Frame and Thermofoil Doors, Wall Cabinet.....	333.33		44.33
		<i>For All Plywood Box Construction, Add</i>	40.08		
06 41 13 00-0295	EA	33" Wide, 36" High x 12" Deep, Double Doors, Solid Wood Face Frame and Thermofoil Doors, Wall Cabinet.....	363.17		48.75
		<i>For All Plywood Box Construction, Add</i>	40.08		
06 41 13 00-0296	EA	36" Wide, 36" High x 12" Deep, Double Doors, Solid Wood Face Frame and Thermofoil Doors, Wall Cabinet.....	372.36		53.19
		<i>For All Plywood Box Construction, Add</i>	40.08		
06 41 13 00-0297		Wall Cabinets, 42" High, 12" Deep (06 41 13 00-0218)			
06 41 13 00-0298	EA	12" Wide, 42" High x 12" Deep, Single Door, Solid Wood Face Frame and Thermofoil Door, Wall Cabinet.....	249.06		17.73
		<i>For All Plywood Box Construction, Add</i>	40.08		
06 41 13 00-0299	EA	15" Wide, 42" High x 12" Deep, Single Door, Solid Wood Face Frame and Thermofoil Door, Wall Cabinet.....	270.91		22.16
		<i>For All Plywood Box Construction, Add</i>	40.08		
06 41 13 00-0300	EA	18" Wide, 42" High x 12" Deep, Single Door, Solid Wood Face Frame and Thermofoil Door, Wall Cabinet.....	287.68		26.59
		<i>For All Plywood Box Construction, Add</i>	40.08		
06 41 13 00-0301	EA	21" Wide, 42" High x 12" Deep, Single Door, Solid Wood Face Frame and Thermofoil Door, Wall Cabinet.....	304.44		31.03
		<i>For All Plywood Box Construction, Add</i>	40.08		
06 41 13 00-0302	EA	24" Wide, 42" High x 12" Deep, Single Door, Solid Wood Face Frame and Thermofoil Door, Wall Cabinet.....	330.36		35.45
		<i>For All Plywood Box Construction, Add</i>	40.08		
06 41 13 00-0303	EA	27" Wide, 42" High x 12" Deep, Double Doors, Solid Wood Face Frame and Thermofoil Doors, Wall Cabinet.....	351.27		39.91
		<i>For All Plywood Box Construction, Add</i>	40.08		
06 41 13 00-0304	EA	30" Wide, 42" High x 12" Deep, Double Doors, Solid Wood Face Frame and Thermofoil Doors, Wall Cabinet.....	368.55		44.33
		<i>For All Plywood Box Construction, Add</i>	40.08		
06 41 13 00-0305	EA	33" Wide, 42" High x 12" Deep, Double Doors, Solid Wood Face Frame and Thermofoil Doors, Wall Cabinet.....	402.04		48.75
		<i>For All Plywood Box Construction, Add</i>	40.08		
06 41 13 00-0306	EA	36" Wide, 42" High x 12" Deep, Double Doors, Solid Wood Face Frame and Thermofoil Doors, Wall Cabinet.....	414.26		53.19
		<i>For All Plywood Box Construction, Add</i>	40.08		
06 41 13 00-0307		Wall Cabinets, 12" High, 23-3/4" Deep (06 41 13 00-0218)			
06 41 13 00-0308	EA	30" Wide, 12" High x 23-3/4" Deep, Double Doors, Solid Wood Face Frame and Thermofoil Doors, Wall Cabinet.....	238.12		44.33
		<i>For All Plywood Box Construction, Add</i>	40.08		



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 41 13 00-0309 EA 33" Wide, 12" High x 23-3/4" Deep, Double Doors, Solid Wood Face Frame and Thermofoil Doors, Wall Cabinet <i>For All Plywood Box Construction, Add</i>	254.89 40.08	48.75
06 41 13 00-0310 EA 36" Wide, 12" High x 23-3/4" Deep, Double Doors, Solid Wood Face Frame and Thermofoil Doors, Wall Cabinet <i>For All Plywood Box Construction, Add</i>	272.67 40.08	53.19
06 41 13 00-0311 EA 39" Wide, 12" High x 23-3/4" Deep, Double Doors, Solid Wood Face Frame and Thermofoil Doors, Wall Cabinet <i>For All Plywood Box Construction, Add</i>	293.84 40.08	57.62
06 41 13 00-0312 EA 48" Wide, 12" High x 23-3/4" Deep, Triple Doors, Solid Wood Face Frame and Thermofoil Doors, Wall Cabinet <i>For All Plywood Box Construction, Add</i>	343.59 40.08	70.92
06 41 13 00-0313 Utility Cabinets, 84" High <small>(06 41 13 00-0218)</small>		
06 41 13 00-0314 EA 15" Wide, 84" High x 12" Deep, Two Doors, Solid Wood Face Frame and Thermofoil Doors, Pantry Cabinet <i>For All Plywood Box Construction, Add</i>	460.00 148.16	39.40
06 41 13 00-0315 EA 18" Wide, 84" High x 12" Deep, Two Doors, Solid Wood Face Frame and Thermofoil Doors, Pantry Cabinet <i>For All Plywood Box Construction, Add</i>	518.58 148.16	47.27
06 41 13 00-0316 EA 21" Wide, 84" High x 12" Deep, Two Doors, Solid Wood Face Frame and Thermofoil Doors, Pantry Cabinet <i>For All Plywood Box Construction, Add</i>	580.78 148.16	370.34
06 41 13 00-0317 EA 24" Wide, 84" High x 12" Deep, Two Doors, Solid Wood Face Frame and Thermofoil Doors, Pantry Cabinet <i>For All Plywood Box Construction, Add</i>	611.43 148.16	63.04
06 41 13 00-0318 EA 30" Wide, 84" High x 12" Deep, Four Doors, Solid Wood Face Frame and Thermofoil Doors, Pantry Cabinet <i>For All Plywood Box Construction, Add</i>	731.95 148.16	78.79
06 41 13 00-0319 EA 36" Wide, 84" High x 12" Deep, Four Doors, Solid Wood Face Frame and Thermofoil Doors, Pantry Cabinet <i>For All Plywood Box Construction, Add</i>	839.10 148.16	94.56
06 41 13 00-0320 EA 15" Wide, 84" High x 24" Deep, Two Doors, Solid Wood Face Frame and Thermofoil Doors, Pantry Cabinet <i>For All Plywood Box Construction, Add</i>	514.65 148.16	39.40
06 41 13 00-0321 EA 18" Wide, 84" High x 24" Deep, Two Doors, Solid Wood Face Frame and Thermofoil Doors, Pantry Cabinet <i>For All Plywood Box Construction, Add</i>	568.37 148.16	47.27
06 41 13 00-0322 EA 21" Wide, 84" High x 24" Deep, Two Doors, Solid Wood Face Frame and Thermofoil Doors, Pantry Cabinet <i>For All Plywood Box Construction, Add</i>	645.76 148.16	55.16
06 41 13 00-0323 EA 24" Wide, 84" High x 24" Deep, Two Doors, Solid Wood Face Frame and Thermofoil Doors, Pantry Cabinet <i>For All Plywood Box Construction, Add</i>	686.72 148.16	63.04
06 41 13 00-0324 EA 30" Wide, 84" High x 24" Deep, Four Doors, Solid Wood Face Frame and Thermofoil Doors, Pantry Cabinet <i>For All Plywood Box Construction, Add</i>	842.46 148.16	78.79
06 41 13 00-0325 EA 36" Wide, 84" High x 24" Deep, Four Doors, Solid Wood Face Frame and Thermofoil Doors, Pantry Cabinet <i>For All Plywood Box Construction, Add</i>	958.72 148.16	94.56
06 41 13 00-0326 Solid Wood Face Frame And Decorative Laminate Veneer Door, Wall And Base Cabinets <small>(06 41 13 00-0001)</small>		
06 41 13 00-0327 Base Cabinets, 35" High, 23-3/4" Deep <small>(06 41 13 00-0326)</small>		
06 41 13 00-0328 EA 12" Wide, 35" High x 23-3/4" Deep, Single Drawer and Single Door, Solid Wood Face Frame, Decorative Laminate Veneer Door and Drawer Front, Base Cabinet <i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i> <i>For All Plywood Box Construction, Add</i>	229.63 71.65 74.69	17.73
06 41 13 00-0329 EA 15" Wide, 35" High x 23-3/4" Deep, Single Drawer and Single Door, Solid Wood Face Frame, Decorative Laminate Veneer Door and Drawer Front, Base Cabinet <i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i> <i>For All Plywood Box Construction, Add</i>	243.68 71.65 74.69	22.16
06 41 13 00-0330 EA 18" Wide, 35" High x 23-3/4" Deep, Single Drawer and Single Door, Solid Wood Face Frame, Decorative Laminate Veneer Door and Drawer Front, Base Cabinet <i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i> <i>For All Plywood Box Construction, Add</i>	254.58 71.65 74.69	26.59
06 41 13 00-0331 EA 21" Wide, 35" High x 23-3/4" Deep, Single Drawer and Single Door, Solid Wood Face Frame, Decorative Laminate Veneer Door and Drawer Front, Base Cabinet <i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i> <i>For All Plywood Box Construction, Add</i>	267.72 71.65 74.69	31.03
06 41 13 00-0332 EA 24" Wide, 35" High x 23-3/4" Deep, Single Drawer and Single Door, Solid Wood Face Frame, Decorative Laminate Veneer Door and Drawer Front, Base Cabinet <i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i> <i>For All Plywood Box Construction, Add</i>	302.23 71.65 74.69	35.45
06 41 13 00-0333 EA 27" Wide, 35" High x 23-3/4" Deep, Single Drawer and Double Door, Solid Wood Face Frame, Decorative Laminate Veneer Door and Drawer Front, Base Cabinet <i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i> <i>For All Plywood Box Construction, Add</i>	315.85 71.65 74.69	39.89
06 41 13 00-0334 EA 30" Wide, 35" High x 23-3/4" Deep, Single Drawer and Double Door, Solid Wood Face Frame, Decorative Laminate Veneer Door and Drawer Front, Base Cabinet <i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i> <i>For All Plywood Box Construction, Add</i>	340.13 71.65 74.69	44.33
06 41 13 00-0335 EA 33" Wide, 35" High x 23-3/4" Deep, Single Drawer and Double Door, Solid Wood Face Frame, Decorative Laminate Veneer Door and Drawer Front, Base Cabinet <i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i> <i>For All Plywood Box Construction, Add</i>	358.11 71.65 74.69	48.75
06 41 13 00-0336 EA 36" Wide, 35" High x 23-3/4" Deep, Single Drawer and Double Door, Solid Wood Face Frame, Decorative Laminate Veneer Door and Drawer Front, Base Cabinet <i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i> <i>For All Plywood Box Construction, Add</i>	369.22 71.65 74.69	53.19
06 41 13 00-0337 EA 48" Wide, 35" High x 23-3/4" Deep, Double Drawer and Double Door, Solid Wood Face Frame, Decorative Laminate Veneer Door and Drawer Front, Base Cabinet <i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i> <i>For All Plywood Box Construction, Add</i>	419.94 143.30 74.69	70.92
06 41 13 00-0338 EA 30" Wide, 35" High x 23-3/4" Deep, Double Drawer with False Panel Drawer Front, Solid Wood Face Frame and Decorative Laminate Veneer Drawer Fronts, Base Cabinet <i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i> <i>For All Plywood Box Construction, Add</i>	460.35 143.30 74.69	44.33

06 Wood, Plastics, and Composites**06 40 Architectural Woodwork****06 41 Architectural Wood Casework**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 41 13 00-0339	EA		36" Wide, 35" High x 23-3/4" Deep, Double Drawer with False Panel Drawer Front, Solid Wood Face Frame and Decorative Laminate Veneer Drawer Fronts, Base Cabinet <i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i> <i>For All Plywood Box Construction, Add</i>	509.48 143.30 74.69	53.19
06 41 13 00-0340	EA		30" Wide, 35" High x 23-3/4" Deep, Triple Drawer with False Panel Drawer Front, Solid Wood Face Frame and Decorative Laminate Veneer Drawer Fronts, Base Cabinet <i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i> <i>For All Plywood Box Construction, Add</i>	482.21 214.95 74.69	44.33
06 41 13 00-0341	EA		36" Wide, 35" High x 23-3/4" Deep, Triple Drawer with False Panel Drawer Front, Solid Wood Face Frame and Decorative Laminate Veneer Drawer Fronts, Base Cabinet <i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i> <i>For All Plywood Box Construction, Add</i>	536.81 214.95 74.69	53.19
06 41 13 00-0342	EA		12" Wide, 35" High x 23-3/4" Deep, Three Drawer Base, Solid Wood Face Frame and Decorative Laminate Veneer Drawer Fronts, Base Cabinet <i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i> <i>For All Plywood Box Construction, Add</i>	233.28 214.95 74.69	17.73
06 41 13 00-0343	EA		15" Wide, 35" High x 23-3/4" Deep, Three Drawer Base, Solid Wood Face Frame and Decorative Laminate Veneer Drawer Fronts, Base Cabinet <i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i> <i>For All Plywood Box Construction, Add</i>	238.82 214.95 74.69	22.16
06 41 13 00-0344	EA		18" Wide, 35" High x 23-3/4" Deep, Three Drawer Base, Solid Wood Face Frame and Decorative Laminate Veneer Drawer Fronts, Base Cabinet <i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i> <i>For All Plywood Box Construction, Add</i>	259.43 214.95 74.69	26.59
06 41 13 00-0345	EA		21" Wide, 35" High x 23-3/4" Deep, Three Drawer Base, Solid Wood Face Frame and Decorative Laminate Veneer Drawer Fronts, Base Cabinet <i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i> <i>For All Plywood Box Construction, Add</i>	275.62 214.95 74.69	31.03
06 41 13 00-0346	EA		24" Wide, 35" High x 23-3/4" Deep, Three Drawer Base, Solid Wood Face Frame and Decorative Laminate Veneer Drawer Fronts, Base Cabinet <i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i> <i>For All Plywood Box Construction, Add</i>	287.05 214.95 74.69	35.45
06 41 13 00-0347	EA		27" Wide, 35" High x 23-3/4" Deep, Three Drawer Base, Solid Wood Face Frame and Decorative Laminate Veneer Drawer Fronts, Base Cabinet <i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i> <i>For All Plywood Box Construction, Add</i>	300.67 214.95 74.69	39.89
06 41 13 00-0348	EA		30" Wide, 35" High x 23-3/4" Deep, Three Drawer Base, Solid Wood Face Frame and Decorative Laminate Veneer Drawer Fronts, Base Cabinet <i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i> <i>For All Plywood Box Construction, Add</i>	481.00 214.95 74.69	44.33
06 41 13 00-0349	EA		33" Wide, 35" High x 23-3/4" Deep, Three Drawer Base, Solid Wood Face Frame and Decorative Laminate Veneer Drawer Fronts, Base Cabinet <i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i> <i>For All Plywood Box Construction, Add</i>	506.27 214.95 74.69	48.75
06 41 13 00-0350	EA		36" Wide, 35" High x 23-3/4" Deep, Three Drawer Base, Solid Wood Face Frame and Decorative Laminate Veneer Drawer Fronts, Base Cabinet <i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i> <i>For All Plywood Box Construction, Add</i>	531.95 214.95 74.69	53.19
06 41 13 00-0351	EA		12" Wide, 35" High x 23-3/4" Deep, Four Drawer Base, Solid Wood Face Frame and Decorative Laminate Veneer Drawer Fronts, Base Cabinet <i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i> <i>For All Plywood Box Construction, Add</i>	281.85 286.60 74.69	17.73
06 41 13 00-0352	EA		15" Wide, 35" High x 23-3/4" Deep, Four Drawer Base, Solid Wood Face Frame and Decorative Laminate Veneer Drawer Fronts, Base Cabinet <i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i> <i>For All Plywood Box Construction, Add</i>	288.61 286.60 74.69	22.16
06 41 13 00-0353	EA		18" Wide, 35" High x 23-3/4" Deep, Four Drawer Base, Solid Wood Face Frame and Decorative Laminate Veneer Drawer Fronts, Base Cabinet <i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i> <i>For All Plywood Box Construction, Add</i>	312.26 286.60 74.69	26.59
06 41 13 00-0354	EA		21" Wide, 35" High x 23-3/4" Deep, Four Drawer Base, Solid Wood Face Frame and Decorative Laminate Veneer Drawer Fronts, Base Cabinet <i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i> <i>For All Plywood Box Construction, Add</i>	331.48 286.60 74.69	31.03
06 41 13 00-0355	EA		24" Wide, 35" High x 23-3/4" Deep, Four Drawer Base, Solid Wood Face Frame and Decorative Laminate Veneer Drawer Fronts, Base Cabinet <i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i> <i>For All Plywood Box Construction, Add</i>	347.77 286.60 74.69	35.45
06 41 13 00-0356	EA		27" Wide, 35" High x 23-3/4" Deep, Four Drawer Base, Solid Wood Face Frame and Decorative Laminate Veneer Drawer Fronts, Base Cabinet <i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i> <i>For All Plywood Box Construction, Add</i>	365.03 286.60 74.69	39.89
06 41 13 00-0357	EA		30" Wide, 35" High x 23-3/4" Deep, Four Drawer Base, Solid Wood Face Frame and Decorative Laminate Veneer Drawer Fronts, Base Cabinet <i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i> <i>For All Plywood Box Construction, Add</i>	503.46 286.60 74.69	44.33
06 41 13 00-0358	EA		33" Wide, 35" High x 23-3/4" Deep, Four Drawer Base, Solid Wood Face Frame and Decorative Laminate Veneer Drawer Fronts, Base Cabinet <i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i> <i>For All Plywood Box Construction, Add</i>	531.77 286.60 74.69	48.75
06 41 13 00-0359	EA		36" Wide, 35" High x 23-3/4" Deep, Four Drawer Base, Solid Wood Face Frame and Decorative Laminate Veneer Drawer Fronts, Base Cabinet <i>For Solid Wood Drawers, Dovetail Joints And Full Extension Drawer Guides, Add</i> <i>For All Plywood Box Construction, Add</i>	561.09 286.60 74.69	53.19



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 41 13 00-0360 Wall Cabinets, 12" High, 12" Deep <small>(06 41 13 00-0326)</small>		
06 41 13 00-0361 EA 30" Wide, 12" High x 12" Deep, Double Door, Solid Wood Face Frame and Decorative Laminate Veneer Doors, Wall Cabinet	207.78	44.33
<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0362 EA 33" Wide, 12" High x 12" Deep, Double Door, Solid Wood Face Frame and Decorative Laminate Veneer Doors, Wall Cabinet	220.63	48.75
<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0363 EA 36" Wide, 12" High x 12" Deep, Double Door, Solid Wood Face Frame and Decorative Laminate Veneer Doors, Wall Cabinet	242.83	53.19
<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0364 EA 39" Wide, 12" High x 12" Deep, Double Door, Solid Wood Face Frame and Decorative Laminate Veneer Doors, Wall Cabinet	258.01	57.62
<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0365 Wall Cabinets, 14" High, 12" Deep <small>(06 41 13 00-0326)</small>		
06 41 13 00-0366 EA 12" Wide, 14" High x 12" Deep, Single Door, Solid Wood Face Frame and Decorative Laminate Veneer Door, Wall Cabinet	177.13	17.73
<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0367 EA 15" Wide, 14" High x 12" Deep, Single Door, Solid Wood Face Frame and Decorative Laminate Veneer Door, Wall Cabinet	181.34	22.16
<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0368 EA 18" Wide, 14" High x 12" Deep, Single Door, Solid Wood Face Frame and Decorative Laminate Veneer Door, Wall Cabinet	189.79	26.59
<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0369 EA 21" Wide, 14" High x 12" Deep, Single Door, Solid Wood Face Frame and Decorative Laminate Veneer Door, Wall Cabinet	195.21	31.03
<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0370 EA 24" Wide, 14" High x 12" Deep, Single Door, Solid Wood Face Frame and Decorative Laminate Veneer Door, Wall Cabinet	200.62	35.45
<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0371 EA 30" Wide, 14" High x 12" Deep, Double Doors, Solid Wood Face Frame and Decorative Laminate Veneer Doors, Wall Cabinet	209.68	44.33
<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0372 EA 33" Wide, 14" High x 12" Deep, Double Doors, Solid Wood Face Frame and Decorative Laminate Veneer Doors, Wall Cabinet	223.61	48.75
<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0373 EA 36" Wide, 14" High x 12" Deep, Double Doors, Solid Wood Face Frame and Decorative Laminate Veneer Doors, Wall Cabinet	242.83	53.19
<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0374 EA 39" Wide, 14" High x 12" Deep, Double Doors, Solid Wood Face Frame and Decorative Laminate Veneer Doors, Wall Cabinet	258.01	57.62
<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0375 Wall Cabinets, 18" High, 12" Deep <small>(06 41 13 00-0326)</small>		
06 41 13 00-0376 EA 12" Wide, 18" High x 12" Deep, Single Door, Solid Wood Face Frame and Decorative Laminate Veneer Door, Wall Cabinet	183.21	17.73
<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0377 EA 15" Wide, 18" High x 12" Deep, Single Door, Solid Wood Face Frame and Decorative Laminate Veneer Door, Wall Cabinet	192.27	22.16
<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0378 EA 18" Wide, 18" High x 12" Deep, Single Door, Solid Wood Face Frame and Decorative Laminate Veneer Door, Wall Cabinet	199.51	26.59
<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0379 EA 21" Wide, 18" High x 12" Deep, Single Door, Solid Wood Face Frame and Decorative Laminate Veneer Door, Wall Cabinet	207.35	31.03
<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0380 EA 24" Wide, 18" High x 12" Deep, Single Door, Solid Wood Face Frame and Decorative Laminate Veneer Door, Wall Cabinet	217.62	35.45
<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0381 EA 27" Wide, 18" High x 12" Deep, Double Doors, Solid Wood Face Frame and Decorative Laminate Veneer Doors, Wall Cabinet	229.44	39.91
<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0382 EA 30" Wide, 18" High x 12" Deep, Double Doors, Solid Wood Face Frame and Decorative Laminate Veneer Doors, Wall Cabinet	239.43	44.33
<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0383 EA 33" Wide, 18" High x 12" Deep, Double Doors, Solid Wood Face Frame and Decorative Laminate Veneer Doors, Wall Cabinet	248.50	48.75
<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0384 EA 36" Wide, 18" High x 12" Deep, Double Doors, Solid Wood Face Frame and Decorative Laminate Veneer Doors, Wall Cabinet	253.76	53.19
<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0385 Wall Cabinets, 30" High, 12" Deep <small>(06 41 13 00-0326)</small>		
06 41 13 00-0386 EA 12" Wide, 30" High x 12" Deep, Single Door, Solid Wood Face Frame and Decorative Laminate Veneer Door, Wall Cabinet	202.30	17.73
<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0387 EA 15" Wide, 30" High x 12" Deep, Single Door, Solid Wood Face Frame and Decorative Laminate Veneer Door, Wall Cabinet	219.29	22.16
<i>For All Plywood Box Construction, Add</i>	40.08	

06 Wood, Plastics, and Composites**06 40 Architectural Woodwork****06 41 Architectural Wood Casework**

MINOR CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 41 13 00-0388	EA	18" Wide, 30" High x 12" Deep, Single Door, Solid Wood Face Frame and Decorative Laminate Veneer Door, Wall Cabinet.....	233.03 40.08	26.59
		<i>For All Plywood Box Construction, Add</i>		
06 41 13 00-0389	EA	21" Wide, 30" High x 12" Deep, Single Door, Solid Wood Face Frame and Decorative Laminate Veneer Door, Wall Cabinet.....	249.19 40.08	31.03
		<i>For All Plywood Box Construction, Add</i>		
06 41 13 00-0390	EA	24" Wide, 30" High x 12" Deep, Single Door, Solid Wood Face Frame and Decorative Laminate Veneer Door, Wall Cabinet.....	265.39 40.08	35.45
		<i>For All Plywood Box Construction, Add</i>		
06 41 13 00-0391	EA	27" Wide, 30" High x 12" Deep, Double Doors, Solid Wood Face Frame and Decorative Laminate Veneer Doors, Wall Cabinet.....	289.33 40.08	39.91
		<i>For All Plywood Box Construction, Add</i>		
06 41 13 00-0392	EA	30" Wide, 30" High x 12" Deep, Double Doors, Solid Wood Face Frame and Decorative Laminate Veneer Doors, Wall Cabinet.....	296.29 40.08	44.33
		<i>For All Plywood Box Construction, Add</i>		
06 41 13 00-0393	EA	33" Wide, 30" High x 12" Deep, Double Doors, Solid Wood Face Frame and Decorative Laminate Veneer Doors, Wall Cabinet.....	321.28 40.08	48.75
		<i>For All Plywood Box Construction, Add</i>		
06 41 13 00-0394	EA	36" Wide, 30" High x 12" Deep, Double Doors, Solid Wood Face Frame and Decorative Laminate Veneer Doors, Wall Cabinet.....	331.07 40.08	53.19
		<i>For All Plywood Box Construction, Add</i>		
06 41 13 00-0395		Wall Cabinets, 36" High, 12" Deep (06 41 13 00-0326)		
06 41 13 00-0396	EA	12" Wide, 36" High x 12" Deep, Single Door, Solid Wood Face Frame and Decorative Laminate Veneer Door, Wall Cabinet.....	225.38 40.08	17.73
		<i>For All Plywood Box Construction, Add</i>		
06 41 13 00-0397	EA	15" Wide, 36" High x 12" Deep, Single Door, Solid Wood Face Frame and Decorative Laminate Veneer Door, Wall Cabinet.....	242.98 40.08	22.16
		<i>For All Plywood Box Construction, Add</i>		
06 41 13 00-0398	EA	18" Wide, 36" High x 12" Deep, Single Door, Solid Wood Face Frame and Decorative Laminate Veneer Door, Wall Cabinet.....	258.53 40.08	26.59
		<i>For All Plywood Box Construction, Add</i>		
06 41 13 00-0399	EA	21" Wide, 36" High x 12" Deep, Single Door, Solid Wood Face Frame and Decorative Laminate Veneer Door, Wall Cabinet.....	275.91 40.08	31.03
		<i>For All Plywood Box Construction, Add</i>		
06 41 13 00-0400	EA	24" Wide, 36" High x 12" Deep, Single Door, Solid Wood Face Frame and Decorative Laminate Veneer Door, Wall Cabinet.....	320.64 40.08	35.45
		<i>For All Plywood Box Construction, Add</i>		
06 41 13 00-0401	EA	27" Wide, 36" High x 12" Deep, Double Doors, Solid Wood Face Frame and Decorative Laminate Veneer Doors, Wall Cabinet.....	322.12 40.08	39.91
		<i>For All Plywood Box Construction, Add</i>		
06 41 13 00-0402	EA	30" Wide, 36" High x 12" Deep, Double Doors, Solid Wood Face Frame and Decorative Laminate Veneer Doors, Wall Cabinet.....	333.33 40.08	44.33
		<i>For All Plywood Box Construction, Add</i>		
06 41 13 00-0403	EA	33" Wide, 36" High x 12" Deep, Double Doors, Solid Wood Face Frame and Decorative Laminate Veneer Doors, Wall Cabinet.....	363.17 40.08	48.75
		<i>For All Plywood Box Construction, Add</i>		
06 41 13 00-0404	EA	36" Wide, 36" High x 12" Deep, Double Doors, Solid Wood Face Frame and Decorative Laminate Veneer Doors, Wall Cabinet.....	372.36 40.08	53.19
		<i>For All Plywood Box Construction, Add</i>		
06 41 13 00-0405		Wall Cabinets, 42" High, 12" Deep (06 41 13 00-0326)		
06 41 13 00-0406	EA	12" Wide, 42" High x 12" Deep, Single Door, Solid Wood Face Frame and Decorative Laminate Veneer Door, Wall Cabinet.....	249.06 40.08	17.73
		<i>For All Plywood Box Construction, Add</i>		
06 41 13 00-0407	EA	15" Wide, 42" High x 12" Deep, Single Door, Solid Wood Face Frame and Decorative Laminate Veneer Door, Wall Cabinet.....	270.91 40.08	22.16
		<i>For All Plywood Box Construction, Add</i>		
06 41 13 00-0408	EA	18" Wide, 42" High x 12" Deep, Single Door, Solid Wood Face Frame and Decorative Laminate Veneer Door, Wall Cabinet.....	287.68 40.08	26.59
		<i>For All Plywood Box Construction, Add</i>		
06 41 13 00-0409	EA	21" Wide, 42" High x 12" Deep, Single Door, Solid Wood Face Frame and Decorative Laminate Veneer Door, Wall Cabinet.....	304.44 40.08	31.03
		<i>For All Plywood Box Construction, Add</i>		
06 41 13 00-0410	EA	24" Wide, 42" High x 12" Deep, Single Door, Solid Wood Face Frame and Decorative Laminate Veneer Door, Wall Cabinet.....	330.36 40.08	35.45
		<i>For All Plywood Box Construction, Add</i>		
06 41 13 00-0411	EA	27" Wide, 42" High x 12" Deep, Double Doors, Solid Wood Face Frame and Decorative Laminate Veneer Doors, Wall Cabinet.....	351.27 40.08	39.91
		<i>For All Plywood Box Construction, Add</i>		
06 41 13 00-0412	EA	30" Wide, 42" High x 12" Deep, Double Doors, Solid Wood Face Frame and Decorative Laminate Veneer Doors, Wall Cabinet.....	368.55 40.08	44.33
		<i>For All Plywood Box Construction, Add</i>		
06 41 13 00-0413	EA	33" Wide, 42" High x 12" Deep, Double Doors, Solid Wood Face Frame and Decorative Laminate Veneer Doors, Wall Cabinet.....	402.04 40.08	48.75
		<i>For All Plywood Box Construction, Add</i>		
06 41 13 00-0414	EA	36" Wide, 42" High x 12" Deep, Double Doors, Solid Wood Face Frame and Decorative Laminate Veneer Doors, Wall Cabinet.....	414.26 40.08	53.19
		<i>For All Plywood Box Construction, Add</i>		
06 41 13 00-0415		Wall Cabinets, 12" High, 23-3/4" Deep (06 41 13 00-0326)		



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 41 13 00-0416 EA 30" Wide, 12" High x 23-3/4" Deep, Double Doors, Solid Wood Face Frame and Decorative Laminate Veneer Doors, Wall Cabinet.....	238.12	44.33
<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0417 EA 33" Wide, 12" High x 23-3/4" Deep, Double Doors, Solid Wood Face Frame and Decorative Laminate Veneer Doors, Wall Cabinet.....	254.89	48.75
<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0418 EA 36" Wide, 12" High x 23-3/4" Deep, Double Doors, Solid Wood Face Frame and Decorative Laminate Veneer Doors, Wall Cabinet.....	272.67	53.19
<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0419 EA 39" Wide, 12" High x 23-3/4" Deep, Double Doors, Solid Wood Face Frame and Decorative Laminate Veneer Doors, Wall Cabinet.....	293.84	57.62
<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0420 EA 48" Wide, 12" High x 23-3/4" Deep, Triple Doors, Solid Wood Face Frame and Decorative Laminate Veneer Doors, Wall Cabinet.....	343.59	70.92
<i>For All Plywood Box Construction, Add</i>	40.08	
06 41 13 00-0421 Utility Cabinets, 84" High <small>(06 41 13 00-0326)</small>		
06 41 13 00-0422 EA 15" Wide, 84" High x 12" Deep, Two Doors, Solid Wood Face Frame and Decorative Laminate Veneer Doors, Pantry Cabinet.....	460.00	39.40
<i>For All Plywood Box Construction, Add</i>	148.16	
06 41 13 00-0423 EA 18" Wide, 84" High x 12" Deep, Two Doors, Solid Wood Face Frame and Decorative Laminate Veneer Doors, Pantry Cabinet.....	518.58	47.27
<i>For All Plywood Box Construction, Add</i>	148.16	
06 41 13 00-0424 EA 21" Wide, 84" High x 12" Deep, Two Doors, Solid Wood Face Frame and Decorative Laminate Veneer Doors, Pantry Cabinet.....	580.78	370.34
<i>For All Plywood Box Construction, Add</i>	148.16	
06 41 13 00-0425 EA 24" Wide, 84" High x 12" Deep, Two Doors, Solid Wood Face Frame and Decorative Laminate Veneer Doors, Pantry Cabinet.....	611.43	63.04
<i>For All Plywood Box Construction, Add</i>	148.16	
06 41 13 00-0426 EA 30" Wide, 84" High x 12" Deep, Four Doors, Solid Wood Face Frame and Decorative Laminate Veneer Doors, Pantry Cabinet.....	731.95	78.79
<i>For All Plywood Box Construction, Add</i>	148.16	
06 41 13 00-0427 EA 36" Wide, 84" High x 12" Deep, Four Doors, Solid Wood Face Frame and Decorative Laminate Veneer Doors, Pantry Cabinet.....	839.10	94.56
<i>For All Plywood Box Construction, Add</i>	148.16	
06 41 13 00-0428 EA 15" Wide, 84" High x 24" Deep, Two Doors, Solid Wood Face Frame and Decorative Laminate Veneer Doors, Pantry Cabinet.....	514.65	39.40
<i>For All Plywood Box Construction, Add</i>	148.16	
06 41 13 00-0429 EA 18" Wide, 84" High x 24" Deep, Two Doors, Solid Wood Face Frame and Decorative Laminate Veneer Doors, Pantry Cabinet.....	568.37	47.27
<i>For All Plywood Box Construction, Add</i>	148.16	
06 41 13 00-0430 EA 21" Wide, 84" High x 24" Deep, Two Doors, Solid Wood Face Frame and Decorative Laminate Veneer Doors, Pantry Cabinet.....	645.76	55.16
<i>For All Plywood Box Construction, Add</i>	148.16	
06 41 13 00-0431 EA 24" Wide, 84" High x 24" Deep, Two Doors, Solid Wood Face Frame and Decorative Laminate Veneer Doors, Pantry Cabinet.....	686.72	63.04
<i>For All Plywood Box Construction, Add</i>	148.16	
06 41 13 00-0432 EA 30" Wide, 84" High x 24" Deep, Four Doors, Solid Wood Face Frame and Decorative Laminate Veneer Doors, Pantry Cabinet.....	842.46	78.79
<i>For All Plywood Box Construction, Add</i>	148.16	
06 41 13 00-0433 EA 36" Wide, 84" High x 24" Deep, Four Doors, Solid Wood Face Frame and Decorative Laminate Veneer Doors, Pantry Cabinet.....	958.72	94.56
<i>For All Plywood Box Construction, Add</i>	148.16	
06 41 13 00-0434 Removal And Reinstallation Of Cabinet Or Counters <small>(06 41 13)</small>		
<i>Note: Includes storage, cleaning and supply materials. Any height or width.</i>		
06 41 13 00-0435 LF Removal And Reinstallation Of Wood Base Cabinets.....	67.82	
06 41 13 00-0436 LF Removal And Reinstallation Of Wall Cabinets.....	58.97	
06 41 13 00-0437 LF Removal And Reinstallation Of Plastic Laminated Countertops.....	13.87	
06 41 93 Cabinet And Drawer Hardware <small>(06 41)</small>		
06 41 93 00-0001 Cabinet Hardware <small>(06 41 93)</small>		
<i>Note: Includes all finishes, and mounting screws.</i>		
06 41 93 00-0002 EA 4" To 6" Long, 1/2" Diameter, Cabinet Bar Pull.....	21.60	7.54
06 41 93 00-0003 EA 7" To 9" Long, 1/2" Diameter, Cabinet Bar Pull.....	22.32	7.54
06 41 93 00-0004 EA 10" To 12" Long, 1/2" Diameter, Cabinet Bar Pull.....	23.58	7.54
06 41 93 00-0005 EA 3" To 4-1/2", Flat Cabinet Pull Handle.....	24.98	7.54
06 41 93 00-0006 EA 5" To 6-1/2", Flat Cabinet Pull Handle.....	25.70	7.54
06 41 93 00-0007 EA 7" To 8-1/2", Flat Cabinet Pull Handle.....	33.44	7.54
06 41 93 00-0008 EA 12" To 12-1/2", Flat Cabinet Pull Handle.....	65.48	7.54
06 41 93 00-0009 EA 1-7/16" Diameter, Mushroom Cabinet Pull Knobs.....	16.86	5.76
06 41 93 00-0010 EA 3-7/16" x 1-5/8" x 1" Projection, Cabinet Cup Pull.....	16.73	5.76
06 41 93 00-0011 EA 1-1/4" Long, Finger Cabinet Pull.....	22.82	6.65
06 41 93 00-0012 EA 3" Long, Finger Cabinet Pull.....	26.19	6.65
06 41 93 00-0013 EA 4" Long, Finger Cabinet Pull.....	28.49	6.65
06 41 93 00-0014 EA 6" Long, Finger Cabinet Pull.....	31.64	6.65
06 41 93 00-0015 EA 12" Long, Finger Cabinet Pull.....	46.26	6.65
06 41 93 00-0016 EA Cabinet Spring Loaded Adjustable Barrel Ball Catch.....	33.26	8.86
06 41 93 00-0017 EA Cabinet Surface Mounted Square or Matchbook Latch.....	48.96	8.86
06 41 93 00-0018 EA Cabinet Door or Drawer Mortised Lock With 2 Keys.....	117.21	13.30

06 Wood, Plastics, and Composites**06 40 Architectural Woodwork****06 41 Architectural Wood Casework**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 41 93 00-0019	EA		Cabinet Door or Drawer Bored Lock with 2 Keys	43.85	7.54
06 41 93 00-0020	EA		Cabinet Surface Mounted Slide or Barrel Bolt Latch	29.52	7.54
06 42			Wood Paneling (06 40)		
			Note: Includes glue for installation.		
06 42 13			Wood Board Paneling (06 42)		
06 42 13 00-0001			Solid Wood Paneling (06 42 13)		
06 42 13 00-0002			7/16" Solid Wood Paneling, Tongue And Groove, 3" To 5" Wide (06 42 13 00-0001)		
06 42 13 00-0003	SF		Homestead Cedar Paneling Tongue And Groove, 7/16"	6.83	1.86
06 42 13 00-0004	SF		Homestead Juniper Paneling Tongue And Groove, 7/16"	7.13	1.86
06 42 13 00-0005			7/16" Solid Wood Paneling, Tongue And Groove, 6" To 10" Wide (06 42 13 00-0001)		
06 42 13 00-0006	SF		8" Random Plank Tongue And Groove, 7/16"	9.42	1.77
06 42 13 00-0007	SF		8" Solid Plank Tongue And Groove, 7/16"	8.77	1.77
06 42 13 00-0008			1/2" Solid Wood Paneling, Tongue And Groove, 4" To 6" Wide (06 42 13 00-0001)		
06 42 13 00-0009	SF		Alder Wood Tongue And Groove Paneling, 1/2"	7.73	1.86
06 42 13 00-0010			1" Solid Wood Paneling, Shiplap, 6" To 8" Wide (06 42 13 00-0001)		
06 42 13 00-0011	SF		1" Teredo (Driftwood) Wood Shiplap	5.22	1.60
06 42 16			Flush Wood Paneling (06 42)		
06 42 16 00-0001			Veneer Hardboard Panels (06 42 16)		
06 42 16 00-0002	SF		1/4" Maple Veneer Paneling	4.89	1.60
			For Waterproof Glue, Add	0.09	
			For Ceiling Installation, Add	1.10	
06 42 16 00-0003			Plywood Unfinished With Trim 1/4" Thick (06 42 16)		
06 42 16 00-0004			Birch (06 42 16 00-0003)		
06 42 16 00-0005	SF		1/4" Unfinished Birch Plywood, Natural Faced With Trim	3.99	1.43
			For Waterproof Glue, Add	0.06	
			For Ceiling Installation, Add	0.96	
			For Installation On Metal Studs Or Furring, Add	0.35	
			For Glue Laminated Installation, Add	0.20	
			For Lumber Core, Add	0.09	
			For 1/8" Thick Paneling, Deduct	-0.36	
			For 1/2" Thick Paneling, Add	0.81	
			For 5/8" Thick Paneling, Add	0.98	
			For 3/4" Thick Paneling, Add	1.19	
			For Fire Retardant Treatment (Class I), Add	0.62	
06 42 16 00-0006	SF		1/4" Unfinished Birch Plywood, Select With Trim	4.04	1.43
			For Waterproof Glue, Add	0.06	
			For Ceiling Installation, Add	0.96	
			For Installation On Metal Studs Or Furring, Add	0.35	
			For Glue Laminated Installation, Add	0.20	
			For Lumber Core, Add	0.09	
			For 1/8" Thick Paneling, Deduct	-0.36	
			For 1/2" Thick Paneling, Add	0.84	
			For 5/8" Thick Paneling, Add	1.01	
			For 3/4" Thick Paneling, Add	1.24	
			For Fire Retardant Treatment (Class I), Add	0.66	
06 42 16 00-0007			Knotty Pine (06 42 16 00-0003)		
06 42 16 00-0008	SF		1/4" Knotty Pine Plywood, Grade AA Unfinished With Trim	4.61	1.60
			For Waterproof Glue, Add	0.07	
			For Ceiling Installation, Add	1.07	
			For Installation On Metal Studs Or Furring, Add	0.39	
			For Glue Laminated Installation, Add	0.23	
			For Lumber Core, Add	0.11	
			For 1/8" Thick Paneling, Deduct	-0.42	
			For 1/2" Thick Paneling, Add	0.99	
			For 5/8" Thick Paneling, Add	1.21	
			For 3/4" Thick Paneling, Add	1.49	
			For Fire Retardant Treatment (Class I), Add	0.82	



Wood, Plastics, and Composites	06	06
Architectural Woodwork	06 40	
Wood Paneling	06 42	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 42 16 00-0009	SF		1/4" Knotty Pine Plywood, Grade AD Unfinished With Trim.....	4.56	1.60
			For Waterproof Glue, Add	0.07	
			For Ceiling Installation, Add	1.07	
			For Installation On Metal Studs Or Furring, Add	0.39	
			For Glue Laminated Installation, Add	0.23	
			For Lumber Core, Add	0.11	
			For 1/8" Thick Paneling, Deduct	-0.42	
			For 1/2" Thick Paneling, Add	0.96	
			For 5/8" Thick Paneling, Add	1.17	
			For 3/4" Thick Paneling, Add	1.44	
			For Fire Retardant Treatment (Class I), Add	0.78	
06 42 16 00-0010			Cedar (Aromatic - Closet Lining) (06 42 16 00-0003)		
06 42 16 00-0011	SF		1/4" Cedar Plywood, Standard Grade Unfinished With Trim, Closet Lining	4.68	1.78
			For Waterproof Glue, Add	0.05	
			For Ceiling Installation, Add	1.21	
			For Installation On Metal Studs Or Furring, Add	0.44	
			For Glue Laminated Installation, Add	0.23	
			For Lumber Core, Add	0.07	
			For 1/8" Thick Paneling, Deduct	-0.39	
			For 1/2" Thick Paneling, Add	0.84	
			For 5/8" Thick Paneling, Add	0.98	
			For 3/4" Thick Paneling, Add	1.16	
			For Fire Retardant Treatment (Class I), Add	0.52	
06 42 16 00-0012	SF		1/4" Cedar Plywood, Particle Board Unfinished With Trim, Closet Lining	4.61	1.78
			For Waterproof Glue, Add	0.04	
			For Ceiling Installation, Add	1.21	
			For Installation On Metal Studs Or Furring, Add	0.44	
			For Glue Laminated Installation, Add	0.23	
			For Lumber Core, Add	0.06	
			For 1/8" Thick Paneling, Deduct	-0.38	
			For 1/2" Thick Paneling, Add	0.80	
			For 5/8" Thick Paneling, Add	0.92	
			For 3/4" Thick Paneling, Add	1.08	
			For Fire Retardant Treatment (Class I), Add	0.47	
06 42 16 00-0013			Top Grade Plywood Prefinished With Trim 1/4" Thick (06 42 16)		
06 42 16 00-0014	SF		1/4" Top Grade Plywood, Birch Veneer Prefinished With Trim	4.45	1.60
			For Flitch Matched Veneer, Add	0.44	
			For Second Grade Veneer, Deduct	-0.09	
			For Third Grade Veneer, Deduct	-0.13	
			For Waterproof Glue, Add	0.06	
			For Ceiling Installation, Add	1.07	
			For Installation On Metal Studs Or Furring, Add	0.39	
			For Glue Laminated Installation, Add	0.22	
			For Lumber Core, Add	0.10	
			For 1/8" Thick Paneling, Deduct	-0.40	
			For 1/2" Thick Paneling, Add	0.90	
			For 5/8" Thick Paneling, Add	1.09	
			For 3/4" Thick Paneling, Add	1.33	
			For Fire Retardant Treatment (Class I), Add	0.70	
06 42 16 00-0015	SF		1/4" Top Grade Plywood, Cherry Veneer Prefinished With Trim	4.84	1.60
			For Flitch Matched Veneer, Add	0.64	
			For Second Grade Veneer, Deduct	-0.13	
			For Third Grade Veneer, Deduct	-0.19	
			For Waterproof Glue, Add	0.09	
			For Ceiling Installation, Add	1.07	
			For Installation On Metal Studs Or Furring, Add	0.39	
			For Glue Laminated Installation, Add	0.24	
			For Lumber Core, Add	0.14	
			For 1/8" Thick Paneling, Deduct	-0.46	
			For 1/2" Thick Paneling, Add	1.11	
			For 5/8" Thick Paneling, Add	1.38	
			For 3/4" Thick Paneling, Add	1.72	
			For Fire Retardant Treatment (Class I), Add	1.00	
06 42 16 00-0016	SF		1/4" Top Grade Plywood, Chestnut Veneer Prefinished With Trim	7.00	1.60
			For Flitch Matched Veneer, Add	1.37	
			For Second Grade Veneer, Deduct	-0.27	
			For Third Grade Veneer, Deduct	-0.41	
			For Waterproof Glue, Add	0.19	
			For Ceiling Installation, Add	1.28	
			For Installation On Metal Studs Or Furring, Add	0.47	
			For Glue Laminated Installation, Add	0.35	
			For Lumber Core, Add	0.30	
			For 1/8" Thick Paneling, Deduct	-0.75	
			For 1/2" Thick Paneling, Add	1.99	
			For 5/8" Thick Paneling, Add	2.56	
			For 3/4" Thick Paneling, Add	3.30	
			For Fire Retardant Treatment (Class I), Add	2.16	

06 Wood, Plastics, and Composites**06 40 Architectural Woodwork**

06 42 Wood Paneling



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 42 16 00-0017	SF	1/4"	Top Grade Plywood, Luan Veneer Prefinished With Trim.....	3.78	1.60
			<i>For Flitch Matched Veneer, Add</i>	0.29	
			<i>For Second Grade Veneer, Deduct</i>	-0.06	
			<i>For Third Grade Veneer, Deduct</i>	-0.09	
			<i>For Waterproof Glue, Add</i>	0.04	
			<i>For Ceiling Installation, Add</i>	0.96	
			<i>For Installation On Metal Studs Or Furring, Add</i>	0.35	
			<i>For Glue Laminated Installation, Add</i>	0.19	
			<i>For Lumber Core, Add</i>	0.06	
			<i>For 1/8" Thick Paneling, Deduct</i>	-0.32	
			<i>For 1/2" Thick Paneling, Add</i>	0.70	
			<i>For 5/8" Thick Paneling, Add</i>	0.82	
			<i>For 3/4" Thick Paneling, Add</i>	0.98	
			<i>For Fire Retardant Treatment (Class I), Add</i>	0.46	
06 42 16 00-0018	SF	1/4"	Top Grade Plywood, Mahogany Veneer Prefinished With Trim.....	6.22	1.60
			<i>For Flitch Matched Veneer, Add</i>	1.10	
			<i>For Second Grade Veneer, Deduct</i>	-0.22	
			<i>For Third Grade Veneer, Deduct</i>	-0.33	
			<i>For Waterproof Glue, Add</i>	0.15	
			<i>For Ceiling Installation, Add</i>	1.21	
			<i>For Installation On Metal Studs Or Furring, Add</i>	0.44	
			<i>For Glue Laminated Installation, Add</i>	0.31	
			<i>For Lumber Core, Add</i>	0.24	
			<i>For 1/8" Thick Paneling, Deduct</i>	-0.65	
			<i>For 1/2" Thick Paneling, Add</i>	1.67	
			<i>For 5/8" Thick Paneling, Add</i>	2.13	
			<i>For 3/4" Thick Paneling, Add</i>	2.73	
			<i>For Fire Retardant Treatment (Class I), Add</i>	1.74	
06 42 16 00-0019	SF	1/4"	Top Grade Plywood, Red Oak Veneer Prefinished With Trim.....	4.54	1.60
			<i>For Flitch Matched Veneer, Add</i>	0.49	
			<i>For Second Grade Veneer, Deduct</i>	-0.10	
			<i>For Third Grade Veneer, Deduct</i>	-0.15	
			<i>For Waterproof Glue, Add</i>	0.07	
			<i>For Ceiling Installation, Add</i>	1.07	
			<i>For Installation On Metal Studs Or Furring, Add</i>	0.39	
			<i>For Glue Laminated Installation, Add</i>	0.23	
			<i>For Lumber Core, Add</i>	0.11	
			<i>For 1/8" Thick Paneling, Deduct</i>	-0.41	
			<i>For 1/2" Thick Paneling, Add</i>	0.95	
			<i>For 5/8" Thick Paneling, Add</i>	1.16	
			<i>For 3/4" Thick Paneling, Add</i>	1.42	
			<i>For Fire Retardant Treatment (Class I), Add</i>	0.77	
06 42 16 00-0020	SF	1/4"	Top Grade Plywood, Pecan Veneer Prefinished With Trim.....	5.31	1.60
			<i>For Flitch Matched Veneer, Add</i>	0.65	
			<i>For Second Grade Veneer, Deduct</i>	-0.13	
			<i>For Third Grade Veneer, Deduct</i>	-0.19	
			<i>For Waterproof Glue, Add</i>	0.09	
			<i>For Ceiling Installation, Add</i>	1.21	
			<i>For Installation On Metal Studs Or Furring, Add</i>	0.44	
			<i>For Glue Laminated Installation, Add</i>	0.27	
			<i>For Lumber Core, Add</i>	0.14	
			<i>For 1/8" Thick Paneling, Deduct</i>	-0.50	
			<i>For 1/2" Thick Paneling, Add</i>	1.18	
			<i>For 5/8" Thick Paneling, Add</i>	1.45	
			<i>For 3/4" Thick Paneling, Add</i>	1.80	
			<i>For Fire Retardant Treatment (Class I), Add</i>	1.02	
06 42 16 00-0021	SF	1/4"	Top Grade Plywood, Rosewood Veneer Prefinished With Trim.....	8.13	1.60
			<i>For Flitch Matched Veneer, Add</i>	1.56	
			<i>For Second Grade Veneer, Deduct</i>	-0.31	
			<i>For Third Grade Veneer, Deduct</i>	-0.47	
			<i>For Waterproof Glue, Add</i>	0.22	
			<i>For Ceiling Installation, Add</i>	1.50	
			<i>For Installation On Metal Studs Or Furring, Add</i>	0.55	
			<i>For Glue Laminated Installation, Add</i>	0.41	
			<i>For Lumber Core, Add</i>	0.34	
			<i>For 1/8" Thick Paneling, Deduct</i>	-0.87	
			<i>For 1/2" Thick Paneling, Add</i>	2.29	
			<i>For 5/8" Thick Paneling, Add</i>	2.94	
			<i>For 3/4" Thick Paneling, Add</i>	3.78	
			<i>For Fire Retardant Treatment (Class I), Add</i>	2.46	
06 42 16 00-0022	SF	1/4"	Top Grade Plywood, Teak Veneer Prefinished With Trim.....	6.22	1.60
			<i>For Flitch Matched Veneer, Add</i>	1.10	
			<i>For Second Grade Veneer, Deduct</i>	-0.22	
			<i>For Third Grade Veneer, Deduct</i>	-0.33	
			<i>For Waterproof Glue, Add</i>	0.15	
			<i>For Ceiling Installation, Add</i>	1.21	
			<i>For Installation On Metal Studs Or Furring, Add</i>	0.44	
			<i>For Glue Laminated Installation, Add</i>	0.31	
			<i>For Lumber Core, Add</i>	0.24	
			<i>For 1/8" Thick Paneling, Deduct</i>	-0.65	
			<i>For 1/2" Thick Paneling, Add</i>	1.67	
			<i>For 5/8" Thick Paneling, Add</i>	2.13	
			<i>For 3/4" Thick Paneling, Add</i>	2.73	
			<i>For Fire Retardant Treatment (Class I), Add</i>	1.74	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 42 16 00-0023 SF 1/4" Top Grade Plywood, Walnut Veneer Prefinished With Trim	5.44	1.60
For Flitch Matched Veneer, Add	0.94	
For Second Grade Veneer, Deduct	-0.19	
For Third Grade Veneer, Deduct	-0.28	
For Waterproof Glue, Add	0.13	
For Ceiling Installation, Add	1.07	
For Installation On Metal Studs Or Furring, Add	0.39	
For Glue Laminated Installation, Add	0.27	
For Lumber Core, Add	0.21	
For 1/8" Thick Paneling, Deduct	-0.56	
For 1/2" Thick Paneling, Add	1.44	
For 5/8" Thick Paneling, Add	1.83	
For 3/4" Thick Paneling, Add	2.34	
For Fire Retardant Treatment (Class I), Add	1.48	
06 42 16 00-0024 SF 1/4" Top Grade Plywood, Maple Veneer Prefinished With Trim	4.56	1.60
For Flitch Matched Veneer, Add	0.50	
For Second Grade Veneer, Deduct	-0.10	
For Third Grade Veneer, Deduct	-0.15	
For Waterproof Glue, Add	0.07	
For Ceiling Installation, Add	1.07	
For Installation On Metal Studs Or Furring, Add	0.39	
For Glue Laminated Installation, Add	0.23	
For Lumber Core, Add	0.11	
For 1/8" Thick Paneling, Deduct	-0.42	
For 1/2" Thick Paneling, Add	0.96	
For 5/8" Thick Paneling, Add	1.17	
For 3/4" Thick Paneling, Add	1.44	
For Fire Retardant Treatment (Class I), Add	0.78	
06 42 16 00-0025 Accessories (06 42 16)		
06 42 16 00-0026 EA Aluminum Panel Retainer "J" With Bolt	26.43	
06 42 19 Plastic-Laminate-Faced Wood Paneling (06 42)		
06 42 19 00-0001 Plastic Laminate (06 42 19)		
Note: Standard colors and patterns.		
06 42 19 00-0002 SF 1/16" Plastic Laminate Faced Panel	7.46	3.10
Note: Includes cutting to fit.		
06 43 Wood Stairs And Railings (06 40)		
06 43 13 Wood Stairs (06 43)		
06 43 13 00-0001 Stair Parts (06 43 13)		
06 43 13 00-0002 EA 30" Baluster, Pine	44.78	17.99
06 43 13 00-0003 EA 30" Baluster, Birch	52.96	17.99
06 43 13 00-0004 EA 42" Baluster, Pine	50.58	18.60
06 43 13 00-0005 EA 42" Baluster, Birch	59.30	18.60
06 43 13 00-0006 EA 3-1/4" Wide Newels, Starting	264.63	70.71
06 43 13 00-0007 EA 3-1/4" Wide Newels, Landing	387.18	99.25
06 43 13 00-0008 LF Oak Gooseneck, 1 Riser	159.18	62.03
For Curved Surfaces With A 2'-0" Maximum Radius, Add	20.36	
06 43 13 00-0009 LF Oak Gooseneck, 2 Riser	186.38	68.14
For Curved Surfaces With A 2'-0" Maximum Radius, Add	22.39	
06 43 13 00-0010 LF Oak Handrail, 2-1/2" x 3" With Quarter Turn	33.29	9.30
For Curved Surfaces With A 2'-0" Maximum Radius, Add	3.05	
06 43 13 00-0011 LF 1-1/16" x 9-1/2" Oak Stair Tread	42.03	5.23
For Beech, Add	9.49	
For Curved Surfaces With A 2'-0" Maximum Radius, Add	2.39	
06 43 13 00-0012 LF 1-1/16" x 11-1/2" Oak Stair Tread	51.03	5.23
For Beech, Add	12.19	
For Curved Surfaces With A 2'-0" Maximum Radius, Add	2.39	
06 43 13 00-0013 LF 1-1/16" x 11-1/2" Pine Stair Tread	23.16	5.23
For Curved Surfaces With A 2'-0" Maximum Radius, Add	2.39	
06 43 13 00-0014 LF 3/4" x 7-1/2" High Beech Riser	31.58	5.40
For Curved Surfaces With A 2'-0" Maximum Radius, Add	2.50	
06 43 13 00-0015 LF 3/4" x 7-1/2" High Oak Riser	29.67	5.40
For Curved Surfaces With A 2'-0" Maximum Radius, Add	2.50	
06 43 13 00-0016 LF 3/4" x 7-1/2" High Fir Riser	17.39	5.40
For Curved Surfaces With A 2'-0" Maximum Radius, Add	2.50	
06 43 13 00-0017 LF 3/4" x 7-1/2" High Pine Riser	16.79	5.40
For Curved Surfaces With A 2'-0" Maximum Radius, Add	2.50	
06 43 13 00-0018 SF Framed Stair Landings, 3/4" Plywood Surface, Per SF Of Landing	35.96	
06 43 13 00-0019 Interior Box Stairs (06 43 13)		
Note: Factory cut and assembled straight closed box stairs, unfinished.		
06 43 13 00-0020 EA 30" Wide Pine Box Stair, Per Riser	232.01	53.96
For Curved Surfaces With A 2'-0" Maximum Radius, Add	17.73	
For Prefinished Stair Rail With Balusters And Newel, Add	67.13	
For Each LF Of Prefinished Handrail, Brackets And Baluster, Add	21.64	
For Oak Or Maple Treads, Add	69.71	

06 Wood, Plastics, and Composites**06 40 Architectural Woodwork****06 43 Wood Stairs And Railings**

MINOR		TOTAL DIRECT	DEMOLITION
CSI	UOM DESCRIPTION	UNIT COST	UNIT COST
06 43 13 00-0021	EA 32" Wide Pine Box Stair, Per Riser <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i> <i>For Prefinished Stair Rail With Balusters And Newel, Add</i> <i>For Each LF Of Prefinished Handrail, Brackets And Baluster, Add</i> <i>For Oak Or Maple Treads, Add</i>	245.96 18.13 67.65 21.85 75.21	55.20
06 43 13 00-0022	EA 34" Wide Pine Box Stair, Per Riser <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i> <i>For Prefinished Stair Rail With Balusters And Newel, Add</i> <i>For Each LF Of Prefinished Handrail, Brackets And Baluster, Add</i> <i>For Oak Or Maple Treads, Add</i>	259.07 18.34 67.92 21.97 80.70	55.83
06 43 13 00-0023	EA 36" Wide Pine Box Stair, Per Riser <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i> <i>For Prefinished Stair Rail With Balusters And Newel, Add</i> <i>For Each LF Of Prefinished Handrail, Brackets And Baluster, Add</i> <i>For Oak Or Maple Treads, Add</i>	274.24 18.54 68.18 22.08 87.13	56.45
06 43 13 00-0024	EA 38" Wide Pine Box Stair, Per Riser <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i> <i>For Prefinished Stair Rail With Balusters And Newel, Add</i> <i>For Each LF Of Prefinished Handrail, Brackets And Baluster, Add</i> <i>For Oak Or Maple Treads, Add</i>	283.23 18.75 68.45 22.19 90.77	57.06
06 43 13 00-0025	EA 40" Wide Pine Box Stair, Per Riser <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i> <i>For Prefinished Stair Rail With Balusters And Newel, Add</i> <i>For Each LF Of Prefinished Handrail, Brackets And Baluster, Add</i> <i>For Oak Or Maple Treads, Add</i>	293.09 19.15 68.98 22.41 94.41	58.31
06 43 13 00-0026	EA 42" Wide Pine Box Stair, Per Riser <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i> <i>For Prefinished Stair Rail With Balusters And Newel, Add</i> <i>For Each LF Of Prefinished Handrail, Brackets And Baluster, Add</i> <i>For Oak Or Maple Treads, Add</i>	302.07 19.36 69.25 22.52 98.06	58.92
06 43 13 00-0027	EA 44" Wide Pine Box Stair, Per Riser <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i> <i>For Prefinished Stair Rail With Balusters And Newel, Add</i> <i>For Each LF Of Prefinished Handrail, Brackets And Baluster, Add</i> <i>For Oak Or Maple Treads, Add</i>	311.05 19.57 69.52 22.63 101.69	59.55
06 43 13 00-0028	EA 46" Wide Pine Box Stair, Per Riser <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i> <i>For Prefinished Stair Rail With Balusters And Newel, Add</i> <i>For Each LF Of Prefinished Handrail, Brackets And Baluster, Add</i> <i>For Oak Or Maple Treads, Add</i>	320.00 19.76 69.78 22.74 105.33	60.17
06 43 13 00-0029	EA 48" Wide Pine Box Stair, Per Riser <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i> <i>For Prefinished Stair Rail With Balusters And Newel, Add</i> <i>For Each LF Of Prefinished Handrail, Brackets And Baluster, Add</i> <i>For Oak Or Maple Treads, Add</i>	330.67 20.38 70.58 23.08 108.93	62.03
06 43 16	Wood Railings (06 43)		
06 43 16 00-0001	Handrails (06 43 16)		
06 43 16 00-0002	Wood Handrail With Brackets (06 43 16 00-0001) Note: Includes pine, fir or red oak interior grade or pressure treated exterior grade handrail with brackets.		
06 43 16 00-0003	LF 1-1/2" x 1-11/16", Wood Handrail With Brackets <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	13.22 2.04	4.43
06 43 16 00-0004	LF 1-7/8" x 2-5/8", Wood Handrail With Brackets <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	14.10 2.04	4.43
06 43 16 00-0005	LF 1-1/2" Diameter, Wood Handrail With Brackets	17.03	4.43
06 43 16 00-0006	LF 1-3/4" Diameter, Wood Handrail With Brackets	17.76	4.43
06 43 16 00-0007	LF 2" Diameter, Wood Handrail With Brackets.....	20.40	4.43
06 43 16 00-0008	LF 2-1/2" Diameter, Wood Handrail With Brackets	28.53	4.43
06 44	Ornamental Woodwork (06 40)		
06 44 39	Wood Posts And Columns (06 44)		
06 44 39 00-0001	Columns (06 44 39)		
06 44 39 00-0002	Pine Colonial Columns, Round Tapered With Cap And Base (06 44 39 00-0001) Note: Paint grade/finger jointed pine.		
06 44 39 00-0003	LF 6" Diameter Plain Column, Pine Colonial Columns, Round Tapered With Cap And Base	58.51	5.75
06 44 39 00-0004	LF 8" Diameter Plain Column, Pine Colonial Columns, Round Tapered With Cap And Base	73.28	8.41
06 44 39 00-0005	LF 10" Diameter Plain Column, Pine Colonial Columns, Round Tapered With Cap And Base	89.84	9.73
06 44 39 00-0006	LF 12" Diameter Plain Column, Pine Colonial Columns, Round Tapered With Cap And Base	107.50	10.18
06 44 39 00-0007	LF 14" Diameter Plain Column, Pine Colonial Columns, Round Tapered With Cap And Base	239.67	11.51
06 44 39 00-0008	LF 16" Diameter Plain Column, Pine Colonial Columns, Round Tapered With Cap And Base	278.40	12.39
06 44 39 00-0009	LF 18" Diameter Plain Column, Pine Colonial Columns, Round Tapered With Cap And Base	335.08	13.28
06 44 39 00-0010	LF 20" Diameter Plain Column, Pine Colonial Columns, Round Tapered With Cap And Base	400.00	14.17
06 44 39 00-0011	LF 6" Diameter Fluted Column, Pine Colonial Columns, Round Tapered With Cap And Base	67.33	5.75
06 44 39 00-0012	LF 8" Diameter Fluted Column, Pine Colonial Columns, Round Tapered With Cap And Base	80.35	8.41
06 44 39 00-0013	LF 10" Diameter Fluted Column, Pine Colonial Columns, Round Tapered With Cap And Base	99.61	9.73
06 44 39 00-0014	LF 12" Diameter Fluted Column, Pine Colonial Columns, Round Tapered With Cap And Base	117.94	10.18
06 44 39 00-0015	LF 14" Diameter Fluted Column, Pine Colonial Columns, Round Tapered With Cap And Base	260.89	11.51
06 44 39 00-0016	LF 16" Diameter Fluted Column, Pine Colonial Columns, Round Tapered With Cap And Base	354.52	12.39



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 44 39 00-0017 LF 18" Diameter Fluted Column, Pine Colonial Columns, Round Tapered With Cap And Base	382.24	13.28
06 44 39 00-0018 LF 20" Diameter Fluted Column, Pine Colonial Columns, Round Tapered With Cap And Base	430.31	14.17
06 44 39 00-0019 Pine Colonial Columns, Round Non Tapered With Cap And Base (06 44 39 00-0001)		
Note: Paint grade/finger jointed pine.		
06 44 39 00-0020 LF 6" Diameter Plain Column, Pine Colonial Columns, Round Tapered With Cap And Base	70.37	5.75
06 44 39 00-0021 LF 8" Diameter Plain Column, Pine Colonial Columns, Round Non Tapered With Cap And Base	86.75	8.41
06 44 39 00-0022 LF 10" Diameter Plain Column, Pine Colonial Columns, Round Non Tapered With Cap And Base	107.36	9.73
06 44 39 00-0023 LF 12" Diameter Plain Column, Pine Colonial Columns, Round Non Tapered With Cap And Base	129.40	10.18
06 44 39 00-0024 LF 14" Diameter Plain Column, Pine Colonial Columns, Round Non Tapered With Cap And Base	294.61	11.51
06 44 39 00-0025 LF 16" Diameter Plain Column, Pine Colonial Columns, Round Non Tapered With Cap And Base	342.73	12.39
06 44 39 00-0026 LF 18" Diameter Plain Column, Pine Colonial Columns, Round Non Tapered With Cap And Base	413.33	13.28
06 44 39 00-0027 LF 20" Diameter Plain Column, Pine Colonial Columns, Round Non Tapered With Cap And Base	494.24	14.17
06 44 39 00-0028 LF 6" Diameter Fluted Column, Pine Colonial Columns, Round Non Tapered With Cap And Base	81.41	5.75
06 44 39 00-0029 LF 8" Diameter Fluted Column, Pine Colonial Columns, Round Non Tapered With Cap And Base	96.42	8.41
06 44 39 00-0030 LF 10" Diameter Fluted Column, Pine Colonial Columns, Round Non Tapered With Cap And Base	120.02	9.73
06 44 39 00-0031 LF 12" Diameter Fluted Column, Pine Colonial Columns, Round Non Tapered With Cap And Base	142.80	10.18
06 44 39 00-0032 LF 14" Diameter Fluted Column, Pine Colonial Columns, Round Non Tapered With Cap And Base	321.18	11.51
06 44 39 00-0033 LF 16" Diameter Fluted Column, Pine Colonial Columns, Round Non Tapered With Cap And Base	438.15	12.39
06 44 39 00-0034 LF 18" Diameter Fluted Column, Pine Colonial Columns, Round Non Tapered With Cap And Base	472.44	13.28
06 44 39 00-0035 LF 20" Diameter Fluted Column, Pine Colonial Columns, Round Non Tapered With Cap And Base	532.26	14.17
06 44 39 00-0036 Pine Classical Columns, Round Tapered With Cap And Base (06 44 39 00-0001)		
Note: Paint grade/finger jointed pine.		
06 44 39 00-0037 LF 6" Diameter Plain Column, Pine Classical Columns, Round Tapered With Cap And Base	62.70	5.75
06 44 39 00-0038 LF 8" Diameter Plain Column, Pine Classical Columns, Round Tapered With Cap And Base	78.32	8.41
06 44 39 00-0039 LF 10" Diameter Plain Column, Pine Classical Columns, Round Tapered With Cap And Base	96.19	9.73
06 44 39 00-0040 LF 12" Diameter Plain Column, Pine Classical Columns, Round Tapered With Cap And Base	115.36	10.18
06 44 39 00-0041 LF 6" Diameter Fluted Column, Pine Classical Columns, Round Tapered With Cap And Base	72.32	5.75
06 44 39 00-0042 LF 8" Diameter Fluted Column, Pine Classical Columns, Round Tapered With Cap And Base	86.03	8.41
06 44 39 00-0043 LF 10" Diameter Fluted Column, Pine Classical Columns, Round Tapered With Cap And Base	106.83	9.73
06 44 39 00-0044 LF 12" Diameter Fluted Column, Pine Classical Columns, Round Tapered With Cap And Base	126.74	10.18
06 44 39 00-0045 Redwood Colonial Columns, Round Tapered With Cap And Base (06 44 39 00-0001)		
Note: Paint grade/finger jointed redwood.		
06 44 39 00-0046 LF 6" Diameter Plain Column, Redwood Colonial Columns, Round Tapered With Cap And Base	97.98	5.75
06 44 39 00-0047 LF 8" Diameter Plain Column, Redwood Colonial Columns, Round Tapered With Cap And Base	117.74	8.41
06 44 39 00-0048 LF 10" Diameter Plain Column, Redwood Colonial Columns, Round Tapered With Cap And Base	146.76	9.73
06 44 39 00-0049 LF 12" Diameter Plain Column, Redwood Colonial Columns, Round Tapered With Cap And Base	179.58	10.18
06 44 39 00-0050 LF 6" Diameter Fluted Column, Redwood Colonial Columns, Round Tapered With Cap And Base	112.80	5.75
06 44 39 00-0051 LF 8" Diameter Fluted Column, Redwood Colonial Columns, Round Tapered With Cap And Base	133.57	8.41
06 44 39 00-0052 LF 10" Diameter Fluted Column, Redwood Colonial Columns, Round Tapered With Cap And Base	165.29	9.73
06 44 39 00-0053 LF 12" Diameter Fluted Column, Redwood Colonial Columns, Round Tapered With Cap And Base	203.83	10.18
06 44 39 00-0054 Ornamental Or Decorative Cap And Bases, Resin (06 44 39 00-0001)		
Note: For tapered wood columns.		
06 44 39 00-0055 EA 6" Resin Corinthian Capital And Base	306.83	11.95
06 44 39 00-0056 EA 8" Resin Corinthian Capital And Base	464.42	13.28
06 44 39 00-0057 EA 10" Resin Corinthian Capital And Base	647.35	15.49
06 44 39 00-0058 EA 12" Resin Corinthian Capital And Base	826.92	17.70
06 44 39 00-0059 EA 6" Resin Greek Erectheum Cap And Base	273.14	11.95
06 44 39 00-0060 EA 8" Resin Greek Erectheum Cap And Base	380.22	13.28
06 44 39 00-0061 EA 10" Resin Greek Erectheum Cap And Base	472.21	15.49
06 44 39 00-0062 EA 12" Resin Greek Erectheum Cap And Base	618.09	17.70
06 44 39 00-0063 EA 6" Resin Roman Ionic Capital And Base	287.50	12.39
06 44 39 00-0064 EA 8" Resin Roman Ionic Capital And Base	380.22	13.28
06 44 39 00-0065 EA 10" Resin Roman Ionic Capital And Base	472.21	15.49
06 44 39 00-0066 EA 12" Resin Roman Ionic Capital And Base	601.25	17.70
06 44 39 00-0067 EA 6" Resin Scamozzi Capital And Base	290.86	12.39
06 44 39 00-0068 EA 8" Resin Scamozzi Capital And Base	413.90	13.28
06 44 39 00-0069 EA 10" Resin Scamozzi Capital And Base	489.05	15.49
06 44 39 00-0070 EA 12" Resin Scamozzi Capital And Base	671.98	17.70
06 44 39 00-0071 EA 6" Resin Temple Of Winds Cap And Base	290.86	12.39
06 44 39 00-0072 EA 8" Resin Temple Of Winds Cap And Base	450.95	13.28
06 44 39 00-0073 EA 10" Resin Temple Of Winds Cap And Base	596.83	15.49
06 44 39 00-0074 EA 12" Resin Temple Of Winds Cap And Base	739.35	17.70
06 44 39 00-0075 Ornamental Or Decorative Cap And Bases, Plaster (06 44 39 00-0001)		
Note: For tapered wood columns.		
06 44 39 00-0076 EA 6" Plaster Corinthian Capital And Base	620.07	11.95
06 44 39 00-0077 EA 8" Plaster Corinthian Capital And Base	696.82	13.28
06 44 39 00-0078 EA 10" Plaster Corinthian Capital And Base	886.49	15.49
06 44 39 00-0079 EA 12" Plaster Corinthian Capital And Base	975.12	17.70
06 44 39 00-0080 EA 6" Plaster Greek Erectheum Cap And Base	411.24	11.95
06 44 39 00-0081 EA 8" Plaster Greek Erectheum Cap And Base	477.89	13.28
06 44 39 00-0082 EA 10" Plaster Greek Erectheum Cap And Base	590.10	15.49

06 Wood, Plastics, and Composites**06 40 Architectural Woodwork****06 44 Ornamental Woodwork**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 44 39 00-0083	EA		12" Plaster Greek Erectheum Cap And Base.....	742.71	17.70
06 44 39 00-0084	EA		6" Plaster Roman Ionic Capital And Base.....	395.28	12.39
06 44 39 00-0085	EA		8" Plaster Roman Ionic Capital And Base.....	518.31	13.28
06 44 39 00-0086	EA		10" Plaster Roman Ionic Capital And Base.....	627.15	15.49
06 44 39 00-0087	EA		12" Plaster Roman Ionic Capital And Base.....	742.71	17.70
06 44 39 00-0088	EA		6" Plaster Scamozzi Capital And Base.....	469.38	12.39
06 44 39 00-0089	EA		8" Plaster Scamozzi Capital And Base.....	622.73	13.28
06 44 39 00-0090	EA		10" Plaster Scamozzi Capital And Base.....	701.24	15.49
06 44 39 00-0091	EA		12" Plaster Scamozzi Capital And Base.....	890.91	17.70
06 44 39 00-0092	EA		6" Plaster Temple Of Winds Cap And Base.....	395.28	12.39
06 44 39 00-0093	EA		8" Plaster Temple Of Winds Cap And Base.....	511.58	13.28
06 44 39 00-0094	EA		10" Plaster Temple Of Winds Cap And Base.....	667.56	15.49
06 44 39 00-0095	EA		12" Plaster Temple Of Winds Cap And Base.....	853.86	17.70
06 44 39 00-0096	EA		6" Plaster Empire Capital And Base.....	445.80	12.39
06 44 39 00-0097	EA		8" Plaster Empire Capital And Base.....	545.26	13.28
06 44 39 00-0098	EA		10" Plaster Empire Capital And Base.....	664.20	15.49
06 44 39 00-0099	EA		12" Plaster Empire Capital And Base.....	742.71	17.70

06 46 Wood Trim (06 40)**06 46 13 Wood Door and Window Casings (06 46)****06 46 13 00-0001 Door and Window Casings (06 46 13)**

06 46 13 00-0002	LF		1-1/8" Wide Plain Pine Door And Window Molding.....	4.19	1.42
			<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.73	
06 46 13 00-0003	LF		1-1/8" Wide Detailed Pine Door And Window Molding.....	4.23	1.42
			<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.73	
06 46 13 00-0004	LF		2-1/2" Wide Pine Complete Door And Window Trim.....	5.32	1.42
			<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.73	

06 46 19 Wood Base And Shoe Moldings (06 46)**06 46 19 00-0001 Base And Shoe Molding (06 46 19)**

06 46 19 00-0002	LF		1/2" x 1/2" Pine Quarter Round Trim.....	4.32	1.68
			<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.85	
06 46 19 00-0003	LF		3/4" x 3/4" Pine Quarter Round Trim.....	4.63	1.68
			<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.85	
06 46 19 00-0004	LF		3-1/2" High White Pine Base Molding, All Dimensions Are Nominal.....	5.54	1.07
			<i>For Clear Birch, Add</i>	0.64	
			<i>For Clear Mahogany, Oak, Maple Or Walnut, Add</i>	1.25	
			<i>For Stain Grade Material (No Finger Joints), Add</i>	0.36	
			<i>For Clear Poplar, Add</i>	0.40	
06 46 19 00-0005	LF		4-1/2" High White Pine Base Molding, All Dimensions Are Nominal.....	6.74	1.33
			<i>For Clear Birch, Add</i>	0.74	
			<i>For Clear Mahogany, Oak, Maple Or Walnut, Add</i>	1.48	
			<i>For Stain Grade Material (No Finger Joints), Add</i>	0.42	
			<i>For Clear Poplar, Add</i>	0.46	
06 46 19 00-0006	LF		5-1/2" High White Pine Base Molding, All Dimensions Are Nominal.....	8.45	1.51
			<i>For Clear Birch, Add</i>	1.14	
			<i>For Clear Mahogany, Oak, Maple Or Walnut, Add</i>	2.09	
			<i>For Stain Grade Material (No Finger Joints), Add</i>	0.64	
			<i>For Clear Poplar, Add</i>	0.71	
06 46 19 00-0007	LF		3/4" x 1" Oak Base Shoe.....	5.44	1.68
06 46 19 00-0008	LF		3/4" x 1" White Pine Base Shoe, Stain Grade.....	5.26	1.68
06 46 19 00-0009	LF		3/4" x 1" White Pine Base Shoe, Paint Grade.....	4.86	1.68

06 46 23 Wood Chair Rails (06 46)**06 46 23 00-0001 Chair Rails (06 46 23)**

06 46 23 00-0002	LF		5/8" x 2-1/2" White Pine Shaped Chair Rail.....	6.83	1.60
			<i>For Birch, Add</i>	1.05	
			<i>For Mahogany, Oak, Maple Or Walnut, Add</i>	1.83	
			<i>For Poplar, Add</i>	0.66	
06 46 23 00-0003	LF		5/8" x 3-1/2" White Pine Shaped Chair Rail.....	8.49	1.60
			<i>For Birch, Add</i>	1.58	
			<i>For Mahogany, Oak, Maple Or Walnut, Add</i>	2.58	
			<i>For Poplar, Add</i>	0.99	
06 46 23 00-0004	LF		1/2" x 1-5/8" White Pine Shaped Chair Rail.....	5.07	1.60
			<i>For Birch, Add</i>	0.77	
			<i>For Mahogany, Oak, Maple Or Walnut, Add</i>	1.35	
			<i>For Poplar, Add</i>	0.48	

06 46 26 Wood Cornices (06 46)**06 46 26 00-0001 Wood Cornices (06 46 26)**

06 46 26 00-0002	LF		1" x 2" White Pine Cornices, All Dimensions Are Nominal.....	5.04	1.60
			<i>For Birch, Add</i>	0.54	
			<i>For Mahogany, Oak, Maple, Or Walnut, Add</i>	1.03	
			<i>For Poplar, Add</i>	0.68	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 46 26 00-0003 LF 1" x 4" White Pine Cornices, All Dimensions Are Nominal	6.40	1.68
<i>For Birch, Add</i>	0.98	
<i>For Mahogany, Oak, Maple, Or Walnut, Add</i>	1.59	
<i>For Poplar, Add</i>	1.22	
06 46 26 00-0004 LF 1" x 6" White Pine Cornices, All Dimensions Are Nominal	9.01	1.77
<i>For Birch, Add</i>	1.86	
<i>For Mahogany, Oak, Maple, Or Walnut, Add</i>	2.71	
<i>For Poplar, Add</i>	2.32	
06 46 26 00-0005 LF 1" x 8" White Pine Cornices, All Dimensions Are Nominal	10.44	1.77
<i>For Birch, Add</i>	2.31	
<i>For Mahogany, Oak, Maple, Or Walnut, Add</i>	3.29	
<i>For Poplar, Add</i>	2.88	
06 46 26 00-0006 LF 1" x 10" White Pine Cornices, All Dimensions Are Nominal	12.09	1.86
<i>For Birch, Add</i>	2.83	
<i>For Mahogany, Oak, Maple, Or Walnut, Add</i>	3.96	
<i>For Poplar, Add</i>	3.54	
06 46 26 00-0007 LF 1" x 12" White Pine Cornices, All Dimensions Are Nominal	15.63	2.04
<i>For Birch, Add</i>	4.03	
<i>For Mahogany, Oak, Maple, Or Walnut, Add</i>	5.48	
<i>For Poplar, Add</i>	5.04	
06 46 29 Wood Fasciae And Soffits (06 46)		
06 46 29 00-0001 Fascia Board (06 46 29)		
06 46 29 00-0002 Pine Fascia Board (06 46 29 00-0001)		
06 46 29 00-0003 LF 1" x 6" Pine Fascia Board	4.16	1.77
06 46 29 00-0004 LF 1" x 8" Pine Fascia Board	4.77	1.97
06 46 29 00-0005 LF 1" x 10" Pine Fascia Board	5.16	2.06
06 46 29 00-0006 LF 1" x 12" Pine Fascia Board	6.07	2.31
06 46 29 00-0007 LF 2" x 6" Pine Fascia Board	4.12	1.77
06 46 29 00-0008 LF 2" x 8" Pine Fascia Board	4.71	1.97
06 46 29 00-0009 LF 2" x 10" Pine Fascia Board	5.25	2.06
06 46 29 00-0010 LF 2" x 12" Pine Fascia Board	6.36	2.31
06 46 29 00-0011 LF 2" x 6" Trim, Exterior, Pine, Resawn Fascia.....	5.01	1.77
06 46 29 00-0012 LF 2" x 8" Trim, Exterior, Pine, Resawn Fascia.....	5.87	1.97
06 46 29 00-0013 LF 2" x 10" Trim, Exterior, Pine, Resawn Fascia.....	6.59	2.06
06 46 29 00-0014 LF 2" x 12" Trim, Exterior, Pine, Resawn Fascia.....	8.34	2.31
06 46 29 00-0015 Cedar Fascia Board (06 46 29 00-0001)		
06 46 29 00-0016 LF 1" x 6" Cedar Fascia Board	4.46	1.77
06 46 29 00-0017 LF 1" x 8" Cedar Fascia Board	5.23	1.97
06 46 29 00-0018 LF 1" x 10" Cedar Fascia Board	6.05	2.06
06 46 29 00-0019 LF 1" x 12" Cedar Fascia Board	7.33	2.31
06 46 29 00-0020 Engineered Wood Fascia Board (06 46 29 00-0001)		
06 46 29 00-0021 LF 1" x 6" Engineered Wood Fascia Board	3.99	1.77
06 46 29 00-0022 LF 1" x 8" Engineered Wood Fascia Board	4.54	1.97
06 46 29 00-0023 LF 1" x 12" Engineered Wood Fascia Board	5.53	2.31
06 46 29 00-0024 Soffit (06 46 29)		
06 46 29 00-0025 Sanded Plywood Soffit (06 46 29 00-0024)		
06 46 29 00-0026 SF 3/8" Thick, Sanded Plywood Soffit	3.33	1.34
06 46 29 00-0027 SF 1/2" Thick, Sanded Plywood Soffit	3.61	1.41
06 46 29 00-0028 SF 5/8" Thick, Sanded Plywood Soffit	3.79	1.47
06 46 29 00-0029 SF 3/4" Thick, Sanded Plywood Soffit	4.14	1.55
06 46 29 00-0030 MDO Plywood Soffit (06 46 29 00-0024)		
06 46 29 00-0031 SF 3/8" Thick, MDO Plywood Soffit	3.63	1.34
06 46 29 00-0032 SF 1/2" Thick, MDO Plywood Soffit	3.99	1.41
06 46 29 00-0033 SF 3/4" Thick, MDO Plywood Soffit	4.88	1.55
06 46 29 00-0034 Exterior Ceiling Gypsum Board Soffit (06 46 29 00-0024)		
06 46 29 00-0035 SF 1/2" Thick, Exterior Ceiling Gypsum Board Soffit	2.77	1.17
06 46 29 00-0036 SF 5/8" Thick, Fire Rated, Exterior Ceiling Gypsum Board Soffit	2.98	1.23
06 46 36 Custom Wood Molding (06 46)		
Note: Includes set-up, knife charge, gluing (Where necessary for widths over 7-1/2"). All dimensions are nominal.		
06 46 36 00-0001 Ash (06 46 36)		
06 46 36 00-0002 LF 3/4" x 1-1/2" Custom Shaped Ash.....	6.49	0.98
<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.72	
06 46 36 00-0003 LF 3/4" x 2-1/2" Custom Shaped Ash.....	8.27	0.98
<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.74	

06 Wood, Plastics, and Composites**06 40 Architectural Woodwork****06 46 Wood Trim**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 46 36 00-0004	LF	3/4" x 3-1/2" Custom Shaped Ash.....	10.06	0.98	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.76		
06 46 36 00-0005	LF	3/4" x 4-1/2" Custom Shaped Ash.....	11.84	1.07	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.79		
06 46 36 00-0006	LF	3/4" x 5-1/2" Custom Shaped Ash.....	13.72	1.07	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.83		
06 46 36 00-0007	LF	3/4" x 6-1/2" Custom Shaped Ash.....	15.61	1.16	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.88		
06 46 36 00-0008	LF	3/4" x 7-1/2" Custom Shaped Ash.....	17.37	1.16	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.90		
06 46 36 00-0009	LF	3/4" x 8-1/2" Custom Shaped Ash.....	19.18	1.16	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.92		
06 46 36 00-0010	LF	3/4" x 9-1/2" Custom Shaped Ash.....	20.92	1.24	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.94		
06 46 36 00-0011	LF	3/4" x 10-1/2" Custom Shaped Ash.....	22.81	1.24	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.99		
06 46 36 00-0012	LF	3/4" x 11-1/2" Custom Shaped Ash.....	24.64	1.33	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	1.02		
06 46 36 00-0013	LF	1" x 1-1/2" Custom Shaped Ash.....	7.74	0.98	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.74		
06 46 36 00-0014	LF	1" x 2-1/2" Custom Shaped Ash.....	10.09	0.98	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.76		
06 46 36 00-0015	LF	1" x 3-1/2" Custom Shaped Ash.....	12.43	1.07	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.78		
06 46 36 00-0016	LF	1" x 4-1/2" Custom Shaped Ash.....	14.78	1.07	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.81		
06 46 36 00-0017	LF	1" x 5-1/2" Custom Shaped Ash.....	17.26	1.16	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.85		
06 46 36 00-0018	LF	1" x 6-1/2" Custom Shaped Ash.....	19.70	1.16	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.90		
06 46 36 00-0019	LF	1" x 7-1/2" Custom Shaped Ash.....	22.03	1.16	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.92		
06 46 36 00-0020	LF	1" x 8-1/2" Custom Shaped Ash.....	24.40	1.24	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.95		
06 46 36 00-0021	LF	1" x 9-1/2" Custom Shaped Ash.....	26.74	1.24	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.96		
06 46 36 00-0022	LF	1" x 10-1/2" Custom Shaped Ash.....	29.20	1.33	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	1.01		
06 46 36 00-0023	LF	1" x 11-1/2" Custom Shaped Ash.....	31.60	1.33	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	1.04		
06 46 36 00-0024	LF	1-1/4" x 1-1/2" Custom Shaped Ash.....	9.31	0.98	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.76		
06 46 36 00-0025	LF	1-1/4" x 2-1/2" Custom Shaped Ash.....	12.42	0.98	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.78		
06 46 36 00-0026	LF	1-1/4" x 3-1/2" Custom Shaped Ash.....	15.53	1.07	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.81		
06 46 36 00-0027	LF	1-1/4" x 4-1/2" Custom Shaped Ash.....	18.64	1.07	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.83		
06 46 36 00-0028	LF	1-1/4" x 5-1/2" Custom Shaped Ash.....	21.83	1.16	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.87		
06 46 36 00-0029	LF	1-1/4" x 6-1/2" Custom Shaped Ash.....	25.04	1.16	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.92		
06 46 36 00-0030	LF	1-1/4" x 7-1/2" Custom Shaped Ash.....	28.14	1.24	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.94		
06 46 36 00-0031	LF	1-1/4" x 8-1/2" Custom Shaped Ash.....	31.27	1.24	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.97		
06 46 36 00-0032	LF	1-1/4" x 9-1/2" Custom Shaped Ash.....	34.32	1.24	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.98		
06 46 36 00-0033	LF	1-1/4" x 10-1/2" Custom Shaped Ash.....	37.56	1.33	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	1.03		
06 46 36 00-0034	LF	1-1/4" x 11-1/2" Custom Shaped Ash.....	40.71	1.42	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	1.06		
06 46 36 00-0035	LF	1-1/2" x 1-1/2" Custom Shaped Ash.....	11.57	0.98	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.78		
06 46 36 00-0036	LF	1-1/2" x 2-1/2" Custom Shaped Ash.....	15.76	1.07	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.80		
06 46 36 00-0037	LF	1-1/2" x 3-1/2" Custom Shaped Ash.....	19.94	1.07	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.82		
06 46 36 00-0038	LF	1-1/2" x 4-1/2" Custom Shaped Ash.....	24.13	1.16	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.85		
06 46 36 00-0039	LF	1-1/2" x 5-1/2" Custom Shaped Ash.....	28.33	1.16	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.87		
06 46 36 00-0040	LF	1-1/2" x 6-1/2" Custom Shaped Ash.....	32.71	1.24	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.94		
06 46 36 00-0041	LF	1-1/2" x 7-1/2" Custom Shaped Ash.....	36.97	1.24	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.96		
06 46 36 00-0042	LF	1-1/2" x 8-1/2" Custom Shaped Ash.....	41.10	1.24	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.99		
06 46 36 00-0043	LF	1-1/2" x 9-1/2" Custom Shaped Ash.....	45.24	1.33	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	1.00		
06 46 36 00-0044	LF	1-1/2" x 10-1/2" Custom Shaped Ash.....	49.96	1.33	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	1.05		
06 46 36 00-0045	LF	1-1/2" x 11-1/2" Custom Shaped Ash.....	53.78	1.42	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	1.08		



	MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
				06 46 36 00-0046 Basswood <small>(06 46 36)</small>		
			LF	3/4" x 1-1/2" Custom Shaped Basswood	5.37	0.98
				<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.72	
			LF	3/4" x 2-1/2" Custom Shaped Basswood	6.59	0.98
				<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.74	
			LF	3/4" x 3-1/2" Custom Shaped Basswood	7.81	0.98
				<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.76	
			LF	3/4" x 4-1/2" Custom Shaped Basswood	9.03	1.07
				<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.79	
			LF	3/4" x 5-1/2" Custom Shaped Basswood	10.36	1.07
				<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.83	
			LF	3/4" x 6-1/2" Custom Shaped Basswood	11.68	1.16
				<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.88	
			LF	3/4" x 7-1/2" Custom Shaped Basswood	12.88	1.16
				<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.90	
			LF	3/4" x 8-1/2" Custom Shaped Basswood	14.12	1.24
				<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.92	
			LF	3/4" x 9-1/2" Custom Shaped Basswood	15.31	1.24
				<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.94	
			LF	3/4" x 10-1/2" Custom Shaped Basswood	16.64	1.33
				<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.99	
			LF	3/4" x 11-1/2" Custom Shaped Basswood	17.90	1.33
				<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	1.02	
			LF	1" x 1-1/2" Custom Shaped Basswood	6.14	0.98
				<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.74	
			LF	1" x 2-1/2" Custom Shaped Basswood	7.68	0.98
				<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.76	
			LF	1" x 3-1/2" Custom Shaped Basswood	9.22	1.07
				<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.78	
			LF	1" x 4-1/2" Custom Shaped Basswood	10.77	1.07
				<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.81	
			LF	1" x 5-1/2" Custom Shaped Basswood	12.45	1.16
				<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.85	
			LF	1" x 6-1/2" Custom Shaped Basswood	14.08	1.16
				<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.90	
			LF	1" x 7-1/2" Custom Shaped Basswood	15.62	1.24
				<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.92	
			LF	1" x 8-1/2" Custom Shaped Basswood	17.18	1.24
				<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.95	
			LF	1" x 9-1/2" Custom Shaped Basswood	18.73	1.24
				<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.96	
			LF	1" x 10-1/2" Custom Shaped Basswood	20.38	1.33
				<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	1.01	
			LF	1" x 11-1/2" Custom Shaped Basswood	21.97	1.33
				<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	1.04	
			LF	1-1/2" x 1-1/2" Custom Shaped Basswood	8.43	0.98
				<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.76	
			LF	1-1/2" x 2-1/2" Custom Shaped Basswood	11.10	0.98
				<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.78	
			LF	1-1/2" x 3-1/2" Custom Shaped Basswood	13.76	1.07
				<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.81	
			LF	1-1/2" x 4-1/2" Custom Shaped Basswood	16.43	1.07
				<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.83	
			LF	1-1/2" x 5-1/2" Custom Shaped Basswood	19.19	1.16
				<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.87	
			LF	1-1/2" x 6-1/2" Custom Shaped Basswood	21.95	1.24
				<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.92	
			LF	1-1/2" x 7-1/2" Custom Shaped Basswood	24.61	1.24
				<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.94	
			LF	1-1/2" x 8-1/2" Custom Shaped Basswood	27.30	1.24
				<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.97	
			LF	1-1/2" x 9-1/2" Custom Shaped Basswood	29.91	1.24
				<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.98	
			LF	1-1/2" x 10-1/2" Custom Shaped Basswood	32.71	1.33
				<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	1.03	
			LF	1-1/2" x 11-1/2" Custom Shaped Basswood	35.41	1.42
				<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	1.06	
			LF	3-1/2" x 3-1/2" Custom Shaped Basswood	33.32	1.16
				<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.88	
			LF	3-1/2" x 4-1/2" Custom Shaped Basswood	40.87	1.16
				<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.92	
			LF	3-1/2" x 5-1/2" Custom Shaped Basswood	48.35	1.24
				<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.94	
			LF	3-1/2" x 6-1/2" Custom Shaped Basswood	55.99	1.33
				<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	1.00	
			LF	3-1/2" x 7-1/2" Custom Shaped Basswood	63.45	1.33
				<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	1.02	
			LF	3-1/2" x 8-1/2" Custom Shaped Basswood	71.09	1.42
				<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	1.06	
			LF	3-1/2" x 9-1/2" Custom Shaped Basswood	78.48	1.42
				<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	1.08	

06 Wood, Plastics, and Composites**06 40 Architectural Woodwork****06 46 Wood Trim**

MINOR				TOTAL DIRECT	DEMOLITION
CSI	UOM	DESCRIPTION		UNIT COST	UNIT COST
06 46 36 00-0087	LF	3-1/2" x 10-1/2" Custom Shaped Basswood <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		85.95 1.10	1.42
06 46 36 00-0088	LF	3-1/2" x 11-1/2" Custom Shaped Basswood <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		93.59 1.16	1.51
06 46 36 00-0089 Birch <small>(06 46 36)</small>					
06 46 36 00-0090	LF	3/4" x 1-1/2" Custom Shaped Birch <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		5.77 0.72	0.98
06 46 36 00-0091	LF	3/4" x 2-1/2" Custom Shaped Birch <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		7.19 0.74	0.98
06 46 36 00-0092	LF	3/4" x 3-1/2" Custom Shaped Birch <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		8.61 0.76	0.98
06 46 36 00-0093	LF	3/4" x 4-1/2" Custom Shaped Birch <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		10.04 0.79	1.07
06 46 36 00-0094	LF	3/4" x 5-1/2" Custom Shaped Birch <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		11.56 0.83	1.07
06 46 36 00-0095	LF	3/4" x 6-1/2" Custom Shaped Birch <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		13.08 0.88	1.16
06 46 36 00-0096	LF	3/4" x 7-1/2" Custom Shaped Birch <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		14.49 0.90	1.16
06 46 36 00-0097	LF	3/4" x 8-1/2" Custom Shaped Birch <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		15.93 0.92	1.16
06 46 36 00-0098	LF	3/4" x 9-1/2" Custom Shaped Birch <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		17.31 0.94	1.24
06 46 36 00-0099	LF	3/4" x 10-1/2" Custom Shaped Birch <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		18.85 0.99	1.24
06 46 36 00-0100	LF	3/4" x 11-1/2" Custom Shaped Birch <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		20.31 1.02	1.33
06 46 36 00-0101	LF	1" x 1-1/2" Custom Shaped Birch <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		6.74 0.74	0.98
06 46 36 00-0102	LF	1" x 2-1/2" Custom Shaped Birch <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		8.56 0.76	0.98
06 46 36 00-0103	LF	1" x 3-1/2" Custom Shaped Birch <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		10.43 0.78	1.07
06 46 36 00-0104	LF	1" x 4-1/2" Custom Shaped Birch <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		12.29 0.81	1.07
06 46 36 00-0105	LF	1" x 5-1/2" Custom Shaped Birch <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		14.26 0.85	1.16
06 46 36 00-0106	LF	1" x 6-1/2" Custom Shaped Birch <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		16.17 0.90	1.16
06 46 36 00-0107	LF	1" x 7-1/2" Custom Shaped Birch <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		18.02 0.92	1.16
06 46 36 00-0108	LF	1" x 8-1/2" Custom Shaped Birch <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		19.91 0.95	1.24
06 46 36 00-0109	LF	1" x 9-1/2" Custom Shaped Birch <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		21.73 0.96	1.24
06 46 36 00-0110	LF	1" x 10-1/2" Custom Shaped Birch <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		23.67 1.01	1.33
06 46 36 00-0111	LF	1" x 11-1/2" Custom Shaped Birch <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		25.58 1.04	1.33
06 46 36 00-0112	LF	1-1/4" x 1-1/2" Custom Shaped Birch <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		7.87 0.76	0.98
06 46 36 00-0113	LF	1-1/4" x 2-1/2" Custom Shaped Birch <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		10.26 0.78	0.98
06 46 36 00-0114	LF	1-1/4" x 3-1/2" Custom Shaped Birch <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		12.64 0.81	1.07
06 46 36 00-0115	LF	1-1/4" x 4-1/2" Custom Shaped Birch <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		15.03 0.83	1.07
06 46 36 00-0116	LF	1-1/4" x 5-1/2" Custom Shaped Birch <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		17.50 0.87	1.16
06 46 36 00-0117	LF	1-1/4" x 6-1/2" Custom Shaped Birch <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		19.99 0.92	1.16
06 46 36 00-0118	LF	1-1/4" x 7-1/2" Custom Shaped Birch <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		22.36 0.94	1.24
06 46 36 00-0119	LF	1-1/4" x 8-1/2" Custom Shaped Birch <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		24.77 0.97	1.24
06 46 36 00-0120	LF	1-1/4" x 9-1/2" Custom Shaped Birch <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		27.11 0.98	1.24
06 46 36 00-0121	LF	1-1/4" x 10-1/2" Custom Shaped Birch <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		29.62 1.03	1.33
06 46 36 00-0122	LF	1-1/4" x 11-1/2" Custom Shaped Birch <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		32.05 1.06	1.42
06 46 36 00-0123	LF	1-1/2" x 1-1/2" Custom Shaped Birch <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		9.65 0.78	0.98
06 46 36 00-0124	LF	1-1/2" x 2-1/2" Custom Shaped Birch <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		12.87 0.80	1.07
06 46 36 00-0125	LF	1-1/2" x 3-1/2" Custom Shaped Birch <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		16.09 0.82	1.07
06 46 36 00-0126	LF	1-1/2" x 4-1/2" Custom Shaped Birch <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		19.32 0.85	1.16
06 46 36 00-0127	LF	1-1/2" x 5-1/2" Custom Shaped Birch <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		22.56 0.87	1.16



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 46 36 00-0128 LF 1-1/2" x 6-1/2" Custom Shaped Birch..... <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	25.97 0.94	1.24
06 46 36 00-0129 LF 1-1/2" x 7-1/2" Custom Shaped Birch..... <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	29.19 0.96	1.24
06 46 36 00-0130 LF 1-1/2" x 8-1/2" Custom Shaped Birch..... <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	32.44 0.99	1.24
06 46 36 00-0131 LF 1-1/2" x 9-1/2" Custom Shaped Birch..... <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	35.62 1.00	1.33
06 46 36 00-0132 LF 1-1/2" x 10-1/2" Custom Shaped Birch..... <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	39.37 1.05	1.33
06 46 36 00-0133 LF 1-1/2" x 11-1/2" Custom Shaped Birch..... <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	42.23 1.08	1.42
06 46 36 00-0134 Clear Western Cedar <small>(06 46 36)</small>		
06 46 36 00-0135 LF 3/4" x 1-1/2" Custom Shaped Clear West Cedar..... <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	5.77 0.72	0.98
06 46 36 00-0136 LF 3/4" x 2-1/2" Custom Shaped Clear West Cedar..... <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	7.19 0.74	0.98
06 46 36 00-0137 LF 3/4" x 3-1/2" Custom Shaped Clear West Cedar..... <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	8.61 0.76	0.98
06 46 36 00-0138 LF 3/4" x 4-1/2" Custom Shaped Clear West Cedar..... <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	10.04 0.79	1.07
06 46 36 00-0139 LF 3/4" x 5-1/2" Custom Shaped Clear West Cedar..... <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	11.56 0.83	1.07
06 46 36 00-0140 LF 3/4" x 6-1/2" Custom Shaped Clear West Cedar..... <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	13.08 0.88	1.16
06 46 36 00-0141 LF 1" x 1-1/2" Custom Shaped Clear West Cedar..... <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	6.82 0.74	0.98
06 46 36 00-0142 LF 1" x 2-1/2" Custom Shaped Clear West Cedar..... <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	8.72 0.76	0.98
06 46 36 00-0143 LF 1" x 3-1/2" Custom Shaped Clear West Cedar..... <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	10.63 0.78	1.07
06 46 36 00-0144 LF 1" x 4-1/2" Custom Shaped Clear West Cedar..... <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	12.53 0.81	1.07
06 46 36 00-0145 LF 1" x 5-1/2" Custom Shaped Clear West Cedar..... <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	14.54 0.85	1.16
06 46 36 00-0146 LF 1" x 6-1/2" Custom Shaped Clear West Cedar..... <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	16.53 0.90	1.16
06 46 36 00-0147 LF 1-1/4" x 1-1/2" Custom Shaped Clear West Cedar..... <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	8.91 0.76	0.98
06 46 36 00-0148 LF 1-1/4" x 2-1/2" Custom Shaped Clear West Cedar..... <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	11.82 0.78	0.98
06 46 36 00-0149 LF 1-1/4" x 3-1/2" Custom Shaped Clear West Cedar..... <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	14.73 0.81	1.07
06 46 36 00-0150 LF 1-1/4" x 4-1/2" Custom Shaped Clear West Cedar..... <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	17.63 0.83	1.07
06 46 36 00-0151 LF 1-1/4" x 5-1/2" Custom Shaped Clear West Cedar..... <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	20.63 0.87	1.16
06 46 36 00-0152 LF 1-1/4" x 6-1/2" Custom Shaped Clear West Cedar..... <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	23.64 0.92	1.16
06 46 36 00-0153 LF 1-1/2" x 1-1/2" Custom Shaped Clear West Cedar..... <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	9.16 0.78	0.98
06 46 36 00-0154 LF 1-1/2" x 2-1/2" Custom Shaped Clear West Cedar..... <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	12.15 0.80	1.07
06 46 36 00-0155 LF 1-1/2" x 3-1/2" Custom Shaped Clear West Cedar..... <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	15.13 0.82	1.07
06 46 36 00-0156 LF 1-1/2" x 4-1/2" Custom Shaped Clear West Cedar..... <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	18.12 0.85	1.16
06 46 36 00-0157 LF 1-1/2" x 5-1/2" Custom Shaped Clear West Cedar..... <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	21.11 0.87	1.16
06 46 36 00-0158 LF 1-1/2" x 6-1/2" Custom Shaped Clear West Cedar..... <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	24.29 0.94	1.24
06 46 36 00-0159 LF 3-1/2" x 3-1/2" Custom Shaped Clear West Cedar..... <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	29.47 0.88	1.16
06 46 36 00-0160 LF 3-1/2" x 4-1/2" Custom Shaped Clear West Cedar..... <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	36.06 0.92	1.16
06 46 36 00-0161 LF 3-1/2" x 5-1/2" Custom Shaped Clear West Cedar..... <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	42.57 0.94	1.24
06 46 36 00-0162 LF 3-1/2" x 6-1/2" Custom Shaped Clear West Cedar..... <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	49.25 1.00	1.33
06 46 36 00-0163 LF 3-1/2" x 7-1/2" Custom Shaped Clear West Cedar..... <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	55.75 1.02	1.33
06 46 36 00-0164 LF 3-1/2" x 8-1/2" Custom Shaped Clear West Cedar..... <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	62.35 1.06	1.42
06 46 36 00-0165 LF 3-1/2" x 9-1/2" Custom Shaped Clear West Cedar..... <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	68.86 1.08	1.42
06 46 36 00-0166 LF 3-1/2" x 10-1/2" Custom Shaped Clear West Cedar..... <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	75.36 1.10	1.42
06 46 36 00-0167 LF 3-1/2" x 11-1/2" Custom Shaped Clear West Cedar..... <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	82.05 1.16	1.51

06 46 36 00-0168 Cherry (06 46 36)

06 Wood, Plastics, and Composites**06 40 Architectural Woodwork****06 46 Wood Trim**

MINOR				TOTAL DIRECT	DEMOLITION
CSI	UOM	DESCRIPTION		UNIT COST	UNIT COST
06 46 36 00-0169	LF	3/4" x 1-1/2" Custom Shaped Cherry		7.05	0.98
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		0.72	
06 46 36 00-0170	LF	3/4" x 2-1/2" Custom Shaped Cherry		9.11	0.98
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		0.74	
06 46 36 00-0171	LF	3/4" x 3-1/2" Custom Shaped Cherry		11.18	0.98
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		0.76	
06 46 36 00-0172	LF	3/4" x 4-1/2" Custom Shaped Cherry		13.24	1.07
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		0.79	
06 46 36 00-0173	LF	3/4" x 5-1/2" Custom Shaped Cherry		15.41	1.07
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		0.83	
06 46 36 00-0174	LF	3/4" x 6-1/2" Custom Shaped Cherry		17.57	1.16
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		0.88	
06 46 36 00-0175	LF	3/4" x 7-1/2" Custom Shaped Cherry		19.62	1.16
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		0.90	
06 46 36 00-0176	LF	3/4" x 8-1/2" Custom Shaped Cherry		21.70	1.16
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		0.92	
06 46 36 00-0177	LF	3/4" x 9-1/2" Custom Shaped Cherry		23.73	1.24
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		0.94	
06 46 36 00-0178	LF	3/4" x 10-1/2" Custom Shaped Cherry		25.90	1.24
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		0.99	
06 46 36 00-0179	LF	3/4" x 11-1/2" Custom Shaped Cherry		28.01	1.33
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		1.02	
06 46 36 00-0180	LF	1" x 1-1/2" Custom Shaped Cherry		8.42	0.98
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		0.74	
06 46 36 00-0181	LF	1" x 2-1/2" Custom Shaped Cherry		11.13	0.98
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		0.76	
06 46 36 00-0182	LF	1" x 3-1/2" Custom Shaped Cherry		13.84	1.07
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		0.78	
06 46 36 00-0183	LF	1" x 4-1/2" Custom Shaped Cherry		16.54	1.07
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		0.81	
06 46 36 00-0184	LF	1" x 5-1/2" Custom Shaped Cherry		19.35	1.16
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		0.85	
06 46 36 00-0185	LF	1" x 6-1/2" Custom Shaped Cherry		22.14	1.16
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		0.90	
06 46 36 00-0186	LF	1" x 7-1/2" Custom Shaped Cherry		24.84	1.16
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		0.92	
06 46 36 00-0187	LF	1" x 8-1/2" Custom Shaped Cherry		27.61	1.24
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		0.95	
06 46 36 00-0188	LF	1" x 9-1/2" Custom Shaped Cherry		30.23	1.24
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		0.96	
06 46 36 00-0189	LF	1" x 10-1/2" Custom Shaped Cherry		33.05	1.33
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		1.01	
06 46 36 00-0190	LF	1" x 11-1/2" Custom Shaped Cherry		35.81	1.33
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		1.04	
06 46 36 00-0191	LF	1-1/4" x 1-1/2" Custom Shaped Cherry		9.92	0.98
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		0.76	
06 46 36 00-0192	LF	1-1/4" x 2-1/2" Custom Shaped Cherry		13.34	0.98
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		0.78	
06 46 36 00-0193	LF	1-1/4" x 3-1/2" Custom Shaped Cherry		16.73	1.07
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		0.81	
06 46 36 00-0194	LF	1-1/4" x 4-1/2" Custom Shaped Cherry		20.16	1.07
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		0.83	
06 46 36 00-0195	LF	1-1/4" x 5-1/2" Custom Shaped Cherry		23.64	1.16
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		0.87	
06 46 36 00-0196	LF	1-1/4" x 6-1/2" Custom Shaped Cherry		27.17	1.16
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		0.92	
06 46 36 00-0197	LF	1-1/4" x 7-1/2" Custom Shaped Cherry		30.54	1.24
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		0.94	
06 46 36 00-0198	LF	1-1/4" x 8-1/2" Custom Shaped Cherry		33.99	1.24
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		0.97	
06 46 36 00-0199	LF	1-1/4" x 9-1/2" Custom Shaped Cherry		37.33	1.24
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		0.98	
06 46 36 00-0200	LF	1-1/4" x 10-1/2" Custom Shaped Cherry		40.89	1.33
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		1.03	
06 46 36 00-0201	LF	1-1/4" x 11-1/2" Custom Shaped Cherry		44.32	1.42
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		1.06	
06 46 36 00-0202	LF	1-1/2" x 1-1/2" Custom Shaped Cherry		12.69	0.98
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		0.78	
06 46 36 00-0203	LF	1-1/2" x 2-1/2" Custom Shaped Cherry		17.44	1.07
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		0.80	
06 46 36 00-0204	LF	1-1/2" x 3-1/2" Custom Shaped Cherry		22.19	1.07
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		0.82	
06 46 36 00-0205	LF	1-1/2" x 4-1/2" Custom Shaped Cherry		26.94	1.16
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		0.85	
06 46 36 00-0206	LF	1-1/2" x 5-1/2" Custom Shaped Cherry		31.70	1.16
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		0.87	
06 46 36 00-0207	LF	1-1/2" x 6-1/2" Custom Shaped Cherry		36.64	1.24
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		0.94	
06 46 36 00-0208	LF	1-1/2" x 7-1/2" Custom Shaped Cherry		41.38	1.24
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		0.96	
06 46 36 00-0209	LF	1-1/2" x 8-1/2" Custom Shaped Cherry		46.15	1.24
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		0.99	
06 46 36 00-0210	LF	1-1/2" x 9-1/2" Custom Shaped Cherry		50.85	1.33
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>		1.00	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 46 36 00-0211 LF 1-1/2" x 10-1/2" Custom Shaped Cherry <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	55.81 1.05	1.33
06 46 36 00-0212 LF 1-1/2" x 11-1/2" Custom Shaped Cherry <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	60.52 1.08	1.42
06 46 36 00-0213 Cypress <small>(06 46 36)</small>		
06 46 36 00-0214 LF 3/4" x 1-1/2" Custom Shaped Cypress <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	5.37 0.72	0.98
06 46 36 00-0215 LF 3/4" x 2-1/2" Custom Shaped Cypress <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	6.59 0.74	0.98
06 46 36 00-0216 LF 3/4" x 3-1/2" Custom Shaped Cypress <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	7.81 0.76	0.98
06 46 36 00-0217 LF 3/4" x 4-1/2" Custom Shaped Cypress <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	9.03 0.79	1.07
06 46 36 00-0218 LF 3/4" x 5-1/2" Custom Shaped Cypress <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	10.36 0.83	1.07
06 46 36 00-0219 LF 3/4" x 6-1/2" Custom Shaped Cypress <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	11.68 0.88	1.16
06 46 36 00-0220 LF 3/4" x 7-1/2" Custom Shaped Cypress <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	13.20 0.90	1.16
06 46 36 00-0221 LF 3/4" x 8-1/2" Custom Shaped Cypress <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	14.49 0.92	1.16
06 46 36 00-0222 LF 3/4" x 9-1/2" Custom Shaped Cypress <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	16.91 0.94	1.24
06 46 36 00-0223 LF 3/4" x 10-1/2" Custom Shaped Cypress <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	18.40 0.99	1.24
06 46 36 00-0224 LF 1" x 1-1/2" Custom Shaped Cypress <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	7.14 0.74	0.98
06 46 36 00-0225 LF 1" x 2-1/2" Custom Shaped Cypress <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	9.16 0.76	0.98
06 46 36 00-0226 LF 1" x 3-1/2" Custom Shaped Cypress <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	11.23 0.78	1.07
06 46 36 00-0227 LF 1" x 4-1/2" Custom Shaped Cypress <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	13.29 0.81	1.07
06 46 36 00-0228 LF 1" x 5-1/2" Custom Shaped Cypress <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	15.46 0.85	1.16
06 46 36 00-0229 LF 1" x 6-1/2" Custom Shaped Cypress <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	17.57 0.90	1.16
06 46 36 00-0230 LF 1" x 7-1/2" Custom Shaped Cypress <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	19.63 0.92	1.16
06 46 36 00-0231 LF 1" x 8-1/2" Custom Shaped Cypress <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	21.71 0.95	1.24
06 46 36 00-0232 LF 1" x 9-1/2" Custom Shaped Cypress <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	23.74 0.96	1.24
06 46 36 00-0233 LF 1" x 10-1/2" Custom Shaped Cypress <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	25.95 1.01	1.33
06 46 36 00-0234 LF 1" x 11-1/2" Custom Shaped Cypress <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	27.99 1.04	1.33
06 46 36 00-0235 LF 1-1/2" x 1-1/2" Custom Shaped Cypress <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	8.36 0.78	0.98
06 46 36 00-0236 LF 1-1/2" x 2-1/2" Custom Shaped Cypress <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	10.95 0.80	1.07
06 46 36 00-0237 LF 1-1/2" x 3-1/2" Custom Shaped Cypress <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	13.52 0.82	1.07
06 46 36 00-0238 LF 1-1/2" x 4-1/2" Custom Shaped Cypress <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	16.11 0.85	1.16
06 46 36 00-0239 LF 1-1/2" x 5-1/2" Custom Shaped Cypress <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	18.71 0.87	1.16
06 46 36 00-0240 LF 1-1/2" x 6-1/2" Custom Shaped Cypress <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	21.48 0.94	1.24
06 46 36 00-0241 LF 1-1/2" x 7-1/2" Custom Shaped Cypress <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	24.06 0.96	1.24
06 46 36 00-0242 LF 1-1/2" x 8-1/2" Custom Shaped Cypress <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	26.66 0.99	1.24
06 46 36 00-0243 LF 1-1/2" x 9-1/2" Custom Shaped Cypress <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	31.61 1.00	1.33
06 46 36 00-0244 LF 1-1/2" x 10-1/2" Custom Shaped Cypress <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	34.48 1.05	1.33
06 46 36 00-0245 Fir <small>(06 46 36)</small>		
06 46 36 00-0246 LF 3/4" x 1-1/2" Custom Shaped Fir <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	6.01 0.72	0.98
06 46 36 00-0247 LF 3/4" x 2-1/2" Custom Shaped Fir <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	7.55 0.74	0.98
06 46 36 00-0248 LF 3/4" x 3-1/2" Custom Shaped Fir <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	9.09 0.76	0.98
06 46 36 00-0249 LF 3/4" x 4-1/2" Custom Shaped Fir <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	10.64 0.79	1.07
06 46 36 00-0250 LF 3/4" x 5-1/2" Custom Shaped Fir <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	12.28 0.83	1.07
06 46 36 00-0251 LF 3/4" x 6-1/2" Custom Shaped Fir <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	13.92 0.88	1.16

06 Wood, Plastics, and Composites**06 40 Architectural Woodwork****06 46 Wood Trim**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 46 36 00-0252	LF	3/4" x 7-1/2" Custom Shaped Fir.....	15.45	1.16	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.90		
06 46 36 00-0253	LF	3/4" x 8-1/2" Custom Shaped Fir.....	17.01	1.16	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.92		
06 46 36 00-0254	LF	3/4" x 9-1/2" Custom Shaped Fir.....	18.52	1.24	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.94		
06 46 36 00-0255	LF	3/4" x 10-1/2" Custom Shaped Fir.....	20.17	1.33	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.99		
06 46 36 00-0256	LF	1" x 1-1/2" Custom Shaped Fir.....	7.14	0.98	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.74		
06 46 36 00-0257	LF	1" x 2-1/2" Custom Shaped Fir.....	9.16	0.98	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.76		
06 46 36 00-0258	LF	1" x 3-1/2" Custom Shaped Fir.....	11.23	1.07	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.78		
06 46 36 00-0259	LF	1" x 4-1/2" Custom Shaped Fir.....	13.29	1.07	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.81		
06 46 36 00-0260	LF	1" x 5-1/2" Custom Shaped Fir.....	15.46	1.16	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.85		
06 46 36 00-0261	LF	1" x 6-1/2" Custom Shaped Fir.....	17.57	1.16	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.90		
06 46 36 00-0262	LF	1" x 7-1/2" Custom Shaped Fir.....	19.63	1.16	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.92		
06 46 36 00-0263	LF	1" x 8-1/2" Custom Shaped Fir.....	21.71	1.24	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.95		
06 46 36 00-0264	LF	1" x 9-1/2" Custom Shaped Fir.....	23.74	1.24	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.96		
06 46 36 00-0265	LF	1" x 10-1/2" Custom Shaped Fir.....	25.95	1.33	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	1.01		
06 46 36 00-0266	LF	1" x 11-1/2" Custom Shaped Fir.....	27.99	1.33	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	1.04		
06 46 36 00-0267	LF	1-1/4" x 1-1/2" Custom Shaped Fir.....	7.99	0.98	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.76		
06 46 36 00-0268	LF	1-1/4" x 2-1/2" Custom Shaped Fir.....	10.46	0.98	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.78		
06 46 36 00-0269	LF	1-1/4" x 3-1/2" Custom Shaped Fir.....	12.88	1.07	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.81		
06 46 36 00-0270	LF	1-1/4" x 4-1/2" Custom Shaped Fir.....	15.35	1.07	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.83		
06 46 36 00-0271	LF	1-1/4" x 5-1/2" Custom Shaped Fir.....	17.86	1.16	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.87		
06 46 36 00-0272	LF	1-1/4" x 6-1/2" Custom Shaped Fir.....	20.43	1.16	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.92		
06 46 36 00-0273	LF	1-1/4" x 7-1/2" Custom Shaped Fir.....	22.85	1.24	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.94		
06 46 36 00-0274	LF	1-1/4" x 8-1/2" Custom Shaped Fir.....	25.33	1.24	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.97		
06 46 36 00-0275	LF	1-1/4" x 9-1/2" Custom Shaped Fir.....	27.71	1.24	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.98		
06 46 36 00-0276	LF	1-1/4" x 10-1/2" Custom Shaped Fir.....	30.30	1.33	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	1.03		
06 46 36 00-0277	LF	1-1/4" x 11-1/2" Custom Shaped Fir.....	32.77	1.42	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	1.06		
06 46 36 00-0278	LF	1-1/2" x 1-1/2" Custom Shaped Fir.....	9.16	0.98	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.78		
06 46 36 00-0279	LF	1-1/2" x 2-1/2" Custom Shaped Fir.....	12.15	1.07	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.80		
06 46 36 00-0280	LF	1-1/2" x 3-1/2" Custom Shaped Fir.....	15.13	1.07	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.82		
06 46 36 00-0281	LF	1-1/2" x 4-1/2" Custom Shaped Fir.....	18.12	1.16	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.85		
06 46 36 00-0282	LF	1-1/2" x 5-1/2" Custom Shaped Fir.....	21.11	1.16	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.87		
06 46 36 00-0283	LF	1-1/2" x 6-1/2" Custom Shaped Fir.....	24.29	1.24	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.94		
06 46 36 00-0284	LF	1-1/2" x 7-1/2" Custom Shaped Fir.....	27.27	1.24	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.96		
06 46 36 00-0285	LF	1-1/2" x 8-1/2" Custom Shaped Fir.....	30.27	1.33	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.99		
06 46 36 00-0286	LF	1-1/2" x 9-1/2" Custom Shaped Fir.....	33.21	1.33	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	1.00		
06 46 36 00-0287	LF	1-1/2" x 10-1/2" Custom Shaped Fir.....	36.33	1.42	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	1.05		
06 46 36 00-0288	LF	1-1/2" x 11-1/2" Custom Shaped Fir.....	39.34	1.42	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	1.08		
06 46 36 00-0289	LF	2-1/2" x 1-1/2" Custom Shaped Fir.....	15.10	1.07	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.82		
06 46 36 00-0290	LF	2-1/2" x 2-1/2" Custom Shaped Fir.....	20.96	1.07	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.84		
06 46 36 00-0291	LF	2-1/2" x 3-1/2" Custom Shaped Fir.....	26.82	1.16	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.86		
06 46 36 00-0292	LF	2-1/2" x 4-1/2" Custom Shaped Fir.....	32.76	1.16	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.89		
06 46 36 00-0293	LF	2-1/2" x 5-1/2" Custom Shaped Fir.....	38.63	1.16	
		<i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	0.92		



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 46 36 00-0294 LF 2-1/2" x 6-1/2" Custom Shaped Fir <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	44.67 0.98	1.24
06 46 36 00-0295 LF 2-1/2" x 7-1/2" Custom Shaped Fir <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	50.53 1.00	1.33
06 46 36 00-0296 LF 2-1/2" x 8-1/2" Custom Shaped Fir <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	56.57 1.04	1.33
06 46 36 00-0297 LF 2-1/2" x 9-1/2" Custom Shaped Fir <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	62.35 1.06	1.42
06 46 36 00-0298 LF 2-1/2" x 10-1/2" Custom Shaped Fir..... <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	68.21 1.08	1.42
06 46 36 00-0299 LF 3-1/2" x 3-1/2" Custom Shaped Fir <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	33.40 0.88	1.16
06 46 36 00-0300 LF 3-1/2" x 4-1/2" Custom Shaped Fir <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	40.87 0.92	1.16
06 46 36 00-0301 LF 3-1/2" x 5-1/2" Custom Shaped Fir <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	48.35 0.94	1.24
06 46 36 00-0302 LF 3-1/2" x 6-1/2" Custom Shaped Fir <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	55.99 1.00	1.33
06 46 36 00-0303 LF 3-1/2" x 7-1/2" Custom Shaped Fir <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	63.45 1.02	1.33
06 46 36 00-0304 LF 3-1/2" x 8-1/2" Custom Shaped Fir <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	71.01 1.06	1.42
06 46 36 00-0305 LF 3-1/2" x 9-1/2" Custom Shaped Fir <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	78.48 1.08	1.42
06 46 36 00-0306 LF 3-1/2" x 10-1/2" Custom Shaped Fir..... <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	85.95 1.10	1.42
06 46 36 00-0307 Honduran Mahogany <small>(06 46 36)</small>		
06 46 36 00-0308 LF 3/4" x 1-1/2" Custom Shaped Honduras Mahogany..... <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	7.53 0.72	0.98
06 46 36 00-0309 LF 3/4" x 2-1/2" Custom Shaped Honduras Mahogany..... <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	9.84 0.74	0.98
06 46 36 00-0310 LF 3/4" x 3-1/2" Custom Shaped Honduras Mahogany..... <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	12.14 0.76	0.98
06 46 36 00-0311 LF 3/4" x 4-1/2" Custom Shaped Honduras Mahogany..... <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	14.45 0.79	1.07
06 46 36 00-0312 LF 3/4" x 5-1/2" Custom Shaped Honduras Mahogany..... <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	16.85 0.83	1.07
06 46 36 00-0313 LF 3/4" x 6-1/2" Custom Shaped Honduras Mahogany..... <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	19.26 0.88	1.16
06 46 36 00-0314 LF 3/4" x 7-1/2" Custom Shaped Honduras Mahogany..... <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	21.54 0.90	1.16
06 46 36 00-0315 LF 3/4" x 8-1/2" Custom Shaped Honduras Mahogany..... <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	23.87 0.92	1.24
06 46 36 00-0316 LF 3/4" x 9-1/2" Custom Shaped Honduras Mahogany..... <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	26.13 0.94	1.24
06 46 36 00-0317 LF 3/4" x 10-1/2" Custom Shaped Honduras Mahogany..... <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	28.55 0.99	1.33
06 46 36 00-0318 LF 3/4" x 11-1/2" Custom Shaped Honduras Mahogany..... <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	30.89 1.02	1.33
06 46 36 00-0319 LF 1" x 1-1/2" Custom Shaped Honduras Mahogany..... <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	9.14 0.74	0.98
06 46 36 00-0320 LF 1" x 2-1/2" Custom Shaped Honduras Mahogany..... <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	12.17 0.76	0.98
06 46 36 00-0321 LF 1" x 3-1/2" Custom Shaped Honduras Mahogany..... <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	15.24 0.78	1.07
06 46 36 00-0322 LF 1" x 4-1/2" Custom Shaped Honduras Mahogany..... <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	18.31 0.81	1.07
06 46 36 00-0323 LF 1" x 5-1/2" Custom Shaped Honduras Mahogany..... <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	21.47 0.85	1.16
06 46 36 00-0324 LF 1" x 6-1/2" Custom Shaped Honduras Mahogany..... <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	24.59 0.90	1.16
06 46 36 00-0325 LF 1" x 7-1/2" Custom Shaped Honduras Mahogany..... <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	27.65 0.92	1.24
06 46 36 00-0326 LF 1" x 8-1/2" Custom Shaped Honduras Mahogany..... <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	30.73 0.95	1.24
06 46 36 00-0327 LF 1" x 9-1/2" Custom Shaped Honduras Mahogany..... <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	33.76 0.96	1.24
06 46 36 00-0328 LF 1" x 10-1/2" Custom Shaped Honduras Mahogany..... <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	36.90 1.01	1.33
06 46 36 00-0329 LF 1" x 11-1/2" Custom Shaped Honduras Mahogany..... <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	40.42 1.04	1.33
06 46 36 00-0330 LF 1-1/4" x 1-1/2" Custom Shaped Honduras Mahogany..... <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	10.40 0.76	0.98
06 46 36 00-0331 LF 1-1/4" x 2-1/2" Custom Shaped Honduras Mahogany..... <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	14.07 0.78	0.98
06 46 36 00-0332 LF 1-1/4" x 3-1/2" Custom Shaped Honduras Mahogany..... <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	17.69 0.81	1.07
06 46 36 00-0333 LF 1-1/4" x 4-1/2" Custom Shaped Honduras Mahogany..... <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	21.36 0.83	1.07
06 46 36 00-0334 LF 1-1/4" x 5-1/2" Custom Shaped Honduras Mahogany..... <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	25.08 0.87	1.16

06 Wood, Plastics, and Composites**06 40 Architectural Woodwork****06 46 Wood Trim**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 46 36 00-0335	LF	1-1/4"	x 6-1/2" Custom Shaped Honduras Mahogany <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	28.85 0.92	1.24
06 46 36 00-0336	LF	1-1/4"	x 7-1/2" Custom Shaped Honduras Mahogany <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	32.47 0.94	1.24
06 46 36 00-0337	LF	1-1/4"	x 8-1/2" Custom Shaped Honduras Mahogany <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	36.16 0.97	1.24
06 46 36 00-0338	LF	1-1/4"	x 9-1/2" Custom Shaped Honduras Mahogany <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	38.93 0.98	1.24
06 46 36 00-0339	LF	1-1/4"	x 10-1/2" Custom Shaped Honduras Mahogany <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	43.53 1.03	1.33
06 46 36 00-0340	LF	1-1/4"	x 11-1/2" Custom Shaped Honduras Mahogany <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	47.20 1.06	1.42
06 46 36 00-0341	LF	1-1/2"	x 1-1/2" Custom Shaped Honduras Mahogany <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	12.85 0.78	0.98
06 46 36 00-0342	LF	1-1/2"	x 2-1/2" Custom Shaped Honduras Mahogany <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	17.68 0.80	1.07
06 46 36 00-0343	LF	1-1/2"	x 3-1/2" Custom Shaped Honduras Mahogany <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	22.51 0.82	1.07
06 46 36 00-0344	LF	1-1/2"	x 4-1/2" Custom Shaped Honduras Mahogany <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	27.34 0.85	1.07
06 46 36 00-0345	LF	1-1/2"	x 5-1/2" Custom Shaped Honduras Mahogany <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	32.18 0.87	1.16
06 46 36 00-0346	LF	1-1/2"	x 6-1/2" Custom Shaped Honduras Mahogany <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	37.20 0.94	1.24
06 46 36 00-0347	LF	1-1/2"	x 7-1/2" Custom Shaped Honduras Mahogany <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	42.02 0.96	1.24
06 46 36 00-0348	LF	1-1/2"	x 8-1/2" Custom Shaped Honduras Mahogany <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	46.87 0.99	1.33
06 46 36 00-0349	LF	1-1/2"	x 9-1/2" Custom Shaped Honduras Mahogany <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	51.65 1.00	1.33
06 46 36 00-0350	LF	1-1/2"	x 10-1/2" Custom Shaped Honduras Mahogany <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	56.62 1.05	1.33
06 46 36 00-0351	LF	1-1/2"	x 11-1/2" Custom Shaped Honduras Mahogany <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	61.56 1.08	1.42
06 46 36 00-0352	LF	2"	x 1-1/2" Custom Shaped Honduras Mahogany <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	15.29 0.80	1.07
06 46 36 00-0353	LF	2"	x 2-1/2" Custom Shaped Honduras Mahogany <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	21.31 0.82	1.07
06 46 36 00-0354	LF	2"	x 3-1/2" Custom Shaped Honduras Mahogany <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	27.30 0.84	1.07
06 46 36 00-0355	LF	2"	x 4-1/2" Custom Shaped Honduras Mahogany <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	33.40 0.88	1.16
06 46 36 00-0356	LF	2"	x 5-1/2" Custom Shaped Honduras Mahogany <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	39.39 0.90	1.16
06 46 36 00-0357	LF	2"	x 6-1/2" Custom Shaped Honduras Mahogany <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	45.58 0.96	1.24
06 46 36 00-0358	LF	2"	x 7-1/2" Custom Shaped Honduras Mahogany <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	51.56 0.98	1.24
06 46 36 00-0359	LF	2"	x 8-1/2" Custom Shaped Honduras Mahogany <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	57.67 1.02	1.33
06 46 36 00-0360	LF	2"	x 9-1/2" Custom Shaped Honduras Mahogany <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	63.66 1.04	1.33
06 46 36 00-0361	LF	2"	x 10-1/2" Custom Shaped Honduras Mahogany <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	69.69 1.06	1.42
06 46 36 00-0362	LF	2"	x 11-1/2" Custom Shaped Honduras Mahogany <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	75.85 1.12	1.51
06 46 36 00-0363	LF	2-1/2"	x 1-1/2" Custom Shaped Honduras Mahogany <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	18.79 0.82	1.07
06 46 36 00-0364	LF	2-1/2"	x 2-1/2" Custom Shaped Honduras Mahogany <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	25.29 0.84	1.07
06 46 36 00-0365	LF	2-1/2"	x 3-1/2" Custom Shaped Honduras Mahogany <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	32.59 0.86	1.16
06 46 36 00-0366	LF	2-1/2"	x 4-1/2" Custom Shaped Honduras Mahogany <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	39.98 0.89	1.16
06 46 36 00-0367	LF	2-1/2"	x 5-1/2" Custom Shaped Honduras Mahogany <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	47.29 0.92	1.16
06 46 36 00-0368	LF	2-1/2"	x 6-1/2" Custom Shaped Honduras Mahogany <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	54.77 0.98	1.24
06 46 36 00-0369	LF	2-1/2"	x 7-1/2" Custom Shaped Honduras Mahogany <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	62.08 1.00	1.33
06 46 36 00-0370	LF	2-1/2"	x 8-1/2" Custom Shaped Honduras Mahogany <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	69.48 1.04	1.33
06 46 36 00-0371	LF	2-1/2"	x 9-1/2" Custom Shaped Honduras Mahogany <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	76.79 1.06	1.42
06 46 36 00-0372	LF	2-1/2"	x 10-1/2" Custom Shaped Honduras Mahogany <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	84.09 1.08	1.42
06 46 36 00-0373	LF	2-1/2"	x 11-1/2" Custom Shaped Honduras Mahogany <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	91.58 1.14	1.51
06 46 36 00-0374	LF	3-1/2"	x 3-1/2" Custom Shaped Honduras Mahogany <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	44.23 0.88	1.16
06 46 36 00-0375	LF	3-1/2"	x 4-1/2" Custom Shaped Honduras Mahogany <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	54.50 0.92	1.16
06 46 36 00-0376	LF	3-1/2"	x 5-1/2" Custom Shaped Honduras Mahogany <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	64.71 0.94	1.24



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 46 36 00-0377 LF 3-1/2" x 6-1/2" Custom Shaped Honduras Mahogany <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	75.07 1.00	1.33
06 46 36 00-0378 LF 3-1/2" x 7-1/2" Custom Shaped Honduras Mahogany <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	85.27 1.02	1.33
06 46 36 00-0379 LF 3-1/2" x 8-1/2" Custom Shaped Honduras Mahogany <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	95.55 1.06	1.42
06 46 36 00-0380 LF 3-1/2" x 9-1/2" Custom Shaped Honduras Mahogany <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	105.74 1.08	1.42
06 46 36 00-0381 LF 3-1/2" x 10-1/2" Custom Shaped Honduras Mahogany <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	115.94 1.10	1.42
06 46 36 00-0382 LF 3-1/2" x 11-1/2" Custom Shaped Honduras Mahogany <i>For Curved Surfaces With A 2'-0" Maximum Radius, Add</i>	126.31 1.16	1.51
06 46 36 00-0383 Maple <small>(06 46 36)</small>		
06 46 36 00-0384 LF 3/4" x 1-1/2" Custom Shaped Maple	5.69	0.98
06 46 36 00-0385 LF 3/4" x 2-1/2" Custom Shaped Maple	7.07	0.98
06 46 36 00-0386 LF 3/4" x 3-1/2" Custom Shaped Maple	8.45	0.98
06 46 36 00-0387 LF 3/4" x 4-1/2" Custom Shaped Maple	9.84	1.07
06 46 36 00-0388 LF 3/4" x 5-1/2" Custom Shaped Maple	11.32	1.07
06 46 36 00-0389 LF 3/4" x 6-1/2" Custom Shaped Maple	12.80	1.16
06 46 36 00-0390 LF 3/4" x 7-1/2" Custom Shaped Maple	14.16	1.16
06 46 36 00-0391 LF 3/4" x 8-1/2" Custom Shaped Maple	15.57	1.16
06 46 36 00-0392 LF 3/4" x 9-1/2" Custom Shaped Maple	16.91	1.24
06 46 36 00-0393 LF 3/4" x 10-1/2" Custom Shaped Maple	18.40	1.33
06 46 36 00-0394 LF 3/4" x 11-1/2" Custom Shaped Maple	19.83	1.33
06 46 36 00-0395 LF 1" x 1-1/2" Custom Shaped Maple	6.74	0.98
06 46 36 00-0396 LF 1" x 2-1/2" Custom Shaped Maple	8.56	0.98
06 46 36 00-0397 LF 1" x 3-1/2" Custom Shaped Maple	10.43	1.07
06 46 36 00-0398 LF 1" x 4-1/2" Custom Shaped Maple	12.29	1.07
06 46 36 00-0399 LF 1" x 5-1/2" Custom Shaped Maple	14.26	1.16
06 46 36 00-0400 LF 1" x 6-1/2" Custom Shaped Maple	16.17	1.16
06 46 36 00-0401 LF 1" x 7-1/2" Custom Shaped Maple	18.02	1.16
06 46 36 00-0402 LF 1" x 8-1/2" Custom Shaped Maple	19.91	1.24
06 46 36 00-0403 LF 1" x 9-1/2" Custom Shaped Maple	21.73	1.24
06 46 36 00-0404 LF 1" x 10-1/2" Custom Shaped Maple	22.86	1.33
06 46 36 00-0405 LF 1" x 11-1/2" Custom Shaped Maple	25.58	1.33
06 46 36 00-0406 LF 1-1/4" x 1-1/2" Custom Shaped Maple	7.63	0.98
06 46 36 00-0407 LF 1-1/4" x 2-1/2" Custom Shaped Maple	9.90	0.98
06 46 36 00-0408 LF 1-1/4" x 3-1/2" Custom Shaped Maple	12.16	1.07
06 46 36 00-0409 LF 1-1/4" x 4-1/2" Custom Shaped Maple	14.43	1.07
06 46 36 00-0410 LF 1-1/4" x 5-1/2" Custom Shaped Maple	16.78	1.16
06 46 36 00-0411 LF 1-1/4" x 6-1/2" Custom Shaped Maple	19.15	1.16
06 46 36 00-0412 LF 1-1/4" x 7-1/2" Custom Shaped Maple	21.40	1.24
06 46 36 00-0413 LF 1-1/4" x 8-1/2" Custom Shaped Maple	23.69	1.24
06 46 36 00-0414 LF 1-1/4" x 9-1/2" Custom Shaped Maple	25.90	1.24
06 46 36 00-0415 LF 1-1/4" x 10-1/2" Custom Shaped Maple	28.30	1.33
06 46 36 00-0416 LF 1-1/4" x 11-1/2" Custom Shaped Maple	30.60	1.42
06 46 36 00-0417 LF 1-1/2" x 1-1/2" Custom Shaped Maple	9.48	0.98
06 46 36 00-0418 LF 1-1/2" x 2-1/2" Custom Shaped Maple	12.63	1.07
06 46 36 00-0419 LF 1-1/2" x 3-1/2" Custom Shaped Maple	15.77	1.07
06 46 36 00-0420 LF 1-1/2" x 4-1/2" Custom Shaped Maple	18.92	1.16
06 46 36 00-0421 LF 1-1/2" x 5-1/2" Custom Shaped Maple	22.07	1.16
06 46 36 00-0422 LF 1-1/2" x 6-1/2" Custom Shaped Maple	25.41	1.24
06 46 36 00-0423 LF 1-1/2" x 7-1/2" Custom Shaped Maple	28.55	1.24
06 46 36 00-0424 LF 1-1/2" x 8-1/2" Custom Shaped Maple	32.12	1.33
06 46 36 00-0425 LF 1-1/2" x 9-1/2" Custom Shaped Maple	34.81	1.33
06 46 36 00-0426 LF 1-1/2" x 10-1/2" Custom Shaped Maple	38.17	1.42
06 46 36 00-0427 LF 1-1/2" x 11-1/2" Custom Shaped Maple	41.27	1.42
06 46 36 00-0428 LF 2" x 1-1/2" Custom Shaped Maple	12.48	1.07
06 46 36 00-0429 LF 2" x 2-1/2" Custom Shaped Maple	17.10	1.07
06 46 36 00-0430 LF 2" x 3-1/2" Custom Shaped Maple	21.68	1.07
06 46 36 00-0431 LF 2" x 4-1/2" Custom Shaped Maple	26.38	1.16
06 46 36 00-0432 LF 2" x 5-1/2" Custom Shaped Maple	30.97	1.16
06 46 36 00-0433 LF 2" x 6-1/2" Custom Shaped Maple	35.76	1.24
06 46 36 00-0434 LF 2" x 7-1/2" Custom Shaped Maple	40.34	1.24
06 46 36 00-0435 LF 2" x 8-1/2" Custom Shaped Maple	45.04	1.33
06 46 36 00-0436 LF 2" x 9-1/2" Custom Shaped Maple	49.63	1.33
06 46 36 00-0437 LF 2" x 10-1/2" Custom Shaped Maple	54.25	1.42
06 46 36 00-0438 LF 2" x 11-1/2" Custom Shaped Maple	59.41	1.51
06 46 36 00-0439 LF 3-1/2" x 3-1/2" Custom Shaped Maple	47.44	1.16
06 46 36 00-0440 LF 3-1/2" x 4-1/2" Custom Shaped Maple	58.51	1.16
06 46 36 00-0441 LF 3-1/2" x 5-1/2" Custom Shaped Maple	69.52	1.24
06 46 36 00-0442 LF 3-1/2" x 6-1/2" Custom Shaped Maple	80.69	1.33
06 46 36 00-0443 LF 3-1/2" x 7-1/2" Custom Shaped Maple	91.68	1.33
06 46 36 00-0444 LF 3-1/2" x 8-1/2" Custom Shaped Maple	102.77	1.42
06 46 36 00-0445 LF 3-1/2" x 9-1/2" Custom Shaped Maple	113.76	1.42
06 46 36 00-0446 LF 3-1/2" x 10-1/2" Custom Shaped Maple	124.76	1.42
06 46 36 00-0447 LF 3-1/2" x 11-1/2" Custom Shaped Maple	135.94	1.51

06 Wood, Plastics, and Composites**06 40 Architectural Woodwork****06 46 Wood Trim**MINOR
CSI UOM DESCRIPTIONTOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

06 46 36 00-0448		Appl Soft Maple <small>(06 46 36)</small>			
06 46 36 00-0449	LF	3/4" x 1-1/2" Custom Shaped Appl Soft Maple	5.77	0.98	
06 46 36 00-0450	LF	3/4" x 2-1/2" Custom Shaped Appl Soft Maple	7.19	0.98	
06 46 36 00-0451	LF	3/4" x 3-1/2" Custom Shaped Appl Soft Maple	8.61	0.98	
06 46 36 00-0452	LF	3/4" x 4-1/2" Custom Shaped Appl Soft Maple	10.04	1.07	
06 46 36 00-0453	LF	3/4" x 5-1/2" Custom Shaped Appl Soft Maple	11.56	1.07	
06 46 36 00-0454	LF	3/4" x 6-1/2" Custom Shaped Appl Soft Maple	13.08	1.16	
06 46 36 00-0455	LF	3/4" x 7-1/2" Custom Shaped Appl Soft Maple	14.49	1.16	
06 46 36 00-0456	LF	3/4" x 8-1/2" Custom Shaped Appl Soft Maple	15.93	1.16	
06 46 36 00-0457	LF	3/4" x 9-1/2" Custom Shaped Appl Soft Maple	17.31	1.24	
06 46 36 00-0458	LF	3/4" x 10-1/2" Custom Shaped Appl Soft Maple	18.85	1.33	
06 46 36 00-0459	LF	3/4" x 11-1/2" Custom Shaped Appl Soft Maple	20.31	1.33	
06 46 36 00-0460	LF	1" x 1-1/2" Custom Shaped Appl Soft Maple	6.54	0.98	
06 46 36 00-0461	LF	1" x 2-1/2" Custom Shaped Appl Soft Maple	8.28	0.98	
06 46 36 00-0462	LF	1" x 3-1/2" Custom Shaped Appl Soft Maple	10.03	1.07	
06 46 36 00-0463	LF	1" x 4-1/2" Custom Shaped Appl Soft Maple	11.73	1.07	
06 46 36 00-0464	LF	1" x 5-1/2" Custom Shaped Appl Soft Maple	13.65	1.16	
06 46 36 00-0465	LF	1" x 6-1/2" Custom Shaped Appl Soft Maple	15.49	1.16	
06 46 36 00-0466	LF	1" x 7-1/2" Custom Shaped Appl Soft Maple	17.22	1.16	
06 46 36 00-0467	LF	1" x 8-1/2" Custom Shaped Appl Soft Maple	18.99	1.24	
06 46 36 00-0468	LF	1" x 9-1/2" Custom Shaped Appl Soft Maple	20.73	1.24	
06 46 36 00-0469	LF	1" x 10-1/2" Custom Shaped Appl Soft Maple	22.58	1.33	
06 46 36 00-0470	LF	1" x 11-1/2" Custom Shaped Appl Soft Maple	24.38	1.33	
06 46 36 00-0471	LF	1-1/4" x 1-1/2" Custom Shaped Appl Soft Maple	7.27	0.98	
06 46 36 00-0472	LF	1-1/4" x 2-1/2" Custom Shaped Appl Soft Maple	9.37	0.98	
06 46 36 00-0473	LF	1-1/4" x 3-1/2" Custom Shaped Appl Soft Maple	11.44	1.07	
06 46 36 00-0474	LF	1-1/4" x 4-1/2" Custom Shaped Appl Soft Maple	13.54	1.07	
06 46 36 00-0475	LF	1-1/4" x 5-1/2" Custom Shaped Appl Soft Maple	15.70	1.16	
06 46 36 00-0476	LF	1-1/4" x 6-1/2" Custom Shaped Appl Soft Maple	17.90	1.16	
06 46 36 00-0477	LF	1-1/4" x 7-1/2" Custom Shaped Appl Soft Maple	19.96	1.24	
06 46 36 00-0478	LF	1-1/4" x 8-1/2" Custom Shaped Appl Soft Maple	22.08	1.24	
06 46 36 00-0479	LF	1-1/4" x 9-1/2" Custom Shaped Appl Soft Maple	24.10	1.24	
06 46 36 00-0480	LF	1-1/4" x 10-1/2" Custom Shaped Appl Soft Maple	26.33	1.33	
06 46 36 00-0481	LF	1-1/4" x 11-1/2" Custom Shaped Appl Soft Maple	28.44	1.42	
06 46 36 00-0482	LF	1-1/2" x 1-1/2" Custom Shaped Appl Soft Maple	8.68	0.98	
06 46 36 00-0483	LF	1-1/2" x 2-1/2" Custom Shaped Appl Soft Maple	11.43	1.07	
06 46 36 00-0484	LF	1-1/2" x 3-1/2" Custom Shaped Appl Soft Maple	14.17	1.07	
06 46 36 00-0485	LF	1-1/2" x 4-1/2" Custom Shaped Appl Soft Maple	16.91	1.16	
06 46 36 00-0486	LF	1-1/2" x 5-1/2" Custom Shaped Appl Soft Maple	19.67	1.16	
06 46 36 00-0487	LF	1-1/2" x 6-1/2" Custom Shaped Appl Soft Maple	22.60	1.24	
06 46 36 00-0488	LF	1-1/2" x 7-1/2" Custom Shaped Appl Soft Maple	25.34	1.24	
06 46 36 00-0489	LF	1-1/2" x 8-1/2" Custom Shaped Appl Soft Maple	28.11	1.33	
06 46 36 00-0490	LF	1-1/2" x 9-1/2" Custom Shaped Appl Soft Maple	30.80	1.33	
06 46 36 00-0491	LF	1-1/2" x 10-1/2" Custom Shaped Appl Soft Maple	33.68	1.42	
06 46 36 00-0492	LF	1-1/2" x 11-1/2" Custom Shaped Appl Soft Maple	36.46	1.42	
06 46 36 00-0493		Red Oak <small>(06 46 36)</small>			
06 46 36 00-0494	LF	3/4" x 1-1/2" Custom Shaped Red Oak	6.17	0.98	
06 46 36 00-0495	LF	3/4" x 2-1/2" Custom Shaped Red Oak	7.79	0.98	
06 46 36 00-0496	LF	3/4" x 3-1/2" Custom Shaped Red Oak	9.41	0.98	
06 46 36 00-0497	LF	3/4" x 4-1/2" Custom Shaped Red Oak	11.04	1.07	
06 46 36 00-0498	LF	3/4" x 5-1/2" Custom Shaped Red Oak	12.76	1.07	
06 46 36 00-0499	LF	3/4" x 6-1/2" Custom Shaped Red Oak	14.49	1.16	
06 46 36 00-0500	LF	3/4" x 7-1/2" Custom Shaped Red Oak	16.09	1.16	
06 46 36 00-0501	LF	3/4" x 8-1/2" Custom Shaped Red Oak	17.73	1.16	
06 46 36 00-0502	LF	3/4" x 9-1/2" Custom Shaped Red Oak	19.32	1.24	
06 46 36 00-0503	LF	3/4" x 10-1/2" Custom Shaped Red Oak	21.05	1.33	
06 46 36 00-0504	LF	3/4" x 11-1/2" Custom Shaped Red Oak	22.71	1.33	
06 46 36 00-0505	LF	1" x 1-1/2" Custom Shaped Red Oak	7.42	0.98	
06 46 36 00-0506	LF	1" x 2-1/2" Custom Shaped Red Oak	9.65	0.98	
06 46 36 00-0507	LF	1" x 3-1/2" Custom Shaped Red Oak	11.83	1.07	
06 46 36 00-0508	LF	1" x 4-1/2" Custom Shaped Red Oak	14.86	1.07	
06 46 36 00-0509	LF	1" x 5-1/2" Custom Shaped Red Oak	16.34	1.16	
06 46 36 00-0510	LF	1" x 6-1/2" Custom Shaped Red Oak	18.66	1.16	
06 46 36 00-0511	LF	1" x 7-1/2" Custom Shaped Red Oak	20.83	1.16	
06 46 36 00-0512	LF	1" x 8-1/2" Custom Shaped Red Oak	23.04	1.24	
06 46 36 00-0513	LF	1" x 9-1/2" Custom Shaped Red Oak	25.22	1.24	
06 46 36 00-0514	LF	1" x 10-1/2" Custom Shaped Red Oak	27.56	1.33	
06 46 36 00-0515	LF	1" x 11-1/2" Custom Shaped Red Oak	29.79	1.33	
06 46 36 00-0516	LF	1-1/4" x 1-1/2" Custom Shaped Red Oak	9.19	0.98	
06 46 36 00-0517	LF	1-1/4" x 2-1/2" Custom Shaped Red Oak	12.26	0.98	
06 46 36 00-0518	LF	1-1/4" x 3-1/2" Custom Shaped Red Oak	15.29	1.07	
06 46 36 00-0519	LF	1-1/4" x 4-1/2" Custom Shaped Red Oak	18.36	1.07	
06 46 36 00-0520	LF	1-1/4" x 5-1/2" Custom Shaped Red Oak	21.47	1.16	
06 46 36 00-0521	LF	1-1/4" x 6-1/2" Custom Shaped Red Oak	24.64	1.16	
06 46 36 00-0522	LF	1-1/4" x 7-1/2" Custom Shaped Red Oak	27.66	1.24	
06 46 36 00-0523	LF	1-1/4" x 8-1/2" Custom Shaped Red Oak	30.74	1.24	
06 46 36 00-0524	LF	1-1/4" x 9-1/2" Custom Shaped Red Oak	33.72	1.24	
06 46 36 00-0525	LF	1-1/4" x 10-1/2" Custom Shaped Red Oak	36.92	1.33	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 46 36 00-0526 LF 1-1/4" x 11-1/2" Custom Shaped Red Oak.....	39.99	1.42
06 46 36 00-0527 LF 1-1/2" x 1-1/2" Custom Shaped Red Oak.....	12.85	0.98
06 46 36 00-0528 LF 1-1/2" x 2-1/2" Custom Shaped Red Oak.....	17.68	1.07
06 46 36 00-0529 LF 1-1/2" x 3-1/2" Custom Shaped Red Oak.....	22.51	1.07
06 46 36 00-0530 LF 1-1/2" x 4-1/2" Custom Shaped Red Oak.....	27.34	1.07
06 46 36 00-0531 LF 1-1/2" x 5-1/2" Custom Shaped Red Oak.....	32.18	1.16
06 46 36 00-0532 LF 1-1/2" x 6-1/2" Custom Shaped Red Oak.....	37.28	1.24
06 46 36 00-0533 LF 1-1/2" x 7-1/2" Custom Shaped Red Oak.....	42.02	1.24
06 46 36 00-0534 LF 1-1/2" x 8-1/2" Custom Shaped Red Oak.....	47.68	1.33
06 46 36 00-0535 LF 1-1/2" x 9-1/2" Custom Shaped Red Oak.....	51.65	1.33
06 46 36 00-0536 LF 1-1/2" x 10-1/2" Custom Shaped Red Oak.....	56.62	1.33
06 46 36 00-0537 LF 1-1/2" x 11-1/2" Custom Shaped Red Oak.....	61.48	1.42
06 46 36 00-0538 LF 2" x 1-1/2" Custom Shaped Red Oak.....	19.70	1.07
06 46 36 00-0539 LF 2" x 2-1/2" Custom Shaped Red Oak.....	27.93	1.07
06 46 36 00-0540 LF 2" x 3-1/2" Custom Shaped Red Oak.....	36.12	1.07
06 46 36 00-0541 LF 2" x 4-1/2" Custom Shaped Red Oak.....	44.43	1.16
06 46 36 00-0542 LF 2" x 5-1/2" Custom Shaped Red Oak.....	52.62	1.16
06 46 36 00-0543 LF 2" x 6-1/2" Custom Shaped Red Oak.....	61.02	1.24
06 46 36 00-0544 LF 2" x 7-1/2" Custom Shaped Red Oak.....	69.21	1.24
06 46 36 00-0545 LF 2" x 8-1/2" Custom Shaped Red Oak.....	77.52	1.33
06 46 36 00-0546 LF 2" x 9-1/2" Custom Shaped Red Oak.....	85.72	1.33
06 46 36 00-0547 LF 2" x 10-1/2" Custom Shaped Red Oak.....	93.95	1.42
06 46 36 00-0548 LF 2" x 11-1/2" Custom Shaped Red Oak.....	102.32	1.51
06 46 36 00-0549		
White Oak <small>(06 46 36)</small>		
06 46 36 00-0550 LF 3/4" x 1-1/2" Custom Shaped White Oak.....	6.25	0.98
06 46 36 00-0551 LF 3/4" x 2-1/2" Custom Shaped White Oak.....	7.91	0.98
06 46 36 00-0552 LF 3/4" x 3-1/2" Custom Shaped White Oak.....	9.58	0.98
06 46 36 00-0553 LF 3/4" x 4-1/2" Custom Shaped White Oak.....	11.24	1.07
06 46 36 00-0554 LF 3/4" x 5-1/2" Custom Shaped White Oak.....	13.00	1.07
06 46 36 00-0555 LF 3/4" x 6-1/2" Custom Shaped White Oak.....	14.77	1.16
06 46 36 00-0556 LF 3/4" x 7-1/2" Custom Shaped White Oak.....	16.41	1.16
06 46 36 00-0557 LF 3/4" x 8-1/2" Custom Shaped White Oak.....	18.09	1.16
06 46 36 00-0558 LF 3/4" x 9-1/2" Custom Shaped White Oak.....	19.72	1.24
06 46 36 00-0559 LF 3/4" x 10-1/2" Custom Shaped White Oak.....	21.49	1.33
06 46 36 00-0560 LF 3/4" x 11-1/2" Custom Shaped White Oak.....	23.20	1.33
06 46 36 00-0561 LF 1" x 1-1/2" Custom Shaped White Oak.....	7.42	0.98
06 46 36 00-0562 LF 1" x 2-1/2" Custom Shaped White Oak.....	9.65	0.98
06 46 36 00-0563 LF 1" x 3-1/2" Custom Shaped White Oak.....	11.83	1.07
06 46 36 00-0564 LF 1" x 4-1/2" Custom Shaped White Oak.....	14.86	1.07
06 46 36 00-0565 LF 1" x 5-1/2" Custom Shaped White Oak.....	16.34	1.16
06 46 36 00-0566 LF 1" x 6-1/2" Custom Shaped White Oak.....	18.66	1.16
06 46 36 00-0567 LF 1" x 7-1/2" Custom Shaped White Oak.....	20.83	1.16
06 46 36 00-0568 LF 1" x 8-1/2" Custom Shaped White Oak.....	23.04	1.24
06 46 36 00-0569 LF 1" x 9-1/2" Custom Shaped White Oak.....	25.22	1.24
06 46 36 00-0570 LF 1" x 10-1/2" Custom Shaped White Oak.....	27.56	1.33
06 46 36 00-0571 LF 1" x 11-1/2" Custom Shaped White Oak.....	29.79	1.33
06 46 36 00-0572 LF 1-1/4" x 1-1/2" Custom Shaped White Oak.....	9.31	0.98
06 46 36 00-0573 LF 1-1/4" x 2-1/2" Custom Shaped White Oak.....	12.42	0.98
06 46 36 00-0574 LF 1-1/4" x 3-1/2" Custom Shaped White Oak.....	15.53	1.07
06 46 36 00-0575 LF 1-1/4" x 4-1/2" Custom Shaped White Oak.....	18.64	1.07
06 46 36 00-0576 LF 1-1/4" x 5-1/2" Custom Shaped White Oak.....	21.83	1.16
06 46 36 00-0577 LF 1-1/4" x 6-1/2" Custom Shaped White Oak.....	25.04	1.16
06 46 36 00-0578 LF 1-1/4" x 7-1/2" Custom Shaped White Oak.....	28.14	1.24
06 46 36 00-0579 LF 1-1/4" x 8-1/2" Custom Shaped White Oak.....	31.27	1.24
06 46 36 00-0580 LF 1-1/4" x 9-1/2" Custom Shaped White Oak.....	34.32	1.24
06 46 36 00-0581 LF 1-1/4" x 10-1/2" Custom Shaped White Oak.....	37.56	1.33
06 46 36 00-0582 LF 1-1/4" x 11-1/2" Custom Shaped White Oak.....	40.71	1.42
06 46 36 00-0583 LF 1-1/2" x 1-1/2" Custom Shaped White Oak.....	15.26	0.98
06 46 36 00-0584 LF 1-1/2" x 2-1/2" Custom Shaped White Oak.....	21.29	1.07
06 46 36 00-0585 LF 1-1/2" x 3-1/2" Custom Shaped White Oak.....	27.32	1.07
06 46 36 00-0586 LF 1-1/2" x 4-1/2" Custom Shaped White Oak.....	33.35	1.16
06 46 36 00-0587 LF 1-1/2" x 5-1/2" Custom Shaped White Oak.....	39.40	1.16
06 46 36 00-0588 LF 1-1/2" x 6-1/2" Custom Shaped White Oak.....	45.62	1.24
06 46 36 00-0589 LF 1-1/2" x 7-1/2" Custom Shaped White Oak.....	51.65	1.24
06 46 36 00-0590 LF 1-1/2" x 8-1/2" Custom Shaped White Oak.....	57.70	1.33
06 46 36 00-0591 LF 1-1/2" x 9-1/2" Custom Shaped White Oak.....	62.88	1.33
06 46 36 00-0592 LF 1-1/2" x 10-1/2" Custom Shaped White Oak.....	69.85	1.42
06 46 36 00-0593 LF 1-1/2" x 11-1/2" Custom Shaped White Oak.....	75.91	1.42
06 46 36 00-0594		
White Pine <small>(06 46 36)</small>		
06 46 36 00-0595 LF 3/4" x 1-1/2" Custom Shaped White Pine.....	6.97	0.98
06 46 36 00-0596 LF 3/4" x 2-1/2" Custom Shaped White Pine.....	8.99	0.98
06 46 36 00-0597 LF 3/4" x 3-1/2" Custom Shaped White Pine.....	11.02	0.98
06 46 36 00-0598 LF 3/4" x 4-1/2" Custom Shaped White Pine.....	13.04	1.07
06 46 36 00-0599 LF 3/4" x 5-1/2" Custom Shaped White Pine.....	15.17	1.07
06 46 36 00-0600 LF 3/4" x 6-1/2" Custom Shaped White Pine.....	17.29	1.16
06 46 36 00-0601 LF 3/4" x 7-1/2" Custom Shaped White Pine.....	19.30	1.16
06 46 36 00-0602 LF 3/4" x 8-1/2" Custom Shaped White Pine.....	21.34	1.16

06 Wood, Plastics, and Composites**06 40 Architectural Woodwork****06 46 Wood Trim**MINOR
CSI UOM DESCRIPTIONTOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

06 46 36 00-0603	LF	3/4" x 9-1/2" Custom Shaped White Pine.....	24.53	1.24
06 46 36 00-0604	LF	3/4" x 10-1/2" Custom Shaped White Pine.....	26.78	1.33
06 46 36 00-0605	LF	1" x 1-1/2" Custom Shaped White Pine.....	7.82	0.98
06 46 36 00-0606	LF	1" x 2-1/2" Custom Shaped White Pine.....	10.25	0.98
06 46 36 00-0607	LF	1" x 3-1/2" Custom Shaped White Pine.....	12.63	1.07
06 46 36 00-0608	LF	1" x 4-1/2" Custom Shaped White Pine.....	15.06	1.07
06 46 36 00-0609	LF	1" x 5-1/2" Custom Shaped White Pine.....	17.54	1.16
06 46 36 00-0610	LF	1" x 6-1/2" Custom Shaped White Pine.....	20.06	1.16
06 46 36 00-0611	LF	1" x 7-1/2" Custom Shaped White Pine.....	22.43	1.16
06 46 36 00-0612	LF	1" x 8-1/2" Custom Shaped White Pine.....	24.88	1.24
06 46 36 00-0613	LF	1" x 9-1/2" Custom Shaped White Pine.....	27.23	1.24
06 46 36 00-0614	LF	1" x 10-1/2" Custom Shaped White Pine.....	29.76	1.33
06 46 36 00-0615	LF	1" x 11-1/2" Custom Shaped White Pine.....	32.20	1.33
06 46 36 00-0616	LF	1-1/4" x 1-1/2" Custom Shaped White Pine.....	8.83	0.98
06 46 36 00-0617	LF	1-1/4" x 2-1/2" Custom Shaped White Pine.....	11.70	0.98
06 46 36 00-0618	LF	1-1/4" x 3-1/2" Custom Shaped White Pine.....	14.65	1.07
06 46 36 00-0619	LF	1-1/4" x 4-1/2" Custom Shaped White Pine.....	17.43	1.07
06 46 36 00-0620	LF	1-1/4" x 5-1/2" Custom Shaped White Pine.....	20.39	1.16
06 46 36 00-0621	LF	1-1/4" x 6-1/2" Custom Shaped White Pine.....	23.36	1.16
06 46 36 00-0622	LF	1-1/4" x 7-1/2" Custom Shaped White Pine.....	26.21	1.24
06 46 36 00-0623	LF	1-1/4" x 8-1/2" Custom Shaped White Pine.....	29.10	1.24
06 46 36 00-0624	LF	1-1/4" x 9-1/2" Custom Shaped White Pine.....	31.92	1.24
06 46 36 00-0625	LF	1-1/4" x 10-1/2" Custom Shaped White Pine.....	34.91	1.33
06 46 36 00-0626	LF	1-1/4" x 11-1/2" Custom Shaped White Pine.....	37.82	1.42
06 46 36 00-0627	LF	1-1/2" x 1-1/2" Custom Shaped White Pine.....	11.09	0.98
06 46 36 00-0628	LF	1-1/2" x 2-1/2" Custom Shaped White Pine.....	15.04	1.07
06 46 36 00-0629	LF	1-1/2" x 3-1/2" Custom Shaped White Pine.....	18.98	1.07
06 46 36 00-0630	LF	1-1/2" x 4-1/2" Custom Shaped White Pine.....	22.93	1.16
06 46 36 00-0631	LF	1-1/2" x 5-1/2" Custom Shaped White Pine.....	26.89	1.16
06 46 36 00-0632	LF	1-1/2" x 6-1/2" Custom Shaped White Pine.....	31.03	1.24
06 46 36 00-0633	LF	1-1/2" x 7-1/2" Custom Shaped White Pine.....	34.96	1.24
06 46 36 00-0634	LF	1-1/2" x 8-1/2" Custom Shaped White Pine.....	38.93	1.33
06 46 36 00-0635	LF	1-1/2" x 9-1/2" Custom Shaped White Pine.....	43.64	1.33
06 46 36 00-0636	LF	1-1/2" x 10-1/2" Custom Shaped White Pine.....	46.91	1.42
06 46 36 00-0637	LF	1-1/2" x 11-1/2" Custom Shaped White Pine.....	50.89	1.42
06 46 36 00-0638	LF	2" x 1-1/2" Custom Shaped White Pine.....	17.09	1.07
06 46 36 00-0639	LF	2" x 2-1/2" Custom Shaped White Pine.....	24.00	1.07
06 46 36 00-0640	LF	2" x 3-1/2" Custom Shaped White Pine.....	30.91	1.07
06 46 36 00-0641	LF	2" x 4-1/2" Custom Shaped White Pine.....	37.89	1.16
06 46 36 00-0642	LF	2" x 5-1/2" Custom Shaped White Pine.....	44.80	1.16
06 46 36 00-0643	LF	2" x 6-1/2" Custom Shaped White Pine.....	51.88	1.24
06 46 36 00-0644	LF	2" x 7-1/2" Custom Shaped White Pine.....	58.78	1.24
06 46 36 00-0645	LF	2" x 8-1/2" Custom Shaped White Pine.....	65.77	1.33
06 46 36 00-0646	LF	2" x 9-1/2" Custom Shaped White Pine.....	72.69	1.33
06 46 36 00-0647	LF	2" x 10-1/2" Custom Shaped White Pine.....	79.59	1.42
06 46 36 00-0648	LF	2" x 11-1/2" Custom Shaped White Pine.....	86.68	1.51
06 46 36 00-0649	LF	2-1/2" x 1-1/2" Custom Shaped White Pine.....	20.39	1.07
06 46 36 00-0650	LF	2-1/2" x 2-1/2" Custom Shaped White Pine.....	28.90	1.07
06 46 36 00-0651	LF	2-1/2" x 3-1/2" Custom Shaped White Pine.....	37.40	1.16
06 46 36 00-0652	LF	2-1/2" x 4-1/2" Custom Shaped White Pine.....	45.99	1.16
06 46 36 00-0653	LF	2-1/2" x 5-1/2" Custom Shaped White Pine.....	54.51	1.16
06 46 36 00-0654	LF	2-1/2" x 6-1/2" Custom Shaped White Pine.....	63.19	1.24
06 46 36 00-0655	LF	2-1/2" x 7-1/2" Custom Shaped White Pine.....	71.70	1.33
06 46 36 00-0656	LF	2-1/2" x 8-1/2" Custom Shaped White Pine.....	80.30	1.33
06 46 36 00-0657	LF	2-1/2" x 9-1/2" Custom Shaped White Pine.....	88.81	1.42
06 46 36 00-0658	LF	2-1/2" x 10-1/2" Custom Shaped White Pine.....	97.32	1.42
06 46 36 00-0659	LF	2-1/2" x 11-1/2" Custom Shaped White Pine.....	106.01	1.51
06 46 36 00-0660	LF	3-1/2" x 3-1/2" Custom Shaped White Pine.....	51.93	1.16
06 46 36 00-0661	LF	3-1/2" x 4-1/2" Custom Shaped White Pine.....	64.13	1.16
06 46 36 00-0662	LF	3-1/2" x 5-1/2" Custom Shaped White Pine.....	76.26	1.24
06 46 36 00-0663	LF	3-1/2" x 6-1/2" Custom Shaped White Pine.....	88.54	1.33
06 46 36 00-0664	LF	3-1/2" x 7-1/2" Custom Shaped White Pine.....	100.66	1.33
06 46 36 00-0665	LF	3-1/2" x 8-1/2" Custom Shaped White Pine.....	112.87	1.42
06 46 36 00-0666	LF	3-1/2" x 9-1/2" Custom Shaped White Pine.....	124.99	1.42
06 46 36 00-0667	LF	3-1/2" x 10-1/2" Custom Shaped White Pine.....	137.11	1.42
06 46 36 00-0668	LF	3-1/2" x 11-1/2" Custom Shaped White Pine.....	149.41	1.51
06 46 36 00-0669		Clear Yellow Pine (06 46 36)		
06 46 36 00-0670	LF	3/4" x 1-1/2" Custom Shaped "C" Y Pine.....	4.72	0.98
06 46 36 00-0671	LF	3/4" x 2-1/2" Custom Shaped "C" Y Pine.....	5.63	0.98
06 46 36 00-0672	LF	3/4" x 3-1/2" Custom Shaped "C" Y Pine.....	6.53	0.98
06 46 36 00-0673	LF	3/4" x 4-1/2" Custom Shaped "C" Y Pine.....	7.43	1.07
06 46 36 00-0674	LF	3/4" x 5-1/2" Custom Shaped "C" Y Pine.....	8.43	1.07
06 46 36 00-0675	LF	3/4" x 6-1/2" Custom Shaped "C" Y Pine.....	9.43	1.16
06 46 36 00-0676	LF	3/4" x 7-1/2" Custom Shaped "C" Y Pine.....	10.32	1.16
06 46 36 00-0677	LF	3/4" x 8-1/2" Custom Shaped "C" Y Pine.....	11.24	1.16
06 46 36 00-0678	LF	1" x 1-1/2" Custom Shaped "C" Y Pine.....	5.42	0.98
06 46 36 00-0679	LF	1" x 2-1/2" Custom Shaped "C" Y Pine.....	6.64	0.98
06 46 36 00-0680	LF	1" x 3-1/2" Custom Shaped "C" Y Pine.....	7.82	1.07
06 46 36 00-0681	LF	1" x 4-1/2" Custom Shaped "C" Y Pine.....	9.04	1.07



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 46 36 00-0682 LF 1" x 5-1/2" Custom Shaped "C" Y Pine.....	10.33	1.16
06 46 36 00-0683 LF 1" x 6-1/2" Custom Shaped "C" Y Pine.....	11.64	1.16
06 46 36 00-0684 LF 1" x 7-1/2" Custom Shaped "C" Y Pine.....	13.21	1.16
06 46 36 00-0685 LF 1" x 8-1/2" Custom Shaped "C" Y Pine.....	14.50	1.24
06 46 36 00-0686 LF 1-1/2" x 1-1/2" Custom Shaped "C" Y Pine.....	6.28	0.98
06 46 36 00-0687 LF 1-1/2" x 2-1/2" Custom Shaped "C" Y Pine.....	7.82	1.07
06 46 36 00-0688 LF 1-1/2" x 3-1/2" Custom Shaped "C" Y Pine.....	9.35	1.07
06 46 36 00-0689 LF 1-1/2" x 4-1/2" Custom Shaped "C" Y Pine.....	10.90	1.16
06 46 36 00-0690 LF 1-1/2" x 5-1/2" Custom Shaped "C" Y Pine.....	12.45	1.16
06 46 36 00-0691 LF 1-1/2" x 6-1/2" Custom Shaped "C" Y Pine.....	14.18	1.24
06 46 36 00-0692 LF 1-1/2" x 7-1/2" Custom Shaped "C" Y Pine.....	15.72	1.24
06 46 36 00-0693 LF 1-1/2" x 8-1/2" Custom Shaped "C" Y Pine.....	17.28	1.33
06 46 36 00-0694 LF 1-1/2" x 9-1/2" Custom Shaped "C" Y Pine.....	19.98	1.33
06 46 36 00-0695 LF 1-1/2" x 10-1/2" Custom Shaped "C" Y Pine.....	20.61	1.42
06 46 36 00-0696 Poplar (06 46 36)		
06 46 36 00-0697 LF 3/4" x 1-1/2" Custom Shaped Poplar.....	4.96	0.98
06 46 36 00-0698 LF 3/4" x 2-1/2" Custom Shaped Poplar.....	5.99	0.98
06 46 36 00-0699 LF 3/4" x 3-1/2" Custom Shaped Poplar.....	7.01	0.98
06 46 36 00-0700 LF 3/4" x 4-1/2" Custom Shaped Poplar.....	8.03	1.07
06 46 36 00-0701 LF 3/4" x 5-1/2" Custom Shaped Poplar.....	9.15	1.07
06 46 36 00-0702 LF 3/4" x 6-1/2" Custom Shaped Poplar.....	10.28	1.16
06 46 36 00-0703 LF 3/4" x 7-1/2" Custom Shaped Poplar.....	11.28	1.16
06 46 36 00-0704 LF 3/4" x 8-1/2" Custom Shaped Poplar.....	12.32	1.16
06 46 36 00-0705 LF 3/4" x 9-1/2" Custom Shaped Poplar.....	13.30	1.24
06 46 36 00-0706 LF 3/4" x 10-1/2" Custom Shaped Poplar.....	14.43	1.33
06 46 36 00-0707 LF 3/4" x 11-1/2" Custom Shaped Poplar.....	15.58	1.33
06 46 36 00-0708 LF 1" x 1-1/2" Custom Shaped Poplar.....	5.74	0.98
06 46 36 00-0709 LF 1" x 2-1/2" Custom Shaped Poplar.....	7.08	0.98
06 46 36 00-0710 LF 1" x 3-1/2" Custom Shaped Poplar.....	8.42	1.07
06 46 36 00-0711 LF 1" x 4-1/2" Custom Shaped Poplar.....	9.77	1.07
06 46 36 00-0712 LF 1" x 5-1/2" Custom Shaped Poplar.....	11.25	1.16
06 46 36 00-0713 LF 1" x 6-1/2" Custom Shaped Poplar.....	12.68	1.16
06 46 36 00-0714 LF 1" x 7-1/2" Custom Shaped Poplar.....	14.01	1.16
06 46 36 00-0715 LF 1" x 8-1/2" Custom Shaped Poplar.....	15.38	1.24
06 46 36 00-0716 LF 1" x 9-1/2" Custom Shaped Poplar.....	16.72	1.24
06 46 36 00-0717 LF 1" x 10-1/2" Custom Shaped Poplar.....	18.17	1.33
06 46 36 00-0718 LF 1" x 11-1/2" Custom Shaped Poplar.....	19.57	1.33
06 46 36 00-0719 LF 1-1/4" x 1-1/2" Custom Shaped Poplar.....	6.43	0.98
06 46 36 00-0720 LF 1-1/4" x 2-1/2" Custom Shaped Poplar.....	8.09	0.98
06 46 36 00-0721 LF 1-1/4" x 3-1/2" Custom Shaped Poplar.....	9.76	1.07
06 46 36 00-0722 LF 1-1/4" x 4-1/2" Custom Shaped Poplar.....	11.42	1.07
06 46 36 00-0723 LF 1-1/4" x 5-1/2" Custom Shaped Poplar.....	13.17	1.16
06 46 36 00-0724 LF 1-1/4" x 6-1/2" Custom Shaped Poplar.....	14.94	1.16
06 46 36 00-0725 LF 1-1/4" x 7-1/2" Custom Shaped Poplar.....	16.59	1.24
06 46 36 00-0726 LF 1-1/4" x 8-1/2" Custom Shaped Poplar.....	18.27	1.24
06 46 36 00-0727 LF 1-1/4" x 9-1/2" Custom Shaped Poplar.....	19.89	1.24
06 46 36 00-0728 LF 1-1/4" x 10-1/2" Custom Shaped Poplar.....	21.68	1.33
06 46 36 00-0729 LF 1-1/4" x 11-1/2" Custom Shaped Poplar.....	23.39	1.42
06 46 36 00-0730 LF 1-1/2" x 1-1/2" Custom Shaped Poplar.....	8.04	0.98
06 46 36 00-0731 LF 1-1/2" x 2-1/2" Custom Shaped Poplar.....	10.47	1.07
06 46 36 00-0732 LF 1-1/2" x 3-1/2" Custom Shaped Poplar.....	12.88	1.07
06 46 36 00-0733 LF 1-1/2" x 4-1/2" Custom Shaped Poplar.....	15.31	1.16
06 46 36 00-0734 LF 1-1/2" x 5-1/2" Custom Shaped Poplar.....	17.74	1.16
06 46 36 00-0735 LF 1-1/2" x 6-1/2" Custom Shaped Poplar.....	20.36	1.24
06 46 36 00-0736 LF 1-1/2" x 7-1/2" Custom Shaped Poplar.....	22.78	1.24
06 46 36 00-0737 LF 1-1/2" x 8-1/2" Custom Shaped Poplar.....	25.22	1.33
06 46 36 00-0738 LF 1-1/2" x 9-1/2" Custom Shaped Poplar.....	27.60	1.33
06 46 36 00-0739 LF 1-1/2" x 10-1/2" Custom Shaped Poplar.....	30.15	1.42
06 46 36 00-0740 LF 1-1/2" x 11-1/2" Custom Shaped Poplar.....	32.61	1.42
06 46 36 00-0741 LF 2" x 1-1/2" Custom Shaped Poplar.....	10.48	1.07
06 46 36 00-0742 LF 2" x 2-1/2" Custom Shaped Poplar.....	14.10	1.07
06 46 36 00-0743 LF 2" x 3-1/2" Custom Shaped Poplar.....	17.67	1.07
06 46 36 00-0744 LF 2" x 4-1/2" Custom Shaped Poplar.....	21.37	1.16
06 46 36 00-0745 LF 2" x 5-1/2" Custom Shaped Poplar.....	24.95	1.16
06 46 36 00-0746 LF 2" x 6-1/2" Custom Shaped Poplar.....	28.74	1.24
06 46 36 00-0747 LF 2" x 7-1/2" Custom Shaped Poplar.....	32.32	1.24
06 46 36 00-0748 LF 2" x 8-1/2" Custom Shaped Poplar.....	36.02	1.33
06 46 36 00-0749 LF 2" x 9-1/2" Custom Shaped Poplar.....	39.61	1.33
06 46 36 00-0750 LF 2" x 10-1/2" Custom Shaped Poplar.....	43.22	1.42
06 46 36 00-0751 LF 2" x 11-1/2" Custom Shaped Poplar.....	46.98	1.51
06 46 36 00-0752 LF 2-1/2" x 1-1/2" Custom Shaped Poplar.....	12.93	1.07
06 46 36 00-0753 LF 2-1/2" x 2-1/2" Custom Shaped Poplar.....	17.71	1.07
06 46 36 00-0754 LF 2-1/2" x 3-1/2" Custom Shaped Poplar.....	22.49	1.16
06 46 36 00-0755 LF 2-1/2" x 4-1/2" Custom Shaped Poplar.....	27.35	1.16
06 46 36 00-0756 LF 2-1/2" x 5-1/2" Custom Shaped Poplar.....	32.14	1.16
06 46 36 00-0757 LF 2-1/2" x 6-1/2" Custom Shaped Poplar.....	37.09	1.24
06 46 36 00-0758 LF 2-1/2" x 7-1/2" Custom Shaped Poplar.....	41.87	1.33
06 46 36 00-0759 LF 2-1/2" x 8-1/2" Custom Shaped Poplar.....	46.74	1.33
06 46 36 00-0760 LF 2-1/2" x 9-1/2" Custom Shaped Poplar.....	51.52	1.42

06 Wood, Plastics, and Composites**06 40 Architectural Woodwork****06 46 Wood Trim**MINOR
CSI UOM DESCRIPTIONTOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

06 46 36 00-0761	LF	2-1/2" x 10-1/2" Custom Shaped Poplar	56.31	1.42
06 46 36 00-0762	LF	2-1/2" x 11-1/2" Custom Shaped Poplar	61.27	1.51
06 46 36 00-0763	LF	3-1/2" x 3-1/2" Custom Shaped Poplar	30.76	1.16
06 46 36 00-0764	LF	3-1/2" x 4-1/2" Custom Shaped Poplar	37.66	1.16
06 46 36 00-0765	LF	3-1/2" x 5-1/2" Custom Shaped Poplar	44.50	1.24
06 46 36 00-0766	LF	3-1/2" x 6-1/2" Custom Shaped Poplar	51.57	1.33
06 46 36 00-0767	LF	3-1/2" x 7-1/2" Custom Shaped Poplar	58.32	1.33
06 46 36 00-0768	LF	3-1/2" x 8-1/2" Custom Shaped Poplar	65.24	1.42
06 46 36 00-0769	LF	3-1/2" x 9-1/2" Custom Shaped Poplar	72.06	1.42
06 46 36 00-0770	LF	3-1/2" x 10-1/2" Custom Shaped Poplar	78.89	1.42
06 46 36 00-0771	LF	3-1/2" x 11-1/2" Custom Shaped Poplar	85.90	1.51

06 46 36 00-0772 Clear Heart Redwood (06 46 36)

06 46 36 00-0773	LF	3/4" x 1-1/2" Custom Shaped Clear Heart Redwood.....	6.09	0.98
06 46 36 00-0774	LF	3/4" x 2-1/2" Custom Shaped Clear Heart Redwood.....	7.67	0.98
06 46 36 00-0775	LF	3/4" x 3-1/2" Custom Shaped Clear Heart Redwood.....	9.25	0.98
06 46 36 00-0776	LF	3/4" x 4-1/2" Custom Shaped Clear Heart Redwood.....	10.84	1.07
06 46 36 00-0777	LF	3/4" x 5-1/2" Custom Shaped Clear Heart Redwood.....	12.52	1.07
06 46 36 00-0778	LF	3/4" x 6-1/2" Custom Shaped Clear Heart Redwood.....	14.21	1.16
06 46 36 00-0779	LF	3/4" x 7-1/2" Custom Shaped Clear Heart Redwood.....	17.37	1.16
06 46 36 00-0780	LF	3/4" x 8-1/2" Custom Shaped Clear Heart Redwood.....	19.18	1.16
06 46 36 00-0781	LF	3/4" x 9-1/2" Custom Shaped Clear Heart Redwood.....	19.28	1.24
06 46 36 00-0782	LF	3/4" x 10-1/2" Custom Shaped Clear Heart Redwood.....	20.61	1.33
06 46 36 00-0783	LF	1" x 1-1/2" Custom Shaped Clear Heart Redwood.....	7.34	0.98
06 46 36 00-0784	LF	1" x 2-1/2" Custom Shaped Clear Heart Redwood.....	9.49	0.98
06 46 36 00-0785	LF	1" x 3-1/2" Custom Shaped Clear Heart Redwood.....	11.63	1.07
06 46 36 00-0786	LF	1" x 4-1/2" Custom Shaped Clear Heart Redwood.....	13.77	1.07
06 46 36 00-0787	LF	1" x 5-1/2" Custom Shaped Clear Heart Redwood.....	16.06	1.16
06 46 36 00-0788	LF	1" x 6-1/2" Custom Shaped Clear Heart Redwood.....	18.29	1.16
06 46 36 00-0789	LF	1" x 7-1/2" Custom Shaped Clear Heart Redwood.....	23.24	1.16
06 46 36 00-0790	LF	1" x 8-1/2" Custom Shaped Clear Heart Redwood.....	25.76	1.24
06 46 36 00-0791	LF	1" x 9-1/2" Custom Shaped Clear Heart Redwood.....	28.23	1.24
06 46 36 00-0792	LF	1" x 10-1/2" Custom Shaped Clear Heart Redwood.....	30.84	1.33
06 46 36 00-0793	LF	1-1/2" x 1-1/2" Custom Shaped Clear Heart Redwood.....	9.65	0.98
06 46 36 00-0794	LF	1-1/2" x 2-1/2" Custom Shaped Clear Heart Redwood.....	12.87	1.07
06 46 36 00-0795	LF	1-1/2" x 3-1/2" Custom Shaped Clear Heart Redwood.....	16.09	1.07
06 46 36 00-0796	LF	1-1/2" x 4-1/2" Custom Shaped Clear Heart Redwood.....	19.32	1.16
06 46 36 00-0797	LF	1-1/2" x 5-1/2" Custom Shaped Clear Heart Redwood.....	22.56	1.16
06 46 36 00-0798	LF	1-1/2" x 6-1/2" Custom Shaped Clear Heart Redwood.....	26.05	1.24
06 46 36 00-0799	LF	1-1/2" x 7-1/2" Custom Shaped Clear Heart Redwood.....	34.96	1.24
06 46 36 00-0800	LF	1-1/2" x 8-1/2" Custom Shaped Clear Heart Redwood.....	38.93	1.33
06 46 36 00-0801	LF	1-1/2" x 9-1/2" Custom Shaped Clear Heart Redwood.....	46.04	1.33
06 46 36 00-0802	LF	1-1/2" x 10-1/2" Custom Shaped Clear Heart Redwood.....	50.44	1.42
06 46 36 00-0803	LF	3-1/2" x 3-1/2" Custom Shaped Clear Heart Redwood.....	48.72	1.16
06 46 36 00-0804	LF	3-1/2" x 4-1/2" Custom Shaped Clear Heart Redwood.....	60.12	1.16
06 46 36 00-0805	LF	3-1/2" x 5-1/2" Custom Shaped Clear Heart Redwood.....	71.44	1.24
06 46 36 00-0806	LF	3-1/2" x 6-1/2" Custom Shaped Clear Heart Redwood.....	82.93	1.33
06 46 36 00-0807	LF	3-1/2" x 7-1/2" Custom Shaped Clear Heart Redwood.....	94.25	1.33
06 46 36 00-0808	LF	3-1/2" x 8-1/2" Custom Shaped Clear Heart Redwood.....	105.65	1.42
06 46 36 00-0809	LF	3-1/2" x 9-1/2" Custom Shaped Clear Heart Redwood.....	116.97	1.42
06 46 36 00-0810	LF	3-1/2" x 10-1/2" Custom Shaped Clear Heart Redwood.....	128.29	1.42
06 46 36 00-0811	LF	3-1/2" x 11-1/2" Custom Shaped Clear Heart Redwood.....	139.79	1.51

06 46 36 00-0812 Teak (06 46 36)

06 46 36 00-0813	LF	3/4" x 1-1/2" Custom Shaped Teak	16.83	0.98
06 46 36 00-0814	LF	3/4" x 2-1/2" Custom Shaped Teak	23.79	0.98
06 46 36 00-0815	LF	3/4" x 3-1/2" Custom Shaped Teak	30.75	0.98
06 46 36 00-0816	LF	3/4" x 4-1/2" Custom Shaped Teak	37.70	1.07
06 46 36 00-0817	LF	3/4" x 5-1/2" Custom Shaped Teak	44.76	1.07
06 46 36 00-0818	LF	3/4" x 6-1/2" Custom Shaped Teak	51.82	1.16
06 46 36 00-0819	LF	3/4" x 7-1/2" Custom Shaped Teak	58.75	1.16
06 46 36 00-0820	LF	3/4" x 8-1/2" Custom Shaped Teak	65.73	1.16
06 46 36 00-0821	LF	3/4" x 9-1/2" Custom Shaped Teak	72.65	1.24
06 46 36 00-0822	LF	3/4" x 10-1/2" Custom Shaped Teak	79.71	1.33
06 46 36 00-0823	LF	3/4" x 11-1/2" Custom Shaped Teak	86.71	1.33
06 46 36 00-0824	LF	1-1/2" x 1-1/2" Custom Shaped Teak	38.84	0.98
06 46 36 00-0825	LF	1-1/2" x 2-1/2" Custom Shaped Teak	44.63	1.07
06 46 36 00-0826	LF	1-1/2" x 3-1/2" Custom Shaped Teak	58.43	1.07
06 46 36 00-0827	LF	1-1/2" x 4-1/2" Custom Shaped Teak	72.25	1.16
06 46 36 00-0828	LF	1-1/2" x 5-1/2" Custom Shaped Teak	86.07	1.16
06 46 36 00-0829	LF	1-1/2" x 6-1/2" Custom Shaped Teak	99.67	1.24
06 46 36 00-0830	LF	1-1/2" x 7-1/2" Custom Shaped Teak	113.88	1.24
06 46 36 00-0831	LF	1-1/2" x 8-1/2" Custom Shaped Teak	127.71	1.33
06 46 36 00-0832	LF	1-1/2" x 9-1/2" Custom Shaped Teak	141.47	1.33
06 46 36 00-0833	LF	1-1/2" x 10-1/2" Custom Shaped Teak.....	155.42	1.42
06 46 36 00-0834	LF	1-1/2" x 11-1/2" Custom Shaped Teak.....	169.26	1.42

06 46 36 00-0835 Walnut (06 46 36)



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 46 36 00-0836 LF 3/4" x 1-1/2" Custom Shaped Walnut.....	9.21	0.98
06 46 36 00-0837 LF 3/4" x 2-1/2" Custom Shaped Walnut.....	12.36	0.98
06 46 36 00-0838 LF 3/4" x 3-1/2" Custom Shaped Walnut.....	15.51	0.98
06 46 36 00-0839 LF 3/4" x 4-1/2" Custom Shaped Walnut.....	18.66	1.07
06 46 36 00-0840 LF 3/4" x 5-1/2" Custom Shaped Walnut.....	21.90	1.07
06 46 36 00-0841 LF 3/4" x 6-1/2" Custom Shaped Walnut.....	25.15	1.16
06 46 36 00-0842 LF 3/4" x 7-1/2" Custom Shaped Walnut.....	28.28	1.16
06 46 36 00-0843 LF 3/4" x 8-1/2" Custom Shaped Walnut.....	31.45	1.16
06 46 36 00-0844 LF 3/4" x 9-1/2" Custom Shaped Walnut.....	34.55	1.24
06 46 36 00-0845 LF 3/4" x 10-1/2" Custom Shaped Walnut.....	37.81	1.33
06 46 36 00-0846 LF 3/4" x 11-1/2" Custom Shaped Walnut.....	41.00	1.33
06 46 36 00-0847 LF 1" x 1-1/2" Custom Shaped Walnut.....	11.03	0.98
06 46 36 00-0848 LF 1" x 2-1/2" Custom Shaped Walnut.....	15.06	0.98
06 46 36 00-0849 LF 1" x 3-1/2" Custom Shaped Walnut.....	19.05	1.07
06 46 36 00-0850 LF 1" x 4-1/2" Custom Shaped Walnut.....	23.08	1.07
06 46 36 00-0851 LF 1" x 5-1/2" Custom Shaped Walnut.....	27.17	1.16
06 46 36 00-0852 LF 1" x 6-1/2" Custom Shaped Walnut.....	31.29	1.16
06 46 36 00-0853 LF 1" x 7-1/2" Custom Shaped Walnut.....	35.27	1.16
06 46 36 00-0854 LF 1" x 8-1/2" Custom Shaped Walnut.....	39.32	1.24
06 46 36 00-0855 LF 1" x 9-1/2" Custom Shaped Walnut.....	43.26	1.24
06 46 36 00-0856 LF 1" x 10-1/2" Custom Shaped Walnut.....	47.40	1.33
06 46 36 00-0857 LF 1" x 11-1/2" Custom Shaped Walnut.....	51.44	1.33
06 46 36 00-0858 LF 1-1/4" x 1-1/2" Custom Shaped Walnut.....	13.52	0.98
06 46 36 00-0859 LF 1-1/4" x 2-1/2" Custom Shaped Walnut.....	18.76	0.98
06 46 36 00-0860 LF 1-1/4" x 3-1/2" Custom Shaped Walnut.....	23.95	1.07
06 46 36 00-0861 LF 1-1/4" x 4-1/2" Custom Shaped Walnut.....	29.18	1.07
06 46 36 00-0862 LF 1-1/4" x 5-1/2" Custom Shaped Walnut.....	34.46	1.16
06 46 36 00-0863 LF 1-1/4" x 6-1/2" Custom Shaped Walnut.....	39.80	1.16
06 46 36 00-0864 LF 1-1/4" x 7-1/2" Custom Shaped Walnut.....	44.98	1.24
06 46 36 00-0865 LF 1-1/4" x 8-1/2" Custom Shaped Walnut.....	50.23	1.24
06 46 36 00-0866 LF 1-1/4" x 9-1/2" Custom Shaped Walnut.....	55.37	1.24
06 46 36 00-0867 LF 1-1/4" x 10-1/2" Custom Shaped Walnut.....	60.74	1.33
06 46 36 00-0868 LF 1-1/4" x 11-1/2" Custom Shaped Walnut.....	65.97	1.42
06 46 36 00-0869 LF 1-1/2" x 1-1/2" Custom Shaped Walnut.....	18.31	0.98
06 46 36 00-0870 LF 1-1/2" x 2-1/2" Custom Shaped Walnut.....	25.86	1.07
06 46 36 00-0871 LF 1-1/2" x 3-1/2" Custom Shaped Walnut.....	33.41	1.07
06 46 36 00-0872 LF 1-1/2" x 4-1/2" Custom Shaped Walnut.....	40.97	1.16
06 46 36 00-0873 LF 1-1/2" x 5-1/2" Custom Shaped Walnut.....	48.54	1.16
06 46 36 00-0874 LF 1-1/2" x 6-1/2" Custom Shaped Walnut.....	56.29	1.24
06 46 36 00-0875 LF 1-1/2" x 7-1/2" Custom Shaped Walnut.....	63.83	1.24
06 46 36 00-0876 LF 1-1/2" x 8-1/2" Custom Shaped Walnut.....	71.41	1.33
06 46 36 00-0877 LF 1-1/2" x 9-1/2" Custom Shaped Walnut.....	79.72	1.33
06 46 36 00-0878 LF 1-1/2" x 10-1/2" Custom Shaped Walnut.....	86.61	1.42
06 46 36 00-0879 LF 1-1/2" x 11-1/2" Custom Shaped Walnut.....	94.20	1.42
06 46 36 00-0880 LF 2" x 1-1/2" Custom Shaped Walnut.....	30.73	1.07
06 46 36 00-0881 LF 2" x 2-1/2" Custom Shaped Walnut.....	44.45	1.07
06 46 36 00-0882 LF 2" x 3-1/2" Custom Shaped Walnut.....	58.17	1.07
06 46 36 00-0883 LF 2" x 4-1/2" Custom Shaped Walnut.....	71.98	1.16
06 46 36 00-0884 LF 2" x 5-1/2" Custom Shaped Walnut.....	85.70	1.16
06 46 36 00-0885 LF 2" x 6-1/2" Custom Shaped Walnut.....	99.59	1.24
06 46 36 00-0886 LF 2" x 7-1/2" Custom Shaped Walnut.....	113.31	1.24
06 46 36 00-0887 LF 2" x 8-1/2" Custom Shaped Walnut.....	127.12	1.33
06 46 36 00-0888 LF 2" x 9-1/2" Custom Shaped Walnut.....	140.85	1.33
06 46 36 00-0889 LF 2" x 10-1/2" Custom Shaped Walnut.....	154.57	1.42
06 46 36 00-0890 LF 2" x 11-1/2" Custom Shaped Walnut.....	168.48	1.51
06 46 36 00-0891 LF 2-1/2" x 1-1/2" Custom Shaped Walnut.....	38.43	1.07
06 46 36 00-0892 LF 2-1/2" x 2-1/2" Custom Shaped Walnut.....	55.97	1.07
06 46 36 00-0893 LF 2-1/2" x 3-1/2" Custom Shaped Walnut.....	73.49	1.16
06 46 36 00-0894 LF 2-1/2" x 4-1/2" Custom Shaped Walnut.....	91.10	1.16
06 46 36 00-0895 LF 2-1/2" x 5-1/2" Custom Shaped Walnut.....	108.64	1.16
06 46 36 00-0896 LF 2-1/2" x 6-1/2" Custom Shaped Walnut.....	126.35	1.24
06 46 36 00-0897 LF 2-1/2" x 7-1/2" Custom Shaped Walnut.....	143.88	1.33
06 46 36 00-0898 LF 2-1/2" x 8-1/2" Custom Shaped Walnut.....	161.50	1.33
06 46 36 00-0899 LF 2-1/2" x 9-1/2" Custom Shaped Walnut.....	179.03	1.42
06 46 36 00-0900 LF 2-1/2" x 10-1/2" Custom Shaped Walnut.....	196.57	1.42
06 46 36 00-0901 LF 2-1/2" x 11-1/2" Custom Shaped Walnut.....	214.28	1.51

06 48 Wood Frames (06 40)

Note: All door frames include perimeter caulk, sealant (as required), anchors and silencers.

06 48 13 Exterior Wood Door Frames (06 48 13)

06 48 13 00-0001 Exterior Door Frames (06 48 13)

Note: 6'-8" and 7'-2" frames are the same price as 7' frames. Custom made with threshold, includes all trim molding, up to 8" depth.

06 48 13 00-0002 EA 3' x 7' Pine Exterior Door Frame Custom Made With Threshold And Trim.....	248.34	50.18
For Birch, Add	51.82	
For Mahogany, Add	125.85	
06 48 13 00-0003 EA 3'-6" x 7' Pine Exterior Door Frame Custom Made With Threshold And Trim.....	261.15	52.59
For Birch, Add	54.75	
For Mahogany, Add	132.97	

06 Wood, Plastics, and Composites**06 40 Architectural Woodwork****06 48 Wood Frames**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 48 13 00-0004	EA		4' x 7' Pine Exterior Door Frame Custom Made With Threshold And Trim.....	273.97	54.64
			<i>For Birch, Add</i>	57.68	
			<i>For Mahogany, Add</i>	140.08	
06 48 13 00-0005	EA		5' x 7' Pine Exterior Door Frame Custom Made With Threshold And Trim.....	298.54	58.48
			<i>For Birch, Add</i>	63.54	
			<i>For Mahogany, Add</i>	154.30	
06 48 13 00-0006	EA		6' x 7' Pine Exterior Door Frame Custom Made With Threshold And Trim.....	323.62	62.66
			<i>For Birch, Add</i>	69.39	
			<i>For Mahogany, Add</i>	168.53	
06 48 13 00-0007	EA		3' x 7' Walnut Exterior Door Frame Custom Made With Threshold And Trim.....	372.68	50.36
06 48 13 00-0008	EA		3'-6" x 7' Walnut Exterior Door Frame Custom Made With Threshold And Trim.....	379.38	52.59
06 48 13 00-0009	EA		4' x 7' Walnut Exterior Door Frame Custom Made With Threshold And Trim.....	386.05	54.81
06 48 13 00-0010	EA		5' x 7' Walnut Exterior Door Frame Custom Made With Threshold And Trim.....	397.71	58.38
06 48 13 00-0011	EA		6' x 7' Walnut Exterior Door Frame Custom Made With Threshold And Trim.....	411.21	62.84
06 48 13 00-0012	EA		3' x 7' Oak Exterior Door Frame Custom Made With Threshold And Trim.....	291.22	50.36
06 48 13 00-0013	EA		3'-6" x 7' Oak Exterior Door Frame Custom Made With Threshold And Trim.....	305.28	52.59
06 48 13 00-0014	EA		4' x 7' Oak Exterior Door Frame Custom Made With Threshold And Trim.....	319.41	54.81
06 48 13 00-0015	EA		5' x 7' Oak Exterior Door Frame Custom Made With Threshold And Trim.....	345.75	58.38
06 48 13 00-0016	EA		6' x 7' Oak Exterior Door Frame Custom Made With Threshold And Trim.....	373.87	62.84

06 48 16 Interior Wood Door Frames (06 48)**06 48 16 00-0001 Interior Door Frames (06 48 16)**

Note: 6'-8" and 7'-2" frames are the same price as 7' frames. Custom made, includes all trim molding.

06 48 16 00-0002	EA		2'-0" Or 2'-4" x 7' Pine Interior Door Frame Custom Made With Threshold And Trim.....	124.38	23.88
			<i>For Oak Or Maple, Add</i>	23.76	
			<i>For Birch, Add</i>	26.82	
			<i>For Mahogany, Add</i>	65.14	
			<i>For Walnut Frame, Add</i>	34.48	
06 48 16 00-0003	EA		2'-6" x 7' Pine Interior Door Frame Custom Made With Threshold And Trim.....	125.26	23.97
			<i>For Oak Or Maple, Add</i>	23.96	
			<i>For Birch, Add</i>	27.05	
			<i>For Mahogany, Add</i>	65.69	
			<i>For Walnut Frame, Add</i>	34.78	
06 48 16 00-0004	EA		2'-8" x 7' Pine Interior Door Frame Custom Made With Threshold And Trim.....	126.77	24.42
			<i>For Oak Or Maple, Add</i>	24.14	
			<i>For Birch, Add</i>	27.25	
			<i>For Mahogany, Add</i>	66.18	
			<i>For Walnut Frame, Add</i>	35.04	
06 48 16 00-0005	EA		3' x 7' Pine Interior Door Frame Custom Made With Threshold And Trim.....	128.77	25.05
			<i>For Oak Or Maple, Add</i>	24.38	
			<i>For Birch, Add</i>	27.52	
			<i>For Mahogany, Add</i>	66.84	
			<i>For Walnut Frame, Add</i>	35.38	
06 48 16 00-0006	EA		3'-4" x 7' Pine Interior Door Frame Custom Made With Threshold And Trim.....	131.72	25.67
			<i>For Oak Or Maple, Add</i>	24.89	
			<i>For Birch, Add</i>	28.10	
			<i>For Mahogany, Add</i>	68.25	
			<i>For Walnut Frame, Add</i>	36.13	
06 48 16 00-0007	EA		4' x 7' Pine Interior Door Frame Custom Made With Threshold And Trim.....	139.12	27.27
			<i>For Oak Or Maple, Add</i>	26.20	
			<i>For Birch, Add</i>	29.59	
			<i>For Mahogany, Add</i>	71.85	
			<i>For Walnut Frame, Add</i>	38.04	
06 48 16 00-0008	EA		5' x 7' Pine Interior Door Frame Custom Made With Threshold And Trim.....	147.85	29.50
			<i>For Oak Or Maple, Add</i>	27.53	
			<i>For Birch, Add</i>	31.08	
			<i>For Mahogany, Add</i>	75.48	
			<i>For Walnut Frame, Add</i>	39.96	
06 48 16 00-0009	EA		6' x 7' Pine Interior Door Frame Custom Made With Threshold And Trim.....	155.71	31.38
			<i>For Oak Or Maple, Add</i>	28.84	
			<i>For Birch, Add</i>	32.56	
			<i>For Mahogany, Add</i>	79.08	
			<i>For Walnut Frame, Add</i>	41.87	
06 48 16 00-0010	LF		4-9/16", Pine Interior Door Frame.....	5.68	2.14
			<i>For Oak Or Maple, Add</i>	0.43	
			<i>For Birch, Add</i>	0.49	
			<i>For Mahogany, Add</i>	1.19	
			<i>For Walnut Frame, Add</i>	0.63	

06 49 Wood Screens and Exterior Wood Shutters (06 40)**06 49 19 Exterior Wood Shutters (06 49)**

See CSI section 10 71 13 13-0000 for exterior shutters.

06 50 Structural Plastics (06)**06 51 Structural Plastic Shapes And Plates (06 50)****06 51 13 Plastic Lumber (06 51)****06 51 13 00-0001 Beams And Girders, Recycled Plastic Lumber (06 51 13)**



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 51 13 00-0002 LF 2" x 6", Beam Or Girder, Recycled Plastic Lumber <i>For Reinforced Structural Plastic Lumber, Add</i> <i>Note: High density polyethylene combined with fiberglass.</i>	8.67 2.45	1.44
<i>For Brown Color, Add</i>	0.60	
<i>For White Color, Add</i>	2.81	
<i>For All Other Colors (Except Black, Brown Or White), Add</i>	2.38	
06 51 13 00-0003 LF 2" x 8", Beam Or Girder, Recycled Plastic Lumber <i>For Reinforced Structural Plastic Lumber, Add</i> <i>Note: High density polyethylene combined with fiberglass.</i>	11.03 3.26	1.56
<i>For Brown Color, Add</i>	0.79	
<i>For White Color, Add</i>	3.74	
<i>For All Other Colors (Except Black, Brown Or White), Add</i>	3.17	
06 51 13 00-0004 LF 2" x 10", Beam Or Girder, Recycled Plastic Lumber <i>For Reinforced Structural Plastic Lumber, Add</i> <i>Note: High density polyethylene combined with fiberglass.</i>	13.17 3.98	1.68
<i>For Brown Color, Add</i>	0.97	
<i>For White Color, Add</i>	4.58	
<i>For All Other Colors (Except Black, Brown Or White), Add</i>	3.88	
06 51 13 00-0005 LF 3" x 10", Beam Or Girder, Recycled Plastic Lumber <i>For Reinforced Structural Plastic Lumber, Add</i> <i>Note: High density polyethylene combined with fiberglass.</i>	19.18 6.04	2.00
<i>For Brown Color, Add</i>	1.47	
<i>For White Color, Add</i>	6.94	
<i>For All Other Colors (Except Black, Brown Or White), Add</i>	5.88	
06 51 13 00-0006 LF 3" x 12", Beam Or Girder, Recycled Plastic Lumber <i>For Reinforced Structural Plastic Lumber, Add</i> <i>Note: High density polyethylene combined with fiberglass.</i>	22.95 7.30	2.24
<i>For Brown Color, Add</i>	1.78	
<i>For White Color, Add</i>	8.39	
<i>For All Other Colors (Except Black, Brown Or White), Add</i>	7.11	
06 51 13 00-0007 LF 4" x 4", Beam Or Girder, Recycled Plastic Lumber <i>For Reinforced Structural Plastic Lumber, Add</i> <i>Note: High density polyethylene combined with fiberglass.</i>	12.49 3.60	1.94
<i>For Brown Color, Add</i>	0.87	
<i>For White Color, Add</i>	4.13	
<i>For All Other Colors (Except Black, Brown Or White), Add</i>	3.50	
06 51 13 00-0008 LF 4" x 6", Beam Or Girder, Recycled Plastic Lumber <i>For Reinforced Structural Plastic Lumber, Add</i> <i>Note: High density polyethylene combined with fiberglass.</i>	16.74 5.11	2.06
<i>For Brown Color, Add</i>	1.24	
<i>For White Color, Add</i>	5.87	
<i>For All Other Colors (Except Black, Brown Or White), Add</i>	4.97	
06 51 13 00-0009 LF 5" x 5", Beam Or Girder, Recycled Plastic Lumber <i>For Reinforced Structural Plastic Lumber, Add</i> <i>Note: High density polyethylene combined with fiberglass.</i>	17.42 5.32	2.12
<i>For Brown Color, Add</i>	1.30	
<i>For White Color, Add</i>	6.12	
<i>For All Other Colors (Except Black, Brown Or White), Add</i>	5.18	
06 51 13 00-0010 LF 6" x 6", Beam Or Girder, Recycled Plastic Lumber <i>For Reinforced Structural Plastic Lumber, Add</i> <i>Note: High density polyethylene combined with fiberglass.</i>	23.96 7.64	2.31
<i>For Brown Color, Add</i>	1.86	
<i>For White Color, Add</i>	8.78	
<i>For All Other Colors (Except Black, Brown Or White), Add</i>	7.44	
06 51 13 00-0011 LF 6" x 8", Beam Or Girder, Recycled Plastic Lumber <i>For Reinforced Structural Plastic Lumber, Add</i> <i>Note: High density polyethylene combined with fiberglass.</i>	32.58 10.77	2.43
<i>For Brown Color, Add</i>	2.62	
<i>For White Color, Add</i>	12.37	
<i>For All Other Colors (Except Black, Brown Or White), Add</i>	10.48	
06 51 13 00-0012 Joists, Recycled Plastic Lumber <small>(06 51 13)</small>		
06 51 13 00-0013 LF 2" x 4", Joist, Recycled Plastic Lumber <i>For Reinforced Structural Plastic Lumber, Add</i> <i>Note: High density polyethylene combined with fiberglass.</i>	5.62 1.65	0.80
<i>For Brown Color, Add</i>	0.40	
<i>For White Color, Add</i>	1.90	
<i>For All Other Colors (Except Black, Brown Or White), Add</i>	1.61	
06 51 13 00-0014 LF 2" x 6", Joist, Recycled Plastic Lumber <i>For Reinforced Structural Plastic Lumber, Add</i> <i>Note: High density polyethylene combined with fiberglass.</i>	7.78 2.45	0.85
<i>For Brown Color, Add</i>	0.60	
<i>For White Color, Add</i>	2.81	
<i>For All Other Colors (Except Black, Brown Or White), Add</i>	2.38	
06 51 13 00-0015 LF 2" x 8", Joist, Recycled Plastic Lumber <i>For Reinforced Structural Plastic Lumber, Add</i> <i>Note: High density polyethylene combined with fiberglass.</i>	10.14 3.26	0.93
<i>For Brown Color, Add</i>	0.79	
<i>For White Color, Add</i>	3.74	
<i>For All Other Colors (Except Black, Brown Or White), Add</i>	3.17	

06 Wood, Plastics, and Composites**06 50 Structural Plastics****06 51 Structural Plastic Shapes And Plates**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 51 13 00-0016	LF	2" x 10", Joist, Recycled Plastic Lumber	12.37	1.13
		<i>For Reinforced Structural Plastic Lumber, Add</i>		3.98	
		<i>Note: High density polyethylene combined with fiberglass.</i>			
		<i>For Brown Color, Add</i>		0.97	
		<i>For White Color, Add</i>		4.58	
		<i>For All Other Colors (Except Black, Brown Or White), Add</i>		3.88	
06 51 13 00-0017	LF	3" x 10", Joist, Recycled Plastic Lumber	18.20	1.31
		<i>For Reinforced Structural Plastic Lumber, Add</i>		6.04	
		<i>Note: High density polyethylene combined with fiberglass.</i>			
		<i>For Brown Color, Add</i>		1.47	
		<i>For White Color, Add</i>		6.94	
		<i>For All Other Colors (Except Black, Brown Or White), Add</i>		5.88	
06 51 13 00-0018	LF	3" x 12", Joist, Recycled Plastic Lumber	22.15	1.68
		<i>For Reinforced Structural Plastic Lumber, Add</i>		7.30	
		<i>Note: High density polyethylene combined with fiberglass.</i>			
		<i>For Brown Color, Add</i>		1.78	
		<i>For White Color, Add</i>		8.39	
		<i>For All Other Colors (Except Black, Brown Or White), Add</i>		7.11	
06 51 13 00-0019	LF	4" x 4", Joist, Recycled Plastic Lumber	11.41	1.19
		<i>For Reinforced Structural Plastic Lumber, Add</i>		3.60	
		<i>Note: High density polyethylene combined with fiberglass.</i>			
		<i>For Brown Color, Add</i>		0.87	
		<i>For White Color, Add</i>		4.13	
		<i>For All Other Colors (Except Black, Brown Or White), Add</i>		3.50	
06 51 13 00-0020	LF	4" x 6", Joist, Recycled Plastic Lumber	15.58	1.25
		<i>For Reinforced Structural Plastic Lumber, Add</i>		5.11	
		<i>Note: High density polyethylene combined with fiberglass.</i>			
		<i>For Brown Color, Add</i>		1.24	
		<i>For White Color, Add</i>		5.87	
		<i>For All Other Colors (Except Black, Brown Or White), Add</i>		4.97	
06 51 13 00-0021	LF	5" x 5", Joist, Recycled Plastic Lumber	16.35	1.37
		<i>For Reinforced Structural Plastic Lumber, Add</i>		5.32	
		<i>Note: High density polyethylene combined with fiberglass.</i>			
		<i>For Brown Color, Add</i>		1.30	
		<i>For White Color, Add</i>		6.12	
		<i>For All Other Colors (Except Black, Brown Or White), Add</i>		5.18	
06 51 13 00-0022	LF	6" x 6", Joist, Recycled Plastic Lumber	22.89	1.56
		<i>For Reinforced Structural Plastic Lumber, Add</i>		7.64	
		<i>Note: High density polyethylene combined with fiberglass.</i>			
		<i>For Brown Color, Add</i>		1.86	
		<i>For White Color, Add</i>		8.78	
		<i>For All Other Colors (Except Black, Brown Or White), Add</i>		7.44	
06 51 13 00-0023	LF	6" x 8", Joist, Recycled Plastic Lumber	31.51	1.68
		<i>For Reinforced Structural Plastic Lumber, Add</i>		10.77	
		<i>Note: High density polyethylene combined with fiberglass.</i>			
		<i>For Brown Color, Add</i>		2.62	
		<i>For White Color, Add</i>		12.37	
		<i>For All Other Colors (Except Black, Brown Or White), Add</i>		10.48	
06 51 13 00-0024		Columns, Recycled Plastic Lumber (06 51 13)			
06 51 13 00-0025	LF	4" x 4", Column, Recycled Plastic Lumber	13.38	2.56
		<i>For Reinforced Structural Plastic Lumber, Add</i>		3.60	
		<i>Note: High density polyethylene combined with fiberglass.</i>			
		<i>For Brown Color, Add</i>		0.87	
		<i>For White Color, Add</i>		4.13	
		<i>For All Other Colors (Except Black, Brown Or White), Add</i>		3.50	
06 51 13 00-0026	LF	4" x 6", Column, Recycled Plastic Lumber	18.97	3.62
		<i>For Reinforced Structural Plastic Lumber, Add</i>		5.11	
		<i>Note: High density polyethylene combined with fiberglass.</i>			
		<i>For Brown Color, Add</i>		1.24	
		<i>For White Color, Add</i>		5.87	
		<i>For All Other Colors (Except Black, Brown Or White), Add</i>		4.97	
06 51 13 00-0027	LF	5" x 5", Column, Recycled Plastic Lumber	20.19	4.06
		<i>For Reinforced Structural Plastic Lumber, Add</i>		5.32	
		<i>Note: High density polyethylene combined with fiberglass.</i>			
		<i>For Brown Color, Add</i>		1.30	
		<i>For White Color, Add</i>		6.12	
		<i>For All Other Colors (Except Black, Brown Or White), Add</i>		5.18	
06 51 13 00-0028	LF	6" x 6", Column, Recycled Plastic Lumber	27.25	4.61
		<i>For Reinforced Structural Plastic Lumber, Add</i>		7.64	
		<i>Note: High density polyethylene combined with fiberglass.</i>			
		<i>For Brown Color, Add</i>		1.86	
		<i>For White Color, Add</i>		8.78	
		<i>For All Other Colors (Except Black, Brown Or White), Add</i>		7.44	
06 51 13 00-0029	LF	6" x 8", Column, Recycled Plastic Lumber	37.21	5.68
		<i>For Reinforced Structural Plastic Lumber, Add</i>		10.77	
		<i>Note: High density polyethylene combined with fiberglass.</i>			
		<i>For Brown Color, Add</i>		2.62	
		<i>For White Color, Add</i>		12.37	
		<i>For All Other Colors (Except Black, Brown Or White), Add</i>		10.48	
06 51 13 00-0030		Walls, Recycled Plastic Lumber (06 51 13)			



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 51 13 00-0031 LF 2" x 3", Walls, Recycled Plastic Lumber.....	5.06	0.80
For Reinforced Structural Plastic Lumber, Add	1.44	
Note: High density polyethylene combined with fiberglass.		
For Brown Color, Add	0.35	
For White Color, Add	1.66	
For All Other Colors (Except Black, Brown Or White), Add	1.40	
06 51 13 00-0032 LF 2" x 4", Walls, Recycled Plastic Lumber.....	5.80	0.93
For Reinforced Structural Plastic Lumber, Add	1.65	
Note: High density polyethylene combined with fiberglass.		
For Brown Color, Add	0.40	
For White Color, Add	1.90	
For All Other Colors (Except Black, Brown Or White), Add	1.61	
06 51 13 00-0033 LF 2" x 6", Walls, Recycled Plastic Lumber.....	8.05	0.99
For Reinforced Structural Plastic Lumber, Add	2.45	
Note: High density polyethylene combined with fiberglass.		
For Brown Color, Add	0.60	
For White Color, Add	2.81	
For All Other Colors (Except Black, Brown Or White), Add	2.38	
06 51 13 00-0034 LF 2" x 8", Walls, Recycled Plastic Lumber.....	10.31	1.06
For Reinforced Structural Plastic Lumber, Add	3.26	
Note: High density polyethylene combined with fiberglass.		
For Brown Color, Add	0.79	
For White Color, Add	3.74	
For All Other Colors (Except Black, Brown Or White), Add	3.17	
06 51 13 00-0035 Other Shapes, Recycled Plastic Lumber <small>(06 51 13)</small>		
06 51 13 00-0036 LF 5/4" x 4", Other Shapes, Recycled Plastic Lumber.....	4.93	0.71
For Reinforced Structural Plastic Lumber, Add	1.42	
Note: High density polyethylene combined with fiberglass.		
For Brown Color, Add	0.35	
For White Color, Add	1.63	
For All Other Colors (Except Black, Brown Or White), Add	1.38	
06 51 13 00-0037 LF 5/4" x 6", Other Shapes, Recycled Plastic Lumber.....	6.26	0.80
For Reinforced Structural Plastic Lumber, Add	1.89	
Note: High density polyethylene combined with fiberglass.		
For Brown Color, Add	0.46	
For White Color, Add	2.17	
For All Other Colors (Except Black, Brown Or White), Add	1.84	
06 51 13 00-0038 LF 5/4" x 8", Recycled Plastic Lumber.....	8.16	0.80
For Reinforced Structural Plastic Lumber, Add	2.59	
Note: High density polyethylene combined with fiberglass.		
For Brown Color, Add	0.63	
For White Color, Add	2.98	
For All Other Colors (Except Black, Brown Or White), Add	2.52	
06 51 13 00-0039 LF 1" x 4", Other Shapes, Recycled Plastic Lumber.....	4.96	0.71
For Reinforced Structural Plastic Lumber, Add	1.43	
Note: High density polyethylene combined with fiberglass.		
For Brown Color, Add	0.35	
For White Color, Add	1.64	
For All Other Colors (Except Black, Brown Or White), Add	1.39	
06 51 13 00-0040 LF 1" x 6", Other Shapes, Recycled Plastic Lumber.....	5.48	0.80
For Reinforced Structural Plastic Lumber, Add	1.60	
Note: High density polyethylene combined with fiberglass.		
For Brown Color, Add	0.39	
For White Color, Add	1.84	
For All Other Colors (Except Black, Brown Or White), Add	1.56	
06 51 13 00-0041 LF 1" x 6", Tongue And Grooved, Other Shapes, Recycled Plastic Lumber.....	5.58	0.80
For Reinforced Structural Plastic Lumber, Add	1.64	
Note: High density polyethylene combined with fiberglass.		
For Brown Color, Add	0.40	
For White Color, Add	1.88	
For All Other Colors (Except Black, Brown Or White), Add	1.59	
06 51 13 00-0042 LF 2" x 2", Other Shapes, Recycled Plastic Lumber.....	3.44	0.69
For Reinforced Structural Plastic Lumber, Add	0.91	
Note: High density polyethylene combined with fiberglass.		
For Brown Color, Add	0.22	
For White Color, Add	1.05	
For All Other Colors (Except Black, Brown Or White), Add	0.89	
06 51 13 00-0043 LF 2" x 3", Other Shapes, Recycled Plastic Lumber.....	5.06	0.80
For Reinforced Structural Plastic Lumber, Add	1.44	
Note: High density polyethylene combined with fiberglass.		
For Brown Color, Add	0.35	
For White Color, Add	1.66	
For All Other Colors (Except Black, Brown Or White), Add	1.40	
06 51 13 00-0044 LF 2" x 4", Other Shapes, Recycled Plastic Lumber.....	5.80	0.93
For Reinforced Structural Plastic Lumber, Add	1.65	
Note: High density polyethylene combined with fiberglass.		
For Brown Color, Add	0.40	
For White Color, Add	1.90	
For All Other Colors (Except Black, Brown Or White), Add	1.61	

06 Wood, Plastics, and Composites**06 50 Structural Plastics****06 51 Structural Plastic Shapes And Plates**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 51 13 00-0045	LF	2" x 6", Other Shapes, Recycled Plastic Lumber	8.05	0.99
		<i>For Reinforced Structural Plastic Lumber, Add</i>		2.45	
		<i>Note: High density polyethylene combined with fiberglass.</i>			
		<i>For Brown Color, Add</i>		0.60	
		<i>For White Color, Add</i>		2.81	
		<i>For All Other Colors (Except Black, Brown Or White), Add</i>		2.38	
06 51 13 00-0046	LF	2" x 8", Other Shapes, Recycled Plastic Lumber	10.31	1.06
		<i>For Reinforced Structural Plastic Lumber, Add</i>		3.26	
		<i>Note: High density polyethylene combined with fiberglass.</i>			
		<i>For Brown Color, Add</i>		0.79	
		<i>For White Color, Add</i>		3.74	
		<i>For All Other Colors (Except Black, Brown Or White), Add</i>		3.17	
06 51 13 00-0047	LF	2" x 10", Other Shapes, Recycled Plastic Lumber	12.37	1.13
		<i>For Reinforced Structural Plastic Lumber, Add</i>		3.98	
		<i>Note: High density polyethylene combined with fiberglass.</i>			
		<i>For Brown Color, Add</i>		0.97	
		<i>For White Color, Add</i>		4.58	
		<i>For All Other Colors (Except Black, Brown Or White), Add</i>		3.88	
06 51 13 00-0048	LF	2" x 12", Other Shapes, Recycled Plastic Lumber	14.93	1.19
		<i>For Reinforced Structural Plastic Lumber, Add</i>		4.90	
		<i>Note: High density polyethylene combined with fiberglass.</i>			
		<i>For Brown Color, Add</i>		1.19	
		<i>For White Color, Add</i>		5.63	
		<i>For All Other Colors (Except Black, Brown Or White), Add</i>		4.77	
06 51 13 00-0049	LF	3" x 4", Other Shapes, Recycled Plastic Lumber	8.28	1.10
		<i>For Reinforced Structural Plastic Lumber, Add</i>		2.49	
		<i>Note: High density polyethylene combined with fiberglass.</i>			
		<i>For Brown Color, Add</i>		0.60	
		<i>For White Color, Add</i>		2.86	
		<i>For All Other Colors (Except Black, Brown Or White), Add</i>		2.42	
06 51 13 00-0050	LF	3" x 6", Other Shapes, Recycled Plastic Lumber	12.08	1.17
		<i>For Reinforced Structural Plastic Lumber, Add</i>		3.86	
		<i>Note: High density polyethylene combined with fiberglass.</i>			
		<i>For Brown Color, Add</i>		0.94	
		<i>For White Color, Add</i>		4.43	
		<i>For All Other Colors (Except Black, Brown Or White), Add</i>		3.75	
06 51 13 00-0051	LF	3" x 8", Other Shapes, Recycled Plastic Lumber	15.70	1.25
		<i>For Reinforced Structural Plastic Lumber, Add</i>		5.16	
		<i>Note: High density polyethylene combined with fiberglass.</i>			
		<i>For Brown Color, Add</i>		1.25	
		<i>For White Color, Add</i>		5.92	
		<i>For All Other Colors (Except Black, Brown Or White), Add</i>		5.02	
06 51 13 00-0052	LF	3" x 10", Other Shapes, Recycled Plastic Lumber	18.20	1.31
		<i>For Reinforced Structural Plastic Lumber, Add</i>		6.04	
		<i>Note: High density polyethylene combined with fiberglass.</i>			
		<i>For Brown Color, Add</i>		1.47	
		<i>For White Color, Add</i>		6.94	
		<i>For All Other Colors (Except Black, Brown Or White), Add</i>		5.88	
06 51 13 00-0053	LF	3" x 12", Other Shapes, Recycled Plastic Lumber	22.15	1.68
		<i>For Reinforced Structural Plastic Lumber, Add</i>		7.30	
		<i>Note: High density polyethylene combined with fiberglass.</i>			
		<i>For Brown Color, Add</i>		1.78	
		<i>For White Color, Add</i>		8.39	
		<i>For All Other Colors (Except Black, Brown Or White), Add</i>		7.11	
06 51 13 00-0054	LF	4" x 4", Other Shapes, Recycled Plastic Lumber	11.41	1.19
		<i>For Reinforced Structural Plastic Lumber, Add</i>		3.60	
		<i>Note: High density polyethylene combined with fiberglass.</i>			
		<i>For Brown Color, Add</i>		0.87	
		<i>For White Color, Add</i>		4.13	
		<i>For All Other Colors (Except Black, Brown Or White), Add</i>		3.50	
06 51 13 00-0055	LF	4" x 6", Other Shapes, Recycled Plastic Lumber	15.58	1.25
		<i>For Reinforced Structural Plastic Lumber, Add</i>		5.11	
		<i>Note: High density polyethylene combined with fiberglass.</i>			
		<i>For Brown Color, Add</i>		1.24	
		<i>For White Color, Add</i>		5.87	
		<i>For All Other Colors (Except Black, Brown Or White), Add</i>		4.97	
06 51 13 00-0056	LF	4" x 8", Other Shapes, Recycled Plastic Lumber	20.91	1.36
		<i>For Reinforced Structural Plastic Lumber, Add</i>		7.02	
		<i>Note: High density polyethylene combined with fiberglass.</i>			
		<i>For Brown Color, Add</i>		1.71	
		<i>For White Color, Add</i>		8.07	
		<i>For All Other Colors (Except Black, Brown Or White), Add</i>		6.83	
06 51 13 00-0057	LF	5" x 5", Other Shapes, Recycled Plastic Lumber	16.35	1.37
		<i>For Reinforced Structural Plastic Lumber, Add</i>		5.32	
		<i>Note: High density polyethylene combined with fiberglass.</i>			
		<i>For Brown Color, Add</i>		1.30	
		<i>For White Color, Add</i>		6.12	
		<i>For All Other Colors (Except Black, Brown Or White), Add</i>		5.18	
06 51 13 00-0058	LF	6" x 6", Other Shapes, Recycled Plastic Lumber	22.89	1.56
		<i>For Reinforced Structural Plastic Lumber, Add</i>		7.64	
		<i>Note: High density polyethylene combined with fiberglass.</i>			
		<i>For Brown Color, Add</i>		1.86	
		<i>For White Color, Add</i>		8.78	
		<i>For All Other Colors (Except Black, Brown Or White), Add</i>		7.44	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 51 13 00-0059 LF 6" x 8", Other Shapes, Recycled Plastic Lumber <i>For Reinforced Structural Plastic Lumber, Add</i> <i>Note: High density polyethylene combined with fiberglass.</i> <i>For Brown Color, Add</i> <i>For White Color, Add</i> <i>For All Other Colors (Except Black, Brown Or White), Add</i>	31.51 10.77 2.62 12.37 10.48	1.68
06 51 13 00-0060 LF 6" x 12", Other Shapes, Recycled Plastic Lumber <i>For Reinforced Structural Plastic Lumber, Add</i> <i>Note: High density polyethylene combined with fiberglass.</i> <i>For Brown Color, Add</i> <i>For White Color, Add</i> <i>For All Other Colors (Except Black, Brown Or White), Add</i>	44.44 15.45 3.76 17.75 15.03	1.88
06 51 13 00-0061 LF 8" x 8", Other Shapes, Recycled Plastic Lumber <i>For Reinforced Structural Plastic Lumber, Add</i> <i>Note: High density polyethylene combined with fiberglass.</i> <i>For Brown Color, Add</i> <i>For White Color, Add</i> <i>For All Other Colors (Except Black, Brown Or White), Add</i>	39.54 13.68 3.33 15.71 13.31	1.81
06 51 13 00-0062 LF 8" x 10", Other Shapes, Recycled Plastic Lumber <i>For Reinforced Structural Plastic Lumber, Add</i> <i>Note: High density polyethylene combined with fiberglass.</i> <i>For Brown Color, Add</i> <i>For White Color, Add</i> <i>For All Other Colors (Except Black, Brown Or White), Add</i>	67.39 23.94 5.82 27.50 23.30	1.88
06 51 13 00-0063 LF 10" x 10", Other Shapes, Recycled Plastic Lumber <i>For Reinforced Structural Plastic Lumber, Add</i> <i>Note: High density polyethylene combined with fiberglass.</i> <i>For Brown Color, Add</i> <i>For White Color, Add</i> <i>For All Other Colors (Except Black, Brown Or White), Add</i>	93.41 33.53 8.16 38.51 32.62	1.96
06 51 13 00-0064 LF 2" Diameter, Other Shapes, Recycled Plastic Lumber <i>For Reinforced Structural Plastic Lumber, Add</i> <i>Note: High density polyethylene combined with fiberglass.</i> <i>For Brown Color, Add</i> <i>For White Color, Add</i> <i>For All Other Colors (Except Black, Brown Or White), Add</i>	3.68 1.03 0.25 1.19 1.00	0.63
06 51 13 00-0065 LF 3-1/2" Diameter, Other Shapes, Recycled Plastic Lumber <i>For Reinforced Structural Plastic Lumber, Add</i> <i>Note: High density polyethylene combined with fiberglass.</i> <i>For Brown Color, Add</i> <i>For White Color, Add</i> <i>For All Other Colors (Except Black, Brown Or White), Add</i>	10.45 3.44 0.84 3.95 3.34	0.80
06 51 13 00-0066 LF 4" Diameter, Other Shapes, Recycled Plastic Lumber <i>For Reinforced Structural Plastic Lumber, Add</i> <i>Note: High density polyethylene combined with fiberglass.</i> <i>For Brown Color, Add</i> <i>For White Color, Add</i> <i>For All Other Colors (Except Black, Brown Or White), Add</i>	11.52 3.77 0.92 4.33 3.67	0.93
06 51 13 00-0067 LF 5" Diameter, Other Shapes, Recycled Plastic Lumber <i>For Reinforced Structural Plastic Lumber, Add</i> <i>Note: High density polyethylene combined with fiberglass.</i> <i>For Brown Color, Add</i> <i>For White Color, Add</i> <i>For All Other Colors (Except Black, Brown Or White), Add</i>	14.27 4.69 1.14 5.38 4.56	1.13
06 51 13 00-0068 LF 6" Diameter, Other Shapes, Recycled Plastic Lumber <i>For Reinforced Structural Plastic Lumber, Add</i> <i>Note: High density polyethylene combined with fiberglass.</i> <i>For Brown Color, Add</i> <i>For White Color, Add</i> <i>For All Other Colors (Except Black, Brown Or White), Add</i>	31.45 10.94 2.66 12.57 10.65	1.31
06 51 13 00-0069 SF 1/8" Thick, Other Shapes, Recycled Plastic Sheeting	2.99	0.69
06 51 13 00-0070 SF 1/4" Thick, Other Shapes, Recycled Plastic Sheeting	4.35	0.71
06 51 13 00-0071 SF 3/8" Thick, Other Shapes, Recycled Plastic Sheeting	6.26	0.76
06 51 13 00-0072 SF 1/2" Thick, Other Shapes, Recycled Plastic Sheeting	7.95	0.78

06 52 Plastic Structural Assemblies (06 50)

06 52 13 Plastic Columns (06 52)

06 52 13 00-0001 Round Fiberglass Columns (06 52 13)

06 52 13 00-0002 LF 6" Diameter, Round Fiberglass Column	18.49	5.84
06 52 13 00-0003 LF 8" Diameter, Round Fiberglass Column	25.99	8.50
06 52 13 00-0004 LF 10" Diameter, Round Fiberglass Column	30.42	9.56
06 52 13 00-0005 LF 12" Diameter, Round Fiberglass Column	38.92	10.00
06 52 13 00-0006 LF 15" Diameter, Round Fiberglass Column	47.87	11.55
06 52 13 00-0007 EA 6" Diameter, Base And Cap For Round Fiberglass Columns	35.83	11.06
06 52 13 00-0008 EA 8" Diameter, Base And Cap For Round Fiberglass Columns	39.92	11.95
06 52 13 00-0009 EA 10" Diameter, Base And Cap For Round Fiberglass Columns	47.61	13.28
06 52 13 00-0010 EA 12" Diameter, Base And Cap For Round Fiberglass Columns	68.78	14.17
06 52 13 00-0011 EA 15" Diameter, Base And Cap For Round Fiberglass Columns	95.79	15.49

06 52 13 00-0012 Fluted Fiberglass Columns (06 52 13)

06 52 13 00-0013 LF 6" Diameter, Fluted Fiberglass Column	19.83	5.84
---	-------	------

06 Wood, Plastics, and Composites**06 50 Structural Plastics****06 52 Plastic Structural Assemblies**

MINOR				TOTAL DIRECT	DEMOLITION
CSI	UOM	DESCRIPTION		UNIT COST	UNIT COST
06 52 13 00-0014	LF	8" Diameter, Fluted Fiberglass Column.....		27.78	8.50
06 52 13 00-0015	LF	10" Diameter, Fluted Fiberglass Column.....		32.68	9.56
06 52 13 00-0016	LF	12" Diameter, Fluted Fiberglass Column.....		42.72	10.00
06 52 13 00-0017	LF	15" Diameter, Fluted Fiberglass Column.....		52.82	11.59
06 52 13 00-0018	EA	6" Diameter, Base And Cap For Fluted Fiberglass Columns		38.57	11.06
06 52 13 00-0019	EA	8" Diameter, Base And Cap For Fluted Fiberglass Columns		43.12	11.95
06 52 13 00-0020	EA	10" Diameter, Base And Cap For Fluted Fiberglass Columns		51.82	13.28
06 52 13 00-0021	EA	12" Diameter, Base And Cap For Fluted Fiberglass Columns		76.87	14.17
06 52 13 00-0022	EA	15" Diameter, Base And Cap For Fluted Fiberglass Columns		108.75	15.49
06 52 13 00-0023		Ornamental Or Decorative Cap And Base For Fiberglass Columns (06 52 13)			
06 52 13 00-0024	EA	8" Roman Ionic Cap And Base For Fiberglass Columns		171.50	13.28
06 52 13 00-0025	EA	10" Roman Ionic Cap And Base For Fiberglass Columns		230.04	15.49
06 52 13 00-0026	EA	12" Roman Ionic Cap And Base For Fiberglass Columns		295.93	17.70
06 52 13 00-0027	EA	8" Scamozzi Cap And Base For Fiberglass Columns		205.44	13.28
06 52 13 00-0028	EA	10" Scamozzi Cap And Base For Fiberglass Columns		247.47	15.49
06 52 13 00-0029	EA	12" Scamozzi Cap And Base For Fiberglass Columns		363.81	17.70
06 52 13 00-0030	EA	8" Corinthian Cap And Base For Fiberglass Columns		260.48	13.28
06 52 13 00-0031	EA	10" Corinthian Cap And Base For Fiberglass Columns		316.28	15.49
06 52 13 00-0032	EA	12" Corinthian Cap And Base For Fiberglass Columns		420.69	17.70
06 52 13 00-0033	EA	8" Temple Of Winds Cap And Base For Fiberglass Columns		174.25	13.28
06 52 13 00-0034	EA	10" Temple Of Winds Cap And Base For Fiberglass Columns		235.55	15.49
06 52 13 00-0035	EA	12" Temple Of Winds Cap And Base For Fiberglass Columns		301.43	17.70
06 52 13 00-0036	EA	8" Greek Erectheum Cap And Base For Fiberglass Columns		174.25	13.28
06 52 13 00-0037	EA	10" Greek Erectheum Cap And Base For Fiberglass Columns		209.86	15.49
06 52 13 00-0038	EA	12" Greek Erectheum Cap And Base For Fiberglass Columns		278.50	17.70
06 53 Plastic Decking (06 50)					
06 53 16 Plastic Stair Treads (06 53)					
06 53 16 00-0001		Fiberglass Reinforced Plastic Stair Treads (06 53 16)			
		Note: Includes standard colors and anchors. Excludes stringers.			
06 53 16 00-0002	SF	12" Depth, 1/2" Thick, 1-1/2" Lip, Fiberglass Reinforced Plastic Stair Tread		46.65	4.88
06 60 Plastic Fabrications (06)					
06 65 Plastic Trim (06 60)					
06 65 00 00-0001		Plastic Moldings (06 65)			
		Note: All dimensions are nominal.			
06 65 00 00-0002		Base, Plastic Moldings (06 65 00 00-0001)			
06 65 00 00-0003	LF	3-1/2" High, Base, Plastic Molding		5.09	1.77
06 65 00 00-0004	LF	4-1/2" High, Base, Plastic Molding		6.22	2.21
06 65 00 00-0005	LF	3/4" x 1", Base Shoe, Plastic Molding		4.75	1.86
06 65 00 00-0006		Cornice, Plastic Moldings (06 65 00 00-0001)			
06 65 00 00-0007	LF	1" x 2" Cornice, Plastic Molding		4.70	1.77
06 65 00 00-0008	LF	1" x 4" Cornice, Plastic Molding		5.78	1.86
06 65 00 00-0009	LF	1" x 6" Cornice, Plastic Molding		7.84	1.95
06 65 00 00-0010	LF	1" x 8" Cornice, Plastic Molding		8.99	2.04
06 65 00 00-0011	LF	1" x 10" Cornice, Plastic Molding		10.31	2.12
06 65 00 00-0012	LF	1" x 12" Cornice, Plastic Molding		13.09	2.21
06 65 00 00-0013		Crown Or Bed, Plastic Moldings (06 65 00 00-0001)			
06 65 00 00-0014	LF	9/16" x 1-5/8" Crown Or Bed, Plastic Molding		8.19	1.77
06 65 00 00-0015	LF	9/16" x 2-1/4" Crown Or Bed, Plastic Molding		10.95	2.21
06 65 00 00-0016	LF	9/16" x 3-1/2" Crown Or Bed, Plastic Molding		11.39	2.21
06 65 00 00-0017	LF	9/16" x 3-5/8" Crown Or Bed, Plastic Molding		11.84	2.21
06 65 00 00-0018	LF	5/8" x 4-1/4" Crown Or Bed, Plastic Molding		15.41	2.66
06 65 00 00-0019	LF	11/16" x 4-5/8" Crown Or Bed, Plastic Molding		18.19	2.66
06 65 00 00-0020		Dentil, Plastic Moldings (06 65 00 00-0001)			
06 65 00 00-0021	LF	11/16" x 1-3/8" Dentil, Plastic Molding		7.01	1.77
06 65 00 00-0022	LF	5/8" x 2-1/2" Dentil, Plastic Molding		7.85	1.77
06 65 00 00-0023	LF	1-3/8" x 3-3/8" Dentil, Plastic Molding		9.76	1.77
06 65 00 00-0024	LF	1-1/2" x 4-1/2" Dentil, Plastic Molding		13.06	1.77
06 65 00 00-0025		Cove, Plastic Moldings (06 65 00 00-0001)			
06 65 00 00-0026	LF	3/8" x 3/8" Cove, Plastic Molding		2.72	0.98
06 65 00 00-0027	LF	1/2" x 1/2" Cove, Plastic Molding		2.94	0.98
06 65 00 00-0028	LF	5/8" x 5/8" Cove, Plastic Molding		3.85	1.16



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 65 00 00-0029 LF 3/4" x 3/4" Cove, Plastic Molding	3.85	1.16
06 65 00 00-0030 LF 15/16" x 15/16" Cove, Plastic Molding	4.84	1.16
06 65 00 00-0031 LF 9/16" x 1-3/4" Cove, Plastic Molding	6.33	1.33
06 65 00 00-0032 LF 11/16" x 2-3/4" Cove, Plastic Molding	8.42	1.33
06 65 00 00-0033 Chair Rail, Plastic Moldings (06 65 00 00-0001)		
06 65 00 00-0034 LF 1/2" x 1-5/8" Chair Rail, Plastic Molding	4.52	1.33
06 65 00 00-0035 LF 5/8" x 2-1/2" Chair Rail, Plastic Molding	6.08	1.77
06 65 00 00-0036 LF 5/8" x 3-1/2" Chair Rail, Plastic Molding	7.37	1.77
06 65 00 00-0037 Door, Plastic Moldings (06 65 00 00-0001)		
06 65 00 00-0038 LF 1-1/8" Wide, Door, Plastic Molding	3.96	1.60
06 65 00 00-0039 LF 1-1/8" Wide, Detailed Door, Plastic Molding	3.99	1.60
06 65 00 00-0040 Trim, Plastic Moldings (06 65 00 00-0001)		
06 65 00 00-0041 LF 1/2" x 1/2" Quarter Round Trim, Plastic Molding	4.18	1.86
06 65 00 00-0042 LF 3/4" x 3/4" Quarter Round Trim, Plastic Molding	4.65	1.86
06 65 00 00-0043 LF 1-1/4" x 2" Brick Mould, Plastic Molding	5.21	1.77
06 65 00 00-0044 LF 1-17/32" x 1-1/2" x 1-3/8" Sill Nose, Plastic Molding	6.00	1.77
06 65 00 00-0045 LF 11/16" x 1-5/8" Drip Cap, Plastic Molding	4.45	1.77
06 65 00 00-0046 LF 2-3/4" x 2" Water Table, Plastic Molding	6.57	1.77
06 65 00 00-0047 LF 3/8" x 2" Garage Door Stop, Plastic Molding	4.88	1.77
06 65 00 00-0048 Extruded Polyvinyl Chloride (PVC) Trimboard (06 65)		
Note: As manufactured by Azek or Kleer. All dimensions are nominal.		
06 65 00 00-0049 LF 1" x 4" Extruded Polyvinyl Chloride (PVC) Trimboard	3.16	0.70
06 65 00 00-0050 LF 1" x 6" Extruded Polyvinyl Chloride (PVC) Trimboard	4.51	0.79
06 65 00 00-0051 LF 1" x 8" Extruded Polyvinyl Chloride (PVC) Trimboard	5.88	0.88
06 65 00 00-0052 LF 1" x 10" Extruded Polyvinyl Chloride (PVC) Trimboard	7.08	0.91
06 65 00 00-0053 LF 1" x 12" Extruded Polyvinyl Chloride (PVC) Trimboard	8.39	0.94
06 65 00 00-0054 LF 5/4" x 4" Extruded Polyvinyl Chloride (PVC) Trimboard	3.86	0.70
06 65 00 00-0055 LF 5/4" x 6" Extruded Polyvinyl Chloride (PVC) Trimboard	5.58	0.79
06 65 00 00-0056 LF 5/4" x 8" Extruded Polyvinyl Chloride (PVC) Trimboard	7.08	0.88
06 65 00 00-0057 LF 5/4" x 10" Extruded Polyvinyl Chloride (PVC) Trimboard	8.73	0.91
06 65 00 00-0058 LF 5/4" x 12" Extruded Polyvinyl Chloride (PVC) Trimboard	10.22	0.94
06 65 00 00-0059 LF 3-1/2" x 3-1/2" Extruded Polyvinyl Chloride (PVC) Corner Board	8.35	0.91
06 65 00 00-0060 LF 5-1/2" x 5-1/2" Extruded Polyvinyl Chloride (PVC) Corner Board	11.05	0.94
06 65 00 00-0061 SF 1/2" Smooth/Wood Grain Reversible Extruded Polyvinyl Chloride (PVC) Sheets	5.86	0.79
06 65 00 00-0062 SF 3/4" Smooth/Wood Grain Reversible Extruded Polyvinyl Chloride (PVC) Sheets	8.40	0.88
06 70 Structural Composites (06)		
06 74 Composite Gratings (06 70)		
06 74 13 Fiberglass Reinforced Gratings (06 74)		
06 74 13 00-0001 Molded Fiberglass Gratings And Coverings (06 74 13)		
06 74 13 00-0002 Vi-Corr Resin System (06 74 13 00-0001)		
Note: Orange or dark gray.		
06 74 13 00-0003 SF 1" Molded Fiberglass Grate, 1" x 4" Mesh, Vi-Corr Resin, Meniscus Top	33.37	1.65
06 74 13 00-0004 SF 1" Molded Fiberglass Grate, 1-1/2" Square Mesh, Vi-Corr Resin, Meniscus Top	32.42	1.65
06 74 13 00-0005 SF 1-1/2" Molded Fiberglass Grate, 1-1/2" Square Mesh, Vi-Corr Resin, Meniscus Top	42.22	1.65
06 74 13 00-0006 SF 2" Molded Fiberglass Grate, 2" x 2" Mesh, Vi-Corr Resin, Meniscus Top	45.77	2.11
06 74 13 00-0007 SF 1" Molded Fiberglass Grating, 1" x 4" Mesh, Vi-Corr Resin, Applied Grit Top	35.00	1.65
06 74 13 00-0008 SF 1" Molded Fiberglass Grate, 1-1/2" Square Mesh, Vi-Corr Resin, Applied Grit Top	34.02	1.65
06 74 13 00-0009 SF 1-1/2" Molded Fiberglass Grate, 1-1/2" Square Mesh, Vi-Corr Resin, Applied Grit Top	44.58	1.65
06 74 13 00-0010 SF 2" Molded Fiberglass Grating, 2" x 2" Mesh, Vi-Corr Resin, Applied Grit Top	48.00	2.11
06 74 13 00-0011 SF 1/4" Vi-Corr Resin Polyester Resin, Fiberplate Covering	31.58	1.32
06 74 13 00-0012 SF 1/2" Vi-Corr Resin Polyester Resin, Fiberplate Covering	51.04	1.45
06 74 13 00-0013 SF 3/4" Vi-Corr Resin Polyester Resin, Fiberplate Covering	69.87	1.60
06 74 13 00-0014 IFR Fire Retardant Isophthalic Resin (06 74 13 00-0001)		
06 74 13 00-0015 SF 1" Molded Fiberglass Grate, 1" x 4" Mesh, IFR Fire Retardant Isophthalic Resin, Meniscus Top	30.71	1.65
06 74 13 00-0016 SF 1" Molded Fiberglass Grate, 1-1/2" Square Mesh, IFR Fire Retardant Isophthalic Resin, Meniscus Top	28.78	1.65
06 74 13 00-0017 SF 1-1/2" Molded Fiberglass Grate, 1-1/2" Square Mesh, IFR Fire Retardant Isophthalic Resin, Meniscus Top	36.96	1.65
06 74 13 00-0018 SF 2" Molded Fiberglass Grating, 2" x 2" Mesh, IFR Fire Retardant Isophthalic Resin, Meniscus Top	39.93	2.11
06 74 13 00-0019 SF 1" Molded Fiberglass Grating, 1" x 4" Mesh, IFR Fire Retardant Isophthalic Resin, Applied Grit Top	32.05	1.65
06 74 13 00-0020 SF 1" Molded Fiberglass Grate, 1-1/2" Square Mesh, IFR Fire Retardant Isophthalic Resin, Applied Grit Top	29.54	1.65
06 74 13 00-0021 SF 1-1/2" Molded Fiberglass Grate, 1-1/2" Square Mesh, IFR Fire Retardant Isophthalic Resin, Applied Grit Top	40.21	2.11
06 74 13 00-0022 SF 2" Molded Fiberglass Grating, 2" x 2" Mesh, IFR Fire Retardant Isophthalic Resin, Applied Grit Top	42.13	2.11
06 74 13 00-0023 SF 1/4" IFR Fire Retardant Isophthalic Resin Polyester Resin, Fiberplate Covering	27.86	1.32
06 74 13 00-0024 SF 1/2" IFR Fire Retardant Isophthalic Resin Polyester Resin, Fiberplate Covering	39.37	1.45
06 74 13 00-0025 SF 3/4" IFR Fire Retardant Isophthalic Resin Polyester Resin, Fiberplate Covering	54.02	1.60

06 Wood, Plastics, and Composites**06 70 Structural Composites****06 74 Composite Gratings**MINOR
CSI UOM DESCRIPTIONTOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 74 13 00-0026			Corvex Polyester Resin (06 74 13 00-0001) Note: Dark gray.		
06 74 13 00-0027	SF		1" Molded Fiberglass Grate, 1" x 4" Mesh, Corvex Polyester Resin, Meniscus Top	26.10	1.65
06 74 13 00-0028	SF		1" Molded Fiberglass Grate, 1-1/2" Square Mesh, Corvex Polyester Resin, Meniscus Top	25.08	1.65
06 74 13 00-0029	SF		1-1/2" Molded Fiberglass Grate, 1-1/2" Square Mesh, Corvex Polyester Resin, Meniscus Top	30.34	1.65
06 74 13 00-0030	SF		2" Molded Fiberglass Grating, 2" x 2" Mesh, Corvex Polyester Resin, Meniscus Top	34.91	2.11
06 74 13 00-0031	SF		1" Molded Fiberglass Grating, 1" x 4" Mesh, Corvex Polyester Resin, Applied Grit Top	27.80	1.65
06 74 13 00-0032	SF		1" Molded Fiberglass Grate, 1-1/2" Square Mesh, Corvex Polyester Resin, Applied Grit Top	26.76	1.65
06 74 13 00-0033	SF		1-1/2" Molded Fiberglass Grate, 1-1/2" Square Mesh, Corvex Polyester Resin, Applied Grit Top	32.31	1.65
06 74 13 00-0034	SF		2" Molded Fiberglass Grating, 2" x 2" Mesh, Corvex Polyester Resin, Applied Grit Top	36.60	2.11
06 74 13 00-0035	SF		1/4" Corvex Polyester Resin, Fiberplate Covering	24.63	1.32
06 74 13 00-0036	SF		1/2" Corvex Polyester Resin, Fiberplate Covering	39.20	1.45
06 74 13 00-0037	SF		3/4" Corvex Polyester Resin, Fiberplate Covering	54.30	1.60
06 74 13 00-0038			XFR Extra Fire Retardant (06 74 13 00-0001)		
06 74 13 00-0039	SF		1" Molded Fiberglass Grate, 1" x 4" Mesh, XFR Extra Fire Retardant, Meniscus Top	38.27	1.65
06 74 13 00-0040	SF		1" Molded Fiberglass Grate, 1-1/2" Square Mesh, XFR Extra Fire Retardant, Meniscus Top	37.17	1.65
06 74 13 00-0041	SF		1-1/2" Molded Fiberglass Grate, 1-1/2" Square Mesh, XFR Extra Fire Retardant, Meniscus Top	50.78	1.65
06 74 13 00-0042	SF		2" Molded Fiberglass Grating, 2" x 2" Mesh, XFR Extra Fire Retardant, Meniscus Top	54.30	2.11
06 74 13 00-0043	SF		1" Molded Fiberglass Grating, 1" x 4" Mesh, XFR Extra Fire Retardant, Applied Grit Top	39.93	1.65
06 74 13 00-0044	SF		1" Molded Fiberglass Grate, 1-1/2" Square Mesh, XFR Extra Fire Retardant, Applied Grit Top	38.85	1.65
06 74 13 00-0045	SF		1-1/2" Molded Fiberglass Grate, 1-1/2" Square Mesh, XFR Extra Fire Retardant, Applied Grit Top	52.75	1.65
06 74 13 00-0046	SF		2" Molded Fiberglass Grating, 2" x 2" Mesh, XFR Extra Fire Retardant, Applied Grit Top	56.69	2.11
06 74 13 00-0047	SF		1/4" XFR Extra Fire Retardant Resin, Fiberplate Covering	36.14	1.32
06 74 13 00-0048	SF		1/2" XFR Extra Fire Retardant Resin, Fiberplate Covering	58.33	1.45
06 74 13 00-0049			ELS Extremely Low Smoke Resin (06 74 13 00-0001)		
06 74 13 00-0050	SF		1" Molded Fiberglass Grate, 1" x 4" Mesh, ELS Extremity Low Smoke Resin, Meniscus Top	39.24	1.65
06 74 13 00-0051	SF		1" Molded Fiberglass Grate, 1-1/2" Square Mesh, ELS Extremity Low Smoke Resin, Meniscus Top	38.06	1.65
06 74 13 00-0052	SF		1-1/2" Molded Fiberglass Grate, 1-1/2" Square Mesh, ELS Extremity Low Smoke Resin, Meniscus Top	49.43	1.65
06 74 13 00-0053	SF		2" Molded Fiberglass Grating, 2" x 2" Mesh, ELS Extremity Low Smoke Resin, Meniscus Top	53.03	2.11
06 74 13 00-0054	SF		1" Molded Fiberglass Grating, 1" x 4" Mesh, ELS Extremity Low Smoke Resin, Applied Grit Top	40.78	1.65
06 74 13 00-0055	SF		1" Molded Fiberglass Grate, 1-1/2" Square Mesh, ELS Extremity Low Smoke Resin, Applied Grit Top	39.81	1.65
06 74 13 00-0056	SF		1-1/2" Molded Fiberglass Grate, 1-1/2" Square Mesh, ELS Extremity Low Smoke Resin, Applied Grit Top	51.32	1.65
06 74 13 00-0057	SF		2" Molded Fiberglass Grating, 2" x 2" Mesh, ELS Extremity Low Smoke Resin, Applied Grit Top	54.94	2.11
06 74 13 00-0058	SF		1/4" ELS Extremity Low Smoke Resin, Fiberplate Covering	40.37	1.32
06 74 13 00-0059	SF		1/2" ELS Extremity Low Smoke Resin, Fiberplate Covering	72.63	1.45
06 74 13 00-0060			Pultruded Fiberglass Grating (06 74 13)		
06 74 13 00-0061			ISOFR Isophthalic Polyester Resin System (06 74 13 00-0060) Note: For moderately corrosive environments, green.		
06 74 13 00-0062			1" ISOFR Isophthalic Polyester Resin System (06 74 13 00-0061)		
06 74 13 00-0063	SF		1" Pultruded Fiberglass Grate, 6" Bar Space, 50% Open, ISOFR Isophthalic Polyester Resin	27.98	2.11
06 74 13 00-0064	SF		1" Pultruded Fiberglass Grate, 12" Bar Space, 50% Open, ISOFR Isophthalic Polyester Resin	24.86	1.65
06 74 13 00-0065	SF		1" Pultruded Fiberglass Grate, 6" Bar Space, 40% Open, ISOFR Isophthalic Polyester Resin	31.61	2.11
06 74 13 00-0066	SF		1" Pultruded Fiberglass Grate, 12" Bar Space, 40% Open, ISOFR Isophthalic Polyester Resin	29.25	1.65
06 74 13 00-0067	SF		1" Pultruded Fiberglass Grate, 6" Bar Space, 38% Open, ISOFR Isophthalic Polyester Resin	21.88	2.11
06 74 13 00-0068	SF		1" Pultruded Fiberglass Grate, 12" Bar Space, 38% Open, ISOFR Isophthalic Polyester Resin	19.41	1.65
06 74 13 00-0069	SF		1" Pultruded Fiberglass Grate, 6" Bar Space, 25% Open, ISOFR Isophthalic Polyester Resin	25.03	2.11
06 74 13 00-0070	SF		1" Pultruded Fiberglass Grate, 12" Bar Space, 25% Open, ISOFR Isophthalic Polyester Resin	22.62	1.65
06 74 13 00-0071			1-1/2" ISOFR Isophthalic Polyester Resin System (06 74 13 00-0061)		
06 74 13 00-0072	SF		1-1/2" Pultruded Fiberglass Grate, 6" Bar Space, 50% Open, ISOFR Isophthalic Polyester Resin	31.57	2.11
06 74 13 00-0073	SF		1-1/2" Pultruded Fiberglass Grate, 12" Bar Space, 50% Open, ISOFR Isophthalic Polyester Resin	28.53	1.65
06 74 13 00-0074	SF		1-1/2" Pultruded Fiberglass Grate, 6" Bar Space, 40% Open, ISOFR Isophthalic Polyester Resin	35.46	2.11
06 74 13 00-0075	SF		1-1/2" Pultruded Fiberglass Grate, 12" Bar Space, 40% Open, ISOFR Isophthalic Polyester Resin	33.28	1.65
06 74 13 00-0076	SF		1-1/2" Pultruded Fiberglass Grate, 6" Bar Space, 25% Open, ISOFR Isophthalic Polyester Resin	27.78	2.11
06 74 13 00-0077	SF		1-1/2" Pultruded Fiberglass Grate, 12" Bar Space, 25% Open, ISOFR Isophthalic Polyester Resin	25.37	1.65
06 74 13 00-0078			2" ISOFR Isophthalic Polyester Resin System (06 74 13 00-0061)		
06 74 13 00-0079	SF		2" Pultruded Fiberglass Grate, 6" Bar Space, 50% Open, ISOFR Isophthalic Polyester Resin	27.50	2.11
06 74 13 00-0080	SF		2" Pultruded Fiberglass Grate, 12" Bar Space, 50% Open, ISOFR Isophthalic Polyester Resin	30.40	2.11
06 74 13 00-0081	SF		2" Pultruded Fiberglass Grate, 6" Bar Space, 33% Open, ISOFR Isophthalic Polyester Resin	36.68	2.11
06 74 13 00-0082	SF		2" Pultruded Fiberglass Grate, 12" Bar Space, 33% Open, ISOFR Isophthalic Polyester Resin	34.63	2.11
06 74 13 00-0083			VERF Vinyl Ester Resin System (06 74 13 00-0060)		
06 74 13 00-0084			1" VERF Vinyl Ester Resin System (06 74 13 00-0083)		
06 74 13 00-0085	SF		1" Pultruded Fiberglass Grate, 6" Bar Space, 50% Open, VERF Vinyl Ester Resin	29.62	1.65
06 74 13 00-0086	SF		1" Pultruded Fiberglass Grate, 12" Bar Space, 50% Open, VERF Vinyl Ester Resin	26.51	1.65
06 74 13 00-0087	SF		1" Pultruded Fiberglass Grate, 6" Bar Space, 40% Open, VERF Vinyl Ester Resin	33.28	1.65



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 74 13 00-0088 SF 1" Pultruded Fiberglass Grate, 12" Bar Space, 40% Open, VEF Vinyl Ester Resin	38.17	1.65
06 74 13 00-0089 SF 1" Pultruded Fiberglass Grate, 6" Bar Space, 38% Open, VEF Vinyl Ester Resin	22.78	1.65
06 74 13 00-0090 SF 1" Pultruded Fiberglass Grate, 12" Bar Space, 38% Open, VEF Vinyl Ester Resin	20.38	1.65
06 74 13 00-0091 SF 1" Pultruded Fiberglass Grate, 6" Bar Space, 25% Open, VEF Vinyl Ester Resin	26.12	1.65
06 74 13 00-0092 SF 1" Pultruded Fiberglass Grate, 12" Bar Space, 25% Open, VEF Vinyl Ester Resin	23.99	1.65
06 74 13 00-0093 1-1/2" VEF Vinyl Ester Resin System (06 74 13 00-0083)		
06 74 13 00-0094 SF 1-1/2" Pultruded Fiberglass Grate, 6" Bar Space, 50% Open, VEF Vinyl Ester Resin	32.49	1.65
06 74 13 00-0095 SF 1-1/2" Pultruded Fiberglass Grate, 12" Bar Space, 50% Open, VEF Vinyl Ester Resin	29.42	1.65
06 74 13 00-0096 SF 1-1/2" Pultruded Fiberglass Grate, 6" Bar Space, 40% Open, VEF Vinyl Ester Resin	37.12	1.65
06 74 13 00-0097 SF 1-1/2" Pultruded Fiberglass Grate, 12" Bar Space, 40% Open, VEF Vinyl Ester Resin	34.67	1.65
06 74 13 00-0098 SF 1-1/2" Pultruded Fiberglass Grate, 6" Bar Space, 25% Open, VEF Vinyl Ester Resin	29.22	1.65
06 74 13 00-0099 SF 1-1/2" Pultruded Fiberglass Grate, 12" Bar Space, 25% Open, VEF Vinyl Ester Resin	26.94	1.65
06 74 13 00-0100 2" VEF Vinyl Ester Resin System (06 74 13 00-0083)		
06 74 13 00-0101 SF 2" Pultruded Fiberglass Grate, 6" Bar Space, 50% Open, VEF Vinyl Ester Resin	28.88	2.11
06 74 13 00-0102 SF 2" Pultruded Fiberglass Grate, 12" Bar Space, 50% Open, VEF Vinyl Ester Resin	26.65	2.11
06 74 13 00-0103 SF 2" Pultruded Fiberglass Grate, 6" Bar Space, 33% Open, VEF Vinyl Ester Resin	38.62	2.11
06 74 13 00-0104 SF 2" Pultruded Fiberglass Grate, 12" Bar Space, 33% Open, VEF Vinyl Ester Resin	37.51	2.11
06 80 Composite Fabrications (06)		
06 82 Composite Trim (06 80)		
06 82 00 00-0001 Fiberglass Castings (06 82)		
06 82 00 00-0002 Fiberglass Angle, Equal Legs (06 82 00 00-0001)		
06 82 00 00-0003 LF 1" x 1" x 1/8" Thick Fiberglass Angle, ISOFR Isophthalic Polyester Resin	7.70	2.75
06 82 00 00-0004 LF 1" x 1" x 1/8" Thick Fiberglass Angle, VEF Vinyl Ester Resin	8.04	2.75
06 82 00 00-0005 LF 3" x 3" x 1/4" Thick Fiberglass Angle, ISOFR Isophthalic Polyester Resin	14.01	3.30
06 82 00 00-0006 LF 3" x 3" x 1/4" Thick Fiberglass Angle, VEF Vinyl Ester Resin	15.40	3.30
06 82 00 00-0007 LF 4" x 4" x 1/4" Thick Fiberglass Angle, ISOFR Isophthalic Polyester Resin	15.48	3.30
06 82 00 00-0008 LF 4" x 4" x 1/4" Thick Fiberglass Angle, VEF Vinyl Ester Resin	16.49	3.30
06 82 00 00-0009 LF 4" x 4" x 3/8" Thick Fiberglass Angle, ISOFR Isophthalic Polyester Resin	17.84	3.30
06 82 00 00-0010 LF 4" x 4" x 3/8" Thick Fiberglass Angle, VEF Vinyl Ester Resin	19.99	3.30
06 82 00 00-0011 LF 6" x 6" x 1/2" Thick Fiberglass Angle, ISOFR Isophthalic Polyester Resin	47.10	4.12
06 82 00 00-0012 LF 6" x 6" x 1/2" Thick Fiberglass Angle, VEF Vinyl Ester Resin	54.05	4.12
06 82 00 00-0013 Fiberglass Channels (06 82 00 00-0001)		
06 82 00 00-0014 LF 3" x 1" x 1/4" Fiberglass Channel, ISOFR Isophthalic Polyester Resin	8.92	4.12
06 82 00 00-0015 LF 3" x 1" x 1/4" Fiberglass Channel, VEF Vinyl Ester Resin	9.26	4.12
06 82 00 00-0016 LF 4" x 1 1/8" x 1/4" Fiberglass Channel, ISOFR Isophthalic Polyester Resin	17.96	4.68
06 82 00 00-0017 LF 4" x 1 1/8" x 1/4" Fiberglass Channel, VEF Vinyl Ester Resin	17.96	4.68
06 82 00 00-0018 LF 6" x 1 11/16" x 3/8" Fiberglass Channel, ISOFR Isophthalic Polyester Resin	27.71	4.68
06 82 00 00-0019 LF 6" x 1 11/16" x 3/8" Fiberglass Channel, VEF Vinyl Ester Resin	32.10	4.68
06 82 00 00-0020 LF 8" x 2 3/16" x 3/8" Fiberglass Channel, ISOFR Isophthalic Polyester Resin	26.08	4.68
06 82 00 00-0021 LF 8" x 2 3/16" x 3/8" Fiberglass Channel, VEF Vinyl Ester Resin	31.60	4.68
06 82 00 00-0022 LF 10" x 2-3/4" x 1/2" Fiberglass Channel, ISOFR Isophthalic Polyester Resin	39.76	6.42
06 82 00 00-0023 LF 10" x 2-3/4" x 1/2" Fiberglass Channel, VEF Vinyl Ester Resin	45.41	6.42
06 82 00 00-0024 Fiberglass Wide Flange Beams (06 82 00 00-0001)		
06 82 00 00-0025 LF 4" x 4" x 1/4" Fiberglass Wide Flange Beam, ISOFR Isophthalic Polyester Resin	24.65	5.50
06 82 00 00-0026 LF 4" x 4" x 1/4" Fiberglass Wide Flange Beam, VEF Vinyl Ester Resin	26.84	5.50
06 82 00 00-0027 LF 6" x 6" x 1/4" Fiberglass Wide Flange Beam, ISOFR Isophthalic Polyester Resin	31.44	6.60
06 82 00 00-0028 LF 6" x 6" x 1/4" Fiberglass Wide Flange Beam, VEF Vinyl Ester Resin	32.49	6.60
06 82 00 00-0029 LF 8" x 8" x 3/8" Fiberglass Wide Flange Beam, ISOFR Isophthalic Polyester Resin	50.21	8.25
06 82 00 00-0030 LF 8" x 8" x 3/8" Fiberglass Wide Flange Beam, VEF Vinyl Ester Resin	62.56	8.25
06 82 00 00-0031 LF 10" x 10" x 1/2" Fiberglass Wide Flange Beam, ISOFR Isophthalic Polyester Resin	109.72	10.08
06 82 00 00-0032 LF 10" x 10" x 1/2" Fiberglass Wide Flange Beam, VEF Vinyl Ester Resin	123.22	10.08
06 82 00 00-0033 Fiberglass Flat Sheet (06 82 00 00-0001)		
Note: Not to be used for bathroom board.		
06 82 00 00-0034 SF 1/8" Thick Fiberglass Flat Sheet, ISOFR Isophthalic Polyester Resin	20.41	4.68
06 82 00 00-0035 SF 1/8" Thick Fiberglass Flat Sheet, VEF Vinyl Ester Resin	21.27	4.68
06 82 00 00-0036 SF 1/4" Thick Fiberglass Flat Sheet, ISOFR Isophthalic Polyester Resin	31.66	5.50
06 82 00 00-0037 SF 1/4" Thick Fiberglass Flat Sheet, VEF Vinyl Ester Resin	36.25	5.50
06 82 00 00-0038 SF 3/8" Thick Fiberglass Flat Sheet, ISOFR Isophthalic Polyester Resin	42.77	6.60
06 82 00 00-0039 SF 3/8" Thick Fiberglass Flat Sheet, VEF Vinyl Ester Resin	49.65	6.60
06 82 00 00-0040 SF 1/2" Thick Fiberglass Flat Sheet, ISOFR Isophthalic Polyester Resin	57.54	8.25
06 82 00 00-0041 SF 1/2" Thick Fiberglass Flat Sheet, VEF Vinyl Ester Resin	68.08	8.25
06 82 00 00-0042 Fiberglass Bars (06 82 00 00-0001)		


06 Wood, Plastics, and Composites**06 80 Composite Fabrications****06 82 Composite Trim**MINOR
CSI UOM DESCRIPTIONTOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 82 00 00-0043			Square Bars (06 82 00 00-0042)		
06 82 00 00-0044	LF		1" Square Fiberglass Solid Square Bar, ISO Isophthalic Polyester Resin.....	12.25	3.30
06 82 00 00-0045	LF		1-1/4" Square Fiberglass Solid Square Bar, ISO Isophthalic Polyester Resin	17.35	4.86
06 82 00 00-0046	LF		1-1/2" Square Fiberglass Solid Square Bar, ISOFR Isophthalic Polyester Resin.....	20.30	6.42
06 82 00 00-0047			Round Bars (06 82 00 00-0042)		
06 82 00 00-0048	LF		1/4" Diameter Fiberglass Solid Round Bar, ISOFR Isophthalic Polyester Resin.....	8.00	2.75
06 82 00 00-0049	LF		1" Diameter Fiberglass Solid Round Bar, ISOFR Isophthalic Polyester Resin.....	16.79	4.12
06 82 00 00-0050	LF		1" Diameter Fiberglass Solid Round Bar, VEFV Vinyl Ester Resin	18.88	4.12
06 82 00 00-0051	LF		2" x 2" x 1/8" Thick Fiberglass Square Tube, ISOFR Isophthalic Polyester Resin.....	24.74	4.12
06 82 00 00-0052	LF		1-1/2" Diameter Fiberglass Solid Round Bar, ISOFR Isophthalic Polyester Resin.....	29.50	4.68
06 82 00 00-0053			Fiberglass Tubes (06 82 00 00-0001)		
06 82 00 00-0054			Square Tube (06 82 00 00-0053)		
06 82 00 00-0055	LF		1" x 1" x 1/8" Thick Fiberglass Square Tube, ISOFR Isophthalic Polyester Resin	8.95	2.75
06 82 00 00-0056	LF		1" x 1" x 1/8" Thick Fiberglass Square Tube, VEFV Vinyl Ester Resin	9.63	2.75
06 82 00 00-0057	LF		2" x 2" x 1/8" Thick Fiberglass Square Tube, ISOFR Isophthalic Polyester Resin	13.07	3.30
06 82 00 00-0058	LF		2" x 2" x 1/8" Thick Fiberglass Square Tube, VEFV Vinyl Ester Resin	14.26	3.30
06 82 00 00-0059	LF		3" x 3" x 1/4" Thick Fiberglass Square Tube, ISOFR Isophthalic Polyester Resin	24.48	4.12
06 82 00 00-0060	LF		3" x 3" x 1/4" Thick Fiberglass Square Tube, VEFV Vinyl Ester Resin	27.23	4.12
06 82 00 00-0061	LF		4" x 4" x 1/4" Thick Fiberglass Square Tube, ISOFR Isophthalic Polyester Resin	28.82	4.95
06 82 00 00-0062	LF		4" x 4" x 1/4" Thick Fiberglass Square Tube, VEFV Vinyl Ester Resin	36.49	4.95
06 82 00 00-0063			Round Tube (06 82 00 00-0053)		
06 82 00 00-0064	LF		1" Diameter x 1/8" Thick Fiberglass Round Tube, ISOFR Isophthalic Polyester Resin.....	8.59	2.75
06 82 00 00-0065	LF		1" Diameter x 1/8" Thick Fiberglass Round Tube, VEFV Vinyl Ester Resin	8.90	2.75
06 82 00 00-0066	LF		2" Diameter x 1/4" Thick Fiberglass Round Tube, ISOFR Isophthalic Polyester Resin.....	15.73	3.30
06 82 00 00-0067	LF		2" Diameter x 1/4" Thick Fiberglass Round Tube, VEFV Vinyl Ester Resin	16.74	3.30
06 82 00 00-0068			Fiberglass Threaded Rods (06 82 00 00-0001)		
06 82 00 00-0069	LF		3/8" Diameter Fiberglass Threaded Rod, VEFV Vinyl Ester Resin	11.26	2.11
06 82 00 00-0070	LF		1/2" Diameter Fiberglass Threaded Rod, VEFV Vinyl Ester Resin	11.96	2.11
06 82 00 00-0071	LF		5/8" Diameter Fiberglass Threaded Rod, VEFV Vinyl Ester Resin	13.72	2.38
06 82 00 00-0072	LF		3/4" Diameter Fiberglass Threaded Rod, VEFV Vinyl Ester Resin	15.08	2.38
06 82 00 00-0073	LF		1" Diameter Fiberglass Threaded Rod, VEFV Vinyl Ester Resin	16.61	2.38
06 82 00 00-0074			Grating Support Legs, VEFV Resin (06 82 00 00-0001)		
06 82 00 00-0075	EA		Grating Support Legs, Fixed Height With Base Miscellaneous Fiberglass Castings.....	20.50	
06 82 00 00-0076	EA		Grate Support Legs Fixed Height Without Base Miscellaneous Fiberglass Castings.....	8.79	
06 82 00 00-0077	EA		Grating Support Legs, Adjustable To 60" Miscellaneous Fiberglass Castings.....	33.04	
06 82 00 00-0078			Fiberglass Netting (06 82 00 00-0001)		
06 82 00 00-0079	SF		1/2" x 1/2" Mesh, Clear Flexible Fiberglass Netting	0.66	0.31
06 82 00 00-0080	SF		1/2" x 2" Mesh, Clear Flexible Fiberglass Netting	0.66	0.31
06 82 00 00-0081	SF		3/4" x 5/8" Mesh, Clear Flexible Fiberglass Netting	0.66	0.31
06 82 00 00-0082	SF		7/8" x 7/8" Mesh, Clear Flexible Fiberglass Netting	0.66	0.31
06 82 00 00-0083	SF		1" x 1" Mesh, Clear Flexible Fiberglass Netting	0.66	0.31
06 82 00 00-0084	SF		1/2" x 1/2" Mesh, Green Flexible Fiberglass Netting.....	0.65	0.31
06 82 00 00-0085	SF		1/2" x 2" Mesh, Green Flexible Fiberglass Netting.....	0.65	0.31
06 82 00 00-0086	SF		3/4" x 5/8" Mesh, Green Flexible Fiberglass Netting.....	0.65	0.31
06 82 00 00-0087	SF		7/8" x 7/8" Mesh, Green Flexible Fiberglass Netting.....	0.65	0.31
06 82 00 00-0088	SF		1" x 1" Mesh, Green Flexible Fiberglass Netting.....	0.65	0.31
06 82 00 00-0089			Fiberglass Stair Treads (06 82)		
06 82 00 00-0090			Fiberglass Stair Treads (06 82 00 00-0089)		
06 82 00 00-0091			10-1/2" Deep Isophthalic Resin System (06 82 00 00-0090)		
06 82 00 00-0092	EA		1" Fiberglass Stair Tread, 10-1/2" Deep x 24" Wide Isophthalic Resin System	75.50	14.39
06 82 00 00-0093	EA		1" Fiberglass Stair Tread, 10-1/2" Deep x 30" Wide Isophthalic Resin System	87.21	14.39
06 82 00 00-0094	EA		1" Fiberglass Stair Tread, 10-1/2" Deep x 36" Wide Isophthalic Resin System	98.93	14.39
06 82 00 00-0095	EA		1" Fiberglass Stair Tread, 10-1/2" Deep x 42" Wide Isophthalic Resin System	110.64	14.39
06 82 00 00-0096	EA		1-1/2" Fiberglass Stair Tread, 10-1/2" Deep x 24" Wide Isophthalic Resin System	82.53	14.39
06 82 00 00-0097	EA		1-1/2" Fiberglass Stair Tread, 10-1/2" Deep x 30" Wide Isophthalic Resin System	96.00	14.39
06 82 00 00-0098	EA		1-1/2" Fiberglass Stair Tread, 10-1/2" Deep x 36" Wide Isophthalic Resin System	109.47	14.39
06 82 00 00-0099	EA		1-1/2" Fiberglass Stair Tread, 10-1/2" Deep x 42" Wide Isophthalic Resin System	122.94	14.39
06 82 00 00-0100	EA		2" Fiberglass Stair Tread, 10-1/2" Deep x 24" Wide Isophthalic Resin System	93.31	14.39
06 82 00 00-0101	EA		2" Fiberglass Stair Tread, 10-1/2" Deep x 30" Wide Isophthalic Resin System	109.47	14.39
06 82 00 00-0102	EA		2" Fiberglass Stair Tread, 10-1/2" Deep x 36" Wide Isophthalic Resin System	125.64	14.39
06 82 00 00-0103	EA		2" Fiberglass Stair Tread, 10-1/2" Deep x 42" Wide Isophthalic Resin System	141.81	14.39



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
06 82 00 00-0104 12" Deep Isophthalic Resin System <small>(06 82 00 00-0090)</small>		
06 82 00 00-0105 EA 1" Fiberglass Stair Tread, 12" Deep x 24" Wide Isophthalic Resin System	82.20	14.39
06 82 00 00-0106 EA 1" Fiberglass Stair Tread, 12" Deep x 30" Wide Isophthalic Resin System	95.58	14.39
06 82 00 00-0107 EA 1" Fiberglass Stair Tread, 12" Deep x 36" Wide Isophthalic Resin System	108.98	14.39
06 82 00 00-0108 EA 1" Fiberglass Stair Tread, 12" Deep x 42" Wide Isophthalic Resin System	122.36	14.39
06 82 00 00-0109 EA 1-1/2" Fiberglass Stair Tread, 12" Deep x 24" Wide Isophthalic Resin System	90.23	14.39
06 82 00 00-0110 EA 1-1/2" Fiberglass Stair Tread, 12" Deep x 30" Wide Isophthalic Resin System	105.63	14.39
06 82 00 00-0111 EA 1-1/2" Fiberglass Stair Tread, 12" Deep x 36" Wide Isophthalic Resin System	121.02	14.39
06 82 00 00-0112 EA 1-1/2" Fiberglass Stair Tread, 12" Deep x 42" Wide Isophthalic Resin System	136.42	14.39
06 82 00 00-0113 EA 2" Fiberglass Stair Tread, 12" Deep x 24" Wide Isophthalic Resin System	102.55	14.39
06 82 00 00-0114 EA 2" Fiberglass Stair Tread, 12" Deep x 30" Wide Isophthalic Resin System	121.02	14.39
06 82 00 00-0115 EA 2" Fiberglass Stair Tread, 12" Deep x 36" Wide Isophthalic Resin System	139.50	14.39
06 82 00 00-0116 EA 2" Fiberglass Stair Tread, 12" Deep x 42" Wide Isophthalic Resin System	157.98	14.39
06 82 00 00-0117 Other Fiberglass <small>(06 82)</small>		
06 82 00 00-0118 Fiberglass Splash Blocks <small>(06 82 00 00-0117)</small>		
06 82 00 00-0119 EA Standard Size Fiberglass Splash Block	12.72	3.11
06 83 Composite Paneling <small>(06 80)</small>		
06 83 16 Fiberglass Reinforced Paneling <small>(06 83)</small>		
06 83 16 00-0001 Fiberglass Reinforced Polyester (FRP) Panels <small>(06 83 16)</small>		
Note: Includes adhesive and trim.		
06 83 16 00-0002 SF Fiberglass Reinforced Polyester (FRP) Paneling	4.14	1.56
Note: Including Adhesive And Trim		

END OF SECTION 06



06	06	Wood, Plastics, and Composites
	06 80	Composite Fabrications
	06 83	Composite Paneling



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
------------------------------	---------------------------	-------------------------

THIS PAGE INTENTIONALLY LEFT BLANK

NOT FOR BID



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
------------------------------	---------------------------	-------------------------

07 Thermal And Moisture Protection

07 01 Operation And Maintenance Of Thermal And Moisture Protection (07)

07 01 50 Maintenance Of Membrane Roofing (07 01)

07 01 50 19 Preparation For Re-Roofing (07 01 50)

07 01 50 19-0001 Preparation For Re-Roofing (07 01 50 19)

07 01 50 19-0002	SQ	Removal Of Pea Gravel Ballast From Roof, Vacuum And Disposal	20.94
07 01 50 19-0003	SQ	Removal Of Gravel Ballast From Roof, Vacuum And Disposal	36.95

07 01 50 81 Roof Replacement (07 01 50)

07 01 50 81-0001 Roof Repair (07 01 50 81)

Note: Less than 100 SF areas. Excludes mobilization of crew for small quantity of roof work. See CSI section 07 05 13 00-0001 for mobilization of crew for small quantity of roof work.

07 01 50 81-0002	LF	Heat Weld Roofing Seams For Repair	5.96
------------------	----	--	------

07 01 50 81-0003 Emergency Roof Patch (07 01 50 81)

Note: 4 Hour response time.

07 01 50 81-0004	EA	Mobilize For Emergency Roof Patching	370.52
07 01 50 81-0005	EA	Granule Emergency Roof Patch Cover 16 SF	79.38

07 01 50 81-0006 Adhesives (07 01 50 81)

Note: For repair of seams.

07 01 50 81-0007 Mastic Sealer (07 01 50 81-0006)

07 01 50 81-0008 Applied At Joints Only (07 01 50 81-0007)

07 01 50 81-0009	LF	Mastic Sealer, 1/4" Bead At Joint	3.69	1.58
------------------	----	---	------	------

07 01 50 91 Roofing Restoration (07 01 50)

07 01 50 91-0001 Pressure Wash Membrane Roofing (07 01 50 91)

07 01 50 91-0002	SF	Up To 2,500 PSI, Pressure Wash Membrane Roofing	0.14
		<i>For Up To 100, Add</i>	<i>0.11</i>
		<i>For >100 To 250, Add</i>	<i>0.05</i>
		<i>For >250 To 500, Add</i>	<i>0.02</i>
		<i>For >5,000 To 10,000, Deduct</i>	<i>-0.01</i>
		<i>For >10,000 To 15,000, Deduct</i>	<i>-0.01</i>
		<i>For >15,000 To 30,000, Deduct</i>	<i>-0.02</i>
		<i>For >30,000, Deduct</i>	<i>-0.03</i>

07 05 Common Work Results For Thermal And Moisture Protection

07 05 13 Mobilization Of Crew For Small Quantity Of Roof Work (07 05)

07 05 13 00-0001 Mobilization Of Crew For Small Quantity Of Roof Work (07 05 13)

Note: For use with all roofing tasks where the total quantity of roof work is 4 squares or less.

07 05 13 00-0002	EA	Up To 1 SQ, Mobilization Of Crew For Small Quantity Of Roof Work	1,115.11
07 05 13 00-0003	EA	>1 To 2 SQ, Mobilization Of Crew For Small Quantity Of Roof Work	834.33
07 05 13 00-0004	EA	>2 To 3 SQ, Mobilization Of Crew For Small Quantity Of Roof Work	557.56
07 05 13 00-0005	EA	>3 To 4 SQ, Mobilization Of Crew For Small Quantity Of Roof Work	278.11

07 10 Dampproofing And Waterproofing (07)

Note: The following tasks are for application to vertical (walls and foundations) surfaces. For horizontal (flat) surfaces apply the appropriate modifier to reduce the labor cost (where listed). Waterproofing is the treatment of a surface or structure to PREVENT the passage of water under hydrostatic pressure. Dampproofing is the treatment of a surface or structure to RESIST the passage of water in the absence of hydrostatic pressure.

07 11 Dampproofing (07 11)

07 11 13 Bituminous Dampproofing (07 11)

07 11 13 00-0001 Fibrous Asphalt Dampproofing, Brush, Roller Or Spray (07 11 13)

07 11 13 00-0002	CSF	1 Coat, Fibrous Asphalt Dampproofing, Brush, Roller Or Spray	129.13
07 11 13 00-0003	CSF	2 Coats, Fibrous Asphalt Dampproofing, Brush, Roller Or Spray	203.36

07 11 13 00-0004 Fibrous Asphalt Dampproofing, Troweled On (07 11 13)

07 Thermal And Moisture Protection**07 10 Dampproofing And Waterproofing****07 11 Dampproofing**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 11 13 00-0005	CSF		Primer And 1 Coat, Fibrous Asphalt Dampproofing, Troweled On.....	218.21	
07 11 13 00-0006	CSF		Primer And 2 Coats, Fibrous Asphalt Dampproofing, Troweled On.....	332.60	
07 11 13 00-0007			Asphaltic Paint Dampproofing (07 11 13)		
07 11 13 00-0008	CSF		1 Coat, Asphaltic Paint Dampproofing, Brushed On.....	105.48	
07 11 13 00-0009	CSF		2 Coats, Asphaltic Paint Dampproofing, Brushed On.....	194.26	
07 11 19			Sheet Dampproofing (07 11)		
07 11 19 00-0001			Neoprene (07 11 19)		
07 11 19 00-0002	SF		1/16" Patch Neoprene Roof (5 To 20 SF).....	30.09	
07 13			Sheet Waterproofing (07 10)		
07 13 13			Bituminous Sheet Waterproofing (07 13)		
07 13 13 00-0001			15 LB Asphalt Saturated Organic Felt Sheet Waterproofing, Hot-Mopped (07 13)		
07 13 13 00-0002	CSF		1 Ply, 15 LB Asphalt Saturated Organic Felt Sheet Waterproofing, Hot-Mopped.....	243.08	89.86
			For 30 LB Felt, Add.....	47.53	
			For Application To Horizontal Surfaces, Deduct.....	-26.96	
07 13 13 00-0003	CSF		2 Ply, 15 LB Asphalt Saturated Organic Felt Sheet Waterproofing, Hot-Mopped.....	301.89	101.09
			For 30 LB Felt, Add.....	74.78	
			For Application To Horizontal Surfaces, Deduct.....	-30.33	
07 13 13 00-0004	CSF		3 Ply, 15 LB Asphalt Saturated Organic Felt Sheet Waterproofing, Hot-Mopped.....	360.70	112.32
			For 30 LB Felt, Add.....	102.05	
			For Application To Horizontal Surfaces, Deduct.....	-33.70	
07 13 13 00-0005	CSF		4 Ply, 15 LB Asphalt Saturated Organic Felt Sheet Waterproofing, Hot-Mopped.....	419.50	123.55
			For 30 LB Felt, Add.....	129.30	
			For Application To Horizontal Surfaces, Deduct.....	-37.07	
07 13 13 00-0006	CSF		5 Ply, 15 LB Asphalt Saturated Organic Felt Sheet Waterproofing, Hot-Mopped.....	478.32	134.78
			For 30 LB Felt, Add.....	156.56	
			For Application To Horizontal Surfaces, Deduct.....	-40.44	
07 13 13 00-0007			Asphalt Coated Protective Board (07 13 13)		
07 13 13 00-0008	CSF		1/8" Asphalt Coated Protective Board.....	222.60	89.34
			For Application To Horizontal Surfaces, Deduct.....	-29.80	
07 13 13 00-0009	CSF		1/4" Asphalt Coated Protective Board.....	296.74	92.77
			For Application To Horizontal Surfaces, Deduct.....	-30.93	
07 13 13 00-0010	CSF		3/8" Asphalt Coated Protective Board.....	386.12	96.68
			For Application To Horizontal Surfaces, Deduct.....	-32.22	
07 13 13 00-0011	CSF		1/2" Asphalt Coated Protective Board.....	431.60	100.57
			For Application To Horizontal Surfaces, Deduct.....	-33.53	
07 13 53			Elastomeric Sheet Waterproofing (07 13)		
07 13 53 00-0001			Rubberized Membrane Sheet (07 13 53)		
07 13 53 00-0002	SF		215 Mil Rubberized Asphalt Membrane Sheet, Vertical Surface.....	6.21	0.92
			For Floor Surfaces, Deduct.....	-0.92	
07 13 53 00-0003			Ethylene Propylene Diene Monomer (EPDM) (07 13 53)		
07 13 53 00-0004	CSF		45 Mil Ethylene Propylene Diene Monomer (EPDM) Membrane.....	426.13	129.89
			For Application To Horizontal Surfaces, Deduct.....	-38.96	
07 13 53 00-0005	CSF		60 Mil Ethylene Propylene Diene Monomer (EPDM) Membrane.....	502.93	129.89
			For Application To Horizontal Surfaces, Deduct.....	-38.96	
07 13 53 00-0006			Butyl Sheet Waterproofing (07 13 53)		
07 13 53 00-0007	CSF		1/32" Butyl Sheet Waterproofing.....	86.89	32.47
			For Joint Taping, Add.....	11.83	
			For Each Additional Ply, Add.....	64.08	
			For Application To Horizontal Surfaces, Deduct.....	-4.88	
07 13 53 00-0008	CSF		1/16" Butyl Sheet Waterproofing.....	104.18	32.47
			For Joint Taping, Add.....	12.69	
			For Each Additional Ply, Add.....	76.18	
			For Application To Horizontal Surfaces, Deduct.....	-4.88	
07 13 53 00-0009			Butyl With Nylon (07 13 53)		
07 13 53 00-0010	CSF		1/32" Butyl Elastomeric Waterproofing With Nylon.....	96.77	32.47
			For Joint Taping, Add.....	12.32	
			For Each Additional Ply, Add.....	70.99	
			For Application To Horizontal Surfaces, Deduct.....	-4.88	
07 13 53 00-0011	CSF		1/16" Butyl Elastomeric Waterproofing With Nylon.....	107.89	32.47
			For Joint Taping, Add.....	12.88	
			For Each Additional Ply, Add.....	78.78	
			For Application To Horizontal Surfaces, Deduct.....	-4.88	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 13 53 00-0012 Neoprene Sheet Waterproofing (07 13 53)		
07 13 53 00-0013 CSF 1/32" Neoprene Sheet Waterproofing	153.65	32.47
For Joint Taping, Add	15.17	
For Each Additional Ply, Add	110.81	
For Application To Horizontal Surfaces, Deduct	-4.88	
07 13 53 00-0014 CSF 1/16" Neoprene Sheet Waterproofing	227.26	32.47
For Joint Taping, Add	18.85	
For Each Additional Ply, Add	162.34	
For Application To Horizontal Surfaces, Deduct	-4.88	
07 13 53 00-0015 Neoprene With Nylon (07 13 53)		
07 13 53 00-0016 CSF 1/32" Neoprene Elastomeric Waterproofing With Nylon.....	161.33	32.47
For Joint Taping, Add	15.55	
For Each Additional Ply, Add	116.19	
For Application To Horizontal Surfaces, Deduct	-4.88	
07 13 53 00-0017 CSF 1/16" Neoprene Elastomeric Waterproofing With Nylon.....	239.53	32.47
For Joint Taping, Add	19.46	
For Each Additional Ply, Add	170.93	
For Application To Horizontal Surfaces, Deduct	-4.88	
07 13 53 00-0018 Plastic Vapor Barrier (Polyethylene) (07 13 53)		
07 13 53 00-0019 CSF 4 Mil Polyethylene Vapor Barrier.....	28.12	10.81
For Joint Taping, Add	6.91	
For Each Additional Ply, Add	22.08	
For Application To Horizontal Surfaces, Deduct	-3.59	
07 13 53 00-0020 CSF 6 Mil Polyethylene Vapor Barrier.....	28.72	10.81
For Joint Taping, Add	6.94	
For Each Additional Ply, Add	22.50	
For Application To Horizontal Surfaces, Deduct	-3.59	
07 13 53 00-0021 CSF 10 Mil Polyethylene Vapor Barrier.....	44.10	10.81
For Joint Taping, Add	7.71	
For Each Additional Ply, Add	33.26	
For Application To Horizontal Surfaces, Deduct	-3.59	
07 13 53 00-0022 CSF 60 Mil Polyethylene Vapor Barrier With Bentonite	143.19	10.81
Note: Includes seam tape, liquid mastic, anchors and termination bar.		
For Each Additional Ply, Add	102.89	
For Application To Horizontal Surfaces, Deduct	-3.99	
07 13 53 00-0023 Plastic Vapor Barrier (PVC) (07 13 53)		
07 13 53 00-0024 CSF 10 Mil Polyvinyl Chloride (PVC) Vapor Barrier	48.58	11.97
For Joint Taping, Add	7.93	
For Each Additional Ply, Add	36.40	
For Application To Horizontal Surfaces, Deduct	-3.59	
07 13 53 00-0025 CSF 20 Mil Polyvinyl Chloride (PVC) Vapor Barrier	67.42	12.41
For Joint Taping, Add	9.08	
For Each Additional Ply, Add	49.68	
For Application To Horizontal Surfaces, Deduct	-3.73	
07 13 53 00-0026 CSF 30 Mil Polyvinyl Chloride (PVC) Vapor Barrier	92.93	12.85
For Joint Taping, Add	10.56	
For Each Additional Ply, Add	67.62	
For Application To Horizontal Surfaces, Deduct	-3.85	
07 13 53 00-0027 Vinyl Plastic Vapor Barrier (07 13 53)		
07 13 53 00-0028 CSF 4 Mil Vinyl Plastic Vapor Barrier With Fiberglass Insulation At Joints (Tu-Tuf #4)	32.97	11.07
07 14 Fluid-Applied Waterproofing (07 10)		
07 14 13 Hot Fluid-Applied Rubberized Asphalt Waterproofing (07 14)		
07 14 13 00-0001 Hot Applied Rubberized Asphalt Waterproofing Coating (07 14 13)		
07 14 13 00-0002 SF 90 Mil Hot Applied Rubberized Asphalt Waterproofing Coating, Vertical Surface.....	1.73	
Note: Includes primer.		
For Application To Horizontal Surfaces, Deduct	-0.17	
For Reinforcing Fabric, Add	0.37	
07 14 13 00-0003 SF 125 Mil Hot Applied Rubberized Asphalt Waterproofing Coating, Vertical Surface.....	1.99	
Note: Includes primer.		
For Application To Horizontal Surfaces, Deduct	-0.18	
For Reinforcing Fabric, Add	0.37	
07 14 16 Cold Fluid-Applied Waterproofing (07 14)		
07 14 16 00-0001 Fluid Applied Rubber Based Polyurethane (07 14 16)		
07 14 16 00-0002 SF 60 Mil Thick, Fluid Applied, Rubber Base, Polyurethane Applied In 2 Coats	3.37	
For Application To Horizontal Surfaces, Deduct	-0.39	

07 Thermal And Moisture Protection**07 10 Dampproofing And Waterproofing****07 14 Fluid-Applied Waterproofing**

MINOR CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 14 16 00-0003	SF	90 Mil Thick, Fluid Applied, Rubber Base, Polyurethane Applied In 2 Coats <i>For Application To Horizontal Surfaces, Deduct</i>	3.88 -0.41	
07 14 16 00-0004	SF	120 Mil Thick, Fluid Applied, Rubber Base, Polyurethane Applied In 2 Coats <i>For Application To Horizontal Surfaces, Deduct</i>	4.42 -0.44	
07 14 16 00-0005		One Part Solution Of Chlorosulfonated Polyethylene Polymer (07 14 16)		
07 14 16 00-0006	SF	15 Mil Finish Coat, Chlorosulfonated Polyethylene (CSM) Polymer, 1 Part Solution	2.23	
07 14 16 00-0007		Copolymer Compound (07 14 16)		
07 14 16 00-0008	SF	Fluid Elastomeric Copolymer Compound For Slabs 32 Mil	3.53	
07 14 16 00-0009		Fluid Applied Neoprene (07 14 16)		
07 14 16 00-0010	CSF	1/8" Fiberglass Reinforced, Fluid Neoprene <i>For Application To Horizontal Surfaces, Deduct</i>	410.74 -47.32	
07 14 16 00-0011	CSF	50 Mil, 4 Coats, Fluid Neoprene <i>For Application To Horizontal Surfaces, Deduct</i>	863.04 -92.82	
07 14 16 00-0012	CSF	90 Mil, 4 Coats, Fluid Neoprene <i>For Application To Horizontal Surfaces, Deduct</i>	1,416.20 -139.17	
07 16 Cementitious And Reactive Waterproofing (07 10)				
07 16 13 Polymer Modified Cement Waterproofing (07 16)				
07 16 13 00-0001	SF	Polymer Modified Cementitious Waterproofing Assembly, 2 Coats Note: As manufactured by Thoro Consumer Products. Includes Thoroseal, Acryl 60, acrylic waterproof coating and white pigmented acrylic copolymer primer.	3.75	
07 16 16 Crystalline Waterproofing (07 16)				
07 16 16 00-0001	SF	Crystalline Cementitious Waterproofing, 2 Coats (Xypex Concentrate)	4.54	
07 16 19 Metal Oxide Waterproofing (07 16)				
07 16 19 00-0001 Metallic Oxide Waterproofing (07 16 19)				
		Note: Includes one broom applied bond coat and three brush applied waterproof coats. Excludes concrete repairs to subbase and final protective concrete surface coat. See CSI section 03 54 16 00-0001 for self leveling underlayment for concrete floors, 09 24 33 00-0001 for cement parging.		
07 16 19 00-0002	CSF	Catalyzed Metallic Waterproofing Treatment, Metal Oxide Waterproofing (Euclid Iron Waterpeller) <i>For Application To Horizontal Surfaces, Deduct</i>	393.12 -51.78	
07 17 Bentonite Waterproofing (07 10)				
07 17 13 Bentonite Panel Waterproofing (07 17)				
07 17 13 00-0001	CSF	3/16" Bentonite Waterproofing Panels <i>For Application To Horizontal Surfaces, Deduct</i>	373.56 -31.99	106.60
07 17 13 00-0002	CSF	1/4" Bentonite Waterproofing Panels <i>For Application To Horizontal Surfaces, Deduct</i>	342.82 -34.62	112.63
07 17 13 00-0003	CSF	5/8" Bentonite Waterproofing Panels <i>For Application To Horizontal Surfaces, Deduct</i>	468.97 -35.23	117.46
07 17 13 00-0004	CSF	3/8" Granular Bentonite, Troweled <i>For Application To Horizontal Surfaces, Deduct</i>	378.51 -29.30	97.69
07 19 Water Repellents (07 10)				
07 19 13 Acrylic Sealer (07 19)				
		Note: Per coat.		
07 19 13 00-0001	SF	Spray On Concrete, Acrylic Sealer	1.99	
07 19 13 00-0002	SF	Spray On Concrete Block/Brick, Acrylic Sealer	2.37	
07 19 13 00-0003	SF	Spray On Stone, Acrylic Sealer	2.60	
07 19 16 Silane Water Repellents (07 19)				
07 19 16 00-0001 Silane Concrete Sealer (07 19 16)				
07 19 16 00-0002	SF	Spray On Concrete, Water Based, Silane Penetrating Water Repellent Sealer (Specchem SpecSilane 40 WB)	0.46	
07 19 16 00-0003	SF	Spray On Concrete Block/Brick, Water Based, Silane Penetrating Water Repellent Sealer (Specchem SpecSilane 40 WB)	0.69	
07 19 16 00-0004 Silane/Siloxane Concrete Sealer (07 19 16)				
07 19 16 00-0005	SF	Spray On Concrete, Solvent Based, Silane/Siloxane Concrete Penetrating Water Repellent Sealer (Anti-Hydro Aridox 40) Note: 40% silane, alcohol based.	0.81	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 19 16 00-0006 SF Spray On Concrete Block/Brick, Solvent Based, Silane/Siloxane Penetrating Water Repellent Sealer (Anti-Hydro Aridox 40)	1.17	
Note: 40% silane, alcohol based.		
07 19 16 00-0007 SF Spray On Concrete, Water-Based, Silane/Siloxane Penetrating Water Repellent Sealer (Prosoco Saltguard WB)	0.35	
Note: 200 SF/GAL		
07 19 16 00-0008 SF Spray On Concrete Block/Masonry, Water-Based, Silane/Siloxane Penetrating Water Repellent Sealer (Prosoco Saltguard WB)	0.49	

07 20 Thermal Protection ⁽⁰⁷⁾

07 21 Thermal Insulation ^(07 20)

07 21 13 Board Insulation ^(07 21)
Note: Types are stock sizes, mastic applied.

07 21 13 13 Foam Board Insulation ^(07 21 13)

07 21 13 13-0001 Cold Adhesive Applied Foam Board Insulation ^(07 21 13 13)		
07 21 13 13-0002 Cold Adhesive Applied, Foam Glass (Cellular Glass), Foam Board Insulation ^(07 21 13 13-0001)		
07 21 13 13-0003 SF 1" Thick, R3.44, Foam Glass (Cellular Glass), Foam Board Insulation, Cold Adhesive Applied.....	2.63	0.30
For Horizontal Surface Application, Deduct	-0.05	
For Vapor Barrier, Integral With Insulation, Add	0.05	
07 21 13 13-0004 SF 1-1/2" Thick, R5.16, Foam Glass (Cellular Glass), Foam Board Insulation, Cold Adhesive Applied	3.66	0.31
For Horizontal Surface Application, Deduct	-0.05	
For Vapor Barrier, Integral With Insulation, Add	0.05	
07 21 13 13-0005 SF 2" Thick, R6.88, Foam Glass (Cellular Glass), Foam Board Insulation, Cold Adhesive Applied.....	4.35	0.31
For Horizontal Surface Application, Deduct	-0.05	
For Vapor Barrier, Integral With Insulation, Add	0.05	
07 21 13 13-0006 SF 2-3/4" Thick, R8.17, Foam Glass (Cellular Glass), Foam Board Insulation, Cold Adhesive Applied	5.73	0.32
For Horizontal Surface Application, Deduct	-0.05	
For Vapor Barrier, Integral With Insulation, Add	0.05	
07 21 13 13-0007 Cold Adhesive Applied, Expanded Polystyrene, Foam Board Insulation ^(07 21 13 13-0001)		
07 21 13 13-0008 SF 3/8" Thick, R1.44, Molded Expanded Polystyrene, Foam Board Insulation (MEPS), Cold Adhesive Applied.....	1.16	0.30
For Horizontal Surface Application, Deduct	-0.05	
For Vapor Barrier, Integral With Insulation, Add	0.05	
07 21 13 13-0009 SF 1/2" Thick, R1.93, Molded Expanded Polystyrene, Foam Board Insulation (MEPS), Cold Adhesive Applied.....	1.23	0.30
For Horizontal Surface Application, Deduct	-0.05	
For Vapor Barrier, Integral With Insulation, Add	0.05	
07 21 13 13-0010 SF 3/4" Thick, R2.89, Molded Expanded Polystyrene, Foam Board Insulation (MEPS), Cold Adhesive Applied.....	1.39	0.30
For Horizontal Surface Application, Deduct	-0.05	
For Vapor Barrier, Integral With Insulation, Add	0.05	
07 21 13 13-0011 SF 1" Thick, R3.85, Molded Expanded Polystyrene, Foam Board Insulation (MEPS), Cold Adhesive Applied.....	1.57	0.30
For Horizontal Surface Application, Deduct	-0.05	
For Vapor Barrier, Integral With Insulation, Add	0.05	
07 21 13 13-0012 SF 2" Thick, R7.70, Molded Expanded Polystyrene, Foam Board Insulation (MEPS), Cold Adhesive Applied.....	2.23	0.31
For Horizontal Surface Application, Deduct	-0.05	
For Vapor Barrier, Integral With Insulation, Add	0.05	
07 21 13 13-0013 SF 3" Thick, R11.55, Molded Expanded Polystyrene, Foam Board Insulation (MEPS), Cold Adhesive Applied.....	2.90	0.32
For Horizontal Surface Application, Deduct	-0.05	
For Vapor Barrier, Integral With Insulation, Add	0.05	
07 21 13 13-0014 SF 4" Thick, R15.40, Molded Expanded Polystyrene, Foam Board Insulation (MEPS), Cold Adhesive Applied.....	3.58	0.33
For Horizontal Surface Application, Deduct	-0.06	
For Vapor Barrier, Integral With Insulation, Add	0.05	
07 21 13 13-0015 SF 5" Thick, R19.25, Molded Expanded Polystyrene, Foam Board Insulation (MEPS), Cold Adhesive Applied.....	4.25	0.33
For Horizontal Surface Application, Deduct	-0.06	
For Vapor Barrier, Integral With Insulation, Add	0.05	
07 21 13 13-0016 SF 6" Thick, R23.1, Molded Expanded Polystyrene, Foam Board Insulation (MEPS), Cold Adhesive Applied.....	4.92	0.34
For Horizontal Surface Application, Deduct	-0.06	
For Vapor Barrier, Integral With Insulation, Add	0.05	
07 21 13 13-0017 Cold Adhesive Applied, Extruded Polystyrene, Foam Board Insulation ^(07 21 13 13-0001)		
Note: 15 PSI compressive strength.		
07 21 13 13-0018 SF 3/8" Thick, R1.9, Extruded Polystyrene, Foam Board Insulation, Cold Adhesive Applied.....	1.32	0.30
For Horizontal Surface Application, Deduct	-0.05	
For Vapor Barrier, Integral With Insulation, Add	0.05	
For 25 PSI Compressive Strength, Add	0.13	
For 40 PSI Compressive Strength, Add	0.31	
For 60 PSI Compressive Strength, Add	0.50	
For 115 PSI Compressive Strength, Add	2.16	
07 21 13 13-0019 SF 1/2" Thick, R2.5, Extruded Polystyrene, Foam Board Insulation, Cold Adhesive Applied.....	1.53	0.30
For Horizontal Surface Application, Deduct	-0.05	
For Vapor Barrier, Integral With Insulation, Add	0.05	
For 25 PSI Compressive Strength, Add	0.16	
For 40 PSI Compressive Strength, Add	0.39	
For 60 PSI Compressive Strength, Add	0.62	
For 115 PSI Compressive Strength, Add	2.70	

07 Thermal And Moisture Protection**07 20 Thermal Protection****07 21 Thermal Insulation**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 21 13	13-0020	SF	3/4" Thick, R3.7, Extruded Polystyrene, Foam Board Insulation, Cold Adhesive Applied	1.70	0.30
			<i>For Horizontal Surface Application, Deduct</i>	-0.05	
			<i>For Vapor Barrier, Integral With Insulation, Add</i>	0.05	
			<i>For 25 PSI Compressive Strength, Add</i>	0.19	
			<i>For 40 PSI Compressive Strength, Add</i>	0.46	
			<i>For 60 PSI Compressive Strength, Add</i>	0.72	
			<i>For 115 PSI Compressive Strength, Add</i>	3.13	
07 21 13	13-0021	SF	1" Thick, R5.0, Extruded Polystyrene, Foam Board Insulation, Cold Adhesive Applied	1.81	0.30
			<i>For Horizontal Surface Application, Deduct</i>	-0.05	
			<i>For Vapor Barrier, Integral With Insulation, Add</i>	0.05	
			<i>For 25 PSI Compressive Strength, Add</i>	0.21	
			<i>For 40 PSI Compressive Strength, Add</i>	0.49	
			<i>For 60 PSI Compressive Strength, Add</i>	0.78	
			<i>For 115 PSI Compressive Strength, Add</i>	3.39	
07 21 13	13-0022	SF	2" Thick, R10.0, Extruded Polystyrene, Foam Board Insulation, Cold Adhesive Applied	2.72	0.31
			<i>For Horizontal Surface Application, Deduct</i>	-0.05	
			<i>For Vapor Barrier, Integral With Insulation, Add</i>	0.05	
			<i>For 25 PSI Compressive Strength, Add</i>	0.35	
			<i>For 40 PSI Compressive Strength, Add</i>	0.84	
			<i>For 60 PSI Compressive Strength, Add</i>	1.30	
			<i>For 115 PSI Compressive Strength, Add</i>	5.71	
07 21 13	13-0023	SF	3" Thick, R15.0, Extruded Polystyrene, Foam Board Insulation, Cold Adhesive Applied	3.63	0.32
			<i>For Horizontal Surface Application, Deduct</i>	-0.05	
			<i>For Vapor Barrier, Integral With Insulation, Add</i>	0.05	
			<i>For 25 PSI Compressive Strength, Add</i>	0.50	
			<i>For 40 PSI Compressive Strength, Add</i>	1.18	
			<i>For 60 PSI Compressive Strength, Add</i>	1.82	
			<i>For 115 PSI Compressive Strength, Add</i>	8.02	
07 21 13	13-0024	SF	4" Thick, R20.0, Extruded Polystyrene, Foam Board Insulation, Cold Adhesive Applied	4.10	0.33
			<i>For Horizontal Surface Application, Deduct</i>	-0.06	
			<i>For Vapor Barrier, Integral With Insulation, Add</i>	0.05	
			<i>For 25 PSI Compressive Strength, Add</i>	0.57	
			<i>For 40 PSI Compressive Strength, Add</i>	1.35	
			<i>For 60 PSI Compressive Strength, Add</i>	2.09	
			<i>For 115 PSI Compressive Strength, Add</i>	9.18	
07 21 13	13-0025		Mechanically Fastened Foam Board Insulation (07 21 13 13)		
			Note: Mechanically fastened to wood or steel.		
07 21 13	13-0026		Mechanically Fastened, Foam Glass (Cellular Glass), Foam Board Insulation (07 21 13 13-0025)		
			Note: Mechanically fastened to wood or steel.		
07 21 13	13-0027	SF	1" Thick, R3.44, Foam Glass (Cellular Glass), Foam Board Insulation, Mechanically Fastened	2.49	0.30
			<i>For Horizontal Surface Application, Deduct</i>	-0.05	
			<i>For Vapor Barrier, Integral With Insulation, Add</i>	0.05	
			<i>For Mechanically Fastened To Concrete, Add</i>	1.24	
			<i>For Mechanically Fastened To Gypsum, Add</i>	1.51	
			<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.43	
			<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.54	
			<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	1.77	
			<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.66	
			<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.33	
			<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	2.65	
07 21 13	13-0028	SF	1-1/2" Thick, R5.16, Foam Glass (Cellular Glass), Foam Board Insulation, Mechanically Fastened	3.56	0.31
			<i>For Horizontal Surface Application, Deduct</i>	-0.05	
			<i>For Vapor Barrier, Integral With Insulation, Add</i>	0.05	
			<i>For Mechanically Fastened To Concrete, Add</i>	1.28	
			<i>For Mechanically Fastened To Gypsum, Add</i>	1.48	
			<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.55	
			<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.58	
			<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	1.77	
			<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.82	
			<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.35	
			<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	2.65	
07 21 13	13-0029	SF	2" Thick, R6.88, Foam Glass (Cellular Glass), Foam Board Insulation, Mechanically Fastened	4.25	0.31
			<i>For Horizontal Surface Application, Deduct</i>	-0.05	
			<i>For Vapor Barrier, Integral With Insulation, Add</i>	0.05	
			<i>For Mechanically Fastened To Concrete, Add</i>	1.28	
			<i>For Mechanically Fastened To Gypsum, Add</i>	1.48	
			<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.55	
			<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.58	
			<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	1.78	
			<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.82	
			<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.35	
			<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	2.67	
07 21 13	13-0030	SF	2-3/4" Thick, R8.17, Foam Glass (Cellular Glass), Foam Board Insulation, Mechanically Fastened	5.68	0.32
			<i>For Horizontal Surface Application, Deduct</i>	-0.05	
			<i>For Vapor Barrier, Integral With Insulation, Add</i>	0.05	
			<i>For Mechanically Fastened To Concrete, Add</i>	1.31	
			<i>For Mechanically Fastened To Gypsum, Add</i>	1.53	
			<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.63	
			<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.66	
			<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	1.88	
			<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.94	
			<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.50	
			<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	2.83	



	MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 21 13	13	13-0031		Mechanically Fastened, Expanded Polystyrene, Foam Board Insulation <small>(07 21 13)</small>		
				<small>13-0025</small>		
07 21 13	13	13-0032	SF	3/8" Thick, R1.44, Molded Expanded Polystyrene, Foam Board Insulation (MEPS).....	1.02	0.30
				<i>For Horizontal Surface Application, Deduct</i>	-0.05	
				<i>For Vapor Barrier, Integral With Insulation, Add</i>	0.05	
				<i>For Mechanically Fastened To Concrete, Add</i>	1.24	
				<i>For Mechanically Fastened To Gypsum, Add</i>	1.51	
				<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.43	
				<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.54	
				<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	1.77	
				<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.66	
				<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.33	
				<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	2.65	
07 21 13	13	13-0033	SF	1/2" Thick, R1.93, Molded Expanded Polystyrene, Foam Board Insulation (MEPS).....	1.08	0.30
				<i>For Horizontal Surface Application, Deduct</i>	-0.05	
				<i>For Vapor Barrier, Integral With Insulation, Add</i>	0.05	
				<i>For Mechanically Fastened To Concrete, Add</i>	1.24	
				<i>For Mechanically Fastened To Gypsum, Add</i>	1.51	
				<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.43	
				<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.54	
				<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	1.77	
				<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.66	
				<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.33	
				<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	2.65	
07 21 13	13	13-0034	SF	3/4" Thick, R2.89, Molded Expanded Polystyrene, Foam Board Insulation (MEPS).....	1.25	0.30
				<i>For Horizontal Surface Application, Deduct</i>	-0.05	
				<i>For Vapor Barrier, Integral With Insulation, Add</i>	0.05	
				<i>For Mechanically Fastened To Concrete, Add</i>	1.24	
				<i>For Mechanically Fastened To Gypsum, Add</i>	1.51	
				<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.43	
				<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.54	
				<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	1.77	
				<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.66	
				<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.33	
				<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	2.65	
07 21 13	13	13-0035	SF	1" Thick, R3.85, Molded Expanded Polystyrene, Foam Board Insulation (MEPS).....	1.42	0.30
				<i>For Horizontal Surface Application, Deduct</i>	-0.05	
				<i>For Vapor Barrier, Integral With Insulation, Add</i>	0.05	
				<i>For Mechanically Fastened To Concrete, Add</i>	1.24	
				<i>For Mechanically Fastened To Gypsum, Add</i>	1.51	
				<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.43	
				<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.58	
				<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	1.77	
				<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.66	
				<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.33	
				<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	2.65	
07 21 13	13	13-0036	SF	2" Thick, R7.70, Molded Expanded Polystyrene, Foam Board Insulation (MEPS).....	2.13	0.31
				<i>For Horizontal Surface Application, Deduct</i>	-0.05	
				<i>For Vapor Barrier, Integral With Insulation, Add</i>	0.05	
				<i>For Mechanically Fastened To Concrete, Add</i>	1.28	
				<i>For Mechanically Fastened To Gypsum, Add</i>	1.48	
				<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.55	
				<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.58	
				<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	1.78	
				<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.82	
				<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.35	
				<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	2.67	
07 21 13	13	13-0037	SF	3" Thick, R11.55, Molded Expanded Polystyrene, Foam Board Insulation (MEPS).....	2.85	0.32
				<i>For Horizontal Surface Application, Deduct</i>	-0.05	
				<i>For Vapor Barrier, Integral With Insulation, Add</i>	0.05	
				<i>For Mechanically Fastened To Concrete, Add</i>	1.31	
				<i>For Mechanically Fastened To Gypsum, Add</i>	1.53	
				<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.63	
				<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.66	
				<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	1.88	
				<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.94	
				<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.50	
				<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	2.83	
07 21 13	13	13-0038	SF	4" Thick, R15.40, Molded Expanded Polystyrene, Foam Board Insulation (MEPS).....	3.60	0.33
				<i>For Horizontal Surface Application, Deduct</i>	-0.06	
				<i>For Vapor Barrier, Integral With Insulation, Add</i>	0.05	
				<i>For Mechanically Fastened To Concrete, Add</i>	1.35	
				<i>For Mechanically Fastened To Gypsum, Add</i>	1.55	
				<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.73	
				<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.77	
				<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	1.97	
				<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	1.10	
				<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.67	
				<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	2.96	

07 Thermal And Moisture Protection**07 20 Thermal Protection****07 21 Thermal Insulation**MINOR
CSI UOM DESCRIPTIONTOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

07 21 13 13-0039	SF 5" Thick, R19.25, Molded Expanded Polystyrene, Foam Board Insulation (MEPS).....	4.37	0.33
	<i>For Horizontal Surface Application, Deduct</i>	-0.06	
	<i>For Vapor Barrier, Integral With Insulation, Add</i>	0.05	
	<i>For Mechanically Fastened To Concrete, Add</i>	1.39	
	<i>For Mechanically Fastened To Gypsum, Add</i>	1.74	
	<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.86	
	<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.91	
	<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	2.07	
	<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	5.88	
	<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.87	
	<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	3.10	
07 21 13 13-0040	SF 6" Thick, R23.1, Molded Expanded Polystyrene, Foam Board Insulation (MEPS).....	5.24	0.34
	<i>For Horizontal Surface Application, Deduct</i>	-0.06	
	<i>For Vapor Barrier, Integral With Insulation, Add</i>	0.05	
	<i>For Mechanically Fastened To Concrete, Add</i>	1.42	
	<i>For Mechanically Fastened To Gypsum, Add</i>	1.47	
	<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	1.10	
	<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	2.15	
	<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	2.20	
	<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	1.64	
	<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	3.24	
	<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	3.32	
07 21 13 13-0041	Mechanically Fastened, Extruded Polystyrene, Foam Board Insulation (07 21 13 13-0025)		
	Note: 15 PSI compressive strength. Mechanically fastened to wood or steel.		
07 21 13 13-0042	SF 3/8" Thick, R1.9, Extruded Polystyrene, Foam Board Insulation, Mechanically Fastened	1.17	0.30
	<i>For Horizontal Surface Application, Deduct</i>	-0.05	
	<i>For Vapor Barrier, Integral With Insulation, Add</i>	0.05	
	<i>For 25 PSI Compressive Strength, Add</i>	0.11	
	<i>For 40 PSI Compressive Strength, Add</i>	0.25	
	<i>For 60 PSI Compressive Strength, Add</i>	0.41	
	<i>For 115 PSI Compressive Strength, Add</i>	1.77	
	<i>For Mechanically Fastened To Concrete, Add</i>	1.24	
	<i>For Mechanically Fastened To Gypsum, Add</i>	1.51	
	<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.43	
	<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.54	
	<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	1.77	
	<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.66	
	<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.33	
	<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	2.65	
07 21 13 13-0043	SF 1/2" Thick, R2.5, Extruded Polystyrene, Foam Board Insulation, Mechanically Fastened	1.39	0.30
	<i>For Horizontal Surface Application, Deduct</i>	-0.05	
	<i>For Vapor Barrier, Integral With Insulation, Add</i>	0.05	
	<i>For 25 PSI Compressive Strength, Add</i>	0.14	
	<i>For 40 PSI Compressive Strength, Add</i>	0.34	
	<i>For 60 PSI Compressive Strength, Add</i>	0.54	
	<i>For 115 PSI Compressive Strength, Add</i>	2.34	
	<i>For Mechanically Fastened To Concrete, Add</i>	1.24	
	<i>For Mechanically Fastened To Gypsum, Add</i>	1.51	
	<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.43	
	<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.54	
	<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	1.77	
	<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.66	
	<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.33	
	<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	2.65	
07 21 13 13-0044	SF 3/4" Thick, R3.7, Extruded Polystyrene, Foam Board Insulation, Mechanically Fastened	1.56	0.30
	<i>For Horizontal Surface Application, Deduct</i>	-0.05	
	<i>For Vapor Barrier, Integral With Insulation, Add</i>	0.05	
	<i>For 25 PSI Compressive Strength, Add</i>	0.17	
	<i>For 40 PSI Compressive Strength, Add</i>	0.40	
	<i>For 60 PSI Compressive Strength, Add</i>	0.64	
	<i>For 115 PSI Compressive Strength, Add</i>	2.77	
	<i>For Mechanically Fastened To Concrete, Add</i>	1.24	
	<i>For Mechanically Fastened To Gypsum, Add</i>	1.51	
	<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.43	
	<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.54	
	<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	1.77	
	<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.66	
	<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.33	
	<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	2.65	
07 21 13 13-0045	SF 1" Thick, R5.0, Extruded Polystyrene, Foam Board Insulation, Mechanically Fastened	1.66	0.30
	<i>For Horizontal Surface Application, Deduct</i>	-0.05	
	<i>For Vapor Barrier, Integral With Insulation, Add</i>	0.05	
	<i>For 25 PSI Compressive Strength, Add</i>	0.18	
	<i>For 40 PSI Compressive Strength, Add</i>	0.44	
	<i>For 60 PSI Compressive Strength, Add</i>	0.69	
	<i>For 115 PSI Compressive Strength, Add</i>	3.01	
	<i>For Mechanically Fastened To Concrete, Add</i>	1.24	
	<i>For Mechanically Fastened To Gypsum, Add</i>	1.51	
	<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.43	
	<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.54	
	<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	1.77	
	<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.66	
	<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.33	
	<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	2.65	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 21 13 13-0046 SF 2" Thick, R10.0, Extruded Polystyrene, Foam Board Insulation, Mechanically Fastened	2.62	0.31
For Horizontal Surface Application, Deduct	-0.05	
For Vapor Barrier, Integral With Insulation, Add	0.05	
For 25 PSI Compressive Strength, Add	0.34	
For 40 PSI Compressive Strength, Add	0.80	
For 60 PSI Compressive Strength, Add	1.24	
For 115 PSI Compressive Strength, Add	5.45	
For Mechanically Fastened To Concrete, Add	1.28	
For Mechanically Fastened To Gypsum, Add	1.48	
For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add	0.55	
For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add	1.58	
For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add	1.78	
For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add	0.82	
For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add	2.35	
For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add	2.67	
07 21 13 13-0047 SF 3" Thick, R15.0, Extruded Polystyrene, Foam Board Insulation, Mechanically Fastened	3.57	0.32
For Horizontal Surface Application, Deduct	-0.05	
For Vapor Barrier, Integral With Insulation, Add	0.05	
For 25 PSI Compressive Strength, Add	0.49	
For 40 PSI Compressive Strength, Add	1.16	
For 60 PSI Compressive Strength, Add	1.79	
For 115 PSI Compressive Strength, Add	7.87	
For Mechanically Fastened To Concrete, Add	1.31	
For Mechanically Fastened To Gypsum, Add	1.53	
For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add	0.63	
For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add	1.66	
For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add	1.88	
For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add	0.94	
For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add	2.50	
For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add	2.83	
07 21 13 13-0048 SF 4" Thick, R20.0, Extruded Polystyrene, Foam Board Insulation, Mechanically Fastened	4.12	0.33
For Horizontal Surface Application, Deduct	-0.06	
For Vapor Barrier, Integral With Insulation, Add	0.05	
For 25 PSI Compressive Strength, Add	0.57	
For 40 PSI Compressive Strength, Add	1.36	
For 60 PSI Compressive Strength, Add	2.10	
For 115 PSI Compressive Strength, Add	9.23	
For Mechanically Fastened To Concrete, Add	1.35	
For Mechanically Fastened To Gypsum, Add	1.55	
For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add	0.73	
For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add	1.77	
For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add	1.97	
For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add	1.10	
For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add	2.67	
For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add	2.96	
07 21 13 16 Fibrous Board Insulation (07 21 13)		
07 21 13 16-0001 Cold Adhesive Applied Fibrous Board Insulation (07 21 13 16)		
07 21 13 16-0002 Cold Adhesive Applied, Wood Fiber (Cellulosic-Fiber), Fibrous Board Insulation (07 21 13 16-0001)		
07 21 13 16-0003 SF 1" Thick, R2.6, Wood Fiber (Cellulosic-Fiber), Fibrous Board Insulation, Cold Adhesive Applied	1.70	0.38
For Horizontal Surface Application, Deduct	-0.06	
For Vapor Barrier, Integral With Insulation, Add	0.05	
For Factory Painted On One Surface Add	0.17	
07 21 13 16-0004 SF 2" Thick, R5.2, Wood Fiber (Cellulosic-Fiber), Fibrous Board Insulation, Cold Adhesive Applied	2.51	0.46
For Horizontal Surface Application, Deduct	-0.08	
For Vapor Barrier, Integral With Insulation, Add	0.05	
For Factory Painted On One Surface Add	0.17	
07 21 13 16-0005 SF 3" Thick, R7.8, Wood Fiber (Cellulosic-Fiber), Fibrous Board Insulation, Cold Adhesive Applied	3.31	0.53
For Horizontal Surface Application, Deduct	-0.09	
For Vapor Barrier, Integral With Insulation, Add	0.05	
For Factory Painted On One Surface Add	0.17	
07 21 13 16-0006 Cold Adhesive Applied, Fiberglass, Fibrous Board Insulation (07 21 13 16-0001)		
07 21 13 16-0007 SF 1" Thick, R4.2, Fiberglass, Fibrous Board Insulation, Cold Adhesive Applied	3.02	0.30
For Horizontal Surface Application, Deduct	-0.05	
For Vapor Barrier, Integral With Insulation, Add	0.05	
For Factory Painted On One Surface Add	0.17	
07 21 13 16-0008 SF 1-1/2" Thick, R6.0, Fiberglass, Fibrous Board Insulation, Cold Adhesive Applied	3.37	0.31
For Horizontal Surface Application, Deduct	-0.05	
For Vapor Barrier, Integral With Insulation, Add	0.05	
For Factory Painted On One Surface Add	0.17	
07 21 13 16-0009 SF 2" Thick, R8.0, Fiberglass, Fibrous Board Insulation, Cold Adhesive Applied	4.15	0.31
For Horizontal Surface Application, Deduct	-0.05	
For Vapor Barrier, Integral With Insulation, Add	0.05	
For Factory Painted On One Surface Add	0.17	
07 21 13 16-0010 SF 2-1/2" Thick, R10.0, Fiberglass, Fibrous Board Insulation, Cold Adhesive Applied	4.77	0.31
For Horizontal Surface Application, Deduct	-0.05	
For Vapor Barrier, Integral With Insulation, Add	0.05	
For Factory Painted On One Surface Add	0.17	

07 Thermal And Moisture Protection**07 20 Thermal Protection****07 21 Thermal Insulation**

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 21 13 16-0011 SF 3" Thick, R12.4, Fiberglass, Fibrous Board Insulation, Cold Adhesive Applied.....	5.39	0.32
<i>For Horizontal Surface Application, Deduct</i>	-0.05	
<i>For Vapor Barrier, Integral With Insulation, Add</i>	0.05	
<i>For Factory Painted On One Surface Add</i>	0.17	
07 21 13 16-0012 Mechanically Fastened Fibrous Board Insulation (07 21 13 16)		
Note: Mechanically fastened to wood or steel.		
07 21 13 16-0013 Mechanically Fastened, Wood Fiber (Cellulosic-Fiber), Fibrous Board Insulation (07 21 13 16-0012)		
Note: Mechanically fastened to wood or steel.		
07 21 13 16-0014 SF 1" Thick, R2.6, Wood Fiber (Cellulosic-Fiber), Fibrous Board Insulation, Mechanically Fastened.....	1.56	0.38
<i>For Horizontal Surface Application, Deduct</i>	-0.06	
<i>For Vapor Barrier, Integral With Insulation, Add</i>	0.05	
<i>For Factory Painted On One Surface Add</i>	0.17	
<i>For Mechanically Fastened To Concrete, Add</i>	1.24	
<i>For Mechanically Fastened To Gypsum, Add</i>	1.51	
<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.43	
<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.54	
<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	1.77	
<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.66	
<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.33	
<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	2.65	
07 21 13 16-0015 SF 2" Thick, R5.2, Wood Fiber (Cellulosic-Fiber), Fibrous Board Insulation, Mechanically Fastened.....	2.41	0.46
<i>For Horizontal Surface Application, Deduct</i>	-0.08	
<i>For Vapor Barrier, Integral With Insulation, Add</i>	0.05	
<i>For Factory Painted On One Surface Add</i>	0.17	
<i>For Mechanically Fastened To Concrete, Add</i>	1.28	
<i>For Mechanically Fastened To Gypsum, Add</i>	1.48	
<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.55	
<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.58	
<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	1.78	
<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.82	
<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.35	
<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	2.67	
07 21 13 16-0016 SF 3" Thick, R7.8, Wood Fiber (Cellulosic-Fiber), Fibrous Board Insulation, Mechanically Fastened.....	3.26	0.53
<i>For Horizontal Surface Application, Deduct</i>	-0.09	
<i>For Vapor Barrier, Integral With Insulation, Add</i>	0.05	
<i>For Factory Painted On One Surface Add</i>	0.17	
<i>For Mechanically Fastened To Concrete, Add</i>	1.31	
<i>For Mechanically Fastened To Gypsum, Add</i>	1.53	
<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.63	
<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.66	
<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	1.88	
<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.94	
<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.50	
<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	2.83	
07 21 13 16-0017 Mechanically Fastened, Fiberglass, Fibrous Board Insulation (07 21 13 16-0012)		
Note: Mechanically fastened to wood or steel.		
07 21 13 16-0018 SF 1" Thick, R4.2, Fiberglass, Fibrous Board Insulation, Mechanically Fastened.....	2.88	0.30
<i>For Horizontal Surface Application, Deduct</i>	-0.05	
<i>For Vapor Barrier, Integral With Insulation, Add</i>	0.05	
<i>For Factory Painted On One Surface Add</i>	0.17	
<i>For Mechanically Fastened To Concrete, Add</i>	1.24	
<i>For Mechanically Fastened To Gypsum, Add</i>	1.51	
<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.43	
<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.54	
<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	1.77	
<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.66	
<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.33	
<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	2.65	
07 21 13 16-0019 SF 1-1/2" Thick, R6.0, Fiberglass, Fibrous Board Insulation, Mechanically Fastened.....	3.27	0.31
<i>For Horizontal Surface Application, Deduct</i>	-0.05	
<i>For Vapor Barrier, Integral With Insulation, Add</i>	0.05	
<i>For Factory Painted On One Surface Add</i>	0.17	
<i>For Mechanically Fastened To Concrete, Add</i>	1.28	
<i>For Mechanically Fastened To Gypsum, Add</i>	1.48	
<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.55	
<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.58	
<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	1.77	
<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.82	
<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.35	
<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	2.65	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 21 13 16-0020 SF 2" Thick, R8.0, Fiberglass, Fibrous Board Insulation, Mechanically Fastened.....	4.05	0.31
<i>For Horizontal Surface Application, Deduct</i>	-0.05	
<i>For Vapor Barrier, Integral With Insulation, Add</i>	0.05	
<i>For Factory Painted On One Surface Add</i>	0.17	
<i>For Mechanically Fastened To Concrete, Add</i>	1.28	
<i>For Mechanically Fastened To Gypsum, Add</i>	1.48	
<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.55	
<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.58	
<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	1.78	
<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.82	
<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.35	
<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	2.67	
07 21 13 16-0021 SF 2-1/2" Thick, R10.0, Fiberglass, Fibrous Board Insulation, Mechanically Fastened.....	4.72	0.31
<i>For Horizontal Surface Application, Deduct</i>	-0.05	
<i>For Vapor Barrier, Integral With Insulation, Add</i>	0.05	
<i>For Factory Painted On One Surface Add</i>	0.17	
<i>For Mechanically Fastened To Concrete, Add</i>	1.31	
<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.63	
<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.66	
<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.94	
<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.50	
<i>For Mechanically Fastened To Gypsum, Add</i>	1.50	
<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	1.85	
<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	2.79	
07 21 13 16-0022 SF 3" Thick, R12.4, Fiberglass, Fibrous Board Insulation, Mechanically Fastened.....	5.34	0.32
<i>For Horizontal Surface Application, Deduct</i>	-0.05	
<i>For Vapor Barrier, Integral With Insulation, Add</i>	0.05	
<i>For Factory Painted On One Surface Add</i>	0.17	
<i>For Mechanically Fastened To Concrete, Add</i>	1.31	
<i>For Mechanically Fastened To Gypsum, Add</i>	1.53	
<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.63	
<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.66	
<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	1.88	
<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.94	
<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.50	
<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	2.83	
07 21 13 19 Mineral Board Insulation (07 21 13)		
07 21 13 19-0001 Cold Adhesive Applied Mineral Board Insulation (07 21 13 19)		
07 21 13 19-0002 Cold Adhesive Applied, High-Density Fiberboard, Mineral Board Insulation (07 21 13 19-0001)		
07 21 13 19-0003 SF 1/2" Thick, R1.3, High-Density Fiberboard, Mineral Board Insulation, Cold Adhesive Applied	1.30	0.34
<i>For Horizontal Surface Application, Deduct</i>	-0.06	
<i>For Vapor Barrier, Integral With Insulation, Add</i>	0.05	
<i>For Factory Painted On One Surface Add</i>	0.17	
07 21 13 19-0004 SF 25/32" Thick, R1.9, High-Density Fiberboard, Mineral Board Insulation, Cold Adhesive Applied	1.54	0.36
<i>For Horizontal Surface Application, Deduct</i>	-0.06	
<i>For Vapor Barrier, Integral With Insulation, Add</i>	0.05	
<i>For Factory Painted On One Surface Add</i>	0.17	
07 21 13 19-0005 SF 1" Thick, R2.5, High-Density Fiberboard, Mineral Board Insulation, Cold Adhesive Applied	1.78	0.38
<i>For Horizontal Surface Application, Deduct</i>	-0.06	
<i>For Vapor Barrier, Integral With Insulation, Add</i>	0.05	
<i>For Factory Painted On One Surface Add</i>	0.17	
07 21 13 19-0006 SF 1-1/2" Thick, R3.8, High-Density Fiberboard, Mineral Board Insulation, Cold Adhesive Applied	2.23	0.42
<i>For Horizontal Surface Application, Deduct</i>	-0.07	
<i>For Vapor Barrier, Integral With Insulation, Add</i>	0.05	
<i>For Factory Painted On One Surface Add</i>	0.17	
07 21 13 19-0007 SF 2" Thick, R5.0, High-Density Fiberboard, Mineral Board Insulation, Cold Adhesive Applied	2.67	0.46
<i>For Horizontal Surface Application, Deduct</i>	-0.08	
<i>For Vapor Barrier, Integral With Insulation, Add</i>	0.05	
<i>For Factory Painted On One Surface Add</i>	0.17	
07 21 13 19-0008 SF 3" Thick, R7.5, High-Density Fiberboard, Mineral Board Insulation, Cold Adhesive Applied	3.55	0.53
<i>For Horizontal Surface Application, Deduct</i>	-0.09	
<i>For Vapor Barrier, Integral With Insulation, Add</i>	0.05	
<i>For Factory Painted On One Surface Add</i>	0.17	
07 21 13 19-0009 Mechanically Fastened Mineral Board Insulation (07 21 13 19)		
Note: Mechanically fastened to wood or steel.		
07 21 13 19-0010 Mechanically Fastened, High-Density Fiberboard, Mineral Board Insulation (07 21 13 19-0009)		
Note: Mechanically fastened to wood or steel.		
07 21 13 19-0011 SF 1/2" Thick, R1.3, High-Density Fiberboard, Mineral Board Insulation, Mechanically Fastened.....	1.15	0.34
<i>For Horizontal Surface Application, Deduct</i>	-0.06	
<i>For Vapor Barrier, Integral With Insulation, Add</i>	0.05	
<i>For Factory Painted On One Surface Add</i>	0.17	
<i>For Mechanically Fastened To Concrete, Add</i>	1.24	
<i>For Mechanically Fastened To Gypsum, Add</i>	1.51	
<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.43	
<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.54	
<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	1.77	
<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.66	
<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.33	
<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	2.65	

07 Thermal And Moisture Protection**07 20 Thermal Protection****07 21 Thermal Insulation**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 21 13 19-0012	SF		25/32" Thick, R1.9, High-Density Fiberboard, Mineral Board Insulation, Mechanically Fastened.....	1.40	0.36
			<i>For Horizontal Surface Application, Deduct</i>	-0.06	
			<i>For Vapor Barrier, Integral With Insulation, Add</i>	0.05	
			<i>For Factory Painted On One Surface Add</i>	0.17	
			<i>For Mechanically Fastened To Concrete, Add</i>	1.24	
			<i>For Mechanically Fastened To Gypsum, Add</i>	1.51	
			<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.43	
			<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.54	
			<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	1.77	
			<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.66	
			<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.33	
			<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	2.65	
07 21 13 19-0013	SF		1" Thick, R2.5, High-Density Fiberboard, Mineral Board Insulation, Mechanically Fastened.....	1.64	0.38
			<i>For Horizontal Surface Application, Deduct</i>	-0.06	
			<i>For Vapor Barrier, Integral With Insulation, Add</i>	0.05	
			<i>For Factory Painted On One Surface Add</i>	0.17	
			<i>For Mechanically Fastened To Concrete, Add</i>	1.24	
			<i>For Mechanically Fastened To Gypsum, Add</i>	1.51	
			<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.43	
			<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.54	
			<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	1.77	
			<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.66	
			<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.33	
			<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	2.65	
07 21 13 19-0014	SF		1-1/2" Thick, R3.8, High-Density Fiberboard, Mineral Board Insulation, Mechanically Fastened.....	2.13	0.42
			<i>For Horizontal Surface Application, Deduct</i>	-0.07	
			<i>For Vapor Barrier, Integral With Insulation, Add</i>	0.05	
			<i>For Factory Painted On One Surface Add</i>	0.17	
			<i>For Mechanically Fastened To Concrete, Add</i>	1.28	
			<i>For Mechanically Fastened To Gypsum, Add</i>	1.48	
			<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.55	
			<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.58	
			<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	1.77	
			<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.82	
			<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.35	
			<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	2.65	
07 21 13 19-0015	SF		2" Thick, R5.0, High-Density Fiberboard, Mineral Board Insulation, Mechanically Fastened.....	2.57	0.46
			<i>For Horizontal Surface Application, Deduct</i>	-0.08	
			<i>For Vapor Barrier, Integral With Insulation, Add</i>	0.05	
			<i>For Factory Painted On One Surface Add</i>	0.17	
			<i>For Mechanically Fastened To Concrete, Add</i>	1.28	
			<i>For Mechanically Fastened To Gypsum, Add</i>	1.48	
			<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.55	
			<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.58	
			<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	1.78	
			<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.82	
			<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.35	
			<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	2.67	
07 21 13 19-0016	SF		3" Thick, R7.5, High-Density Fiberboard, Mineral Board Insulation, Mechanically Fastened.....	3.50	0.53
			<i>For Horizontal Surface Application, Deduct</i>	-0.09	
			<i>For Vapor Barrier, Integral With Insulation, Add</i>	0.05	
			<i>For Factory Painted On One Surface Add</i>	0.17	
			<i>For Mechanically Fastened To Concrete, Add</i>	1.31	
			<i>For Mechanically Fastened To Gypsum, Add</i>	1.53	
			<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.63	
			<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.66	
			<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	1.88	
			<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.94	
			<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.50	
			<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	2.83	
07 21 16			Blanket Insulation (07 21)		
			Note: All insulation rolls or batts applied to wood or steel studs or between rafters or between metal building "skin" and framing.		
07 21 16 00-0001			Fiberglass Flexible Insulation (07 21 16)		
			Note: Rolls or batts.		
07 21 16 00-0002			Kraft Faced, Fiberglass Flexible Insulation (07 21 16 00-0001)		
07 21 16 00-0003	SF		3-1/2" Thick, Kraft Faced, R-11 Fiberglass Flexible Insulation.....	1.15	0.33
			<i>For >1,600, Deduct</i>	-0.11	
07 21 16 00-0004	SF		3-1/2" Thick, Kraft Faced, R-13 Fiberglass Flexible Insulation.....	1.26	0.33
			<i>For >1,600, Deduct</i>	-0.13	
07 21 16 00-0005	SF		3-1/2" Thick, Kraft Faced, R-15 Fiberglass Flexible Insulation.....	1.29	0.33
			<i>For >1,600, Deduct</i>	-0.13	
07 21 16 00-0006	SF		5-1/2" Thick, Kraft Faced, R-21 Fiberglass Flexible Insulation.....	1.74	0.33
			<i>For >1,600, Deduct</i>	-0.20	
07 21 16 00-0007	SF		6-1/4" Thick, Kraft Faced, R-19 Fiberglass Flexible Insulation.....	1.41	0.33
			<i>For >1,600, Deduct</i>	-0.15	
07 21 16 00-0008	SF		9-1/2" Thick, Kraft Faced, R-30 Fiberglass Flexible Insulation.....	2.20	0.41
			<i>For >1,600, Deduct</i>	-0.24	
07 21 16 00-0009	SF		12" Thick, Kraft Faced, R-38 Fiberglass Flexible Insulation.....	2.36	0.41
			<i>For >1,600, Deduct</i>	-0.26	
07 21 16 00-0010			Unfaced, Fiberglass Flexible Insulation (07 21 16 00-0001)		



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 21 16 00-0011 SF 3-1/2" Thick, Unfaced, R-11 Fiberglass Flexible Insulation.....	1.08	0.33
<i>For >1,600, Deduct</i>	-0.10	
07 21 16 00-0012 SF 3-1/2" Thick, Unfaced, R-13 Fiberglass Flexible Insulation.....	1.20	0.33
<i>For >1,600, Deduct</i>	-0.12	
07 21 16 00-0013 SF 3-1/2" Thick, Unfaced, R-15 Fiberglass Flexible Insulation.....	1.65	0.33
<i>For >1,600, Deduct</i>	-0.18	
07 21 16 00-0014 SF 5-1/2" Thick, Unfaced, R-21 Fiberglass Flexible Insulation.....	1.67	0.33
<i>For >1,600, Deduct</i>	-0.19	
07 21 16 00-0015 SF 6-1/4" Thick, Unfaced, R-19 Fiberglass Flexible Insulation.....	1.36	0.33
<i>For >1,600, Deduct</i>	-0.14	
07 21 16 00-0016 SF 9-1/2" Thick, Unfaced, R-30 Fiberglass Flexible Insulation.....	2.07	0.41
<i>For >1,600, Deduct</i>	-0.22	
07 21 16 00-0017 SF 12" Thick, Unfaced, R-38 Fiberglass Flexible Insulation.....	2.27	0.41
<i>For >1,600, Deduct</i>	-0.25	
07 21 16 00-0018 Foil Faced, Fiberglass Flexible Insulation (07 21 16 00-0001)		
07 21 16 00-0019 SF 3-1/2" Thick, Foil Faced, R-11 Fiberglass Flexible Insulation.....	1.34	0.33
<i>For >1,600, Deduct</i>	-0.14	
07 21 16 00-0020 SF 3-1/2" Thick, Foil Faced, R-13 Fiberglass Flexible Insulation.....	1.51	0.33
<i>For >1,600, Deduct</i>	-0.16	
07 21 16 00-0021 SF 6-1/4" Thick, Foil Faced, R-19 Fiberglass Flexible Insulation.....	1.65	0.33
<i>For >1,600, Deduct</i>	-0.18	
07 21 16 00-0022 SF 10-1/4" Thick, Foil Faced, R-38 Fiberglass Flexible Insulation.....	2.48	0.41
<i>For >1,600, Deduct</i>	-0.28	
07 21 16 00-0023 SF 12" Thick, Foil Faced, R-38 Fiberglass Flexible Insulation.....	2.68	0.41
<i>For >1,600, Deduct</i>	-0.31	
07 21 16 00-0024 Poly-Encapsulated, Fiberglass Flexible Insulation (07 21 16 00-0001)		
07 21 16 00-0025 SF 3-1/2" Thick, Poly-Encapsulated, R-11 Fiberglass Flexible Insulation.....	1.19	0.33
<i>For >1,600, Deduct</i>	-0.11	
07 21 16 00-0026 SF 3-1/2" Thick, Poly-Encapsulated, R-13 Fiberglass Flexible Insulation.....	1.29	0.33
<i>For >1,600, Deduct</i>	-0.13	
07 21 16 00-0027 SF 5-1/2" Thick, Poly-Encapsulated, R-21 Fiberglass Flexible Insulation.....	1.80	0.33
<i>For >1,600, Deduct</i>	-0.21	
07 21 16 00-0028 SF 6-1/2" Thick, Poly-Encapsulated, R-19 Fiberglass Flexible Insulation.....	1.43	0.33
<i>For >1,600, Deduct</i>	-0.15	
07 21 16 00-0029 SF 8-1/4" Thick, Poly-Encapsulated, R-25 Fiberglass Flexible Insulation.....	2.20	0.41
<i>For >1,600, Deduct</i>	-0.24	
07 21 16 00-0030 SF 10-1/4" Thick, Poly-Encapsulated, R-30 Fiberglass Flexible Insulation.....	2.27	0.41
<i>For >1,600, Deduct</i>	-0.25	
07 21 16 00-0031 Mineral Wool Flexible Insulation (07 21 16)		
07 21 16 00-0032 Kraft Faced, Mineral Wool Flexible Insulation (07 21 16 00-0031)		
07 21 16 00-0033 SF 3-1/2" Kraft Faced, R-11 Mineral Wool Flexible Insulation.....	1.31	0.33
<i>For >1,600, Deduct</i>	-0.13	
07 21 16 00-0034 SF 6-1/4" Kraft Faced, R-19 Mineral Wool Flexible Insulation.....	1.76	0.33
<i>For >1,600, Deduct</i>	-0.20	
07 21 16 00-0035 SF 9-1/2" Kraft Faced, R-30 Mineral Wool Flexible Insulation.....	2.87	0.33
<i>For >1,600, Deduct</i>	-0.35	
07 21 16 00-0036 SF 12" Kraft Faced, R-38 Mineral Wool Flexible Insulation.....	3.30	0.33
<i>For >1,600, Deduct</i>	-0.41	
07 21 16 00-0037 Unfaced, Mineral Wool Flexible Insulation (07 21 16 00-0031)		
07 21 16 00-0038 SF 3-1/2" Unfaced, R-11 Mineral Wool Flexible Insulation.....	1.21	0.33
<i>For >1,600, Deduct</i>	-0.12	
07 21 16 00-0039 SF 6-1/4" Unfaced, R-19 Mineral Wool Flexible Insulation.....	1.60	0.33
<i>For >1,600, Deduct</i>	-0.17	
07 21 16 00-0040 SF 9-1/2" Unfaced, R-30 Mineral Wool Flexible Insulation.....	2.56	0.33
<i>For >1,600, Deduct</i>	-0.30	
07 21 16 00-0041 SF 12" Unfaced, R-38 Mineral Wool Flexible Insulation.....	2.93	0.33
<i>For >1,600, Deduct</i>	-0.36	
07 21 16 00-0042 Natural Cotton Insulation (07 21 16)		
07 21 16 00-0043 UltraTouch™ Natural Cotton Insulation (07 21 16 00-0042)		
Note: 85% recycled denim cotton.		
07 21 16 00-0044 SF 3-1/2", R-13 UltraTouch™ Natural Cotton Insulation.....	1.84	0.33
<i>For >1,600, Deduct</i>	-0.21	
07 21 16 00-0045 SF 5-1/2", R-19 UltraTouch™ Natural Cotton Insulation.....	2.09	0.33
<i>For >1,600, Deduct</i>	-0.25	
07 21 16 00-0046 SF 5-1/2", R-21 UltraTouch™ Natural Cotton Insulation.....	2.35	0.33
<i>For >1,600, Deduct</i>	-0.28	
07 21 16 00-0047 SF 8", R-30 UltraTouch™ Natural Cotton Insulation.....	3.22	0.33
<i>For >1,600, Deduct</i>	-0.40	

07 21 19 Foamed-In-Place Insulation (07 21)

07 Thermal And Moisture Protection**07 20 Thermal Protection****07 21 Thermal Insulation**MINOR
CSI UOM DESCRIPTIONTOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 21	19 00-0001		Polyurethane Foam Insulation, Sprayed On (07 21 19)		
07 21	19 00-0002	SF	1" Thick, R3.8, 0.5 PCF, Open Cell, Spray Polyurethane Foam Insulation.....	1.04	
07 21	19 00-0003	SF	2" Thick, R7.6, 0.5 PCF, Open Cell, Spray Polyurethane Foam Insulation.....	1.73	
07 21	19 00-0004	SF	3" Thick, R11.4, 0.5 PCF, Open Cell, Spray Polyurethane Foam Insulation.....	2.44	
07 21	19 00-0005	SF	4" Thick, R15.2, 0.5 PCF, Open Cell, Spray Polyurethane Foam Insulation.....	3.13	
07 21	19 00-0006	SF	5" Thick, R19.0, 0.5 PCF, Open Cell, Spray Polyurethane Foam Insulation.....	3.83	
07 21	19 00-0007	SF	6" Thick, R22.8, 0.5 PCF, Open Cell, Spray Polyurethane Foam Insulation.....	4.52	
07 21	19 00-0008	SF	1" Thick, R6.5, 2.0 PCF, Closed Cell, Spray Polyurethane Foam Insulation.....	1.99	
07 21	19 00-0009	SF	2" Thick, R13.0, 2.0 PCF, Closed Cell, Spray Polyurethane Foam Insulation.....	3.13	
07 21	19 00-0010	SF	3" Thick, R19.5, 2.0 PCF, Closed Cell, Spray Polyurethane Foam Insulation.....	4.26	
07 21	19 00-0011	SF	4" Thick, R26.0, 2.0 PCF, Closed Cell, Spray Polyurethane Foam Insulation.....	5.40	
07 21	19 00-0012	SF	5" Thick, R32.5, 2.0 PCF, Closed Cell, Spray Polyurethane Foam Insulation.....	6.53	
07 21	19 00-0013	SF	6" Thick, R39.0, 2.0 PCF, Closed Cell, Spray Polyurethane Foam Insulation.....	7.68	
07 21	23		Loose-Fill Insulation (07 21)		
07 21	23 00-0001		Poured Type, Loose Fill Insulation (07 21 23)		
07 21	23 00-0002	CF	R-3.5/Inch, Poured Type, Fiberglass Loose Fill Insulation.....	5.05	1.88
07 21	23 00-0003	CF	R-3.7/Inch, Poured Type, Cellulose Loose Fill Insulation.....	5.49	1.88
07 21	23 00-0004		Concrete Block Wall Cavity Insulation (07 21 23)		
07 21	23 00-0005	CF	R-2.7, Vermiculite Or Perlite, Concrete Block Wall Cavity Insulation.....	7.44	1.88
07 21	23 00-0006	CF	R-4, Polystyrene Foam, Concrete Block Wall Cavity Insulation.....	7.36	1.88
07 21	26		Blown Insulation (07 21)		
07 21	26 00-0001		Fiberglass Blown-In Insulation (07 21 26)		
07 21	26 00-0002		Attic, Fiberglass Blown-In Insulation (07 21 26 00-0001)		
07 21	26 00-0003	SF	3-3/4" Thick, R-13 Attic, Fiberglass Blown In Insulation.....	1.19	0.87
07 21	26 00-0004	SF	6-1/4" Thick, R-19 Attic, Fiberglass Blown In Insulation.....	1.53	1.05
07 21	26 00-0005	SF	7-1/4" Thick, R-22 Attic, Fiberglass Blown In Insulation.....	1.68	1.13
07 21	26 00-0006	SF	10-1/4" Thick, R-30 Attic, Fiberglass Blown In Insulation.....	1.98	1.22
07 21	26 00-0007	SF	12-3/4" Thick, R-38 Attic, Fiberglass Blown In Insulation.....	2.28	1.30
07 21	26 00-0008	SF	13-1/2" Thick, R-40 Attic, Fiberglass Blown In Insulation.....	2.47	1.38
07 21	26 00-0009	SF	14-3/4" Thick, R-44 Attic, Fiberglass Blown In Insulation.....	2.53	1.38
07 21	26 00-0010	SF	16-1/2" Thick, R-49 Attic, Fiberglass Blown In Insulation.....	2.67	1.38
07 21	26 00-0011	SF	19" Thick, R-56 Attic, Fiberglass Blown In Insulation.....	2.98	1.38
07 21	26 00-0012	SF	21" Thick, R-60 Attic, Fiberglass Blown In Insulation.....	2.99	1.38
07 21	26 00-0013		New Wall, Fiberglass Blown-In Insulation (07 21 26 00-0001)		
07 21	26 00-0014	SF	3-1/2" Thick, R-15 New Wall, Fiberglass Blown In Insulation.....	1.74	0.87
07 21	26 00-0015	SF	5-1/2" Thick, R-23 New Wall, Fiberglass Blown In Insulation.....	2.36	1.05
07 21	26 00-0016	SF	7-1/4" Thick, R-31 New Wall, Fiberglass Blown In Insulation.....	2.81	1.13
07 21	26 00-0017	SF	9-1/4" Thick, R-39 New Wall, Fiberglass Blown In Insulation.....	3.37	1.22
07 21	26 00-0018		Existing Wall, Fiberglass Blown-In Insulation (07 21 26 00-0001)		
			Note: Includes drilling. Excludes patching.		
07 21	26 00-0019	SF	3-1/2" Thick, R-15 Existing Wall, Fiberglass Blown In Insulation.....	1.64	0.87
07 21	26 00-0020	SF	5-1/2" Thick, R-23 Existing Wall, Fiberglass Blown In Insulation.....	2.26	1.05
07 21	26 00-0021	SF	7-1/4" Thick, R-31 Existing Wall, Fiberglass Blown In Insulation.....	2.71	1.13
07 21	26 00-0022	SF	9-1/4" Thick, R-39 Existing Wall, Fiberglass Blown In Insulation.....	3.27	1.22
07 21	26 00-0023		Cellulose Blown-In Insulation (07 21 26)		
07 21	26 00-0024		Attic, Cellulose Blown-In Insulation (07 21 26 00-0023)		
07 21	26 00-0025	SF	3-3/4" Thick, R-13 Attic, Cellulose Blown In Insulation.....	1.21	0.87
07 21	26 00-0026	SF	5-1/2" Thick, R-19 Attic, Cellulose Blown In Insulation.....	1.48	0.96
07 21	26 00-0027	SF	6-1/4" Thick, R-22 Attic, Cellulose Blown In Insulation.....	1.66	1.05
07 21	26 00-0028	SF	7-3/4" Thick, R-28 Attic, Cellulose Blown In Insulation.....	1.95	1.13
07 21	26 00-0029	SF	8-1/2" Thick, R-30 Attic, Cellulose Blown In Insulation.....	2.00	1.13
07 21	26 00-0030	SF	10-1/2" Thick, R-38 Attic, Cellulose Blown In Insulation.....	2.35	1.22
07 21	26 00-0031	SF	11" Thick, R-40 Attic, Cellulose Blown In Insulation.....	2.42	1.22
07 21	26 00-0032	SF	13-3/4" Thick, R-50 Attic, Cellulose Blown In Insulation.....	2.84	1.30
07 21	26 00-0033	SF	16-1/2" Thick, R-60 Attic, Cellulose Blown In Insulation.....	3.26	1.38
07 21	26 00-0034		New Wall, Cellulose Blown-In Insulation (07 21 26 00-0023)		
07 21	26 00-0035	SF	3-1/2" Thick, R-13 New Wall, Cellulose Blown In Insulation.....	1.69	0.87
07 21	26 00-0036	SF	5-1/2" Thick, R-20 New Wall, Cellulose Blown In Insulation.....	2.29	1.05
07 21	26 00-0037	SF	7-1/4" Thick, R-27 New Wall, Cellulose Blown In Insulation.....	2.71	1.13
07 21	26 00-0038	SF	9-1/4" Thick, R-34 New Wall, Cellulose Blown In Insulation.....	3.24	1.22



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 21 26 00-0039 Existing Wall, Cellulose Blown-In Insulation <small>(07 21 26 00-0023)</small> Note: Includes drilling. Excludes patching.		
07 21 26 00-0040 SF 3-1/2" Thick, R-13 Existing Wall, Cellulose Blown In Insulation	1.59	0.87
07 21 26 00-0041 SF 5-1/2" Thick, R-20 Existing Wall, Cellulose Blown In Insulation	2.19	1.05
07 21 26 00-0042 SF 7-1/4" Thick, R-27 Existing Wall, Cellulose Blown In Insulation	2.61	1.13
07 21 26 00-0043 SF 9-1/4" Thick, R-34 Existing Wall, Cellulose Blown In Insulation	3.14	1.22
07 21 29 Sprayed Insulation <small>(07 21)</small>		
07 21 29 00-0001 Fiber Sprayed On Insulation <small>(07 21 29)</small>		
07 21 29 00-0002 SF 1" Spray, R2.7 Perlite Insulation	2.09	0.58
07 21 29 00-0003 SF 1" Spray, R3.7 Fibrous/Cementitious Insulation	1.52	0.58
07 21 29 00-0004 Cellulose Sprayed On Insulation <small>(07 21 29)</small>		
07 21 29 00-0005 SF 1" Thick - Cellulose Spray-on Insulation	3.02	0.58
07 21 53 Reflective Insulation <small>(07 21)</small>		
07 21 53 00-0001 Reflective Barrier Insulation (Foil - Single Bubble - Foil) <small>(07 21 53)</small>		
07 21 53 00-0002 SF 3/16" Nominal Thickness, Reflective Barrier Insulation, With Single Bubble Air Space	0.74	
07 22 Roof And Deck Insulation <small>(07 20)</small>		
07 22 16 Roof Board Insulation <small>(07 22)</small> Note: Use these items for specified related installations with systems per CSI section 07 50 00. Items are for single layer of panels attached per FM I-90 requirements. Types are stock sizes set in cold applied adhesive. Apply modifiers for specified alternate attachment.		
07 22 16 00-0001 Rigid Board Roofing Insulation <small>(07 22 16)</small> Note: Use these items for specified related installations with systems per CSI section 07 50 00. Items are for single layer of panels attached per FM I-90 requirements.		
07 22 16 00-0002 Cold Adhesive Applied Rigid Board Roofing Insulation <small>(07 22 16 00-0001)</small>		
07 22 16 00-0003 Cold Adhesive Applied, High-Density Fiberboard, Roof Board Insulation <small>(07 22 16 00-0002)</small>		
07 22 16 00-0004 SF 1/2" Thick, R1.3, High-Density Fiberboard, Roof Board Insulation, Cold Adhesive Applied	1.73	
07 22 16 00-0005 SF 25/32" Thick, R1.9, High-Density Fiberboard, Roof Board Insulation, Cold Adhesive Applied	1.99	
07 22 16 00-0006 SF 1" Thick, R2.5, High-Density Fiberboard, Roof Board Insulation, Cold Adhesive Applied	2.26	
07 22 16 00-0007 SF 1-1/2" Thick, R3.8, High-Density Fiberboard, Roof Board Insulation, Cold Adhesive Applied	2.75	
07 22 16 00-0008 SF 2" Thick, R5, High-Density Fiberboard, Roof Board Insulation, Cold Adhesive Applied	3.24	
07 22 16 00-0009 Cold Adhesive Applied, Wood Fiber (Cellulosic-Fiber), Roof Board Insulation <small>(07 22 16 00-0002)</small>		
07 22 16 00-0010 SF 1/2" Thick, R1.3, Wood Fiber (Cellulosic-Fiber), Roof Board Insulation, Cold Adhesive Applied	1.86	
07 22 16 00-0011 SF 1" Thick, R2.6, Wood Fiber (Cellulosic-Fiber), Roof Board Insulation, Cold Adhesive Applied	2.18	
07 22 16 00-0012 Cold Adhesive Applied, Perlite, Roof Board Insulation <small>(07 22 16 00-0002)</small>		
07 22 16 00-0013 SF 1/2" Thick, R1.32, Perlite, Roof Board Insulation, Cold Adhesive Applied	1.67	
07 22 16 00-0014 SF 1/2" Thick, R1.32, Perlite, Roof Board Insulation, Cold Adhesive Applied	1.67	
07 22 16 00-0015 SF 3/4" Thick, R2.08, Perlite, Roof Board Insulation, Cold Adhesive Applied	1.82	
07 22 16 00-0016 SF 1" Thick, R2.78, Perlite, Roof Board Insulation, Cold Adhesive Applied	2.01	
07 22 16 00-0017 SF 1-1/2" Thick, R4.17, Perlite, Roof Board Insulation, Cold Adhesive Applied	2.46	
07 22 16 00-0018 SF 2" Thick, R5.56, Perlite, Roof Board Insulation, Cold Adhesive Applied	2.74	
07 22 16 00-0019 Cold Adhesive Applied, Basalt Mineral Wool, Roof Board Insulation <small>(07 22 16 00-0002)</small>		
07 22 16 00-0020 SF 1" Thick, R3.5, Basalt Mineral Wool, Roof Board Insulation, Cold Adhesive Applied	2.25	
07 22 16 00-0021 SF 2" Thick, R7.4, Basalt Mineral Wool, Roof Board Insulation, Cold Adhesive Applied	2.97	
07 22 16 00-0022 SF 3" Thick, R11.1, Basalt Mineral Wool, Roof Board Insulation, Cold Adhesive Applied	3.82	
07 22 16 00-0023 Cold Adhesive Applied, Foam Glass (Cellular Glass), Roof Board Insulation <small>(07 22 16 00-0002)</small>		
07 22 16 00-0024 SF 1-1/2" Thick, R5.16, Foam Glass (Cellular Glass), Roof Board Insulation, Cold Adhesive Applied	4.05	
07 22 16 00-0025 SF 2" Thick, R6.88, Foam Glass (Cellular Glass), Roof Board Insulation, Cold Adhesive Applied	4.74	
07 22 16 00-0026 SF 2-3/4" Thick, R8.17, Foam Glass (Cellular Glass), Roof Board Insulation, Cold Adhesive Applied	6.13	
07 22 16 00-0027 SF 3-1/2" Thick, R12.04, Foam Glass (Cellular Glass), Roof Board Insulation, Cold Adhesive Applied	7.51	
07 22 16 00-0028 Cold Adhesive Applied, Molded Expanded Polystyrene, Roof Board Insulation <small>(07 22 16 00-0002)</small>		
07 22 16 00-0029 SF 3/8" Thick, R1.44, Molded Expanded Polystyrene, Roof Board Insulation (MEPS), Cold Adhesive Applied	1.50	-0.80
<i>For Loose-Laid, Deduct</i>		

07 Thermal And Moisture Protection**07 20 Thermal Protection****07 22 Roof And Deck Insulation**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 22 16 00-0030	SF	1/2"	Thick, R1.93, Molded Expanded Polystyrene, Roof Board Insulation (MEPS), Cold Adhesive Applied.....	1.57	
			<i>For Loose-Laid, Deduct</i>	-0.80	
07 22 16 00-0031	SF	3/4"	Thick, R2.89, Molded Expanded Polystyrene, Roof Board Insulation (MEPS), Cold Adhesive Applied.....	1.73	
			<i>For Loose-Laid, Deduct</i>	-0.80	
07 22 16 00-0032	SF	1"	Thick, R3.85, Molded Expanded Polystyrene, Roof Board Insulation (MEPS), Cold Adhesive Applied	1.91	
			<i>For Loose-Laid, Deduct</i>	-0.81	
07 22 16 00-0033	SF	2"	Thick, R7.70, Molded Expanded Polystyrene, Roof Board Insulation (MEPS), Cold Adhesive Applied	2.58	
			<i>For Loose-Laid, Deduct</i>	-0.82	
07 22 16 00-0034	SF	3"	Thick, R11.55, Molded Expanded Polystyrene, Roof Board Insulation (MEPS), Cold Adhesive Applied	3.26	
			<i>For Loose-Laid, Deduct</i>	-0.83	
07 22 16 00-0035	SF	4"	Thick, R15.40, Molded Expanded Polystyrene, Roof Board Insulation (MEPS), Cold Adhesive Applied	3.95	
			<i>For Loose-Laid, Deduct</i>	-0.84	
07 22 16 00-0036	SF	5"	Thick, R19.25, Molded Expanded Polystyrene, Roof Board Insulation (MEPS), Cold Adhesive Applied	4.63	
			<i>For Loose-Laid, Deduct</i>	-0.85	
07 22 16 00-0037	SF	6"	Thick, R23.1, Molded Expanded Polystyrene, Roof Board Insulation (MEPS), Cold Adhesive Applied	5.31	
			<i>For Loose-Laid, Deduct</i>	-0.86	
07 22 16 00-0038			Cold Adhesive Applied, Extruded Polystyrene, Roof Board Insulation (07 22 16 00-0002)		
			Note: 15 PSI compressive strength.		
07 22 16 00-0039	SF	3/4"	Thick, R3.7, Extruded Polystyrene, Roof Board Insulation, Cold Adhesive Applied	2.08	
			<i>For Loose-Laid, Deduct</i>	-0.82	
			<i>For 25 PSI Compressive Strength, Add</i>	0.19	
			<i>For 40 PSI Compressive Strength, Add</i>	0.46	
			<i>For 60 PSI Compressive Strength, Add</i>	0.74	
			<i>For 115 PSI Compressive Strength, Add</i>	3.17	
07 22 16 00-0040	SF	1"	Thick, R5.0, Extruded Polystyrene, Roof Board Insulation, Cold Adhesive Applied	2.19	
			<i>For Loose-Laid, Deduct</i>	-0.83	
			<i>For 25 PSI Compressive Strength, Add</i>	0.21	
			<i>For 40 PSI Compressive Strength, Add</i>	0.49	
			<i>For 60 PSI Compressive Strength, Add</i>	0.80	
			<i>For 115 PSI Compressive Strength, Add</i>	3.43	
07 22 16 00-0041	SF	1-1/2"	Thick, R7.5, Extruded Polystyrene, Roof Board Insulation, Cold Adhesive Applied	2.64	
			<i>For Loose-Laid, Deduct</i>	-0.83	
			<i>For 25 PSI Compressive Strength, Add</i>	0.28	
			<i>For 40 PSI Compressive Strength, Add</i>	0.67	
			<i>For 60 PSI Compressive Strength, Add</i>	1.06	
			<i>For 100 PSI Compressive Strength, Add</i>	1.36	
			<i>For 115 PSI Compressive Strength, Add</i>	4.59	
07 22 16 00-0042	SF	2"	Thick, R10.0, Extruded Polystyrene, Roof Board Insulation, Cold Adhesive Applied	3.11	
			<i>For Loose-Laid, Deduct</i>	-0.84	
			<i>For 25 PSI Compressive Strength, Add</i>	0.35	
			<i>For 40 PSI Compressive Strength, Add</i>	0.84	
			<i>For 60 PSI Compressive Strength, Add</i>	1.32	
			<i>For 115 PSI Compressive Strength, Add</i>	5.75	
07 22 16 00-0043	SF	2-1/2"	Thick, R12.5, Extruded Polystyrene, Roof Board Insulation, Cold Adhesive Applied	3.56	
			<i>For Loose-Laid, Deduct</i>	-0.84	
			<i>For 25 PSI Compressive Strength, Add</i>	0.42	
			<i>For 40 PSI Compressive Strength, Add</i>	1.01	
			<i>For 60 PSI Compressive Strength, Add</i>	1.58	
			<i>For 100 PSI Compressive Strength, Add</i>	2.03	
			<i>For 115 PSI Compressive Strength, Add</i>	6.90	
07 22 16 00-0044	SF	3"	Thick, R15.0, Extruded Polystyrene, Roof Board Insulation, Cold Adhesive Applied	4.03	
			<i>For Loose-Laid, Deduct</i>	-0.85	
			<i>For 25 PSI Compressive Strength, Add</i>	0.50	
			<i>For 40 PSI Compressive Strength, Add</i>	1.18	
			<i>For 60 PSI Compressive Strength, Add</i>	1.84	
			<i>For 115 PSI Compressive Strength, Add</i>	8.06	
07 22 16 00-0045	SF	4"	Thick, R20.0, Extruded Polystyrene, Roof Board Insulation, Cold Adhesive Applied	4.50	
			<i>For Loose-Laid, Deduct</i>	-0.86	
			<i>For 25 PSI Compressive Strength, Add</i>	0.57	
			<i>For 40 PSI Compressive Strength, Add</i>	1.35	
			<i>For 60 PSI Compressive Strength, Add</i>	2.11	
			<i>For 115 PSI Compressive Strength, Add</i>	9.22	
07 22 16 00-0046			Cold Adhesive Applied, Polyisocyanurate Board Roofing Insulation (07 22 16 00-0002)		
07 22 16 00-0047	SF	3/4"	Thick, R4.3, Polyisocyanurate, Roof Board Insulation, Cold Adhesive Applied	1.89	
			<i>For Loose-Laid, Deduct</i>	-0.82	
			<i>For Foil Facer, Add</i>	0.36	
			<i>For 25 PSI Compressive Strength, Add</i>	0.10	
07 22 16 00-0048	SF	1"	Thick, R5.7, Polyisocyanurate, Roof Board Insulation, Cold Adhesive Applied	1.96	
			<i>For Loose-Laid, Deduct</i>	-0.83	
			<i>For Foil Facer, Add</i>	0.36	
			<i>For 25 PSI Compressive Strength, Add</i>	0.11	
07 22 16 00-0049	SF	1-1/2"	Thick, R8.6, Polyisocyanurate, Roof Board Insulation, Cold Adhesive Applied	2.06	
			<i>For Loose-Laid, Deduct</i>	-0.83	
			<i>For Foil Facer, Add</i>	0.36	
			<i>For 25 PSI Compressive Strength, Add</i>	0.12	
07 22 16 00-0050	SF	2"	Thick, R11.4, Polyisocyanurate, Roof Board Insulation, Cold Adhesive Applied	2.33	
			<i>For Loose-Laid, Deduct</i>	-0.84	
			<i>For Foil Facer, Add</i>	0.36	
			<i>For 25 PSI Compressive Strength, Add</i>	0.14	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 22 16 00-0051 SF 2-1/2" Thick, R14.4, Polyisocyanurate, Roof Board Insulation, Cold Adhesive Applied	2.59	
<i>For Loose-Laid, Deduct</i>	-0.84	
<i>For Foil Facer, Add</i>	0.36	
<i>For 25 PSI Compressive Strength, Add</i>	0.17	
07 22 16 00-0052 SF 3" Thick, R17.4, Polyisocyanurate, Roof Board Insulation, Cold Adhesive Applied	2.86	
<i>For Loose-Laid, Deduct</i>	-0.85	
<i>For Foil Facer, Add</i>	0.36	
<i>For 25 PSI Compressive Strength, Add</i>	0.19	
07 22 16 00-0053 SF 3-1/2" Thick, R20.5, Polyisocyanurate, Roof Board Insulation, Cold Adhesive Applied	3.14	
<i>For Loose-Laid, Deduct</i>	-0.85	
<i>For Foil Facer, Add</i>	0.36	
<i>For 25 PSI Compressive Strength, Add</i>	0.22	
07 22 16 00-0054 SF 4" Thick, R23.6, Polyisocyanurate, Roof Board Insulation, Cold Adhesive Applied	3.40	
<i>For Loose-Laid, Deduct</i>	-0.86	
<i>For Foil Facer, Add</i>	0.36	
<i>For 25 PSI Compressive Strength, Add</i>	0.25	
07 22 16 00-0055 Cold Adhesive Applied, High-Density Polyisocyanurate Cover Board And Roofing Insulation <small>(07 22 16 00-0002)</small>		
07 22 16 00-0056 SF 1/2" Thick, R2.5, High-Density Polyisocyanurate Cover Board And Roofing Insulation, Cold Adhesive Applied	2.14	
07 22 16 00-0057 Cold Adhesive Applied, Gypsum-Fiber, Roof Board Insulation (USG Securock) <small>(07 22 16 00-0002)</small>		
07 22 16 00-0058 SF 1/4" Thick, R0.2, Gypsum-Fiber, Roof Board Insulation (USG Securock Gypsum), Cold Adhesive Applied	2.04	
07 22 16 00-0059 SF 3/8" Thick, R0.3, Gypsum-Fiber, Roof Board Insulation (USG Securock Gypsum), Cold Adhesive Applied	2.15	
07 22 16 00-0060 SF 1/2" Thick, R0.5, Gypsum-Fiber, Roof Board Insulation (USG Securock Gypsum), Cold Adhesive Applied	2.22	
07 22 16 00-0061 SF 5/8" Thick, R0.6, Gypsum-Fiber, Roof Board Insulation (USG Securock Gypsum), Cold Adhesive Applied	2.26	
07 22 16 00-0062 Cold Adhesive Applied, Glass-Mat, Roof Board Insulation (USG Securock) <small>(07 22 16 00-0002)</small>		
07 22 16 00-0063 SF 1/4" Thick, R0.36, Glass-Mat, Roof Board Insulation (USG Securock Glass-Mat), Cold Adhesive Applied	2.01	
07 22 16 00-0064 SF 1/2" Thick, R0.53, Glass-Mat, Roof Board Insulation (USG Securock Glass-Mat), Cold Adhesive Applied	2.17	
07 22 16 00-0065 SF 5/8" Thick, R0.54, Glass-Mat, Roof Board Insulation (USG Securock Glass-Mat), Cold Adhesive Applied	2.21	
07 22 16 00-0066 Cold Adhesive Applied, Polyisocyanurate And Oriented Strand Board, Nailbase Roof Board Insulation <small>(07 22 16 00-0002)</small>		
Note: Includes a polyisocyanurate foam core bonded to a 7/16" oriented strand board (OSB) facer.		
07 22 16 00-0067 SF 1.5" Thick, R6.2, Polyisocyanurate And Oriented Strand Board, Nailbase Roof Board Insulation, Cold Adhesive Applied	3.37	
07 22 16 00-0068 SF 2" Thick, R9.1, Polyisocyanurate And Oriented Strand Board, Nailbase Roof Board Insulation, Cold Adhesive Applied	3.52	
07 22 16 00-0069 SF 2.5" Thick, R12.0, Polyisocyanurate And Oriented Strand Board, Nailbase Roof Board Insulation, Cold Adhesive Applied	3.73	
07 22 16 00-0070 SF 3" Thick, R15.0, Polyisocyanurate And Oriented Strand Board, Nailbase Roof Board Insulation, Cold Adhesive Applied	3.87	
07 22 16 00-0071 SF 3.5" Thick, R18.0, Polyisocyanurate And Oriented Strand Board, Nailbase Roof Board Insulation, Cold Adhesive Applied	4.18	
07 22 16 00-0072 SF 4" Thick, R21.1, Polyisocyanurate And Oriented Strand Board, Nailbase Roof Board Insulation, Cold Adhesive Applied	4.31	
07 22 16 00-0073 SF 4.5" Thick, R24.2, Polyisocyanurate And Oriented Strand Board, Nailbase Roof Board Insulation, Cold Adhesive Applied	4.55	
07 22 16 00-0074 Cold Adhesive Applied, Polyisocyanurate And Oriented Strand Board With Air Vent Spacer Strips, Nailbase Roof Board Insulation <small>(07 22 16 00-0002)</small>		
Note: Includes a polyisocyanurate foam core bonded to a 7/16" oriented strand board (OSB) facer.		
07 22 16 00-0075 SF 2.5" Thick, R5.7, Polyisocyanurate And Oriented Strand Board With Air Vent Spacer Strips, Nailbase Roof Board Insulation, Cold Adhesive Applied	3.40	
07 22 16 00-0076 SF 3" Thick, R8.6, Polyisocyanurate And Oriented Strand Board With Air Vent Spacer Strips, Nailbase Roof Board Insulation, Cold Adhesive Applied	3.67	
07 22 16 00-0077 SF 3.5" Thick, R11.4, Polyisocyanurate And Oriented Strand Board With Air Vent Spacer Strips, Nailbase Roof Board Insulation, Cold Adhesive Applied	3.99	
07 22 16 00-0078 SF 4" Thick, R14.4, Polyisocyanurate And Oriented Strand Board With Air Vent Spacer Strips, Nailbase Roof Board Insulation, Cold Adhesive Applied	4.20	
07 22 16 00-0079 SF 4.5" Thick, R17.4, Polyisocyanurate And Oriented Strand Board With Air Vent Spacer Strips, Nailbase Roof Board Insulation, Cold Adhesive Applied	4.48	
07 22 16 00-0080 SF 5" Thick, R20.5, Polyisocyanurate And Oriented Strand Board With Air Vent Spacer Strips, Nailbase Roof Board Insulation, Cold Adhesive Applied	4.77	
07 22 16 00-0081 SF 5.5" Thick, R23.6, Polyisocyanurate And Oriented Strand Board With Air Vent Spacer Strips, Nailbase Roof Board Insulation, Cold Adhesive Applied	5.33	
07 22 16 00-0082 Hot-Mopped Rigid Board Roofing Insulation <small>(07 22 16 00-0001)</small>		
07 22 16 00-0083 Hot-Mopped, High-Density Fiberboard, Roof Board Insulation <small>(07 22 16 00-0082)</small>		
07 22 16 00-0084 SF 1/2" Thick, R1.3, High-Density Fiberboard, Roof Board Insulation, Hot-Mopped	1.61	
07 22 16 00-0085 SF 25/32" Thick, R1.9, High-Density Fiberboard, Roof Board Insulation, Hot-Mopped	1.88	
07 22 16 00-0086 SF 1" Thick, R2.5, High-Density Fiberboard, Roof Board Insulation, Hot-Mopped	2.15	

07 Thermal And Moisture Protection**07 20 Thermal Protection****07 22 Roof And Deck Insulation**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 22 16 00-0087	SF		1-1/2" Thick, R3.8, High-Density Fiberboard, Roof Board Insulation, Hot-Mopped	2.65	
07 22 16 00-0088	SF		2" Thick, R5, High-Density Fiberboard, Roof Board Insulation, Hot-Mopped	3.16	
07 22 16 00-0089			Hot-Mopped, Wood Fiber (Cellulosic-Fiber), Roof Board Insulation (07 22 16 00-0082)		
07 22 16 00-0090	SF		1/2" Thick, R1.3, Wood Fiber (Cellulosic-Fiber), Roof Board Insulation, Hot-Mopped	1.75	
07 22 16 00-0091	SF		1" Thick, R2.6, Wood Fiber (Cellulosic-Fiber), Roof Board Insulation, Hot-Mopped	2.07	
07 22 16 00-0092			Hot-Mopped, Perlite, Roof Board Insulation (07 22 16 00-0082)		
07 22 16 00-0093	SF		1/2" Thick, R1.32, Perlite, Roof Board Insulation, Hot-Mopped	1.54	
07 22 16 00-0094	SF		3/4" Thick, R2.08, Perlite, Roof Board Insulation, Hot-Mopped	1.69	
07 22 16 00-0095	SF		1" Thick, R2.78, Perlite, Roof Board Insulation, Hot-Mopped	1.88	
07 22 16 00-0096	SF		1-1/2" Thick, R4.17, Perlite, Roof Board Insulation, Hot-Mopped	2.32	
07 22 16 00-0097	SF		2" Thick, R5.56, Perlite, Roof Board Insulation, Hot-Mopped	2.61	
07 22 16 00-0098			Hot-Mopped, Basalt Mineral Wool, Roof Board Insulation (07 22 16 00-0082)		
07 22 16 00-0099	SF		1" Thick, R3.5, Basalt Mineral Wool, Roof Board Insulation, Hot-Mopped	2.12	
07 22 16 00-0100	SF		2" Thick, R7.4, Basalt Mineral Wool, Roof Board Insulation, Hot-Mopped	2.84	
07 22 16 00-0101	SF		3" Thick, R11.1, Basalt Mineral Wool, Roof Board Insulation, Hot-Mopped	3.70	
07 22 16 00-0102			Hot-Mopped, Foam Glass (Cellular Glass), Roof Board Insulation (07 22 16 00-0082)		
07 22 16 00-0103	SF		1-1/2" Thick, R5.16, Foam Glass (Cellular Glass), Roof Board Insulation, Hot-Mopped	3.91	
07 22 16 00-0104	SF		2" Thick, R6.88, Foam Glass (Cellular Glass), Roof Board Insulation, Hot-Mopped	4.61	
07 22 16 00-0105	SF		2-3/4" Thick, R8.17, Foam Glass (Cellular Glass), Roof Board Insulation, Hot-Mopped	6.01	
07 22 16 00-0106	SF		3-1/2" Thick, R12.04, Foam Glass (Cellular Glass), Roof Board Insulation, Hot-Mopped	7.39	
07 22 16 00-0107			Hot-Mopped, Molded Expanded Polystyrene, Roof Board Insulation (07 22 16 00-0082)		
07 22 16 00-0108	SF		3/8" Thick, R1.44, Molded Expanded Polystyrene, Roof Board Insulation (MEPS), Hot-Mopped	1.37	
07 22 16 00-0109	SF		1/2" Thick, R1.93, Molded Expanded Polystyrene, Roof Board Insulation (MEPS), Hot-Mopped	1.44	
07 22 16 00-0110	SF		3/4" Thick, R2.89, Molded Expanded Polystyrene, Roof Board Insulation (MEPS), Hot-Mopped	1.51	
07 22 16 00-0111	SF		1" Thick, R3.85, Molded Expanded Polystyrene, Roof Board Insulation (MEPS), Hot-Mopped	1.77	
07 22 16 00-0112	SF		2" Thick, R7.70, Molded Expanded Polystyrene, Roof Board Insulation (MEPS), Hot-Mopped	2.45	
07 22 16 00-0113	SF		3" Thick, R11.55, Molded Expanded Polystyrene, Roof Board Insulation (MEPS), Hot-Mopped	3.14	
07 22 16 00-0114	SF		4" Thick, R15.40, Molded Expanded Polystyrene, Roof Board Insulation (MEPS), Hot-Mopped	3.82	
07 22 16 00-0115	SF		5" Thick, R19.25, Molded Expanded Polystyrene, Roof Board Insulation (MEPS), Hot-Mopped	4.51	
07 22 16 00-0116	SF		6" Thick, R23.1, Molded Expanded Polystyrene, Roof Board Insulation (MEPS), Hot-Mopped	5.18	
07 22 16 00-0117			Hot-Mopped, Extruded Polystyrene, Roof Board Insulation (07 22 16 00-0082)		
			Note: 15 PSI compressive strength.		
07 22 16 00-0118	SF		3/4" Thick, R3.7, Extruded Polystyrene, Roof Board Insulation, Hot-Mopped	1.95	
			For 25 PSI Compressive Strength, Add	0.16	
			For 40 PSI Compressive Strength, Add	0.37	
			For 60 PSI Compressive Strength, Add	0.62	
			For 115 PSI Compressive Strength, Add	2.62	
07 22 16 00-0119	SF		1" Thick, R5.0, Extruded Polystyrene, Roof Board Insulation, Hot-Mopped	2.06	
			For 25 PSI Compressive Strength, Add	0.17	
			For 40 PSI Compressive Strength, Add	0.41	
			For 60 PSI Compressive Strength, Add	0.68	
			For 115 PSI Compressive Strength, Add	2.87	
07 22 16 00-0120	SF		1-1/2" Thick, R7.5, Extruded Polystyrene, Roof Board Insulation, Hot-Mopped	2.51	
			For 25 PSI Compressive Strength, Add	0.24	
			For 40 PSI Compressive Strength, Add	0.58	
			For 60 PSI Compressive Strength, Add	0.94	
			For 100 PSI Compressive Strength, Add	1.20	
			For 115 PSI Compressive Strength, Add	4.03	
07 22 16 00-0121	SF		2" Thick, R10.0, Extruded Polystyrene, Roof Board Insulation, Hot-Mopped	3.07	
			For 25 PSI Compressive Strength, Add	0.32	
			For 40 PSI Compressive Strength, Add	0.75	
			For 60 PSI Compressive Strength, Add	1.20	
			For 115 PSI Compressive Strength, Add	5.17	
07 22 16 00-0122	SF		2-1/2" Thick, R12.5, Extruded Polystyrene, Roof Board Insulation, Hot-Mopped	12.42	
			For 25 PSI Compressive Strength, Add	0.39	
			For 40 PSI Compressive Strength, Add	0.92	
			For 60 PSI Compressive Strength, Add	1.90	
			For 100 PSI Compressive Strength, Add	2.32	
			For 115 PSI Compressive Strength, Add	7.22	
07 22 16 00-0123	SF		3" Thick, R15.0, Extruded Polystyrene, Roof Board Insulation, Hot-Mopped	3.91	
			For 25 PSI Compressive Strength, Add	0.46	
			For 40 PSI Compressive Strength, Add	1.09	
			For 60 PSI Compressive Strength, Add	1.72	
			For 115 PSI Compressive Strength, Add	7.50	
07 22 16 00-0124	SF		4" Thick, R20.0, Extruded Polystyrene, Roof Board Insulation, Hot-Mopped	4.38	
			For 25 PSI Compressive Strength, Add	0.53	
			For 40 PSI Compressive Strength, Add	1.27	
			For 60 PSI Compressive Strength, Add	1.98	
			For 115 PSI Compressive Strength, Add	8.66	



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
-------	-----	-----	-------------	------------------------	----------------------

07 22 16 00-0125			Hot-Mopped, Polyisocyanurate Board Roofing Insulation <small>(07 22 16 00-0082)</small>		
07 22 16 00-0126	SF		3/4" Thick, R4.3, Polyisocyanurate, Roof Board Insulation, Hot-Mopped	1.76	
			<i>For Foil Facer, Add</i>	0.36	
			<i>For 25 PSI Compressive Strength, Add</i>	0.08	
07 22 16 00-0127	SF		1" Thick, R5.7, Polyisocyanurate, Roof Board Insulation, Hot-Mopped	1.83	
			<i>For Foil Facer, Add</i>	0.36	
			<i>For 25 PSI Compressive Strength, Add</i>	0.09	
07 22 16 00-0128	SF		1-1/2" Thick, R8.6, Polyisocyanurate, Roof Board Insulation, Hot-Mopped	1.93	
			<i>For Foil Facer, Add</i>	0.36	
			<i>For 25 PSI Compressive Strength, Add</i>	0.09	
07 22 16 00-0129	SF		2" Thick, R11.4, Polyisocyanurate, Roof Board Insulation, Hot-Mopped	2.20	
			<i>For Foil Facer, Add</i>	0.36	
			<i>For 25 PSI Compressive Strength, Add</i>	0.12	
07 22 16 00-0130	SF		2-1/2" Thick, R14.4, Polyisocyanurate, Roof Board Insulation, Hot-Mopped	2.47	
			<i>For Foil Facer, Add</i>	0.36	
			<i>For 25 PSI Compressive Strength, Add</i>	0.15	
07 22 16 00-0131	SF		3" Thick, R17.4, Polyisocyanurate, Roof Board Insulation, Hot-Mopped	2.73	
			<i>For Foil Facer, Add</i>	0.36	
			<i>For 25 PSI Compressive Strength, Add</i>	0.17	
07 22 16 00-0132	SF		3-1/2" Thick, R20.5, Polyisocyanurate, Roof Board Insulation, Hot-Mopped	2.92	
			<i>For Foil Facer, Add</i>	0.36	
			<i>For 25 PSI Compressive Strength, Add</i>	0.20	
07 22 16 00-0133	SF		4" Thick, R23.6, Polyisocyanurate, Roof Board Insulation, Hot-Mopped	3.27	
			<i>For Foil Facer, Add</i>	0.36	
			<i>For 25 PSI Compressive Strength, Add</i>	0.22	

07 22 16 00-0134			Hot-Mopped, Gypsum-Fiber, Roof Board Insulation (USG Securock) <small>(07 22 16 00-0082)</small>		
07 22 16 00-0135	SF		1/4" Thick, R0.2, Gypsum-Fiber, Roof Board Insulation (USG Securock Gypsum), Hot-Mopped	1.92	
07 22 16 00-0136	SF		3/8" Thick, R0.3, Gypsum-Fiber, Roof Board Insulation (USG Securock Gypsum), Hot-Mopped	2.03	
07 22 16 00-0137	SF		1/2" Thick, R0.5, Gypsum-Fiber, Roof Board Insulation (USG Securock Gypsum), Hot-Mopped	2.10	
07 22 16 00-0138	SF		5/8" Thick, R0.6, Gypsum-Fiber, Roof Board Insulation (USG Securock Gypsum), Hot-Mopped	2.14	

07 22 16 00-0139			Hot-Mopped, Glass-Mat, Roof Board Insulation (USG Securock) <small>(07 22 16 00-0082)</small>		
07 22 16 00-0140	SF		1/4" Thick, R0.36, Glass-Mat, Roof Board Insulation (USG Securock Glass-Mat), Hot-Mopped	1.89	
07 22 16 00-0141	SF		1/2" Thick, R0.53, Glass-Mat, Roof Board Insulation (USG Securock Glass-Mat), Hot-Mopped	2.05	
07 22 16 00-0142	SF		5/8" Thick, R0.54, Glass-Mat, Roof Board Insulation (USG Securock Glass-Mat), Hot-Mopped	2.09	

07 22 16 00-0143			Mechanically Fastened Rigid Board Roofing Insulation <small>(07 22 16 00-0001)</small>		
			Note: Mechanically fastened to wood or steel.		

07 22 16 00-0144			Mechanically Fastened, High-Density Fiberboard, Roof Board Insulation <small>(07 22 16 00-0143)</small>		
			Note: Mechanically fastened to wood or steel.		
07 22 16 00-0145	SF		1/2" Thick, R1.3, High-Density Fiberboard, Roof Board Insulation, Mechanically Fastened	1.58	
			<i>For Mechanically Fastened To Concrete, Add</i>	1.24	
			<i>For Mechanically Fastened To Gypsum, Add</i>	1.51	
			<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.43	
			<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.81	
			<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	1.77	
			<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.66	
			<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.57	
			<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	2.65	
07 22 16 00-0146	SF		25/32" Thick, R1.9, High-Density Fiberboard, Roof Board Insulation, Mechanically Fastened	1.85	
			<i>For Mechanically Fastened To Concrete, Add</i>	1.24	
			<i>For Mechanically Fastened To Gypsum, Add</i>	1.51	
			<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.43	
			<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.83	
			<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	1.77	
			<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.66	
			<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.59	
			<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	2.65	
07 22 16 00-0147	SF		1" Thick, R2.5, High-Density Fiberboard, Roof Board Insulation, Mechanically Fastened	2.12	
			<i>For Mechanically Fastened To Concrete, Add</i>	1.24	
			<i>For Mechanically Fastened To Gypsum, Add</i>	1.51	
			<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.43	
			<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.85	
			<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	1.77	
			<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.66	
			<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.61	
			<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	2.65	
07 22 16 00-0148	SF		1-1/2" Thick, R3.8, High-Density Fiberboard, Roof Board Insulation, Mechanically Fastened	2.65	
			<i>For Mechanically Fastened To Concrete, Add</i>	1.28	
			<i>For Mechanically Fastened To Gypsum, Add</i>	1.51	
			<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.55	
			<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.58	
			<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	1.77	
			<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.82	
			<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.37	
			<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	2.65	

07 Thermal And Moisture Protection**07 20 Thermal Protection****07 22 Roof And Deck Insulation**

MINOR
CSI UOM DESCRIPTION

TOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

07 22 16 00-0149	SF	2" Thick, R5, High-Density Fiberboard, Roof Board Insulation, Mechanically Fastened.....	3.14
		<i>For Mechanically Fastened To Concrete, Add</i>	1.28
		<i>For Mechanically Fastened To Gypsum, Add</i>	1.48
		<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.55
		<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.58
		<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	1.78
		<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.82
		<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.37
		<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	2.67

07 22 16 00-0150 Mechanically Fastened, Wood Fiber (Cellulosic-Fiber), Roof Board Insulation (07 22 16 00-0143)

Note: Mechanically fastened to wood or steel.

07 22 16 00-0151	SF	1/2" Thick, R1.3, Wood Fiber (Cellulosic-Fiber), Roof Board Insulation, Mechanically Fastened	1.71
		<i>For Mechanically Fastened To Concrete, Add</i>	1.24
		<i>For Mechanically Fastened To Gypsum, Add</i>	1.51
		<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.43
		<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.85
		<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	1.77
		<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.66
		<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.61
		<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	2.65
07 22 16 00-0152	SF	1" Thick, R2.6, Wood Fiber (Cellulosic-Fiber), Roof Board Insulation, Mechanically Fastened	2.04
		<i>For Mechanically Fastened To Concrete, Add</i>	1.24
		<i>For Mechanically Fastened To Gypsum, Add</i>	1.51
		<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.43
		<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.85
		<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	1.77
		<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.66
		<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.61
		<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	2.65

07 22 16 00-0153 Mechanically Fastened, Perlite, Roof Board Insulation (07 22 16 00-0143)

Note: Mechanically fastened to wood or steel.

07 22 16 00-0154	SF	1/2" Thick, R1.32, Perlite, Roof Board Insulation, Mechanically Fastened.....	1.52
		<i>For Mechanically Fastened To Concrete, Add</i>	1.24
		<i>For Mechanically Fastened To Gypsum, Add</i>	1.51
		<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.43
		<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.77
		<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	1.77
		<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.66
		<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.53
		<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	2.65
07 22 16 00-0155	SF	3/4" Thick, R2.08, Perlite, Roof Board Insulation, Mechanically Fastened.....	1.67
		<i>For Mechanically Fastened To Concrete, Add</i>	1.24
		<i>For Mechanically Fastened To Gypsum, Add</i>	1.51
		<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.43
		<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.77
		<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	1.77
		<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.66
		<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.53
		<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	2.65
07 22 16 00-0156	SF	1" Thick, R2.78, Perlite, Roof Board Insulation, Mechanically Fastened.....	1.86
		<i>For Mechanically Fastened To Concrete, Add</i>	1.24
		<i>For Mechanically Fastened To Gypsum, Add</i>	1.51
		<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.43
		<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.77
		<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	1.77
		<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.66
		<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.53
		<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	2.65
07 22 16 00-0157	SF	1-1/2" Thick, R4.17, Perlite, Roof Board Insulation, Mechanically Fastened.....	2.36
		<i>For Mechanically Fastened To Concrete, Add</i>	1.28
		<i>For Mechanically Fastened To Gypsum, Add</i>	1.51
		<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.55
		<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.58
		<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	1.77
		<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.82
		<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.37
		<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	2.65
07 22 16 00-0158	SF	2" Thick, R5.56, Perlite, Roof Board Insulation, Mechanically Fastened.....	2.64
		<i>For Mechanically Fastened To Concrete, Add</i>	1.28
		<i>For Mechanically Fastened To Gypsum, Add</i>	1.48
		<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.55
		<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.58
		<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	1.78
		<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.82
		<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.37
		<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	2.67

07 22 16 00-0159 Mechanically Fastened, Basalt Mineral Wool, Roof Board Insulation (07 22 16 00-0143)

Note: Mechanically fastened to wood or steel.



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 22 16 00-0160 SF 1" Thick, R3.5, Basalt Mineral Wool, Roof Board Insulation, Mechanically Fastened.....	2.11	
For Mechanically Fastened To Concrete, Add	1.24	
For Mechanically Fastened To Gypsum, Add	1.51	
For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add	0.43	
For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add	1.77	
For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add	1.77	
For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add	0.66	
For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add	2.53	
For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add	2.65	
07 22 16 00-0161 SF 2" Thick, R7.4, Basalt Mineral Wool, Roof Board Insulation, Mechanically Fastened.....	2.87	
For Mechanically Fastened To Concrete, Add	1.28	
For Mechanically Fastened To Gypsum, Add	1.48	
For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add	0.55	
For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add	1.58	
For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add	1.78	
For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add	0.82	
For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add	2.37	
For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add	2.67	
07 22 16 00-0162 SF 3" Thick, R11.1, Basalt Mineral Wool, Roof Board Insulation, Mechanically Fastened.....	3.77	
For Mechanically Fastened To Concrete, Add	1.31	
For Mechanically Fastened To Gypsum, Add	1.53	
For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add	0.63	
For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add	1.97	
For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add	1.92	
For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add	0.94	
For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add	2.81	
For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add	2.83	
07 22 16 00-0163 Mechanically Fastened, Foam Glass (Cellular Glass), Roof Board Insulation		
<small>(07 22 16 00-0143)</small>		
Note: Mechanically fastened to wood or steel.		
07 22 16 00-0164 SF 1-1/2" Thick, R5.16, Foam Glass (Cellular Glass), Roof Board Insulation, Mechanically Fastened.....	3.95	
For Mechanically Fastened To Concrete, Add	1.28	
For Mechanically Fastened To Gypsum, Add	1.51	
For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add	0.55	
For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add	1.58	
For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add	1.77	
For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add	0.82	
For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add	2.37	
For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add	2.65	
07 22 16 00-0165 SF 2" Thick, R6.88, Foam Glass (Cellular Glass), Roof Board Insulation, Mechanically Fastened.....	4.64	
For Mechanically Fastened To Concrete, Add	1.28	
For Mechanically Fastened To Gypsum, Add	1.48	
For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add	0.55	
For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add	1.58	
For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add	1.78	
For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add	0.82	
For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add	2.37	
For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add	2.67	
07 22 16 00-0166 SF 2-3/4" Thick, R8.17, Foam Glass (Cellular Glass), Roof Board Insulation, Mechanically Fastened.....	6.08	
For Mechanically Fastened To Concrete, Add	1.31	
For Mechanically Fastened To Gypsum, Add	1.53	
For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add	0.63	
For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add	1.97	
For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add	1.92	
For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add	0.94	
For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add	2.81	
For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add	2.83	
07 22 16 00-0167 SF 3-1/2" Thick, R12.04, Foam Glass (Cellular Glass), Roof Board Insulation, Mechanically Fastened.....	7.54	
For Mechanically Fastened To Concrete, Add	1.35	
For Mechanically Fastened To Gypsum, Add	1.51	
For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add	0.73	
For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add	1.77	
For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add	2.24	
For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add	1.10	
For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add	2.67	
For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add	3.22	
07 22 16 00-0168 Mechanically Fastened, Molded Expanded Polystyrene, Roof Board Insulation		
<small>(07 22 16 00-0143)</small>		
Note: Mechanically fastened to wood or steel.		
07 22 16 00-0169 SF 3/8" Thick, R1.44, Molded Expanded Polystyrene, Roof Board Insulation (MEPS), Mechanically Fastened.....	1.36	
For Mechanically Fastened To Concrete, Add	1.24	
For Mechanically Fastened To Gypsum, Add	1.51	
For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add	0.43	
For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add	1.76	
For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add	1.77	
For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add	0.66	
For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add	2.52	
For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add	2.65	

07 Thermal And Moisture Protection**07 20 Thermal Protection****07 22 Roof And Deck Insulation**

MINOR
CSI UOM DESCRIPTION

TOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

07 22 16 00-0170	SF 1/2" Thick, R1.93, Molded Expanded Polystyrene, Roof Board Insulation (MEPS), Mechanically Fastened	1.42
	<i>For Mechanically Fastened To Concrete, Add</i>	1.24
	<i>For Mechanically Fastened To Gypsum, Add</i>	1.51
	<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.43
	<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.76
	<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	1.77
	<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.66
	<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.52
	<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	2.65
07 22 16 00-0171	SF 3/4" Thick, R2.89, Molded Expanded Polystyrene, Roof Board Insulation (MEPS), Mechanically Fastened	1.59
	<i>For Mechanically Fastened To Concrete, Add</i>	1.24
	<i>For Mechanically Fastened To Gypsum, Add</i>	1.51
	<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.43
	<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.76
	<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	1.77
	<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.66
	<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.52
	<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	2.65
07 22 16 00-0172	SF 1" Thick, R3.85, Molded Expanded Polystyrene, Roof Board Insulation (MEPS), Mechanically Fastened	1.76
	<i>For Mechanically Fastened To Concrete, Add</i>	1.24
	<i>For Mechanically Fastened To Gypsum, Add</i>	1.51
	<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.43
	<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.76
	<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	1.77
	<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.66
	<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.52
	<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	2.65
07 22 16 00-0173	SF 2" Thick, R7.70, Molded Expanded Polystyrene, Roof Board Insulation (MEPS), Mechanically Fastened	2.48
	<i>For Mechanically Fastened To Concrete, Add</i>	1.28
	<i>For Mechanically Fastened To Gypsum, Add</i>	1.48
	<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.55
	<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.58
	<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	1.78
	<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.82
	<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.37
	<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	2.67
07 22 16 00-0174	SF 3" Thick, R11.55, Molded Expanded Polystyrene, Roof Board Insulation (MEPS), Mechanically Fastened	3.21
	<i>For Mechanically Fastened To Concrete, Add</i>	1.31
	<i>For Mechanically Fastened To Gypsum, Add</i>	1.53
	<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.63
	<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.95
	<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	1.92
	<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.94
	<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.79
	<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	2.83
07 22 16 00-0175	SF 4" Thick, R15.40, Molded Expanded Polystyrene, Roof Board Insulation (MEPS), Mechanically Fastened	3.97
	<i>For Mechanically Fastened To Concrete, Add</i>	1.35
	<i>For Mechanically Fastened To Gypsum, Add</i>	1.55
	<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.73
	<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.77
	<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	1.97
	<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	1.10
	<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.67
	<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	2.96
07 22 16 00-0176	SF 5" Thick, R19.25, Molded Expanded Polystyrene, Roof Board Insulation (MEPS), Mechanically Fastened	4.75
	<i>For Mechanically Fastened To Concrete, Add</i>	1.39
	<i>For Mechanically Fastened To Gypsum, Add</i>	1.55
	<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.86
	<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.91
	<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	2.38
	<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	1.29
	<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.87
	<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	3.41
07 22 16 00-0177	SF 6" Thick, R23.1, Molded Expanded Polystyrene, Roof Board Insulation (MEPS), Mechanically Fastened	5.76
	<i>For Mechanically Fastened To Concrete, Add</i>	1.42
	<i>For Mechanically Fastened To Gypsum, Add</i>	1.47
	<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	1.10
	<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	2.15
	<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	2.52
	<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	1.64
	<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	3.24
	<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	3.64

07 22 16 00-0178 Mechanically Fastened, Extruded Polystyrene, Roof Board Insulation (07 22 16 00-0143)
Note: 15 PSI compressive strength. Mechanically fastened to wood or steel.



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 22 16 00-0179 SF 3/4" Thick, R3.7, Extruded Polystyrene, Roof Board Insulation, Mechanically Fastened.....	1.94	
For 25 PSI Compressive Strength, Add	0.17	
For 40 PSI Compressive Strength, Add	0.40	
For 60 PSI Compressive Strength, Add	0.66	
For 115 PSI Compressive Strength, Add	2.81	
For Mechanically Fastened To Concrete, Add	1.24	
For Mechanically Fastened To Gypsum, Add	1.51	
For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add	0.43	
For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add	1.77	
For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add	1.77	
For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add	0.66	
For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add	2.53	
For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add	2.65	
07 22 16 00-0180 SF 1" Thick, R5.0, Extruded Polystyrene, Roof Board Insulation, Mechanically Fastened.....	2.04	
For 25 PSI Compressive Strength, Add	0.18	
For 40 PSI Compressive Strength, Add	0.44	
For 60 PSI Compressive Strength, Add	0.71	
For 115 PSI Compressive Strength, Add	3.04	
For Mechanically Fastened To Concrete, Add	1.24	
For Mechanically Fastened To Gypsum, Add	1.51	
For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add	0.43	
For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add	1.77	
For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add	1.77	
For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add	0.66	
For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add	2.53	
For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add	2.65	
07 22 16 00-0181 SF 1-1/2" Thick, R7.5, Extruded Polystyrene, Roof Board Insulation, Mechanically Fastened.....	2.54	
For 25 PSI Compressive Strength, Add	0.26	
For 40 PSI Compressive Strength, Add	0.63	
For 60 PSI Compressive Strength, Add	1.00	
For 100 PSI Compressive Strength, Add	1.28	
For 115 PSI Compressive Strength, Add	4.33	
For Mechanically Fastened To Concrete, Add	1.28	
For Mechanically Fastened To Gypsum, Add	1.51	
For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add	0.55	
For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add	1.58	
For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add	1.77	
For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add	0.82	
For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add	2.37	
For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add	2.65	
07 22 16 00-0182 SF 2" Thick, R10.0, Extruded Polystyrene, Roof Board Insulation, Mechanically Fastened.....	3.01	
For 25 PSI Compressive Strength, Add	0.34	
For 40 PSI Compressive Strength, Add	0.80	
For 60 PSI Compressive Strength, Add	1.26	
For 115 PSI Compressive Strength, Add	5.49	
For Mechanically Fastened To Concrete, Add	1.28	
For Mechanically Fastened To Gypsum, Add	1.48	
For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add	0.55	
For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add	1.58	
For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add	1.78	
For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add	0.82	
For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add	2.37	
For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add	2.67	
07 22 16 00-0183 SF 2-1/2" Thick, R12.5, Extruded Polystyrene, Roof Board Insulation, Mechanically Fastened.....	3.50	
For 25 PSI Compressive Strength, Add	0.41	
For 40 PSI Compressive Strength, Add	0.98	
For 60 PSI Compressive Strength, Add	1.55	
For 100 PSI Compressive Strength, Add	1.99	
For 115 PSI Compressive Strength, Add	6.75	
For Mechanically Fastened To Concrete, Add	1.31	
For Mechanically Fastened To Gypsum, Add	1.50	
For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add	0.63	
For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add	1.96	
For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add	1.85	
For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add	0.94	
For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add	2.80	
For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add	2.79	
07 22 16 00-0184 SF 3" Thick, R15.0, Extruded Polystyrene, Roof Board Insulation, Mechanically Fastened.....	3.97	
For 25 PSI Compressive Strength, Add	0.49	
For 40 PSI Compressive Strength, Add	1.16	
For 60 PSI Compressive Strength, Add	1.81	
For 115 PSI Compressive Strength, Add	7.91	
For Mechanically Fastened To Concrete, Add	1.31	
For Mechanically Fastened To Gypsum, Add	1.53	
For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add	0.63	
For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add	1.97	
For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add	1.92	
For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add	0.94	
For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add	2.81	
For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add	2.83	

07 Thermal And Moisture Protection**07 20 Thermal Protection****07 22 Roof And Deck Insulation**MINOR
CSI UOM DESCRIPTIONTOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

07 22 16 00-0185	SF 4" Thick, R20.0, Extruded Polystyrene, Roof Board Insulation, Mechanically Fastened.....	4.52
	For 25 PSI Compressive Strength, Add	0.57
	For 40 PSI Compressive Strength, Add	1.36
	For 60 PSI Compressive Strength, Add	2.12
	For 115 PSI Compressive Strength, Add	9.27
	For Mechanically Fastened To Concrete, Add	1.35
	For Mechanically Fastened To Gypsum, Add	1.55
	For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add	0.73
	For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add	1.77
	For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add	1.97
	For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add	1.10
	For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add	2.67
	For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add	2.96

07 22 16 00-0186 Mechanically Fastened, Polyisocyanurate Board Roofing Insulation (07 22 16 00-0143)

Note: Mechanically fastened to wood or steel.

07 22 16 00-0187	SF 3/4" Thick, R4.3, Polyisocyanurate, Roof Board Insulation, Mechanically Fastened.....	1.75
	For Foil Facer, Add	0.36
	For 25 PSI Compressive Strength, Add	0.09
	For Mechanically Fastened To Concrete, Add	1.24
	For Mechanically Fastened To Gypsum, Add	1.51
	For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add	0.43
	For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add	1.77
	For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add	1.77
	For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add	0.66
	For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add	2.53
	For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add	2.65
07 22 16 00-0188	SF 1" Thick, R5.7, Polyisocyanurate, Roof Board Insulation, Mechanically Fastened.....	1.82
	For Foil Facer, Add	0.36
	For 25 PSI Compressive Strength, Add	0.09
	For Mechanically Fastened To Concrete, Add	1.24
	For Mechanically Fastened To Gypsum, Add	1.51
	For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add	0.43
	For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add	1.77
	For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add	1.77
	For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add	0.66
	For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add	2.53
	For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add	2.65
07 22 16 00-0189	SF 1-1/2" Thick, R8.6, Polyisocyanurate, Roof Board Insulation, Mechanically Fastened.....	1.96
	For Foil Facer, Add	0.36
	For 25 PSI Compressive Strength, Add	0.11
	For Mechanically Fastened To Concrete, Add	1.28
	For Mechanically Fastened To Gypsum, Add	1.51
	For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add	0.55
	For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add	1.58
	For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add	1.77
	For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add	0.82
	For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add	2.37
	For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add	2.65
07 22 16 00-0190	SF 2" Thick, R11.4, Polyisocyanurate, Roof Board Insulation, Mechanically Fastened.....	2.23
	For Foil Facer, Add	0.36
	For 25 PSI Compressive Strength, Add	0.13
	For Mechanically Fastened To Concrete, Add	1.28
	For Mechanically Fastened To Gypsum, Add	1.48
	For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add	0.55
	For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add	1.58
	For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add	1.78
	For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add	0.82
	For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add	2.37
	For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add	2.67
07 22 16 00-0191	SF 2-1/2" Thick, R14.4, Polyisocyanurate, Roof Board Insulation, Mechanically Fastened.....	2.54
	For Foil Facer, Add	0.36
	For 25 PSI Compressive Strength, Add	0.16
	For Mechanically Fastened To Concrete, Add	1.31
	For Mechanically Fastened To Gypsum, Add	1.50
	For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add	0.63
	For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add	1.96
	For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add	1.85
	For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add	0.94
	For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add	2.80
	For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add	2.79
07 22 16 00-0192	SF 3" Thick, R17.4, Polyisocyanurate, Roof Board Insulation, Mechanically Fastened.....	2.80
	For Foil Facer, Add	0.36
	For 25 PSI Compressive Strength, Add	0.19
	For Mechanically Fastened To Concrete, Add	1.31
	For Mechanically Fastened To Gypsum, Add	1.53
	For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add	0.63
	For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add	1.97
	For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add	1.92
	For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add	0.94
	For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add	2.81
	For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add	2.83



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 22 16 00-0193 SF 3-1/2" Thick, R20.5, Polyisocyanurate, Roof Board Insulation, Mechanically Fastened	3.17	
For Foil Facer, Add	0.36	
For 25 PSI Compressive Strength, Add	0.22	
For Mechanically Fastened To Concrete, Add	1.35	
For Mechanically Fastened To Gypsum, Add	1.51	
For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add	0.73	
For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add	1.77	
For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add	2.24	
For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add	1.10	
For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add	2.67	
For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add	3.22	
07 22 16 00-0194 SF 4" Thick, R23.6, Polyisocyanurate, Roof Board Insulation, Mechanically Fastened.....	3.42	
For Foil Facer, Add	0.36	
For 25 PSI Compressive Strength, Add	0.25	
For Mechanically Fastened To Concrete, Add	1.35	
For Mechanically Fastened To Gypsum, Add	1.55	
For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add	0.73	
For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add	1.77	
For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add	1.97	
For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add	1.10	
For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add	2.67	
For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add	2.96	
07 22 16 00-0195 Mechanically Fastened, High-Density Polyisocyanurate Cover Board And Roofing Insulation <small>(07 22 16 00-0143)</small>		
Note: Mechanically fastened to wood or steel.		
07 22 16 00-0196 SF 1/2" Thick, R2.5, High-Density Polyisocyanurate Cover Board And Roofing Insulation, Mechanically Fastened	2.00	
For Mechanically Fastened To Concrete, Add	1.24	
For Mechanically Fastened To Gypsum, Add	1.51	
For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add	0.43	
For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add	1.81	
For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add	1.77	
For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add	0.66	
For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add	2.57	
For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add	2.65	
07 22 16 00-0197 Mechanically Fastened, Gypsum-Fiber, Roof Board Insulation (USG Securock) <small>(07 22 16 00-0143)</small>		
Note: Mechanically fastened to wood or steel.		
07 22 16 00-0198 SF 1/4" Thick, R0.2, Gypsum-Fiber, Roof Board Insulation (USG Securock Gypsum), Mechanically Fastened	1.90	
For Mechanically Fastened To Concrete, Add	1.24	
For Mechanically Fastened To Gypsum, Add	1.51	
For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add	0.43	
For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add	1.81	
For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add	1.77	
For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add	0.66	
For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add	2.57	
For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add	2.65	
07 22 16 00-0199 SF 3/8" Thick, R0.3, Gypsum-Fiber, Roof Board Insulation (USG Securock Gypsum), Mechanically Fastened	2.01	
For Mechanically Fastened To Concrete, Add	1.24	
For Mechanically Fastened To Gypsum, Add	1.51	
For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add	0.43	
For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add	1.81	
For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add	1.77	
For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add	0.66	
For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add	2.57	
For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add	2.65	
07 22 16 00-0200 SF 1/2" Thick, R0.5, Gypsum-Fiber, Roof Board Insulation (USG Securock Gypsum), Mechanically Fastened	2.08	
For Mechanically Fastened To Concrete, Add	1.24	
For Mechanically Fastened To Gypsum, Add	1.51	
For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add	0.43	
For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add	1.81	
For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add	1.77	
For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add	0.66	
For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add	2.57	
For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add	2.65	
07 22 16 00-0201 SF 5/8" Thick, R0.6, Gypsum-Fiber, Roof Board Insulation (USG Securock Gypsum), Mechanically Fastened	2.12	
For Mechanically Fastened To Concrete, Add	1.24	
For Mechanically Fastened To Gypsum, Add	1.51	
For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add	0.43	
For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add	1.81	
For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add	1.77	
For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add	0.66	
For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add	2.57	
For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add	2.65	
07 22 16 00-0202 Mechanically Fastened, Glass-Mat, Roof Board Insulation (USG Securock) <small>(07 22 16 00-0143)</small>		
Note: Mechanically fastened to wood or steel.		

07 Thermal And Moisture Protection**07 20 Thermal Protection****07 22 Roof And Deck Insulation**

MINOR
CSI UOM DESCRIPTION

TOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

07 22 16 00-0203	SF	1/4" Thick, R0.36, Glass-Mat, Roof Board Insulation (USG Securock Glass-Mat), Mechanically Fastened	1.86	
		<i>For Mechanically Fastened To Concrete, Add</i>	1.24	
		<i>For Mechanically Fastened To Gypsum, Add</i>	1.51	
		<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.43	
		<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.81	
		<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	1.77	
		<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.66	
		<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.57	
		<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	2.65	
07 22 16 00-0204	SF	1/2" Thick, R0.53, Glass-Mat, Roof Board Insulation (USG Securock Glass-Mat), Mechanically Fastened	2.02	
		<i>For Mechanically Fastened To Concrete, Add</i>	1.24	
		<i>For Mechanically Fastened To Gypsum, Add</i>	1.51	
		<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.43	
		<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.81	
		<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	1.77	
		<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.66	
		<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.57	
		<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	2.65	
07 22 16 00-0205	SF	5/8" Thick, R0.54, Glass-Mat, Roof Board Insulation (USG Securock Glass-Mat), Mechanically Fastened	2.06	
		<i>For Mechanically Fastened To Concrete, Add</i>	1.24	
		<i>For Mechanically Fastened To Gypsum, Add</i>	1.51	
		<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.43	
		<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.81	
		<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	1.77	
		<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.66	
		<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.57	
		<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	2.65	
07 22 16 00-0206		Mechanically Fastened, Polyisocyanurate And Oriented Strand Board, Nailbase Roof Board Insulation <small>(07 22 16 00-0143)</small>		
		Note: Includes a polyisocyanurate foam core bonded to a 7/16" oriented strand board (OSB) facer. Mechanically fastened to wood or steel.		
07 22 16 00-0207	SF	1.5" Thick, R6.2, Polyisocyanurate And Oriented Strand Board, Nailbase Roof Board Insulation, Mechanically Fastened	3.27	
		<i>For Mechanically Fastened To Concrete, Add</i>	1.28	
		<i>For Mechanically Fastened To Gypsum, Add</i>	1.51	
		<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.55	
		<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.58	
		<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	1.78	
		<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.82	
		<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.37	
		<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	2.67	
07 22 16 00-0208	SF	2" Thick, R9.1, Polyisocyanurate And Oriented Strand Board, Nailbase Roof Board Insulation, Mechanically Fastened	3.42	
		<i>For Mechanically Fastened To Concrete, Add</i>	1.28	
		<i>For Mechanically Fastened To Gypsum, Add</i>	1.48	
		<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.55	
		<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.58	
		<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	1.78	
		<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.82	
		<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.37	
		<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	2.67	
07 22 16 00-0209	SF	2.5" Thick, R12.0, Polyisocyanurate And Oriented Strand Board, Nailbase Roof Board Insulation, Mechanically Fastened	3.68	
		<i>For Mechanically Fastened To Concrete, Add</i>	1.31	
		<i>For Mechanically Fastened To Gypsum, Add</i>	1.50	
		<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.63	
		<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	2.11	
		<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	1.85	
		<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.94	
		<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.95	
		<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	2.79	
07 22 16 00-0210	SF	3" Thick, R15.0, Polyisocyanurate And Oriented Strand Board, Nailbase Roof Board Insulation, Mechanically Fastened	3.81	
		<i>For Mechanically Fastened To Concrete, Add</i>	1.31	
		<i>For Mechanically Fastened To Gypsum, Add</i>	1.53	
		<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.63	
		<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	2.11	
		<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	1.92	
		<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.94	
		<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.95	
		<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	2.83	
07 22 16 00-0211	SF	3.5" Thick, R18.0, Polyisocyanurate And Oriented Strand Board, Nailbase Roof Board Insulation, Mechanically Fastened	4.20	
		<i>For Mechanically Fastened To Concrete, Add</i>	1.35	
		<i>For Mechanically Fastened To Gypsum, Add</i>	1.51	
		<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.73	
		<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.77	
		<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	2.39	
		<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	1.10	
		<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.67	
		<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	3.37	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 22 16 00-0212 SF 4" Thick, R21.1, Polyisocyanurate And Oriented Strand Board, Nailbase Roof Board Insulation, Mechanically Fastened.....	4.33	
<i>For Mechanically Fastened To Concrete, Add</i>	1.35	
<i>For Mechanically Fastened To Gypsum, Add</i>	1.55	
<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.73	
<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.77	
<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	1.97	
<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	1.10	
<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.67	
<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	2.96	
07 22 16 00-0213 SF 4.5" Thick, R24.2, Polyisocyanurate And Oriented Strand Board, Nailbase Roof Board Insulation, Mechanically Fastened.....	4.67	
<i>For Mechanically Fastened To Concrete, Add</i>	1.39	
<i>For Mechanically Fastened To Gypsum, Add</i>	1.55	
<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.86	
<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.91	
<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	2.57	
<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	1.29	
<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.87	
<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	3.60	
07 22 16 00-0214 Mechanically Fastened, Polyisocyanurate And Oriented Strand Board With Air Vent Spacer Strips, Nailbase Roof Board Insulation (07 22 16 00-0143)		
<i>Note: Includes a polyisocyanurate foam core bonded to a 7/16" oriented strand board (OSB) facer. Mechanically fastened to wood or steel.</i>		
07 22 16 00-0215 SF 2.5" Thick, R5.7, Polyisocyanurate And Oriented Strand Board With Air Vent Spacer Strips, Nailbase Roof Board Insulation, Mechanically Fastened.....	3.34	
<i>For Mechanically Fastened To Concrete, Add</i>	1.31	
<i>For Mechanically Fastened To Gypsum, Add</i>	1.50	
<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.63	
<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	2.10	
<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	1.85	
<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.94	
<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.94	
<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	2.79	
07 22 16 00-0216 SF 3" Thick, R8.6, Polyisocyanurate And Oriented Strand Board With Air Vent Spacer Strips, Nailbase Roof Board Insulation, Mechanically Fastened.....	3.61	
<i>For Mechanically Fastened To Concrete, Add</i>	1.31	
<i>For Mechanically Fastened To Gypsum, Add</i>	1.53	
<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.63	
<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	2.10	
<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	1.92	
<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.94	
<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.94	
<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	2.83	
07 22 16 00-0217 SF 3.5" Thick, R11.4, Polyisocyanurate And Oriented Strand Board With Air Vent Spacer Strips, Nailbase Roof Board Insulation, Mechanically Fastened.....	4.02	
<i>For Mechanically Fastened To Concrete, Add</i>	1.35	
<i>For Mechanically Fastened To Gypsum, Add</i>	1.51	
<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.73	
<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.77	
<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	2.38	
<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	1.10	
<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.67	
<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	3.36	
07 22 16 00-0218 SF 4" Thick, R14.4, Polyisocyanurate And Oriented Strand Board With Air Vent Spacer Strips, Nailbase Roof Board Insulation, Mechanically Fastened.....	4.23	
<i>For Mechanically Fastened To Concrete, Add</i>	1.35	
<i>For Mechanically Fastened To Gypsum, Add</i>	1.55	
<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.73	
<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.77	
<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	1.97	
<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	1.10	
<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.67	
<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	2.96	
07 22 16 00-0219 SF 4.5" Thick, R17.4, Polyisocyanurate And Oriented Strand Board With Air Vent Spacer Strips, Nailbase Roof Board Insulation, Mechanically Fastened.....	4.60	
<i>For Mechanically Fastened To Concrete, Add</i>	1.39	
<i>For Mechanically Fastened To Gypsum, Add</i>	1.55	
<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.86	
<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.91	
<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	2.53	
<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	1.29	
<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.87	
<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	3.56	
07 22 16 00-0220 SF 5" Thick, R20.5, Polyisocyanurate And Oriented Strand Board With Air Vent Spacer Strips, Nailbase Roof Board Insulation, Mechanically Fastened.....	4.89	
<i>For Mechanically Fastened To Concrete, Add</i>	1.39	
<i>For Mechanically Fastened To Gypsum, Add</i>	1.55	
<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.86	
<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.91	
<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	2.53	
<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	1.29	
<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.87	
<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	3.56	

07 Thermal And Moisture Protection**07 20 Thermal Protection****07 22 Roof And Deck Insulation**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 22 16 00-0221	SF		5.5" Thick, R23.6, Polyisocyanurate And Oriented Strand Board With Air Vent Spacer Strips, Nailbase Roof Board Insulation, Mechanically Fastened.....	5.66	
			<i>For Mechanically Fastened To Concrete, Add</i>	1.42	
			<i>For Mechanically Fastened To Gypsum, Add</i>	1.47	
			<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	1.10	
			<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	2.15	
			<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	2.70	
			<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	1.64	
			<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	3.24	
			<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	3.82	
07 22 16 00-0222			Rigid Board Tapered Roofing Insulation (07 22 16) Note: Includes tapered board and filler board required to maintain slope starting at 1/2" minimum thickness. Excludes base layer of board, if required. Average thickness and average R-value of tapered system excludes thickness and R-value of base layer insulation and/or cover board.		
07 22 16 00-0223			Cold Adhesive Applied Rigid Board Tapered Roofing Insulation (07 22 16 00-0222)		
07 22 16 00-0224			Cold Adhesive Applied, Tapered Polyisocyanurate Board (07 22 16 00-0223) Note: Includes polyurethane adhesive.		
07 22 16 00-0225			Cold Adhesive Applied, 1/8" Slope, Tapered Polyisocyanurate Board (07 22 16 00-0224)		
07 22 16 00-0226	SF		2.25" Average Thickness (12.8 Average R-Value), 1/8" Slope, Tapered Polyisocyanurate Board, Cold Adhesive Applied.....	3.29	
			<i>For 25 PSI Compressive Strength, Add</i>	0.20	
07 22 16 00-0227	SF		2.75" Average Thickness (15.7 Average R-Value), 1/8" Slope, Tapered Polyisocyanurate Board, Cold Adhesive Applied.....	4.71	
			<i>For 25 PSI Compressive Strength, Add</i>	0.23	
07 22 16 00-0228	SF		3.25" Average Thickness (18.5 Average R-Value), 1/8" Slope, Tapered Polyisocyanurate Board, Cold Adhesive Applied.....	5.05	
			<i>For 25 PSI Compressive Strength, Add</i>	0.27	
07 22 16 00-0229	SF		3.75" Average Thickness (21.4 Average R-Value), 1/8" Slope, Tapered Polyisocyanurate Board, Cold Adhesive Applied.....	5.40	
			<i>For 25 PSI Compressive Strength, Add</i>	0.30	
07 22 16 00-0230	SF		4.25" Average Thickness (24.2 Average R-Value), 1/8" Slope, Tapered Polyisocyanurate Board, Cold Adhesive Applied.....	5.75	
			<i>For 25 PSI Compressive Strength, Add</i>	0.34	
07 22 16 00-0231	SF		4.75" Average Thickness (27.1 Average R-Value), 1/8" Slope, Tapered Polyisocyanurate Board, Cold Adhesive Applied.....	7.16	
			<i>For 25 PSI Compressive Strength, Add</i>	0.37	
07 22 16 00-0232	SF		5.25" Average Thickness (30.0 Average R-Value), 1/8" Slope, Tapered Polyisocyanurate Board, Cold Adhesive Applied.....	7.50	
			<i>For 25 PSI Compressive Strength, Add</i>	0.41	
07 22 16 00-0233	SF		5.75" Average Thickness (32.8 Average R-Value), 1/8" Slope, Tapered Polyisocyanurate Board, Cold Adhesive Applied.....	7.85	
			<i>For 25 PSI Compressive Strength, Add</i>	0.44	
07 22 16 00-0234	SF		6.25" Average Thickness (35.6 Average R-Value), 1/8" Slope, Tapered Polyisocyanurate Board, Cold Adhesive Applied.....	8.20	
			<i>For 25 PSI Compressive Strength, Add</i>	0.48	
07 22 16 00-0235	SF		6.75" Average Thickness (38.5 Average R-Value), 1/8" Slope, Tapered Polyisocyanurate Board, Cold Adhesive Applied.....	9.62	
			<i>For 25 PSI Compressive Strength, Add</i>	0.51	
07 22 16 00-0236			Cold Adhesive Applied, 1/4" Slope, Tapered Polyisocyanurate Board (07 22 16 00-0234)		
07 22 16 00-0237	SF		2" Average Thickness (11.4 Average R-Value), 1/4" Slope, Tapered Polyisocyanurate Board, Cold Adhesive Applied.....	3.11	
			<i>For 25 PSI Compressive Strength, Add</i>	0.18	
07 22 16 00-0238	SF		3" Average Thickness (17.1 Average R-Value), 1/4" Slope, Tapered Polyisocyanurate Board, Cold Adhesive Applied.....	4.88	
			<i>For 25 PSI Compressive Strength, Add</i>	0.25	
07 22 16 00-0239	SF		4" Average Thickness (22.8 Average R-Value), 1/4" Slope, Tapered Polyisocyanurate Board, Cold Adhesive Applied.....	5.57	
			<i>For 25 PSI Compressive Strength, Add</i>	0.32	
07 22 16 00-0240	SF		5" Average Thickness (28.5 Average R-Value), 1/4" Slope, Tapered Polyisocyanurate Board, Cold Adhesive Applied.....	7.33	
			<i>For 25 PSI Compressive Strength, Add</i>	0.39	
07 22 16 00-0241	SF		6" Average Thickness (34.2 Average R-Value), 1/4" Slope, Tapered Polyisocyanurate Board, Cold Adhesive Applied.....	8.02	
			<i>For 25 PSI Compressive Strength, Add</i>	0.46	
07 22 16 00-0242	SF		7" Average Thickness (39.9 Average R-Value), 1/4" Slope, Tapered Polyisocyanurate Board, Cold Adhesive Applied.....	9.79	
			<i>For 25 PSI Compressive Strength, Add</i>	0.53	
07 22 16 00-0243			Cold Adhesive Applied, 1/2" Slope, Tapered Polyisocyanurate Board (07 22 16 00-0241)		
07 22 16 00-0244	SF		3.5" Average Thickness (20.0 Average R-Value), 1/2" Slope, Tapered Polyisocyanurate Board, Cold Adhesive Applied.....	5.23	
			<i>For 25 PSI Compressive Strength, Add</i>	0.28	
07 22 16 00-0245	SF		5.5" Average Thickness (31.4 Average R-Value), 1/2" Slope, Tapered Polyisocyanurate Board, Cold Adhesive Applied.....	7.68	
			<i>For 25 PSI Compressive Strength, Add</i>	0.42	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 22 16 00-0246 SF 7.5" Average Thickness (42.8 Average R-Value), 1/2" Slope, Tapered Polyisocyanurate Board, Cold Adhesive Applied.....	10.14	
<i>For 25 PSI Compressive Strength, Add</i>	0.56	
07 22 16 00-0247 SF 9.5" Average Thickness (54.2 Average R-Value), 1/2" Slope, Tapered Polyisocyanurate Board, Cold Adhesive Applied.....	12.60	
<i>For 25 PSI Compressive Strength, Add</i>	0.70	
07 22 16 00-0248 Cold Adhesive Applied, Tapered Expanded Polystyrene Board (EPS) <small>(07 22 16 00-0223)</small>		
Note: Includes polyurethane adhesive.		
07 22 16 00-0249 Cold Adhesive Applied, 1/8" Slope, Tapered Expanded Polystyrene Board (EPS) <small>(07 22 16 00-0248)</small>		
07 22 16 00-0250 SF 2.25" Average Thickness (10.13 Average R-Value), 1/8" Slope, Tapered Expanded Polystyrene Board (EPS), Cold Adhesive Applied.....	2.90	
07 22 16 00-0251 SF 2.75" Average Thickness (12.38 Average R-Value), 1/8" Slope, Tapered Expanded Polystyrene Board (EPS), Cold Adhesive Applied.....	4.32	
07 22 16 00-0252 SF 3.25" Average Thickness (14.63 Average R-Value), 1/8" Slope, Tapered Expanded Polystyrene Board (EPS), Cold Adhesive Applied.....	4.58	
07 22 16 00-0253 SF 3.75" Average Thickness (16.88 Average R-Value), 1/8" Slope, Tapered Expanded Polystyrene Board (EPS), Cold Adhesive Applied.....	4.84	
07 22 16 00-0254 SF 4.25" Average Thickness (19.13 Average R-Value), 1/8" Slope, Tapered Expanded Polystyrene Board (EPS), Cold Adhesive Applied.....	5.10	
07 22 16 00-0255 SF 4.75" Average Thickness (21.38 Average R-Value), 1/8" Slope, Tapered Expanded Polystyrene Board (EPS), Cold Adhesive Applied.....	6.52	
07 22 16 00-0256 SF 5.25" Average Thickness (23.63 Average R-Value), 1/8" Slope, Tapered Expanded Polystyrene Board (EPS), Cold Adhesive Applied.....	6.78	
07 22 16 00-0257 SF 5.75" Average Thickness (25.88 Average R-Value), 1/8" Slope, Tapered Expanded Polystyrene Board (EPS), Cold Adhesive Applied.....	7.04	
07 22 16 00-0258 SF 6.25" Average Thickness (28.13 Average R-Value), 1/8" Slope, Tapered Expanded Polystyrene Board (EPS), Cold Adhesive Applied.....	7.30	
07 22 16 00-0259 SF 6.75" Average Thickness (30.38 Average R-Value), 1/8" Slope, Tapered Expanded Polystyrene Board (EPS), Cold Adhesive Applied.....	8.72	
07 22 16 00-0260 Cold Adhesive Applied, 1/4" Slope, Tapered Expanded Polystyrene Board (EPS) <small>(07 22 16 00-0248)</small>		
07 22 16 00-0261 SF 2" Average Thickness (9 Average R-Value), 1/4" Slope, Tapered Expanded Polystyrene Board (EPS), Cold Adhesive Applied.....	2.77	
07 22 16 00-0262 SF 3" Average Thickness (13.5 Average R-Value), 1/4" Slope, Tapered Expanded Polystyrene Board (EPS), Cold Adhesive Applied.....	4.45	
07 22 16 00-0263 SF 4" Average Thickness (18 Average R-Value), 1/4" Slope, Tapered Expanded Polystyrene Board (EPS), Cold Adhesive Applied.....	4.97	
07 22 16 00-0264 SF 5" Average Thickness (22.5 Average R-Value), 1/4" Slope, Tapered Expanded Polystyrene Board (EPS), Cold Adhesive Applied.....	6.65	
07 22 16 00-0265 SF 6" Average Thickness (27 Average R-Value), 1/4" Slope, Tapered Expanded Polystyrene Board (EPS), Cold Adhesive Applied.....	7.17	
07 22 16 00-0266 SF 7" Average Thickness (31.5 Average R-Value), 1/4" Slope, Tapered Expanded Polystyrene Board (EPS), Cold Adhesive Applied.....	8.85	
07 22 16 00-0267 Cold Adhesive Applied, 1/2" Slope, Tapered Expanded Polystyrene Board (EPS) <small>(07 22 16 00-0248)</small>		
07 22 16 00-0268 SF 3.5" Average Thickness (15.75 Average R-Value), 1/2" Slope, Tapered Expanded Polystyrene Board (EPS), Cold Adhesive Applied.....	4.71	
07 22 16 00-0269 SF 5.5" Average Thickness (24.75 Average R-Value), 1/2" Slope, Tapered Expanded Polystyrene Board (EPS), Cold Adhesive Applied.....	6.91	
07 22 16 00-0270 SF 7.5" Average Thickness (33.75 Average R-Value), 1/2" Slope, Tapered Expanded Polystyrene Board (EPS), Cold Adhesive Applied.....	9.11	
07 22 16 00-0271 SF 9.5" Average Thickness (42.75 Average R-Value), 1/2" Slope, Tapered Expanded Polystyrene Board (EPS), Cold Adhesive Applied.....	11.57	
07 22 16 00-0272 Cold Adhesive Applied, Tapered Extruded Polystyrene Board (XEPS) <small>(07 22 16 00-0223)</small>		
Note: Includes polyurethane adhesive.		
07 22 16 00-0273 Cold Adhesive Applied, 1/8" Slope, Tapered Extruded Polystyrene Board (XEPS) <small>(07 22 16 00-0272)</small>		
07 22 16 00-0274 SF 2.25" Average Thickness (12.38 Average R-Value), 1/8" Slope, Tapered Extruded Polystyrene Board (XEPS), Cold Adhesive Applied.....	3.21	
07 22 16 00-0275 SF 2.75" Average Thickness (15.125 Average R-Value), 1/8" Slope, Tapered Extruded Polystyrene Board (XEPS), Cold Adhesive Applied.....	4.63	
07 22 16 00-0276 SF 3.25" Average Thickness (17.88 Average R-Value), 1/8" Slope, Tapered Extruded Polystyrene Board (XEPS), Cold Adhesive Applied.....	4.96	
07 22 16 00-0277 SF 3.75" Average Thickness (20.63 Average R-Value), 1/8" Slope, Tapered Extruded Polystyrene Board (XEPS), Cold Adhesive Applied.....	5.29	
07 22 16 00-0278 SF 4.25" Average Thickness (23.38 Average R-Value), 1/8" Slope, Tapered Extruded Polystyrene Board (XEPS), Cold Adhesive Applied.....	5.62	
07 22 16 00-0279 SF 4.75" Average Thickness (26.13 Average R-Value), 1/8" Slope, Tapered Extruded Polystyrene Board (XEPS), Cold Adhesive Applied.....	7.03	
07 22 16 00-0280 SF 5.25" Average Thickness (28.88 Average R-Value), 1/8" Slope, Tapered Extruded Polystyrene Board (XEPS), Cold Adhesive Applied.....	7.36	

07 Thermal And Moisture Protection**07 20 Thermal Protection****07 22 Roof And Deck Insulation**

MINOR CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 22 16 00-0281	SF	5.75" Average Thickness (31.63 Average R-Value), 1/8" Slope, Tapered Extruded Polystyrene Board (XEPS), Cold Adhesive Applied.....	7.69	
07 22 16 00-0282	SF	6.25" Average Thickness (34.38 Average R-Value), 1/8" Slope, Tapered Extruded Polystyrene Board (XEPS), Cold Adhesive Applied.....	8.02	
07 22 16 00-0283	SF	6.75" Average Thickness (37.13 Average R-Value), 1/8" Slope, Tapered Extruded Polystyrene Board (XEPS), Cold Adhesive Applied.....	9.44	
07 22 16 00-0284		Cold Adhesive Applied, 1/4" Slope, Tapered Extruded Polystyrene Board (XEPS) (07 22 16 00-0272)		
07 22 16 00-0285	SF	2" Average Thickness (11 Average R-Value), 1/4" Slope, Tapered Extruded Polystyrene Board (XEPS), Cold Adhesive Applied.....	3.05	
07 22 16 00-0286	SF	3" Average Thickness (16.5 Average R-Value), 1/4" Slope, Tapered Extruded Polystyrene Board (XEPS), Cold Adhesive Applied.....	4.79	
07 22 16 00-0287	SF	4" Average Thickness (22 Average R-Value), 1/4" Slope, Tapered Extruded Polystyrene Board (XEPS), Cold Adhesive Applied.....	5.45	
07 22 16 00-0288	SF	5" Average Thickness (27.5 Average R-Value), 1/4" Slope, Tapered Extruded Polystyrene Board (XEPS), Cold Adhesive Applied.....	7.19	
07 22 16 00-0289	SF	6" Average Thickness (33 Average R-Value), 1/4" Slope, Tapered Extruded Polystyrene Board (XEPS), Cold Adhesive Applied.....	7.85	
07 22 16 00-0290	SF	7" Average Thickness (38.5 Average R-Value), 1/4" Slope, Tapered Extruded Polystyrene Board (XEPS), Cold Adhesive Applied.....	9.60	
07 22 16 00-0291		Cold Adhesive Applied, 1/2" Slope, Tapered Extruded Polystyrene Board (XEPS) (07 22 16 00-0272)		
07 22 16 00-0292	SF	3.5" Average Thickness (19.25 Average R-Value), 1/2" Slope, Tapered Extruded Polystyrene Board (XEPS), Cold Adhesive Applied.....	5.12	
		<i>For Mechanically Fastened To Concrete, Add</i>	1.31	
		<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add</i>	1.53	
07 22 16 00-0293	SF	5.5" Average Thickness (30.25 Average R-Value), 1/2" Slope, Tapered Extruded Polystyrene Board (XEPS), Cold Adhesive Applied.....	7.52	
07 22 16 00-0294	SF	7.5" Average Thickness (41.25 Average R-Value), 1/2" Slope, Tapered Extruded Polystyrene Board (XEPS), Cold Adhesive Applied.....	9.93	
07 22 16 00-0295	SF	9.5" Average Thickness (52.25 Average R-Value), 1/2" Slope, Tapered Extruded Polystyrene Board (XEPS), Cold Adhesive Applied.....	12.34	
07 22 16 00-0296		Cold Adhesive Applied, Tapered Perlite Board (07 22 16 00-0223)		
		Note: Includes polyurethane adhesive.		
07 22 16 00-0297		Cold Adhesive Applied, 1/8" Slope, Tapered Perlite Board (07 22 16 00-0296)		
07 22 16 00-0298	SF	2.25" Average Thickness (6.26 Average R-Value), 1/8" Slope, Tapered Perlite Board, Cold Adhesive Applied.....	4.41	
07 22 16 00-0299	SF	2.75" Average Thickness (7.65 Average R-Value), 1/8" Slope, Tapered Perlite Board, Cold Adhesive Applied.....	5.56	
07 22 16 00-0300	SF	3.25" Average Thickness (9.04 Average R-Value), 1/8" Slope, Tapered Perlite Board, Cold Adhesive Applied.....	6.20	
07 22 16 00-0301	SF	3.75" Average Thickness (10.43 Average R-Value), 1/8" Slope, Tapered Perlite Board, Cold Adhesive Applied.....	6.65	
07 22 16 00-0302	SF	4.25" Average Thickness (11.82 Average R-Value), 1/8" Slope, Tapered Perlite Board, Cold Adhesive Applied.....	7.29	
07 22 16 00-0303	SF	4.75" Average Thickness (13.21 Average R-Value), 1/8" Slope, Tapered Perlite Board, Cold Adhesive Applied.....	8.42	
07 22 16 00-0304	SF	5.25" Average Thickness (14.60 Average R-Value), 1/8" Slope, Tapered Perlite Board, Cold Adhesive Applied.....	9.05	
07 22 16 00-0305	SF	5.75" Average Thickness (15.99 Average R-Value), 1/8" Slope, Tapered Perlite Board, Cold Adhesive Applied.....	9.50	
07 22 16 00-0306	SF	6.25" Average Thickness (17.38 Average R-Value), 1/8" Slope, Tapered Perlite Board, Cold Adhesive Applied.....	10.14	
07 22 16 00-0307	SF	6.75" Average Thickness (18.77 Average R-Value), 1/8" Slope, Tapered Perlite Board, Cold Adhesive Applied.....	11.29	
07 22 16 00-0308		Cold Adhesive Applied, 1/4" Slope, Tapered Perlite Board (07 22 16 00-0296)		
07 22 16 00-0309	SF	2" Average Thickness (5.56 Average R-Value), 1/4" Slope, Tapered Perlite Board, Cold Adhesive Applied.....	4.09	
07 22 16 00-0310	SF	3" Average Thickness (8.34 Average R-Value), 1/4" Slope, Tapered Perlite Board, Cold Adhesive Applied.....	5.88	
07 22 16 00-0311	SF	4" Average Thickness (11.12 Average R-Value), 1/4" Slope, Tapered Perlite Board, Cold Adhesive Applied.....	6.97	
07 22 16 00-0312	SF	5" Average Thickness (13.9 Average R-Value), 1/4" Slope, Tapered Perlite Board, Cold Adhesive Applied.....	8.73	
07 22 16 00-0313	SF	6" Average Thickness (16.68 Average R-Value), 1/4" Slope, Tapered Perlite Board, Cold Adhesive Applied.....	9.82	
07 22 16 00-0314	SF	7" Average Thickness (19.46 Average R-Value), 1/4" Slope, Tapered Perlite Board, Cold Adhesive Applied.....	11.61	
07 22 16 00-0315		Cold Adhesive Applied, 1/2" Slope, Tapered Perlite Board (07 22 16 00-0296)		
07 22 16 00-0316	SF	3.5" Average Thickness (9.73 Average R-Value), 1/2" Slope, Tapered Perlite Board, Cold Adhesive Applied.....	6.52	
07 22 16 00-0317	SF	5.5" Average Thickness (15.29 Average R-Value), 1/2" Slope, Tapered Perlite Board, Cold Adhesive Applied.....	9.37	
07 22 16 00-0318	SF	7.5" Average Thickness (20.85 Average R-Value), 1/2" Slope, Tapered Perlite Board, Cold Adhesive Applied.....	12.25	
07 22 16 00-0319	SF	9.5" Average Thickness (26.41 Average R-Value), 1/2" Slope, Tapered Perlite Board, Cold Adhesive Applied.....	15.11	
07 22 16 00-0320		Hot-Mopped Rigid Board Tapered Roofing Insulation (07 22 16 00-0222)		
07 22 16 00-0321		Hot-Mopped, Tapered Polyisocyanurate Board (07 22 16 00-0320)		
07 22 16 00-0322		Hot-Mopped, 1/8" Slope, Tapered Polyisocyanurate Board (07 22 16 00-0321)		
07 22 16 00-0323	SF	2.25" Average Thickness (12.8 Average R-Value), 1/8" Slope, Tapered Polyisocyanurate Board, Hot-Mopped.....	3.07	
		<i>For 25 PSI Compressive Strength, Add</i>	0.17	
07 22 16 00-0324	SF	2.75" Average Thickness (15.7 Average R-Value), 1/8" Slope, Tapered Polyisocyanurate Board, Hot-Mopped.....	4.52	
		<i>For 25 PSI Compressive Strength, Add</i>	0.19	
07 22 16 00-0325	SF	3.25" Average Thickness (18.5 Average R-Value), 1/8" Slope, Tapered Polyisocyanurate Board, Hot-Mopped.....	4.87	
		<i>For 25 PSI Compressive Strength, Add</i>	0.22	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 22 16 00-0326 SF 3.75" Average Thickness (21.4 Average R-Value), 1/8" Slope, Tapered Polyisocyanurate Board, Hot-Mopped.....	4.98	
<i>For 25 PSI Compressive Strength, Add</i>	0.26	
07 22 16 00-0327 SF 4.25" Average Thickness (24.2 Average R-Value), 1/8" Slope, Tapered Polyisocyanurate Board, Hot-Mopped.....	5.56	
<i>For 25 PSI Compressive Strength, Add</i>	0.29	
07 22 16 00-0328 SF 4.75" Average Thickness (27.1 Average R-Value), 1/8" Slope, Tapered Polyisocyanurate Board, Hot-Mopped.....	6.91	
<i>For 25 PSI Compressive Strength, Add</i>	0.31	
07 22 16 00-0329 SF 5.25" Average Thickness (30.0 Average R-Value), 1/8" Slope, Tapered Polyisocyanurate Board, Hot-Mopped.....	7.26	
<i>For 25 PSI Compressive Strength, Add</i>	0.35	
07 22 16 00-0330 SF 5.75" Average Thickness (32.8 Average R-Value), 1/8" Slope, Tapered Polyisocyanurate Board, Hot-Mopped.....	7.60	
<i>For 25 PSI Compressive Strength, Add</i>	0.38	
07 22 16 00-0331 SF 6.25" Average Thickness (35.6 Average R-Value), 1/8" Slope, Tapered Polyisocyanurate Board, Hot-Mopped.....	7.95	
<i>For 25 PSI Compressive Strength, Add</i>	0.41	
07 22 16 00-0332 SF 6.75" Average Thickness (38.5 Average R-Value), 1/8" Slope, Tapered Polyisocyanurate Board, Hot-Mopped.....	9.26	
<i>For 25 PSI Compressive Strength, Add</i>	0.43	
07 22 16 00-0333 Hot-Mopped, 1/4" Slope, Tapered Polyisocyanurate Board <small>(07 22 16 00-0321)</small>		
07 22 16 00-0334 SF 2" Average Thickness (11.4 Average R-Value), 1/4" Slope, Tapered Polyisocyanurate Board, Hot-Mopped.....	3.02	
<i>For 25 PSI Compressive Strength, Add</i>	0.16	
07 22 16 00-0335 SF 3" Average Thickness (17.1 Average R-Value), 1/4" Slope, Tapered Polyisocyanurate Board, Hot-Mopped.....	4.69	
<i>For 25 PSI Compressive Strength, Add</i>	0.21	
07 22 16 00-0336 SF 4" Average Thickness (22.8 Average R-Value), 1/4" Slope, Tapered Polyisocyanurate Board, Hot-Mopped.....	5.39	
<i>For 25 PSI Compressive Strength, Add</i>	0.28	
07 22 16 00-0337 SF 5" Average Thickness (28.5 Average R-Value), 1/4" Slope, Tapered Polyisocyanurate Board, Hot-Mopped.....	7.08	
<i>For 25 PSI Compressive Strength, Add</i>	0.33	
07 22 16 00-0338 SF 6" Average Thickness (34.2 Average R-Value), 1/4" Slope, Tapered Polyisocyanurate Board, Hot-Mopped.....	7.78	
<i>For 25 PSI Compressive Strength, Add</i>	0.40	
07 22 16 00-0339 SF 7" Average Thickness (39.9 Average R-Value), 1/4" Slope, Tapered Polyisocyanurate Board, Hot-Mopped.....	9.44	
<i>For 25 PSI Compressive Strength, Add</i>	0.45	
07 22 16 00-0340 Hot-Mopped, 1/2" Slope, Tapered Polyisocyanurate Board <small>(07 22 16 00-0321)</small>		
07 22 16 00-0341 SF 3.5" Average Thickness (20.0 Average R-Value), 1/2" Slope, Tapered Polyisocyanurate Board, Hot-Mopped.....	5.04	
<i>For 25 PSI Compressive Strength, Add</i>	0.24	
07 22 16 00-0342 SF 5.5" Average Thickness (31.4 Average R-Value), 1/2" Slope, Tapered Polyisocyanurate Board, Hot-Mopped.....	7.43	
<i>For 25 PSI Compressive Strength, Add</i>	0.36	
07 22 16 00-0343 SF 7.5" Average Thickness (42.8 Average R-Value), 1/2" Slope, Tapered Polyisocyanurate Board, Hot-Mopped.....	9.78	
<i>For 25 PSI Compressive Strength, Add</i>	0.48	
07 22 16 00-0344 SF 9.5" Average Thickness (54.2 Average R-Value), 1/2" Slope, Tapered Polyisocyanurate Board, Hot-Mopped.....	12.16	
<i>For 25 PSI Compressive Strength, Add</i>	0.60	
07 22 16 00-0345 Hot-Mopped, Tapered Perlite Board <small>(07 22 16 00-0320)</small>		
07 22 16 00-0346 Hot-Mopped, 1/8" Slope, Tapered Perlite Board <small>(07 22 16 00-0345)</small>		
07 22 16 00-0347 SF 2.25" Average Thickness (6.26 Average R-Value), 1/8" Slope, Tapered Perlite Board, Hot-Mopped.....	3.95	
07 22 16 00-0348 SF 2.75" Average Thickness (7.65 Average R-Value), 1/8" Slope, Tapered Perlite Board, Hot-Mopped.....	5.38	
07 22 16 00-0349 SF 3.25" Average Thickness (9.04 Average R-Value), 1/8" Slope, Tapered Perlite Board, Hot-Mopped.....	6.01	
07 22 16 00-0350 SF 3.75" Average Thickness (10.43 Average R-Value), 1/8" Slope, Tapered Perlite Board, Hot-Mopped.....	6.09	
07 22 16 00-0351 SF 4.25" Average Thickness (11.82 Average R-Value), 1/8" Slope, Tapered Perlite Board, Hot-Mopped.....	6.73	
07 22 16 00-0352 SF 4.75" Average Thickness (13.21 Average R-Value), 1/8" Slope, Tapered Perlite Board, Hot-Mopped.....	8.17	
07 22 16 00-0353 SF 5.25" Average Thickness (14.60 Average R-Value), 1/8" Slope, Tapered Perlite Board, Hot-Mopped.....	8.81	
07 22 16 00-0354 SF 5.75" Average Thickness (15.99 Average R-Value), 1/8" Slope, Tapered Perlite Board, Hot-Mopped.....	8.89	
07 22 16 00-0355 SF 6.25" Average Thickness (17.38 Average R-Value), 1/8" Slope, Tapered Perlite Board, Hot-Mopped.....	9.52	
07 22 16 00-0356 SF 6.75" Average Thickness (18.77 Average R-Value), 1/8" Slope, Tapered Perlite Board, Hot-Mopped.....	10.94	
07 22 16 00-0357 Hot-Mopped, 1/4" Slope, Tapered Perlite Board <small>(07 22 16 00-0345)</small>		
07 22 16 00-0358 SF 2" Average Thickness (5.56 Average R-Value), 1/4" Slope, Tapered Perlite Board, Hot-Mopped.....	3.63	
07 22 16 00-0359 SF 3" Average Thickness (8.34 Average R-Value), 1/4" Slope, Tapered Perlite Board, Hot-Mopped.....	5.69	
07 22 16 00-0360 SF 4" Average Thickness (11.12 Average R-Value), 1/4" Slope, Tapered Perlite Board, Hot-Mopped.....	6.41	
07 22 16 00-0361 SF 5" Average Thickness (13.9 Average R-Value), 1/4" Slope, Tapered Perlite Board, Hot-Mopped.....	8.49	
07 22 16 00-0362 SF 6" Average Thickness (16.68 Average R-Value), 1/4" Slope, Tapered Perlite Board, Hot-Mopped.....	9.20	
07 22 16 00-0363 SF 7" Average Thickness (19.46 Average R-Value), 1/4" Slope, Tapered Perlite Board, Hot-Mopped.....	11.26	
07 22 16 00-0364 Hot-Mopped, 1/2" Slope, Tapered Perlite Board <small>(07 22 16 00-0345)</small>		
07 22 16 00-0365 SF 3.5" Average Thickness (9.73 Average R-Value), 1/2" Slope, Tapered Perlite Board, Hot-Mopped.....	6.33	
07 22 16 00-0366 SF 5.5" Average Thickness (15.29 Average R-Value), 1/2" Slope, Tapered Perlite Board, Hot-Mopped.....	9.12	
07 22 16 00-0367 SF 7.5" Average Thickness (20.85 Average R-Value), 1/2" Slope, Tapered Perlite Board, Hot-Mopped.....	56.64	
07 22 16 00-0368 SF 9.5" Average Thickness (26.41 Average R-Value), 1/2" Slope, Tapered Perlite Board, Hot-Mopped.....	14.68	
07 22 16 00-0369 Mechanically Fastened Tapered Roofing Insulation <small>(07 22 16 00-0222)</small>		
Note: Mechanically fastened to wood or steel. Includes tapered board and filler board required to maintain slope starting at 1/2" minimum thickness. Excludes base layer of board, if required. Average thickness and average R-value of tapered system excludes thickness and R-value of base layer insulation and/or coverboard.		
07 22 16 00-0370 Mechanically Fastened, Tapered Polyisocyanurate Board <small>(07 22 16 00-0369)</small>		
Note: Mechanically fastened to wood or steel.		
07 22 16 00-0371 Mechanically Fastened, 1/8" Slope, Tapered Polyisocyanurate Board <small>(07 22 16 00-0370)</small>		

07 Thermal And Moisture Protection**07 20 Thermal Protection****07 22 Roof And Deck Insulation**
 MINOR
 CSI UOM DESCRIPTION

 TOTAL DIRECT DEMOLITION
 UNIT COST UNIT COST

07 22 16 00-0372	SF	2.25" Average Thickness (12.8 Average R-Value), 1/8" Slope, Tapered Polyisocyanurate Board, Mechanically Fastened	3.19
		<i>For 25 PSI Compressive Strength, Add</i>	0.19
		<i>For Mechanically Fastened To Concrete, Add</i>	1.28
		<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add</i>	1.47
		<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.55
		<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.58
		<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add</i>	1.77
		<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.82
		<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.37
		<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add</i>	2.65
07 22 16 00-0373	SF	3.25" Average Thickness (15.7 Average R-Value), 1/8" Slope, Tapered Polyisocyanurate Board, Mechanically Fastened	4.28
		<i>For 25 PSI Compressive Strength, Add</i>	0.19
		<i>For Mechanically Fastened To Concrete, Add</i>	1.31
		<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add</i>	1.50
		<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.63
		<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.66
		<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add</i>	1.85
		<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.94
		<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.50
		<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add</i>	2.79
07 22 16 00-0374	SF	3.25" Average Thickness (18.5 Average R-Value), 1/8" Slope, Tapered Polyisocyanurate Board, Mechanically Fastened	4.63
		<i>For 25 PSI Compressive Strength, Add</i>	0.22
		<i>For Mechanically Fastened To Concrete, Add</i>	1.31
		<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add</i>	1.53
		<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.63
		<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.66
		<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add</i>	1.88
		<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.94
		<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.50
		<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add</i>	2.83
07 22 16 00-0375	SF	3.75" Average Thickness (21.4 Average R-Value), 1/8" Slope, Tapered Polyisocyanurate Board, Mechanically Fastened	5.05
		<i>For 25 PSI Compressive Strength, Add</i>	0.27
		<i>For Mechanically Fastened To Concrete, Add</i>	1.35
		<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add</i>	1.51
		<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.73
		<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.77
		<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add</i>	1.93
		<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	1.10
		<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.67
		<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add</i>	2.91
07 22 16 00-0376	SF	4.25" Average Thickness (24.2 Average R-Value), 1/8" Slope, Tapered Polyisocyanurate Board, Mechanically Fastened	5.40
		<i>For 25 PSI Compressive Strength, Add</i>	0.30
		<i>For Mechanically Fastened To Concrete, Add</i>	1.35
		<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add</i>	1.55
		<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.73
		<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.77
		<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add</i>	1.97
		<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	1.10
		<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.67
		<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add</i>	2.96
07 22 16 00-0377	SF	4.75" Average Thickness (27.1 Average R-Value), 1/8" Slope, Tapered Polyisocyanurate Board, Mechanically Fastened	6.54
		<i>For 25 PSI Compressive Strength, Add</i>	0.31
		<i>For Mechanically Fastened To Concrete, Add</i>	1.39
		<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add</i>	1.55
		<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.86
		<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.91
		<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add</i>	2.07
		<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	1.29
		<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.87
		<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add</i>	3.10
07 22 16 00-0378	SF	5.25" Average Thickness (30.0 Average R-Value), 1/8" Slope, Tapered Polyisocyanurate Board, Mechanically Fastened	6.88
		<i>For 25 PSI Compressive Strength, Add</i>	0.34
		<i>For Mechanically Fastened To Concrete, Add</i>	1.39
		<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add</i>	1.55
		<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.86
		<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.91
		<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add</i>	2.07
		<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	1.29
		<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.87
		<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add</i>	3.10



	MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 22 16 00-0379	SF			5.75" Average Thickness (32.8 Average R-Value), 1/8" Slope, Tapered Polyisocyanurate Board, Mechanically Fastened.....	7.44	
				<i>For 25 PSI Compressive Strength, Add</i>	0.40	
				<i>For Mechanically Fastened To Concrete, Add</i>	1.42	
				<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add</i>	1.47	
				<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	1.10	
				<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	2.15	
				<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add</i>	2.20	
				<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	1.64	
				<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	3.24	
07 22 16 00-0380	SF			6.25" Average Thickness (35.6 Average R-Value), 1/8" Slope, Tapered Polyisocyanurate Board, Mechanically Fastened.....	7.78	
				<i>For 25 PSI Compressive Strength, Add</i>	0.43	
				<i>For Mechanically Fastened To Concrete, Add</i>	1.42	
				<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add</i>	1.47	
				<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	1.10	
				<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	2.15	
				<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add</i>	2.20	
				<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	1.64	
				<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	3.24	
07 22 16 00-0381	SF			6.75" Average Thickness (38.5 Average R-Value), 1/8" Slope, Tapered Polyisocyanurate Board, Mechanically Fastened.....	8.91	
				<i>For 25 PSI Compressive Strength, Add</i>	0.44	
				<i>For Mechanically Fastened To Concrete, Add</i>	1.42	
				<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add</i>	1.58	
				<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	1.18	
				<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	2.23	
				<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add</i>	2.39	
				<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	1.77	
				<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	3.37	
				<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add</i>	3.61	
07 22 16 00-0382				Mechanically Fastened, 1/4" Slope, Tapered Polyisocyanurate Board (07 22 16 00-0379)		
07 22 16 00-0383	SF			2" Average Thickness (11.4 Average R-Value), 1/4" Slope, Tapered Polyisocyanurate Board, Mechanically Fastened.....	3.01	
				<i>For 25 PSI Compressive Strength, Add</i>	0.17	
				<i>For Mechanically Fastened To Concrete, Add</i>	1.28	
				<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add</i>	1.47	
				<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.55	
				<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.58	
				<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add</i>	1.77	
				<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.82	
				<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.37	
				<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add</i>	2.65	
07 22 16 00-0384	SF			3" Average Thickness (17.1 Average R-Value), 1/4" Slope, Tapered Polyisocyanurate Board, Mechanically Fastened.....	4.46	
				<i>For 25 PSI Compressive Strength, Add</i>	0.21	
				<i>For Mechanically Fastened To Concrete, Add</i>	1.31	
				<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add</i>	1.50	
				<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.63	
				<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.66	
				<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add</i>	1.85	
				<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.94	
				<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.50	
				<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add</i>	2.79	
07 22 16 00-0385	SF			4" Average Thickness (22.8 Average R-Value), 1/4" Slope, Tapered Polyisocyanurate Board, Mechanically Fastened.....	5.23	
				<i>For 25 PSI Compressive Strength, Add</i>	0.28	
				<i>For Mechanically Fastened To Concrete, Add</i>	1.35	
				<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add</i>	1.51	
				<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.73	
				<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.77	
				<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add</i>	1.93	
				<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	1.10	
				<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.67	
				<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add</i>	2.91	
07 22 16 00-0386	SF			5" Average Thickness (28.5 Average R-Value), 1/4" Slope, Tapered Polyisocyanurate Board, Mechanically Fastened.....	6.71	
				<i>For 25 PSI Compressive Strength, Add</i>	0.33	
				<i>For Mechanically Fastened To Concrete, Add</i>	1.39	
				<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add</i>	1.55	
				<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.86	
				<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.91	
				<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add</i>	2.07	
				<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	1.29	
				<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.87	
				<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add</i>	3.10	

07 Thermal And Moisture Protection**07 20 Thermal Protection****07 22 Roof And Deck Insulation**

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 22 16 00-0387 SF 6" Average Thickness (34.2 Average R-Value), 1/4" Slope, Tapered Polyisocyanurate Board, Mechanically Fastened.....	7.61	
For 25 PSI Compressive Strength, Add	0.42	
For Mechanically Fastened To Concrete, Add	1.42	
For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add	1.47	
For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add	1.10	
For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add	2.15	
For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add	2.20	
For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add	1.64	
For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add	3.24	
For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add	3.32	
07 22 16 00-0388 SF 7" Average Thickness (39.9 Average R-Value), 1/4" Slope, Tapered Polyisocyanurate Board, Mechanically Fastened.....	9.09	
For 25 PSI Compressive Strength, Add	0.46	
For Mechanically Fastened To Concrete, Add	1.42	
For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add	1.58	
For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add	1.18	
For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add	2.23	
For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add	2.39	
For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add	1.77	
For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add	3.37	
For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add	3.61	
07 22 16 00-0389 Mechanically Fastened, 1/2" Slope, Tapered Polyisocyanurate Board (07 22 16 00-0370)		
07 22 16 00-0390 SF 3.5" Average Thickness (20.0 Average R-Value), 1/2" Slope, Tapered Polyisocyanurate Board, Mechanically Fastened.....	4.80	
For 25 PSI Compressive Strength, Add	0.24	
For Mechanically Fastened To Concrete, Add	1.31	
For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add	1.53	
For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add	0.63	
For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add	1.66	
For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add	1.88	
For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add	0.94	
For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add	2.50	
For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add	2.83	
07 22 16 00-0391 SF 5.5" Average Thickness (31.4 Average R-Value), 1/2" Slope, Tapered Polyisocyanurate Board, Mechanically Fastened.....	6.86	
For 25 PSI Compressive Strength, Add	0.34	
For Mechanically Fastened To Concrete, Add	1.39	
For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add	1.55	
For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add	0.86	
For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add	1.91	
For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add	2.07	
For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add	1.29	
For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add	2.87	
For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add	3.10	
07 22 16 00-0392 SF 7.5" Average Thickness (42.8 Average R-Value), 1/2" Slope, Tapered Polyisocyanurate Board, Mechanically Fastened.....	9.43	
For 25 PSI Compressive Strength, Add	0.49	
For Mechanically Fastened To Concrete, Add	1.42	
For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add	1.58	
For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add	1.18	
For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add	2.23	
For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add	2.39	
For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add	1.77	
For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add	3.37	
For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add	3.61	
07 22 16 00-0393 SF 9.5" Average Thickness (54.2 Average R-Value), 1/2" Slope, Tapered Polyisocyanurate Board, Mechanically Fastened.....	11.93	
For 25 PSI Compressive Strength, Add	0.64	
For Mechanically Fastened To Concrete, Add	1.30	
For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add	1.61	
For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add	2.51	
For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add	2.42	
For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add	3.76	
07 22 16 00-0394 Mechanically Fastened, Tapered Expanded Polystyrene Board (EPS) (07 22 16 00-0369)		
Note: Mechanically fastened to wood or steel.		
07 22 16 00-0395 Mechanically Fastened, 1/8" Slope, Tapered Expanded Polystyrene Board (EPS) (07 22 16 00-0394)		
07 22 16 00-0396 SF 2.25" Average Thickness (10.13 Average R-Value), 1/8" Slope, Tapered Expanded Polystyrene Board (EPS), Mechanically Fastened.....	2.80	
For Mechanically Fastened To Concrete, Add	1.28	
For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add	1.47	
For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add	0.55	
For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add	1.58	
For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add	1.77	
For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add	0.82	
For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add	2.37	
For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add	2.65	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 22 16 00-0397 SF 2.75" Average Thickness (12.38 Average R-Value), 1/8" Slope, Tapered Expanded Polystyrene Board (EPS), Mechanically Fastened	3.90	
<i>For Mechanically Fastened To Concrete, Add</i>	1.31	
<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add</i>	1.50	
<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.63	
<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.66	
<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add</i>	1.85	
<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.94	
<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.50	
<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add</i>	2.79	
07 22 16 00-0398 SF 3.25" Average Thickness (14.63 Average R-Value), 1/8" Slope, Tapered Expanded Polystyrene Board (EPS), Mechanically Fastened	4.16	
<i>For Mechanically Fastened To Concrete, Add</i>	1.31	
<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add</i>	1.53	
<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.63	
<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.66	
<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add</i>	1.88	
<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.94	
<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.50	
<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add</i>	2.83	
07 22 16 00-0399 SF 3.75" Average Thickness (16.88 Average R-Value), 1/8" Slope, Tapered Expanded Polystyrene Board (EPS), Mechanically Fastened	4.50	
<i>For Mechanically Fastened To Concrete, Add</i>	1.35	
<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add</i>	1.51	
<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.73	
<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.77	
<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add</i>	1.93	
<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	1.10	
<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.67	
<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add</i>	2.91	
07 22 16 00-0400 SF 4.25" Average Thickness (19.13 Average R-Value), 1/8" Slope, Tapered Expanded Polystyrene Board (EPS), Mechanically Fastened	4.76	
<i>For Mechanically Fastened To Concrete, Add</i>	1.35	
<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add</i>	1.55	
<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.73	
<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.77	
<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add</i>	1.97	
<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	1.10	
<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.67	
<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add</i>	2.96	
07 22 16 00-0401 SF 4.75" Average Thickness (21.38 Average R-Value), 1/8" Slope, Tapered Expanded Polystyrene Board (EPS), Mechanically Fastened	5.89	
<i>For Mechanically Fastened To Concrete, Add</i>	1.39	
<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add</i>	1.55	
<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.86	
<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.91	
<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add</i>	2.07	
<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	1.29	
<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.87	
<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add</i>	3.10	
07 22 16 00-0402 SF 5.25" Average Thickness (23.63 Average R-Value), 1/8" Slope, Tapered Expanded Polystyrene Board (EPS), Mechanically Fastened	6.15	
<i>For Mechanically Fastened To Concrete, Add</i>	1.39	
<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add</i>	1.55	
<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.86	
<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.91	
<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add</i>	2.07	
<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	1.29	
<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.87	
<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add</i>	3.10	
07 22 16 00-0403 SF 5.75" Average Thickness (25.88 Average R-Value), 1/8" Slope, Tapered Expanded Polystyrene Board (EPS), Mechanically Fastened	6.62	
<i>For Mechanically Fastened To Concrete, Add</i>	1.42	
<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add</i>	1.47	
<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	1.10	
<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	2.15	
<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add</i>	2.20	
<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	1.64	
<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	3.24	
<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add</i>	3.32	
07 22 16 00-0404 SF 6.25" Average Thickness (28.13 Average R-Value), 1/8" Slope, Tapered Expanded Polystyrene Board (EPS), Mechanically Fastened	6.88	
<i>For Mechanically Fastened To Concrete, Add</i>	1.42	
<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add</i>	1.47	
<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	1.10	
<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	2.15	
<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add</i>	2.20	
<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	1.64	
<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	3.24	
<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add</i>	3.32	

07 Thermal And Moisture Protection**07 20 Thermal Protection****07 22 Roof And Deck Insulation**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 22 16 00-0405	SF		6.75" Average Thickness (30.38 Average R-Value), 1/8" Slope, Tapered Expanded Polystyrene Board (EPS), Mechanically Fastened	8.02	
			<i>For Mechanically Fastened To Concrete, Add</i>	1.42	
			<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add</i>	1.58	
			<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	1.18	
			<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	2.23	
			<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add</i>	2.39	
			<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	1.77	
			<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	3.37	
			<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add</i>	3.61	
07 22 16 00-0406			Mechanically Fastened, 1/4" Slope, Tapered Expanded Polystyrene Board (EPS) (07 22 16 00-0394)		
07 22 16 00-0407	SF		2" Average Thickness (9 Average R-Value), 1/4" Slope, Tapered Expanded Polystyrene Board (EPS), Mechanically Fastened	2.67	
			<i>For Mechanically Fastened To Concrete, Add</i>	1.28	
			<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add</i>	1.47	
			<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.55	
			<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.58	
			<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add</i>	1.77	
			<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.82	
			<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.37	
			<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add</i>	2.65	
07 22 16 00-0408	SF		3" Average Thickness (13.5 Average R-Value), 1/4" Slope, Tapered Expanded Polystyrene Board (EPS), Mechanically Fastened	4.03	
			<i>For Mechanically Fastened To Concrete, Add</i>	1.31	
			<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add</i>	1.50	
			<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.63	
			<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.66	
			<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add</i>	1.85	
			<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.94	
			<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.50	
			<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add</i>	2.79	
07 22 16 00-0409	SF		4" Average Thickness (18 Average R-Value), 1/4" Slope, Tapered Expanded Polystyrene Board (EPS), Mechanically Fastened	4.63	
			<i>For Mechanically Fastened To Concrete, Add</i>	1.35	
			<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add</i>	1.51	
			<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.73	
			<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.77	
			<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add</i>	1.93	
			<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	1.10	
			<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.67	
			<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add</i>	2.91	
07 22 16 00-0410	SF		5" Average Thickness (22.5 Average R-Value), 1/4" Slope, Tapered Expanded Polystyrene Board (EPS), Mechanically Fastened	6.02	
			<i>For Mechanically Fastened To Concrete, Add</i>	1.39	
			<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add</i>	1.55	
			<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.86	
			<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.91	
			<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add</i>	2.07	
			<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	1.29	
			<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.87	
			<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add</i>	3.10	
07 22 16 00-0411	SF		6" Average Thickness (27 Average R-Value), 1/4" Slope, Tapered Expanded Polystyrene Board (EPS), Mechanically Fastened	6.75	
			<i>For Mechanically Fastened To Concrete, Add</i>	1.42	
			<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add</i>	1.47	
			<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	1.10	
			<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	2.15	
			<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add</i>	2.20	
			<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	1.64	
			<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	3.24	
			<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add</i>	3.32	
07 22 16 00-0412	SF		7" Average Thickness (31.5 Average R-Value), 1/4" Slope, Tapered Expanded Polystyrene Board (EPS), Mechanically Fastened	8.15	
			<i>For Mechanically Fastened To Concrete, Add</i>	1.42	
			<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add</i>	1.58	
			<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	1.18	
			<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	2.23	
			<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add</i>	2.39	
			<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	1.77	
			<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	3.37	
			<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add</i>	3.61	
07 22 16 00-0413			Mechanically Fastened, 1/2" Slope, Tapered Expanded Polystyrene Board (EPS) (07 22 16 00-0394)		



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 22 16 00-0414 SF 3.5" Average Thickness (15.75 Average R-Value), 1/2" Slope, Tapered Expanded Polystyrene Board (EPS), Mechanically Fastened	4.29	
<i>For Mechanically Fastened To Concrete, Add</i>	1.31	
<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add</i>	1.53	
<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.63	
<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.66	
<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add</i>	1.88	
<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.94	
<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.50	
<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add</i>	2.83	
07 22 16 00-0415 SF 5.5" Average Thickness (24.75 Average R-Value), 1/2" Slope, Tapered Expanded Polystyrene Board (EPS), Mechanically Fastened	6.28	
<i>For Mechanically Fastened To Concrete, Add</i>	1.39	
<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add</i>	1.55	
<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.86	
<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.91	
<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add</i>	2.07	
<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	1.29	
<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.87	
<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add</i>	3.10	
07 22 16 00-0416 SF 7.5" Average Thickness (33.75 Average R-Value), 1/2" Slope, Tapered Expanded Polystyrene Board (EPS), Mechanically Fastened	8.41	
<i>For Mechanically Fastened To Concrete, Add</i>	1.42	
<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add</i>	1.58	
<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	1.18	
<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	2.23	
<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add</i>	2.39	
<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	1.77	
<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	3.37	
<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add</i>	3.61	
07 22 16 00-0417 SF 9.5" Average Thickness (42.75 Average R-Value), 1/2" Slope, Tapered Expanded Polystyrene Board (EPS), Mechanically Fastened	10.90	
<i>For Mechanically Fastened To Concrete, Add</i>	1.30	
<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	1.61	
<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	2.51	
<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	2.42	
<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	3.76	
07 22 16 00-0418 Mechanically Fastened, Tapered Extruded Polystyrene Board (XEPS) <small>(07 22 16 00-0369)</small>		
Note: Mechanically fastened to wood or steel.		
07 22 16 00-0419 Mechanically Fastened, 1/8" Slope, Tapered Extruded Polystyrene Board (XEPS) <small>(07 22 16 00-0418)</small>		
07 22 16 00-0420 SF 2.25" Average Thickness (12.38 Average R-Value), 1/8" Slope, Tapered Extruded Polystyrene Board (XEPS), Mechanically Fastened	3.11	
<i>For Mechanically Fastened To Concrete, Add</i>	1.28	
<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add</i>	1.47	
<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.55	
<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.58	
<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add</i>	1.77	
<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.82	
<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.37	
<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add</i>	2.65	
07 22 16 00-0421 SF 2.75" Average Thickness (15.125 Average R-Value), 1/8" Slope, Tapered Extruded Polystyrene Board (XEPS), Mechanically Fastened	4.21	
<i>For Mechanically Fastened To Concrete, Add</i>	1.31	
<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add</i>	1.50	
<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.63	
<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.66	
<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add</i>	1.85	
<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.94	
<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.50	
<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add</i>	2.79	
07 22 16 00-0422 SF 3.25" Average Thickness (17.88 Average R-Value), 1/8" Slope, Tapered Extruded Polystyrene Board (XEPS), Mechanically Fastened	5.31	
<i>For Mechanically Fastened To Concrete, Add</i>	1.31	
<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add</i>	1.53	
<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.63	
<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.66	
<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add</i>	1.88	
<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.94	
<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.50	
<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add</i>	2.83	
07 22 16 00-0423 SF 3.75" Average Thickness (20.63 Average R-Value), 1/8" Slope, Tapered Extruded Polystyrene Board (XEPS), Mechanically Fastened	4.94	
<i>For Mechanically Fastened To Concrete, Add</i>	1.35	
<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add</i>	1.51	
<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.73	
<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.77	
<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add</i>	1.93	
<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	1.10	
<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.67	
<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add</i>	2.91	

07 Thermal And Moisture Protection**07 20 Thermal Protection****07 22 Roof And Deck Insulation**
 MINOR
 CSI UOM DESCRIPTION

 TOTAL DIRECT DEMOLITION
 UNIT COST UNIT COST

07 22 16 00-0424	SF	4.25" Average Thickness (23.38 Average R-Value), 1/8" Slope, Tapered Extruded Polystyrene Board (XEPS), Mechanically Fastened	5.27
		<i>For Mechanically Fastened To Concrete, Add</i>	1.35
		<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add</i>	1.55
		<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.73
		<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.77
		<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add</i>	1.97
		<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	1.10
		<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.67
		<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add</i>	2.96
07 22 16 00-0425	SF	4.75" Average Thickness (26.13 Average R-Value), 1/8" Slope, Tapered Extruded Polystyrene Board (XEPS), Mechanically Fastened	6.41
		<i>For Mechanically Fastened To Concrete, Add</i>	1.39
		<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add</i>	1.55
		<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.86
		<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.91
		<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add</i>	2.07
		<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	1.29
		<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.87
		<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add</i>	3.10
07 22 16 00-0426	SF	5.25" Average Thickness (28.88 Average R-Value), 1/8" Slope, Tapered Extruded Polystyrene Board (XEPS), Mechanically Fastened	6.74
		<i>For Mechanically Fastened To Concrete, Add</i>	1.39
		<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add</i>	1.55
		<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.86
		<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.91
		<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add</i>	2.07
		<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	1.29
		<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.87
		<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add</i>	3.10
07 22 16 00-0427	SF	5.75" Average Thickness (31.63 Average R-Value), 1/8" Slope, Tapered Extruded Polystyrene Board (XEPS), Mechanically Fastened	7.27
		<i>For Mechanically Fastened To Concrete, Add</i>	1.42
		<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add</i>	1.47
		<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	1.10
		<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	2.15
		<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add</i>	2.20
		<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	1.64
		<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	3.24
		<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add</i>	3.32
07 22 16 00-0428	SF	6.25" Average Thickness (34.38 Average R-Value), 1/8" Slope, Tapered Extruded Polystyrene Board (XEPS), Mechanically Fastened	7.60
		<i>For Mechanically Fastened To Concrete, Add</i>	1.42
		<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add</i>	1.47
		<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	1.10
		<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	2.15
		<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add</i>	2.20
		<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	1.64
		<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	3.24
		<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add</i>	3.32
07 22 16 00-0429	SF	6.75" Average Thickness (37.13 Average R-Value), 1/8" Slope, Tapered Extruded Polystyrene Board (XEPS), Mechanically Fastened	8.74
		<i>For Mechanically Fastened To Concrete, Add</i>	1.42
		<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add</i>	1.58
		<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	1.18
		<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	2.23
		<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add</i>	2.39
		<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	1.77
		<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	3.37
		<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add</i>	3.61
07 22 16 00-0430		Mechanically Fastened, 1/4" Slope, Tapered Extruded Polystyrene Board (XEPS) <small>(07 22 16 00-0418)</small>	
07 22 16 00-0431	SF	2" Average Thickness (11 Average R-Value), 1/4" Slope, Tapered Extruded Polystyrene Board (XEPS), Mechanically Fastened	2.95
		<i>For Mechanically Fastened To Concrete, Add</i>	1.28
		<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add</i>	1.47
		<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.55
		<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.58
		<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add</i>	1.77
		<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.82
		<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.37
		<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add</i>	2.65
07 22 16 00-0432	SF	3" Average Thickness (16.5 Average R-Value), 1/4" Slope, Tapered Extruded Polystyrene Board (XEPS), Mechanically Fastened	4.37
		<i>For Mechanically Fastened To Concrete, Add</i>	1.31
		<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add</i>	1.50
		<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.63
		<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.66
		<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add</i>	1.85
		<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.94
		<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.50
		<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add</i>	2.79



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 22 16 00-0433 SF 4" Average Thickness (22 Average R-Value), 1/4" Slope, Tapered Extruded Polystyrene Board (XEPS), Mechanically Fastened	5.11	
<i>For Mechanically Fastened To Concrete, Add</i>	1.35	
<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add</i>	1.51	
<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.73	
<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.77	
<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add</i>	1.93	
<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	1.10	
<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.67	
<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add</i>	2.91	
07 22 16 00-0434 SF 5" Average Thickness (27.5 Average R-Value), 1/4" Slope, Tapered Extruded Polystyrene Board (XEPS), Mechanically Fastened	6.57	
<i>For Mechanically Fastened To Concrete, Add</i>	1.39	
<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add</i>	1.55	
<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.86	
<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.91	
<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add</i>	2.07	
<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	1.29	
<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.87	
<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add</i>	3.10	
07 22 16 00-0435 SF 6" Average Thickness (33 Average R-Value), 1/4" Slope, Tapered Extruded Polystyrene Board (XEPS), Mechanically Fastened	7.44	
<i>For Mechanically Fastened To Concrete, Add</i>	1.42	
<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add</i>	1.47	
<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	1.10	
<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	2.15	
<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add</i>	2.20	
<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	1.64	
<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	3.24	
<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add</i>	3.32	
07 22 16 00-0436 SF 7" Average Thickness (38.5 Average R-Value), 1/4" Slope, Tapered Extruded Polystyrene Board (XEPS), Mechanically Fastened	8.90	
<i>For Mechanically Fastened To Concrete, Add</i>	1.42	
<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add</i>	1.58	
<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	1.18	
<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	2.23	
<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add</i>	2.39	
<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	1.77	
<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	3.37	
<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add</i>	3.61	
07 22 16 00-0437 Mechanically Fastened, 1/2" Slope, Tapered Extruded Polystyrene Board (XEPS) <small>(07 22 16 00-0418)</small>		
07 22 16 00-0438 SF 3.5" Average Thickness (19.25 Average R-Value), 1/2" Slope, Tapered Extruded Polystyrene Board (XEPS), Mechanically Fastened	4.70	
<i>For Mechanically Fastened To Concrete, Add</i>	1.31	
<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add</i>	1.53	
<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.63	
<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.66	
<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add</i>	1.88	
<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.94	
<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.50	
<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add</i>	2.83	
07 22 16 00-0439 SF 5.5" Average Thickness (30.25 Average R-Value), 1/2" Slope, Tapered Extruded Polystyrene Board (XEPS), Mechanically Fastened	6.90	
<i>For Mechanically Fastened To Concrete, Add</i>	1.39	
<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add</i>	1.55	
<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.86	
<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.91	
<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add</i>	2.07	
<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	1.29	
<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.87	
<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add</i>	3.10	
07 22 16 00-0440 SF 7.5" Average Thickness (41.25 Average R-Value), 1/2" Slope, Tapered Extruded Polystyrene Board (XEPS), Mechanically Fastened	9.23	
<i>For Mechanically Fastened To Concrete, Add</i>	1.42	
<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add</i>	1.58	
<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	1.18	
<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	2.23	
<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add</i>	2.39	
<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	1.77	
<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	3.37	
<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add</i>	3.61	
07 22 16 00-0441 SF 9.5" Average Thickness (52.25 Average R-Value), 1/2" Slope, Tapered Extruded Polystyrene Board (XEPS), Mechanically Fastened	11.54	
<i>For Mechanically Fastened To Concrete, Add</i>	1.30	
<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	1.61	
<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	2.51	
<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	2.42	
<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	3.76	
07 22 16 00-0442 Mechanically Fastened, Tapered Perlite Board <small>(07 22 16 00-0389)</small>		
Note: Mechanically fastened to wood or steel.		

07 Thermal And Moisture Protection

07 20 Thermal Protection

07 22 Roof And Deck Insulation

MINOR
CSI UOM DESCRIPTIONTOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

07 22 16 00-0443	Mechanically Fastened, 1/8" Slope, Tapered Perlite Board <small>(07 22 16 00-0442)</small>	
07 22 16 00-0444	SF 2.25" Average Thickness (6.26 Average R-Value), 1/8" Slope, Tapered Perlite Board, Mechanically Fastened	3.94
	<i>For Mechanically Fastened To Concrete, Add</i>	1.28
	<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add</i>	1.47
	<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.55
	<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.58
	<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add</i>	1.77
	<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.82
	<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.37
	<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add</i>	2.65
07 22 16 00-0445	SF 2.75" Average Thickness (7.65 Average R-Value), 1/8" Slope, Tapered Perlite Board, Mechanically Fastened	5.14
	<i>For Mechanically Fastened To Concrete, Add</i>	1.31
	<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add</i>	1.50
	<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.63
	<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.66
	<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add</i>	1.85
	<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.94
	<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.50
	<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add</i>	2.79
07 22 16 00-0446	SF 3.25" Average Thickness (9.04 Average R-Value), 1/8" Slope, Tapered Perlite Board, Mechanically Fastened	5.77
	<i>For Mechanically Fastened To Concrete, Add</i>	1.31
	<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add</i>	1.53
	<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.63
	<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.66
	<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add</i>	1.88
	<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.94
	<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.50
	<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add</i>	2.83
07 22 16 00-0447	SF 3.75" Average Thickness (10.43 Average R-Value), 1/8" Slope, Tapered Perlite Board, Mechanically Fastened	5.93
	<i>For Mechanically Fastened To Concrete, Add</i>	1.35
	<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add</i>	1.51
	<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.73
	<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.77
	<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add</i>	1.93
	<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	1.10
	<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.67
	<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add</i>	2.91
07 22 16 00-0448	SF 4.25" Average Thickness (11.82 Average R-Value), 1/8" Slope, Tapered Perlite Board, Mechanically Fastened	6.57
	<i>For Mechanically Fastened To Concrete, Add</i>	1.35
	<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add</i>	1.55
	<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.73
	<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.77
	<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add</i>	1.97
	<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	1.10
	<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.67
	<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add</i>	2.96
07 22 16 00-0449	SF 4.75" Average Thickness (13.21 Average R-Value), 1/8" Slope, Tapered Perlite Board, Mechanically Fastened	7.79
	<i>For Mechanically Fastened To Concrete, Add</i>	1.39
	<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add</i>	1.55
	<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.86
	<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.91
	<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add</i>	2.07
	<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	1.29
	<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.87
	<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add</i>	3.10
07 22 16 00-0450	SF 5.25" Average Thickness (14.60 Average R-Value), 1/8" Slope, Tapered Perlite Board, Mechanically Fastened	8.43
	<i>For Mechanically Fastened To Concrete, Add</i>	1.39
	<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add</i>	1.55
	<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.86
	<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.91
	<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add</i>	2.07
	<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	1.29
	<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.87
	<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add</i>	3.10
07 22 16 00-0451	SF 5.75" Average Thickness (15.99 Average R-Value), 1/8" Slope, Tapered Perlite Board, Mechanically Fastened	8.72
	<i>For Mechanically Fastened To Concrete, Add</i>	1.42
	<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add</i>	1.47
	<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	1.10
	<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	2.15
	<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add</i>	2.20
	<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	1.64
	<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	3.24
	<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add</i>	3.32
07 22 16 00-0452	SF 6.25" Average Thickness (17.38 Average R-Value), 1/8" Slope, Tapered Perlite Board, Mechanically Fastened	9.36
	<i>For Mechanically Fastened To Concrete, Add</i>	1.42
	<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add</i>	1.47
	<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	1.10
	<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	2.15
	<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add</i>	2.20
	<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	1.64
	<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	3.24
	<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add</i>	3.32



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 22 16 00-0453 SF 6.75" Average Thickness (18.77 Average R-Value), 1/8" Slope, Tapered Perlite Board, Mechanically Fastened	10.59	
For Mechanically Fastened To Concrete, Add	1.42	
For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add	1.58	
For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add	1.18	
For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add	2.23	
For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add	2.39	
For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add	1.77	
For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add	3.37	
For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add	3.61	
07 22 16 00-0454 Mechanically Fastened, 1/4" Slope, Tapered Perlite Board (07 22 16 00-0442)	3.62	
07 22 16 00-0455 SF 2" Average Thickness (5.56 Average R-Value), 1/4" Slope, Tapered Perlite Board, Mechanically Fastened	3.62	
For Mechanically Fastened To Concrete, Add	1.28	
For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add	1.47	
For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add	0.55	
For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add	1.58	
For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add	1.77	
For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add	0.82	
For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add	2.37	
For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add	2.65	
07 22 16 00-0456 SF 3" Average Thickness (8.34 Average R-Value), 1/4" Slope, Tapered Perlite Board, Mechanically Fastened	5.45	
For Mechanically Fastened To Concrete, Add	1.31	
For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add	1.50	
For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add	0.63	
For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add	1.66	
For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add	1.85	
For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add	0.94	
For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add	2.50	
For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add	2.79	
07 22 16 00-0457 SF 4" Average Thickness (11.12 Average R-Value), 1/4" Slope, Tapered Perlite Board, Mechanically Fastened	6.25	
For Mechanically Fastened To Concrete, Add	1.35	
For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add	1.51	
For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add	0.73	
For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add	1.77	
For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add	1.93	
For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add	1.10	
For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add	2.67	
For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add	2.91	
07 22 16 00-0458 SF 5" Average Thickness (13.9 Average R-Value), 1/4" Slope, Tapered Perlite Board, Mechanically Fastened	8.11	
For Mechanically Fastened To Concrete, Add	1.39	
For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add	1.55	
For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add	0.86	
For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add	1.91	
For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add	2.07	
For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add	1.29	
For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add	2.87	
For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add	3.10	
07 22 16 00-0459 SF 6" Average Thickness (16.68 Average R-Value), 1/4" Slope, Tapered Perlite Board, Mechanically Fastened	9.04	
For Mechanically Fastened To Concrete, Add	1.42	
For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add	1.47	
For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add	1.10	
For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add	2.15	
For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add	2.20	
For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add	1.64	
For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add	3.24	
For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add	3.32	
07 22 16 00-0460 SF 7" Average Thickness (19.46 Average R-Value), 1/4" Slope, Tapered Perlite Board, Mechanically Fastened	10.91	
For Mechanically Fastened To Concrete, Add	1.42	
For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add	1.58	
For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add	1.18	
For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add	2.23	
For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add	2.39	
For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add	1.77	
For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add	3.37	
For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add	3.61	
07 22 16 00-0461 Mechanically Fastened, 1/2" Slope, Tapered Perlite Board (07 22 16 00-0442)	6.09	
07 22 16 00-0462 SF 3.5" Average Thickness (9.73 Average R-Value), 1/2" Slope, Tapered Perlite Board, Mechanically Fastened	6.09	
For Mechanically Fastened To Concrete, Add	1.31	
For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add	1.53	
For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add	0.63	
For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add	1.66	
For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add	1.88	
For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add	0.94	
For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add	2.50	
For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add	2.83	

07 Thermal And Moisture Protection**07 20 Thermal Protection****07 22 Roof And Deck Insulation**
 MINOR
 CSI UOM DESCRIPTION

 TOTAL DIRECT DEMOLITION
 UNIT COST UNIT COST

07 22 16 00-0463	SF	5.5" Average Thickness (15.29 Average R-Value), 1/2" Slope, Tapered Perlite Board, Mechanically Fastened	8.75
		<i>For Mechanically Fastened To Concrete, Add</i>	1.39
		<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add</i>	1.55
		<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.86
		<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	1.91
		<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add</i>	2.07
		<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	1.29
		<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.87
		<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add</i>	3.10
07 22 16 00-0464	SF	7.5" Average Thickness (20.85 Average R-Value), 1/2" Slope, Tapered Perlite Board, Mechanically Fastened	11.55
		<i>For Mechanically Fastened To Concrete, Add</i>	1.42
		<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, Add</i>	1.58
		<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	1.18
		<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	2.23
		<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add</i>	2.39
		<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	1.77
		<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	3.37
		<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add</i>	3.61
07 22 16 00-0465	SF	9.5" Average Thickness (26.41 Average R-Value), 1/2" Slope, Tapered Perlite Board, Mechanically Fastened	14.44
		<i>For Mechanically Fastened To Concrete, Add</i>	1.30
		<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	1.61
		<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	2.51
		<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >90 To 120 MPH Wind, Add</i>	2.39
		<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	2.42
		<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	3.76
		<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum, >120 To 135 MPH Wind, Add</i>	3.61

07 22 16 00-0466 Demolish Rigid Board Roofing Insulation (07 22 16)

Note: Includes removing any combination of roofing insulation systems and/or recovery board. Includes removal of any basic roof accessories and any sheet metals; except special existing conditions (mechanical equipment piping, electrical, ducts, etc.).

07 22 16 00-0467	SF	Demolish Up To 1/2" Average Thickness, Rigid Board Roofing Insulation	0.49
07 22 16 00-0468	SF	Demolish >1/2" To 1" Average Thickness, Rigid Board Roofing Insulation	0.51
07 22 16 00-0469	SF	Demolish >1" To 2" Average Thickness, Rigid Board Roofing Insulation	0.52
07 22 16 00-0470	SF	Demolish >2" To 3" Average Thickness, Rigid Board Roofing Insulation	0.53
07 22 16 00-0471	SF	Demolish >3" To 4" Average Thickness, Rigid Board Roofing Insulation	0.54
07 22 16 00-0472	SF	Demolish >4" To 5" Average Thickness, Rigid Board Roofing Insulation	0.56
07 22 16 00-0473	SF	Demolish >5" To 6" Average Thickness, Rigid Board Roofing Insulation	0.57
07 22 16 00-0474	SF	Demolish >6" To 7" Average Thickness, Rigid Board Roofing Insulation	0.58
07 22 16 00-0475	SF	Demolish >7" To 8" Average Thickness, Rigid Board Roofing Insulation	0.60
07 22 16 00-0476	SF	Demolish >8" To 9" Average Thickness, Rigid Board Roofing Insulation	0.61
07 22 16 00-0477	SF	Demolish >9" To 10" Average Thickness, Rigid Board Roofing Insulation	0.63
07 22 16 00-0478	SF	Demolish >10" To 11" Average Thickness, Rigid Board Roofing Insulation	0.64
07 22 16 00-0479	SF	Demolish >11" To 12" Average Thickness, Rigid Board Roofing Insulation	0.66

07 24 Exterior Insulation And Finish Systems (07 20)**07 24 13 Polymer-Based Exterior Insulation And Finish System (07 24)****07 24 13 00-0001 Exterior Insulation Finishing System (EIFS) (07 24 13)****07 24 13 00-0002 Insulation For Exterior Insulation Finishing Systems (EIFS) (07 24 13 00-0001)**

07 24 13 00-0003	SF	1" Thick, R3.85, Molded Expanded Polystyrene, Foam Board Insulation For Exterior Insulation Finishing Systems (EIFS), Adhesive Applied	2.75
		<i>For Up To 100, Add</i>	0.65
		<i>For >100 To 500, Add</i>	0.33
		<i>For >5,000, Deduct</i>	-0.13
		<i>For Adhesive And Mechanically Fastened To Wood Or Steel, Add</i>	1.12
		<i>For Adhesive And Mechanically Fastened To Concrete Or Masonry, Add</i>	1.65
07 24 13 00-0004	SF	1-1/2" Thick, R5.78, Molded Expanded Polystyrene, Foam Board Insulation For Exterior Insulation Finishing Systems (EIFS), Adhesive Applied	3.10
		<i>For Up To 100, Add</i>	0.66
		<i>For >100 To 500, Add</i>	0.33
		<i>For >5,000, Deduct</i>	-0.13
		<i>For Adhesive And Mechanically Fastened To Wood Or Steel, Add</i>	1.14
		<i>For Adhesive And Mechanically Fastened To Concrete Or Masonry, Add</i>	1.66
07 24 13 00-0005	SF	2" Thick, R7.70, Molded Expanded Polystyrene, Foam Board Insulation For Exterior Insulation Finishing Systems (EIFS), Adhesive Applied	3.43
		<i>For Up To 100, Add</i>	0.67
		<i>For >100 To 500, Add</i>	0.33
		<i>For >5,000, Deduct</i>	-0.13
		<i>For Adhesive And Mechanically Fastened To Wood Or Steel, Add</i>	1.25
		<i>For Adhesive And Mechanically Fastened To Concrete Or Masonry, Add</i>	1.74
07 24 13 00-0006	SF	2-1/2" Thick, R9.63, Molded Expanded Polystyrene, Foam Board Insulation For Exterior Insulation Finishing Systems (EIFS), Adhesive Applied	3.78
		<i>For Up To 100, Add</i>	0.68
		<i>For >100 To 500, Add</i>	0.34
		<i>For >5,000, Deduct</i>	-0.14
		<i>For Adhesive And Mechanically Fastened To Wood Or Steel, Add</i>	1.30
		<i>For Adhesive And Mechanically Fastened To Concrete Or Masonry, Add</i>	1.81



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 24 13 00-0007 SF 3" Thick, R11.55, Molded Expanded Polystyrene, Foam Board Insulation For Exterior Insulation Finishing Systems (EIFS), Adhesive Applied	4.13	
<i>For Up To 100, Add</i>	0.69	
<i>For >100 To 500, Add</i>	0.34	
<i>For >5,000, Deduct</i>	-0.14	
<i>For Adhesive And Mechanically Fastened To Wood Or Steel, Add</i>	1.30	
<i>For Adhesive And Mechanically Fastened To Concrete Or Masonry, Add</i>	1.81	
07 24 13 00-0008 SF 4" Thick, R15.40, Molded Expanded Polystyrene, Foam Board Insulation For Exterior Insulation Finishing Systems (EIFS), Adhesive Applied	4.80	
<i>For Up To 100, Add</i>	0.69	
<i>For >100 To 500, Add</i>	0.35	
<i>For >5,000, Deduct</i>	-0.14	
<i>For Adhesive And Mechanically Fastened To Wood Or Steel, Add</i>	1.44	
<i>For Adhesive And Mechanically Fastened To Concrete Or Masonry, Add</i>	1.93	
07 24 13 00-0009 Fiberglass Reinforcing Mesh For Exterior Insulation Finishing Systems (EIFS) <small>(07 24 13 00-0001)</small>		
Note: Includes applying a layer of base coat to the insulation board and fully embedding the reinforcing fabric in the wet base coat.		
07 24 13 00-0010 SF 4.3 OZ, Fiberglass Reinforcing Mesh For Exterior Insulation Finishing Systems (EIFS) (Dryvit S-Mesh), Embedded In A Layer Of Base Coat.....	3.76	
<i>For Up To 100, Add</i>	1.31	
<i>For >100 To 500, Add</i>	0.65	
<i>For >5,000, Deduct</i>	-0.26	
07 24 13 00-0011 SF 6.0 OZ, Fiberglass Reinforcing Mesh For Exterior Insulation Finishing Systems (EIFS) (Dryvit SP-Mesh), Embedded In A Layer Of Base Coat.....	4.10	
<i>For Up To 100, Add</i>	1.31	
<i>For >100 To 500, Add</i>	0.65	
<i>For >5,000, Deduct</i>	-0.26	
07 24 13 00-0012 SF 15.0 OZ, Fiberglass Reinforcing Mesh For Exterior Insulation Finishing Systems (EIFS) (Dryvit Panzer® 15), Embedded In A Layer Of Base Coat.....	5.02	
<i>For Up To 100, Add</i>	1.31	
<i>For >100 To 500, Add</i>	0.65	
<i>For >5,000, Deduct</i>	-0.26	
07 24 13 00-0013 SF 20.0 OZ, Fiberglass Reinforcing Mesh For Exterior Insulation Finishing Systems (EIFS) (Dryvit Panzer® 20), Embedded In A Layer Of Base Coat.....	5.29	
<i>For Up To 100, Add</i>	1.31	
<i>For >100 To 500, Add</i>	0.65	
<i>For >5,000, Deduct</i>	-0.26	
07 24 13 00-0014 Base Coats For Exterior Insulation Finishing Systems (EIFS) <small>(07 24 13 00-0001)</small>		
07 24 13 00-0015 SF Polymer-Based, Fiber-Reinforced Base Coat For Exterior Insulation Finishing Systems (EIFS) (Dryvit Genesis® DM).....	1.84	
<i>For Up To 100, Add</i>	0.65	
<i>For >100 To 500, Add</i>	0.33	
<i>For >5,000, Deduct</i>	-0.13	
07 24 13 00-0016 SF Acrylic-Modified, Fiber-Reinforced Base Coat For Exterior Insulation Finishing Systems (EIFS) (Dryvit Genesis®).....	2.09	
<i>For Up To 100, Add</i>	0.65	
<i>For >100 To 500, Add</i>	0.33	
<i>For >5,000, Deduct</i>	-0.13	
07 24 13 00-0017 SF Water Resistant, Acrylic Co-Polymer Base Coat For Exterior Insulation Finishing Systems (EIFS) (Dryvit Dryflex®).....	3.45	
<i>For Up To 100, Add</i>	0.65	
<i>For >100 To 500, Add</i>	0.33	
<i>For >5,000, Deduct</i>	-0.13	
07 24 13 00-0018 SF Hydrostatic Water Resistant, Acrylic Co-Polymer Base Coat For Exterior Insulation Finishing Systems (EIFS) (Dryvit Dryflex®).....	4.53	
<i>For Up To 100, Add</i>	0.65	
<i>For >100 To 500, Add</i>	0.33	
<i>For >5,000, Deduct</i>	-0.13	
07 24 13 00-0019 Finish Coats For Exterior Insulation Finishing Systems (EIFS) <small>(07 24 13 00-0001)</small>		
Note: Includes all standard manufacturers' colors.		
07 24 13 00-0020 SF 100% Acrylic-Based Aggregate Fine Finish Coat For Exterior Insulation Finishing Systems (EIFS) (Dryvit DPR Finish).....	3.22	
<i>For Up To 100, Add</i>	1.31	
<i>For >100 To 500, Add</i>	0.65	
<i>For >5,000, Deduct</i>	-0.26	
07 24 13 00-0021 SF 100% Acrylic-Based Aggregate Textured Finish Coat For Exterior Insulation Finishing Systems (EIFS) (Dryvit DPR Finish).....	3.27	
<i>For Up To 100, Add</i>	1.31	
<i>For >100 To 500, Add</i>	0.65	
<i>For >5,000, Deduct</i>	-0.26	
07 24 13 00-0022 SF Lightweight Elastic, 100% Acrylic-Based Aggregate Fine Finish Coat For Exterior Insulation Finishing Systems (EIFS) (Dryvit E™ Finish).....	3.67	
<i>For Up To 100, Add</i>	1.31	
<i>For >100 To 500, Add</i>	0.65	
<i>For >5,000, Deduct</i>	-0.26	

07 Thermal And Moisture Protection**07 20 Thermal Protection****07 24 Exterior Insulation And Finish Systems**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 24 13 00-0023	SF		Lightweight Elastic, 100% Acrylic-Based Aggregate Textured Finish Coat For Exterior Insulation Finishing Systems (EIFS) (Dryvit E™ Finish).....	4.02	
			<i>For Up To 100, Add</i>	1.31	
			<i>For >100 To 500, Add</i>	0.65	
			<i>For >5,000, Deduct</i>	-0.26	
07 24 13 00-0024	SF		Mildew Resistant, 100% Acrylic-Based Aggregate Fine Finish Coat For Exterior Insulation Finishing Systems (EIFS) (Dryvit PMR™ Finish).....	3.67	
			<i>For Up To 100, Add</i>	1.31	
			<i>For >100 To 500, Add</i>	0.65	
			<i>For >5,000, Deduct</i>	-0.26	
07 24 13 00-0025	SF		Mildew Resistant, 100% Acrylic-Based Aggregate Textured Finish Coat For Exterior Insulation Finishing Systems (EIFS) (Dryvit PMR™ Finish).....	4.03	
			<i>For Up To 100, Add</i>	1.31	
			<i>For >100 To 500, Add</i>	0.65	
			<i>For >5,000, Deduct</i>	-0.26	
07 24 13 00-0026	SF		Flexible Elastomeric, 100% Acrylic-Based Smooth Finish Coat For Exterior Insulation Finishing Systems (EIFS) (Dryvit Weatherlastic® Smooth).....	3.33	
			<i>For Up To 100, Add</i>	1.31	
			<i>For >100 To 500, Add</i>	0.65	
			<i>For >5,000, Deduct</i>	-0.26	
07 24 13 00-0027	SF		Flexible Elastomeric, 100% Acrylic-Based Textured Finish Coat For Exterior Insulation Finishing Systems (EIFS) (Dryvit Weatherlastic®).....	3.70	
			<i>For Up To 100, Add</i>	1.31	
			<i>For >100 To 500, Add</i>	0.65	
			<i>For >5,000, Deduct</i>	-0.26	
07 24 13 00-0028	SF		100% Acrylic-Based Finish With Multi-Colored Quartz Aggregates, Finish Coat For Exterior Insulation Finishing Systems (EIFS) (Dryvit Ameristone™).....	6.85	
			<i>For Up To 100, Add</i>	1.31	
			<i>For >100 To 500, Add</i>	0.65	
			<i>For >5,000, Deduct</i>	-0.26	
07 24 13 00-0029			Primer And Sealers For Exterior Insulation Finishing Systems (EIFS) (07 24 13 00-0001)		
07 24 13 00-0030	SF		100% Acrylic-Based Primer/Adhesion Promoter For Exterior Insulation Finishing Systems (EIFS) (Dryvit Prymit®).....	0.95	
			<i>For Up To 100, Add</i>	0.37	
			<i>For >100 To 500, Add</i>	0.18	
			<i>For >5,000, Deduct</i>	-0.07	
07 24 13 00-0031	SF		100% Acrylic Emulsion Primer/Sealer For Exterior Insulation Finishing Systems (EIFS) (Dryvit SealClear™).....	0.97	
			<i>For Up To 100, Add</i>	0.37	
			<i>For >100 To 500, Add</i>	0.18	
			<i>For >5,000, Deduct</i>	-0.07	
07 24 13 00-0032			Air/Water/Vapor Barriers For Exterior Insulation Finishing Systems (EIFS) (07 24 13 00-0001)		
07 24 13 00-0033	SF		Smooth, High Performance, Polymer-Based, Non-Cementitious Water-Resistive Membrane And Air Barrier For Exterior Insulation Finishing Systems (EIFS) (Dryvit Backstop® NT™), Per Coat.....	1.25	
			<i>For Up To 100, Add</i>	0.37	
			<i>For >100 To 500, Add</i>	0.18	
			<i>For >5,000, Deduct</i>	-0.07	
07 24 13 00-0034	SF		Texture, High Performance, Polymer-Based, Non-Cementitious Water-Resistive Membrane And Air Barrier For Exterior Insulation Finishing Systems (EIFS) (Dryvit Backstop® NT™), Per Coat.....	1.50	
			<i>For Up To 100, Add</i>	0.37	
			<i>For >100 To 500, Add</i>	0.18	
			<i>For >5,000, Deduct</i>	-0.07	
07 24 13 00-0035			Drainage Accessories For Exterior Insulation Finishing Systems (EIFS) (07 24 13 00-0001)		
07 24 13 00-0036	SF		1/8" Thick, Flexible Polyamide Drainage Mat For Exterior Insulation Finishing Systems (EIFS) (Dryvit Drainage Mat).....	1.84	
			<i>For Up To 100, Add</i>	0.41	
			<i>For >100 To 500, Add</i>	0.20	
			<i>For >5,000, Deduct</i>	-0.08	
07 24 13 00-0037			Starter Tracks For Exterior Insulation Finishing Systems (EIFS) (07 24 13 00-0001)		
07 24 13 00-0038	LF		1" Width, Polyvinyl Chloride (PVC) Perforated "J" Channel Drainage Track (Dryvit Starter Trac STWP).....	2.60	
07 24 13 00-0039	LF		1-1/2" Width, Polyvinyl Chloride (PVC) Perforated "J" Channel Drainage Track (Dryvit Starter Trac STWP).....	2.79	
07 24 13 00-0040	LF		2" Width, Polyvinyl Chloride (PVC) Perforated "J" Channel Drainage Track (Dryvit Starter Trac STWP).....	3.02	
07 24 13 00-0041	LF		3" Width, Polyvinyl Chloride (PVC) Perforated "J" Channel Drainage Track (Dryvit Starter Trac STWP).....	3.48	
07 24 13 00-0042	LF		1" Width, Polyvinyl Chloride (PVC) Perforated "J" Channel Drainage Track With Drip Edge (Dryvit Starter Trac STDE).....	2.79	
07 24 13 00-0043	LF		1-1/2" Width, Polyvinyl Chloride (PVC) Perforated "J" Channel Drainage Track With Drip Edge (Dryvit Starter Trac STDE).....	3.02	
07 24 13 00-0044	LF		2" Width, Polyvinyl Chloride (PVC) Perforated "J" Channel Drainage Track With Drip Edge (Dryvit Starter Trac STDE).....	3.23	
07 24 13 00-0045	LF		3" Width, Polyvinyl Chloride (PVC) Perforated "J" Channel Drainage Track With Drip Edge (Dryvit Starter Trac STDE).....	3.75	
07 24 13 00-0046			Demolish Exterior Insulation Finishing Systems (EIFS) (07 24 13 00-0001)		



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 24 13 00-0047 SF Demolish Exterior Insulation Finishing Systems (EIFS).....	2.45	
Note: Includes demolition of all finish coats, base coats, reinforcing layers and insulation layers down to the substrate. Excludes demolition of sheathing.		
For Up To 100, Add	1.23	
For >100 To 500, Add	0.61	
For >5,000, Deduct	-0.25	
07 25 Weather Barriers (07)		
07 26 Vapor Retarders (07 25)		
07 26 13 Above-Grade Vapor Retarders (07 26)		
07 26 13 00-0001 CSF Two Layer Kraft Paper Laminated With Asphalt, Grade "B" Building Paper (Aquabar B).....	22.61	
07 26 13 00-0002 CSF Asphalt Saturated Kraft Building Paper, Grade D (Fortifiber Jumbo Tex).....	21.31	
07 26 13 00-0003 CSF 60 Minute Asphalt Saturated Kraft Building Paper, Grade D (Fortifiber Super Jumbo Tex 60 Minute).....	25.47	
07 26 13 00-0004 CSF Two Ply 60 Minute Asphalt Saturated Kraft Building Paper, Grade D (Fortifiber Two Ply Super Jumbo Tex 60 Minute).....	31.57	
07 26 13 00-0005 CSF Regular Weight Red Rosin Sized Sheathing.....	20.80	
07 26 13 00-0006 CLF 6" Wide Two Layer Kraft Paper Laminated With Asphalt, Building Flashing Paper (Bond Beam Paper).....	67.78	
07 26 13 00-0007 CLF 4" Wide Self Adhering Butyl Sealing Tape.....	96.91	
07 26 13 00-0008 CLF 6" Wide Self Adhesive Butyl Sealing Tape.....	136.28	
07 26 13 00-0009 CLF 9" Wide Self Adhesive Butyl Sealing Tape.....	184.91	
07 26 13 00-0010 CSF Building Wrap (Tyvek).....	50.85	
07 27 Air Barriers (07 25)		
07 27 23 Board Product Air Barriers (07 27)		
07 27 23 00-0001 Barriers For Plenums (07 27 23)		
07 27 23 00-0002 SF 0.5" Thick Leaded Vinyl Acoustic Plenum Barrier 0.48 LB/SF.....	8.87	2.66
For Up To 50, Add	3.41	
For >50 To 200, Add	1.93	
For >200 To 500, Add	0.70	
For >2,500, Deduct	-0.44	
07 27 23 00-0003 SF 0.625" Thick Leaded Vinyl Acoustic Plenum Barrier 0.87 LB/SF.....	9.60	2.66
For Up To 50, Add	3.72	
For >50 To 200, Add	2.10	
For >200 To 500, Add	0.77	
For >2,500, Deduct	-0.48	
07 27 23 00-0004 SF Aluminum Foil Fiberglass Reinforced Plenum Bar Parallel With Joists 1" Thick.....	3.77	1.77
For Up To 50, Add	1.85	
For >50 To 200, Add	1.02	
For >200 To 500, Add	0.35	
For >2,500, Deduct	-0.19	
07 27 23 00-0005 SF Aluminum Foil Fiberglass Reinforced Plenum Bar Perpendicular With Joists 1" Thick.....	6.87	2.66
For Up To 50, Add	3.31	
For >50 To 200, Add	1.83	
For >200 To 500, Add	0.63	
For >2,500, Deduct	-0.34	
07 27 23 00-0006 SF Aluminum Mesh Barrier For Plenum Kraft Paper Backed.....	5.09	1.77
For Up To 50, Add	2.05	
For >50 To 200, Add	1.15	
For >200 To 500, Add	0.42	
For >2,500, Deduct	-0.25	
07 27 23 00-0007 SF 1/64" Thick Sheet Lead Barrier For Plenum 1 LB/SF.....	6.59	1.77
For Up To 50, Add	2.17	
For >50 To 200, Add	1.25	
For >200 To 500, Add	0.48	
For >2,500, Deduct	-0.33	
07 30 Steep Slope Roofing (07)		
Note: Includes starter strips and manufacturer's product specific warranties.		
07 31 Shingles And Shakes (07 30)		
07 31 13 Asphalt Shingles (07 31)		
07 31 13 13 Fiberglass-Reinforced Asphalt Shingles (07 31 13)		
07 31 13 13-0001 Three Tab Fiberglass Reinforced, Asphalt Composition Shingle (07 31 13 13)		
Note: Excludes underlayment, drip edges, and ridge vent/shingles.		
07 31 13 13-0002 SQ 200 LB/SQ, 5" Exposure, Three Tab Fiberglass Reinforced, Asphalt Composition Shingle (CertainTeed CT 20).....	237.50	162.41
For >35 To 75, Deduct	-8.98	
For >75 To 100, Deduct	-14.47	
For >100 To 200, Deduct	-21.75	
For >200, Deduct	-32.73	
For Steep Roof, Over 7 To 12, Add	47.26	

07 Thermal And Moisture Protection**07 30 Steep Slope Roofing****07 31 Shingles And Shakes**

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 31 13 13-0003 SQ 220 LB/SQ, 5" Exposure, Three Tab Fiberglass Reinforced, Asphalt Composition Shingle (CertainTeed XT 25).....	249.09	170.56
For >35 To 75, Deduct	-9.40	
For >75 To 100, Deduct	-15.16	
For >100 To 200, Deduct	-22.80	
For >200, Deduct	-34.31	
For Steep Roof, Over 7 To 12, Add	49.62	
07 31 13 13-0004 SQ 230 LB/SQ, 5" Exposure, Three Tab Fiberglass Reinforced, Asphalt Composition Shingle (CertainTeed XT 30).....	286.74	179.07
For >35 To 75, Deduct	-12.39	
For >75 To 100, Deduct	-18.94	
For >100 To 200, Deduct	-27.96	
For >200, Deduct	-41.06	
For Steep Roof, Over 7 To 12, Add	52.11	
07 31 13 13-0005 Architectural Fiberglass Reinforced, Asphalt Composition Shingle (07 31 13 13)		
Note: Excludes underlayment, drip edges, and ridge vent/shingles.		
07 31 13 13-0006 SQ 245 LB/SQ, 5" Exposure, Two Layer Laminated Fiberglass Reinforced, Asphalt Composition Shingle (CertainTeed Landmark).....	296.60	207.34
For >35 To 75, Deduct	-10.81	
For >75 To 100, Deduct	-17.69	
For >100 To 200, Deduct	-26.73	
For >200, Deduct	-40.47	
For Steep Roof, Over 7 To 12, Add	60.31	
07 31 13 13-0007 SQ 240 LB/SQ, 8" Exposure, Four Tab Fiberglass Reinforced, Asphalt Composition Shingle (CertainTeed Highland Slate).....	312.14	197.41
For >35 To 75, Deduct	-13.26	
For >75 To 100, Deduct	-20.40	
For >100 To 200, Deduct	-30.20	
For >200, Deduct	-44.48	
For Steep Roof, Over 7 To 12, Add	57.44	
07 31 13 13-0008 SQ 265 LB/SQ, 5" Exposure, Two Layer Laminated Fiberglass Reinforced, Asphalt Composition Shingle (CertainTeed Landmark Plus).....	338.47	217.71
For >35 To 75, Deduct	-14.05	
For >75 To 100, Deduct	-21.81	
For >100 To 200, Deduct	-32.38	
For >200, Deduct	-47.90	
For Steep Roof, Over 7 To 12, Add	63.34	
07 31 13 13-0009 SQ 235 LB/SQ, 8" Exposure, Four Tab Fiberglass Reinforced, Asphalt Composition Shingle (CertainTeed Hatteras).....	324.98	188.02
For >35 To 75, Deduct	-15.41	
For >75 To 100, Deduct	-22.76	
For >100 To 200, Deduct	-33.20	
For >200, Deduct	-47.90	
For Steep Roof, Over 7 To 12, Add	54.69	
07 31 13 13-0010 SQ 300 LB/SQ, 5" Exposure, Two Layer Laminated Fiberglass Reinforced, Asphalt Composition Shingle (CertainTeed Landmark Premium).....	366.55	228.60
For >35 To 75, Deduct	-15.88	
For >75 To 100, Deduct	-24.25	
For >100 To 200, Deduct	-35.79	
For >200, Deduct	-52.53	
For Steep Roof, Over 7 To 12, Add	66.49	
07 31 13 13-0011 SQ 300 LB/SQ, 5" Exposure, Random Laminated Tabs, One Piece, Fiberglass Reinforced, Asphalt Composition Shingle (CertainTeed Independence).....	389.83	228.60
For >35 To 75, Deduct	-18.21	
For >75 To 100, Deduct	-27.04	
For >100 To 200, Deduct	-39.52	
For >200, Deduct	-57.19	
For Steep Roof, Over 7 To 12, Add	66.49	
07 31 13 13-0012 SQ 355 LB/SQ, 4" Exposure, Sculpted Edge, Two Layer Laminated Fiberglass Reinforced, Asphalt Composition Shingle (CertainTeed Presidential Shake).....	425.91	251.99
For >35 To 75, Deduct	-19.68	
For >75 To 100, Deduct	-29.34	
For >100 To 200, Deduct	-42.94	
For >200, Deduct	-62.27	
For Steep Roof, Over 7 To 12, Add	73.32	
07 31 13 13-0013 SQ 340 LB/SQ, 5" Exposure, Three Layer Laminated Fiberglass Reinforced, Asphalt Composition Shingle (CertainTeed Landmark TL).....	421.56	240.04
For >35 To 75, Deduct	-20.34	
For >75 To 100, Deduct	-29.86	
For >100 To 200, Deduct	-43.45	
For >200, Deduct	-62.50	
For Steep Roof, Over 7 To 12, Add	69.81	
07 31 13 13-0014 SQ 300 LB/SQ, 5" Exposure, Reflective Two Layer Laminated Fiberglass Reinforced, Asphalt Composition Shingle (CertainTeed Landmark Solaris).....	418.44	228.60
For >35 To 75, Deduct	-21.07	
For >75 To 100, Deduct	-30.47	
For >100 To 200, Deduct	-44.09	
For >200, Deduct	-62.91	
For Steep Roof, Over 7 To 12, Add	66.49	
07 31 13 13-0015 SQ 355 LB/SQ, 8" Exposure, Two Full Size Layers, Four Tab Fiberglass Reinforced, Asphalt Composition Shingle (CertainTeed Centennial Slate).....	488.56	251.99
For >35 To 75, Deduct	-25.94	
For >75 To 100, Deduct	-36.86	
For >100 To 200, Deduct	-52.97	
For >200, Deduct	-74.80	
For Steep Roof, Over 7 To 12, Add	73.32	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 31 13 13-0016 SQ 355 LB/SQ, 8" Exposure, Scalloped Cut, Two Full Size Layers, Four Tab Fiberglass Reinforced, Asphalt Composition Shingle (CertainTeed Carriage House).....	504.88	251.99
<i>For >35 To 75, Deduct</i>	-27.58	
<i>For >75 To 100, Deduct</i>	-38.82	
<i>For >100 To 200, Deduct</i>	-55.58	
<i>For >200, Deduct</i>	-78.06	
<i>For Steep Roof, Over 7 To 12, Add</i>	73.32	
07 31 13 13-0017 SQ 480 LB/SQ, 4" Exposure, Sculpted Edge, Three Layer Laminated Fiberglass Reinforced, Asphalt Composition Shingle (CertainTeed Presidential Shake TL).....	560.73	277.87
<i>For >35 To 75, Deduct</i>	-30.81	
<i>For >75 To 100, Deduct</i>	-43.29	
<i>For >100 To 200, Deduct</i>	-61.93	
<i>For >200, Deduct</i>	-86.89	
<i>For Steep Roof, Over 7 To 12, Add</i>	80.84	
07 31 13 13-0018 SQ 425 LB/SQ, 8" Exposure, Random Laminated Tabs, Two Full Size Layers, Four Tab Fiberglass Reinforced, Asphalt Composition Shingle (CertainTeed GrandManor).....	551.50	264.58
<i>For >35 To 75, Deduct</i>	-31.09	
<i>For >75 To 100, Deduct</i>	-43.33	
<i>For >100 To 200, Deduct</i>	-61.78	
<i>For >200, Deduct</i>	-86.24	
<i>For Steep Roof, Over 7 To 12, Add</i>	76.98	
07 31 13 13-0019 Asphalt Shingle Accessories (07 31 13 13)		
07 31 13 13-0020 LF Hip And Ridge Roll Vent.....	5.69	0.98
Note: Excludes shingles.		
07 31 13 13-0021 LF Three Tab Hip And Ridge Shingles.....	3.36	2.42
07 31 13 13-0022 LF Architectural Hip And Ridge Shingles.....	4.04	2.69
07 31 13 13-0023 SQ Demolish Each Additional Layer Of Shingles.....	75.31	
07 31 16 Metal Shingles (07 31)		
07 31 16 00-0001 Aluminum Shingles (07 31 16)		
07 31 16 00-0002 SQ Aluminum Shingles, Mill Finish, 0.020" Thick.....	774.71	154.66
<i>For Colors, Anodized Finish, Add</i>	30.00	
<i>For Bonderized Finish, Add</i>	47.00	
<i>For 1" Factory Applied Polystyrene, Add</i>	37.00	
07 31 16 00-0003 SQ Aluminum Shingles, Mill Finish, 0.030" Thick.....	1,086.70	169.04
<i>For Colors, Anodized Finish, Add</i>	30.00	
<i>For Bonderized Finish, Add</i>	47.00	
<i>For 1" Factory Applied Polystyrene, Add</i>	37.00	
07 31 16 00-0004 LF Aluminum Shingles, Ridge Cap, 0.020" Thick.....	14.61	2.23
07 31 16 00-0005 LF Aluminum Shingles, Ridge Cap, 0.030" Thick.....	15.36	2.23
07 31 16 00-0006 LF Aluminum Shingles, Valley Section, 0.020" Thick.....	8.94	2.23
07 31 16 00-0007 LF Aluminum Shingles, Valley Section, 0.030" Thick.....	10.45	2.23
07 31 16 00-0008 Galvanized Steel Shingles (07 31 16)		
07 31 16 00-0009 SQ 24 Gauge, 0.0276" Thickness, Galvanized Steel Shingles.....	417.56	139.16
<i>For Factory Applied 1" Polystyrene Insulation, Add</i>	24.75	
<i>For >50 To 75, Deduct</i>	-5.57	
<i>For >75 To 100, Deduct</i>	-16.70	
<i>For >100 To 200, Deduct</i>	-29.23	
<i>For >200, Deduct</i>	-40.36	
<i>For Steep Roof, Over 7 To 12, Add</i>	89.08	
07 31 16 00-0010 SQ 26 Gauge, 0.0217" Thickness, Galvanized Steel Shingles.....	403.73	138.05
<i>For Factory Applied 1" Polystyrene Insulation, Add</i>	24.75	
<i>For >50 To 75, Deduct</i>	-5.11	
<i>For >75 To 100, Deduct</i>	-15.84	
<i>For >100 To 200, Deduct</i>	-27.85	
<i>For >200, Deduct</i>	-38.58	
<i>For Steep Roof, Over 7 To 12, Add</i>	88.32	
07 31 16 00-0011 SQ 24 Gauge, 0.0276" Thickness, Galvanized And Bonderized Steel Shingles.....	620.48	139.16
<i>For Factory Applied 1" Polystyrene Insulation, Add</i>	24.75	
<i>For >50 To 75, Deduct</i>	-13.68	
<i>For >75 To 100, Deduct</i>	-30.91	
<i>For >100 To 200, Deduct</i>	-51.55	
<i>For >200, Deduct</i>	-68.77	
<i>For Steep Roof, Over 7 To 12, Add</i>	89.08	
07 31 16 00-0012 SQ 26 Gauge, 0.0276" Thickness, Galvanized And Bonderized Steel Shingles.....	575.94	138.05
<i>For Factory Applied 1" Polystyrene Insulation, Add</i>	24.75	
<i>For >50 To 75, Deduct</i>	-12.00	
<i>For >75 To 100, Deduct</i>	-27.90	
<i>For >100 To 200, Deduct</i>	-46.79	
<i>For >200, Deduct</i>	-62.69	
<i>For Steep Roof, Over 7 To 12, Add</i>	88.32	
07 31 16 00-0013 LF Galvanized Steel Shingles, Ridge Or Valley.....	6.57	1.86
<i>For Factory Applied 1" Polystyrene Insulation, Add</i>	24.75	
<i>For >50 To 75, Deduct</i>	-0.12	
<i>For >75 To 100, Deduct</i>	-0.30	
<i>For >100 To 200, Deduct</i>	-0.50	
<i>For >200, Deduct</i>	-0.68	
<i>For Steep Roof, Over 7 To 12, Add</i>	1.16	

07 Thermal And Moisture Protection**07 30 Steep Slope Roofing****07 31 Shingles And Shakes**
 MINOR
 CSI UOM DESCRIPTION

 TOTAL DIRECT DEMOLITION
 UNIT COST UNIT COST
07 31 26 Slate Shingles (07 31)

Note: Includes 30 LB felt and fasteners.

07 31 26 00-0001 Shingles Including 30 LB Felt And Nails (07 31 26)

07 31 26 00-0002	SQ Slate Shingles, Buckingham, Virginia Black, 3/16" Thick	1,066.12	237.36
	For >50 To 75, Deduct	-21.55	
	For >75 To 100, Deduct	-50.89	
	For >100 To 200, Deduct	-85.63	
	For >200, Deduct	-114.97	
	For Graduated Shapes, Add	80.81	
	For Steep Roof, Over 7 To 12, Add	168.77	
07 31 26 00-0003	SQ Slate Shingles, Buckingham, Virginia Black, 1/4" Thick	1,214.71	237.36
	For >50 To 75, Deduct	-27.49	
	For >75 To 100, Deduct	-61.30	
	For >100 To 200, Deduct	-101.97	
	For >200, Deduct	-135.78	
	For Graduated Shapes, Add	103.09	
	For Steep Roof, Over 7 To 12, Add	168.77	
07 31 26 00-0004	SQ Slate Shingles, Penn Black Bangor.....	1,170.13	237.36
	For >50 To 75, Deduct	-25.71	
	For >75 To 100, Deduct	-58.18	
	For >100 To 200, Deduct	-97.07	
	For >200, Deduct	-129.54	
	For Graduated Shapes, Add	96.41	
	For Steep Roof, Over 7 To 12, Add	168.77	
07 31 26 00-0005	SQ Slate Shingles, Vermont, Unfading Colors, Green	1,184.99	237.36
	For >50 To 75, Deduct	-26.30	
	For >75 To 100, Deduct	-59.22	
	For >100 To 200, Deduct	-98.70	
	For >200, Deduct	-131.62	
	For Graduated Shapes, Add	98.64	
	For Steep Roof, Over 7 To 12, Add	168.77	
07 31 26 00-0006	SQ Slate Shingles, Vermont, Unfading Colors, Semi-Weathered, Green/Gray.....	1,244.42	237.36
	For >50 To 75, Deduct	-28.68	
	For >75 To 100, Deduct	-63.38	
	For >100 To 200, Deduct	-105.24	
	For >200, Deduct	-139.94	
	For Graduated Shapes, Add	107.55	
	For Steep Roof, Over 7 To 12, Add	168.77	
07 31 26 00-0007	SQ Slate Shingles, Vermont, Unfading Color, Purple.....	1,170.13	237.36
	For >50 To 75, Deduct	-25.71	
	For >75 To 100, Deduct	-58.18	
	For >100 To 200, Deduct	-97.07	
	For >200, Deduct	-129.54	
	For Graduated Shapes, Add	96.41	
	For Steep Roof, Over 7 To 12, Add	168.77	
07 31 26 00-0008	SQ Slate Shingles, Vermont, Unfading Color, Black Or Gray	1,125.55	237.36
	For >50 To 75, Deduct	-23.93	
	For >75 To 100, Deduct	-55.05	
	For >100 To 200, Deduct	-92.17	
	For >200, Deduct	-123.29	
	For Graduated Shapes, Add	89.72	
	For Steep Roof, Over 7 To 12, Add	168.77	
07 31 26 00-0009	SQ Slate Shingles, Vermont, Unfading Color, Red	2,054.02	237.36
	For >50 To 75, Deduct	-61.06	
	For >75 To 100, Deduct	-120.05	
	For >100 To 200, Deduct	-194.30	
	For >200, Deduct	-253.28	
	For Graduated Shapes, Add	228.99	
	For Steep Roof, Over 7 To 12, Add	168.77	
07 31 26 00-0010	SQ Slate Shingles, Vermont, Unfading Color, Variegated Purple	1,170.13	237.36
	For >50 To 75, Deduct	-25.71	
	For >75 To 100, Deduct	-58.18	
	For >100 To 200, Deduct	-97.07	
	For >200, Deduct	-129.54	
	For Graduated Shapes, Add	96.41	
	For Steep Roof, Over 7 To 12, Add	168.77	

07 31 29 Wood Shingles And Shakes (07 31)**07 31 29 13 Wood Shingles** (07 31 29)**07 31 29 13-0001 #1 Grade, Red Cedar Shingles** (07 31 29 13)**07 31 29 13-0002 #1 Grade, Red Cedar Shingles Installed On Roofs** (07 31 29 13-0001)

07 31 29 13-0003	SQ 3-3/4" Exposure, 16" Shingle, #1 Grade, Red Cedar Shingles Installed On Roof	629.36	177.22
	For Steep Roof, Over 7 To 12, Add	113.42	
	For Pressure-Impregnated Treated (Preservative), Add	41.24	
07 31 29 13-0004	SQ 5" Exposure, 16" Shingle, #1 Grade, Red Cedar Shingles Installed On Roof	458.28	132.92
	For Steep Roof, Over 7 To 12, Add	85.07	
	For Pressure-Impregnated Treated (Preservative), Add	28.87	
07 31 29 13-0005	SQ 4-1/2" Exposure, 18" Shingle, #1 Grade, Red Cedar Shingles Installed On Roof.....	555.56	150.64
	For Steep Roof, Over 7 To 12, Add	96.41	
	For Pressure-Impregnated Treated (Preservative), Add	38.14	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 31 29 13-0006 SQ 5-1/2" Exposure, 18" Shingle, #1 Grade, Red Cedar Shingles Installed On Roof..... <i>For Steep Roof, Over 7 To 12, Add</i> <i>For Pressure-Impregnated Treated (Preservative), Add</i>	455.35 79.40 31.09	124.06
07 31 29 13-0007 SQ 5-3/4" Exposure, 24" Shingle, #1 Grade, Red Cedar Shingles Installed On Roof..... <i>For Steep Roof, Over 7 To 12, Add</i> <i>For Pressure-Impregnated Treated (Preservative), Add</i>	581.23 75.15 51.96	117.41
07 31 29 13-0008 SQ 7-1/2" Exposure, 24" Shingle, #1 Grade, Red Cedar Shingles Installed On Roof..... <i>For Steep Roof, Over 7 To 12, Add</i> <i>For Pressure-Impregnated Treated (Preservative), Add</i>	453.99 63.80 38.19	99.69
07 31 29 13-0009 #1 Grade, Red Cedar Shingles Installed On Walls (07 31 29 13-0001)		
07 31 29 13-0010 SQ 7" Exposure, 16" Shingle, #1 Grade, Red Cedar Shingles Installed On Wall..... <i>For Pressure-Impregnated Treated (Preservative), Add</i>	456.45 20.62	159.50
07 31 29 13-0011 SQ 8" Exposure, 18" Shingle, #1 Grade, Red Cedar Shingles Installed On Wall..... <i>For Pressure-Impregnated Treated (Preservative), Add</i>	444.20 21.44	150.64
07 31 29 13-0012 SQ 10-1/2" Exposure, 24" Shingle, #1 Grade, Red Cedar Shingles Installed On Wall..... <i>For Pressure-Impregnated Treated (Preservative), Add</i>	443.27 27.28	130.71
07 31 29 13-0013 #2 Grade, Red Cedar Shingles (07 31 29 13)		
07 31 29 13-0014 #2 Grade, Red Cedar Shingles Installed On Roofs (07 31 29 13-0013)		
07 31 29 13-0015 SQ 3-1/2" Exposure, 16" Shingle, #2 Grade, Red Cedar Shingles Installed On Roof..... <i>For Steep Roof, Over 7 To 12, Add</i> <i>For Pressure-Impregnated Treated (Preservative), Add</i>	594.21 119.09 33.31	186.09
07 31 29 13-0016 SQ 4" Exposure, 16" Shingle, #2 Grade, Red Cedar Shingles Installed On Roof..... <i>For Steep Roof, Over 7 To 12, Add</i> <i>For Pressure-Impregnated Treated (Preservative), Add</i>	531.02 107.75 29.14	168.36
07 31 29 13-0017 SQ 4" Exposure, 18" Shingle, #2 Grade, Red Cedar Shingles Installed On Roof..... <i>For Steep Roof, Over 7 To 12, Add</i> <i>For Pressure-Impregnated Treated (Preservative), Add</i>	561.32 107.75 33.69	168.36
07 31 29 13-0018 SQ 4-1/2" Exposure, 18" Shingle, #2 Grade, Red Cedar Shingles Installed On Roof..... <i>For Steep Roof, Over 7 To 12, Add</i> <i>For Pressure-Impregnated Treated (Preservative), Add</i>	501.07 96.41 29.97	150.64
07 31 29 13-0019 SQ 5-3/4" Exposure, 24" Shingle, #2 Grade, Red Cedar Shingles Installed On Roof..... <i>For Steep Roof, Over 7 To 12, Add</i> <i>For Pressure-Impregnated Treated (Preservative), Add</i>	476.51 75.15 36.25	117.41
07 31 29 13-0020 SQ 6-1/2" Exposure, 24" Shingle, #2 Grade, Red Cedar Shingles Installed On Roof..... <i>For Steep Roof, Over 7 To 12, Add</i> <i>For Pressure-Impregnated Treated (Preservative), Add</i>	392.05 65.22 28.24	101.91
07 31 29 13-0021 #2 Grade, Red Cedar Shingles Installed On Walls (07 31 29 13-0013)		
07 31 29 13-0022 SQ 6" Exposure, 16" Shingle, #2 Grade, Red Cedar Shingles Installed On Wall..... <i>For Pressure-Impregnated Treated (Preservative), Add</i>	447.75 16.65	168.36
07 31 29 13-0023 SQ 7" Exposure, 18" Shingle, #2 Grade, Red Cedar Shingles Installed On Wall..... <i>For Pressure-Impregnated Treated (Preservative), Add</i>	431.30 16.85	159.50
07 31 29 13-0024 SQ 9" Exposure, 24" Shingle, #2 Grade, Red Cedar Shingles Installed On Wall..... <i>For Pressure-Impregnated Treated (Preservative), Add</i>	410.44 19.03	141.78
07 31 29 16 Wood Shakes (07 31 29)		
07 31 29 16-0001 #1 Grade, Red Cedar Shakes (07 31 29 16)		
07 31 29 16-0002 #1 Grade, Red Cedar Shakes Installed On Roofs (07 31 29 16-0001)		
07 31 29 16-0003 SQ 8-1/2" Exposure, 1/2" Thick, 18" Shake, #1 Grade, Red Cedar Shakes Installed On Roof..... <i>For Steep Roof, Over 7 To 12, Add</i> <i>For Pressure-Impregnated Treated (Preservative), Add</i>	465.63 92.16 26.64	143.99
07 31 29 16-0004 SQ 8-1/2" Exposure, 3/4" Thick, 18" Shake, #1 Grade, Red Cedar Shakes Installed On Roof..... <i>For Steep Roof, Over 7 To 12, Add</i> <i>For Pressure-Impregnated Treated (Preservative), Add</i>	524.84 92.16 35.53	143.99
07 31 29 16-0005 SQ 10" Exposure, 1/2" Thick, 24" Shake, #1 Grade, Red Cedar Shakes Installed On Roof..... <i>For Steep Roof, Over 7 To 12, Add</i> <i>For Pressure-Impregnated Treated (Preservative), Add</i>	479.07 75.15 36.64	117.41
07 31 29 16-0006 SQ 10" Exposure, 3/4" Thick, 24" Shake, #1 Grade, Red Cedar Shakes Installed On Roof..... <i>For Steep Roof, Over 7 To 12, Add</i> <i>For Pressure-Impregnated Treated (Preservative), Add</i>	504.24 75.15 40.41	117.41
07 31 29 16-0007 #1 Grade, Red Cedar Shakes Installed On Walls (07 31 29 16-0001)		
07 31 29 16-0008 SQ 8-1/2" Exposure, 1/2" Thick, 18" Shake, #1 Grade, Red Cedar Shakes Installed On Wall..... <i>For Pressure-Impregnated Treated (Preservative), Add</i>	487.77 26.64	155.08
07 31 29 16-0009 SQ 8-1/2" Exposure, 3/4" Thick, 18" Shake, #1 Grade, Red Cedar Shakes Installed On Wall..... <i>For Pressure-Impregnated Treated (Preservative), Add</i>	546.98 35.53	155.08
07 31 29 16-0010 SQ 10" Exposure, 1/2" Thick, 24" Shake, #1 Grade, Red Cedar Shakes Installed On Wall..... <i>For Pressure-Impregnated Treated (Preservative), Add</i>	510.08 36.64	132.92
07 31 29 16-0011 SQ 10" Exposure, 3/4" Thick, 24" Shake, #1 Grade, Red Cedar Shakes Installed On Wall..... <i>For Pressure-Impregnated Treated (Preservative), Add</i>	535.25 40.41	132.92
07 31 29 19 Wood Shingles And Shakes Cap (07 31 29)		

07 Thermal And Moisture Protection**07 30 Steep Slope Roofing****07 31 Shingles And Shakes**MINOR
CSI UOM DESCRIPTIONTOTAL DIRECT DEMOLITION
UNIT COST UNIT COST**07 31 29 19-0001 Accessories** (07 31 29 19)

07 31 29 19-0002	LF	Hip Or Ridge Cap For Wood Shingles Or Shakes.....	7.38	1.16
		<i>For Steep Roof, Over 7 To 12, Add</i>	0.86	
		<i>For Pressure-Impregnated Treated (Preservative) Ridge, Add</i>	0.70	

07 31 33 Composite Rubber Shingles (07 31)**07 31 33 00-0001 Synthetic Polymeric Rubber Slate Shingles** (07 31 33)

Note: As manufactured by EcoStar.

07 31 33 00-0002	SQ	Class C Rectangular Edges Polymeric Rubber Slate Shingles, 7.0" Exposure.....	899.61	207.26
		Note: Gray or black.		
		<i>For Purple Or Green Color, Add</i>	77.62	
		<i>For Brown Or Red Color, Add</i>	198.90	
		<i>For Steep Roof, Over 7 To 12, Add</i>	132.63	
		<i>For >50 To 75, Deduct</i>	-12.13	
		<i>For >75 To 100, Deduct</i>	-34.62	
		<i>For >100 To 200, Deduct</i>	-57.11	
		<i>For >200, Deduct</i>	-89.96	
		<i>For 6.5" Exposure, Add</i>	62.29	
		<i>For 6.0" Exposure, Add</i>	124.57	
07 31 33 00-0003	SQ	Class A Rectangular Edges Polymeric Rubber Slate Shingles, 7.0" Exposure.....	1,223.03	207.26
		Note: Fire resistant. Gray or black.		
		<i>For Purple, Green, Brown Or Red, Add</i>	121.28	
		<i>For Steep Roof, Over 7 To 12, Add</i>	132.63	
		<i>For >50 To 75, Deduct</i>	-20.21	
		<i>For >75 To 100, Deduct</i>	-50.79	
		<i>For >100 To 200, Deduct</i>	-81.37	
		<i>For >200, Deduct</i>	-122.30	
		<i>For 6.5" Exposure, Add</i>	85.39	
		<i>For 6.0" Exposure, Add</i>	170.77	
07 31 33 00-0004	SQ	Class C Shaped Polymeric Rubber Slate Shingle, 7.0" Exposure	1,032.78	207.26
		Note: Beaver tail, chisel point or beveled edges. Gray or black.		
		<i>For Purple, Green, Brown Or Red, Add</i>	222.59	
		<i>For Steep Roof, Over 7 To 12, Add</i>	132.63	
		<i>For >50 To 75, Deduct</i>	-15.46	
		<i>For >75 To 100, Deduct</i>	-41.28	
		<i>For >100 To 200, Deduct</i>	-67.10	
		<i>For >200, Deduct</i>	-103.28	
		<i>For 6.5" Exposure, Add</i>	71.80	
		<i>For 6.0" Exposure, Add</i>	143.59	
07 31 33 00-0005	SQ	Class A Shaped Polymeric Rubber Slate Shingle, 7.0" Exposure.....	1,289.61	207.26
		Note: Fire resistant. Beaver tail, chisel point or beveled edges. Gray or black.		
		<i>For Purple, Green, Brown Or Red, Add</i>	96.26	
		<i>For Steep Roof, Over 7 To 12, Add</i>	132.63	
		<i>For >50 To 75, Deduct</i>	-21.88	
		<i>For >75 To 100, Deduct</i>	-54.12	
		<i>For >100 To 200, Deduct</i>	-86.36	
		<i>For >200, Deduct</i>	-128.96	
		<i>For 6.5" Exposure, Add</i>	90.14	
		<i>For 6.0" Exposure, Add</i>	180.28	
07 31 33 00-0006	LF	Hip Or Ridge Polymeric Rubber Slate Shingle.....	10.57	1.39
		Note: Beveled or pointed edges, gray or black.		

07 32 Roof Tiles (07 30)**07 32 13 Clay Roof Tiles** (07 32)

Note: 8-1/4" x 11" exposure. Includes mortar, battens, fasteners, felt underlayment and 90# cap sheet.

07 32 13 00-0001 Clay Roofing Tile 8-1/4" x 11" Exposure (07 32 13)

Note: Includes mortar, battens, fasteners, felt underlayment and 90# cap sheet.

07 32 13 00-0002	SQ	Lanai Or Classic Tile, 158 Piece Per SQ	1,271.70	225.10
		<i>For >25 To 50, Deduct</i>	-49.29	
		<i>For >50 To 75, Deduct</i>	-93.40	
		<i>For >75 To 100, Deduct</i>	-129.30	
		<i>For >100 To 200, Deduct</i>	-156.99	
		<i>For >200, Deduct</i>	-176.46	
		<i>For 20 Year Warranty, Add</i>	57.50	
07 32 13 00-0003	SQ	Americana (Most Colors) Tile Roofing, 158 Piece Per SQ.....	1,539.29	225.10
		<i>For >25 To 50, Deduct</i>	-65.34	
		<i>For >50 To 75, Deduct</i>	-120.16	
		<i>For >75 To 100, Deduct</i>	-164.09	
		<i>For >100 To 200, Deduct</i>	-197.12	
		<i>For >200, Deduct</i>	-219.27	
		<i>For 20 Year Warranty, Add</i>	76.23	
07 32 13 00-0004	SQ	Americana (Green, Gray Or Brown) Tile, 158 Piece Per SQ	1,539.29	225.10
		<i>For >25 To 50, Deduct</i>	-65.34	
		<i>For >50 To 75, Deduct</i>	-120.16	
		<i>For >75 To 100, Deduct</i>	-164.09	
		<i>For >100 To 200, Deduct</i>	-197.12	
		<i>For >200, Deduct</i>	-219.27	
		<i>For 20 Year Warranty, Add</i>	76.23	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 32 13 00-0005 SQ Americana (Blue) Tile, 158 Piece Per SQ	1,766.34	225.10
For >25 To 50, Deduct	-78.96	
For >50 To 75, Deduct	-142.86	
For >75 To 100, Deduct	-193.60	
For >100 To 200, Deduct	-231.18	
For >200, Deduct	-255.60	
For 20 Year Warranty, Add	92.13	
07 32 13 00-0006 SQ French Tile Roofing, Red, 133 Piece Per SQ	1,515.75	275.23
For >25 To 50, Deduct	-57.92	
For >50 To 75, Deduct	-110.29	
For >75 To 100, Deduct	-153.01	
For >100 To 200, Deduct	-186.08	
For >200, Deduct	-209.49	
For 20 Year Warranty, Add	67.57	
07 32 13 00-0007 SQ French Tile Roofing, Blue Or Green, 133 Piece Per SQ	1,915.18	275.23
For >25 To 50, Deduct	-81.88	
For >50 To 75, Deduct	-150.24	
For >75 To 100, Deduct	-204.94	
For >100 To 200, Deduct	-245.99	
For >200, Deduct	-273.40	
For 20 Year Warranty, Add	95.53	
07 32 13 00-0008 SQ Norman Tile Roofing, 317 Piece Per SQ	2,439.58	371.30
For >25 To 50, Deduct	-101.83	
For >50 To 75, Deduct	-188.28	
For >75 To 100, Deduct	-257.76	
For >100 To 200, Deduct	-310.26	
For >200, Deduct	-345.79	
For 20 Year Warranty, Add	118.80	
07 32 13 00-0009 SQ Williamsburg Tile Roofing, Aged Cedar, 158 Piece Per SQ	1,315.91	275.23
For >25 To 50, Deduct	-45.93	
For >50 To 75, Deduct	-90.31	
For >75 To 100, Deduct	-127.03	
For >100 To 200, Deduct	-156.10	
For >200, Deduct	-177.52	
For 20 Year Warranty, Add	53.58	
07 32 13 00-0010 SQ Williamsburg Tile Roofing, Gray Or Green, 158 Piece Per SQ	1,639.47	275.23
For >25 To 50, Deduct	-65.34	
For >50 To 75, Deduct	-122.66	
For >75 To 100, Deduct	-169.10	
For >100 To 200, Deduct	-204.64	
For >200, Deduct	-229.29	
For 20 Year Warranty, Add	76.23	
07 32 13 00-0011 SQ Spanish Tile Roofing, Red, 171 Piece Per SQ	1,136.32	206.07
For >25 To 50, Deduct	-43.45	
For >50 To 75, Deduct	-82.72	
For >75 To 100, Deduct	-114.75	
For >100 To 200, Deduct	-139.53	
For >200, Deduct	-157.08	
For 20 Year Warranty, Add	50.69	
07 32 13 00-0012 SQ Spanish Tile Roofing, Blend, 171 Piece Per SQ	1,485.00	206.07
For >25 To 50, Deduct	-64.37	
For >50 To 75, Deduct	-117.59	
For >75 To 100, Deduct	-160.07	
For >100 To 200, Deduct	-191.84	
For >200, Deduct	-212.87	
For 20 Year Warranty, Add	75.10	
07 32 13 00-0013 SQ Spanish Tile Roofing, Glazed White, 171 Piece Per SQ	1,785.04	206.07
For >25 To 50, Deduct	-82.37	
For >50 To 75, Deduct	-147.59	
For >75 To 100, Deduct	-199.08	
For >100 To 200, Deduct	-236.84	
For >200, Deduct	-260.88	
For 20 Year Warranty, Add	96.10	
07 32 13 00-0014 SQ Two Piece Mission Tile Roofing, 192 Piece Per SQ	2,140.54	323.03
For >25 To 50, Deduct	-89.67	
For >50 To 75, Deduct	-165.60	
For >75 To 100, Deduct	-226.59	
For >100 To 200, Deduct	-272.63	
For >200, Deduct	-303.72	
For 20 Year Warranty, Add	104.61	
07 32 13 00-0015 SQ One Piece Mission Tile Roofing, 75 Piece Per SQ	923.01	225.10
For >25 To 50, Deduct	-28.37	
For >50 To 75, Deduct	-58.53	
For >75 To 100, Deduct	-83.97	
For >100 To 200, Deduct	-104.68	
For >200, Deduct	-120.67	
For 20 Year Warranty, Add	33.09	
07 32 13 00-0016 SQ One Piece Mission Tile Roofing, 134 Piece Per SQ	1,228.28	323.03
For >25 To 50, Deduct	-34.93	
For >50 To 75, Deduct	-74.37	
For >75 To 100, Deduct	-107.99	
For >100 To 200, Deduct	-135.79	
For >200, Deduct	-157.76	
For 20 Year Warranty, Add	40.76	

07 32 16 Concrete Roof Tiles (07 32)

07 Thermal And Moisture Protection**07 30 Steep Slope Roofing****07 32 Roof Tiles**

MINOR		TOTAL DIRECT		DEMOLITION	
CSI	UOM	DESCRIPTION	UNIT COST	UNIT COST	UNIT COST
07 32 16 00-0001		Corrugated Tiles And Shakes Nailed To Wood (07 32 16)			
		Note: Includes 30 lb felt underlayment.			
07 32 16 00-0002	SQ	13" x 16-1/2" Concrete Roof Tile, 90/SQ, 950 LB/SQ, Earthtone Colors, Corrugated.....	881.25		341.22
		For >50 To 75, Deduct	-7.95		
		For >75 To 100, Deduct	-30.97		
		For >100 To 200, Deduct	-55.99		
		For >200, Deduct	-79.01		
		For Steep Roof, Over 7 To 12, Add	218.41		
07 32 16 00-0003	SQ	13" x 16-1/2" Concrete Roof Tile, 90/SQ, 950 LB/SQ, Custom Blues, Corrugated	1,081.32		341.22
		For >50 To 75, Deduct	-15.95		
		For >75 To 100, Deduct	-44.98		
		For >100 To 200, Deduct	-77.99		
		For >200, Deduct	-107.02		
		For Steep Roof, Over 7 To 12, Add	218.41		
07 32 16 00-0004	SQ	13" x 16-1/2" Concrete Roof Tile, 90/SQ, 950 LB/SQ, Custom Greens Corrugated	921.26		341.22
		For >50 To 75, Deduct	-9.55		
		For >75 To 100, Deduct	-33.77		
		For >100 To 200, Deduct	-60.39		
		For >200, Deduct	-84.61		
		For Steep Roof, Over 7 To 12, Add	218.41		
07 32 16 00-0005	SQ	13" x 16-1/2" Concrete Roof Tile, 90/SQ, 950 LB/SQ, Colors, Shakes	859.42		305.30
		For >50 To 75, Deduct	-9.95		
		For >75 To 100, Deduct	-32.68		
		For >100 To 200, Deduct	-57.89		
		For >200, Deduct	-80.62		
		For Steep Roof, Over 7 To 12, Add	195.42		
07 32 16 00-0006		Accessories (07 32 16)			
07 32 16 00-0007	EA	Ridge And Hip, 10" X 16-1/2", 8 LB Each For Concrete Tile Roof	3.38		
07 32 16 00-0008	EA	Rake, 6-1/2" X 16-3/4", 9 LB Each For Concrete Tile Roof	2.22		
07 32 16 00-0009	EA	Mansard Hip, 10" X 16-1/2", 9.2 LB Each For Concrete Tile Roof	3.36		
07 32 16 00-0010	EA	Hip Starter, 10" X 16-1/2", 10.5 LB Each For Concrete Tile Roof	3.85		
07 32 16 00-0011	EA	3 Or 4 Way Apex, 10" Each Side, 11.5 LB Each For Concrete Tile Roof	4.00		
07 34		Roofing Underlayment (07 30)			
07 34 00 00-0001		Mechanically Fastened, Roofing Underlayment (07 34)			
		Note: Standard slope.			
07 34 00 00-0002	SQ	15 LB, Asphalt Saturated Organic Felt Roofing Underlayment, Mechanically Fastened.....	27.24		6.68
		For Steep Roof, Over 7 To 12, Add	4.28		
		For >50 To 75, Deduct	-0.56		
		For >75 To 100, Deduct	-1.31		
		For >100 To 200, Deduct	-2.19		
		For >200, Deduct	-3.28		
07 34 00 00-0003	SQ	30 LB, Asphalt Saturated Organic Felt Roofing Underlayment, Mechanically Fastened.....	41.57		9.18
		For Steep Roof, Over 7 To 12, Add	5.88		
		For >50 To 75, Deduct	-0.93		
		For >75 To 100, Deduct	-2.08		
		For >100 To 200, Deduct	-3.47		
		For >200, Deduct	-5.09		
07 34 00 00-0004	SQ	30 LB, Asphalt Saturated Organic Felt Shake Underlayment, Mechanically Fastened	45.94		9.18
		For Steep Roof, Over 7 To 12, Add	5.88		
		For >50 To 75, Deduct	-1.10		
		For >75 To 100, Deduct	-2.39		
		For >100 To 200, Deduct	-3.95		
		For >200, Deduct	-5.70		
07 34 00 00-0005	SQ	Fire Rated, Polypropylene Roofing Underlayment, Mechanically Fastened (Rex™ Synfelt).....	52.61		13.92
		For Steep Roof, Over 7 To 12, Add	8.91		
		For >50 To 75, Deduct	-0.99		
		For >75 To 100, Deduct	-2.43		
		For >100 To 200, Deduct	-4.12		
		For >200, Deduct	-6.25		
07 34 00 00-0006	SQ	17 Mil, Fire Rated, High Temperature, Coated Woven Synthetic Roofing Underlayment, Mechanically Fastened (TITANIUM™ UDL 25).....	57.78		13.92
		For Steep Roof, Over 7 To 12, Add	8.91		
		For >50 To 75, Deduct	-1.20		
		For >75 To 100, Deduct	-2.79		
		For >100 To 200, Deduct	-4.69		
		For >200, Deduct	-6.98		
07 34 00 00-0007	SQ	25 Mil, Fire Rated, High Temperature, Coated Woven Synthetic Roofing Underlayment, Mechanically Fastened (TITANIUM™ UDL 30).....	66.31		13.92
		For Steep Roof, Over 7 To 12, Add	8.91		
		For >50 To 75, Deduct	-1.54		
		For >75 To 100, Deduct	-3.39		
		For >100 To 200, Deduct	-5.62		
		For >200, Deduct	-8.17		
07 34 00 00-0008	SQ	30 Mil, Fire Rated, High Temperature, Coated Woven Synthetic Roofing Underlayment, Mechanically Fastened (TITANIUM™ UDL 50).....	62.05		13.92
		For Steep Roof, Over 7 To 12, Add	8.91		
		For >50 To 75, Deduct	-1.37		
		For >75 To 100, Deduct	-3.09		
		For >100 To 200, Deduct	-5.16		
		For >200, Deduct	-7.57		



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
-------	-----	-----	-------------	------------------------	----------------------

07 34 00 00-0009			Self-Adhering, Roofing Underlayment <small>(07 34)</small> Note: Standard slope.		
07 34 00 00-0010	SQ		48 Mil, Fire Rated, Polymeric Asphalt Surfaced, Fiberglass Mat Reinforced, Styrene-Butadiene-Styrene (SBS) Modified Roofing Underlayment, Self-Adhering (Owens Corning® WeatherLock® Mat).....	104.50	16.89
			<i>For Steep Roof, Over 7 To 12, Add</i>	10.80	
			<i>For >50 To 75, Deduct</i>	-2.83	
			<i>For >75 To 100, Deduct</i>	-5.80	
			<i>For >100 To 200, Deduct</i>	-9.47	
			<i>For >200, Deduct</i>	-13.28	
07 34 00 00-0011	SQ		60 Mil, Fire Rated, Granule Surfaced, Rubberized Asphalt Adhesive, Roofing Underlayment, Self-Adhering (Grace Basik®).....	153.92	16.89
			<i>For Steep Roof, Over 7 To 12, Add</i>	10.80	
			<i>For >50 To 75, Deduct</i>	-4.81	
			<i>For >75 To 100, Deduct</i>	-9.26	
			<i>For >100 To 200, Deduct</i>	-14.91	
			<i>For >200, Deduct</i>	-20.20	
07 34 00 00-0012	SQ		53 Mil, Fire Rated, Granule Surfaced, Fiberglass Mat Reinforced, Styrene-Butadiene-Styrene (SBS) Modified Roofing Underlayment, Self-Adhering (Owens Corning® WeatherLock® G).....	110.61	16.89
			<i>For Steep Roof, Over 7 To 12, Add</i>	10.80	
			<i>For >50 To 75, Deduct</i>	-3.07	
			<i>For >75 To 100, Deduct</i>	-6.22	
			<i>For >100 To 200, Deduct</i>	-10.14	
			<i>For >200, Deduct</i>	-14.14	
07 34 00 00-0013	SQ		65 Mil, Fire Rated, Polyester Non Woven Fabric Surfaced, Fiberglass Mat Reinforced, Styrene-Butadiene-Styrene (SBS) Modified Roofing Underlayment, Self Adhering (Owens Corning® WeatherLock® Specialty Tile And Metal).....	104.50	16.89
			<i>For Steep Roof, Over 7 To 12, Add</i>	10.80	
			<i>For >50 To 75, Deduct</i>	-2.83	
			<i>For >75 To 100, Deduct</i>	-5.80	
			<i>For >100 To 200, Deduct</i>	-9.47	
			<i>For >200, Deduct</i>	-13.28	
07 34 00 00-0014	SQ		45 Mil, Fire Rated, High Temperature, Synthetic Polymer Surfaced, Modified Rubberized Asphalt, Roofing Underlayment, Self-Adhering (TITANIUM™ PSU-30).....	146.79	16.89
			<i>For Steep Roof, Over 7 To 12, Add</i>	10.80	
			<i>For >50 To 75, Deduct</i>	-4.52	
			<i>For >75 To 100, Deduct</i>	-8.76	
			<i>For >100 To 200, Deduct</i>	-14.12	
			<i>For >200, Deduct</i>	-19.20	
07 34 00 00-0015	SQ		25 Mil, Fire Rated, Embossed Surface, Rubberized Asphalt Adhesive, High Density Cross Laminated Polyethylene Reinforcement, Roofing Underlayment, Self-Adhering (Grace Select).....	124.46	16.89
			<i>For Steep Roof, Over 7 To 12, Add</i>	10.80	
			<i>For >50 To 75, Deduct</i>	-3.63	
			<i>For >75 To 100, Deduct</i>	-7.19	
			<i>For >100 To 200, Deduct</i>	-11.67	
			<i>For >200, Deduct</i>	-16.07	
07 34 00 00-0016	SQ		40 Mil, Fire Rated, Embossed Surface, Rubberized Asphalt Adhesive, High Density Cross Laminated Polyethylene Reinforcement, Roofing Underlayment, Self-Adhering (Grace Ice And Water Shield®).....	182.00	16.89
			<i>For Steep Roof, Over 7 To 12, Add</i>	10.80	
			<i>For >50 To 75, Deduct</i>	-5.93	
			<i>For >75 To 100, Deduct</i>	-11.22	
			<i>For >100 To 200, Deduct</i>	-18.00	
			<i>For >200, Deduct</i>	-24.13	
07 34 00 00-0017	SQ		40 Mil, Fire Rated, High Temperature, Embossed Surface, Rubberized Asphalt Adhesive, High Density Cross Laminated Polyethylene Reinforcement, Roofing Underlayment, Self-Adhering (Grace Ice And Water Shield® HT).....	207.21	16.89
			<i>For Steep Roof, Over 7 To 12, Add</i>	10.80	
			<i>For >50 To 75, Deduct</i>	-6.94	
			<i>For >75 To 100, Deduct</i>	-12.99	
			<i>For >100 To 200, Deduct</i>	-20.77	
			<i>For >200, Deduct</i>	-27.66	
07 34 00 00-0018	SQ		30 Mil, Fire Rated, High Temperature, Fire Rated, Embossed Surface, Butyl Rubber Based Adhesive, High Density Cross Laminated Polyethylene Reinforcement, Roofing Underlayment, Self-Adhering (Grace Ultra).....	301.78	16.89
			<i>For Steep Roof, Over 7 To 12, Add</i>	10.80	
			<i>For >50 To 75, Deduct</i>	-10.72	
			<i>For >75 To 100, Deduct</i>	-19.61	
			<i>For >100 To 200, Deduct</i>	-31.17	
			<i>For >200, Deduct</i>	-40.90	

07 40 Roofing And Siding Panels (07)

07 41 Roof Panels (07 40)

Note: Includes standard fasteners, grommets, cleats for installation.

07 41 13 Metal Roof Panels (07 41)

07 41 13 00-0001 Exposed Fastener Metal Roofing (07 41 13)

Note: Includes 15 year warranty and all warranties are no dollar limit to include material and labor.

07 41 13 00-0002 Galvanized Exposed Fastener Metal Roofing (07 41 13 00-0001)

07 41 13 00-0003 Galvanized Steel Exposed Fastener Metal Roof Panels (07 41 13 00-0002)

07 Thermal And Moisture Protection**07 40 Roofing And Siding Panels****07 41 Roof Panels**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 41 13 00-0004	SF		18 Gauge, Corrugated Or Ribbed, Galvanized Exposed Fastener Metal Roof Panels <i>For Fluoropolymer (Kynar®) Coating, Add</i> <i>For Steep Roof, Over 7 To 12, Add</i>	7.15 0.89 1.08	0.76
07 41 13 00-0005	SF		20 Gauge, Corrugated Or Ribbed, Galvanized Exposed Fastener Metal Roof Panels <i>For Fluoropolymer (Kynar®) Coating, Add</i> <i>For Steep Roof, Over 7 To 12, Add</i>	6.48 0.89 1.08	0.76
07 41 13 00-0006	SF		22 Gauge, Corrugated Or Ribbed, Galvanized Exposed Fastener Metal Roof Panels <i>For Fluoropolymer (Kynar®) Coating, Add</i> <i>For Steep Roof, Over 7 To 12, Add</i>	6.01 0.89 1.08	0.76
07 41 13 00-0007	SF		24 Gauge, Corrugated Or Ribbed, Galvanized Exposed Fastener Metal Roof Panels <i>For Fluoropolymer (Kynar®) Coating, Add</i> <i>For Steep Roof, Over 7 To 12, Add</i>	5.55 0.89 1.08	0.76
07 41 13 00-0008	SF		26 Gauge, Corrugated Or Ribbed, Galvanized Exposed Fastener Metal Roof Panels <i>For Fluoropolymer (Kynar®) Coating, Add</i> <i>For Steep Roof, Over 7 To 12, Add</i>	5.16 0.89 1.08	0.76
07 41 13 00-0009	SF		29 Gauge, Corrugated Or Ribbed, Galvanized Exposed Fastener Metal Roof Panels <i>For Fluoropolymer (Kynar®) Coating, Add</i> <i>For Steep Roof, Over 7 To 12, Add</i>	4.84 0.89 1.08	0.76
07 41 13 00-0010	SF		30 Gauge, Corrugated Or Ribbed, Galvanized Exposed Fastener Metal Roof Panels <i>For Fluoropolymer (Kynar®) Coating, Add</i> <i>For Steep Roof, Over 7 To 12, Add</i>	4.70 0.89 1.08	0.76
07 41 13 00-0011			Galvanized Exposed Fastener Metal Roof Accessories (07 41 13 00-0002) See CSI section 07 41 13 00-0038 for accessories.		
07 41 13 00-0012	LF		Ridge Flashing For Galvanized Steel Exposed Fastener Roofing <i>For Steep Roof, Over 7 To 12, Add</i> <i>For Fluoropolymer (Kynar®) Coating, Add</i>	25.32 4.28 1.20	3.36
07 41 13 00-0013	LF		Eave Flashing For Galvanized Steel Exposed Fastener Roofing <i>For Steep Roof, Over 7 To 12, Add</i> <i>For Fluoropolymer (Kynar®) Coating, Add</i>	20.45 4.28 0.71	3.36
07 41 13 00-0014	LF		Valley Flashing For Galvanized Steel Exposed Fastener Roofing <i>For Steep Roof, Over 7 To 12, Add</i> <i>For Fluoropolymer (Kynar®) Coating, Add</i>	30.02 4.28 1.67	3.36
07 41 13 00-0015	LF		Hip Flashing For Galvanized Steel Exposed Fastener Roofing <i>For Steep Roof, Over 7 To 12, Add</i> <i>For Fluoropolymer (Kynar®) Coating, Add</i>	25.75 4.28 1.24	3.36
07 41 13 00-0016			Aluminum Exposed Fastener Metal Roofing (07 41 13 00-0001)		
07 41 13 00-0017			Aluminum Exposed Fastener Metal Roof Panels (07 41 13 00-0016)		
07 41 13 00-0018	SF		0.0155", Corrugated Or Ribbed, Aluminum Exposed Fastener Metal Roof Panels <i>For Fluoropolymer (Kynar®) Coating, Add</i> <i>For Steep Roof, Over 7 To 12, Add</i>	4.38 0.89 1.08	0.76
07 41 13 00-0019	SF		0.018", Corrugated Or Ribbed, Aluminum Exposed Fastener Metal Roof Panels <i>For Fluoropolymer (Kynar®) Coating, Add</i> <i>For Steep Roof, Over 7 To 12, Add</i>	4.54 0.89 1.08	0.76
07 41 13 00-0020	SF		0.024", Corrugated Or Ribbed, Aluminum Exposed Fastener Metal Roof Panels <i>For Fluoropolymer (Kynar®) Coating, Add</i> <i>For Steep Roof, Over 7 To 12, Add</i>	4.94 0.89 1.08	0.76
07 41 13 00-0021	SF		0.032", Corrugated Or Ribbed, Aluminum Exposed Fastener Metal Roof Panels <i>For Fluoropolymer (Kynar®) Coating, Add</i> <i>For Steep Roof, Over 7 To 12, Add</i>	5.47 0.89 1.08	0.76
07 41 13 00-0022	SF		0.040", Corrugated Or Ribbed, Aluminum Exposed Fastener Metal Roof Panels <i>For Fluoropolymer (Kynar®) Coating, Add</i> <i>For Steep Roof, Over 7 To 12, Add</i>	5.99 0.89 1.08	0.76
07 41 13 00-0023	SF		0.050", Corrugated Or Ribbed, Aluminum Exposed Fastener Metal Roof Panels <i>For Fluoropolymer (Kynar®) Coating, Add</i> <i>For Steep Roof, Over 7 To 12, Add</i>	6.65 0.89 1.08	0.76
07 41 13 00-0024			Aluminum Exposed Fastener Metal Roof Accessories (07 41 13 00-0016)		
07 41 13 00-0025	LF		Ridge Flashing For Aluminum Exposed Fastener Metal Roofing <i>For Steep Roof, Over 7 To 12, Add</i> <i>For Fluoropolymer (Kynar®) Coating, Add</i>	23.24 2.69 1.48	3.36
07 41 13 00-0026	LF		Eave Flashing For Aluminum Exposed Fastener Metal Roofing <i>For Steep Roof, Over 7 To 12, Add</i> <i>For Fluoropolymer (Kynar®) Coating, Add</i>	17.15 2.69 0.88	3.36
07 41 13 00-0027	LF		Valley Flashing For Aluminum Exposed Fastener Metal Roofing <i>For Steep Roof, Over 7 To 12, Add</i> <i>For Fluoropolymer (Kynar®) Coating, Add</i>	29.11 2.69 2.07	3.36
07 41 13 00-0028	LF		Hip Flashing For Aluminum Exposed Fastener Metal Roofing <i>For Steep Roof, Over 7 To 12, Add</i> <i>For Fluoropolymer (Kynar®) Coating, Add</i>	23.78 2.69 1.54	3.36



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 41 13 00-0029			Standing Seam Roofs <small>(07 41 13)</small> Note: Includes all profiles of vertical leg and batten style standing seam roofing. Includes all clips, neoprene closures, metal closures, battens, tape sealer, tube sealant, fasteners, vent material, panel starters and cleats. Based on Garland R-Mer Clad or R-Mer Seam architectural roofing, R-Mer Loc architectural/structural roofing, and R-Mer Span structural roofing. Architectural roofing requires a solid substrate and underlayment, requires a minimum 3:12 pitch, and includes a 20 year no dollar limit warranty. Architectural/structural roofing does not require a solid substrate or underlayment, requires a minimum 3:12 pitch, and includes a 25 year no dollar limit warranty. Structural roofing does not require a solid substrate or underlayment, requires a minimum 1/4" per foot slope, and includes a 25 year no dollar limit warranty.		
07 41 13 00-0030			Galvanized Steel Standing Seam Concealed Fastener Roofing <small>(07 41 13 00-0029)</small> Note: All steel is galvanized G90 rated or galvalume®. Factory paint finish is Kynar 500®, Hylar 5000® or equal polyvinylidene fluoride (PVDF) finish.		
07 41 13 00-0031			Galvanized Steel Standing Seam Concealed Fastener Roofing <small>(07 41 13 00-0030)</small>		
07 41 13 00-0032	SF		Architectural 24 Gauge Galvanized Steel Standing Seam Concealed Fastener Roofing9.91		1.78
			<i>For Steep Roof, Over 6 To 12, Add</i>1.34		
			<i>For Panels <16" Wide, Add</i>1.32		
			<i>For 140 MPH Wind Load, Add</i>0.56		
			<i>For Up To 1,500, Add</i>2.48		
			<i>For >1,500 To 5,000, Add</i>1.49		
			<i>For >5,000 To 10,000, Add</i>0.25		
07 41 13 00-0033	SF		Architectural 22 Gauge Galvanized Steel Standing Seam Concealed Fastener Roofing10.42		1.78
			<i>For Steep Roof, Over 6 To 12, Add</i>1.34		
			<i>For Panels <16" Wide, Add</i>1.35		
			<i>For 140 MPH Wind Load, Add</i>0.57		
			<i>For Up To 1,500, Add</i>2.61		
			<i>For >1,500 To 5,000, Add</i>1.56		
			<i>For >5,000 To 10,000, Add</i>0.26		
07 41 13 00-0034	SF		Architectural/Structural 24 Gauge Galvanized Steel Standing Seam Concealed Fastener Roofing9.46		1.78
			<i>For Steep Roof, Over 6 To 12, Add</i>1.34		
			<i>For Panels <16" Wide, Add</i>1.30		
			<i>For 140 MPH Wind Load, Add</i>0.55		
			<i>For Up To 1,500, Add</i>2.37		
			<i>For >1,500 To 5,000, Add</i>1.42		
			<i>For >5,000 To 10,000, Add</i>0.24		
07 41 13 00-0035	SF		Architectural/Structural 22 Gauge Galvanized Steel Standing Seam Concealed Fastener Roofing9.64		1.78
			<i>For Steep Roof, Over 6 To 12, Add</i>1.34		
			<i>For Panels <16" Wide, Add</i>1.31		
			<i>For 140 MPH Wind Load, Add</i>0.55		
			<i>For Up To 1,500, Add</i>2.41		
			<i>For >1,500 To 5,000, Add</i>1.45		
			<i>For >5,000 To 10,000, Add</i>0.24		
07 41 13 00-0036	SF		Structural 24 Gauge Galvanized Steel Standing Seam Concealed Fastener Roofing9.84		1.78
			<i>For Steep Roof, Over 6 To 12, Add</i>1.34		
			<i>For Panels <16" Wide, Add</i>1.32		
			<i>For 140 MPH Wind Load, Add</i>0.55		
			<i>For Up To 1,500, Add</i>2.46		
			<i>For >1,500 To 5,000, Add</i>1.48		
			<i>For >5,000 To 10,000, Add</i>0.25		
07 41 13 00-0037	SF		Structural 22 Gauge Galvanized Steel Standing Seam Concealed Fastener Roofing10.58		1.78
			<i>For Steep Roof, Over 6 To 12, Add</i>1.34		
			<i>For Panels <16" Wide, Add</i>1.35		
			<i>For 140 MPH Wind Load, Add</i>0.57		
			<i>For Up To 1,500, Add</i>2.65		
			<i>For >1,500 To 5,000, Add</i>1.59		
			<i>For >5,000 To 10,000, Add</i>0.26		
07 41 13 00-0038			Accessories For Galvanized Steel Standing Seam Roofing <small>(07 41 13 00-0030)</small>		
07 41 13 00-0039	LF		Ridge Flashing For Galvanized Steel Standing Seam Concealed Fastener Roofing26.51		5.34
			<i>For Steep Roof, Over 6 To 12, Add</i>4.01		
			<i>For 140 MPH Wind Load, Add</i>1.60		
07 41 13 00-0040	LF		Eave Flashing For Galvanized Steel Standing Seam Concealed Fastener Roofing21.16		5.34
			<i>For Steep Roof, Over 6 To 12, Add</i>4.01		
			<i>For 140 MPH Wind Load, Add</i>1.49		
07 41 13 00-0041	LF		Valley Flashing For Galvanized Steel Standing Seam Concealed Fastener Roofing31.68		5.34
			<i>For Steep Roof, Over 6 To 12, Add</i>4.01		
			<i>For 140 MPH Wind Load, Add</i>1.70		
07 41 13 00-0042	LF		Hip Flashing For Galvanized Steel Standing Seam Concealed Fastener Roofing26.98		5.34
			<i>For Steep Roof, Over 6 To 12, Add</i>4.01		
			<i>For 140 MPH Wind Load, Add</i>1.61		
07 41 13 00-0043			Aluminum Standing Seam Concealed Fastener Roofing <small>(07 41 13 00-0029)</small> Note: Factory paint finish is Kynar 500®, Hylar 5000® or equal polyvinylidene fluoride (PVDF) finish.		
07 41 13 00-0044			Aluminum Standing Seam Concealed Fastener Roofing <small>(07 41 13 00-0043)</small>		
07 41 13 00-0045	SF		Architectural 0.032" Aluminum Standing Seam Concealed Fastener Roofing10.27		1.78
			<i>For Steep Roof, Over 6 To 12, Add</i>1.34		
			<i>For 140 MPH Wind Load, Add</i>0.56		
			<i>For Up To 1,500, Add</i>2.57		
			<i>For Panels < 16" Wide, Add</i>1.34		
			<i>For Up To 5000, Add</i>0.56		
			<i>For > 5000 To 10000, Add</i>0.26		

07 Thermal And Moisture Protection**07 40 Roofing And Siding Panels****07 41 Roof Panels**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 41 13 00-0046	SF		Architectural 0.040" Aluminum Standing Seam Concealed Fastener Roofing	10.70	1.78
			<i>For Steep Roof, Over 6 To 12, Add</i>	1.34	
			<i>For 140 MPH Wind Load, Add</i>	0.57	
			<i>For Up To 1,500, Add</i>	2.68	
			<i>For Panels < 16" Wide, Add</i>	1.36	
			<i>For Up To 5000, Add</i>	0.57	
			<i>For > 5000 To 10000, Add</i>	0.27	
07 41 13 00-0047	SF		Architectural/Structural Or Structural 0.032" Aluminum Standing Seam Concealed Fastener Roofing	10.02	1.78
			<i>For Steep Roof, Over 6 To 12, Add</i>	1.34	
			<i>For 140 MPH Wind Load, Add</i>	0.56	
			<i>For Up To 1,500, Add</i>	2.51	
			<i>For Panels < 16" Wide, Add</i>	1.33	
			<i>For Up To 5000, Add</i>	0.56	
			<i>For > 5000 To 10000, Add</i>	0.25	
07 41 13 00-0048	SF		Architectural/Structural Or Structural 0.040" Aluminum Standing Seam Concealed Fastener Roofing	10.82	1.78
			<i>For Steep Roof, Over 6 To 12, Add</i>	1.34	
			<i>For 140 MPH Wind Load, Add</i>	0.57	
			<i>For Up To 1,500, Add</i>	2.71	
			<i>For Panels < 16" Wide, Add</i>	1.37	
			<i>For Up To 5000, Add</i>	0.57	
			<i>For > 5000 To 10000, Add</i>	0.27	
07 41 13 00-0049			Accessories For Aluminum Standing Seam Roofing (07 41 13 00-0043)		
07 41 13 00-0050	LF		Ridge Flashing For Aluminum Standing Seam Concealed Fastener Roofing	29.68	5.34
			<i>For Steep Roof, Over 6 To 12, Add</i>	4.01	
			<i>For 140 MPH Wind Load, Add</i>	1.66	
07 41 13 00-0051	LF		Eave Flashing For Aluminum Standing Seam Concealed Fastener Roofing	22.99	5.34
			<i>For Steep Roof, Over 6 To 12, Add</i>	4.01	
			<i>For 140 MPH Wind Load, Add</i>	1.53	
07 41 13 00-0052	LF		Valley Flashing For Aluminum Standing Seam Concealed Fastener Roofing	36.14	5.34
			<i>For Steep Roof, Over 6 To 12, Add</i>	4.01	
			<i>For 140 MPH Wind Load, Add</i>	1.79	
07 41 13 00-0053	LF		Hip Flashing For Aluminum Standing Seam Concealed Fastener Roofing	30.27	5.34
			<i>For Steep Roof, Over 6 To 12, Add</i>	4.01	
			<i>For 140 MPH Wind Load, Add</i>	1.67	
07 41 13 00-0054			Stainless Steel Standing Seam Concealed Fastener Roofing (07 41 13 00-0029)		
07 41 13 00-0055			Stainless Steel Standing Seam Concealed Fastener Roofing (07 41 13 00-0054)		
07 41 13 00-0056	SF		Architectural 24 Gauge T304 Stainless Steel Standing Seam Concealed Fastener Roofing	19.22	2.67
			<i>For Steep Roof, Over 6 To 12, Add</i>	2.00	
			<i>For 140 MPH Wind Load, Add</i>	0.92	
			<i>For Up To 1,500, Add</i>	4.81	
			<i>For Up To 5000, Add</i>	1.92	
			<i>For > 5000 To 10000, Add</i>	0.48	
			<i>For Panels < 16" Wide, Add</i>	2.20	
07 41 13 00-0057	SF		Architectural 22 Gauge T304 Stainless Steel Standing Seam Concealed Fastener Roofing	21.88	2.67
			<i>For Steep Roof, Over 6 To 12, Add</i>	2.00	
			<i>For 140 MPH Wind Load, Add</i>	0.97	
			<i>For Up To 1,500, Add</i>	5.47	
			<i>For Up To 5000, Add</i>	2.19	
			<i>For > 5000 To 10000, Add</i>	0.55	
			<i>For Panels < 16" Wide, Add</i>	2.33	
07 41 13 00-0058	SF		Architectural 24 Gauge T316 Stainless Steel Standing Seam Concealed Fastener Roofing	25.05	2.67
			<i>For Steep Roof, Over 6 To 12, Add</i>	2.00	
			<i>For 140 MPH Wind Load, Add</i>	1.04	
			<i>For Up To 1,500, Add</i>	6.26	
			<i>For Up To 5000, Add</i>	2.51	
			<i>For > 5000 To 10000, Add</i>	0.63	
			<i>For Panels < 16" Wide, Add</i>	2.49	
07 41 13 00-0059	SF		Architectural 22 Gauge T316 Stainless Steel Standing Seam Concealed Fastener Roofing	29.10	2.67
			<i>For Steep Roof, Over 6 To 12, Add</i>	2.00	
			<i>For 140 MPH Wind Load, Add</i>	1.12	
			<i>For Up To 1,500, Add</i>	7.28	
			<i>For Up To 5000, Add</i>	2.91	
			<i>For > 5000 To 10000, Add</i>	0.73	
			<i>For Panels < 16" Wide, Add</i>	2.69	
07 41 13 00-0060			Accessories For Stainless Steel Standing Seam Concealed Fastener Roofing (07 41 13 00-0054)		
07 41 13 00-0061	LF		Ridge Flashing For Stainless Steel Standing Seam Concealed Fastener Roofing	64.01	5.34
			<i>For Steep Roof, Over 6 To 12, Add</i>	4.51	
			<i>For 140 MPH Wind Load, Add</i>	2.48	
07 41 13 00-0062	LF		Eave Flashing For Stainless Steel Standing Seam Concealed Fastener Roofing	40.29	5.34
			<i>For Steep Roof, Over 6 To 12, Add</i>	4.51	
			<i>For 140 MPH Wind Load, Add</i>	2.01	
07 41 13 00-0063	LF		Valley Flashing For Stainless Steel Standing Seam Concealed Fastener Roofing	86.43	5.34
			<i>For Steep Roof, Over 6 To 12, Add</i>	4.51	
			<i>For 140 MPH Wind Load, Add</i>	2.93	
07 41 13 00-0064	LF		Hip Flashing For Stainless Steel Standing Seam Concealed Fastener Roofing	65.78	5.34
			<i>For Steep Roof, Over 6 To 12, Add</i>	4.51	
			<i>For 140 MPH Wind Load, Add</i>	2.52	



	MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 41 13 00-0065 Metal Roof Surfacing (07 41 13)						
	07 41 13 00-0066	SF		Acrylic, Metal Roof Primer, One Coat0.34		
				<i>For Steep Roof, Over 7 To 12, Add</i>	0.06	
	07 41 13 00-0067	SF		Acrylic Elastomeric, Surface Or Base Coating For Metal Roofing, One Coat0.48		
				<i>Note: 55% solids by volume.</i>		
				<i>For Steep Roof, Over 7 To 12, Add</i>	0.06	
07 41 33 Plastic Roof Panels (07 41)						
07 41 33 00-0001 Polyvinyl Chloride (PVC) Roofing Panels (07 41 33)						
07 41 33 00-0002 Polyvinyl Chloride (PVC) Roofing Panels (07 41 33 00-0001)						
	07 41 33 00-0003	SF		Solid Polyvinyl Chloride (PVC) Roofing Panels, 8" Wide5.22		1.86
	07 41 33 00-0004	SF		Solid Polyvinyl Chloride (PVC) Roofing Panels, 10" Wide4.96		1.67
	07 41 33 00-0005	SF		Solid Polyvinyl Chloride (PVC) Roofing Panels, Double 8" Wide.....5.39		1.86
	07 41 33 00-0006	SF		Solid Polyvinyl Chloride (PVC) Roofing Panels, Double 10" Wide5.10		1.67
07 41 33 00-0007 Polyvinyl Chloride (PVC) Roofing Accessories (07 41 33 00-0001)						
	07 41 33 00-0008	LF		1" "J" Channel, Starter Strip Trim3.26		1.39
	07 41 33 00-0009	LF		3-1/2" "J" Channel, Starter Strip Trim4.53		1.39
	07 41 33 00-0010	LF		Outside Corner Post, 7/8" Pocket4.90		1.39
	07 41 33 00-0011	LF		Inside Corner Post, 7/8" Pocket3.91		1.39
07 41 33 00-0012 Fiberglass Roofing Panel (07 41 33)						
07 41 33 00-0013 Corrugated Panels (07 41 33 00-0012)						
	07 41 33 00-0014	SF		8 Ounce Corrugated Fiberglass Panel.....5.23		1.49
	07 41 33 00-0015	SF		12 Ounce Corrugated Fiberglass Panel.....5.96		1.49
07 42 Wall Panels (07 40)						
07 42 13 Metal Wall Panels (07 42)						
07 42 13 19 Insulated Metal Wall Panels (07 42 13)						
07 42 13 19-0001 Insulated Panels For Sash/Window Replacement (07 42 13 19)						
				<i>Note: Porcelain or polymer finish on aluminum panel with polystyrene core.</i>		
	07 42 13 19-0002	SF		1" Insulated Panel For Sash Or Window Replacement.....18.72		3.54
				<i>For Non-Insulated Panels, Deduct</i>	-2.89	
	07 42 13 19-0003	SF		1-1/4" Insulated Panel For Sash Or Window Replacement.....20.27		3.99
				<i>For Non-Insulated Panels, Deduct</i>	-3.09	
	07 42 13 19-0004	SF		1-3/4" Insulated Panel For Sash Or Window Replacement.....21.68		4.43
				<i>For Non-Insulated Panels, Deduct</i>	-3.29	
	07 42 13 19-0005	SF		2-1/4" Insulated Panel For Sash Or Window Replacement.....23.19		4.61
				<i>For Non-Insulated Panels, Deduct</i>	-3.49	
	07 42 13 19-0006	SF		3-1/4" Insulated Panel For Sash Or Window Replacement.....26.29		5.05
				<i>For Non-Insulated Panels, Deduct</i>	-4.06	
	07 42 13 19-0007	SF		4-1/4" Insulated Panel For Sash Or Window Replacement.....30.53		5.58
				<i>For Non-Insulated Panels, Deduct</i>	-4.87	
07 42 63 Fabricated Wall Panel Assemblies (07 42)						
07 42 63 00-0001 Insulated Freezer And Chiller Panels (07 42 63)						
				<i>Note: Excludes suspension system for ceiling support.</i>		
07 42 63 00-0002 Polyurethane Sandwich Panel (07 42 63 00-0001)						
				<i>Note: With 22 gauge galvanized sheet metal face excludes painting.</i>		
	07 42 63 00-0003	SF		2" 22 Gauge Freezer Panel Sheet Metal Both Faces16.01		1.51
	07 42 63 00-0004	SF		3" 22 Gauge Freezer Panel Sheet Metal Both Faces16.95		1.51
	07 42 63 00-0005	SF		4" 22 Gauge Freezer Panel Sheet Metal Both Faces20.13		1.51
	07 42 63 00-0006	SF		5" 22 Gauge Freezer Panel Sheet Metal Both Faces21.78		1.60
	07 42 63 00-0007	SF		6" 22 Gauge Freezer Panel Sheet Metal Both Faces23.12		1.60
	07 42 63 00-0008	SF		2" 22 Gauge Freezer Panel Sheet Metal One Face (Liner)14.35		1.25
	07 42 63 00-0009	SF		3" 22 Gauge Freezer Panel Sheet Metal One Face (Liner)15.59		1.25
	07 42 63 00-0010	SF		4" 22 Gauge Freezer Panel Sheet Metal One Face (Liner)18.76		1.33
	07 42 63 00-0011	SF		5" 22 Gauge Freezer Panel Sheet Metal One Face (Liner)18.20		1.33
	07 42 63 00-0012	SF		6" 22 Gauge Freezer Panel Sheet Metal One Face (Liner)21.38		1.33
07 42 63 00-0013 Polyurethane Sandwich Panel (07 42 63 00-0001)						
				<i>Note: With .040 aluminum baked enamel finish.</i>		
	07 42 63 00-0014	SF		2" Freezer Panel 0.040" Aluminum Finish Both Faces.....10.48		1.51
	07 42 63 00-0015	SF		3" Freezer Panel 0.040" Aluminum Finish Both Faces.....11.16		1.51
	07 42 63 00-0016	SF		4" Freezer Panel 0.040" Aluminum Finish Both Faces.....12.95		1.51
	07 42 63 00-0017	SF		5" Freezer Panel 0.040" Aluminum Finish Both Faces.....14.07		1.60
	07 42 63 00-0018	SF		6" Freezer Panel 0.040" Aluminum Finish Both Faces.....14.85		1.60

07 Thermal And Moisture Protection**07 40 Roofing And Siding Panels****07 42 Wall Panels**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 42 63 00-0019	SF		2" Freezer Panel 0.040" Aluminum Finish One Face (Liner Panel).....	9.38	1.25
07 42 63 00-0020	SF		3" Freezer Panel 0.040" Aluminum Finish One Face (Liner Panel).....	10.06	1.25
07 42 63 00-0021	SF		4" Freezer Panel 0.040" Aluminum Finish One Face (Liner Panel).....	10.80	1.33
07 42 63 00-0022	SF		5" Freezer Panel 0.040" Aluminum Finish One Face (Liner Panel).....	12.57	1.33
07 42 63 00-0023	SF		6" Freezer Panel 0.040" Aluminum Finish One Face (Liner Panel).....	13.67	1.33
07 42 63 00-0024			24 Gauge, Galvanized Steel Insulated Tongue And Groove Metal Siding Panels <small>(07 42 63)</small>		
			Note: G-90 galvanized steel, 24 gauge exterior face and 24 gauge interior liner. Galvalume® AZ-55 coating designation with texture. Non-CFC polyurethane foam core. Standard color on exterior and interior panels. CF Mesa Profile wall panels as manufactured by Metl-Span Corporation.		
07 42 63 00-0025	SF		2" Polyurethane Foam, 24 Gauge (Each Side), Galvanized Steel Insulated Tongue And Groove Metal Siding Panels.....	14.66	1.94
			For AZ-50 Aluminum-Zinc Coated Exterior, Add	0.24	
			For Premium Exterior Colors, Add	0.12	
07 42 63 00-0026	SF		2-1/2" Polyurethane Foam, 24 Gauge (Each Side), Galvanized Steel Insulated Tongue And Groove Metal Siding Panels.....	16.51	2.19
			For AZ-50 Aluminum-Zinc Coated Exterior, Add	0.24	
			For Premium Exterior Colors, Add	0.12	
07 42 63 00-0027	SF		3" Polyurethane Foam, 24 Gauge (Each Side), Galvanized Steel Insulated Tongue And Groove Metal Siding Panels.....	18.09	2.48
			For AZ-50 Aluminum-Zinc Coated Exterior, Add	0.24	
			For Premium Exterior Colors, Add	0.12	
07 42 63 00-0028	SF		4" Polyurethane Foam, 24 Gauge (Each Side), Galvanized Steel Insulated Tongue And Groove Metal Siding Panels.....	20.30	3.28
			For AZ-50 Aluminum-Zinc Coated Exterior, Add	0.24	
			For Premium Exterior Colors, Add	0.12	
07 42 93			Soffit Panels <small>(07 42)</small>		
07 42 93 00-0001			Aluminum Soffit And Fascia <small>(07 42 93)</small>		
			Note: Excludes J-channel.		
07 42 93 00-0002	LF		6" Overhang, 0.019" Thick, Solid Or Vented Aluminum Soffit.....	3.35	1.24
			For 0.015" Thick, Deduct	-0.06	
07 42 93 00-0003	LF		10" Overhang, 0.019" Thick, Solid Or Vented Aluminum Soffit.....	4.06	1.30
			For 0.015" Thick, Deduct	-0.09	
07 42 93 00-0004	LF		1' Overhang, 0.019" Thick, Solid Or Vented Aluminum Soffit.....	4.41	1.34
			For 0.015" Thick, Deduct	-0.11	
07 42 93 00-0005	LF		1'-6" Overhang, 0.019" Thick, Solid Or Vented Aluminum Soffit.....	5.41	1.41
			For 0.015" Thick, Deduct	-0.17	
07 42 93 00-0006	LF		2' Overhang, 0.019" Thick, Solid Or Vented Aluminum Soffit.....	6.55	1.54
			For 0.015" Thick, Deduct	-0.25	
07 42 93 00-0007	LF		3' Overhang, 0.019" Thick, Solid Or Vented Aluminum Soffit.....	8.60	1.70
			For 0.015" Thick, Deduct	-0.36	
07 42 93 00-0008	LF		4' Overhang, 0.019" Thick, Solid Or Vented Aluminum Soffit.....	10.66	1.88
			For 0.015" Thick, Deduct	-0.49	
07 42 93 00-0009	LF		5' Overhang, 0.019" Thick, Solid Or Vented Aluminum Soffit.....	12.77	2.06
			For 0.015" Thick, Deduct	-0.63	
07 42 93 00-0010	LF		4" Exposure, 0.024" Thick, Aluminum Fascia.....	3.83	1.22
07 42 93 00-0011	LF		6" Exposure, 0.024" Thick, Aluminum Fascia.....	4.16	1.24
07 42 93 00-0012	LF		8" Exposure, 0.024" Thick, Aluminum Fascia.....	4.82	1.28
07 42 93 00-0013	LF		10" Exposure, 0.024" Thick, Aluminum Fascia.....	5.53	1.30
07 46			Siding <small>(07 40)</small>		
07 46 16			Aluminum Siding <small>(07 46)</small>		
			Note: Includes all necessary furring strips, trim for corners, windows and doors.		
07 46 16 00-0001			Aluminum Coil Stock Cladding <small>(07 46 16)</small>		
			Note: Per SF of board, includes overlap.		
07 46 16 00-0002	SF		0.016" Thick, Aluminum Clad Siding.....	8.26	2.84
07 46 16 00-0003	SF		0.019" Thick, Aluminum Clad Siding.....	8.36	2.84
07 46 16 00-0004	SF		0.024" Thick, Aluminum Clad Siding.....	8.53	2.84
07 46 16 00-0005			Aluminum Siding Panels <small>(07 46 16)</small>		
07 46 16 00-0006			Corrugated Aluminum Siding Panels <small>(07 46 16 00-0005)</small>		
			Note: Includes factory applied polyvinylidene fluoride (PVDF) paint finish.		
07 46 16 00-0007	SF		0.019", Painted Finish, Corrugated Aluminum Siding Panel.....	5.87	1.68
07 46 16 00-0008	SF		0.021", Painted Finish, Corrugated Aluminum Siding Panel.....	6.11	1.68
07 46 16 00-0009	SF		0.024", Painted Finish, Corrugated Aluminum Siding Panel.....	6.86	1.68
07 46 16 00-0010	SF		0.032", Painted Finish, Corrugated Aluminum Siding Panel.....	8.32	1.68
07 46 16 00-0011			V- Beam Aluminum Siding Panels <small>(07 46 16 00-0005)</small>		
			Note: Includes factory applied polyvinylidene fluoride (PVDF) paint finish.		
07 46 16 00-0012	SF		0.032", Painted Finish, V- Beam Aluminum Siding Panel.....	8.26	1.68
07 46 16 00-0013	SF		0.040", Painted Finish, V- Beam Aluminum Siding Panel.....	9.24	1.68
07 46 16 00-0014	SF		0.050", Painted Finish, V- Beam Aluminum Siding Panel.....	11.56	1.68



	MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 46 16 00-0015				Box Ribbed Aluminum Siding Panels <small>(07 46 16 00-0005)</small> Note: Includes factory applied polyvinylidene fluoride (PVDF) paint finish.		
			SF	0.032", Painted Finish, Box Ribbed Aluminum Siding Panel.....	8.69	1.68
			SF	0.040", Painted Finish, Box Ribbed Aluminum Siding Panel.....	9.63	1.68
			SF	0.050", Painted Finish, Box Ribbed Aluminum Siding Panel.....	10.21	1.68
07 46 16 00-0019				Aluminum Siding Accessories <small>(07 46 16)</small>		
			LF	3/8" Pocket, Aluminum J-Channel.....	2.64	1.16
			LF	1/2" Pocket, Aluminum J-Channel.....	2.64	1.16
			LF	3/4" Pocket, Aluminum J-Channel.....	3.04	1.16
			LF	3/8" Pocket, Aluminum F-Channel.....	2.76	1.16
			LF	1/2" Pocket, Aluminum F-Channel.....	2.76	1.16
07 46 19				Steel Siding <small>(07 46)</small> Note: Includes fasteners, all necessary furring strips, trim for corners, windows and doors.		
07 46 19 00-0001				Steel Siding Panels <small>(07 46 19)</small>		
07 46 19 00-0002				Corrugated Steel Siding Panels <small>(07 46 19 00-0001)</small> Note: Includes factory applied polyvinylidene fluoride (PVDF) paint finish.		
			SF	20 Gauge, Painted Finish, Corrugated Steel Siding Panel.....	7.80	1.68
				<i>For Galvanized Instead Of Painted Steel, Add</i>	1.11	
			SF	22 Gauge, Painted Finish, Corrugated Steel Siding Panel.....	7.20	1.68
				<i>For Galvanized Instead Of Painted Steel, Add</i>	0.96	
			SF	24 Gauge, Painted Finish, Corrugated Steel Siding Panel.....	7.06	1.68
				<i>For Galvanized Instead Of Painted Steel, Add</i>	0.93	
			SF	26 Gauge, Painted Finish, Corrugated Steel Siding Panel.....	5.31	1.68
				<i>For Galvanized Instead Of Painted Steel, Add</i>	0.49	
			SF	28 Gauge, Painted Finish, Corrugated Steel Siding Panel.....	5.19	1.68
				<i>For Galvanized Instead Of Painted Steel, Add</i>	0.46	
			SF	30 Gauge, Painted Finish, Corrugated Steel Siding Panel.....	5.11	1.68
				<i>For Galvanized Instead Of Painted Steel, Add</i>	0.44	
07 46 19 00-0009				Box Ribbed Steel Siding Panels <small>(07 46 19 00-0001)</small> Note: Includes factory applied polyvinylidene fluoride (PVDF) paint finish.		
			SF	20 Gauge, Painted Finish, Box Ribbed Steel Siding Panel.....	7.35	1.68
				<i>For Galvanized Instead Of Painted Steel, Add</i>	1.00	
			SF	22 Gauge, Painted Finish, Box Ribbed Steel Siding Panel.....	7.09	1.68
				<i>For Galvanized Instead Of Painted Steel, Add</i>	0.93	
			SF	24 Gauge, Painted Finish, Box Ribbed Steel Siding Panel.....	6.91	1.68
				<i>For Galvanized Instead Of Painted Steel, Add</i>	0.89	
			SF	26 Gauge, Painted Finish, Box Ribbed Steel Siding Panel.....	6.61	1.68
				<i>For Galvanized Instead Of Painted Steel, Add</i>	0.81	
			SF	28 Gauge, Painted Finish, Box Ribbed Steel Siding Panel.....	5.98	1.68
				<i>For Galvanized Instead Of Painted Steel, Add</i>	0.66	
07 46 19 00-0015				Clapboard Steel Siding Panels <small>(07 46 19 00-0001)</small> Note: Includes factory applied polyvinylidene fluoride (PVDF) paint finish.		
			SF	29 Gauge, Painted Finish, Clapboard Steel Siding Panel.....	5.64	0.84
07 46 23				Wood Siding <small>(07 46)</small> Note: Includes all necessary furring strips, trim for corners, windows and doors.		
07 46 23 00-0001				Wood Lap Siding <small>(07 46 23)</small>		
			LF	8" Wide Rough Sawn Cedar Lap Siding.....	3.08	1.27
			LF	10" Wide Rough Sawn Cedar Lap Siding.....	3.36	1.35
			LF	12" Wide Rough Sawn Cedar Lap Siding.....	3.66	1.45
			LF	6" To 8" Wide Southern Yellow Pine Lap Siding, D Grade.....	3.24	1.27
			LF	6" To 8" Wide Spruce Lap Siding, #2 Or Better.....	3.50	1.27
			LF	6" To 8" Wide Western Red Cedar, B Grade Lap Siding.....	4.08	1.27
			LF	6" To 8" Wide Western Red Cedar, A Grade Lap Siding.....	4.31	1.27
			LF	6" To 8" Wide Clear Heart Redwood Lap Siding.....	3.99	1.27
			LF	1" x 8" Cedar Round Or Flat Front Siding, Log Cabin.....	3.39	1.35
			LF	1" x 8" Cedar Beveled Siding, Channel, Rustic.....	3.39	1.35
07 46 23 00-0012				Tongue And Groove Siding <small>(07 46 23)</small>		
			SF	1" x 6" Tongue And Groove Southern Yellow Pine Siding.....	3.06	1.27
			SF	1" x 8" Tongue And Groove Southern Yellow Pine Siding.....	3.30	1.27
			SF	1" x 6" 105 Southern Yellow Pine Siding.....	3.12	1.27
			SF	1" x 8" 105 Southern Yellow Pine Siding.....	3.44	1.27
07 46 29				Plywood Siding <small>(07 46)</small> Note: Includes all necessary furring strips, trim for corners, windows and doors.		

07 Thermal And Moisture Protection**07 40 Roofing And Siding Panels****07 46 Siding**

MINOR CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 46 29 00-0001		T-111 Siding (07 46 29)		
07 46 29 00-0002	SF	5/8" T-111, Fine Grade Siding, Paint Ready Applied To Blackboard / Stud For Pressure Treated, Add	2.10 0.18	0.63
07 46 33		Plastic Siding (07 46)		
		Note: Includes all necessary furring strips, trim for corners, windows and doors.		
07 46 33 00-0001		Vinyl Siding (07 46 33)		
		Note: Includes standard manufacturer's colors.		
07 46 33 00-0002		Vinyl Siding Panels (07 46 33 00-0001)		
		Note: Excludes J-channels, starter strips and trim.		
07 46 33 00-0003		Horizontal Vinyl Siding Panels (07 46 33 00-0002)		
		Note: Includes single, double or triple profiles. Includes traditional clapboard or dutch lap styles.		
07 46 33 00-0004	SF	7" Exposure, 0.044" Thick, Horizontal Vinyl Siding Panel For 0.040" Thick, Deduct For 0.042" Thick, Deduct For 0.046" Thick, Add For Manufacturer's Custom Colors, Add	3.92 -0.13 0.07 0.36 0.04	1.51
07 46 33 00-0005	SF	8" Exposure, 0.044" Thick, Horizontal Vinyl Siding Panel For 0.040" Thick, Deduct For 0.042" Thick, Deduct For 0.046" Thick, Add For Manufacturer's Custom Colors, Add	3.74 -0.13 0.07 0.36 0.04	1.43
07 46 33 00-0006	SF	9" Exposure, 0.044" Thick, Horizontal Vinyl Siding Panel For 0.040" Thick, Deduct For 0.042" Thick, Deduct For 0.046" Thick, Add For Manufacturer's Custom Colors, Add	3.61 -0.13 0.07 0.36 0.04	1.36
07 46 33 00-0007	SF	10" Exposure, 0.044" Thick, Horizontal Vinyl Siding Panel For 0.040" Thick, Deduct For 0.042" Thick, Deduct For 0.046" Thick, Add For Manufacturer's Custom Colors, Add	3.48 -0.13 0.07 0.36 0.04	1.29
07 46 33 00-0008	SF	12" Exposure, 0.044" Thick, Horizontal Vinyl Siding Panel For 0.040" Thick, Deduct For 0.042" Thick, Deduct For 0.046" Thick, Add For Manufacturer's Custom Colors, Add	3.29 -0.13 0.07 0.36 0.04	1.21
07 46 33 00-0009		Vertical Vinyl Siding Panels (07 46 33 00-0002)		
07 46 33 00-0010	SF	7" Exposure, 0.048" Thick, Board And Batten, Vinyl Siding Panel For Manufacturer's Custom Colors, Add	4.61 0.08	1.51
07 46 33 00-0011		Vinyl Siding Accessories (07 46 33 00-0001)		
07 46 33 00-0012	LF	3/4" Pocket, Outside Corner Post For Vinyl Siding For Manufacturer's Custom Colors, Add	4.58 0.11	1.16
07 46 33 00-0013	LF	1-1/8" Pocket, Outside Corner Post For Vinyl Siding For Manufacturer's Custom Colors, Add	8.05 0.29	1.16
07 46 33 00-0014	LF	3/4" Pocket, Inside Corner Post For Vinyl Siding For Manufacturer's Custom Colors, Add	3.71 0.07	1.16
07 46 33 00-0015	LF	1-1/8" Pocket, Inside Corner Post For Vinyl Siding For Manufacturer's Custom Colors, Add	4.44 0.11	1.16
07 46 33 00-0016	LF	3/8" Pocket, J-Channel For Vinyl Siding For Manufacturer's Custom Colors, Add	2.83 0.03	1.16
07 46 33 00-0017	LF	1/2" Pocket, J-Channel For Vinyl Siding For Manufacturer's Custom Colors, Add	2.67 0.03	1.16
07 46 33 00-0018	LF	5/8" Pocket, J-Channel For Vinyl Siding For Manufacturer's Custom Colors, Add	2.63 0.02	1.16
07 46 33 00-0019	LF	3/4" Pocket, J-Channel For Vinyl Siding For Manufacturer's Custom Colors, Add	2.74 0.03	1.16
07 46 33 00-0020	LF	1" Pocket, J-Channel For Vinyl Siding For Manufacturer's Custom Colors, Add	3.21 0.04	1.16
07 46 33 00-0021	LF	1-1/4" Pocket, J-Channel For Vinyl Siding For Manufacturer's Custom Colors, Add	3.46 0.06	1.16
07 46 33 00-0022	LF	2-1/2" Pocket, J-Channel For Vinyl Siding For Manufacturer's Custom Colors, Add	3.92 0.05	1.16
07 46 33 00-0023	LF	1/2" Pocket, F-Channel For Vinyl Siding For Manufacturer's Custom Colors, Add	2.64 0.04	1.16
07 46 33 00-0024	LF	3/4" Pocket, 3-1/2" Lineal Trim For Vinyl Siding For Manufacturer's Custom Colors, Add	5.87 0.13	1.60
07 46 33 00-0025	LF	3/4" Pocket, 5" Lineal Trim For Vinyl Siding For Manufacturer's Custom Colors, Add	6.11 0.15	1.60
07 46 33 00-0026	LF	1-1/8" Pocket, 3-1/2" Lineal Trim For Vinyl Siding For Manufacturer's Custom Colors, Add	6.65 0.17	1.60
07 46 33 00-0027	LF	3/8" Pocket, 1-7/8" H-Mold For Vinyl Siding For Manufacturer's Custom Colors, Add	3.57 0.06	1.16
07 46 33 00-0028	LF	Vinyl Starter Strip For Vinyl Siding For Manufacturer's Custom Colors, Add	4.34 0.10	1.16
07 46 33 00-0029	LF	Undersill Trim For Vinyl Siding For Manufacturer's Custom Colors, Add	3.78 0.07	1.16



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 46 33 00-0030 Vinyl Soffit And Fascia <small>(07 46 33 00-0001)</small> Note: Excludes J-channel.		
07 46 33 00-0031 LF 6" Overhang, 0.044" Thick, Solid Or Vented Vinyl Soffit	3.30	1.24
<i>For 0.038" Thick, Deduct</i>	-0.36	
<i>For 0.040" Thick, Deduct</i>	-0.31	
<i>For Manufacturer's Custom Colors, Add</i>	0.04	
07 46 33 00-0032 LF 10" Overhang, 0.044" Thick, Solid Or Vented Vinyl Soffit	3.98	1.30
<i>For 0.038" Thick, Deduct</i>	-0.61	
<i>For 0.040" Thick, Deduct</i>	-0.52	
<i>For Manufacturer's Custom Colors, Add</i>	0.07	
07 46 33 00-0033 LF 1" Overhang, 0.044" Thick, Solid Or Vented Vinyl Soffit	4.31	1.34
<i>For 0.038" Thick, Deduct</i>	-0.75	
<i>For 0.040" Thick, Deduct</i>	-0.61	
<i>For Manufacturer's Custom Colors, Add</i>	0.08	
07 46 33 00-0034 LF 1'-6" Overhang, 0.044" Thick, Solid Or Vented Vinyl Soffit	5.26	1.41
<i>For 0.038" Thick, Deduct</i>	-1.11	
<i>For 0.040" Thick, Deduct</i>	-0.94	
<i>For Manufacturer's Custom Colors, Add</i>	0.12	
07 46 33 00-0035 LF 2' Overhang, 0.044" Thick, Solid Or Vented Vinyl Soffit	6.36	1.54
<i>For 0.038" Thick, Deduct</i>	-1.50	
<i>For 0.040" Thick, Deduct</i>	-1.24	
<i>For Manufacturer's Custom Colors, Add</i>	0.16	
07 46 33 00-0036 LF 3' Overhang, 0.044" Thick, Solid Or Vented Vinyl Soffit	8.30	1.70
<i>For 0.038" Thick, Deduct</i>	-2.25	
<i>For 0.040" Thick, Deduct</i>	-1.87	
<i>For Manufacturer's Custom Colors, Add</i>	0.25	
07 46 33 00-0037 LF 4' Overhang, 0.044" Thick, Solid Or Vented Vinyl Soffit	10.27	1.88
<i>For 0.038" Thick, Deduct</i>	-3.00	
<i>For 0.040" Thick, Deduct</i>	-2.50	
<i>For Manufacturer's Custom Colors, Add</i>	0.33	
07 46 33 00-0038 LF 5' Overhang, 0.044" Thick, Solid Or Vented Vinyl Soffit	12.28	2.06
<i>For 0.038" Thick, Deduct</i>	-3.74	
<i>For 0.040" Thick, Deduct</i>	-3.13	
<i>For Manufacturer's Custom Colors, Add</i>	0.41	
07 46 33 00-0039 LF 4" Exposure, Vinyl Fascia	3.40	1.22
<i>For Manufacturer's Custom Colors, Add</i>	0.05	
07 46 33 00-0040 LF 6" Exposure, Vinyl Fascia	3.75	1.24
<i>For Manufacturer's Custom Colors, Add</i>	0.06	
07 46 33 00-0041 LF 8" Exposure, Vinyl Fascia	3.73	1.28
<i>For Manufacturer's Custom Colors, Add</i>	0.06	
07 46 33 00-0042 LF 10" Exposure, Vinyl Fascia	4.22	1.30
<i>For Manufacturer's Custom Colors, Add</i>	0.08	
07 46 33 00-0043 Fiberglass Siding <small>(07 46 33)</small>		
07 46 33 00-0044 Corrugated Panels <small>(07 46 33 00-0043)</small>		
07 46 33 00-0045 SF 6 Ounce Corrugated Fiberglass Panels	5.15	1.78
07 46 33 00-0046 SF 8 Ounce Corrugated Fiberglass Panels	5.46	1.60
07 46 33 00-0047 SF 12 Ounce Corrugated Fiberglass Panels	6.01	1.60
07 46 33 00-0048 Flat Panels <small>(07 46 33 00-0043)</small>		
07 46 33 00-0049 SF 6 Ounce Flat Fiberglass Panels	4.95	1.60
07 46 33 00-0050 SF 8 Ounce Flat Fiberglass Panels	5.46	1.60
07 46 46 Fiber-Cement Siding <small>(07 46)</small> Note: Smooth or patterns. Includes sealer and primer.		
07 46 46 00-0001 5/16" Thick, Fiber Cement Lap Siding <small>(07 46 46)</small>		
07 46 46 00-0002 SF 5-1/4" Board with 4" Exposure, 5/16" Thick, Fiber Cement Lap Siding	5.17	1.88
07 46 46 00-0003 SF 6-1/4" Board with 5" Exposure, 5/16" Thick, Fiber Cement Lap Siding	4.93	1.78
07 46 46 00-0004 SF 7-1/4" Board with 6" Exposure, 5/16" Thick, Fiber Cement Lap Siding	4.82	1.73
07 46 46 00-0005 SF 8-1/4" Board with 7" Exposure, 5/16" Thick, Fiber Cement Lap Siding	4.70	1.69
07 46 46 00-0006 SF 9-1/2" Board with 8" Exposure, 5/16" Thick, Fiber Cement Lap Siding	4.48	1.60
07 46 46 00-0007 SF 12" Board with 10-3/4" Exposure, 5/16" Thick, Fiber Cement Lap Siding	4.28	1.51
07 46 46 00-0008 LF Starter Strip, Fiber Cement Lap Siding	1.13	0.45
07 46 46 00-0009 Fiber Cement Shingle Siding <small>(07 46 46)</small>		
07 46 46 00-0010 SF Fiber Cement Shingle Siding	7.67	1.65
07 46 46 00-0011 Fiber Cement Vertical Panel Siding <small>(07 46 46)</small>		
07 46 46 00-0012 SF Fiber Cement Vertical Panel Siding	3.80	1.34
07 46 46 00-0013 Fiber Cement Trim Boards <small>(07 46 46)</small>		
07 46 46 00-0014 7/16" Thick, Fiber Cement Trim Boards <small>(07 46 46 00-0013)</small>		

07 Thermal And Moisture Protection**07 40 Roofing And Siding Panels**

07 46 Siding



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
	07 46 46 00-0015	LF	4" Wide, 7/16" Thick, Fiber Cement Trim Board.....	2.47	0.89
	07 46 46 00-0016	LF	6" Wide, 7/16" Thick, Fiber Cement Trim Board.....	3.12	0.98
	07 46 46 00-0017	LF	8" Wide, 7/16" Thick, Fiber Cement Trim Board.....	3.73	1.06
	07 46 46 00-0018	LF	12" Wide, 7/16" Thick, Fiber Cement Trim Board.....	4.86	1.25
07 46 46 00-0019			3/4" Thick Fiber Cement Trim Boards (07 46 46 00-0013)		
	07 46 46 00-0020	LF	4" Wide, 3/4" Thick, Fiber Cement Trim Board.....	2.59	0.89
	07 46 46 00-0021	LF	6" Wide, 3/4" Thick, Fiber Cement Trim Board.....	3.29	0.98
	07 46 46 00-0022	LF	8" Wide, 3/4" Thick, Fiber Cement Trim Board.....	4.02	1.06
	07 46 46 00-0023	LF	12" Wide, 3/4" Thick, Fiber Cement Trim Board.....	4.22	1.25
07 46 46 00-0024			1" Thick Fiber Cement Trim Boards (07 46 46 00-0013)		
	07 46 46 00-0025	LF	4" Wide, 1" Thick, Fiber Cement Trim Board.....	2.73	0.89
	07 46 46 00-0026	LF	6" Wide, 1" Thick, Fiber Cement Trim Board.....	3.55	0.98
	07 46 46 00-0027	LF	8" Wide, 1" Thick, Fiber Cement Trim Board.....	4.39	1.06
	07 46 46 00-0028	LF	12" Wide, 1" Thick, Fiber Cement Trim Board.....	5.81	1.25
07 46 46 00-0029			Fiber Cement Fascia Board (07 46 46)		
	07 46 46 00-0030	LF	5/4" x 3-1/2" Fiber Cement Fascia Board.....	4.69	1.77
	07 46 46 00-0031	LF	5/4" x 5-1/2" Fiber Cement Fascia Board.....	5.77	1.97
	07 46 46 00-0032	LF	5/4" x 7-1/4" Fiber Cement Fascia Board.....	6.35	1.97
	07 46 46 00-0033	LF	5/4" x 11-1/4" Fiber Cement Fascia Board.....	8.30	2.31
07 46 46 00-0034			Fiber Cement Soffit Boards (07 46 46)		
	07 46 46 00-0035	SF	1/4" Thick, Non Vented Fiber Cement Soffit.....	4.86	1.28
	07 46 46 00-0036	SF	1/4" Thick, Vented Fiber Cement Soffit.....	5.15	1.28
07 46 63			Fabricated Panel Assemblies With Siding (07 46)		
07 46 63 00-0001			Metal Liner Panels (07 46 63)		
07 46 63 00-0002			Galvanized Metal Liner Panels (07 46 63 00-0001)		
	07 46 63 00-0003	SF	24 Gauge, 1-3/8" Thick Galvanized Metal Liner Panel.....	8.64	1.38
	07 46 63 00-0004	SF	22 Gauge, 1-3/8" Thick Galvanized Metal Liner Panel.....	9.60	1.38
	07 46 63 00-0005	SF	20 Gauge, 1-3/8" Thick Galvanized Metal Liner Panel.....	11.29	1.38
	07 46 63 00-0006	SF	18 Gauge, 1-3/8" Thick Galvanized Metal Liner Panel.....	11.46	1.38
07 50			Membrane Roofing (07)		
			See CSI section 07 22 16 00-0000 for insulation, 07 60 00 00-0000 for additional flashing, sheet metal and trim, 07 70 00 00-0000 for additional roof accessories.		
07 51			Built-Up Bituminous Roofing (07 50)		
07 51 13			Built-Up Asphalt Roofing (07 51)		
07 51 13 00-0001			Built-Up Asphalt Roofing Components (07 51 13)		
07 51 13 00-0002			Built-Up Asphalt Membrane Roofing (07 51 13 00-0001)		
			Note: Includes all standard manufacturers' colors including white for granule and smooth surfaced cap sheets and flashing. See CSI section 07 51 13 00-0067 for built-up roofing demolition.		
07 51 13 00-0003			Cold Adhesive Applied, Built-Up Asphalt Membrane Roofing (07 51 13 00-0002)		
			Note: Includes applying cold adhesive and embedding the membrane.		
07 51 13 00-0004			Cold Adhesive Applied, Built-Up Asphalt Roofing Base, Ply And Cap Sheets (07 51 13 00-0003)		
	07 51 13 00-0005	SQ	Type IV, Asphalt Coated Fiberglass Ply Sheet, Cold Adhesive Applied.....	78.19	
			For Up To 10, Add	21.55	
			For >10 To 20, Add	12.25	
			For >20 To 40, Add	6.86	
			For >75 To 100, Deduct	-3.43	
			For >100 To 200, Deduct	-7.60	
			For >200, Deduct	-11.03	
	07 51 13 00-0006	SQ	Asphalt Coated Polyester And Fiberglass Scrim, Base Or Ply Sheet, Cold Adhesive Applied	204.98	
			For Up To 10, Add	46.90	
			For >10 To 20, Add	24.93	
			For >20 To 40, Add	13.20	
			For >75 To 100, Deduct	-6.60	
			For >100 To 200, Deduct	-13.94	
			For >200, Deduct	-20.54	
07 51 13 00-0007			Cold Adhesive Applied, Built-Up Asphalt Roofing Flashing (07 51 13 00-0003)		
	07 51 13 00-0008	SF	Asphalt Coated Polyester And Fiberglass Scrim, Flashing, Cold Adhesive Applied	5.13	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 51 13 00-0009 Hot-Mopped, Built-Up Asphalt Membrane Roofing (07 51 13 00-0002) Note: Includes mopping hot asphalt and embedding the membrane.		
07 51 13 00-0010 Hot-Mopped, Built-Up Asphalt Roofing Base, Ply And Cap Sheets (07 51 13 00-0009)		
07 51 13 00-0011 SQ Type IV, Asphalt Coated Fiberglass Ply Sheet, Hot-Mopped.....	59.29	
For Up To 10, Add	17.85	
For >10 To 20, Add	10.42	
For >20 To 40, Add	5.96	
For >75 To 100, Deduct	-2.98	
For >100 To 200, Deduct	-6.71	
For >200, Deduct	-9.69	
07 51 13 00-0012 SQ Type VI, Asphalt Coated Fiberglass Ply Sheet, Hot-Mopped.....	62.90	
For Up To 10, Add	18.57	
For >10 To 20, Add	10.78	
For >20 To 40, Add	6.14	
For >75 To 100, Deduct	-3.07	
For >100 To 200, Deduct	-6.89	
For >200, Deduct	-9.96	
07 51 13 00-0013 SQ Fine Mineral Surfaced, Asphalt Coated Fiberglass Base Sheet, Hot-Mopped.....	67.01	
For Up To 10, Add	19.39	
For >10 To 20, Add	11.19	
For >20 To 40, Add	6.35	
For >75 To 100, Deduct	-3.17	
For >100 To 200, Deduct	-7.09	
For >200, Deduct	-10.27	
07 51 13 00-0014 SQ Asphalt Coated Fiberglass Venting Base Sheet, Hot-Mopped.....	112.57	
For Up To 10, Add	28.50	
For >10 To 20, Add	15.75	
For >20 To 40, Add	8.62	
For >75 To 100, Deduct	-4.31	
For >100 To 200, Deduct	-9.37	
For >200, Deduct	-13.68	
07 51 13 00-0015 SQ Asphalt Coated Polyester And Fiberglass Scrim, Base Or Ply Sheet, Hot-Mopped.....	186.09	
For Up To 10, Add	43.21	
For >10 To 20, Add	23.10	
For >20 To 40, Add	12.30	
For >75 To 100, Deduct	-6.15	
For >100 To 200, Deduct	-13.05	
For >200, Deduct	-19.20	
07 51 13 00-0016 SQ Granule Surfaced, Asphalt Coated Fiberglass Cap Sheet, Hot-Mopped.....	143.22	
For Up To 10, Add	35.20	
For >10 To 20, Add	19.24	
For >20 To 40, Add	10.44	
For >75 To 100, Deduct	-5.22	
For >100 To 200, Deduct	-11.26	
For >200, Deduct	-16.48	
07 51 13 00-0017 Hot-Mopped, Built-Up Asphalt Roofing Flashing (07 51 13 00-0009)		
07 51 13 00-0018 SF Asphalt Coated Polyester And Fiberglass Scrim, Flashing, Hot-Mopped.....	3.42	
07 51 13 00-0019 Mechanically Fastened, Built-Up Asphalt Membrane Roofing (07 51 13 00-0002) Note: Includes fasteners.		
07 51 13 00-0020 Mechanically Fastened, Built-Up Asphalt Roofing Base, Ply And Cap Sheets (07 51 13 00-0019)		
07 51 13 00-0021 SQ Type VI, Asphalt Coated Fiberglass Ply Sheet, Mechanically Fastened.....	58.80	
For Up To 10, Add	14.71	
For >10 To 20, Add	8.09	
For >20 To 40, Add	4.42	
For >75 To 100, Deduct	-2.21	
For >100 To 200, Deduct	-4.78	
For >200, Deduct	-6.99	
07 51 13 00-0022 SQ Asphalt Coated Fiberglass Venting Base Sheet, Mechanically Fastened.....	108.47	
For Up To 10, Add	24.64	
For >10 To 20, Add	13.06	
For >20 To 40, Add	6.90	
For >75 To 100, Deduct	-3.45	
For >100 To 200, Deduct	-7.27	
For >200, Deduct	-10.72	
07 51 13 00-0023 SQ Asphalt Coated Polyester And Fiberglass Scrim, Base Or Ply Sheet, Mechanically Fastened.....	181.99	
For Up To 10, Add	39.35	
For >10 To 20, Add	20.41	
For >20 To 40, Add	10.57	
For >75 To 100, Deduct	-5.29	
For >100 To 200, Deduct	-10.94	
For >200, Deduct	-16.23	
07 51 13 00-0024 Mechanically Fastened, Built-Up Asphalt Roofing Flashing (07 51 13 00-0019)		
07 51 13 00-0025 SF Asphalt Coated Polyester And Fiberglass Scrim, Flashing, Mechanically Fastened.....	4.04	
07 51 13 00-0026 Asphalt Saturated Organic Felt (07 51 13 00-0001)		

07 Thermal And Moisture Protection**07 50 Membrane Roofing****07 51 Built-Up Bituminous Roofing**

MINOR
CSI UOM DESCRIPTION

TOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

07 51 13 00-0027	Cold Adhesive Applied, Asphalt Saturated Organic Felt (07 51 13 00-0026) Note: Includes applying cold adhesive and embedding the felt.	
07 51 13 00-0028	SQ 15 LB, Asphalt Saturated Organic Base Or Ply Sheet, Cold Adhesive Applied	75.93
	For Up To 10, Add	21.09
	For >10 To 20, Add	12.02
	For >20 To 40, Add	6.75
	For >75 To 100, Deduct	-3.38
	For >100 To 200, Deduct	-7.49
	For >200, Deduct	-10.86
07 51 13 00-0029	SQ 30 LB, Asphalt Saturated Organic Base Or Ply Sheet, Cold Adhesive Applied	85.25
	For Up To 10, Add	22.96
	For >10 To 20, Add	12.96
	For >20 To 40, Add	7.22
	For >75 To 100, Deduct	-3.61
	For >100 To 200, Deduct	-7.96
	For >200, Deduct	-11.56
07 51 13 00-0030	Hot-Mopped, Asphalt Saturated Organic Felt (07 51 13 00-0026) Note: Includes mopping hot asphalt and embedding the felt.	
07 51 13 00-0031	SQ 15 LB, Asphalt Saturated Organic Base Or Ply Sheet, Hot-Mopped	57.03
	For Up To 10, Add	17.40
	For >10 To 20, Add	10.20
	For >20 To 40, Add	5.85
	For >75 To 100, Deduct	-2.92
	For >100 To 200, Deduct	-6.60
	For >200, Deduct	-9.52
07 51 13 00-0032	SQ 30 LB, Asphalt Saturated Organic Base Or Ply Sheet, Hot-Mopped	66.35
	For Up To 10, Add	19.26
	For >10 To 20, Add	11.13
	For >20 To 40, Add	6.31
	For >75 To 100, Deduct	-3.16
	For >100 To 200, Deduct	-7.06
	For >200, Deduct	-10.22
07 51 13 00-0033	Mechanically Fastened, Asphalt Saturated Organic Felt (07 51 13 00-0026) Note: Includes fasteners.	
07 51 13 00-0034	SQ 15 LB, Asphalt Saturated Organic Base Or Ply Sheet, Mechanically Fastened	28.63
	For Up To 10, Add	8.68
	For >10 To 20, Add	5.08
	For >20 To 40, Add	2.91
	For >75 To 100, Deduct	-1.45
	For >100 To 200, Deduct	-3.28
	For >200, Deduct	-4.73
07 51 13 00-0035	SQ 30 LB, Asphalt Saturated Organic Base Or Ply Sheet, Mechanically Fastened	37.95
	For Up To 10, Add	10.54
	For >10 To 20, Add	6.01
	For >20 To 40, Add	3.37
	For >75 To 100, Deduct	-1.69
	For >100 To 200, Deduct	-3.74
	For >200, Deduct	-5.43
07 51 13 00-0036	Surfacing (07 51 13 00-0001)	
07 51 13 00-0037	SQ 400 LB/SQ Gravel Roofing Ballast, Set In Hot Asphalt Flood Coat	127.56
	For Up To 10, Add	40.28
	For >10 To 20, Add	23.83
	For >20 To 40, Add	13.76
	For >75 To 100, Deduct	-6.88
	For >100 To 200, Deduct	-15.61
	For >200, Deduct	-22.49
07 51 13 00-0038	SQ 400 LB/SQ Gravel Roofing Ballast, Set In Cold Adhesive Flood Coat	182.42
	For Up To 10, Add	51.25
	For >10 To 20, Add	29.32
	For >20 To 40, Add	16.50
	For >75 To 100, Deduct	-8.25
	For >100 To 200, Deduct	-18.35
	For >200, Deduct	-26.60
07 51 13 00-0039	CY Gravel Roofing Ballast, Spread To Desired Thickness	131.55
	Note: Excludes hot asphalt or cold adhesive.	
07 51 13 00-0040	SQ Protective Polypropylene Fabric Mat, Loose Laid	32.99
	Note: Installed as a separator mat (under membrane), a crushed stone mat (above membrane) or as a stone separator mat in ballasted systems.	
	For Up To 10, Add	8.55
	For >10 To 20, Add	4.76
	For >20 To 40, Add	2.62
	For >75 To 100, Deduct	-1.31
	For >100 To 200, Deduct	-2.87
	For >200, Deduct	-4.18



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 51 13 00-0041 SQ Clay-Stabilized, Water-Based Asphalt Emulsion With Reinforcing Fibers, Weather-Proofing Surface Coating, Price Per Coat 85.18 Note: Protective coating for use over built-up, SBS and APP modified bitumen, metal, concrete and wood roofs. For Up To 10, Add 20.58 For >10 To 20, Add 11.18 For >20 To 40, Add 6.03 For >75 To 100, Deduct -3.02 For >100 To 200, Deduct -6.47 For >200, Deduct -9.49	85.18 20.58 11.18 6.03 -3.02 -6.47 -9.49	
07 51 13 00-0042 SQ Fibrated Aluminum, Asphalt-Based, Reflective Weather-Proofing Surface Coating, Price Per Coat 76.11 Note: Protective and reflective coating for use over built-up, SBS and APP modified bitumen and metal roofs. For Up To 10, Add 18.77 For >10 To 20, Add 10.27 For >20 To 40, Add 5.58 For >75 To 100, Deduct -2.79 For >100 To 200, Deduct -6.02 For >200, Deduct -8.81	76.11 18.77 10.27 5.58 -2.79 -6.02 -8.81	
07 51 13 00-0043 SQ Aluminum Flakes And Reinforcing Fibers Suspended In Emulsified Asphalt, Reflective Surface Coating, Price Per Coat 100.86 Note: Reflective coating for use over smooth-surfaced built-up roofs. For Up To 10, Add 23.72 For >10 To 20, Add 12.74 For >20 To 40, Add 6.82 For >75 To 100, Deduct -3.41 For >100 To 200, Deduct -7.26 For >200, Deduct -10.67	100.86 23.72 12.74 6.82 -3.41 -7.26 -10.67	
07 51 13 00-0044 SQ 100% Acrylic Elastomeric, Reflective Surface Coating, Price Per Coat 101.67 Note: Reflective coating for use over built-up, SBS and APP modified bitumen roofs. For use on smooth or granule surfaced roofing systems. For Up To 10, Add 23.88 For >10 To 20, Add 12.83 For >20 To 40, Add 6.86 For >75 To 100, Deduct -3.43 For >100 To 200, Deduct -7.30 For >200, Deduct -10.73 For Installation Over Granule Surfaced Asphalt Roof Systems, Add 29.48	101.67 23.88 12.83 6.86 -3.43 -7.30 -10.73 29.48	
07 51 13 00-0045 SQ 100% Acrylic Elastomeric, Bleed Blocking Base Coating, Price Per Coat 105.01 Note: Bleed blocking coating for use over built-up, Styrene-Butadiene-Styrene (SBS) and Atactic-Polypropylene (APP) modified bitumen roofs. For use on smooth or granule surfaced roofing systems. For Up To 10, Add 24.55 For >10 To 20, Add 13.16 For >20 To 40, Add 7.02 For >75 To 100, Deduct -3.51 For >100 To 200, Deduct -7.47 For >200, Deduct -10.98 For Installation Over Granule Surfaced Asphalt Roof Systems, Add 30.58	105.01 24.55 13.16 7.02 -3.51 -7.47 -10.98 30.58	
07 51 13 00-0046 SF Ceramic Coated Roofing Granules, Hand Broadcast 1.80 Note: For application over liquid flashing/membranes, asphalt bleed-out areas, modified or BUR membrane repairs, etc.	1.80	
07 51 13 00-0047 SF Energy Star, Ceramic Coated Roofing Granules, Hand Broadcast 3.92 Note: For application over liquid flashing/membranes, asphalt bleed-out areas, modified or BUR membrane repairs, etc.	3.92	
07 51 13 00-0048 SQ Vapor Permeable Synthetic Underlayment (GAF Deck-Armor™) 28.32	28.32	
07 51 13 00-0049 Walkway Pads (07 51 13 00-0001) Note: Set in hot asphalt or cold adhesive.		
07 51 13 00-0050 LF 5/16" Thick, 32" Wide, Skid Resistant, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Walkway Pad 21.17	21.17	
07 51 13 00-0051 LF 1/2" Thick, 32" Wide, Skid Resistant, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Walkway Pad 25.07	25.07	
07 51 13 00-0052 Cant And Tapered Edge Strips (07 51 13 00-0001)		
07 51 13 00-0053 LF 2" x 2" Perlite Cant Strip 3.40	3.40	
07 51 13 00-0054 LF 3" x 3" Perlite Cant Strip 3.49	3.49	
07 51 13 00-0055 LF 4" x 4" Perlite Cant Strip 3.91	3.91	
07 51 13 00-0056 LF 3" x 3" Pressure Treated Wood Cant Strip, Cut Diagonally 3.38	3.38	
07 51 13 00-0057 LF 4" x 4" Pressure Treated Wood Cant Strip, Cut Diagonally 3.48	3.48	
07 51 13 00-0058 LF 1/2" x 6" Perlite Tapered Edge Strip 3.81	3.81	
07 51 13 00-0059 LF 1/2" x 12" Perlite Tapered Edge Strip 4.30	4.30	
07 51 13 00-0060 LF 1" x 12" Perlite Tapered Edge Strip 4.43	4.43	
07 51 13 00-0061 LF 1" x 24" Perlite Tapered Edge Strip 4.94	4.94	
07 51 13 00-0062 LF 1-1/2" x 12" Perlite Tapered Edge Strip 4.89	4.89	
07 51 13 00-0063 LF 1-1/2" x 18" Perlite Tapered Edge Strip 5.81	5.81	
07 51 13 00-0064 LF 1-1/2" x 24" Perlite Tapered Edge Strip 6.48	6.48	
07 51 13 00-0065 Asphalt Primer (07 51 13 00-0001)		
07 51 13 00-0066 SQ Asphalt Primer For Roofing Systems 26.62 Note: Foundation coating for hot-mopped and cold applied asphalt coatings, roof cements, and asphalt based roof adhesives. For use on weathered roofing, asphalt, concrete, gypsum, masonry, block, brick and metal surfaces.	26.62	

07 Thermal And Moisture Protection**07 50 Membrane Roofing****07 51 Built-Up Bituminous Roofing**
 MINOR
 CSI UOM DESCRIPTION

 TOTAL DIRECT DEMOLITION
 UNIT COST UNIT COST

07 51 13 00-0067	Demolish Built-Up Roofing <small>(07 51 13 00-0001)</small>		
	Note: For removing any asphalt, coal tar or modified bitumen roofing system, including surfacing material down to the insulation or recovery board. Includes removal of any basic roof accessories and any sheet metals; except special existing conditions (mechanical equipment piping, electrical, ducts, etc.).		
07 51 13 00-0068	SQ Demolish Gravel/Slag Surfaced, Built Up Roofing System	310.12	
	For Up To 10, Add	77.02	
	For >10 To 25, Add	46.21	
07 51 13 00-0069	SQ Demolish Cap Sheet Surfaced, Built Up Roofing System	239.23	
	Note: Includes protective surfacing.		
	For Up To 10, Add	59.41	
	For >10 To 25, Add	35.65	
07 51 13 00-0070	Roofing System Warranty <small>(07 51 13 00-0001)</small>		
	Note: The warranty tasks below are only to be used in conjunction with the built-up bituminous and modified bituminous membrane roofing sections. The appropriate task is to be applied to the completed roofing membrane systems, not individual components. All warranties are no dollar limit to include material, equipment and labor.		
07 51 13 00-0071	EA Up To 50 SQ, 10 Year, Built-Up Bituminous Or Modified Bituminous Membrane, Roofing System Warranty	364.21	
07 51 13 00-0072	SQ >50 SQ, 10 Year, Built-Up Bituminous Or Modified Bituminous Membrane, Roofing System Warranty	5.20	
07 51 13 00-0073	EA Up To 50 SQ, 15 Year, Built-Up Bituminous Or Modified Bituminous Membrane, Roofing System Warranty	416.24	
07 51 13 00-0074	SQ >50 SQ, 15 Year, Built-Up Bituminous Or Modified Bituminous Membrane, Roofing System Warranty	8.32	
07 51 13 00-0075	EA Up To 50 SQ, 20 Year, Built-Up Bituminous Or Modified Bituminous Membrane, Roofing System Warranty	572.33	
07 51 13 00-0076	SQ >50 SQ, 20 Year, Built-Up Bituminous Or Modified Bituminous Membrane, Roofing System Warranty	11.45	
07 51 13 00-0077	Built-Up Roofing Components (Garland) <small>(07 51 13)</small>		
	Note: All tasks presented as a single layer. Adhesives are priced separately.		
07 51 13 00-0078	Modified Cap Membranes <small>(07 51 13 00-0077)</small>		
07 51 13 00-0079	Modified Cap Membranes, Hot/Cold Applied <small>(07 51 13 00-0078)</small>		
	Note: As manufactured by Garland. Pricing represents single ply per square. Includes 30 year leak-free warranty.		
07 51 13 00-0080	SQ Stressply® FR Mineral Dual Fiberglass Reinforced Styrene-Butadiene-Styrene (SBS) Modified Fiberglass Reinforced Membrane, Minimum 145 Mil	419.61	
07 51 13 00-0081	SQ Stressply® Plus Poly/Fiberglass Reinforced, Smooth Styrene-Butadiene-Styrene (SBS) Modified Membrane With Recycled Rubber, 105 Mil	301.08	
07 51 13 00-0082	SQ Stressply® Plus FR Mineral Poly/Fiberglass Reinforced Styrene-Butadiene-Styrene (SBS) Modified Fiberglass Reinforced Membrane With Recycled Rubber, Minimum 155 Mil	372.03	
07 51 13 00-0083	SQ Stressply® E Eco-Responsible, Smooth Styrene-Butadiene-Styrene (SBS)/Styrene-Isoprene-Styrene (SIS) Membrane With High Recycled Content And Renewable Materials	386.47	
07 51 13 00-0084	SQ Stressply® E FR Mineral Eco-Responsible, Styrene-Butadiene-Styrene (SBS)/Styrene-Isoprene-Styrene (SIS) Membrane With High Recycled Content And Renewable Materials, Minimum 160 Mil	536.86	
07 51 13 00-0085	SQ Stressply® EUV Fiberglass Reinforced, Minimum Poly/Fiberglass Reinforced White T-24 Styrene-Butadiene-Styrene (SBS)/Styrene-Isoprene-Styrene (SIS) Modified Membrane With Recycled Rubber, 160 Mil	603.14	
07 51 13 00-0086	SQ Versiply® III 80 Dual Fiberglass Reinforced Styrene-Butadiene-Styrene (SBS) Modified Membrane, 80 Mil	253.59	
	Note: Low strength cap sheet for hot or cold modified systems used with gravel.		
07 51 13 00-0087	SQ Versiply® III Mineral Dual Fiberglass Reinforced Styrene-Butadiene-Styrene (SBS) Modified Membrane, Minimum 145 Mil	321.05	
07 51 13 00-0088	SQ BiFlex® Cap Fiberglass Reinforced, Mineral Surfaced Styrene-Butadiene-Styrene (SBS) Modified Membrane, 140 Mil	197.54	
07 51 13 00-0089	Modified Cap Membranes, Self-Adhering <small>(07 51 13 00-0078)</small>		
	Note: As manufactured by Garland. Pricing represents single ply per square. Includes 25 year leak-free warranty.		
07 51 13 00-0090	SQ Stressply® SA FR Mineral Styrene-Butadiene-Styrene (SBS) Modified Self-Adhering Fiberglass Reinforced Membrane, Minimum 140 Mil	380.10	
	Note: Self adhering system. One HPR SA FR base with one ply Stress Ply SA FR cap sheet.		
07 51 13 00-0091	Modified Cap Membranes, Torch-Applied <small>(07 51 13 00-0078)</small>		
	Note: As manufactured by Garland. Pricing represents single ply per square. Includes 30 year leak-free warranty.		
07 51 13 00-0092	SQ Stressply® IV Dual Fiberglass Reinforced, Smooth Styrene-Butadiene-Styrene (SBS) Modified Membrane, Torch Applied, 180 Mil	467.20	
	Note: Smooth surfaced Styrene-Butadiene-Styrene (SBS) torch modified top ply of torch system with gravel.		
07 51 13 00-0093	SQ Stressply® IV Mineral Dual Fiberglass Reinforced Styrene-Butadiene-Styrene (SBS) Modified Membrane, Torch Applied, Minimum 195 Mil	507.98	
07 51 13 00-0094	SQ Stressply® IV UV Mineral Fiberglass Reinforced, Starburst Surface Styrene-Butadiene-Styrene (SBS) Modified Membrane, Torch Applied, Title 24 Compliant, 195 Mil	535.17	
07 51 13 00-0095	Modified Cap Membranes, Coal Tar Pitch Systems <small>(07 51 13 00-0078)</small>		
	Note: As manufactured by Garland. Pricing represents single ply per square. Includes 30 year leak-free warranty.		
07 51 13 00-0096	SQ Millennium® Poly/Fiberglass Reinforced, Smooth Styrene-Butadiene-Styrene (SBS) Modified Coal Tar Membrane, Minimum 120 Mil	428.41	
07 51 13 00-0097	SQ Millennium® FR Mineral Poly/Fiberglass Reinforced Styrene-Butadiene-Styrene (SBS) Modified Coal Tar Fiberglass Reinforced Membrane, Minimum 160 Mil	679.61	
07 51 13 00-0098	SQ Millennium® Mineral Poly/Fiberglass Reinforced Styrene-Butadiene-Styrene (SBS) Modified Coal Tar Membrane, Minimum 160 Mil	553.86	
07 51 13 00-0099	Base Ply <small>(07 51 13 00-0077)</small>		
	Note: Used with modified cap membranes, underlayment for metal systems, and reinforcement for restoration systems.		



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 51 13 00-0100 SQ Flexbase® E120 Fiberglass Reinforced Styrene-Butadiene-Styrene (SBS) Modified Base Sheet Used As Base Ply With Biflex Cap, 120 Mil	383.92	
07 51 13 00-0101 SQ Flexbase® 80 Fiberglass Reinforced Styrene-Butadiene-Styrene (SBS) Modified Base Sheet Used As Base Ply With Biflex Cap, 80 Mil	242.45	
07 51 13 00-0102 SQ HPR® Glasbase Heavy Duty Double Coated ASTM D 4601, Type II Fiberglass, Type II, 55 Mil	56.47	
Note: Glasbase used in cold system, nailed to deck, or inner ply 2 plies with cap.		
07 51 13 00-0103 SQ HPR® Glasfelt Asphalt Saturated Fiberglass Felt, ASTM D 2178 Type IV, 20 Mil	37.94	
Note: Inner ply felts for hot applied built up and modified BUR systems.		
07 51 13 00-0104 SQ HPR® Premium Glasbase High Strength, Double Coated Premium Base Sheet, Far Exceeds ASTM D 4601 Type II, 55 Mil	45.84	
07 51 13 00-0105 SQ HPR® Premium Glasfelt Premium Asphalt Saturated Fiberglass Felt, ASTM D 2178 Type VI, 25 Mil	49.66	
07 51 13 00-0106 SQ HPR® Tribase Premium Poly/Fiberglass Reinforced Styrene-Butadiene-Styrene (SBS) Modified Base Sheet, 60 Mil	75.37	
Note: Inner plies for cold applied modified, Styrene-Butadiene-Styrene (SBS) modified, or 2 plies under cap sheet.		
07 51 13 00-0107 SQ Millennium® Base Poly/Fiberglass Reinforced Coal Tar Base Sheet For Cold Millennium Systems, 80 Mil	243.18	
07 51 13 00-0108 SQ HPR® SA FR Base Sheet Styrene-Butadiene-Styrene (SBS) Modified Self-Adhering Underlayment Used In SP SA Fiberglass Reinforced Systems, Minimum 80 Mil	212.29	
Note: Self adhering base ply for self adhering 2 ply system.		
07 51 13 00-0109 SQ StressBase® 120 Fiberglass Reinforced Styrene-Butadiene-Styrene (SBS) Modified Underlayment Used With VersiPly And StressPly Cap Sheets, 120 Mil	214.08	
07 51 13 00-0110 SQ StressBase® 80 Fiberglass Reinforced, Smooth Styrene-Butadiene-Styrene (SBS) Modified Underlayment Used With VersiPly And StressPly Cap Sheets, 80 Mil	177.97	
07 51 13 00-0111 LF Garmesh® 6" Styrene-Butadiene-Styrene (SBS) Coated Woven Fiberglass Reinforcing Fabric	4.12	
07 51 13 00-0112 LF Grip Polyester® Firm Polyester Reinforcement Used For Cold Application Over Smooth BUR Or Modified Roof Systems	10.42	
07 51 13 00-0113 SQ Grip Polyester® Soft Polyester Reinforcement Used For Cold Applications Over Metal, Modified, Or Single Ply Roof Systems	43.93	
07 51 13 00-0114 LF Grip Polyester® Soft 12" Polyester Reinforcement Used For Cold Applications Over Metal, Modified, Or Single Ply Roof Systems	5.32	
07 51 13 00-0115 LF Grip Polyester® Soft 4" Polyester Reinforcement Used For Cold Applications Over Metal, Modified, Or Single Ply Roof Systems	3.94	
07 51 13 00-0116 LF Grip Polyester® Soft 6" Polyester Reinforcement Used For Cold Applications Over Metal, Modified, Or Single Ply Roof Systems	4.44	
07 51 13 00-0117 SQ HPR® Polyscrim Plus Polyester Reinforcement For Hot Bitumen Applications	94.02	
07 51 13 00-0118 Coatings And Mastics For Roof Installation, Restoration And Repairs <small>(07 51 13 00-0077)</small>		
07 51 13 00-0119 SQ Water Based Roof Primer, GarlaPrime VOC Primer	29.84	
07 51 13 00-0120 SQ Black-Knight® Primer	27.84	
07 51 13 00-0121 SQ Black-Knight® Cold, Cold Process Polymer Modified Coal Tar, Interply	104.82	
07 51 13 00-0122 SQ Black-Knight® Cold, Cold Process Polymer Modified Coal Tar, Flood Coat (4-5 GAL/SQ)	112.97	
07 51 13 00-0123 SQ Black-Knight® Cold, Cold Process Polymer Modified Coal Tar, Restoration (6-8 GAL/SQ)	179.67	
07 51 13 00-0124 SQ Black-Knight® LV Hot Applied Polymer Modified Lower Viscosity Coal Tar Adhesive, Interply	281.29	
07 51 13 00-0125 SQ Black-Knight® LV Hot Applied Polymer Modified Lower Viscosity Coal Tar Adhesive, Flood Coat	292.15	
07 51 13 00-0126 SQ Energizer® K Plus FR Cold Applied Styrene-Butadiene-Styrene (SBS) Modified Asphalt Coating With Kevlar® For Smooth And Mineral Restoration, One Coat (3 GAL/SQ)	138.00	
07 51 13 00-0127 SQ Energizer® K Plus FR Cold Applied Styrene-Butadiene-Styrene (SBS) Modified Asphalt Coating With Kevlar® For Smooth And Mineral Restoration, Restoration	227.60	
07 51 13 00-0128 SQ Energizer® LO Low Odor Cold Applied Polyurethane Modified Asphalt Liquid Membrane For Smooth And Mineral Restoration, One Coat (3 GAL/SQ)	343.90	
07 51 13 00-0129 SQ Energizer® LO Low Odor Cold Applied Polyurethane Modified Asphalt Liquid Membrane For Smooth And Mineral Restoration, Restoration	570.86	
07 51 13 00-0130 SQ Garlastic® KM Plus Premium Hot Applied, Styrene-Ethylene-Butadiene-Styrene (SEBS) Modified Adhesive/Waterproof, Interply	240.90	
07 51 13 00-0131 SQ Garlastic® KM Plus Premium Hot Applied, Styrene-Ethylene-Butadiene-Styrene (SEBS) Modified Adhesive/Waterproof, Flood Coat	251.76	
07 51 13 00-0132 SQ Green-Lock® Flashing Adhesive 100% Solids Polyether, Zero VOC, Flashing Adhesive To Be Used With Styrene-Butadiene-Styrene (SBS) Sheets Only	522.15	
07 51 13 00-0133 SQ Green-Lock® Membrane Adhesive 100% Solids Polyether, Zero VOC, Membrane Adhesive To Be Used With Styrene-Butadiene-Styrene (SBS) Sheets Only	229.02	
07 51 13 00-0134 SQ HPR® All-Temp Asphalt Hot Applied, High Softening Point, High Penetration Mopping Asphalt, Interply	114.61	
07 51 13 00-0135 SQ HPR® All-Temp Asphalt Hot Applied, High Softening Point, High Penetration Mopping Asphalt, Flood Coat	125.47	
07 51 13 00-0136 SQ Insul-Lock® E HR Bio-Based High Rise Urethane Insulation Adhesive For New Construction Or Gravel	110.06	
07 51 13 00-0137 SQ Insul-Lock® HR High Rise Urethane Insulation Adhesive For New Construction Or Gravel Recovers	103.31	
07 51 13 00-0138 SQ Insul-Lock® HR Universal Primer All-Purpose Water Based Primer Designed For Use With The Insul-Lock Products	15.14	
Note: Adheres all insulation layers for cold systems.		
07 51 13 00-0139 SQ Pyramic® White, Water-Based Acrylic, Low VOC, Reflective Roof Coating, Energy Star, Top Coat Required	118.52	
07 51 13 00-0140 SQ Pyramic® Base Coat, Water-Based, Acrylic, Low VOC, Base Coating For A Pyramic System	114.99	
07 51 13 00-0141 LF Silver-Flash® Aluminized Asphalt Fibered Trowel Grade Mastic Used With GarMesh	16.64	
07 51 13 00-0142 SQ Solex® White, Kynar® Acrylic Topcoat Roof Coating Used With Pyramic Base Coat	152.52	
07 51 13 00-0143 SQ Tuff-Flash™ Multi-Purpose Asphaltic Polyurethane Liquid Flashing Membrane Used With Reinforcing Fabric	904.14	
07 51 13 00-0144 SQ Weatherscreen™ Rubberized, Fiber-Reinforced Fire-Rated Restoration For Modified And Gravel, Flood Coat (4-5 GAL/SQ)	198.65	
07 51 13 00-0145 SQ Weatherscreen™ Rubberized, Fiber-Reinforced Fire-Rated Restoration For Modified And Gravel	240.62	
07 51 13 00-0146 SQ Weatherking® Cold Applied Rubber Modified Asphalt Interply Adhesive For Slopes Up To 3:12, Interply	91.79	
07 51 13 00-0147 SQ Weatherking® Flashing Adhesive Brush Grade, Cold Applied Asphalt Adhesive For Flashings In A Weatherking System	333.88	
07 51 13 00-0148 SQ Weatherking® Plus WC Cold Applied Rubber Modified, VOC Compliant Asphalt Interply Adhesive For Slopes Up To 2:12, Interply	91.14	
Note: Inner ply and flood coat SEBS modified adhesive for all cold systems with gravel.		

07 Thermal And Moisture Protection**07 50 Membrane Roofing****07 51 Built-Up Bituminous Roofing**MINOR
CSI UOM DESCRIPTIONTOTAL DIRECT DEMOLITION
UNIT COST UNIT COST**07 52 Modified Bituminous Membrane Roofing (07 50)****07 52 13 Atactic-Polypropylene Modified Bituminous Membrane Roofing (07 52)**

Note: Includes all standard manufacturers' colors including white for granule and smooth surfaced cap sheets and flashing. See CSI section 07 51 13 00-0001 for additional components such as concrete primers, cant strips, surfacing, walkway boards, demolition and warranties.

07 52 13 11 Cold Adhesive Applied Atactic-Polypropylene-Modified Bituminous Membrane Roofing (07 52 13)**07 52 13 11-0001 Cold Adhesive Applied Atactic-Polypropylene (APP) Modified Bituminous Membrane Roofing (07 52 13 11)**

Note: Includes fiberglass and/or polyester reinforcement. Includes applying cold adhesive and embedding the membrane. Includes heat welding side and end laps when required.

07 52 13 11-0002 Cold Adhesive Applied, Atactic-Polypropylene (APP) Modified Bitumen Roofing Base, Ply And Cap Sheets (07 52 13 11-0001)

07 52 13 11-0003	SQ	80 Mil, Atactic-Polypropylene (APP) Modified Bitumen Base Sheet, Cold Adhesive Applied	138.97
		<i>For Up To 10, Add</i>	33.70
		<i>For >10 To 20, Add</i>	18.33
		<i>For >20 To 40, Add</i>	9.90
		<i>For >75 To 100, Deduct</i>	-4.95
		<i>For >100 To 200, Deduct</i>	-10.64
		<i>For >200, Deduct</i>	-15.59
07 52 13 11-0004	SQ	90 Mil, Atactic-Polypropylene (APP) Modified Bitumen Base Or Ply Sheet, Cold Adhesive Applied	167.92
		<i>For Up To 10, Add</i>	39.49
		<i>For >10 To 20, Add</i>	21.22
		<i>For >20 To 40, Add</i>	11.35
		<i>For >75 To 100, Deduct</i>	-5.68
		<i>For >100 To 200, Deduct</i>	-12.09
		<i>For >200, Deduct</i>	-17.76
07 52 13 11-0005	SQ	160 Mil, Atactic-Polypropylene (APP) Modified Bitumen Ply Sheet, Cold Adhesive Applied	279.73
		<i>For Up To 10, Add</i>	61.85
		<i>For >10 To 20, Add</i>	32.40
		<i>For >20 To 40, Add</i>	16.94
		<i>For >75 To 100, Deduct</i>	-8.47
		<i>For >100 To 200, Deduct</i>	-17.68
		<i>For >200, Deduct</i>	-26.15
07 52 13 11-0006	SQ	160 Mil, Smooth Surfaced, Atactic-Polypropylene (APP) Modified Bitumen Cap Sheet, Cold Adhesive Applied	282.53
		<i>For Up To 10, Add</i>	62.97
		<i>For >10 To 20, Add</i>	33.10
		<i>For >20 To 40, Add</i>	17.36
		<i>For >75 To 100, Deduct</i>	-8.68
		<i>For >100 To 200, Deduct</i>	-18.17
		<i>For >200, Deduct</i>	-26.85
07 52 13 11-0007	SQ	160 Mil, Granule Surfaced, Atactic-Polypropylene (APP) Modified Bitumen Cap Sheet, Cold Adhesive Applied	190.15
		<i>For Up To 10, Add</i>	44.50
		<i>For >10 To 20, Add</i>	23.87
		<i>For >20 To 40, Add</i>	12.74
		<i>For >75 To 100, Deduct</i>	-6.37
		<i>For >100 To 200, Deduct</i>	-13.55
		<i>For >200, Deduct</i>	-19.92
		<i>For Factory Applied White Reflective Surfacing, Add</i>	60.27
07 52 13 11-0008	SQ	160 Mil, Fire Rated, Granule Surfaced, Atactic-Polypropylene (APP) Modified Bitumen Cap Sheet, Cold Adhesive Applied	219.43
		<i>For Up To 10, Add</i>	50.35
		<i>For >10 To 20, Add</i>	26.79
		<i>For >20 To 40, Add</i>	14.21
		<i>For >75 To 100, Deduct</i>	-7.10
		<i>For >100 To 200, Deduct</i>	-15.01
		<i>For >200, Deduct</i>	-22.12
		<i>For Factory Applied White Reflective Surfacing, Add</i>	60.27
07 52 13 11-0009	SQ	180 Mil, Fire Rated, Granule Surfaced, Atactic-Polypropylene (APP) Modified Bitumen Cap Sheet, Cold Adhesive Applied	299.21
		<i>For Up To 10, Add</i>	66.31
		<i>For >10 To 20, Add</i>	34.77
		<i>For >20 To 40, Add</i>	18.19
		<i>For >75 To 100, Deduct</i>	-9.10
		<i>For >100 To 200, Deduct</i>	-19.00
		<i>For >200, Deduct</i>	-28.10
		<i>For Factory Applied White Reflective Surfacing, Add</i>	60.27
07 52 13 11-0010		Cold Adhesive Applied, Atactic-Polypropylene (APP) Modified Bitumen Roofing Flashing (07 52 13 11-0001)	
07 52 13 11-0011	SF	160 Mil, Smooth Surfaced, Atactic-Polypropylene (APP) Modified Bitumen Flashing, Cold Adhesive Applied	5.88
07 52 13 11-0012	SF	180 Mil, Fire Rated, Granule Surfaced, Atactic-Polypropylene (APP) Modified Bitumen Flashing, Cold Adhesive Applied	6.04
		<i>For Factory Applied White Reflective Surfacing, Add</i>	0.60

07 52 13 13 Torch-Applied Atactic-Polypropylene-Modified Bituminous Membrane Roofing (07 52 13)



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 52 13 13-0001 Torch-Applied Atactic-Polypropylene (APP) Modified Bituminous Membrane Roofing <small>(07 52 13 13)</small>		
Note: Includes fiberglass and/or polyester reinforcement. Includes adhering the membrane with a torch.		
07 52 13 13-0002 Torch-Applied, Atactic-Polypropylene (APP) Modified Bitumen Roofing Base, Ply And Cap Sheets <small>(07 52 13 13-0001)</small>		
07 52 13 13-0003 SQ 80 Mil, Atactic-Polypropylene (APP) Modified Bitumen Base Sheet, Torch-Applied	101.87	
For Up To 10, Add	26.28	
For >10 To 20, Add	14.61	
For >20 To 40, Add	8.04	
For >75 To 100, Deduct	-4.02	
For >100 To 200, Deduct	-8.78	
For >200, Deduct	-12.80	
07 52 13 13-0004 SQ 90 Mil, Atactic-Polypropylene (APP) Modified Bitumen Base Or Ply Sheet, Torch-Applied	130.82	
For Up To 10, Add	32.07	
For >10 To 20, Add	17.51	
For >20 To 40, Add	9.49	
For >75 To 100, Deduct	-4.75	
For >100 To 200, Deduct	-10.23	
For >200, Deduct	-14.98	
07 52 13 13-0005 SQ 150 Mil, Atactic-Polypropylene (APP) Modified Bitumen Ply Sheet, Torch-Applied	159.20	
For Up To 10, Add	40.70	
For >10 To 20, Add	22.57	
For >20 To 40, Add	12.39	
For >75 To 100, Deduct	-6.20	
For >100 To 200, Deduct	-13.50	
For >200, Deduct	-19.69	
07 52 13 13-0006 SQ 160 Mil, Atactic-Polypropylene (APP) Modified Bitumen Ply Sheet, Torch-Applied	166.62	
For Up To 10, Add	42.18	
For >10 To 20, Add	23.31	
For >20 To 40, Add	12.76	
For >75 To 100, Deduct	-6.38	
For >100 To 200, Deduct	-13.87	
For >200, Deduct	-20.25	
07 52 13 13-0007 SQ 180 Mil, Atactic-Polypropylene (APP) Modified Bitumen Ply Sheet, Torch-Applied	226.76	
For Up To 10, Add	54.21	
For >10 To 20, Add	29.32	
For >20 To 40, Add	15.77	
For >75 To 100, Deduct	-7.88	
For >100 To 200, Deduct	-16.88	
For >200, Deduct	-24.76	
07 52 13 13-0008 SQ 150 Mil, Smooth Surfaced, Atactic-Polypropylene (APP) Modified Bitumen Cap Sheet, Torch-Applied	159.20	
For Up To 10, Add	40.70	
For >10 To 20, Add	22.57	
For >20 To 40, Add	12.39	
For >75 To 100, Deduct	-6.20	
For >100 To 200, Deduct	-13.50	
For >200, Deduct	-19.69	
07 52 13 13-0009 SQ 160 Mil, Smooth Surfaced, Atactic-Polypropylene (APP) Modified Bitumen Cap Sheet, Torch-Applied	168.47	
For Up To 10, Add	42.55	
For >10 To 20, Add	23.49	
For >20 To 40, Add	12.85	
For >75 To 100, Deduct	-6.43	
For >100 To 200, Deduct	-13.96	
For >200, Deduct	-20.39	
07 52 13 13-0010 SQ 180 Mil, Smooth Surfaced, Atactic-Polypropylene (APP) Modified Bitumen Cap Sheet, Torch-Applied	226.76	
For Up To 10, Add	54.21	
For >10 To 20, Add	29.32	
For >20 To 40, Add	15.77	
For >75 To 100, Deduct	-7.88	
For >100 To 200, Deduct	-16.88	
For >200, Deduct	-24.76	
07 52 13 13-0011 SQ 160 Mil, Granule Surfaced, Atactic-Polypropylene (APP) Modified Bitumen Cap Sheet, Torch-Applied	165.04	
For Up To 10, Add	41.87	
For >10 To 20, Add	23.15	
For >20 To 40, Add	12.68	
For >75 To 100, Deduct	-6.34	
For >100 To 200, Deduct	-13.79	
For >200, Deduct	-20.13	
For Factory Applied White Reflective Surfacing, Add	60.27	
07 52 13 13-0012 SQ 170 Mil, Granule Surfaced, Atactic-Polypropylene (APP) Modified Bitumen Cap Sheet, Torch-Applied	174.03	
For Up To 10, Add	43.67	
For >10 To 20, Add	24.05	
For >20 To 40, Add	13.13	
For >75 To 100, Deduct	-6.57	
For >100 To 200, Deduct	-14.24	
For >200, Deduct	-20.80	
For Factory Applied White Reflective Surfacing, Add	60.27	
07 52 13 13-0013 SQ 160 Mil, Fire Rated, Granule Surfaced, Atactic-Polypropylene (APP) Modified Bitumen Cap Sheet, Torch-Applied	196.08	
For Up To 10, Add	48.08	
For >10 To 20, Add	26.25	
For >20 To 40, Add	14.23	
For >75 To 100, Deduct	-7.12	
For >100 To 200, Deduct	-15.34	
For >200, Deduct	-22.46	
For Factory Applied White Reflective Surfacing, Add	60.27	

07 Thermal And Moisture Protection**07 50 Membrane Roofing****07 52 Modified Bituminous Membrane Roofing**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 52 13 13-0014	SQ		170 Mil, Fire Rated, Granule Surfaced, Atactic-Polypropylene (APP) Modified Bitumen Cap Sheet, Torch-Applied	198.77	
			<i>For Up To 10, Add</i>	48.61	
			<i>For >10 To 20, Add</i>	26.52	
			<i>For >20 To 40, Add</i>	14.37	
			<i>For >75 To 100, Deduct</i>	-7.18	
			<i>For >100 To 200, Deduct</i>	-15.48	
			<i>For >200, Deduct</i>	-22.66	
			<i>For Factory Applied White Reflective Surfacing, Add</i>	60.27	
07 52 13 13-0015	SQ		180 Mil, Fire Rated, Granule Surfaced, Atactic-Polypropylene (APP) Modified Bitumen Cap Sheet, Torch-Applied	274.11	
			<i>For Up To 10, Add</i>	63.68	
			<i>For >10 To 20, Add</i>	34.06	
			<i>For >20 To 40, Add</i>	18.14	
			<i>For >75 To 100, Deduct</i>	-9.07	
			<i>For >100 To 200, Deduct</i>	-19.24	
			<i>For >200, Deduct</i>	-28.31	
			<i>For Factory Applied White Reflective Surfacing, Add</i>	60.27	
07 52 13 13-0016			Torch-Applied, Atactic-Polypropylene (APP) Modified Bitumen Roofing Flashing <small>(07 52 13 13-0001)</small>		
07 52 13 13-0017	SF		150 Mil, Smooth Surfaced, Atactic-Polypropylene (APP) Modified Bitumen Flashing, Torch-Applied.....	2.48	
07 52 13 13-0018	SF		160 Mil, Smooth Surfaced, Atactic-Polypropylene (APP) Modified Bitumen Flashing, Torch-Applied.....	2.57	
07 52 13 13-0019	SF		180 Mil, Smooth Surfaced, Atactic-Polypropylene (APP) Modified Bitumen Flashing, Torch-Applied.....	3.15	
07 52 13 13-0020	SF		170 Mil, Granule Surfaced, Atactic-Polypropylene (APP) Modified Bitumen Flashing, Torch-Applied.....	2.63	
			<i>For Factory Applied White Reflective Surfacing, Add</i>	0.60	
07 52 13 13-0021	SF		170 Mil, Fire Rated, Granule Surfaced, Atactic-Polypropylene (APP) Modified Bitumen Flashing, Torch-Applied.....	2.87	
			<i>For Factory Applied White Reflective Surfacing, Add</i>	0.60	
07 52 13 13-0022	SF		180 Mil, Fire Rated, Granule Surfaced, Atactic-Polypropylene (APP) Modified Bitumen Flashing, Torch-Applied.....	3.63	
			<i>For Factory Applied White Reflective Surfacing, Add</i>	0.60	
07 52 13 14			Mechanically Fastened Atactic-Polypropylene-Modified Bituminous Membrane Roofing <small>(07 52 13)</small>		
07 52 13 14-0001			Mechanically Fastened Atactic-Polypropylene (APP) Modified Bituminous Membrane Roofing <small>(07 52 13 14)</small> Note: Includes fiberglass and/or polyester reinforcement. Includes fasteners.		
07 52 13 14-0002			Mechanically Fastened, Atactic-Polypropylene (APP) Modified Bitumen Roofing Base And Ply Sheets <small>(07 52 13 14-0001)</small>		
07 52 13 14-0003	SQ		90 Mil, Atactic-Polypropylene (APP) Modified Bitumen Base Or Ply Sheet, Mechanically Fastened.....	144.92	
			<i>For Up To 10, Add</i>	31.93	
			<i>For >10 To 20, Add</i>	16.70	
			<i>For >20 To 40, Add</i>	8.72	
			<i>For >75 To 100, Deduct</i>	-4.36	
			<i>For >100 To 200, Deduct</i>	-9.09	
			<i>For >200, Deduct</i>	-13.45	
07 52 16			Styrene-Butadiene-Styrene Modified Bituminous Membrane Roofing <small>(07 52)</small> Note: Includes all standard manufacturers' colors including white for granule and smooth surfaced cap sheets and flashing. See CSI section 07 51 13 00-0001 for additional components such as concrete primers, cant strips, surfacing, walkway boards, demolition and warranties.		
07 52 16 11			Cold Adhesive Applied Styrene-Butadiene-Styrene Modified Bituminous Membrane Roofing <small>(07 52 16)</small>		
07 52 16 11-0001			Cold Adhesive Applied Styrene-Butadiene-Styrene (SBS) Modified Bituminous Membrane Roofing <small>(07 52 16 11)</small> Note: Includes fiberglass and/or polyester reinforcement. Includes applying cold adhesive and embedding the membrane. Includes heat welding side and end laps when required.		
07 52 16 11-0002			Cold Adhesive Applied, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Roofing Base, Ply And Cap Sheets <small>(07 52 16 11-0001)</small>		
07 52 16 11-0003	SQ		50 Mil, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Base Sheet, Cold Adhesive Applied.....	110.62	
			<i>For Up To 10, Add</i>	28.03	
			<i>For >10 To 20, Add</i>	15.49	
			<i>For >20 To 40, Add</i>	8.49	
			<i>For >75 To 100, Deduct</i>	-4.24	
			<i>For >100 To 200, Deduct</i>	-9.22	
			<i>For >200, Deduct</i>	-13.47	
07 52 16 11-0004	SQ		80 Mil, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Base Sheet, Cold Adhesive Applied.....	142.77	
			<i>For Up To 10, Add</i>	34.46	
			<i>For >10 To 20, Add</i>	18.71	
			<i>For >20 To 40, Add</i>	10.09	
			<i>For >75 To 100, Deduct</i>	-5.05	
			<i>For >100 To 200, Deduct</i>	-10.83	
			<i>For >200, Deduct</i>	-15.88	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 52 16 11-0005 SQ 90 Mil, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Base Sheet, Cold Adhesive Applied.....	146.91	
<i>For Up To 10, Add</i>	35.29	
<i>For >10 To 20, Add</i>	19.12	
<i>For >20 To 40, Add</i>	10.30	
<i>For >75 To 100, Deduct</i>	-5.15	
<i>For >100 To 200, Deduct</i>	-11.04	
<i>For >200, Deduct</i>	-16.19	
07 52 16 11-0006 SQ 120 Mil, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Base Or Ply Sheet, Cold Adhesive Applied.....	198.19	
<i>For Up To 10, Add</i>	45.55	
<i>For >10 To 20, Add</i>	24.25	
<i>For >20 To 40, Add</i>	12.86	
<i>For >75 To 100, Deduct</i>	-6.43	
<i>For >100 To 200, Deduct</i>	-13.60	
<i>For >200, Deduct</i>	-20.03	
07 52 16 11-0007 SQ 125 Mil, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Ply Sheet, Cold Adhesive Applied.....	250.08	
<i>For Up To 10, Add</i>	55.92	
<i>For >10 To 20, Add</i>	29.44	
<i>For >20 To 40, Add</i>	15.46	
<i>For >75 To 100, Deduct</i>	-7.73	
<i>For >100 To 200, Deduct</i>	-16.20	
<i>For >200, Deduct</i>	-23.93	
07 52 16 11-0008 SQ 140 Mil, Smooth Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Cap Sheet, Cold Adhesive Applied.....	209.87	
<i>For Up To 10, Add</i>	48.44	
<i>For >10 To 20, Add</i>	25.84	
<i>For >20 To 40, Add</i>	13.73	
<i>For >75 To 100, Deduct</i>	-6.86	
<i>For >100 To 200, Deduct</i>	-14.54	
<i>For >200, Deduct</i>	-21.40	
07 52 16 11-0009 SQ 150 Mil, Smooth Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Cap Sheet, Cold Adhesive Applied.....	215.44	
<i>For Up To 10, Add</i>	49.56	
<i>For >10 To 20, Add</i>	26.40	
<i>For >20 To 40, Add</i>	14.01	
<i>For >75 To 100, Deduct</i>	-7.00	
<i>For >100 To 200, Deduct</i>	-14.81	
<i>For >200, Deduct</i>	-21.82	
07 52 16 11-0010 SQ 125 Mil, Granule Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Cap Sheet, Cold Adhesive Applied.....	189.31	
<i>For Up To 10, Add</i>	44.33	
<i>For >10 To 20, Add</i>	23.78	
<i>For >20 To 40, Add</i>	12.70	
<i>For >75 To 100, Deduct</i>	-6.35	
<i>For >100 To 200, Deduct</i>	-13.51	
<i>For >200, Deduct</i>	-19.86	
<i>For Factory Applied White Reflective Surfacing, Add</i>	60.27	
07 52 16 11-0011 SQ 140 Mil, Granule Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Cap Sheet, Cold Adhesive Applied.....	191.72	
<i>For Up To 10, Add</i>	44.81	
<i>For >10 To 20, Add</i>	24.02	
<i>For >20 To 40, Add</i>	12.82	
<i>For >75 To 100, Deduct</i>	-6.41	
<i>For >100 To 200, Deduct</i>	-13.63	
<i>For >200, Deduct</i>	-20.04	
<i>For Factory Applied White Reflective Surfacing, Add</i>	60.27	
07 52 16 11-0012 SQ 150 Mil, Granule Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Cap Sheet, Cold Adhesive Applied.....	213.96	
<i>For Up To 10, Add</i>	49.26	
<i>For >10 To 20, Add</i>	26.25	
<i>For >20 To 40, Add</i>	13.93	
<i>For >75 To 100, Deduct</i>	-6.97	
<i>For >100 To 200, Deduct</i>	-14.74	
<i>For >200, Deduct</i>	-21.71	
<i>For Factory Applied White Reflective Surfacing, Add</i>	60.27	
07 52 16 11-0013 SQ 160 Mil, Granule Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Cap Sheet, Cold Adhesive Applied.....	217.67	
<i>For Up To 10, Add</i>	50.00	
<i>For >10 To 20, Add</i>	26.62	
<i>For >20 To 40, Add</i>	14.12	
<i>For >75 To 100, Deduct</i>	-7.06	
<i>For >100 To 200, Deduct</i>	-14.93	
<i>For >200, Deduct</i>	-21.98	
<i>For Factory Applied White Reflective Surfacing, Add</i>	60.27	
07 52 16 11-0014 SQ 170 Mil, Granule Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Cap Sheet, Cold Adhesive Applied.....	250.10	
<i>For Up To 10, Add</i>	56.49	
<i>For >10 To 20, Add</i>	29.86	
<i>For >20 To 40, Add</i>	15.74	
<i>For >75 To 100, Deduct</i>	-7.87	
<i>For >100 To 200, Deduct</i>	-16.55	
<i>For >200, Deduct</i>	-24.42	
<i>For Factory Applied White Reflective Surfacing, Add</i>	60.27	

07 Thermal And Moisture Protection**07 50 Membrane Roofing****07 52 Modified Bituminous Membrane Roofing**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 52 16 11-0015	SQ		180 Mil, Granule Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Cap Sheet, Cold Adhesive Applied.....	309.18	
			<i>For Up To 10, Add</i>	68.30	
			<i>For >10 To 20, Add</i>	35.77	
			<i>For >20 To 40, Add</i>	18.69	
			<i>For >75 To 100, Deduct</i>	-9.35	
			<i>For >100 To 200, Deduct</i>	-19.50	
			<i>For >200, Deduct</i>	-28.85	
			<i>For Factory Applied White Reflective Surfacing, Add</i>	60.27	
07 52 16 11-0016	SQ		125 Mil, Fire Rated, Granule Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Cap Sheet, Cold Adhesive Applied.....	193.33	
			<i>For Up To 10, Add</i>	45.13	
			<i>For >10 To 20, Add</i>	24.18	
			<i>For >20 To 40, Add</i>	12.90	
			<i>For >75 To 100, Deduct</i>	-6.45	
			<i>For >100 To 200, Deduct</i>	-13.71	
			<i>For >200, Deduct</i>	-20.16	
			<i>For Factory Applied White Reflective Surfacing, Add</i>	60.27	
07 52 16 11-0017	SQ		140 Mil, Fire Rated, Granule Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Cap Sheet, Cold Adhesive Applied.....	199.14	
			<i>For Up To 10, Add</i>	46.30	
			<i>For >10 To 20, Add</i>	24.77	
			<i>For >20 To 40, Add</i>	13.19	
			<i>For >75 To 100, Deduct</i>	-6.60	
			<i>For >100 To 200, Deduct</i>	-14.00	
			<i>For >200, Deduct</i>	-20.60	
			<i>For Factory Applied White Reflective Surfacing, Add</i>	60.27	
07 52 16 11-0018	SQ		150 Mil, Fire Rated, Granule Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Cap Sheet, Cold Adhesive Applied.....	230.64	
			<i>For Up To 10, Add</i>	52.60	
			<i>For >10 To 20, Add</i>	27.92	
			<i>For >20 To 40, Add</i>	14.77	
			<i>For >75 To 100, Deduct</i>	-7.38	
			<i>For >100 To 200, Deduct</i>	-15.57	
			<i>For >200, Deduct</i>	-22.96	
			<i>For Factory Applied White Reflective Surfacing, Add</i>	60.27	
07 52 16 11-0019	SQ		160 Mil, Fire Rated, Granule Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Cap Sheet, Cold Adhesive Applied.....	231.38	
			<i>For Up To 10, Add</i>	52.74	
			<i>For >10 To 20, Add</i>	27.99	
			<i>For >20 To 40, Add</i>	14.80	
			<i>For >75 To 100, Deduct</i>	-7.40	
			<i>For >100 To 200, Deduct</i>	-15.61	
			<i>For >200, Deduct</i>	-23.01	
			<i>For Factory Applied White Reflective Surfacing, Add</i>	60.27	
07 52 16 11-0020	SQ		170 Mil, Fire Rated, Granule Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Cap Sheet, Cold Adhesive Applied.....	245.47	
			<i>For Up To 10, Add</i>	55.56	
			<i>For >10 To 20, Add</i>	29.40	
			<i>For >20 To 40, Add</i>	15.51	
			<i>For >75 To 100, Deduct</i>	-7.75	
			<i>For >100 To 200, Deduct</i>	-16.32	
			<i>For >200, Deduct</i>	-24.07	
			<i>For Factory Applied White Reflective Surfacing, Add</i>	60.27	
07 52 16 11-0021			Cold Adhesive Applied, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Roofing Flashing <small>07 52 16 11-0001</small>		
07 52 16 11-0022	SF		150 Mil, Smooth Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Flashing, Cold Adhesive Applied.....	5.21	
07 52 16 11-0023	SF		125 Mil, Granule Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Flashing, Cold Adhesive Applied.....	4.94	
			<i>For Factory Applied White Reflective Surfacing, Add</i>	0.60	
07 52 16 11-0024	SF		140 Mil, Granule Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Flashing, Cold Adhesive Applied.....	4.97	
			<i>For Factory Applied White Reflective Surfacing, Add</i>	0.60	
07 52 16 11-0025	SF		160 Mil, Granule Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Flashing, Cold Adhesive Applied.....	5.23	
			<i>For Factory Applied White Reflective Surfacing, Add</i>	0.60	
07 52 16 11-0026	SF		170 Mil, Granule Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Flashing, Cold Adhesive Applied.....	5.55	
			<i>For Factory Applied White Reflective Surfacing, Add</i>	0.60	
07 52 16 11-0027	SF		180 Mil, Granule Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Flashing, Cold Adhesive Applied.....	6.14	
			<i>For Factory Applied White Reflective Surfacing, Add</i>	0.60	
07 52 16 11-0028	SF		125 Mil, Fire Rated, Granule Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Flashing, Cold Adhesive Applied.....	4.98	
			<i>For Factory Applied White Reflective Surfacing, Add</i>	0.60	
07 52 16 11-0029	SF		140 Mil, Fire Rated, Granule Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Flashing, Cold Adhesive Applied.....	5.04	
			<i>For Factory Applied White Reflective Surfacing, Add</i>	0.60	
07 52 16 11-0030	SF		160 Mil, Fire Rated, Granule Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Flashing, Cold Adhesive Applied.....	5.37	
			<i>For Factory Applied White Reflective Surfacing, Add</i>	0.60	
07 52 16 11-0031	SF		170 Mil, Fire Rated, Granule Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Flashing, Cold Adhesive Applied.....	5.51	
			<i>For Factory Applied White Reflective Surfacing, Add</i>	0.60	
07 52 16 11-0032	SF		145 Mil, Aluminum Foil Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Flashing, Cold Adhesive Applied.....	6.66	
07 52 16 11-0033	SF		160 Mil, Copper Foil Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Flashing, Cold Adhesive Applied.....	10.82	



	MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
--	-------	-----	-----	-------------	------------------------	----------------------

07 52 16 12 Hot-Mopped Styrene-Butadiene-Styrene Modified Bituminous Membrane Roofing

07 52 16 12-0001				Hot-Mopped Styrene-Butadiene-Styrene (SBS) Modified Bituminous Membrane Roofing <small>(07 52 16 12)</small>		
				Note: Includes fiberglass and/or polyester reinforcement. Includes mopping hot asphalt and embedding the membrane.		
07 52 16 12-0002				Hot-Mopped, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Roofing Base, Ply And Cap Sheets <small>(07 52 16 12-0001)</small>		
07 52 16 12-0003	SQ			50 Mil, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Base Sheet, Hot-Mopped	91.72	
				For Up To 10, Add	24.33	
				For >10 To 20, Add	13.66	
				For >20 To 40, Add	7.58	
				For >75 To 100, Deduct	-3.79	
				For >100 To 200, Deduct	-8.33	
				For >200, Deduct	-12.12	
07 52 16 12-0004	SQ			80 Mil, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Base Sheet, Hot-Mopped	123.87	
				For Up To 10, Add	30.76	
				For >10 To 20, Add	16.88	
				For >20 To 40, Add	9.19	
				For >75 To 100, Deduct	-4.59	
				For >100 To 200, Deduct	-9.94	
				For >200, Deduct	-14.53	
07 52 16 12-0005	SQ			90 Mil, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Base Sheet, Hot-Mopped	128.02	
				For Up To 10, Add	31.59	
				For >10 To 20, Add	17.29	
				For >20 To 40, Add	9.40	
				For >75 To 100, Deduct	-4.70	
				For >100 To 200, Deduct	-10.14	
				For >200, Deduct	-14.84	
07 52 16 12-0006	SQ			120 Mil, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Base Or Ply Sheet, Hot-Mopped	179.29	
				For Up To 10, Add	41.85	
				For >10 To 20, Add	22.42	
				For >20 To 40, Add	11.96	
				For >75 To 100, Deduct	-5.98	
				For >100 To 200, Deduct	-12.71	
				For >200, Deduct	-18.69	
07 52 16 12-0007	SQ			125 Mil, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Ply Sheet, Hot-Mopped	231.18	
				For Up To 10, Add	52.23	
				For >10 To 20, Add	27.61	
				For >20 To 40, Add	14.55	
				For >75 To 100, Deduct	-7.28	
				For >100 To 200, Deduct	-15.30	
				For >200, Deduct	-22.58	
07 52 16 12-0008	SQ			140 Mil, Smooth Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Cap Sheet, Hot-Mopped	191.02	
				For Up To 10, Add	44.76	
				For >10 To 20, Add	24.02	
				For >20 To 40, Add	12.83	
				For >75 To 100, Deduct	-6.42	
				For >100 To 200, Deduct	-13.65	
				For >200, Deduct	-20.07	
07 52 16 12-0009	SQ			150 Mil, Smooth Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Cap Sheet, Hot-Mopped	196.60	
				For Up To 10, Add	45.88	
				For >10 To 20, Add	24.58	
				For >20 To 40, Add	13.11	
				For >75 To 100, Deduct	-6.56	
				For >100 To 200, Deduct	-13.93	
				For >200, Deduct	-20.49	
07 52 16 12-0010	SQ			125 Mil, Granule Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Cap Sheet, Hot-Mopped	170.46	
				For Up To 10, Add	40.65	
				For >10 To 20, Add	21.97	
				For >20 To 40, Add	11.80	
				For >75 To 100, Deduct	-5.90	
				For >100 To 200, Deduct	-12.62	
				For >200, Deduct	-18.52	
				For Factory Applied White Reflective Surfacing, Add	60.27	
07 52 16 12-0011	SQ			140 Mil, Granule Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Cap Sheet, Hot-Mopped	172.87	
				For Up To 10, Add	41.13	
				For >10 To 20, Add	22.21	
				For >20 To 40, Add	11.92	
				For >75 To 100, Deduct	-5.96	
				For >100 To 200, Deduct	-12.74	
				For >200, Deduct	-18.71	
				For Factory Applied White Reflective Surfacing, Add	60.27	
07 52 16 12-0012	SQ			150 Mil, Granule Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Cap Sheet, Hot-Mopped	195.11	
				For Up To 10, Add	45.58	
				For >10 To 20, Add	24.43	
				For >20 To 40, Add	13.04	
				For >75 To 100, Deduct	-6.52	
				For >100 To 200, Deduct	-13.86	
				For >200, Deduct	-20.37	
				For Factory Applied White Reflective Surfacing, Add	60.27	

07 Thermal And Moisture Protection**07 50 Membrane Roofing****07 52 Modified Bituminous Membrane Roofing**MINOR
CSI UOM DESCRIPTIONTOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

07 52 16 12-0013	SQ 160 Mil, Granule Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Cap Sheet, Hot-Mopped	198.82	
	<i>For Up To 10, Add</i>	46.32	
	<i>For >10 To 20, Add</i>	24.80	
	<i>For >20 To 40, Add</i>	13.22	
	<i>For >75 To 100, Deduct</i>	-6.61	
	<i>For >100 To 200, Deduct</i>	-14.04	
	<i>For >200, Deduct</i>	-20.65	
	<i>For Factory Applied White Reflective Surfacing, Add</i>	60.27	
07 52 16 12-0014	SQ 170 Mil, Granule Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Cap Sheet, Hot-Mopped	231.25	
	<i>For Up To 10, Add</i>	52.81	
	<i>For >10 To 20, Add</i>	28.05	
	<i>For >20 To 40, Add</i>	14.84	
	<i>For >75 To 100, Deduct</i>	-7.42	
	<i>For >100 To 200, Deduct</i>	-15.66	
	<i>For >200, Deduct</i>	-23.08	
	<i>For Factory Applied White Reflective Surfacing, Add</i>	60.27	
07 52 16 12-0015	SQ 180 Mil, Granule Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Cap Sheet, Hot-Mopped	290.34	
	<i>For Up To 10, Add</i>	64.63	
	<i>For >10 To 20, Add</i>	33.95	
	<i>For >20 To 40, Add</i>	17.80	
	<i>For >75 To 100, Deduct</i>	-8.90	
	<i>For >100 To 200, Deduct</i>	-18.62	
	<i>For >200, Deduct</i>	-27.52	
	<i>For Factory Applied White Reflective Surfacing, Add</i>	60.27	
07 52 16 12-0016	SQ 125 Mil, Fire Rated, Granule Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Cap Sheet, Hot-Mopped	174.49	
	<i>For Up To 10, Add</i>	41.46	
	<i>For >10 To 20, Add</i>	22.37	
	<i>For >20 To 40, Add</i>	12.00	
	<i>For >75 To 100, Deduct</i>	-6.00	
	<i>For >100 To 200, Deduct</i>	-12.82	
	<i>For >200, Deduct</i>	-18.83	
	<i>For Factory Applied White Reflective Surfacing, Add</i>	60.27	
07 52 16 12-0017	SQ 140 Mil, Fire Rated, Granule Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Cap Sheet, Hot-Mopped	180.29	
	<i>For Up To 10, Add</i>	42.62	
	<i>For >10 To 20, Add</i>	22.95	
	<i>For >20 To 40, Add</i>	12.29	
	<i>For >75 To 100, Deduct</i>	-6.15	
	<i>For >100 To 200, Deduct</i>	-13.11	
	<i>For >200, Deduct</i>	-19.26	
	<i>For Factory Applied White Reflective Surfacing, Add</i>	60.27	
07 52 16 12-0018	SQ 150 Mil, Fire Rated, Granule Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Cap Sheet, Hot-Mopped	211.79	
	<i>For Up To 10, Add</i>	48.92	
	<i>For >10 To 20, Add</i>	26.10	
	<i>For >20 To 40, Add</i>	13.87	
	<i>For >75 To 100, Deduct</i>	-6.93	
	<i>For >100 To 200, Deduct</i>	-14.69	
	<i>For >200, Deduct</i>	-21.62	
	<i>For Factory Applied White Reflective Surfacing, Add</i>	60.27	
07 52 16 12-0019	SQ 160 Mil, Fire Rated, Granule Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Cap Sheet, Hot-Mopped	212.53	
	<i>For Up To 10, Add</i>	49.07	
	<i>For >10 To 20, Add</i>	26.17	
	<i>For >20 To 40, Add</i>	13.91	
	<i>For >75 To 100, Deduct</i>	-6.95	
	<i>For >100 To 200, Deduct</i>	-14.73	
	<i>For >200, Deduct</i>	-21.68	
	<i>For Factory Applied White Reflective Surfacing, Add</i>	60.27	
07 52 16 12-0020	SQ 170 Mil, Fire Rated, Granule Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Cap Sheet, Hot-Mopped	226.62	
	<i>For Up To 10, Add</i>	51.88	
	<i>For >10 To 20, Add</i>	27.58	
	<i>For >20 To 40, Add</i>	14.61	
	<i>For >75 To 100, Deduct</i>	-7.31	
	<i>For >100 To 200, Deduct</i>	-15.43	
	<i>For >200, Deduct</i>	-22.74	
	<i>For Factory Applied White Reflective Surfacing, Add</i>	60.27	
07 52 16 12-0021	Hot-Mopped, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Roofing Flashing <small>(07 52 16 12-0001)</small>		
07 52 16 12-0022	SF 150 Mil, Smooth Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Flashing, Hot-Mopped	3.49	
07 52 16 12-0023	SF 125 Mil, Granule Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Flashing, Hot-Mopped	3.23	
	<i>For Factory Applied White Reflective Surfacing, Add</i>	0.60	
07 52 16 12-0024	SF 140 Mil, Granule Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Flashing, Hot-Mopped	3.25	
	<i>For Factory Applied White Reflective Surfacing, Add</i>	0.60	
07 52 16 12-0025	SF 150 Mil, Granule Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Flashing, Hot-Mopped	3.48	
	<i>For Factory Applied White Reflective Surfacing, Add</i>	0.60	
07 52 16 12-0026	SF 160 Mil, Granule Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Flashing, Hot-Mopped	3.51	
	<i>For Factory Applied White Reflective Surfacing, Add</i>	0.60	
07 52 16 12-0027	SF 170 Mil, Granule Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Flashing, Hot-Mopped	3.84	
	<i>For Factory Applied White Reflective Surfacing, Add</i>	0.60	
07 52 16 12-0028	SF 180 Mil, Granule Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Flashing, Hot-Mopped	4.43	
	<i>For Factory Applied White Reflective Surfacing, Add</i>	0.60	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 52 16 12-0029 SF 125 Mil, Fire Rated, Granule Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Flashing, Hot-Mopped.....	3.27	
<i>For Factory Applied White Reflective Surfacing, Add</i>	0.60	
07 52 16 12-0030 SF 140 Mil, Fire Rated, Granule Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Flashing, Hot-Mopped.....	3.33	
<i>For Factory Applied White Reflective Surfacing, Add</i>	0.60	
07 52 16 12-0031 SF 160 Mil, Fire Rated, Granule Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Flashing, Hot-Mopped.....	3.59	
<i>For Factory Applied White Reflective Surfacing, Add</i>	0.60	
07 52 16 12-0032 SF 170 Mil, Fire Rated, Granule Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Flashing, Hot-Mopped.....	3.79	
<i>For Factory Applied White Reflective Surfacing, Add</i>	0.60	
07 52 16 12-0033 SF 145 Mil, Aluminum Foil Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Flashing, Hot-Mopped.....	4.95	
07 52 16 12-0034 SF 160 Mil, Copper Foil Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Flashing, Hot-Mopped.....	9.11	
07 52 16 13 Torch-Applied Styrene-Butadiene-Styrene Modified Bituminous Roofing (07 52 16)		
07 52 16 13-0001 Torch-Applied Styrene-Butadiene-Styrene (SBS) Modified Bituminous Membrane Roofing (07 52 16 13)		
Note: Includes fiberglass and/or polyester reinforcement. Includes adhering the membrane with a torch.		
07 52 16 13-0002 Torch-Applied, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Roofing Base, Ply And Cap Sheets (07 52 16 13-0001)		
07 52 16 13-0003 SQ 120 Mil, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Base Or Ply Sheet, Torch-Applied.....	185.15	
<i>For Up To 10, Add</i>	45.89	
<i>For >10 To 20, Add</i>	25.16	
<i>For >20 To 40, Add</i>	13.69	
<i>For >75 To 100, Deduct</i>	-6.84	
<i>For >100 To 200, Deduct</i>	-14.80	
<i>For >200, Deduct</i>	-21.64	
07 52 16 13-0004 SQ 150 Mil, Granule Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Cap Sheet, Torch-Applied.....	167.17	
<i>For Up To 10, Add</i>	42.29	
<i>For >10 To 20, Add</i>	23.36	
<i>For >20 To 40, Add</i>	12.79	
<i>For >75 To 100, Deduct</i>	-6.39	
<i>For >100 To 200, Deduct</i>	-13.90	
<i>For >200, Deduct</i>	-20.29	
<i>For Factory Applied White Reflective Surfacing, Add</i>	60.27	
07 52 16 13-0005 SQ 160 Mil, Granule Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Cap Sheet, Torch-Applied.....	188.30	
<i>For Up To 10, Add</i>	46.52	
<i>For >10 To 20, Add</i>	25.48	
<i>For >20 To 40, Add</i>	13.85	
<i>For >75 To 100, Deduct</i>	-6.92	
<i>For >100 To 200, Deduct</i>	-14.95	
<i>For >200, Deduct</i>	-21.88	
<i>For Factory Applied White Reflective Surfacing, Add</i>	60.27	
07 52 16 13-0006 SQ 180 Mil, Granule Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Cap Sheet, Torch-Applied.....	284.08	
<i>For Up To 10, Add</i>	65.68	
<i>For >10 To 20, Add</i>	35.05	
<i>For >20 To 40, Add</i>	18.63	
<i>For >75 To 100, Deduct</i>	-9.32	
<i>For >100 To 200, Deduct</i>	-19.74	
<i>For >200, Deduct</i>	-29.06	
<i>For Factory Applied White Reflective Surfacing, Add</i>	60.27	
07 52 16 13-0007 SQ 150 Mil, Fire Rated, Granule Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Cap Sheet, Torch-Applied.....	173.21	
<i>For Up To 10, Add</i>	43.50	
<i>For >10 To 20, Add</i>	23.97	
<i>For >20 To 40, Add</i>	13.09	
<i>For >75 To 100, Deduct</i>	-6.55	
<i>For >100 To 200, Deduct</i>	-14.20	
<i>For >200, Deduct</i>	-20.74	
<i>For Factory Applied White Reflective Surfacing, Add</i>	60.27	
07 52 16 13-0008 SQ 160 Mil, Fire Rated, Granule Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Cap Sheet, Torch-Applied.....	198.12	
<i>For Up To 10, Add</i>	48.48	
<i>For >10 To 20, Add</i>	26.46	
<i>For >20 To 40, Add</i>	14.34	
<i>For >75 To 100, Deduct</i>	-7.17	
<i>For >100 To 200, Deduct</i>	-15.44	
<i>For >200, Deduct</i>	-22.61	
<i>For Factory Applied White Reflective Surfacing, Add</i>	60.27	
07 52 16 13-0009 SQ 165 Mil, Fire Rated, Granule Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Cap Sheet, Torch-Applied.....	206.17	
<i>For Up To 10, Add</i>	50.22	
<i>For >10 To 20, Add</i>	27.36	
<i>For >20 To 40, Add</i>	14.80	
<i>For >75 To 100, Deduct</i>	-7.40	
<i>For >100 To 200, Deduct</i>	-15.92	
<i>For >200, Deduct</i>	-23.33	
<i>For Factory Applied White Reflective Surfacing, Add</i>	60.27	

07 Thermal And Moisture Protection**07 50 Membrane Roofing****07 52 Modified Bituminous Membrane Roofing**MINOR
CSI UOM DESCRIPTIONTOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

07 52 16 13-0010	SQ	180 Mil, Fire Rated, Granule Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Cap Sheet, Torch-Applied.....	264.30
		<i>For Up To 10, Add</i>	61.85
		<i>For >10 To 20, Add</i>	33.17
		<i>For >20 To 40, Add</i>	17.71
		<i>For >75 To 100, Deduct</i>	-8.85
		<i>For >100 To 200, Deduct</i>	-18.83
		<i>For >200, Deduct</i>	-27.69
		<i>For Factory Applied White Reflective Surfacing, Add</i>	60.27
07 52 16 13-0011		Torch-Applied, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Roofing Flashing <small>(07 52 16 13-0001)</small>	
07 52 16 13-0012	SF	150 Mil, Smooth Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Flashing, Torch-Applied.....	2.79
07 52 16 13-0013	SF	150 Mil, Granule Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Flashing, Torch-Applied.....	2.78
		<i>For Factory Applied White Reflective Surfacing, Add</i>	0.60
07 52 16 13-0014	SF	180 Mil, Granule Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Flashing, Torch-Applied.....	3.73
		<i>For Factory Applied White Reflective Surfacing, Add</i>	0.60
07 52 16 13-0015	SF	160 Mil, Fire Rated, Granule Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Flashing, Torch-Applied.....	2.89
		<i>For Factory Applied White Reflective Surfacing, Add</i>	0.60
07 52 16 13-0016	SF	165 Mil, Fire Rated, Granule Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Flashing, Torch-Applied.....	2.94
		<i>For Factory Applied White Reflective Surfacing, Add</i>	0.60
07 52 16 13-0017	SF	180 Mil, Fire Rated, Granule Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Flashing, Torch-Applied.....	3.53
		<i>For Factory Applied White Reflective Surfacing, Add</i>	0.60
07 52 16 13-0018	SF	150 Mil, Aluminum Foil Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Flashing, Torch-Applied.....	3.66
07 52 16 13-0019	SF	160 Mil, Copper Foil Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Flashing, Torch-Applied.....	8.41
07 52 16 14		Mechanically Fastened Styrene-Butadiene-Styrene Modified Bituminous Membrane Roofing <small>(07 52 16)</small>	
07 52 16 14-0001		Mechanically Fastened Styrene-Butadiene-Styrene (SBS) Modified Bituminous Membrane Roofing <small>(07 52 16 14)</small> Note: Includes fiberglass and/or polyester reinforcement. Includes fasteners.	
07 52 16 14-0002		Mechanically Fastened, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Roofing Base And Ply Sheets <small>(07 52 16 14-0001)</small>	
07 52 16 14-0003	SQ	35 Mil, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Ply Sheet, Mechanically Fastened	112.98
		<i>For Up To 10, Add</i>	25.55
		<i>For >10 To 20, Add</i>	13.51
		<i>For >20 To 40, Add</i>	7.12
		<i>For >75 To 100, Deduct</i>	-3.56
		<i>For >100 To 200, Deduct</i>	-7.49
		<i>For >200, Deduct</i>	-11.05
07 52 16 14-0004	SQ	50 Mil, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Base Sheet, Mechanically Fastened	87.62
		<i>For Up To 10, Add</i>	20.47
		<i>For >10 To 20, Add</i>	10.97
		<i>For >20 To 40, Add</i>	5.86
		<i>For >75 To 100, Deduct</i>	-2.93
		<i>For >100 To 200, Deduct</i>	-6.22
		<i>For >200, Deduct</i>	-9.15
07 52 16 14-0005	SQ	80 Mil, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Base Sheet, Mechanically Fastened	112.59
		<i>For Up To 10, Add</i>	25.47
		<i>For >10 To 20, Add</i>	13.47
		<i>For >20 To 40, Add</i>	7.10
		<i>For >75 To 100, Deduct</i>	-3.55
		<i>For >100 To 200, Deduct</i>	-7.47
		<i>For >200, Deduct</i>	-11.03
07 52 16 14-0006	SQ	90 Mil, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Base Sheet, Mechanically Fastened	140.16
		<i>For Up To 10, Add</i>	30.98
		<i>For >10 To 20, Add</i>	16.23
		<i>For >20 To 40, Add</i>	8.48
		<i>For >75 To 100, Deduct</i>	-4.24
		<i>For >100 To 200, Deduct</i>	-8.85
		<i>For >200, Deduct</i>	-13.09
07 52 16 14-0007	SQ	120 Mil, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Base Or Ply Sheet, Mechanically Fastened	175.19
		<i>For Up To 10, Add</i>	37.99
		<i>For >10 To 20, Add</i>	19.73
		<i>For >20 To 40, Add</i>	10.23
		<i>For >75 To 100, Deduct</i>	-5.12
		<i>For >100 To 200, Deduct</i>	-10.60
		<i>For >200, Deduct</i>	-15.72
07 52 16 14-0008		Mechanically Fastened, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Roofing Flashing <small>(07 52 16 14-0001)</small>	
07 52 16 14-0009	SF	150 Mil, Smooth Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Flashing, Mechanically Fastened.....	2.35
07 52 16 14-0010	SF	160 Mil, Granule Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Flashing, Mechanically Fastened	2.40



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 52 16 15 Self-Adhering Styrene-Butadiene-Styrene Modified Bituminous Membrane Roofing <small>(07 52 16)</small>		
07 52 16 15-0001 Self-Adhering Styrene-Butadiene-Styrene (SBS) Modified Bituminous Membrane Roofing <small>(07 52 16 15)</small> Note: Includes fiberglass and/or polyester reinforcement. Includes removing the release film(s) from the membrane and applying the membrane.		
07 52 16 15-0002 Self-Adhering, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Roofing Base, Ply And Cap Sheets <small>(07 52 16 15-0001)</small>		
07 52 16 15-0003 SQ 60 Mil, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Base Sheet, Self-Adhering	91.79	
<i>For Up To 10, Add</i>	21.90	
<i>For >10 To 20, Add</i>	11.84	
<i>For >20 To 40, Add</i>	6.36	
<i>For >75 To 100, Deduct</i>	-3.18	
<i>For >100 To 200, Deduct</i>	-6.80	
<i>For >200, Deduct</i>	-9.99	
07 52 16 15-0004 SQ 70 Mil, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Base Sheet, Self-Adhering	97.04	
<i>For Up To 10, Add</i>	22.95	
<i>For >10 To 20, Add</i>	12.36	
<i>For >20 To 40, Add</i>	6.62	
<i>For >75 To 100, Deduct</i>	-3.31	
<i>For >100 To 200, Deduct</i>	-7.07	
<i>For >200, Deduct</i>	-10.38	
07 52 16 15-0005 SQ 120 Mil, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Base Sheet, Self-Adhering	161.53	
<i>For Up To 10, Add</i>	36.12	
<i>For >10 To 20, Add</i>	19.01	
<i>For >20 To 40, Add</i>	9.98	
<i>For >75 To 100, Deduct</i>	-4.99	
<i>For >100 To 200, Deduct</i>	-10.46	
<i>For >200, Deduct</i>	-15.45	
07 52 16 15-0006 SQ 150 Mil, Granule Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Cap Sheet, Self-Adhering	192.33	
<i>For Up To 10, Add</i>	42.28	
<i>For >10 To 20, Add</i>	22.09	
<i>For >20 To 40, Add</i>	11.52	
<i>For >75 To 100, Deduct</i>	-5.76	
<i>For >100 To 200, Deduct</i>	-12.00	
<i>For >200, Deduct</i>	-17.76	
<i>For Factory Applied White Reflective Surfacing, Add</i>	60.27	
07 52 16 15-0007 SQ 160 Mil, Granule Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Cap Sheet, Self-Adhering	283.14	
<i>For Up To 10, Add</i>	60.44	
<i>For >10 To 20, Add</i>	31.17	
<i>For >20 To 40, Add</i>	16.06	
<i>For >75 To 100, Deduct</i>	-8.03	
<i>For >100 To 200, Deduct</i>	-16.54	
<i>For >200, Deduct</i>	-24.57	
<i>For Factory Applied White Reflective Surfacing, Add</i>	60.27	
07 52 16 15-0008 Self-Adhering, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Roofing Flashing <small>(07 52 16 15-0001)</small>		
07 52 16 15-0009 SF 70 Mil, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Flashing, Self-Adhering	2.76	
07 52 16 15-0010 SF 150 Mil, Granule Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Flashing, Self-Adhering	3.06	
<i>For Factory Applied White Reflective Surfacing, Add</i>	0.60	
07 52 16 15-0011 SF 160 Mil, Granule Surfaced, Styrene-Butadiene-Styrene (SBS) Modified Bitumen Flashing, Self-Adhering	3.97	
<i>For Factory Applied White Reflective Surfacing, Add</i>	0.60	
07 53 Elastomeric Membrane Roofing <small>(07 50)</small> Note: Includes 10 year warranty. All warranties are no dollar limit to include material, equipment and labor. Excludes concrete primer, insulation, slip sheets, wood nailers, cant strips, coping removal and reinstallation, gravel stop, walkway pads and drainage devices. See CSI section 07 26 13 00-0000 for wood deck building paper.		
07 53 16 Chlorosulfonate-Polyethylene Roofing <small>(07 53)</small>		
07 53 16 00-0001 Chlorosulfonated Polyethylene-Hypalon (CSPE) Roofing Membranes <small>(07 53 16)</small> Note: Includes hot air welding or adhesive bonding of seams.		
07 53 16 00-0002 SQ 45 Mil, Single Ply Chlorosulfonated Polyethylene-Hypalon (CSPE) Roofing Membrane, Fully Adhered	318.29	70.88
Note: Includes adhesive.		
<i>For Up To 10, Add</i>	92.01	
<i>For >10 To 20, Add</i>	53.09	
<i>For >20 To 40, Add</i>	30.09	
<i>For >75 To 100, Deduct</i>	-15.05	
<i>For >100 To 200, Deduct</i>	-33.64	
<i>For >200, Deduct</i>	-48.68	
<i>For 15 Year Warranty, Add</i>	3.00	
07 53 16 00-0003 SQ 45 Mil, Single Ply Chlorosulfonated Polyethylene-Hypalon (CSPE) Roofing Membrane, Ballasted	218.13	35.45
Note: Includes ballast.		
<i>For Up To 10, Add</i>	57.80	
<i>For >10 To 20, Add</i>	32.45	
<i>For >20 To 40, Add</i>	17.99	
<i>For >75 To 100, Deduct</i>	-9.00	
<i>For >100 To 200, Deduct</i>	-19.77	
<i>For >200, Deduct</i>	-28.76	
<i>For 15 Year Warranty, Add</i>	3.00	

07 Thermal And Moisture Protection**07 50 Membrane Roofing****07 53 Elastomeric Membrane Roofing**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 53 16 00-0004	SQ		45 Mil, Single Ply Chlorosulfonated Polyethylene-Hypalon (CSPE) Roofing Membrane, Mechanically Fastened244.53	244.53	53.16
			Note: Includes fasteners.		
			For Up To 10, Add	70.17	
			For >10 To 20, Add	40.40	
			For >20 To 40, Add	22.86	
			For >75 To 100, Deduct	-11.43	
			For >100 To 200, Deduct	-25.52	
			For >200, Deduct	-36.95	
			For 15 Year Warranty, Add	3.00	
			For Mechanically Fastened To Concrete Decks, Add	26.58	
			For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum Decks, Add	27.31	
07 53 23			Ethylene-Propylene-Diene-Monomer Roofing (07 53)		
07 53 23 00-0001			Ethylene Propylene Diene Monomer (EPDM) Roofing Membranes (07 53 23)		
			Note: Includes splicing of seams using adhesive or seam tape. Black ethylene propylene diene monomer (EPDM).		
07 53 23 00-0002	SQ		45 Mil, Single Ply Ethylene Propylene Diene Monomer (EPDM) Roofing Membrane, Ballasted176.59	176.59	35.45
			Note: Includes ballast.		
			For Up To 10, Add	49.49	
			For >10 To 20, Add	28.29	
			For >20 To 40, Add	15.92	
			For >75 To 100, Deduct	-7.96	
			For >100 To 200, Deduct	-17.69	
			For >200, Deduct	-25.65	
			For 15 Year Warranty, Add	3.00	
			For Low Slope Fire Rated, Add	4.84	
			For Reinforced Ethylene Propylene Diene Monomer (EPDM), Add	14.12	
07 53 23 00-0003	SQ		60 Mil, Single Ply Ethylene Propylene Diene Monomer (EPDM) Roofing Membrane, Ballasted197.72	197.72	37.66
			Note: Includes ballast.		
			For Up To 10, Add	54.61	
			For >10 To 20, Add	31.07	
			For >20 To 40, Add	17.42	
			For >75 To 100, Deduct	-8.71	
			For >100 To 200, Deduct	-19.30	
			For >200, Deduct	-28.01	
			For 15 Year Warranty, Add	3.00	
			For 20 Year Warranty, Add	7.00	
			For 25 Year Warranty, Add	9.00	
			For Low Slope Fire Rated, Add	4.84	
			For Reinforced Ethylene Propylene Diene Monomer (EPDM), Add	14.12	
07 53 23 00-0004	SQ		90 Mil, Single Ply Ethylene Propylene Diene Monomer (EPDM) Roofing Membrane, Ballasted288.89	288.89	39.87
			Note: Includes ballast.		
			For Up To 10, Add	73.73	
			For >10 To 20, Add	40.85	
			For >20 To 40, Add	22.42	
			For >75 To 100, Deduct	-11.21	
			For >100 To 200, Deduct	-24.41	
			For >200, Deduct	-35.62	
			For 15 Year Warranty, Add	3.00	
			For 20 Year Warranty, Add	7.00	
			For 25 Year Warranty, Add	9.00	
			For Low Slope Fire Rated, Add	4.84	
07 53 23 00-0005	SQ		45 Mil, Single Ply Ethylene Propylene Diene Monomer (EPDM) Roofing Membrane, Partially Adhered (40%)216.09	216.09	53.16
			Note: Includes adhesive and fasteners.		
			For Up To 10, Add	64.48	
			For >10 To 20, Add	37.56	
			For >20 To 40, Add	21.44	
			For >75 To 100, Deduct	-10.72	
			For >100 To 200, Deduct	-24.10	
			For >200, Deduct	-34.81	
			For 15 Year Warranty, Add	3.00	
			For Low Slope Fire Rated, Add	4.84	
			For Low VOC Adhesive, Add	19.97	
			For Reinforced Ethylene Propylene Diene Monomer (EPDM), Add	14.12	
			For White Ethylene Propylene Diene Monomer (EPDM) Or Factory Applied White Coating, Add	46.21	
			For Integral Polyester Fleece-Backing, Add	66.51	
07 53 23 00-0006	SQ		60 Mil, Single Ply Ethylene Propylene Diene Monomer (EPDM) Roofing Membrane, Partially Adhered (40%)237.21	237.21	55.38
			Note: Includes adhesive and fasteners.		
			For Up To 10, Add	69.59	
			For >10 To 20, Add	40.34	
			For >20 To 40, Add	22.94	
			For >75 To 100, Deduct	-11.47	
			For >100 To 200, Deduct	-25.71	
			For >200, Deduct	-37.17	
			For 15 Year Warranty, Add	3.00	
			For 20 Year Warranty, Add	7.00	
			For 25 Year Warranty, Add	9.00	
			For Low Slope Fire Rated, Add	4.84	
			For Low VOC Adhesive, Add	19.97	
			For Reinforced Ethylene Propylene Diene Monomer (EPDM), Add	14.12	
			For White Ethylene Propylene Diene Monomer (EPDM) Or Factory Applied White Coating, Add	46.21	
			For Integral Polyester Fleece-Backing, Add	73.61	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 53 23 00-0007 SQ 90 Mil, Single Ply Ethylene Propylene Diene Monomer (EPDM) Roofing Membrane, Partially Adhered (40%) Note: Includes adhesive and fasteners.	328.38	57.59
<i>For Up To 10, Add</i>	88.71	
<i>For >10 To 20, Add</i>	50.12	
<i>For >20 To 40, Add</i>	27.94	
<i>For >75 To 100, Deduct</i>	-13.97	
<i>For >100 To 200, Deduct</i>	-30.82	
<i>For >200, Deduct</i>	-44.79	
<i>For 15 Year Warranty, Add</i>	3.00	
<i>For 20 Year Warranty, Add</i>	7.00	
<i>For 25 Year Warranty, Add</i>	9.00	
<i>For Low Slope Fire Rated, Add</i>	4.84	
<i>For Low VOC Adhesive, Add</i>	19.97	
<i>For White Ethylene Propylene Diene Monomer (EPDM) Or Factory Applied White Coating, Add</i>	46.21	
<i>For Integral Polyester Fleece-Backing, Add</i>	81.36	
07 53 23 00-0008 SQ 45 Mil, Single Ply Ethylene Propylene Diene Monomer (EPDM) Roofing Membrane, Fully Adhered Note: Includes adhesive and fasteners.	285.35	70.88
<i>For Up To 10, Add</i>	85.42	
<i>For >10 To 20, Add</i>	49.80	
<i>For >20 To 40, Add</i>	28.44	
<i>For >75 To 100, Deduct</i>	-14.22	
<i>For >100 To 200, Deduct</i>	-31.99	
<i>For >200, Deduct</i>	-46.21	
<i>For 15 Year Warranty, Add</i>	3.00	
<i>For Low Slope Fire Rated, Add</i>	4.84	
<i>For Reinforced Ethylene Propylene Diene Monomer (EPDM), Add</i>	14.12	
<i>For Low VOC Adhesive, Add</i>	49.92	
<i>For White Ethylene Propylene Diene Monomer (EPDM) Or Factory Applied White Coating, Add</i>	46.21	
<i>For Integral Polyester Fleece-Backing, Add</i>	66.51	
07 53 23 00-0009 SQ 60 Mil, Single Ply Ethylene Propylene Diene Monomer (EPDM) Roofing Membrane, Fully Adhered Note: Includes adhesive and fasteners.	306.47	73.10
<i>For Up To 10, Add</i>	90.53	
<i>For >10 To 20, Add</i>	52.58	
<i>For >20 To 40, Add</i>	29.94	
<i>For >75 To 100, Deduct</i>	-14.97	
<i>For >100 To 200, Deduct</i>	-33.60	
<i>For >200, Deduct</i>	-48.57	
<i>For 15 Year Warranty, Add</i>	3.00	
<i>For 20 Year Warranty, Add</i>	7.00	
<i>For 25 Year Warranty, Add</i>	9.00	
<i>For Low Slope Fire Rated, Add</i>	4.84	
<i>For Reinforced Ethylene Propylene Diene Monomer (EPDM), Add</i>	14.12	
<i>For Low VOC Adhesive, Add</i>	49.92	
<i>For White Ethylene Propylene Diene Monomer (EPDM) Or Factory Applied White Coating, Add</i>	46.21	
<i>For Integral Polyester Fleece-Backing, Add</i>	73.61	
07 53 23 00-0010 SQ 90 Mil, Single Ply Ethylene Propylene Diene Monomer (EPDM) Roofing Membrane, Fully Adhered Note: Includes adhesive and fasteners.	397.65	75.31
<i>For Up To 10, Add</i>	109.66	
<i>For >10 To 20, Add</i>	62.36	
<i>For >20 To 40, Add</i>	34.95	
<i>For >75 To 100, Deduct</i>	-17.47	
<i>For >100 To 200, Deduct</i>	-38.71	
<i>For >200, Deduct</i>	-56.18	
<i>For 15 Year Warranty, Add</i>	3.00	
<i>For 20 Year Warranty, Add</i>	7.00	
<i>For 25 Year Warranty, Add</i>	9.00	
<i>For Low Slope Fire Rated, Add</i>	4.84	
<i>For Low VOC Adhesive, Add</i>	49.92	
<i>For White Ethylene Propylene Diene Monomer (EPDM) Or Factory Applied White Coating, Add</i>	46.21	
<i>For Integral Polyester Fleece-Backing, Add</i>	81.36	
07 53 23 00-0011 SQ 45 Mil, Single Ply Ethylene Propylene Diene Monomer (EPDM) Roofing Membrane, Mechanically Fastened Note: Includes fasteners.	202.86	53.16
<i>For Up To 10, Add</i>	61.84	
<i>For >10 To 20, Add</i>	36.24	
<i>For >20 To 40, Add</i>	20.78	
<i>For >75 To 100, Deduct</i>	-10.39	
<i>For >100 To 200, Deduct</i>	-23.43	
<i>For >200, Deduct</i>	-33.82	
<i>For 15 Year Warranty, Add</i>	3.00	
<i>For Low Slope Fire Rated, Add</i>	4.84	
<i>For Reinforced Ethylene Propylene Diene Monomer (EPDM), Add</i>	14.12	
<i>For White Ethylene Propylene Diene Monomer (EPDM) Or Factory Applied White Coating, Add</i>	46.21	
<i>For Mechanically Fastened To Concrete Decks, Add</i>	26.58	
<i>For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum Decks, Add</i>	27.31	

07 Thermal And Moisture Protection**07 50 Membrane Roofing****07 53 Elastomeric Membrane Roofing**MINOR
CSI UOM DESCRIPTIONTOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

07 53 23 00-0012	SQ	60 Mil, Single Ply Ethylene Propylene Diene Monomer (EPDM) Roofing Membrane, Mechanically Fastened.....	223.98	55.38
		Note: Includes fasteners.		
		For Up To 10, Add	66.95	
		For >10 To 20, Add	39.01	
		For >20 To 40, Add	22.28	
		For >75 To 100, Deduct	-11.14	
		For >100 To 200, Deduct	-25.04	
		For >200, Deduct	-36.18	
		For 15 Year Warranty, Add	3.00	
		For 20 Year Warranty, Add	7.00	
		For 25 Year Warranty, Add	9.00	
		For Low Slope Fire Rated, Add	4.84	
		For Reinforced Ethylene Propylene Diene Monomer (EPDM), Add	14.12	
		For White Ethylene Propylene Diene Monomer (EPDM) Or Factory Applied White Coating, Add	46.21	
		For Mechanically Fastened To Concrete Decks, Add	27.69	
		For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum Decks, Add	28.42	
07 53 23 00-0013	SQ	90 Mil, Single Ply Ethylene Propylene Diene Monomer (EPDM) Roofing Membrane, Mechanically Fastened.....	315.15	57.59
		Note: Includes fasteners.		
		For Up To 10, Add	86.07	
		For >10 To 20, Add	48.79	
		For >20 To 40, Add	27.28	
		For >75 To 100, Deduct	-13.64	
		For >100 To 200, Deduct	-30.16	
		For >200, Deduct	-43.79	
		For 15 Year Warranty, Add	3.00	
		For 20 Year Warranty, Add	7.00	
		For 25 Year Warranty, Add	9.00	
		For Low Slope Fire Rated, Add	4.84	
		For White Ethylene Propylene Diene Monomer (EPDM) Or Factory Applied White Coating, Add	46.21	
		For Mechanically Fastened To Concrete Decks, Add	28.80	
		For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum Decks, Add	29.53	

07 53 23 00-0014 Ethylene Propylene Diene Monomer (EPDM) Roofing Membrane Accessories (07 53 23)

07 53 23 00-0015	SQ	Acrylic, Ethylene Propylene Diene Monomer (EPDM) Roofing Primer, Price Per Coat	46.05	
		For Up To 10, Add	12.75	
		For >10 To 20, Add	7.26	
		For >20 To 40, Add	4.07	
		For >75 To 100, Deduct	-2.04	
		For >100 To 200, Deduct	-4.52	
		For >200, Deduct	-6.55	
07 53 23 00-0016	SQ	Acrylic Elastomeric, Surface Or Base Coating For Ethylene Propylene Diene Monomer (EPDM) Roofing, Price Per Coat.....	47.47	
		Note: 55% solids by volume.		
		For Up To 10, Add	13.04	
		For >10 To 20, Add	7.41	
		For >20 To 40, Add	4.15	
		For >75 To 100, Deduct	-2.07	
		For >100 To 200, Deduct	-4.59	
		For >200, Deduct	-6.66	
07 53 23 00-0017	EA	Up To 4" Pipe Diameter, Prefabricated Ethylene Propylene Diene Monomer (EPDM) Pipe Cone/Boot.....	30.59	8.42
		Note: Includes attaching the boot to the membrane, caulking around the pipe and installing a draw band.		
07 53 23 00-0018	EA	>4" To 8" Pipe Diameter, Prefabricated Ethylene Propylene Diene Monomer (EPDM) Pipe Cone/Boot	41.77	8.42
		Note: Includes attaching the boot to the membrane, caulking around the pipe and installing a draw band.		
07 53 23 00-0019	EA	>8" To 13" Pipe Diameter, Prefabricated Ethylene Propylene Diene Monomer (EPDM) Pipe Cone/Boot	74.04	8.42
		Note: Includes attaching the boot to the membrane, caulking around the pipe and installing a draw band.		
07 53 23 00-0020	EA	6" Diameter, Prefabricated Ethylene Propylene Diene Monomer (EPDM) Penetration Pocket.....	97.13	9.30
		Note: Includes attaching the pocket to the membrane, sealing around the penetration and filling the pocket with pourable sealer.		
07 53 23 00-0021	LF	30" Wide, Ethylene Propylene Diene Monomer (EPDM) Walkway Protection Pad.....	23.02	5.13
		Note: Includes factory installed peel and stick adhesive tape.		
07 53 23 00-0022	SF	Ethylene Propylene Diene Monomer (EPDM) Membrane Base Flashing	4.54	1.33
07 53 23 00-0023	SF	Ethylene Propylene Diene Monomer (EPDM) Membrane Curb Flashing.....	5.86	1.99

07 53 29 Polyisobutylene Roofing (07 53)**07 53 29 00-0001 Polyisobutylene (PIB) Roofing Membranes** (07 53 29)

07 53 29 00-0002	SQ	100 Mil, Single Ply PIB Roofing Membrane, Ballasted.....	321.02	39.87
		Note: Includes ballast.		
		For Up To 10, Add	80.15	
		For >10 To 20, Add	44.06	
		For >20 To 40, Add	24.03	
		For >75 To 100, Deduct	-12.01	
		For >100 To 200, Deduct	-26.02	
		For >200, Deduct	-38.03	
		For 15 Year Warranty, Add	3.00	
		For 20 Year Warranty, Add	7.00	
		For 25 Year Warranty, Add	9.00	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 53 29 00-0003 SQ 100 Mil, Single Ply PIB Roofing Membrane, Partially Adhered (40%).....	365.79	57.59
Note: Includes adhesive.		
For Up To 10, Add	96.20	
For >10 To 20, Add	53.86	
For >20 To 40, Add	29.81	
For >75 To 100, Deduct	-14.90	
For >100 To 200, Deduct	-32.69	
For >200, Deduct	-47.59	
For 15 Year Warranty, Add	3.00	
For 20 Year Warranty, Add	7.00	
For 25 Year Warranty, Add	9.00	
07 53 29 00-0004 SQ 100 Mil, Single Ply PIB Roofing Membrane, Fully Adhered	442.96	75.31
Note: Includes adhesive.		
For Up To 10, Add	118.72	
For >10 To 20, Add	66.89	
For >20 To 40, Add	37.21	
For >75 To 100, Deduct	-18.61	
For >100 To 200, Deduct	-40.98	
For >200, Deduct	-59.58	
For 15 Year Warranty, Add	3.00	
For 20 Year Warranty, Add	7.00	
For 25 Year Warranty, Add	9.00	
07 54 Thermoplastic Membrane Roofing (07 50)		
Note: Includes 10 year warranty. All warranties are no dollar limit to include material, equipment and labor. Excludes concrete primer, insulation, slip sheets, wood nailers, cant strips, coping removal and reinstallation, gravel stop, walkway pads and drainage devices. See CSI section 07 26 13 00-0000 for wood deck building paper.		
07 54 19 Polyvinyl Chloride Roofing (07 54)		
07 54 19 00-0001 Reinforced Polyvinyl Chloride (RPVC) Roofing Membranes (07 54 19)		
Note: Includes polyester fabric reinforcement and hot air welding of seams. RPVC membranes meet or exceed all of the requirements of ASTM D4434 Type III.		
07 54 19 00-0002 SQ 48 Mil, Single Ply Reinforced Polyvinyl Chloride (RPVC) Roofing Membrane, Ballasted	219.03	35.45
Note: Includes ballast.		
For Up To 10, Add	57.98	
For >10 To 20, Add	32.54	
For >20 To 40, Add	18.04	
For >75 To 100, Deduct	-9.02	
For >100 To 200, Deduct	-19.81	
For >200, Deduct	-28.83	
For 15 Year Warranty, Add	3.00	
For Colors, Add	26.00	
For Integral Polyester Fleece-Backing, Add	50.58	
07 54 19 00-0003 SQ 60 Mil, Single Ply Reinforced Polyvinyl Chloride (RPVC) Roofing Membrane, Ballasted	249.92	37.66
Note: Includes ballast.		
For Up To 10, Add	65.05	
For >10 To 20, Add	36.29	
For >20 To 40, Add	20.03	
For >75 To 100, Deduct	-10.01	
For >100 To 200, Deduct	-21.91	
For >200, Deduct	-31.92	
For 15 Year Warranty, Add	3.00	
For 20 Year Warranty, Add	7.00	
For 25 Year Warranty, Add	9.00	
For Colors, Add	26.00	
For Integral Polyester Fleece-Backing, Add	50.58	
07 54 19 00-0004 SQ 72 Mil, Single Ply Reinforced Polyvinyl Chloride (RPVC) Roofing Membrane, Ballasted	285.93	38.77
Note: Includes ballast.		
For Up To 10, Add	72.69	
For >10 To 20, Add	40.22	
For >20 To 40, Add	22.05	
For >75 To 100, Deduct	-11.02	
For >100 To 200, Deduct	-23.99	
For >200, Deduct	-35.01	
For 15 Year Warranty, Add	3.00	
For 20 Year Warranty, Add	7.00	
For 25 Year Warranty, Add	9.00	
For Colors, Add	26.00	
For Integral Polyester Fleece-Backing, Add	50.58	
07 54 19 00-0005 SQ 80 Mil, Single Ply Reinforced Polyvinyl Chloride (RPVC) Roofing Membrane, Ballasted	302.84	39.87
Note: Includes ballast.		
For Up To 10, Add	76.52	
For >10 To 20, Add	42.25	
For >20 To 40, Add	23.12	
For >75 To 100, Deduct	-11.56	
For >100 To 200, Deduct	-25.11	
For >200, Deduct	-36.67	
For 15 Year Warranty, Add	3.00	
For 20 Year Warranty, Add	7.00	
For 25 Year Warranty, Add	9.00	
For Colors, Add	26.00	
For Integral Polyester Fleece-Backing, Add	50.58	

07 Thermal And Moisture Protection**07 50 Membrane Roofing****07 54 Thermoplastic Membrane Roofing**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 54 19 00-0006	SQ		48 Mil, Single Ply Reinforced Polyvinyl Chloride (RPVC) Roofing Membrane, Fully Adhered	306.44	70.88
			Note: Includes adhesive.		
			For Up To 10, Add	89.64	
			For >10 To 20, Add	51.91	
			For >20 To 40, Add	29.50	
			For >75 To 100, Deduct	-14.75	
			For >100 To 200, Deduct	-33.04	
			For >200, Deduct	-47.79	
			For 15 Year Warranty, Add	3.00	
			For Colors, Add	26.00	
			For Low VOC Adhesive, Add	41.76	
			For Integral Polyester Fleece-Backing, Add	50.58	
07 54 19 00-0007	SQ		60 Mil, Single Ply Reinforced Polyvinyl Chloride (RPVC) Roofing Membrane, Fully Adhered	337.32	73.10
			Note: Includes adhesive.		
			For Up To 10, Add	96.70	
			For >10 To 20, Add	55.66	
			For >20 To 40, Add	31.49	
			For >75 To 100, Deduct	-15.74	
			For >100 To 200, Deduct	-35.14	
			For >200, Deduct	-50.88	
			For 15 Year Warranty, Add	3.00	
			For 20 Year Warranty, Add	7.00	
			For 25 Year Warranty, Add	9.00	
			For Colors, Add	26.00	
			For Low VOC Adhesive, Add	41.76	
			For Integral Polyester Fleece-Backing, Add	50.58	
07 54 19 00-0008	SQ		72 Mil, Single Ply Reinforced Polyvinyl Chloride (RPVC) Roofing Membrane, Fully Adhered	373.34	74.20
			Note: Includes adhesive.		
			For Up To 10, Add	104.35	
			For >10 To 20, Add	59.60	
			For >20 To 40, Add	33.51	
			For >75 To 100, Deduct	-16.75	
			For >100 To 200, Deduct	-37.22	
			For >200, Deduct	-53.97	
			For 15 Year Warranty, Add	3.00	
			For 20 Year Warranty, Add	7.00	
			For 25 Year Warranty, Add	9.00	
			For Colors, Add	26.00	
			For Low VOC Adhesive, Add	41.76	
			For Integral Polyester Fleece-Backing, Add	50.58	
07 54 19 00-0009	SQ		80 Mil, Single Ply Reinforced Polyvinyl Chloride (RPVC) Roofing Membrane, Fully Adhered	390.25	75.31
			Note: Includes adhesive.		
			For Up To 10, Add	108.18	
			For >10 To 20, Add	61.62	
			For >20 To 40, Add	34.58	
			For >75 To 100, Deduct	-17.29	
			For >100 To 200, Deduct	-38.34	
			For >200, Deduct	-55.63	
			For 15 Year Warranty, Add	3.00	
			For 20 Year Warranty, Add	7.00	
			For 25 Year Warranty, Add	9.00	
			For Colors, Add	26.00	
			For Low VOC Adhesive, Add	41.76	
			For Integral Polyester Fleece-Backing, Add	50.58	
07 54 19 00-0010	SQ		48 Mil, Single Ply Reinforced Polyvinyl Chloride (RPVC) Roofing Membrane, Mechanically Fastened.....	240.71	53.16
			Note: Includes fasteners.		
			For Up To 10, Add	69.41	
			For >10 To 20, Add	40.02	
			For >20 To 40, Add	22.67	
			For >75 To 100, Deduct	-11.33	
			For >100 To 200, Deduct	-25.33	
			For >200, Deduct	-36.66	
			For 15 Year Warranty, Add	3.00	
			For Colors, Add	26.00	
			For Integral Polyester Fleece-Backing, Add	50.58	
			For Mechanically Fastened To Concrete Decks, Add	26.58	
			For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum Decks, Add	27.31	
07 54 19 00-0011	SQ		60 Mil, Single Ply Reinforced Polyvinyl Chloride (RPVC) Roofing Membrane, Mechanically Fastened.....	271.59	55.38
			Note: Includes fasteners.		
			For Up To 10, Add	76.47	
			For >10 To 20, Add	43.77	
			For >20 To 40, Add	24.66	
			For >75 To 100, Deduct	-12.33	
			For >100 To 200, Deduct	-27.42	
			For >200, Deduct	-39.75	
			For 15 Year Warranty, Add	3.00	
			For 20 Year Warranty, Add	7.00	
			For 25 Year Warranty, Add	9.00	
			For Colors, Add	26.00	
			For Integral Polyester Fleece-Backing, Add	50.58	
			For Mechanically Fastened To Concrete Decks, Add	27.69	
			For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum Decks, Add	28.42	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 54 19 00-0012 SQ 72 Mil, Single Ply Reinforced Polyvinyl Chloride (RPVC) Roofing Membrane, Mechanically Fastened.....	307.60	56.49
Note: Includes fasteners.		
For Up To 10, Add	84.11	
For >10 To 20, Add	47.71	
For >20 To 40, Add	26.68	
For >75 To 100, Deduct	-13.34	
For >100 To 200, Deduct	-29.50	
For >200, Deduct	-42.84	
For 15 Year Warranty, Add	3.00	
For 20 Year Warranty, Add	7.00	
For 25 Year Warranty, Add	9.00	
For Colors, Add	26.00	
For Integral Polyester Fleece-Backing, Add	50.58	
For Mechanically Fastened To Concrete Decks, Add	28.24	
For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum Decks, Add	28.97	
07 54 19 00-0013 SQ 80 Mil, Single Ply Reinforced Polyvinyl Chloride (RPVC) Roofing Membrane, Mechanically Fastened.....	324.51	57.59
Note: Includes fasteners.		
For Up To 10, Add	87.94	
For >10 To 20, Add	49.73	
For >20 To 40, Add	27.74	
For >75 To 100, Deduct	-13.87	
For >100 To 200, Deduct	-30.62	
For >200, Deduct	-44.50	
For 15 Year Warranty, Add	3.00	
For 20 Year Warranty, Add	7.00	
For 25 Year Warranty, Add	9.00	
For Colors, Add	26.00	
For Integral Polyester Fleece-Backing, Add	50.58	
For Mechanically Fastened To Concrete Decks, Add	28.80	
For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum Decks, Add	29.53	
07 54 19 00-0014 Reinforced Polyvinyl Chloride (RPVC) Roofing Membrane Accessories (07 54 19)		
07 54 19 00-0015 SQ Acrylic, Polyvinyl Chloride (PVC) Roofing Cleaner/Primer, Price Per Coat.....	46.05	
For Up To 10, Add	12.75	
For >10 To 20, Add	7.26	
For >20 To 40, Add	4.07	
For >75 To 100, Deduct	-2.04	
For >100 To 200, Deduct	-4.52	
For >200, Deduct	-6.55	
07 54 19 00-0016 SQ Acrylic Elastomeric, Surface Or Base Coating For Polyvinyl Chloride (PVC) Roofing, Price Per Coat.....	47.47	
Note: 55% solids by volume.		
For Up To 10, Add	13.04	
For >10 To 20, Add	7.41	
For >20 To 40, Add	4.15	
For >75 To 100, Deduct	-2.07	
For >100 To 200, Deduct	-4.59	
For >200, Deduct	-6.66	
07 54 19 00-0017 EA Up To 3" Pipe Diameter, Prefabricated Polyvinyl Chloride (PVC) Pipe Cone/Boot.....	47.12	7.53
Note: Includes attaching the boot to the membrane, caulking around the pipe and installing a draw band.		
07 54 19 00-0018 EA >3" To 7" Pipe Diameter, Prefabricated Polyvinyl Chloride (PVC) Pipe Cone/Boot.....	64.95	8.42
Note: Includes attaching the boot to the membrane, caulking around the pipe and installing a draw band.		
07 54 19 00-0019 EA >7" To 12" Pipe Diameter, Prefabricated Polyvinyl Chloride (PVC) Pipe Cone/Boot.....	82.27	9.30
Note: Includes attaching the boot to the membrane, caulking around the pipe and installing a draw band.		
07 54 19 00-0020 EA 6" Diameter, Prefabricated Polyvinyl Chloride (PVC) Penetration Pocket.....	103.26	9.30
Note: Includes attaching the pocket to the membrane, sealing around the penetration and filling the pocket with pourable sealer.		
07 54 19 00-0021 LF 36" Wide, Polyvinyl Chloride (PVC) Walkway Protection Pad.....	20.13	5.13
07 54 19 00-0022 SF Polyvinyl Chloride (PVC) Membrane Base Flashing.....	5.27	1.33
07 54 19 00-0023 SF Polyvinyl Chloride (PVC) Membrane Curb Flashing.....	6.59	1.99
07 54 19 00-0024 SF Polyvinyl Chloride (PVC) Clad Edge Metal Or Base Flashing.....	6.90	1.33
Note: 20 Mil polyvinyl chloride (PVC) membrane laminated to 24 gauge galvanized steel.		
07 54 23 Thermoplastic-Polyolefin Roofing (07 54)		
07 54 23 00-0001 Thermoplastic Polyolefin (TPO) Roofing Membranes (07 54 23)		
Note: Includes polyester fabric reinforcement and hot air welding of seams.		
07 54 23 00-0002 SQ 45 Mil, Single Ply TPO Roofing Membrane, Fully Adhered.....	276.36	70.88
Note: Includes adhesive.		
For Up To 10, Add	83.63	
For >10 To 20, Add	48.90	
For >20 To 40, Add	28.00	
For >75 To 100, Deduct	-14.00	
For >100 To 200, Deduct	-31.54	
For >200, Deduct	-45.54	
For 15 Year Warranty, Add	3.00	
For Low VOC Adhesive, Add	49.92	
For Integral Polyester Fleece-Backing, Add	33.25	

07 Thermal And Moisture Protection**07 50 Membrane Roofing****07 54 Thermoplastic Membrane Roofing**MINOR
CSI UOM DESCRIPTIONTOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

07 54 23 00-0003	SQ	60 Mil, Single Ply TPO Roofing Membrane, Fully Adhered	293.95	73.10
		Note: Includes adhesive.		
		For Up To 10, Add	88.03	
		For >10 To 20, Add	51.33	
		For >20 To 40, Add	29.32	
		For >75 To 100, Deduct	-14.66	
		For >100 To 200, Deduct	-32.97	
		For >200, Deduct	-47.63	
		For 15 Year Warranty, Add	3.00	
		For 20 Year Warranty, Add	7.00	
		For 25 Year Warranty, Add	9.00	
		For Low VOC Adhesive, Add	49.92	
		For Integral Polyester Fleece-Backing, Add	33.25	
07 54 23 00-0004	SQ	80 Mil, Single Ply TPO Roofing Membrane, Fully Adhered	366.04	75.31
		Note: Includes adhesive.		
		For Up To 10, Add	103.33	
		For >10 To 20, Add	59.20	
		For >20 To 40, Add	33.37	
		For >75 To 100, Deduct	-16.68	
		For >100 To 200, Deduct	-37.13	
		For >200, Deduct	-53.81	
		For 15 Year Warranty, Add	3.00	
		For 20 Year Warranty, Add	7.00	
		For 25 Year Warranty, Add	9.00	
		For Low VOC Adhesive, Add	49.92	
		For Integral Polyester Fleece-Backing, Add	33.25	
07 54 23 00-0005	SQ	45 Mil, Single Ply TPO Roofing Membrane, Mechanically Fastened	189.28	53.16
		Note: Includes fasteners.		
		For Up To 10, Add	59.12	
		For >10 To 20, Add	34.88	
		For >20 To 40, Add	20.10	
		For >75 To 100, Deduct	-10.05	
		For >100 To 200, Deduct	-22.76	
		For >200, Deduct	-32.80	
		For 15 Year Warranty, Add	3.00	
		For Integral Polyester Fleece-Backing, Add	33.25	
		For Mechanically Fastened To Concrete Decks, Add	26.58	
		For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum Decks, Add	27.31	
07 54 23 00-0006	SQ	60 Mil, Single Ply TPO Roofing Membrane, Mechanically Fastened	206.87	55.38
		Note: Includes fasteners.		
		For Up To 10, Add	63.53	
		For >10 To 20, Add	37.30	
		For >20 To 40, Add	21.42	
		For >75 To 100, Deduct	-10.71	
		For >100 To 200, Deduct	-24.19	
		For >200, Deduct	-34.90	
		For 15 Year Warranty, Add	3.00	
		For 20 Year Warranty, Add	7.00	
		For 25 Year Warranty, Add	9.00	
		For Integral Polyester Fleece-Backing, Add	33.25	
		For Mechanically Fastened To Concrete Decks, Add	27.69	
		For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum Decks, Add	28.42	
07 54 23 00-0007	SQ	80 Mil, Single Ply TPO Roofing Membrane, Mechanically Fastened	278.96	57.59
		Note: Includes fasteners.		
		For Up To 10, Add	78.83	
		For >10 To 20, Add	45.17	
		For >20 To 40, Add	25.47	
		For >75 To 100, Deduct	-12.73	
		For >100 To 200, Deduct	-28.35	
		For >200, Deduct	-41.08	
		For 15 Year Warranty, Add	3.00	
		For 20 Year Warranty, Add	7.00	
		For 25 Year Warranty, Add	9.00	
		For Integral Polyester Fleece-Backing, Add	33.25	
		For Mechanically Fastened To Concrete Decks, Add	28.80	
		For Mechanically Fastened To Cementitious Wood Fiber Or Gypsum Decks, Add	29.53	
07 54 23 00-0008	Thermoplastic Polyolefin (TPO) Roofing Membrane Accessories (07 54 23)			
07 54 23 00-0009	SQ	Acrylic, Thermoplastic Polyolefin (TPO) Roofing Primer, Price Per Coat.....	53.84	
		For Up To 10, Add	14.31	
		For >10 To 20, Add	8.04	
		For >20 To 40, Add	4.46	
		For >75 To 100, Deduct	-2.23	
		For >100 To 200, Deduct	-4.91	
		For >200, Deduct	-7.14	
07 54 23 00-0010	SQ	Acrylic Elastomeric, Surface Or Base Coating For TPO Roofing, Price Per Coat.....	47.47	
		Note: 55% solids by volume.		
		For Up To 10, Add	13.04	
		For >10 To 20, Add	7.41	
		For >20 To 40, Add	4.15	
		For >75 To 100, Deduct	-2.07	
		For >100 To 200, Deduct	-4.59	
		For >200, Deduct	-6.66	
		For Tan Or Gray Color, Add	1.49	
07 54 23 00-0011	EA	Up To 3" Pipe Diameter, Prefabricated Thermoplastic Polyolefin Pipe Cone/Boot	41.17	7.53
		Note: Includes attaching the boot to the membrane, caulking around the pipe and installing a draw band.		



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 54 23 00-0012 EA >3" To 8" Pipe Diameter, Prefabricated Thermoplastic Polyolefin Pipe Cone/Boot	44.60	8.42
Note: Includes attaching the boot to the membrane, caulking around the pipe and installing a draw band.		
07 54 23 00-0013 EA 6" Diameter, Prefabricated TPO Penetration Pocket	78.48	9.30
Note: Includes attaching the pocket to the membrane, sealing around the penetration and filling the pocket with pourable sealer.		
07 54 23 00-0014 LF 30" Wide, TPO Walkway Protection Pad	19.92	5.13
07 54 23 00-0015 SF Thermoplastic Polyolefin Membrane Base Flashing	5.48	1.33
07 54 23 00-0016 SF Thermoplastic Polyolefin Curb Flashing	5.18	1.33
For Tan Or Gray Color, Add	0.06	
07 54 23 00-0017 SF Thermoplastic Polyolefin Clad Edge Metal Or Base Flashing	7.71	1.33
Note: 20 Mil TPO membrane laminated to 24 gauge galvanized steel.		
 07 56 Fluid-Applied Roofing (07 50)		
07 56 00 00-0001 Neoprene Hypalon Liquid Roofing, 5 Coats (07 56)		
07 56 00 00-0002 SQ 60 Mil 5 Coat Spray-on Neoprene Hypalon Liquid Roofing	881.43	117.63
For Each Additional Coat, Add	132.21	
 07 56 00 00-0003 Vinyl Spray Liquid Roofing (07 56)		
07 56 00 00-0004 SQ 2 Mil Vinyl Liquid Roofing	811.85	123.96
07 56 00 00-0005 SQ 4 Mil Vinyl Liquid Roofing	908.17	138.44
 07 56 00 00-0006 Silicone Elastomeric Liquid Roofing (07 56)		
07 56 00 00-0007 SQ 65% Solids, Silicone Elastomeric Spray-on Roofing, 3 Coats, 16 Mil Per Coat	283.80	71.03
07 56 00 00-0008 SQ 65% Solids, Silicone Elastomeric Rolled-on Roofing, 3 Coats, 16 Mil Per Coat	352.64	71.03
07 56 00 00-0009 SQ 65% Solids, Silicone Elastomeric Brushed-on Roofing, 3 Coats, 16 Mil Per Coat	404.43	71.03
 07 56 00 00-0010 Elastomeric Asphalt/Urethane Liquid Roofing Membrane (07 56)		
07 56 00 00-0011 SQ 90 Mil, Elastomeric Asphalt/Urethane Liquid Roofing Membrane	1,150.35	71.03
Note: Includes applying a 30 mil base coat, rolling in a stitchbonded polyester reinforcing scrim and applying a 60 mil second coat.		
 07 56 00 00-0012 Urethane Liquid Roofing Membrane (07 56)		
Note: Garland White Knight Energy Star single component urethane restoration system. 10 year warranty. Used for restoration of membrane, built up, metal and modified roofing systems.		
07 56 00 00-0013 SQ Ultra-Mat™ 38" Non-Woven Fiberglass Reinforcing Membrane For White-Knight Systems	57.94	
07 56 00 00-0014 LF Ultra-Mat™ 6" Non-Woven Fiberglass Reinforcing Membrane For White-Knight Systems	4.04	
07 56 00 00-0015 SQ White-Knight® Premium Multi-Purpose Urethane Restoration Reflective Coating For Metal, Membrane, BUR, Single-Ply (2 GAL/SQ)	219.94	
07 56 00 00-0016 SQ White-Knight® Metal Primer One Component Metal Primer For Placement Under The White-Knight System	58.49	
07 56 00 00-0017 SQ White-Knight® Plus High Strength, Multi-Purpose Urethane Restoration Coating For Metal, Membrane, BUR, Single-Ply	534.84	
07 56 00 00-0018 SQ White-Knight® Plus Base Coat High Strength, Multi-Purpose Urethane Restoration Coating For Metal, Membrane, BUR, Single-Ply	803.75	
07 56 00 00-0019 SQ White-Knight® Plus WC High Strength, Multi-Purpose, VOC Compliant, Urethane Restoration Coating For Metal, Membrane, BUR, Single-Ply	553.13	
07 56 00 00-0020 SQ White-Star Premium, White Polyurea Restoration Adhesive For Mineral And Smooth Modified And BUR (2 GAL/SQ)	146.63	
 07 57 Coated Foamed Roofing (07 50)		
07 57 13 Sprayed Polyurethane Foam Roofing (07 57)		
Note: Includes power washing. Excludes ballast removal and priming metal surfaces. Excludes walkways.		
07 57 13 00-0001 Sprayed Polyurethane Foam Roofing Systems (07 57 13)		
07 57 13 00-0002 Sprayed Polyurethane Foam Roofing Systems With Acrylic Elastomeric Coating (07 57 13 00-0001)		
07 57 13 00-0003 Sprayed Polyurethane Foam Roofing System With 28 Mil Acrylic Elastomeric Coating (07 57 13 00-0002)		
Note: Includes UL 790 fire rated 2.8 LB density polyurethane foam roofing system with acrylic elastomeric coating. Includes 5 year warranty.		
07 57 13 00-0004 SQ 1" Thick, R6.5, 2.8 PCF, Closed Cell, Sprayed Polyurethane Foam Roofing System With 28 Mil Acrylic Elastomeric Coating	283.87	43.30
07 57 13 00-0005 SQ 1-1/2" Thick, R9.75, 2.8 PCF, Closed Cell, Sprayed Polyurethane Foam Roofing System With 28 Mil Acrylic Elastomeric Coating	339.94	46.39
07 57 13 00-0006 SQ 2" Thick, R13.0, 2.8 PCF, Closed Cell, Sprayed Polyurethane Foam Roofing System With 28 Mil Acrylic Elastomeric Coating	396.04	49.48
07 57 13 00-0007 SQ 3" Thick, R19.5, 2.8 PCF, Closed Cell, Sprayed Polyurethane Foam Roofing System With 28 Mil Acrylic Elastomeric Coating	519.29	55.66
07 57 13 00-0008 SQ 4" Thick, R26.0, 2.8 PCF, Closed Cell, Sprayed Polyurethane Foam Roofing System With 28 Mil Acrylic Elastomeric Coating	620.39	61.86
07 57 13 00-0009 SQ 5" Thick, R32.5, 2.8 PCF, Closed Cell, Sprayed Polyurethane Foam Roofing System With 28 Mil Acrylic Elastomeric Coating	732.55	68.04

07 Thermal And Moisture Protection**07 50 Membrane Roofing****07 57 Coated Foamed Roofing**

MINOR CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 57 13 00-0010	SQ	6" Thick, R39.0, 2.8 PCF, Closed Cell, Sprayed Polyurethane Foam Roofing System With 28 Mil Acrylic Elastomeric Coating.....	844.72	74.22
07 57 13 00-0011		Sprayed Polyurethane Foam Roofing System With 32 Mil Acrylic Elastomeric Coating <small>(07 57 13 00-0002)</small> Note: Includes UL 790 fire rated 2.8 LB density polyurethane foam roofing system with acrylic elastomeric coating. Includes 10 year warranty.		
07 57 13 00-0012	SQ	1" Thick, R6.5, 2.8 PCF, Closed Cell, Sprayed Polyurethane Foam Roofing System With 32 Mil Acrylic Elastomeric Coating.....	292.49	43.30
07 57 13 00-0013	SQ	1-1/2" Thick, R9.75, 2.8 PCF, Closed Cell, Sprayed Polyurethane Foam Roofing System With 32 Mil Acrylic Elastomeric Coating.....	348.57	46.39
07 57 13 00-0014	SQ	2" Thick, R13.0, 2.8 PCF, Closed Cell, Sprayed Polyurethane Foam Roofing System With 32 Mil Acrylic Elastomeric Coating.....	404.66	49.48
07 57 13 00-0015	SQ	3" Thick, R19.5, 2.8 PCF, Closed Cell, Sprayed Polyurethane Foam Roofing System With 32 Mil Acrylic Elastomeric Coating.....	516.83	55.66
07 57 13 00-0016	SQ	4" Thick, R26.0, 2.8 PCF, Closed Cell, Sprayed Polyurethane Foam Roofing System With 32 Mil Acrylic Elastomeric Coating.....	629.01	61.86
07 57 13 00-0017	SQ	5" Thick, R32.5, 2.8 PCF, Closed Cell, Sprayed Polyurethane Foam Roofing System With 32 Mil Acrylic Elastomeric Coating.....	741.17	68.04
07 57 13 00-0018	SQ	6" Thick, R39.0, 2.8 PCF, Closed Cell, Sprayed Polyurethane Foam Roofing System With 32 Mil Acrylic Elastomeric Coating.....	853.34	74.22
07 57 13 00-0019		Sprayed Polyurethane Foam Roofing System With 40 Mil Acrylic Elastomeric Coating <small>(07 57 13 00-0002)</small> Note: Includes UL 790 fire rated 2.8 LB density polyurethane foam roofing system with acrylic elastomeric coating. Includes 15 year warranty.		
07 57 13 00-0020	SQ	1" Thick, R6.5, 2.8 PCF, Closed Cell, Sprayed Polyurethane Foam Roofing System With 40 Mil Acrylic Elastomeric Coating.....	313.43	43.30
07 57 13 00-0021	SQ	1-1/2" Thick, R9.75, 2.8 PCF, Closed Cell, Sprayed Polyurethane Foam Roofing System With 40 Mil Acrylic Elastomeric Coating.....	367.66	46.39
07 57 13 00-0022	SQ	2" Thick, R13.0, 2.8 PCF, Closed Cell, Sprayed Polyurethane Foam Roofing System With 40 Mil Acrylic Elastomeric Coating.....	421.91	49.48
07 57 13 00-0023	SQ	3" Thick, R19.5, 2.8 PCF, Closed Cell, Sprayed Polyurethane Foam Roofing System With 40 Mil Acrylic Elastomeric Coating.....	534.08	55.66
07 57 13 00-0024	SQ	4" Thick, R26.0, 2.8 PCF, Closed Cell, Sprayed Polyurethane Foam Roofing System With 40 Mil Acrylic Elastomeric Coating.....	692.32	61.86
07 57 13 00-0025	SQ	5" Thick, R32.5, 2.8 PCF, Closed Cell, Sprayed Polyurethane Foam Roofing System With 40 Mil Acrylic Elastomeric Coating.....	813.85	68.04
07 57 13 00-0026	SQ	6" Thick, R39.0, 2.8 PCF, Closed Cell, Sprayed Polyurethane Foam Roofing System With 40 Mil Acrylic Elastomeric Coating.....	935.38	74.22
07 57 13 00-0027		Sprayed Polyurethane Foam Roofing Systems With Silicone Elastomeric Coating <small>(07 57 13 00-0001)</small>		
07 57 13 00-0028		Sprayed Polyurethane Foam Roofing System With 20 Mil Silicone Elastomeric Coating <small>(07 57 13 00-0027)</small> Note: Includes UL 790 fire rated 2.8 LB density polyurethane foam roofing system with 65% solids silicone elastomeric coating. Includes 5 year warranty.		
07 57 13 00-0029	SQ	1" Thick, R6.5, 2.8 PCF, Closed Cell, Sprayed Polyurethane Foam Roofing System With 20 Mil Silicone Elastomeric Coating.....	319.59	43.30
07 57 13 00-0030	SQ	1-1/2" Thick, R9.75, 2.8 PCF, Closed Cell, Sprayed Polyurethane Foam Roofing System With 20 Mil Silicone Elastomeric Coating.....	380.35	46.39
07 57 13 00-0031	SQ	2" Thick, R13.0, 2.8 PCF, Closed Cell, Sprayed Polyurethane Foam Roofing System With 20 Mil Silicone Elastomeric Coating.....	441.13	49.48
07 57 13 00-0032	SQ	3" Thick, R19.5, 2.8 PCF, Closed Cell, Sprayed Polyurethane Foam Roofing System With 20 Mil Silicone Elastomeric Coating.....	562.65	55.66
07 57 13 00-0033	SQ	4" Thick, R26.0, 2.8 PCF, Closed Cell, Sprayed Polyurethane Foam Roofing System With 20 Mil Silicone Elastomeric Coating.....	684.19	61.86
07 57 13 00-0034	SQ	5" Thick, R32.5, 2.8 PCF, Closed Cell, Sprayed Polyurethane Foam Roofing System With 20 Mil Silicone Elastomeric Coating.....	805.72	68.04
07 57 13 00-0035	SQ	6" Thick, R39.0, 2.8 PCF, Closed Cell, Sprayed Polyurethane Foam Roofing System With 20 Mil Silicone Elastomeric Coating.....	927.25	74.22
07 57 13 00-0036		Sprayed Polyurethane Foam Roofing System With 22 Mil Silicone Elastomeric Coating <small>(07 57 13 00-0027)</small> Note: Includes UL 790 fire rated 2.8 LB density polyurethane foam roofing system with 65% solids silicone elastomeric coating. Includes 10 year warranty.		
07 57 13 00-0037	SQ	1" Thick, R6.5, 2.8 PCF, Closed Cell, Sprayed Polyurethane Foam Roofing System With 22 Mil Silicone Elastomeric Coating.....	331.78	43.30
07 57 13 00-0038	SQ	1-1/2" Thick, R9.75, 2.8 PCF, Closed Cell, Sprayed Polyurethane Foam Roofing System With 22 Mil Silicone Elastomeric Coating.....	392.54	46.39
07 57 13 00-0039	SQ	2" Thick, R13.0, 2.8 PCF, Closed Cell, Sprayed Polyurethane Foam Roofing System With 22 Mil Silicone Elastomeric Coating.....	453.32	49.48
07 57 13 00-0040	SQ	3" Thick, R19.5, 2.8 PCF, Closed Cell, Sprayed Polyurethane Foam Roofing System With 22 Mil Silicone Elastomeric Coating.....	574.85	55.66
07 57 13 00-0041	SQ	4" Thick, R26.0, 2.8 PCF, Closed Cell, Sprayed Polyurethane Foam Roofing System With 22 Mil Silicone Elastomeric Coating.....	696.39	61.86



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 57 13 00-0042 SQ 5" Thick, R32.5, 2.8 PCF, Closed Cell, Sprayed Polyurethane Foam Roofing System With 22 Mil Silicone Elastomeric Coating.....	817.92	68.04
07 57 13 00-0043 SQ 6" Thick, R39.0, 2.8 PCF, Closed Cell, Sprayed Polyurethane Foam Roofing System With 22 Mil Silicone Elastomeric Coating.....	939.44	74.22
07 57 13 00-0044 Sprayed Polyurethane Foam Roofing System With 25 Mil Silicone Elastomeric Coating <small>(07 57 13 00-0027)</small> Note: Includes UL 790 fire rated 2.8 LB density polyurethane foam roofing system with 65% solids silicone elastomeric coating. Includes 15 year warranty.		
07 57 13 00-0045 SQ 1" Thick, R6.5, 2.8 PCF, Closed Cell, Sprayed Polyurethane Foam Roofing System With 25 Mil Silicone Elastomeric Coating.....	341.27	43.30
07 57 13 00-0046 SQ 1-1/2" Thick, R9.75, 2.8 PCF, Closed Cell, Sprayed Polyurethane Foam Roofing System With 25 Mil Silicone Elastomeric Coating.....	402.03	46.39
07 57 13 00-0047 SQ 2" Thick, R13.0, 2.8 PCF, Closed Cell, Sprayed Polyurethane Foam Roofing System With 25 Mil Silicone Elastomeric Coating.....	462.81	49.48
07 57 13 00-0048 SQ 3" Thick, R19.5, 2.8 PCF, Closed Cell, Sprayed Polyurethane Foam Roofing System With 25 Mil Silicone Elastomeric Coating.....	584.33	55.66
07 57 13 00-0049 SQ 4" Thick, R26.0, 2.8 PCF, Closed Cell, Sprayed Polyurethane Foam Roofing System With 25 Mil Silicone Elastomeric Coating.....	705.87	61.86
07 57 13 00-0050 SQ 5" Thick, R32.5, 2.8 PCF, Closed Cell, Sprayed Polyurethane Foam Roofing System With 25 Mil Silicone Elastomeric Coating.....	827.40	68.04
07 57 13 00-0051 SQ 6" Thick, R39.0, 2.8 PCF, Closed Cell, Sprayed Polyurethane Foam Roofing System With 25 Mil Silicone Elastomeric Coating.....	948.93	74.22
07 58 Roll Roofing <small>(07 50)</small>		
07 58 00 00-0001 Prepared Roll Roofing <small>(07 58)</small> Note: Fastened with roofing nails and roofing cement. Includes fasteners and adhesive. Excludes warranty. See CSI section 07 51 13 00-0033 for underlayment.		
07 58 00 00-0002 SQ Granule Surfaced, 90 LB, Asphalt Saturated Organic Felt Roll Roofing.....	171.44	27.84
07 59 Membrane Roofing Termination Bar <small>(07 50)</small>		
07 59 00 00-0001 Membrane Roofing Termination Bar <small>(07 59)</small> Note: Includes fasteners and caulking.	3.61	1.27
07 60 Flashing And Sheet Metal <small>(07)</small>		
07 61 Sheet Metal Roofing <small>(07 60)</small>		
07 61 13 Standing Seam Sheet Metal Roofing <small>(07 61)</small>		
07 61 13 00-0001 Standing Seam Concealed Fastener Roofing <small>(07 61 13)</small>		
07 61 13 00-0002 Copper Standing Seam Concealed Fastener Roofing <small>(07 61 13 00-0001)</small>		
07 61 13 00-0003 SF Architectural 16 Ounce Copper Standing Seam Concealed Fastener Roofing..... <i>For Steep Roof, Over 6 To 12, Add</i> <i>For 140 MPH Wind Load, Add</i> <i>For Up To 1,500, Add</i> <i>For Panels < 16" Wide, Add</i> <i>For Up To 5000, Add</i> <i>For > 5000 To 10000, Add</i>	15.42 1.55 0.72 3.86 1.73 1.54 0.39	2.59
07 61 13 00-0004 SF Architectural 18 Ounce Copper Standing Seam Concealed Fastener Roofing..... <i>For Steep Roof, Over 6 To 12, Add</i> <i>For Panels < 16" Wide, Add</i> <i>For 140 MPH Wind Load, Add</i> <i>For Up To 1,500, Add</i> <i>For > 1,500 To 5,000, Add</i> <i>For > 5,000 To 10,000, Add</i> <i>For Panels < 16" Wide, Add</i> <i>For Up To 5000, Add</i> <i>For > 5000 To 10000, Add</i>	16.85 1.68 1.88 0.79 4.21 2.53 0.42 1.88 1.69 0.42	2.80
07 61 13 00-0005 SF Architectural 20 Ounce Copper Standing Seam Concealed Fastener Roofing..... <i>For Steep Roof, Over 6 To 12, Add</i> <i>For 140 MPH Wind Load, Add</i> <i>For Up To 1,500, Add</i> <i>For Panels < 16" Wide, Add</i> <i>For Up To 5000, Add</i> <i>For > 5000 To 10000, Add</i>	19.61 1.83 0.88 4.90 2.11 1.96 0.49	3.05
07 61 13 00-0006 Zinc/Copper Standing Seam Concealed Fastener Roofing <small>(07 61 13 00-0001)</small>		

07 Thermal And Moisture Protection**07 60 Flashing And Sheet Metal****07 61 Sheet Metal Roofing**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 61 13 00-0007	SF	0.020"	Thick, Zinc/Copper Standing Seam Concealed Fastener Roofing.....	17.80	2.80
			<i>For Steep Roof, Over 6 To 12, Add</i>	1.68	
			<i>For Panels <16" Wide, Add</i>	1.93	
			<i>For 140 MPH Wind Load, Add</i>	0.80	
			<i>For Up To 1,500, Add</i>	4.45	
			<i>For >1,500 To 5,000, Add</i>	2.67	
			<i>For >5,000 To 10,000, Add</i>	0.45	
			<i>For Tin/Copper, Deduct</i>	-0.24	
07 61 13 00-0008	SF	0.027"	Thick, Zinc/Copper Standing Seam Concealed Fastener Roofing.....	21.09	2.92
			<i>For Steep Roof, Over 6 To 12, Add</i>	1.75	
			<i>For Panels <16" Wide, Add</i>	2.13	
			<i>For 140 MPH Wind Load, Add</i>	0.89	
			<i>For Up To 1,500, Add</i>	5.27	
			<i>For >1,500 To 5,000, Add</i>	3.16	
			<i>For >5,000 To 10,000, Add</i>	0.53	
			<i>For Tin/Copper, Deduct</i>	-0.31	
07 61 13 00-0009	SF	0.032"	Thick, Zinc/Copper Standing Seam Concealed Fastener Roofing.....	23.71	3.05
			<i>For Steep Roof, Over 6 To 12, Add</i>	1.83	
			<i>For Panels <16" Wide, Add</i>	2.32	
			<i>For 140 MPH Wind Load, Add</i>	0.96	
			<i>For Up To 1,500, Add</i>	5.93	
			<i>For >1,500 To 5,000, Add</i>	3.56	
			<i>For >5,000 To 10,000, Add</i>	0.59	
			<i>For Tin/Copper, Deduct</i>	-0.35	
07 61 13 00-0010	SF	0.040"	Thick, Zinc/Copper Standing Seam Concealed Fastener Roofing.....	29.10	3.21
			<i>For Steep Roof, Over 6 To 12, Add</i>	1.92	
			<i>For Panels <16" Wide, Add</i>	2.64	
			<i>For 140 MPH Wind Load, Add</i>	1.09	
			<i>For Up To 1,500, Add</i>	7.28	
			<i>For >1,500 To 5,000, Add</i>	4.37	
			<i>For >5,000 To 10,000, Add</i>	0.73	
			<i>For Tin/Copper, Deduct</i>	-0.45	
07 61 13 00-0011			Accessories For Copper Standing Seam Concealed Fastener Roofing (07 61 13 00-0001)		
07 61 13 00-0012	LF		Ridge Flashing For Copper Standing Seam Concealed Fastener Roofing.....	60.57	5.34
			<i>For Steep Roof, Over 6 To 12, Add</i>	4.01	
			<i>For 140 MPH Wind Load, Add</i>	2.28	
07 61 13 00-0013	LF		Eave Flashing For Copper Standing Seam Concealed Fastener Roofing.....	37.71	5.34
			<i>For Steep Roof, Over 6 To 12, Add</i>	4.01	
			<i>For 140 MPH Wind Load, Add</i>	1.82	
07 61 13 00-0014	LF		Valley Flashing For Copper Standing Seam Concealed Fastener Roofing.....	82.18	5.34
			<i>For Steep Roof, Over 6 To 12, Add</i>	4.01	
			<i>For 140 MPH Wind Load, Add</i>	2.71	
07 61 13 00-0015	LF		Hip Flashing For Copper Standing Seam Concealed Fastener Roofing.....	62.28	5.34
			<i>For Steep Roof, Over 6 To 12, Add</i>	4.01	
			<i>For 140 MPH Wind Load, Add</i>	2.31	
07 61 16 Batten Seam Sheet Metal Roofing (07 61)					
07 61 16 00-0001			Copper Batten Seam Concealed Fastener Roofing (07 61 16)		
07 61 16 00-0002			Copper Batten Seam Concealed Fastener Roofing (07 61 16 00-0001)		
07 61 16 00-0003	SF	16 Ounce	Copper Batten Seam Concealed Fastener Roofing.....	18.86	3.05
			<i>For Steep Roof, Over 6 To 12, Add</i>	1.83	
			<i>For Panels <16" Wide, Add</i>	2.07	
			<i>For 140 MPH Wind Load, Add</i>	0.87	
			<i>For Up To 1,500, Add</i>	4.72	
			<i>For >1,500 To 5,000, Add</i>	2.83	
			<i>For >5,000 To 10,000, Add</i>	0.47	
07 61 16 00-0004	SF	18 Ounce	Copper Batten Seam Concealed Fastener Roofing.....	20.67	3.21
			<i>For Steep Roof, Over 6 To 12, Add</i>	1.93	
			<i>For Panels <16" Wide, Add</i>	2.22	
			<i>For 140 MPH Wind Load, Add</i>	0.93	
			<i>For Up To 1,500, Add</i>	5.17	
			<i>For >1,500 To 5,000, Add</i>	3.10	
			<i>For >5,000 To 10,000, Add</i>	0.52	
07 61 16 00-0005	SF	20 Ounce	Copper Batten Seam Concealed Fastener Roofing.....	23.72	3.36
			<i>For Steep Roof, Over 6 To 12, Add</i>	2.02	
			<i>For Panels <16" Wide, Add</i>	2.43	
			<i>For 140 MPH Wind Load, Add</i>	1.01	
			<i>For Up To 1,500, Add</i>	5.93	
			<i>For >1,500 To 5,000, Add</i>	3.56	
			<i>For >5,000 To 10,000, Add</i>	0.59	
07 61 16 00-0006			Zinc/Copper Batten Seam Concealed Fastener Roofing (07 61 16 00-0001)		



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 61 16 00-0007 SF 0.020" Thick, Zinc/Copper Batten Seam Concealed Fastener Roofing.....	18.85	2.80
<i>For Steep Roof, Over 6 To 12, Add</i>	1.68	
<i>For Panels <16" Wide, Add</i>	1.98	
<i>For 140 MPH Wind Load, Add</i>	0.83	
<i>For Up To 1,500, Add</i>	4.71	
<i>For >1,500 To 5,000, Add</i>	2.83	
<i>For >5,000 To 10,000, Add</i>	0.47	
<i>For Tin/Copper, Deduct</i>	-0.27	
07 61 16 00-0008 SF 0.027" Thick, Zinc/Copper Batten Seam Concealed Fastener Roofing.....	22.60	2.92
<i>For Steep Roof, Over 6 To 12, Add</i>	1.76	
<i>For Panels <16" Wide, Add</i>	2.21	
<i>For 140 MPH Wind Load, Add</i>	0.92	
<i>For Up To 1,500, Add</i>	5.65	
<i>For >1,500 To 5,000, Add</i>	3.39	
<i>For >5,000 To 10,000, Add</i>	0.57	
<i>For Tin/Copper, Deduct</i>	-0.34	
07 61 16 00-0009 SF 0.032" Thick, Zinc/Copper Batten Seam Concealed Fastener Roofing.....	25.11	3.05
<i>For Steep Roof, Over 6 To 12, Add</i>	1.83	
<i>For Panels <16" Wide, Add</i>	2.39	
<i>For 140 MPH Wind Load, Add</i>	0.99	
<i>For Up To 1,500, Add</i>	6.28	
<i>For >1,500 To 5,000, Add</i>	3.77	
<i>For >5,000 To 10,000, Add</i>	0.63	
<i>For Tin/Copper, Deduct</i>	-0.38	
07 61 16 00-0010 SF 0.040" Thick, Zinc/Copper Batten Seam Concealed Fastener Roofing.....	30.90	3.21
<i>For Steep Roof, Over 6 To 12, Add</i>	1.92	
<i>For Panels <16" Wide, Add</i>	2.73	
<i>For 140 MPH Wind Load, Add</i>	1.13	
<i>For Up To 1,500, Add</i>	7.73	
<i>For >1,500 To 5,000, Add</i>	4.64	
<i>For >5,000 To 10,000, Add</i>	0.77	
<i>For Tin/Copper, Deduct</i>	-0.49	
07 61 19 Flat Seam Sheet Metal Roofing (07 61)		
07 61 19 00-0001 Copper Flat Seam Concealed Fastener Roofing (07 61 19)		
07 61 19 00-0002 Copper Flat Seam Concealed Fastener Roofing (07 61 19 00-0001)		
07 61 19 00-0003 SF 16 Ounce Copper Flat Seam Concealed Fastener Roofing.....	15.00	2.80
<i>For Steep Roof, Over 6 To 12, Add</i>	1.68	
<i>For Panels <16" Wide, Add</i>	1.79	
<i>For 140 MPH Wind Load, Add</i>	0.75	
<i>For Up To 1,500, Add</i>	3.75	
<i>For >1,500 To 5,000, Add</i>	2.25	
<i>For >5,000 To 10,000, Add</i>	0.38	
07 61 19 00-0004 SF 18 Ounce Copper Flat Seam Concealed Fastener Roofing.....	16.35	2.92
<i>For Steep Roof, Over 6 To 12, Add</i>	1.76	
<i>For Panels <16" Wide, Add</i>	1.90	
<i>For 140 MPH Wind Load, Add</i>	0.80	
<i>For Up To 1,500, Add</i>	4.09	
<i>For >1,500 To 5,000, Add</i>	2.45	
<i>For >5,000 To 10,000, Add</i>	0.41	
07 61 19 00-0005 SF 20 Ounce Copper Flat Seam Concealed Fastener Roofing.....	18.61	3.05
<i>For Steep Roof, Over 6 To 12, Add</i>	1.83	
<i>For Panels <16" Wide, Add</i>	2.06	
<i>For 140 MPH Wind Load, Add</i>	0.86	
<i>For Up To 1,500, Add</i>	4.65	
<i>For >1,500 To 5,000, Add</i>	2.79	
<i>For >5,000 To 10,000, Add</i>	0.47	
07 61 19 00-0006 Zinc/Copper Flat Seam Concealed Fastener Roofing (07 61 19 00-0001)		
07 61 19 00-0007 SF 0.020" Thick, Zinc/Copper Flat Seam Concealed Fastener Roofing.....	16.85	2.80
<i>For Steep Roof, Over 6 To 12, Add</i>	1.68	
<i>For Panels <16" Wide, Add</i>	1.88	
<i>For 140 MPH Wind Load, Add</i>	0.79	
<i>For Up To 1,500, Add</i>	4.21	
<i>For >1,500 To 5,000, Add</i>	2.53	
<i>For >5,000 To 10,000, Add</i>	0.42	
<i>For Tin/Copper, Deduct</i>	-0.23	
07 61 19 00-0008 SF 0.027" Thick, Zinc/Copper Flat Seam Concealed Fastener Roofing.....	20.10	2.92
<i>For Steep Roof, Over 6 To 12, Add</i>	1.76	
<i>For Panels <16" Wide, Add</i>	2.09	
<i>For 140 MPH Wind Load, Add</i>	0.87	
<i>For Up To 1,500, Add</i>	5.03	
<i>For >1,500 To 5,000, Add</i>	3.02	
<i>For >5,000 To 10,000, Add</i>	0.50	
<i>For Tin/Copper, Deduct</i>	-0.29	

07 Thermal And Moisture Protection**07 60 Flashing And Sheet Metal****07 61 Sheet Metal Roofing**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 61 19 00-0009	SF		0.032" Thick, Zinc/Copper Flat Seam Concealed Fastener Roofing	22.36	3.05
			<i>For Steep Roof, Over 6 To 12, Add</i>	1.83	
			<i>For Panels <16" Wide, Add</i>	2.25	
			<i>For 140 MPH Wind Load, Add</i>	0.94	
			<i>For Up To 1,500, Add</i>	5.59	
			<i>For >1,500 To 5,000, Add</i>	3.35	
			<i>For >5,000 To 10,000, Add</i>	0.56	
			<i>For Tin/Copper, Deduct</i>	-0.33	
07 61 19 00-0010	SF		0.040" Thick, Zinc/Copper Flat Seam Concealed Fastener Roofing	27.40	3.21
			<i>For Steep Roof, Over 6 To 12, Add</i>	1.92	
			<i>For Panels <16" Wide, Add</i>	2.55	
			<i>For 140 MPH Wind Load, Add</i>	1.06	
			<i>For Up To 1,500, Add</i>	6.85	
			<i>For >1,500 To 5,000, Add</i>	4.11	
			<i>For >5,000 To 10,000, Add</i>	0.69	
			<i>For Tin/Copper, Deduct</i>	-0.42	
07 62			Sheet Metal Flashing And Trim <small>(07 60)</small>		
07 62 13			Fabricated Copings <small>(07 62)</small>		
07 62 13 00-0001			Lead Flashing And Trim <small>(07 62 13)</small>		
07 62 13 00-0002	SF		2.5 LB/SF Sheet Lead Flashing	15.00	4.12
			<i>For Up To 100, Add</i>	3.75	
07 62 13 00-0003	SF		4 LB/SF Sheet Lead Flashing	19.19	4.12
			<i>For Up To 100, Add</i>	4.80	
07 62 13 00-0004			Copper Flashing And Trim <small>(07 62 13)</small>		
07 62 13 00-0005			Copper Flashing And Trim <small>(07 62 13 00-0004)</small>		
07 62 13 00-0006	SF		16 Ounce, 0.021" Thick, Copper Flashing And Trim	20.54	4.02
			<i>For Up To 100, Add</i>	5.14	
			<i>For >500 To 2,000, Deduct</i>	-2.83	
			<i>For >2,000, Deduct</i>	-3.46	
			<i>For Copper Valley For Steep Slope Roofing, Over 7 To 12, Add</i>	1.59	
			<i>For Wrap Around Window Panning, Add</i>	7.96	
07 62 13 00-0007	SF		20 Ounce, 0.027" Thick, Copper Flashing And Trim	21.22	4.12
			<i>For Up To 100, Add</i>	5.31	
			<i>For >500 To 2,000, Deduct</i>	-2.93	
			<i>For >2,000, Deduct</i>	-3.57	
			<i>For Copper Valley For Steep Slope Roofing, Over 7 To 12, Add</i>	1.66	
			<i>For Wrap Around Window Panning, Add</i>	8.32	
07 62 13 00-0008	SF		24 Ounce, 0.032" Thick, Copper Flashing And Trim	24.20	4.40
			<i>For Up To 100, Add</i>	6.05	
			<i>For >500 To 2,000, Deduct</i>	-3.32	
			<i>For >2,000, Deduct</i>	-4.09	
			<i>For Copper Valley For Steep Slope Roofing, Over 7 To 12, Add</i>	1.74	
			<i>For Wrap Around Window Panning, Add</i>	8.72	
07 62 13 00-0009	SF		32 Ounce, 0.043" Thick, Copper Flashing And Trim	29.79	4.58
			<i>For Up To 100, Add</i>	7.45	
			<i>For >500 To 2,000, Deduct</i>	-4.06	
			<i>For >2,000, Deduct</i>	-5.09	
			<i>For Copper Valley For Steep Slope Roofing, Over 7 To 12, Add</i>	1.83	
			<i>For Wrap Around Window Panning, Add</i>	9.15	
07 62 13 00-0010			Stainless Steel Flashing And Trim <small>(07 62 13)</small>		
07 62 13 00-0011			Stainless Steel Flashing And Trim <small>(07 62 13 00-0010)</small>		
07 62 13 00-0012	SF		32 Gauge, 0.010" Thick, Stainless Steel Flashing And Trim	7.85	2.19
			<i>For Up To 100, Add</i>	1.96	
			<i>For Wrap Around Window Panning, Add</i>	5.65	
			<i>For Mechanically Keyed Flashing, Add</i>	0.88	
07 62 13 00-0013	SF		30 Gauge, 0.0125" Thick, Stainless Steel Flashing And Trim	8.48	2.47
			<i>For Up To 100, Add</i>	2.12	
			<i>For Wrap Around Window Panning, Add</i>	5.74	
			<i>For Mechanically Keyed Flashing, Add</i>	1.10	
07 62 13 00-0014	SF		28 Gauge, 0.0156" Thick, Stainless Steel Flashing And Trim	9.13	2.75
			<i>For Up To 100, Add</i>	2.28	
			<i>For Wrap Around Window Panning, Add</i>	5.84	
			<i>For Mechanically Keyed Flashing, Add</i>	1.32	
07 62 13 00-0015	SF		26 Gauge, 0.0187" Thick, Stainless Steel Flashing And Trim	10.15	3.02
			<i>For Up To 100, Add</i>	2.54	
			<i>For Wrap Around Window Panning, Add</i>	6.03	
			<i>For Mechanically Keyed Flashing, Add</i>	1.65	
07 62 13 00-0016	SF		24 Gauge, 0.025" Thick, Stainless Steel Flashing And Trim	11.85	3.21
			<i>For Up To 100, Add</i>	2.96	
			<i>For Wrap Around Window Panning, Add</i>	6.36	
			<i>For Mechanically Keyed Flashing, Add</i>	2.20	
07 62 13 00-0017	SF		22 Gauge, 0.031" Thick, Stainless Steel Flashing And Trim	12.92	3.36
			<i>For Up To 100, Add</i>	3.23	
			<i>For Wrap Around Window Panning, Add</i>	6.73	
			<i>For Mechanically Keyed Flashing, Add</i>	2.48	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 62 13 00-0018 SF 20 Gauge, 0.0375" Thick, Stainless Steel Flashing And Trim <i>For Up To 100, Add</i> <i>For Wrap Around Window Panning, Add</i> <i>For Mechanically Keyed Flashing, Add</i>	13.83 3.46 7.12 2.68	3.57
07 62 13 00-0019 Aluminum Flashing And Trim (07 62 13)		
07 62 13 00-0020 Aluminum Flashing And Trim (07 62 13 00-0019)		
07 62 13 00-0021 SF 0.013" Thick, Mill Finish, Aluminum Flashing And Trim <i>For Up To 100, Add</i> <i>For Baked Aluminum Colors, Add</i> <i>For Wrap Around Window Panning, Add</i>	9.06 2.27 0.27 6.32	2.84
07 62 13 00-0022 SF 0.016" Thick, Mill Finish, Aluminum Flashing And Trim <i>For Up To 100, Add</i> <i>For Baked Aluminum Colors, Add</i> <i>For Wrap Around Window Panning, Add</i>	9.66 2.42 0.33 6.32	2.84
07 62 13 00-0023 SF 0.019" Thick, Mill Finish, Aluminum Flashing And Trim <i>For Up To 100, Add</i> <i>For Baked Aluminum Colors, Add</i> <i>For Wrap Around Window Panning, Add</i>	10.13 2.53 0.38 6.32	2.84
07 62 13 00-0024 SF 0.024" Thick, Mill Finish, Aluminum Flashing And Trim <i>For Up To 100, Add</i> <i>For Baked Aluminum Colors, Add</i> <i>For Wrap Around Window Panning, Add</i>	10.82 2.71 0.45 6.32	2.84
07 62 13 00-0025 SF 0.032" Thick, Mill Finish, Aluminum Flashing And Trim <i>For Up To 100, Add</i> <i>For Baked Aluminum Colors, Add</i> <i>For Wrap Around Window Panning, Add</i>	11.78 2.95 0.55 6.32	2.84
07 62 13 00-0026 SF 0.040" Thick, Mill Finish, Aluminum Flashing And Trim <i>For Up To 100, Add</i> <i>For Baked Aluminum Colors, Add</i> <i>For Wrap Around Window Panning, Add</i>	12.37 3.09 0.61 6.32	2.84
07 62 13 00-0027 SF 0.050" Thick, Mill Finish, Aluminum Flashing And Trim <i>For Up To 100, Add</i> <i>For Baked Aluminum Colors, Add</i> <i>For Wrap Around Window Panning, Add</i>	12.85 3.21 0.65 6.32	2.84
07 62 13 00-0028 Steel Flashing And Trim (07 62 13)		
07 62 13 00-0029 Galvanized Steel Flashing And Trim (07 62 13 00-0028)		
07 62 13 00-0030 SF 28 Gauge, 0.019" Thick, Galvanized Steel Flashing <i>For Up To 100, Add</i> <i>For Wrap Around Window Panning, Add</i>	8.96 2.24 5.84	2.75
07 62 13 00-0031 SF 26 Gauge, 0.022" Thick, Galvanized Steel Flashing <i>For Up To 100, Add</i> <i>For Wrap Around Window Panning, Add</i>	9.32 2.33 6.03	3.02
07 62 13 00-0032 SF 24 Gauge, 0.028" Thick, Galvanized Steel Flashing <i>For Up To 100, Add</i> <i>For Wrap Around Window Panning, Add</i>	9.91 2.48 6.36	3.21
07 62 13 00-0033 SF 22 Gauge, 0.034" Thick, Galvanized Steel Flashing <i>For Up To 100, Add</i> <i>For Wrap Around Window Panning, Add</i>	10.54 2.64 6.73	3.36
07 62 13 00-0034 SF 20 Gauge, 0.04" Thick, Galvanized Steel Flashing <i>For Up To 100, Add</i> <i>For Wrap Around Window Panning, Add</i>	11.38 2.85 7.12	3.57
07 62 19 Fabricated Gravel Stops and Fasciae (07 62)		
07 62 19 00-0001 Aluminum Drip Edge (07 62 19) Note: Girth (stretch-out) equals the total (flattened) width of the drip edge.		
07 62 19 00-0002 KYNAR 500® Finish, Aluminum Drip Edge (07 62 19 00-0001)		
07 62 19 00-0003 0.016" Thick, KYNAR 500® Finish, Aluminum Drip Edge (07 62 19 00-0002)		
07 62 19 00-0004 LF Up To 5" Girth, 0.016" Thick, KYNAR 500® Finish, Aluminum Drip Edge	3.92	0.92
07 62 19 00-0005 LF >5" To 7" Girth, 0.016" Thick, KYNAR 500® Finish, Aluminum Drip Edge	4.66	0.92
07 62 19 00-0006 LF >7" To 9" Girth, 0.016" Thick, KYNAR 500® Finish, Aluminum Drip Edge	5.10	0.92
07 62 19 00-0007 LF >9" To 12" Girth, 0.016" Thick, KYNAR 500® Finish, Aluminum Drip Edge	5.98	0.92
07 62 19 00-0008 LF >12" To 15" Girth, 0.016" Thick, KYNAR 500® Finish, Aluminum Drip Edge	7.55	0.92
07 62 19 00-0009 0.019" Thick, KYNAR 500® Finish, Aluminum Drip Edge (07 62 19 00-0002)		
07 62 19 00-0010 LF Up To 5" Girth, 0.019" Thick, KYNAR 500® Finish, Aluminum Drip Edge	4.17	0.92
07 62 19 00-0011 LF >5" To 7" Girth, 0.019" Thick, KYNAR 500® Finish, Aluminum Drip Edge	4.94	0.92
07 62 19 00-0012 LF >7" To 9" Girth, 0.019" Thick, KYNAR 500® Finish, Aluminum Drip Edge	5.52	0.92
07 62 19 00-0013 LF >9" To 12" Girth, 0.019" Thick, KYNAR 500® Finish, Aluminum Drip Edge	6.48	0.92
07 62 19 00-0014 LF >12" To 15" Girth, 0.019" Thick, KYNAR 500® Finish, Aluminum Drip Edge	8.02	0.92
07 62 19 00-0015 0.025" Thick, KYNAR 500® Finish, Aluminum Drip Edge (07 62 19 00-0002)		
07 62 19 00-0016 LF Up To 5" Girth, 0.025" Thick, KYNAR 500® Finish, Aluminum Drip Edge	4.42	0.92

07 Thermal And Moisture Protection**07 60 Flashing And Sheet Metal****07 62 Sheet Metal Flashing And Trim**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 62 19 00-0017	LF		>5" To 7" Girth, 0.025" Thick, KYNAR 500® Finish, Aluminum Drip Edge.....	5.27	0.92
07 62 19 00-0018	LF		>7" To 9" Girth, 0.025" Thick, KYNAR 500® Finish, Aluminum Drip Edge.....	5.92	0.92
07 62 19 00-0019	LF		>9" To 12" Girth, 0.025" Thick, KYNAR 500® Finish, Aluminum Drip Edge.....	6.97	0.92
07 62 19 00-0020	LF		>12" To 15" Girth, 0.025" Thick, KYNAR 500® Finish, Aluminum Drip Edge.....	8.68	0.92
07 62 19 00-0021			0.032" Thick, KYNAR 500® Finish, Aluminum Drip Edge (07 62 19 00-0002)		
07 62 19 00-0022	LF		Up To 5" Girth, 0.032" Thick, KYNAR 500® Finish, Aluminum Drip Edge	4.91	0.92
07 62 19 00-0023	LF		>5" To 7" Girth, 0.032" Thick, KYNAR 500® Finish, Aluminum Drip Edge.....	5.93	0.92
07 62 19 00-0024	LF		>7" To 9" Girth, 0.032" Thick, KYNAR 500® Finish, Aluminum Drip Edge.....	6.70	0.92
07 62 19 00-0025	LF		>9" To 12" Girth, 0.032" Thick, KYNAR 500® Finish, Aluminum Drip Edge.....	7.96	0.92
07 62 19 00-0026	LF		>12" To 15" Girth, 0.032" Thick, KYNAR 500® Finish, Aluminum Drip Edge.....	10.00	0.92
07 62 19 00-0027			0.040" Thick, KYNAR 500® Finish, Aluminum Drip Edge (07 62 19 00-0002)		
07 62 19 00-0028	LF		Up To 5" Girth, 0.040" Thick, KYNAR 500® Finish, Aluminum Drip Edge	5.08	0.92
07 62 19 00-0029	LF		>5" To 7" Girth, 0.040" Thick, KYNAR 500® Finish, Aluminum Drip Edge.....	6.18	0.92
07 62 19 00-0030	LF		>7" To 9" Girth, 0.040" Thick, KYNAR 500® Finish, Aluminum Drip Edge.....	6.96	0.92
07 62 19 00-0031	LF		>9" To 12" Girth, 0.040" Thick, KYNAR 500® Finish, Aluminum Drip Edge.....	8.29	0.92
07 62 19 00-0032	LF		>12" To 15" Girth, 0.040" Thick, KYNAR 500® Finish, Aluminum Drip Edge.....	10.44	0.92
07 62 19 00-0033			0.050" Thick, KYNAR 500® Finish, Aluminum Drip Edge (07 62 19 00-0002)		
07 62 19 00-0034	LF		Up To 5" Girth, 0.050" Thick, KYNAR 500® Finish, Aluminum Drip Edge	5.65	0.92
07 62 19 00-0035	LF		>5" To 7" Girth, 0.050" Thick, KYNAR 500® Finish, Aluminum Drip Edge.....	6.92	0.92
07 62 19 00-0036	LF		>7" To 9" Girth, 0.050" Thick, KYNAR 500® Finish, Aluminum Drip Edge.....	7.87	0.92
07 62 19 00-0037	LF		>9" To 12" Girth, 0.050" Thick, KYNAR 500® Finish, Aluminum Drip Edge.....	9.45	0.92
07 62 19 00-0038	LF		>12" To 15" Girth, 0.050" Thick, KYNAR 500® Finish, Aluminum Drip Edge.....	11.98	0.92
07 62 19 00-0039			0.063" Thick, KYNAR 500® Finish, Aluminum Drip Edge (07 62 19 00-0002)		
07 62 19 00-0040	LF		Up To 5" Girth, 0.063" Thick, KYNAR 500® Finish, Aluminum Drip Edge	6.48	0.92
07 62 19 00-0041	LF		>5" To 7" Girth, 0.063" Thick, KYNAR 500® Finish, Aluminum Drip Edge.....	8.02	0.92
07 62 19 00-0042	LF		>7" To 9" Girth, 0.063" Thick, KYNAR 500® Finish, Aluminum Drip Edge.....	9.17	0.92
07 62 19 00-0043	LF		>9" To 12" Girth, 0.063" Thick, KYNAR 500® Finish, Aluminum Drip Edge.....	11.10	0.92
07 62 19 00-0044	LF		>12" To 15" Girth, 0.063" Thick, KYNAR 500® Finish, Aluminum Drip Edge.....	14.18	0.92
07 62 19 00-0045			0.080" Thick, KYNAR 500® Finish, Aluminum Drip Edge (07 62 19 00-0002)		
07 62 19 00-0046	LF		Up To 5" Girth, 0.080" Thick, KYNAR 500® Finish, Aluminum Drip Edge	7.47	0.92
07 62 19 00-0047	LF		>5" To 7" Girth, 0.080" Thick, KYNAR 500® Finish, Aluminum Drip Edge.....	9.34	0.92
07 62 19 00-0048	LF		>7" To 9" Girth, 0.080" Thick, KYNAR 500® Finish, Aluminum Drip Edge.....	10.74	0.92
07 62 19 00-0049	LF		>9" To 12" Girth, 0.080" Thick, KYNAR 500® Finish, Aluminum Drip Edge.....	13.08	0.92
07 62 19 00-0050	LF		>12" To 15" Girth, 0.080" Thick, KYNAR 500® Finish, Aluminum Drip Edge.....	16.82	0.92
07 62 19 00-0051			Mill Finish, Aluminum Drip Edge (07 62 19 00-0001)		
07 62 19 00-0052			0.016" Thick, Mill Finish, Aluminum Drip Edge (07 62 19 00-0051)		
07 62 19 00-0053	LF		Up To 5" Girth, 0.016" Thick, Mill Finish, Aluminum Drip Edge	3.28	0.92
07 62 19 00-0054	LF		>5" To 7" Girth, 0.016" Thick, Mill Finish, Aluminum Drip Edge	3.79	0.92
07 62 19 00-0055	LF		>7" To 9" Girth, 0.016" Thick, Mill Finish, Aluminum Drip Edge	4.10	0.92
07 62 19 00-0056	LF		>9" To 12" Girth, 0.016" Thick, Mill Finish, Aluminum Drip Edge	4.70	0.92
07 62 19 00-0057	LF		>12" To 15" Girth, 0.016" Thick, Mill Finish, Aluminum Drip Edge	5.79	0.92
07 62 19 00-0058			0.019" Thick, Mill Finish, Aluminum Drip Edge (07 62 19 00-0051)		
07 62 19 00-0059	LF		Up To 5" Girth, 0.019" Thick, Mill Finish, Aluminum Drip Edge	3.45	0.92
07 62 19 00-0060	LF		>5" To 7" Girth, 0.019" Thick, Mill Finish, Aluminum Drip Edge	3.98	0.92
07 62 19 00-0061	LF		>7" To 9" Girth, 0.019" Thick, Mill Finish, Aluminum Drip Edge	4.38	0.92
07 62 19 00-0062	LF		>9" To 12" Girth, 0.019" Thick, Mill Finish, Aluminum Drip Edge	5.05	0.92
07 62 19 00-0063	LF		>12" To 15" Girth, 0.019" Thick, Mill Finish, Aluminum Drip Edge	6.11	0.92
07 62 19 00-0064			0.025" Thick, Mill Finish, Aluminum Drip Edge (07 62 19 00-0051)		
07 62 19 00-0065	LF		Up To 5" Girth, 0.025" Thick, Mill Finish, Aluminum Drip Edge	3.62	0.92
07 62 19 00-0066	LF		>5" To 7" Girth, 0.025" Thick, Mill Finish, Aluminum Drip Edge	4.21	0.92
07 62 19 00-0067	LF		>7" To 9" Girth, 0.025" Thick, Mill Finish, Aluminum Drip Edge	4.66	0.92
07 62 19 00-0068	LF		>9" To 12" Girth, 0.025" Thick, Mill Finish, Aluminum Drip Edge	5.39	0.92
07 62 19 00-0069	LF		>12" To 15" Girth, 0.025" Thick, Mill Finish, Aluminum Drip Edge	6.56	0.92
07 62 19 00-0070			0.032" Thick, Mill Finish, Aluminum Drip Edge (07 62 19 00-0051)		
07 62 19 00-0071	LF		Up To 5" Girth, 0.032" Thick, Mill Finish, Aluminum Drip Edge	3.96	0.92
07 62 19 00-0072	LF		>5" To 7" Girth, 0.032" Thick, Mill Finish, Aluminum Drip Edge	4.67	0.92
07 62 19 00-0073	LF		>7" To 9" Girth, 0.032" Thick, Mill Finish, Aluminum Drip Edge	5.20	0.92
07 62 19 00-0074	LF		>9" To 12" Girth, 0.032" Thick, Mill Finish, Aluminum Drip Edge	6.07	0.92
07 62 19 00-0075	LF		>12" To 15" Girth, 0.032" Thick, Mill Finish, Aluminum Drip Edge	7.47	0.92



	MINOR CSI UOM DESCRIPTION		TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 62 19 00-0076		0.040" Thick, Mill Finish, Aluminum Drip Edge <small>(07 62 19 00-0051)</small>		
	07 62 19 00-0077 LF	Up To 5" Girth, 0.040" Thick, Mill Finish, Aluminum Drip Edge.....	4.08	0.92
	07 62 19 00-0078 LF	>5" To 7" Girth, 0.040" Thick, Mill Finish, Aluminum Drip Edge.....	4.84	0.92
	07 62 19 00-0079 LF	>7" To 9" Girth, 0.040" Thick, Mill Finish, Aluminum Drip Edge.....	5.38	0.92
	07 62 19 00-0080 LF	>9" To 12" Girth, 0.040" Thick, Mill Finish, Aluminum Drip Edge.....	6.30	0.92
	07 62 19 00-0081 LF	>12" To 15" Girth, 0.040" Thick, Mill Finish, Aluminum Drip Edge.....	7.78	0.92
07 62 19 00-0082		0.050" Thick, Mill Finish, Aluminum Drip Edge <small>(07 62 19 00-0051)</small>		
	07 62 19 00-0083 LF	Up To 5" Girth, 0.050" Thick, Mill Finish, Aluminum Drip Edge.....	4.48	0.92
	07 62 19 00-0084 LF	>5" To 7" Girth, 0.050" Thick, Mill Finish, Aluminum Drip Edge.....	5.35	0.92
	07 62 19 00-0085 LF	>7" To 9" Girth, 0.050" Thick, Mill Finish, Aluminum Drip Edge.....	6.00	0.92
	07 62 19 00-0086 LF	>9" To 12" Girth, 0.050" Thick, Mill Finish, Aluminum Drip Edge.....	7.09	0.92
	07 62 19 00-0087 LF	>12" To 15" Girth, 0.050" Thick, Mill Finish, Aluminum Drip Edge.....	8.84	0.92
07 62 19 00-0088		0.063" Thick, Mill Finish, Aluminum Drip Edge <small>(07 62 19 00-0051)</small>		
	07 62 19 00-0089 LF	Up To 5" Girth, 0.063" Thick, Mill Finish, Aluminum Drip Edge.....	5.05	0.92
	07 62 19 00-0090 LF	>5" To 7" Girth, 0.063" Thick, Mill Finish, Aluminum Drip Edge.....	6.11	0.92
	07 62 19 00-0091 LF	>7" To 9" Girth, 0.063" Thick, Mill Finish, Aluminum Drip Edge.....	6.90	0.92
	07 62 19 00-0092 LF	>9" To 12" Girth, 0.063" Thick, Mill Finish, Aluminum Drip Edge.....	8.23	0.92
	07 62 19 00-0093 LF	>12" To 15" Girth, 0.063" Thick, Mill Finish, Aluminum Drip Edge.....	10.36	0.92
07 62 19 00-0094		0.080" Thick, Mill Finish, Aluminum Drip Edge <small>(07 62 19 00-0051)</small>		
	07 62 19 00-0095 LF	Up To 5" Girth, 0.080" Thick, Mill Finish, Aluminum Drip Edge.....	5.73	0.92
	07 62 19 00-0096 LF	>5" To 7" Girth, 0.080" Thick, Mill Finish, Aluminum Drip Edge.....	7.02	0.92
	07 62 19 00-0097 LF	>7" To 9" Girth, 0.080" Thick, Mill Finish, Aluminum Drip Edge.....	7.99	0.92
	07 62 19 00-0098 LF	>9" To 12" Girth, 0.080" Thick, Mill Finish, Aluminum Drip Edge.....	9.60	0.92
	07 62 19 00-0099 LF	>12" To 15" Girth, 0.080" Thick, Mill Finish, Aluminum Drip Edge.....	12.18	0.92
07 62 19 00-0100		Clear Anodized Finish, Aluminum Drip Edge <small>(07 62 19 00-0001)</small>		
07 62 19 00-0101		0.016" Thick, Clear Anodized Finish, Aluminum Drip Edge <small>(07 62 19 00-0100)</small>		
	07 62 19 00-0102 LF	Up To 5" Girth, 0.016" Thick, Clear Anodized Finish, Aluminum Drip Edge.....	4.05	0.92
	07 62 19 00-0103 LF	>5" To 7" Girth, 0.016" Thick, Clear Anodized Finish, Aluminum Drip Edge.....	4.83	0.92
	07 62 19 00-0104 LF	>7" To 9" Girth, 0.016" Thick, Clear Anodized Finish, Aluminum Drip Edge.....	5.30	0.92
	07 62 19 00-0105 LF	>9" To 12" Girth, 0.016" Thick, Clear Anodized Finish, Aluminum Drip Edge.....	6.23	0.92
	07 62 19 00-0106 LF	>12" To 15" Girth, 0.016" Thick, Clear Anodized Finish, Aluminum Drip Edge.....	7.89	0.92
07 62 19 00-0107		0.019" Thick, Clear Anodized Finish, Aluminum Drip Edge <small>(07 62 19 00-0100)</small>		
	07 62 19 00-0108 LF	Up To 5" Girth, 0.019" Thick, Clear Anodized Finish, Aluminum Drip Edge.....	4.31	0.92
	07 62 19 00-0109 LF	>5" To 7" Girth, 0.019" Thick, Clear Anodized Finish, Aluminum Drip Edge.....	5.12	0.92
	07 62 19 00-0110 LF	>7" To 9" Girth, 0.019" Thick, Clear Anodized Finish, Aluminum Drip Edge.....	5.74	0.92
	07 62 19 00-0111 LF	>9" To 12" Girth, 0.019" Thick, Clear Anodized Finish, Aluminum Drip Edge.....	6.76	0.92
	07 62 19 00-0112 LF	>12" To 15" Girth, 0.019" Thick, Clear Anodized Finish, Aluminum Drip Edge.....	8.39	0.92
07 62 19 00-0113		0.025" Thick, Clear Anodized Finish, Aluminum Drip Edge <small>(07 62 19 00-0100)</small>		
	07 62 19 00-0114 LF	Up To 5" Girth, 0.025" Thick, Clear Anodized Finish, Aluminum Drip Edge.....	4.57	0.92
	07 62 19 00-0115 LF	>5" To 7" Girth, 0.025" Thick, Clear Anodized Finish, Aluminum Drip Edge.....	5.47	0.92
	07 62 19 00-0116 LF	>7" To 9" Girth, 0.025" Thick, Clear Anodized Finish, Aluminum Drip Edge.....	6.16	0.92
	07 62 19 00-0117 LF	>9" To 12" Girth, 0.025" Thick, Clear Anodized Finish, Aluminum Drip Edge.....	7.28	0.92
	07 62 19 00-0118 LF	>12" To 15" Girth, 0.025" Thick, Clear Anodized Finish, Aluminum Drip Edge.....	9.09	0.92
07 62 19 00-0119		0.032" Thick, Clear Anodized Finish, Aluminum Drip Edge <small>(07 62 19 00-0100)</small>		
	07 62 19 00-0120 LF	Up To 5" Girth, 0.032" Thick, Clear Anodized Finish, Aluminum Drip Edge.....	5.10	0.92
	07 62 19 00-0121 LF	>5" To 7" Girth, 0.032" Thick, Clear Anodized Finish, Aluminum Drip Edge.....	6.17	0.92
	07 62 19 00-0122 LF	>7" To 9" Girth, 0.032" Thick, Clear Anodized Finish, Aluminum Drip Edge.....	6.99	0.92
	07 62 19 00-0123 LF	>9" To 12" Girth, 0.032" Thick, Clear Anodized Finish, Aluminum Drip Edge.....	8.33	0.92
	07 62 19 00-0124 LF	>12" To 15" Girth, 0.032" Thick, Clear Anodized Finish, Aluminum Drip Edge.....	10.49	0.92
07 62 19 00-0125		0.040" Thick, Clear Anodized Finish, Aluminum Drip Edge <small>(07 62 19 00-0100)</small>		
	07 62 19 00-0126 LF	Up To 5" Girth, 0.040" Thick, Clear Anodized Finish, Aluminum Drip Edge.....	5.27	0.92
	07 62 19 00-0127 LF	>5" To 7" Girth, 0.040" Thick, Clear Anodized Finish, Aluminum Drip Edge.....	6.44	0.92
	07 62 19 00-0128 LF	>7" To 9" Girth, 0.040" Thick, Clear Anodized Finish, Aluminum Drip Edge.....	7.27	0.92
	07 62 19 00-0129 LF	>9" To 12" Girth, 0.040" Thick, Clear Anodized Finish, Aluminum Drip Edge.....	8.68	0.92
	07 62 19 00-0130 LF	>12" To 15" Girth, 0.040" Thick, Clear Anodized Finish, Aluminum Drip Edge.....	10.95	0.92
07 62 19 00-0131		0.050" Thick, Clear Anodized Finish, Aluminum Drip Edge <small>(07 62 19 00-0100)</small>		
	07 62 19 00-0132 LF	Up To 5" Girth, 0.050" Thick, Clear Anodized Finish, Aluminum Drip Edge.....	5.88	0.92
	07 62 19 00-0133 LF	>5" To 7" Girth, 0.050" Thick, Clear Anodized Finish, Aluminum Drip Edge.....	7.22	0.92
	07 62 19 00-0134 LF	>7" To 9" Girth, 0.050" Thick, Clear Anodized Finish, Aluminum Drip Edge.....	8.23	0.92
	07 62 19 00-0135 LF	>9" To 12" Girth, 0.050" Thick, Clear Anodized Finish, Aluminum Drip Edge.....	9.90	0.92

07 Thermal And Moisture Protection**07 60 Flashing And Sheet Metal****07 62 Sheet Metal Flashing And Trim**

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 62 19 00-0136 LF >12" To 15" Girth, 0.050" Thick, Clear Anodized Finish, Aluminum Drip Edge.....	12.59	0.92
07 62 19 00-0137 0.063" Thick, Clear Anodized Finish, Aluminum Drip Edge (07 62 19 00-0100)		
07 62 19 00-0138 LF Up To 5" Girth, 0.063" Thick, Clear Anodized Finish, Aluminum Drip Edge.....	6.76	0.92
07 62 19 00-0139 LF >5" To 7" Girth, 0.063" Thick, Clear Anodized Finish, Aluminum Drip Edge.....	8.39	0.92
07 62 19 00-0140 LF >7" To 9" Girth, 0.063" Thick, Clear Anodized Finish, Aluminum Drip Edge.....	9.61	0.92
07 62 19 00-0141 LF >9" To 12" Girth, 0.063" Thick, Clear Anodized Finish, Aluminum Drip Edge.....	11.65	0.92
07 62 19 00-0142 LF >12" To 15" Girth, 0.063" Thick, Clear Anodized Finish, Aluminum Drip Edge.....	14.92	0.92
07 62 19 00-0143 0.080" Thick, Clear Anodized Finish, Aluminum Drip Edge (07 62 19 00-0100)		
07 62 19 00-0144 LF Up To 5" Girth, 0.080" Thick, Clear Anodized Finish, Aluminum Drip Edge.....	7.81	0.92
07 62 19 00-0145 LF >5" To 7" Girth, 0.080" Thick, Clear Anodized Finish, Aluminum Drip Edge.....	9.79	0.92
07 62 19 00-0146 LF >7" To 9" Girth, 0.080" Thick, Clear Anodized Finish, Aluminum Drip Edge.....	11.27	0.92
07 62 19 00-0147 LF >9" To 12" Girth, 0.080" Thick, Clear Anodized Finish, Aluminum Drip Edge.....	13.75	0.92
07 62 19 00-0148 LF >12" To 15" Girth, 0.080" Thick, Clear Anodized Finish, Aluminum Drip Edge.....	17.72	0.92
07 62 19 00-0149 Galvanized Steel Drip Edge (07 62 19)		
Note: Girth (stretch-out) equals the total (flattened) width of the drip edge.		
07 62 19 00-0150 Galvanized Steel Drip Edge (07 62 19 00-0149)		
07 62 19 00-0151 26 Gauge, Galvanized Steel Drip Edge (07 62 19 00-0150)		
07 62 19 00-0152 LF Up To 5" Girth, 26 Gauge, Galvanized Steel Drip Edge.....	4.18	0.92
07 62 19 00-0153 LF >5" To 7" Girth, 26 Gauge, Galvanized Steel Drip Edge.....	4.98	0.92
07 62 19 00-0154 LF >7" To 9" Girth, 26 Gauge, Galvanized Steel Drip Edge.....	5.54	0.92
07 62 19 00-0155 LF >9" To 12" Girth, 26 Gauge, Galvanized Steel Drip Edge.....	6.51	0.92
07 62 19 00-0156 LF >12" To 15" Girth, 26 Gauge, Galvanized Steel Drip Edge.....	8.05	0.92
07 62 19 00-0157 24 Gauge, Galvanized Steel Drip Edge (07 62 19 00-0150)		
07 62 19 00-0158 LF Up To 5" Girth, 24 Gauge, Galvanized Steel Drip Edge.....	4.53	0.92
07 62 19 00-0159 LF >5" To 7" Girth, 24 Gauge, Galvanized Steel Drip Edge.....	5.44	0.92
07 62 19 00-0160 LF >7" To 9" Girth, 24 Gauge, Galvanized Steel Drip Edge.....	6.10	0.92
07 62 19 00-0161 LF >9" To 12" Girth, 24 Gauge, Galvanized Steel Drip Edge.....	7.21	0.92
07 62 19 00-0162 LF >12" To 15" Girth, 24 Gauge, Galvanized Steel Drip Edge.....	8.98	0.92
07 62 19 00-0163 KYNAR 500® Finish, Galvanized Steel Drip Edge (07 62 19 00-0149)		
07 62 19 00-0164 26 Gauge, KYNAR 500® Finish, Galvanized Steel Drip Edge (07 62 19 00-0163)		
07 62 19 00-0165 LF Up To 5" Girth, 26 Gauge, KYNAR 500® Finish, Galvanized Steel Drip Edge.....	5.23	0.92
07 62 19 00-0166 LF >5" To 7" Girth, 26 Gauge, KYNAR 500® Finish, Galvanized Steel Drip Edge.....	6.38	0.92
07 62 19 00-0167 LF >7" To 9" Girth, 26 Gauge, KYNAR 500® Finish, Galvanized Steel Drip Edge.....	7.20	0.92
07 62 19 00-0168 LF >9" To 12" Girth, 26 Gauge, KYNAR 500® Finish, Galvanized Steel Drip Edge.....	8.60	0.92
07 62 19 00-0169 LF >12" To 15" Girth, 26 Gauge, KYNAR 500® Finish, Galvanized Steel Drip Edge.....	10.84	0.92
07 62 19 00-0170 24 Gauge, KYNAR 500® Finish, Galvanized Steel Drip Edge (07 62 19 00-0163)		
07 62 19 00-0171 LF Up To 5" Girth, 24 Gauge, KYNAR 500® Finish, Galvanized Steel Drip Edge.....	5.73	0.92
07 62 19 00-0172 LF >5" To 7" Girth, 24 Gauge, KYNAR 500® Finish, Galvanized Steel Drip Edge.....	7.06	0.92
07 62 19 00-0173 LF >7" To 9" Girth, 24 Gauge, KYNAR 500® Finish, Galvanized Steel Drip Edge.....	8.00	0.92
07 62 19 00-0174 LF >9" To 12" Girth, 24 Gauge, KYNAR 500® Finish, Galvanized Steel Drip Edge.....	9.61	0.92
07 62 19 00-0175 LF >12" To 15" Girth, 24 Gauge, KYNAR 500® Finish, Galvanized Steel Drip Edge.....	12.19	0.92
07 62 19 00-0176 Stainless Steel Drip Edge (07 62 19)		
Note: Girth (stretch-out) equals the total (flattened) width of the drip edge.		
07 62 19 00-0177 26 Gauge, Stainless Steel Drip Edge (07 62 19 00-0176)		
07 62 19 00-0178 LF Up To 5" Girth, 26 Gauge, Stainless Steel Drip Edge.....	4.98	0.92
07 62 19 00-0179 LF >5" To 7" Girth, 26 Gauge, Stainless Steel Drip Edge.....	6.01	0.92
07 62 19 00-0180 LF >7" To 9" Girth, 26 Gauge, Stainless Steel Drip Edge.....	6.79	0.92
07 62 19 00-0181 LF >9" To 12" Girth, 26 Gauge, Stainless Steel Drip Edge.....	8.09	0.92
07 62 19 00-0182 LF >12" To 15" Girth, 26 Gauge, Stainless Steel Drip Edge.....	10.17	0.92
07 62 19 00-0183 24 Gauge, Stainless Steel Drip Edge (07 62 19 00-0176)		
07 62 19 00-0184 LF Up To 5" Girth, 24 Gauge, Stainless Steel Drip Edge.....	5.96	0.92
07 62 19 00-0185 LF >5" To 7" Girth, 24 Gauge, Stainless Steel Drip Edge.....	7.32	0.92
07 62 19 00-0186 LF >7" To 9" Girth, 24 Gauge, Stainless Steel Drip Edge.....	8.35	0.92
07 62 19 00-0187 LF >9" To 12" Girth, 24 Gauge, Stainless Steel Drip Edge.....	10.05	0.92
07 62 19 00-0188 LF >12" To 15" Girth, 24 Gauge, Stainless Steel Drip Edge.....	12.78	0.92
07 62 19 00-0189 22 Gauge, Stainless Steel Drip Edge (07 62 19 00-0176)		
07 62 19 00-0190 LF Up To 5" Girth, 22 Gauge, Stainless Steel Drip Edge.....	7.11	0.92
07 62 19 00-0191 LF >5" To 7" Girth, 22 Gauge, Stainless Steel Drip Edge.....	8.86	0.92
07 62 19 00-0192 LF >7" To 9" Girth, 22 Gauge, Stainless Steel Drip Edge.....	10.18	0.92



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
------------------------------	---------------------------	-------------------------

07 62 19 00-0193	LF	>9" To 12" Girth, 22 Gauge, Stainless Steel Drip Edge	12.36	0.92
07 62 19 00-0194	LF	>12" To 15" Girth, 22 Gauge, Stainless Steel Drip Edge	15.86	0.92

07 63 Sheet Metal Roofing Specialties (07 60)

07 63 00 00-0001 Pitch Pockets (07 63)

Note: Cut into deck, filled with non-shrink grout, includes blocking.

07 63 00 00-0002 24 Gauge Galvanized Sheet Metal, Non-Shrink Grout Filled Pitch Pockets (07 63 00 00-0001)

07 63 00 00-0003	EA	4" x 4" 24 Gauge Galvanized Sheet Metal, Non-Shrink Grout Filled Pitch Pocket.....	58.16	
		<i>For Pourable Sealer Filled, Add</i>	22.59	
		<i>For Pourable Sealer Top Filled (2" Non-Shrink Grout Topped With 2" Pourable Sealer), Add</i>	11.30	
07 63 00 00-0004	EA	6" x 6" 24 Gauge Galvanized Sheet Metal, Non-Shrink Grout Filled Pitch Pocket.....	69.30	
		<i>For Pourable Sealer Filled, Add</i>	50.86	
		<i>For Pourable Sealer Top Filled (2" Non-Shrink Grout Topped With 2" Pourable Sealer), Add</i>	25.50	
07 63 00 00-0005	EA	8" x 8" 24 Gauge Galvanized Sheet Metal, Non-Shrink Grout Filled Pitch Pocket.....	83.77	
		<i>For Pourable Sealer Filled, Add</i>	90.36	
		<i>For Pourable Sealer Top Filled (2" Non-Shrink Grout Topped With 2" Pourable Sealer), Add</i>	45.08	
07 63 00 00-0006	EA	8" x 10" 24 Gauge Galvanized Sheet Metal, Non-Shrink Grout Filled Pitch Pocket.....	92.06	
		<i>For Pourable Sealer Filled, Add</i>	112.95	
		<i>For Pourable Sealer Top Filled (2" Non-Shrink Grout Topped With 2" Pourable Sealer), Add</i>	56.66	
07 63 00 00-0007	EA	8" x 12" 24 Gauge Galvanized Sheet Metal, Non-Shrink Grout Filled Pitch Pocket.....	99.76	
		<i>For Pourable Sealer Filled, Add</i>	135.55	
		<i>For Pourable Sealer Top Filled (2" Non-Shrink Grout Topped With 2" Pourable Sealer), Add</i>	67.78	
07 63 00 00-0008	SF	24 Gauge Galvanized Sheet Metal, Non-Shrink Grout Filled Pitch Pocket.....	116.73	
		<i>For Pourable Sealer Filled, Add</i>	203.32	
		<i>For Pourable Sealer Top Filled (2" Non-Shrink Grout Topped With 2" Pourable Sealer), Add</i>	101.03	

07 63 00 00-0009 16 Ounce Copper Sheet Metal, Non-Shrink Grout Filled Pitch Pockets (07 63 00 00-0001)

07 63 00 00-0010	EA	4" x 4" 16 Ounce Copper Sheet Metal, Non-Shrink Grout Filled Pitch Pocket.....	73.28	
		<i>For Pourable Sealer Filled, Add</i>	22.59	
		<i>For Pourable Sealer Top Filled (2" Non-Shrink Grout Topped With 2" Pourable Sealer), Add</i>	11.30	
07 63 00 00-0011	EA	6" x 6" 16 Ounce Copper Sheet Metal, Non-Shrink Grout Filled Pitch Pocket.....	86.90	
		<i>For Pourable Sealer Filled, Add</i>	50.86	
		<i>For Pourable Sealer Top Filled (2" Non-Shrink Grout Topped With 2" Pourable Sealer), Add</i>	25.50	
07 63 00 00-0012	EA	8" x 8" 16 Ounce Copper Sheet Metal, Non-Shrink Grout Filled Pitch Pocket.....	104.61	
		<i>For Pourable Sealer Filled, Add</i>	90.36	
		<i>For Pourable Sealer Top Filled (2" Non-Shrink Grout Topped With 2" Pourable Sealer), Add</i>	45.08	
07 63 00 00-0013	EA	8" x 10" 16 Ounce Copper Sheet Metal, Non-Shrink Grout Filled Pitch Pocket.....	115.70	
		<i>For Pourable Sealer Filled, Add</i>	112.95	
		<i>For Pourable Sealer Top Filled (2" Non-Shrink Grout Topped With 2" Pourable Sealer), Add</i>	56.66	
07 63 00 00-0014	EA	8" x 12" 16 Ounce Copper Sheet Metal, Non-Shrink Grout Filled Pitch Pocket.....	124.07	
		<i>For Pourable Sealer Filled, Add</i>	135.55	
		<i>For Pourable Sealer Top Filled (2" Non-Shrink Grout Topped With 2" Pourable Sealer), Add</i>	67.78	
07 63 00 00-0015	SF	16 Ounce Copper Sheet Metal, Non-Shrink Grout Filled Pitch Pocket.....	142.64	
		<i>For Pourable Sealer Filled, Add</i>	203.32	
		<i>For Pourable Sealer Top Filled (2" Non-Shrink Grout Topped With 2" Pourable Sealer), Add</i>	101.03	

07 63 00 00-0016 24 Gauge Stainless Steel Sheet Metal, Non-Shrink Grout Filled Pitch Pockets (07 63 00 00-0001)

07 63 00 00-0017	EA	4" x 4" 24 Gauge Stainless Steel Sheet Metal, Non-Shrink Grout Filled Pitch Pocket.....	69.41	
		<i>For Pourable Sealer Filled, Add</i>	22.59	
		<i>For Pourable Sealer Top Filled (2" Non-Shrink Grout Topped With 2" Pourable Sealer), Add</i>	11.30	
07 63 00 00-0018	EA	6" x 6" 24 Gauge Stainless Steel Sheet Metal, Non-Shrink Grout Filled Pitch Pocket.....	81.86	
		<i>For Pourable Sealer Filled, Add</i>	50.86	
		<i>For Pourable Sealer Top Filled (2" Non-Shrink Grout Topped With 2" Pourable Sealer), Add</i>	25.50	
07 63 00 00-0019	EA	8" x 8" 24 Gauge Stainless Steel Sheet Metal, Non-Shrink Grout Filled Pitch Pocket.....	94.46	
		<i>For Pourable Sealer Filled, Add</i>	90.36	
		<i>For Pourable Sealer Top Filled (2" Non-Shrink Grout Topped With 2" Pourable Sealer), Add</i>	45.08	
07 63 00 00-0020	EA	8" x 10" 24 Gauge Stainless Steel Sheet Metal, Non-Shrink Grout Filled Pitch Pocket.....	102.38	
		<i>For Pourable Sealer Filled, Add</i>	112.95	
		<i>For Pourable Sealer Top Filled (2" Non-Shrink Grout Topped With 2" Pourable Sealer), Add</i>	56.66	
07 63 00 00-0021	EA	8" x 12" 24 Gauge Stainless Steel Sheet Metal, Non-Shrink Grout Filled Pitch Pocket.....	109.61	
		<i>For Pourable Sealer Filled, Add</i>	135.55	
		<i>For Pourable Sealer Top Filled (2" Non-Shrink Grout Topped With 2" Pourable Sealer), Add</i>	67.78	
07 63 00 00-0022	SF	24 Gauge Stainless Steel Sheet Metal, Non-Shrink Grout Filled Pitch Pocket.....	125.51	
		<i>For Pourable Sealer Filled, Add</i>	203.32	
		<i>For Pourable Sealer Top Filled (2" Non-Shrink Grout Topped With 2" Pourable Sealer), Add</i>	101.03	

07 63 00 00-0023 Clean, Repair And Refill Existing Pitch Pockets With Non-Shrink Grout (07 63 00 00-0001)

Note: Includes removing existing filler and refilling with non-shrink grout.

07 63 00 00-0024	EA	Clean, Repair And Refill Existing 4" x 4" Pitch Pocket With Non-Shrink Grout	59.95	
		<i>For Pourable Sealer Filled, Add</i>	22.59	
		<i>For Pourable Sealer Top Filled (2" Non-Shrink Grout Topped With 2" Pourable Sealer), Add</i>	11.30	
07 63 00 00-0025	EA	Clean, Repair And Refill Existing 6" x 6" Pitch Pocket With Non-Shrink Grout	67.15	
		<i>For Pourable Sealer Filled, Add</i>	50.86	
		<i>For Pourable Sealer Top Filled (2" Non-Shrink Grout Topped With 2" Pourable Sealer), Add</i>	25.50	

07 Thermal And Moisture Protection**07 60 Flashing And Sheet Metal****07 63 Sheet Metal Roofing Specialties**

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 63 00 00-0026 EA Clean, Repair And Refill Existing 8" x 8" Pitch Pocket With Non-Shrink Grout76.55 <i>For Pourable Sealer Filled, Add</i> 90.36 <i>For Pourable Sealer Top Filled (2" Non-Shrink Grout Topped With 2" Pourable Sealer), Add</i> 45.08		
07 63 00 00-0027 EA Clean, Repair And Refill Existing 8" x 10" Pitch Pocket With Non-Shrink Grout82.70 <i>For Pourable Sealer Filled, Add</i> 112.95 <i>For Pourable Sealer Top Filled (2" Non-Shrink Grout Topped With 2" Pourable Sealer), Add</i> 56.66		
07 63 00 00-0028 EA Clean, Repair And Refill Existing 8" x 12" Pitch Pocket With Non-Shrink Grout88.85 <i>For Pourable Sealer Filled, Add</i> 135.55 <i>For Pourable Sealer Top Filled (2" Non-Shrink Grout Topped With 2" Pourable Sealer), Add</i> 67.78		
07 63 00 00-0029 SF Clean, Repair And Refill Existing Pitch Pocket With Non-Shrink Grout.....103.59 <i>For Pourable Sealer Filled, Add</i> 203.32 <i>For Pourable Sealer Top Filled (2" Non-Shrink Grout Topped With 2" Pourable Sealer), Add</i> 101.03		
07 63 00 00-0030 Lead Pipe Flashing For Roofs (07 63) Note: Includes 6" skirt base.		
07 63 00 00-0031 EA 1-1/4" ID x 12" Riser Pipe, 4 LB Lead Pipe Flashing For Roofs, Fits 3/4" Pipe.....77.01 25.34		
07 63 00 00-0032 EA 1-1/2" ID x 12" Riser Pipe, 4 LB Lead Pipe Flashing For Roofs, Fits 1" Pipe.....77.01 25.34		
07 63 00 00-0033 EA 2-3/4" ID x 12" Riser Pipe, 4 LB Lead Pipe Flashing For Roofs, Fits 2" Pipe.....91.76 25.34		
07 63 00 00-0034 EA 3-3/4" ID x 12" Riser Pipe, 4 LB Lead Pipe Flashing For Roofs, Fits 3" Pipe.....100.19 25.34		
07 63 00 00-0035 EA 4-1/4" ID x 12" Riser Pipe, 4 LB Lead Pipe Flashing For Roofs, Fits 3-1/2" Pipe.....104.40 25.34		
07 63 00 00-0036 EA 4-3/4" ID x 12" Riser Pipe, 4 LB Lead Pipe Flashing For Roofs, Fits 4" Pipe.....106.51 25.34		
07 63 00 00-0037 EA 6-7/8" ID x 12" Riser Pipe, 4 LB Lead Pipe Flashing For Roofs, Fits 6" Pipe.....127.58 25.34		
07 63 00 00-0038 EA 8-7/8" ID x 12" Riser Pipe, 4 LB Lead Pipe Flashing For Roofs, Fits 8" Pipe.....137.06 25.34		
07 63 00 00-0039 Galvanized Metal Flashing With Neoprene Collar, Shingle Roofing (07 63)		
07 63 00 00-0040 EA 2" Vent Through Roof, Galvanized Metal Flashing With Neoprene Collar, Shingle Roofing58.87 16.38		
07 63 00 00-0041 EA 3" Vent Through Roof, Galvanized Metal Flashing With Neoprene Collar, Shingle Roofing59.37 16.38		
07 63 00 00-0042 EA 4" Vent Through Roof, Galvanized Metal Flashing With Neoprene Collar, Shingle Roofing61.19 16.38		
07 63 00 00-0043 EA 6" Vent Through Roof, Galvanized Metal Flashing With Neoprene Collar, Shingle Roofing62.76 16.38		
07 65 Flexible Flashing (07 60)		
07 65 16 Modified Bituminous Sheet Flashing (07 65)		
07 65 16 00-0001 Liquid Flashing System For Modified And BUR Systems (07 65 16) See CSI section 07 51 13 00-0036 for ceramic coated roofing granules.		
07 65 16 00-0002 SF 60 Mil, Urethane Elastomer Liquid Applied Flashing.....9.68 1.77 Note: Includes applying a 30 mil base coat, rolling in a stichbonded polyester reinforcing scrim and applying a 30 mil second coat.		
07 65 19 Plastic Sheet Flashing (07 65)		
07 65 19 00-0001 Plastic Flashing And Trim (07 65 19)		
07 65 19 00-0002 Neoprene Flashing (07 65 19 00-0001)		
07 65 19 00-0003 60 Mil Thick (07 65 19 00-0002)		
07 65 19 00-0004 LF 6" Wide Strip, 60 Mil, Neoprene Flashing.....7.23 2.51		
07 65 19 00-0005 LF 12" Wide Strip, 60 Mil, Neoprene Flashing.....9.21 2.69		
07 65 19 00-0006 LF 18" Wide Strip, 60 Mil, Neoprene Flashing.....11.46 2.97		
07 65 19 00-0007 LF 24" Wide Strip, 60 Mil, Neoprene Flashing.....13.88 3.34		
07 65 33 Flexible Roof Boot (07 65)		
07 65 33 00-0001 Neoprene Roof Boot (07 65 33)		
07 65 33 00-0002 EA 2" Diameter Pipe, Neoprene Roof Boot.....34.30 7.70		
07 65 33 00-0003 EA 3" Diameter Pipe, Neoprene Roof Boot.....40.18 8.63		
07 65 33 00-0004 EA 4" Diameter Pipe, Neoprene Roof Boot.....44.50 9.28		
07 70 Roof And Wall Specialties And Accessories (07)		
07 71 Roof Specialties (07 70)		
07 71 13 Manufactured Copings (07 71)		
07 71 13 00-0001 Galvanized Steel Copings (07 71 13)		
07 71 13 00-0002 KYNAR 500® Finish, Galvanized Steel Coping System With Galvanized Steel Cleats (07 71 13 00-0001) Note: Stretch-out width = face height + wall thickness + back leg. Coping system includes matching joint splice plate, galvanized steel cleats and stainless steel fasteners.		
07 71 13 00-0003 LF 10" To 14" Wide (Stretch-out), 24 Gauge, KYNAR 500® Finish, Galvanized Steel Coping System With Galvanized Steel Cleats.....20.65 2.01		
07 71 13 00-0004 LF >14" To 16" Wide (Stretch-out), 24 Gauge, KYNAR 500® Finish, Galvanized Steel Coping System With Galvanized Steel Cleats.....21.82 2.17		
07 71 13 00-0005 LF >16" To 22" Wide (Stretch-out), 24 Gauge, KYNAR 500® Finish, Galvanized Steel Coping System With Galvanized Steel Cleats.....24.77 2.28		



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 71 13 00-0006 LF >22" To 30" Wide (Stretch-out), 24 Gauge, KYNAR 500® Finish, Galvanized Steel Coping System With Galvanized Steel Cleats.....	28.70	2.51
07 71 13 00-0007 LF >30" To 42" Wide (Stretch-out), 24 Gauge, KYNAR 500® Finish, Galvanized Steel Coping System With Galvanized Steel Cleats.....	34.48	2.62
07 71 13 00-0008 Aluminum Copings <small>(07 71 13)</small>		
07 71 13 00-0009 Mill Finish, Aluminum Coping System With Galvanized Steel Cleats <small>(07 71 13 00-0008)</small>		
<small>Note: Stretch-out width = face height + wall thickness + back leg. Coping system includes matching joint splice plate, galvanized steel cleats and stainless steel fasteners.</small>		
07 71 13 00-0010 0.040" Thick, Mill Finish, Aluminum Coping System With Galvanized Steel Cleats <small>(07 71 13 00-0009)</small>		
07 71 13 00-0011 LF 10" To 14" Wide (Stretch-out), 0.040" Thick, Mill Finish, Aluminum Coping System With Galvanized Steel Cleats	16.61	2.01
07 71 13 00-0012 LF >14" To 16" Wide (Stretch-out), 0.040" Thick, Mill Finish, Aluminum Coping System With Galvanized Steel Cleats	17.75	2.17
07 71 13 00-0013 LF >16" To 22" Wide (Stretch-out), 0.040" Thick, Mill Finish, Aluminum Coping System With Galvanized Steel Cleats	20.56	2.28
07 71 13 00-0014 LF >22" To 30" Wide (Stretch-out), 0.040" Thick, Mill Finish, Aluminum Coping System With Galvanized Steel Cleats	24.43	2.51
07 71 13 00-0015 LF >30" To 42" Wide (Stretch-out), 0.040" Thick, Mill Finish, Aluminum Coping System With Galvanized Steel Cleats	30.10	2.62
07 71 13 00-0016 0.050" Thick, Mill Finish, Aluminum Coping System With Galvanized Steel Cleats <small>(07 71 13 00-0009)</small>		
07 71 13 00-0017 LF 10" To 14" Wide (Stretch-out), 0.050" Thick, Mill Finish, Aluminum Coping System With Galvanized Steel Cleats	17.94	2.01
07 71 13 00-0018 LF >14" To 16" Wide (Stretch-out), 0.050" Thick, Mill Finish, Aluminum Coping System With Galvanized Steel Cleats	19.17	2.17
07 71 13 00-0019 LF >16" To 22" Wide (Stretch-out), 0.050" Thick, Mill Finish, Aluminum Coping System With Galvanized Steel Cleats	22.23	2.28
07 71 13 00-0020 LF >22" To 30" Wide (Stretch-out), 0.050" Thick, Mill Finish, Aluminum Coping System With Galvanized Steel Cleats	26.45	2.51
07 71 13 00-0021 LF >30" To 42" Wide (Stretch-out), 0.050" Thick, Mill Finish, Aluminum Coping System With Galvanized Steel Cleats	32.67	2.62
07 71 13 00-0022 0.063" Thick, Mill Finish, Aluminum Coping System With Galvanized Steel Cleats <small>(07 71 13 00-0009)</small>		
07 71 13 00-0023 LF 10" To 14" Wide (Stretch-out), 0.063" Thick, Mill Finish, Aluminum Coping System With Galvanized Steel Cleats	19.03	2.01
07 71 13 00-0024 LF >14" To 16" Wide (Stretch-out), 0.063" Thick, Mill Finish, Aluminum Coping System With Galvanized Steel Cleats	20.43	2.17
07 71 13 00-0025 LF >16" To 22" Wide (Stretch-out), 0.063" Thick, Mill Finish, Aluminum Coping System With Galvanized Steel Cleats	24.31	2.28
07 71 13 00-0026 LF >22" To 30" Wide (Stretch-out), 0.063" Thick, Mill Finish, Aluminum Coping System With Galvanized Steel Cleats	30.18	2.51
07 71 13 00-0027 LF >30" To 42" Wide (Stretch-out), 0.063" Thick, Mill Finish, Aluminum Coping System With Galvanized Steel Cleats	38.72	2.62
07 71 13 00-0028 KYNAR 500® Finish, Aluminum Coping System With Galvanized Steel Cleats <small>(07 71 13 00-0008)</small>		
<small>Note: Stretch-out width = face height + wall thickness + back leg. Coping system includes matching joint splice plate, galvanized steel cleats and stainless steel fasteners.</small>		
07 71 13 00-0029 0.040" Thick, KYNAR 500® Finish, Aluminum Coping System With Galvanized Steel Cleats <small>(07 71 13 00-0028)</small>		
07 71 13 00-0030 LF 10" To 14" Wide (Stretch-out), 0.040" Thick, KYNAR 500® Finish, Aluminum Coping System With Galvanized Steel Cleats	22.58	2.01
07 71 13 00-0031 LF >14" To 16" Wide (Stretch-out), 0.040" Thick, KYNAR 500® Finish, Aluminum Coping System With Galvanized Steel Cleats	24.11	2.17
07 71 13 00-0032 LF >16" To 22" Wide (Stretch-out), 0.040" Thick, KYNAR 500® Finish, Aluminum Coping System With Galvanized Steel Cleats	28.10	2.28
07 71 13 00-0033 LF >22" To 30" Wide (Stretch-out), 0.040" Thick, KYNAR 500® Finish, Aluminum Coping System With Galvanized Steel Cleats	33.54	2.51
07 71 13 00-0034 LF >30" To 42" Wide (Stretch-out), 0.040" Thick, KYNAR 500® Finish, Aluminum Coping System With Galvanized Steel Cleats	41.68	2.62
07 71 13 00-0035 0.050" Thick, KYNAR 500® Finish, Aluminum Coping System With Galvanized Steel Cleats <small>(07 71 13 00-0028)</small>		
07 71 13 00-0036 LF 10" To 14" Wide (Stretch-out), 0.050" Thick, KYNAR 500® Finish, Aluminum Coping System With Galvanized Steel Cleats	24.51	2.01
07 71 13 00-0037 LF >14" To 16" Wide (Stretch-out), 0.050" Thick, KYNAR 500® Finish, Aluminum Coping System With Galvanized Steel Cleats	26.16	2.17
07 71 13 00-0038 LF >16" To 22" Wide (Stretch-out), 0.050" Thick, KYNAR 500® Finish, Aluminum Coping System With Galvanized Steel Cleats	30.52	2.28
07 71 13 00-0039 LF >22" To 30" Wide (Stretch-out), 0.050" Thick, KYNAR 500® Finish, Aluminum Coping System With Galvanized Steel Cleats	36.48	2.51
07 71 13 00-0040 LF >30" To 42" Wide (Stretch-out), 0.050" Thick, KYNAR 500® Finish, Aluminum Coping System With Galvanized Steel Cleats	45.41	2.62
07 71 13 00-0041 0.063" Thick, KYNAR 500® Finish, Aluminum Coping System With Galvanized Steel Cleats <small>(07 71 13 00-0028)</small>		
07 71 13 00-0042 LF 10" To 14" Wide (Stretch-out), 0.063" Thick, KYNAR 500® Finish, Aluminum Coping System With Galvanized Steel Cleats	26.09	2.01
07 71 13 00-0043 LF >14" To 16" Wide (Stretch-out), 0.063" Thick, KYNAR 500® Finish, Aluminum Coping System With Galvanized Steel Cleats	27.99	2.17
07 71 13 00-0044 LF >16" To 22" Wide (Stretch-out), 0.063" Thick, KYNAR 500® Finish, Aluminum Coping System With Galvanized Steel Cleats	33.54	2.28

07 Thermal And Moisture Protection**07 70 Roof And Wall Specialties And Accessories****07 71 Roof Specialties**

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 71 13 00-0045 LF >22" To 30" Wide (Stretch-out), 0.063" Thick, KYNAR 500® Finish, Aluminum Coping System With Galvanized Steel Cleats.....	41.89	2.51
07 71 13 00-0046 LF >30" To 42" Wide (Stretch-out), 0.063" Thick, KYNAR 500® Finish, Aluminum Coping System With Galvanized Steel Cleats.....	54.17	2.62
07 71 13 00-0047 Clear Anodized Finish, Aluminum Coping System With Galvanized Steel Cleats (07 71 13 00-0008) Note: Stretch-out width = face height + wall thickness + back leg. Coping system includes matching joint splice plate, galvanized steel cleats and stainless steel fasteners.		
07 71 13 00-0048 0.040" Thick, Clear Anodized Finish, Aluminum Coping System With Galvanized Steel Cleats (07 71 13 00-0047)		
07 71 13 00-0049 LF 10" To 14" Wide (Stretch-out), 0.040" Thick, Clear Anodized Finish, Aluminum Coping System With Galvanized Steel Cleats.....	23.74	2.01
07 71 13 00-0050 LF >14" To 16" Wide (Stretch-out), 0.040" Thick, Clear Anodized Finish, Aluminum Coping System With Galvanized Steel Cleats.....	25.34	2.17
07 71 13 00-0051 LF >16" To 22" Wide (Stretch-out), 0.040" Thick, Clear Anodized Finish, Aluminum Coping System With Galvanized Steel Cleats.....	29.55	2.28
07 71 13 00-0052 LF >22" To 30" Wide (Stretch-out), 0.040" Thick, Clear Anodized Finish, Aluminum Coping System With Galvanized Steel Cleats.....	35.30	2.51
07 71 13 00-0053 LF >30" To 42" Wide (Stretch-out), 0.040" Thick, Clear Anodized Finish, Aluminum Coping System With Galvanized Steel Cleats.....	43.92	2.62
07 71 13 00-0054 0.050" Thick, Clear Anodized Finish, Aluminum Coping System With Galvanized Steel Cleats (07 71 13 00-0047)		
07 71 13 00-0055 LF 10" To 14" Wide (Stretch-out), 0.050" Thick, Clear Anodized Finish, Aluminum Coping System With Galvanized Steel Cleats.....	25.78	2.01
07 71 13 00-0056 LF >14" To 16" Wide (Stretch-out), 0.050" Thick, Clear Anodized Finish, Aluminum Coping System With Galvanized Steel Cleats.....	27.51	2.17
07 71 13 00-0057 LF >16" To 22" Wide (Stretch-out), 0.050" Thick, Clear Anodized Finish, Aluminum Coping System With Galvanized Steel Cleats.....	32.13	2.28
07 71 13 00-0058 LF >22" To 30" Wide (Stretch-out), 0.050" Thick, Clear Anodized Finish, Aluminum Coping System With Galvanized Steel Cleats.....	38.42	2.51
07 71 13 00-0059 LF >30" To 42" Wide (Stretch-out), 0.050" Thick, Clear Anodized Finish, Aluminum Coping System With Galvanized Steel Cleats.....	47.87	2.62
07 71 13 00-0060 0.063" Thick, Clear Anodized Finish, Aluminum Coping System With Galvanized Steel Cleats (07 71 13 00-0047)		
07 71 13 00-0061 LF 10" To 14" Wide (Stretch-out), 0.063" Thick, Clear Anodized Finish, Aluminum Coping System With Galvanized Steel Cleats.....	27.45	2.01
07 71 13 00-0062 LF >14" To 16" Wide (Stretch-out), 0.063" Thick, Clear Anodized Finish, Aluminum Coping System With Galvanized Steel Cleats.....	29.45	2.17
07 71 13 00-0063 LF >16" To 22" Wide (Stretch-out), 0.063" Thick, Clear Anodized Finish, Aluminum Coping System With Galvanized Steel Cleats.....	35.33	2.28
07 71 13 00-0064 LF >22" To 30" Wide (Stretch-out), 0.063" Thick, Clear Anodized Finish, Aluminum Coping System With Galvanized Steel Cleats.....	44.15	2.51
07 71 13 00-0065 LF >30" To 42" Wide (Stretch-out), 0.063" Thick, Clear Anodized Finish, Aluminum Coping System With Galvanized Steel Cleats.....	57.16	2.62
07 71 13 00-0066 Remove And Reinstall Metal Coping (07 71 13)		
07 71 13 00-0067 LF Removal And Reinstallation Of Metal Coping	6.36	
07 71 19 Manufactured Gravel Stops And Fasciae (07 71)		
07 71 19 00-0001 Gravel Stop (07 71 19)		
07 71 19 00-0002 Aluminum Gravel Stop (07 71 19 00-0001)		
07 71 19 00-0003 Aluminum Gravel Stop (07 71 19 00-0002)		
07 71 19 00-0004 KYNAR 500® Finish, Aluminum Gravel Stop (07 71 19 00-0003)		
07 71 19 00-0005 0.032" Thick, KYNAR 500® Finish, Aluminum Gravel Stop (07 71 19 00-0004)		
07 71 19 00-0006 LF 4" To 6" Face Height, 0.032" Thick, KYNAR 500® Finish, Aluminum Gravel Stop	12.63	1.67
07 71 19 00-0007 LF >6" To 10" Face Height, 0.032" Thick, KYNAR 500® Finish, Aluminum Gravel Stop	12.82	1.73
07 71 19 00-0008 LF >10" To 18" Face Height, 0.032" Thick, KYNAR 500® Finish, Aluminum Gravel Stop	13.05	1.79
07 71 19 00-0009 0.040" Thick, KYNAR 500® Finish, Aluminum Gravel Stop (07 71 19 00-0004)		
07 71 19 00-0010 LF 4" To 6" Face Height, 0.040" Thick, KYNAR 500® Finish, Aluminum Gravel Stop	13.31	1.67
07 71 19 00-0011 LF >6" To 10" Face Height, 0.040" Thick, KYNAR 500® Finish, Aluminum Gravel Stop	13.53	1.73
07 71 19 00-0012 LF >10" To 18" Face Height, 0.040" Thick, KYNAR 500® Finish, Aluminum Gravel Stop	13.80	1.79
07 71 19 00-0013 0.050" Thick, KYNAR 500® Finish, Aluminum Gravel Stop (07 71 19 00-0004)		
07 71 19 00-0014 LF 4" To 6" Face Height, 0.050" Thick, KYNAR 500® Finish, Aluminum Gravel Stop	14.21	1.67
07 71 19 00-0015 LF >6" To 10" Face Height, 0.050" Thick, KYNAR 500® Finish, Aluminum Gravel Stop	14.38	1.73



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 71 19 00-0016 LF >10" To 18" Face Height, 0.050" Thick, KYNAR 500® Finish, Aluminum Gravel Stop.....	14.75	1.79
07 71 19 00-0017 0.063" Thick, KYNAR 500® Finish, Aluminum Gravel Stop (07 71 19 00-0004)		
07 71 19 00-0018 LF 4" To 6" Face Height, 0.063" Thick, KYNAR 500® Finish, Aluminum Gravel Stop.....	14.81	1.67
07 71 19 00-0019 LF >6" To 10" Face Height, 0.063" Thick, KYNAR 500® Finish, Aluminum Gravel Stop.....	15.01	1.73
07 71 19 00-0020 LF >10" To 18" Face Height, 0.063" Thick, KYNAR 500® Finish, Aluminum Gravel Stop.....	15.41	1.79
07 71 19 00-0021 Mill Finish, Aluminum Gravel Stop (07 71 19 00-0003)		
07 71 19 00-0022 0.032" Thick, Mill Finish, Aluminum Gravel Stop (07 71 19 00-0021)		
07 71 19 00-0023 LF 4" To 6" Face Height, 0.032" Thick, Mill Finish, Aluminum Gravel Stop.....	8.84	1.67
07 71 19 00-0024 LF >6" To 10" Face Height, 0.032" Thick, Mill Finish, Aluminum Gravel Stop.....	9.21	1.73
07 71 19 00-0025 LF >10" To 18" Face Height, 0.032" Thick, Mill Finish, Aluminum Gravel Stop.....	9.63	1.79
07 71 19 00-0026 0.040" Thick, Mill Finish, Aluminum Gravel Stop (07 71 19 00-0021)		
07 71 19 00-0027 LF 4" To 6" Face Height, 0.040" Thick, Mill Finish, Aluminum Gravel Stop.....	9.41	1.67
07 71 19 00-0028 LF >6" To 10" Face Height, 0.040" Thick, Mill Finish, Aluminum Gravel Stop.....	9.71	1.73
07 71 19 00-0029 LF >10" To 18" Face Height, 0.040" Thick, Mill Finish, Aluminum Gravel Stop.....	10.01	1.79
07 71 19 00-0030 0.050" Thick, Mill Finish, Aluminum Gravel Stop (07 71 19 00-0021)		
07 71 19 00-0031 LF 4" To 6" Face Height, 0.050" Thick, Mill Finish, Aluminum Gravel Stop.....	9.98	1.67
07 71 19 00-0032 LF >6" To 10" Face Height, 0.050" Thick, Mill Finish, Aluminum Gravel Stop.....	10.28	1.73
07 71 19 00-0033 LF >10" To 18" Face Height, 0.050" Thick, Mill Finish, Aluminum Gravel Stop.....	10.62	1.79
07 71 19 00-0034 0.063" Thick, Mill Finish, Aluminum Gravel Stop (07 71 19 00-0021)		
07 71 19 00-0035 LF 4" To 6" Face Height, 0.063" Thick, Mill Finish, Aluminum Gravel Stop.....	10.59	1.67
07 71 19 00-0036 LF >6" To 10" Face Height, 0.063" Thick, Mill Finish, Aluminum Gravel Stop.....	10.85	1.73
07 71 19 00-0037 LF >10" To 18" Face Height, 0.063" Thick, Mill Finish, Aluminum Gravel Stop.....	11.08	1.79
07 71 19 00-0038 Clear Anodized Finish, Aluminum Gravel Stop (07 71 19 00-0003)		
07 71 19 00-0039 0.032" Thick, Clear Anodized Finish, Aluminum Gravel Stop (07 71 19 00-0038)		
07 71 19 00-0040 LF 4" To 6" Face Height, 0.032" Thick, Clear Anodized Finish, Aluminum Gravel Stop.....	14.74	1.67
07 71 19 00-0041 LF >6" To 10" Face Height, 0.032" Thick, Clear Anodized Finish, Aluminum Gravel Stop.....	15.01	1.73
07 71 19 00-0042 LF >10" To 18" Face Height, 0.032" Thick, Clear Anodized Finish, Aluminum Gravel Stop.....	15.27	1.79
07 71 19 00-0043 0.040" Thick, Clear Anodized Finish, Aluminum Gravel Stop (07 71 19 00-0038)		
07 71 19 00-0044 LF 4" To 6" Face Height, 0.040" Thick, Clear Anodized Finish, Aluminum Gravel Stop.....	15.56	1.67
07 71 19 00-0045 LF >6" To 10" Face Height, 0.040" Thick, Clear Anodized Finish, Aluminum Gravel Stop.....	15.87	1.73
07 71 19 00-0046 LF >10" To 18" Face Height, 0.040" Thick, Clear Anodized Finish, Aluminum Gravel Stop.....	16.17	1.79
07 71 19 00-0047 0.050" Thick, Clear Anodized Finish, Aluminum Gravel Stop (07 71 19 00-0038)		
07 71 19 00-0048 LF 4" To 6" Face Height, 0.050" Thick, Clear Anodized Finish, Aluminum Gravel Stop.....	16.63	1.67
07 71 19 00-0049 LF >6" To 10" Face Height, 0.050" Thick, Clear Anodized Finish, Aluminum Gravel Stop.....	16.89	1.73
07 71 19 00-0050 LF >10" To 18" Face Height, 0.050" Thick, Clear Anodized Finish, Aluminum Gravel Stop.....	17.12	1.79
07 71 19 00-0051 0.063" Thick, Clear Anodized Finish, Aluminum Gravel Stop (07 71 19 00-0038)		
07 71 19 00-0052 LF 4" To 6" Face Height, 0.063" Thick, Clear Anodized Finish, Aluminum Gravel Stop.....	17.35	1.67
07 71 19 00-0053 LF >6" To 10" Face Height, 0.063" Thick, Clear Anodized Finish, Aluminum Gravel Stop.....	17.64	1.73
07 71 19 00-0054 LF >10" To 18" Face Height, 0.063" Thick, Clear Anodized Finish, Aluminum Gravel Stop.....	17.90	1.79
07 71 19 00-0055 Aluminum Gravel Stop System With Continuous Cleat (07 71 19 00-0002)		
Note: Includes matching joint splice plate, galvanized steel cleats and stainless steel fasteners.		
07 71 19 00-0056 KYNAR 500® Finish, Aluminum Gravel Stop System With Continuous Cleat (07 71 19 00-0055)		
07 71 19 00-0057 0.032" Thick, KYNAR 500® Finish, Aluminum Gravel Stop System With Continuous Cleat (07 71 19 00-0056)		
07 71 19 00-0058 LF 4" To 6" Face Height, 0.032" Thick, KYNAR 500® Finish, Aluminum Gravel Stop System With Continuous Cleat.....	16.09	2.78
07 71 19 00-0059 LF >6" To 10" Face Height, 0.032" Thick, KYNAR 500® Finish, Aluminum Gravel Stop System With Continuous Cleat.....	16.73	2.88
07 71 19 00-0060 LF >10" To 18" Face Height, 0.032" Thick, KYNAR 500® Finish, Aluminum Gravel Stop System With Continuous Cleat.....	17.51	2.97
07 71 19 00-0061 0.040" Thick, KYNAR 500® Finish, Aluminum Gravel Stop System With Continuous Cleat (07 71 19 00-0056)		
07 71 19 00-0062 LF 4" To 6" Face Height, 0.040" Thick, KYNAR 500® Finish, Aluminum Gravel Stop System With Continuous Cleat.....	16.78	2.78

07	Thermal And Moisture Protection
07 70	Roof And Wall Specialties And Accessories
07 71	Roof Specialties



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 71 19 00-0063 LF >6" To 10" Face Height, 0.040" Thick, KYNAR 500® Finish, Aluminum Gravel Stop System With Continuous Cleat	17.44	2.88
07 71 19 00-0064 LF >10" To 18" Face Height, 0.040" Thick, KYNAR 500® Finish, Aluminum Gravel Stop System With Continuous Cleat	18.27	2.97
07 71 19 00-0065 0.050" Thick, KYNAR 500® Finish, Aluminum Gravel Stop System With Continuous Cleat (07 71 19 00-0056)		
07 71 19 00-0066 LF 4" To 6" Face Height, 0.050" Thick, KYNAR 500® Finish, Aluminum Gravel Stop System With Continuous Cleat	17.67	2.78
07 71 19 00-0067 LF >6" To 10" Face Height, 0.050" Thick, KYNAR 500® Finish, Aluminum Gravel Stop System With Continuous Cleat	18.29	2.88
07 71 19 00-0068 LF >10" To 18" Face Height, 0.050" Thick, KYNAR 500® Finish, Aluminum Gravel Stop System With Continuous Cleat	19.21	2.97
07 71 19 00-0069 0.063" Thick, KYNAR 500® Finish, Aluminum Gravel Stop System With Continuous Cleat (07 71 19 00-0056)		
07 71 19 00-0070 LF 4" To 6" Face Height, 0.063" Thick, KYNAR 500® Finish, Aluminum Gravel Stop System With Continuous Cleat	18.27	2.78
07 71 19 00-0071 LF >6" To 10" Face Height, 0.063" Thick, KYNAR 500® Finish, Aluminum Gravel Stop System With Continuous Cleat	18.92	2.88
07 71 19 00-0072 LF >10" To 18" Face Height, 0.063" Thick, KYNAR 500® Finish, Aluminum Gravel Stop System With Continuous Cleat	19.88	2.97
07 71 19 00-0073 Mill Finish, Aluminum Gravel Stop System With Continuous Cleat (07 71 19 00-0055)		
07 71 19 00-0074 0.032" Thick, Mill Finish, Aluminum Gravel Stop System With Continuous Cleat (07 71 19 00-0073)		
07 71 19 00-0075 LF 4" To 6" Face Height, 0.032" Thick, Mill Finish, Aluminum Gravel Stop System With Continuous Cleat	12.83	2.78
07 71 19 00-0076 LF >6" To 10" Face Height, 0.032" Thick, Mill Finish, Aluminum Gravel Stop System With Continuous Cleat	13.32	2.88
07 71 19 00-0077 LF >10" To 18" Face Height, 0.032" Thick, Mill Finish, Aluminum Gravel Stop System With Continuous Cleat	13.95	2.97
07 71 19 00-0078 0.040" Thick, Mill Finish, Aluminum Gravel Stop System With Continuous Cleat (07 71 19 00-0073)		
07 71 19 00-0079 LF 4" To 6" Face Height, 0.040" Thick, Mill Finish, Aluminum Gravel Stop System With Continuous Cleat	13.30	2.78
07 71 19 00-0080 LF >6" To 10" Face Height, 0.040" Thick, Mill Finish, Aluminum Gravel Stop System With Continuous Cleat	13.81	2.88
07 71 19 00-0081 LF >10" To 18" Face Height, 0.040" Thick, Mill Finish, Aluminum Gravel Stop System With Continuous Cleat	14.47	2.97
07 71 19 00-0082 0.050" Thick, Mill Finish, Aluminum Gravel Stop System With Continuous Cleat (07 71 19 00-0073)		
07 71 19 00-0083 LF 4" To 6" Face Height, 0.050" Thick, Mill Finish, Aluminum Gravel Stop System With Continuous Cleat	13.91	2.78
07 71 19 00-0084 LF >6" To 10" Face Height, 0.050" Thick, Mill Finish, Aluminum Gravel Stop System With Continuous Cleat	14.40	2.88
07 71 19 00-0085 LF >10" To 18" Face Height, 0.050" Thick, Mill Finish, Aluminum Gravel Stop System With Continuous Cleat	15.09	2.97
07 71 19 00-0086 0.063" Thick, Mill Finish, Aluminum Gravel Stop System With Continuous Cleat (07 71 19 00-0073)		
07 71 19 00-0087 LF 4" To 6" Face Height, 0.063" Thick, Mill Finish, Aluminum Gravel Stop System With Continuous Cleat	14.33	2.78
07 71 19 00-0088 LF >6" To 10" Face Height, 0.063" Thick, Mill Finish, Aluminum Gravel Stop System With Continuous Cleat	14.83	2.88
07 71 19 00-0089 LF >10" To 18" Face Height, 0.063" Thick, Mill Finish, Aluminum Gravel Stop System With Continuous Cleat	15.55	2.97
07 71 19 00-0090 Clear Anodized Finish, Aluminum Gravel Stop System With Continuous Cleat (07 71 19 00-0055)		
07 71 19 00-0091 0.032" Thick, Clear Anodized Finish, Aluminum Gravel Stop System With Continuous Cleat (07 71 19 00-0090)		
07 71 19 00-0092 LF 4" To 6" Face Height, 0.032" Thick, Clear Anodized Finish, Aluminum Gravel Stop System With Continuous Cleat	18.20	2.78
07 71 19 00-0093 LF >6" To 10" Face Height, 0.032" Thick, Clear Anodized Finish, Aluminum Gravel Stop System With Continuous Cleat	18.92	2.88
07 71 19 00-0094 LF >10" To 18" Face Height, 0.032" Thick, Clear Anodized Finish, Aluminum Gravel Stop System With Continuous Cleat	19.74	2.97
07 71 19 00-0095 0.040" Thick, Clear Anodized Finish, Aluminum Gravel Stop System With Continuous Cleat (07 71 19 00-0090)		
07 71 19 00-0096 LF 4" To 6" Face Height, 0.040" Thick, Clear Anodized Finish, Aluminum Gravel Stop System With Continuous Cleat	19.02	2.78
07 71 19 00-0097 LF >6" To 10" Face Height, 0.040" Thick, Clear Anodized Finish, Aluminum Gravel Stop System With Continuous Cleat	19.78	2.88
07 71 19 00-0098 LF >10" To 18" Face Height, 0.040" Thick, Clear Anodized Finish, Aluminum Gravel Stop System With Continuous Cleat	20.64	2.97
07 71 19 00-0099 0.050" Thick, Clear Anodized Finish, Aluminum Gravel Stop System With Continuous Cleat (07 71 19 00-0090)		
07 71 19 00-0100 LF 4" To 6" Face Height, 0.050" Thick, Clear Anodized Finish, Aluminum Gravel Stop System With Continuous Cleat	20.09	2.78



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 71 19 00-0101 LF >6" To 10" Face Height, 0.050" Thick, Clear Anodized Finish, Aluminum Gravel Stop System With Continuous Cleat	20.80	2.88
07 71 19 00-0102 LF >10" To 18" Face Height, 0.050" Thick, Clear Anodized Finish, Aluminum Gravel Stop System With Continuous Cleat	21.58	2.97
07 71 19 00-0103 0.063" Thick, Clear Anodized Finish, Aluminum Gravel Stop System With Continuous Cleat <small>(07 71 19 00-0090)</small>		
07 71 19 00-0104 LF 4" To 6" Face Height, 0.063" Thick, Clear Anodized Finish, Aluminum Gravel Stop System With Continuous Cleat	20.81	2.78
07 71 19 00-0105 LF >6" To 10" Face Height, 0.063" Thick, Clear Anodized Finish, Aluminum Gravel Stop System With Continuous Cleat	21.56	2.88
07 71 19 00-0106 LF >10" To 18" Face Height, 0.063" Thick, Clear Anodized Finish, Aluminum Gravel Stop System With Continuous Cleat	22.37	2.97
07 71 19 00-0107 Stainless Steel Gravel Stop <small>(07 71 19 00-0001)</small>		
07 71 19 00-0108 Stainless Steel Gravel Stop <small>(07 71 19 00-0107)</small>		
07 71 19 00-0109 26 Gauge, Stainless Steel Gravel Stop <small>(07 71 19 00-0108)</small>		
07 71 19 00-0110 LF 4" To 6" Face Height, 26 Gauge, Stainless Steel Gravel Stop	9.70	1.67
07 71 19 00-0111 LF >6" To 10" Face Height, 26 Gauge, Stainless Steel Gravel Stop	11.97	1.73
07 71 19 00-0112 LF >10" To 18" Face Height, 26 Gauge, Stainless Steel Gravel Stop	16.67	1.79
07 71 19 00-0113 24 Gauge, Stainless Steel Gravel Stop <small>(07 71 19 00-0108)</small>		
07 71 19 00-0114 LF 4" To 6" Face Height, 24 Gauge, Stainless Steel Gravel Stop	11.55	1.67
07 71 19 00-0115 LF >6" To 10" Face Height, 24 Gauge, Stainless Steel Gravel Stop	14.43	1.73
07 71 19 00-0116 LF >10" To 18" Face Height, 24 Gauge, Stainless Steel Gravel Stop	20.37	1.79
07 71 19 00-0117 22 Gauge, Stainless Steel Gravel Stop <small>(07 71 19 00-0108)</small>		
07 71 19 00-0118 LF 4" To 6" Face Height, 22 Gauge, Stainless Steel Gravel Stop	13.51	1.67
07 71 19 00-0119 LF >6" To 10" Face Height, 22 Gauge, Stainless Steel Gravel Stop	17.05	1.73
07 71 19 00-0120 LF >10" To 18" Face Height, 22 Gauge, Stainless Steel Gravel Stop	24.29	1.79
07 71 19 00-0121 Stainless Steel Gravel Stop System With Continuous Cleat <small>(07 71 19 00-0107)</small>		
<small>Note: Includes matching joint splice plate, galvanized steel cleats and stainless steel fasteners.</small>		
07 71 19 00-0122 26 Gauge, Stainless Steel Gravel Stop System With Continuous Cleat <small>(07 71 19 00-0121)</small>		
07 71 19 00-0123 LF 4" To 6" Face Height, 26 Gauge, Stainless Steel Gravel Stop System With Continuous Cleat	13.18	2.78
07 71 19 00-0124 LF >6" To 10" Face Height, 26 Gauge, Stainless Steel Gravel Stop System With Continuous Cleat	15.90	2.88
07 71 19 00-0125 LF >10" To 18" Face Height, 26 Gauge, Stainless Steel Gravel Stop System With Continuous Cleat	21.17	2.97
07 71 19 00-0126 24 Gauge, Stainless Steel Gravel Stop System With Continuous Cleat <small>(07 71 19 00-0121)</small>		
07 71 19 00-0127 LF 4" To 6" Face Height, 24 Gauge, Stainless Steel Gravel Stop System With Continuous Cleat	15.03	2.78
07 71 19 00-0128 LF >6" To 10" Face Height, 24 Gauge, Stainless Steel Gravel Stop System With Continuous Cleat	18.36	2.88
07 71 19 00-0129 LF >10" To 18" Face Height, 24 Gauge, Stainless Steel Gravel Stop System With Continuous Cleat	24.86	2.97
07 71 19 00-0130 22 Gauge, Stainless Steel Gravel Stop System With Continuous Cleat <small>(07 71 19 00-0121)</small>		
07 71 19 00-0131 LF 4" To 6" Face Height, 22 Gauge, Stainless Steel Gravel Stop System With Continuous Cleat	16.99	2.78
07 71 19 00-0132 LF >6" To 10" Face Height, 22 Gauge, Stainless Steel Gravel Stop System With Continuous Cleat	20.98	2.88
07 71 19 00-0133 LF >10" To 18" Face Height, 22 Gauge, Stainless Steel Gravel Stop System With Continuous Cleat	28.78	2.97
07 71 19 00-0134 Galvanized Steel Gravel Stop <small>(07 71 19 00-0001)</small>		
07 71 19 00-0135 Galvanized Steel Gravel Stop <small>(07 71 19 00-0134)</small>		
07 71 19 00-0136 KYNAR 500® Finish, Galvanized Steel Gravel Stop <small>(07 71 19 00-0135)</small>		
07 71 19 00-0137 24 Gauge, KYNAR 500® Finish, Galvanized Steel Gravel Stop <small>(07 71 19 00-0136)</small>		
07 71 19 00-0138 LF 4" To 6" Face Height, 24 Gauge, KYNAR 500® Finish, Galvanized Steel Gravel Stop	13.61	1.67
07 71 19 00-0139 LF >6" To 10" Face Height, 24 Gauge, KYNAR 500® Finish, Galvanized Steel Gravel Stop	13.79	1.73
07 71 19 00-0140 LF >10" To 18" Face Height, 24 Gauge, KYNAR 500® Finish, Galvanized Steel Gravel Stop	14.11	1.79
07 71 19 00-0141 Galvanized Steel Gravel Stop System With Continuous Cleat <small>(07 71 19 00-0134)</small>		
<small>Note: Includes matching joint splice plate, galvanized steel cleats and stainless steel fasteners.</small>		
07 71 19 00-0142 KYNAR 500® Finish, Galvanized Steel Gravel Stop System With Continuous Cleat <small>(07 71 19 00-0141)</small>		
07 71 19 00-0143 24 Gauge, KYNAR 500® Finish, Galvanized Steel Gravel Stop System With Continuous Cleat <small>(07 71 19 00-0142)</small>		
07 71 19 00-0144 LF 4" To 6" Face Height, 24 Gauge, KYNAR 500® Finish, Galvanized Steel Gravel Stop System With Continuous Cleat	17.40	2.78

07	Thermal And Moisture Protection
07 70	Roof And Wall Specialties And Accessories
07 71	Roof Specialties



MINOR CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 71 19 00-0145	LF	>6" To 10" Face Height, 24 Gauge, KYNAR 500® Finish, Galvanized Steel Gravel Stop System With Continuous Cleat	18.13	2.88
07 71 19 00-0146	LF	>10" To 18" Face Height, 24 Gauge, KYNAR 500® Finish, Galvanized Steel Gravel Stop System With Continuous Cleat	19.13	2.97
07 71 19 00-0147		Copper Gravel Stop (07 71 19 00-0001)		
07 71 19 00-0148		Copper Gravel Stop (07 71 19 00-0147)		
07 71 19 00-0149		20 Ounce, Copper Gravel Stop (07 71 19 00-0148)		
07 71 19 00-0150	LF	4" To 6" Face Height, 20 Ounce, Copper Gravel Stop	37.60	1.67
07 71 19 00-0151	LF	>6" To 10" Face Height, 20 Ounce, Copper Gravel Stop	42.55	1.73
07 71 19 00-0152	LF	>10" To 18" Face Height, 20 Ounce, Copper Gravel Stop	48.82	1.79
07 71 19 00-0153		16 Ounce, Copper Gravel Stop (07 71 19 00-0148)		
07 71 19 00-0154	LF	4" To 6" Face Height, 16 Ounce, Copper Gravel Stop	45.73	1.67
07 71 19 00-0155	LF	>6" To 10" Face Height, 16 Ounce, Copper Gravel Stop	52.48	1.73
07 71 19 00-0156	LF	>10" To 18" Face Height, 16 Ounce, Copper Gravel Stop	59.65	1.79
07 71 19 00-0157		Copper Gravel Stop System With Continuous Cleat (07 71 19 00-0147) Note: Includes matching joint splice plate, galvanized steel cleats and stainless steel fasteners.		
07 71 19 00-0158		20 Ounce, Copper Gravel Stop System With Continuous Cleat (07 71 19 00-0157)		
07 71 19 00-0159	LF	4" To 6" Face Height, 20 Ounce, Copper Gravel Stop System With Continuous Cleat	41.00	2.78
07 71 19 00-0160	LF	>6" To 10" Face Height, 20 Ounce, Copper Gravel Stop System With Continuous Cleat	46.38	2.88
07 71 19 00-0161	LF	>10" To 18" Face Height, 20 Ounce, Copper Gravel Stop System With Continuous Cleat	53.18	2.97
07 71 19 00-0162		16 Ounce, Copper Gravel Stop System With Continuous Cleat (07 71 19 00-0157)		
07 71 19 00-0163	LF	4" To 6" Face Height, 16 Ounce, Copper Gravel Stop System With Continuous Cleat	49.13	2.78
07 71 19 00-0164	LF	>6" To 10" Face Height, 16 Ounce, Copper Gravel Stop System With Continuous Cleat	56.32	2.88
07 71 19 00-0165	LF	>10" To 18" Face Height, 16 Ounce, Copper Gravel Stop System With Continuous Cleat	64.02	2.97
07 71 19 00-0166		Fascia (07 71 19)		
07 71 19 00-0167		Snap-On Cover Fascia (07 71 19 00-0166) Note: Includes matching joint splice plate, galvanized steel cleats and stainless steel fasteners.		
07 71 19 00-0168		Galvanized Steel Snap-On Cover Fascia (07 71 19 00-0167)		
07 71 19 00-0169		KYNAR 500® Finish, Galvanized Steel Snap-On Cover Fascia (07 71 19 00-0168)		
07 71 19 00-0170		24 Gauge, KYNAR 500® Finish, Galvanized Steel Snap-On Cover Fascia (07 71 19 00-0169)		
07 71 19 00-0171	LF	3" To 5" Face Height, 24 Gauge, KYNAR 500® Finish, Galvanized Steel Snap-On Cover Fascia System With Continuous Cleat	17.64	2.32
07 71 19 00-0172	LF	>5" To 7" Face Height, 24 Gauge, KYNAR 500® Finish, Galvanized Steel Snap-On Cover Fascia System With Continuous Cleat	19.62	2.41
07 71 19 00-0173	LF	>7" To 9" Face Height, 24 Gauge, KYNAR 500® Finish, Galvanized Steel Snap-On Cover Fascia System With Continuous Cleat	20.92	2.51
07 71 19 00-0174		Accessories For KYNAR 500® Finish, Galvanized Steel Snap-On Cover Fascia Systems (07 71 19 00-0169)		
07 71 19 00-0175		Fascia Sumps For KYNAR 500® Finish, Galvanized Steel Snap-On Cover Fascia Systems (07 71 19 00-0174)		
07 71 19 00-0176	EA	Fascia Sump For 3" To 5" Face Height, KYNAR 500® Finish, Galvanized Steel Snap-On Cover Fascia Systems	108.08	3.25
07 71 19 00-0177	EA	Fascia Sump For >5" To 7" Face Height, KYNAR 500® Finish, Galvanized Steel Snap-On Cover Fascia Systems	115.18	3.25
07 71 19 00-0178	EA	Fascia Sump For >7" To 9" Face Height, KYNAR 500® Finish, Galvanized Steel Snap-On Cover Fascia Systems	119.65	3.25
07 71 19 00-0179		Fascia Spillout Scuppers For KYNAR 500® Finish, Galvanized Steel Snap-On Cover Fascia Systems (07 71 19 00-0174)		
07 71 19 00-0180	EA	Fascia Spillout Scupper For 3" To 5" Face Height, KYNAR 500® Finish, Galvanized Steel Snap-On Cover Fascia Systems	88.73	3.25
07 71 19 00-0181	EA	Fascia Spillout Scupper For >5" To 7" Face Height, KYNAR 500® Finish, Galvanized Steel Snap-On Cover Fascia Systems	92.31	3.25
07 71 19 00-0182	EA	Fascia Spillout Scupper For >7" To 9" Face Height, KYNAR 500® Finish, Galvanized Steel Snap-On Cover Fascia Systems	94.50	3.25
07 71 19 00-0183		Aluminum Snap-On Cover Fascia (07 71 19 00-0167)		
07 71 19 00-0184		KYNAR 500® Finish, Aluminum Snap-On Cover Fascia System With Continuous Cleat (07 71 19 00-0183)		
07 71 19 00-0185		0.040" Thick, KYNAR 500® Finish, Aluminum Snap-On Cover Fascia System With Continuous Cleat (07 71 19 00-0184)		



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 71 19 00-0186 LF 3" To 5" Face Height, 0.040" Thick, KYNAR 500® Finish, Aluminum Snap-On Cover Fascia System With Continuous Cleat	16.06	2.32
07 71 19 00-0187 LF >5" To 7" Face Height, 0.040" Thick, KYNAR 500® Finish, Aluminum Snap-On Cover Fascia System With Continuous Cleat	18.06	2.41
07 71 19 00-0188 LF >7" To 9" Face Height, 0.040" Thick, KYNAR 500® Finish, Aluminum Snap-On Cover Fascia System With Continuous Cleat	19.12	2.51
07 71 19 00-0189 0.050" Thick, KYNAR 500® Finish, Aluminum Snap-On Cover Fascia System With Continuous Cleat <small>(07 71 19 00-0184)</small>		
07 71 19 00-0190 LF 3" To 5" Face Height, 0.050" Thick, KYNAR 500® Finish, Aluminum Snap-On Cover Fascia System With Continuous Cleat	16.81	2.32
07 71 19 00-0191 LF >5" To 7" Face Height, 0.050" Thick, KYNAR 500® Finish, Aluminum Snap-On Cover Fascia System With Continuous Cleat	19.02	2.41
07 71 19 00-0192 LF >7" To 9" Face Height, 0.050" Thick, KYNAR 500® Finish, Aluminum Snap-On Cover Fascia System With Continuous Cleat	20.20	2.51
07 71 19 00-0193 Accessories For KYNAR 500® Finish, Aluminum Snap-On Cover Fascia Systems <small>(07 71 19 00-0184)</small>		
07 71 19 00-0194 Fascia Sumps For KYNAR 500® Finish, Aluminum Snap-On Cover Fascia Systems <small>(07 71 19 00-0193)</small>		
07 71 19 00-0195 EA Fascia Sump For 3" To 5" Face Height, KYNAR 500® Finish, Aluminum Snap-On Cover Fascia Systems	97.40	3.25
07 71 19 00-0196 EA Fascia Sump For >5" To 7" Face Height, KYNAR 500® Finish, Aluminum Snap-On Cover Fascia Systems	105.48	3.25
07 71 19 00-0197 EA Fascia Sump For >7" To 9" Face Height, KYNAR 500® Finish, Aluminum Snap-On Cover Fascia Systems	109.01	3.25
07 71 19 00-0198 Fascia Spillout Scuppers For KYNAR 500® Finish, Aluminum Snap-On Cover Fascia Systems <small>(07 71 19 00-0193)</small>		
07 71 19 00-0199 EA Fascia Spillout Scupper For 3" To 5" Face Height, KYNAR 500® Finish, Aluminum Snap-On Cover Fascia Systems	77.50	3.25
07 71 19 00-0200 EA Fascia Spillout Scupper For >5" To 7" Face Height, KYNAR 500® Finish, Aluminum Snap-On Cover Fascia Systems	81.52	3.25
07 71 19 00-0201 EA Fascia Spillout Scupper For >7" To 9" Face Height, KYNAR 500® Finish, Aluminum Snap-On Cover Fascia Systems	83.28	3.25
07 71 19 00-0202 Clear Anodized Finish, Aluminum Snap-On Cover Fascia System With Continuous Cleat <small>(07 71 19 00-0183)</small>		
07 71 19 00-0203 0.040" Thick, Clear Anodized Finish, Aluminum Snap-On Cover Fascia System With Continuous Cleat <small>(07 71 19 00-0202)</small>		
07 71 19 00-0204 LF 3" To 5" Face Height, 0.040" Thick, Clear Anodized Finish, Aluminum Snap-On Cover Fascia System With Continuous Cleat	18.35	2.32
07 71 19 00-0205 LF >5" To 7" Face Height, 0.040" Thick, Clear Anodized Finish, Aluminum Snap-On Cover Fascia System With Continuous Cleat	20.70	2.41
07 71 19 00-0206 LF >7" To 9" Face Height, 0.040" Thick, Clear Anodized Finish, Aluminum Snap-On Cover Fascia System With Continuous Cleat	21.94	2.51
07 71 19 00-0207 0.050" Thick, Clear Anodized Finish, Aluminum Snap-On Cover Fascia System With Continuous Cleat <small>(07 71 19 00-0202)</small>		
07 71 19 00-0208 LF 3" To 5" Face Height, 0.050" Thick, Clear Anodized Finish, Aluminum Snap-On Cover Fascia System With Continuous Cleat	19.24	2.32
07 71 19 00-0209 LF >5" To 7" Face Height, 0.050" Thick, Clear Anodized Finish, Aluminum Snap-On Cover Fascia System With Continuous Cleat	21.85	2.41
07 71 19 00-0210 LF >7" To 9" Face Height, 0.050" Thick, Clear Anodized Finish, Aluminum Snap-On Cover Fascia System With Continuous Cleat	23.24	2.51
07 71 19 00-0211 Accessories For Clear Anodized Finish, Aluminum Snap-On Cover Fascia Systems <small>(07 71 19 00-0202)</small>		
07 71 19 00-0212 Fascia Sumps For Clear Anodized Finish, Aluminum Snap-On Cover Fascia Systems <small>(07 71 19 00-0211)</small>		
07 71 19 00-0213 EA Fascia Sump For 3" To 5" Face Height, Clear Anodized Finish, Aluminum Snap-On Cover Fascia Systems	120.13	3.25
07 71 19 00-0214 EA Fascia Sump For >5" To 7" Face Height, Clear Anodized Finish, Aluminum Snap-On Cover Fascia Systems	130.22	3.25
07 71 19 00-0215 EA Fascia Sump For >7" To 9" Face Height, Clear Anodized Finish, Aluminum Snap-On Cover Fascia Systems	134.64	3.25
07 71 19 00-0216 Fascia Spillout Scuppers For Clear Anodized Finish, Aluminum Snap-On Cover Fascia Systems <small>(07 71 19 00-0211)</small>		
07 71 19 00-0217 EA Fascia Spillout Scupper For 3" To 5" Face Height, Clear Anodized Finish, Aluminum Snap-On Cover Fascia Systems	95.25	3.25
07 71 19 00-0218 EA Fascia Spillout Scupper For >5" To 7" Face Height, Clear Anodized Finish, Aluminum Snap-On Cover Fascia Systems	100.28	3.25
07 71 19 00-0219 EA Fascia Spillout Scupper For >7" To 9" Face Height, Clear Anodized Finish, Aluminum Snap-On Cover Fascia Systems	102.48	3.25



MINOR
CSI UOM DESCRIPTION

TOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

07 71 23 Manufactured Gutters And Downspouts (07 71)

Note: Includes all necessary support straps.

07 71 23 00-0001	Aluminum Gutters And Downspouts (07 71 23)		
07 71 23 00-0002	Aluminum Gutters (07 71 23 00-0001)		
	Note: Includes drop outlets, hangers and fasteners. Excludes end caps, miters and downspouts.		
07 71 23 00-0003	K-Style Aluminum Gutters (07 71 23 00-0002)		
07 71 23 00-0004	LF 5", 0.027" Thick, K-Style Aluminum Gutter.....	5.72	2.29
	For Up To 100', Add	1.15	
	For >100' To 250', Add	0.48	
	For >1,000', Deduct	-0.38	
	For Kynar 500® Finish, Add	0.86	
07 71 23 00-0005	LF 6", 0.027" Thick, K-Style Aluminum Gutter.....	6.24	2.29
	For Up To 100', Add	1.20	
	For >100' To 250', Add	0.50	
	For >1,000', Deduct	-0.38	
	For Kynar 500® Finish, Add	1.09	
07 71 23 00-0006	LF 5", 0.032" Thick, K-Style Aluminum Gutter.....	5.99	2.29
	For Up To 100', Add	1.17	
	For >100' To 250', Add	0.49	
	For >1,000', Deduct	-0.38	
	For Kynar 500® Finish, Add	0.98	
07 71 23 00-0007	LF 6", 0.032" Thick, K-Style Aluminum Gutter.....	6.59	2.29
	For Up To 100', Add	1.23	
	For >100' To 250', Add	0.52	
	For >1,000', Deduct	-0.38	
	For Kynar 500® Finish, Add	1.25	
07 71 23 00-0008	LF 7", 0.032" Thick, K-Style Aluminum Gutter.....	12.77	2.29
	For Up To 100', Add	1.85	
	For >100' To 250', Add	0.83	
	For >1,000', Deduct	-0.38	
	For Kynar 500® Finish, Add	4.03	
07 71 23 00-0009	LF 8", 0.032" Thick, K-Style Aluminum Gutter.....	13.61	2.29
	For Up To 100', Add	1.93	
	For >100' To 250', Add	0.87	
	For >1,000', Deduct	-0.38	
	For Kynar 500® Finish, Add	4.41	
07 71 23 00-0010	LF 8", 0.040" Thick, K-Style Aluminum Gutter.....	15.50	2.29
	For Up To 100', Add	2.12	
	For >100' To 250', Add	0.97	
	For >1,000', Deduct	-0.38	
	For Kynar 500® Finish, Add	5.26	
07 71 23 00-0011	Half Round Aluminum Gutters (07 71 23 00-0002)		
07 71 23 00-0012	LF 5", 0.027" Thick, Half Round Aluminum Gutter.....	11.19	2.29
	For Up To 100', Add	1.69	
	For >100' To 250', Add	0.75	
	For >1,000', Deduct	-0.38	
	For Kynar 500® Finish, Add	3.32	
07 71 23 00-0013	LF 6", 0.032" Thick, Half Round Aluminum Gutter.....	13.42	2.29
	For Up To 100', Add	1.92	
	For >100' To 250', Add	0.86	
	For >1,000', Deduct	-0.38	
	For Kynar 500® Finish, Add	4.32	
07 71 23 00-0014	Box Style Aluminum Gutters (07 71 23 00-0002)		
07 71 23 00-0015	LF 6", 0.027" Thick, Box Style Aluminum Gutter.....	10.66	2.29
	For Up To 100', Add	1.64	
	For >100' To 250', Add	0.72	
	For >1,000', Deduct	-0.38	
	For Kynar 500® Finish, Add	3.08	
07 71 23 00-0016	LF 6", 0.032" Thick, Box Style Aluminum Gutter.....	10.69	2.29
	For Up To 100', Add	1.64	
	For >100' To 250', Add	0.73	
	For >1,000', Deduct	-0.38	
	For Kynar 500® Finish, Add	3.09	
07 71 23 00-0017	LF 7", 0.032" Thick, Box Style Aluminum Gutter.....	12.38	2.29
	For Up To 100', Add	1.81	
	For >100' To 250', Add	0.81	
	For >1,000', Deduct	-0.38	
	For Kynar 500® Finish, Add	3.85	
07 71 23 00-0018	LF 8", 0.032" Thick, Box Style Aluminum Gutter.....	13.90	2.29
	For Up To 100', Add	1.96	
	For >100' To 250', Add	0.89	
	For >1,000', Deduct	-0.38	
	For Kynar 500® Finish, Add	4.54	
07 71 23 00-0019	Aluminum Gutter End Caps (07 71 23 00-0001)		



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 71 23 00-0020 K-Style, Aluminum Gutter End Caps (07 71 23 00-0019)		
07 71 23 00-0021 EA 5", K-Style Aluminum Gutter End Cap <i>For Kynar 500® Finish, Add</i>	2.49 0.30	
07 71 23 00-0022 EA 6", K-Style Aluminum Gutter End Cap <i>For Kynar 500® Finish, Add</i>	3.02 0.54	
07 71 23 00-0023 EA 7", K-Style Aluminum Gutter End Cap <i>For Kynar 500® Finish, Add</i>	6.29 2.01	
07 71 23 00-0024 EA 8", K-Style Aluminum Gutter End Cap <i>For Kynar 500® Finish, Add</i>	7.28 2.45	
07 71 23 00-0025 Half Round, Aluminum Gutter End Caps (07 71 23 00-0019)		
07 71 23 00-0026 EA 5", Half Round Aluminum Gutter End Cap <i>For Kynar 500® Finish, Add</i>	3.86 0.91	
07 71 23 00-0027 EA 6", Half Round Aluminum Gutter End Cap <i>For Kynar 500® Finish, Add</i>	5.84 1.80	
07 71 23 00-0028 Box Style, Aluminum Gutter End Caps (07 71 23 00-0019)		
07 71 23 00-0029 EA 6", Box Style Aluminum Gutter End Cap <i>For Kynar 500® Finish, Add</i>	6.83 2.25	
07 71 23 00-0030 EA 7", Box Style Aluminum Gutter End Cap <i>For Kynar 500® Finish, Add</i>	7.41 2.51	
07 71 23 00-0031 EA 8", Box Style Aluminum Gutter End Cap <i>For Kynar 500® Finish, Add</i>	8.65 3.07	
07 71 23 00-0032 Aluminum Gutter Miters (07 71 23 00-0001) Note: Inside or outside miters.		
07 71 23 00-0033 K-Style, Aluminum Gutter Miters (07 71 23 00-0032)		
07 71 23 00-0034 EA 5", K-Style Aluminum Gutter Miter <i>For Kynar 500® Finish, Add</i>	8.42 2.34	
07 71 23 00-0035 EA 6", K-Style Aluminum Gutter Miter <i>For Kynar 500® Finish, Add</i>	12.23 4.06	
07 71 23 00-0036 EA 7", K-Style Aluminum Gutter Miter <i>For Kynar 500® Finish, Add</i>	46.64 19.54	
07 71 23 00-0037 EA 8", K-Style Aluminum Gutter Miter <i>For Kynar 500® Finish, Add</i>	50.50 21.28	
07 71 23 00-0038 Half Round, Aluminum Gutter Miters (07 71 23 00-0032)		
07 71 23 00-0039 EA 5", Half Round Aluminum Gutter Miter <i>For Kynar 500® Finish, Add</i>	17.99 6.65	
07 71 23 00-0040 EA 6", Half Round Aluminum Gutter Miter <i>For Kynar 500® Finish, Add</i>	30.44 12.25	
07 71 23 00-0041 Box Style, Aluminum Gutter Miters (07 71 23 00-0032)		
07 71 23 00-0042 EA 6", Box Style Aluminum Gutter Miter <i>For Kynar 500® Finish, Add</i>	37.25 15.32	
07 71 23 00-0043 EA 7", Box Style Aluminum Gutter Miter <i>For Kynar 500® Finish, Add</i>	57.51 24.44	
07 71 23 00-0044 EA 8", Box Style Aluminum Gutter Miter <i>For Kynar 500® Finish, Add</i>	62.32 26.60	
07 71 23 00-0045 Aluminum Gutter Wire Strainers (07 71 23 00-0001)		
07 71 23 00-0046 EA 3" Diameter, Round Aluminum Wire Strainer <i>For Kynar 500® Finish, Add</i> <i>For 0.024" Thick, Add</i> <i>For 0.027" Thick, Add</i> <i>For 0.031" Thick, Add</i>	10.08 2.39 0.74 1.54 2.23	2.29
07 71 23 00-0047 EA 4" Diameter, Round Aluminum Wire Strainer <i>For Kynar 500® Finish, Add</i> <i>For 0.024" Thick, Add</i> <i>For 0.027" Thick, Add</i> <i>For 0.031" Thick, Add</i>	14.56 4.41 1.37 2.84 4.11	2.29
07 71 23 00-0048 Aluminum Downspouts (07 71 23 00-0001) Note: Includes elbows, hangers and fasteners.		
07 71 23 00-0049 Round Aluminum Downspouts (07 71 23 00-0048)		
07 71 23 00-0050 LF 3" Diameter, 0.019" Thick, Round Aluminum Downspout <i>For Up To 100', Add</i> <i>For >100 To 250', Add</i> <i>For >1,000', Deduct</i> <i>For Kynar 500® Finish, Add</i> <i>For 0.024" Thick, Add</i> <i>For 0.027" Thick, Add</i> <i>For 0.031" Thick, Add</i>	4.98 0.86 0.37 -0.24 1.17 0.36 0.75 1.09	2.19

07	Thermal And Moisture Protection
07 70	Roof And Wall Specialties And Accessories
07 71	Roof Specialties



MINOR
CSI UOM DESCRIPTION

TOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

07 71 23 00-0051	LF 4" Diameter, 0.019" Thick, Round Aluminum Downspout	5.59	2.19
	For Up To 100', Add	0.92	
	For >100 To 250', Add	0.40	
	For >1,000', Deduct	-0.24	
	For Kynar 500® Finish, Add	1.44	
	For 0.024" Thick, Add	0.45	
	For 0.027" Thick, Add	0.93	
	For 0.031" Thick, Add	1.35	
07 71 23 00-0052	Rectangular Aluminum Downspouts (07 71 23 00-0048)		
07 71 23 00-0053	LF 2" x 3", 0.019" Thick, Rectangular Aluminum Downspout.....	3.71	2.19
	For Up To 100', Add	0.73	
	For >100 To 250', Add	0.30	
	For >1,000', Deduct	-0.24	
	For Kynar 500® Finish, Add	0.60	
	For 0.024" Thick, Add	0.19	
	For 0.027" Thick, Add	0.39	
	For 0.031" Thick, Add	0.56	
07 71 23 00-0054	LF 3" x 4", 0.019" Thick, Rectangular Aluminum Downspout.....	4.49	2.19
	For Up To 100', Add	0.81	
	For >100 To 250', Add	0.34	
	For >1,000', Deduct	-0.24	
	For Kynar 500® Finish, Add	0.95	
	For 0.024" Thick, Add	0.30	
	For 0.027" Thick, Add	0.61	
	For 0.031" Thick, Add	0.89	
07 71 23 00-0055	LF 4" x 5", 0.019" Thick, Rectangular Aluminum Downspout.....	7.75	2.19
	For Up To 100', Add	1.13	
	For >100 To 250', Add	0.51	
	For >1,000', Deduct	-0.24	
	For Kynar 500® Finish, Add	2.42	
	For 0.024" Thick, Add	0.75	
	For 0.027" Thick, Add	1.56	
	For 0.031" Thick, Add	2.26	
07 71 23 00-0056	Aluminum Devices (07 71 23 00-0001)		
07 71 23 00-0057	EA Thru-Wall Aluminum Scupper Outlet.....	173.06	20.87
	For Kynar 500® Finish, Add	46.57	
07 71 23 00-0058	EA Aluminum Leader/Conductor Head.....	159.52	23.19
	For Kynar 500® Finish, Add	50.91	
07 71 23 00-0059	Copper Gutters And Downspouts (07 71 23)		
07 71 23 00-0060	Copper Gutters (07 71 23 00-0059)		
	Note: Includes drop outlets, hangers and fasteners. Excludes end caps, miters and downspouts.		
07 71 23 00-0061	K-Style Copper Gutters (07 71 23 00-0060)		
07 71 23 00-0062	LF 4", 16 Ounce, K-Style Copper Gutter	12.68	2.29
	For Up To 100', Add	1.84	
	For >100' To 250', Add	0.83	
	For >1,000', Deduct	-0.38	
07 71 23 00-0063	LF 5", 16 Ounce, K-Style Copper Gutter	18.21	2.29
	For Up To 100', Add	2.39	
	For >100' To 250', Add	1.10	
	For >1,000', Deduct	-0.38	
07 71 23 00-0064	LF 6", 16 Ounce, K-Style Copper Gutter	21.75	2.29
	For Up To 100', Add	2.75	
	For >100' To 250', Add	1.28	
	For >1,000', Deduct	-0.38	
07 71 23 00-0065	LF 5", 20 Ounce, K-Style Copper Gutter	23.39	2.29
	For Up To 100', Add	2.91	
	For >100' To 250', Add	1.36	
	For >1,000', Deduct	-0.38	
07 71 23 00-0066	LF 6", 20 Ounce, K-Style Copper Gutter	29.08	2.29
	For Up To 100', Add	3.48	
	For >100' To 250', Add	1.65	
	For >1,000', Deduct	-0.38	
07 71 23 00-0067	LF 7", 20 Ounce, K-Style Copper Gutter	33.73	2.29
	For Up To 100', Add	3.95	
	For >100' To 250', Add	1.88	
	For >1,000', Deduct	-0.38	
07 71 23 00-0068	LF 8", 20 Ounce, K-Style Copper Gutter	37.15	2.29
	For Up To 100', Add	4.29	
	For >100' To 250', Add	2.05	
	For >1,000', Deduct	-0.38	
07 71 23 00-0069	Half Round Copper Gutters (07 71 23 00-0060)		
07 71 23 00-0070	LF 5", 16 Ounce, Half Round Copper Gutter.....	15.52	2.29
	For Up To 100', Add	2.13	
	For >100' To 250', Add	0.97	
	For >1,000', Deduct	-0.38	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 71 23 00-0071 LF 6", 16 Ounce, Half Round Copper Gutter..... <i>For Up To 100', Add</i> <i>For >100' To 250', Add</i> <i>For >1,000', Deduct</i>	19.74 2.55 1.18 -0.38	2.29
07 71 23 00-0072 LF 7", 16 Ounce, Half Round Copper Gutter..... <i>For Up To 100', Add</i> <i>For >100' To 250', Add</i> <i>For >1,000', Deduct</i>	33.80 3.95 1.88 -0.38	2.29
07 71 23 00-0073 LF 5", 20 Ounce, Half Round Copper Gutter..... <i>For Up To 100', Add</i> <i>For >100' To 250', Add</i> <i>For >1,000', Deduct</i>	18.35 2.41 1.11 -0.38	2.29
07 71 23 00-0074 LF 6", 20 Ounce, Half Round Copper Gutter..... <i>For Up To 100', Add</i> <i>For >100' To 250', Add</i> <i>For >1,000', Deduct</i>	22.74 2.65 1.33 -0.38	2.29
07 71 23 00-0075 LF 7", 20 Ounce, Half Round Copper Gutter..... <i>For Up To 100', Add</i> <i>For >100' To 250', Add</i> <i>For >1,000', Deduct</i>	35.63 4.14 1.97 -0.38	2.29
07 71 23 00-0076 LF 8", 20 Ounce, Half Round Copper Gutter..... <i>For Up To 100', Add</i> <i>For >100' To 250', Add</i> <i>For >1,000', Deduct</i>	40.17 4.59 2.20 -0.38	2.29
07 71 23 00-0077 Copper Gutter End Caps (07 71 23 00-0059)		
07 71 23 00-0078 K-Style, Copper Gutter End Caps (07 71 23 00-0077)		
07 71 23 00-0079 EA 4", K-Style Copper Gutter End Cap.....	4.89	
07 71 23 00-0080 EA 5", K-Style Copper Gutter End Cap.....	5.22	
07 71 23 00-0081 EA 6", K-Style Copper Gutter End Cap.....	5.56	
07 71 23 00-0082 EA 7", K-Style Copper Gutter End Cap.....	14.60	
07 71 23 00-0083 EA 8", K-Style Copper Gutter End Cap.....	17.77	
07 71 23 00-0084 Half Round, Copper Gutter End Caps (07 71 23 00-0077)		
07 71 23 00-0085 EA 4", Half Round Copper Gutter End Cap.....	5.89	
07 71 23 00-0086 EA 5", Half Round Copper Gutter End Cap.....	6.60	
07 71 23 00-0087 EA 6", Half Round Copper Gutter End Cap.....	9.91	
07 71 23 00-0088 EA 7", Half Round Copper Gutter End Cap.....	29.60	
07 71 23 00-0089 EA 8", Half Round Copper Gutter End Cap.....	34.94	
07 71 23 00-0090 Copper Gutter Miters (07 71 23 00-0059) Note: Inside or outside miters.		
07 71 23 00-0091 K-Style, Copper Gutter Miters (07 71 23 00-0090)		
07 71 23 00-0092 EA 4", K-Style Copper Gutter Miter.....	25.86	
07 71 23 00-0093 EA 5", K-Style Copper Gutter Miter.....	29.34	
07 71 23 00-0094 EA 6", K-Style Copper Gutter Miter.....	44.03	
07 71 23 00-0095 EA 7", K-Style Copper Gutter Miter.....	64.21	
07 71 23 00-0096 EA 8", K-Style Copper Gutter Miter.....	75.79	
07 71 23 00-0097 Half Round, Copper Gutter Miters (07 71 23 00-0090)		
07 71 23 00-0098 EA 4", Half Round Copper Gutter Miter.....	43.12	
07 71 23 00-0099 EA 5", Half Round Copper Gutter Miter.....	38.90	
07 71 23 00-0100 EA 6", Half Round Copper Gutter Miter.....	57.86	
07 71 23 00-0101 EA 7", Half Round Copper Gutter Miter.....	69.58	
07 71 23 00-0102 EA 8", Half Round Copper Gutter Miter.....	82.75	
07 71 23 00-0103 Copper Gutter Wire Strainers (07 71 23 00-0059)		
07 71 23 00-0104 EA 2" Diameter, Round Copper Wire Strainer.....	12.81	2.29
07 71 23 00-0105 EA 3" Diameter, Round Copper Wire Strainer.....	15.45	2.29
07 71 23 00-0106 EA 4" Diameter, Round Copper Wire Strainer.....	24.08	2.29
07 71 23 00-0107 EA 5" Diameter, Round Copper Wire Strainer.....	31.59	2.29
07 71 23 00-0108 EA 6" Diameter, Round Copper Wire Strainer.....	37.88	2.29
07 71 23 00-0109 Copper Downspouts (07 71 23 00-0059) Note: Includes elbows, hangers and fasteners.		
07 71 23 00-0110 Round Copper Downspouts (07 71 23 00-0109)		
07 71 23 00-0111 LF 2" Diameter, 16 Ounce, Round Copper Downspout..... <i>For Up To 100', Add</i> <i>For >100 To 250', Add</i> <i>For >1,000', Deduct</i>	19.88 2.35 1.11 -0.24	2.19
07 71 23 00-0112 LF 3" Diameter, 16 Ounce, Round Copper Downspout..... <i>For Up To 100', Add</i> <i>For >100 To 250', Add</i> <i>For >1,000', Deduct</i>	13.91 1.75 0.81 -0.24	2.19

07	Thermal And Moisture Protection
07 70	Roof And Wall Specialties And Accessories
07 71	Roof Specialties



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 71 23 00-0113	LF		4" Diameter, 16 Ounce, Round Copper Downspout.....	17.48	2.19
			<i>For Up To 100', Add</i>	2.11	
			<i>For >100 To 250', Add</i>	0.99	
			<i>For >1,000', Deduct</i>	-0.24	
07 71 23 00-0114	LF		5" Diameter, 16 Ounce, Round Copper Downspout.....	27.81	2.19
			<i>For Up To 100', Add</i>	3.14	
			<i>For >100 To 250', Add</i>	1.51	
			<i>For >1,000', Deduct</i>	-0.24	
07 71 23 00-0115	LF		6" Diameter, 16 Ounce, Round Copper Downspout.....	35.70	2.19
			<i>For Up To 100', Add</i>	3.93	
			<i>For >100 To 250', Add</i>	1.90	
			<i>For >1,000', Deduct</i>	-0.24	
07 71 23 00-0116	LF		3" Diameter, 20 Ounce, Round Copper Downspout.....	18.74	2.19
			<i>For Up To 100', Add</i>	2.23	
			<i>For >100 To 250', Add</i>	1.06	
			<i>For >1,000', Deduct</i>	-0.24	
07 71 23 00-0117	LF		4" Diameter, 20 Ounce, Round Copper Downspout.....	24.26	2.19
			<i>For Up To 100', Add</i>	2.78	
			<i>For >100 To 250', Add</i>	1.33	
			<i>For >1,000', Deduct</i>	-0.24	
07 71 23 00-0118	LF		5" Diameter, 20 Ounce, Round Copper Downspout.....	36.78	2.19
			<i>For Up To 100', Add</i>	4.04	
			<i>For >100 To 250', Add</i>	1.96	
			<i>For >1,000', Deduct</i>	-0.24	
07 71 23 00-0119			Square Copper Downspouts (07 71 23 00-0109)		
07 71 23 00-0120	LF		3" Diameter, 16 Ounce, Square Copper Downspout.....	9.69	2.19
			<i>For Up To 100', Add</i>	1.33	
			<i>For >100 To 250', Add</i>	0.60	
			<i>For >1,000', Deduct</i>	-0.24	
07 71 23 00-0121	LF		4" Diameter, 16 Ounce, Square Copper Downspout.....	12.06	2.19
			<i>For Up To 100', Add</i>	1.56	
			<i>For >100 To 250', Add</i>	0.72	
			<i>For >1,000', Deduct</i>	-0.24	
07 71 23 00-0122	LF		5" Diameter, 16 Ounce, Square Copper Downspout.....	17.18	2.19
			<i>For Up To 100', Add</i>	2.08	
			<i>For >100 To 250', Add</i>	0.98	
			<i>For >1,000', Deduct</i>	-0.24	
07 71 23 00-0123	LF		3" Diameter, 20 Ounce, Square Copper Downspout.....	11.16	2.19
			<i>For Up To 100', Add</i>	1.47	
			<i>For >100 To 250', Add</i>	0.68	
			<i>For >1,000', Deduct</i>	-0.24	
07 71 23 00-0124	LF		4" Diameter, 20 Ounce, Square Copper Downspout.....	14.12	2.19
			<i>For Up To 100', Add</i>	1.77	
			<i>For >100 To 250', Add</i>	0.83	
			<i>For >1,000', Deduct</i>	-0.24	
07 71 23 00-0125	LF		5" Diameter, 20 Ounce, Square Copper Downspout.....	20.20	2.19
			<i>For Up To 100', Add</i>	2.38	
			<i>For >100 To 250', Add</i>	1.13	
			<i>For >1,000', Deduct</i>	-0.24	
07 71 23 00-0126			Rectangular Copper Downspouts (07 71 23 00-0109)		
07 71 23 00-0127	LF		2" x 3", 16 Ounce, Rectangular Copper Downspout.....	14.27	2.19
			<i>For Up To 100', Add</i>	1.78	
			<i>For >100 To 250', Add</i>	0.83	
			<i>For >1,000', Deduct</i>	-0.24	
07 71 23 00-0128	LF		3" x 4", 16 Ounce, Rectangular Copper Downspout.....	18.00	2.19
			<i>For Up To 100', Add</i>	2.16	
			<i>For >100 To 250', Add</i>	1.02	
			<i>For >1,000', Deduct</i>	-0.24	
07 71 23 00-0129	LF		4" x 5", 16 Ounce, Rectangular Copper Downspout.....	25.52	2.19
			<i>For Up To 100', Add</i>	2.91	
			<i>For >100 To 250', Add</i>	1.40	
			<i>For >1,000', Deduct</i>	-0.24	
07 71 23 00-0130	LF		2" x 3", 20 Ounce, Rectangular Copper Downspout.....	16.59	2.19
			<i>For Up To 100', Add</i>	2.02	
			<i>For >100 To 250', Add</i>	0.95	
			<i>For >1,000', Deduct</i>	-0.24	
07 71 23 00-0131	LF		3" x 4", 20 Ounce, Rectangular Copper Downspout.....	21.22	2.19
			<i>For Up To 100', Add</i>	2.48	
			<i>For >100 To 250', Add</i>	1.18	
			<i>For >1,000', Deduct</i>	-0.24	
07 71 23 00-0132	LF		4" x 5", 20 Ounce, Rectangular Copper Downspout.....	30.37	2.19
			<i>For Up To 100', Add</i>	3.39	
			<i>For >100 To 250', Add</i>	1.64	
			<i>For >1,000', Deduct</i>	-0.24	
07 71 23 00-0133			Copper Devices And Accessories (07 71 23 00-0059)		
07 71 23 00-0134	EA		Thru-Wall Copper Scupper Outlet.....	169.19	20.87
07 71 23 00-0135	EA		Copper Leader/Conductor Head.....	236.01	23.19
07 71 23 00-0136	EA		Copper Eave Box.....	104.92	13.73



	MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
	07 71 23 00-0137			Galvanized Steel Gutters And Downspouts (07 71 23)		
	07 71 23 00-0138			Galvanized Steel Gutters (07 71 23 00-0137) Note: Includes drop outlets, hangers and fasteners. Excludes end caps, miters and downspouts.		
	07 71 23 00-0139			K-Style Galvanized Steel Gutters (07 71 23 00-0138)		
	07 71 23 00-0140	LF		5", 26 Gauge, K-Style Galvanized Steel Gutter 7.26	2.29	
				For Up To 100', Add	1.30	
				For >100' To 250', Add	0.55	
				For >1,000', Deduct	-0.38	
				For Kynar 500® Finish, Add	1.55	
				For 24 Gauge, Add	0.52	
	07 71 23 00-0141	LF		6", 26 Gauge, K-Style Galvanized Steel Gutter 8.31	2.29	
				For Up To 100', Add	1.40	
				For >100' To 250', Add	0.61	
				For >1,000', Deduct	-0.38	
				For Kynar 500® Finish, Add	2.02	
				For 24 Gauge, Add	0.67	
	07 71 23 00-0142	LF		7", 26 Gauge, K-Style Galvanized Steel Gutter 17.64	2.29	
				For Up To 100', Add	2.34	
				For >100' To 250', Add	1.07	
				For >1,000', Deduct	-0.38	
				For Kynar 500® Finish, Add	6.22	
				For 24 Gauge, Add	2.07	
	07 71 23 00-0143	LF		8", 26 Gauge, K-Style Galvanized Steel Gutter 18.16	2.29	
				For Up To 100', Add	2.39	
				For >100' To 250', Add	1.10	
				For >1,000', Deduct	-0.38	
				For Kynar 500® Finish, Add	6.45	
				For 24 Gauge, Add	2.15	
	07 71 23 00-0144			Half Round Galvanized Steel Gutters (07 71 23 00-0138)		
	07 71 23 00-0145	LF		5", 26 Gauge, Half Round Galvanized Steel Gutter 10.82	2.29	
				For Up To 100', Add	1.66	
				For >100' To 250', Add	0.73	
				For >1,000', Deduct	-0.38	
				For Kynar 500® Finish, Add	3.15	
				For 24 Gauge, Add	1.05	
	07 71 23 00-0146	LF		6", 26 Gauge, Half Round Galvanized Steel Gutter 13.55	2.29	
				For Up To 100', Add	1.93	
				For >100' To 250', Add	0.87	
				For >1,000', Deduct	-0.38	
				For Kynar 500® Finish, Add	4.38	
				For 24 Gauge, Add	1.46	
	07 71 23 00-0147	LF		7", 26 Gauge, Half Round Galvanized Steel Gutter 34.80	2.29	
				For Up To 100', Add	4.05	
				For >100' To 250', Add	1.93	
				For >1,000', Deduct	-0.38	
				For Kynar 500® Finish, Add	13.94	
				For 24 Gauge, Add	4.65	
	07 71 23 00-0148	LF		8", 26 Gauge, Half Round Galvanized Steel Gutter 36.71	2.29	
				For Up To 100', Add	4.24	
				For >100' To 250', Add	2.03	
				For >1,000', Deduct	-0.38	
				For Kynar 500® Finish, Add	14.80	
				For 24 Gauge, Add	4.93	
	07 71 23 00-0149			Box Style Galvanized Steel Gutters (07 71 23 00-0138)		
	07 71 23 00-0150	LF		5", 24 Gauge, Box Style Galvanized Steel Gutter 12.40	2.29	
				For Up To 100', Add	1.81	
				For >100' To 250', Add	0.81	
				For >1,000', Deduct	-0.38	
				For Kynar 500® Finish, Add	3.86	
				For 22 Gauge, Add	1.29	
	07 71 23 00-0151	LF		6", 24 Gauge, Box Style Galvanized Steel Gutter 14.33	2.29	
				For Up To 100', Add	2.01	
				For >100' To 250', Add	0.91	
				For >1,000', Deduct	-0.38	
				For Kynar 500® Finish, Add	4.73	
				For 22 Gauge, Add	1.58	
	07 71 23 00-0152	LF		7", 24 Gauge, Box Style Galvanized Steel Gutter 19.01	2.29	
				For Up To 100', Add	2.47	
				For >100' To 250', Add	1.14	
				For >1,000', Deduct	-0.38	
				For Kynar 500® Finish, Add	6.84	
				For 22 Gauge, Add	2.28	
	07 71 23 00-0153	LF		8", 24 Gauge, Box Style Galvanized Steel Gutter 20.03	2.29	
				For Up To 100', Add	2.58	
				For >100' To 250', Add	1.19	
				For >1,000', Deduct	-0.38	
				For Kynar 500® Finish, Add	7.29	
				For 22 Gauge, Add	2.43	

07	Thermal And Moisture Protection
07 70	Roof And Wall Specialties And Accessories
07 71	Roof Specialties



MINOR
CSI UOM DESCRIPTION

TOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

07 71 23 00-0154	Galvanized Steel Gutter End Caps (07 71 23 00-0137)		
07 71 23 00-0155	K-Style, Galvanized Steel Gutter End Caps (07 71 23 00-0154)		
07 71 23 00-0156	EA 5", K-Style Galvanized Steel Gutter End Cap <i>For Kynar 500® Finish, Add</i>	3.89 0.93	
07 71 23 00-0157	EA 6", K-Style Galvanized Steel Gutter End Cap <i>For Kynar 500® Finish, Add</i>	4.43 1.17	
07 71 23 00-0158	EA 7", K-Style Galvanized Steel Gutter End Cap <i>For Kynar 500® Finish, Add</i>	9.25 3.34	
07 71 23 00-0159	EA 8", K-Style Galvanized Steel Gutter End Cap <i>For Kynar 500® Finish, Add</i>	13.27 5.15	
07 71 23 00-0160	Half Round, Galvanized Steel Gutter End Caps (07 71 23 00-0154)		
07 71 23 00-0161	EA 5", Half Round Galvanized Steel Gutter End Cap <i>For Kynar 500® Finish, Add</i>	4.91 1.39	
07 71 23 00-0162	EA 6", Half Round Galvanized Steel Gutter End Cap <i>For Kynar 500® Finish, Add</i>	5.60 1.70	
07 71 23 00-0163	EA 7", Half Round Galvanized Steel Gutter End Cap <i>For Kynar 500® Finish, Add</i>	10.17 3.75	
07 71 23 00-0164	EA 8", Half Round Galvanized Steel Gutter End Cap <i>For Kynar 500® Finish, Add</i>	13.63 5.31	
07 71 23 00-0165	Box Style, Galvanized Steel Gutter End Caps (07 71 23 00-0154)		
07 71 23 00-0166	EA 5", Box Style Galvanized Steel Gutter End Cap <i>For Kynar 500® Finish, Add</i>	8.55 3.02	
07 71 23 00-0167	EA 6", Box Style Galvanized Steel Gutter End Cap <i>For Kynar 500® Finish, Add</i>	10.24 3.78	
07 71 23 00-0168	EA 7", Box Style Galvanized Steel Gutter End Cap <i>For Kynar 500® Finish, Add</i>	11.43 4.32	
07 71 23 00-0169	EA 8", Box Style Galvanized Steel Gutter End Cap <i>For Kynar 500® Finish, Add</i>	15.20 6.02	
07 71 23 00-0170	Galvanized Steel Gutter Miters (07 71 23 00-0137) Note: Inside or outside miters.		
07 71 23 00-0171	K-Style, Galvanized Steel Gutter Miters (07 71 23 00-0170)		
07 71 23 00-0172	EA 5", K-Style Galvanized Steel Gutter Miter <i>For Kynar 500® Finish, Add</i>	17.18 6.29	
07 71 23 00-0173	EA 6", K-Style Galvanized Steel Gutter Miter <i>For Kynar 500® Finish, Add</i>	29.94 12.03	
07 71 23 00-0174	EA 7", K-Style Galvanized Steel Gutter Miter <i>For Kynar 500® Finish, Add</i>	50.22 21.15	
07 71 23 00-0175	EA 8", K-Style Galvanized Steel Gutter Miter <i>For Kynar 500® Finish, Add</i>	56.51 23.99	
07 71 23 00-0176	Half Round, Galvanized Steel Gutter Miters (07 71 23 00-0170)		
07 71 23 00-0177	EA 5", Half Round Galvanized Steel Gutter Miter <i>For Kynar 500® Finish, Add</i>	25.08 9.84	
07 71 23 00-0178	EA 6", Half Round Galvanized Steel Gutter Miter <i>For Kynar 500® Finish, Add</i>	28.19 11.24	
07 71 23 00-0179	EA 7", Half Round Galvanized Steel Gutter Miter <i>For Kynar 500® Finish, Add</i>	88.17 38.23	
07 71 23 00-0180	EA 8", Half Round Galvanized Steel Gutter Miter <i>For Kynar 500® Finish, Add</i>	92.89 40.36	
07 71 23 00-0181	Box Style, Galvanized Steel Gutter Miters (07 71 23 00-0170)		
07 71 23 00-0182	EA 5", Box Style Galvanized Steel Gutter Miter <i>For Kynar 500® Finish, Add</i>	23.50 9.13	
07 71 23 00-0183	EA 6", Box Style Galvanized Steel Gutter Miter <i>For Kynar 500® Finish, Add</i>	40.39 16.73	
07 71 23 00-0184	EA 7", Box Style Galvanized Steel Gutter Miter <i>For Kynar 500® Finish, Add</i>	53.37 22.57	
07 71 23 00-0185	EA 8", Box Style Galvanized Steel Gutter Miter <i>For Kynar 500® Finish, Add</i>	56.51 23.99	
07 71 23 00-0186	Galvanized Steel Gutter Wire Strainers (07 71 23 00-0137)		
07 71 23 00-0187	EA 3" Diameter, Round Galvanized Steel Wire Strainer <i>For Kynar 500® Finish, Add</i>	9.00 1.90	2.29
07 71 23 00-0188	EA 4" Diameter, Round Galvanized Steel Wire Strainer <i>For Kynar 500® Finish, Add</i>	12.61 3.53	2.29
07 71 23 00-0189	Galvanized Steel Downspouts (07 71 23 00-0137) Note: Includes elbows, hangers and fasteners.		



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 71 23 00-0190 Round Galvanized Steel Downspouts (07 71 23 00-0189)		
07 71 23 00-0191 LF 3" Diameter, 26 Gauge, Round Galvanized Steel Downspout	4.89	2.19
For Up To 100', Add	0.85	
For >100 To 250', Add	0.36	
For >1,000', Deduct	-0.24	
For Kynar 500® Finish, Add	1.13	
For 24 Gauge, Add	0.38	
07 71 23 00-0192 LF 4" Diameter, 26 Gauge, Round Galvanized Steel Downspout	5.97	2.19
For Up To 100', Add	0.95	
For >100 To 250', Add	0.42	
For >1,000', Deduct	-0.24	
For Kynar 500® Finish, Add	1.62	
For 24 Gauge, Add	0.54	
07 71 23 00-0193 LF 5" Diameter, 26 Gauge, Round Galvanized Steel Downspout	7.96	2.19
For Up To 100', Add	1.15	
For >100 To 250', Add	0.52	
For >1,000', Deduct	-0.24	
For Kynar 500® Finish, Add	2.51	
For 24 Gauge, Add	0.84	
07 71 23 00-0194 LF 6" Diameter, 26 Gauge, Round Galvanized Steel Downspout	17.14	2.19
For Up To 100', Add	2.07	
For >100 To 250', Add	0.98	
For >1,000', Deduct	-0.24	
For Kynar 500® Finish, Add	6.64	
For 24 Gauge, Add	2.21	
07 71 23 00-0195 Square Galvanized Steel Downspouts (07 71 23 00-0189)		
07 71 23 00-0196 LF 4" x 4", 26 Gauge, Square Galvanized Steel Downspout	5.49	2.19
For Up To 100', Add	0.91	
For >100 To 250', Add	0.39	
For >1,000', Deduct	-0.24	
For Kynar 500® Finish, Add	1.40	
For 24 Gauge, Add	0.47	
07 71 23 00-0197 LF 5" x 5", 26 Gauge, Square Galvanized Steel Downspout	6.91	2.19
For Up To 100', Add	1.05	
For >100 To 250', Add	0.46	
For >1,000', Deduct	-0.24	
For Kynar 500® Finish, Add	2.04	
For 24 Gauge, Add	0.68	
07 71 23 00-0198 Rectangular Galvanized Steel Downspouts (07 71 23 00-0189)		
07 71 23 00-0199 LF 2" x 3", 26 Gauge, Rectangular Galvanized Steel Downspout	4.97	2.19
For Up To 100', Add	0.85	
For >100 To 250', Add	0.37	
For >1,000', Deduct	-0.24	
For Kynar 500® Finish, Add	1.17	
For 24 Gauge, Add	0.39	
07 71 23 00-0200 LF 3" x 4", 26 Gauge, Rectangular Galvanized Steel Downspout	6.21	2.19
For Up To 100', Add	0.98	
For >100 To 250', Add	0.43	
For >1,000', Deduct	-0.24	
For Kynar 500® Finish, Add	1.72	
For 24 Gauge, Add	0.57	
07 71 23 00-0201 LF 4" x 5", 26 Gauge, Rectangular Galvanized Steel Downspout	11.15	2.19
For Up To 100', Add	1.47	
For >100 To 250', Add	0.68	
For >1,000', Deduct	-0.24	
For Kynar 500® Finish, Add	3.95	
For 24 Gauge, Add	1.32	
07 71 23 00-0202 Galvanized Steel Devices (07 71 23 00-0137)		
07 71 23 00-0203 EA Galvanized Steel Leader/Conductor Head	206.90	23.19
For Kynar 500® Finish, Add	72.23	
07 71 23 00-0204 EA Thru-Wall Galvanized Steel Scupper Outlet	124.12	20.87
For Kynar 500® Finish, Add	24.54	
07 71 23 00-0205 Stainless Steel Gutters And Downspouts (07 71 23)		
Note: AISI type 304 stainless steel.		
07 71 23 00-0206 Stainless Steel Gutters (07 71 23 00-0205)		
Note: Includes drop outlets, hangers and fasteners. Excludes end caps, miters and downspouts.		
07 71 23 00-0207 K-Style, Stainless Steel Gutters (07 71 23 00-0206)		
07 71 23 00-0208 LF 5", 26 Gauge, K-Style Stainless Steel Gutter	18.02	2.29
For Up To 100', Add	2.38	
For >100' To 250', Add	1.09	
For >1,000', Deduct	-0.38	
For 24 Gauge, Add	2.56	
For 22 Gauge, Add	5.91	
For 20 Gauge, Add	8.32	

07	Thermal And Moisture Protection
07 70	Roof And Wall Specialties And Accessories
07 71	Roof Specialties



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 71 23 00-0209	LF	6", 26 Gauge, K-Style Stainless Steel Gutter	21.57	2.29
		<i>For Up To 100', Add</i>		2.73	
		<i>For >100' To 250', Add</i>		1.27	
		<i>For >1,000', Deduct</i>		-0.38	
		<i>For 24 Gauge, Add</i>		3.20	
		<i>For 22 Gauge, Add</i>		7.38	
		<i>For 20 Gauge, Add</i>		10.40	
07 71 23 00-0210		Half Round, Stainless Steel Gutters (07 71 23 00-0206)			
07 71 23 00-0211	LF	5", 26 Gauge, Half Round Stainless Steel Gutter	25.32	2.29
		<i>For Up To 100', Add</i>		3.11	
		<i>For >100' To 250', Add</i>		1.46	
		<i>For >1,000', Deduct</i>		-0.38	
		<i>For 24 Gauge, Add</i>		3.87	
		<i>For 22 Gauge, Add</i>		8.94	
		<i>For 20 Gauge, Add</i>		12.60	
07 71 23 00-0212	LF	6", 26 Gauge, Half Round Stainless Steel Gutter	30.65	2.29
		<i>For Up To 100', Add</i>		3.64	
		<i>For >100' To 250', Add</i>		1.72	
		<i>For >1,000', Deduct</i>		-0.38	
		<i>For 24 Gauge, Add</i>		4.83	
		<i>For 22 Gauge, Add</i>		11.16	
		<i>For 20 Gauge, Add</i>		15.72	
07 71 23 00-0213		Stainless Steel Gutter End Caps (07 71 23 00-0205)			
07 71 23 00-0214		K-Style, Stainless Steel Gutter End Caps (07 71 23 00-0213)			
07 71 23 00-0215	EA	5", K-Style Stainless Steel Gutter End Cap	6.27	
07 71 23 00-0216	EA	6", K-Style Stainless Steel Gutter End Cap	7.16	
07 71 23 00-0217		Half Round, Stainless Steel Gutter End Caps (07 71 23 00-0213)			
07 71 23 00-0218	EA	5", Half Round Stainless Steel Gutter End Cap	7.38	
07 71 23 00-0219	EA	6", Half Round Stainless Steel Gutter End Cap	8.49	
07 71 23 00-0220		Stainless Steel Gutter Miters (07 71 23 00-0205)			
		Note: Inside or outside box miters.			
07 71 23 00-0221		K-Style, Stainless Steel Gutter Miters (07 71 23 00-0220)			
07 71 23 00-0222	EA	5", K-Style Stainless Steel Gutter Miter	26.16	
07 71 23 00-0223	EA	6", K-Style Stainless Steel Gutter Miter	43.93	
07 71 23 00-0224		Half Round, Stainless Steel Gutter Miters (07 71 23 00-0220)			
07 71 23 00-0225	EA	5", Half Round Stainless Steel Gutter Miter	70.58	
07 71 23 00-0226	EA	6", Half Round Stainless Steel Gutter Miter	86.83	
07 71 23 00-0227		Stainless Steel Gutter Wire Strainers (07 71 23 00-0205)			
07 71 23 00-0228	EA	3" Diameter, Round Stainless Steel Wire Strainer	27.53	2.29
07 71 23 00-0229	EA	4" Diameter, Round Stainless Steel Wire Strainer	28.16	2.29
07 71 23 00-0230		Stainless Steel Downspouts (07 71 23 00-0205)			
		Note: Includes elbows, hangers and fasteners.			
07 71 23 00-0231		Round Stainless Steel Downspouts (07 71 23 00-0230)			
07 71 23 00-0232	LF	3" Diameter, 26 Gauge, Round Stainless Steel Downspout	11.56	2.19
		<i>For Up To 100', Add</i>		1.51	
		<i>For >100 To 250', Add</i>		0.70	
		<i>For >1,000', Deduct</i>		-0.24	
		<i>For 24 Gauge, Add</i>		1.65	
		<i>For 22 Gauge, Add</i>		3.82	
		<i>For 20 Gauge, Add</i>		5.38	
07 71 23 00-0233	LF	4" Diameter, 26 Gauge, Round Stainless Steel Downspout	15.11	2.19
		<i>For Up To 100', Add</i>		1.87	
		<i>For >100 To 250', Add</i>		0.87	
		<i>For >1,000', Deduct</i>		-0.24	
		<i>For 24 Gauge, Add</i>		2.29	
		<i>For 22 Gauge, Add</i>		5.30	
		<i>For 20 Gauge, Add</i>		7.46	
07 71 23 00-0234	LF	5" Diameter, 26 Gauge, Round Stainless Steel Downspout	21.83	2.19
		<i>For Up To 100', Add</i>		2.54	
		<i>For >100 To 250', Add</i>		1.21	
		<i>For >1,000', Deduct</i>		-0.24	
		<i>For 24 Gauge, Add</i>		3.50	
		<i>For 22 Gauge, Add</i>		8.09	
		<i>For 20 Gauge, Add</i>		11.40	
07 71 23 00-0235		Rectangular Stainless Steel Downspouts (07 71 23 00-0230)			



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 71 23 00-0236 LF 2" x 3", 26 Gauge, Rectangular Stainless Steel Downspout	11.82	2.19
For Up To 100', Add	1.54	
For >100 To 250', Add	0.71	
For >1,000', Deduct	-0.24	
For 24 Gauge, Add	1.70	
For 22 Gauge, Add	3.93	
For 20 Gauge, Add	5.53	
07 71 23 00-0237 LF 3" x 4", 26 Gauge, Rectangular Stainless Steel Downspout	15.65	2.19
For Up To 100', Add	1.92	
For >100 To 250', Add	0.90	
For >1,000', Deduct	-0.24	
For 24 Gauge, Add	2.39	
For 22 Gauge, Add	5.52	
For 20 Gauge, Add	7.78	
07 71 23 00-0238 LF 4" x 5", 26 Gauge, Rectangular Stainless Steel Downspout	20.13	2.19
For Up To 100', Add	2.37	
For >100 To 250', Add	1.13	
For >1,000', Deduct	-0.24	
For 24 Gauge, Add	3.20	
For 22 Gauge, Add	7.38	
For 20 Gauge, Add	10.40	
07 71 23 00-0239 Stainless Steel Devices (07 71 23 00-0205)		
07 71 23 00-0240 EA Thru-Wall Stainless Steel Scupper Outlet	191.46	20.60
07 71 23 00-0241 EA Stainless Steel Leader/Conductor Head	270.49	20.60
07 71 23 00-0242 Vinyl Gutters And Downspouts (07 71 23)		
07 71 23 00-0243 Vinyl Gutters (07 71 23 00-0242)		
Note: Includes drop outlets, hangers and fasteners. Excludes end caps, miters and downspouts.		
07 71 23 00-0244 K-Style Vinyl Gutters (07 71 23 00-0243)		
07 71 23 00-0245 LF 4", K-Style Vinyl Gutter	7.64	2.29
For Up To 100', Add	1.34	
For >100' To 250', Add	0.57	
For >1,000', Deduct	-0.38	
07 71 23 00-0246 LF 5", K-Style Vinyl Gutter	9.61	2.29
For Up To 100', Add	1.53	
For >100' To 250', Add	0.67	
For >1,000', Deduct	-0.38	
07 71 23 00-0247 Half Round Vinyl Gutters (07 71 23 00-0243)		
07 71 23 00-0248 LF 4", Half Round Vinyl Gutter	7.87	2.29
For Up To 100', Add	1.36	
For >100' To 250', Add	0.58	
For >1,000', Deduct	-0.38	
07 71 23 00-0249 LF 5", Half Round Vinyl Gutter	8.23	2.29
For Up To 100', Add	1.40	
For >100' To 250', Add	0.60	
For >1,000', Deduct	-0.38	
07 71 23 00-0250 Vinyl Gutter End Caps (07 71 23 00-0242)		
07 71 23 00-0251 K-Style, Vinyl Gutter End Caps (07 71 23 00-0250)		
07 71 23 00-0252 EA 4", K-Style Vinyl Gutter End Cap	4.60	
07 71 23 00-0253 EA 5", K-Style Vinyl Gutter End Cap	6.24	
07 71 23 00-0254 Half Round, Vinyl Gutter End Caps (07 71 23 00-0250)		
07 71 23 00-0255 EA 4", Half Round Vinyl Gutter End Cap	5.21	
07 71 23 00-0256 EA 5", Half Round Vinyl Gutter End Cap	4.93	
07 71 23 00-0257 Vinyl Gutter Miters (07 71 23 00-0242)		
Note: Inside or outside miters.		
07 71 23 00-0258 K-Style, Vinyl Gutter Miters (07 71 23 00-0257)		
07 71 23 00-0259 EA 4", K-Style Vinyl Gutter Miter	11.18	
07 71 23 00-0260 EA 5", K-Style Vinyl Gutter Miter	16.46	
07 71 23 00-0261 Half Round, Vinyl Gutter Miters (07 71 23 00-0257)		
07 71 23 00-0262 EA 4", Half Round Vinyl Gutter Miter	11.18	
07 71 23 00-0263 EA 5", Half Round Vinyl Gutter Miter	12.09	
07 71 23 00-0264 Vinyl Downspouts (07 71 23 00-0242)		
Note: Includes elbows, hangers and fasteners.		
07 71 23 00-0265 Round Vinyl Downspouts (07 71 23 00-0264)		

07 Thermal And Moisture Protection**07 70 Roof And Wall Specialties And Accessories****07 71 Roof Specialties**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 71 23 00-0266	LF		2-1/2" Diameter, Round Vinyl Downspout.....	4.99	2.19
			<i>For Up To 100', Add</i>	0.86	
			<i>For >100 To 250', Add</i>	0.37	
			<i>For >1,000', Deduct</i>	-0.24	
07 71 23 00-0267	LF		3" Diameter, Round Vinyl Downspout.....	5.18	2.19
			<i>For Up To 100', Add</i>	0.88	
			<i>For >100 To 250', Add</i>	0.38	
			<i>For >1,000', Deduct</i>	-0.24	
07 71 23 00-0268			Square Vinyl Downspouts (07 71 23 00-0264)		
07 71 23 00-0269	LF		2-1/2", Square Vinyl Downspout.....	4.91	2.19
			<i>For Up To 100', Add</i>	0.85	
			<i>For >100 To 250', Add</i>	0.36	
			<i>For >1,000', Deduct</i>	-0.24	
07 71 23 00-0270			Rectangular Vinyl Downspouts (07 71 23 00-0264)		
07 71 23 00-0271	LF		2" x 3", Rectangular Vinyl Downspout.....	6.14	2.19
			<i>For Up To 100', Add</i>	0.97	
			<i>For >100 To 250', Add</i>	0.43	
			<i>For >1,000', Deduct</i>	-0.24	
07 71 23 00-0272			Gutter And Downspout Boots (07 71 23)		
07 71 23 00-0273			Cast Iron Roof Drainage Downspout Boots (07 71 23 00-0272)		
07 71 23 00-0274	EA		2" x 3" x 18" Long, Cast Iron Roof Drainage Downspout Boot.....	194.51	3.30
07 71 23 00-0275	EA		3" x 4" x 18" Long, Cast Iron Roof Drainage Downspout Boot.....	253.42	3.30
07 71 23 00-0276	EA		4" x 5" x 24" Long, Cast Iron Roof Drainage Downspout Boot.....	302.42	3.30
07 71 23 00-0277			Cast Iron Roof Drainage Downspout Boots With Cleanouts (07 71 23 00-0272)		
07 71 23 00-0278	EA		3" x 4" x 18" Long, Cast Iron Roof Drainage Downspout Boot With Cleanout.....	336.10	3.30
07 71 23 00-0279	EA		4" x 5" x 24" Long, Cast Iron Roof Drainage Downspout Boot With Cleanout.....	410.53	3.30
07 71 23 00-0280	EA		5" x 7" x 30" Long, Cast Iron Roof Drainage Downspout Boot With Cleanout.....	744.74	3.30
07 71 23 00-0281			Wall Mounted Downspout Covers With Hinged Perforated Cover (07 71 23)		
07 71 23 00-0282	EA		3" Pipe Size, Type 304 Stainless Steel Downspout Cover With Hinged Perforated Cover (JR Smith 1775-03).....	683.29	23.97
			<i>For Polished Brass Finish (-PB), Add</i>	63.54	
			<i>For Chrome Plated Finish (-CP), Add</i>	95.30	
			<i>For Vandal Proof (-U), Add</i>	31.77	
07 71 23 00-0283	EA		4" Pipe Size, Type 304 Stainless Steel Downspout Cover With Hinged Perforated Cover (JR Smith 1775-04).....	699.27	31.95
			<i>For Polished Brass Finish (-PB), Add</i>	63.54	
			<i>For Chrome Plated Finish (-CP), Add</i>	95.30	
			<i>For Vandal Proof (-U), Add</i>	31.77	
07 71 23 00-0284	EA		6" Pipe Size, Type 304 Stainless Steel Downspout Cover With Hinged Perforated Cover (JR Smith 1775-06).....	755.84	42.40
			<i>For Polished Brass Finish (-PB), Add</i>	67.10	
			<i>For Chrome Plated Finish (-CP), Add</i>	100.66	
			<i>For Vandal Proof (-U), Add</i>	33.55	
07 71 23 00-0285	EA		8" Pipe Size, Type 304 Stainless Steel Downspout Cover With Hinged Perforated Cover (JR Smith 1775-08).....	810.39	53.53
			<i>For Polished Brass Finish (-PB), Add</i>	70.33	
			<i>For Chrome Plated Finish (-CP), Add</i>	105.50	
			<i>For Vandal Proof (-U), Add</i>	35.17	
07 71 23 00-0286	EA		10" Pipe Size, Type 304 Stainless Steel Downspout Cover With Hinged Perforated Cover (JR Smith 1775-10).....	876.13	65.95
			<i>For Polished Brass Finish (-PB), Add</i>	74.42	
			<i>For Chrome Plated Finish (-CP), Add</i>	111.63	
			<i>For Vandal Proof (-U), Add</i>	37.21	
07 71 23 00-0287	EA		12" Pipe Size, Type 304 Stainless Steel Downspout Cover With Hinged Perforated Cover (JR Smith 1775-12).....	973.58	92.08
			<i>For Polished Brass Finish (-PB), Add</i>	78.94	
			<i>For Chrome Plated Finish (-CP), Add</i>	118.42	
			<i>For Vandal Proof (-U), Add</i>	39.47	
07 71 23 00-0288	EA		15" Pipe Size, Type 304 Stainless Steel Downspout Cover With Hinged Perforated Cover (JR Smith 1775-15).....	1,090.12	128.05
			<i>For Polished Brass Finish (-PB), Add</i>	83.40	
			<i>For Chrome Plated Finish (-CP), Add</i>	125.10	
			<i>For Vandal Proof (-U), Add</i>	41.70	
07 71 23 00-0289			Wall Mounted Downspout Nozzle (07 71 23)		
07 71 23 00-0290	EA		3" Pipe Size, Rough Bronze Finish Downspout Nozzle (JR Smith 1770-03).....	185.09	23.97
			<i>For Nickel Bronze Finish (-NB), Add</i>	96.01	
			<i>For Polished Bronze Finish (-PB), Add</i>	75.44	
			<i>For Chrome Plated Finish (-CP), Add</i>	122.07	
07 71 23 00-0291	EA		4" Pipe Size, Rough Bronze Finish Downspout Nozzle (JR Smith 1770-04).....	201.07	31.95
			<i>For Nickel Bronze Finish (-NB), Add</i>	96.01	
			<i>For Polished Bronze Finish (-PB), Add</i>	75.44	
			<i>For Chrome Plated Finish (-CP), Add</i>	122.07	
07 71 23 00-0292	EA		6" Pipe Size, Rough Bronze Finish Downspout Nozzle (JR Smith 1770-06).....	410.17	42.40
			<i>For Nickel Bronze Finish (-NB), Add</i>	97.61	
			<i>For Polished Bronze Finish (-PB), Add</i>	55.31	
			<i>For Chrome Plated Finish (-CP), Add</i>	143.16	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 71 23 00-0293 EA 8" Pipe Size, Rough Bronze Finish Downspout Nozzle (JR Smith 1770-08) <i>For Nickel Bronze Finish (-NB), Add</i> <i>For Polished Bronze Finish (-PB), Add</i> <i>For Chrome Plated Finish (-CP), Add</i>	600.96 83.96 64.21 143.23	53.53
07 71 23 00-0294 EA 10" Pipe Size, Rough Bronze Finish Downspout Nozzle (JR Smith 1770-10) <i>For Nickel Bronze Finish (-NB), Add</i> <i>For Polished Bronze Finish (-PB), Add</i> <i>For Chrome Plated Finish (-CP), Add</i>	773.11 109.01 83.36 185.95	65.95
07 71 23 00-0295 EA 12" Pipe Size, Rough Bronze Finish Downspout Nozzle (JR Smith 1770-12) <i>For Nickel Bronze Finish (-NB), Add</i> <i>For Polished Bronze Finish (-PB), Add</i> <i>For Chrome Plated Finish (-CP), Add</i>	990.80 137.13 104.87 233.93	92.08
07 71 23 00-0296 Leaf Guards And Cleaning <small>(07 71 23)</small>		
07 71 23 00-0297 LF Aluminum Mesh Gutter Leaf Guard <i>For Up To 100', Add</i> <i>For >100' To 250', Add</i> <i>For >1,000', Deduct</i>	2.67 0.48 0.20 -0.14	0.70
07 71 23 00-0298 LF Vinyl Mesh Gutter Leaf Guard..... <i>For Up To 100', Add</i> <i>For >100' To 250', Add</i> <i>For >1,000', Deduct</i>	2.10 0.42 0.18 -0.14	0.70
07 71 23 00-0299 LF 6" Wide Stainless Steel Gutter Leaf Guard, 1/4" x 1/4" x 0.08" Wire..... <i>For Up To 100', Add</i> <i>For >100' To 250', Add</i> <i>For >1,000', Deduct</i>	11.67 1.44 0.67 -0.18	0.88
07 71 23 00-0300 LF 9" Wide Stainless Steel Gutter Leaf Guard, 1/4" x 1/4" x 0.08" Wire..... <i>For Up To 100', Add</i> <i>For >100' To 250', Add</i> <i>For >1,000', Deduct</i>	16.63 1.93 0.92 -0.18	0.88
07 71 23 00-0301 LF 6" Wide Stainless Steel Gutter Leaf Guard, 3/8" x 3/8" Mesh..... <i>For Up To 100', Add</i> <i>For >100' To 250', Add</i> <i>For >1,000', Deduct</i>	8.89 1.10 0.52 -0.14	0.88
07 71 23 00-0302 LF 9" Wide Stainless Steel Gutter Leaf Guard, 3/8" x 3/8" Mesh..... <i>For Up To 100', Add</i> <i>For >100' To 250', Add</i> <i>For >1,000', Deduct</i>	13.64 1.58 0.75 -0.14	0.88
07 71 23 00-0303 EA Cleanout Roof Drain Note: Includes removing dome and flushing.	124.02	
07 71 23 00-0304 LF Clean Gutters And Downspouts.....	1.39	
07 71 26 Reglets <small>(07 71)</small>		
07 71 26 00-0001 Counter Flashing With Reglet <small>(07 71 26)</small> Note: Includes reglet cut.		
07 71 26 00-0002 Galvanized Steel Counter Flashing With Reglet <small>(07 71 26 00-0001)</small>		
07 71 26 00-0003 Galvanized Steel Counter Flashing With Reglet <small>(07 71 26 00-0002)</small>		
07 71 26 00-0004 LF 28 Gauge, Up To 12" Wide, Galvanized Steel Counter Flashing With Reglet	12.23	4.12
07 71 26 00-0005 LF 26 Gauge, Up To 12" Wide, Galvanized Steel Counter Flashing With Reglet	12.34	4.12
07 71 26 00-0006 LF 24 Gauge, Up To 12" Wide, Galvanized Steel Counter Flashing With Reglet	12.53	4.12
07 71 26 00-0007 LF 22 Gauge, Up To 12" Wide, Galvanized Steel Counter Flashing With Reglet	13.24	4.12
07 71 26 00-0008 LF 20 Gauge, Up To 12" Wide, Galvanized Steel Counter Flashing With Reglet	13.65	4.12
07 71 26 00-0009 LF 18 Gauge, Up To 12" Wide, Galvanized Steel Counter Flashing With Reglet	14.13	4.12
07 71 26 00-0010 KYNAR 500® Finish, Galvanized Steel Counter Flashing With Reglet <small>(07 71 26 00-0002)</small>		
07 71 26 00-0011 LF 28 Gauge, Up To 12" Wide, KYNAR 500® Finish, Galvanized Steel Counter Flashing With Reglet.....	14.01	4.12
07 71 26 00-0012 LF 26 Gauge, Up To 12" Wide, KYNAR 500® Finish, Galvanized Steel Counter Flashing With Reglet.....	14.17	4.12
07 71 26 00-0013 LF 24 Gauge, Up To 12" Wide, KYNAR 500® Finish, Galvanized Steel Counter Flashing With Reglet.....	14.44	4.12
07 71 26 00-0014 LF 22 Gauge, Up To 12" Wide, KYNAR 500® Finish, Galvanized Steel Counter Flashing With Reglet.....	15.49	4.12
07 71 26 00-0015 LF 20 Gauge, Up To 12" Wide, KYNAR 500® Finish, Galvanized Steel Counter Flashing With Reglet.....	16.08	4.12
07 71 26 00-0016 LF 18 Gauge, Up To 12" Wide, KYNAR 500® Finish, Galvanized Steel Counter Flashing With Reglet.....	16.77	4.12
07 71 26 00-0017 Aluminum Counter Flashing With Reglet <small>(07 71 26 00-0001)</small>		
07 71 26 00-0018 KYNAR 500® Finish, Aluminum Counter Flashing With Reglet <small>(07 71 26 00-0017)</small>		
07 71 26 00-0019 LF 0.019" Thick, Up To 12" Wide, KYNAR 500® Finish, Aluminum Counter Flashing With Reglet.....	12.49	4.12
07 71 26 00-0020 LF 0.025" Thick, Up To 12" Wide, KYNAR 500® Finish, Aluminum Counter Flashing With Reglet.....	13.16	4.12
07 71 26 00-0021 LF 0.032" Thick, Up To 12" Wide, KYNAR 500® Finish, Aluminum Counter Flashing With Reglet.....	13.83	4.12
07 71 26 00-0022 LF 0.040" Thick, Up To 12" Wide, KYNAR 500® Finish, Aluminum Counter Flashing With Reglet.....	14.31	4.12
07 71 26 00-0023 LF 0.050" Thick, Up To 12" Wide, KYNAR 500® Finish, Aluminum Counter Flashing With Reglet.....	15.39	4.12
07 71 26 00-0024 LF 0.063" Thick, Up To 12" Wide, KYNAR 500® Finish, Aluminum Counter Flashing With Reglet.....	16.95	4.12
07 71 26 00-0025 Mill Finish, Aluminum Counter Flashing With Reglet <small>(07 71 26 00-0017)</small>		
07 71 26 00-0026 LF 0.019" Thick, Up To 12" Wide, Mill Finish, Aluminum Counter Flashing With Reglet.....	10.96	4.12
07 71 26 00-0027 LF 0.025" Thick, Up To 12" Wide, Mill Finish, Aluminum Counter Flashing With Reglet.....	11.39	4.12



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 71 26 00-0028	LF		0.032" Thick, Up To 12" Wide, Mill Finish, Aluminum Counter Flashing With Reglet.....	11.82	4.12
07 71 26 00-0029	LF		0.040" Thick, Up To 12" Wide, Mill Finish, Aluminum Counter Flashing With Reglet.....	12.12	4.12
07 71 26 00-0030	LF		0.050" Thick, Up To 12" Wide, Mill Finish, Aluminum Counter Flashing With Reglet.....	12.81	4.12
07 71 26 00-0031	LF		0.063" Thick, Up To 12" Wide, Mill Finish, Aluminum Counter Flashing With Reglet.....	13.81	4.12
07 71 26 00-0032			Clear Anodized Finish, Aluminum Counter Flashing With Reglet (07 71 26 00-0017)		
07 71 26 00-0033	LF		0.019" Thick, Up To 12" Wide, Clear Anodized Finish, Aluminum Counter Flashing With Reglet.....	12.18	4.12
07 71 26 00-0034	LF		0.025" Thick, Up To 12" Wide, Clear Anodized Finish, Aluminum Counter Flashing With Reglet.....	12.80	4.12
07 71 26 00-0035	LF		0.032" Thick, Up To 12" Wide, Clear Anodized Finish, Aluminum Counter Flashing With Reglet.....	13.42	4.12
07 71 26 00-0036	LF		0.040" Thick, Up To 12" Wide, Clear Anodized Finish, Aluminum Counter Flashing With Reglet.....	13.86	4.12
07 71 26 00-0037	LF		0.050" Thick, Up To 12" Wide, Clear Anodized Finish, Aluminum Counter Flashing With Reglet.....	14.86	4.12
07 71 26 00-0038	LF		0.063" Thick, Up To 12" Wide, Clear Anodized Finish, Aluminum Counter Flashing With Reglet.....	16.30	4.12
07 71 26 00-0039			Stainless Steel Counter Flashing With Reglet (07 71 26 00-0001)		
07 71 26 00-0040			Stainless Steel Counter Flashing With Reglet (07 71 26 00-0039)		
07 71 26 00-0041	LF		24 Gauge, Up To 12" Wide, Stainless Steel Counter Flashing With Reglet.....	14.91	4.12
07 71 26 00-0042	LF		20 Gauge, Up To 12" Wide, Stainless Steel Counter Flashing With Reglet.....	16.09	4.12
07 71 26 00-0043			Copper Counter Flashing With Reglet (07 71 26 00-0001)		
07 71 26 00-0044			Copper Counter Flashing With Reglet (07 71 26 00-0043)		
07 71 26 00-0045	LF		16 Ounce, Up To 12" Wide, Copper Counter Flashing With Reglet.....	25.48	4.12
07 72			Roof Accessories (07 70)		
07 72 13			Manufactured Curbs (07 72)		
07 72 13 00-0001			Insulated Galvanized Steel, Prefabricated Roof Curbs (07 72 13)		
07 72 13 00-0002			Insulated Galvanized Steel, Prefabricated Roof Curbs (07 72 13 00-0001) Note: Includes pressure treated wood nailer, 1-1/2" rigid foam insulation, mill finish galvanized steel exterior wall construction, painted galvanized steel interior wall construction, installation clips and 3/16" wire mesh, 6" x 6" grids, safety security guard with installation clips.		
07 72 13 00-0003			18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curbs (07 72 13 00-0002)		
07 72 13 00-0004			9" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curbs (07 72 13 00-0003)		
07 72 13 00-0005	EA		26" x 26" Outside Frame Dimensions, 9" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb.....	336.65	81.49
			<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	25.52	
			<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	59.18	
			<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	27.10	
			<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	52.97	
			<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	66.52	
07 72 13 00-0006	EA		26" x 38" Outside Frame Dimensions, 9" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb.....	344.04	81.49
			<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	26.26	
			<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	60.66	
			<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	33.26	
			<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	67.75	
			<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	80.07	
07 72 13 00-0007	EA		26" x 50" Outside Frame Dimensions, 9" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb.....	368.11	91.67
			<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	27.64	
			<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	64.46	
			<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	40.65	
			<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	83.76	
			<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	92.38	
07 72 13 00-0008	EA		26" x 74" Outside Frame Dimensions, 9" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb.....	396.44	91.67
			<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	30.48	
			<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	70.12	
			<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	54.20	
			<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	109.63	
			<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	118.25	
07 72 13 00-0009	EA		26" x 98" Outside Frame Dimensions, 9" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb.....	417.38	91.67
			<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	32.57	
			<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	74.31	
			<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	11.27	
			<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	71.63	
			<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	79.02	
07 72 13 00-0010	EA		26" x 122" Outside Frame Dimensions, 9" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb.....	521.50	101.85
			<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	41.97	
			<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	94.12	
			<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	89.92	
			<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	145.35	
			<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	168.76	
07 72 13 00-0011	EA		38" x 38" Outside Frame Dimensions, 9" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb.....	346.51	81.49
			<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	26.50	
			<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	61.15	
			<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	6.47	
			<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	55.74	
			<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	77.91	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 72 13 00-0012 EA 38" x 50" Outside Frame Dimensions, 9" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb <i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i> <i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i> <i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	369.34 27.77 64.70 51.74 103.47 124.41	91.67
07 72 13 00-0013 EA 38" x 62" Outside Frame Dimensions, 9" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb <i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i> <i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i> <i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	385.36 29.37 67.91 64.05 118.25 135.50	91.67
07 72 13 00-0014 EA 38" x 74" Outside Frame Dimensions, 9" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb <i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i> <i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i> <i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	391.51 29.98 69.14 11.46 70.58 86.60	91.67
07 72 13 00-0015 EA 38" x 98" Outside Frame Dimensions, 9" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb <i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i> <i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i> <i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	501.80 40.00 90.18 14.78 80.07 104.70	101.85
07 72 13 00-0016 EA 38" x 122" Outside Frame Dimensions, 9" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb <i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i> <i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i> <i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	548.04 43.60 98.40 18.11 93.25 122.81	112.04
07 72 13 00-0017 EA 50" x 50" Outside Frame Dimensions, 9" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb <i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i> <i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i> <i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	426.00 33.43 76.03 66.52 120.72 134.27	91.67
07 72 13 00-0018 EA 50" x 62" Outside Frame Dimensions, 9" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb <i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i> <i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i> <i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	462.38 36.05 82.29 80.07 130.57 155.21	101.85
07 72 13 00-0019 EA 50" x 74" Outside Frame Dimensions, 9" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb <i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i> <i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i> <i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	475.93 37.41 85.00 94.85 137.96 179.84	101.85
07 72 13 00-0020 EA 50" x 86" Outside Frame Dimensions, 9" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb <i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i> <i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i> <i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	522.18 41.01 93.23 110.86 166.29 205.71	112.04
07 72 13 00-0021 EA 51" x 99" Outside Frame Dimensions, 9" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb <i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i> <i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i> <i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	557.33 43.51 99.24 19.03 88.01 118.81	122.23
07 72 13 00-0022 EA 51" x 122" Outside Frame Dimensions, 9" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb <i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i> <i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i> <i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	602.33 46.99 107.23 152.74 230.35 272.23	132.41
07 72 13 00-0023 EA 62" x 62" Outside Frame Dimensions, 9" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb <i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i> <i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i> <i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	475.93 37.41 85.00 15.15 55.80 102.61	101.85
07 72 13 00-0024 EA 62-3/8" x 74-3/8" Outside Frame Dimensions, 9" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb <i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i> <i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i> <i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	508.63 39.66 90.52 115.79 176.15 214.33	112.04
07 72 13 00-0025 EA 62" x 86" Outside Frame Dimensions, 9" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb <i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i> <i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i> <i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	556.10 43.39 99.00 150.28 210.64 246.36	122.23

07	Thermal And Moisture Protection
07 70	Roof And Wall Specialties And Accessories
07 72	Roof Accessories



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 72 13 00-0026 EA 62" x 98" Outside Frame Dimensions, 9" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb568.41	568.41	122.23
For Sloped Roofs Up To 1 In 12 Pitch, Add	44.62	
For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add	101.46	
For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add	22.54	
For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add	82.90	
For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add	144.49	
07 72 13 00-0027 EA 62" x 122" Outside Frame Dimensions, 9" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb615.88	615.88	132.41
For Sloped Roofs Up To 1 In 12 Pitch, Add	48.35	
For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add	109.94	
For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add	189.70	
For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add	251.29	
For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add	330.12	
07 72 13 00-0028 12" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curbs		
(07 72 13 00-0003)		
07 72 13 00-0029 EA 26" x 26" Outside Frame Dimensions, 12" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb352.67	352.67	81.49
For Sloped Roofs Up To 1 In 12 Pitch, Add	27.12	
For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add	62.39	
For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add	27.10	
For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add	52.97	
For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add	66.52	
07 72 13 00-0030 EA 26" x 38" Outside Frame Dimensions, 12" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb356.36	356.36	81.49
For Sloped Roofs Up To 1 In 12 Pitch, Add	27.49	
For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add	63.12	
For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add	33.26	
For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add	67.75	
For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add	80.07	
07 72 13 00-0031 EA 26" x 50" Outside Frame Dimensions, 12" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb380.43	380.43	91.67
For Sloped Roofs Up To 1 In 12 Pitch, Add	28.88	
For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add	66.92	
For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add	40.65	
For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add	83.76	
For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add	92.38	
07 72 13 00-0032 EA 26" x 74" Outside Frame Dimensions, 12" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb412.45	412.45	91.67
For Sloped Roofs Up To 1 In 12 Pitch, Add	32.08	
For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add	73.32	
For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add	54.20	
For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add	109.63	
For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add	118.25	
07 72 13 00-0033 EA 26" x 98" Outside Frame Dimensions, 12" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb435.86	435.86	91.67
For Sloped Roofs Up To 1 In 12 Pitch, Add	34.42	
For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add	78.01	
For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add	11.27	
For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add	71.63	
For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add	79.02	
07 72 13 00-0034 EA 26" x 122" Outside Frame Dimensions, 12" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb536.29	536.29	101.85
For Sloped Roofs Up To 1 In 12 Pitch, Add	43.44	
For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add	97.07	
For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add	89.92	
For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add	145.35	
For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add	168.76	
07 72 13 00-0035 EA 38" x 38" Outside Frame Dimensions, 12" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb357.59	357.59	81.49
For Sloped Roofs Up To 1 In 12 Pitch, Add	27.61	
For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add	63.37	
For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add	6.47	
For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add	55.74	
For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add	77.91	
07 72 13 00-0036 EA 38" x 50" Outside Frame Dimensions, 12" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb402.60	402.60	91.67
For Sloped Roofs Up To 1 In 12 Pitch, Add	31.09	
For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add	71.35	
For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add	51.74	
For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add	103.47	
For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add	124.41	
07 72 13 00-0037 EA 38" x 62" Outside Frame Dimensions, 12" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb427.24	427.24	91.67
For Sloped Roofs Up To 1 In 12 Pitch, Add	33.56	
For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add	76.28	
For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add	64.05	
For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add	118.25	
For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add	135.50	
07 72 13 00-0038 EA 38" x 74" Outside Frame Dimensions, 12" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb455.57	455.57	91.67
For Sloped Roofs Up To 1 In 12 Pitch, Add	36.39	
For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add	81.95	
For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add	11.46	
For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add	70.58	
For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add	86.60	
07 72 13 00-0039 EA 38" x 98" Outside Frame Dimensions, 12" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb521.50	521.50	101.85
For Sloped Roofs Up To 1 In 12 Pitch, Add	41.97	
For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add	94.12	
For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add	14.78	
For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add	80.07	
For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add	104.70	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 72 13 00-0040 EA 38" x 122" Outside Frame Dimensions, 12" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb.....	572.68	112.04
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	46.06	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	103.33	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	18.11	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	93.25	
<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	122.81	
07 72 13 00-0041 EA 50" x 50" Outside Frame Dimensions, 12" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb.....	440.79	91.67
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	34.91	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	78.99	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	66.52	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	120.72	
<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	134.27	
07 72 13 00-0042 EA 50" x 62" Outside Frame Dimensions, 12" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb.....	474.70	101.85
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	37.29	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	84.76	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	80.07	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	130.57	
<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	155.21	
07 72 13 00-0043 EA 50" x 74" Outside Frame Dimensions, 12" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb.....	494.40	101.85
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	39.26	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	88.70	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	94.85	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	137.96	
<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	179.84	
07 72 13 00-0044 EA 50" x 86" Outside Frame Dimensions, 12" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb.....	541.88	112.04
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	42.98	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	97.17	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	110.86	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	166.29	
<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	205.71	
07 72 13 00-0045 EA 51" x 99" Outside Frame Dimensions, 12" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb.....	580.73	122.23
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	45.85	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	103.92	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	19.03	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	88.01	
<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	118.81	
07 72 13 00-0046 EA 51" x 122" Outside Frame Dimensions, 12" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb.....	629.43	132.41
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	49.70	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	112.65	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	152.74	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	230.35	
<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	272.23	
07 72 13 00-0047 EA 62" x 62" Outside Frame Dimensions, 12" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb.....	494.40	101.85
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	39.26	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	88.70	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	15.15	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	55.80	
<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	102.61	
07 72 13 00-0048 EA 62-3/8" x 74-3/8" Outside Frame Dimensions, 12" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb.....	528.33	112.04
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	41.63	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	94.46	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	115.79	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	176.15	
<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	214.33	
07 72 13 00-0049 EA 62" x 86" Outside Frame Dimensions, 12" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb.....	577.04	122.23
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	45.48	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	103.19	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	150.28	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	210.64	
<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	246.36	
07 72 13 00-0050 EA 62" x 98" Outside Frame Dimensions, 12" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb.....	593.05	122.23
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	47.08	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	106.39	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	22.54	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	82.90	
<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	144.49	
07 72 13 00-0051 EA 62" x 122" Outside Frame Dimensions, 12" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb.....	642.98	132.41
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	51.06	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	115.36	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	189.70	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	251.29	
<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	330.12	
07 72 13 00-0052 14" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curbs (07 72 13 00-0003)		
07 72 13 00-0053 EA 26" x 26" Outside Frame Dimensions, 14" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb.....	361.29	81.49
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	27.98	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	64.11	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	27.10	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	52.97	
<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	66.52	

07	Thermal And Moisture Protection
07 70	Roof And Wall Specialties And Accessories
07 72	Roof Accessories



MINOR
CSI UOM DESCRIPTION

TOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

07 72 13 00-0054	EA 26" x 38" Outside Frame Dimensions, 14" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb364.99 <i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i> 28.35 <i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i> 64.85 <i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i> 33.26 <i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i> 67.75 <i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i> 80.07	81.49
07 72 13 00-0055	EA 26" x 50" Outside Frame Dimensions, 14" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb386.59 <i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i> 29.49 <i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i> 68.15 <i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i> 40.65 <i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i> 83.76 <i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i> 92.38	91.67
07 72 13 00-0056	EA 26" x 74" Outside Frame Dimensions, 14" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb422.31 <i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i> 33.06 <i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i> 75.30 <i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i> 54.20 <i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i> 109.63 <i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i> 118.25	91.67
07 72 13 00-0057	EA 26" x 98" Outside Frame Dimensions, 14" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb449.41 <i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i> 35.77 <i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i> 80.72 <i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i> 11.27 <i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i> 71.63 <i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i> 79.02	91.67
07 72 13 00-0058	EA 26" x 122" Outside Frame Dimensions, 14" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb553.53 <i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i> 45.17 <i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i> 100.52 <i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i> 89.92 <i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i> 145.35 <i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i> 168.76	101.85
07 72 13 00-0059	EA 38" x 38" Outside Frame Dimensions, 14" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb364.99 <i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i> 28.35 <i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i> 64.85 <i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i> 6.47 <i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i> 55.74 <i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i> 77.91	81.49
07 72 13 00-0060	EA 38" x 50" Outside Frame Dimensions, 14" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb386.59 <i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i> 29.49 <i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i> 68.15 <i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i> 51.74 <i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i> 103.47 <i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i> 124.41	91.67
07 72 13 00-0061	EA 38" x 62" Outside Frame Dimensions, 14" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb449.41 <i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i> 35.77 <i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i> 80.72 <i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i> 64.05 <i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i> 118.25 <i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i> 135.50	91.67
07 72 13 00-0062	EA 38" x 74" Outside Frame Dimensions, 14" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb478.97 <i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i> 38.73 <i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i> 86.63 <i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i> 11.46 <i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i> 70.58 <i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i> 86.60	91.67
07 72 13 00-0063	EA 38" x 98" Outside Frame Dimensions, 14" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb536.29 <i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i> 43.44 <i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i> 97.07 <i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i> 14.78 <i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i> 80.07 <i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i> 104.70	101.85
07 72 13 00-0064	EA 38" x 122" Outside Frame Dimensions, 14" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb588.69 <i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i> 47.67 <i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i> 106.53 <i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i> 18.11 <i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i> 93.25 <i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i> 122.81	112.04
07 72 13 00-0065	EA 50" x 50" Outside Frame Dimensions, 14" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb450.64 <i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i> 35.90 <i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i> 80.96 <i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i> 66.52 <i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i> 120.72 <i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i> 134.27	91.67
07 72 13 00-0066	EA 50" x 62" Outside Frame Dimensions, 14" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb488.25 <i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i> 38.64 <i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i> 87.47 <i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i> 80.07 <i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i> 130.57 <i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i> 155.21	101.85
07 72 13 00-0067	EA 50" x 74" Outside Frame Dimensions, 14" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb506.72 <i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i> 40.49 <i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i> 91.16 <i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i> 94.85 <i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i> 137.96 <i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i> 179.84	101.85



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 72 13 00-0068 EA 50" x 86" Outside Frame Dimensions, 14" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb <i>For Sloped Roofs Up To 1 In 12 To 3 In 12 Pitch, Add</i> <i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i> <i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	556.67 44.46 100.13 110.86 166.29 205.71	112.04
07 72 13 00-0069 EA 51" x 99" Outside Frame Dimensions, 14" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb <i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i> <i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i> <i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	595.51 47.33 106.88 19.03 230.01 118.81	122.23
07 72 13 00-0070 EA 51" x 122" Outside Frame Dimensions, 14" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb <i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i> <i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i> <i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	646.68 51.43 116.10 152.74 230.35 272.23	132.41
07 72 13 00-0071 EA 62" x 62" Outside Frame Dimensions, 14" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb <i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i> <i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i> <i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	506.72 40.49 91.16 15.15 55.80 102.61	101.85
07 72 13 00-0072 EA 62-3/8" x 74-3/8" Outside Frame Dimensions, 14" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb <i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i> <i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i> <i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	541.88 42.98 97.17 115.79 176.15 214.33	112.04
07 72 13 00-0073 EA 62" x 86" Outside Frame Dimensions, 14" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb <i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i> <i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i> <i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	593.05 47.08 106.39 150.28 210.64 246.36	122.23
07 72 13 00-0074 EA 62" x 98" Outside Frame Dimensions, 14" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb <i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i> <i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i> <i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	609.06 48.68 109.59 22.54 82.90 144.49	122.23
07 72 13 00-0075 EA 62" x 122" Outside Frame Dimensions, 14" Height, 18 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb <i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i> <i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i> <i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	661.46 52.91 119.05 189.70 251.29 330.12	132.41
07 72 13 00-0076 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curbs (07 72 13 00-0002)		
07 72 13 00-0077 9" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curbs (07 72 13 00-0076)		
07 72 13 00-0078 EA 26" x 26" Outside Frame Dimensions, 9" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb <i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i> <i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i> <i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	323.10 24.16 56.47 27.10 52.97 66.52	81.49
07 72 13 00-0079 EA 26" x 38" Outside Frame Dimensions, 9" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb <i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i> <i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i> <i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	339.12 25.76 59.68 33.26 67.75 80.07	81.49
07 72 13 00-0080 EA 26" x 50" Outside Frame Dimensions, 9" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb <i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i> <i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i> <i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	390.28 29.86 68.89 40.65 83.76 92.38	91.67
07 72 13 00-0081 EA 26" x 74" Outside Frame Dimensions, 9" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb <i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i> <i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i> <i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	427.24 33.56 76.28 54.20 109.63 118.25	91.67
07 72 13 00-0082 EA 26" x 98" Outside Frame Dimensions, 9" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb <i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i> <i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i> <i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	454.34 36.27 81.70 11.27 71.63 79.02	91.67



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
------------------------------	---------------------------	-------------------------

07 72 13 00-0083	EA 26" x 122" Outside Frame Dimensions, 9" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb573.24 For Sloped Roofs Up To 1 In 12 Pitch, Add 47.14 For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add 104.46 For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add 89.92 For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add 145.35 For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add 168.76	101.85
07 72 13 00-0084	EA 38" x 38" Outside Frame Dimensions, 9" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb368.68 For Sloped Roofs Up To 1 In 12 Pitch, Add 28.72 For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add 65.59 For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add 6.47 For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add 55.74 For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add 77.91	81.49
07 72 13 00-0085	EA 38" x 50" Outside Frame Dimensions, 9" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb400.14 For Sloped Roofs Up To 1 In 12 Pitch, Add 30.85 For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add 70.86 For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add 51.74 For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add 103.47 For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add 124.41	91.67
07 72 13 00-0086	EA 38" x 62" Outside Frame Dimensions, 9" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb412.45 For Sloped Roofs Up To 1 In 12 Pitch, Add 32.08 For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add 73.32 For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add 64.05 For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add 118.25 For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add 135.50	91.67
07 72 13 00-0087	EA 38" x 74" Outside Frame Dimensions, 9" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb423.54 For Sloped Roofs Up To 1 In 12 Pitch, Add 33.19 For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add 75.54 For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add 11.46 For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add 70.58 For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add 86.60	91.67
07 72 13 00-0088	EA 38" x 98" Outside Frame Dimensions, 9" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb543.68 For Sloped Roofs Up To 1 In 12 Pitch, Add 44.18 For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add 98.55 For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add 14.78 For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add 80.07 For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add 104.70	101.85
07 72 13 00-0089	EA 38" x 122" Outside Frame Dimensions, 9" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb597.32 For Sloped Roofs Up To 1 In 12 Pitch, Add 48.53 For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add 108.26 For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add 18.11 For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add 93.25 For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add 122.81	112.04
07 72 13 00-0090	EA 50" x 50" Outside Frame Dimensions, 9" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb455.57 For Sloped Roofs Up To 1 In 12 Pitch, Add 36.39 For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add 81.95 For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add 66.52 For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add 120.72 For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add 134.27	91.67
07 72 13 00-0091	EA 50" x 62" Outside Frame Dimensions, 9" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb493.17 For Sloped Roofs Up To 1 In 12 Pitch, Add 39.13 For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add 88.45 For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add 80.07 For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add 130.57 For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add 155.21	101.85
07 72 13 00-0092	EA 50" x 74" Outside Frame Dimensions, 9" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb512.88 For Sloped Roofs Up To 1 In 12 Pitch, Add 41.10 For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add 92.39 For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add 94.85 For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add 137.96 For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add 179.84	101.85
07 72 13 00-0093	EA 50" x 86" Outside Frame Dimensions, 9" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb564.06 For Sloped Roofs Up To 1 In 12 Pitch, Add 45.20 For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add 101.61 For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add 110.86 For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add 166.29 For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add 205.71	112.04
07 72 13 00-0094	EA 51" x 99" Outside Frame Dimensions, 9" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb602.90 For Sloped Roofs Up To 1 In 12 Pitch, Add 48.07 For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add 108.36 For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add 19.03 For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add 88.01 For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add 118.81	122.23
07 72 13 00-0095	EA 51" x 122" Outside Frame Dimensions, 9" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb655.30 For Sloped Roofs Up To 1 In 12 Pitch, Add 52.29 For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add 117.82 For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add 152.74 For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add 230.35 For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add 272.23	132.41
07 72 13 00-0096	EA 62" x 62" Outside Frame Dimensions, 9" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb512.88 For Sloped Roofs Up To 1 In 12 Pitch, Add 41.10 For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add 92.39 For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add 15.15 For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add 55.80 For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add 102.61	101.85



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 72 13 00-0097 EA 62-3/8" x 74-3/8" Outside Frame Dimensions, 9" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb	548.04	112.04
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	43.60	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	98.40	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	115.79	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	176.15	
<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	214.33	
07 72 13 00-0098 EA 62" x 86" Outside Frame Dimensions, 9" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb	600.44	122.23
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	47.82	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	107.87	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	150.28	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	210.64	
<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	246.36	
07 72 13 00-0099 EA 62" x 98" Outside Frame Dimensions, 9" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb	617.69	122.23
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	49.55	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	111.32	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	22.54	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	82.90	
<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	144.49	
07 72 13 00-0100 EA 62" x 122" Outside Frame Dimensions, 9" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb	671.31	132.41
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	53.89	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	121.02	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	189.70	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	251.29	
<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	330.12	
07 72 13 00-0101 12" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curbs <small>(07 72 13 00-0076)</small>		
07 72 13 00-0102 EA 26" x 26" Outside Frame Dimensions, 12" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb	334.19	81.49
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	25.27	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	58.69	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	27.10	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	52.97	
<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	66.52	
07 72 13 00-0103 EA 26" x 38" Outside Frame Dimensions, 12" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb	352.67	81.49
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	27.12	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	62.39	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	33.26	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	67.75	
<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	80.07	
07 72 13 00-0104 EA 26" x 50" Outside Frame Dimensions, 12" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb	408.76	91.67
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	31.71	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	72.59	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	40.65	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	83.76	
<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	92.38	
07 72 13 00-0105 EA 26" x 74" Outside Frame Dimensions, 12" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb	449.41	91.67
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	35.77	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	80.72	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	54.20	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	109.63	
<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	118.25	
07 72 13 00-0106 EA 26" x 98" Outside Frame Dimensions, 12" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb	482.67	91.67
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	39.10	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	87.37	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	11.27	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	71.63	
<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	79.02	
07 72 13 00-0107 EA 26" x 122" Outside Frame Dimensions, 12" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb	578.17	101.85
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	47.63	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	105.45	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	89.92	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	145.35	
<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	168.76	
07 72 13 00-0108 EA 38" x 38" Outside Frame Dimensions, 12" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb	384.69	81.49
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	30.32	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	68.79	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	6.47	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	55.74	
<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	77.91	
07 72 13 00-0109 EA 38" x 50" Outside Frame Dimensions, 12" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb	419.85	91.67
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	32.82	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	74.80	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	51.74	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	103.47	
<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	124.41	
07 72 13 00-0110 EA 38" x 62" Outside Frame Dimensions, 12" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb	435.86	91.67
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	34.42	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	78.01	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	64.05	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	118.25	
<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	135.50	

07	Thermal And Moisture Protection
07 70	Roof And Wall Specialties And Accessories
07 72	Roof Accessories



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
------------------------------	---------------------------	-------------------------

07 72 13 00-0111	EA 38" x 74" Outside Frame Dimensions, 12" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb450.64 <i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i> <i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i> <i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	91.67
	35.90 80.96 11.46 70.58 86.60	
07 72 13 00-0112	EA 38" x 98" Outside Frame Dimensions, 12" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb573.24 <i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i> <i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i> <i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	101.85
	47.14 104.46 14.78 80.07 104.70	
07 72 13 00-0113	EA 38" x 122" Outside Frame Dimensions, 12" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb633.04 <i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i> <i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i> <i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	112.04
	52.10 115.40 18.11 93.25 122.81	
07 72 13 00-0114	EA 50" x 50" Outside Frame Dimensions, 12" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb477.74 <i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i> <i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i> <i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	91.67
	38.61 86.38 66.52 120.72 134.27	
07 72 13 00-0115	EA 50" x 62" Outside Frame Dimensions, 12" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb517.81 <i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i> <i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i> <i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	101.85
	41.60 93.38 80.07 130.57 155.21	
07 72 13 00-0116	EA 50" x 74" Outside Frame Dimensions, 12" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb541.21 <i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i> <i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i> <i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	101.85
	43.94 98.06 94.85 137.96 179.84	
07 72 13 00-0117	EA 50" x 86" Outside Frame Dimensions, 12" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb593.62 <i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i> <i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i> <i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	112.04
	48.16 107.52 110.86 166.29 205.71	
07 72 13 00-0118	EA 51" x 99" Outside Frame Dimensions, 12" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb637.39 <i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i> <i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i> <i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	122.23
	51.52 115.26 19.03 88.01 118.81	
07 72 13 00-0119	EA 51" x 122" Outside Frame Dimensions, 12" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb694.72 <i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i> <i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i> <i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	132.41
	56.23 125.70 152.74 230.35 272.23	
07 72 13 00-0120	EA 62" x 62" Outside Frame Dimensions, 12" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb541.21 <i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i> <i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i> <i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	101.85
	43.94 98.06 15.15 55.80 102.61	
07 72 13 00-0121	EA 62-3/8" x 74-3/8" Outside Frame Dimensions, 12" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb580.07 <i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i> <i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i> <i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	112.04
	46.80 104.81 115.79 176.15 214.33	
07 72 13 00-0122	EA 62" x 86" Outside Frame Dimensions, 12" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb634.93 <i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i> <i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i> <i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	122.23
	51.27 114.76 150.28 210.64 246.36	
07 72 13 00-0123	EA 62" x 98" Outside Frame Dimensions, 12" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb653.41 <i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i> <i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i> <i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i> <i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	122.23
	53.12 118.46 22.54 82.90 144.49	



	MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 72 13 00-0124	EA			62" x 122" Outside Frame Dimensions, 12" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb.....	713.20	132.41
				<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	58.08	
				<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	129.40	
				<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	189.70	
				<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	251.29	
				<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	330.12	
07 72 13 00-0125				14" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curbs (07 72 13 00-0076)		
07 72 13 00-0126	EA			26" x 26" Outside Frame Dimensions, 14" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb.....	342.81	81.49
				<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	26.13	
				<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	60.41	
				<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	27.10	
				<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	52.97	
				<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	66.52	
07 72 13 00-0127	EA			26" x 38" Outside Frame Dimensions, 14" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb.....	362.52	81.49
				<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	28.10	
				<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	64.36	
				<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	33.26	
				<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	67.75	
				<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	80.07	
07 72 13 00-0128	EA			26" x 50" Outside Frame Dimensions, 14" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb.....	419.85	91.67
				<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	32.82	
				<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	74.80	
				<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	40.65	
				<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	83.76	
				<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	92.38	
07 72 13 00-0129	EA			26" x 74" Outside Frame Dimensions, 14" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb.....	464.19	91.67
				<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	37.25	
				<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	83.67	
				<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	54.20	
				<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	109.63	
				<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	118.25	
07 72 13 00-0130	EA			26" x 98" Outside Frame Dimensions, 14" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb.....	501.14	91.67
				<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	40.95	
				<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	91.06	
				<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	11.27	
				<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	71.63	
				<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	79.02	
07 72 13 00-0131	EA			26" x 122" Outside Frame Dimensions, 14" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb.....	617.58	101.85
				<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	51.57	
				<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	113.33	
				<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	89.92	
				<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	145.35	
				<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	168.76	
07 72 13 00-0132	EA			38" x 38" Outside Frame Dimensions, 14" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb.....	397.01	81.49
				<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	31.55	
				<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	71.25	
				<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	6.47	
				<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	55.74	
				<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	77.91	
07 72 13 00-0133	EA			38" x 50" Outside Frame Dimensions, 14" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb.....	440.79	91.67
				<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	34.91	
				<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	78.99	
				<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	51.74	
				<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	103.47	
				<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	124.41	
07 72 13 00-0134	EA			38" x 62" Outside Frame Dimensions, 14" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb.....	462.96	91.67
				<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	37.13	
				<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	83.43	
				<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	64.05	
				<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	118.25	
				<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	135.50	
07 72 13 00-0135	EA			38" x 74" Outside Frame Dimensions, 14" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb.....	467.89	91.67
				<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	37.62	
				<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	84.41	
				<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	11.46	
				<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	70.58	
				<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	86.60	
07 72 13 00-0136	EA			38" x 98" Outside Frame Dimensions, 14" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb.....	595.41	101.85
				<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	49.36	
				<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	108.90	
				<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	14.78	
				<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	80.07	
				<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	104.70	
07 72 13 00-0137	EA			38" x 122" Outside Frame Dimensions, 14" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb.....	657.67	112.04
				<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	54.56	
				<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	120.33	
				<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	18.11	
				<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	93.25	
				<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	122.81	

07 Thermal And Moisture Protection**07 70 Roof And Wall Specialties And Accessories****07 72 Roof Accessories**MINOR
CSI UOM DESCRIPTIONTOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

07 72 13 00-0138	EA	50" x 50" Outside Frame Dimensions, 14" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb	492.52	91.67
		<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	40.09	
		<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	89.34	
		<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	66.52	
		<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	120.72	
		<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	134.27	
07 72 13 00-0139	EA	50" x 62" Outside Frame Dimensions, 14" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb	533.82	101.85
		<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	43.20	
		<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	96.58	
		<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	80.07	
		<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	130.57	
		<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	155.21	
07 72 13 00-0140	EA	50" x 74" Outside Frame Dimensions, 14" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb	559.69	101.85
		<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	45.78	
		<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	101.75	
		<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	94.85	
		<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	137.96	
		<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	179.84	
07 72 13 00-0141	EA	50" x 86" Outside Frame Dimensions, 14" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb	615.79	112.04
		<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	50.38	
		<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	111.95	
		<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	110.86	
		<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	166.29	
		<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	205.71	
07 72 13 00-0142	EA	51" x 99" Outside Frame Dimensions, 14" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb	659.57	122.23
		<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	53.73	
		<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	119.69	
		<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	19.03	
		<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	88.01	
		<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	118.81	
07 72 13 00-0143	EA	51" x 122" Outside Frame Dimensions, 14" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb	721.82	132.41
		<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	58.94	
		<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	131.12	
		<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	152.74	
		<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	230.35	
		<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	272.23	
07 72 13 00-0144	EA	62" x 62" Outside Frame Dimensions, 14" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb	559.69	101.85
		<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	45.78	
		<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	101.75	
		<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	15.15	
		<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	55.80	
		<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	102.61	
07 72 13 00-0145	EA	62-3/8" x 74-3/8" Outside Frame Dimensions, 14" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb	602.24	112.04
		<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	49.02	
		<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	109.24	
		<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	115.79	
		<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	176.15	
		<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	214.33	
07 72 13 00-0146	EA	62" x 86" Outside Frame Dimensions, 14" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb	655.87	122.23
		<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	53.36	
		<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	118.95	
		<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	150.28	
		<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	210.64	
		<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	246.36	
07 72 13 00-0147	EA	62" x 98" Outside Frame Dimensions, 14" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb	678.04	122.23
		<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	55.58	
		<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	123.39	
		<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	22.54	
		<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	82.90	
		<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	144.49	
07 72 13 00-0148	EA	62" x 122" Outside Frame Dimensions, 14" Height, 14 Gauge, Insulated Galvanized Steel, Prefabricated Roof Curb	740.29	132.41
		<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	60.79	
		<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	134.82	
		<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	189.70	
		<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	251.29	
		<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	330.12	
07 72 13 00-0149		Insulated Galvanized Steel, Adjustable Width Prefabricated Roof Curbs <small>(07 72 13 00-0001)</small>		
		Note: Includes 1" rigid foam insulation, mill finish galvanized steel exterior wall construction, painted galvanized steel interior wall construction and installation clips.		
07 72 13 00-0150		6" Height, 18 Gauge, Insulated Galvanized Steel, Adjustable Width Prefabricated Roof Curbs <small>(07 72 13 00-0149)</small>		
07 72 13 00-0151	EA	14-1/2" To 23" Square Outside Dimensions, 6" Height, 18 Gauge, Insulated Galvanized Steel, Adjustable Width Prefabricated Roof Curb	394.10	81.49
		<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	31.26	
		<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	70.67	
07 72 13 00-0152	EA	23-1/2" To 32" Square Outside Dimensions, 6" Height, 18 Gauge, Insulated Galvanized Steel, Adjustable Width Prefabricated Roof Curb	496.71	81.49
		<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	41.52	
		<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	91.19	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 72 13 00-0153 EA 32-1/2" To 41" Square Outside Dimensions, 6" Height, 18 Gauge, Insulated Galvanized Steel, Adjustable Width Prefabricated Roof Curb	574.14	91.67
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	48.25	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	105.66	
07 72 13 00-0154 EA 41" To 49-1/2" Square Outside Dimensions, 6" Height, 18 Gauge, Insulated Galvanized Steel, Adjustable Width Prefabricated Roof Curb	656.07	91.67
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	56.44	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	122.05	
07 72 13 00-0155 EA 50" To 58-1/2" Square Outside Dimensions, 6" Height, 18 Gauge, Insulated Galvanized Steel, Adjustable Width Prefabricated Roof Curb	724.07	101.85
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	62.22	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	134.63	
07 72 13 00-0156 12" Height, 18 Gauge, Insulated Galvanized Steel, Adjustable Width Prefabricated Roof Curbs (07 72 13 00-0149)		
07 72 13 00-0157 EA 14-1/2" To 23" Square Outside Dimensions, 12" Height, 18 Gauge, Insulated Galvanized Steel, Adjustable Width Prefabricated Roof Curb	544.35	81.49
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	46.29	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	100.72	
07 72 13 00-0158 EA 23-1/2" To 32" Square Outside Dimensions, 12" Height, 18 Gauge, Insulated Galvanized Steel, Adjustable Width Prefabricated Roof Curb	683.61	81.49
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	60.21	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	128.57	
07 72 13 00-0159 EA 32-1/2" To 41" Square Outside Dimensions, 12" Height, 18 Gauge, Insulated Galvanized Steel, Adjustable Width Prefabricated Roof Curb	707.90	91.67
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	61.62	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	132.41	
07 72 13 00-0160 EA 41" To 49-1/2" Square Outside Dimensions, 12" Height, 18 Gauge, Insulated Galvanized Steel, Adjustable Width Prefabricated Roof Curb	760.25	91.67
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	66.86	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	142.88	
07 72 13 00-0161 EA 50" To 58-1/2" Square Outside Dimensions, 12" Height, 18 Gauge, Insulated Galvanized Steel, Adjustable Width Prefabricated Roof Curb	853.91	101.85
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	75.21	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	160.60	
07 72 13 00-0162 EA 64" To 72-1/2" Square Outside Dimensions, 12" Height, 18 Gauge, Insulated Galvanized Steel, Adjustable Width Prefabricated Roof Curb	1,075.84	112.04
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	96.38	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	203.96	
07 72 13 00-0163 18" To 24" Height, 16 Gauge, Ventilated Galvanized Steel, Adjustable Width Prefabricated Roof Curbs (07 72 13 00-0149)		
07 72 13 00-0164 EA 17-1/2" To 22" Square Outside Dimensions, 24" Height, 16 Gauge, Ventilated Galvanized Steel, Adjustable Width Prefabricated Roof Curb	791.19	81.49
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	70.97	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	150.09	
07 72 13 00-0165 EA 24" To 29" Square Outside Dimensions, 24" Height, 16 Gauge, Ventilated Galvanized Steel, Adjustable Width Prefabricated Roof Curb	933.58	81.49
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	85.21	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	178.57	
07 72 13 00-0166 EA 31" To 46" Square Outside Dimensions, 18" Height, 16 Gauge, Insulated Galvanized Steel, Adjustable Width Prefabricated Roof Curb	1,123.05	91.67
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	103.14	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	215.44	
07 72 13 00-0167 Wood, Prefabricated Roof Curbs (07 72 13)		
Note: Includes Douglas fir construction, galvanized steel corner straps and installation clips. Includes 3/16" wire mesh, 6" x 6" grids, safety security guard with installation clips.		
07 72 13 00-0168 Wood Framed, Prefabricated Roof Curbs (07 72 13 00-0167)		
07 72 13 00-0169 2 x 6 Wood Framed, Prefabricated Roof Curbs (07 72 13 00-0168)		
07 72 13 00-0170 EA 26" x 26" Outside Frame Dimensions, 2 x 6 Wood Framed, Prefabricated Roof Curb.....	262.75	81.49
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	18.13	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	44.40	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	27.10	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	52.97	
<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	66.52	
07 72 13 00-0171 EA 26" x 50" Outside Frame Dimensions, 2 x 6 Wood Framed, Prefabricated Roof Curb.....	290.51	91.67
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	19.88	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	48.94	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	40.65	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	83.76	
<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	92.38	
07 72 13 00-0172 EA 26" x 98" Outside Frame Dimensions, 2 x 6 Wood Framed, Prefabricated Roof Curb.....	322.53	91.67
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	23.09	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	55.34	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	11.27	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	71.63	
<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	79.02	

07	Thermal And Moisture Protection
07 70	Roof And Wall Specialties And Accessories
07 72	Roof Accessories



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 72 13 00-0173 EA 38" x 62" Outside Frame Dimensions, 2 x 6 Wood Framed, Prefabricated Roof Curb.....	318.84	91.67
For Sloped Roofs Up To 1 In 12 Pitch, Add	22.72	
For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add	54.60	
For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add	64.05	
For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add	118.25	
For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add	135.50	
07 72 13 00-0174 EA 38" x 74" Outside Frame Dimensions, 2 x 6 Wood Framed, Prefabricated Roof Curb.....	327.46	91.67
For Sloped Roofs Up To 1 In 12 Pitch, Add	23.58	
For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add	56.33	
For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add	11.46	
For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add	70.58	
For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add	86.60	
07 72 13 00-0175 EA 38" x 98" Outside Frame Dimensions, 2 x 6 Wood Framed, Prefabricated Roof Curb.....	368.76	101.85
For Sloped Roofs Up To 1 In 12 Pitch, Add	26.69	
For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add	63.57	
For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add	14.78	
For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add	80.07	
For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add	104.70	
07 72 13 00-0176 EA 50" x 50" Outside Frame Dimensions, 2 x 6 Wood Framed, Prefabricated Roof Curb.....	325.00	91.67
For Sloped Roofs Up To 1 In 12 Pitch, Add	23.33	
For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add	55.63	
For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add	66.52	
For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add	120.72	
For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add	134.27	
07 72 13 00-0177 EA 50" x 74" Outside Frame Dimensions, 2 x 6 Wood Framed, Prefabricated Roof Curb.....	379.85	101.85
For Sloped Roofs Up To 1 In 12 Pitch, Add	27.80	
For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add	65.79	
For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add	94.85	
For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add	137.96	
For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add	179.84	
07 72 13 00-0178 EA 51" x 99" Outside Frame Dimensions, 2 x 6 Wood Framed, Prefabricated Roof Curb.....	420.60	122.23
For Sloped Roofs Up To 1 In 12 Pitch, Add	29.84	
For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add	71.90	
For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add	19.03	
For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add	88.01	
For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add	118.81	
07 72 13 00-0179 EA 62" x 62" Outside Frame Dimensions, 2 x 6 Wood Framed, Prefabricated Roof Curb.....	357.68	101.85
For Sloped Roofs Up To 1 In 12 Pitch, Add	25.58	
For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add	61.35	
For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add	15.15	
For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add	55.80	
For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add	102.61	
07 72 13 00-0180 EA 62-3/8" x 74-3/8" Outside Frame Dimensions, 2 x 6 Wood Framed, Prefabricated Roof Curb	392.84	112.04
For Sloped Roofs Up To 1 In 12 Pitch, Add	28.08	
For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add	67.36	
For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add	115.79	
For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add	176.15	
For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add	214.33	
07 72 13 00-0181 EA 62" x 98" Outside Frame Dimensions, 2 x 6 Wood Framed, Prefabricated Roof Curb.....	445.23	122.23
For Sloped Roofs Up To 1 In 12 Pitch, Add	32.30	
For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add	76.82	
For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add	22.54	
For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add	82.90	
For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add	144.49	
07 72 13 00-0182 2 x 8 Wood Framed, Prefabricated Roof Curbs (07 72 13 00-0188)		
07 72 13 00-0183 EA 26" x 26" Outside Frame Dimensions, 2 x 8 Wood Framed, Prefabricated Roof Curb.....	270.14	81.49
For Sloped Roofs Up To 1 In 12 Pitch, Add	18.87	
For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add	45.88	
For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add	27.10	
For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add	52.97	
For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add	66.52	
07 72 13 00-0184 EA 26" x 50" Outside Frame Dimensions, 2 x 8 Wood Framed, Prefabricated Roof Curb.....	299.13	91.67
For Sloped Roofs Up To 1 In 12 Pitch, Add	20.75	
For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add	50.66	
For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add	40.65	
For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add	83.76	
For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add	92.38	
07 72 13 00-0185 EA 26" x 98" Outside Frame Dimensions, 2 x 8 Wood Framed, Prefabricated Roof Curb.....	345.94	91.67
For Sloped Roofs Up To 1 In 12 Pitch, Add	25.43	
For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add	60.02	
For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add	11.27	
For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add	71.63	
For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add	79.02	
07 72 13 00-0186 EA 38" x 62" Outside Frame Dimensions, 2 x 8 Wood Framed, Prefabricated Roof Curb.....	333.62	91.67
For Sloped Roofs Up To 1 In 12 Pitch, Add	24.20	
For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add	57.56	
For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add	64.05	
For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add	118.25	
For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add	135.50	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 72 13 00-0187 EA 38" x 74" Outside Frame Dimensions, 2 x 8 Wood Framed, Prefabricated Roof Curb.....	345.94	91.67
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	25.43	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	60.02	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	11.46	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	70.58	
<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	86.60	
07 72 13 00-0188 EA 38" x 98" Outside Frame Dimensions, 2 x 8 Wood Framed, Prefabricated Roof Curb.....	387.24	101.85
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	28.54	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	67.26	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	14.78	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	80.07	
<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	104.70	
07 72 13 00-0189 EA 50" x 50" Outside Frame Dimensions, 2 x 8 Wood Framed, Prefabricated Roof Curb.....	338.55	91.67
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	24.69	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	58.54	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	66.52	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	120.72	
<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	134.27	
07 72 13 00-0190 EA 50" x 74" Outside Frame Dimensions, 2 x 8 Wood Framed, Prefabricated Roof Curb.....	397.09	101.85
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	29.52	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	69.23	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	94.85	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	137.96	
<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	179.84	
07 72 13 00-0191 EA 51" x 99" Outside Frame Dimensions, 2 x 8 Wood Framed, Prefabricated Roof Curb.....	437.84	122.23
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	31.56	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	75.35	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	19.03	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	88.01	
<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	118.81	
07 72 13 00-0192 EA 62" x 62" Outside Frame Dimensions, 2 x 8 Wood Framed, Prefabricated Roof Curb.....	371.22	101.85
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	26.94	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	64.06	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	15.15	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	55.80	
<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	102.61	
07 72 13 00-0193 EA 62-3/8" x 74-3/8" Outside Frame Dimensions, 2 x 8 Wood Framed, Prefabricated Roof Curb.....	408.85	112.04
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	29.68	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	70.57	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	115.79	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	176.15	
<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	214.33	
07 72 13 00-0194 EA 62" x 98" Outside Frame Dimensions, 2 x 8 Wood Framed, Prefabricated Roof Curb.....	462.48	122.23
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	34.03	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	80.27	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	22.54	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	82.90	
<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	144.49	
07 72 13 00-0195 2 x 10 Wood Framed, Prefabricated Roof Curbs <small>(07 72 13 00-0168)</small>		
07 72 13 00-0196 EA 26" x 26" Outside Frame Dimensions, 2 x 10 Wood Framed, Prefabricated Roof Curb.....	275.06	81.49
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	19.36	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	46.86	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	27.10	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	52.97	
<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	66.52	
07 72 13 00-0197 EA 26" x 50" Outside Frame Dimensions, 2 x 10 Wood Framed, Prefabricated Roof Curb.....	307.75	91.67
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	21.61	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	52.38	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	40.65	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	83.76	
<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	92.38	
07 72 13 00-0198 EA 26" x 98" Outside Frame Dimensions, 2 x 10 Wood Framed, Prefabricated Roof Curb.....	348.40	91.67
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	25.67	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	60.51	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	11.27	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	71.63	
<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	79.02	
07 72 13 00-0199 EA 38" x 62" Outside Frame Dimensions, 2 x 10 Wood Framed, Prefabricated Roof Curb.....	342.24	91.67
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	25.06	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	59.28	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	64.05	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	118.25	
<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	135.50	
07 72 13 00-0200 EA 38" x 74" Outside Frame Dimensions, 2 x 10 Wood Framed, Prefabricated Roof Curb.....	357.02	91.67
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	26.54	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	62.24	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	11.46	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	70.58	
<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	86.60	

07 Thermal And Moisture Protection**07 70 Roof And Wall Specialties And Accessories****07 72 Roof Accessories**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 72 13 00-0201	EA		38" x 98" Outside Frame Dimensions, 2 x 10 Wood Framed, Prefabricated Roof Curb.....	399.56	101.85
			<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	29.77	
			<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	69.73	
			<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	14.78	
			<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	80.07	
			<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	104.70	
07 72 13 00-0202	EA		50" x 50" Outside Frame Dimensions, 2 x 10 Wood Framed, Prefabricated Roof Curb.....	347.17	91.67
			<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	25.55	
			<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	60.27	
			<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	66.52	
			<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	120.72	
			<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	134.27	
07 72 13 00-0203	EA		50" x 74" Outside Frame Dimensions, 2 x 10 Wood Framed, Prefabricated Roof Curb.....	408.18	101.85
			<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	30.63	
			<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	71.45	
			<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	94.85	
			<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	137.96	
			<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	179.84	
07 72 13 00-0204	EA		51" x 99" Outside Frame Dimensions, 2 x 10 Wood Framed, Prefabricated Roof Curb.....	448.93	122.23
			<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	32.67	
			<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	77.56	
			<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	19.03	
			<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	88.01	
			<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	118.81	
07 72 13 00-0205	EA		62" x 62" Outside Frame Dimensions, 2 x 10 Wood Framed, Prefabricated Roof Curb.....	379.85	101.85
			<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	27.80	
			<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	65.79	
			<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	15.15	
			<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	55.80	
			<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	102.61	
07 72 13 00-0206	EA		62-3/8" x 74-3/8" Outside Frame Dimensions, 2 x 10 Wood Framed, Prefabricated Roof Curb.....	418.70	112.04
			<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	30.67	
			<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	72.54	
			<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	115.79	
			<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	176.15	
			<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	214.33	
07 72 13 00-0207	EA		62" x 98" Outside Frame Dimensions, 2 x 10 Wood Framed, Prefabricated Roof Curb.....	474.80	122.23
			<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	35.26	
			<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	82.74	
			<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	22.54	
			<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	82.90	
			<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	144.49	
07 72 13 00-0208			2 x 12 Wood Framed, Prefabricated Roof Curbs (07 72 13 00-0168)		
07 72 13 00-0209	EA		26" x 26" Outside Frame Dimensions, 2 x 12 Wood Framed, Prefabricated Roof Curb.....	281.22	81.49
			<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	19.97	
			<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	48.10	
			<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	27.10	
			<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	52.97	
			<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	66.52	
07 72 13 00-0210	EA		26" x 50" Outside Frame Dimensions, 2 x 12 Wood Framed, Prefabricated Roof Curb.....	312.68	91.67
			<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	22.10	
			<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	53.37	
			<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	40.65	
			<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	83.76	
			<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	92.38	
07 72 13 00-0211	EA		26" x 98" Outside Frame Dimensions, 2 x 12 Wood Framed, Prefabricated Roof Curb.....	359.49	91.67
			<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	26.78	
			<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	62.73	
			<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	11.27	
			<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	71.63	
			<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	79.02	
07 72 13 00-0212	EA		38" x 74" Outside Frame Dimensions, 2 x 12 Wood Framed, Prefabricated Roof Curb.....	369.34	91.67
			<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	27.77	
			<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	64.70	
			<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	11.46	
			<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	70.58	
			<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	86.60	
07 72 13 00-0213	EA		38" x 98" Outside Frame Dimensions, 2 x 12 Wood Framed, Prefabricated Roof Curb.....	413.11	101.85
			<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	31.13	
			<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	72.44	
			<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	14.78	
			<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	80.07	
			<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	104.70	
07 72 13 00-0214	EA		50" x 50" Outside Frame Dimensions, 2 x 12 Wood Framed, Prefabricated Roof Curb.....	358.26	91.67
			<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	26.66	
			<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	62.49	
			<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	66.52	
			<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	120.72	
			<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	134.27	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 72 13 00-0215 EA 50" x 74" Outside Frame Dimensions, 2 x 12 Wood Framed, Prefabricated Roof Curb.....	420.50	101.85
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	31.87	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	73.92	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	94.85	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	137.96	
<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	179.84	
07 72 13 00-0216 EA 51" x 99" Outside Frame Dimensions, 2 x 12 Wood Framed, Prefabricated Roof Curb.....	463.71	122.23
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	34.15	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	80.52	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	19.03	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	88.01	
<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	118.81	
07 72 13 00-0217 EA 62-3/8" x 74-3/8" Outside Frame Dimensions, 2 x 12 Wood Framed, Prefabricated Roof Curb.....	428.56	112.04
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	31.65	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	74.51	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	115.79	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	176.15	
<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	214.33	
07 72 13 00-0218 Wood Framed With Liner, Prefabricated Roof Curbs (07 72 13 00-0167)		
07 72 13 00-0219 2 x 6 Wood Framed With Liner, Prefabricated Roof Curbs (07 72 13 00-0218)		
07 72 13 00-0220 EA 26" x 26" Outside Frame Dimensions, 2 x 6 Wood Framed With Liner, Prefabricated Roof Curb	272.60	81.49
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	19.11	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	46.37	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	27.10	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	52.97	
<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	66.52	
07 72 13 00-0221 EA 26" x 50" Outside Frame Dimensions, 2 x 6 Wood Framed With Liner, Prefabricated Roof Curb	299.13	91.67
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	20.75	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	50.66	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	40.65	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	83.76	
<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	92.38	
07 72 13 00-0222 EA 26" x 98" Outside Frame Dimensions, 2 x 6 Wood Framed With Liner, Prefabricated Roof Curb	338.55	91.67
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	24.69	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	58.54	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	11.27	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	71.63	
<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	79.02	
07 72 13 00-0223 EA 38" x 62" Outside Frame Dimensions, 2 x 6 Wood Framed With Liner, Prefabricated Roof Curb	329.92	91.67
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	23.83	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	56.82	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	64.05	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	118.25	
<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	135.50	
07 72 13 00-0224 EA 38" x 74" Outside Frame Dimensions, 2 x 6 Wood Framed With Liner, Prefabricated Roof Curb	341.01	91.67
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	24.93	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	59.04	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	11.46	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	70.58	
<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	86.60	
07 72 13 00-0225 EA 38" x 98" Outside Frame Dimensions, 2 x 6 Wood Framed With Liner, Prefabricated Roof Curb	383.54	101.85
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	28.17	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	66.52	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	14.78	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	80.07	
<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	104.70	
07 72 13 00-0226 EA 50" x 50" Outside Frame Dimensions, 2 x 6 Wood Framed With Liner, Prefabricated Roof Curb	336.08	91.67
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	24.44	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	58.05	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	66.52	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	120.72	
<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	134.27	
07 72 13 00-0227 EA 50" x 74" Outside Frame Dimensions, 2 x 6 Wood Framed With Liner, Prefabricated Roof Curb	393.40	101.85
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	29.16	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	68.50	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	94.85	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	137.96	
<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	179.84	
07 72 13 00-0228 EA 51" x 99" Outside Frame Dimensions, 2 x 6 Wood Framed With Liner, Prefabricated Roof Curb	434.15	122.23
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	31.19	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	74.61	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	19.03	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	88.01	
<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	118.81	
07 72 13 00-0229 EA 62" x 62" Outside Frame Dimensions, 2 x 6 Wood Framed With Liner, Prefabricated Roof Curb	372.46	101.85
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	27.06	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	64.31	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	15.15	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	55.80	
<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	102.61	

07	Thermal And Moisture Protection
07 70	Roof And Wall Specialties And Accessories
07 72	Roof Accessories



MINOR CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 72 13 00-0230	EA	62-3/8" x 74-3/8" Outside Frame Dimensions, 2 x 6 Wood Framed With Liner, Prefabricated Roof Curb	406.39	112.04
		<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	29.44	
		<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	70.07	
		<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	115.79	
		<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	176.15	
		<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	214.33	
07 72 13 00-0231	EA	62" x 98" Outside Frame Dimensions, 2 x 6 Wood Framed With Liner, Prefabricated Roof Curb.....	462.48	122.23
		<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	34.03	
		<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	80.27	
		<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	22.54	
		<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	82.90	
		<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	144.49	
07 72 13 00-0232		2 x 8 Wood Framed With Liner, Prefabricated Roof Curbs <small>(07 72 13 00-0218)</small>		
07 72 13 00-0233	EA	26" x 26" Outside Frame Dimensions, 2 x 8 Wood Framed With Liner, Prefabricated Roof Curb.....	281.22	81.49
		<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	19.97	
		<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	48.10	
		<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	27.10	
		<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	52.97	
		<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	66.52	
07 72 13 00-0234	EA	26" x 50" Outside Frame Dimensions, 2 x 8 Wood Framed With Liner, Prefabricated Roof Curb.....	308.98	91.67
		<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	21.73	
		<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	52.63	
		<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	40.65	
		<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	83.76	
		<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	92.38	
07 72 13 00-0235	EA	26" x 98" Outside Frame Dimensions, 2 x 8 Wood Framed With Liner, Prefabricated Roof Curb.....	353.33	91.67
		<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	26.17	
		<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	61.50	
		<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	11.27	
		<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	71.63	
		<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	79.02	
07 72 13 00-0236	EA	38" x 62" Outside Frame Dimensions, 2 x 8 Wood Framed With Liner, Prefabricated Roof Curb.....	344.71	91.67
		<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	25.30	
		<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	59.78	
		<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	64.05	
		<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	118.25	
		<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	135.50	
07 72 13 00-0237	EA	38" x 74" Outside Frame Dimensions, 2 x 8 Wood Framed With Liner, Prefabricated Roof Curb.....	360.72	91.67
		<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	26.91	
		<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	62.98	
		<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	11.46	
		<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	70.58	
		<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	86.60	
07 72 13 00-0238	EA	38" x 98" Outside Frame Dimensions, 2 x 8 Wood Framed With Liner, Prefabricated Roof Curb.....	405.72	101.85
		<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	30.39	
		<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	70.96	
		<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	14.78	
		<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	80.07	
		<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	104.70	
07 72 13 00-0239	EA	50" x 50" Outside Frame Dimensions, 2 x 8 Wood Framed With Liner, Prefabricated Roof Curb.....	353.33	91.67
		<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	26.17	
		<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	61.50	
		<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	66.52	
		<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	120.72	
		<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	134.27	
07 72 13 00-0240	EA	50" x 74" Outside Frame Dimensions, 2 x 8 Wood Framed With Liner, Prefabricated Roof Curb.....	414.34	101.85
		<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	31.25	
		<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	72.68	
		<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	94.85	
		<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	137.96	
		<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	179.84	
07 72 13 00-0241	EA	51" x 99" Outside Frame Dimensions, 2 x 8 Wood Framed With Liner, Prefabricated Roof Curb.....	457.55	122.23
		<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	33.53	
		<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	79.29	
		<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	19.03	
		<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	88.01	
		<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	118.81	
07 72 13 00-0242	EA	62" x 62" Outside Frame Dimensions, 2 x 8 Wood Framed With Liner, Prefabricated Roof Curb.....	388.47	101.85
		<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	28.66	
		<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	67.51	
		<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	15.15	
		<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	55.80	
		<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	102.61	
07 72 13 00-0243	EA	62-3/8" x 74-3/8" Outside Frame Dimensions, 2 x 8 Wood Framed With Liner, Prefabricated Roof Curb	424.86	112.04
		<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	31.28	
		<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	73.77	
		<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	115.79	
		<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	176.15	
		<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	214.33	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 72 13 00-0244 EA 62" x 98" Outside Frame Dimensions, 2 x 8 Wood Framed With Liner, Prefabricated Roof Curb	483.42	122.23
<i>For Sloped Roofs Up To 1 In 12 To 3 In 12 Pitch, Add</i>	36.12	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	84.46	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	22.54	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	82.90	
<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	144.49	
07 72 13 00-0245 2 x 10 Wood Framed With Liner, Prefabricated Roof Curbs <small>(07 72 13 00-0218)</small>		
07 72 13 00-0246 EA 26" x 26" Outside Frame Dimensions, 2 x 10 Wood Framed With Liner, Prefabricated Roof Curb	288.61	81.49
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	20.71	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	49.57	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	27.10	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	52.97	
<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	66.52	
07 72 13 00-0247 EA 26" x 50" Outside Frame Dimensions, 2 x 10 Wood Framed With Liner, Prefabricated Roof Curb	318.84	91.67
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	22.72	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	54.60	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	40.65	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	83.76	
<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	92.38	
07 72 13 00-0248 EA 26" x 98" Outside Frame Dimensions, 2 x 10 Wood Framed With Liner, Prefabricated Roof Curb	368.11	91.67
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	27.64	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	64.46	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	11.27	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	71.63	
<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	79.02	
07 72 13 00-0249 EA 38" x 62" Outside Frame Dimensions, 2 x 10 Wood Framed With Liner, Prefabricated Roof Curb	355.79	91.67
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	26.41	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	61.99	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	64.05	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	118.25	
<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	135.50	
07 72 13 00-0250 EA 38" x 74" Outside Frame Dimensions, 2 x 10 Wood Framed With Liner, Prefabricated Roof Curb	375.50	91.67
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	28.38	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	65.93	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	11.46	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	70.58	
<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	86.60	
07 72 13 00-0251 EA 38" x 98" Outside Frame Dimensions, 2 x 10 Wood Framed With Liner, Prefabricated Roof Curb	421.73	101.85
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	31.99	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	74.16	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	14.78	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	80.07	
<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	104.70	
07 72 13 00-0252 EA 50" x 50" Outside Frame Dimensions, 2 x 10 Wood Framed With Liner, Prefabricated Roof Curb	364.41	91.67
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	27.27	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	63.72	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	66.52	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	120.72	
<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	134.27	
07 72 13 00-0253 EA 50" x 74" Outside Frame Dimensions, 2 x 10 Wood Framed With Liner, Prefabricated Roof Curb	427.89	101.85
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	32.60	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	75.39	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	94.85	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	137.96	
<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	179.84	
07 72 13 00-0254 EA 51" x 99" Outside Frame Dimensions, 2 x 10 Wood Framed With Liner, Prefabricated Roof Curb	472.33	122.23
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	35.01	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	82.24	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	19.03	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	88.01	
<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	118.81	
07 72 13 00-0255 EA 62" x 62" Outside Frame Dimensions, 2 x 10 Wood Framed With Liner, Prefabricated Roof Curb	400.79	101.85
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	29.89	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	69.97	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	15.15	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	55.80	
<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	102.61	
07 72 13 00-0256 EA 62-3/8" x 74-3/8" Outside Frame Dimensions, 2 x 10 Wood Framed With Liner, Prefabricated Roof Curb	438.41	112.04
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	32.64	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	76.48	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	115.79	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	176.15	
<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	214.33	
07 72 13 00-0257 EA 62" x 98" Outside Frame Dimensions, 2 x 10 Wood Framed With Liner, Prefabricated Roof Curb	499.43	122.23
<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	37.72	
<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	87.66	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	22.54	
<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	82.90	
<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	144.49	
07 72 13 00-0258 2 x 12 Wood Framed With Liner, Prefabricated Roof Curbs <small>(07 72 13 00-0218)</small>		

07 Thermal And Moisture Protection**07 70 Roof And Wall Specialties And Accessories****07 72 Roof Accessories**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 72 13 00-0259	EA	26" x 26"	Outside Frame Dimensions, 2 x 12 Wood Framed With Liner, Prefabricated Roof Curb.....	303.40	81.49
			<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	22.19	
			<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	52.53	
			<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	27.10	
			<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	52.97	
			<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	66.52	
07 72 13 00-0260	EA	26" x 50"	Outside Frame Dimensions, 2 x 12 Wood Framed With Liner, Prefabricated Roof Curb.....	326.23	91.67
			<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	23.46	
			<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	56.08	
			<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	40.65	
			<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	83.76	
			<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	92.38	
07 72 13 00-0261	EA	26" x 98"	Outside Frame Dimensions, 2 x 12 Wood Framed With Liner, Prefabricated Roof Curb.....	379.20	91.67
			<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	28.75	
			<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	66.67	
			<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	11.27	
			<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	71.63	
			<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	79.02	
07 72 13 00-0262	EA	38" x 74"	Outside Frame Dimensions, 2 x 12 Wood Framed With Liner, Prefabricated Roof Curb.....	387.82	91.67
			<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	29.62	
			<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	68.40	
			<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	11.46	
			<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	70.58	
			<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	86.60	
07 72 13 00-0263	EA	38" x 98"	Outside Frame Dimensions, 2 x 12 Wood Framed With Liner, Prefabricated Roof Curb.....	468.54	101.85
			<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	36.67	
			<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	83.52	
			<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	14.78	
			<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	80.07	
			<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	104.70	
07 72 13 00-0264	EA	50" x 50"	Outside Frame Dimensions, 2 x 12 Wood Framed With Liner, Prefabricated Roof Curb.....	400.14	91.67
			<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	30.85	
			<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	70.86	
			<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	66.52	
			<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	120.72	
			<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	134.27	
07 72 13 00-0265	EA	50" x 74"	Outside Frame Dimensions, 2 x 12 Wood Framed With Liner, Prefabricated Roof Curb.....	471.00	101.85
			<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	36.92	
			<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	84.02	
			<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	94.85	
			<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	137.96	
			<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	179.84	
07 72 13 00-0266	EA	51" x 99"	Outside Frame Dimensions, 2 x 12 Wood Framed With Liner, Prefabricated Roof Curb.....	521.61	122.23
			<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	39.94	
			<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	92.10	
			<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	19.03	
			<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	88.01	
			<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	118.81	
07 72 13 00-0267	EA	62-3/8" x 74-3/8"	Outside Frame Dimensions, 2 x 12 Wood Framed With Liner, Prefabricated Roof Curb	483.99	112.04
			<i>For Sloped Roofs Up To 1 In 12 Pitch, Add</i>	37.20	
			<i>For Sloped Roofs >1 In 12 To 3 In 12 Pitch, Add</i>	85.59	
			<i>For 3/16" Wire Diameter, 4" x 4" Grids, Clip Attached, Safety Security Guard, Add</i>	115.79	
			<i>For 3/16" Wire Diameter, 4" x 4" Grids, Z Channel Attached, Safety Security Guard, Add</i>	176.15	
			<i>For 1/2" Diameter, 8" On Center, Hot Rolled Steel, Burglar Bars, Add</i>	214.33	

07 72 23 Relief Vents (07 72)**07 72 23 00-0001 Wind Driven Turbine Ventilators (07 72 23)**

Note: Excludes curb or flange base.

07 72 23 00-0002 Galvanized Steel, Wind Driven Turbine Ventilators (07 72 23 00-0001)

07 72 23 00-0003	EA	6" Neck Diameter, 26 Gauge, Galvanized Steel, Outside Braced, Wind Driven Turbine Ventilator	110.19	25.57
		<i>For Curb Or Flange Base, Add</i>	127.61	
07 72 23 00-0004	EA	9" Neck Diameter, 26 Gauge, Galvanized Steel, Outside Braced, Wind Driven Turbine Ventilator	131.80	28.31
		<i>For Curb Or Flange Base, Add</i>	140.58	
07 72 23 00-0005	EA	12" Neck Diameter, 26 Gauge, Galvanized Steel, Outside Braced, Wind Driven Turbine Ventilator	143.13	33.79
		<i>For Curb Or Flange Base, Add</i>	157.66	
07 72 23 00-0006	EA	15" Neck Diameter, 26 Gauge, Galvanized Steel, Outside Braced, Wind Driven Turbine Ventilator	267.85	37.45
		<i>For Curb Or Flange Base, Add</i>	244.88	
07 72 23 00-0007	EA	18" Neck Diameter, 26 Gauge, Galvanized Steel, Outside Braced, Wind Driven Turbine Ventilator	366.53	42.00
		<i>For Curb Or Flange Base, Add</i>	265.90	
07 72 23 00-0008	EA	21" Neck Diameter, 26 Gauge, Galvanized Steel, Outside Braced, Wind Driven Turbine Ventilator	440.88	45.66
		<i>For Curb Or Flange Base, Add</i>	288.44	
07 72 23 00-0009	EA	24" Neck Diameter, 26 Gauge, Galvanized Steel, Outside Braced, Wind Driven Turbine Ventilator	561.51	51.14
		<i>For Curb Or Flange Base, Add</i>	351.05	
07 72 23 00-0010	EA	36" Neck Diameter, 26 Gauge, Galvanized Steel, Outside Braced, Wind Driven Turbine Ventilator	923.70	68.49
		<i>For Curb Or Flange Base, Add</i>	568.11	

07 72 23 00-0011 Mill Finish Aluminum, Wind Driven Turbine Ventilators (07 72 23 00-0001)

07 72 23 00-0012	EA	6" Neck Diameter, 0.025", Mill Finish Aluminum, Outside Braced, Wind Driven Turbine Ventilator	106.67	25.57
		<i>For Curb Or Flange Base, Add</i>	131.57	
07 72 23 00-0013	EA	9" Neck Diameter, 0.025", Mill Finish Aluminum, Outside Braced, Wind Driven Turbine Ventilator	132.26	28.31
		<i>For Curb Or Flange Base, Add</i>	145.18	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 72 23 00-0014 EA 12" Neck Diameter, 0.025", Mill Finish Aluminum, Outside Braced, Wind Driven Turbine Ventilator..... <i>For Curb Or Flange Base, Add</i>	148.66 162.21	33.79
07 72 23 00-0015 EA 15" Neck Diameter, 0.025", Mill Finish Aluminum, Outside Braced, Wind Driven Turbine Ventilator..... <i>For Curb Or Flange Base, Add</i>	259.22 267.77	37.45
07 72 23 00-0016 EA 18" Neck Diameter, 0.025", Mill Finish Aluminum, Outside Braced, Wind Driven Turbine Ventilator..... <i>For Curb Or Flange Base, Add</i>	332.98 287.01	42.00
07 72 23 00-0017 EA 21" Neck Diameter, 0.025", Mill Finish Aluminum, Outside Braced, Wind Driven Turbine Ventilator..... <i>For Curb Or Flange Base, Add</i>	419.37 322.44	45.66
07 72 23 00-0018 EA 24" Neck Diameter, 0.025", Mill Finish Aluminum, Outside Braced, Wind Driven Turbine Ventilator..... <i>For Curb Or Flange Base, Add</i>	563.92 387.81	51.14
07 72 23 00-0019 EA 36" Neck Diameter, 0.025", Mill Finish Aluminum, Outside Braced, Wind Driven Turbine Ventilator..... <i>For Curb Or Flange Base, Add</i>	838.16 579.23	68.49
07 72 23 00-0020 Stationary Siphon Ventilators (07 72 23) Note: Excludes curb or flange base.		
07 72 23 00-0021 Galvanized Steel, Stationary Siphon Ventilators (07 72 23 00-0020)		
07 72 23 00-0022 EA 6" Neck Diameter, 26 Gauge, Galvanized Steel, Stationary Siphon Ventilator..... <i>For Curb Or Flange Base, Add</i>	94.02 127.61	25.57
07 72 23 00-0023 EA 9" Neck Diameter, 26 Gauge, Galvanized Steel, Stationary Siphon Ventilator..... <i>For Curb Or Flange Base, Add</i>	122.55 140.58	28.31
07 72 23 00-0024 EA 12" Neck Diameter, 26 Gauge, Galvanized Steel, Stationary Siphon Ventilator..... <i>For Curb Or Flange Base, Add</i>	135.54 157.66	33.79
07 72 23 00-0025 EA 15" Neck Diameter, 26 Gauge, Galvanized Steel, Stationary Siphon Ventilator..... <i>For Curb Or Flange Base, Add</i>	226.35 244.88	37.45
07 72 23 00-0026 EA 18" Neck Diameter, 26 Gauge, Galvanized Steel, Stationary Siphon Ventilator..... <i>For Curb Or Flange Base, Add</i>	261.50 265.90	42.00
07 72 23 00-0027 EA 21" Neck Diameter, 26 Gauge, Galvanized Steel, Stationary Siphon Ventilator..... <i>For Curb Or Flange Base, Add</i>	366.65 288.44	45.66
07 72 23 00-0028 EA 24" Neck Diameter, 26 Gauge, Galvanized Steel, Stationary Siphon Ventilator..... <i>For Curb Or Flange Base, Add</i>	475.48 351.05	51.14
07 72 23 00-0029 EA 36" Neck Diameter, 26 Gauge, Galvanized Steel, Stationary Siphon Ventilator..... <i>For Curb Or Flange Base, Add</i>	687.71 568.11	68.49
07 72 23 00-0030 Mill Finish Aluminum, Stationary Siphon Ventilators (07 72 23 00-0020)		
07 72 23 00-0031 EA 6" Neck Diameter, 0.025", Mill Finish Aluminum, Stationary Siphon Ventilator..... <i>For Curb Or Flange Base, Add</i>	102.77 131.57	25.57
07 72 23 00-0032 EA 9" Neck Diameter, 0.025", Mill Finish Aluminum, Stationary Siphon Ventilator..... <i>For Curb Or Flange Base, Add</i>	134.58 145.18	28.31
07 72 23 00-0033 EA 12" Neck Diameter, 0.025", Mill Finish Aluminum, Stationary Siphon Ventilator..... <i>For Curb Or Flange Base, Add</i>	150.61 162.21	33.79
07 72 23 00-0034 EA 15" Neck Diameter, 0.025", Mill Finish Aluminum, Stationary Siphon Ventilator..... <i>For Curb Or Flange Base, Add</i>	240.87 267.77	37.45
07 72 23 00-0035 EA 18" Neck Diameter, 0.025", Mill Finish Aluminum, Stationary Siphon Ventilator..... <i>For Curb Or Flange Base, Add</i>	301.82 287.01	42.00
07 72 23 00-0036 EA 21" Neck Diameter, 0.025", Mill Finish Aluminum, Stationary Siphon Ventilator..... <i>For Curb Or Flange Base, Add</i>	368.72 322.44	45.66
07 72 23 00-0037 EA 24" Neck Diameter, 0.025", Mill Finish Aluminum, Stationary Siphon Ventilator..... <i>For Curb Or Flange Base, Add</i>	524.99 387.81	51.14
07 72 23 00-0038 EA 36" Neck Diameter, 0.025", Mill Finish Aluminum, Stationary Siphon Ventilator..... <i>For Curb Or Flange Base, Add</i>	788.39 579.23	68.49
07 72 23 00-0039 Spun Aluminum, Stationary Mushroom Gravity Ventilators (07 72 23) Note: Includes flange base and bird screen. Excludes curb.		
07 72 23 00-0040 EA 8" Orifice Diameter, Spun Aluminum, Stationary Mushroom Gravity Ventilator..... <i>For Backdraft Damper, Add</i> <i>For Curb Base, Add</i>	213.95 105.78 163.27	41.10
07 72 23 00-0041 EA 10" Orifice Diameter, Spun Aluminum, Stationary Mushroom Gravity Ventilator..... <i>For Backdraft Damper, Add</i> <i>For Curb Base, Add</i>	262.24 115.73 178.68	45.66
07 72 23 00-0042 EA 12" Orifice Diameter, Spun Aluminum, Stationary Mushroom Gravity Ventilator..... <i>For Backdraft Damper, Add</i> <i>For Curb Base, Add</i>	297.52 158.05 226.11	54.79
07 72 23 00-0043 EA 16" Orifice Diameter, Spun Aluminum, Stationary Mushroom Gravity Ventilator..... <i>For Backdraft Damper, Add</i> <i>For Curb Base, Add</i>	360.99 180.45 261.54	60.27
07 72 23 00-0044 EA 24" Orifice Diameter, Spun Aluminum, Stationary Mushroom Gravity Ventilator..... <i>For Backdraft Damper, Add</i> <i>For Curb Base, Add</i>	938.46 226.49 344.76	82.19
07 72 23 00-0045 EA 30" Orifice Diameter, Spun Aluminum, Stationary Mushroom Gravity Ventilator..... <i>For Backdraft Damper, Add</i> <i>For Curb Base, Add</i>	1,144.64 267.56 411.66	94.98
07 72 23 00-0046 EA 36" Orifice Diameter, Spun Aluminum, Stationary Mushroom Gravity Ventilator..... <i>For Backdraft Damper, Add</i> <i>For Curb Base, Add</i>	1,554.51 267.56 429.81	109.58
07 72 23 00-0047 EA 42" Orifice Diameter, Spun Aluminum, Stationary Mushroom Gravity Ventilator..... <i>For Backdraft Damper, Add</i> <i>For Curb Base, Add</i>	2,175.91 280.00 446.13	118.72
07 72 23 00-0048 EA 48" Orifice Diameter, Spun Aluminum, Stationary Mushroom Gravity Ventilator..... <i>For Backdraft Damper, Add</i> <i>For Curb Base, Add</i>	3,119.66 311.12 501.04	127.84



MINOR
CSI UOM DESCRIPTION

TOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

07 72 23 00-0049	Galvanized Steel, Stationary Gooseneck Ventilators (07 72 23)		
	Note: Includes flange base and bird screen. Excludes curb.		
07 72 23 00-0050	EA 8" x 8", 26 Gauge, Galvanized Steel, Stationary Gooseneck Ventilator.....	384.87	45.66
07 72 23 00-0051	EA 12" x 12", 26 Gauge, Galvanized Steel, Stationary Gooseneck Ventilator.....	453.31	60.27
07 72 23 00-0052	EA 16" x 16", 26 Gauge, Galvanized Steel, Stationary Gooseneck Ventilator.....	651.41	82.19
07 72 23 00-0053	EA 24" x 24", 26 Gauge, Galvanized Steel, Stationary Gooseneck Ventilator.....	1,001.92	94.98
07 72 26	Ridge Vents (07 72)		
07 72 26 00-0001	Aluminum Ridge Vents (07 72 26)		
07 72 26 00-0002	LF Aluminum Ridge Vent Strips.....	10.33	2.66
07 72 26 00-0003	EA Aluminum Ridge Univent Connectors.....	41.42	16.48
07 72 26 00-0004	EA Aluminum Ridge Univent End Cap.....	38.75	16.48
07 72 26 00-0005	Galvanized Ridge Vents (07 72 26)		
07 72 26 00-0006	LF Galvanized Sheet Metal Ridge Vent Strips.....	11.32	2.84
07 72 29	Rafter Vent (07 72)		
07 72 29 00-0001	Rafter Vent (07 72 29)		
	Note: Built-in baffle is designed to help keep air flowing freely from soffits to ridge vents.		
07 72 29 00-0002	EA 22" x 4' Rafter Vent.....	7.03	
07 72 29 00-0003	EA 14" x 4' Rafter Vent.....	6.42	
07 72 33	Roof Hatches (07 72)		
	Note: Includes curb with integral insulation, lockable hatch and gaskets.		
07 72 33 00-0001	Galvanized Steel Cover And Curb (07 72 33)		
07 72 33 00-0002	EA 2'-6" x 3'-0" Galvanized Steel Roof Hatch (Bilco S-20).....	1,127.33	120.96
07 72 33 00-0003	EA 2'-6" x 4'-6" Galvanized Steel Roof Hatch (Bilco NB-20).....	1,668.66	134.40
07 72 33 00-0004	EA 2'-6" x 8'-0" Galvanized Steel Roof Hatch (Bilco L-20).....	2,964.59	183.28
07 72 33 00-0005	EA 3'-0" x 3'-0" Galvanized Steel Roof Hatch (Bilco E-20).....	1,647.22	134.40
07 72 33 00-0006	EA 4'-0" x 4'-0" Galvanized Steel Roof Hatch.....	1,859.79	149.35
07 72 33 00-0007	EA 3'-0" x 8'-0" Galvanized Steel Roof Hatch.....	3,064.49	203.69
07 72 33 00-0008	Aluminum Cover And Curb (07 72 33)		
07 72 33 00-0009	EA 2'-6" x 3'-0" Aluminum Roof Hatch (Bilco S-50).....	1,086.59	120.96
07 72 33 00-0010	EA 2'-6" x 4'-6" Aluminum Roof Hatch (Bilco NB-50).....	1,419.59	134.40
07 72 33 00-0011	EA 2'-6" x 8'-0" Aluminum Roof Hatch (Bilco L-50).....	2,599.79	183.28
07 72 33 00-0012	EA 3'-0" x 3'-0" Aluminum Roof Hatch (Bilco E-50).....	1,391.10	134.40
07 72 33 00-0013	EA 4'-0" x 4'-0" Aluminum Roof Hatch (Bilco F-50).....	2,506.70	149.35
07 72 33 00-0014	EA 3'-0" x 8'-0" Aluminum Roof Hatch.....	2,742.30	203.69
07 72 33 00-0015	EA 3'-0" x 2'-6" Aluminum Roof Scuttle With Skylight (Bilco GS-50).....	1,565.98	134.40
07 72 33 00-0016	Steel, Plain, Primed (07 72 33)		
07 72 33 00-0017	EA 2'-6" x 3'-0" Plain Steel Roof Hatch Primed (Bilco S-20).....	1,079.38	120.96
07 72 33 00-0018	EA 2'-6" x 4'-6" Plain Steel Roof Hatch Primed (Bilco NB-20).....	1,469.49	134.40
07 72 33 00-0019	EA 2'-6" x 8'-0" Plain Steel Roof Hatch Primed (Bilco L-20).....	2,013.42	183.28
07 72 33 00-0020	EA 3'-0" x 3'-0" Plain Steel Roof Hatch Primed (Bilco E-20).....	1,364.08	134.40
07 72 33 00-0021	EA 4'-0" x 4'-0" Plain Steel Roof Hatch Primed.....	1,677.13	149.35
07 72 33 00-0022	EA 3'-0" x 8'-0" Plain Steel Roof Hatch Primed.....	2,279.02	203.69
07 72 33 00-0023	Stainless Steel (07 72 33)		
07 72 33 00-0024	EA 2'-6" x 3'-0" Stainless Steel Roof Hatch (Bilco S-90).....	2,329.44	120.96
07 72 33 00-0025	EA 2'-6" x 4'-6" Stainless Steel Roof Hatch (Bilco NB-90).....	4,473.99	134.40
07 72 33 00-0026	EA 2'-6" x 8'-0" Stainless Steel Roof Hatch (Bilco L-90).....	6,731.07	183.28
07 72 33 00-0027	EA 3'-0" x 3'-0" Stainless Steel Roof Hatch (Bilco E-90).....	3,587.76	134.40
07 72 33 00-0028	EA 4'-0" x 4'-0" Stainless Steel Roof Hatch.....	7,603.83	149.35
07 72 33 00-0029	EA 3'-0" x 8'-0" Stainless Steel Roof Hatch.....	8,511.11	203.69
07 72 33 00-0030	Remove And Reinstall Roof Hatch (07 72 33)		
	Note: Includes storage, cleaning and supply materials.		
07 72 33 00-0031	EA Removal And Reinstallation Of Roof Hatch (All Types).....	372.05	
07 72 33 00-0032	Aluminum Cover And Galvanized Steel Curb (07 72 33)		
07 72 33 00-0033	EA Aluminum Cover, Galvanized Steel Curb 3'-0" x 2'-6" Roof (Bilco S-40).....	1,051.34	134.40
07 72 33 00-0034	EA Aluminum Cover, Galvanized Steel Curb 2'-6" x 4'-6" Roof (Bilco NB-40).....	1,384.34	149.35
07 72 33 00-0035	EA Aluminum Cover, Galvanized Steel Curb 2'-6" x 8'-0" Roof (Bilco L-40).....	2,508.14	203.61
07 72 33 00-0036	EA Aluminum Cover, Galvanized Steel Curb 3'-0" x 3'-0" Roof (Bilco E-40).....	1,362.90	138.60
07 72 33 00-0037	EA Aluminum Cover, Galvanized Steel Curb 4'-0" x 4'-0" Roof (Bilco F-40).....	2,429.15	153.55



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
-------	-----	-----	-------------	------------------------	----------------------

07 72 33 00-0038			Roof Hatch Accessories (07 72 33)		
07 72 33 00-0039	EA		Roof Hatch Ladderup Safety Post (Bilco LU-1).....	708.79	63.00

07 72 33 00-0040			Roof Hatch Safety Railing (07 72 33)		
			Note: Included mounting bracket to attach to roof hatch		
07 72 33 00-0041	EA		24" x 24" Painted Steel, Roof Hatch Safety Railing With Self Closing Gate (Acudor RHSR-24x24).....	1,243.19	
07 72 33 00-0042	EA		24" x 36" Painted Steel, Roof Hatch Safety Railing With Self Closing Gate (Acudor RHSR-24x36).....	1,291.49	
07 72 33 00-0043	EA		30" x 30" Painted Steel, Roof Hatch Safety Railing With Self Closing Gate (Acudor RHSR-30x30).....	1,321.94	
07 72 33 00-0044	EA		30" x 36" Painted Steel, Roof Hatch Safety Railing With Self Closing Gate (Acudor RHSR-30x36).....	1,435.34	
07 72 33 00-0045	EA		36" x 36" Painted Steel, Roof Hatch Safety Railing With Self Closing Gate (Acudor RHSR-36x36).....	1,566.59	
07 72 33 00-0046	EA		48" x 48" Painted Steel, Roof Hatch Safety Railing With Self Closing Gate (Acudor RHSR-48x48).....	1,985.54	

07 72 36			Smoke Vents (07 72)		
07 72 36 00-0001			Fire Vent (07 72 36)		
07 72 36 00-0002			Galvanized Steel Covers And Curb (07 72 36 00-0001)		
07 72 36 00-0003	EA		4'-0" x 4'-0" Galvanized Steel Covers And Curb, Smoke And Fire Vent (Bilco DSH-4848).....	3,017.59	112.05
07 72 36 00-0004	EA		4'-0" x 6'-0" Galvanized Steel Covers And Curb, Smoke And Fire Vent (Bilco DSH-4872).....	3,464.20	154.05
07 72 36 00-0005	EA		4'-0" x 7'-6" Galvanized Steel Covers And Curb, Smoke And Fire Vent (Bilco DSH-4890).....	3,950.99	168.08
07 72 36 00-0006	EA		4'-0" x 8'-0" Galvanized Steel Covers And Curb, Smoke And Fire Vent (Bilco DSH-4896).....	4,027.52	176.48
07 72 36 00-0007	EA		5'-0" x 5'-0" Galvanized Steel Covers And Curb, Smoke And Fire Vent (Bilco DSH-6060).....	4,688.06	154.05
07 72 36 00-0008	EA		5'-0" x 6'-0" Galvanized Steel Covers And Curb, Smoke And Fire Vent (Bilco DSH-6072).....	4,983.05	168.08
07 72 36 00-0009	EA		5'-0" x 7'-0" Galvanized Steel Covers And Curb, Smoke And Fire Vent (Bilco DSH-6084).....	5,259.77	182.11
07 72 36 00-0010	EA		5'-0" x 8'-0" Galvanized Steel Covers And Curb, Smoke And Fire Vent (Bilco DSH-6096).....	5,993.16	196.13
07 72 36 00-0011	EA		5'-0" x 10'-0" Galvanized Steel Covers And Curb, Smoke And Fire Vent (Bilco DSH-60120).....	7,448.10	210.08
07 72 36 00-0012	EA		5'-6" x 5'-6" Galvanized Steel Covers And Curb, Smoke And Fire Vent (Bilco DSH-6666).....	4,976.64	182.11
07 72 36 00-0013	EA		5'-6" x 12'-0" Galvanized Steel Covers And Curb, Smoke And Fire Vent (Bilco DSH-66114).....	10,519.63	224.10
07 72 36 00-0014	EA		6'-0" x 6'-0" Galvanized Steel Covers And Curb, Smoke And Fire Vent (Bilco DSH-7272).....	5,727.37	238.14

07 72 36 00-0015			Aluminum Covers And Galvanized Steel Curb (07 72 36 00-0001)		
07 72 36 00-0016	EA		4'-0" x 4'-0" Aluminum Covers And Galvanized Steel Curb, Smoke And Fire Vent (Bilco DSH-4848A).....	2,452.17	112.05
07 72 36 00-0017	EA		4'-0" x 6'-0" Aluminum Covers And Galvanized Steel Curb, Smoke And Fire Vent (Bilco DSH-4872A).....	2,804.22	154.05
07 72 36 00-0018	EA		4'-0" x 7'-6" Aluminum Covers And Galvanized Steel Curb, Smoke And Fire Vent (Bilco DSH-4890A).....	3,156.56	168.08
07 72 36 00-0019	EA		4'-0" x 8'-0" Aluminum Covers And Galvanized Steel Curb, Smoke And Fire Vent (Bilco DSH-4896A).....	3,267.86	176.48
07 72 36 00-0020	EA		5'-0" x 5'-0" Aluminum Covers And Galvanized Steel Curb, Smoke And Fire Vent (Bilco DSH-6060A).....	3,177.87	154.05
07 72 36 00-0021	EA		5'-0" x 6'-0" Aluminum Covers And Galvanized Steel Curb, Smoke And Fire Vent (Bilco DSH-6072A).....	4,066.00	168.08
07 72 36 00-0022	EA		5'-0" x 7'-0" Aluminum Covers And Galvanized Steel Curb, Smoke And Fire Vent (Bilco DSH-6084A).....	4,347.83	182.11
07 72 36 00-0023	EA		5'-0" x 8'-0" Aluminum Covers And Galvanized Steel Curb, Smoke And Fire Vent (Bilco DSH-6096A).....	4,227.82	196.13
07 72 36 00-0024	EA		5'-0" x 10'-0" Aluminum Covers And Galvanized Steel Curb, Smoke And Fire Vent (Bilco DSH-60120A).....	5,954.91	210.08
07 72 36 00-0025	EA		5'-6" x 5'-6" Aluminum Covers And Galvanized Steel Curb, Smoke And Fire Vent (Bilco DSH-6666A).....	4,101.09	182.11
07 72 36 00-0026	EA		5'-6" x 12'-0" Aluminum Covers And Galvanized Steel Curb, Smoke And Fire Vent (Bilco DSH-66114A).....	7,822.99	224.10
07 72 36 00-0027	EA		6'-0" x 6'-0" Aluminum Covers And Galvanized Steel Curb, Smoke And Fire Vent (Bilco DSH-7272A).....	4,008.84	238.14

07 72 36 00-0028			Aluminum Covers And Curb (07 72 36 00-0001)		
07 72 36 00-0029	EA		4'-0" x 4'-0" Aluminum Covers And Curb, Smoke And Fire Vent (Bilco DSH-4848B).....	2,677.76	112.05
07 72 36 00-0030	EA		4'-0" x 6'-0" Aluminum Covers And Curb, Smoke And Fire Vent (Bilco DSH-4872B).....	3,177.87	154.05
07 72 36 00-0031	EA		4'-0" x 7'-6" Aluminum Covers And Curb, Smoke And Fire Vent (Bilco DSH-4890B).....	3,487.90	168.08
07 72 36 00-0032	EA		4'-0" x 8'-0" Aluminum Covers And Curb, Smoke And Fire Vent (Bilco DSH-4896B).....	3,690.85	176.48
07 72 36 00-0033	EA		5'-0" x 5'-0" Aluminum Covers And Curb, Smoke And Fire Vent (Bilco DSH-6060B).....	3,347.07	154.05
07 72 36 00-0034	EA		5'-0" x 6'-0" Aluminum Covers And Curb, Smoke And Fire Vent (Bilco DSH-6072B).....	4,242.24	168.08
07 72 36 00-0035	EA		5'-0" x 7'-0" Aluminum Covers And Curb, Smoke And Fire Vent (Bilco DSH-6084B).....	4,502.93	182.11
07 72 36 00-0036	EA		5'-0" x 8'-0" Aluminum Covers And Curb, Smoke And Fire Vent (Bilco DSH-6096B).....	4,650.82	196.13
07 72 36 00-0037	EA		5'-0" x 10'-0" Aluminum Covers And Curb, Smoke And Fire Vent (Bilco DSH-60120B).....	5,651.76	210.08
07 72 36 00-0038	EA		5'-6" x 5'-6" Aluminum Covers And Curb, Smoke And Fire Vent (Bilco DSH-6666B).....	4,298.48	182.11
07 72 36 00-0039	EA		5'-6" x 12'-0" Aluminum Covers And Curb, Smoke And Fire Vent (Bilco DSH-66114B).....	8,549.13	224.10
07 72 36 00-0040	EA		6'-0" x 6'-0" Aluminum Covers And Curb, Smoke And Fire Vent (Bilco DSH-7272B).....	4,431.83	238.14

07 72 36 00-0041			Polycarbonate Translucent Cover With Aluminum Frame And Aluminum Curb (07 72 36)		
07 72 36 00-0042	EA		4'-0" x 4'-0" Polycarbonate Translucent Cover With Aluminum Frame And Aluminum Curb, Smoke And Fire Vent (Bilco LV4848B).....	2,649.56	111.72
07 72 36 00-0043	EA		4'-0" x 6'-0" Polycarbonate Translucent Cover With Aluminum Frame And Aluminum Curb, Smoke And Fire Vent (Bilco LV4872B).....	3,354.11	154.05
07 72 36 00-0044	EA		4'-0" x 8'-0" Polycarbonate Translucent Cover With Aluminum Frame And Aluminum Curb, Smoke And Fire Vent (Bilco LV4896B).....	3,542.79	176.48
07 72 36 00-0045	EA		5'-0" x 5'-0" Polycarbonate Translucent Cover With Aluminum Frame And Aluminum Curb, Smoke And Fire Vent (Bilco LV6060B).....	3,812.36	154.05
07 72 36 00-0046	EA		5'-0" x 8'-0" Polycarbonate Translucent Cover With Aluminum Frame And Aluminum Curb, Smoke And Fire Vent (Bilco LV6096B).....	4,016.34	196.13

07 72 46			Roof Walkways (07 72)		
-----------------	--	--	------------------------------	--	--



MINOR
CSI UOM DESCRIPTION

TOTAL DIRECT UNIT COST DEMOLITION UNIT COST

07 72 46 00-0001	Recycled Rubber Walkway Pads (07 72 46)		
07 72 46 00-0002	SF 3/8" Thick, Button Surface, Recycled Rubber Walkway Pad.....	8.38	2.26
	For Diamond Surface, Add	0.64	
07 72 46 00-0003	SF 1/2" Thick, Button Surface, Recycled Rubber Walkway Pad.....	9.28	2.72
	For Diamond Surface, Add	0.75	
07 72 46 00-0004	SF 3/4" Thick, Button Surface, Recycled Rubber Walkway Pad.....	10.24	2.72
	For Diamond Surface, Add	0.83	

07 72 63 Waste Containment Assemblies (07 72)

07 72 63 00-0001	Rooftop Oil And Grease Containment System (07 72 63)		
07 72 63 00-0002	Light Duty, Rooftop Oil And Grease Containment System (Grease Guard® GRD-E) (07 72 63 00-0001)		
07 72 63 00-0003	EA 48" Length, 48" Width, 3.5" Height, Light Duty, Rooftop Oil And Grease Containment System (Grease Guard® GRD100-E).....	1,933.58	185.56
07 72 63 00-0004	EA 60" Length, 60" Width, 3.5" Height, Light Duty, Rooftop Oil And Grease Containment System (Grease Guard® GRD101-E).....	2,144.41	185.56
07 72 63 00-0005	EA 60" Length, 90" Width, 3.5" Height, Light Duty, Rooftop Oil And Grease Containment System (Grease Guard® GRD106-E).....	2,604.46	192.98
07 72 63 00-0006	EA 72" Length, 72" Width, 3.5" Height, Light Duty, Rooftop Oil And Grease Containment System (Grease Guard® GRD102-E).....	2,592.40	192.98
07 72 63 00-0007	EA 72" Length, 108" Width, 3.5" Height, Light Duty, Rooftop Oil And Grease Containment System (Grease Guard® GRD103-E).....	3,352.83	208.75
07 72 63 00-0008	EA 72" Length, 144" Width, 3.5" Height, Light Duty, Rooftop Oil And Grease Containment System (Grease Guard® GRD111-E).....	2,650.85	208.75
07 72 63 00-0009	EA 90" Length, 90" Width, 3.5" Height, Light Duty, Rooftop Oil And Grease Containment System (Grease Guard® GRD105-E).....	2,965.67	247.34
07 72 63 00-0010	EA 108" Length, 108" Width, 3.5" Height, Light Duty, Rooftop Oil And Grease Containment System (Grease Guard® GRD112-E).....	4,326.22	309.23
07 72 63 00-0011	EA 120" Length, 120" Width, 3.5" Height, Light Duty, Rooftop Oil And Grease Containment System (Grease Guard® GRD107-E).....	5,314.42	309.23
07 72 63 00-0012	EA 144" Length, 144" Width, 3.5" Height, Light Duty, Rooftop Oil And Grease Containment System (Grease Guard® GRD113-E).....	6,670.18	309.23

07 72 63 00-0013	Heavy Duty, Rooftop Oil And Grease Containment System (Grease Guard® GRD) (07 72 63 00-0001)		
07 72 63 00-0014	EA 48" Length, 48" Width, 3.5" Height, Heavy Duty, Rooftop Oil And Grease Containment System (Grease Guard® GRD100).....	2,346.27	185.56
07 72 63 00-0015	EA 60" Length, 60" Width, 3.5" Height, Heavy Duty, Rooftop Oil And Grease Containment System (Grease Guard® GRD101).....	2,620.45	185.56
07 72 63 00-0016	EA 60" Length, 90" Width, 3.5" Height, Heavy Duty, Rooftop Oil And Grease Containment System (Grease Guard® GRD106).....	3,210.03	192.98
07 72 63 00-0017	EA 72" Length, 72" Width, 3.5" Height, Heavy Duty, Rooftop Oil And Grease Containment System (Grease Guard® GRD102).....	3,264.28	192.98
07 72 63 00-0018	EA 72" Length, 108" Width, 3.5" Height, Heavy Duty, Rooftop Oil And Grease Containment System (Grease Guard® GRD103).....	4,609.17	208.75
07 72 63 00-0019	EA 72" Length, 144" Width, 3.5" Height, Heavy Duty, Rooftop Oil And Grease Containment System (Grease Guard® GRD111).....	5,040.01	208.75
07 72 63 00-0020	EA 90" Length, 90" Width, 3.5" Height, Heavy Duty, Rooftop Oil And Grease Containment System (Grease Guard® GRD105).....	4,725.14	247.34
07 72 63 00-0021	EA 108" Length, 108" Width, 3.5" Height, Heavy Duty, Rooftop Oil And Grease Containment System (Grease Guard® GRD112).....	5,344.55	309.23
07 72 63 00-0022	EA 120" Length, 120" Width, 3.5" Height, Heavy Duty, Rooftop Oil And Grease Containment System (Grease Guard® GRD107).....	6,631.01	309.23
07 72 63 00-0023	EA 144" Length, 144" Width, 3.5" Height, Heavy Duty, Rooftop Oil And Grease Containment System (Grease Guard® GRD113).....	8,393.50	309.23

07 72 63 00-0024 **Replacement Filter Sets For Rooftop Oil And Grease Containment System** (07 72 63)
Note: Includes removing old filters and installing new filters.

07 72 63 00-0025 **Top And Center Replacement Filter Sets For Rooftop Oil And Grease Containment System** (07 72 63 00-0024)

07 72 63 00-0026	Light Duty, Top And Center Replacement Filter Sets For Rooftop Oil And Grease Containment System (07 72 63 00-0025)		
07 72 63 00-0027	SET 48" Length, 48" Width, 3.5" Height, Light Duty, Top And Center Replacement Filter Set For Rooftop Oil And Grease Containment System (Grease Guard® FIL100-E).....	155.99	
07 72 63 00-0028	SET 60" Length, 60" Width, 3.5" Height, Light Duty, Top And Center Replacement Filter Set For Rooftop Oil And Grease Containment System (Grease Guard® FIL101-E).....	216.26	
07 72 63 00-0029	SET 60" Length, 90" Width, 3.5" Height, Light Duty, Top And Center Replacement Filter Set For Rooftop Oil And Grease Containment System (Grease Guard® FIL106-E).....	306.63	
07 72 63 00-0030	SET 72" Length, 72" Width, 3.5" Height, Light Duty, Top And Center Replacement Filter Set For Rooftop Oil And Grease Containment System (Grease Guard® FIL102-E).....	285.79	
07 72 63 00-0031	SET 72" Length, 108" Width, 3.5" Height, Light Duty, Top And Center Replacement Filter Set For Rooftop Oil And Grease Containment System (Grease Guard® FIL103-E).....	526.81	
07 72 63 00-0032	SET 72" Length, 144" Width, 3.5" Height, Light Duty, Top And Center Replacement Filter Set For Rooftop Oil And Grease Containment System (Grease Guard® FIL111-E).....	532.83	



	MINOR CSI UOM DESCRIPTION		TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 72 63 00-0033	SET	90" Length, 90" Width, 3.5" Height, Light Duty, Top And Center Replacement Filter Set For Rooftop Oil And Grease Containment System (Grease Guard® FIL105-E)	415.58	
07 72 63 00-0034	SET	108" Length, 108" Width, 3.5" Height, Light Duty, Top And Center Replacement Filter Set For Rooftop Oil And Grease Containment System (Grease Guard® FIL112-E)	536.09	
07 72 63 00-0035	SET	120" Length, 120" Width, 3.5" Height, Light Duty, Top And Center Replacement Filter Set For Rooftop Oil And Grease Containment System (Grease Guard® FIL107-E)	780.13	
07 72 63 00-0036	SET	144" Length, 144" Width, 3.5" Height, Light Duty, Top And Center Replacement Filter Set For Rooftop Oil And Grease Containment System (Grease Guard® FIL113-E)	1,024.17	
07 72 63 00-0037		Complete Replacement Filter Sets For Rooftop Oil And Grease Containment System (07 72 63 00-0024)		
07 72 63 00-0038		Light Duty, Complete Replacement Filter Sets For Rooftop Oil And Grease Containment System (07 72 63 00-0037)		
07 72 63 00-0039	SET	48" Length, 48" Width, 3.5" Height, Light Duty, Complete Replacement Filter Set For Rooftop Oil And Grease Containment System (Grease Guard® FIL100-EC)	320.55	
07 72 63 00-0040	SET	60" Length, 60" Width, 3.5" Height, Light Duty, Complete Replacement Filter Set For Rooftop Oil And Grease Containment System (Grease Guard® FIL101-EC)	422.99	
07 72 63 00-0041	SET	60" Length, 90" Width, 3.5" Height, Light Duty, Complete Replacement Filter Set For Rooftop Oil And Grease Containment System (Grease Guard® FIL106-EC)	609.79	
07 72 63 00-0042	SET	72" Length, 72" Width, 3.5" Height, Light Duty, Complete Replacement Filter Set For Rooftop Oil And Grease Containment System (Grease Guard® FIL102-EC)	570.85	
07 72 63 00-0043	SET	72" Length, 108" Width, 3.5" Height, Light Duty, Complete Replacement Filter Set For Rooftop Oil And Grease Containment System (Grease Guard® FIL103-EC)	1,086.04	
07 72 63 00-0044	SET	72" Length, 144" Width, 3.5" Height, Light Duty, Complete Replacement Filter Set For Rooftop Oil And Grease Containment System (Grease Guard® FIL111-EC)	1,092.06	
07 72 63 00-0045	SET	90" Length, 90" Width, 3.5" Height, Light Duty, Complete Replacement Filter Set For Rooftop Oil And Grease Containment System (Grease Guard® FIL105-EC)	815.13	
07 72 63 00-0046	SET	108" Length, 108" Width, 3.5" Height, Light Duty, Complete Replacement Filter Set For Rooftop Oil And Grease Containment System (Grease Guard® FIL112-EC)	1,095.33	
07 72 63 00-0047	SET	120" Length, 120" Width, 3.5" Height, Light Duty, Complete Replacement Filter Set For Rooftop Oil And Grease Containment System (Grease Guard® FIL107-EC)	1,598.46	
07 72 63 00-0048	SET	144" Length, 144" Width, 3.5" Height, Light Duty, Complete Replacement Filter Set For Rooftop Oil And Grease Containment System (Grease Guard® FIL113-EC)	2,122.70	
07 72 63 00-0049		Heavy Duty, Complete Replacement Filter Sets For Rooftop Oil And Grease Containment System (07 72 63 00-0037)		
07 72 63 00-0050	SET	48" Length, 48" Width, 3.5" Height, Heavy Duty, Complete Replacement Filter Set For Rooftop Oil And Grease Containment System (Grease Guard® FIL100-C)	395.88	
07 72 63 00-0051	SET	60" Length, 60" Width, 3.5" Height, Heavy Duty, Complete Replacement Filter Set For Rooftop Oil And Grease Containment System (Grease Guard® FIL101-C)	489.28	
07 72 63 00-0052	SET	60" Length, 90" Width, 3.5" Height, Heavy Duty, Complete Replacement Filter Set For Rooftop Oil And Grease Containment System (Grease Guard® FIL106-C)	712.22	
07 72 63 00-0053	SET	72" Length, 72" Width, 3.5" Height, Heavy Duty, Complete Replacement Filter Set For Rooftop Oil And Grease Containment System (Grease Guard® FIL102-C)	676.30	
07 72 63 00-0054	SET	72" Length, 108" Width, 3.5" Height, Heavy Duty, Complete Replacement Filter Set For Rooftop Oil And Grease Containment System (Grease Guard® FIL103-C)	1,305.97	
07 72 63 00-0055	SET	72" Length, 144" Width, 3.5" Height, Heavy Duty, Complete Replacement Filter Set For Rooftop Oil And Grease Containment System (Grease Guard® FIL111-C)	1,299.95	
07 72 63 00-0056	SET	90" Length, 90" Width, 3.5" Height, Heavy Duty, Complete Replacement Filter Set For Rooftop Oil And Grease Containment System (Grease Guard® FIL105-C)	953.73	
07 72 63 00-0057	SET	108" Length, 108" Width, 3.5" Height, Heavy Duty, Complete Replacement Filter Set For Rooftop Oil And Grease Containment System (Grease Guard® FIL112-C)	1,315.26	
07 72 63 00-0058	SET	120" Length, 120" Width, 3.5" Height, Heavy Duty, Complete Replacement Filter Set For Rooftop Oil And Grease Containment System (Grease Guard® FIL107-C)	1,839.49	
07 72 63 00-0059	SET	144" Length, 144" Width, 3.5" Height, Heavy Duty, Complete Replacement Filter Set For Rooftop Oil And Grease Containment System (Grease Guard® FIL113-C)	2,553.53	
07 73		Roof Protection Board (07 70)		
07 73 00 00-0001		Roof Protection Board (07 73) Note: Use these items for specified related installations with systems per CSI section 07 50 00. Items are for single layer of panels attached per FM I-90 requirements.		
07 73 00 00-0002		Cold Adhesive Applied, Roof Protection Board (Georgia-Pacific DensDeck®) (07 73 00 00-0001)		
07 73 00 00-0003	SF	1/4" Thick, Fiberglass Mat Faced, Moisture Resistant Gypsum Core, Roof Protection Board (Georgia-Pacific DensDeck®), Cold Adhesive Applied	2.83	0.46
		<i>For No Adhesive, Deduct</i>	-0.57	
07 73 00 00-0004	SF	1/2" Thick, Fiberglass Mat Faced, Moisture Resistant Gypsum Core, Roof Protection Board (Georgia-Pacific DensDeck®), Cold Adhesive Applied	3.18	0.51
		<i>For No Adhesive, Deduct</i>	-0.59	
07 73 00 00-0005	SF	5/8" Thick, Fiberglass Mat Faced, Moisture Resistant Gypsum Core, Roof Protection Board (Georgia-Pacific DensDeck®), Cold Adhesive Applied	3.36	0.55
		<i>For No Adhesive, Deduct</i>	-0.60	
07 73 00 00-0006	SF	1/4" Thick, Surface Primed, Fiberglass Mat Faced, Moisture Resistant Gypsum Core, Roof Protection Board (Georgia-Pacific DensDeck® Prime), Cold Adhesive Applied	2.86	0.46
		<i>For No Adhesive, Deduct</i>	-0.57	

07 Thermal And Moisture Protection**07 70 Roof And Wall Specialties And Accessories****07 73 Roof Protection Board**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 73 00 00-0007	SF		1/2" Thick, Surface Primed, Fiberglass Mat Faced, Moisture Resistant Gypsum Core, Roof Protection Board (Georgia-Pacific DensDeck® Prime), Cold Adhesive Applied.....	3.23	0.51
			<i>For No Adhesive, Deduct</i>	-0.59	
07 73 00 00-0008	SF		5/8" Thick, Surface Primed, Fiberglass Mat Faced, Moisture Resistant Gypsum Core, Roof Protection Board (Georgia-Pacific DensDeck® Prime), Cold Adhesive Applied.....	3.41	0.55
			<i>For No Adhesive, Deduct</i>	-0.60	
07 73 00 00-0009			Hot-Mopped, Roof Protection Board (Georgia-Pacific DensDeck®) (07 73 00 00-0001)		
07 73 00 00-0010	SF		1/4" Thick, Fiberglass Mat Faced, Moisture Resistant Gypsum Core, Roof Protection Board (Georgia-Pacific DensDeck®), Hot-Mopped.....	2.79	0.46
07 73 00 00-0011	SF		1/2" Thick, Fiberglass Mat Faced, Moisture Resistant Gypsum Core, Roof Protection Board (Georgia-Pacific DensDeck®), Hot-Mopped.....	3.17	0.51
07 73 00 00-0012	SF		5/8" Thick, Fiberglass Mat Faced, Moisture Resistant Gypsum Core, Roof Protection Board (Georgia-Pacific DensDeck®), Hot-Mopped.....	3.36	0.55
07 73 00 00-0013	SF		1/4" Thick, Surface Primed, Fiberglass Mat Faced, Moisture Resistant Gypsum Core, Roof Protection Board (Georgia-Pacific DensDeck® Prime), Hot-Mopped.....	2.82	0.46
07 73 00 00-0014	SF		1/2" Thick, Surface Primed, Fiberglass Mat Faced, Moisture Resistant Gypsum Core, Roof Protection Board (Georgia-Pacific DensDeck® Prime), Hot-Mopped.....	3.22	0.51
07 73 00 00-0015	SF		5/8" Thick, Surface Primed, Fiberglass Mat Faced, Moisture Resistant Gypsum Core, Roof Protection Board (Georgia-Pacific DensDeck® Prime), Hot-Mopped.....	3.41	0.55
07 73 00 00-0016			Mechanically Fastened, Roof Protection Board (Georgia-Pacific DensDeck®) (07 73 00 00-0001)		
			Note: Mechanically fastened to wood or steel.		
07 73 00 00-0017	SF		1/4" Thick, Fiberglass Mat Faced, Moisture Resistant Gypsum Core, Roof Protection Board, Mechanically Fastened (Georgia-Pacific DensDeck®).....	2.68	0.46
			<i>For Mechanically Fastened To Concrete, Add</i>	1.24	
			<i>For Mechanically Fastened To Gypsum, Add</i>	1.51	
			<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.43	
			<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	2.09	
			<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	1.77	
			<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.66	
			<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.85	
			<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	2.65	
07 73 00 00-0018	SF		1/2" Thick, Fiberglass Mat Faced, Moisture Resistant Gypsum Core, Roof Protection Board, Mechanically Fastened (Georgia-Pacific DensDeck®).....	3.03	0.51
			<i>For Mechanically Fastened To Concrete, Add</i>	1.24	
			<i>For Mechanically Fastened To Gypsum, Add</i>	1.51	
			<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.43	
			<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	2.16	
			<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	1.77	
			<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.66	
			<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.92	
			<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	2.65	
07 73 00 00-0019	SF		5/8" Thick, Fiberglass Mat Faced, Moisture Resistant Gypsum Core, Roof Protection Board, Mechanically Fastened (Georgia-Pacific DensDeck®).....	3.22	0.55
			<i>For Mechanically Fastened To Concrete, Add</i>	1.24	
			<i>For Mechanically Fastened To Gypsum, Add</i>	1.51	
			<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.43	
			<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	2.21	
			<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	1.77	
			<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.66	
			<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.97	
			<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	2.65	
07 73 00 00-0020	SF		1/4" Thick, Surface Primed, Fiberglass Mat Faced, Moisture Resistant Gypsum Core, Roof Protection Board, Mechanically Fastened (Georgia-Pacific DensDeck® Prime).....	2.72	0.46
			<i>For Mechanically Fastened To Concrete, Add</i>	1.24	
			<i>For Mechanically Fastened To Gypsum, Add</i>	1.51	
			<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.43	
			<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	2.09	
			<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	1.77	
			<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.66	
			<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.85	
			<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	2.65	
07 73 00 00-0021	SF		1/2" Thick, Surface Primed, Fiberglass Mat Faced, Moisture Resistant Gypsum Core, Roof Protection Board, Mechanically Fastened (Georgia-Pacific DensDeck® Prime).....	3.08	0.51
			<i>For Mechanically Fastened To Concrete, Add</i>	1.24	
			<i>For Mechanically Fastened To Gypsum, Add</i>	1.51	
			<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.43	
			<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	2.16	
			<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	1.77	
			<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.66	
			<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.92	
			<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	2.65	



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
-------	-----	-----	-------------	------------------------	----------------------

07 73 00 00-0022	SF		5/8" Thick, Surface Primed, Fiberglass Mat Faced, Moisture Resistant Gypsum Core, Roof Protection Board, Mechanically Fastened (Georgia-Pacific DensDeck® Prime).....	3.27	0.55
			<i>For Mechanically Fastened To Concrete, Add</i>	1.24	
			<i>For Mechanically Fastened To Gypsum, Add</i>	1.51	
			<i>For Mechanically Fastened To Wood Or Steel, >90 To 120 MPH Wind, Add</i>	0.43	
			<i>For Mechanically Fastened To Concrete, >90 To 120 MPH Wind, Add</i>	2.21	
			<i>For Mechanically Fastened To Gypsum, >90 To 120 MPH Wind, Add</i>	1.77	
			<i>For Mechanically Fastened To Wood Or Steel, >120 To 135 MPH Wind, Add</i>	0.66	
			<i>For Mechanically Fastened To Concrete, >120 To 135 MPH Wind, Add</i>	2.97	
			<i>For Mechanically Fastened To Gypsum, >120 To 135 MPH Wind, Add</i>	2.65	

07 76 Roof Pavers (07 70)

07 76 16 Roof Decking Pavers (07 76)

07 76 16 00-0001 Roof Pavers (07 76 16)

Note: For walkway application over roofing system.

07 76 16 00-0002	SF		Up To 100 SF, 2" Concrete Roof Paver	11.92	5.89
			<i>For 1-1/2" Thickness, Deduct</i>	-1.19	
			<i>For 2-1/2" Thickness, Add</i>	1.39	
			<i>For 3" Thickness, Add</i>	2.78	
07 76 16 00-0003	SF		>100 To 200 SF, 2" Concrete Roof Paver.....	10.12	4.43
			<i>For 1-1/2" Thickness, Deduct</i>	-1.01	
			<i>For 2-1/2" Thickness, Add</i>	1.20	
			<i>For 3" Thickness, Add</i>	2.40	
07 76 16 00-0004	SF		>200 To 400 SF, 2" Concrete Roof Paver.....	8.64	3.53
			<i>For 1-1/2" Thickness, Deduct</i>	-0.86	
			<i>For 2-1/2" Thickness, Add</i>	1.04	
			<i>For 3" Thickness, Add</i>	2.09	
07 76 16 00-0005	SF		>400 To 1,000 SF, 2" Concrete Roof Paver.....	7.73	3.07
			<i>For 1-1/2" Thickness, Deduct</i>	-0.77	
			<i>For 2-1/2" Thickness, Add</i>	0.94	
			<i>For 3" Thickness, Add</i>	1.88	
07 76 16 00-0006	SF		>1,000 SF, 2" Concrete Roof Paver.....	7.12	2.80
			<i>For 1-1/2" Thickness, Deduct</i>	-0.71	
			<i>For 2-1/2" Thickness, Add</i>	0.87	
			<i>For 3" Thickness, Add</i>	1.74	

07 76 16 00-0007 Roof Paver Pedestal (07 76 16)

07 76 16 00-0008	EA		2" To 3" High Adjustable Roof Paver Pedestal, 2" Base, 2" Top (Hanover Elevator).....	16.27	0.92
07 76 16 00-0009	EA		3" To 4-3/4" High Adjustable Roof Paver Pedestal, 3" Base, 3" Top (Hanover Elevator).....	17.19	0.92
07 76 16 00-0010	EA		4-3/4" To 7-3/4" High Adjustable Roof Paver Pedestal, 4" Base, 4" Top (Hanover Elevator)	18.13	0.92
07 76 16 00-0011	EA		Adjustable Roof Paver Pedestal Coupler, Adds 2-1/2" To 4" (Hanover Elevator)	8.86	0.92
07 76 16 00-0012	EA		Stay Bar, Used With Roof Paver Pedestals >16' High (Hanover Elevator)	8.50	0.92
07 76 16 00-0013	EA		5/8" High Tab Roof Paver Pedestal (Hanover High Tab Pedestal)	8.68	0.92
			Note: Stackable.		
07 76 16 00-0014	EA		1/16" And 1/8" Flexible Leveling Plates For Roof Paver Pedestal	4.82	0.92
			Note: Used with High Tab and Elevator pedestals.		
07 76 16 00-0015	EA		Roof Paver Leveling System, Twist To Adjust Pitch (Hanover Compensator)	6.78	0.92
			Note: Each Compensator levels 1/8" of slope and are stackable. Used with High Tab and Elevator pedestals.		

07 76 19 Composite Insulation Concrete Protection Board (07 76)

Note: Manufactured by T. Clear Corp. 25 year warranty.

07 76 19 00-0001 Composite Insulation Concrete Protection Board (07 76 19)

Note: Manufactured by T. Clear Corp. 25 year warranty.

07 76 19 00-0002	SF		2" Extruded Polystyrene Insulation Board Lightguard Composite With 3/8" Latex Modified Concrete, 4.5 PSF	3.92	
			<i>For 20 Year Warranty, Deduct</i>	-0.21	
			<i>For 15 Year Warranty, Deduct</i>	-0.42	
			<i>For 10 Year Warranty, Deduct</i>	-0.57	
			<i>For Winds >90 MPH To 120 MPH Warranty, Add</i>	0.10	
07 76 19 00-0003	SF		3" Extruded Polystyrene Insulation Board Lightguard Composite With 3/8" Latex Modified Concrete, 4.5 PSF	5.02	
			<i>For 20 Year Warranty, Deduct</i>	-0.30	
			<i>For 15 Year Warranty, Deduct</i>	-0.59	
			<i>For 10 Year Warranty, Deduct</i>	-0.80	
			<i>For Winds >90 MPH To 120 MPH Warranty, Add</i>	0.10	
07 76 19 00-0004	SF		2" Extruded Polystyrene Insulation Board Heavyguard Composite With 15/16" Latex Modified Concrete, 11 PSF.....	5.93	
			<i>For 20 Year Warranty, Deduct</i>	-0.34	
			<i>For 15 Year Warranty, Deduct</i>	-0.69	
			<i>For 10 Year Warranty, Deduct</i>	-0.93	
			<i>For Winds >90 MPH To 120 MPH Warranty, Add</i>	0.10	
07 76 19 00-0005	SF		3" Extruded Polystyrene Insulation Board Heavyguard Composite With 15/16" Latex Modified Concrete, 11 PSF.....	7.10	
			<i>For 20 Year Warranty, Deduct</i>	-0.43	
			<i>For 15 Year Warranty, Deduct</i>	-0.87	
			<i>For 10 Year Warranty, Deduct</i>	-1.17	
			<i>For Winds >90 MPH To 120 MPH Warranty, Add</i>	0.10	

07 80 Fire And Smoke Protection (07)

07 81 Applied Fireproofing (07 80)

07 Thermal And Moisture Protection**07 80 Fire And Smoke Protection****07 81 Applied Fireproofing**

MINOR
CSI UOM DESCRIPTION

TOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

Note: Includes bonding agents as required.

07 81 16 Cementitious Fireproofing (07 81)**07 81 16 00-0001 Monokote Fireproofing (07 81 16)**

07 81 16 00-0002	SF	Monokote Fireproofing For Ceiling/Decking, Per Inch Of Thickness.....	1.86	0.63
07 81 16 00-0003	SF	Monokote Fireproofing For Structural Steel, Per Inch Of Thickness	2.57	0.94

07 81 16 00-0004 Gunite Fireproofing (07 81 16)

07 81 16 00-0005	SF	Fireproofing, Gunite, Non Reinforced, 1" Thick.....	2.67	0.57
07 81 16 00-0006	SF	Fireproofing, Gunite, Reinforced, 1" Thick	3.82	0.57

07 81 23 Intumescent Fireproofing (07 81)**07 81 23 00-0001 Intumescent Thin Film Fireproofing (Albi Clad TF) (07 81 23)****07 81 23 00-0002 Intumescent Thin Film Fireproofing For Beams (Albi Clad TF) (07 81 23 00-0001)**

Note: Excludes primer.

07 81 23 00-0003	SF	1 Hour, Intumescent Thin Film Fireproofing For Beams (Albi Clad TF).....	10.13	
		For >10,000, Deduct	-0.97	
07 81 23 00-0004	SF	1-1/2 Hour, Intumescent Thin Film Fireproofing For Beams (Albi Clad TF)	16.25	
		For >10,000, Deduct	-1.58	

07 81 23 00-0005 Intumescent Thin Film Fireproofing For Wide Flange Columns (Albi Clad TF) (07 81 23 00-0001)

Note: Excludes primer.

07 81 23 00-0006	SF	1 Hour, Intumescent Thin Film Fireproofing For Wide Flange Columns (Albi Clad TF).....	6.62	
		For >10,000, Deduct	-0.61	
07 81 23 00-0007	SF	1-1/2 Hour, Intumescent Thin Film Fireproofing For Wide Flange Columns (Albi Clad TF)	14.57	
		For >10,000, Deduct	-1.41	
07 81 23 00-0008	SF	2 Hour, Intumescent Thin Film Fireproofing For Wide Flange Columns (Albi Clad TF).....	32.88	
		For >10,000, Deduct	-3.23	
07 81 23 00-0009	SF	2-1/2 Hour, Intumescent Thin Film Fireproofing For Wide Flange Columns (Albi Clad TF)	45.23	
		For >10,000, Deduct	-4.46	
07 81 23 00-0010	SF	3 Hour, Intumescent Thin Film Fireproofing For Wide Flange Columns (Albi Clad TF).....	57.59	
		For >10,000, Deduct	-5.70	
07 81 23 00-0011	SF	3-1/2 Hour, Intumescent Thin Film Fireproofing For Wide Flange Columns (Albi Clad TF)	69.97	
		For >10,000, Deduct	-6.93	

07 81 23 00-0012 Intumescent Thin Film Fireproofing For Hollow Section Columns (Albi Clad TF) (07 81 23 00-0001)

Note: Excludes primer.

07 81 23 00-0013	SF	1 Hour, Intumescent Thin Film Fireproofing For Hollow Section Columns (Albi Clad TF).....	13.28	
		For >10,000, Deduct	-1.28	
07 81 23 00-0014	SF	1-1/2 Hour, Intumescent Thin Film Fireproofing For Hollow Section Columns (Albi Clad TF).....	24.61	
		For >10,000, Deduct	-2.41	
07 81 23 00-0015	SF	2 Hour, Intumescent Thin Film Fireproofing For Hollow Section Columns (Albi Clad TF).....	39.03	
		For >10,000, Deduct	-3.85	
07 81 23 00-0016	SF	2-1/2 Hour, Intumescent Thin Film Fireproofing For Hollow Section Columns (Albi Clad TF).....	54.47	
		For >10,000, Deduct	-5.39	
07 81 23 00-0017	SF	3 Hour, Intumescent Thin Film Fireproofing For Hollow Section Columns (Albi Clad TF).....	68.88	
		For >10,000, Deduct	-6.83	

07 81 23 00-0018 Intumescent Thin Film Fireproofing (Albi Clad FP) (07 81 23)**07 81 23 00-0019 Intumescent Thin Film Fireproofing For Exposed Wood, Wallboard And Non-Ferrous Substrates (Albi Clad FP) (07 81 23 00-0018)**

Note: Excludes primer.

07 81 23 00-0020	SF	1 Hour, Intumescent Thin Film Fireproofing For Exposed Wood, Wallboard And Non-Ferrous Substrates (Albi Clad FP).....	6.45	
		For >10,000, Deduct	-0.61	
07 81 23 00-0021	SF	1-1/2 Hour, Intumescent Thin Film Fireproofing For Exposed Wood, Wallboard And Non-Ferrous Substrates (Albi Clad FP).....	14.65	
		For >10,000, Deduct	-1.43	
07 81 23 00-0022	SF	2 Hour, Intumescent Thin Film Fireproofing For Exposed Wood, Wallboard And Non-Ferrous Substrates (Albi Clad FP).....	33.49	
		For >10,000, Deduct	-3.31	
07 81 23 00-0023	SF	2-1/2 Hour, Intumescent Thin Film Fireproofing For Exposed Wood, Wallboard And Non-Ferrous Substrates (Albi Clad FP).....	46.21	
		For >10,000, Deduct	-4.58	
07 81 23 00-0024	SF	3 Hour, Intumescent Thin Film Fireproofing For Exposed Wood, Wallboard And Non-Ferrous Substrates (Albi Clad FP).....	58.93	
		For >10,000, Deduct	-5.85	

07 81 33 Mineral-Fiber Fireproofing (07 81)**07 81 33 00-0001 Cellulose Fireproofing (07 81 33)**



	MINOR CSI UOM DESCRIPTION		TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
	07 81 33 00-0002 SF	Cellulose Fireproofing, Per Inch Of Thickness.....	2.06	0.57
07 84 Firestopping (07 80)				
07 84 13 Penetration Firestopping (07 84)				
07 84 13 16 Penetration Firestopping Devices (07 84 13)				
07 84 13 16-0001 Firestopping Systems For Cable Penetrations (07 84 13 16)				
07 84 13 16-0002 Intumescent Firestop Cable Sleeve For New Installations (07 84 13 16-0001)				
Note: Includes putty, escutcheon plates, gaskets and bushings.				
	07 84 13 16-0003 EA	1" Diameter Intumescent Firestop Sleeve (STI FS100)	55.57	
	07 84 13 16-0004 EA	2" Diameter Intumescent Firestop Sleeve (STI FS201)	76.33	
	07 84 13 16-0005 EA	4" Diameter Intumescent Firestop Sleeve (STI FS401)	126.84	
07 84 13 16-0006 Intumescent Firestop Cable Pathway For New Or Existing Cable Installations (07 84 13 16-0001)				
Note: Includes putty and mounting plates.				
	07 84 13 16-0007 EA	1-1/64" x 1-1/64" Intumescent Firestop Cable Pathway Through Up To 9" Thick Walls (STI EZD22)	105.76	
	07 84 13 16-0008 EA	3" x 3" Intumescent Firestop Cable Pathway Through Up To 9" Thick Walls (STI EZDP33FWS)	188.42	
	07 84 13 16-0009 EA	4" x 4-5/8" Intumescent Firestop Cable Pathway Through Up To 10" Thick Walls (STI EZDP44)	348.56	
07 84 13 16-0010 3M Intumescent Firestopping Multi-Trade Pass Through Device (07 84 13 16)				
	07 84 13 16-0011 EA	2-1/2" Square Opening, Intumescent Firestop Multi-Trade Pass Through Device (3M QP2.5SD).....	239.16	
	07 84 13 16-0012 EA	4" Square Opening, Intumescent Firestop Multi-Trade Pass Through Device (3M QP4SD).....	220.81	
	07 84 13 16-0013 EA	4" Diameter Intumescent Firestop Multi-Trade Pass Through Device (3M QP2.5SD)	227.78	
07 84 13 16-0014 Intumescent Firestopping Pipe Collar (07 84 13 16)				
	07 84 13 16-0015 EA	1-1/2" Intumescent Firestop Pipe Collar (3M ULTRAPPD1.5)	35.24	9.63
	07 84 13 16-0016 EA	2" Intumescent Firestop Pipe Collar (3M ULTRAPPD2.0)	42.92	9.63
	07 84 13 16-0017 EA	3" Intumescent Firestop Pipe Collar (3M ULTRAPPD3.0)	50.06	10.60
	07 84 13 16-0018 EA	4" Intumescent Firestop Pipe Collar (3M ULTRAPPD4.0)	79.36	12.05
	07 84 13 16-0019 EA	8" Intumescent Firestop Pipe Collar (Hilti CP644 8")	399.76	14.46
	07 84 13 16-0020 EA	10" Intumescent Firestop Pipe Collar (Hilti CP644 10")	517.08	15.90
07 84 13 16-0021 Fire Rated Enclosures (Fire Rated Product Specialties Corp.) (07 84 13 16)				
Note: Includes fasteners. Excludes additional perimeter caulk where required. See CSI section 07 84 43 00-0001 for perimeter sealant caulk where required.				
	07 84 13 16-0022 EA	12.2" Wide x 20.2" Long x 9.5" Deep Fire Rated Enclosure, 1 Hour Rated (FRPS #FN-Z-12-20-9).....	114.27	
	07 84 13 16-0023 EA	15.2" Wide x 16.2" Long x 9.5" Deep Fire Rated Enclosure, 1 Hour Rated (FRPS #FN-Z-15-16-9).....	120.32	
	07 84 13 16-0024 EA	11.8" Wide x 19.8" Long x 9.12" Deep Fire Rated Enclosure, 1 Hour Rated (FRPS #FN-Z-12-20-9-EXH)	227.01	
	07 84 13 16-0025 EA	14.0" Wide x 14.0" Long x 3.2" Deep Fire Rated Enclosure, 1 Hour Rated (FRPS #FN-Z-14-14-3).....	146.94	
Note: Used for shut-off valves, shower and tub valves, washer boxes, icemaker water feeds, speakers, controls, junction boxes, etc.				
07 84 13 16-0026 Intumescent Firestopping Wrap Strips (07 84 13 16)				
	07 84 13 16-0027 LF	1/8" Thick, 1-1/2" Wide, Intumescent Firestopping Wrap Strip (STI SpecSeal SSW Series)	5.88	
07 84 13 19 Penetration Firestopping Caulk (07 84 13)				
07 84 13 19-0001 Intumescent Firestopping For Sealing Pipe Penetrations (07 84 13 19)				
Note: Includes firestop caulk and batt for floor or ceiling penetration or one side of a wall penetration. 1/2" thick caulk for annular spaces 1" and less. 1" thick caulk for annular spaces 1-1/4" or more.				
	07 84 13 19-0002 EA	1" Diameter Hole With 1/2" Pipe, Sealed With Intumescent Firestop Sealant (3M CP 25WB+)	17.88	
		<i>For Intumescent Sealant For Plastic Pipe, Add</i>	0.06	
	07 84 13 19-0003 EA	1-1/2" Diameter Hole With 1/2" Pipe, Sealed With Intumescent Firestop Sealant (3M CP 25WB+)	22.14	
		<i>For Intumescent Sealant For Plastic Pipe, Add</i>	0.35	
	07 84 13 19-0004 EA	1-1/2" Diameter Hole With 3/4" Pipe, Sealed With Intumescent Firestop Sealant (3M CP 25WB+)	21.92	
		<i>For Intumescent Sealant For Plastic Pipe, Add</i>	0.26	
	07 84 13 19-0005 EA	1-1/2" Diameter Hole With 1" Pipe, Sealed With Intumescent Firestop Sealant (3M CP 25WB+)	21.55	
		<i>For Intumescent Sealant For Plastic Pipe, Add</i>	0.11	
	07 84 13 19-0006 EA	2" Diameter Hole With 1/2" Pipe, Sealed With Intumescent Firestop Sealant (3M CP 25WB+)	25.79	
		<i>For Intumescent Sealant For Plastic Pipe, Add</i>	0.74	
	07 84 13 19-0007 EA	2" Diameter Hole With 3/4" Pipe, Sealed With Intumescent Firestop Sealant (3M CP 25WB+)	25.57	
		<i>For Intumescent Sealant For Plastic Pipe, Add</i>	0.66	
	07 84 13 19-0008 EA	2" Diameter Hole With 1" Pipe, Sealed With Intumescent Firestop Sealant (3M CP 25WB+)	25.21	
		<i>For Intumescent Sealant For Plastic Pipe, Add</i>	0.51	
	07 84 13 19-0009 EA	2" Diameter Hole With 1-1/4" Pipe, Sealed With Intumescent Firestop Sealant (3M CP 25WB+)	24.64	
		<i>For Intumescent Sealant For Plastic Pipe, Add</i>	0.28	
	07 84 13 19-0010 EA	2" Diameter Hole With 1-1/2" Pipe, Sealed With Intumescent Firestop Sealant (3M CP 25WB+)	24.15	
		<i>For Intumescent Sealant For Plastic Pipe, Add</i>	0.09	

07 Thermal And Moisture Protection**07 80 Fire And Smoke Protection****07 84 Firestopping**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 84 13 19-0011	EA		2-1/2" Diameter Hole With 1/2" Pipe, Sealed With Intumescent Firestop Sealant (3M CP 25WB+)31.49 <i>For Intumescent Sealant For Plastic Pipe, Add</i>1.25		
07 84 13 19-0012	EA		2-1/2" Diameter Hole With 3/4" Pipe, Sealed With Intumescent Firestop Sealant (3M CP 25WB+)31.27 <i>For Intumescent Sealant For Plastic Pipe, Add</i>1.16		
07 84 13 19-0013	EA		2-1/2" Diameter Hole With 1" Pipe, Sealed With Intumescent Firestop Sealant (3M CP 25WB+)30.90 <i>For Intumescent Sealant For Plastic Pipe, Add</i>1.02		
07 84 13 19-0014	EA		2-1/2" Diameter Hole With 1-1/4" Pipe, Sealed With Intumescent Firestop Sealant (3M CP 25WB+)30.33 <i>For Intumescent Sealant For Plastic Pipe, Add</i>0.79		
07 84 13 19-0015	EA		2-1/2" Diameter Hole With 1-1/2" Pipe, Sealed With Intumescent Firestop Sealant (3M CP 25WB+)29.85 <i>For Intumescent Sealant For Plastic Pipe, Add</i>0.60		
07 84 13 19-0016	EA		2-1/2" Diameter Hole With 2" Pipe, Sealed With Intumescent Firestop Sealant (3M CP 25WB+)28.70 <i>For Intumescent Sealant For Plastic Pipe, Add</i>0.14		
07 84 13 19-0017	EA		3" Diameter Hole With 1/2" Pipe, Sealed With Intumescent Firestop Sealant (3M CP 25WB+)43.87 <i>For Intumescent Sealant For Plastic Pipe, Add</i>3.37		
07 84 13 19-0018	EA		3" Diameter Hole With 3/4" Pipe, Sealed With Intumescent Firestop Sealant (3M CP 25WB+)39.91 <i>For Intumescent Sealant For Plastic Pipe, Add</i>1.79		
07 84 13 19-0019	EA		3" Diameter Hole With 1" Pipe, Sealed With Intumescent Firestop Sealant (3M CP 25WB+)39.54 <i>For Intumescent Sealant For Plastic Pipe, Add</i>1.64		
07 84 13 19-0020	EA		3" Diameter Hole With 1-1/4" Pipe, Sealed With Intumescent Firestop Sealant (3M CP 25WB+)38.97 <i>For Intumescent Sealant For Plastic Pipe, Add</i>1.41		
07 84 13 19-0021	EA		3" Diameter Hole With 1-1/2" Pipe, Sealed With Intumescent Firestop Sealant (3M CP 25WB+)38.49 <i>For Intumescent Sealant For Plastic Pipe, Add</i>1.22		
07 84 13 19-0022	EA		3" Diameter Hole With 2" Pipe, Sealed With Intumescent Firestop Sealant (3M CP 25WB+)37.34 <i>For Intumescent Sealant For Plastic Pipe, Add</i>0.76		
07 84 13 19-0023	EA		3" Diameter Hole With 2-1/2" Pipe, Sealed With Intumescent Firestop Sealant (3M CP 25WB+)35.85 <i>For Intumescent Sealant For Plastic Pipe, Add</i>0.16		
07 84 13 19-0024	EA		4" Diameter Hole With 1/2" Pipe, Sealed With Intumescent Firestop Sealant (3M CP 25WB+)59.87 <i>For Intumescent Sealant For Plastic Pipe, Add</i>6.22		
07 84 13 19-0025	EA		4" Diameter Hole With 3/4" Pipe, Sealed With Intumescent Firestop Sealant (3M CP 25WB+)59.47 <i>For Intumescent Sealant For Plastic Pipe, Add</i>6.06		
07 84 13 19-0026	EA		4" Diameter Hole With 1" Pipe, Sealed With Intumescent Firestop Sealant (3M CP 25WB+)58.81 <i>For Intumescent Sealant For Plastic Pipe, Add</i>5.80		
07 84 13 19-0027	EA		4" Diameter Hole With 1-1/4" Pipe, Sealed With Intumescent Firestop Sealant (3M CP 25WB+)57.79 <i>For Intumescent Sealant For Plastic Pipe, Add</i>5.39		
07 84 13 19-0028	EA		4" Diameter Hole With 1-1/2" Pipe, Sealed With Intumescent Firestop Sealant (3M CP 25WB+)56.92 <i>For Intumescent Sealant For Plastic Pipe, Add</i>5.04		
07 84 13 19-0029	EA		4" Diameter Hole With 2" Pipe, Sealed With Intumescent Firestop Sealant (3M CP 25WB+)50.16 <i>For Intumescent Sealant For Plastic Pipe, Add</i>2.34		
07 84 13 19-0030	EA		4" Diameter Hole With 2-1/2" Pipe, Sealed With Intumescent Firestop Sealant (3M CP 25WB+)48.68 <i>For Intumescent Sealant For Plastic Pipe, Add</i>1.75		
07 84 13 19-0031	EA		4" Diameter Hole With 3" Pipe, Sealed With Intumescent Firestop Sealant (3M CP 25WB+)46.43 <i>For Intumescent Sealant For Plastic Pipe, Add</i>0.85		
07 84 13 19-0032	EA		6" Diameter Hole With 1/2" Pipe, Sealed With Intumescent Firestop Sealant (3M CP 25WB+)97.93 <i>For Intumescent Sealant For Plastic Pipe, Add</i>14.36		
07 84 13 19-0033	EA		6" Diameter Hole With 3/4" Pipe, Sealed With Intumescent Firestop Sealant (3M CP 25WB+)97.53 <i>For Intumescent Sealant For Plastic Pipe, Add</i>14.20		
07 84 13 19-0034	EA		6" Diameter Hole With 1" Pipe, Sealed With Intumescent Firestop Sealant (3M CP 25WB+)96.88 <i>For Intumescent Sealant For Plastic Pipe, Add</i>13.94		
07 84 13 19-0035	EA		6" Diameter Hole With 1-1/4" Pipe, Sealed With Intumescent Firestop Sealant (3M CP 25WB+)95.85 <i>For Intumescent Sealant For Plastic Pipe, Add</i>13.53		
07 84 13 19-0036	EA		6" Diameter Hole With 1-1/2" Pipe, Sealed With Intumescent Firestop Sealant (3M CP 25WB+)94.98 <i>For Intumescent Sealant For Plastic Pipe, Add</i>13.18		
07 84 13 19-0037	EA		6" Diameter Hole With 2" Pipe, Sealed With Intumescent Firestop Sealant (3M CP 25WB+)92.92 <i>For Intumescent Sealant For Plastic Pipe, Add</i>12.36		
07 84 13 19-0038	EA		6" Diameter Hole With 2-1/2" Pipe, Sealed With Intumescent Firestop Sealant (3M CP 25WB+)90.25 <i>For Intumescent Sealant For Plastic Pipe, Add</i>11.29		
07 84 13 19-0039	EA		6" Diameter Hole With 3" Pipe, Sealed With Intumescent Firestop Sealant (3M CP 25WB+)86.19 <i>For Intumescent Sealant For Plastic Pipe, Add</i>9.66		
07 84 13 19-0040	EA		6" Diameter Hole With 4" Pipe, Sealed With Intumescent Firestop Sealant (3M CP 25WB+)70.94 <i>For Intumescent Sealant For Plastic Pipe, Add</i>3.56		
07 84 13 19-0041	EA		8" Diameter Hole With 2-1/2" Pipe, Sealed With Intumescent Firestop Sealant (3M CP 25WB+)132.02 <i>For Intumescent Sealant For Plastic Pipe, Add</i>22.68		
07 84 13 19-0042	EA		8" Diameter Hole With 3" Pipe, Sealed With Intumescent Firestop Sealant (3M CP 25WB+)127.96 <i>For Intumescent Sealant For Plastic Pipe, Add</i>21.06		
07 84 13 19-0043	EA		8" Diameter Hole With 4" Pipe, Sealed With Intumescent Firestop Sealant (3M CP 25WB+)119.83 <i>For Intumescent Sealant For Plastic Pipe, Add</i>17.80		
07 84 13 19-0044	EA		8" Diameter Hole With 6" Pipe, Sealed With Intumescent Firestop Sealant (3M CP 25WB+)86.65 <i>For Intumescent Sealant For Plastic Pipe, Add</i>4.53		
07 84 13 19-0045	EA		10" Diameter Hole With 4" Pipe, Sealed With Intumescent Firestop Sealant (3M CP 25WB+)169.75 <i>For Intumescent Sealant For Plastic Pipe, Add</i>32.46		
07 84 13 19-0046	EA		10" Diameter Hole With 6" Pipe, Sealed With Intumescent Firestop Sealant (3M CP 25WB+)145.62 <i>For Intumescent Sealant For Plastic Pipe, Add</i>22.80		
07 84 13 19-0047	EA		10" Diameter Hole With 8" Pipe, Sealed With Intumescent Firestop Sealant (3M CP 25WB+)103.04 <i>For Intumescent Sealant For Plastic Pipe, Add</i>5.77		
07 84 13 19-0048			Smoke, Noise And Infectious/Dust Control Sealant For Sealing Pipe Penetrations <small>(07 84 13 19)</small>		
			Note: Includes sealant and fiberglass or mineral wool batt for floor, ceiling or wall penetrations.		
07 84 13 19-0049	EA		1-1/2" Diameter Hole With 1/2" Pipe, Sealed With Smoke, Noise And Infectious/Dust Control Sealant (STI SpecSeal Smoke 'N' Sound)21.57		
07 84 13 19-0050	EA		1-1/2" Diameter Hole With 3/4" Pipe, Sealed With Smoke, Noise And Infectious/Dust Control Sealant (STI SpecSeal Smoke 'N' Sound)21.48		



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 84 13 19-0051	EA		1-1/2" Diameter Hole With 1" Pipe, Sealed With Smoke, Noise And Infectious/Dust Control Sealant (STI SpecSeal Smoke 'N' Sound).....	21.37	
07 84 13 19-0052	EA		2" Diameter Hole With 1/2" Pipe, Sealed With Smoke, Noise And Infectious/Dust Control Sealant (STI SpecSeal Smoke 'N' Sound).....	24.55	
07 84 13 19-0053	EA		2" Diameter Hole With 3/4" Pipe, Sealed With Smoke, Noise And Infectious/Dust Control Sealant (STI SpecSeal Smoke 'N' Sound).....	24.47	
07 84 13 19-0054	EA		2" Diameter Hole With 1" Pipe, Sealed With Smoke, Noise And Infectious/Dust Control Sealant (STI SpecSeal Smoke 'N' Sound).....	24.35	
07 84 13 19-0055	EA		2" Diameter Hole With 1-1/4" Pipe, Sealed With Smoke, Noise And Infectious/Dust Control Sealant (STI SpecSeal Smoke 'N' Sound).....	24.18	
07 84 13 19-0056	EA		2" Diameter Hole With 1-1/2" Pipe, Sealed With Smoke, Noise And Infectious/Dust Control Sealant (STI SpecSeal Smoke 'N' Sound).....	24.01	
07 84 13 19-0057	EA		2.5" Diameter Hole With 1/2" Pipe, Sealed With Smoke, Noise And Infectious/Dust Control Sealant (STI SpecSeal Smoke 'N' Sound).....	29.44	
07 84 13 19-0058	EA		2.5" Diameter Hole With 3/4" Pipe, Sealed With Smoke, Noise And Infectious/Dust Control Sealant (STI SpecSeal Smoke 'N' Sound).....	29.36	
07 84 13 19-0059	EA		2.5" Diameter Hole With 1" Pipe, Sealed With Smoke, Noise And Infectious/Dust Control Sealant (STI SpecSeal Smoke 'N' Sound).....	29.24	
07 84 13 19-0060	EA		2.5" Diameter Hole With 1-1/4" Pipe, Sealed With Smoke, Noise And Infectious/Dust Control Sealant (STI SpecSeal Smoke 'N' Sound).....	29.06	
07 84 13 19-0061	EA		2.5" Diameter Hole With 1-1/2" Pipe, Sealed With Smoke, Noise And Infectious/Dust Control Sealant (STI SpecSeal Smoke 'N' Sound).....	28.91	
07 84 13 19-0062	EA		2.5" Diameter Hole With 2" Pipe, Sealed With Smoke, Noise And Infectious/Dust Control Sealant (STI SpecSeal Smoke 'N' Sound).....	28.51	
07 84 13 19-0063	EA		3" Diameter Hole With 1/2" Pipe, Sealed With Smoke, Noise And Infectious/Dust Control Sealant (STI SpecSeal Smoke 'N' Sound).....	37.04	
07 84 13 19-0064	EA		3" Diameter Hole With 3/4" Pipe, Sealed With Smoke, Noise And Infectious/Dust Control Sealant (STI SpecSeal Smoke 'N' Sound).....	36.96	
07 84 13 19-0065	EA		3" Diameter Hole With 1" Pipe, Sealed With Smoke, Noise And Infectious/Dust Control Sealant (STI SpecSeal Smoke 'N' Sound).....	36.84	
07 84 13 19-0066	EA		3" Diameter Hole With 1-1/4" Pipe, Sealed With Smoke, Noise And Infectious/Dust Control Sealant (STI SpecSeal Smoke 'N' Sound).....	36.66	
07 84 13 19-0067	EA		3" Diameter Hole With 1-1/2" Pipe, Sealed With Smoke, Noise And Infectious/Dust Control Sealant (STI SpecSeal Smoke 'N' Sound).....	36.50	
07 84 13 19-0068	EA		3" Diameter Hole With 2" Pipe, Sealed With Smoke, Noise And Infectious/Dust Control Sealant (STI SpecSeal Smoke 'N' Sound).....	36.11	
07 84 13 19-0069	EA		3" Diameter Hole With 2-1/2" Pipe, Sealed With Smoke, Noise And Infectious/Dust Control Sealant (STI SpecSeal Smoke 'N' Sound).....	35.56	
07 84 13 19-0070	EA		4" Diameter Hole With 1/2" Pipe, Sealed With Smoke, Noise And Infectious/Dust Control Sealant (STI SpecSeal Smoke 'N' Sound).....	47.28	
07 84 13 19-0071	EA		4" Diameter Hole With 3/4" Pipe, Sealed With Smoke, Noise And Infectious/Dust Control Sealant (STI SpecSeal Smoke 'N' Sound).....	47.20	
07 84 13 19-0072	EA		4" Diameter Hole With 1" Pipe, Sealed With Smoke, Noise And Infectious/Dust Control Sealant (STI SpecSeal Smoke 'N' Sound).....	47.08	
07 84 13 19-0073	EA		4" Diameter Hole With 1-1/4" Pipe, Sealed With Smoke, Noise And Infectious/Dust Control Sealant (STI SpecSeal Smoke 'N' Sound).....	46.89	
07 84 13 19-0074	EA		4" Diameter Hole With 1-1/2" Pipe, Sealed With Smoke, Noise And Infectious/Dust Control Sealant (STI SpecSeal Smoke 'N' Sound).....	46.70	
07 84 13 19-0075	EA		4" Diameter Hole With 2" Pipe, Sealed With Smoke, Noise And Infectious/Dust Control Sealant (STI SpecSeal Smoke 'N' Sound).....	46.31	
07 84 13 19-0076	EA		4" Diameter Hole With 2-1/2" Pipe, Sealed With Smoke, Noise And Infectious/Dust Control Sealant (STI SpecSeal Smoke 'N' Sound).....	45.81	
07 84 13 19-0077	EA		4" Diameter Hole With 3" Pipe, Sealed With Smoke, Noise And Infectious/Dust Control Sealant (STI SpecSeal Smoke 'N' Sound).....	45.02	
07 84 13 19-0078	EA		6" Diameter Hole With 1/2" Pipe, Sealed With Smoke, Noise And Infectious/Dust Control Sealant (STI SpecSeal Smoke 'N' Sound).....	68.87	
07 84 13 19-0079	EA		6" Diameter Hole With 3/4" Pipe, Sealed With Smoke, Noise And Infectious/Dust Control Sealant (STI SpecSeal Smoke 'N' Sound).....	68.79	
07 84 13 19-0080	EA		6" Diameter Hole With 1" Pipe, Sealed With Smoke, Noise And Infectious/Dust Control Sealant (STI SpecSeal Smoke 'N' Sound).....	68.67	
07 84 13 19-0081	EA		6" Diameter Hole With 1-1/4" Pipe, Sealed With Smoke, Noise And Infectious/Dust Control Sealant (STI SpecSeal Smoke 'N' Sound).....	68.50	
07 84 13 19-0082	EA		6" Diameter Hole With 1-1/2" Pipe, Sealed With Smoke, Noise And Infectious/Dust Control Sealant (STI SpecSeal Smoke 'N' Sound).....	68.34	
07 84 13 19-0083	EA		6" Diameter Hole With 2" Pipe, Sealed With Smoke, Noise And Infectious/Dust Control Sealant (STI SpecSeal Smoke 'N' Sound).....	67.95	
07 84 13 19-0084	EA		6" Diameter Hole With 2-1/2" Pipe, Sealed With Smoke, Noise And Infectious/Dust Control Sealant (STI SpecSeal Smoke 'N' Sound).....	67.40	
07 84 13 19-0085	EA		6" Diameter Hole With 3" Pipe, Sealed With Smoke, Noise And Infectious/Dust Control Sealant (STI SpecSeal Smoke 'N' Sound).....	66.66	
07 84 13 19-0086	EA		6" Diameter Hole With 4" Pipe, Sealed With Smoke, Noise And Infectious/Dust Control Sealant (STI SpecSeal Smoke 'N' Sound).....	65.06	
07 84 13 19-0087	EA		8" Diameter Hole With 2-1/2" Pipe, Sealed With Smoke, Noise And Infectious/Dust Control Sealant (STI SpecSeal Smoke 'N' Sound).....	86.13	
07 84 13 19-0088	EA		8" Diameter Hole With 3" Pipe, Sealed With Smoke, Noise And Infectious/Dust Control Sealant (STI SpecSeal Smoke 'N' Sound).....	85.39	
07 84 13 19-0089	EA		8" Diameter Hole With 4" Pipe, Sealed With Smoke, Noise And Infectious/Dust Control Sealant (STI SpecSeal Smoke 'N' Sound).....	83.78	
07 84 13 19-0090	EA		8" Diameter Hole With 6" Pipe, Sealed With Smoke, Noise And Infectious/Dust Control Sealant (STI SpecSeal Smoke 'N' Sound).....	79.24	
07 84 13 19-0091	EA		10" Diameter Hole With 4" Pipe, Sealed With Smoke, Noise And Infectious/Dust Control Sealant (STI SpecSeal Smoke 'N' Sound).....	104.09	
07 84 13 19-0092	EA		10" Diameter Hole With 6" Pipe, Sealed With Smoke, Noise And Infectious/Dust Control Sealant (STI SpecSeal Smoke 'N' Sound).....	99.54	

07 Thermal And Moisture Protection**07 80 Fire And Smoke Protection****07 84 Firestopping**MINOR
CSI UOM DESCRIPTIONTOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

07 84 13 19-0093 EA 10" Diameter Hole With 8" Pipe, Sealed With Smoke, Noise And Infectious/Dust Control Sealant (STI SpecSeal Smoke 'N' Sound)93.52

07 84 16 Annular Space Firestopping Protection (07 84)

07 84 16 00-0001 Intumescent Firestopping For Electrical Outlet Boxes (07 84 16)

07 84 16 00-0002 Intumescent Putty Pads For Wrapping Outlet Box Exteriors (07 84 16 00-0001)

07 84 16 00-0003 EA 1 Gang Outlet Box, Intumescent Firestop Putty Exterior Wrap (3M MPP+)29.92
 07 84 16 00-0004 EA 2 Gang Outlet Box, Intumescent Firestop Putty Exterior Wrap (3M MPP+)43.89
 07 84 16 00-0005 EA 3 Gang Outlet Box, Intumescent Firestop Putty Exterior Wrap (3M MPP+)45.67
 07 84 16 00-0006 EA 4 Gang Outlet Box, Intumescent Firestop Putty Exterior Wrap (3M MPP+)47.44
 07 84 16 00-0007 EA 5 Gang Outlet Box, Intumescent Firestop Putty Exterior Wrap (3M MPP+)49.21
 07 84 16 00-0008 EA 6 Gang Outlet Box, Intumescent Firestop Putty Exterior Wrap (3M MPP+)63.18

07 84 16 00-0009 Intumescent Firestop Gasket For Wall Plates (07 84 16 00-0001)

07 84 16 00-0010 EA Single Switch Wall Plate, Intumescent Firestop Gasket (RectorSeal 66276)11.80
 07 84 16 00-0011 EA Double Switch Wall Plate, Intumescent Firestop Gasket (RectorSeal 66274)12.32
 07 84 16 00-0012 EA Single Receptacle Wall Plate, Intumescent Firestop Gasket (RectorSeal 66272)11.37
 07 84 16 00-0013 EA Double Receptacle Wall Plate, Intumescent Firestop Gasket (RectorSeal 66270)12.36
 07 84 16 00-0014 EA Single Decor Wall Plate, Intumescent Firestop Gasket (RectorSeal 66266)11.97
 07 84 16 00-0015 EA Double Decor Wall Plate, Intumescent Firestop Gasket (RectorSeal 66265)11.43

07 84 16 00-0016 Intumescent Fire Barrier Pillows For Sealing Large Openings (07 84 16)

07 84 16 00-0017 EA 2" x 4" x 9" Intumescent Fire Barrier Pillow (3M FB249)33.75
 07 84 16 00-0018 EA 2" x 6" x 9" Intumescent Fire Barrier Pillow (3M FB269)36.26
 07 84 16 00-0019 EA 3" x 6" x 9" Intumescent Fire Barrier Pillow (3M FB369)39.35

07 84 16 00-0020 Intumescent Fire Barrier Sheets For Sealing Large Openings (07 84 16)

Note: Price includes intumescent sheet, mounting fasteners and caulk for sealing one side of an opening.

07 84 16 00-0021 EA 16" x 28" Intumescent Firestop Sheet (3M CS-195+16x28)298.34
 07 84 16 00-0022 EA 36" x 24" Intumescent Firestop Sheet (3M CS-195+3x2)426.66
 07 84 16 00-0023 EA 36" x 36" Intumescent Firestop Sheet (3M CS-195+3x3)582.72

07 84 16 00-0024 Endothermic Mat Wrap Fire Barrier (07 84 16)

Note: Price includes endothermic mat wrap and sealant. Excludes cavity fill material; putty or fireproof caulk/sealant. See CSI section 07 84 16 00-0026 for filling openings.

07 84 16 00-0025 SF 0.408" Thick Aluminum Foil Faced Endothermic Mat (3M Interam E-5A-4)43.81

07 84 16 00-0026 Firestopping Caulk For Filling Opening (07 84 16)

07 84 16 00-0027 GAL Latex Based Intumescent Fire Barrier Sealant (3M CP-25WB+)168.82

07 84 16 00-0028 Firestopping Mortar For Filling Opening (07 84 16)

07 84 16 00-0029 CF Light-Weight Portland Cement-Based Firestop Mortar (STI SpecSeal SSM Series)156.59

07 84 23 Silicone Firestopping Foams (07 84)

07 84 23 00-0001 Silicone RTV Foam Seal For Blank Openings (07 84 23)

07 84 23 00-0002 EA 2" Diameter Hole Sealed With Room Temperature Vulcanizing Silicone Fire Barrier Foam37.20
 07 84 23 00-0003 EA 4" Diameter Hole Sealed With Room Temperature Vulcanizing Silicone Fire Barrier Foam93.15
 07 84 23 00-0004 EA 6" Diameter Hole Sealed With Room Temperature Vulcanizing Silicone Fire Barrier Foam169.66
 07 84 23 00-0005 EA 8" Diameter Hole Sealed With Room Temperature Vulcanizing Silicone Fire Barrier Foam264.74
 07 84 23 00-0006 EA 10" Diameter Hole Sealed With Room Temperature Vulcanizing Silicone Fire Barrier Foam382.88
 07 84 23 00-0007 EA 12" Diameter Hole Sealed With Room Temperature Vulcanizing Silicone Fire Barrier Foam519.71

07 84 43 Joint Firestopping (07 84)

07 84 43 00-0001 Intumescent Firestopping Sealant For Joints (3M CP 25WB+) (07 84 43)

07 84 43 00-0002 CLF 1/4" x 1/4" Joint, Intumescent Firestop Sealant (3M CP 25WB+)325.63 79.75
 For Up To 6 CLF, Add 18.44
 For >30 CLF, Deduct -20.60
 07 84 43 00-0003 CLF 1/4" x 3/8" Joint, Intumescent Firestop Sealant (3M CP 25WB+)368.85 79.75
 For Up To 4 CLF, Add 21.68
 For >20 CLF, Deduct -24.92
 07 84 43 00-0004 CLF 1/4" x 1/2" Joint, Intumescent Firestop Sealant (3M CP 25WB+)420.91 82.41
 For Up To 3 CLF, Add 25.37
 For >15 CLF, Deduct -29.69
 07 84 43 00-0005 CLF 3/8" x 3/8" Joint, Intumescent Firestop Sealant (3M CP 25WB+)442.51 82.41
 For Up To 2.5 CLF, Add 26.99
 For >13 CLF, Deduct -31.85
 07 84 43 00-0006 CLF 3/8" x 1/2" Joint, Intumescent Firestop Sealant (3M CP 25WB+)507.31 82.41
 For Up To 2 CLF, Add 31.85
 For >10 CLF, Deduct -38.33



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 84 43 00-0007 CLF 3/8" x 5/8" Joint, Intumescent Firestop Sealant (3M CP 25WB+)..... <i>For Up To 1.5 CLF, Add</i> <i>For >8 CLF, Deduct</i>	572.11 36.71 -44.81	82.41
07 84 43 00-0008 CLF 3/8" x 3/4" Joint, Intumescent Firestop Sealant (3M CP 25WB+)..... <i>For Up To 1.3 CLF, Add</i> <i>For >7 CLF, Deduct</i>	645.78 42.01 -51.73	85.96
07 84 43 00-0009 CLF 1/2" x 1/2" Joint, Intumescent Firestop Sealant (3M CP 25WB+)..... <i>For Up To 1.4 CLF, Add</i> <i>For >7.5 CLF, Deduct</i>	602.58 38.77 -47.41	85.96
07 84 43 00-0010 CLF 1/2" x 5/8" Joint, Intumescent Firestop Sealant (3M CP 25WB+)..... <i>For Up To 1.15 CLF, Add</i> <i>For >6 CLF, Deduct</i>	697.83 45.69 -56.49	88.61
07 84 43 00-0011 CLF 1/2" x 3/4" Joint, Intumescent Firestop Sealant (3M CP 25WB+)..... <i>For Up To 1 CLF, Add</i> <i>For >5 CLF, Deduct</i>	784.24 52.17 -65.13	88.61
07 84 43 00-0012 CLF 1/2" x 7/8" Joint, Intumescent Firestop Sealant (3M CP 25WB+)..... <i>For Up To 0.8 CLF, Add</i> <i>For >4.5 CLF, Deduct</i>	879.50 59.10 -74.22	91.28
07 84 43 00-0013 CLF 1/2" x 1" Joint, Intumescent Firestop Sealant (3M CP 25WB+)..... <i>For Up To 0.75 CLF, Add</i> <i>For >4 CLF, Deduct</i>	974.75 66.02 -83.30	94.82
07 84 43 00-0014 CLF 3/4" x 3/4" Joint, Intumescent Firestop Sealant (3M CP 25WB+)..... <i>For Up To 0.65 CLF, Add</i> <i>For >3.5 CLF, Deduct</i>	1,070.01 72.94 -92.38	97.47
07 84 43 00-0015 CLF 3/4" x 1" Joint, Intumescent Firestop Sealant (3M CP 25WB+)..... <i>For Up To 0.5 CLF, Add</i> <i>For >2.5 CLF, Deduct</i> <i>For Silicone Sealant (Bio Fireshield BFS 100 or 200), add</i>	1,355.79 93.71 -119.63 155.52	106.33
07 84 43 00-0016 CLF 1" x 1" Joint, Intumescent Firestop Sealant (3M CP 25WB+)..... <i>For Up To 0.4 CLF, Add</i> <i>For >2 CLF, Deduct</i>	1,736.83 121.40 -155.96	117.86
07 84 43 00-0017 Latex-Based, Intumescent Firestop Sealant For Joints (STI SSS Series) ^{(07 84}		
⁴³⁾ CLF 1/4" x 1/4" Joint, Latex-Based, Intumescent Firestop Sealant (STI SSS Series)..... <i>For Up To 6 CLF, Add</i> <i>For >30 CLF, Deduct</i>	337.66 19.34 -21.80	79.75
07 84 43 00-0019 CLF 1/4" x 3/8" Joint, Latex-Based, Intumescent Firestop Sealant (STI SSS Series)..... <i>For Up To 4 CLF, Add</i> <i>For >20 CLF, Deduct</i>	386.87 23.03 -26.72	79.75
07 84 43 00-0020 CLF 1/4" x 1/2" Joint, Latex-Based, Intumescent Firestop Sealant (STI SSS Series)..... <i>For Up To 3 CLF, Add</i> <i>For >15 CLF, Deduct</i>	444.93 27.17 -32.09	82.41
07 84 43 00-0021 CLF 3/8" x 3/8" Joint, Latex-Based, Intumescent Firestop Sealant (STI SSS Series)..... <i>For Up To 2.5 CLF, Add</i> <i>For >13 CLF, Deduct</i>	469.54 29.01 -34.55	82.41
07 84 43 00-0022 CLF 3/8" x 1/2" Joint, Latex-Based, Intumescent Firestop Sealant (STI SSS Series)..... <i>For Up To 2 CLF, Add</i> <i>For >10 CLF, Deduct</i>	543.35 34.55 -41.93	82.41
07 84 43 00-0023 CLF 3/8" x 5/8" Joint, Latex-Based, Intumescent Firestop Sealant (STI SSS Series)..... <i>For Up To 1.5 CLF, Add</i> <i>For >8 CLF, Deduct</i>	617.15 40.08 -49.31	82.41
07 84 43 00-0024 CLF 3/8" x 3/4" Joint, Latex-Based, Intumescent Firestop Sealant (STI SSS Series)..... <i>For Up To 1.3 CLF, Add</i> <i>For >7 CLF, Deduct</i>	699.83 46.06 -57.13	85.96
07 84 43 00-0025 CLF 1/2" x 1/2" Joint, Latex-Based, Intumescent Firestop Sealant (STI SSS Series)..... <i>For Up To 1.4 CLF, Add</i> <i>For >7.5 CLF, Deduct</i>	650.63 42.37 -52.21	85.96
07 84 43 00-0026 CLF 1/2" x 5/8" Joint, Latex-Based, Intumescent Firestop Sealant (STI SSS Series)..... <i>For Up To 1.15 CLF, Add</i> <i>For >6 CLF, Deduct</i>	757.90 50.20 -62.50	88.61
07 84 43 00-0027 CLF 1/2" x 3/4" Joint, Latex-Based, Intumescent Firestop Sealant (STI SSS Series)..... <i>For Up To 1 CLF, Add</i> <i>For >5 CLF, Deduct</i>	856.31 57.58 -72.34	88.61
07 84 43 00-0028 CLF 1/2" x 7/8" Joint, Latex-Based, Intumescent Firestop Sealant (STI SSS Series)..... <i>For Up To 0.8 CLF, Add</i> <i>For >4.5 CLF, Deduct</i>	963.58 65.40 -82.62	91.28
07 84 43 00-0029 CLF 1/2" x 1" Joint, Latex-Based, Intumescent Firestop Sealant (STI SSS Series)..... <i>For Up To 0.75 CLF, Add</i> <i>For >4 CLF, Deduct</i>	1,070.85 73.22 -92.91	94.82
07 84 43 00-0030 CLF 3/4" x 3/4" Joint, Latex-Based, Intumescent Firestop Sealant (STI SSS Series)..... <i>For Up To 0.65 CLF, Add</i> <i>For >3.5 CLF, Deduct</i>	1,178.13 81.05 -103.19	97.47
07 84 43 00-0031 CLF 3/4" x 1" Joint, Latex-Based, Intumescent Firestop Sealant (STI SSS Series)..... <i>For Up To 0.5 CLF, Add</i> <i>For >2.5 CLF, Deduct</i>	1,499.94 104.52 -134.04	106.33
07 84 43 00-0032 CLF 1" x 1" Joint, Latex-Based, Intumescent Firestop Sealant (STI SSS Series)..... <i>For Up To 0.4 CLF, Add</i> <i>For >2 CLF, Deduct</i>	1,929.04 135.82 -175.18	117.86

07 84 43 00-0033 ⁴³⁾ Passive Smoke And Fire Protection Sealant For Joints (STI ES Series) ^{(07 84}

07 Thermal And Moisture Protection**07 80 Fire And Smoke Protection****07 84 Firestopping**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 84 43 00-0034	CLF	1/4" x 1/4" Joint, Non-Halogenated Latex-Based Elastomeric, Passive Smoke And Fire Protection Sealant (STI SpecSeal ES Series)	290.15	79.75
		<i>For Up To 6 CLF, Add</i>		15.78	
		<i>For >30 CLF, Deduct</i>		-17.05	
07 84 43 00-0035	CLF	1/4" x 3/8" Joint, Non-Halogenated Latex-Based Elastomeric, Passive Smoke And Fire Protection Sealant (STI SpecSeal ES Series)	315.60	79.75
		<i>For Up To 4 CLF, Add</i>		17.69	
		<i>For >20 CLF, Deduct</i>		-19.60	
07 84 43 00-0036	CLF	1/4" x 1/2" Joint, Non-Halogenated Latex-Based Elastomeric, Passive Smoke And Fire Protection Sealant (STI SpecSeal ES Series)	349.92	82.41
		<i>For Up To 3 CLF, Add</i>		20.04	
		<i>For >15 CLF, Deduct</i>		-22.59	
07 84 43 00-0037	CLF	3/8" x 3/8" Joint, Non-Halogenated Latex-Based Elastomeric, Passive Smoke And Fire Protection Sealant (STI SpecSeal ES Series)	362.64	82.41
		<i>For Up To 2.5 CLF, Add</i>		21.00	
		<i>For >13 CLF, Deduct</i>		-23.86	
07 84 43 00-0038	CLF	3/8" x 1/2" Joint, Non-Halogenated Latex-Based Elastomeric, Passive Smoke And Fire Protection Sealant (STI SpecSeal ES Series)	400.82	82.41
		<i>For Up To 2 CLF, Add</i>		23.86	
		<i>For >10 CLF, Deduct</i>		-27.68	
07 84 43 00-0039	CLF	3/8" x 5/8" Joint, Non-Halogenated Latex-Based Elastomeric, Passive Smoke And Fire Protection Sealant (STI SpecSeal ES Series)	438.99	82.41
		<i>For Up To 1.5 CLF, Add</i>		26.72	
		<i>For >8 CLF, Deduct</i>		-31.49	
07 84 43 00-0040	CLF	3/8" x 3/4" Joint, Non-Halogenated Latex-Based Elastomeric, Passive Smoke And Fire Protection Sealant (STI SpecSeal ES Series)	486.04	85.96
		<i>For Up To 1.3 CLF, Add</i>		30.03	
		<i>For >7 CLF, Deduct</i>		-35.76	
07 84 43 00-0041	CLF	1/2" x 1/2" Joint, Non-Halogenated Latex-Based Elastomeric, Passive Smoke And Fire Protection Sealant (STI SpecSeal ES Series)	460.59	85.96
		<i>For Up To 1.4 CLF, Add</i>		28.12	
		<i>For >7.5 CLF, Deduct</i>		-33.21	
07 84 43 00-0042	CLF	1/2" x 5/8" Joint, Non-Halogenated Latex-Based Elastomeric, Passive Smoke And Fire Protection Sealant (STI SpecSeal ES Series)	520.35	88.61
		<i>For Up To 1.15 CLF, Add</i>		32.38	
		<i>For >6 CLF, Deduct</i>		-38.74	
07 84 43 00-0043	CLF	1/2" x 3/4" Joint, Non-Halogenated Latex-Based Elastomeric, Passive Smoke And Fire Protection Sealant (STI SpecSeal ES Series)	571.26	88.61
		<i>For Up To 1 CLF, Add</i>		36.20	
		<i>For >5 CLF, Deduct</i>		-43.83	
07 84 43 00-0044	CLF	1/2" x 7/8" Joint, Non-Halogenated Latex-Based Elastomeric, Passive Smoke And Fire Protection Sealant (STI SpecSeal ES Series)	631.02	91.28
		<i>For Up To 0.8 CLF, Add</i>		40.46	
		<i>For >4.5 CLF, Deduct</i>		-49.37	
07 84 43 00-0045	CLF	1/2" x 1" Joint, Non-Halogenated Latex-Based Elastomeric, Passive Smoke And Fire Protection Sealant (STI SpecSeal ES Series)	690.78	94.82
		<i>For Up To 0.75 CLF, Add</i>		44.72	
		<i>For >4 CLF, Deduct</i>		-54.90	
07 84 43 00-0046	CLF	3/4" x 3/4" Joint, Non-Halogenated Latex-Based Elastomeric, Passive Smoke And Fire Protection Sealant (STI SpecSeal ES Series)	750.54	97.47
		<i>For Up To 0.65 CLF, Add</i>		48.98	
		<i>For >3.5 CLF, Deduct</i>		-60.43	
07 84 43 00-0047	CLF	3/4" x 1" Joint, Non-Halogenated Latex-Based Elastomeric, Passive Smoke And Fire Protection Sealant (STI SpecSeal ES Series)	929.83	106.33
		<i>For Up To 0.5 CLF, Add</i>		61.76	
		<i>For >2.5 CLF, Deduct</i>		-77.03	
07 84 43 00-0048	CLF	1" x 1" Joint, Non-Halogenated Latex-Based Elastomeric, Passive Smoke And Fire Protection Sealant (STI SpecSeal ES Series)	1,168.89	117.86
		<i>For Up To 0.4 CLF, Add</i>		78.81	
		<i>For >2 CLF, Deduct</i>		-99.17	
07 84 56		Fire Safing <small>(07 84)</small>			
07 84 56 13		Fibrous Fire Safing <small>(07 84 56)</small>			
07 84 56 13-0001		Thermal Barrier Wrap <small>(07 84 56 13)</small>			
		Note: Includes cutting wrap to fit pipe or conduit and sealing edges.			
07 84 56 13-0002	SF	1/2" Thick Fire Barrier Plenum Wrap (3M Plenum Wrap 5A)	8.86	
		<i>For Work In Restricted Working Space, Add</i>		1.02	
07 84 56 13-0003	SF	1-1/2" Thick Fire Barrier Duct Wrap (3M Duct Wrap 15A)	14.75	
		Note: Includes cutting wrap to fit pipe or conduit and sealing edges.			
		<i>For Work In Restricted Working Space, Add</i>		1.02	
07 84 56 13-0004	SF	2" Thick Fire Barrier Duct Wrap (3M Duct Wrap 20A)	16.16	
		Note: Includes cutting wrap to fit pipe or conduit and sealing edges.			
		<i>For Work In Restricted Working Space, Add</i>		1.02	
07 84 56 13-0005		FireMaster Blanket Wrap Fireproofing <small>(07 84 56 13)</small>			
07 84 56 13-0006	SF	1/2" Thermal Ceramics FireMaster Blanket Wrap	16.02	9.13
		<i>For Work In Restricted Working Space, Add</i>		3.67	
		<i>For >500 To 5,000, Deduct</i>		-1.48	
		<i>For >5,000, Deduct</i>		-2.63	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 84 56 13-0007 SF 1" Thermal Ceramics FireMaster Blanket Wrap <i>For Work In Restricted Working Space, Add</i> <i>For >500 To 5,000, Deduct</i> <i>For >5,000, Deduct</i>	19.16 3.67 -2.21 -3.79	9.13
07 84 56 13-0008 SF 1-1/2" Thermal Ceramics FireMaster Blanket Wrap <i>For Work In Restricted Working Space, Add</i> <i>For >500 To 5,000, Deduct</i> <i>For >5,000, Deduct</i>	22.61 3.67 -3.00 -5.06	9.13
07 84 56 13-0009 SF 2" Thermal Ceramics FireMaster Blanket Wrap <i>For Work In Restricted Working Space, Add</i> <i>For >500 To 5,000, Deduct</i> <i>For >5,000, Deduct</i>	26.05 3.67 -3.79 -6.34	9.13

07 90 Joint Protection (07)

07 91 Preformed Joint Seals (07 90)

07 91 23 Backer Rods (07 91)

07 91 23 00-0001 Backer Rods (07 91 23)

07 91 23 00-0002 LF 1/4" Polyethylene Or Polyurethane Backer Rod	1.51	0.46
07 91 23 00-0003 LF 3/8" Polyethylene Or Polyurethane Backer Rod	1.63	0.46
07 91 23 00-0004 LF 1/2" Polyethylene Or Polyurethane Backer Rod	1.76	0.46
07 91 23 00-0005 LF 5/8" Polyethylene Or Polyurethane Backer Rod	1.90	0.46
07 91 23 00-0006 LF 3/4" Polyethylene Or Polyurethane Backer Rod	1.97	0.55
07 91 23 00-0007 LF 7/8" Polyethylene Or Polyurethane Backer Rod	2.10	0.55
07 91 23 00-0008 LF 1" Polyethylene Or Polyurethane Backer Rod	2.36	0.55
07 91 23 00-0009 LF 1-1/4" Polyethylene Or Polyurethane Backer Rod	2.64	0.65
07 91 23 00-0010 LF 1-1/2" Polyethylene Or Polyurethane Backer Rod	2.98	0.74
07 91 23 00-0011 LF 2" Polyethylene Or Polyurethane Backer Rod	3.61	0.83
07 91 23 00-0012 LF 3" Polyethylene Or Polyurethane Backer Rod	5.89	1.02

07 91 26 Joint Fillers (07 91)

07 91 26 00-0001 Butyl Rubber Fillers (07 91 26)

07 91 26 00-0002 LF 1/4" x 1/4" Butyl Rubber Filler <i>For Custom Match Coloring, Add</i>	2.06 0.03	0.55
07 91 26 00-0003 LF 1/2" x 1/2" Butyl Rubber Filler <i>For Custom Match Coloring, Add</i>	6.13 0.12	1.58
07 91 26 00-0004 LF 1/2" x 3/4" Butyl Rubber Filler <i>For Custom Match Coloring, Add</i>	7.32 0.18	1.67
07 91 26 00-0005 LF 3/4" x 3/4" Butyl Rubber Filler	7.86	1.77
07 91 26 00-0006 LF 1" x 1" Butyl Rubber Filler	10.25	3.25

07 91 26 00-0007 Closed Cell Neoprene (07 91 26)

07 91 26 00-0008 CLF 1/8" x 3" Neoprene Gasket Closed Cell, Adhesive	370.80	107.06
07 91 26 00-0009 CLF 1/8" x 6" Neoprene Gasket Closed Cell, Adhesive	599.20	154.66
07 91 26 00-0010 CLF 1/4" x 3" Neoprene Gasket Closed Cell, Adhesive	476.63	132.58
07 91 26 00-0011 CLF 1/4" x 6" Neoprene Gasket Closed Cell, Adhesive	552.30	139.16
07 91 26 00-0012 CLF 1/2" x 6" Neoprene Gasket Closed Cell, Adhesive	842.56	214.13
07 91 26 00-0013 CLF 1/2" x 9" Neoprene Gasket Closed Cell, Adhesive	967.06	231.95
07 91 26 00-0014 CLF 1/2" x 12" Neoprene Gasket Closed Cell, Adhesive	884.86	168.67

07 91 26 00-0015 Closed Cell Polyvinyl Chloride (07 91 26)

07 91 26 00-0016 CLF 1/8" x 3" Polyethylene Joint Backing, Closed Cell	376.68	132.58
07 91 26 00-0017 CLF 1/8" x 6" Polyethylene Joint Backing, Closed Cell	634.46	214.13
07 91 26 00-0018 CLF 1/4" x 3" Polyethylene Joint Backing, Closed Cell	491.65	182.78
07 91 26 00-0019 CLF 1/4" x 6" Polyethylene Joint Backing, Closed Cell	589.52	192.98
07 91 26 00-0020 CLF 1/2" x 6" Polyethylene Joint Backing, Closed Cell	897.74	295.96
07 91 26 00-0021 CLF 1/2" x 9" Polyethylene Joint Backing, Closed Cell	1,048.67	321.20
07 91 26 00-0022 CLF 1/2" x 12" Polyethylene Joint Backing, Closed Cell	1,385.15	385.03

07 91 26 00-0023 Silicon RTV Foam Penetration Seal (07 91 26)

07 91 26 00-0024 CLF 1/4" x 1/2" Silicon RTV Foam Seal	144.99	21.24
07 91 26 00-0025 CLF 1/2" x 1/2" Silicon RTV Foam Seal	289.97	42.40
07 91 26 00-0026 CLF 1/2" x 3/4" Silicon RTV Foam Seal	432.57	63.00
07 91 26 00-0027 CLF 3/4" x 3/4" Silicon RTV Foam Seal	617.12	84.90
07 91 26 00-0028 CLF 1/8" x 1" Silicon RTV Foam Seal	144.99	21.24
07 91 26 00-0029 CLF 1/8" x 3" Silicon RTV Foam Seal	432.20	62.81
07 91 26 00-0030 CLF 1/4" x 3" Silicon RTV Foam Seal	759.95	94.36
07 91 26 00-0031 CLF 1/4" x 6" Silicon RTV Foam Seal	1,518.27	188.06
07 91 26 00-0032 CLF 1/2" x 6" Silicon RTV Foam Seal	2,908.73	339.47
07 91 26 00-0033 CLF 1/2" x 9" Silicon RTV Foam Seal	4,431.34	530.31
07 91 26 00-0034 CLF 1/2" x 12" Silicon RTV Foam Seal	6,394.11	848.54

07 Thermal And Moisture Protection**07 90 Joint Protection****07 91 Preformed Joint Seals**MINOR
CSI UOM DESCRIPTIONTOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

07 91 26 00-0035	Seals O-Ring Type Cord "J-Seal" (07 91 26)			
07 91 26 00-0036	LF 1/4" Seals O-Ring Cord, J-Seal.....	3.96		1.20
07 91 26 00-0037	LF 1/2" Seals O-Ring Cord, J-Seal.....	4.20		1.20
07 91 26 00-0038	LF 3/4" Seals O-Ring Cord, J-Seal.....	4.42		1.29
07 91 26 00-0039	LF 1" Seals O-Ring Cord, J-Seal.....	4.67		1.39
07 91 26 00-0040	LF 1-1/4" Seals O-Ring Cord, J-Seal.....	5.01		1.49
07 91 26 00-0041	LF 1-1/2" Seals O-Ring Cord, J-Seal.....	5.24		1.49
07 91 26 00-0042	LF 1-3/4" Seals O-Ring Cord, J-Seal.....	5.55		1.58
07 91 26 00-0043	LF 2" Seals O-Ring Cord, J-Seal.....	5.74		1.58

07 91 33 Expansion Joint Seal Systems (07 91)**07 91 33 00-0001 Expansion Joint Seal Systems (Wabo®) (07 91 33)****07 91 33 00-0002 Coated Foam, Pre-Compressed, Elastomeric Expansion Joint Seal Systems (Wabo® HSeal) (07 91 33 00-0001)**

Note: Includes a pre-compressed seal, epoxy adhesive and traffic grade elastomeric top coating.

07 91 33 00-0003	LF 1/2" Minimum, 1-1/2" Maximum Joint Opening, Coated Foam, Pre-Compressed, Elastomeric Expansion Joint Seal System (Wabo® HSeal 25EH).....	58.34		5.62
07 91 33 00-0004	LF 3/4" Minimum, 2-1/4" Maximum Joint Opening, Coated Foam, Pre-Compressed, Elastomeric Expansion Joint Seal System (Wabo® HSeal 40EH).....	77.20		5.88
07 91 33 00-0005	LF 1" Minimum, 3" Maximum Joint Opening, Coated Foam, Pre-Compressed, Elastomeric Expansion Joint Seal System (Wabo® HSeal 50EH).....	97.09		6.15
07 91 33 00-0006	LF 1-1/4" Minimum, 3-3/4" Maximum Joint Opening, Coated Foam, Pre-Compressed, Elastomeric Expansion Joint Seal System (Wabo® HSeal 65EH).....	119.20		6.42
07 91 33 00-0007	LF 1-1/2" Minimum, 4-1/2" Maximum Joint Opening, Coated Foam, Pre-Compressed, Elastomeric Expansion Joint Seal System (Wabo® HSeal 75EH).....	153.78		6.68
07 91 33 00-0008	LF 1-3/4" Minimum, 5-1/4" Maximum Joint Opening, Coated Foam, Pre-Compressed, Elastomeric Expansion Joint Seal System (Wabo® HSeal 90EH).....	176.26		6.96
07 91 33 00-0009	LF 2" Minimum, 6" Maximum Joint Opening, Coated Foam, Pre-Compressed, Elastomeric Expansion Joint Seal System (Wabo® HSeal 100EH).....	204.12		7.22

07 91 33 00-0010 Neoprene, Preformed Elastomeric Horizontal Expansion Joint Seal Systems (Wabo® CompressionSeal) (07 91 33 00-0001)

Note: Includes preformed neoprene joint seal and lubricant adhesive.

07 91 33 00-0011	LF 0.625" Minimum, 1.381" Maximum Joint Opening, Neoprene, Preformed Elastomeric Horizontal Expansion Joint Seal System (Wabo® CompressionSeal WA-162).....	31.25		5.62
07 91 33 00-0012	LF 0.688" Minimum, 1.488" Maximum Joint Opening, Neoprene, Preformed Elastomeric Horizontal Expansion Joint Seal System (Wabo® CompressionSeal WA-175).....	33.88		5.70
07 91 33 00-0013	LF 0.875" Minimum, 1.700" Maximum Joint Opening, Neoprene, Preformed Elastomeric Horizontal Expansion Joint Seal System (Wabo® CompressionSeal WA-200).....	40.39		5.78
07 91 33 00-0014	LF 0.953" Minimum, 1.913" Maximum Joint Opening, Neoprene, Preformed Elastomeric Horizontal Expansion Joint Seal System (Wabo® CompressionSeal WA-225).....	42.74		5.88
07 91 33 00-0015	LF 1.000" Minimum, 2.125" Maximum Joint Opening, Neoprene, Preformed Elastomeric Horizontal Expansion Joint Seal System (Wabo® CompressionSeal WA-250).....	45.51		5.96
07 91 33 00-0016	LF 1.125" Minimum, 2.550" Maximum Joint Opening, Neoprene, Preformed Elastomeric Horizontal Expansion Joint Seal System (Wabo® CompressionSeal WA-300).....	55.13		6.04
07 91 33 00-0017	LF 1.375" Minimum, 2.975" Maximum Joint Opening, Neoprene, Preformed Elastomeric Horizontal Expansion Joint Seal System (Wabo® CompressionSeal WA-350).....	67.35		6.15
07 91 33 00-0018	LF 1.625" Minimum, 3.400" Maximum Joint Opening, Neoprene, Preformed Elastomeric Horizontal Expansion Joint Seal System (Wabo® CompressionSeal WA-400).....	79.22		6.42
07 91 33 00-0019	LF 1.687" Minimum, 4.250" Maximum Joint Opening, Neoprene, Preformed Elastomeric Horizontal Expansion Joint Seal System (Wabo® CompressionSeal WA-500).....	89.39		6.68

07 91 33 00-0020 Santoprene®, Preformed Elastomeric Vertical Expansion Joint Seal Systems (Wabo® CompressionSeal) (07 91 33 00-0001)

Note: Includes preformed Santoprene® joint seal and lubricant adhesive.

07 91 33 00-0021	LF 0.500" Minimum, 1.500" Maximum Joint Opening, Santoprene®, Preformed Elastomeric Vertical Expansion Joint Seal System (Wabo® CompressionSeal WE-100).....	26.63		5.62
07 91 33 00-0022	LF 0.688" Minimum, 1.938" Maximum Joint Opening, Santoprene®, Preformed Elastomeric Vertical Expansion Joint Seal System (Wabo® CompressionSeal WE-225).....	33.88		5.88
07 91 33 00-0023	LF 1.063" Minimum, 2.125" Maximum Joint Opening, Santoprene®, Preformed Elastomeric Vertical Expansion Joint Seal System (Wabo® CompressionSeal WE-250).....	41.01		6.15
07 91 33 00-0024	LF 1.250" Minimum, 2.563" Maximum Joint Opening, Santoprene®, Preformed Elastomeric Vertical Expansion Joint Seal System (Wabo® CompressionSeal WE-300).....	43.20		6.29
07 91 33 00-0025	LF 1.250" Minimum, 3.375" Maximum Joint Opening, Santoprene®, Preformed Elastomeric Vertical Expansion Joint Seal System (Wabo® CompressionSeal WE-400).....	47.64		6.42
07 91 33 00-0026	LF 1.438" Minimum, 4.250" Maximum Joint Opening, Santoprene®, Preformed Elastomeric Vertical Expansion Joint Seal System (Wabo® CompressionSeal WE-500).....	67.05		6.68
07 91 33 00-0027	LF 1.813" Minimum, 5.125" Maximum Joint Opening, Santoprene®, Preformed Elastomeric Vertical Expansion Joint Seal System (Wabo® CompressionSeal WE-600).....	91.03		6.96

07 91 33 00-0028 Coated Foam, Pre-Compressed, Elastomeric Expansion Joint Seal Systems (Wabo® Seismic WeatherSeal) (07 91 33 00-0001)

Note: Includes a pre-compressed foam seal and silicone sealant.

07 91 33 00-0029	LF 1/2" Minimum, 1-1/2" Maximum Joint Opening, Coated Foam, Pre-Compressed, Elastomeric Expansion Joint Seal System (Wabo® Seismic WeatherSeal SWS-100).....	21.17		2.23
------------------	--	-------	--	------



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 91 33 00-0030 LF 3/4" Minimum, 2-1/4" Maximum Joint Opening, Coated Foam, Pre-Compressed, Elastomeric Expansion Joint Seal System (Wabo® Seismic WeatherSeal SWS-150).....	35.08	2.32
07 91 33 00-0031 LF 1" Minimum, 3" Maximum Joint Opening, Coated Foam, Pre-Compressed, Elastomeric Expansion Joint Seal System (Wabo® Seismic WeatherSeal SWS-200).....	52.49	2.40
07 91 33 00-0032 LF 1-1/4" Minimum, 3-3/4" Maximum Joint Opening, Coated Foam, Pre-Compressed, Elastomeric Expansion Joint Seal System (Wabo® Seismic WeatherSeal SWS-250).....	66.02	2.49
07 91 33 00-0033 LF 1-1/2" Minimum, 4-1/2" Maximum Joint Opening, Coated Foam, Pre-Compressed, Elastomeric Expansion Joint Seal System (Wabo® Seismic WeatherSeal SWS-300).....	86.67	2.59
07 91 33 00-0034 LF 1-3/4" Minimum, 5-1/4" Maximum Joint Opening, Coated Foam, Pre-Compressed, Elastomeric Expansion Joint Seal System (Wabo® Seismic WeatherSeal SWS-350).....	114.42	2.68
07 91 33 00-0035 LF 2" Minimum, 6" Maximum Joint Opening, Coated Foam, Pre-Compressed, Elastomeric Expansion Joint Seal System (Wabo® Seismic WeatherSeal SWS-400).....	140.19	2.76
07 91 33 00-0036 LF 2-1/2" Minimum, 7-1/2" Maximum Joint Opening, Coated Foam, Pre-Compressed, Elastomeric Expansion Joint Seal System (Wabo® Seismic WeatherSeal SWS-500).....	188.79	2.85
07 91 33 00-0037 LF 3" Minimum, 9" Maximum Joint Opening, Coated Foam, Pre-Compressed, Elastomeric Expansion Joint Seal System (Wabo® Seismic WeatherSeal SWS-600).....	220.29	2.94

07 91 33 00-0038 Silicone Faced Foam, Preformed Elastomeric Expansion Joint Seal Systems (Wabo® WeatherSeal II) (07 91 33 00-0001)

Note: Includes a pre-compressed foam seal and silicone sealant.

07 91 33 00-0039 LF 0.75" Minimum, 1.25" Maximum Joint Opening, Silicone Faced Foam, Preformed Elastomeric Expansion Joint Seal System (Wabo® WeatherSeal II WS-100).....	20.67	2.23
07 91 33 00-0040 LF 1.13" Minimum, 1.88" Maximum Joint Opening, Silicone Faced Foam, Preformed Elastomeric Expansion Joint Seal System (Wabo® WeatherSeal II WS-150).....	27.09	2.32
07 91 33 00-0041 LF 1.50" Minimum, 2.50" Maximum Joint Opening, Silicone Faced Foam, Preformed Elastomeric Expansion Joint Seal System (Wabo® WeatherSeal II WS-200).....	36.15	2.40
07 91 33 00-0042 LF 1.88" Minimum, 3.13" Maximum Joint Opening, Silicone Faced Foam, Preformed Elastomeric Expansion Joint Seal System (Wabo® WeatherSeal II WS-250).....	48.80	2.49
07 91 33 00-0043 LF 2.25" Minimum, 3.75" Maximum Joint Opening, Silicone Faced Foam, Preformed Elastomeric Expansion Joint Seal System (Wabo® WeatherSeal II WS-300).....	55.59	2.59
07 91 33 00-0044 LF 2.63" Minimum, 4.38" Maximum Joint Opening, Silicone Faced Foam, Preformed Elastomeric Expansion Joint Seal System (Wabo® WeatherSeal II WS-350).....	76.85	2.68
07 91 33 00-0045 LF 3.00" Minimum, 5.00" Maximum Joint Opening, Silicone Faced Foam, Preformed Elastomeric Expansion Joint Seal System (Wabo® WeatherSeal II WS-400).....	103.00	2.76
07 91 33 00-0046 LF 3.75" Minimum, 6.25" Maximum Joint Opening, Silicone Faced Foam, Preformed Elastomeric Expansion Joint Seal System (Wabo® WeatherSeal II WS-500).....	111.16	2.85

07 92 Joint Sealants (07 90)

07 92 13 Elastomeric Joint Sealants (07 92)

07 92 13 00-0001 Silicone Sealant And Caulking (07 92 13)

07 92 13 00-0002 CLF 1/4" x 1/4" Joint, Silicone Sealant And Caulking	272.37	79.75
For Custom Match Coloring, Add	7.95	
For Up To 6 CLF, Add	14.45	
For >30 CLF, Deduct	-15.27	
For 1 Part Mildew Resistant, Add	11.59	
For High-Modulus Non-Acid Curing, Add	6.62	
07 92 13 00-0003 CLF 1/4" x 3/8" Joint, Silicone Sealant And Caulking	288.93	79.75
For Custom Match Coloring, Add	11.92	
For Up To 4 CLF, Add	15.69	
For >20 CLF, Deduct	-16.93	
For 1 Part Mildew Resistant, Add	17.39	
For High-Modulus Non-Acid Curing, Add	9.94	
07 92 13 00-0004 CLF 1/4" x 1/2" Joint, Silicone Sealant And Caulking	314.35	82.41
For Custom Match Coloring, Add	15.90	
For Up To 3 CLF, Add	17.37	
For >15 CLF, Deduct	-19.03	
For 1 Part Mildew Resistant, Add	23.18	
For High-Modulus Non-Acid Curing, Add	13.25	
07 92 13 00-0005 CLF 3/8" x 3/8" Joint, Silicone Sealant And Caulking	322.63	82.41
For Custom Match Coloring, Add	17.88	
For Up To 2.5 CLF, Add	17.99	
For >13 CLF, Deduct	-19.86	
For 1 Part Mildew Resistant, Add	26.08	
For High-Modulus Non-Acid Curing, Add	14.90	
07 92 13 00-0006 CLF 3/8" x 1/2" Joint, Silicone Sealant And Caulking	347.47	82.41
For Custom Match Coloring, Add	23.85	
For Up To 2 CLF, Add	19.86	
For >10 CLF, Deduct	-22.34	
For 1 Part Mildew Resistant, Add	34.78	
For High-Modulus Non-Acid Curing, Add	19.87	
07 92 13 00-0007 CLF 3/8" x 5/8" Joint, Silicone Sealant And Caulking	372.31	82.41
For Custom Match Coloring, Add	29.81	
For Up To 1.5 CLF, Add	21.72	
For >8 CLF, Deduct	-24.83	
For 1 Part Mildew Resistant, Add	43.47	
For High-Modulus Non-Acid Curing, Add	24.84	

07 Thermal And Moisture Protection**07 90 Joint Protection****07 92 Joint Sealants**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 92 13 00-0008	CLF	3/8" x 3/4"	Joint, Silicone Sealant And Caulking	406.02	85.96
			<i>For Custom Match Coloring, Add</i>	35.77	
			<i>For Up To 1.3 CLF, Add</i>	24.03	
			<i>For >7 CLF, Deduct</i>	-27.75	
			<i>For 1 Part Mildew Resistant, Add</i>	52.16	
			<i>For High-Modulus Non-Acid Curing, Add</i>	29.81	
07 92 13 00-0009	CLF	1/2" x 1/2"	Joint, Silicone Sealant And Caulking	389.46	85.96
			<i>For Custom Match Coloring, Add</i>	31.80	
			<i>For Up To 1.4 CLF, Add</i>	22.79	
			<i>For >7.5 CLF, Deduct</i>	-26.10	
			<i>For 1 Part Mildew Resistant, Add</i>	46.37	
			<i>For High-Modulus Non-Acid Curing, Add</i>	26.50	
07 92 13 00-0010	CLF	1/2" x 5/8"	Joint, Silicone Sealant And Caulking	431.44	88.61
			<i>For Custom Match Coloring, Add</i>	39.74	
			<i>For Up To 1.15 CLF, Add</i>	25.71	
			<i>For >6 CLF, Deduct</i>	-29.85	
			<i>For 1 Part Mildew Resistant, Add</i>	57.96	
			<i>For High-Modulus Non-Acid Curing, Add</i>	33.12	
07 92 13 00-0011	CLF	1/2" x 3/4"	Joint, Silicone Sealant And Caulking	464.56	88.61
			<i>For Custom Match Coloring, Add</i>	47.69	
			<i>For Up To 1 CLF, Add</i>	28.20	
			<i>For >5 CLF, Deduct</i>	-33.16	
			<i>For 1 Part Mildew Resistant, Add</i>	69.55	
			<i>For High-Modulus Non-Acid Curing, Add</i>	39.74	
07 92 13 00-0012	CLF	1/2" x 7/8"	Joint, Silicone Sealant And Caulking	506.53	91.28
			<i>For Custom Match Coloring, Add</i>	55.64	
			<i>For Up To 0.8 CLF, Add</i>	31.12	
			<i>For >4.5 CLF, Deduct</i>	-36.92	
			<i>For 1 Part Mildew Resistant, Add</i>	81.14	
			<i>For High-Modulus Non-Acid Curing, Add</i>	46.37	
07 92 13 00-0013	CLF	1/2" x 1"	Joint, Silicone Sealant And Caulking	548.51	94.82
			<i>For Custom Match Coloring, Add</i>	63.59	
			<i>For Up To 0.75 CLF, Add</i>	34.05	
			<i>For >4 CLF, Deduct</i>	-40.67	
			<i>For 1 Part Mildew Resistant, Add</i>	92.73	
			<i>For High-Modulus Non-Acid Curing, Add</i>	52.99	
07 92 13 00-0014	CLF	3/4" x 3/4"	Joint, Silicone Sealant And Caulking	590.49	97.47
			<i>For Custom Match Coloring, Add</i>	71.54	
			<i>For Up To 0.65 CLF, Add</i>	36.98	
			<i>For >3.5 CLF, Deduct</i>	-44.43	
			<i>For 1 Part Mildew Resistant, Add</i>	104.32	
			<i>For High-Modulus Non-Acid Curing, Add</i>	59.61	
07 92 13 00-0015	CLF	3/4" x 1"	Joint, Silicone Sealant And Caulking	716.43	106.33
			<i>For Custom Match Coloring, Add</i>	95.38	
			<i>For Up To 0.5 CLF, Add</i>	45.76	
			<i>For >2.5 CLF, Deduct</i>	-55.69	
			<i>For 1 Part Mildew Resistant, Add</i>	139.10	
			<i>For High-Modulus Non-Acid Curing, Add</i>	79.49	
07 92 13 00-0016	CLF	1" x 1"	Joint, Silicone Sealant And Caulking	884.36	117.86
			<i>For Custom Match Coloring, Add</i>	127.18	
			<i>For Up To 0.4 CLF, Add</i>	57.47	
			<i>For >2 CLF, Deduct</i>	-70.71	
			<i>For 1 Part Mildew Resistant, Add</i>	185.47	
			<i>For High-Modulus Non-Acid Curing, Add</i>	105.98	
07 92 13 00-0017	Acrylic/Latex Sealant And Caulking <small>(07 92 13)</small>				
07 92 13 00-0018	CLF	1/4" x 1/4"	Joint, Acrylic/Latex Sealant And Caulking	250.87	79.75
			<i>For Up To 6 CLF, Add</i>	12.83	
			<i>For >30 CLF, Deduct</i>	-13.12	
07 92 13 00-0019	CLF	1/4" x 3/8"	Joint, Acrylic/Latex Sealant And Caulking	256.68	79.75
			<i>For Up To 4 CLF, Add</i>	13.27	
			<i>For >20 CLF, Deduct</i>	-13.71	
07 92 13 00-0020	CLF	1/4" x 1/2"	Joint, Acrylic/Latex Sealant And Caulking	271.35	82.41
			<i>For Up To 3 CLF, Add</i>	14.15	
			<i>For >15 CLF, Deduct</i>	-14.73	
07 92 13 00-0021	CLF	3/8" x 3/8"	Joint, Acrylic/Latex Sealant And Caulking	274.25	82.41
			<i>For Up To 2.5 CLF, Add</i>	14.37	
			<i>For >13 CLF, Deduct</i>	-15.02	
07 92 13 00-0022	CLF	3/8" x 1/2"	Joint, Acrylic/Latex Sealant And Caulking	282.97	82.41
			<i>For Up To 2 CLF, Add</i>	15.02	
			<i>For >10 CLF, Deduct</i>	-15.89	
07 92 13 00-0023	CLF	3/8" x 5/8"	Joint, Acrylic/Latex Sealant And Caulking	291.68	82.41
			<i>For Up To 1.5 CLF, Add</i>	15.67	
			<i>For >8 CLF, Deduct</i>	-16.76	
07 92 13 00-0024	CLF	3/8" x 3/4"	Joint, Acrylic/Latex Sealant And Caulking	309.27	85.96
			<i>For Up To 1.3 CLF, Add</i>	16.77	
			<i>For >7 CLF, Deduct</i>	-18.08	
07 92 13 00-0025	CLF	1/2" x 1/2"	Joint, Acrylic/Latex Sealant And Caulking	303.46	85.96
			<i>For Up To 1.4 CLF, Add</i>	16.34	
			<i>For >7.5 CLF, Deduct</i>	-17.50	
07 92 13 00-0026	CLF	1/2" x 5/8"	Joint, Acrylic/Latex Sealant And Caulking	323.94	88.61
			<i>For Up To 1.15 CLF, Add</i>	17.65	
			<i>For >6 CLF, Deduct</i>	-19.10	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 92 13 00-0027 CLF 1/2" x 3/4" Joint, Acrylic/Latex Sealant And Caulking <i>For Up To 1 CLF, Add</i> <i>For >5 CLF, Deduct</i>	335.56 18.62 -20.26	88.61
07 92 13 00-0028 CLF 1/2" x 7/8" Joint, Acrylic/Latex Sealant And Caulking <i>For Up To 0.8 CLF, Add</i> <i>For >4.5 CLF, Deduct</i>	356.04 19.84 -21.87	91.28
07 92 13 00-0029 CLF 1/2" x 1" Joint, Acrylic/Latex Sealant And Caulking <i>For Up To 0.75 CLF, Add</i> <i>For >4 CLF, Deduct</i>	376.51 21.15 -23.47	94.82
07 92 13 00-0030 CLF 3/4" x 3/4" Joint, Acrylic/Latex Sealant And Caulking <i>For Up To 0.65 CLF, Add</i> <i>For >3.5 CLF, Deduct</i>	396.99 22.46 -25.08	97.47
07 92 13 00-0031 CLF 3/4" x 1" Joint, Acrylic/Latex Sealant And Caulking <i>For Up To 0.5 CLF, Add</i> <i>For >2.5 CLF, Deduct</i>	458.43 26.41 -29.89	106.33
07 92 13 00-0032 CLF 1" x 1" Joint, Acrylic/Latex Sealant And Caulking <i>For Up To 0.4 CLF, Add</i> <i>For >2 CLF, Deduct</i>	540.36 31.67 -36.31	117.86
07 92 13 00-0033 Polyurethane Sealant And Caulking (07 92 13) Note: 1 or 2 part, non-sag.		
07 92 13 00-0034 CLF 1/4" x 1/4" Joint, Polyurethane Sealant And Caulking <i>For Up To 6 CLF, Add</i> <i>For >30 CLF, Deduct</i>	264.65 13.87 -14.50	79.75
07 92 13 00-0035 CLF 1/4" x 3/8" Joint, Polyurethane Sealant And Caulking <i>For Up To 4 CLF, Add</i> <i>For >20 CLF, Deduct</i>	277.35 14.82 -15.77	79.75
07 92 13 00-0036 CLF 1/4" x 1/2" Joint, Polyurethane Sealant And Caulking <i>For Up To 3 CLF, Add</i> <i>For >15 CLF, Deduct</i>	298.91 16.22 -17.49	82.41
07 92 13 00-0037 CLF 3/8" x 3/8" Joint, Polyurethane Sealant And Caulking <i>For Up To 2.5 CLF, Add</i> <i>For >13 CLF, Deduct</i>	305.26 16.69 -18.12	82.41
07 92 13 00-0038 CLF 3/8" x 1/2" Joint, Polyurethane Sealant And Caulking <i>For Up To 2 CLF, Add</i> <i>For >10 CLF, Deduct</i>	324.31 18.12 -20.03	82.41
07 92 13 00-0039 CLF 3/8" x 5/8" Joint, Polyurethane Sealant And Caulking <i>For Up To 1.5 CLF, Add</i> <i>For >8 CLF, Deduct</i>	343.36 19.55 -21.93	82.41
07 92 13 00-0040 CLF 3/8" x 3/4" Joint, Polyurethane Sealant And Caulking <i>For Up To 1.3 CLF, Add</i> <i>For >7 CLF, Deduct</i>	371.29 21.42 -24.28	85.96
07 92 13 00-0041 CLF 1/2" x 1/2" Joint, Polyurethane Sealant And Caulking <i>For Up To 1.4 CLF, Add</i> <i>For >7.5 CLF, Deduct</i>	358.59 20.47 -23.01	85.96
07 92 13 00-0042 CLF 1/2" x 5/8" Joint, Polyurethane Sealant And Caulking <i>For Up To 1.15 CLF, Add</i> <i>For >6 CLF, Deduct</i>	392.85 22.82 -25.99	88.61
07 92 13 00-0043 CLF 1/2" x 3/4" Joint, Polyurethane Sealant And Caulking <i>For Up To 1 CLF, Add</i> <i>For >5 CLF, Deduct</i>	418.25 24.72 -28.53	88.61
07 92 13 00-0044 CLF 1/2" x 7/8" Joint, Polyurethane Sealant And Caulking <i>For Up To 0.8 CLF, Add</i> <i>For >4.5 CLF, Deduct</i>	452.51 27.07 -31.52	91.28
07 92 13 00-0045 CLF 1/2" x 1" Joint, Polyurethane Sealant And Caulking <i>For Up To 0.75 CLF, Add</i> <i>For >4 CLF, Deduct</i>	486.77 29.42 -34.50	94.82
07 92 13 00-0046 CLF 3/4" x 3/4" Joint, Polyurethane Sealant And Caulking <i>For Up To 0.65 CLF, Add</i> <i>For >3.5 CLF, Deduct</i>	521.03 31.77 -37.48	97.47
07 92 13 00-0047 CLF 3/4" x 1" Joint, Polyurethane Sealant And Caulking <i>For Up To 0.5 CLF, Add</i> <i>For >2.5 CLF, Deduct</i>	623.82 38.81 -46.43	106.33
07 92 13 00-0048 Flexible Polysulfide Sealant And Caulking, Clear (07 92 13) Note: 1 or 2 part, non-sag.		
07 92 13 00-0049 CLF 1/4" x 1/4" Joint, Polysulfide Sealant And Caulking <i>For Up To 6 CLF, Add</i> <i>For >30 CLF, Deduct</i>	267.06 14.05 -14.74	79.75
07 92 13 00-0050 CLF 1/4" x 3/8" Joint, Polysulfide Sealant And Caulking <i>For Up To 4 CLF, Add</i> <i>For >20 CLF, Deduct</i>	280.98 15.09 -16.14	79.75
07 92 13 00-0051 CLF 1/4" x 1/2" Joint, Polysulfide Sealant And Caulking <i>For Up To 3 CLF, Add</i> <i>For >15 CLF, Deduct</i>	303.75 16.58 -17.97	82.41
07 92 13 00-0052 CLF 3/8" x 3/8" Joint, Polysulfide Sealant And Caulking <i>For Up To 2.5 CLF, Add</i> <i>For >13 CLF, Deduct</i>	310.70 17.10 -18.66	82.41
07 92 13 00-0053 CLF 3/8" x 1/2" Joint, Polysulfide Sealant And Caulking <i>For Up To 2 CLF, Add</i> <i>For >10 CLF, Deduct</i>	331.57 18.67 -20.75	82.41

07 Thermal And Moisture Protection**07 90 Joint Protection****07 92 Joint Sealants**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 92 13 00-0054	CLF		3/8" x 5/8" Joint, Polysulfide Sealant And Caulking.....	352.43	82.41
			<i>For Up To 1.5 CLF, Add</i>	20.23	
			<i>For >8 CLF, Deduct</i>	-22.84	
07 92 13 00-0055	CLF		3/8" x 3/4" Joint, Polysulfide Sealant And Caulking.....	382.16	85.96
			<i>For Up To 1.3 CLF, Add</i>	22.24	
			<i>For >7 CLF, Deduct</i>	-25.37	
07 92 13 00-0056	CLF		1/2" x 1/2" Joint, Polysulfide Sealant And Caulking.....	368.25	85.96
			<i>For Up To 1.4 CLF, Add</i>	21.19	
			<i>For >7.5 CLF, Deduct</i>	-23.98	
07 92 13 00-0057	CLF		1/2" x 5/8" Joint, Polysulfide Sealant And Caulking.....	404.94	88.61
			<i>For Up To 1.15 CLF, Add</i>	23.72	
			<i>For >6 CLF, Deduct</i>	-27.20	
07 92 13 00-0058	CLF		1/2" x 3/4" Joint, Polysulfide Sealant And Caulking.....	432.75	88.61
			<i>For Up To 1 CLF, Add</i>	25.81	
			<i>For >5 CLF, Deduct</i>	-29.98	
07 92 13 00-0059	CLF		1/2" x 7/8" Joint, Polysulfide Sealant And Caulking.....	469.43	91.28
			<i>For Up To 0.8 CLF, Add</i>	28.34	
			<i>For >4.5 CLF, Deduct</i>	-33.21	
07 92 13 00-0060	CLF		1/2" x 1" Joint, Polysulfide Sealant And Caulking.....	506.10	94.82
			<i>For Up To 0.75 CLF, Add</i>	30.87	
			<i>For >4 CLF, Deduct</i>	-36.43	
07 92 13 00-0061	CLF		3/4" x 3/4" Joint, Polysulfide Sealant And Caulking.....	542.79	97.47
			<i>For Up To 0.65 CLF, Add</i>	33.40	
			<i>For >3.5 CLF, Deduct</i>	-39.66	
07 92 13 00-0062	CLF		3/4" x 1" Joint, Polysulfide Sealant And Caulking.....	652.82	106.33
			<i>For Up To 0.5 CLF, Add</i>	40.99	
			<i>For >2.5 CLF, Deduct</i>	-49.33	
07 92 13 00-0063			Flexible Polyurethane Security Sealant And Caulking (07 92 13)		
			Note: 1 or 2 part, non-sag.		
07 92 13 00-0064	CLF		1/4" x 1/4" Joint, Flexible Polyurethane Security Sealant And Caulking.....	272.96	79.75
			<i>For Up To 6 CLF, Add</i>	14.49	
			<i>For >30 CLF, Deduct</i>	-15.33	
07 92 13 00-0065	CLF		1/4" x 3/8" Joint, Flexible Polyurethane Security Sealant And Caulking.....	289.82	79.75
			<i>For Up To 4 CLF, Add</i>	15.76	
			<i>For >20 CLF, Deduct</i>	-17.02	
07 92 13 00-0066	CLF		1/4" x 1/2" Joint, Flexible Polyurethane Security Sealant And Caulking.....	315.54	82.41
			<i>For Up To 3 CLF, Add</i>	17.46	
			<i>For >15 CLF, Deduct</i>	-19.15	
07 92 13 00-0067	CLF		3/8" x 3/8" Joint, Flexible Polyurethane Security Sealant And Caulking.....	323.96	82.41
			<i>For Up To 2.5 CLF, Add</i>	18.09	
			<i>For >13 CLF, Deduct</i>	-19.99	
07 92 13 00-0068	CLF		3/8" x 1/2" Joint, Flexible Polyurethane Security Sealant And Caulking.....	349.25	82.41
			<i>For Up To 2 CLF, Add</i>	19.99	
			<i>For >10 CLF, Deduct</i>	-22.52	
07 92 13 00-0069	CLF		3/8" x 5/8" Joint, Flexible Polyurethane Security Sealant And Caulking.....	374.53	82.41
			<i>For Up To 1.5 CLF, Add</i>	21.89	
			<i>For >8 CLF, Deduct</i>	-25.05	
07 92 13 00-0070	CLF		3/8" x 3/4" Joint, Flexible Polyurethane Security Sealant And Caulking.....	408.69	85.96
			<i>For Up To 1.3 CLF, Add</i>	24.23	
			<i>For >7 CLF, Deduct</i>	-28.02	
07 92 13 00-0071	CLF		1/2" x 1/2" Joint, Flexible Polyurethane Security Sealant And Caulking.....	391.83	85.96
			<i>For Up To 1.4 CLF, Add</i>	22.96	
			<i>For >7.5 CLF, Deduct</i>	-26.33	
07 92 13 00-0072	CLF		1/2" x 5/8" Joint, Flexible Polyurethane Security Sealant And Caulking.....	434.40	88.61
			<i>For Up To 1.15 CLF, Add</i>	25.93	
			<i>For >6 CLF, Deduct</i>	-30.15	
07 92 13 00-0073	CLF		1/2" x 3/4" Joint, Flexible Polyurethane Security Sealant And Caulking.....	468.12	88.61
			<i>For Up To 1 CLF, Add</i>	28.46	
			<i>For >5 CLF, Deduct</i>	-33.52	
07 92 13 00-0074	CLF		1/2" x 7/8" Joint, Flexible Polyurethane Security Sealant And Caulking.....	510.69	91.28
			<i>For Up To 0.8 CLF, Add</i>	31.43	
			<i>For >4.5 CLF, Deduct</i>	-37.33	
07 92 13 00-0075	CLF		1/2" x 1" Joint, Flexible Polyurethane Security Sealant And Caulking.....	553.26	94.82
			<i>For Up To 0.75 CLF, Add</i>	34.41	
			<i>For >4 CLF, Deduct</i>	-41.15	
07 92 13 00-0076	CLF		3/4" x 3/4" Joint, Flexible Polyurethane Security Sealant And Caulking.....	595.84	97.47
			<i>For Up To 0.65 CLF, Add</i>	37.38	
			<i>For >3.5 CLF, Deduct</i>	-44.96	
07 92 13 00-0077	CLF		3/4" x 1" Joint, Flexible Polyurethane Security Sealant And Caulking.....	723.56	106.33
			<i>For Up To 0.5 CLF, Add</i>	46.29	
			<i>For >2.5 CLF, Deduct</i>	-56.41	
07 92 19			Acoustical Joint Sealants (07 92)		
07 92 19 00-0001			Acoustical Sealant (07 92 19)		
07 92 19 00-0002	CLF		1/4" x 1/4" Joint, Acoustical Sealant.....	268.54	79.75
			<i>For Custom Match Coloring, Add</i>	7.03	
			<i>For Up To 6 CLF, Add</i>	14.16	
			<i>For >30 CLF, Deduct</i>	-14.89	
			<i>For 1 Part Mildew Resistant, Add</i>	10.25	
			<i>For High-Modulus Non-Acid Curing, Add</i>	5.86	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 92 19 00-0003 CLF 1/4" x 3/8" Joint, Acoustical Sealant.....	279.67	79.75
<i>For Custom Match Coloring, Add</i>	9.70	
<i>For Up To 4 CLF, Add</i>	14.99	
<i>For >20 CLF, Deduct</i>	-16.00	
<i>For 1 Part Mildew Resistant, Add</i>	14.15	
<i>For High-Modulus Non-Acid Curing, Add</i>	8.08	
07 92 19 00-0004 CLF 1/4" x 1/2" Joint, Acoustical Sealant.....	295.08	82.41
<i>For Custom Match Coloring, Add</i>	11.27	
<i>For Up To 3 CLF, Add</i>	15.93	
<i>For >15 CLF, Deduct</i>	-17.10	
<i>For 1 Part Mildew Resistant, Add</i>	16.44	
<i>For High-Modulus Non-Acid Curing, Add</i>	9.39	
07 92 19 00-0005 CLF 3/8" x 3/8" Joint, Acoustical Sealant.....	313.29	82.41
<i>For Custom Match Coloring, Add</i>	15.64	
<i>For Up To 2.5 CLF, Add</i>	17.29	
<i>For >13 CLF, Deduct</i>	-18.92	
<i>For 1 Part Mildew Resistant, Add</i>	22.81	
<i>For High-Modulus Non-Acid Curing, Add</i>	13.04	
07 92 19 00-0006 CLF 3/8" x 1/2" Joint, Acoustical Sealant.....	332.21	82.41
<i>For Custom Match Coloring, Add</i>	20.18	
<i>For Up To 2 CLF, Add</i>	18.71	
<i>For >10 CLF, Deduct</i>	-20.82	
<i>For 1 Part Mildew Resistant, Add</i>	29.44	
<i>For High-Modulus Non-Acid Curing, Add</i>	16.82	
07 92 19 00-0007 CLF 1/2" x 1/2" Joint, Acoustical Sealant.....	375.48	85.96
<i>For Custom Match Coloring, Add</i>	28.44	
<i>For Up To 1.4 CLF, Add</i>	21.74	
<i>For >7.5 CLF, Deduct</i>	-24.70	
<i>For 1 Part Mildew Resistant, Add</i>	41.48	
<i>For High-Modulus Non-Acid Curing, Add</i>	23.70	

07 95 Expansion Control (07 90)

07 95 13 Expansion Joint Cover Assemblies (07 95)

Note: Includes necessary waterproofing mastics/caulking.

07 95 13 13 Interior Expansion Joint Cover Assemblies (07 95 13)

07 95 13 13-0001 Interior Floor Expansion Joint Cover Assemblies (07 95 13 13)

07 95 13 13-0002 With 1" Space (07 95 13 13-0001)

07 95 13 13-0003	LF	1" Opening Floor Assembly Type, Aluminum Expansion Joint Cover.....	55.49	5.50
07 95 13 13-0004	LF	1" Opening Floor Assembly Type, Bronze Expansion Joint Cover.....	61.47	5.50
07 95 13 13-0005	LF	1" Opening Floor Assembly Type, Stainless Steel Expansion Joint Cover.....	73.42	5.50

07 95 13 13-0006 With 2" Space (07 95 13 13-0001)

07 95 13 13-0007	LF	2" Opening Floor Assembly Type, Aluminum Expansion Joint Cover.....	71.18	5.50
07 95 13 13-0008	LF	2" Opening Floor Assembly Type, Bronze Expansion Joint Cover.....	73.92	5.50
07 95 13 13-0009	LF	2" Opening Floor Assembly Type, Stainless Steel Expansion Joint Cover.....	98.07	5.50

07 95 13 13-0010 Interior Ceiling And Wall Expansion Joint Cover Assemblies (07 95 13 13)

07 95 13 13-0011 With 1" Space (07 95 13 13-0010)

07 95 13 13-0012	LF	Aluminum Expansion Joint Cover, 1" Opening Ceiling And Wall Assembly Type.....	39.81	5.50
07 95 13 13-0013	LF	Bronze Expansion Joint Cover, 1" Opening Ceiling And Wall Assembly Type.....	49.03	5.50
07 95 13 13-0014	LF	Stainless Steel Expansion Joint Cover, 1" Opening Ceiling And Wall Assembly Type.....	61.10	5.50

07 95 13 13-0015 With 2" Space (07 95 13 13-0010)

07 95 13 13-0016	LF	Aluminum Expansion Joint Cover, 2" Opening Ceiling And Wall Assembly Type.....	49.22	5.50
07 95 13 13-0017	LF	Bronze Expansion Joint Cover, 2" Opening Ceiling And Wall Assembly Type.....	55.24	5.50
07 95 13 13-0018	LF	Stainless Steel Expansion Joint Cover, 2" Opening Ceiling And Wall Assembly Type.....	73.42	5.50

07 95 13 16 Exterior Expansion Joint Cover Assemblies (07 95 13)

07 95 13 16-0001 Exterior Roof Aluminum Expansion Joint Cover Assemblies (07 95 13 16)

07 95 13 16-0002 Roof To Roof (07 95 13 16-0001)

07 95 13 16-0003	LF	1" Opening Aluminum Assemblies, Exterior Roof To Roof Expansion Joint.....	66.49	3.66
07 95 13 16-0004	LF	2" Opening Aluminum Assemblies, Exterior Roof To Roof Expansion Joint.....	79.69	3.66
07 95 13 16-0005	LF	3" Opening Aluminum Assemblies, Exterior Roof To Roof Expansion Joint.....	88.78	3.66

07 95 13 16-0006 Roof To Wall (07 95 13 16-0001)

07 95 13 16-0007	LF	Exterior Roof To Wall Expansion Joint, 1" Opening Aluminum Assemblies.....	50.35	3.66
07 95 13 16-0008	LF	Exterior Roof To Wall Expansion Joint, 2" Opening Aluminum Assemblies.....	66.51	3.66

07 95 13 16-0009 Flat Wall To Wall (07 95 13 16-0001)

07 95 13 16-0010	LF	Exterior Wall To Wall Expansion Joint, 1" Opening Aluminum Assemblies.....	37.89	3.66
------------------	----	--	-------	------

07 Thermal And Moisture Protection**07 90 Joint Protection****07 95 Expansion Control**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
07 95 13 16-0011	LF		Exterior Wall To Wall Expansion Joint, 2" Opening Aluminum Assemblies.....	47.59	3.66
07 95 13 16-0012	LF		Exterior Wall To Wall Expansion Joint, 3" Opening Aluminum Assemblies.....	59.29	3.66
07 95 13 16-0013			Corner To Flat Wall <small>(07 95 13 16-0001)</small>		
07 95 13 16-0014	LF		Exterior Corner To Wall Expansion Joint, 1" Opening Aluminum Assemblies.....	36.05	3.66
07 95 13 16-0015	LF		Exterior Corner To Wall Expansion Joint, 2" Opening Aluminum Assemblies.....	42.52	3.66
07 95 13 16-0016	LF		Exterior Corner To Wall Expansion Joint, 3" Opening Aluminum Assemblies.....	60.68	3.66

END OF SECTION 07



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
------------------------------	---------------------------	-------------------------

08 Openings

08 01 Operation And Maintenance Of Openings ⁽⁰⁸⁾

08 01 40 Operation And Maintenance Of Entrances, Storefronts, And Curtain Walls ^(08 01)

08 01 44 Operation And Maintenance Of Curtain Walls ^(08 01 40)

08 01 44 00-0001 Retrofit Curtain Walls ^(08 01 44)

08 01 44 00-0002	EA	Curtain Wall Retrofit Glass Lites, 5' x 7' nominal, 1" IG Viracon VWS7-08 HS/HS Superwindow	1,917.74	908.58
08 01 44 00-0003	LF	Curtain Wall Retrofit Exterior Mullion Caps	18.03	5.17
08 01 44 00-0004	LF	Curtain Wall Retrofit Exterior Corner Covers 12" x 12" nominal	75.61	22.43
08 01 44 00-0005	LF	Curtain Wall Retrofit Exterior Parapet Covers	70.44	22.43
08 01 44 00-0006	LF	Curtain Wall Retrofit Remove/Reinstall Existing Mullion	21.57	
08 01 44 00-0007	EA	Curtain Wall Retrofit one time Extrusion Die Engineering/ Manufacture Fee	12,000.00	

08 01 50 Operation And Maintenance Of Windows ^(08 01)

08 01 52 Operation and Maintenance of Wood Windows ^(08 01 50)

08 01 52 61 Wood Window Repairs ^(08 01 52)

08 01 52 61-0001 Window Restoration And Replacement ^(08 01 52 61)

08 01 52 61-0002	EA	Removal And Replacement Of Sash Guides	9.66	
08 01 52 61-0003	EA	Removal And Replacement Of Window Arms	26.65	
08 01 52 61-0004	EA	Removal And Replacement Of Window Crank Operator	29.85	
08 01 52 61-0005	EA	Removal And Replacement Of Brass Window Sash Pull	18.42	
08 01 52 61-0006	EA	Removal And Replacement Of Brass Window Sash Lock	16.91	
08 01 52 61-0007	EA	Removal And Replacement Of Window Balance, Removable Sash Window	20.71	
		Note: Channel, spiral or coil balance.		
08 01 52 61-0008	EA	Removal And Replacement Of Window Balance, Sash Window, Wooden Stops And/Or Casing	65.04	
		Note: Channel, spiral or coil balance.		
		For Replacing Two Balances In One Window, Deduct	-24.47	

08 01 80 Maintenance of Glazing ^(08 01)

08 01 81 Maintenance of Glass Glazing ^(08 01 80)

08 01 81 00-0001 Glazing Compound Repair ^(08 01 81)

08 01 81 00-0002	LF	Removal And Replacement Of Up To 1/2" Wide Damaged, Broken Or Cracked Window Glazing	4.40	
------------------	----	--	------	--

08 05 Common Work Results For Openings ⁽⁰⁸⁾

08 05 13 Door Options And Modifications ^(08 05)

Note: Excludes removal and reinstallation of door.

08 05 13 00-0001 Door Vision Panels (Pemko LT-S1) ^(08 05 13)

Note: Factory primed or powder coated. See CSI section 08 81 00 00-0000 for glazing.

08 05 13 00-0002	EA	For Up To 1 SF, Factory Installed 20 Gauge Galvannealed Steel Frame With 3/8" Glazing Pocket For Vision Glass In Door, Add	84.15	
		For 9/16" To 1-1/16" Glazing Pocket, Add	42.08	
08 05 13 00-0003	EA	For >1 To 2 SF, Factory Installed 20 Gauge Galvannealed Steel Frame With 3/8" Glazing Pocket For Vision Glass In Door, Add	106.52	
		For 9/16" To 1-1/16" Glazing Pocket, Add	53.26	
08 05 13 00-0004	EA	For >2 To 4 SF, Factory Installed 20 Gauge Galvannealed Steel Frame With 3/8" Glazing Pocket For Vision Glass In Door, Add	123.57	
		For 9/16" To 1-1/16" Glazing Pocket, Add	61.79	
08 05 13 00-0005	EA	For >4 To 6 SF, Factory Installed 20 Gauge Galvannealed Steel Frame With 3/8" Glazing Pocket For Vision Glass In Door, Add	157.66	
		For 9/16" To 1-1/16" Glazing Pocket, Add	78.83	
08 05 13 00-0006	EA	For >6 To 8 SF, Factory Installed 20 Gauge Galvannealed Steel Frame With 3/8" Glazing Pocket For Vision Glass In Door, Add	204.53	
		For 9/16" To 1-1/16" Glazing Pocket, Add	102.27	
08 05 13 00-0007	EA	For >8 To 10 SF, Factory Installed 20 Gauge Galvannealed Steel Frame With 3/8" Glazing Pocket For Vision Glass In Door, Add	260.98	
		For 9/16" To 1-1/16" Glazing Pocket, Add	130.49	
08 05 13 00-0008	EA	For >10 SF, Factory Installed 20 Gauge Galvannealed Steel Frame With 3/8" Glazing Pocket For Vision Glass In Door, Add	276.96	
		For 9/16" To 1-1/16" Glazing Pocket, Add	138.48	
08 05 13 00-0009	EA	For Up To 1 SF, Site Installed 20 Gauge Galvannealed Steel Frame With 3/8" Glazing Pocket For Vision Glass In Door, Add	165.14	
		For 9/16" To 1-1/16" Glazing Pocket, Add	38.25	
08 05 13 00-0010	EA	For >1 To 2 SF, Site Installed 20 Gauge Galvannealed Steel Frame With 3/8" Glazing Pocket For Vision Glass In Door, Add	194.35	
		For 9/16" To 1-1/16" Glazing Pocket, Add	48.42	

08 Openings**08 05 Common Work Results For Openings****08 05 13 Door Options And Modifications**

MINOR CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 05 13 00-0011	EA	For >2 To 4 SF, Site Installed 20 Gauge Galvanized Steel Frame With 3/8" Glazing Pocket For Vision Glass In Door, Add.....	218.70	
		<i>For 9/16" To 1-1/16" Glazing Pocket, Add</i>	56.17	
08 05 13 00-0012	EA	For >4 To 6 SF, Site Installed 20 Gauge Galvanized Steel Frame With 3/8" Glazing Pocket For Vision Glass In Door, Add.....	258.56	
		<i>For 9/16" To 1-1/16" Glazing Pocket, Add</i>	71.66	
08 05 13 00-0013	EA	For >6 To 8 SF, Site Installed 20 Gauge Galvanized Steel Frame With 3/8" Glazing Pocket For Vision Glass In Door, Add.....	310.04	
		<i>For 9/16" To 1-1/16" Glazing Pocket, Add</i>	92.97	
08 05 13 00-0014	EA	For >8 To 10 SF, Site Installed 20 Gauge Galvanized Steel Frame With 3/8" Glazing Pocket For Vision Glass In Door, Add.....	370.23	
		<i>For 9/16" To 1-1/16" Glazing Pocket, Add</i>	118.63	
08 05 13 00-0015	EA	For >10 SF, Site Installed 20 Gauge Galvanized Steel Frame With 3/8" Glazing Pocket For Vision Glass In Door, Add.....	393.61	
		<i>For 9/16" To 1-1/16" Glazing Pocket, Add</i>	125.89	
08 05 13 00-0016		Door Louvers, Inverted "Y" 50% Free Air (Pemko LV-IY) (08 05 13)		
		Note: Factory primed or powder coated.		
08 05 13 00-0017	EA	For Up To 1 SF, Factory Installed 20 Gauge Galvanized Inverted "Y" Blades, 18 Gauge Galvanized Frame Louver In Door, Add.....	80.10	
08 05 13 00-0018	EA	For >1 To 2 SF, Factory Installed 20 Gauge Galvanized Inverted "Y" Blades, 18 Gauge Galvanized Frame Louver In Door, Add.....	90.99	
08 05 13 00-0019	EA	For >2 To 4 SF, Factory Installed 20 Gauge Galvanized Inverted "Y" Blades, 18 Gauge Galvanized Frame Louver In Door, Add.....	123.66	
08 05 13 00-0020	EA	For >4 To 6 SF, Factory Installed 20 Gauge Galvanized Inverted "Y" Blades, 18 Gauge Galvanized Frame Louver In Door, Add.....	230.61	
08 05 13 00-0021	EA	For >6 To 8 SF, Factory Installed 20 Gauge Galvanized Inverted "Y" Blades, 18 Gauge Galvanized Frame Louver In Door, Add.....	285.17	
08 05 13 00-0022	EA	For >8 To 10 SF, Factory Installed 20 Gauge Galvanized Inverted "Y" Blades, 18 Gauge Galvanized Frame Louver In Door, Add.....	340.61	
08 05 13 00-0023	EA	For >10 To 14 SF, Factory Installed 20 Gauge Galvanized Inverted "Y" Blades, 18 Gauge Galvanized Frame Louver In Door, Add.....	444.45	
08 05 13 00-0024	EA	For >14 To 18 SF, Factory Installed 20 Gauge Galvanized Inverted "Y" Blades, 18 Gauge Galvanized Frame Louver In Door, Add.....	523.17	
		<i>For 18 Gauge Louver And 18 Gauge Frame, Add</i>	62.78	
08 05 13 00-0025	EA	For Up To 1 SF, Site Installed 20 Gauge Galvanized Inverted "Y" Blades, 18 Gauge Galvanized Frame Louver In Door, Add.....	146.58	
08 05 13 00-0026	EA	For >1 To 2 SF, Site Installed 20 Gauge Galvanized Inverted "Y" Blades, 18 Gauge Galvanized Frame Louver In Door, Add.....	164.12	
08 05 13 00-0027	EA	For >2 To 4 SF, Site Installed 20 Gauge Galvanized Inverted "Y" Blades, 18 Gauge Galvanized Frame Louver In Door, Add.....	203.44	
08 05 13 00-0028	EA	For >4 To 6 SF, Site Installed 20 Gauge Galvanized Inverted "Y" Blades, 18 Gauge Galvanized Frame Louver In Door, Add.....	317.04	
08 05 13 00-0029	EA	For >6 To 8 SF, Site Installed 20 Gauge Galvanized Inverted "Y" Blades, 18 Gauge Galvanized Frame Louver In Door, Add.....	378.25	
08 05 13 00-0030	EA	For >8 To 10 SF, Site Installed 20 Gauge Galvanized Inverted "Y" Blades, 18 Gauge Galvanized Frame Louver In Door, Add.....	440.34	
08 05 13 00-0031	EA	For >10 To 14 SF, Site Installed 20 Gauge Galvanized Inverted "Y" Blades, 18 Gauge Galvanized Frame Louver In Door, Add.....	550.82	
08 05 13 00-0032	EA	For >14 To 18 SF, Site Installed 20 Gauge Galvanized Inverted "Y" Blades, 18 Gauge Galvanized Frame Louver In Door, Add.....	633.98	
		<i>For 18 Gauge Louver And 18 Gauge Frame, Add</i>	62.78	
08 05 13 00-0033		Fire Rated Fusible Link Louvers (Pemko LV-FL) (08 05 13)		
		Note: Factory primed or powder coated.		
08 05 13 00-0034	EA	For Up To 1 SF, Factory Installed 16 Gauge Galvanized Adjustable "Z" Blades, 18 Gauge Galvanized Frame Fire Rated Fusible Link Louver In Door, Add.....	162.18	
08 05 13 00-0035	EA	For >1 To 2 SF, Factory Installed 16 Gauge Galvanized Adjustable "Z" Blades, 18 Gauge Galvanized Frame Fire Rated Fusible Link Louver In Door, Add.....	185.58	
08 05 13 00-0036	EA	For >2 To 4 SF, Factory Installed 16 Gauge Galvanized Adjustable "Z" Blades, 18 Gauge Galvanized Frame Fire Rated Fusible Link Louver In Door, Add.....	217.98	
08 05 13 00-0037	EA	For Up To 1 SF, Site Installed 16 Gauge Galvanized Adjustable "Z" Blades, 18 Gauge Galvanized Frame Fire Rated Fusible Link Louver In Door, Add.....	241.96	
08 05 13 00-0038	EA	For >1 To 2 SF, Site Installed 16 Gauge Galvanized Adjustable "Z" Blades, 18 Gauge Galvanized Frame Fire Rated Fusible Link Louver In Door, Add.....	274.22	
08 05 13 00-0039	EA	For >2 To 4 SF, Site Installed 16 Gauge Galvanized Adjustable "Z" Blades, 18 Gauge Galvanized Frame Fire Rated Fusible Link Louver In Door, Add.....	313.71	
08 05 13 00-0040		Door Hardware Preparation (08 05 13)		
08 05 13 00-0041	EA	Factory Prepare Wood Door (Rated Or Non-Rated) For Mortise Lockset Hardware.....	66.46	
08 05 13 00-0042	EA	Prepare Existing Wood Door (Rated) For Mortise Lockset Hardware.....	163.93	
		Note: Requires door to be taken off site for UL certification.		
08 05 13 00-0043	EA	Prepare Existing Wood Door (Non-Rated) For Mortise Lockset Hardware.....	75.32	
08 05 13 00-0044	EA	Prepare Existing Wood Door (Rated) For Cylindrical Lockset Hardware.....	132.92	
		Note: Requires door to be taken off site for UL certification.		
08 05 13 00-0045	EA	Prepare Existing Wood Door (Non-Rated) For Cylindrical Lockset Hardware.....	22.15	
08 05 13 00-0046	EA	Prepare Existing Wood Door (Rated) For Concealed Vertical Rod.....	243.71	
		Note: Requires door to be taken off site for UL certification.		
08 05 13 00-0047	EA	Prepare Existing Wood Door (Non-Rated) For Concealed Vertical Rod.....	155.07	
08 05 13 00-0048	EA	Prepare Existing Wood Door (Rated) For Electric Hardware.....	163.93	
		Note: Requires door to be taken off site for UL certification.		



	MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 05 13 00-0049	EA Prepare Existing Door (Non-Rated) For Electric Hardware.....	75.32	
08 05 13 00-0050	Door Modifications (08 05 13)		
08 05 13 00-0051	EA Removal And Reinstallation Of Door	75.35	
08 05 13 00-0052	EA Removal And Reinstallation Of Metal Door Frame	147.74	
08 05 13 00-0053	EA Trim Bottom Of Existing Steel Door For Installation Of Carpet Or Tile..... Note: Excludes removal and reinstallation of door.	79.78	
08 05 13 00-0054	EA Modify Metal Door Frame For Door Swing..... Note: Includes removal of door; install blank hinge plates, new continuous hinge, blank strike plate, new strike plate and reinstallation of door.	929.11	
08 05 13 00-0055	EA Factory Installed Sound Proofing (STC 28) In Metal Door.....	121.79	
08 05 13 00-0056	SF For 16 Gauge Steel Metal Plate Bolted On Door..... Note: Includes mounting hardware.	23.22	
08 05 13 00-0057	EA Removal And Reinstallation Of Wood Door Frame.....	89.13	
08 05 13 00-0058	EA Trim Bottom Of Existing Wood Door For Installation Of Carpet Or Tile..... Note: Excludes removal and reinstallation of door.	40.11	
08 05 13 00-0059	EA Factory Trim Wood Door Edge For Custom Width.....	57.94	
08 10	Doors And Frames (08)		
08 11	Metal Doors And Frames (08 10)		
08 11 63	Metal Screen And Storm Doors And Frames (08 11)		
08 11 63 13	Steel Screen And Storm Doors And Frames (08 11 63)		
08 11 63 13-0001	Steel Screen Door (08 11 63 13) Note: Includes frame, trim, necessary anchors and hardware (closures, chain and spring, latching, screens, etc.).		
08 11 63 13-0002	EA 2'-8" x 7", Residential, Steel Screen Door With Frame, Trim, Hardware	827.49	121.88
08 11 63 13-0003	EA 3' x 7" Steel Screen Door, Residential, With Frame, Trim, Hardware	836.40	126.32
08 11 63 13-0004	EA Steel Combination Type Residential Storm Door, With Mesh And Tempered Glass With Frame, Trim, Hardware	811.15	126.32
08 11 63 23	Aluminum Screen And Storm Doors And Frames (08 11 63)		
08 11 63 23-0001	Aluminum Combination Type With Tempered Glass At Top And Bottom (08 11 63 23) Note: Includes frame trim, necessary anchors and usual hardware (closures, chain and spring, latching, screens, etc.).		
08 11 63 23-0002	EA Aluminum Combination Type Residential Storm Door, Tempered Glass Top With Frame, Trim, Hardware..... <i>For Special Finished, Add</i>	689.33 61.45	70.92
08 11 63 23-0003	EA Aluminum Combination Type Residential Storm Door, Tempered Glass Top And Bottom With Frame, Trim, Hardware	723.87	70.92
08 11 63 23-0004	EA Aluminum Screen Door.....	207.56	44.31
08 11 63 23-0005	SF Repair Screen Door	7.66	
08 11 73	Sliding Metal Fire Doors (08 11)		
08 11 73 00-0001	Motor Operated Fire Door (08 11 73) Note: With fusible link, 3 hour rating. Excludes electrical hook-up of motor.		
08 11 73 00-0002	EA 3' x 6' 8" Sliding Metal Fire Door, Motor Operated Door With 3 Hour Rating	3,978.98	458.24
08 11 73 00-0003	EA 3' 8" x 6' 8" Sliding Metal Fire Door, Motor Operated Door With 3 Hour Rating.....	4,274.95	458.24
08 11 73 00-0004	EA 4' x 8' Sliding Metal Fire Door, Motor Operated Door With 3 Hour Rating.....	4,773.31	458.24
08 11 73 00-0005	EA 5' x 8' Sliding Metal Fire Door, Motor Operated Door With 3 Hour Rating.....	5,312.00	458.24
08 12	Metal Frames (08 10) Note: All door frames include perimeter caulk, sealant (as required), anchors and silencers.		
08 12 13	Hollow Metal Frames (08 12)		
08 12 13 13	Standard Hollow Metal Frames (08 12 13) Note: Shop prime coat. See CSI section 04 05 16 26-0017 for grouting frames.		
08 12 13 13-0001	4-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frames (08 12 13 13) Note: For non-rated or fire rated frame assemblies		
08 12 13 13-0002	6'-8" Through 7'-2" High, 4-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frames (08 12 13 13-0001)		
08 12 13 13-0003	EA 2' x 6'-8" Through 7'-2" High, 4-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	292.39	66.48
	<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	23.91	
	<i>For Welded Frames, Add</i>	92.93	
	<i>For Galvanized Frames, Add</i>	19.13	
	<i>For Type 304 Stainless Steel Frame, Add</i>	293.60	
	<i>For Type 316 Stainless Steel Frame, Add</i>	341.43	
	<i>For Baked Enamel Finish, Add</i>	67.77	
	<i>For 18 Gauge Frame, Deduct</i>	-15.94	
	<i>For 14 Gauge Frame, Add</i>	39.86	
	<i>For 12 Gauge Frame, Add</i>	60.58	
	<i>For Clear Aluminum Frames (Three Piece), Add</i>	47.03	
	<i>For Black Aluminum Frames (Three Piece), Add</i>	71.74	

08 Openings**08 10 Doors And Frames****08 12 Metal Frames**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
-------	-----	-----	-------------	------------------------	----------------------

08 12 13 13-0004	EA		2'-4" x 6'-8" Through 7'-2" High, 4-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	336.05	73.13
			<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	28.47	
			<i>For Welded Frames, Add</i>	92.93	
			<i>For Galvanized Frames, Add</i>	22.77	
			<i>For Type 304 Stainless Steel Frame, Add</i>	348.92	
			<i>For Type 316 Stainless Steel Frame, Add</i>	405.85	
			<i>For Baked Enamel Finish, Add</i>	78.87	
			<i>For 18 Gauge Frame, Deduct</i>	-18.98	
			<i>For 14 Gauge Frame, Add</i>	47.45	
			<i>For 12 Gauge Frame, Add</i>	72.12	
			<i>For Clear Aluminum Frames (Three Piece), Add</i>	55.99	
			<i>For Black Aluminum Frames (Three Piece), Add</i>	85.40	
08 12 13 13-0005	EA		2'-6" x 6'-8" Through 7'-2" High, 4-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	347.95	77.57
			<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	28.92	
			<i>For Welded Frames, Add</i>	92.93	
			<i>For Galvanized Frames, Add</i>	23.14	
			<i>For Type 304 Stainless Steel Frame, Add</i>	354.83	
			<i>For Type 316 Stainless Steel Frame, Add</i>	412.68	
			<i>For Baked Enamel Finish, Add</i>	81.12	
			<i>For 18 Gauge Frame, Deduct</i>	-19.28	
			<i>For 14 Gauge Frame, Add</i>	48.21	
			<i>For 12 Gauge Frame, Add</i>	73.27	
			<i>For Clear Aluminum Frames (Three Piece), Add</i>	56.88	
			<i>For Black Aluminum Frames (Three Piece), Add</i>	86.77	
08 12 13 13-0006	EA		2'-8" x 6'-8" Through 7'-2" High, 4-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	361.24	84.22
			<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	28.92	
			<i>For Welded Frames, Add</i>	92.93	
			<i>For Galvanized Frames, Add</i>	23.14	
			<i>For Type 304 Stainless Steel Frame, Add</i>	355.50	
			<i>For Type 316 Stainless Steel Frame, Add</i>	413.34	
			<i>For Baked Enamel Finish, Add</i>	83.11	
			<i>For 18 Gauge Frame, Deduct</i>	-19.28	
			<i>For 14 Gauge Frame, Add</i>	48.21	
			<i>For 12 Gauge Frame, Add</i>	73.27	
			<i>For Clear Aluminum Frames (Three Piece), Add</i>	56.88	
			<i>For Black Aluminum Frames (Three Piece), Add</i>	86.77	
08 12 13 13-0007	EA		2'-10" x 6'-8" Through 7'-2" High, 4-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	368.72	86.43
			<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	29.38	
			<i>For Welded Frames, Add</i>	92.93	
			<i>For Galvanized Frames, Add</i>	23.50	
			<i>For Type 304 Stainless Steel Frame, Add</i>	361.19	
			<i>For Type 316 Stainless Steel Frame, Add</i>	419.95	
			<i>For Baked Enamel Finish, Add</i>	84.69	
			<i>For 18 Gauge Frame, Deduct</i>	-19.59	
			<i>For 14 Gauge Frame, Add</i>	48.97	
			<i>For 12 Gauge Frame, Add</i>	74.43	
			<i>For Clear Aluminum Frames (Three Piece), Add</i>	57.78	
			<i>For Black Aluminum Frames (Three Piece), Add</i>	88.14	
08 12 13 13-0008	EA		3' x 6'-8" Through 7'-2" High, 4-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame.....	376.17	88.64
			<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	29.83	
			<i>For Welded Frames, Add</i>	92.93	
			<i>For Galvanized Frames, Add</i>	23.87	
			<i>For Type 304 Stainless Steel Frame, Add</i>	366.87	
			<i>For Type 316 Stainless Steel Frame, Add</i>	426.53	
			<i>For Baked Enamel Finish, Add</i>	86.26	
			<i>For 18 Gauge Frame, Deduct</i>	-19.89	
			<i>For 14 Gauge Frame, Add</i>	49.72	
			<i>For 12 Gauge Frame, Add</i>	75.58	
			<i>For Clear Aluminum Frames (Three Piece), Add</i>	58.67	
			<i>For Black Aluminum Frames (Three Piece), Add</i>	89.50	
08 12 13 13-0009	EA		3'-4" x 6'-8" Through 7'-2" High, 4-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	398.72	93.08
			<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	31.88	
			<i>For Welded Frames, Add</i>	92.93	
			<i>For Galvanized Frames, Add</i>	25.51	
			<i>For Type 304 Stainless Steel Frame, Add</i>	391.92	
			<i>For Type 316 Stainless Steel Frame, Add</i>	455.68	
			<i>For Baked Enamel Finish, Add</i>	91.69	
			<i>For 18 Gauge Frame, Deduct</i>	-21.26	
			<i>For 14 Gauge Frame, Add</i>	53.14	
			<i>For 12 Gauge Frame, Add</i>	80.77	
			<i>For Clear Aluminum Frames (Three Piece), Add</i>	62.71	
			<i>For Black Aluminum Frames (Three Piece), Add</i>	95.65	
08 12 13 13-0010	EA		3'-6" x 6'-8" Through 7'-2" High, 4-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	407.58	97.51
			<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	31.88	
			<i>For Welded Frames, Add</i>	92.93	
			<i>For Galvanized Frames, Add</i>	25.51	
			<i>For Type 304 Stainless Steel Frame, Add</i>	392.36	
			<i>For Type 316 Stainless Steel Frame, Add</i>	456.13	
			<i>For Baked Enamel Finish, Add</i>	93.02	
			<i>For 18 Gauge Frame, Deduct</i>	-21.26	
			<i>For 14 Gauge Frame, Add</i>	53.14	
			<i>For 12 Gauge Frame, Add</i>	80.77	
			<i>For Clear Aluminum Frames (Three Piece), Add</i>	62.71	
			<i>For Black Aluminum Frames (Three Piece), Add</i>	95.65	



Openings	08	08
Doors And Frames	08 10	
Metal Frames	08 12	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 12 13 13-0011 EA 4' x 6'-8" Through 7'-2" High, 4-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	424.03	101.94
For Auxiliary Frame Reinforcement For Hinges, Add	33.02	
For Welded Frames, Add	92.93	
For Galvanized Frames, Add	26.42	
For Type 304 Stainless Steel Frame, Add	406.46	
For Type 316 Stainless Steel Frame, Add	472.51	
For Baked Enamel Finish, Add	96.63	
For 18 Gauge Frame, Deduct	-22.02	
For 14 Gauge Frame, Add	55.04	
For 12 Gauge Frame, Add	83.66	
For Clear Aluminum Frames (Three Piece), Add	64.94	
For Black Aluminum Frames (Three Piece), Add	99.07	
08 12 13 13-0012 EA 5' x 6'-8" Through 7'-2" High, 4-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	440.49	106.37
For Auxiliary Frame Reinforcement For Hinges, Add	34.16	
For Welded Frames, Add	92.93	
For Galvanized Frames, Add	27.33	
For Type 304 Stainless Steel Frame, Add	420.57	
For Type 316 Stainless Steel Frame, Add	488.89	
For Baked Enamel Finish, Add	100.23	
For 18 Gauge Frame, Deduct	-22.77	
For 14 Gauge Frame, Add	56.94	
For 12 Gauge Frame, Add	86.54	
For Clear Aluminum Frames (Three Piece), Add	67.18	
For Black Aluminum Frames (Three Piece), Add	102.48	
08 12 13 13-0013 EA 5'-4" x 6'-8" Through 7'-2" High, 4-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	449.35	110.81
For Auxiliary Frame Reinforcement For Hinges, Add	34.16	
For Welded Frames, Add	92.93	
For Galvanized Frames, Add	27.33	
For Type 304 Stainless Steel Frame, Add	421.01	
For Type 316 Stainless Steel Frame, Add	489.33	
For Baked Enamel Finish, Add	101.56	
For 18 Gauge Frame, Deduct	-22.77	
For 14 Gauge Frame, Add	56.94	
For 12 Gauge Frame, Add	86.54	
For Clear Aluminum Frames (Three Piece), Add	67.18	
For Black Aluminum Frames (Three Piece), Add	102.48	
08 12 13 13-0014 EA 6' x 6'-8" Through 7'-2" High, 4-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	457.59	113.02
For Auxiliary Frame Reinforcement For Hinges, Add	34.73	
For Welded Frames, Add	92.93	
For Galvanized Frames, Add	27.78	
For Type 304 Stainless Steel Frame, Add	428.07	
For Type 316 Stainless Steel Frame, Add	497.54	
For Baked Enamel Finish, Add	103.37	
For 18 Gauge Frame, Deduct	-23.15	
For 14 Gauge Frame, Add	57.89	
For 12 Gauge Frame, Add	87.99	
For Clear Aluminum Frames (Three Piece), Add	68.30	
For Black Aluminum Frames (Three Piece), Add	104.19	
08 12 13 13-0015 EA 6' x 6'-8" Through 7'-2" High, 4-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	465.80	115.24
For Auxiliary Frame Reinforcement For Hinges, Add	35.30	
For Welded Frames, Add	92.93	
For Galvanized Frames, Add	28.24	
For Type 304 Stainless Steel Frame, Add	435.12	
For Type 316 Stainless Steel Frame, Add	505.72	
For Baked Enamel Finish, Add	105.17	
For 18 Gauge Frame, Deduct	-23.53	
For 14 Gauge Frame, Add	58.83	
For 12 Gauge Frame, Add	89.43	
For Clear Aluminum Frames (Three Piece), Add	69.42	
For Black Aluminum Frames (Three Piece), Add	105.90	
08 12 13 13-0016 EA 7' x 6'-8" Through 7'-2" High, 4-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	485.42	117.46
For Auxiliary Frame Reinforcement For Hinges, Add	37.58	
For Welded Frames, Add	92.93	
For Galvanized Frames, Add	30.06	
For Type 304 Stainless Steel Frame, Add	462.66	
For Type 316 Stainless Steel Frame, Add	537.82	
For Baked Enamel Finish, Add	110.39	
For 18 Gauge Frame, Deduct	-25.05	
For 14 Gauge Frame, Add	62.63	
For 12 Gauge Frame, Add	95.19	
For Clear Aluminum Frames (Three Piece), Add	73.90	
For Black Aluminum Frames (Three Piece), Add	112.73	
08 12 13 13-0017 EA 8' x 6'-8" Through 7'-2" High, 4-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	505.04	119.67
For Auxiliary Frame Reinforcement For Hinges, Add	39.86	
For Welded Frames, Add	92.93	
For Galvanized Frames, Add	31.88	
For Type 304 Stainless Steel Frame, Add	490.23	
For Type 316 Stainless Steel Frame, Add	569.94	
For Baked Enamel Finish, Add	115.61	
For 18 Gauge Frame, Deduct	-26.57	
For 14 Gauge Frame, Add	66.43	
For 12 Gauge Frame, Add	100.97	
For Clear Aluminum Frames (Three Piece), Add	78.38	
For Black Aluminum Frames (Three Piece), Add	119.57	

08	08	Openings
	08 10	Doors And Frames
	08 12	Metal Frames



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 12 13 13-0018 >7'-2" Through 9'-0" High, 4-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frames		
08 12 13 13-0019 EA 2' x >7'-2" Through 9' High, 4-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	310.10	66.48
For Auxiliary Frame Reinforcement For Hinges, Add	26.57	
For Welded Frames, Add	92.93	
For Galvanized Frames, Add	21.26	
For Type 304 Stainless Steel Frame, Add	325.48	
For Type 316 Stainless Steel Frame, Add	378.62	
For Baked Enamel Finish, Add	73.08	
For 18 Gauge Frame, Deduct	-17.71	
For 14 Gauge Frame, Add	44.28	
For 12 Gauge Frame, Add	67.31	
For Clear Aluminum Frames (Three Piece), Add	52.25	
For Black Aluminum Frames (Three Piece), Add	79.71	
08 12 13 13-0020 EA 2'-4" x >7'-2" Through 9' High, 4-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	357.14	73.13
For Auxiliary Frame Reinforcement For Hinges, Add	31.63	
For Welded Frames, Add	92.93	
For Galvanized Frames, Add	25.30	
For Type 304 Stainless Steel Frame, Add	386.88	
For Type 316 Stainless Steel Frame, Add	450.14	
For Baked Enamel Finish, Add	85.20	
For 18 Gauge Frame, Deduct	-21.09	
For 14 Gauge Frame, Add	52.72	
For 12 Gauge Frame, Add	80.13	
For Clear Aluminum Frames (Three Piece), Add	62.21	
For Black Aluminum Frames (Three Piece), Add	94.89	
08 12 13 13-0021 EA 2'-6" x >7'-2" Through 9' High, 4-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	369.37	77.57
For Auxiliary Frame Reinforcement For Hinges, Add	32.14	
For Welded Frames, Add	92.93	
For Galvanized Frames, Add	25.71	
For Type 304 Stainless Steel Frame, Add	393.39	
For Type 316 Stainless Steel Frame, Add	457.66	
For Baked Enamel Finish, Add	87.54	
For 18 Gauge Frame, Deduct	-21.42	
For 14 Gauge Frame, Add	53.56	
For 12 Gauge Frame, Add	81.41	
For Clear Aluminum Frames (Three Piece), Add	63.20	
For Black Aluminum Frames (Three Piece), Add	96.41	
08 12 13 13-0022 EA 2'-8" x >7'-2" Through 9' High, 4-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	382.66	84.22
For Auxiliary Frame Reinforcement For Hinges, Add	32.14	
For Welded Frames, Add	92.93	
For Galvanized Frames, Add	25.71	
For Type 304 Stainless Steel Frame, Add	394.05	
For Type 316 Stainless Steel Frame, Add	458.33	
For Baked Enamel Finish, Add	89.54	
For 18 Gauge Frame, Deduct	-21.42	
For 14 Gauge Frame, Add	53.56	
For 12 Gauge Frame, Add	81.41	
For Clear Aluminum Frames (Three Piece), Add	63.20	
For Black Aluminum Frames (Three Piece), Add	96.41	
08 12 13 13-0023 EA 2'-10" x >7'-2" Through 9' High, 4-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	390.48	86.43
For Auxiliary Frame Reinforcement For Hinges, Add	32.64	
For Welded Frames, Add	92.93	
For Galvanized Frames, Add	26.11	
For Type 304 Stainless Steel Frame, Add	400.36	
For Type 316 Stainless Steel Frame, Add	465.65	
For Baked Enamel Finish, Add	91.22	
For 18 Gauge Frame, Deduct	-21.76	
For 14 Gauge Frame, Add	54.41	
For 12 Gauge Frame, Add	82.70	
For Clear Aluminum Frames (Three Piece), Add	64.20	
For Black Aluminum Frames (Three Piece), Add	97.93	
08 12 13 13-0024 EA 3' x >7'-2" Through 9' High, 4-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	398.27	88.64
For Auxiliary Frame Reinforcement For Hinges, Add	33.15	
For Welded Frames, Add	92.93	
For Galvanized Frames, Add	26.52	
For Type 304 Stainless Steel Frame, Add	406.65	
For Type 316 Stainless Steel Frame, Add	472.94	
For Baked Enamel Finish, Add	92.89	
For 18 Gauge Frame, Deduct	-22.10	
For 14 Gauge Frame, Add	55.25	
For 12 Gauge Frame, Add	83.98	
For Clear Aluminum Frames (Three Piece), Add	65.19	
For Black Aluminum Frames (Three Piece), Add	99.45	
08 12 13 13-0025 EA 3'-4" x >7'-2" Through 9' High, 4-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	422.33	93.08
For Auxiliary Frame Reinforcement For Hinges, Add	35.43	
For Welded Frames, Add	92.93	
For Galvanized Frames, Add	28.34	
For Type 304 Stainless Steel Frame, Add	434.41	
For Type 316 Stainless Steel Frame, Add	505.27	
For Baked Enamel Finish, Add	98.78	
For 18 Gauge Frame, Deduct	-23.62	
For 14 Gauge Frame, Add	59.04	
For 12 Gauge Frame, Add	89.74	
For Clear Aluminum Frames (Three Piece), Add	69.67	
For Black Aluminum Frames (Three Piece), Add	106.28	



	MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 12 13 13-0026	EA			3'-6" x >7'-2" Through 9' High, 4-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame 431.19	431.19	97.51
				<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	35.43	
				<i>For Welded Frames, Add</i>	92.93	
				<i>For Galvanized Frames, Add</i>	28.34	
				<i>For Type 304 Stainless Steel Frame, Add</i>	434.86	
				<i>For Type 316 Stainless Steel Frame, Add</i>	505.71	
				<i>For Baked Enamel Finish, Add</i>	100.10	
				<i>For 18 Gauge Frame, Deduct</i>	-23.62	
				<i>For 14 Gauge Frame, Add</i>	59.04	
				<i>For 12 Gauge Frame, Add</i>	89.74	
				<i>For Clear Aluminum Frames (Three Piece), Add</i>	69.67	
				<i>For Black Aluminum Frames (Three Piece), Add</i>	106.28	
08 12 13 13-0027	EA			4' x >7'-2" Through 9' High, 4-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame 448.49	448.49	101.94
				<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	36.69	
				<i>For Welded Frames, Add</i>	92.93	
				<i>For Galvanized Frames, Add</i>	29.35	
				<i>For Type 304 Stainless Steel Frame, Add</i>	450.49	
				<i>For Type 316 Stainless Steel Frame, Add</i>	523.88	
				<i>For Baked Enamel Finish, Add</i>	103.97	
				<i>For 18 Gauge Frame, Deduct</i>	-24.46	
				<i>For 14 Gauge Frame, Add</i>	61.15	
				<i>For 12 Gauge Frame, Add</i>	92.95	
				<i>For Clear Aluminum Frames (Three Piece), Add</i>	72.16	
				<i>For Black Aluminum Frames (Three Piece), Add</i>	110.07	
08 12 13 13-0028	EA			5' x >7'-2" Through 9' High, 4-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame 465.79	465.79	106.37
				<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	37.96	
				<i>For Welded Frames, Add</i>	92.93	
				<i>For Galvanized Frames, Add</i>	30.36	
				<i>For Type 304 Stainless Steel Frame, Add</i>	466.11	
				<i>For Type 316 Stainless Steel Frame, Add</i>	542.02	
				<i>For Baked Enamel Finish, Add</i>	107.82	
				<i>For 18 Gauge Frame, Deduct</i>	-25.30	
				<i>For 14 Gauge Frame, Add</i>	63.26	
				<i>For 12 Gauge Frame, Add</i>	96.16	
				<i>For Clear Aluminum Frames (Three Piece), Add</i>	74.65	
				<i>For Black Aluminum Frames (Three Piece), Add</i>	113.87	
08 12 13 13-0029	EA			5'-4" x >7'-2" Through 9' High, 4-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame 474.65	474.65	110.81
				<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	37.96	
				<i>For Welded Frames, Add</i>	92.93	
				<i>For Galvanized Frames, Add</i>	30.36	
				<i>For Type 304 Stainless Steel Frame, Add</i>	466.55	
				<i>For Type 316 Stainless Steel Frame, Add</i>	542.46	
				<i>For Baked Enamel Finish, Add</i>	109.15	
				<i>For 18 Gauge Frame, Deduct</i>	-25.30	
				<i>For 14 Gauge Frame, Add</i>	63.26	
				<i>For 12 Gauge Frame, Add</i>	96.16	
				<i>For Clear Aluminum Frames (Three Piece), Add</i>	74.65	
				<i>For Black Aluminum Frames (Three Piece), Add</i>	113.87	
08 12 13 13-0030	EA			5'-8" x >7'-2" Through 9' High, 4-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame 483.31	483.31	113.02
				<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	38.59	
				<i>For Welded Frames, Add</i>	92.93	
				<i>For Galvanized Frames, Add</i>	30.87	
				<i>For Type 304 Stainless Steel Frame, Add</i>	474.37	
				<i>For Type 316 Stainless Steel Frame, Add</i>	551.55	
				<i>For Baked Enamel Finish, Add</i>	111.09	
				<i>For 18 Gauge Frame, Deduct</i>	-25.73	
				<i>For 14 Gauge Frame, Add</i>	64.32	
				<i>For 12 Gauge Frame, Add</i>	97.76	
				<i>For Clear Aluminum Frames (Three Piece), Add</i>	75.89	
				<i>For Black Aluminum Frames (Three Piece), Add</i>	115.77	
08 12 13 13-0031	EA			6' x >7'-2" Through 9' High, 4-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame 491.95	491.95	115.24
				<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	39.22	
				<i>For Welded Frames, Add</i>	92.93	
				<i>For Galvanized Frames, Add</i>	31.38	
				<i>For Type 304 Stainless Steel Frame, Add</i>	482.19	
				<i>For Type 316 Stainless Steel Frame, Add</i>	560.63	
				<i>For Baked Enamel Finish, Add</i>	113.01	
				<i>For 18 Gauge Frame, Deduct</i>	-26.15	
				<i>For 14 Gauge Frame, Add</i>	65.37	
				<i>For 12 Gauge Frame, Add</i>	99.36	
				<i>For Clear Aluminum Frames (Three Piece), Add</i>	77.14	
				<i>For Black Aluminum Frames (Three Piece), Add</i>	117.67	
08 12 13 13-0032	EA			7' x >7'-2" Through 9' High, 4-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame 513.26	513.26	117.46
				<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	41.75	
				<i>For Welded Frames, Add</i>	92.93	
				<i>For Galvanized Frames, Add</i>	33.40	
				<i>For Type 304 Stainless Steel Frame, Add</i>	512.78	
				<i>For Type 316 Stainless Steel Frame, Add</i>	596.28	
				<i>For Baked Enamel Finish, Add</i>	118.74	
				<i>For 18 Gauge Frame, Deduct</i>	-27.84	
				<i>For 14 Gauge Frame, Add</i>	69.59	
				<i>For 12 Gauge Frame, Add</i>	105.77	
				<i>For Clear Aluminum Frames (Three Piece), Add</i>	82.11	
				<i>For Black Aluminum Frames (Three Piece), Add</i>	125.26	

08 Openings**08 10 Doors And Frames****08 12 Metal Frames**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 12 13 13-0033	EA		8' x >7'-2" Through 9' High, 4-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	534.56	119.67
			<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	44.28	
			<i>For Welded Frames, Add</i>	92.93	
			<i>For Galvanized Frames, Add</i>	35.43	
			<i>For Type 304 Stainless Steel Frame, Add</i>	543.36	
			<i>For Type 316 Stainless Steel Frame, Add</i>	631.93	
			<i>For Baked Enamel Finish, Add</i>	124.47	
			<i>For 18 Gauge Frame, Deduct</i>	-29.52	
			<i>For 14 Gauge Frame, Add</i>	73.81	
			<i>For 12 Gauge Frame, Add</i>	112.18	
			<i>For Clear Aluminum Frames (Three Piece), Add</i>	87.09	
			<i>For Black Aluminum Frames (Three Piece), Add</i>	132.85	
08 12 13 13-0034			5-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frames <small>(08 12 13 13)</small>		
			Note: For non-rated or fire rated frame assemblies		
08 12 13 13-0035			6'-8" Through 7'-2" High, 5-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frames <small>(08 12 13 13-0034)</small>		
08 12 13 13-0036	EA		2' x 6'-8" Through 7'-2" High, 5-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	310.10	66.48
			<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	26.57	
			<i>For Welded Frames, Add</i>	92.93	
			<i>For Galvanized Frames, Add</i>	21.26	
			<i>For Type 304 Stainless Steel Frame, Add</i>	325.48	
			<i>For Type 316 Stainless Steel Frame, Add</i>	378.62	
			<i>For Baked Enamel Finish, Add</i>	73.08	
			<i>For 18 Gauge Frame, Deduct</i>	-17.71	
			<i>For 14 Gauge Frame, Add</i>	44.28	
			<i>For 12 Gauge Frame, Add</i>	67.31	
			<i>For Clear Aluminum Frames (Three Piece), Add</i>	52.25	
			<i>For Black Aluminum Frames (Three Piece), Add</i>	79.71	
08 12 13 13-0037	EA		2'-4" x 6'-8" Through 7'-2" High, 5-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	357.14	73.13
			<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	31.63	
			<i>For Welded Frames, Add</i>	92.93	
			<i>For Galvanized Frames, Add</i>	25.30	
			<i>For Type 304 Stainless Steel Frame, Add</i>	386.88	
			<i>For Type 316 Stainless Steel Frame, Add</i>	450.14	
			<i>For Baked Enamel Finish, Add</i>	85.20	
			<i>For 18 Gauge Frame, Deduct</i>	-21.09	
			<i>For 14 Gauge Frame, Add</i>	52.72	
			<i>For 12 Gauge Frame, Add</i>	80.13	
			<i>For Clear Aluminum Frames (Three Piece), Add</i>	62.21	
			<i>For Black Aluminum Frames (Three Piece), Add</i>	94.89	
08 12 13 13-0038	EA		2'-6" x 6'-8" Through 7'-2" High, 5-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	369.37	77.57
			<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	32.14	
			<i>For Welded Frames, Add</i>	92.93	
			<i>For Galvanized Frames, Add</i>	25.71	
			<i>For Type 304 Stainless Steel Frame, Add</i>	393.39	
			<i>For Type 316 Stainless Steel Frame, Add</i>	457.66	
			<i>For Baked Enamel Finish, Add</i>	87.54	
			<i>For 18 Gauge Frame, Deduct</i>	-21.42	
			<i>For 14 Gauge Frame, Add</i>	53.56	
			<i>For 12 Gauge Frame, Add</i>	81.41	
			<i>For Clear Aluminum Frames (Three Piece), Add</i>	63.20	
			<i>For Black Aluminum Frames (Three Piece), Add</i>	96.41	
08 12 13 13-0039	EA		2'-8" x 6'-8" Through 7'-2" High, 5-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	382.66	84.22
			<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	32.14	
			<i>For Welded Frames, Add</i>	92.93	
			<i>For Galvanized Frames, Add</i>	25.71	
			<i>For Type 304 Stainless Steel Frame, Add</i>	394.05	
			<i>For Type 316 Stainless Steel Frame, Add</i>	458.33	
			<i>For Baked Enamel Finish, Add</i>	89.54	
			<i>For 18 Gauge Frame, Deduct</i>	-21.42	
			<i>For 14 Gauge Frame, Add</i>	53.56	
			<i>For 12 Gauge Frame, Add</i>	81.41	
			<i>For Clear Aluminum Frames (Three Piece), Add</i>	63.20	
			<i>For Black Aluminum Frames (Three Piece), Add</i>	96.41	
08 12 13 13-0040	EA		2'-10" x 6'-8" Through 7'-2" High, 5-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	390.48	86.43
			<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	32.64	
			<i>For Welded Frames, Add</i>	92.93	
			<i>For Galvanized Frames, Add</i>	26.11	
			<i>For Type 304 Stainless Steel Frame, Add</i>	400.36	
			<i>For Type 316 Stainless Steel Frame, Add</i>	465.65	
			<i>For Baked Enamel Finish, Add</i>	91.22	
			<i>For 18 Gauge Frame, Deduct</i>	-21.76	
			<i>For 14 Gauge Frame, Add</i>	54.41	
			<i>For 12 Gauge Frame, Add</i>	82.70	
			<i>For Clear Aluminum Frames (Three Piece), Add</i>	64.20	
			<i>For Black Aluminum Frames (Three Piece), Add</i>	97.93	



Openings	08	08
Doors And Frames	08 10	
Metal Frames	08 12	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 12 13	13-0041	EA	3' x 6'-8" Through 7'-2" High, 5-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	398.27	88.64
			<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	33.15	
			<i>For Welded Frames, Add</i>	92.93	
			<i>For Galvanized Frames, Add</i>	26.52	
			<i>For Type 304 Stainless Steel Frame, Add</i>	406.65	
			<i>For Type 316 Stainless Steel Frame, Add</i>	472.94	
			<i>For Baked Enamel Finish, Add</i>	92.89	
			<i>For 18 Gauge Frame, Deduct</i>	-22.10	
			<i>For 14 Gauge Frame, Add</i>	55.25	
			<i>For 12 Gauge Frame, Add</i>	83.98	
			<i>For Clear Aluminum Frames (Three Piece), Add</i>	65.19	
			<i>For Black Aluminum Frames (Three Piece), Add</i>	99.45	
08 12 13	13-0042	EA	3'-4" x 6'-8" Through 7'-2" High, 5-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	422.33	93.08
			<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	35.43	
			<i>For Welded Frames, Add</i>	92.93	
			<i>For Galvanized Frames, Add</i>	28.34	
			<i>For Type 304 Stainless Steel Frame, Add</i>	434.41	
			<i>For Type 316 Stainless Steel Frame, Add</i>	505.27	
			<i>For Baked Enamel Finish, Add</i>	98.78	
			<i>For 18 Gauge Frame, Deduct</i>	-23.62	
			<i>For 14 Gauge Frame, Add</i>	59.04	
			<i>For 12 Gauge Frame, Add</i>	89.74	
			<i>For Clear Aluminum Frames (Three Piece), Add</i>	69.67	
			<i>For Black Aluminum Frames (Three Piece), Add</i>	106.28	
08 12 13	13-0043	EA	3'-6" x 6'-8" Through 7'-2" High, 5-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	431.19	97.51
			<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	35.43	
			<i>For Welded Frames, Add</i>	92.93	
			<i>For Galvanized Frames, Add</i>	28.34	
			<i>For Type 304 Stainless Steel Frame, Add</i>	434.86	
			<i>For Type 316 Stainless Steel Frame, Add</i>	505.71	
			<i>For Baked Enamel Finish, Add</i>	100.10	
			<i>For 18 Gauge Frame, Deduct</i>	-23.62	
			<i>For 14 Gauge Frame, Add</i>	59.04	
			<i>For 12 Gauge Frame, Add</i>	89.74	
			<i>For Clear Aluminum Frames (Three Piece), Add</i>	69.67	
			<i>For Black Aluminum Frames (Three Piece), Add</i>	106.28	
08 12 13	13-0044	EA	4' x 6'-8" Through 7'-2" High, 5-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	448.49	101.94
			<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	36.69	
			<i>For Welded Frames, Add</i>	92.93	
			<i>For Galvanized Frames, Add</i>	29.35	
			<i>For Type 304 Stainless Steel Frame, Add</i>	450.49	
			<i>For Type 316 Stainless Steel Frame, Add</i>	523.88	
			<i>For Baked Enamel Finish, Add</i>	103.97	
			<i>For 18 Gauge Frame, Deduct</i>	-24.46	
			<i>For 14 Gauge Frame, Add</i>	61.15	
			<i>For 12 Gauge Frame, Add</i>	92.95	
			<i>For Clear Aluminum Frames (Three Piece), Add</i>	72.16	
			<i>For Black Aluminum Frames (Three Piece), Add</i>	110.07	
08 12 13	13-0045	EA	5' x 6'-8" Through 7'-2" High, 5-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	465.79	106.37
			<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	37.96	
			<i>For Welded Frames, Add</i>	92.93	
			<i>For Galvanized Frames, Add</i>	30.36	
			<i>For Type 304 Stainless Steel Frame, Add</i>	466.11	
			<i>For Type 316 Stainless Steel Frame, Add</i>	542.02	
			<i>For Baked Enamel Finish, Add</i>	107.82	
			<i>For 18 Gauge Frame, Deduct</i>	-25.30	
			<i>For 14 Gauge Frame, Add</i>	63.26	
			<i>For 12 Gauge Frame, Add</i>	96.16	
			<i>For Clear Aluminum Frames (Three Piece), Add</i>	74.65	
			<i>For Black Aluminum Frames (Three Piece), Add</i>	113.87	
08 12 13	13-0046	EA	5'-4" x 6'-8" Through 7'-2" High, 5-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	474.65	110.81
			<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	37.96	
			<i>For Welded Frames, Add</i>	92.93	
			<i>For Galvanized Frames, Add</i>	30.36	
			<i>For Type 304 Stainless Steel Frame, Add</i>	466.55	
			<i>For Type 316 Stainless Steel Frame, Add</i>	542.46	
			<i>For Baked Enamel Finish, Add</i>	109.15	
			<i>For 18 Gauge Frame, Deduct</i>	-25.30	
			<i>For 14 Gauge Frame, Add</i>	63.26	
			<i>For 12 Gauge Frame, Add</i>	96.16	
			<i>For Clear Aluminum Frames (Three Piece), Add</i>	74.65	
			<i>For Black Aluminum Frames (Three Piece), Add</i>	113.87	
08 12 13	13-0047	EA	5'-8" x 6'-8" Through 7'-2" High, 5-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	483.31	113.02
			<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	38.59	
			<i>For Welded Frames, Add</i>	92.93	
			<i>For Galvanized Frames, Add</i>	30.87	
			<i>For Type 304 Stainless Steel Frame, Add</i>	474.37	
			<i>For Type 316 Stainless Steel Frame, Add</i>	551.55	
			<i>For Baked Enamel Finish, Add</i>	111.09	
			<i>For 18 Gauge Frame, Deduct</i>	-25.73	
			<i>For 14 Gauge Frame, Add</i>	64.32	
			<i>For 12 Gauge Frame, Add</i>	97.76	
			<i>For Clear Aluminum Frames (Three Piece), Add</i>	75.89	
			<i>For Black Aluminum Frames (Three Piece), Add</i>	115.77	

08 Openings**08 10 Doors And Frames****08 12 Metal Frames**

MINOR		TOTAL DIRECT	DEMOLITION
CSI	UOM DESCRIPTION	UNIT COST	UNIT COST
08 12 13 13-0048	EA 6' x 6'-8" Through 7'-2" High, 5-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame.....	491.95	115.24
	<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	39.22	
	<i>For Welded Frames, Add</i>	92.93	
	<i>For Galvanized Frames, Add</i>	31.38	
	<i>For Type 304 Stainless Steel Frame, Add</i>	482.19	
	<i>For Type 316 Stainless Steel Frame, Add</i>	560.63	
	<i>For Baked Enamel Finish, Add</i>	113.01	
	<i>For 18 Gauge Frame, Deduct</i>	-26.15	
	<i>For 14 Gauge Frame, Add</i>	65.37	
	<i>For 12 Gauge Frame, Add</i>	99.36	
	<i>For Clear Aluminum Frames (Three Piece), Add</i>	77.14	
	<i>For Black Aluminum Frames (Three Piece), Add</i>	117.67	
08 12 13 13-0049	EA 7' x 6'-8" Through 7'-2" High, 5-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame.....	513.26	117.46
	<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	41.75	
	<i>For Welded Frames, Add</i>	92.93	
	<i>For Galvanized Frames, Add</i>	33.40	
	<i>For Type 304 Stainless Steel Frame, Add</i>	512.78	
	<i>For Type 316 Stainless Steel Frame, Add</i>	596.28	
	<i>For Baked Enamel Finish, Add</i>	118.74	
	<i>For 18 Gauge Frame, Deduct</i>	-27.84	
	<i>For 14 Gauge Frame, Add</i>	69.59	
	<i>For 12 Gauge Frame, Add</i>	105.77	
	<i>For Clear Aluminum Frames (Three Piece), Add</i>	82.11	
	<i>For Black Aluminum Frames (Three Piece), Add</i>	125.26	
08 12 13 13-0050	EA 8' x 6'-8" Through 7'-2" High, 5-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame.....	534.56	119.67
	<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	44.28	
	<i>For Welded Frames, Add</i>	92.93	
	<i>For Galvanized Frames, Add</i>	35.43	
	<i>For Type 304 Stainless Steel Frame, Add</i>	543.36	
	<i>For Type 316 Stainless Steel Frame, Add</i>	631.93	
	<i>For Baked Enamel Finish, Add</i>	124.47	
	<i>For 18 Gauge Frame, Deduct</i>	-29.52	
	<i>For 14 Gauge Frame, Add</i>	73.81	
	<i>For 12 Gauge Frame, Add</i>	112.18	
	<i>For Clear Aluminum Frames (Three Piece), Add</i>	87.09	
	<i>For Black Aluminum Frames (Three Piece), Add</i>	132.85	
08 12 13 13-0051	>7'-2" Through 9'-0" High, 5-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frames <small>(08 12 13 13-0034)</small>		
08 12 13 13-0052	EA 2' x >7'-2" Through 9' High, 5-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame.....	329.78	66.48
	<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	29.52	
	<i>For Welded Frames, Add</i>	92.93	
	<i>For Galvanized Frames, Add</i>	23.62	
	<i>For Type 304 Stainless Steel Frame, Add</i>	360.91	
	<i>For Type 316 Stainless Steel Frame, Add</i>	419.95	
	<i>For Baked Enamel Finish, Add</i>	78.99	
	<i>For 18 Gauge Frame, Deduct</i>	-19.68	
	<i>For 14 Gauge Frame, Add</i>	49.20	
	<i>For 12 Gauge Frame, Add</i>	74.79	
	<i>For Clear Aluminum Frames (Three Piece), Add</i>	58.06	
	<i>For Black Aluminum Frames (Three Piece), Add</i>	88.56	
08 12 13 13-0053	EA 2'-4" x >7'-2" Through 9' High, 5-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame.....	380.57	73.13
	<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	35.15	
	<i>For Welded Frames, Add</i>	92.93	
	<i>For Galvanized Frames, Add</i>	28.12	
	<i>For Type 304 Stainless Steel Frame, Add</i>	429.05	
	<i>For Type 316 Stainless Steel Frame, Add</i>	499.34	
	<i>For Baked Enamel Finish, Add</i>	92.23	
	<i>For 18 Gauge Frame, Deduct</i>	-23.43	
	<i>For 14 Gauge Frame, Add</i>	58.58	
	<i>For 12 Gauge Frame, Add</i>	89.03	
	<i>For Clear Aluminum Frames (Three Piece), Add</i>	69.12	
	<i>For Black Aluminum Frames (Three Piece), Add</i>	105.44	
08 12 13 13-0054	EA 2'-6" x >7'-2" Through 9' High, 5-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame.....	393.18	77.57
	<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	35.71	
	<i>For Welded Frames, Add</i>	92.93	
	<i>For Galvanized Frames, Add</i>	28.57	
	<i>For Type 304 Stainless Steel Frame, Add</i>	436.25	
	<i>For Type 316 Stainless Steel Frame, Add</i>	507.66	
	<i>For Baked Enamel Finish, Add</i>	94.68	
	<i>For 18 Gauge Frame, Deduct</i>	-23.81	
	<i>For 14 Gauge Frame, Add</i>	59.51	
	<i>For 12 Gauge Frame, Add</i>	90.46	
	<i>For Clear Aluminum Frames (Three Piece), Add</i>	70.22	
	<i>For Black Aluminum Frames (Three Piece), Add</i>	107.12	



Openings	08	08
Doors And Frames	08 10	
Metal Frames	08 12	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 12 13	13-0055	EA	2'-8" x >7'-2" Through 9' High, 5-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame For Auxiliary Frame Reinforcement For Hinges, Add For Welded Frames, Add For Galvanized Frames, Add For Type 304 Stainless Steel Frame, Add For Type 316 Stainless Steel Frame, Add For Baked Enamel Finish, Add For 18 Gauge Frame, Deduct For 14 Gauge Frame, Add For 12 Gauge Frame, Add For Clear Aluminum Frames (Three Piece), Add For Black Aluminum Frames (Three Piece), Add	406.47 35.71 92.93 28.57 436.91 508.33 96.68 -23.81 59.51 90.46 70.22 107.12	84.22
08 12 13	13-0056	EA	2'-10" x >7'-2" Through 9' High, 5-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame For Auxiliary Frame Reinforcement For Hinges, Add For Welded Frames, Add For Galvanized Frames, Add For Type 304 Stainless Steel Frame, Add For Type 316 Stainless Steel Frame, Add For Baked Enamel Finish, Add For 18 Gauge Frame, Deduct For 14 Gauge Frame, Add For 12 Gauge Frame, Add For Clear Aluminum Frames (Three Piece), Add For Black Aluminum Frames (Three Piece), Add	414.66 36.27 92.93 29.02 443.88 516.42 98.47 -24.18 60.45 91.88 71.33 108.81	86.43
08 12 13	13-0057	EA	3' x >7'-2" Through 9' High, 5-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame For Auxiliary Frame Reinforcement For Hinges, Add For Welded Frames, Add For Galvanized Frames, Add For Type 304 Stainless Steel Frame, Add For Type 316 Stainless Steel Frame, Add For Baked Enamel Finish, Add For 18 Gauge Frame, Deduct For 14 Gauge Frame, Add For 12 Gauge Frame, Add For Clear Aluminum Frames (Three Piece), Add For Black Aluminum Frames (Three Piece), Add	422.83 36.83 92.93 29.47 450.85 524.52 100.26 -24.56 61.39 93.31 72.44 110.50	88.64
08 12 13	13-0058	EA	3'-4" x >7'-2" Through 9' High, 5-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame For Auxiliary Frame Reinforcement For Hinges, Add For Welded Frames, Add For Galvanized Frames, Add For Type 304 Stainless Steel Frame, Add For Type 316 Stainless Steel Frame, Add For Baked Enamel Finish, Add For 18 Gauge Frame, Deduct For 14 Gauge Frame, Add For 12 Gauge Frame, Add For Clear Aluminum Frames (Three Piece), Add For Black Aluminum Frames (Three Piece), Add	448.58 39.36 92.93 31.49 481.66 560.39 106.65 -26.24 65.61 99.72 77.41 118.09	93.08
08 12 13	13-0059	EA	3'-6" x >7'-2" Through 9' High, 5-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame For Auxiliary Frame Reinforcement For Hinges, Add For Welded Frames, Add For Galvanized Frames, Add For Type 304 Stainless Steel Frame, Add For Type 316 Stainless Steel Frame, Add For Baked Enamel Finish, Add For 18 Gauge Frame, Deduct For 14 Gauge Frame, Add For 12 Gauge Frame, Add For Clear Aluminum Frames (Three Piece), Add For Black Aluminum Frames (Three Piece), Add	457.44 39.36 92.93 31.49 482.11 560.83 107.98 -26.24 65.61 99.72 77.41 118.09	97.51
08 12 13	13-0060	EA	4' x >7'-2" Through 9' High, 5-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame For Auxiliary Frame Reinforcement For Hinges, Add For Welded Frames, Add For Galvanized Frames, Add For Type 304 Stainless Steel Frame, Add For Type 316 Stainless Steel Frame, Add For Baked Enamel Finish, Add For 18 Gauge Frame, Deduct For 14 Gauge Frame, Add For 12 Gauge Frame, Add For Clear Aluminum Frames (Three Piece), Add For Black Aluminum Frames (Three Piece), Add	475.67 40.77 92.93 32.61 499.42 580.95 112.12 -27.18 67.95 103.28 80.18 122.31	101.94
08 12 13	13-0061	EA	5' x >7'-2" Through 9' High, 5-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame For Auxiliary Frame Reinforcement For Hinges, Add For Welded Frames, Add For Galvanized Frames, Add For Type 304 Stainless Steel Frame, Add For Type 316 Stainless Steel Frame, Add For Baked Enamel Finish, Add For 18 Gauge Frame, Deduct For 14 Gauge Frame, Add For 12 Gauge Frame, Add For Clear Aluminum Frames (Three Piece), Add For Black Aluminum Frames (Three Piece), Add	493.91 42.17 92.93 33.74 516.73 601.07 116.26 -28.12 70.29 106.84 82.94 126.52	106.37

08	08	Openings
	08 10	Doors And Frames
	08 12	Metal Frames



MINOR		TOTAL DIRECT	DEMOLITION
CSI	UOM DESCRIPTION	UNIT COST	UNIT COST
08 12 13 13-0062	EA 5'-4" x >7'-2" Through 9' High, 5-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	502.77	110.81
	For Auxiliary Frame Reinforcement For Hinges, Add	42.17	
	For Welded Frames, Add	92.93	
	For Galvanized Frames, Add	33.74	
	For Type 304 Stainless Steel Frame, Add	517.17	
	For Type 316 Stainless Steel Frame, Add	601.52	
	For Baked Enamel Finish, Add	117.59	
	For 18 Gauge Frame, Deduct	-28.12	
	For 14 Gauge Frame, Add	70.29	
	For 12 Gauge Frame, Add	106.84	
	For Clear Aluminum Frames (Three Piece), Add	82.94	
	For Black Aluminum Frames (Three Piece), Add	126.52	
08 12 13 13-0063	EA 5'-8" x >7'-2" Through 9' High, 5-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	511.90	113.02
	For Auxiliary Frame Reinforcement For Hinges, Add	42.88	
	For Welded Frames, Add	92.93	
	For Galvanized Frames, Add	34.30	
	For Type 304 Stainless Steel Frame, Add	525.83	
	For Type 316 Stainless Steel Frame, Add	611.59	
	For Baked Enamel Finish, Add	119.66	
	For 18 Gauge Frame, Deduct	-28.59	
	For 14 Gauge Frame, Add	71.46	
	For 12 Gauge Frame, Add	108.62	
	For Clear Aluminum Frames (Three Piece), Add	84.33	
	For Black Aluminum Frames (Three Piece), Add	128.63	
08 12 13 13-0064	EA 6' x >7'-2" Through 9' High, 5-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	521.00	115.24
	For Auxiliary Frame Reinforcement For Hinges, Add	43.58	
	For Welded Frames, Add	92.93	
	For Galvanized Frames, Add	34.86	
	For Type 304 Stainless Steel Frame, Add	534.48	
	For Type 316 Stainless Steel Frame, Add	621.64	
	For Baked Enamel Finish, Add	121.73	
	For 18 Gauge Frame, Deduct	-29.05	
	For 14 Gauge Frame, Add	72.63	
	For 12 Gauge Frame, Add	110.40	
	For Clear Aluminum Frames (Three Piece), Add	85.71	
	For Black Aluminum Frames (Three Piece), Add	130.74	
08 12 13 13-0065	EA 7' x >7'-2" Through 9' High, 5-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	544.19	117.46
	For Auxiliary Frame Reinforcement For Hinges, Add	46.39	
	For Welded Frames, Add	92.93	
	For Galvanized Frames, Add	37.11	
	For Type 304 Stainless Steel Frame, Add	568.45	
	For Type 316 Stainless Steel Frame, Add	661.23	
	For Baked Enamel Finish, Add	128.02	
	For 18 Gauge Frame, Deduct	-30.93	
	For 14 Gauge Frame, Add	77.32	
	For 12 Gauge Frame, Add	117.53	
	For Clear Aluminum Frames (Three Piece), Add	91.24	
	For Black Aluminum Frames (Three Piece), Add	139.18	
08 12 13 13-0066	EA 8' x >7'-2" Through 9' High, 5-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	567.36	119.67
	For Auxiliary Frame Reinforcement For Hinges, Add	49.20	
	For Welded Frames, Add	92.93	
	For Galvanized Frames, Add	39.36	
	For Type 304 Stainless Steel Frame, Add	602.40	
	For Type 316 Stainless Steel Frame, Add	700.81	
	For Baked Enamel Finish, Add	134.31	
	For 18 Gauge Frame, Deduct	-32.80	
	For 14 Gauge Frame, Add	82.01	
	For 12 Gauge Frame, Add	124.65	
	For Clear Aluminum Frames (Three Piece), Add	96.77	
	For Black Aluminum Frames (Three Piece), Add	147.61	
08 12 13 13-0067	6-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frames <small>(08 12 13 13)</small>		
	Note: For non-rated or fire rated frame assemblies		
08 12 13 13-0068	6'-8" Through 7'-2" High, 6-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frames <small>(08 12 13 13-0067)</small>		
08 12 13 13-0069	EA 2' x 6'-8" Through 7'-2" High, 6-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	413.39	66.48
	For Auxiliary Frame Reinforcement For Hinges, Add	42.06	
	For Welded Frames, Add	92.93	
	For Galvanized Frames, Add	33.65	
	For Type 304 Stainless Steel Frame, Add	511.40	
	For Type 316 Stainless Steel Frame, Add	595.53	
	For Baked Enamel Finish, Add	104.07	
	For 18 Gauge Frame, Deduct	-28.04	
	For 14 Gauge Frame, Add	70.11	
	For 12 Gauge Frame, Add	106.56	
	For Clear Aluminum Frames (Three Piece), Add	82.72	
	For Black Aluminum Frames (Three Piece), Add	126.19	



Openings	08	08
Doors And Frames	08 10	
Metal Frames	08 12	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 12 13 13-0070 EA 2'-4" x 6'-8" Through 7'-2" High, 6-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame.....	480.10	73.13
For Auxiliary Frame Reinforcement For Hinges, Add	50.07	
For Welded Frames, Add	92.93	
For Galvanized Frames, Add	40.06	
For Type 304 Stainless Steel Frame, Add	608.21	
For Type 316 Stainless Steel Frame, Add	708.36	
For Baked Enamel Finish, Add	122.09	
For 18 Gauge Frame, Deduct	-33.38	
For 14 Gauge Frame, Add	83.46	
For 12 Gauge Frame, Add	126.86	
For Clear Aluminum Frames (Three Piece), Add	98.48	
For Black Aluminum Frames (Three Piece), Add	150.22	
08 12 13 13-0071 EA 2'-6" x 6'-8" Through 7'-2" High, 6-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame.....	494.30	77.57
For Auxiliary Frame Reinforcement For Hinges, Add	50.88	
For Welded Frames, Add	92.93	
For Galvanized Frames, Add	40.70	
For Type 304 Stainless Steel Frame, Add	618.26	
For Type 316 Stainless Steel Frame, Add	720.01	
For Baked Enamel Finish, Add	125.02	
For 18 Gauge Frame, Deduct	-33.92	
For 14 Gauge Frame, Add	84.79	
For 12 Gauge Frame, Add	128.88	
For Clear Aluminum Frames (Three Piece), Add	100.06	
For Black Aluminum Frames (Three Piece), Add	152.63	
08 12 13 13-0072 EA 2'-8" x 6'-8" Through 7'-2" High, 6-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame.....	507.59	84.22
For Auxiliary Frame Reinforcement For Hinges, Add	50.88	
For Welded Frames, Add	92.93	
For Galvanized Frames, Add	40.70	
For Type 304 Stainless Steel Frame, Add	618.93	
For Type 316 Stainless Steel Frame, Add	720.68	
For Baked Enamel Finish, Add	127.01	
For 18 Gauge Frame, Deduct	-33.92	
For 14 Gauge Frame, Add	84.79	
For 12 Gauge Frame, Add	128.88	
For Clear Aluminum Frames (Three Piece), Add	100.06	
For Black Aluminum Frames (Three Piece), Add	152.63	
08 12 13 13-0073 EA 2'-10" x 6'-8" Through 7'-2" High, 6-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame.....	517.37	86.43
For Auxiliary Frame Reinforcement For Hinges, Add	51.68	
For Welded Frames, Add	92.93	
For Galvanized Frames, Add	41.34	
For Type 304 Stainless Steel Frame, Add	628.76	
For Type 316 Stainless Steel Frame, Add	732.11	
For Baked Enamel Finish, Add	129.28	
For 18 Gauge Frame, Deduct	-34.45	
For 14 Gauge Frame, Add	86.13	
For 12 Gauge Frame, Add	130.91	
For Clear Aluminum Frames (Three Piece), Add	101.63	
For Black Aluminum Frames (Three Piece), Add	155.03	
08 12 13 13-0074 EA 3' x 6'-8" Through 7'-2" High, 6-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame.....	527.13	88.64
For Auxiliary Frame Reinforcement For Hinges, Add	52.48	
For Welded Frames, Add	92.93	
For Galvanized Frames, Add	41.98	
For Type 304 Stainless Steel Frame, Add	638.59	
For Type 316 Stainless Steel Frame, Add	743.55	
For Baked Enamel Finish, Add	131.55	
For 18 Gauge Frame, Deduct	-34.99	
For 14 Gauge Frame, Add	87.46	
For 12 Gauge Frame, Add	132.94	
For Clear Aluminum Frames (Three Piece), Add	103.21	
For Black Aluminum Frames (Three Piece), Add	157.43	
08 12 13 13-0075 EA 3'-4" x 6'-8" Through 7'-2" High, 6-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame.....	560.05	93.08
For Auxiliary Frame Reinforcement For Hinges, Add	56.08	
For Welded Frames, Add	92.93	
For Galvanized Frames, Add	44.87	
For Type 304 Stainless Steel Frame, Add	682.31	
For Type 316 Stainless Steel Frame, Add	794.48	
For Baked Enamel Finish, Add	140.09	
For 18 Gauge Frame, Deduct	-37.39	
For 14 Gauge Frame, Add	93.47	
For 12 Gauge Frame, Add	142.08	
For Clear Aluminum Frames (Three Piece), Add	110.30	
For Black Aluminum Frames (Three Piece), Add	168.25	
08 12 13 13-0076 EA 3'-6" x 6'-8" Through 7'-2" High, 6-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame.....	568.91	97.51
For Auxiliary Frame Reinforcement For Hinges, Add	56.08	
For Welded Frames, Add	92.93	
For Galvanized Frames, Add	44.87	
For Type 304 Stainless Steel Frame, Add	682.75	
For Type 316 Stainless Steel Frame, Add	794.92	
For Baked Enamel Finish, Add	141.42	
For 18 Gauge Frame, Deduct	-37.39	
For 14 Gauge Frame, Add	93.47	
For 12 Gauge Frame, Add	142.08	
For Clear Aluminum Frames (Three Piece), Add	110.30	
For Black Aluminum Frames (Three Piece), Add	168.25	

08 Openings**08 10 Doors And Frames****08 12 Metal Frames**

MINOR		TOTAL DIRECT	DEMOLITION
CSI	UOM DESCRIPTION	UNIT COST	UNIT COST
08 12 13 13-0077	EA 4' x 6'-8" Through 7'-2" High, 6-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame.....	591.12	101.94
	For Auxiliary Frame Reinforcement For Hinges, Add	58.09	
	For Welded Frames, Add	92.93	
	For Galvanized Frames, Add	46.47	
	For Type 304 Stainless Steel Frame, Add	707.23	
	For Type 316 Stainless Steel Frame, Add	823.40	
	For Baked Enamel Finish, Add	146.75	
	For 18 Gauge Frame, Deduct	-38.72	
	For 14 Gauge Frame, Add	96.81	
	For 12 Gauge Frame, Add	147.15	
	For Clear Aluminum Frames (Three Piece), Add	114.24	
	For Black Aluminum Frames (Three Piece), Add	174.26	
08 12 13 13-0078	EA 5' x 6'-8" Through 7'-2" High, 6-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame.....	613.35	106.37
	For Auxiliary Frame Reinforcement For Hinges, Add	60.09	
	For Welded Frames, Add	92.93	
	For Galvanized Frames, Add	48.07	
	For Type 304 Stainless Steel Frame, Add	731.72	
	For Type 316 Stainless Steel Frame, Add	851.90	
	For Baked Enamel Finish, Add	152.09	
	For 18 Gauge Frame, Deduct	-40.06	
	For 14 Gauge Frame, Add	100.15	
	For 12 Gauge Frame, Add	152.23	
	For Clear Aluminum Frames (Three Piece), Add	118.18	
	For Black Aluminum Frames (Three Piece), Add	180.27	
08 12 13 13-0079	EA 5'-4" x 6'-8" Through 7'-2" High, 6-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame.....	622.21	110.81
	For Auxiliary Frame Reinforcement For Hinges, Add	60.09	
	For Welded Frames, Add	92.93	
	For Galvanized Frames, Add	48.07	
	For Type 304 Stainless Steel Frame, Add	732.16	
	For Type 316 Stainless Steel Frame, Add	852.34	
	For Baked Enamel Finish, Add	153.42	
	For 18 Gauge Frame, Deduct	-40.06	
	For 14 Gauge Frame, Add	100.15	
	For 12 Gauge Frame, Add	152.23	
	For Clear Aluminum Frames (Three Piece), Add	118.18	
	For Black Aluminum Frames (Three Piece), Add	180.27	
08 12 13 13-0080	EA 6' x 6'-8" Through 7'-2" High, 6-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame.....	633.32	113.02
	For Auxiliary Frame Reinforcement For Hinges, Add	61.09	
	For Welded Frames, Add	92.93	
	For Galvanized Frames, Add	48.87	
	For Type 304 Stainless Steel Frame, Add	744.39	
	For Type 316 Stainless Steel Frame, Add	866.57	
	For Baked Enamel Finish, Add	156.09	
	For 18 Gauge Frame, Deduct	-40.73	
	For 14 Gauge Frame, Add	101.82	
	For 12 Gauge Frame, Add	154.76	
	For Clear Aluminum Frames (Three Piece), Add	120.14	
	For Black Aluminum Frames (Three Piece), Add	183.27	
08 12 13 13-0081	EA 6' x 6'-8" Through 7'-2" High, 6-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame.....	644.42	115.24
	For Auxiliary Frame Reinforcement For Hinges, Add	62.09	
	For Welded Frames, Add	92.93	
	For Galvanized Frames, Add	49.67	
	For Type 304 Stainless Steel Frame, Add	756.63	
	For Type 316 Stainless Steel Frame, Add	880.82	
	For Baked Enamel Finish, Add	158.76	
	For 18 Gauge Frame, Deduct	-41.40	
	For 14 Gauge Frame, Add	103.49	
	For 12 Gauge Frame, Add	157.30	
	For Clear Aluminum Frames (Three Piece), Add	122.12	
	For Black Aluminum Frames (Three Piece), Add	186.28	
08 12 13 13-0082	EA 7' x 6'-8" Through 7'-2" High, 6-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame.....	675.56	117.46
	For Auxiliary Frame Reinforcement For Hinges, Add	66.10	
	For Welded Frames, Add	92.93	
	For Galvanized Frames, Add	52.88	
	For Type 304 Stainless Steel Frame, Add	804.92	
	For Type 316 Stainless Steel Frame, Add	937.11	
	For Baked Enamel Finish, Add	167.43	
	For 18 Gauge Frame, Deduct	-44.07	
	For 14 Gauge Frame, Add	110.16	
	For 12 Gauge Frame, Add	167.45	
	For Clear Aluminum Frames (Three Piece), Add	129.99	
	For Black Aluminum Frames (Three Piece), Add	198.29	
08 12 13 13-0083	EA 8' x 6'-8" Through 7'-2" High, 6-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame.....	706.70	119.67
	For Auxiliary Frame Reinforcement For Hinges, Add	70.10	
	For Welded Frames, Add	92.93	
	For Galvanized Frames, Add	56.08	
	For Type 304 Stainless Steel Frame, Add	853.22	
	For Type 316 Stainless Steel Frame, Add	993.42	
	For Baked Enamel Finish, Add	176.11	
	For 18 Gauge Frame, Deduct	-46.74	
	For 14 Gauge Frame, Add	116.84	
	For 12 Gauge Frame, Add	177.60	
	For Clear Aluminum Frames (Three Piece), Add	137.87	
	For Black Aluminum Frames (Three Piece), Add	210.31	



Openings	08	08
Doors And Frames	08 10	
Metal Frames	08 12	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 12 13 13-0084 >7'-2" Through 9'-0" High, 6-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frames <small>(08 12 13 13-0067)</small>		
08 12 13 13-0085 EA 2' x >7'-2" Through 9' High, 6-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame.....	444.54	66.48
For Auxiliary Frame Reinforcement For Hinges, Add	46.74	
For Welded Frames, Add	92.93	
For Galvanized Frames, Add	37.39	
For Type 304 Stainless Steel Frame, Add	567.47	
For Type 316 Stainless Steel Frame, Add	660.95	
For Baked Enamel Finish, Add	113.42	
For 18 Gauge Frame, Deduct	-31.16	
For 14 Gauge Frame, Add	77.89	
For 12 Gauge Frame, Add	118.40	
For Clear Aluminum Frames (Three Piece), Add	91.91	
For Black Aluminum Frames (Three Piece), Add	140.21	
08 12 13 13-0086 EA 2'-4" x >7'-2" Through 9' High, 6-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	517.19	73.13
For Auxiliary Frame Reinforcement For Hinges, Add	55.64	
For Welded Frames, Add	92.93	
For Galvanized Frames, Add	44.51	
For Type 304 Stainless Steel Frame, Add	674.97	
For Type 316 Stainless Steel Frame, Add	786.25	
For Baked Enamel Finish, Add	133.22	
For 18 Gauge Frame, Deduct	-37.09	
For 14 Gauge Frame, Add	92.73	
For 12 Gauge Frame, Add	140.95	
For Clear Aluminum Frames (Three Piece), Add	109.42	
For Black Aluminum Frames (Three Piece), Add	166.91	
08 12 13 13-0087 EA 2'-6" x >7'-2" Through 9' High, 6-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	531.99	77.57
For Auxiliary Frame Reinforcement For Hinges, Add	56.53	
For Welded Frames, Add	92.93	
For Galvanized Frames, Add	45.22	
For Type 304 Stainless Steel Frame, Add	686.10	
For Type 316 Stainless Steel Frame, Add	799.16	
For Baked Enamel Finish, Add	136.33	
For 18 Gauge Frame, Deduct	-37.69	
For 14 Gauge Frame, Add	94.22	
For 12 Gauge Frame, Add	143.21	
For Clear Aluminum Frames (Three Piece), Add	111.17	
For Black Aluminum Frames (Three Piece), Add	169.59	
08 12 13 13-0088 EA 2'-8" x >7'-2" Through 9' High, 6-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	545.28	84.22
For Auxiliary Frame Reinforcement For Hinges, Add	56.53	
For Welded Frames, Add	92.93	
For Galvanized Frames, Add	45.22	
For Type 304 Stainless Steel Frame, Add	686.77	
For Type 316 Stainless Steel Frame, Add	799.83	
For Baked Enamel Finish, Add	138.32	
For 18 Gauge Frame, Deduct	-37.69	
For 14 Gauge Frame, Add	94.22	
For 12 Gauge Frame, Add	143.21	
For Clear Aluminum Frames (Three Piece), Add	111.17	
For Black Aluminum Frames (Three Piece), Add	169.59	
08 12 13 13-0089 EA 2'-10" x >7'-2" Through 9' High, 6-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	555.65	86.43
For Auxiliary Frame Reinforcement For Hinges, Add	57.42	
For Welded Frames, Add	92.93	
For Galvanized Frames, Add	45.93	
For Type 304 Stainless Steel Frame, Add	697.67	
For Type 316 Stainless Steel Frame, Add	812.50	
For Baked Enamel Finish, Add	140.77	
For 18 Gauge Frame, Deduct	-38.28	
For 14 Gauge Frame, Add	95.70	
For 12 Gauge Frame, Add	145.46	
For Clear Aluminum Frames (Three Piece), Add	112.92	
For Black Aluminum Frames (Three Piece), Add	172.26	
08 12 13 13-0090 EA 3' x >7'-2" Through 9' High, 6-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame.....	566.01	88.64
For Auxiliary Frame Reinforcement For Hinges, Add	58.31	
For Welded Frames, Add	92.93	
For Galvanized Frames, Add	46.65	
For Type 304 Stainless Steel Frame, Add	708.58	
For Type 316 Stainless Steel Frame, Add	825.20	
For Baked Enamel Finish, Add	143.21	
For 18 Gauge Frame, Deduct	-38.87	
For 14 Gauge Frame, Add	97.18	
For 12 Gauge Frame, Add	147.72	
For Clear Aluminum Frames (Three Piece), Add	114.68	
For Black Aluminum Frames (Three Piece), Add	174.93	
08 12 13 13-0091 EA 3'-4" x >7'-2" Through 9' High, 6-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	601.59	93.08
For Auxiliary Frame Reinforcement For Hinges, Add	62.31	
For Welded Frames, Add	92.93	
For Galvanized Frames, Add	49.85	
For Type 304 Stainless Steel Frame, Add	757.08	
For Type 316 Stainless Steel Frame, Add	881.71	
For Baked Enamel Finish, Add	152.55	
For 18 Gauge Frame, Deduct	-41.54	
For 14 Gauge Frame, Add	103.86	
For 12 Gauge Frame, Add	157.86	
For Clear Aluminum Frames (Three Piece), Add	122.55	
For Black Aluminum Frames (Three Piece), Add	186.94	

08	08	Openings
	08 10	Doors And Frames
	08 12	Metal Frames



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 12 13	13-0092	EA	3'-6" x >7'-2" Through 9' High, 6-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	610.45	97.51
			<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	62.31	
			<i>For Welded Frames, Add</i>	92.93	
			<i>For Galvanized Frames, Add</i>	49.85	
			<i>For Type 304 Stainless Steel Frame, Add</i>	757.53	
			<i>For Type 316 Stainless Steel Frame, Add</i>	882.15	
			<i>For Baked Enamel Finish, Add</i>	153.88	
			<i>For 18 Gauge Frame, Deduct</i>	-41.54	
			<i>For 14 Gauge Frame, Add</i>	103.86	
			<i>For 12 Gauge Frame, Add</i>	157.86	
			<i>For Clear Aluminum Frames (Three Piece), Add</i>	122.55	
			<i>For Black Aluminum Frames (Three Piece), Add</i>	186.94	
08 12 13	13-0093	EA	4' x >7'-2" Through 9' High, 6-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	634.15	101.94
			<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	64.54	
			<i>For Welded Frames, Add</i>	92.93	
			<i>For Galvanized Frames, Add</i>	51.63	
			<i>For Type 304 Stainless Steel Frame, Add</i>	784.68	
			<i>For Type 316 Stainless Steel Frame, Add</i>	913.76	
			<i>For Baked Enamel Finish, Add</i>	159.66	
			<i>For 18 Gauge Frame, Deduct</i>	-43.03	
			<i>For 14 Gauge Frame, Add</i>	107.57	
			<i>For 12 Gauge Frame, Add</i>	163.50	
			<i>For Clear Aluminum Frames (Three Piece), Add</i>	126.93	
			<i>For Black Aluminum Frames (Three Piece), Add</i>	193.62	
08 12 13	13-0094	EA	5'-4" x >7'-2" Through 9' High, 6-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	657.86	106.37
			<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	66.77	
			<i>For Welded Frames, Add</i>	92.93	
			<i>For Galvanized Frames, Add</i>	53.41	
			<i>For Type 304 Stainless Steel Frame, Add</i>	811.84	
			<i>For Type 316 Stainless Steel Frame, Add</i>	945.37	
			<i>For Baked Enamel Finish, Add</i>	165.45	
			<i>For 18 Gauge Frame, Deduct</i>	-44.51	
			<i>For 14 Gauge Frame, Add</i>	111.28	
			<i>For 12 Gauge Frame, Add</i>	169.14	
			<i>For Clear Aluminum Frames (Three Piece), Add</i>	131.31	
			<i>For Black Aluminum Frames (Three Piece), Add</i>	200.30	
08 12 13	13-0095	EA	5'-4" x >7'-2" Through 9' High, 6-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	666.72	110.81
			<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	66.77	
			<i>For Welded Frames, Add</i>	92.93	
			<i>For Galvanized Frames, Add</i>	53.41	
			<i>For Type 304 Stainless Steel Frame, Add</i>	812.28	
			<i>For Type 316 Stainless Steel Frame, Add</i>	945.81	
			<i>For Baked Enamel Finish, Add</i>	166.77	
			<i>For 18 Gauge Frame, Deduct</i>	-44.51	
			<i>For 14 Gauge Frame, Add</i>	111.28	
			<i>For 12 Gauge Frame, Add</i>	169.14	
			<i>For Clear Aluminum Frames (Three Piece), Add</i>	131.31	
			<i>For Black Aluminum Frames (Three Piece), Add</i>	200.30	
08 12 13	13-0096	EA	5'-8" x >7'-2" Through 9' High, 6-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	678.58	113.02
			<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	67.88	
			<i>For Welded Frames, Add</i>	92.93	
			<i>For Galvanized Frames, Add</i>	54.30	
			<i>For Type 304 Stainless Steel Frame, Add</i>	825.86	
			<i>For Type 316 Stainless Steel Frame, Add</i>	961.62	
			<i>For Baked Enamel Finish, Add</i>	169.67	
			<i>For 18 Gauge Frame, Deduct</i>	-45.25	
			<i>For 14 Gauge Frame, Add</i>	113.13	
			<i>For 12 Gauge Frame, Add</i>	171.96	
			<i>For Clear Aluminum Frames (Three Piece), Add</i>	133.50	
			<i>For Black Aluminum Frames (Three Piece), Add</i>	203.64	
08 12 13	13-0097	EA	6' x >7'-2" Through 9' High, 6-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	690.41	115.24
			<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	68.99	
			<i>For Welded Frames, Add</i>	92.93	
			<i>For Galvanized Frames, Add</i>	55.19	
			<i>For Type 304 Stainless Steel Frame, Add</i>	839.42	
			<i>For Type 316 Stainless Steel Frame, Add</i>	977.40	
			<i>For Baked Enamel Finish, Add</i>	172.55	
			<i>For 18 Gauge Frame, Deduct</i>	-45.99	
			<i>For 14 Gauge Frame, Add</i>	114.99	
			<i>For 12 Gauge Frame, Add</i>	174.78	
			<i>For Clear Aluminum Frames (Three Piece), Add</i>	135.68	
			<i>For Black Aluminum Frames (Three Piece), Add</i>	206.97	
08 12 13	13-0098	EA	7' x >7'-2" Through 9' High, 6-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	724.52	117.46
			<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	73.44	
			<i>For Welded Frames, Add</i>	92.93	
			<i>For Galvanized Frames, Add</i>	58.75	
			<i>For Type 304 Stainless Steel Frame, Add</i>	893.04	
			<i>For Type 316 Stainless Steel Frame, Add</i>	1,039.93	
			<i>For Baked Enamel Finish, Add</i>	162.12	
			<i>For 18 Gauge Frame, Deduct</i>	-48.96	
			<i>For 14 Gauge Frame, Add</i>	122.40	
			<i>For 12 Gauge Frame, Add</i>	186.05	
			<i>For Clear Aluminum Frames (Three Piece), Add</i>	144.43	
			<i>For Black Aluminum Frames (Three Piece), Add</i>	220.32	



Openings	08	08
Doors And Frames	08 10	
Metal Frames	08 12	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 12 13 13-0099 EA 8' x >7'-2" Through 9' High, 6-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame.....	758.63	119.67
For Auxiliary Frame Reinforcement For Hinges, Add	77.89	
For Welded Frames, Add	92.93	
For Galvanized Frames, Add	62.31	
For Type 304 Stainless Steel Frame, Add	946.69	
For Type 316 Stainless Steel Frame, Add	1,102.48	
For Baked Enamel Finish, Add	191.69	
For 18 Gauge Frame, Deduct	-51.93	
For 14 Gauge Frame, Add	129.82	
For 12 Gauge Frame, Add	197.33	
For Clear Aluminum Frames (Three Piece), Add	153.19	
For Black Aluminum Frames (Three Piece), Add	233.68	
08 12 13 13-0100 6-7/8" Through 8-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frames (08 12 13 13)		
Note: For non-rated or fire rated frame assemblies		
08 12 13 13-0101 6'-8" Through 7'-2" High, 6-7/8" Through 8-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frames (08 12 13 13-0100)		
08 12 13 13-0102 EA 2' x 6'-8" Through 7'-2" High, 6-7/8" Through 8-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame.....	434.42	66.48
For Auxiliary Frame Reinforcement For Hinges, Add	45.22	
For Welded Frames, Add	92.93	
For Galvanized Frames, Add	36.17	
For Type 304 Stainless Steel Frame, Add	549.26	
For Type 316 Stainless Steel Frame, Add	639.69	
For Baked Enamel Finish, Add	110.38	
For 18 Gauge Frame, Deduct	-30.15	
For 14 Gauge Frame, Add	75.36	
For 12 Gauge Frame, Add	114.55	
08 12 13 13-0103 EA 2'-4" x 6'-8" Through 7'-2" High, 6-7/8" Through 8-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	505.14	73.13
For Auxiliary Frame Reinforcement For Hinges, Add	53.83	
For Welded Frames, Add	92.93	
For Galvanized Frames, Add	43.06	
For Type 304 Stainless Steel Frame, Add	653.28	
For Type 316 Stainless Steel Frame, Add	760.94	
For Baked Enamel Finish, Add	129.60	
For 18 Gauge Frame, Deduct	-35.89	
For 14 Gauge Frame, Add	89.72	
For 12 Gauge Frame, Add	136.37	
08 12 13 13-0104 EA 2'-6" x 6'-8" Through 7'-2" High, 6-7/8" Through 8-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	519.74	77.57
For Auxiliary Frame Reinforcement For Hinges, Add	54.69	
For Welded Frames, Add	92.93	
For Galvanized Frames, Add	43.75	
For Type 304 Stainless Steel Frame, Add	664.05	
For Type 316 Stainless Steel Frame, Add	773.44	
For Baked Enamel Finish, Add	132.65	
For 18 Gauge Frame, Deduct	-36.46	
For 14 Gauge Frame, Add	91.15	
For 12 Gauge Frame, Add	138.55	
08 12 13 13-0105 EA 2'-8" x 6'-8" Through 7'-2" High, 6-7/8" Through 8-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	533.03	84.22
For Auxiliary Frame Reinforcement For Hinges, Add	54.69	
For Welded Frames, Add	92.93	
For Galvanized Frames, Add	43.75	
For Type 304 Stainless Steel Frame, Add	664.72	
For Type 316 Stainless Steel Frame, Add	774.10	
For Baked Enamel Finish, Add	134.65	
For 18 Gauge Frame, Deduct	-36.46	
For 14 Gauge Frame, Add	91.15	
For 12 Gauge Frame, Add	138.55	
08 12 13 13-0106 EA 2'-10" x 6'-8" Through 7'-2" High, 6-7/8" Through 8-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	543.21	86.43
For Auxiliary Frame Reinforcement For Hinges, Add	55.55	
For Welded Frames, Add	92.93	
For Galvanized Frames, Add	44.44	
For Type 304 Stainless Steel Frame, Add	675.27	
For Type 316 Stainless Steel Frame, Add	786.38	
For Baked Enamel Finish, Add	137.03	
For 18 Gauge Frame, Deduct	-37.04	
For 14 Gauge Frame, Add	92.59	
For 12 Gauge Frame, Add	140.73	
08 12 13 13-0107 EA 3' x 6'-8" Through 7'-2" High, 6-7/8" Through 8-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame.....	553.37	88.64
For Auxiliary Frame Reinforcement For Hinges, Add	56.41	
For Welded Frames, Add	92.93	
For Galvanized Frames, Add	45.13	
For Type 304 Stainless Steel Frame, Add	685.83	
For Type 316 Stainless Steel Frame, Add	798.65	
For Baked Enamel Finish, Add	139.42	
For 18 Gauge Frame, Deduct	-37.61	
For 14 Gauge Frame, Add	94.02	
For 12 Gauge Frame, Add	142.91	

08 Openings**08 10 Doors And Frames****08 12 Metal Frames**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 12 13	13-0108	EA	3'-4" x 6'-8" Through 7'-2" High, 6-7/8" Through 8-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	588.09	93.08
			<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	60.29	
			<i>For Welded Frames, Add</i>	92.93	
			<i>For Galvanized Frames, Add</i>	48.23	
			<i>For Type 304 Stainless Steel Frame, Add</i>	732.78	
			<i>For Type 316 Stainless Steel Frame, Add</i>	853.36	
			<i>For Baked Enamel Finish, Add</i>	148.50	
			<i>For 18 Gauge Frame, Deduct</i>	-40.19	
			<i>For 14 Gauge Frame, Add</i>	100.48	
			<i>For 12 Gauge Frame, Add</i>	152.73	
08 12 13	13-0109	EA	3'-6" x 6'-8" Through 7'-2" High, 6-7/8" Through 8-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	596.95	97.51
			<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	60.29	
			<i>For Welded Frames, Add</i>	92.93	
			<i>For Galvanized Frames, Add</i>	48.23	
			<i>For Type 304 Stainless Steel Frame, Add</i>	733.23	
			<i>For Type 316 Stainless Steel Frame, Add</i>	853.80	
			<i>For Baked Enamel Finish, Add</i>	149.83	
			<i>For 18 Gauge Frame, Deduct</i>	-40.19	
			<i>For 14 Gauge Frame, Add</i>	100.48	
			<i>For 12 Gauge Frame, Add</i>	152.73	
08 12 13	13-0110	EA	4' x 6'-8" Through 7'-2" High, 6-7/8" Through 8-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	620.17	101.94
			<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	62.44	
			<i>For Welded Frames, Add</i>	92.93	
			<i>For Galvanized Frames, Add</i>	49.95	
			<i>For Type 304 Stainless Steel Frame, Add</i>	759.52	
			<i>For Type 316 Stainless Steel Frame, Add</i>	884.40	
			<i>For Baked Enamel Finish, Add</i>	155.47	
			<i>For 18 Gauge Frame, Deduct</i>	-41.63	
			<i>For 14 Gauge Frame, Add</i>	104.07	
			<i>For 12 Gauge Frame, Add</i>	158.19	
08 12 13	13-0111	EA	5' x 6'-8" Through 7'-2" High, 6-7/8" Through 8-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	643.39	106.37
			<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	64.60	
			<i>For Welded Frames, Add</i>	92.93	
			<i>For Galvanized Frames, Add</i>	51.68	
			<i>For Type 304 Stainless Steel Frame, Add</i>	785.79	
			<i>For Type 316 Stainless Steel Frame, Add</i>	914.98	
			<i>For Baked Enamel Finish, Add</i>	161.10	
			<i>For 18 Gauge Frame, Deduct</i>	-43.06	
			<i>For 14 Gauge Frame, Add</i>	107.66	
			<i>For 12 Gauge Frame, Add</i>	163.64	
08 12 13	13-0112	EA	5'-4" x 6'-8" Through 7'-2" High, 6-7/8" Through 8-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	652.25	110.81
			<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	64.60	
			<i>For Welded Frames, Add</i>	92.93	
			<i>For Galvanized Frames, Add</i>	51.68	
			<i>For Type 304 Stainless Steel Frame, Add</i>	786.23	
			<i>For Type 316 Stainless Steel Frame, Add</i>	915.42	
			<i>For Baked Enamel Finish, Add</i>	162.43	
			<i>For 18 Gauge Frame, Deduct</i>	-43.06	
			<i>For 14 Gauge Frame, Add</i>	107.66	
			<i>For 12 Gauge Frame, Add</i>	163.64	
08 12 13	13-0113	EA	5'-8" x 6'-8" Through 7'-2" High, 6-7/8" Through 8-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	663.87	113.02
			<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	65.67	
			<i>For Welded Frames, Add</i>	92.93	
			<i>For Galvanized Frames, Add</i>	52.54	
			<i>For Type 304 Stainless Steel Frame, Add</i>	799.38	
			<i>For Type 316 Stainless Steel Frame, Add</i>	930.72	
			<i>For Baked Enamel Finish, Add</i>	165.25	
			<i>For 18 Gauge Frame, Deduct</i>	-43.78	
			<i>For 14 Gauge Frame, Add</i>	109.46	
			<i>For 12 Gauge Frame, Add</i>	166.37	
08 12 13	13-0114	EA	6' x 6'-8" Through 7'-2" High, 6-7/8" Through 8-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	675.47	115.24
			<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	66.75	
			<i>For Welded Frames, Add</i>	92.93	
			<i>For Galvanized Frames, Add</i>	53.40	
			<i>For Type 304 Stainless Steel Frame, Add</i>	812.52	
			<i>For Type 316 Stainless Steel Frame, Add</i>	946.02	
			<i>For Baked Enamel Finish, Add</i>	168.07	
			<i>For 18 Gauge Frame, Deduct</i>	-44.50	
			<i>For 14 Gauge Frame, Add</i>	111.25	
			<i>For 12 Gauge Frame, Add</i>	169.10	
08 12 13	13-0115	EA	7' x 6'-8" Through 7'-2" High, 6-7/8" Through 8-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	708.61	117.46
			<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	71.06	
			<i>For Welded Frames, Add</i>	92.93	
			<i>For Galvanized Frames, Add</i>	56.84	
			<i>For Type 304 Stainless Steel Frame, Add</i>	864.41	
			<i>For Type 316 Stainless Steel Frame, Add</i>	1,006.52	
			<i>For Baked Enamel Finish, Add</i>	177.35	
			<i>For 18 Gauge Frame, Deduct</i>	-47.37	
			<i>For 14 Gauge Frame, Add</i>	118.43	
			<i>For 12 Gauge Frame, Add</i>	180.01	



Openings	08	08
Doors And Frames	08 10	
Metal Frames	08 12	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 12 13	13-0116	EA	8' x 6'-8" Through 7'-2" High, 6-7/8" Through 8-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame.....	741.76	119.67
			<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	75.36	
			<i>For Welded Frames, Add</i>	92.93	
			<i>For Galvanized Frames, Add</i>	60.29	
			<i>For Type 304 Stainless Steel Frame, Add</i>	916.32	
			<i>For Type 316 Stainless Steel Frame, Add</i>	1,067.05	
			<i>For Baked Enamel Finish, Add</i>	186.63	
			<i>For 18 Gauge Frame, Deduct</i>	-50.24	
			<i>For 14 Gauge Frame, Add</i>	125.61	
			<i>For 12 Gauge Frame, Add</i>	190.92	
08 12 13	13-0117		>7'-2" Through 9'-0" High, 6-7/8" Through 8-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frames (08 12 13 13-0100)		
08 12 13	13-0118	EA	2' x >7'-2" Through 9' High, 6-7/8" Through 8-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame.....	467.91	66.48
			<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	50.24	
			<i>For Welded Frames, Add</i>	92.93	
			<i>For Galvanized Frames, Add</i>	40.19	
			<i>For Type 304 Stainless Steel Frame, Add</i>	609.54	
			<i>For Type 316 Stainless Steel Frame, Add</i>	710.02	
			<i>For Baked Enamel Finish, Add</i>	120.43	
			<i>For 18 Gauge Frame, Deduct</i>	-33.49	
			<i>For 14 Gauge Frame, Add</i>	83.74	
			<i>For 12 Gauge Frame, Add</i>	127.28	
08 12 13	13-0119	EA	2'-4" x >7'-2" Through 9' High, 6-7/8" Through 8-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame.....	545.01	73.13
			<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	59.81	
			<i>For Welded Frames, Add</i>	92.93	
			<i>For Galvanized Frames, Add</i>	47.85	
			<i>For Type 304 Stainless Steel Frame, Add</i>	725.05	
			<i>For Type 316 Stainless Steel Frame, Add</i>	844.67	
			<i>For Baked Enamel Finish, Add</i>	141.56	
			<i>For 18 Gauge Frame, Deduct</i>	-39.87	
			<i>For 14 Gauge Frame, Add</i>	99.69	
			<i>For 12 Gauge Frame, Add</i>	151.52	
08 12 13	13-0120	EA	2'-6" x >7'-2" Through 9' High, 6-7/8" Through 8-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame.....	560.25	77.57
			<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	60.77	
			<i>For Welded Frames, Add</i>	92.93	
			<i>For Galvanized Frames, Add</i>	48.61	
			<i>For Type 304 Stainless Steel Frame, Add</i>	736.97	
			<i>For Type 316 Stainless Steel Frame, Add</i>	858.51	
			<i>For Baked Enamel Finish, Add</i>	144.81	
			<i>For 18 Gauge Frame, Deduct</i>	-40.51	
			<i>For 14 Gauge Frame, Add</i>	101.28	
			<i>For 12 Gauge Frame, Add</i>	153.95	
08 12 13	13-0121	EA	2'-8" x >7'-2" Through 9' High, 6-7/8" Through 8-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame.....	573.54	84.22
			<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	60.77	
			<i>For Welded Frames, Add</i>	92.93	
			<i>For Galvanized Frames, Add</i>	48.61	
			<i>For Type 304 Stainless Steel Frame, Add</i>	737.64	
			<i>For Type 316 Stainless Steel Frame, Add</i>	859.17	
			<i>For Baked Enamel Finish, Add</i>	146.80	
			<i>For 18 Gauge Frame, Deduct</i>	-40.51	
			<i>For 14 Gauge Frame, Add</i>	101.28	
			<i>For 12 Gauge Frame, Add</i>	153.95	
08 12 13	13-0122	EA	2'-10" x >7'-2" Through 9' High, 6-7/8" Through 8-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame.....	584.36	86.43
			<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	61.73	
			<i>For Welded Frames, Add</i>	92.93	
			<i>For Galvanized Frames, Add</i>	49.38	
			<i>For Type 304 Stainless Steel Frame, Add</i>	749.34	
			<i>For Type 316 Stainless Steel Frame, Add</i>	872.79	
			<i>For Baked Enamel Finish, Add</i>	149.38	
			<i>For 18 Gauge Frame, Deduct</i>	-41.15	
			<i>For 14 Gauge Frame, Add</i>	102.88	
			<i>For 12 Gauge Frame, Add</i>	156.37	
08 12 13	13-0123	EA	3' x >7'-2" Through 9' High, 6-7/8" Through 8-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame.....	595.16	88.64
			<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	62.68	
			<i>For Welded Frames, Add</i>	92.93	
			<i>For Galvanized Frames, Add</i>	50.15	
			<i>For Type 304 Stainless Steel Frame, Add</i>	761.05	
			<i>For Type 316 Stainless Steel Frame, Add</i>	886.41	
			<i>For Baked Enamel Finish, Add</i>	151.96	
			<i>For 18 Gauge Frame, Deduct</i>	-41.79	
			<i>For 14 Gauge Frame, Add</i>	104.47	
			<i>For 12 Gauge Frame, Add</i>	158.79	
08 12 13	13-0124	EA	3'-4" x >7'-2" Through 9' High, 6-7/8" Through 8-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame.....	632.75	93.08
			<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	66.99	
			<i>For Welded Frames, Add</i>	92.93	
			<i>For Galvanized Frames, Add</i>	53.59	
			<i>For Type 304 Stainless Steel Frame, Add</i>	813.17	
			<i>For Type 316 Stainless Steel Frame, Add</i>	947.15	
			<i>For Baked Enamel Finish, Add</i>	161.90	
			<i>For 18 Gauge Frame, Deduct</i>	-44.66	
			<i>For 14 Gauge Frame, Add</i>	111.65	
			<i>For 12 Gauge Frame, Add</i>	169.70	

08 Openings**08 10 Doors And Frames****08 12 Metal Frames**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 12 13	13-0125	EA	3'-6" x >7'-2" Through 9' High, 6-7/8" Through 8-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame.....	641.61	97.51
			<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	66.99	
			<i>For Welded Frames, Add</i>	92.93	
			<i>For Galvanized Frames, Add</i>	53.59	
			<i>For Type 304 Stainless Steel Frame, Add</i>	813.61	
			<i>For Type 316 Stainless Steel Frame, Add</i>	947.59	
			<i>For Baked Enamel Finish, Add</i>	163.23	
			<i>For 18 Gauge Frame, Deduct</i>	-44.66	
			<i>For 14 Gauge Frame, Add</i>	111.65	
			<i>For 12 Gauge Frame, Add</i>	169.70	
08 12 13	13-0126	EA	4' x >7'-2" Through 9' High, 6-7/8" Through 8-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame.....	666.42	101.94
			<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	69.38	
			<i>For Welded Frames, Add</i>	92.93	
			<i>For Galvanized Frames, Add</i>	55.50	
			<i>For Type 304 Stainless Steel Frame, Add</i>	842.77	
			<i>For Type 316 Stainless Steel Frame, Add</i>	981.53	
			<i>For Baked Enamel Finish, Add</i>	169.34	
			<i>For 18 Gauge Frame, Deduct</i>	-46.25	
			<i>For 14 Gauge Frame, Add</i>	115.64	
			<i>For 12 Gauge Frame, Add</i>	175.77	
08 12 13	13-0127	EA	5' x >7'-2" Through 9' High, 6-7/8" Through 8-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame.....	691.24	106.37
			<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	71.77	
			<i>For Welded Frames, Add</i>	92.93	
			<i>For Galvanized Frames, Add</i>	57.42	
			<i>For Type 304 Stainless Steel Frame, Add</i>	871.92	
			<i>For Type 316 Stainless Steel Frame, Add</i>	1,015.47	
			<i>For Baked Enamel Finish, Add</i>	175.46	
			<i>For 18 Gauge Frame, Deduct</i>	-47.85	
			<i>For 14 Gauge Frame, Add</i>	119.62	
			<i>For 12 Gauge Frame, Add</i>	181.83	
08 12 13	13-0128	EA	5'-4" x >7'-2" Through 9' High, 6-7/8" Through 8-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame.....	700.10	110.81
			<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	71.77	
			<i>For Welded Frames, Add</i>	92.93	
			<i>For Galvanized Frames, Add</i>	57.42	
			<i>For Type 304 Stainless Steel Frame, Add</i>	872.36	
			<i>For Type 316 Stainless Steel Frame, Add</i>	1,015.91	
			<i>For Baked Enamel Finish, Add</i>	176.79	
			<i>For 18 Gauge Frame, Deduct</i>	-47.85	
			<i>For 14 Gauge Frame, Add</i>	119.62	
			<i>For 12 Gauge Frame, Add</i>	181.83	
08 12 13	13-0129	EA	5'-8" x >7'-2" Through 9' High, 6-7/8" Through 8-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame.....	712.51	113.02
			<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	72.97	
			<i>For Welded Frames, Add</i>	92.93	
			<i>For Galvanized Frames, Add</i>	58.38	
			<i>For Type 304 Stainless Steel Frame, Add</i>	886.93	
			<i>For Type 316 Stainless Steel Frame, Add</i>	1,032.87	
			<i>For Baked Enamel Finish, Add</i>	179.85	
			<i>For 18 Gauge Frame, Deduct</i>	-48.65	
			<i>For 14 Gauge Frame, Add</i>	121.62	
			<i>For 12 Gauge Frame, Add</i>	184.85	
08 12 13	13-0130	EA	6' x >7'-2" Through 9' High, 6-7/8" Through 8-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame.....	724.91	115.24
			<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	74.17	
			<i>For Welded Frames, Add</i>	92.93	
			<i>For Galvanized Frames, Add</i>	59.33	
			<i>For Type 304 Stainless Steel Frame, Add</i>	901.52	
			<i>For Type 316 Stainless Steel Frame, Add</i>	1,049.85	
			<i>For Baked Enamel Finish, Add</i>	182.90	
			<i>For 18 Gauge Frame, Deduct</i>	-49.44	
			<i>For 14 Gauge Frame, Add</i>	123.61	
			<i>For 12 Gauge Frame, Add</i>	187.89	
08 12 13	13-0131	EA	7' x >7'-2" Through 9' High, 6-7/8" Through 8-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame.....	761.24	117.46
			<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	78.95	
			<i>For Welded Frames, Add</i>	92.93	
			<i>For Galvanized Frames, Add</i>	63.16	
			<i>For Type 304 Stainless Steel Frame, Add</i>	959.14	
			<i>For Type 316 Stainless Steel Frame, Add</i>	1,117.04	
			<i>For Baked Enamel Finish, Add</i>	193.14	
			<i>For 18 Gauge Frame, Deduct</i>	-52.63	
			<i>For 14 Gauge Frame, Add</i>	131.58	
			<i>For 12 Gauge Frame, Add</i>	200.01	
08 12 13	13-0132	EA	8' x >7'-2" Through 9' High, 6-7/8" Through 8-3/4" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame.....	797.58	119.67
			<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	83.74	
			<i>For Welded Frames, Add</i>	92.93	
			<i>For Galvanized Frames, Add</i>	66.99	
			<i>For Type 304 Stainless Steel Frame, Add</i>	1,016.80	
			<i>For Type 316 Stainless Steel Frame, Add</i>	1,184.27	
			<i>For Baked Enamel Finish, Add</i>	203.37	
			<i>For 18 Gauge Frame, Deduct</i>	-55.82	
			<i>For 14 Gauge Frame, Add</i>	139.56	
			<i>For 12 Gauge Frame, Add</i>	212.13	

08 12 13 13-0133 8-7/8" Through 13" Deep, 16 Gauge, Knock Down Hollow Metal Door

Frames (08 12 13 13)

Note: For non-rated or fire rated frame assemblies



Openings	08	08
Doors And Frames	08 10	
Metal Frames	08 12	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 12 13 13-0134 6'-8" Through 7'-2" High, 8-7/8" Through 13" Deep, 16 Gauge, Knock Down Hollow Metal Door Frames <small>(08 12 13 13-0133)</small>		
08 12 13 13-0135 EA 2' x 6'-8" Through 7'-2" High, 8-7/8" Through 13" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	448.44	66.48
For Auxiliary Frame Reinforcement For Hinges, Add	47.32	
For Welded Frames, Add	92.93	
For Galvanized Frames, Add	37.86	
For Type 304 Stainless Steel Frame, Add	574.49	
For Type 316 Stainless Steel Frame, Add	669.14	
For Baked Enamel Finish, Add	114.59	
For 18 Gauge Frame, Deduct	-31.55	
For 14 Gauge Frame, Add	78.87	
For 12 Gauge Frame, Add	119.88	
08 12 13 13-0136 EA 2'-4" x 6'-8" Through 7'-2" High, 8-7/8" Through 13" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	521.83	73.13
For Auxiliary Frame Reinforcement For Hinges, Add	56.33	
For Welded Frames, Add	92.93	
For Galvanized Frames, Add	45.07	
For Type 304 Stainless Steel Frame, Add	683.32	
For Type 316 Stainless Steel Frame, Add	795.99	
For Baked Enamel Finish, Add	134.61	
For 18 Gauge Frame, Deduct	-37.56	
For 14 Gauge Frame, Add	93.89	
For 12 Gauge Frame, Add	142.71	
08 12 13 13-0137 EA 2'-6" x 6'-8" Through 7'-2" High, 8-7/8" Through 13" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	536.70	77.57
For Auxiliary Frame Reinforcement For Hinges, Add	57.24	
For Welded Frames, Add	92.93	
For Galvanized Frames, Add	45.79	
For Type 304 Stainless Steel Frame, Add	694.58	
For Type 316 Stainless Steel Frame, Add	809.05	
For Baked Enamel Finish, Add	137.74	
For 18 Gauge Frame, Deduct	-38.16	
For 14 Gauge Frame, Add	95.39	
For 12 Gauge Frame, Add	145.00	
08 12 13 13-0138 EA 2'-8" x 6'-8" Through 7'-2" High, 8-7/8" Through 13" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	549.99	84.22
For Auxiliary Frame Reinforcement For Hinges, Add	57.24	
For Welded Frames, Add	92.93	
For Galvanized Frames, Add	45.79	
For Type 304 Stainless Steel Frame, Add	695.25	
For Type 316 Stainless Steel Frame, Add	809.72	
For Baked Enamel Finish, Add	139.73	
For 18 Gauge Frame, Deduct	-38.16	
For 14 Gauge Frame, Add	95.39	
For 12 Gauge Frame, Add	145.00	
08 12 13 13-0139 EA 2'-10" x 6'-8" Through 7'-2" High, 8-7/8" Through 13" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	560.44	86.43
For Auxiliary Frame Reinforcement For Hinges, Add	58.14	
For Welded Frames, Add	92.93	
For Galvanized Frames, Add	46.51	
For Type 304 Stainless Steel Frame, Add	706.29	
For Type 316 Stainless Steel Frame, Add	822.56	
For Baked Enamel Finish, Add	142.20	
For 18 Gauge Frame, Deduct	-38.76	
For 14 Gauge Frame, Add	96.90	
For 12 Gauge Frame, Add	147.28	
08 12 13 13-0140 EA 3' x 6'-8" Through 7'-2" High, 8-7/8" Through 13" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	570.87	88.64
For Auxiliary Frame Reinforcement For Hinges, Add	59.04	
For Welded Frames, Add	92.93	
For Galvanized Frames, Add	47.23	
For Type 304 Stainless Steel Frame, Add	717.33	
For Type 316 Stainless Steel Frame, Add	835.40	
For Baked Enamel Finish, Add	144.67	
For 18 Gauge Frame, Deduct	-39.36	
For 14 Gauge Frame, Add	98.40	
For 12 Gauge Frame, Add	149.56	
08 12 13 13-0141 EA 3'-4" x 6'-8" Through 7'-2" High, 8-7/8" Through 13" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	606.79	93.08
For Auxiliary Frame Reinforcement For Hinges, Add	63.09	
For Welded Frames, Add	92.93	
For Galvanized Frames, Add	50.48	
For Type 304 Stainless Steel Frame, Add	766.44	
For Type 316 Stainless Steel Frame, Add	892.63	
For Baked Enamel Finish, Add	154.11	
For 18 Gauge Frame, Deduct	-42.06	
For 14 Gauge Frame, Add	105.16	
For 12 Gauge Frame, Add	159.84	
08 12 13 13-0142 EA 3'-6" x 6'-8" Through 7'-2" High, 8-7/8" Through 13" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	615.65	97.51
For Auxiliary Frame Reinforcement For Hinges, Add	63.09	
For Welded Frames, Add	92.93	
For Galvanized Frames, Add	50.48	
For Type 304 Stainless Steel Frame, Add	766.89	
For Type 316 Stainless Steel Frame, Add	893.07	
For Baked Enamel Finish, Add	155.44	
For 18 Gauge Frame, Deduct	-42.06	
For 14 Gauge Frame, Add	105.16	
For 12 Gauge Frame, Add	159.84	

08 Openings**08 10 Doors And Frames****08 12 Metal Frames**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 12 13	13-0143	EA	4' x 6'-8" Through 7'-2" High, 8-7/8" Through 13" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	639.53	101.94
			<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	65.35	
			<i>For Welded Frames, Add</i>	92.93	
			<i>For Galvanized Frames, Add</i>	52.28	
			<i>For Type 304 Stainless Steel Frame, Add</i>	794.36	
			<i>For Type 316 Stainless Steel Frame, Add</i>	925.06	
			<i>For Baked Enamel Finish, Add</i>	161.28	
			<i>For 18 Gauge Frame, Deduct</i>	-43.57	
			<i>For 14 Gauge Frame, Add</i>	108.91	
			<i>For 12 Gauge Frame, Add</i>	165.55	
08 12 13	13-0144	EA	5' x 6'-8" Through 7'-2" High, 8-7/8" Through 13" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	663.42	106.37
			<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	67.60	
			<i>For Welded Frames, Add</i>	92.93	
			<i>For Galvanized Frames, Add</i>	54.08	
			<i>For Type 304 Stainless Steel Frame, Add</i>	821.84	
			<i>For Type 316 Stainless Steel Frame, Add</i>	957.04	
			<i>For Baked Enamel Finish, Add</i>	167.11	
			<i>For 18 Gauge Frame, Deduct</i>	-45.07	
			<i>For 14 Gauge Frame, Add</i>	112.67	
			<i>For 12 Gauge Frame, Add</i>	171.25	
08 12 13	13-0145	EA	5'-4" x 6'-8" Through 7'-2" High, 8-7/8" Through 13" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	672.28	110.81
			<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	67.60	
			<i>For Welded Frames, Add</i>	92.93	
			<i>For Galvanized Frames, Add</i>	54.08	
			<i>For Type 304 Stainless Steel Frame, Add</i>	822.29	
			<i>For Type 316 Stainless Steel Frame, Add</i>	957.49	
			<i>For Baked Enamel Finish, Add</i>	168.44	
			<i>For 18 Gauge Frame, Deduct</i>	-45.07	
			<i>For 14 Gauge Frame, Add</i>	112.67	
			<i>For 12 Gauge Frame, Add</i>	171.25	
08 12 13	13-0146	EA	5'-8" x 6'-8" Through 7'-2" High, 8-7/8" Through 13" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	684.23	113.02
			<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	68.73	
			<i>For Welded Frames, Add</i>	92.93	
			<i>For Galvanized Frames, Add</i>	54.98	
			<i>For Type 304 Stainless Steel Frame, Add</i>	836.03	
			<i>For Type 316 Stainless Steel Frame, Add</i>	973.48	
			<i>For Baked Enamel Finish, Add</i>	171.36	
			<i>For 18 Gauge Frame, Deduct</i>	-45.82	
			<i>For 14 Gauge Frame, Add</i>	114.55	
			<i>For 12 Gauge Frame, Add</i>	174.11	
08 12 13	13-0147	EA	6' x 6'-8" Through 7'-2" High, 8-7/8" Through 13" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	696.16	115.24
			<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	69.85	
			<i>For Welded Frames, Add</i>	92.93	
			<i>For Galvanized Frames, Add</i>	55.88	
			<i>For Type 304 Stainless Steel Frame, Add</i>	849.77	
			<i>For Type 316 Stainless Steel Frame, Add</i>	989.47	
			<i>For Baked Enamel Finish, Add</i>	174.28	
			<i>For 18 Gauge Frame, Deduct</i>	-46.57	
			<i>For 14 Gauge Frame, Add</i>	116.42	
			<i>For 12 Gauge Frame, Add</i>	176.96	
08 12 13	13-0148	EA	7' x 6'-8" Through 7'-2" High, 8-7/8" Through 13" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	730.64	117.46
			<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	74.36	
			<i>For Welded Frames, Add</i>	92.93	
			<i>For Galvanized Frames, Add</i>	59.49	
			<i>For Type 304 Stainless Steel Frame, Add</i>	904.06	
			<i>For Type 316 Stainless Steel Frame, Add</i>	1,052.78	
			<i>For Baked Enamel Finish, Add</i>	183.96	
			<i>For 18 Gauge Frame, Deduct</i>	-49.57	
			<i>For 14 Gauge Frame, Add</i>	123.93	
			<i>For 12 Gauge Frame, Add</i>	188.38	
08 12 13	13-0149	EA	8' x 6'-8" Through 7'-2" High, 8-7/8" Through 13" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	765.12	119.67
			<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	78.87	
			<i>For Welded Frames, Add</i>	92.93	
			<i>For Galvanized Frames, Add</i>	63.09	
			<i>For Type 304 Stainless Steel Frame, Add</i>	958.37	
			<i>For Type 316 Stainless Steel Frame, Add</i>	1,116.11	
			<i>For Baked Enamel Finish, Add</i>	193.64	
			<i>For 18 Gauge Frame, Deduct</i>	-52.58	
			<i>For 14 Gauge Frame, Add</i>	131.45	
			<i>For 12 Gauge Frame, Add</i>	199.80	
08 12 13	13-0150		>7'-2" Through 9'-0" High, 8-7/8" Through 13" Deep, 16 Gauge, Knock Down Hollow Metal Door Frames (08 12 13 13-0133)		
08 12 13	13-0151	EA	2' x >7'-2" Through 9' High, 8-7/8" Through 13" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	483.49	66.48
			<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	52.58	
			<i>For Welded Frames, Add</i>	92.93	
			<i>For Galvanized Frames, Add</i>	42.06	
			<i>For Type 304 Stainless Steel Frame, Add</i>	637.58	
			<i>For Type 316 Stainless Steel Frame, Add</i>	742.74	
			<i>For Baked Enamel Finish, Add</i>	125.10	
			<i>For 18 Gauge Frame, Deduct</i>	-35.05	
			<i>For 14 Gauge Frame, Add</i>	87.63	
			<i>For 12 Gauge Frame, Add</i>	133.20	



Openings	08	08
Doors And Frames	08 10	
Metal Frames	08 12	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 12 13	13-0152	EA	2'-4" x >7'-2" Through 9' High, 8-7/8" Through 13" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame.....	563.56	73.13
			<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	62.59	
			<i>For Welded Frames, Add</i>	92.93	
			<i>For Galvanized Frames, Add</i>	50.07	
			<i>For Type 304 Stainless Steel Frame, Add</i>	758.44	
			<i>For Type 316 Stainless Steel Frame, Add</i>	883.62	
			<i>For Baked Enamel Finish, Add</i>	147.13	
			<i>For 18 Gauge Frame, Deduct</i>	-41.73	
			<i>For 14 Gauge Frame, Add</i>	104.32	
			<i>For 12 Gauge Frame, Add</i>	158.57	
08 12 13	13-0153	EA	2'-6" x >7'-2" Through 9' High, 8-7/8" Through 13" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame.....	579.09	77.57
			<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	63.59	
			<i>For Welded Frames, Add</i>	92.93	
			<i>For Galvanized Frames, Add</i>	50.88	
			<i>For Type 304 Stainless Steel Frame, Add</i>	770.88	
			<i>For Type 316 Stainless Steel Frame, Add</i>	898.07	
			<i>For Baked Enamel Finish, Add</i>	150.46	
			<i>For 18 Gauge Frame, Deduct</i>	-42.40	
			<i>For 14 Gauge Frame, Add</i>	105.99	
			<i>For 12 Gauge Frame, Add</i>	161.10	
08 12 13	13-0154	EA	2'-8" x >7'-2" Through 9' High, 8-7/8" Through 13" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame.....	592.38	84.22
			<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	63.59	
			<i>For Welded Frames, Add</i>	92.93	
			<i>For Galvanized Frames, Add</i>	50.88	
			<i>For Type 304 Stainless Steel Frame, Add</i>	771.55	
			<i>For Type 316 Stainless Steel Frame, Add</i>	898.74	
			<i>For Baked Enamel Finish, Add</i>	152.45	
			<i>For 18 Gauge Frame, Deduct</i>	-42.40	
			<i>For 14 Gauge Frame, Add</i>	105.99	
			<i>For 12 Gauge Frame, Add</i>	161.10	
08 12 13	13-0155	EA	2'-10" x >7'-2" Through 9' High, 8-7/8" Through 13" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame.....	603.50	86.43
			<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	64.60	
			<i>For Welded Frames, Add</i>	92.93	
			<i>For Galvanized Frames, Add</i>	51.68	
			<i>For Type 304 Stainless Steel Frame, Add</i>	783.80	
			<i>For Type 316 Stainless Steel Frame, Add</i>	912.99	
			<i>For Baked Enamel Finish, Add</i>	155.12	
			<i>For 18 Gauge Frame, Deduct</i>	-43.06	
			<i>For 14 Gauge Frame, Add</i>	107.66	
			<i>For 12 Gauge Frame, Add</i>	163.64	
08 12 13	13-0156	EA	3' x >7'-2" Through 9' High, 8-7/8" Through 13" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame.....	614.60	88.64
			<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	65.60	
			<i>For Welded Frames, Add</i>	92.93	
			<i>For Galvanized Frames, Add</i>	52.48	
			<i>For Type 304 Stainless Steel Frame, Add</i>	796.04	
			<i>For Type 316 Stainless Steel Frame, Add</i>	927.24	
			<i>For Baked Enamel Finish, Add</i>	157.79	
			<i>For 18 Gauge Frame, Deduct</i>	-43.73	
			<i>For 14 Gauge Frame, Add</i>	109.33	
			<i>For 12 Gauge Frame, Add</i>	166.18	
08 12 13	13-0157	EA	3'-4" x >7'-2" Through 9' High, 8-7/8" Through 13" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame.....	653.52	93.08
			<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	70.10	
			<i>For Welded Frames, Add</i>	92.93	
			<i>For Galvanized Frames, Add</i>	56.08	
			<i>For Type 304 Stainless Steel Frame, Add</i>	850.56	
			<i>For Type 316 Stainless Steel Frame, Add</i>	990.76	
			<i>For Baked Enamel Finish, Add</i>	168.13	
			<i>For 18 Gauge Frame, Deduct</i>	-46.74	
			<i>For 14 Gauge Frame, Add</i>	116.84	
			<i>For 12 Gauge Frame, Add</i>	177.60	
08 12 13	13-0158	EA	3'-6" x >7'-2" Through 9' High, 8-7/8" Through 13" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame.....	662.38	97.51
			<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	70.10	
			<i>For Welded Frames, Add</i>	92.93	
			<i>For Galvanized Frames, Add</i>	56.08	
			<i>For Type 304 Stainless Steel Frame, Add</i>	851.00	
			<i>For Type 316 Stainless Steel Frame, Add</i>	991.21	
			<i>For Baked Enamel Finish, Add</i>	169.46	
			<i>For 18 Gauge Frame, Deduct</i>	-46.74	
			<i>For 14 Gauge Frame, Add</i>	116.84	
			<i>For 12 Gauge Frame, Add</i>	177.60	
08 12 13	13-0159	EA	4' x >7'-2" Through 9' High, 8-7/8" Through 13" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame.....	687.93	101.94
			<i>For Auxiliary Frame Reinforcement For Hinges, Add</i>	72.61	
			<i>For Welded Frames, Add</i>	92.93	
			<i>For Galvanized Frames, Add</i>	58.09	
			<i>For Type 304 Stainless Steel Frame, Add</i>	881.48	
			<i>For Type 316 Stainless Steel Frame, Add</i>	1,026.70	
			<i>For Baked Enamel Finish, Add</i>	175.80	
			<i>For 18 Gauge Frame, Deduct</i>	-48.41	
			<i>For 14 Gauge Frame, Add</i>	121.01	
			<i>For 12 Gauge Frame, Add</i>	183.94	

08 Openings**08 10 Doors And Frames****08 12 Metal Frames**

MINOR		TOTAL DIRECT	DEMOLITION
CSI	UOM DESCRIPTION	UNIT COST	UNIT COST
08 12 13 13-0160	EA 5' x >7'-2" Through 9' High, 8-7/8" Through 13" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	713.50	106.37
	For Auxiliary Frame Reinforcement For Hinges, Add	75.11	
	For Welded Frames, Add	92.93	
	For Galvanized Frames, Add	60.09	
	For Type 304 Stainless Steel Frame, Add	911.99	
	For Type 316 Stainless Steel Frame, Add	1,062.21	
	For Baked Enamel Finish, Add	182.14	
	For 18 Gauge Frame, Deduct	-50.08	
	For 14 Gauge Frame, Add	125.19	
	For 12 Gauge Frame, Add	190.29	
08 12 13 13-0161	EA 5'-4" x >7'-2" Through 9' High, 8-7/8" Through 13" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	722.36	110.81
	For Auxiliary Frame Reinforcement For Hinges, Add	75.11	
	For Welded Frames, Add	92.93	
	For Galvanized Frames, Add	60.09	
	For Type 304 Stainless Steel Frame, Add	912.43	
	For Type 316 Stainless Steel Frame, Add	1,062.66	
	For Baked Enamel Finish, Add	183.47	
	For 18 Gauge Frame, Deduct	-50.08	
	For 14 Gauge Frame, Add	125.19	
	For 12 Gauge Frame, Add	190.29	
08 12 13 13-0162	EA 5'-8" x >7'-2" Through 9' High, 8-7/8" Through 13" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	735.14	113.02
	For Auxiliary Frame Reinforcement For Hinges, Add	76.36	
	For Welded Frames, Add	92.93	
	For Galvanized Frames, Add	61.09	
	For Type 304 Stainless Steel Frame, Add	927.66	
	For Type 316 Stainless Steel Frame, Add	1,080.39	
	For Baked Enamel Finish, Add	186.63	
	For 18 Gauge Frame, Deduct	-50.91	
	For 14 Gauge Frame, Add	127.27	
	For 12 Gauge Frame, Add	193.45	
08 12 13 13-0163	EA 6' x >7'-2" Through 9' High, 8-7/8" Through 13" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	747.91	115.24
	For Auxiliary Frame Reinforcement For Hinges, Add	77.62	
	For Welded Frames, Add	92.93	
	For Galvanized Frames, Add	62.09	
	For Type 304 Stainless Steel Frame, Add	942.92	
	For Type 316 Stainless Steel Frame, Add	1,098.15	
	For Baked Enamel Finish, Add	189.80	
	For 18 Gauge Frame, Deduct	-51.74	
	For 14 Gauge Frame, Add	129.36	
	For 12 Gauge Frame, Add	196.63	
08 12 13 13-0164	EA 7' x >7'-2" Through 9' High, 8-7/8" Through 13" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	785.72	117.46
	For Auxiliary Frame Reinforcement For Hinges, Add	82.62	
	For Welded Frames, Add	92.93	
	For Galvanized Frames, Add	66.10	
	For Type 304 Stainless Steel Frame, Add	1,003.20	
	For Type 316 Stainless Steel Frame, Add	1,168.45	
	For Baked Enamel Finish, Add	200.48	
	For 18 Gauge Frame, Deduct	-55.08	
	For 14 Gauge Frame, Add	137.70	
	For 12 Gauge Frame, Add	209.31	
08 12 13 13-0165	EA 8' x >7'-2" Through 9' High, 8-7/8" Through 13" Deep, 16 Gauge, Knock Down Hollow Metal Door Frame	823.54	119.67
	For Auxiliary Frame Reinforcement For Hinges, Add	87.63	
	For Welded Frames, Add	92.93	
	For Galvanized Frames, Add	70.10	
	For Type 304 Stainless Steel Frame, Add	1,063.53	
	For Type 316 Stainless Steel Frame, Add	1,238.79	
	For Baked Enamel Finish, Add	211.16	
	For 18 Gauge Frame, Deduct	-58.42	
	For 14 Gauge Frame, Add	146.05	
	For 12 Gauge Frame, Add	222.00	
08 12 13 13-0166	Sidelights And Transoms (08 12 13 13)		
	Note: For non-rated or fire rated frame assemblies		
08 12 13 13-0167	Fixed Steel Transoms (08 12 13 13-0166)		
	Note: Excludes glazing. See CSI section 08 80 00 00-0000 for glazing.		
08 12 13 13-0168	SF 4-3/4" Deep, 16 Gauge Frame, Fixed Steel Transom	53.19	12.41
	For Movable Frame, Add	10.64	
	For 18 Gauge Frame, Deduct	-2.84	
	For 14 Gauge Frame, Add	7.09	
	For 12 Gauge Frame, Add	10.78	
08 12 13 13-0169	SF 5-3/4" Deep, 16 Gauge Frame, Fixed Steel Transom	55.47	12.86
	For Movable Frame, Add	11.09	
	For 18 Gauge Frame, Deduct	-2.98	
	For 14 Gauge Frame, Add	7.44	
	For 12 Gauge Frame, Add	11.31	
08 12 13 13-0170	SF 6-3/4" Deep, 16 Gauge Frame, Fixed Steel Transom	57.85	13.30
	For Movable Frame, Add	11.57	
	For 18 Gauge Frame, Deduct	-3.13	
	For 14 Gauge Frame, Add	7.82	
	For 12 Gauge Frame, Add	11.88	
08 12 13 13-0171	Operable Steel Transom Sash (08 12 13 13-0166)		
	Note: Includes hardware.		



Openings	08	08
Doors And Frames	08 10	
Metal Frames	08 12	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 12 13	13-0172	SF	4-3/4" Deep, 16 Gauge Frame, Operable Steel Transom Sash..... <i>For 18 Gauge Frame, Deduct</i> <i>For 14 Gauge Frame, Add</i> <i>For 12 Gauge Frame, Add</i>	72.35 -4.75 11.88 18.06	12.41
08 12 13	13-0173	SF	5-3/4" Deep, 16 Gauge Frame, Operable Steel Transom Sash..... <i>For 18 Gauge Frame, Deduct</i> <i>For 14 Gauge Frame, Add</i> <i>For 12 Gauge Frame, Add</i>	75.62 -4.99 12.48 18.97	12.86
08 12 13	13-0174	SF	6-3/4" Deep, 16 Gauge Frame, Operable Steel Transom Sash..... <i>For 18 Gauge Frame, Deduct</i> <i>For 14 Gauge Frame, Add</i> <i>For 12 Gauge Frame, Add</i>	79.00 -5.24 13.10 19.92	13.30
08 12 13 13-0175 Sidelights, Steel Frame <small>(08 12 13 13-0166)</small>					
Note: Excludes glazing. See CSI section 08 80 00 00-0000 for glazing.					
08 12 13	13-0176	SF	4-3/4" Deep Sidelights, 16 Gauge Frame <i>For 18 Gauge Frame, Deduct</i> <i>For 14 Gauge Frame, Add</i> <i>For 12 Gauge Frame, Add</i>	55.31 -3.05 7.62 11.59	12.41
08 12 13	13-0177	SF	5-3/4" Deep Sidelights, 16 Gauge Frame <i>For 18 Gauge Frame, Deduct</i> <i>For 14 Gauge Frame, Add</i> <i>For 12 Gauge Frame, Add</i>	57.71 -3.20 8.00 12.16	12.86
08 12 13	13-0178	SF	6-3/4" Deep Sidelights, 16 Gauge Frame <i>For 18 Gauge Frame, Deduct</i> <i>For 14 Gauge Frame, Add</i> <i>For 12 Gauge Frame, Add</i>	60.19 -3.36 8.40 12.77	13.30
08 12 13 13-0179 Sundry Hollow Metal Frame Sections <small>(08 12 13 13)</small>					
Note: For non-rated or fire rated frame assemblies					
08 12 13 13-0180 16 Gauge, Hollow Metal Frame Vertical Mullions <small>(08 12-13 13-0179)</small>					
08 12 13	13-0181	LF	4-3/4" x 1-3/4", 16 Gauge, Hollow Metal Frame Vertical Mullion..... <i>For 18 Gauge Frame, Deduct</i> <i>For 14 Gauge Frame, Add</i> <i>For 12 Gauge Frame, Add</i> <i>For 3 Hour Frame, Add</i> <i>For 1-1/2 Hour Frame, Add</i> <i>For 3/4 Hour Frame, Add</i>	32.02 -1.95 4.88 7.42 8.00 5.00 4.00	4.96
08 12 13	13-0182	LF	4-3/4" x 2", 16 Gauge, Hollow Metal Frame Vertical Mullion..... <i>For 18 Gauge Frame, Deduct</i> <i>For 14 Gauge Frame, Add</i> <i>For 12 Gauge Frame, Add</i> <i>For 3 Hour Frame, Add</i> <i>For 1-1/2 Hour Frame, Add</i> <i>For 3/4 Hour Frame, Add</i>	32.81 -2.03 5.08 7.72 8.00 5.00 4.00	4.96
08 12 13	13-0183	LF	5-1/4" x 1-3/4", 16 Gauge, Hollow Metal Frame Vertical Mullion..... <i>For 18 Gauge Frame, Deduct</i> <i>For 14 Gauge Frame, Add</i> <i>For 12 Gauge Frame, Add</i> <i>For 3 Hour Frame, Add</i> <i>For 1-1/2 Hour Frame, Add</i> <i>For 3/4 Hour Frame, Add</i>	32.38 -1.95 4.88 7.42 8.00 5.00 4.00	5.14
08 12 13	13-0184	LF	5-1/4" x 2", 16 Gauge, Hollow Metal Frame Vertical Mullion..... <i>For 18 Gauge Frame, Deduct</i> <i>For 14 Gauge Frame, Add</i> <i>For 12 Gauge Frame, Add</i> <i>For 3 Hour Frame, Add</i> <i>For 1-1/2 Hour Frame, Add</i> <i>For 3/4 Hour Frame, Add</i>	33.60 -2.08 5.19 7.89 8.00 5.00 4.00	5.14
08 12 13	13-0185	LF	6-3/4" x 1-3/4", 16 Gauge, Hollow Metal Frame Vertical Mullion..... <i>For 18 Gauge Frame, Deduct</i> <i>For 14 Gauge Frame, Add</i> <i>For 12 Gauge Frame, Add</i> <i>For 3 Hour Frame, Add</i> <i>For 1-1/2 Hour Frame, Add</i> <i>For 3/4 Hour Frame, Add</i>	33.64 -2.05 5.13 7.79 8.00 5.00 4.00	5.23
08 12 13	13-0186	LF	6-3/4" x 2", 16 Gauge, Hollow Metal Frame Vertical Mullion..... <i>For 18 Gauge Frame, Deduct</i> <i>For 14 Gauge Frame, Add</i> <i>For 12 Gauge Frame, Add</i> <i>For 3 Hour Frame, Add</i> <i>For 1-1/2 Hour Frame, Add</i> <i>For 3/4 Hour Frame, Add</i>	34.10 -2.10 5.24 7.97 8.00 5.00 4.00	5.23
08 12 13 13-0187 16 Gauge, Hollow Metal Frame Horizontal Rails <small>(08 12 13 13-0179)</small>					
08 12 13	13-0188	LF	4-3/4" x 1-3/4", 16 Gauge, Hollow Metal Frame Horizontal Rail..... <i>For 18 Gauge Frame, Deduct</i> <i>For 14 Gauge Frame, Add</i> <i>For 12 Gauge Frame, Add</i> <i>For 3 Hour Frame, Add</i> <i>For 1-1/2 Hour Frame, Add</i> <i>For 3/4 Hour Frame, Add</i>	22.25 -0.98 2.44 3.71 8.00 5.00 4.00	4.96

08 Openings**08 10 Doors And Frames****08 12 Metal Frames**

MINOR		TOTAL DIRECT		DEMOLITION	
CSI	UOM	DESCRIPTION	UNIT COST	UNIT COST	
08 12 13 13-0189	LF	4-3/4" x 2", 16 Gauge, Hollow Metal Frame Horizontal Rail	23.25		4.96
		<i>For 18 Gauge Frame, Deduct</i>	-1.08		
		<i>For 14 Gauge Frame, Add</i>	2.69		
		<i>For 12 Gauge Frame, Add</i>	4.09		
		<i>For 3 Hour Frame, Add</i>	8.00		
		<i>For 1-1/2 Hour Frame, Add</i>	5.00		
		<i>For 3/4 Hour Frame, Add</i>	4.00		
08 12 13 13-0190	LF	5-1/4" x 1-3/4", 16 Gauge, Hollow Metal Frame Horizontal Rail	22.61		5.14
		<i>For 18 Gauge Frame, Deduct</i>	-0.98		
		<i>For 14 Gauge Frame, Add</i>	2.44		
		<i>For 12 Gauge Frame, Add</i>	3.71		
		<i>For 3 Hour Frame, Add</i>	8.00		
		<i>For 1-1/2 Hour Frame, Add</i>	5.00		
		<i>For 3/4 Hour Frame, Add</i>	4.00		
08 12 13 13-0191	LF	5-1/4" x 2", 16 Gauge, Hollow Metal Frame Horizontal Rail	23.61		5.14
		<i>For 18 Gauge Frame, Deduct</i>	-1.08		
		<i>For 14 Gauge Frame, Add</i>	2.69		
		<i>For 12 Gauge Frame, Add</i>	4.09		
		<i>For 3 Hour Frame, Add</i>	8.00		
		<i>For 1-1/2 Hour Frame, Add</i>	5.00		
		<i>For 3/4 Hour Frame, Add</i>	4.00		
08 12 13 13-0192	LF	6-3/4" x 1-3/4", 16 Gauge, Hollow Metal Frame Horizontal Rail	23.39		5.23
		<i>For 18 Gauge Frame, Deduct</i>	-1.03		
		<i>For 14 Gauge Frame, Add</i>	2.57		
		<i>For 12 Gauge Frame, Add</i>	3.90		
		<i>For 3 Hour Frame, Add</i>	8.00		
		<i>For 1-1/2 Hour Frame, Add</i>	5.00		
		<i>For 3/4 Hour Frame, Add</i>	4.00		
08 12 13 13-0193	LF	6-3/4" x 2", 16 Gauge, Hollow Metal Frame Horizontal Rail	24.25		5.23
		<i>For 18 Gauge Frame, Deduct</i>	-1.11		
		<i>For 14 Gauge Frame, Add</i>	2.78		
		<i>For 12 Gauge Frame, Add</i>	4.23		
		<i>For 3 Hour Frame, Add</i>	8.00		
		<i>For 1-1/2 Hour Frame, Add</i>	5.00		
		<i>For 3/4 Hour Frame, Add</i>	4.00		
08 12 13 13-0194		16 Gauge, Hollow Metal Frame Keyed Removable Vertical Mullions (08 12 13 13-0179)			
08 12 13 13-0195	EA	4-3/4" x 1-3/4" x 7'-6", 16 Gauge, Hollow Metal Frame Keyed Removable Vertical Mullion	861.95		34.75
		<i>For 18 Gauge Frame, Deduct</i>	-77.51		
		<i>For 14 Gauge Frame, Add</i>	193.77		
		<i>For 12 Gauge Frame, Add</i>	294.53		
08 12 13 13-0196	EA	4-3/4" x 2" x 7'-6", 16 Gauge, Hollow Metal Frame Keyed Removable Vertical Mullion	892.86		34.75
		<i>For 18 Gauge Frame, Deduct</i>	-80.60		
		<i>For 14 Gauge Frame, Add</i>	201.50		
		<i>For 12 Gauge Frame, Add</i>	306.28		
08 12 13 13-0197	EA	5-1/4" x 1-3/4" x 7'-6", 16 Gauge, Hollow Metal Frame Keyed Removable Vertical Mullion	989.37		36.35
		<i>For 18 Gauge Frame, Deduct</i>	-89.98		
		<i>For 14 Gauge Frame, Add</i>	224.96		
		<i>For 12 Gauge Frame, Add</i>	341.94		
		<i>For 3 Hour Frame, Add</i>	56.00		
		<i>For 1-1/2 Hour Frame, Add</i>	36.00		
		<i>For 3/4 Hour Frame, Add</i>	28.00		
08 12 13 13-0198	EA	5-1/4" x 2" x 7'-6", 16 Gauge, Hollow Metal Frame Keyed Removable Vertical Mullion	1,016.97		36.35
		<i>For 18 Gauge Frame, Deduct</i>	-92.74		
		<i>For 14 Gauge Frame, Add</i>	231.86		
		<i>For 12 Gauge Frame, Add</i>	352.43		
		<i>For 3 Hour Frame, Add</i>	56.00		
		<i>For 1-1/2 Hour Frame, Add</i>	36.00		
		<i>For 3/4 Hour Frame, Add</i>	28.00		
08 12 13 13-0199	EA	6-3/4" x 1-3/4" x 7'-6", 16 Gauge, Hollow Metal Frame Keyed Removable Vertical Mullion	1,150.81		37.23
		<i>For 18 Gauge Frame, Deduct</i>	-105.77		
		<i>For 14 Gauge Frame, Add</i>	264.43		
		<i>For 12 Gauge Frame, Add</i>	401.94		
		<i>For 3 Hour Frame, Add</i>	56.00		
		<i>For 1-1/2 Hour Frame, Add</i>	36.00		
		<i>For 3/4 Hour Frame, Add</i>	28.00		
08 12 13 13-0200	EA	6-3/4" x 2" x 7'-6", 16 Gauge, Hollow Metal Frame Keyed Removable Vertical Mullion	1,169.58		37.23
		<i>For 18 Gauge Frame, Deduct</i>	-107.65		
		<i>For 14 Gauge Frame, Add</i>	269.13		
		<i>For 12 Gauge Frame, Add</i>	409.07		
		<i>For 3 Hour Frame, Add</i>	56.00		
		<i>For 1-1/2 Hour Frame, Add</i>	36.00		
		<i>For 3/4 Hour Frame, Add</i>	28.00		
08 12 13 13-0201		Metal Frames Accessories (08 12 13 13)			
08 12 13 13-0202	EA	For 1' Extension Of New Door Frame			35.05
08 12 16		Aluminum Frames (08 12)			
08 12 16 00-0001		Two Piece Aluminum Door Frames (08 12 16)			
08 12 16 00-0002		4-1/8" x 3/8" Two Piece Aluminum Door Frames (08 12 16 00-0001)			



Openings	08	08
Doors And Frames	08 10	
Metal Frames	08 12	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 12 16 00-0003 EA Two Piece Aluminum Door Frame, 2'-2" x 6'-9" Opening 4-1/8" x 3/8" x 1/8" With Semicircular Head	1,812.67	48.75
08 12 16 00-0004 EA Two Piece Aluminum Door Frame, 2'-6" x 6'-9" Opening 4-1/8" x 3/8" x 1/8" With Semicircular Head	1,812.67	48.75
08 12 16 00-0005 4-3/4" x 1-3/8" Two Piece Aluminum Door Frames <small>(08 12 16 00-0001)</small>		
08 12 16 00-0006 EA Two Piece Aluminum Door Frame, 2'-2" x 6'-9" Opening 4-3/4" x 1-3/8" x 1/8" With Semicircular Head	1,812.67	48.75
08 12 16 00-0007 EA Two Piece Aluminum Door Frame Piece Aluminum Door Frame, 2'-6" x 6'-9" Opening 4-3/4" x 1-3/8" x 1/8" With Semicircular Head	1,812.67	48.75
08 13 Metal Doors <small>(08 10)</small>		
Note: Includes machining for all hardware. Excludes frames, finish hardware. See CSI section 08 70 00 00-0000 for finish hardware.		
08 13 13 Hollow Metal Doors <small>(08 13)</small>		
08 13 13 13 Standard Hollow Metal Doors <small>(08 13 13)</small>		
Note: Full flush, impregnated honeycomb core, epoxy baked-on primer.		
08 13 13 13-0001 20 Gauge, Unrated, Hollow Metal Doors <small>(08 13 13 13)</small>		
08 13 13 13-0002 6'-8" High, 20 Gauge, Unrated, Hollow Metal Doors <small>(08 13 13 13-0001)</small>		
08 13 13 13-0003 EA 2' x 6'-8" x 1-3/4", 20 Gauge, Unrated, Hollow Metal Door	547.77	48.75
For Type 304 Stainless Steel Door, Add	365.08	
For Type 316 Stainless Steel Door, Add	590.21	
For Embossed Panel, Add	108.06	
For Galvanized Steel, Add	67.54	
For Baked Enamel Finish, Add	193.58	
For 20 Minutes To 30 Minutes Rated Door And FM Label, Add	27.63	
For 45 Minutes Rated Door And FM Label, Add	41.40	
For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add	55.27	
For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add	93.38	
For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add	131.50	
For >50 To 100, Deduct	-29.83	
For >100, Deduct	-43.52	
For Insulated Door (Polystyrene Core), Add	45.03	
For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add	112.57	
For Seamless Edge (Welded), Add	56.28	
08 13 13 13-0004 EA 2'-4" x 6'-8" x 1-3/4", 20 Gauge, Unrated, Hollow Metal Door	547.77	48.75
For Type 304 Stainless Steel Door, Add	365.08	
For Type 316 Stainless Steel Door, Add	590.21	
For Embossed Panel, Add	108.06	
For Galvanized Steel, Add	67.54	
For Baked Enamel Finish, Add	193.58	
For 20 Minutes To 30 Minutes Rated Door And FM Label, Add	27.63	
For 45 Minutes Rated Door And FM Label, Add	41.40	
For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add	55.27	
For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add	93.38	
For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add	131.50	
For >50 To 100, Deduct	-29.83	
For >100, Deduct	-43.52	
For Insulated Door (Polystyrene Core), Add	45.03	
For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add	112.57	
For Seamless Edge (Welded), Add	56.28	
08 13 13 13-0005 EA 2'-6" x 6'-8" x 1-3/4", 20 Gauge, Unrated, Hollow Metal Door	561.41	50.97
For Type 304 Stainless Steel Door, Add	372.67	
For Type 316 Stainless Steel Door, Add	602.41	
For Embossed Panel, Add	110.27	
For Galvanized Steel, Add	68.92	
For Baked Enamel Finish, Add	199.01	
For 20 Minutes To 30 Minutes Rated Door And FM Label, Add	27.63	
For 45 Minutes Rated Door And FM Label, Add	41.40	
For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add	55.27	
For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add	93.38	
For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add	131.50	
For >50 To 100, Deduct	-30.62	
For >100, Deduct	-44.65	
For Insulated Door (Polystyrene Core), Add	45.95	
For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add	114.87	
For Seamless Edge (Welded), Add	57.43	
08 13 13 13-0006 EA 2'-8" x 6'-8" x 1-3/4", 20 Gauge, Unrated, Hollow Metal Door	568.27	50.97
For Type 304 Stainless Steel Door, Add	378.16	
For Type 316 Stainless Steel Door, Add	611.33	
For Embossed Panel, Add	111.92	
For Galvanized Steel, Add	69.95	
For Baked Enamel Finish, Add	201.06	
For 20 Minutes To 30 Minutes Rated Door And FM Label, Add	27.63	
For 45 Minutes Rated Door And FM Label, Add	41.40	
For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add	55.27	
For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add	93.38	
For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add	131.50	
For >50 To 100, Deduct	-30.96	
For >100, Deduct	-45.17	
For Insulated Door (Polystyrene Core), Add	46.63	
For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add	116.58	
For Seamless Edge (Welded), Add	58.29	

08 Openings**08 10 Doors And Frames****08 13 Metal Doors**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 13 13	13-0007	EA	2'-10" x 6'-8" x 1-3/4", 20 Gauge, Unrated, Hollow Metal Door	573.23	52.08
			For Type 304 Stainless Steel Door, Add	380.46	
			For Type 316 Stainless Steel Door, Add	615.00	
			For Embossed Panel, Add	112.58	
			For Galvanized Steel, Add	70.36	
			For Baked Enamel Finish, Add	203.22	
			For 20 Minutes To 30 Minutes Rated Door And FM Label, Add	27.63	
			For 45 Minutes Rated Door And FM Label, Add	41.40	
			For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add	55.27	
			For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add	93.38	
			For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add	131.50	
			For >50 To 100, Deduct	-31.27	
			For >100, Deduct	-45.60	
			For Insulated Door (Polystyrene Core), Add	46.91	
			For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add	117.27	
			For Seamless Edge (Welded), Add	58.63	
08 13 13	13-0008	EA	3' x 6'-8" x 1-3/4", 20 Gauge, Unrated, Hollow Metal Door	578.18	53.19
			For Type 304 Stainless Steel Door, Add	382.77	
			For Type 316 Stainless Steel Door, Add	618.67	
			For Embossed Panel, Add	113.23	
			For Galvanized Steel, Add	70.77	
			For Baked Enamel Finish, Add	205.37	
			For 20 Minutes To 30 Minutes Rated Door And FM Label, Add	27.63	
			For 45 Minutes Rated Door And FM Label, Add	41.40	
			For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add	55.27	
			For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add	93.38	
			For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add	131.50	
			For >50 To 100, Deduct	-31.57	
			For >100, Deduct	-46.02	
			For Insulated Door (Polystyrene Core), Add	47.18	
			For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add	117.95	
			For Seamless Edge (Welded), Add	58.98	
08 13 13	13-0009	EA	3'-4" x 6'-8" x 1-3/4", 20 Gauge, Unrated, Hollow Metal Door	613.84	53.19
			For Type 304 Stainless Steel Door, Add	411.29	
			For Type 316 Stainless Steel Door, Add	665.03	
			For Embossed Panel, Add	121.79	
			For Galvanized Steel, Add	76.12	
			For Baked Enamel Finish, Add	216.06	
			For 20 Minutes To 30 Minutes Rated Door And FM Label, Add	27.63	
			For 45 Minutes Rated Door And FM Label, Add	41.40	
			For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add	55.27	
			For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add	93.38	
			For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add	131.50	
			For >50 To 100, Deduct	-33.35	
			For >100, Deduct	-48.70	
			For Insulated Door (Polystyrene Core), Add	50.75	
			For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add	126.87	
			For Seamless Edge (Welded), Add	63.43	
08 13 13	13-0010	EA	3'-6" x 6'-8" x 1-3/4", 20 Gauge, Unrated, Hollow Metal Door	632.00	55.40
			For Type 304 Stainless Steel Door, Add	422.49	
			For Type 316 Stainless Steel Door, Add	683.09	
			For Embossed Panel, Add	125.09	
			For Galvanized Steel, Add	78.18	
			For Baked Enamel Finish, Add	222.84	
			For 20 Minutes To 30 Minutes Rated Door And FM Label, Add	27.63	
			For 45 Minutes Rated Door And FM Label, Add	41.40	
			For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add	55.27	
			For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add	93.38	
			For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add	131.50	
			For >50 To 100, Deduct	-34.37	
			For >100, Deduct	-50.17	
			For Insulated Door (Polystyrene Core), Add	52.12	
			For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add	130.30	
			For Seamless Edge (Welded), Add	65.15	
08 13 13	13-0011	EA	4' x 6'-8" x 1-3/4", 20 Gauge, Unrated, Hollow Metal Door	695.72	59.84
			For Type 304 Stainless Steel Door, Add	466.82	
			For Type 316 Stainless Steel Door, Add	754.85	
			For Embossed Panel, Add	138.25	
			For Galvanized Steel, Add	86.41	
			For Baked Enamel Finish, Add	244.62	
			For 20 Minutes To 30 Minutes Rated Door And FM Label, Add	27.63	
			For 45 Minutes Rated Door And FM Label, Add	41.40	
			For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add	55.27	
			For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add	93.38	
			For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add	131.50	
			For >50 To 100, Deduct	-37.78	
			For >100, Deduct	-55.17	
			For Insulated Door (Polystyrene Core), Add	57.61	
			For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add	144.01	
			For Seamless Edge (Welded), Add	72.01	
08 13 13	13-0012		7' High, 20 Gauge, Unrated, Hollow Metal Door (08 13 13 13-0001)		



Openings	08	08
Doors And Frames	08 10	
Metal Doors	08 13	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 13 13 13-0013 EA 2' x 7' x 1-3/4", 20 Gauge, Unrated, Hollow Metal Door.....	559.57	48.75
For Type 304 Stainless Steel Door, Add	374.52	
For Type 316 Stainless Steel Door, Add	605.55	
For Embossed Panel, Add	110.89	
For Galvanized Steel, Add	69.31	
For Baked Enamel Finish, Add	197.12	
For 20 Minutes To 30 Minutes Rated Door And FM Label, Add	27.63	
For 45 Minutes Rated Door And FM Label, Add	41.40	
For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add	55.27	
For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add	93.38	
For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add	131.50	
For >50 To 100, Deduct	-30.42	
For >100, Deduct	-44.41	
For Insulated Door (Polystyrene Core), Add	46.21	
For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add	115.52	
For Seamless Edge (Welded), Add	57.76	
08 13 13 13-0014 EA 2'-4" x 7' x 1-3/4", 20 Gauge, Unrated, Hollow Metal Door.....	559.57	48.75
For Type 304 Stainless Steel Door, Add	374.52	
For Type 316 Stainless Steel Door, Add	605.55	
For Embossed Panel, Add	110.89	
For Galvanized Steel, Add	69.31	
For Baked Enamel Finish, Add	197.12	
For 20 Minutes To 30 Minutes Rated Door And FM Label, Add	27.63	
For 45 Minutes Rated Door And FM Label, Add	41.40	
For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add	55.27	
For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add	93.38	
For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add	131.50	
For >50 To 100, Deduct	-30.42	
For >100, Deduct	-44.41	
For Insulated Door (Polystyrene Core), Add	46.21	
For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add	115.52	
For Seamless Edge (Welded), Add	57.76	
08 13 13 13-0015 EA 2'-6" x 7' x 1-3/4", 20 Gauge, Unrated, Hollow Metal Door.....	573.45	50.97
For Type 304 Stainless Steel Door, Add	382.31	
For Type 316 Stainless Steel Door, Add	618.06	
For Embossed Panel, Add	113.16	
For Galvanized Steel, Add	70.73	
For Baked Enamel Finish, Add	202.62	
For 20 Minutes To 30 Minutes Rated Door And FM Label, Add	27.63	
For 45 Minutes Rated Door And FM Label, Add	41.40	
For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add	55.27	
For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add	93.38	
For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add	131.50	
For >50 To 100, Deduct	-31.22	
For >100, Deduct	-45.56	
For Insulated Door (Polystyrene Core), Add	47.15	
For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add	117.88	
For Seamless Edge (Welded), Add	58.94	
08 13 13 13-0016 EA 2'-8" x 7' x 1-3/4", 20 Gauge, Unrated, Hollow Metal Door.....	580.48	50.97
For Type 304 Stainless Steel Door, Add	387.93	
For Type 316 Stainless Steel Door, Add	627.20	
For Embossed Panel, Add	114.85	
For Galvanized Steel, Add	71.78	
For Baked Enamel Finish, Add	204.73	
For 20 Minutes To 30 Minutes Rated Door And FM Label, Add	27.63	
For 45 Minutes Rated Door And FM Label, Add	41.40	
For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add	55.27	
For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add	93.38	
For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add	131.50	
For >50 To 100, Deduct	-31.57	
For >100, Deduct	-46.08	
For Insulated Door (Polystyrene Core), Add	47.85	
For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add	119.64	
For Seamless Edge (Welded), Add	59.82	
08 13 13 13-0017 EA 2'-10" x 7' x 1-3/4", 20 Gauge, Unrated, Hollow Metal Door.....	585.52	52.08
For Type 304 Stainless Steel Door, Add	390.30	
For Type 316 Stainless Steel Door, Add	630.98	
For Embossed Panel, Add	115.53	
For Galvanized Steel, Add	72.20	
For Baked Enamel Finish, Add	206.90	
For 20 Minutes To 30 Minutes Rated Door And FM Label, Add	27.63	
For 45 Minutes Rated Door And FM Label, Add	41.40	
For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add	55.27	
For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add	93.38	
For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add	131.50	
For >50 To 100, Deduct	-31.88	
For >100, Deduct	-46.52	
For Insulated Door (Polystyrene Core), Add	48.14	
For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add	120.34	
For Seamless Edge (Welded), Add	60.17	

08	08	Openings
	08 10	Doors And Frames
	08 13	Metal Doors



MINOR				TOTAL DIRECT	DEMOLITION
CSI	UOM	DESCRIPTION		UNIT COST	UNIT COST
08 13 13	13-0018	EA	3' x 7' x 1-3/4", 20 Gauge, Unrated, Hollow Metal Door	590.54	53.19
			<i>For Type 304 Stainless Steel Door, Add</i>	392.65	
			<i>For Type 316 Stainless Steel Door, Add</i>	634.74	
			<i>For Embossed Panel, Add</i>	116.20	
			<i>For Galvanized Steel, Add</i>	72.63	
			<i>For Baked Enamel Finish, Add</i>	209.07	
			<i>For 20 Minutes To 30 Minutes Rated Door And FM Label, Add</i>	27.63	
			<i>For 45 Minutes Rated Door And FM Label, Add</i>	41.40	
			<i>For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add</i>	55.27	
			<i>For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add</i>	93.38	
			<i>For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add</i>	131.50	
			<i>For >50 To 100, Deduct</i>	-32.19	
			<i>For >100, Deduct</i>	-46.95	
			<i>For Insulated Door (Polystyrene Core), Add</i>	48.42	
			<i>For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add</i>	121.04	
			<i>For Seamless Edge (Welded), Add</i>	60.52	
08 13 13	13-0019	EA	3'-4" x 7' x 1-3/4", 20 Gauge, Unrated, Hollow Metal Door	627.14	53.19
			<i>For Type 304 Stainless Steel Door, Add</i>	421.93	
			<i>For Type 316 Stainless Steel Door, Add</i>	682.32	
			<i>For Embossed Panel, Add</i>	124.98	
			<i>For Galvanized Steel, Add</i>	78.12	
			<i>For Baked Enamel Finish, Add</i>	220.05	
			<i>For 20 Minutes To 30 Minutes Rated Door And FM Label, Add</i>	27.63	
			<i>For 45 Minutes Rated Door And FM Label, Add</i>	41.40	
			<i>For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add</i>	55.27	
			<i>For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add</i>	93.38	
			<i>For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add</i>	131.50	
			<i>For >50 To 100, Deduct</i>	-34.02	
			<i>For >100, Deduct</i>	-49.69	
			<i>For Insulated Door (Polystyrene Core), Add</i>	52.08	
			<i>For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add</i>	130.19	
			<i>For Seamless Edge (Welded), Add</i>	65.10	
08 13 13	13-0020	EA	3'-6" x 7' x 1-3/4", 20 Gauge, Unrated, Hollow Metal Door	645.65	55.40
			<i>For Type 304 Stainless Steel Door, Add</i>	433.41	
			<i>For Type 316 Stainless Steel Door, Add</i>	700.83	
			<i>For Embossed Panel, Add</i>	128.36	
			<i>For Galvanized Steel, Add</i>	80.23	
			<i>For Baked Enamel Finish, Add</i>	226.94	
			<i>For 20 Minutes To 30 Minutes Rated Door And FM Label, Add</i>	27.63	
			<i>For 45 Minutes Rated Door And FM Label, Add</i>	41.40	
			<i>For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add</i>	55.27	
			<i>For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add</i>	93.38	
			<i>For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add</i>	131.50	
			<i>For >50 To 100, Deduct</i>	-35.05	
			<i>For >100, Deduct</i>	-51.19	
			<i>For Insulated Door (Polystyrene Core), Add</i>	53.48	
			<i>For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add</i>	133.71	
			<i>For Seamless Edge (Welded), Add</i>	66.86	
08 13 13	13-0021	EA	4' x 7' x 1-3/4", 20 Gauge, Unrated, Hollow Metal Door	710.81	59.84
			<i>For Type 304 Stainless Steel Door, Add</i>	478.90	
			<i>For Type 316 Stainless Steel Door, Add</i>	774.47	
			<i>For Embossed Panel, Add</i>	141.87	
			<i>For Galvanized Steel, Add</i>	88.67	
			<i>For Baked Enamel Finish, Add</i>	249.14	
			<i>For 20 Minutes To 30 Minutes Rated Door And FM Label, Add</i>	27.63	
			<i>For 45 Minutes Rated Door And FM Label, Add</i>	41.40	
			<i>For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add</i>	55.27	
			<i>For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add</i>	93.38	
			<i>For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add</i>	131.50	
			<i>For >50 To 100, Deduct</i>	-38.53	
			<i>For >100, Deduct</i>	-56.30	
			<i>For Insulated Door (Polystyrene Core), Add</i>	59.11	
			<i>For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add</i>	147.79	
			<i>For Seamless Edge (Welded), Add</i>	73.89	
08 13 13	13-0022		7'-2" High, 20 Gauge, Unrated, Hollow Metal Doors (08 13 13 13-0001)		
08 13 13	13-0023	EA	2' x 7'-2" x 1-3/4", 20 Gauge, Unrated, Hollow Metal Door	571.03	48.75
			<i>For Type 304 Stainless Steel Door, Add</i>	383.69	
			<i>For Type 316 Stainless Steel Door, Add</i>	620.45	
			<i>For Embossed Panel, Add</i>	113.64	
			<i>For Galvanized Steel, Add</i>	71.03	
			<i>For Baked Enamel Finish, Add</i>	200.56	
			<i>For 20 Minutes To 30 Minutes Rated Door And FM Label, Add</i>	27.63	
			<i>For 45 Minutes Rated Door And FM Label, Add</i>	41.40	
			<i>For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add</i>	55.27	
			<i>For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add</i>	93.38	
			<i>For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add</i>	131.50	
			<i>For >50 To 100, Deduct</i>	-30.99	
			<i>For >100, Deduct</i>	-45.27	
			<i>For Insulated Door (Polystyrene Core), Add</i>	47.35	
			<i>For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add</i>	118.38	
			<i>For Seamless Edge (Welded), Add</i>	59.19	



Openings	08	08
Doors And Frames	08 10	
Metal Doors	08 13	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 13 13 13-0024 EA 2'-4" x 7'-2" x 1-3/4", 20 Gauge, Unrated, Hollow Metal Door	571.03	48.75
For Type 304 Stainless Steel Door, Add	383.69	
For Type 316 Stainless Steel Door, Add	620.45	
For Embossed Panel, Add	113.64	
For Galvanized Steel, Add	71.03	
For Baked Enamel Finish, Add	200.56	
For 20 Minutes To 30 Minutes Rated Door And FM Label, Add	27.63	
For 45 Minutes Rated Door And FM Label, Add	41.40	
For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add	55.27	
For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add	93.38	
For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add	131.50	
For >50 To 100, Deduct	-30.99	
For >100, Deduct	-45.27	
For Insulated Door (Polystyrene Core), Add	47.35	
For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add	118.38	
For Seamless Edge (Welded), Add	59.19	
08 13 13 13-0025 EA 2'-6" x 7'-2" x 1-3/4", 20 Gauge, Unrated, Hollow Metal Door	585.14	50.97
For Type 304 Stainless Steel Door, Add	391.66	
For Type 316 Stainless Steel Door, Add	633.26	
For Embossed Panel, Add	115.97	
For Galvanized Steel, Add	72.48	
For Baked Enamel Finish, Add	206.12	
For 20 Minutes To 30 Minutes Rated Door And FM Label, Add	27.63	
For 45 Minutes Rated Door And FM Label, Add	41.40	
For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add	55.27	
For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add	93.38	
For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add	131.50	
For >50 To 100, Deduct	-31.81	
For >100, Deduct	-46.43	
For Insulated Door (Polystyrene Core), Add	48.32	
For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add	120.80	
For Seamless Edge (Welded), Add	60.40	
08 13 13 13-0026 EA 2'-8" x 7'-2" x 1-3/4", 20 Gauge, Unrated, Hollow Metal Door	592.35	50.97
For Type 304 Stainless Steel Door, Add	397.43	
For Type 316 Stainless Steel Door, Add	642.63	
For Embossed Panel, Add	117.70	
For Galvanized Steel, Add	73.56	
For Baked Enamel Finish, Add	208.29	
For 20 Minutes To 30 Minutes Rated Door And FM Label, Add	27.63	
For 45 Minutes Rated Door And FM Label, Add	41.40	
For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add	55.27	
For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add	93.38	
For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add	131.50	
For >50 To 100, Deduct	-32.17	
For >100, Deduct	-46.97	
For Insulated Door (Polystyrene Core), Add	49.04	
For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add	122.60	
For Seamless Edge (Welded), Add	61.30	
08 13 13 13-0027 EA 2'-10" x 7'-2" x 1-3/4", 20 Gauge, Unrated, Hollow Metal Door	597.45	52.08
For Type 304 Stainless Steel Door, Add	399.84	
For Type 316 Stainless Steel Door, Add	646.49	
For Embossed Panel, Add	118.39	
For Galvanized Steel, Add	73.99	
For Baked Enamel Finish, Add	210.48	
For 20 Minutes To 30 Minutes Rated Door And FM Label, Add	27.63	
For 45 Minutes Rated Door And FM Label, Add	41.40	
For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add	55.27	
For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add	93.38	
For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add	131.50	
For >50 To 100, Deduct	-32.48	
For >100, Deduct	-47.41	
For Insulated Door (Polystyrene Core), Add	49.33	
For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add	123.32	
For Seamless Edge (Welded), Add	61.66	
08 13 13 13-0028 EA 3' x 7'-2" x 1-3/4", 20 Gauge, Unrated, Hollow Metal Door	602.55	53.19
For Type 304 Stainless Steel Door, Add	402.26	
For Type 316 Stainless Steel Door, Add	650.35	
For Embossed Panel, Add	119.08	
For Galvanized Steel, Add	74.43	
For Baked Enamel Finish, Add	212.68	
For 20 Minutes To 30 Minutes Rated Door And FM Label, Add	27.63	
For 45 Minutes Rated Door And FM Label, Add	41.40	
For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add	55.27	
For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add	93.38	
For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add	131.50	
For >50 To 100, Deduct	-32.79	
For >100, Deduct	-47.85	
For Insulated Door (Polystyrene Core), Add	49.62	
For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add	124.05	
For Seamless Edge (Welded), Add	62.02	

08 Openings**08 10 Doors And Frames****08 13 Metal Doors**

MINOR		TOTAL DIRECT	DEMOLITION
CSI	UOM DESCRIPTION	UNIT COST	UNIT COST
08 13 13 13-0029	EA 3'-4" x 7'-2" x 1-3/4", 20 Gauge, Unrated, Hollow Metal Door	640.05	53.19
	For Type 304 Stainless Steel Door, Add	432.26	
	For Type 316 Stainless Steel Door, Add	699.10	
	For Embossed Panel, Add	128.08	
	For Galvanized Steel, Add	80.05	
	For Baked Enamel Finish, Add	223.93	
	For 20 Minutes To 30 Minutes Rated Door And FM Label, Add	27.63	
	For 45 Minutes Rated Door And FM Label, Add	41.40	
	For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add	55.27	
	For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add	93.38	
	For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add	131.50	
	For >50 To 100, Deduct	-34.66	
	For >100, Deduct	-50.66	
	For Insulated Door (Polystyrene Core), Add	53.37	
	For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add	133.42	
	For Seamless Edge (Welded), Add	66.71	
08 13 13 13-0030	EA 3'-6" x 7'-2" x 1-3/4", 20 Gauge, Unrated, Hollow Metal Door	658.92	55.40
	For Type 304 Stainless Steel Door, Add	444.03	
	For Type 316 Stainless Steel Door, Add	718.08	
	For Embossed Panel, Add	131.55	
	For Galvanized Steel, Add	82.22	
	For Baked Enamel Finish, Add	230.92	
	For 20 Minutes To 30 Minutes Rated Door And FM Label, Add	27.63	
	For 45 Minutes Rated Door And FM Label, Add	41.40	
	For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add	55.27	
	For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add	93.38	
	For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add	131.50	
	For >50 To 100, Deduct	-35.72	
	For >100, Deduct	-52.19	
	For Insulated Door (Polystyrene Core), Add	54.81	
	For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add	137.03	
	For Seamless Edge (Welded), Add	68.51	
08 13 13 13-0031	EA 4' x 7'-2" x 1-3/4", 20 Gauge, Unrated, Hollow Metal Door	725.47	59.84
	For Type 304 Stainless Steel Door, Add	490.62	
	For Type 316 Stainless Steel Door, Add	793.52	
	For Embossed Panel, Add	145.39	
	For Galvanized Steel, Add	90.87	
	For Baked Enamel Finish, Add	253.54	
	For 20 Minutes To 30 Minutes Rated Door And FM Label, Add	27.63	
	For 45 Minutes Rated Door And FM Label, Add	41.40	
	For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add	55.27	
	For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add	93.38	
	For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add	131.50	
	For >50 To 100, Deduct	-39.27	
	For >100, Deduct	-57.40	
	For Insulated Door (Polystyrene Core), Add	60.58	
	For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add	151.45	
	For Seamless Edge (Welded), Add	75.73	
08 13 13 13-0032	18 Gauge, Unrated, Hollow Metal Doors (08 13 13 13)		
08 13 13 13-0033	6'-8" High, 18 Gauge, Unrated, Hollow Metal Doors (08 13 13 13-0032)		
08 13 13 13-0034	EA 2' x 6'-8" x 1-3/4", 18 Gauge, Unrated, Hollow Metal Door	584.20	48.75
	For 18 Gauge, Grade II, Heavy Duty, Add	97.34	
	For Type 304 Stainless Steel Door, Add	394.23	
	For Type 316 Stainless Steel Door, Add	637.57	
	For Embossed Panel, Add	116.81	
	For Galvanized Steel, Add	73.00	
	For Baked Enamel Finish, Add	204.51	
	For 20 Minutes To 30 Minutes Rated Door And FM Label, Add	27.63	
	For 45 Minutes Rated Door And FM Label, Add	41.40	
	For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add	55.27	
	For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add	93.38	
	For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add	131.50	
	For >50 To 100, Deduct	-31.65	
	For >100, Deduct	-46.25	
	For 2" Thick Door, Add	37.72	
	For Insulated Door (Polystyrene Core), Add	48.67	
	For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add	121.67	
	For Seamless Edge (Welded), Add	60.84	
	For Steel Stiffened, Add	121.67	



Openings	08	08
Doors And Frames	08 10	
Metal Doors	08 13	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 13 13 13-0035 EA 2'-4" x 6'-8" x 1-3/4", 18 Gauge, Unrated, Hollow Metal Door	584.20	48.75
For 18 Gauge, Grade II, Heavy Duty, Add	97.34	
For Type 304 Stainless Steel Door, Add	394.23	
For Type 316 Stainless Steel Door, Add	637.57	
For Embossed Panel, Add	116.81	
For Galvanized Steel, Add	73.00	
For Baked Enamel Finish, Add	204.51	
For 20 Minutes To 30 Minutes Rated Door And FM Label, Add	27.63	
For 45 Minutes Rated Door And FM Label, Add	41.40	
For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add	55.27	
For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add	93.38	
For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add	131.50	
For >50 To 100, Deduct	-31.65	
For >100, Deduct	-46.25	
For 2" Thick Door, Add	37.72	
For Insulated Door (Polystyrene Core), Add	48.67	
For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add	121.67	
For Seamless Edge (Welded), Add	60.84	
For Steel Stiffened, Add	121.67	
08 13 13 13-0036 EA 2'-6" x 6'-8" x 1-3/4", 18 Gauge, Unrated, Hollow Metal Door	598.58	50.97
For 18 Gauge, Grade II, Heavy Duty, Add	99.33	
For Type 304 Stainless Steel Door, Add	402.41	
For Type 316 Stainless Steel Door, Add	650.73	
For Embossed Panel, Add	119.19	
For Galvanized Steel, Add	74.50	
For Baked Enamel Finish, Add	210.16	
For 20 Minutes To 30 Minutes Rated Door And FM Label, Add	27.63	
For 45 Minutes Rated Door And FM Label, Add	41.40	
For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add	55.27	
For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add	93.38	
For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add	131.50	
For >50 To 100, Deduct	-32.48	
For >100, Deduct	-47.44	
For 2" Thick Door, Add	38.55	
For Insulated Door (Polystyrene Core), Add	49.66	
For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add	124.16	
For Seamless Edge (Welded), Add	62.08	
For Steel Stiffened, Add	124.16	
08 13 13 13-0037 EA 2'-8" x 6'-8" x 1-3/4", 18 Gauge, Unrated, Hollow Metal Door	605.99	50.97
For 18 Gauge, Grade II, Heavy Duty, Add	100.81	
For Type 304 Stainless Steel Door, Add	408.34	
For Type 316 Stainless Steel Door, Add	660.36	
For Embossed Panel, Add	120.97	
For Galvanized Steel, Add	75.61	
For Baked Enamel Finish, Add	212.38	
For 20 Minutes To 30 Minutes Rated Door And FM Label, Add	27.63	
For 45 Minutes Rated Door And FM Label, Add	41.40	
For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add	55.27	
For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add	93.38	
For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add	131.50	
For >50 To 100, Deduct	-32.85	
For >100, Deduct	-48.00	
For 2" Thick Door, Add	39.09	
For Insulated Door (Polystyrene Core), Add	50.41	
For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add	126.01	
For Seamless Edge (Welded), Add	63.01	
For Steel Stiffened, Add	126.01	
08 13 13 13-0038 EA 2'-10" x 6'-8" x 1-3/4", 18 Gauge, Unrated, Hollow Metal Door	611.17	52.08
For 18 Gauge, Grade II, Heavy Duty, Add	101.40	
For Type 304 Stainless Steel Door, Add	410.82	
For Type 316 Stainless Steel Door, Add	664.32	
For Embossed Panel, Add	121.68	
For Galvanized Steel, Add	76.05	
For Baked Enamel Finish, Add	214.60	
For 20 Minutes To 30 Minutes Rated Door And FM Label, Add	27.63	
For 45 Minutes Rated Door And FM Label, Add	41.40	
For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add	55.27	
For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add	93.38	
For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add	131.50	
For >50 To 100, Deduct	-33.16	
For >100, Deduct	-48.44	
For 2" Thick Door, Add	39.36	
For Insulated Door (Polystyrene Core), Add	50.70	
For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add	126.75	
For Seamless Edge (Welded), Add	63.38	
For Steel Stiffened, Add	126.75	

08 Openings**08 10 Doors And Frames****08 13 Metal Doors**

MINOR
CSI UOM DESCRIPTION

TOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

08 13 13 13-0039	EA	3' x 6'-8" x 1-3/4", 18 Gauge, Unrated, Hollow Metal Door	616.35	53.19
		<i>For 18 Gauge, Grade II, Heavy Duty, Add</i>	102.00	
		<i>For Type 304 Stainless Steel Door, Add</i>	413.30	
		<i>For Type 316 Stainless Steel Door, Add</i>	668.29	
		<i>For Embossed Panel, Add</i>	122.40	
		<i>For Galvanized Steel, Add</i>	76.50	
		<i>For Baked Enamel Finish, Add</i>	216.82	
		<i>For 20 Minutes To 30 Minutes Rated Door And FM Label, Add</i>	27.63	
		<i>For 45 Minutes Rated Door And FM Label, Add</i>	41.40	
		<i>For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add</i>	55.27	
		<i>For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add</i>	93.38	
		<i>For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add</i>	131.50	
		<i>For >50 To 100, Deduct</i>	-33.48	
		<i>For >100, Deduct</i>	-48.89	
		<i>For 2" Thick Door, Add</i>	39.63	
		<i>For Insulated Door (Polystyrene Core), Add</i>	51.00	
		<i>For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add</i>	127.50	
		<i>For Seamless Edge (Welded), Add</i>	63.75	
		<i>For Steel Stiffened, Add</i>	127.50	
08 13 13 13-0040	EA	3'-4" x 6'-8" x 1-3/4", 18 Gauge, Unrated, Hollow Metal Door	654.90	53.19
		<i>For 18 Gauge, Grade II, Heavy Duty, Add</i>	109.71	
		<i>For Type 304 Stainless Steel Door, Add</i>	444.14	
		<i>For Type 316 Stainless Steel Door, Add</i>	718.41	
		<i>For Embossed Panel, Add</i>	131.65	
		<i>For Galvanized Steel, Add</i>	82.28	
		<i>For Baked Enamel Finish, Add</i>	228.38	
		<i>For 20 Minutes To 30 Minutes Rated Door And FM Label, Add</i>	27.63	
		<i>For 45 Minutes Rated Door And FM Label, Add</i>	41.40	
		<i>For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add</i>	55.27	
		<i>For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add</i>	93.38	
		<i>For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add</i>	131.50	
		<i>For >50 To 100, Deduct</i>	-35.40	
		<i>For >100, Deduct</i>	-51.78	
		<i>For 2" Thick Door, Add</i>	42.43	
		<i>For Insulated Door (Polystyrene Core), Add</i>	54.85	
		<i>For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add</i>	137.13	
		<i>For Seamless Edge (Welded), Add</i>	68.57	
		<i>For Steel Stiffened, Add</i>	137.13	
08 13 13 13-0041	EA	3'-6" x 6'-8" x 1-3/4", 18 Gauge, Unrated, Hollow Metal Door	674.16	55.40
		<i>For 18 Gauge, Grade II, Heavy Duty, Add</i>	112.67	
		<i>For Type 304 Stainless Steel Door, Add</i>	456.22	
		<i>For Type 316 Stainless Steel Door, Add</i>	737.90	
		<i>For Embossed Panel, Add</i>	135.20	
		<i>For Galvanized Steel, Add</i>	84.50	
		<i>For Baked Enamel Finish, Add</i>	235.49	
		<i>For 20 Minutes To 30 Minutes Rated Door And FM Label, Add</i>	27.63	
		<i>For 45 Minutes Rated Door And FM Label, Add</i>	41.40	
		<i>For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add</i>	55.27	
		<i>For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add</i>	93.38	
		<i>For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add</i>	131.50	
		<i>For >50 To 100, Deduct</i>	-36.48	
		<i>For >100, Deduct</i>	-53.33	
		<i>For 2" Thick Door, Add</i>	43.61	
		<i>For Insulated Door (Polystyrene Core), Add</i>	56.34	
		<i>For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add</i>	140.84	
		<i>For Seamless Edge (Welded), Add</i>	70.42	
		<i>For Steel Stiffened, Add</i>	140.84	
08 13 13 13-0042	EA	4' x 6'-8" x 1-3/4", 18 Gauge, Unrated, Hollow Metal Door	742.32	59.84
		<i>For 18 Gauge, Grade II, Heavy Duty, Add</i>	124.53	
		<i>For Type 304 Stainless Steel Door, Add</i>	504.10	
		<i>For Type 316 Stainless Steel Door, Add</i>	815.43	
		<i>For Embossed Panel, Add</i>	149.44	
		<i>For Galvanized Steel, Add</i>	93.40	
		<i>For Baked Enamel Finish, Add</i>	258.60	
		<i>For 20 Minutes To 30 Minutes Rated Door And FM Label, Add</i>	27.63	
		<i>For 45 Minutes Rated Door And FM Label, Add</i>	41.40	
		<i>For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add</i>	55.27	
		<i>For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add</i>	93.38	
		<i>For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add</i>	131.50	
		<i>For >50 To 100, Deduct</i>	-40.11	
		<i>For >100, Deduct</i>	-58.67	
		<i>For 2" Thick Door, Add</i>	48.13	
		<i>For Insulated Door (Polystyrene Core), Add</i>	62.27	
		<i>For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add</i>	155.66	
		<i>For Seamless Edge (Welded), Add</i>	77.83	
		<i>For Steel Stiffened, Add</i>	155.66	

08 13 13 13-0043 7' High, 18 Gauge, Unrated, Hollow Metal Doors (08 13 13 13-0032)



Openings	08	08
Doors And Frames	08 10	
Metal Doors	08 13	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 13 13 13-0044 EA 2' x 7' x 1-3/4", 18 Gauge, Unrated, Hollow Metal Door	595.75	48.75
For 18 Gauge, Grade II, Heavy Duty, Add	99.65	
For Type 304 Stainless Steel Door, Add	403.47	
For Type 316 Stainless Steel Door, Add	652.59	
For Embossed Panel, Add	119.58	
For Galvanized Steel, Add	74.74	
For Baked Enamel Finish, Add	207.98	
For 20 Minutes To 30 Minutes Rated Door And FM Label, Add	27.63	
For 45 Minutes Rated Door And FM Label, Add	41.40	
For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add	55.27	
For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add	93.38	
For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add	131.50	
For >50 To 100, Deduct	-32.23	
For >100, Deduct	-47.12	
For 2" Thick Door, Add	38.56	
For Insulated Door (Polystyrene Core), Add	49.82	
For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add	124.56	
For Seamless Edge (Welded), Add	62.28	
For Steel Stiffened, Add	124.56	
08 13 13 13-0045 EA 2'-4" x 7' x 1-3/4", 18 Gauge, Unrated, Hollow Metal Door.....	595.75	48.75
For 18 Gauge, Grade II, Heavy Duty, Add	99.65	
For Type 304 Stainless Steel Door, Add	403.47	
For Type 316 Stainless Steel Door, Add	652.59	
For Embossed Panel, Add	119.58	
For Galvanized Steel, Add	74.74	
For Baked Enamel Finish, Add	207.98	
For 20 Minutes To 30 Minutes Rated Door And FM Label, Add	27.63	
For 45 Minutes Rated Door And FM Label, Add	41.40	
For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add	55.27	
For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add	93.38	
For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add	131.50	
For >50 To 100, Deduct	-32.23	
For >100, Deduct	-47.12	
For 2" Thick Door, Add	38.56	
For Insulated Door (Polystyrene Core), Add	49.82	
For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add	124.56	
For Seamless Edge (Welded), Add	62.28	
For Steel Stiffened, Add	124.56	
08 13 13 13-0046 EA 2'-6" x 7' x 1-3/4", 18 Gauge, Unrated, Hollow Metal Door.....	610.37	50.97
For 18 Gauge, Grade II, Heavy Duty, Add	101.69	
For Type 304 Stainless Steel Door, Add	411.84	
For Type 316 Stainless Steel Door, Add	666.06	
For Embossed Panel, Add	122.02	
For Galvanized Steel, Add	76.26	
For Baked Enamel Finish, Add	213.69	
For 20 Minutes To 30 Minutes Rated Door And FM Label, Add	27.63	
For 45 Minutes Rated Door And FM Label, Add	41.40	
For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add	55.27	
For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add	93.38	
For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add	131.50	
For >50 To 100, Deduct	-33.07	
For >100, Deduct	-48.33	
For 2" Thick Door, Add	39.41	
For Insulated Door (Polystyrene Core), Add	50.84	
For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add	127.11	
For Seamless Edge (Welded), Add	63.55	
For Steel Stiffened, Add	127.11	
08 13 13 13-0047 EA 2'-8" x 7' x 1-3/4", 18 Gauge, Unrated, Hollow Metal Door.....	617.95	50.97
For 18 Gauge, Grade II, Heavy Duty, Add	103.20	
For Type 304 Stainless Steel Door, Add	417.91	
For Type 316 Stainless Steel Door, Add	675.91	
For Embossed Panel, Add	123.84	
For Galvanized Steel, Add	77.40	
For Baked Enamel Finish, Add	215.97	
For 20 Minutes To 30 Minutes Rated Door And FM Label, Add	27.63	
For 45 Minutes Rated Door And FM Label, Add	41.40	
For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add	55.27	
For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add	93.38	
For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add	131.50	
For >50 To 100, Deduct	-33.45	
For >100, Deduct	-48.89	
For 2" Thick Door, Add	39.96	
For Insulated Door (Polystyrene Core), Add	51.60	
For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add	129.00	
For Seamless Edge (Welded), Add	64.50	
For Steel Stiffened, Add	129.00	

08 Openings**08 10 Doors And Frames****08 13 Metal Doors**

MINOR
CSI UOM DESCRIPTION

TOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

08 13 13 13-0048	EA	2'-10" x 7' x 1-3/4", 18 Gauge, Unrated, Hollow Metal Door.....	623.21	52.08
		<i>For 18 Gauge, Grade II, Heavy Duty, Add</i>	103.81	
		<i>For Type 304 Stainless Steel Door, Add</i>	420.45	
		<i>For Type 316 Stainless Steel Door, Add</i>	679.97	
		<i>For Embossed Panel, Add</i>	124.57	
		<i>For Galvanized Steel, Add</i>	77.86	
		<i>For Baked Enamel Finish, Add</i>	218.21	
		<i>For 20 Minutes To 30 Minutes Rated Door And FM Label, Add</i>	27.63	
		<i>For 45 Minutes Rated Door And FM Label, Add</i>	41.40	
		<i>For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add</i>	55.27	
		<i>For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add</i>	93.38	
		<i>For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add</i>	131.50	
		<i>For >50 To 100, Deduct</i>	-33.76	
		<i>For >100, Deduct</i>	-49.34	
		<i>For 2" Thick Door, Add</i>	40.24	
		<i>For Insulated Door (Polystyrene Core), Add</i>	51.91	
		<i>For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add</i>	129.76	
		<i>For Seamless Edge (Welded), Add</i>	64.88	
		<i>For Steel Stiffened, Add</i>	129.76	
08 13 13 13-0049	EA	3' x 7' x 1-3/4", 18 Gauge, Unrated, Hollow Metal Door.....	628.45	53.19
		<i>For 18 Gauge, Grade II, Heavy Duty, Add</i>	104.42	
		<i>For Type 304 Stainless Steel Door, Add</i>	422.98	
		<i>For Type 316 Stainless Steel Door, Add</i>	684.02	
		<i>For Embossed Panel, Add</i>	125.30	
		<i>For Galvanized Steel, Add</i>	78.31	
		<i>For Baked Enamel Finish, Add</i>	220.45	
		<i>For 20 Minutes To 30 Minutes Rated Door And FM Label, Add</i>	27.63	
		<i>For 45 Minutes Rated Door And FM Label, Add</i>	41.40	
		<i>For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add</i>	55.27	
		<i>For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add</i>	93.38	
		<i>For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add</i>	131.50	
		<i>For >50 To 100, Deduct</i>	-34.08	
		<i>For >100, Deduct</i>	-49.79	
		<i>For 2" Thick Door, Add</i>	40.51	
		<i>For Insulated Door (Polystyrene Core), Add</i>	52.21	
		<i>For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add</i>	130.52	
		<i>For Seamless Edge (Welded), Add</i>	65.26	
		<i>For Steel Stiffened, Add</i>	130.52	
08 13 13 13-0050	EA	3'-4" x 7' x 1-3/4", 18 Gauge, Unrated, Hollow Metal Door.....	667.92	53.19
		<i>For 18 Gauge, Grade II, Heavy Duty, Add</i>	112.31	
		<i>For Type 304 Stainless Steel Door, Add</i>	454.56	
		<i>For Type 316 Stainless Steel Door, Add</i>	735.33	
		<i>For Embossed Panel, Add</i>	134.77	
		<i>For Galvanized Steel, Add</i>	84.23	
		<i>For Baked Enamel Finish, Add</i>	232.29	
		<i>For 20 Minutes To 30 Minutes Rated Door And FM Label, Add</i>	27.63	
		<i>For 45 Minutes Rated Door And FM Label, Add</i>	41.40	
		<i>For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add</i>	55.27	
		<i>For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add</i>	93.38	
		<i>For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add</i>	131.50	
		<i>For >50 To 100, Deduct</i>	-36.06	
		<i>For >100, Deduct</i>	-52.75	
		<i>For 2" Thick Door, Add</i>	43.37	
		<i>For Insulated Door (Polystyrene Core), Add</i>	56.16	
		<i>For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add</i>	140.39	
		<i>For Seamless Edge (Welded), Add</i>	70.19	
		<i>For Steel Stiffened, Add</i>	140.39	
08 13 13 13-0051	EA	3'-6" x 7' x 1-3/4", 18 Gauge, Unrated, Hollow Metal Door.....	687.53	55.40
		<i>For 18 Gauge, Grade II, Heavy Duty, Add</i>	115.34	
		<i>For Type 304 Stainless Steel Door, Add</i>	466.92	
		<i>For Type 316 Stainless Steel Door, Add</i>	755.28	
		<i>For Embossed Panel, Add</i>	138.41	
		<i>For Galvanized Steel, Add</i>	86.51	
		<i>For Baked Enamel Finish, Add</i>	239.50	
		<i>For 20 Minutes To 30 Minutes Rated Door And FM Label, Add</i>	27.63	
		<i>For 45 Minutes Rated Door And FM Label, Add</i>	41.40	
		<i>For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add</i>	55.27	
		<i>For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add</i>	93.38	
		<i>For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add</i>	131.50	
		<i>For >50 To 100, Deduct</i>	-37.15	
		<i>For >100, Deduct</i>	-54.34	
		<i>For 2" Thick Door, Add</i>	44.58	
		<i>For Insulated Door (Polystyrene Core), Add</i>	57.67	
		<i>For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add</i>	144.18	
		<i>For Seamless Edge (Welded), Add</i>	72.09	
		<i>For Steel Stiffened, Add</i>	144.18	



Openings	08	08
Doors And Frames	08 10	
Metal Doors	08 13	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 13 13 13-0052 EA 4' x 7' x 1-3/4", 18 Gauge, Unrated, Hollow Metal Door	757.10	59.84
For 18 Gauge, Grade II, Heavy Duty, Add	127.49	
For Type 304 Stainless Steel Door, Add	515.93	
For Type 316 Stainless Steel Door, Add	834.64	
For Embossed Panel, Add	152.98	
For Galvanized Steel, Add	95.61	
For Baked Enamel Finish, Add	263.03	
For 20 Minutes To 30 Minutes Rated Door And FM Label, Add	27.63	
For 45 Minutes Rated Door And FM Label, Add	41.40	
For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add	55.27	
For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add	93.38	
For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add	131.50	
For >50 To 100, Deduct	-40.85	
For >100, Deduct	-59.77	
For 2" Thick Door, Add	49.21	
For Insulated Door (Polystyrene Core), Add	63.74	
For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add	159.36	
For Seamless Edge (Welded), Add	79.68	
For Steel Stiffened, Add	159.36	
08 13 13 13-0053 7'-2" High, 18 Gauge, Unrated, Hollow Metal Doors (08 13 13 13-0032)		
08 13 13 13-0054 EA 2' x 7'-2" x 1-3/4", 18 Gauge, Unrated, Hollow Metal Door	607.30	48.75
For 18 Gauge, Grade II, Heavy Duty, Add	101.96	
For Type 304 Stainless Steel Door, Add	412.71	
For Type 316 Stainless Steel Door, Add	667.60	
For Embossed Panel, Add	122.35	
For Galvanized Steel, Add	76.47	
For Baked Enamel Finish, Add	211.44	
For 20 Minutes To 30 Minutes Rated Door And FM Label, Add	27.63	
For 45 Minutes Rated Door And FM Label, Add	41.40	
For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add	55.27	
For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add	93.38	
For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add	131.50	
For >50 To 100, Deduct	-32.80	
For >100, Deduct	-47.99	
For 2" Thick Door, Add	39.40	
For Insulated Door (Polystyrene Core), Add	50.98	
For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add	127.45	
For Seamless Edge (Welded), Add	63.72	
For Steel Stiffened, Add	127.45	
08 13 13 13-0055 EA 2'-4" x 7'-2" x 1-3/4", 18 Gauge, Unrated, Hollow Metal Door	607.30	48.75
For 18 Gauge, Grade II, Heavy Duty, Add	101.96	
For Type 304 Stainless Steel Door, Add	412.71	
For Type 316 Stainless Steel Door, Add	667.60	
For Embossed Panel, Add	122.35	
For Galvanized Steel, Add	76.47	
For Baked Enamel Finish, Add	211.44	
For 20 Minutes To 30 Minutes Rated Door And FM Label, Add	27.63	
For 45 Minutes Rated Door And FM Label, Add	41.40	
For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add	55.27	
For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add	93.38	
For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add	131.50	
For >50 To 100, Deduct	-32.80	
For >100, Deduct	-47.99	
For 2" Thick Door, Add	39.40	
For Insulated Door (Polystyrene Core), Add	50.98	
For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add	127.45	
For Seamless Edge (Welded), Add	63.72	
For Steel Stiffened, Add	127.45	
08 13 13 13-0056 EA 2'-6" x 7'-2" x 1-3/4", 18 Gauge, Unrated, Hollow Metal Door	622.16	50.97
For 18 Gauge, Grade II, Heavy Duty, Add	104.04	
For Type 304 Stainless Steel Door, Add	421.27	
For Type 316 Stainless Steel Door, Add	681.38	
For Embossed Panel, Add	124.85	
For Galvanized Steel, Add	78.03	
For Baked Enamel Finish, Add	217.23	
For 20 Minutes To 30 Minutes Rated Door And FM Label, Add	27.63	
For 45 Minutes Rated Door And FM Label, Add	41.40	
For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add	55.27	
For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add	93.38	
For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add	131.50	
For >50 To 100, Deduct	-33.66	
For >100, Deduct	-49.21	
For 2" Thick Door, Add	40.26	
For Insulated Door (Polystyrene Core), Add	52.02	
For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add	130.06	
For Seamless Edge (Welded), Add	65.03	
For Steel Stiffened, Add	130.06	

08 Openings**08 10 Doors And Frames****08 13 Metal Doors**

MINOR
CSI UOM DESCRIPTION

TOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

08 13 13 13-0057	EA	2'-8" x 7'-2" x 1-3/4", 18 Gauge, Unrated, Hollow Metal Door	629.92	50.97
		<i>For 18 Gauge, Grade II, Heavy Duty, Add</i>	105.60	
		<i>For Type 304 Stainless Steel Door, Add</i>	427.48	
		<i>For Type 316 Stainless Steel Door, Add</i>	691.47	
		<i>For Embossed Panel, Add</i>	126.72	
		<i>For Galvanized Steel, Add</i>	79.20	
		<i>For Baked Enamel Finish, Add</i>	219.56	
		<i>For 20 Minutes To 30 Minutes Rated Door And FM Label, Add</i>	27.63	
		<i>For 45 Minutes Rated Door And FM Label, Add</i>	41.40	
		<i>For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add</i>	55.27	
		<i>For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add</i>	93.38	
		<i>For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add</i>	131.50	
		<i>For >50 To 100, Deduct</i>	-34.04	
		<i>For >100, Deduct</i>	-49.79	
		<i>For 2" Thick Door, Add</i>	40.83	
		<i>For Insulated Door (Polystyrene Core), Add</i>	52.80	
		<i>For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add</i>	132.00	
		<i>For Seamless Edge (Welded), Add</i>	66.00	
		<i>For Steel Stiffened, Add</i>	132.00	
08 13 13 13-0058	EA	3' x 7'-2" x 1-3/4", 18 Gauge, Unrated, Hollow Metal Door	640.56	53.19
		<i>For 18 Gauge, Grade II, Heavy Duty, Add</i>	106.84	
		<i>For Type 304 Stainless Steel Door, Add</i>	432.67	
		<i>For Type 316 Stainless Steel Door, Add</i>	699.77	
		<i>For Embossed Panel, Add</i>	128.21	
		<i>For Galvanized Steel, Add</i>	80.13	
		<i>For Baked Enamel Finish, Add</i>	224.08	
		<i>For 20 Minutes To 30 Minutes Rated Door And FM Label, Add</i>	27.63	
		<i>For 45 Minutes Rated Door And FM Label, Add</i>	41.40	
		<i>For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add</i>	55.27	
		<i>For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add</i>	93.38	
		<i>For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add</i>	131.50	
		<i>For >50 To 100, Deduct</i>	-34.69	
		<i>For >100, Deduct</i>	-50.70	
		<i>For 2" Thick Door, Add</i>	41.39	
		<i>For Insulated Door (Polystyrene Core), Add</i>	53.42	
		<i>For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add</i>	133.55	
		<i>For Seamless Edge (Welded), Add</i>	66.77	
		<i>For Steel Stiffened, Add</i>	133.55	
08 13 13 13-0059	EA	3'-4" x 7'-2" x 1-3/4", 18 Gauge, Unrated, Hollow Metal Door	680.93	53.19
		<i>For 18 Gauge, Grade II, Heavy Duty, Add</i>	114.91	
		<i>For Type 304 Stainless Steel Door, Add</i>	464.97	
		<i>For Type 316 Stainless Steel Door, Add</i>	752.25	
		<i>For Embossed Panel, Add</i>	137.89	
		<i>For Galvanized Steel, Add</i>	86.18	
		<i>For Baked Enamel Finish, Add</i>	236.19	
		<i>For 20 Minutes To 30 Minutes Rated Door And FM Label, Add</i>	27.63	
		<i>For 45 Minutes Rated Door And FM Label, Add</i>	41.40	
		<i>For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add</i>	55.27	
		<i>For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add</i>	93.38	
		<i>For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add</i>	131.50	
		<i>For >50 To 100, Deduct</i>	-36.71	
		<i>For >100, Deduct</i>	-53.73	
		<i>For 2" Thick Door, Add</i>	44.31	
		<i>For Insulated Door (Polystyrene Core), Add</i>	57.46	
		<i>For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add</i>	143.64	
		<i>For Seamless Edge (Welded), Add</i>	71.82	
		<i>For Steel Stiffened, Add</i>	143.64	
08 13 13 13-0060	EA	3'-6" x 7'-2" x 1-3/4", 18 Gauge, Unrated, Hollow Metal Door	700.90	55.40
		<i>For 18 Gauge, Grade II, Heavy Duty, Add</i>	118.02	
		<i>For Type 304 Stainless Steel Door, Add</i>	477.61	
		<i>For Type 316 Stainless Steel Door, Add</i>	772.66	
		<i>For Embossed Panel, Add</i>	141.62	
		<i>For Galvanized Steel, Add</i>	88.51	
		<i>For Baked Enamel Finish, Add</i>	243.51	
		<i>For 20 Minutes To 30 Minutes Rated Door And FM Label, Add</i>	27.63	
		<i>For 45 Minutes Rated Door And FM Label, Add</i>	41.40	
		<i>For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add</i>	55.27	
		<i>For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add</i>	93.38	
		<i>For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add</i>	131.50	
		<i>For >50 To 100, Deduct</i>	-37.82	
		<i>For >100, Deduct</i>	-55.34	
		<i>For 2" Thick Door, Add</i>	45.55	
		<i>For Insulated Door (Polystyrene Core), Add</i>	59.01	
		<i>For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add</i>	147.52	
		<i>For Seamless Edge (Welded), Add</i>	73.76	
		<i>For Steel Stiffened, Add</i>	147.52	



Openings	08	08
Doors And Frames	08 10	
Metal Doors	08 13	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 13 13 13-0061 EA 4' x 7'-2" x 1-3/4", 18 Gauge, Unrated, Hollow Metal Door.....	771.88	59.84
For 18 Gauge, Grade II, Heavy Duty, Add	130.44	
For Type 304 Stainless Steel Door, Add	527.75	
For Type 316 Stainless Steel Door, Add	853.86	
For Embossed Panel, Add	156.53	
For Galvanized Steel, Add	97.83	
For Baked Enamel Finish, Add	267.47	
For 20 Minutes To 30 Minutes Rated Door And FM Label, Add	27.63	
For 45 Minutes Rated Door And FM Label, Add	41.40	
For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add	55.27	
For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add	93.38	
For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add	131.50	
For >50 To 100, Deduct	-41.59	
For >100, Deduct	-60.88	
For 2" Thick Door, Add	50.28	
For Insulated Door (Polystyrene Core), Add	65.22	
For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add	163.05	
For Seamless Edge (Welded), Add	81.53	
For Steel Stiffened, Add	163.05	
08 13 13 13-0062 8' High, 18 Gauge, Unrated, Hollow Metal Doors (08 13 13 13-0032)		
08 13 13 13-0063 EA 2' x 8' x 1-3/4", 18 Gauge, Unrated, Hollow Metal Door.....	702.57	48.75
For 18 Gauge, Grade II, Heavy Duty, Add	121.01	
For Up To 1' Extra Height, Add	167.42	
For 1' To 1'-6" Extra Height, Add	319.41	
For Type 304 Stainless Steel Door, Add	488.92	
For Type 316 Stainless Steel Door, Add	791.45	
For Embossed Panel, Add	145.21	
For Galvanized Steel, Add	90.76	
For Baked Enamel Finish, Add	240.02	
For 20 Minutes To 30 Minutes Rated Door And FM Label, Add	27.63	
For 45 Minutes Rated Door And FM Label, Add	41.40	
For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add	55.27	
For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add	93.38	
For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add	131.50	
For >50 To 100, Deduct	-37.57	
For >100, Deduct	-55.13	
For 2" Thick Door, Add	46.30	
For Insulated Door (Polystyrene Core), Add	60.51	
For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add	151.27	
For Seamless Edge (Welded), Add	75.63	
For Steel Stiffened, Add	151.27	
08 13 13 13-0064 EA 2'-4" x 8' x 1-3/4", 18 Gauge, Unrated, Hollow Metal Door.....	702.57	48.75
For 18 Gauge, Grade II, Heavy Duty, Add	121.01	
For Up To 1' Extra Height, Add	167.42	
For 1' To 1'-6" Extra Height, Add	319.41	
For Type 304 Stainless Steel Door, Add	488.92	
For Type 316 Stainless Steel Door, Add	791.45	
For Embossed Panel, Add	145.21	
For Galvanized Steel, Add	90.76	
For Baked Enamel Finish, Add	240.02	
For 20 Minutes To 30 Minutes Rated Door And FM Label, Add	27.63	
For 45 Minutes Rated Door And FM Label, Add	41.40	
For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add	55.27	
For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add	93.38	
For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add	131.50	
For >50 To 100, Deduct	-37.57	
For >100, Deduct	-55.13	
For 2" Thick Door, Add	46.30	
For Insulated Door (Polystyrene Core), Add	60.51	
For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add	151.27	
For Seamless Edge (Welded), Add	75.63	
For Steel Stiffened, Add	151.27	
08 13 13 13-0065 EA 2'-6" x 8' x 1-3/4", 18 Gauge, Unrated, Hollow Metal Door.....	719.38	50.97
For 18 Gauge, Grade II, Heavy Duty, Add	123.49	
For Up To 1' Extra Height, Add	170.85	
For 1' To 1'-6" Extra Height, Add	325.95	
For Type 304 Stainless Steel Door, Add	499.05	
For Type 316 Stainless Steel Door, Add	807.77	
For Embossed Panel, Add	148.19	
For Galvanized Steel, Add	92.62	
For Baked Enamel Finish, Add	246.40	
For 20 Minutes To 30 Minutes Rated Door And FM Label, Add	27.63	
For 45 Minutes Rated Door And FM Label, Add	41.40	
For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add	55.27	
For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add	93.38	
For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add	131.50	
For >50 To 100, Deduct	-38.52	
For >100, Deduct	-56.50	
For 2" Thick Door, Add	47.31	
For Insulated Door (Polystyrene Core), Add	61.74	
For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add	154.36	
For Seamless Edge (Welded), Add	77.18	
For Steel Stiffened, Add	154.36	

08 Openings**08 10 Doors And Frames**

08 13 Metal Doors

MINOR
CSI UOM DESCRIPTIONTOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

08 13 13 13-0066	EA 2'-8" x 8' x 1-3/4", 18 Gauge, Unrated, Hollow Metal Door.....	728.60	50.97
	For 18 Gauge, Grade II, Heavy Duty, Add	125.33	
	For Up To 1' Extra Height, Add	173.40	
	For 1' To 1'-6" Extra Height, Add	330.81	
	For Type 304 Stainless Steel Door, Add	506.43	
	For Type 316 Stainless Steel Door, Add	819.76	
	For Embossed Panel, Add	150.40	
	For Galvanized Steel, Add	94.00	
	For Baked Enamel Finish, Add	249.16	
	For 20 Minutes To 30 Minutes Rated Door And FM Label, Add	27.63	
	For 45 Minutes Rated Door And FM Label, Add	41.40	
	For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add	55.27	
	For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add	93.38	
	For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add	131.50	
	For >50 To 100, Deduct	-38.98	
	For >100, Deduct	-57.19	
	For 2" Thick Door, Add	47.98	
	For Insulated Door (Polystyrene Core), Add	62.67	
	For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add	156.67	
	For Seamless Edge (Welded), Add	78.33	
	For Steel Stiffened, Add	156.67	
08 13 13 13-0067	EA 2'-10" x 8' x 1-3/4", 18 Gauge, Unrated, Hollow Metal Door.....	734.50	52.08
	For 18 Gauge, Grade II, Heavy Duty, Add	126.07	
	For Up To 1' Extra Height, Add	174.42	
	For 1' To 1'-6" Extra Height, Add	332.76	
	For Type 304 Stainless Steel Door, Add	509.48	
	For Type 316 Stainless Steel Door, Add	824.65	
	For Embossed Panel, Add	151.28	
	For Galvanized Steel, Add	94.55	
	For Baked Enamel Finish, Add	251.60	
	For 20 Minutes To 30 Minutes Rated Door And FM Label, Add	27.63	
	For 45 Minutes Rated Door And FM Label, Add	41.40	
	For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add	55.27	
	For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add	93.38	
	For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add	131.50	
	For >50 To 100, Deduct	-39.33	
	For >100, Deduct	-57.69	
	For 2" Thick Door, Add	48.30	
	For Insulated Door (Polystyrene Core), Add	63.03	
	For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add	157.59	
	For Seamless Edge (Welded), Add	78.79	
	For Steel Stiffened, Add	157.59	
08 13 13 13-0068	EA 3' x 8' x 1-3/4", 18 Gauge, Unrated, Hollow Metal Door.....	740.39	53.19
	For 18 Gauge, Grade II, Heavy Duty, Add	126.80	
	For Up To 1' Extra Height, Add	175.43	
	For 1' To 1'-6" Extra Height, Add	334.70	
	For Type 304 Stainless Steel Door, Add	512.53	
	For Type 316 Stainless Steel Door, Add	829.54	
	For Embossed Panel, Add	152.16	
	For Galvanized Steel, Add	95.10	
	For Baked Enamel Finish, Add	254.03	
	For 20 Minutes To 30 Minutes Rated Door And FM Label, Add	27.63	
	For 45 Minutes Rated Door And FM Label, Add	41.40	
	For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add	55.27	
	For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add	93.38	
	For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add	131.50	
	For >50 To 100, Deduct	-39.68	
	For >100, Deduct	-58.19	
	For 2" Thick Door, Add	48.63	
	For Insulated Door (Polystyrene Core), Add	63.40	
	For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add	158.51	
	For Seamless Edge (Welded), Add	79.25	
	For Steel Stiffened, Add	158.51	
08 13 13 13-0069	EA 3'-4" x 8' x 1-3/4", 18 Gauge, Unrated, Hollow Metal Door.....	788.32	53.19
	For 18 Gauge, Grade II, Heavy Duty, Add	136.39	
	For Up To 1' Extra Height, Add	188.70	
	For 1' To 1'-6" Extra Height, Add	360.00	
	For Type 304 Stainless Steel Door, Add	550.88	
	For Type 316 Stainless Steel Door, Add	891.85	
	For Embossed Panel, Add	163.67	
	For Galvanized Steel, Add	102.29	
	For Baked Enamel Finish, Add	268.41	
	For 20 Minutes To 30 Minutes Rated Door And FM Label, Add	27.63	
	For 45 Minutes Rated Door And FM Label, Add	41.40	
	For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add	55.27	
	For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add	93.38	
	For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add	131.50	
	For >50 To 100, Deduct	-42.08	
	For >100, Deduct	-61.78	
	For 2" Thick Door, Add	52.10	
	For Insulated Door (Polystyrene Core), Add	68.20	
	For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add	170.49	
	For Seamless Edge (Welded), Add	85.24	
	For Steel Stiffened, Add	170.49	



	MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 13 13	13-0070	EA		3'-6" x 8' x 1-3/4", 18 Gauge, Unrated, Hollow Metal Door.....	811.19	55.40
				<i>For 18 Gauge, Grade II, Heavy Duty, Add</i>	140.08	
				<i>For Up To 1' Extra Height, Add</i>	193.80	
				<i>For 1' To 1'-6" Extra Height, Add</i>	369.73	
				<i>For Type 304 Stainless Steel Door, Add</i>	565.84	
				<i>For Type 316 Stainless Steel Door, Add</i>	916.03	
				<i>For Embossed Panel, Add</i>	168.09	
				<i>For Galvanized Steel, Add</i>	105.06	
				<i>For Baked Enamel Finish, Add</i>	276.60	
				<i>For 20 Minutes To 30 Minutes Rated Door And FM Label, Add</i>	27.63	
				<i>For 45 Minutes Rated Door And FM Label, Add</i>	41.40	
				<i>For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add</i>	55.27	
				<i>For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add</i>	93.38	
				<i>For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add</i>	131.50	
				<i>For >50 To 100, Deduct</i>	-43.33	
				<i>For >100, Deduct</i>	-63.61	
				<i>For 2" Thick Door, Add</i>	53.55	
				<i>For Insulated Door (Polystyrene Core), Add</i>	70.04	
				<i>For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add</i>	175.10	
				<i>For Seamless Edge (Welded), Add</i>	87.55	
				<i>For Steel Stiffened, Add</i>	175.10	
08 13 13	13-0071	EA		4' x 8' x 1-3/4", 18 Gauge, Unrated, Hollow Metal Door.....	893.77	59.84
				<i>For 18 Gauge, Grade II, Heavy Duty, Add</i>	154.82	
				<i>For Up To 1' Extra Height, Add</i>	214.19	
				<i>For 1' To 1'-6" Extra Height, Add</i>	408.65	
				<i>For Type 304 Stainless Steel Door, Add</i>	625.26	
				<i>For Type 316 Stainless Steel Door, Add</i>	1,012.31	
				<i>For Embossed Panel, Add</i>	185.78	
				<i>For Galvanized Steel, Add</i>	116.12	
				<i>For Baked Enamel Finish, Add</i>	304.03	
				<i>For 20 Minutes To 30 Minutes Rated Door And FM Label, Add</i>	27.63	
				<i>For 45 Minutes Rated Door And FM Label, Add</i>	41.40	
				<i>For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add</i>	55.27	
				<i>For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add</i>	93.38	
				<i>For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add</i>	131.50	
				<i>For >50 To 100, Deduct</i>	-47.68	
				<i>For >100, Deduct</i>	-70.02	
				<i>For 2" Thick Door, Add</i>	59.11	
				<i>For Insulated Door (Polystyrene Core), Add</i>	77.41	
				<i>For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add</i>	193.53	
				<i>For Seamless Edge (Welded), Add</i>	96.76	
				<i>For Steel Stiffened, Add</i>	193.53	
08 13 13	13-0072			16 Gauge, Unrated, Hollow Metal Doors <small>(08 13 13 13)</small>		
08 13 13	13-0073			6'-8" High, 16 Gauge, Unrated, Hollow Metal Doors <small>(08 13 13 13-0072)</small>		
08 13 13	13-0074	EA		2' x 6'-8" x 1-3/4", 16 Gauge, Unrated, Hollow Metal Door.....	771.57	48.75
				<i>For 16 Gauge, Grade III, Extra Heavy Duty, Add</i>	202.22	
				<i>For 14 Gauge, Grade III, Extra Heavy Duty, Add</i>	269.62	
				<i>For Type 304 Stainless Steel Door, Add</i>	544.12	
				<i>For Type 316 Stainless Steel Door, Add</i>	881.15	
				<i>For Embossed Panel, Add</i>	161.77	
				<i>For Galvanized Steel, Add</i>	101.11	
				<i>For Baked Enamel Finish, Add</i>	260.72	
				<i>For 20 Minutes To 30 Minutes Rated Door And FM Label, Add</i>	27.63	
				<i>For 45 Minutes Rated Door And FM Label, Add</i>	41.40	
				<i>For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add</i>	55.27	
				<i>For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add</i>	93.38	
				<i>For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add</i>	131.50	
				<i>For >50 To 100, Deduct</i>	-41.02	
				<i>For >100, Deduct</i>	-60.31	
				<i>For 2" Thick Door, Add</i>	51.31	
				<i>For Insulated Door (Polystyrene Core), Add</i>	67.41	
				<i>For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add</i>	168.52	
				<i>For Seamless Edge (Welded), Add</i>	84.26	
				<i>For Steel Stiffened, Add</i>	168.52	
08 13 13	13-0075	EA		2'-4" x 6'-8" x 1-3/4", 16 Gauge, Unrated, Hollow Metal Door.....	771.57	48.75
				<i>For 16 Gauge, Grade III, Extra Heavy Duty, Add</i>	202.22	
				<i>For 14 Gauge, Grade III, Extra Heavy Duty, Add</i>	269.62	
				<i>For Type 304 Stainless Steel Door, Add</i>	544.12	
				<i>For Type 316 Stainless Steel Door, Add</i>	881.15	
				<i>For Embossed Panel, Add</i>	161.77	
				<i>For Galvanized Steel, Add</i>	101.11	
				<i>For Baked Enamel Finish, Add</i>	260.72	
				<i>For 20 Minutes To 30 Minutes Rated Door And FM Label, Add</i>	27.63	
				<i>For 45 Minutes Rated Door And FM Label, Add</i>	41.40	
				<i>For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add</i>	55.27	
				<i>For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add</i>	93.38	
				<i>For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add</i>	131.50	
				<i>For >50 To 100, Deduct</i>	-41.02	
				<i>For >100, Deduct</i>	-60.31	
				<i>For 2" Thick Door, Add</i>	51.31	
				<i>For Insulated Door (Polystyrene Core), Add</i>	67.41	
				<i>For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add</i>	168.52	
				<i>For Seamless Edge (Welded), Add</i>	84.26	
				<i>For Steel Stiffened, Add</i>	168.52	

08 Openings**08 10 Doors And Frames****08 13 Metal Doors**

MINOR
CSI UOM DESCRIPTION

TOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

08 13 13 13-0076	EA 2'-6" x 6'-8" x 1-3/4", 16 Gauge, Unrated, Hollow Metal Door	789.79	50.97
	For 16 Gauge, Grade III, Extra Heavy Duty, Add	206.36	
	For 14 Gauge, Grade III, Extra Heavy Duty, Add	275.14	
	For Type 304 Stainless Steel Door, Add	555.38	
	For Type 316 Stainless Steel Door, Add	899.30	
	For Embossed Panel, Add	165.08	
	For Galvanized Steel, Add	103.18	
	For Baked Enamel Finish, Add	267.52	
	For 20 Minutes To 30 Minutes Rated Door And FM Label, Add	27.63	
	For 45 Minutes Rated Door And FM Label, Add	41.40	
	For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add	55.27	
	For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add	93.38	
	For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add	131.50	
	For >50 To 100, Deduct	-42.04	
	For >100, Deduct	-61.78	
	For 2" Thick Door, Add	52.42	
	For Insulated Door (Polystyrene Core), Add	68.79	
	For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add	171.96	
	For Seamless Edge (Welded), Add	85.98	
	For Steel Stiffened, Add	171.96	
08 13 13 13-0077	EA 2'-8" x 6'-8" x 1-3/4", 16 Gauge, Unrated, Hollow Metal Door	800.05	50.97
	For 16 Gauge, Grade III, Extra Heavy Duty, Add	209.43	
	For 14 Gauge, Grade III, Extra Heavy Duty, Add	279.24	
	For Type 304 Stainless Steel Door, Add	563.59	
	For Type 316 Stainless Steel Door, Add	912.64	
	For Embossed Panel, Add	167.55	
	For Galvanized Steel, Add	104.72	
	For Baked Enamel Finish, Add	270.60	
	For 20 Minutes To 30 Minutes Rated Door And FM Label, Add	27.63	
	For 45 Minutes Rated Door And FM Label, Add	41.40	
	For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add	55.27	
	For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add	93.38	
	For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add	131.50	
	For >50 To 100, Deduct	-42.55	
	For >100, Deduct	-62.55	
	For 2" Thick Door, Add	53.16	
	For Insulated Door (Polystyrene Core), Add	69.81	
	For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add	174.53	
	For Seamless Edge (Welded), Add	87.26	
	For Steel Stiffened, Add	174.53	
08 13 13 13-0078	EA 2'-10" x 6'-8" x 1-3/4", 16 Gauge, Unrated, Hollow Metal Door	806.39	52.08
	For 16 Gauge, Grade III, Extra Heavy Duty, Add	210.67	
	For 14 Gauge, Grade III, Extra Heavy Duty, Add	280.89	
	For Type 304 Stainless Steel Door, Add	566.99	
	For Type 316 Stainless Steel Door, Add	918.11	
	For Embossed Panel, Add	168.54	
	For Galvanized Steel, Add	105.33	
	For Baked Enamel Finish, Add	273.17	
	For 20 Minutes To 30 Minutes Rated Door And FM Label, Add	27.63	
	For 45 Minutes Rated Door And FM Label, Add	41.40	
	For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add	55.27	
	For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add	93.38	
	For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add	131.50	
	For >50 To 100, Deduct	-42.92	
	For >100, Deduct	-63.08	
	For 2" Thick Door, Add	53.52	
	For Insulated Door (Polystyrene Core), Add	70.22	
	For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add	175.56	
	For Seamless Edge (Welded), Add	87.78	
	For Steel Stiffened, Add	175.56	
08 13 13 13-0079	EA 3' x 6'-8" x 1-3/4", 16 Gauge, Unrated, Hollow Metal Door	812.70	53.19
	For 16 Gauge, Grade III, Extra Heavy Duty, Add	211.90	
	For 14 Gauge, Grade III, Extra Heavy Duty, Add	282.53	
	For Type 304 Stainless Steel Door, Add	570.38	
	For Type 316 Stainless Steel Door, Add	923.55	
	For Embossed Panel, Add	169.52	
	For Galvanized Steel, Add	105.95	
	For Baked Enamel Finish, Add	275.72	
	For 20 Minutes To 30 Minutes Rated Door And FM Label, Add	27.63	
	For 45 Minutes Rated Door And FM Label, Add	41.40	
	For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add	55.27	
	For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add	93.38	
	For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add	131.50	
	For >50 To 100, Deduct	-43.29	
	For >100, Deduct	-63.61	
	For 2" Thick Door, Add	53.87	
	For Insulated Door (Polystyrene Core), Add	70.63	
	For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add	176.58	
	For Seamless Edge (Welded), Add	88.29	
	For Steel Stiffened, Add	176.58	



Openings	08	08
Doors And Frames	08 10	
Metal Doors	08 13	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 13 13 13-0080 EA 3'-4" x 6'-8" x 1-3/4", 16 Gauge, Unrated, Hollow Metal Door	866.08	53.19
For 16 Gauge, Grade III, Extra Heavy Duty, Add	227.91	
For 14 Gauge, Grade III, Extra Heavy Duty, Add	303.88	
For Type 304 Stainless Steel Door, Add	613.09	
For Type 316 Stainless Steel Door, Add	992.94	
For Embossed Panel, Add	182.33	
For Galvanized Steel, Add	113.96	
For Baked Enamel Finish, Add	291.74	
For 20 Minutes To 30 Minutes Rated Door And FM Label, Add	27.63	
For 45 Minutes Rated Door And FM Label, Add	41.40	
For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add	55.27	
For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add	93.38	
For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add	131.50	
For >50 To 100, Deduct	-45.96	
For >100, Deduct	-67.62	
For 2" Thick Door, Add	57.74	
For Insulated Door (Polystyrene Core), Add	75.97	
For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add	189.93	
For Seamless Edge (Welded), Add	94.96	
For Steel Stiffened, Add	189.93	
08 13 13 13-0081 EA 3'-6" x 6'-8" x 1-3/4", 16 Gauge, Unrated, Hollow Metal Door	891.05	55.40
For 16 Gauge, Grade III, Extra Heavy Duty, Add	234.07	
For 14 Gauge, Grade III, Extra Heavy Duty, Add	312.10	
For Type 304 Stainless Steel Door, Add	629.73	
For Type 316 Stainless Steel Door, Add	1,019.85	
For Embossed Panel, Add	187.26	
For Galvanized Steel, Add	117.04	
For Baked Enamel Finish, Add	300.56	
For 20 Minutes To 30 Minutes Rated Door And FM Label, Add	27.63	
For 45 Minutes Rated Door And FM Label, Add	41.40	
For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add	55.27	
For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add	93.38	
For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add	131.50	
For >50 To 100, Deduct	-47.32	
For >100, Deduct	-69.60	
For 2" Thick Door, Add	59.34	
For Insulated Door (Polystyrene Core), Add	78.02	
For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add	195.06	
For Seamless Edge (Welded), Add	97.53	
For Steel Stiffened, Add	195.06	
08 13 13 13-0082 EA 4' x 6'-8" x 1-3/4", 16 Gauge, Unrated, Hollow Metal Door.....	982.05	59.84
For 16 Gauge, Grade III, Extra Heavy Duty, Add	258.71	
For 14 Gauge, Grade III, Extra Heavy Duty, Add	344.95	
For Type 304 Stainless Steel Door, Add	695.89	
For Type 316 Stainless Steel Door, Add	1,127.08	
For Embossed Panel, Add	206.97	
For Galvanized Steel, Add	129.36	
For Baked Enamel Finish, Add	330.52	
For 20 Minutes To 30 Minutes Rated Door And FM Label, Add	27.63	
For 45 Minutes Rated Door And FM Label, Add	41.40	
For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add	55.27	
For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add	93.38	
For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add	131.50	
For >50 To 100, Deduct	-52.09	
For >100, Deduct	-76.65	
For 2" Thick Door, Add	65.51	
For Insulated Door (Polystyrene Core), Add	86.24	
For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add	215.60	
For Seamless Edge (Welded), Add	107.80	
For Steel Stiffened, Add	215.60	
08 13 13 13-0083 7' High, 16 Gauge, Unrated, Hollow Metal Doors (08 13 13 13-0072)		
08 13 13 13-0084 EA 2' x 7" x 1-3/4", 16 Gauge, Unrated, Hollow Metal Door	787.57	48.75
For 16 Gauge, Grade III, Extra Heavy Duty, Add	207.02	
For 14 Gauge, Grade III, Extra Heavy Duty, Add	276.02	
For Type 304 Stainless Steel Door, Add	556.92	
For Type 316 Stainless Steel Door, Add	901.95	
For Embossed Panel, Add	165.61	
For Galvanized Steel, Add	103.51	
For Baked Enamel Finish, Add	265.52	
For 20 Minutes To 30 Minutes Rated Door And FM Label, Add	27.63	
For 45 Minutes Rated Door And FM Label, Add	41.40	
For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add	55.27	
For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add	93.38	
For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add	131.50	
For >50 To 100, Deduct	-41.82	
For >100, Deduct	-61.51	
For 2" Thick Door, Add	52.47	
For Insulated Door (Polystyrene Core), Add	69.01	
For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add	172.52	
For Seamless Edge (Welded), Add	86.26	
For Steel Stiffened, Add	172.52	

08 Openings**08 10 Doors And Frames****08 13 Metal Doors**

MINOR
CSI UOM DESCRIPTION

TOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

08 13 13 13-0085	EA 2'-4" x 7' x 1-3/4", 16 Gauge, Unrated, Hollow Metal Door.....	787.57	48.75
	For 16 Gauge, Grade III, Extra Heavy Duty, Add	207.02	
	For 14 Gauge, Grade III, Extra Heavy Duty, Add	276.02	
	For Type 304 Stainless Steel Door, Add	556.92	
	For Type 316 Stainless Steel Door, Add	901.95	
	For Embossed Panel, Add	165.61	
	For Galvanized Steel, Add	103.51	
	For Baked Enamel Finish, Add	265.52	
	For 20 Minutes To 30 Minutes Rated Door And FM Label, Add	27.63	
	For 45 Minutes Rated Door And FM Label, Add	41.40	
	For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add	55.27	
	For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add	93.38	
	For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add	131.50	
	For >50 To 100, Deduct	-41.82	
	For >100, Deduct	-61.51	
	For 2" Thick Door, Add	52.47	
	For Insulated Door (Polystyrene Core), Add	69.01	
	For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add	172.52	
	For Seamless Edge (Welded), Add	86.26	
	For Steel Stiffened, Add	172.52	
08 13 13 13-0086	EA 2'-6" x 7' x 1-3/4", 16 Gauge, Unrated, Hollow Metal Door.....	806.11	50.97
	For 16 Gauge, Grade III, Extra Heavy Duty, Add	211.25	
	For 14 Gauge, Grade III, Extra Heavy Duty, Add	281.67	
	For Type 304 Stainless Steel Door, Add	568.43	
	For Type 316 Stainless Steel Door, Add	920.52	
	For Embossed Panel, Add	169.00	
	For Galvanized Steel, Add	105.63	
	For Baked Enamel Finish, Add	272.42	
	For 20 Minutes To 30 Minutes Rated Door And FM Label, Add	27.63	
	For 45 Minutes Rated Door And FM Label, Add	41.40	
	For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add	55.27	
	For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add	93.38	
	For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add	131.50	
	For >50 To 100, Deduct	-42.85	
	For >100, Deduct	-63.01	
	For 2" Thick Door, Add	53.60	
	For Insulated Door (Polystyrene Core), Add	70.42	
	For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add	176.04	
	For Seamless Edge (Welded), Add	88.02	
	For Steel Stiffened, Add	176.04	
08 13 13 13-0087	EA 2'-8" x 7' x 1-3/4", 16 Gauge, Unrated, Hollow Metal Door.....	816.62	50.97
	For 16 Gauge, Grade III, Extra Heavy Duty, Add	214.40	
	For 14 Gauge, Grade III, Extra Heavy Duty, Add	285.87	
	For Type 304 Stainless Steel Door, Add	576.84	
	For Type 316 Stainless Steel Door, Add	934.18	
	For Embossed Panel, Add	171.52	
	For Galvanized Steel, Add	107.20	
	For Baked Enamel Finish, Add	275.57	
	For 20 Minutes To 30 Minutes Rated Door And FM Label, Add	27.63	
	For 45 Minutes Rated Door And FM Label, Add	41.40	
	For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add	55.27	
	For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add	93.38	
	For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add	131.50	
	For >50 To 100, Deduct	-43.38	
	For >100, Deduct	-63.80	
	For 2" Thick Door, Add	54.36	
	For Insulated Door (Polystyrene Core), Add	71.47	
	For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add	178.67	
	For Seamless Edge (Welded), Add	89.34	
	For Steel Stiffened, Add	178.67	
08 13 13 13-0088	EA 2'-10" x 7' x 1-3/4", 16 Gauge, Unrated, Hollow Metal Door.....	823.04	52.08
	For 16 Gauge, Grade III, Extra Heavy Duty, Add	215.66	
	For 14 Gauge, Grade III, Extra Heavy Duty, Add	287.55	
	For Type 304 Stainless Steel Door, Add	580.31	
	For Type 316 Stainless Steel Door, Add	939.75	
	For Embossed Panel, Add	172.53	
	For Galvanized Steel, Add	107.83	
	For Baked Enamel Finish, Add	278.16	
	For 20 Minutes To 30 Minutes Rated Door And FM Label, Add	27.63	
	For 45 Minutes Rated Door And FM Label, Add	41.40	
	For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add	55.27	
	For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add	93.38	
	For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add	131.50	
	For >50 To 100, Deduct	-43.76	
	For >100, Deduct	-64.33	
	For 2" Thick Door, Add	54.72	
	For Insulated Door (Polystyrene Core), Add	71.89	
	For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add	179.72	
	For Seamless Edge (Welded), Add	89.86	
	For Steel Stiffened, Add	179.72	



Openings	08	08
Doors And Frames	08 10	
Metal Doors	08 13	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 13 13	13-0089	EA	3' x 7' x 1-3/4", 16 Gauge, Unrated, Hollow Metal Door For 16 Gauge, Grade III, Extra Heavy Duty, Add For 14 Gauge, Grade III, Extra Heavy Duty, Add For Type 304 Stainless Steel Door, Add For Type 316 Stainless Steel Door, Add For Embossed Panel, Add For Galvanized Steel, Add For Baked Enamel Finish, Add For 20 Minutes To 30 Minutes Rated Door And FM Label, Add For 45 Minutes Rated Door And FM Label, Add For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add For >50 To 100, Deduct For >100, Deduct For 2" Thick Door, Add For Insulated Door (Polystyrene Core), Add For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add For Seamless Edge (Welded), Add For Steel Stiffened, Add	829.46	53.19
08 13 13	13-0090	EA	3'-4" x 7' x 1-3/4", 16 Gauge, Unrated, Hollow Metal Door..... For 16 Gauge, Grade III, Extra Heavy Duty, Add For 14 Gauge, Grade III, Extra Heavy Duty, Add For Type 304 Stainless Steel Door, Add For Type 316 Stainless Steel Door, Add For Embossed Panel, Add For Galvanized Steel, Add For Baked Enamel Finish, Add For 20 Minutes To 30 Minutes Rated Door And FM Label, Add For 45 Minutes Rated Door And FM Label, Add For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add For >50 To 100, Deduct For >100, Deduct For 2" Thick Door, Add For Insulated Door (Polystyrene Core), Add For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add For Seamless Edge (Welded), Add For Steel Stiffened, Add	884.11	53.19
08 13 13	13-0091	EA	3'-6" x 7' x 1-3/4", 16 Gauge, Unrated, Hollow Metal Door..... For 16 Gauge, Grade III, Extra Heavy Duty, Add For 14 Gauge, Grade III, Extra Heavy Duty, Add For Type 304 Stainless Steel Door, Add For Type 316 Stainless Steel Door, Add For Embossed Panel, Add For Galvanized Steel, Add For Baked Enamel Finish, Add For 20 Minutes To 30 Minutes Rated Door And FM Label, Add For 45 Minutes Rated Door And FM Label, Add For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add For >50 To 100, Deduct For >100, Deduct For 2" Thick Door, Add For Insulated Door (Polystyrene Core), Add For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add For Seamless Edge (Welded), Add For Steel Stiffened, Add	909.57	55.40
08 13 13	13-0092	EA	4' x 7' x 1-3/4", 16 Gauge, Unrated, Hollow Metal Door For 16 Gauge, Grade III, Extra Heavy Duty, Add For 14 Gauge, Grade III, Extra Heavy Duty, Add For Type 304 Stainless Steel Door, Add For Type 316 Stainless Steel Door, Add For Embossed Panel, Add For Galvanized Steel, Add For Baked Enamel Finish, Add For 20 Minutes To 30 Minutes Rated Door And FM Label, Add For 45 Minutes Rated Door And FM Label, Add For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add For >50 To 100, Deduct For >100, Deduct For 2" Thick Door, Add For Insulated Door (Polystyrene Core), Add For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add For Seamless Edge (Welded), Add For Steel Stiffened, Add	1,002.51	59.84
08 13 13	13-0093		7'-2" High, 16 Gauge, Unrated, Hollow Metal Doors (08 13 13 13-0072)		

08 Openings**08 10 Doors And Frames****08 13 Metal Doors**

MINOR
CSI UOM DESCRIPTION

TOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

08 13 13 13-0094	EA	2' x 7'-2" x 1-3/4", 16 Gauge, Unrated, Hollow Metal Door	803.57	48.75
		<i>For 16 Gauge, Grade III, Extra Heavy Duty, Add</i>	211.82	
		<i>For 14 Gauge, Grade III, Extra Heavy Duty, Add</i>	282.42	
		<i>For Type 304 Stainless Steel Door, Add</i>	569.72	
		<i>For Type 316 Stainless Steel Door, Add</i>	922.75	
		<i>For Embossed Panel, Add</i>	169.45	
		<i>For Galvanized Steel, Add</i>	105.91	
		<i>For Baked Enamel Finish, Add</i>	270.32	
		<i>For 20 Minutes To 30 Minutes Rated Door And FM Label, Add</i>	27.63	
		<i>For 45 Minutes Rated Door And FM Label, Add</i>	41.40	
		<i>For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add</i>	55.27	
		<i>For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add</i>	93.38	
		<i>For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add</i>	131.50	
		<i>For >50 To 100, Deduct</i>	-42.62	
		<i>For >100, Deduct</i>	-62.71	
		<i>For 2" Thick Door, Add</i>	53.63	
		<i>For Insulated Door (Polystyrene Core), Add</i>	70.61	
		<i>For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add</i>	176.52	
		<i>For Seamless Edge (Welded), Add</i>	88.26	
		<i>For Steel Stiffened, Add</i>	176.52	
08 13 13 13-0095	EA	2'-4" x 7'-2" x 1-3/4", 16 Gauge, Unrated, Hollow Metal Door	803.57	48.75
		<i>For 16 Gauge, Grade III, Extra Heavy Duty, Add</i>	211.82	
		<i>For 14 Gauge, Grade III, Extra Heavy Duty, Add</i>	282.42	
		<i>For Type 304 Stainless Steel Door, Add</i>	569.72	
		<i>For Type 316 Stainless Steel Door, Add</i>	922.75	
		<i>For Embossed Panel, Add</i>	169.45	
		<i>For Galvanized Steel, Add</i>	105.91	
		<i>For Baked Enamel Finish, Add</i>	270.32	
		<i>For 20 Minutes To 30 Minutes Rated Door And FM Label, Add</i>	27.63	
		<i>For 45 Minutes Rated Door And FM Label, Add</i>	41.40	
		<i>For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add</i>	55.27	
		<i>For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add</i>	93.38	
		<i>For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add</i>	131.50	
		<i>For >50 To 100, Deduct</i>	-42.62	
		<i>For >100, Deduct</i>	-62.71	
		<i>For 2" Thick Door, Add</i>	53.63	
		<i>For Insulated Door (Polystyrene Core), Add</i>	70.61	
		<i>For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add</i>	176.52	
		<i>For Seamless Edge (Welded), Add</i>	88.26	
		<i>For Steel Stiffened, Add</i>	176.52	
08 13 13 13-0096	EA	2'-6" x 7'-2" x 1-3/4", 16 Gauge, Unrated, Hollow Metal Door	822.44	50.97
		<i>For 16 Gauge, Grade III, Extra Heavy Duty, Add</i>	216.15	
		<i>For 14 Gauge, Grade III, Extra Heavy Duty, Add</i>	288.20	
		<i>For Type 304 Stainless Steel Door, Add</i>	581.50	
		<i>For Type 316 Stainless Steel Door, Add</i>	941.75	
		<i>For Embossed Panel, Add</i>	172.92	
		<i>For Galvanized Steel, Add</i>	108.08	
		<i>For Baked Enamel Finish, Add</i>	277.31	
		<i>For 20 Minutes To 30 Minutes Rated Door And FM Label, Add</i>	27.63	
		<i>For 45 Minutes Rated Door And FM Label, Add</i>	41.40	
		<i>For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add</i>	55.27	
		<i>For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add</i>	93.38	
		<i>For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add</i>	131.50	
		<i>For >50 To 100, Deduct</i>	-43.67	
		<i>For >100, Deduct</i>	-64.23	
		<i>For 2" Thick Door, Add</i>	54.78	
		<i>For Insulated Door (Polystyrene Core), Add</i>	72.05	
		<i>For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add</i>	180.13	
		<i>For Seamless Edge (Welded), Add</i>	90.06	
		<i>For Steel Stiffened, Add</i>	180.13	
08 13 13 13-0097	EA	2'-8" x 7'-2" x 1-3/4", 16 Gauge, Unrated, Hollow Metal Door	833.19	50.97
		<i>For 16 Gauge, Grade III, Extra Heavy Duty, Add</i>	219.38	
		<i>For 14 Gauge, Grade III, Extra Heavy Duty, Add</i>	292.50	
		<i>For Type 304 Stainless Steel Door, Add</i>	590.10	
		<i>For Type 316 Stainless Steel Door, Add</i>	955.72	
		<i>For Embossed Panel, Add</i>	175.50	
		<i>For Galvanized Steel, Add</i>	109.69	
		<i>For Baked Enamel Finish, Add</i>	280.54	
		<i>For 20 Minutes To 30 Minutes Rated Door And FM Label, Add</i>	27.63	
		<i>For 45 Minutes Rated Door And FM Label, Add</i>	41.40	
		<i>For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add</i>	55.27	
		<i>For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add</i>	93.38	
		<i>For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add</i>	131.50	
		<i>For >50 To 100, Deduct</i>	-44.21	
		<i>For >100, Deduct</i>	-65.04	
		<i>For 2" Thick Door, Add</i>	55.56	
		<i>For Insulated Door (Polystyrene Core), Add</i>	73.13	
		<i>For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add</i>	182.81	
		<i>For Seamless Edge (Welded), Add</i>	91.41	
		<i>For Steel Stiffened, Add</i>	182.81	



Openings	08	08
Doors And Frames	08 10	
Metal Doors	08 13	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 13 13 13-0098 EA 2'-10" x 7'-2" x 1-3/4", 16 Gauge, Unrated, Hollow Metal Door	839.72	52.08
For 16 Gauge, Grade III, Extra Heavy Duty, Add	220.67	
For 14 Gauge, Grade III, Extra Heavy Duty, Add	294.22	
For Type 304 Stainless Steel Door, Add	593.66	
For Type 316 Stainless Steel Door, Add	961.44	
For Embossed Panel, Add	176.53	
For Galvanized Steel, Add	110.33	
For Baked Enamel Finish, Add	283.16	
For 20 Minutes To 30 Minutes Rated Door And FM Label, Add	27.63	
For 45 Minutes Rated Door And FM Label, Add	41.40	
For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add	55.27	
For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add	93.38	
For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add	131.50	
For >50 To 100, Deduct	-44.59	
For >100, Deduct	-65.58	
For 2" Thick Door, Add	55.93	
For Insulated Door (Polystyrene Core), Add	73.56	
For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add	183.89	
For Seamless Edge (Welded), Add	91.95	
For Steel Stiffened, Add	183.89	
08 13 13 13-0099 EA 3' x 7'-2" x 1-3/4", 16 Gauge, Unrated, Hollow Metal Door.....	846.22	53.19
For 16 Gauge, Grade III, Extra Heavy Duty, Add	221.96	
For 14 Gauge, Grade III, Extra Heavy Duty, Add	295.94	
For Type 304 Stainless Steel Door, Add	597.20	
For Type 316 Stainless Steel Door, Add	967.12	
For Embossed Panel, Add	177.56	
For Galvanized Steel, Add	110.98	
For Baked Enamel Finish, Add	285.78	
For 20 Minutes To 30 Minutes Rated Door And FM Label, Add	27.63	
For 45 Minutes Rated Door And FM Label, Add	41.40	
For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add	55.27	
For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add	93.38	
For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add	131.50	
For >50 To 100, Deduct	-44.97	
For >100, Deduct	-66.13	
For 2" Thick Door, Add	56.30	
For Insulated Door (Polystyrene Core), Add	73.99	
For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add	184.96	
For Seamless Edge (Welded), Add	92.48	
For Steel Stiffened, Add	184.96	
08 13 13 13-0100 EA 3'-4" x 7'-2" x 1-3/4", 16 Gauge, Unrated, Hollow Metal Door.....	902.14	53.19
For 16 Gauge, Grade III, Extra Heavy Duty, Add	238.73	
For 14 Gauge, Grade III, Extra Heavy Duty, Add	318.31	
For Type 304 Stainless Steel Door, Add	641.93	
For Type 316 Stainless Steel Door, Add	1,039.82	
For Embossed Panel, Add	190.98	
For Galvanized Steel, Add	119.37	
For Baked Enamel Finish, Add	302.55	
For 20 Minutes To 30 Minutes Rated Door And FM Label, Add	27.63	
For 45 Minutes Rated Door And FM Label, Add	41.40	
For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add	55.27	
For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add	93.38	
For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add	131.50	
For >50 To 100, Deduct	-47.77	
For >100, Deduct	-70.32	
For 2" Thick Door, Add	60.35	
For Insulated Door (Polystyrene Core), Add	79.58	
For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add	198.94	
For Seamless Edge (Welded), Add	99.47	
For Steel Stiffened, Add	198.94	
08 13 13 13-0101 EA 3'-6" x 7'-2" x 1-3/4", 16 Gauge, Unrated, Hollow Metal Door	928.09	55.40
For 16 Gauge, Grade III, Extra Heavy Duty, Add	245.18	
For 14 Gauge, Grade III, Extra Heavy Duty, Add	326.91	
For Type 304 Stainless Steel Door, Add	659.36	
For Type 316 Stainless Steel Door, Add	1,068.00	
For Embossed Panel, Add	196.15	
For Galvanized Steel, Add	122.59	
For Baked Enamel Finish, Add	311.67	
For 20 Minutes To 30 Minutes Rated Door And FM Label, Add	27.63	
For 45 Minutes Rated Door And FM Label, Add	41.40	
For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add	55.27	
For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add	93.38	
For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add	131.50	
For >50 To 100, Deduct	-49.17	
For >100, Deduct	-72.38	
For 2" Thick Door, Add	62.02	
For Insulated Door (Polystyrene Core), Add	81.73	
For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add	204.32	
For Seamless Edge (Welded), Add	102.16	
For Steel Stiffened, Add	204.32	

08	08	Openings
	08 10	Doors And Frames
	08 13	Metal Doors



MINOR		TOTAL DIRECT	DEMOLITION
CSI	UOM DESCRIPTION	UNIT COST	UNIT COST
08 13 13 13-0102	EA 4' x 7'-2" x 1-3/4", 16 Gauge, Unrated, Hollow Metal Door.....	1,022.98	59.84
	<i>For 16 Gauge, Grade III, Extra Heavy Duty, Add</i>	270.99	
	<i>For 14 Gauge, Grade III, Extra Heavy Duty, Add</i>	361.32	
	<i>For Type 304 Stainless Steel Door, Add</i>	728.63	
	<i>For Type 316 Stainless Steel Door, Add</i>	1,180.29	
	<i>For Embossed Panel, Add</i>	216.79	
	<i>For Galvanized Steel, Add</i>	135.50	
	<i>For Baked Enamel Finish, Add</i>	342.80	
	<i>For 20 Minutes To 30 Minutes Rated Door And FM Label, Add</i>	27.63	
	<i>For 45 Minutes Rated Door And FM Label, Add</i>	41.40	
	<i>For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add</i>	55.27	
	<i>For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add</i>	93.38	
	<i>For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add</i>	131.50	
	<i>For >50 To 100, Deduct</i>	-54.14	
	<i>For >100, Deduct</i>	-79.72	
	<i>For 2" Thick Door, Add</i>	68.48	
	<i>For Insulated Door (Polystyrene Core), Add</i>	90.33	
	<i>For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add</i>	225.83	
	<i>For Seamless Edge (Welded), Add</i>	112.91	
	<i>For Steel Stiffened, Add</i>	225.83	
08 13 13 13-0103	8' High, 16 Gauge, Unrated, Hollow Metal Doors (08 13 13 13-0072)		
08 13 13 13-0104	EA 2' x 8' x 1-3/4", 16 Gauge, Unrated, Hollow Metal Door.....	935.52	48.75
	<i>For 16 Gauge, Grade III, Extra Heavy Duty, Add</i>	251.40	
	<i>For 14 Gauge, Grade III, Extra Heavy Duty, Add</i>	335.20	
	<i>For Up To 1' Extra Height, Add</i>	231.88	
	<i>For Type 304 Stainless Steel Door, Add</i>	675.28	
	<i>For Type 316 Stainless Steel Door, Add</i>	1,094.29	
	<i>For Embossed Panel, Add</i>	201.12	
	<i>For Galvanized Steel, Add</i>	125.70	
	<i>For Baked Enamel Finish, Add</i>	309.91	
	<i>For 20 Minutes To 30 Minutes Rated Door And FM Label, Add</i>	27.63	
	<i>For 45 Minutes Rated Door And FM Label, Add</i>	41.40	
	<i>For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add</i>	55.27	
	<i>For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add</i>	93.38	
	<i>For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add</i>	131.50	
	<i>For >50 To 100, Deduct</i>	-49.21	
	<i>For >100, Deduct</i>	-72.60	
	<i>For 2" Thick Door, Add</i>	63.19	
	<i>For Insulated Door (Polystyrene Core), Add</i>	83.80	
	<i>For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add</i>	209.50	
	<i>For Seamless Edge (Welded), Add</i>	104.75	
	<i>For Steel Stiffened, Add</i>	209.50	
08 13 13 13-0105	EA 2'-4" x 8' x 1-3/4", 16 Gauge, Unrated, Hollow Metal Door.....	935.52	48.75
	<i>For 16 Gauge, Grade III, Extra Heavy Duty, Add</i>	251.40	
	<i>For 14 Gauge, Grade III, Extra Heavy Duty, Add</i>	335.20	
	<i>For Up To 1' Extra Height, Add</i>	231.88	
	<i>For Type 304 Stainless Steel Door, Add</i>	675.28	
	<i>For Type 316 Stainless Steel Door, Add</i>	1,094.29	
	<i>For Embossed Panel, Add</i>	201.12	
	<i>For Galvanized Steel, Add</i>	125.70	
	<i>For Baked Enamel Finish, Add</i>	309.91	
	<i>For 20 Minutes To 30 Minutes Rated Door And FM Label, Add</i>	27.63	
	<i>For 45 Minutes Rated Door And FM Label, Add</i>	41.40	
	<i>For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add</i>	55.27	
	<i>For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add</i>	93.38	
	<i>For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add</i>	131.50	
	<i>For >50 To 100, Deduct</i>	-49.21	
	<i>For >100, Deduct</i>	-72.60	
	<i>For 2" Thick Door, Add</i>	63.19	
	<i>For Insulated Door (Polystyrene Core), Add</i>	83.80	
	<i>For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add</i>	209.50	
	<i>For Seamless Edge (Welded), Add</i>	104.75	
	<i>For Steel Stiffened, Add</i>	209.50	
08 13 13 13-0106	EA 2'-6" x 8' x 1-3/4", 16 Gauge, Unrated, Hollow Metal Door.....	957.10	50.97
	<i>For 16 Gauge, Grade III, Extra Heavy Duty, Add</i>	256.55	
	<i>For 14 Gauge, Grade III, Extra Heavy Duty, Add</i>	342.06	
	<i>For Up To 1' Extra Height, Add</i>	236.62	
	<i>For Type 304 Stainless Steel Door, Add</i>	689.23	
	<i>For Type 316 Stainless Steel Door, Add</i>	1,116.81	
	<i>For Embossed Panel, Add</i>	205.24	
	<i>For Galvanized Steel, Add</i>	128.27	
	<i>For Baked Enamel Finish, Add</i>	317.71	
	<i>For 20 Minutes To 30 Minutes Rated Door And FM Label, Add</i>	27.63	
	<i>For 45 Minutes Rated Door And FM Label, Add</i>	41.40	
	<i>For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add</i>	55.27	
	<i>For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add</i>	93.38	
	<i>For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add</i>	131.50	
	<i>For >50 To 100, Deduct</i>	-50.40	
	<i>For >100, Deduct</i>	-74.33	
	<i>For 2" Thick Door, Add</i>	64.55	
	<i>For Insulated Door (Polystyrene Core), Add</i>	85.52	
	<i>For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add</i>	213.79	
	<i>For Seamless Edge (Welded), Add</i>	106.90	
	<i>For Steel Stiffened, Add</i>	213.79	



Openings	08	08
Doors And Frames	08 10	
Metal Doors	08 13	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 13 13 13-0107 EA 2'-8" x 8' x 1-3/4", 16 Gauge, Unrated, Hollow Metal Door.....	969.86	50.97
For 16 Gauge, Grade III, Extra Heavy Duty, Add	260.38	
For 14 Gauge, Grade III, Extra Heavy Duty, Add	347.17	
For Up To 1' Extra Height, Add	240.15	
For Type 304 Stainless Steel Door, Add	699.43	
For Type 316 Stainless Steel Door, Add	1,133.39	
For Embossed Panel, Add	208.30	
For Galvanized Steel, Add	130.19	
For Baked Enamel Finish, Add	321.54	
For 20 Minutes To 30 Minutes Rated Door And FM Label, Add	27.63	
For 45 Minutes Rated Door And FM Label, Add	41.40	
For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add	55.27	
For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add	93.38	
For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add	131.50	
For >50 To 100, Deduct	-51.04	
For >100, Deduct	-75.29	
For 2" Thick Door, Add	65.47	
For Insulated Door (Polystyrene Core), Add	86.79	
For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add	216.98	
For Seamless Edge (Welded), Add	108.49	
For Steel Stiffened, Add	216.98	
08 13 13 13-0108 EA 2'-10" x 8' x 1-3/4", 16 Gauge, Unrated, Hollow Metal Door.....	977.18	52.08
For 16 Gauge, Grade III, Extra Heavy Duty, Add	261.91	
For 14 Gauge, Grade III, Extra Heavy Duty, Add	349.21	
For Up To 1' Extra Height, Add	241.56	
For Type 304 Stainless Steel Door, Add	703.62	
For Type 316 Stainless Steel Door, Add	1,140.13	
For Embossed Panel, Add	209.52	
For Galvanized Steel, Add	130.95	
For Baked Enamel Finish, Add	324.40	
For 20 Minutes To 30 Minutes Rated Door And FM Label, Add	27.63	
For 45 Minutes Rated Door And FM Label, Add	41.40	
For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add	55.27	
For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add	93.38	
For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add	131.50	
For >50 To 100, Deduct	-51.46	
For >100, Deduct	-75.89	
For 2" Thick Door, Add	65.90	
For Insulated Door (Polystyrene Core), Add	87.30	
For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add	218.26	
For Seamless Edge (Welded), Add	109.13	
For Steel Stiffened, Add	218.26	
08 13 13 13-0109 EA 3' x 8' x 1-3/4", 16 Gauge, Unrated, Hollow Metal Door.....	984.49	53.19
For 16 Gauge, Grade III, Extra Heavy Duty, Add	263.44	
For 14 Gauge, Grade III, Extra Heavy Duty, Add	351.25	
For Up To 1' Extra Height, Add	242.98	
For Type 304 Stainless Steel Door, Add	707.81	
For Type 316 Stainless Steel Door, Add	1,146.87	
For Embossed Panel, Add	210.75	
For Galvanized Steel, Add	131.72	
For Baked Enamel Finish, Add	327.26	
For 20 Minutes To 30 Minutes Rated Door And FM Label, Add	27.63	
For 45 Minutes Rated Door And FM Label, Add	41.40	
For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add	55.27	
For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add	93.38	
For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add	131.50	
For >50 To 100, Deduct	-51.88	
For >100, Deduct	-76.50	
For 2" Thick Door, Add	66.32	
For Insulated Door (Polystyrene Core), Add	87.81	
For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add	219.53	
For Seamless Edge (Welded), Add	109.77	
For Steel Stiffened, Add	219.53	
08 13 13 13-0110 EA 3'-4" x 8' x 1-3/4", 16 Gauge, Unrated, Hollow Metal Door.....	1,050.87	53.19
For 16 Gauge, Grade III, Extra Heavy Duty, Add	283.35	
For 14 Gauge, Grade III, Extra Heavy Duty, Add	377.80	
For Up To 1' Extra Height, Add	261.34	
For Type 304 Stainless Steel Door, Add	760.92	
For Type 316 Stainless Steel Door, Add	1,233.17	
For Embossed Panel, Add	226.68	
For Galvanized Steel, Add	141.68	
For Baked Enamel Finish, Add	347.17	
For 20 Minutes To 30 Minutes Rated Door And FM Label, Add	27.63	
For 45 Minutes Rated Door And FM Label, Add	41.40	
For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add	55.27	
For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add	93.38	
For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add	131.50	
For >50 To 100, Deduct	-55.20	
For >100, Deduct	-81.47	
For 2" Thick Door, Add	71.14	
For Insulated Door (Polystyrene Core), Add	94.45	
For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add	236.13	
For Seamless Edge (Welded), Add	118.06	
For Steel Stiffened, Add	236.13	

08	08	Openings
	08 10	Doors And Frames
	08 13	Metal Doors



MINOR		TOTAL DIRECT	DEMOLITION
CSI	UOM DESCRIPTION	UNIT COST	UNIT COST
08 13 13 13-0111	EA 3'-6" x 8' x 1-3/4", 16 Gauge, Unrated, Hollow Metal Door.....	1,080.84	55.40
	For 16 Gauge, Grade III, Extra Heavy Duty, Add	291.01	
	For 14 Gauge, Grade III, Extra Heavy Duty, Add	388.01	
	For Up To 1' Extra Height, Add	268.41	
	For 1' To 1'-6" Extra Height, Add	512.08	
	For Type 304 Stainless Steel Door, Add	781.56	
	For Type 316 Stainless Steel Door, Add	1,266.58	
	For Embossed Panel, Add	232.81	
	For Galvanized Steel, Add	145.50	
	For Baked Enamel Finish, Add	357.50	
	For 20 Minutes To 30 Minutes Rated Door And FM Label, Add	27.63	
	For 45 Minutes Rated Door And FM Label, Add	41.40	
	For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add	55.27	
	For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add	93.38	
	For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add	131.50	
	For >50 To 100, Deduct	-56.81	
	For >100, Deduct	-83.83	
	For 2" Thick Door, Add	73.10	
	For Insulated Door (Polystyrene Core), Add	97.00	
	For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add	242.51	
	For Seamless Edge (Welded), Add	121.25	
	For Steel Stiffened, Add	242.51	
08 13 13 13-0112	EA 4' x 8' x 1-3/4", 16 Gauge, Unrated, Hollow Metal Door.....	1,191.80	59.84
	For 16 Gauge, Grade III, Extra Heavy Duty, Add	321.64	
	For 14 Gauge, Grade III, Extra Heavy Duty, Add	428.85	
	For Up To 1' Extra Height, Add	296.66	
	For 1' To 1'-6" Extra Height, Add	565.98	
	For Type 304 Stainless Steel Door, Add	863.69	
	For Type 316 Stainless Steel Door, Add	1,399.75	
	For Embossed Panel, Add	257.31	
	For Galvanized Steel, Add	160.82	
	For Baked Enamel Finish, Add	393.44	
	For 20 Minutes To 30 Minutes Rated Door And FM Label, Add	27.63	
	For 45 Minutes Rated Door And FM Label, Add	41.40	
	For 1 Hour To 1-1/2 Hour Rated Door And FM Label, Add	55.27	
	For 2 Hour To 2-1/2 Hour Rated Door And FM Label, Add	93.38	
	For 3 Hour To 3-1/2 Hour Rated Door And FM Label, Add	131.50	
	For >50 To 100, Deduct	-62.58	
	For >100, Deduct	-92.38	
	For 2" Thick Door, Add	80.72	
	For Insulated Door (Polystyrene Core), Add	107.21	
	For Mineral Composite Fire Door Core, 250 Degree Maximum Temperature Rise, Add	268.03	
	For Seamless Edge (Welded), Add	134.02	
	For Steel Stiffened, Add	268.03	
08 13 13 53 Custom Hollow Metal Doors (08 13 13)			
08 13 13 53-0001	Steel 18 Gauge 1-3/4" Unrated Door (08 13 53)		
08 13 13 53-0002	EA 2'-2" Or 2'-4" x 6'-9" x 1-3/4", 18 Gauge, Unrated, With Semicircular Head, Hollow Metal Door.....	1,715.55	110.81
	For 16 Gauge Door, Add	20.30	
08 13 13 53-0003	EA 2'-6" x 6'-9" x 1-3/4", 18 Gauge, Unrated, With Semicircular Head, Hollow Metal Door.....	1,795.81	132.97
	For 16 Gauge Door, Add	20.30	
08 13 73 Sliding Metal Doors (08 13)			
08 13 73 00-0001	Sliding Bypass Mirror Doors (08 13 73)		
	Note: Includes 3.0 mm thick, steel frameless safety backed mirrors with anti-jump rollers and guides.		
08 13 73 00-0002	EA 4' x 6' 8", Sliding Bypass Mirror Doors.....	366.02	66.48
08 13 73 00-0003	EA 5' x 6' 8", Sliding Bypass Mirror Doors.....	415.41	70.92
08 13 73 00-0004	EA 6' x 6' 8", Sliding Bypass Mirror Doors.....	464.80	75.35
08 13 73 00-0005	EA 8' x 6' 8", Sliding Bypass Mirror Doors.....	554.73	79.78
08 14 Wood Doors (08 14)			
	Note: Includes machining for all hardware, except mortised locks. Excludes frames, finish hardware (unless note states included). See CSI section 08 05 13 00-0040 for mortise preparation, 08 70 00 00-0000 for finish hardware.		
08 14 16 Flush Wood Doors (08 14)			
08 14 16 00-0001	1-3/8" Thick, Hollow Core (HC), Wood Doors (08 14 16)		
08 14 16 00-0002	Birch Faced Wood Door (08 14 16 00-0001)		
08 14 16 00-0003	EA 2'-0" x 6'-8" x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Birch Faced Wood Door.....	221.27	48.75
	For >50 To 100, Deduct	-13.50	
	For >100, Deduct	-19.03	
08 14 16 00-0004	EA 2'-4" x 6'-8" x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Birch Faced Wood Door.....	221.27	48.75
	For >50 To 100, Deduct	-13.50	
	For >100, Deduct	-19.03	
08 14 16 00-0005	EA 2'-6" x 6'-8" x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Birch Faced Wood Door.....	234.48	50.97
	For >50 To 100, Deduct	-14.27	
	For >100, Deduct	-20.13	
08 14 16 00-0006	EA 2'-8" x 6'-8" x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Birch Faced Wood Door.....	240.93	50.97
	For >50 To 100, Deduct	-14.60	
	For >100, Deduct	-20.62	



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 14 16 00-0007	EA		2'-10" x 6'-8" x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Birch Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	242.44 -14.67 -20.73	50.97
08 14 16 00-0008	EA		3'-0" x 6'-8" x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Birch Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	247.64 -15.04 -21.23	53.19
08 14 16 00-0009	EA		3'-4" x 6'-8" x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Birch Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	261.43 -15.73 -22.27	53.19
08 14 16 00-0010	EA		3'-6" x 6'-8" x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Birch Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	275.79 -16.56 -23.45	55.40
08 14 16 00-0011	EA		2'-0" x 7' x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Birch Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	228.49 -13.86 -19.57	48.75
08 14 16 00-0012	EA		2'-4" x 7' x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Birch Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	228.49 -13.86 -19.57	48.75
08 14 16 00-0013	EA		2'-6" x 7' x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Birch Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	242.20 -14.66 -20.71	50.97
08 14 16 00-0014	EA		2'-8" x 7' x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Birch Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	249.03 -15.00 -21.23	50.97
08 14 16 00-0015	EA		2'-10" x 7' x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Birch Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	250.63 -15.08 -21.35	50.97
08 14 16 00-0016	EA		3'-0" x 7' x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Birch Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	255.85 -15.45 -21.85	53.19
08 14 16 00-0017	EA		3'-4" x 7' x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Birch Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	270.45 -16.18 -22.94	53.19
08 14 16 00-0018	EA		3'-6" x 7' x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Birch Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	285.39 -17.04 -24.17	55.40
08 14 16 00-0019	EA		2'-0" x 8' x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Birch Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	254.03 -15.14 -21.49 32.87	48.75
08 14 16 00-0020	EA		2'-4" x 8' x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Birch Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	254.03 -15.14 -21.49 32.87	48.75
08 14 16 00-0021	EA		2'-6" x 8' x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Birch Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	269.56 -16.03 -22.77 35.20	50.97
08 14 16 00-0022	EA		2'-8" x 8' x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Birch Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	277.70 -16.43 -23.38 36.91	50.97
08 14 16 00-0023	EA		2'-10" x 8' x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Birch Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	279.62 -16.53 -23.52 37.31	50.97
08 14 16 00-0024	EA		3'-0" x 8' x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Birch Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	284.99 -16.91 -24.03 37.51	53.19
08 14 16 00-0025	EA		3'-4" x 8' x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Birch Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	302.44 -17.78 -25.34 41.17	53.19
08 14 16 00-0026	EA		3'-6" x 8' x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Birch Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	319.42 -18.74 -26.73 43.81	55.40
08 14 16 00-0027			Oak Faced Wood Door (08 14 16 00-0001)		
08 14 16 00-0028	EA		2'-0" x 6'-8" x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Oak Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	250.60 -14.97 -21.23	48.75
08 14 16 00-0029	EA		2'-4" x 6'-8" x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Oak Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	250.60 -14.97 -21.23	48.75
08 14 16 00-0030	EA		2'-6" x 6'-8" x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Oak Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	265.88 -15.84 -22.49	50.97
08 14 16 00-0031	EA		2'-8" x 6'-8" x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Oak Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	273.86 -16.24 -23.09	50.97

08 Openings**08 10 Doors And Frames****08 14 Wood Doors**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 14 16 00-0032	EA		2'-10" x 6'-8" x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Oak Faced Wood Door.....	275.27	50.97
			<i>For >50 To 100, Deduct</i>	-16.31	
			<i>For >100, Deduct</i>	-23.19	
08 14 16 00-0033	EA		3'-0" x 6'-8" x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Oak Faced Wood Door.....	281.10	53.19
			<i>For >50 To 100, Deduct</i>	-16.71	
			<i>For >100, Deduct</i>	-23.74	
08 14 16 00-0034	EA		3'-4" x 6'-8" x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Oak Faced Wood Door.....	298.14	53.19
			<i>For >50 To 100, Deduct</i>	-17.57	
			<i>For >100, Deduct</i>	-25.02	
08 14 16 00-0035	EA		3'-6" x 6'-8" x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Oak Faced Wood Door.....	314.87	55.40
			<i>For >50 To 100, Deduct</i>	-18.51	
			<i>For >100, Deduct</i>	-26.39	
08 14 16 00-0036	EA		2'-0" x 7' x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Oak Faced Wood Door.....	259.50	48.75
			<i>For >50 To 100, Deduct</i>	-15.41	
			<i>For >100, Deduct</i>	-21.90	
08 14 16 00-0037	EA		2'-4" x 7' x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Oak Faced Wood Door.....	259.50	48.75
			<i>For >50 To 100, Deduct</i>	-15.41	
			<i>For >100, Deduct</i>	-21.90	
08 14 16 00-0038	EA		2'-6" x 7' x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Oak Faced Wood Door.....	275.42	50.97
			<i>For >50 To 100, Deduct</i>	-16.32	
			<i>For >100, Deduct</i>	-23.21	
08 14 16 00-0039	EA		2'-8" x 7' x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Oak Faced Wood Door.....	283.86	50.97
			<i>For >50 To 100, Deduct</i>	-16.74	
			<i>For >100, Deduct</i>	-23.84	
08 14 16 00-0040	EA		2'-10" x 7' x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Oak Faced Wood Door.....	285.35	50.97
			<i>For >50 To 100, Deduct</i>	-16.82	
			<i>For >100, Deduct</i>	-23.95	
08 14 16 00-0041	EA		3'-0" x 7' x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Oak Faced Wood Door.....	291.26	53.19
			<i>For >50 To 100, Deduct</i>	-17.22	
			<i>For >100, Deduct</i>	-24.50	
08 14 16 00-0042	EA		3'-4" x 7' x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Oak Faced Wood Door.....	309.30	53.19
			<i>For >50 To 100, Deduct</i>	-18.12	
			<i>For >100, Deduct</i>	-25.86	
08 14 16 00-0043	EA		3'-6" x 7' x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Oak Faced Wood Door.....	326.74	55.40
			<i>For >50 To 100, Deduct</i>	-19.11	
			<i>For >100, Deduct</i>	-27.28	
08 14 16 00-0044	EA		2'-0" x 8' x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Oak Faced Wood Door.....	291.10	48.75
			<i>For >50 To 100, Deduct</i>	-16.99	
			<i>For >100, Deduct</i>	-24.27	
			<i>For 9' Door Height, Add</i>	40.65	
08 14 16 00-0045	EA		2'-4" x 8' x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Oak Faced Wood Door.....	291.10	48.75
			<i>For >50 To 100, Deduct</i>	-16.99	
			<i>For >100, Deduct</i>	-24.27	
			<i>For 9' Door Height, Add</i>	40.65	
08 14 16 00-0046	EA		2'-6" x 8' x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Oak Faced Wood Door.....	309.25	50.97
			<i>For >50 To 100, Deduct</i>	-18.01	
			<i>For >100, Deduct</i>	-25.74	
			<i>For 9' Door Height, Add</i>	43.54	
08 14 16 00-0047	EA		2'-8" x 8' x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Oak Faced Wood Door.....	319.33	50.97
			<i>For >50 To 100, Deduct</i>	-18.52	
			<i>For >100, Deduct</i>	-26.50	
			<i>For 9' Door Height, Add</i>	45.65	
08 14 16 00-0048	EA		2'-10" x 8' x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Oak Faced Wood Door.....	321.12	50.97
			<i>For >50 To 100, Deduct</i>	-18.60	
			<i>For >100, Deduct</i>	-26.63	
			<i>For 9' Door Height, Add</i>	46.03	
08 14 16 00-0049	EA		3'-0" x 8' x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Oak Faced Wood Door.....	327.31	53.19
			<i>For >50 To 100, Deduct</i>	-19.02	
			<i>For >100, Deduct</i>	-27.21	
			<i>For 9' Door Height, Add</i>	46.40	
08 14 16 00-0050	EA		3'-4" x 8' x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Oak Faced Wood Door.....	348.88	53.19
			<i>For >50 To 100, Deduct</i>	-20.10	
			<i>For >100, Deduct</i>	-28.83	
			<i>For 9' Door Height, Add</i>	50.93	
08 14 16 00-0051	EA		3'-6" x 8' x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Oak Faced Wood Door.....	368.85	55.40
			<i>For >50 To 100, Deduct</i>	-21.21	
			<i>For >100, Deduct</i>	-30.43	
			<i>For 9' Door Height, Add</i>	54.19	
08 14 16 00-0052			Maple Faced Wood Door (08 14 16 00-0001)		
08 14 16 00-0053	EA		2'-0" x 6'-8" x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Maple Faced Wood Door.....	281.22	48.75
			<i>For >50 To 100, Deduct</i>	-16.50	
			<i>For >100, Deduct</i>	-23.53	
08 14 16 00-0054	EA		2'-4" x 6'-8" x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Maple Faced Wood Door.....	281.22	48.75
			<i>For >50 To 100, Deduct</i>	-16.50	
			<i>For >100, Deduct</i>	-23.53	
08 14 16 00-0055	EA		2'-6" x 6'-8" x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Maple Faced Wood Door.....	298.65	50.97
			<i>For >50 To 100, Deduct</i>	-17.48	
			<i>For >100, Deduct</i>	-24.95	
08 14 16 00-0056	EA		2'-8" x 6'-8" x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Maple Faced Wood Door.....	308.25	50.97
			<i>For >50 To 100, Deduct</i>	-17.96	
			<i>For >100, Deduct</i>	-25.67	



Openings	08	08
Doors And Frames	08 10	
Wood Doors	08 14	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 14 16 00-0057	EA		2'-10" x 6'-8" x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Maple Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	309.94 -18.05 -25.79	50.97
08 14 16 00-0058	EA		3'-0" x 6'-8" x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Maple Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	316.06 -18.46 -26.36	53.19
08 14 16 00-0059	EA		3'-4" x 6'-8" x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Maple Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	336.50 -19.48 -27.90	53.19
08 14 16 00-0060	EA		3'-6" x 6'-8" x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Maple Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	355.68 -20.55 -29.45	55.40
08 14 16 00-0061	EA		2'-0" x 7' x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Maple Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	291.89 -17.03 -24.33	48.75
08 14 16 00-0062	EA		2'-4" x 7' x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Maple Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	291.89 -17.03 -24.33	48.75
08 14 16 00-0063	EA		2'-6" x 7' x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Maple Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	310.12 -18.05 -25.81	50.97
08 14 16 00-0064	EA		2'-8" x 7' x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Maple Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	320.25 -18.56 -26.57	50.97
08 14 16 00-0065	EA		2'-10" x 7' x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Maple Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	322.04 -18.65 -26.70	50.97
08 14 16 00-0066	EA		3'-0" x 7' x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Maple Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	328.23 -19.07 -27.28	53.19
08 14 16 00-0067	EA		3'-4" x 7' x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Maple Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	349.88 -20.15 -28.90	53.19
08 14 16 00-0068	EA		3'-6" x 7' x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Maple Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	369.93 -21.27 -30.52	55.40
08 14 16 00-0069	EA		2'-0" x 8' x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Maple Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	329.81 -18.93 -27.17 48.78	48.75
08 14 16 00-0070	EA		2'-4" x 8' x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Maple Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	329.81 -18.93 -27.17 48.78	48.75
08 14 16 00-0071	EA		2'-6" x 8' x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Maple Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	350.70 -20.08 -28.85 52.24	50.97
08 14 16 00-0072	EA		2'-8" x 8' x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Maple Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	362.80 -20.69 -29.76 54.78	50.97
08 14 16 00-0073	EA		2'-10" x 8' x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Maple Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	364.95 -20.80 -29.92 55.23	50.97
08 14 16 00-0074	EA		3'-0" x 8' x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Maple Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	371.50 -21.23 -30.52 55.68	53.19
08 14 16 00-0075	EA		3'-4" x 8' x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Maple Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	397.40 -22.53 -32.46 61.12	53.19
08 14 16 00-0076	EA		3'-6" x 8' x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Maple Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	420.46 -23.79 -34.30 65.03	55.40
08 14 16 00-0077	Lauan Faced Wood Doors (08 14 16 00-0001)				
08 14 16 00-0078	EA		2'-0" x 6'-8" x 1-3/8" Thick, 3 Ply, Hollow Core (HC), Lauan Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	190.06 -11.94 -16.69	48.75
08 14 16 00-0079	EA		2'-4" x 6'-8" x 1-3/8" Thick, 3 Ply, Hollow Core (HC), Lauan Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	190.06 -11.94 -16.69	48.75
08 14 16 00-0080	EA		2'-6" x 6'-8" x 1-3/8" Thick, 3 Ply, Hollow Core (HC), Lauan Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	200.76 -12.59 -17.61	50.97
08 14 16 00-0081	EA		2'-8" x 6'-8" x 1-3/8" Thick, 3 Ply, Hollow Core (HC), Lauan Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	206.05 -12.85 -18.00	50.97

08 Openings**08 10 Doors And Frames****08 14 Wood Doors**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 14 16 00-0082	EA		2'-10" x 6'-8" x 1-3/8" Thick, 3 Ply, Hollow Core (HC), Lauan Faced Wood Door <i>For >50 To 100, Deduct</i>	207.92 -12.94 -18.14	50.97
08 14 16 00-0083	EA		3'-0" x 6'-8" x 1-3/8" Thick, 3 Ply, Hollow Core (HC), Lauan Faced Wood Door..... <i>For >50 To 100, Deduct</i>	214.22 -13.37 -18.73	53.19
08 14 16 00-0084	EA		3'-4" x 6'-8" x 1-3/8" Thick, 3 Ply, Hollow Core (HC), Lauan Faced Wood Door..... <i>For >50 To 100, Deduct</i>	224.53 -13.89 -19.50	53.19
08 14 16 00-0085	EA		3'-6" x 6'-8" x 1-3/8" Thick, 3 Ply, Hollow Core (HC), Lauan Faced Wood Door..... <i>For >50 To 100, Deduct</i>	236.54 -14.60 -20.51	55.40
08 14 16 00-0086	EA		2'-0" x 7' x 1-3/8" Thick, 3 Ply, Hollow Core (HC), Lauan Faced Wood Door..... <i>For >50 To 100, Deduct</i>	195.44 -12.21 -17.10	48.75
08 14 16 00-0087	EA		2'-4" x 7' x 1-3/8" Thick, 3 Ply, Hollow Core (HC), Lauan Faced Wood Door..... <i>For >50 To 100, Deduct</i>	195.43 -12.21 -17.10	48.75
08 14 16 00-0088	EA		2'-6" x 7' x 1-3/8" Thick, 3 Ply, Hollow Core (HC), Lauan Faced Wood Door..... <i>For >50 To 100, Deduct</i>	206.51 -12.87 -18.04	50.97
08 14 16 00-0089	EA		2'-8" x 7' x 1-3/8" Thick, 3 Ply, Hollow Core (HC), Lauan Faced Wood Door..... <i>For >50 To 100, Deduct</i>	212.11 -13.15 -18.46	50.97
08 14 16 00-0090	EA		2'-10" x 7' x 1-3/8" Thick, 3 Ply, Hollow Core (HC), Lauan Faced Wood Door..... <i>For >50 To 100, Deduct</i>	214.09 -13.25 -18.61	50.97
08 14 16 00-0091	EA		3'-0" x 7' x 1-3/8" Thick, 3 Ply, Hollow Core (HC), Lauan Faced Wood Door..... <i>For >50 To 100, Deduct</i>	220.49 -13.68 -19.20	53.19
08 14 16 00-0092	EA		3'-4" x 7' x 1-3/8" Thick, 3 Ply, Hollow Core (HC), Lauan Faced Wood Door..... <i>For >50 To 100, Deduct</i>	231.41 -14.23 -20.02	53.19
08 14 16 00-0093	EA		3'-6" x 7' x 1-3/8" Thick, 3 Ply, Hollow Core (HC), Lauan Faced Wood Door..... <i>For >50 To 100, Deduct</i>	243.85 -14.96 -21.06	55.40
08 14 16 00-0094	EA		2'-0" x 8' x 1-3/8" Thick, 3 Ply, Hollow Core (HC), Lauan Faced Wood Door..... <i>For >50 To 100, Deduct</i>	214.54 -13.16 -18.53	48.75
08 14 16 00-0095	EA		2'-4" x 8' x 1-3/8" Thick, 3 Ply, Hollow Core (HC), Lauan Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For 9' Door Height, Add</i>	214.52 -13.16 -18.53 24.57	48.75
08 14 16 00-0096	EA		2'-6" x 8' x 1-3/8" Thick, 3 Ply, Hollow Core (HC), Lauan Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For 9' Door Height, Add</i>	226.91 -13.89 -19.57 26.24	50.97
08 14 16 00-0097	EA		2'-8" x 8' x 1-3/8" Thick, 3 Ply, Hollow Core (HC), Lauan Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For 9' Door Height, Add</i>	233.59 -14.23 -20.07 27.65	50.97
08 14 16 00-0098	EA		2'-10" x 8' x 1-3/8" Thick, 3 Ply, Hollow Core (HC), Lauan Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For 9' Door Height, Add</i>	235.96 -14.35 -20.25 28.14	50.97
08 14 16 00-0099	EA		3'-0" x 8' x 1-3/8" Thick, 3 Ply, Hollow Core (HC), Lauan Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For 9' Door Height, Add</i>	242.75 -14.80 -20.87 28.64	53.19
08 14 16 00-0100	EA		3'-4" x 8' x 1-3/8" Thick, 3 Ply, Hollow Core (HC), Lauan Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For 9' Door Height, Add</i>	255.80 -15.45 -21.84 31.38	53.19
08 14 16 00-0101	EA		3'-6" x 8' x 1-3/8" Thick, 3 Ply, Hollow Core (HC), Lauan Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For 9' Door Height, Add</i>	269.78 -16.26 -23.00 33.38	55.40
08 14 16 00-0102	Medium Density Overlay (MDO) Faced Wood Doors (08 14 16 00-0001)				
08 14 16 00-0103	EA		2'-0" x 6'-8" x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Medium Density Overlay (MDO) Faced Wood Door..... <i>For >50 To 100, Deduct</i>	192.57 -12.07 -16.88	48.75
08 14 16 00-0104	EA		2'-4" x 6'-8" x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Medium Density Overlay (MDO) Faced Wood Door..... <i>For >50 To 100, Deduct</i>	192.57 -12.07 -16.88	48.75
08 14 16 00-0105	EA		2'-6" x 6'-8" x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Medium Density Overlay (MDO) Faced Wood Door..... <i>For >50 To 100, Deduct</i>	203.93 -12.75 -17.84	50.97
08 14 16 00-0106	EA		2'-8" x 6'-8" x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Medium Density Overlay (MDO) Faced Wood Door..... <i>For >50 To 100, Deduct</i>	207.20 -12.91 -18.09	50.97



Openings	08
Doors And Frames	08 10
Wood Doors	08 14

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 14 16 00-0107	EA		2'-10" x 6'-8" x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Medium Density Overlay (MDO) Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	210.51 -13.07 -18.34	50.97
08 14 16 00-0108	EA		3'-0" x 6'-8" x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Medium Density Overlay (MDO) Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	218.21 -13.57 -19.03	53.19
08 14 16 00-0109	EA		3'-4" x 6'-8" x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Medium Density Overlay (MDO) Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	230.52 -14.19 -19.95	53.19
08 14 16 00-0110	EA		3'-6" x 6'-8" x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Medium Density Overlay (MDO) Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	242.89 -14.91 -20.99	55.40
08 14 16 00-0111	EA		2'-0" x 7' x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Medium Density Overlay (MDO) Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	198.09 -12.34 -17.29	48.75
08 14 16 00-0112	EA		2'-4" x 7' x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Medium Density Overlay (MDO) Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	198.09 -12.34 -17.29	48.75
08 14 16 00-0113	EA		2'-6" x 7' x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Medium Density Overlay (MDO) Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	209.86 -13.04 -18.29	50.97
08 14 16 00-0114	EA		2'-8" x 7' x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Medium Density Overlay (MDO) Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	213.34 -13.22 -18.55	50.97
08 14 16 00-0115	EA		2'-10" x 7' x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Medium Density Overlay (MDO) Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	216.83 -13.39 -18.81	50.97
08 14 16 00-0116	EA		3'-0" x 7' x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Medium Density Overlay (MDO) Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	224.73 -13.90 -19.51	53.19
08 14 16 00-0117	EA		3'-4" x 7' x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Medium Density Overlay (MDO) Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	237.75 -14.55 -20.49	53.19
08 14 16 00-0118	EA		3'-6" x 7' x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Medium Density Overlay (MDO) Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	250.58 -15.30 -21.56	55.40
08 14 16 00-0119	EA		2'-0" x 8' x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Medium Density Overlay (MDO) Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	217.69 -13.32 -18.76 25.24	48.75
08 14 16 00-0120	EA		2'-4" x 8' x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Medium Density Overlay (MDO) Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	217.72 -13.32 -18.77 25.24	48.75
08 14 16 00-0121	EA		2'-6" x 8' x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Medium Density Overlay (MDO) Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	230.90 -14.09 -19.87 27.08	50.97
08 14 16 00-0122	EA		2'-8" x 8' x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Medium Density Overlay (MDO) Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	235.07 -14.30 -20.18 27.96	50.97
08 14 16 00-0123	EA		2'-10" x 8' x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Medium Density Overlay (MDO) Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	239.24 -14.51 -20.49 28.83	50.97
08 14 16 00-0124	EA		3'-0" x 8' x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Medium Density Overlay (MDO) Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	247.81 -15.05 -21.25 29.70	53.19
08 14 16 00-0125	EA		3'-4" x 8' x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Medium Density Overlay (MDO) Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	263.37 -15.83 -22.41 32.97	53.19
08 14 16 00-0126	EA		3'-6" x 8' x 1-3/8" Thick, 5 Ply, Hollow Core (HC), Medium Density Overlay (MDO) Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	277.84 -16.66 -23.61 35.08	55.40
08 14 16 00-0127			1-3/4" Thick, Hollow Core (HC), Wood Doors (08 14 16)		
08 14 16 00-0128			Birch Faced Wood Doors (08 14 16 00-0127)		
08 14 16 00-0129	EA		2'-0" x 6'-8" x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Birch Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	252.21 -15.05 -21.35	48.75
08 14 16 00-0130	EA		2'-4" x 6'-8" x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Birch Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	252.21 -15.05 -21.35	48.75
08 14 16 00-0131	EA		2'-6" x 6'-8" x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Birch Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	262.47 -15.67 -22.23	50.97
08 14 16 00-0132	EA		2'-8" x 6'-8" x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Birch Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	264.65 -15.78 -22.40	50.97

08 Openings**08 10 Doors And Frames****08 14 Wood Doors**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 14 16 00-0133	EA		2'-10" x 6'-8" x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Birch Faced Wood Door <i>For >50 To 100, Deduct</i>	269.41 -16.02 -22.75	50.97
08 14 16 00-0134	EA		3'-0" x 6'-8" x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Birch Faced Wood Door <i>For >50 To 100, Deduct</i>	278.60 -16.59 -23.55	53.19
08 14 16 00-0135	EA		3'-4" x 6'-8" x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Birch Faced Wood Door <i>For >50 To 100, Deduct</i>	303.85 -17.85 -25.45	53.19
08 14 16 00-0136	EA		3'-6" x 6'-8" x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Birch Faced Wood Door <i>For >50 To 100, Deduct</i>	359.54 -20.75 -29.74	55.40
08 14 16 00-0137	EA		3'-8" x 6'-8" x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Birch Faced Wood Door <i>For >50 To 100, Deduct</i>	371.98 -21.37 -30.67	55.40
08 14 16 00-0138	EA		4'-0" x 6'-8" x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Birch Faced Wood Door <i>For >50 To 100, Deduct</i>	396.85 -22.61 -32.53	55.40
08 14 16 00-0139	EA		2'-0" x 7' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Birch Faced Wood Door <i>For >50 To 100, Deduct</i>	261.22 -15.50 -22.03	48.75
08 14 16 00-0140	EA		2'-4" x 7' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Birch Faced Wood Door <i>For >50 To 100, Deduct</i>	261.22 -15.50 -22.03	48.75
08 14 16 00-0141	EA		2'-6" x 7' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Birch Faced Wood Door <i>For >50 To 100, Deduct</i>	271.81 -16.14 -22.93	50.97
08 14 16 00-0142	EA		2'-8" x 7' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Birch Faced Wood Door <i>For >50 To 100, Deduct</i>	274.12 -16.25 -23.11	50.97
08 14 16 00-0143	EA		2'-10" x 7' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Birch Faced Wood Door <i>For >50 To 100, Deduct</i>	279.16 -16.51 -23.49	50.97
08 14 16 00-0144	EA		3'-0" x 7' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Birch Faced Wood Door <i>For >50 To 100, Deduct</i>	288.61 -17.09 -24.31	53.19
08 14 16 00-0145	EA		3'-4" x 7' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Birch Faced Wood Door <i>For >50 To 100, Deduct</i>	315.34 -18.43 -26.31	53.19
08 14 16 00-0146	EA		3'-6" x 7' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Birch Faced Wood Door <i>For >50 To 100, Deduct</i>	374.03 -21.47 -30.82	55.40
08 14 16 00-0147	EA		3'-8" x 7' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Birch Faced Wood Door <i>For >50 To 100, Deduct</i>	387.18 -22.13 -31.81	55.40
08 14 16 00-0148	EA		4'-0" x 7' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Birch Faced Wood Door <i>For >50 To 100, Deduct</i>	413.50 -23.45 -33.78	55.40
08 14 16 00-0149	EA		2'-0" x 8' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Birch Faced Wood Door <i>For >50 To 100, Deduct</i>	293.15 -17.10 -24.42	48.75
08 14 16 00-0150	EA		2'-4" x 8' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Birch Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For 9' Door Height, Add</i>	293.15 -17.10 -24.42 41.08	48.75
08 14 16 00-0151	EA		2'-6" x 8' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Birch Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For 9' Door Height, Add</i>	304.95 -17.80 -25.42 42.63	50.97
08 14 16 00-0152	EA		2'-8" x 8' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Birch Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For 9' Door Height, Add</i>	307.69 -17.93 -25.63 43.21	50.97
08 14 16 00-0153	EA		2'-10" x 8' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Birch Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For 9' Door Height, Add</i>	313.72 -18.23 -26.08 44.47	50.97
08 14 16 00-0154	EA		3'-0" x 8' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Birch Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For 9' Door Height, Add</i>	324.14 -18.87 -26.97 45.73	53.19
08 14 16 00-0155	EA		3'-4" x 8' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Birch Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For 9' Door Height, Add</i>	356.10 -20.46 -29.37 52.44	53.19
08 14 16 00-0156	EA		3'-6" x 8' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Birch Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For 9' Door Height, Add</i>	425.35 -24.04 -34.67 66.05	55.40
08 14 16 00-0157	EA		3'-8" x 8' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Birch Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For 9' Door Height, Add</i>	441.06 -24.82 -35.85 69.35	55.40



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 14 16 00-0158	EA		4'-0" x 8' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Birch Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	472.53 -26.40 -38.21 75.96	55.40
08 14 16 00-0159 Oak Faced Wood Doors <small>(08 14 16 00-0127)</small>					
08 14 16 00-0160	EA		2'-0" x 6'-8" x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Oak Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	301.08 -17.49 -25.02	48.75
08 14 16 00-0161	EA		2'-4" x 6'-8" x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Oak Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	301.08 -17.49 -25.02	48.75
08 14 16 00-0162	EA		2'-6" x 6'-8" x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Oak Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	313.16 -18.21 -26.04	50.97
08 14 16 00-0163	EA		2'-8" x 6'-8" x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Oak Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	316.03 -18.35 -26.25	50.97
08 14 16 00-0164	EA		2'-10" x 6'-8" x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Oak Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	322.30 -18.66 -26.72	50.97
08 14 16 00-0165	EA		3'-0" x 6'-8" x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Oak Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	332.97 -19.31 -27.63	53.19
08 14 16 00-0166	EA		3'-4" x 6'-8" x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Oak Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	366.21 -20.97 -30.13	53.19
08 14 16 00-0167	EA		3'-6" x 6'-8" x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Oak Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	438.09 -24.67 -35.63	55.40
08 14 16 00-0168	EA		3'-8" x 6'-8" x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Oak Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	454.47 -25.49 -36.86	55.40
08 14 16 00-0169	EA		4'-0" x 6'-8" x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Oak Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	487.22 -27.13 -39.31	55.40
08 14 16 00-0170	EA		2'-0" x 7' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Oak Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	312.92 -18.08 -25.91	48.75
08 14 16 00-0171	EA		2'-4" x 7' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Oak Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	312.93 -18.08 -25.91	48.75
08 14 16 00-0172	EA		2'-6" x 7' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Oak Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	325.45 -18.82 -26.96	50.97
08 14 16 00-0173	EA		2'-8" x 7' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Oak Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	328.49 -18.97 -27.19	50.97
08 14 16 00-0174	EA		2'-10" x 7' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Oak Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	335.11 -19.30 -27.68	50.97
08 14 16 00-0175	EA		3'-0" x 7' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Oak Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	346.15 -19.97 -28.62	53.19
08 14 16 00-0176	EA		3'-4" x 7' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Oak Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	381.33 -21.73 -31.26	53.19
08 14 16 00-0177	EA		3'-6" x 7' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Oak Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	457.14 -25.63 -37.06	55.40
08 14 16 00-0178	EA		3'-8" x 7' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Oak Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	474.48 -26.49 -38.36	55.40
08 14 16 00-0179	EA		4'-0" x 7' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Oak Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	509.12 -28.23 -40.95	55.40
08 14 16 00-0180	EA		2'-0" x 8' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Oak Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	354.92 -20.18 -29.06 54.06	48.75
08 14 16 00-0181	EA		2'-4" x 8' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Oak Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	354.94 -20.18 -29.06 54.06	48.75
08 14 16 00-0182	EA		2'-6" x 8' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Oak Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	369.04 -21.00 -30.23 56.09	50.97
08 14 16 00-0183	EA		2'-8" x 8' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Oak Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	372.65 -21.18 -30.50 56.85	50.97

08 Openings**08 10 Doors And Frames****08 14 Wood Doors**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 14 16 00-0184	EA		2'-10" x 8' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Oak Faced Wood Door	380.58	50.97
			<i>For >50 To 100, Deduct</i>	-21.58	
			<i>For >100, Deduct</i>	-31.09	
			<i>For 9' Door Height, Add</i>	58.51	
08 14 16 00-0185	EA		3'-4" x 8' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Oak Faced Wood Door	392.92	53.19
			<i>For >50 To 100, Deduct</i>	-22.31	
			<i>For >100, Deduct</i>	-32.13	
			<i>For 9' Door Height, Add</i>	60.18	
08 14 16 00-0186	EA		3'-4" x 8' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Oak Faced Wood Door	434.96	53.19
			<i>For >50 To 100, Deduct</i>	-24.41	
			<i>For >100, Deduct</i>	-35.28	
			<i>For 9' Door Height, Add</i>	69.00	
08 14 16 00-0187	EA		3'-6" x 8' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Oak Faced Wood Door	524.68	55.40
			<i>For >50 To 100, Deduct</i>	-29.00	
			<i>For >100, Deduct</i>	-42.12	
			<i>For 9' Door Height, Add</i>	86.91	
08 14 16 00-0188	EA		3'-8" x 8' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Oak Faced Wood Door	545.41	55.40
			<i>For >50 To 100, Deduct</i>	-30.04	
			<i>For >100, Deduct</i>	-43.68	
			<i>For 9' Door Height, Add</i>	91.27	
08 14 16 00-0189	EA		4'-0" x 8' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Oak Faced Wood Door	586.81	55.40
			<i>For >50 To 100, Deduct</i>	-32.11	
			<i>For >100, Deduct</i>	-46.78	
			<i>For 9' Door Height, Add</i>	99.96	
08 14 16 00-0190			Maple Faced Wood Doors <small>(08 14 16 00-0127)</small>		
08 14 16 00-0191	EA		2'-0" x 6'-8" x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Maple Faced Wood Door	341.79	48.75
			<i>For >50 To 100, Deduct</i>	-19.53	
			<i>For >100, Deduct</i>	-28.07	
08 14 16 00-0192	EA		2'-4" x 6'-8" x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Maple Faced Wood Door	341.79	48.75
			<i>For >50 To 100, Deduct</i>	-19.53	
			<i>For >100, Deduct</i>	-28.07	
08 14 16 00-0193	EA		2'-6" x 6'-8" x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Maple Faced Wood Door	355.40	50.97
			<i>For >50 To 100, Deduct</i>	-20.32	
			<i>For >100, Deduct</i>	-29.20	
08 14 16 00-0194	EA		2'-8" x 6'-8" x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Maple Faced Wood Door	358.99	50.97
			<i>For >50 To 100, Deduct</i>	-20.50	
			<i>For >100, Deduct</i>	-29.47	
08 14 16 00-0195	EA		2'-10" x 6'-8" x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Maple Faced Wood Door	366.43	50.97
			<i>For >50 To 100, Deduct</i>	-20.87	
			<i>For >100, Deduct</i>	-30.03	
08 14 16 00-0196	EA		3'-0" x 6'-8" x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Maple Faced Wood Door	378.28	53.19
			<i>For >50 To 100, Deduct</i>	-21.57	
			<i>For >100, Deduct</i>	-31.03	
08 14 16 00-0197	EA		3'-4" x 6'-8" x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Maple Faced Wood Door	418.17	53.19
			<i>For >50 To 100, Deduct</i>	-23.57	
			<i>For >100, Deduct</i>	-34.02	
08 14 16 00-0198	EA		3'-6" x 6'-8" x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Maple Faced Wood Door	484.02	55.40
			<i>For >50 To 100, Deduct</i>	-26.97	
			<i>For >100, Deduct</i>	-39.07	
08 14 16 00-0199	EA		3'-8" x 6'-8" x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Maple Faced Wood Door	523.20	55.40
			<i>For >50 To 100, Deduct</i>	-28.93	
			<i>For >100, Deduct</i>	-42.01	
08 14 16 00-0200	EA		4'-0" x 6'-8" x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Maple Faced Wood Door	562.50	55.40
			<i>For >50 To 100, Deduct</i>	-30.90	
			<i>For >100, Deduct</i>	-44.96	
08 14 16 00-0201	EA		2'-0" x 7' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Maple Faced Wood Door	356.02	48.75
			<i>For >50 To 100, Deduct</i>	-20.24	
			<i>For >100, Deduct</i>	-29.14	
08 14 16 00-0202	EA		2'-4" x 7' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Maple Faced Wood Door	356.02	48.75
			<i>For >50 To 100, Deduct</i>	-20.24	
			<i>For >100, Deduct</i>	-29.14	
08 14 16 00-0203	EA		2'-6" x 7' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Maple Faced Wood Door	370.14	50.97
			<i>For >50 To 100, Deduct</i>	-21.06	
			<i>For >100, Deduct</i>	-30.31	
08 14 16 00-0204	EA		2'-8" x 7' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Maple Faced Wood Door	373.96	50.97
			<i>For >50 To 100, Deduct</i>	-21.25	
			<i>For >100, Deduct</i>	-30.60	
08 14 16 00-0205	EA		2'-10" x 7' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Maple Faced Wood Door	381.81	50.97
			<i>For >50 To 100, Deduct</i>	-21.64	
			<i>For >100, Deduct</i>	-31.18	
08 14 16 00-0206	EA		3'-0" x 7' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Maple Faced Wood Door	394.10	53.19
			<i>For >50 To 100, Deduct</i>	-22.36	
			<i>For >100, Deduct</i>	-32.22	
08 14 16 00-0207	EA		3'-4" x 7' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Maple Faced Wood Door	436.31	53.19
			<i>For >50 To 100, Deduct</i>	-24.47	
			<i>For >100, Deduct</i>	-35.38	
08 14 16 00-0208	EA		3'-6" x 7' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Maple Faced Wood Door	505.64	55.40
			<i>For >50 To 100, Deduct</i>	-28.05	
			<i>For >100, Deduct</i>	-40.69	
08 14 16 00-0209	EA		3'-8" x 7' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Maple Faced Wood Door	547.22	55.40
			<i>For >50 To 100, Deduct</i>	-30.13	
			<i>For >100, Deduct</i>	-43.81	



Openings	08	08
Doors And Frames	08 10	
Wood Doors	08 14	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 14 16 00-0210	EA		4'-0" x 7' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Maple Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	588.78 -32.21 -46.93	55.40
08 14 16 00-0211	EA		2'-0" x 8' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Maple Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	406.42 -22.76 -32.92 64.87	48.75
08 14 16 00-0212	EA		2'-4" x 8' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Maple Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	406.42 -22.76 -32.92 64.87	48.75
08 14 16 00-0213	EA		2'-6" x 8' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Maple Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	422.44 -23.67 -34.23 67.31	50.97
08 14 16 00-0214	EA		2'-8" x 8' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Maple Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	427.00 -23.90 -34.57 68.26	50.97
08 14 16 00-0215	EA		2'-10" x 8' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Maple Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	436.36 -24.37 -35.28 70.23	50.97
08 14 16 00-0216	EA		3'-0" x 8' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Maple Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	450.21 -25.17 -36.43 72.21	53.19
08 14 16 00-0217	EA		3'-4" x 8' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Maple Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	500.64 -27.69 -40.21 82.80	53.19
08 14 16 00-0218	EA		3'-6" x 8' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Maple Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	582.66 -31.90 -46.47 99.09	55.40
08 14 16 00-0219	EA		3'-8" x 8' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Maple Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	632.32 -34.39 -50.19 109.52	55.40
08 14 16 00-0220	EA		4'-0" x 8' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Maple Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	682.01 -36.87 -53.92 119.95	55.40
08 14 16 00-0221			Walnut Faced Wood Doors (08 14 16 00-0127)		
08 14 16 00-0222	EA		2'-0" x 6'-8" x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Walnut Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	373.29 -21.10 -30.43	48.75
08 14 16 00-0223	EA		2'-4" x 6'-8" x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Walnut Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	373.29 -21.10 -30.43	48.75
08 14 16 00-0224	EA		2'-6" x 6'-8" x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Walnut Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	379.64 -21.53 -31.02	50.97
08 14 16 00-0225	EA		2'-8" x 6'-8" x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Walnut Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	391.87 -22.14 -31.94	50.97
08 14 16 00-0226	EA		2'-10" x 6'-8" x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Walnut Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	393.73 -22.24 -32.08	50.97
08 14 16 00-0227	EA		3'-0" x 6'-8" x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Walnut Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	400.03 -22.66 -32.66	53.19
08 14 16 00-0228	EA		3'-4" x 6'-8" x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Walnut Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	432.81 -24.30 -35.12	53.19
08 14 16 00-0229	EA		3'-6" x 6'-8" x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Walnut Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	521.87 -28.86 -41.91	55.40
08 14 16 00-0230	EA		3'-8" x 6'-8" x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Walnut Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	542.41 -29.89 -43.45	55.40
08 14 16 00-0231	EA		4'-0" x 6'-8" x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Walnut Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	583.56 -31.95 -46.54	55.40
08 14 16 00-0232	EA		2'-0" x 7' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Walnut Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	389.33 -21.90 -31.64	48.75
08 14 16 00-0233	EA		2'-4" x 7' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Walnut Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	389.33 -21.90 -31.64	48.75
08 14 16 00-0234	EA		2'-6" x 7' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Walnut Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	395.81 -22.34 -32.23	50.97

08 Openings**08 10 Doors And Frames****08 14 Wood Doors**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 14 16 00-0235	EA		2'-8" x 7' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Walnut Faced Wood Door.....	408.73	50.97
			<i>For >50 To 100, Deduct</i>	-22.99	
			<i>For >100, Deduct</i>	-33.20	
08 14 16 00-0236	EA		2'-10" x 7' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Walnut Faced Wood Door.....	410.72	50.97
			<i>For >50 To 100, Deduct</i>	-23.08	
			<i>For >100, Deduct</i>	-33.35	
08 14 16 00-0237	EA		3'-0" x 7' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Walnut Faced Wood Door.....	417.12	53.19
			<i>For >50 To 100, Deduct</i>	-23.52	
			<i>For >100, Deduct</i>	-33.94	
08 14 16 00-0238	EA		3'-4" x 7' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Walnut Faced Wood Door.....	451.79	53.19
			<i>For >50 To 100, Deduct</i>	-25.25	
			<i>For >100, Deduct</i>	-36.54	
08 14 16 00-0239	EA		3'-6" x 7' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Walnut Faced Wood Door.....	545.79	55.40
			<i>For >50 To 100, Deduct</i>	-30.06	
			<i>For >100, Deduct</i>	-43.70	
08 14 16 00-0240	EA		3'-8" x 7' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Walnut Faced Wood Door.....	567.54	55.40
			<i>For >50 To 100, Deduct</i>	-31.15	
			<i>For >100, Deduct</i>	-45.34	
08 14 16 00-0241	EA		4'-0" x 7' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Walnut Faced Wood Door.....	611.06	55.40
			<i>For >50 To 100, Deduct</i>	-33.32	
			<i>For >100, Deduct</i>	-48.60	
08 14 16 00-0242	EA		2'-0" x 8' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Walnut Faced Wood Door.....	446.24	48.75
			<i>For >50 To 100, Deduct</i>	-24.75	
			<i>For >100, Deduct</i>	-35.91	
			<i>For 9' Door Height, Add</i>	73.23	
08 14 16 00-0243	EA		2'-4" x 8' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Walnut Faced Wood Door.....	446.24	48.75
			<i>For >50 To 100, Deduct</i>	-24.75	
			<i>For >100, Deduct</i>	-35.91	
			<i>For 9' Door Height, Add</i>	73.23	
08 14 16 00-0244	EA		2'-6" x 8' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Walnut Faced Wood Door.....	453.12	50.97
			<i>For >50 To 100, Deduct</i>	-25.20	
			<i>For >100, Deduct</i>	-36.53	
			<i>For 9' Door Height, Add</i>	73.75	
08 14 16 00-0245	EA		2'-8" x 8' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Walnut Faced Wood Door.....	468.55	50.97
			<i>For >50 To 100, Deduct</i>	-25.98	
			<i>For >100, Deduct</i>	-37.69	
			<i>For 9' Door Height, Add</i>	76.99	
08 14 16 00-0246	EA		2'-10" x 8' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Walnut Faced Wood Door.....	470.93	50.97
			<i>For >50 To 100, Deduct</i>	-26.10	
			<i>For >100, Deduct</i>	-37.87	
			<i>For 9' Door Height, Add</i>	77.49	
08 14 16 00-0247	EA		3'-0" x 8' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Walnut Faced Wood Door.....	477.71	53.19
			<i>For >50 To 100, Deduct</i>	-26.54	
			<i>For >100, Deduct</i>	-38.49	
			<i>For 9' Door Height, Add</i>	77.98	
08 14 16 00-0248	EA		3'-4" x 8' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Walnut Faced Wood Door.....	519.17	53.19
			<i>For >50 To 100, Deduct</i>	-28.62	
			<i>For >100, Deduct</i>	-41.60	
			<i>For 9' Door Height, Add</i>	86.69	
08 14 16 00-0249	EA		3'-6" x 8' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Walnut Faced Wood Door.....	630.61	55.40
			<i>For >50 To 100, Deduct</i>	-34.30	
			<i>For >100, Deduct</i>	-50.07	
			<i>For 9' Door Height, Add</i>	109.16	
08 14 16 00-0250	EA		3'-8" x 8' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Walnut Faced Wood Door.....	656.61	55.40
			<i>For >50 To 100, Deduct</i>	-35.60	
			<i>For >100, Deduct</i>	-52.02	
			<i>For 9' Door Height, Add</i>	114.62	
08 14 16 00-0251	EA		4'-0" x 8' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Walnut Faced Wood Door.....	708.60	55.40
			<i>For >50 To 100, Deduct</i>	-38.20	
			<i>For >100, Deduct</i>	-55.92	
			<i>For 9' Door Height, Add</i>	125.54	
08 14 16 00-0252			Lauan Faced Wood Doors (08 14 16 00-0127)		
08 14 16 00-0253	EA		2'-0" x 6'-8" x 1-3/4" Thick, 3 Ply, Hollow Core (HC), Lauan Faced Wood Door.....	215.08	48.75
			<i>For >50 To 100, Deduct</i>	-13.19	
			<i>For >100, Deduct</i>	-18.57	
08 14 16 00-0254	EA		2'-4" x 6'-8" x 1-3/4" Thick, 3 Ply, Hollow Core (HC), Lauan Faced Wood Door.....	215.08	48.75
			<i>For >50 To 100, Deduct</i>	-13.19	
			<i>For >100, Deduct</i>	-18.57	
08 14 16 00-0255	EA		2'-6" x 6'-8" x 1-3/4" Thick, 3 Ply, Hollow Core (HC), Lauan Faced Wood Door.....	227.60	50.97
			<i>For >50 To 100, Deduct</i>	-13.93	
			<i>For >100, Deduct</i>	-19.62	
08 14 16 00-0256	EA		2'-8" x 6'-8" x 1-3/4" Thick, 3 Ply, Hollow Core (HC), Lauan Faced Wood Door.....	234.17	50.97
			<i>For >50 To 100, Deduct</i>	-14.26	
			<i>For >100, Deduct</i>	-20.11	
08 14 16 00-0257	EA		2'-10" x 6'-8" x 1-3/4" Thick, 3 Ply, Hollow Core (HC), Lauan Faced Wood Door.....	235.48	50.97
			<i>For >50 To 100, Deduct</i>	-14.32	
			<i>For >100, Deduct</i>	-20.21	
08 14 16 00-0258	EA		3'-0" x 6'-8" x 1-3/4" Thick, 3 Ply, Hollow Core (HC), Lauan Faced Wood Door.....	241.21	53.19
			<i>For >50 To 100, Deduct</i>	-14.72	
			<i>For >100, Deduct</i>	-20.75	
08 14 16 00-0259	EA		3'-4" x 6'-8" x 1-3/4" Thick, 3 Ply, Hollow Core (HC), Lauan Faced Wood Door.....	256.03	53.19
			<i>For >50 To 100, Deduct</i>	-15.46	
			<i>For >100, Deduct</i>	-21.86	



Openings	08	08
Doors And Frames	08 10	
Wood Doors	08 14	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 14 16 00-0260	EA		3'-6" x 6'-8" x 1-3/4" Thick, 3 Ply, Hollow Core (HC), Lauan Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	279.58 -16.75 -23.74	55.40
08 14 16 00-0261	EA		3'-8" x 6'-8" x 1-3/4" Thick, 3 Ply, Hollow Core (HC), Lauan Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	288.00 -17.17 -24.37	55.40
08 14 16 00-0262	EA		4'-0" x 6'-8" x 1-3/4" Thick, 3 Ply, Hollow Core (HC), Lauan Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	304.89 -18.01 -25.64	55.40
08 14 16 00-0263	EA		2'-0" x 7' x 1-3/4" Thick, 3 Ply, Hollow Core (HC), Lauan Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	221.91 -13.53 -19.08	48.75
08 14 16 00-0264	EA		2'-4" x 7' x 1-3/4" Thick, 3 Ply, Hollow Core (HC), Lauan Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	221.91 -13.53 -19.08	48.75
08 14 16 00-0265	EA		2'-6" x 7' x 1-3/4" Thick, 3 Ply, Hollow Core (HC), Lauan Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	234.92 -14.29 -20.17	50.97
08 14 16 00-0266	EA		2'-8" x 7' x 1-3/4" Thick, 3 Ply, Hollow Core (HC), Lauan Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	241.88 -14.64 -20.69	50.97
08 14 16 00-0267	EA		2'-10" x 7' x 1-3/4" Thick, 3 Ply, Hollow Core (HC), Lauan Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	243.26 -14.71 -20.79	50.97
08 14 16 00-0268	EA		3'-0" x 7' x 1-3/4" Thick, 3 Ply, Hollow Core (HC), Lauan Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	249.06 -15.11 -21.34	53.19
08 14 16 00-0269	EA		3'-4" x 7' x 1-3/4" Thick, 3 Ply, Hollow Core (HC), Lauan Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	264.75 -15.90 -22.52	53.19
08 14 16 00-0270	EA		3'-6" x 7' x 1-3/4" Thick, 3 Ply, Hollow Core (HC), Lauan Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	289.39 -17.24 -24.47	55.40
08 14 16 00-0271	EA		3'-8" x 7' x 1-3/4" Thick, 3 Ply, Hollow Core (HC), Lauan Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	298.31 -17.69 -25.14	55.40
08 14 16 00-0272	EA		4'-0" x 7' x 1-3/4" Thick, 3 Ply, Hollow Core (HC), Lauan Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	316.17 -18.58 -26.48	55.40
08 14 16 00-0273	EA		2'-0" x 8' x 1-3/4" Thick, 3 Ply, Hollow Core (HC), Lauan Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	246.17 -14.75 -20.90	48.75
08 14 16 00-0274	EA		2'-4" x 8' x 1-3/4" Thick, 3 Ply, Hollow Core (HC), Lauan Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	246.17 -14.75 -20.90 31.22	48.75
08 14 16 00-0275	EA		2'-6" x 8' x 1-3/4" Thick, 3 Ply, Hollow Core (HC), Lauan Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	260.84 -15.59 -22.11 33.37	50.97
08 14 16 00-0276	EA		2'-8" x 8' x 1-3/4" Thick, 3 Ply, Hollow Core (HC), Lauan Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	269.15 -16.01 -22.73 35.11	50.97
08 14 16 00-0277	EA		2'-10" x 8' x 1-3/4" Thick, 3 Ply, Hollow Core (HC), Lauan Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	270.81 -16.09 -22.86 35.46	50.97
08 14 16 00-0278	EA		3'-0" x 8' x 1-3/4" Thick, 3 Ply, Hollow Core (HC), Lauan Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	276.88 -16.50 -23.43 35.81	53.19
08 14 16 00-0279	EA		3'-4" x 8' x 1-3/4" Thick, 3 Ply, Hollow Core (HC), Lauan Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	295.64 -17.44 -24.83 39.75	53.19
08 14 16 00-0280	EA		3'-6" x 8' x 1-3/4" Thick, 3 Ply, Hollow Core (HC), Lauan Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	324.21 -18.98 -27.09 44.81	55.40
08 14 16 00-0281	EA		3'-8" x 8' x 1-3/4" Thick, 3 Ply, Hollow Core (HC), Lauan Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	334.88 -19.51 -27.89 47.05	55.40
08 14 16 00-0282	EA		4'-0" x 8' x 1-3/4" Thick, 3 Ply, Hollow Core (HC), Lauan Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	356.21 -20.58 -29.49 51.53	55.40
08 14 16 00-0283			Medium Density Overlay (MDO) Faced Wood Doors <small>(08 14 16 00-0127)</small>		
08 14 16 00-0284	EA		2'-0" x 6'-8" x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Medium Density Overlay (MDO) Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	215.93 -13.23 -18.63	48.75

08	Openings
08 10	Doors And Frames
08 14	Wood Doors



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 14 16 00-0285	EA		2'-4" x 6'-8" x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Medium Density Overlay (MDO) Faced Wood Door.....	215.95	48.75
			<i>For >50 To 100, Deduct</i>	-13.24	
			<i>For >100, Deduct</i>	-18.63	
08 14 16 00-0286	EA		2'-6" x 6'-8" x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Medium Density Overlay (MDO) Faced Wood Door.....	223.66	50.97
			<i>For >50 To 100, Deduct</i>	-13.73	
			<i>For >100, Deduct</i>	-19.32	
08 14 16 00-0287	EA		2'-8" x 6'-8" x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Medium Density Overlay (MDO) Faced Wood Door.....	230.26	50.97
			<i>For >50 To 100, Deduct</i>	-14.06	
			<i>For >100, Deduct</i>	-19.82	
08 14 16 00-0288	EA		2'-10" x 6'-8" x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Medium Density Overlay (MDO) Faced Wood Door.....	233.56	50.97
			<i>For >50 To 100, Deduct</i>	-14.23	
			<i>For >100, Deduct</i>	-20.07	
08 14 16 00-0289	EA		3'-0" x 6'-8" x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Medium Density Overlay (MDO) Faced Wood Door.....	241.24	53.19
			<i>For >50 To 100, Deduct</i>	-14.72	
			<i>For >100, Deduct</i>	-20.75	
08 14 16 00-0290	EA		3'-4" x 6'-8" x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Medium Density Overlay (MDO) Faced Wood Door.....	248.76	53.19
			<i>For >50 To 100, Deduct</i>	-15.10	
			<i>For >100, Deduct</i>	-21.32	
08 14 16 00-0291	EA		3'-6" x 6'-8" x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Medium Density Overlay (MDO) Faced Wood Door.....	277.66	55.40
			<i>For >50 To 100, Deduct</i>	-16.65	
			<i>For >100, Deduct</i>	-23.59	
08 14 16 00-0292	EA		3'-8" x 6'-8" x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Medium Density Overlay (MDO) Faced Wood Door.....	286.00	55.40
			<i>For >50 To 100, Deduct</i>	-17.07	
			<i>For >100, Deduct</i>	-24.22	
08 14 16 00-0293	EA		4'-0" x 6'-8" x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Medium Density Overlay (MDO) Faced Wood Door.....	302.71	55.40
			<i>For >50 To 100, Deduct</i>	-17.91	
			<i>For >100, Deduct</i>	-25.47	
08 14 16 00-0294	EA		2'-0" x 7' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Medium Density Overlay (MDO) Faced Wood Door.....	222.83	48.75
			<i>For >50 To 100, Deduct</i>	-13.58	
			<i>For >100, Deduct</i>	-19.15	
08 14 16 00-0295	EA		2'-4" x 7' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Medium Density Overlay (MDO) Faced Wood Door.....	222.84	48.75
			<i>For >50 To 100, Deduct</i>	-13.58	
			<i>For >100, Deduct</i>	-19.15	
08 14 16 00-0296	EA		2'-6" x 7' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Medium Density Overlay (MDO) Faced Wood Door.....	230.73	50.97
			<i>For >50 To 100, Deduct</i>	-14.09	
			<i>For >100, Deduct</i>	-19.85	
08 14 16 00-0297	EA		2'-8" x 7' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Medium Density Overlay (MDO) Faced Wood Door.....	237.72	50.97
			<i>For >50 To 100, Deduct</i>	-14.43	
			<i>For >100, Deduct</i>	-20.38	
08 14 16 00-0298	EA		2'-10" x 7' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Medium Density Overlay (MDO) Faced Wood Door.....	241.21	50.97
			<i>For >50 To 100, Deduct</i>	-14.61	
			<i>For >100, Deduct</i>	-20.64	
08 14 16 00-0299	EA		3'-0" x 7' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Medium Density Overlay (MDO) Faced Wood Door.....	249.10	53.19
			<i>For >50 To 100, Deduct</i>	-15.11	
			<i>For >100, Deduct</i>	-21.34	
08 14 16 00-0300	EA		3'-4" x 7' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Medium Density Overlay (MDO) Faced Wood Door.....	257.06	53.19
			<i>For >50 To 100, Deduct</i>	-15.51	
			<i>For >100, Deduct</i>	-21.94	
08 14 16 00-0301	EA		3'-6" x 7' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Medium Density Overlay (MDO) Faced Wood Door.....	287.39	55.40
			<i>For >50 To 100, Deduct</i>	-17.14	
			<i>For >100, Deduct</i>	-24.32	
08 14 16 00-0302	EA		3'-8" x 7' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Medium Density Overlay (MDO) Faced Wood Door.....	296.21	55.40
			<i>For >50 To 100, Deduct</i>	-17.58	
			<i>For >100, Deduct</i>	-24.99	
08 14 16 00-0303	EA		4'-0" x 7' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Medium Density Overlay (MDO) Faced Wood Door.....	313.87	55.40
			<i>For >50 To 100, Deduct</i>	-18.46	
			<i>For >100, Deduct</i>	-26.31	
08 14 16 00-0304	EA		2'-0" x 8' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Medium Density Overlay (MDO) Faced Wood Door.....	247.27	48.75
			<i>For >50 To 100, Deduct</i>	-14.80	
			<i>For >100, Deduct</i>	-20.98	
			<i>For 9' Door Height, Add</i>	31.45	
08 14 16 00-0305	EA		2'-4" x 8' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Medium Density Overlay (MDO) Faced Wood Door.....	247.27	48.75
			<i>For >50 To 100, Deduct</i>	-14.80	
			<i>For >100, Deduct</i>	-20.98	
			<i>For 9' Door Height, Add</i>	31.45	
08 14 16 00-0306	EA		2'-6" x 8' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Medium Density Overlay (MDO) Faced Wood Door.....	255.85	50.97
			<i>For >50 To 100, Deduct</i>	-15.34	
			<i>For >100, Deduct</i>	-21.74	
			<i>For 9' Door Height, Add</i>	32.32	
08 14 16 00-0307	EA		2'-8" x 8' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Medium Density Overlay (MDO) Faced Wood Door.....	264.19	50.97
			<i>For >50 To 100, Deduct</i>	-15.76	
			<i>For >100, Deduct</i>	-22.36	
			<i>For 9' Door Height, Add</i>	34.07	
08 14 16 00-0308	EA		2'-10" x 8' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Medium Density Overlay (MDO) Faced Wood Door.....	268.36	50.97
			<i>For >50 To 100, Deduct</i>	-15.97	
			<i>For >100, Deduct</i>	-22.68	
			<i>For 9' Door Height, Add</i>	34.95	
08 14 16 00-0309	EA		3'-0" x 8' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Medium Density Overlay (MDO) Faced Wood Door.....	276.93	53.19
			<i>For >50 To 100, Deduct</i>	-16.51	
			<i>For >100, Deduct</i>	-23.43	
			<i>For 9' Door Height, Add</i>	35.82	
08 14 16 00-0310	EA		3'-4" x 8' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Medium Density Overlay (MDO) Faced Wood Door.....	286.45	53.19
			<i>For >50 To 100, Deduct</i>	-16.98	
			<i>For >100, Deduct</i>	-24.14	
			<i>For 9' Door Height, Add</i>	37.82	



	MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 14 16 00-0311	EA			3'-6" x 8' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Medium Density Overlay (MDO) Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	321.83 -18.86 -26.91 44.31	55.40
08 14 16 00-0312	EA			3'-8" x 8' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Medium Density Overlay (MDO) Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	332.37 -19.39 -27.70 46.53	55.40
08 14 16 00-0313	EA			4'-0" x 8' x 1-3/4" Thick, 5 Ply, Hollow Core (HC), Medium Density Overlay (MDO) Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	353.48 -20.44 -29.28 50.96	55.40
08 14 16 00-0314				1-3/8" Thick, Particleboard Core (PC), Wood Doors <small>(08 14 16)</small> Note: PC = Particleboard, medium-density fiberboard (MDF), or agrifiber core, solid core door with stiles and rails bonded to the core and abrasive planed flat prior to the application of the faces.		
08 14 16 00-0315				Birch Faced Wood Doors <small>(08 14 16 00-0314)</small>		
08 14 16 00-0316	EA			2'-0" x 6'-8" x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Birch Faced Wood Door <i>For 7 Ply Cold Press Construction, Deduct</i> <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	255.10 -3.15 118.19 70.92 -15.19 -21.57	48.75
08 14 16 00-0317	EA			2'-4" x 6'-8" x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Birch Faced Wood Door <i>For 7 Ply Cold Press Construction, Deduct</i> <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	255.13 -3.15 118.22 70.93 -15.19 -21.57	48.75
08 14 16 00-0318	EA			2'-6" x 6'-8" x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Birch Faced Wood Door <i>For 7 Ply Cold Press Construction, Deduct</i> <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	267.82 -3.32 124.41 74.65 -15.94 -22.64	50.97
08 14 16 00-0319	EA			2'-8" x 6'-8" x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Birch Faced Wood Door <i>For 7 Ply Cold Press Construction, Deduct</i> <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	276.09 -3.48 130.61 78.37 -16.35 -23.26	50.97
08 14 16 00-0320	EA			2'-10" x 6'-8" x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Birch Faced Wood Door <i>For 7 Ply Cold Press Construction, Deduct</i> <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	281.13 -3.58 134.39 80.64 -16.61 -23.63	50.97
08 14 16 00-0321	EA			3'-0" x 6'-8" x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Birch Faced Wood Door <i>For 7 Ply Cold Press Construction, Deduct</i> <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	290.62 -3.69 138.19 82.91 -17.19 -24.46	53.19
08 14 16 00-0322	EA			3'-4" x 6'-8" x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Birch Faced Wood Door <i>For 7 Ply Cold Press Construction, Deduct</i> <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	310.84 -4.09 153.35 92.01 -18.20 -25.97	53.19
08 14 16 00-0323	EA			3'-6" x 6'-8" x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Birch Faced Wood Door <i>For 7 Ply Cold Press Construction, Deduct</i> <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	328.35 -4.35 163.16 97.89 -19.19 -27.40	55.40
08 14 16 00-0324	EA			2'-0" x 7' x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Birch Faced Wood Door <i>For 7 Ply Cold Press Construction, Deduct</i> <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	264.28 -3.34 125.08 75.05 -15.65 -22.26	48.75
08 14 16 00-0325	EA			2'-4" x 7' x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Birch Faced Wood Door <i>For 7 Ply Cold Press Construction, Deduct</i> <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	264.29 -3.34 125.09 75.05 -15.65 -22.26	48.75
08 14 16 00-0326	EA			2'-6" x 7' x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Birch Faced Wood Door <i>For 7 Ply Cold Press Construction, Deduct</i> <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	277.47 -3.51 131.65 78.99 -16.42 -23.36	50.97

08 Openings**08 10 Doors And Frames****08 14 Wood Doors**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 14 16 00-0327	EA		2'-8" x 7' x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Birch Faced Wood Door.....	286.23	50.97
			<i>For 7 Ply Cold Press Construction, Deduct</i>	-3.69	
			<i>For Stave Lumber Core (SLC), Add</i>	138.22	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	82.93	
			<i>For >50 To 100, Deduct</i>	-16.86	
			<i>For >100, Deduct</i>	-24.02	
08 14 16 00-0328	EA		2'-10" x 7' x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Birch Faced Wood Door.....	291.57	50.97
			<i>For 7 Ply Cold Press Construction, Deduct</i>	-3.79	
			<i>For Stave Lumber Core (SLC), Add</i>	142.22	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	85.33	
			<i>For >50 To 100, Deduct</i>	-17.13	
			<i>For >100, Deduct</i>	-24.42	
08 14 16 00-0329	EA		3'-0" x 7' x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Birch Faced Wood Door.....	301.34	53.19
			<i>For 7 Ply Cold Press Construction, Deduct</i>	-3.90	
			<i>For Stave Lumber Core (SLC), Add</i>	146.23	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	87.74	
			<i>For >50 To 100, Deduct</i>	-17.73	
			<i>For >100, Deduct</i>	-25.26	
08 14 16 00-0330	EA		3'-4" x 7' x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Birch Faced Wood Door.....	322.74	53.19
			<i>For 7 Ply Cold Press Construction, Deduct</i>	-4.33	
			<i>For Stave Lumber Core (SLC), Add</i>	162.28	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	97.37	
			<i>For >50 To 100, Deduct</i>	-18.80	
			<i>For >100, Deduct</i>	-26.86	
08 14 16 00-0331	EA		3'-6" x 7' x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Birch Faced Wood Door.....	341.01	55.40
			<i>For 7 Ply Cold Press Construction, Deduct</i>	-4.60	
			<i>For Stave Lumber Core (SLC), Add</i>	172.65	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	103.59	
			<i>For >50 To 100, Deduct</i>	-19.82	
			<i>For >100, Deduct</i>	-28.35	
08 14 16 00-0332	EA		2'-0" x 8' x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Birch Faced Wood Door.....	296.81	48.75
			<i>For 7 Ply Cold Press Construction, Deduct</i>	-3.99	
			<i>For Stave Lumber Core (SLC), Add</i>	149.48	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	89.69	
			<i>For >50 To 100, Deduct</i>	-17.28	
			<i>For >100, Deduct</i>	-24.70	
			<i>For 9' Door Height, Add</i>	41.85	
08 14 16 00-0333	EA		2'-4" x 8' x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Birch Faced Wood Door.....	296.81	48.75
			<i>For 7 Ply Cold Press Construction, Deduct</i>	-3.99	
			<i>For Stave Lumber Core (SLC), Add</i>	149.48	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	89.69	
			<i>For >50 To 100, Deduct</i>	-17.28	
			<i>For >100, Deduct</i>	-24.70	
			<i>For 9' Door Height, Add</i>	41.85	
08 14 16 00-0334	EA		2'-6" x 8' x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Birch Faced Wood Door.....	311.70	50.97
			<i>For 7 Ply Cold Press Construction, Deduct</i>	-4.20	
			<i>For Stave Lumber Core (SLC), Add</i>	157.32	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	94.39	
			<i>For >50 To 100, Deduct</i>	-18.13	
			<i>For >100, Deduct</i>	-25.93	
			<i>For 9' Door Height, Add</i>	44.05	
08 14 16 00-0335	EA		2'-8" x 8' x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Birch Faced Wood Door.....	322.17	50.97
			<i>For 7 Ply Cold Press Construction, Deduct</i>	-4.40	
			<i>For Stave Lumber Core (SLC), Add</i>	165.17	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	99.10	
			<i>For >50 To 100, Deduct</i>	-18.66	
			<i>For >100, Deduct</i>	-26.71	
			<i>For 9' Door Height, Add</i>	46.25	
08 14 16 00-0336	EA		2'-10" x 8' x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Birch Faced Wood Door.....	328.54	50.97
			<i>For 7 Ply Cold Press Construction, Deduct</i>	-4.53	
			<i>For Stave Lumber Core (SLC), Add</i>	169.95	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	101.97	
			<i>For >50 To 100, Deduct</i>	-18.98	
			<i>For >100, Deduct</i>	-27.19	
			<i>For 9' Door Height, Add</i>	47.59	
08 14 16 00-0337	EA		3'-0" x 8' x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Birch Faced Wood Door.....	339.37	53.19
			<i>For 7 Ply Cold Press Construction, Deduct</i>	-4.66	
			<i>For Stave Lumber Core (SLC), Add</i>	174.75	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	104.85	
			<i>For >50 To 100, Deduct</i>	-19.63	
			<i>For >100, Deduct</i>	-28.11	
			<i>For 9' Door Height, Add</i>	48.93	
08 14 16 00-0338	EA		3'-4" x 8' x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Birch Faced Wood Door.....	364.93	53.19
			<i>For 7 Ply Cold Press Construction, Deduct</i>	-5.17	
			<i>For Stave Lumber Core (SLC), Add</i>	193.92	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	116.35	
			<i>For >50 To 100, Deduct</i>	-20.91	
			<i>For >100, Deduct</i>	-30.03	
			<i>For 9' Door Height, Add</i>	54.30	
08 14 16 00-0339	EA		3'-6" x 8' x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Birch Faced Wood Door.....	385.90	55.40
			<i>For 7 Ply Cold Press Construction, Deduct</i>	-5.50	
			<i>For Stave Lumber Core (SLC), Add</i>	206.32	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	123.79	
			<i>For >50 To 100, Deduct</i>	-22.07	
			<i>For >100, Deduct</i>	-31.71	
			<i>For 9' Door Height, Add</i>	57.77	



Openings	08	08
Doors And Frames	08 10	
Wood Doors	08 14	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 14 16 00-0340 Oak Faced Wood Doors <small>(08 14 16 00-0314)</small>		
08 14 16 00-0341 EA 2'-0" x 6'-8" x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Oak Faced Wood Door.....	291.97	48.75
For 7 Ply Cold Press Construction, Deduct	-3.89	
For Stave Lumber Core (SLC), Add	145.85	
For Structural Composite Lumber Core (SCLC), Add	87.51	
For >50 To 100, Deduct	-17.04	
For >100, Deduct	-24.34	
08 14 16 00-0342 EA 2'-4" x 6'-8" x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Oak Faced Wood Door.....	291.97	48.75
For 7 Ply Cold Press Construction, Deduct	-3.89	
For Stave Lumber Core (SLC), Add	145.85	
For Structural Composite Lumber Core (SCLC), Add	87.51	
For >50 To 100, Deduct	-17.04	
For >100, Deduct	-24.34	
08 14 16 00-0343 EA 2'-6" x 6'-8" x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Oak Faced Wood Door.....	306.64	50.97
For 7 Ply Cold Press Construction, Deduct	-4.09	
For Stave Lumber Core (SLC), Add	153.53	
For Structural Composite Lumber Core (SCLC), Add	92.12	
For >50 To 100, Deduct	-17.88	
For >100, Deduct	-25.55	
08 14 16 00-0344 EA 2'-8" x 6'-8" x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Oak Faced Wood Door.....	316.85	50.97
For 7 Ply Cold Press Construction, Deduct	-4.30	
For Stave Lumber Core (SLC), Add	161.18	
For Structural Composite Lumber Core (SCLC), Add	96.71	
For >50 To 100, Deduct	-18.39	
For >100, Deduct	-26.31	
08 14 16 00-0345 EA 2'-10" x 6'-8" x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Oak Faced Wood Door.....	323.06	50.97
For 7 Ply Cold Press Construction, Deduct	-4.42	
For Stave Lumber Core (SLC), Add	165.84	
For Structural Composite Lumber Core (SCLC), Add	99.50	
For >50 To 100, Deduct	-18.70	
For >100, Deduct	-26.78	
08 14 16 00-0346 EA 3'-0" x 6'-8" x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Oak Faced Wood Door.....	333.74	53.19
For 7 Ply Cold Press Construction, Deduct	-4.55	
For Stave Lumber Core (SLC), Add	170.53	
For Structural Composite Lumber Core (SCLC), Add	102.32	
For >50 To 100, Deduct	-19.35	
For >100, Deduct	-27.69	
08 14 16 00-0347 EA 3'-4" x 6'-8" x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Oak Faced Wood Door.....	358.68	53.19
For 7 Ply Cold Press Construction, Deduct	-5.05	
For Stave Lumber Core (SLC), Add	189.23	
For Structural Composite Lumber Core (SCLC), Add	113.54	
For >50 To 100, Deduct	-20.59	
For >100, Deduct	-29.56	
08 14 16 00-0348 EA 3'-6" x 6'-8" x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Oak Faced Wood Door.....	379.24	55.40
For 7 Ply Cold Press Construction, Deduct	-5.37	
For Stave Lumber Core (SLC), Add	201.32	
For Structural Composite Lumber Core (SCLC), Add	120.79	
For >50 To 100, Deduct	-21.73	
For >100, Deduct	-31.21	
08 14 16 00-0349 EA 3'-8" x 7' x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Oak Faced Wood Door.....	303.28	48.75
For 7 Ply Cold Press Construction, Deduct	-4.12	
For Stave Lumber Core (SLC), Add	154.33	
For Structural Composite Lumber Core (SCLC), Add	92.60	
For >50 To 100, Deduct	-17.60	
For >100, Deduct	-25.18	
08 14 16 00-0350 EA 2'-4" x 7' x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Oak Faced Wood Door.....	303.28	48.75
For 7 Ply Cold Press Construction, Deduct	-4.12	
For Stave Lumber Core (SLC), Add	154.33	
For Structural Composite Lumber Core (SCLC), Add	92.60	
For >50 To 100, Deduct	-17.60	
For >100, Deduct	-25.18	
08 14 16 00-0351 EA 2'-6" x 7' x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Oak Faced Wood Door.....	318.56	50.97
For 7 Ply Cold Press Construction, Deduct	-4.33	
For Stave Lumber Core (SLC), Add	162.47	
For Structural Composite Lumber Core (SCLC), Add	97.48	
For >50 To 100, Deduct	-18.48	
For >100, Deduct	-26.44	
08 14 16 00-0352 EA 2'-8" x 7' x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Oak Faced Wood Door.....	329.36	50.97
For 7 Ply Cold Press Construction, Deduct	-4.55	
For Stave Lumber Core (SLC), Add	170.57	
For Structural Composite Lumber Core (SCLC), Add	102.34	
For >50 To 100, Deduct	-19.02	
For >100, Deduct	-27.25	
08 14 16 00-0353 EA 2'-10" x 7' x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Oak Faced Wood Door.....	335.93	50.97
For 7 Ply Cold Press Construction, Deduct	-4.68	
For Stave Lumber Core (SLC), Add	175.49	
For Structural Composite Lumber Core (SCLC), Add	105.30	
For >50 To 100, Deduct	-19.35	
For >100, Deduct	-27.74	

08 Openings**08 10 Doors And Frames****08 14 Wood Doors**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 14 16 00-0354	EA		3'-0" x 7' x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Oak Faced Wood Door <i>For 7 Ply Cold Press Construction, Deduct</i> <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	346.96 -4.81 180.44 108.27 -20.01 -28.68	53.19
08 14 16 00-0355	EA		3'-4" x 7' x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Oak Faced Wood Door <i>For 7 Ply Cold Press Construction, Deduct</i> <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	373.37 -5.34 200.25 120.15 -21.33 -30.66	53.19
08 14 16 00-0356	EA		3'-6" x 7' x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Oak Faced Wood Door <i>For 7 Ply Cold Press Construction, Deduct</i> <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	394.88 -5.68 213.05 127.83 -22.51 -32.39	55.40
08 14 16 00-0357	EA		2'-0" x 8' x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Oak Faced Wood Door <i>For 7 Ply Cold Press Construction, Deduct</i> <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	343.40 -4.92 184.42 110.65 -19.61 -28.19 51.64	48.75
08 14 16 00-0358	EA		2'-4" x 8' x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Oak Faced Wood Door <i>For 7 Ply Cold Press Construction, Deduct</i> <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	343.40 -4.92 184.42 110.65 -19.61 -28.19 51.64	48.75
08 14 16 00-0359	EA		2'-6" x 8' x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Oak Faced Wood Door <i>For 7 Ply Cold Press Construction, Deduct</i> <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	360.80 -5.18 194.15 116.49 -20.59 -29.61 54.36	50.97
08 14 16 00-0360	EA		2'-8" x 8' x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Oak Faced Wood Door <i>For 7 Ply Cold Press Construction, Deduct</i> <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	373.70 -5.44 203.82 122.29 -21.23 -30.58 57.07	50.97
08 14 16 00-0361	EA		2'-10" x 8' x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Oak Faced Wood Door <i>For 7 Ply Cold Press Construction, Deduct</i> <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	381.55 -5.59 209.71 125.82 -21.63 -31.16 58.72	50.97
08 14 16 00-0362	EA		3'-0" x 8' x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Oak Faced Wood Door <i>For 7 Ply Cold Press Construction, Deduct</i> <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	393.89 -5.75 215.64 129.38 -22.35 -32.20 60.38	53.19
08 14 16 00-0363	EA		3'-4" x 8' x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Oak Faced Wood Door <i>For 7 Ply Cold Press Construction, Deduct</i> <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	425.44 -6.38 239.30 143.58 -23.93 -34.57 67.00	53.19
08 14 16 00-0364	EA		3'-6" x 8' x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Oak Faced Wood Door <i>For 7 Ply Cold Press Construction, Deduct</i> <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	450.27 -6.79 254.60 152.76 -25.28 -36.54 71.29	55.40
08 14 16 00-0365	Maple Faced Wood Doors (08 14 16 00-0314)				
08 14 16 00-0366	EA		2'-0" x 6'-8" x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Maple Faced Wood Door <i>For 7 Ply Cold Press Construction, Deduct</i> <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	330.86 -4.67 175.01 105.01 -18.98 -27.25	48.75



Openings	08	08
Doors And Frames	08 10	
Wood Doors	08 14	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 14 16 00-0367	EA		2'-4" x 6'-8" x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Maple Faced Wood Door <i>For 7 Ply Cold Press Construction, Deduct</i> <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	330.86 -4.67 175.01 105.01 -18.98 -27.25	48.75
08 14 16 00-0368	EA		2'-6" x 6'-8" x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Maple Faced Wood Door <i>For 7 Ply Cold Press Construction, Deduct</i> <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	347.58 -4.91 184.23 110.54 -19.93 -28.62	50.97
08 14 16 00-0369	EA		2'-8" x 6'-8" x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Maple Faced Wood Door <i>For 7 Ply Cold Press Construction, Deduct</i> <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	359.83 -5.16 193.42 116.05 -20.54 -29.54	50.97
08 14 16 00-0370	EA		2'-10" x 6'-8" x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Maple Faced Wood Door <i>For 7 Ply Cold Press Construction, Deduct</i> <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	367.28 -5.31 199.01 119.40 -20.91 -30.09	50.97
08 14 16 00-0371	EA		3'-0" x 6'-8" x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Maple Faced Wood Door <i>For 7 Ply Cold Press Construction, Deduct</i> <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	379.20 -5.46 204.62 122.77 -21.62 -31.10	53.19
08 14 16 00-0372	EA		3'-4" x 6'-8" x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Maple Faced Wood Door <i>For 7 Ply Cold Press Construction, Deduct</i> <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	409.14 -6.06 227.08 136.25 -23.12 -33.34	53.19
08 14 16 00-0373	EA		3'-6" x 6'-8" x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Maple Faced Wood Door <i>For 7 Ply Cold Press Construction, Deduct</i> <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	432.92 -6.44 241.58 144.95 -24.42 -35.24	55.40
08 14 16 00-0374	EA		2'-0" x 7' x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Maple Faced Wood Door <i>For 7 Ply Cold Press Construction, Deduct</i> <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	344.42 -4.94 185.18 111.11 -19.66 -28.27	48.75
08 14 16 00-0375	EA		2'-4" x 7' x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Maple Faced Wood Door <i>For 7 Ply Cold Press Construction, Deduct</i> <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	344.42 -4.94 185.18 111.11 -19.66 -28.27	48.75
08 14 16 00-0376	EA		2'-6" x 7' x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Maple Faced Wood Door <i>For 7 Ply Cold Press Construction, Deduct</i> <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	361.88 -5.20 194.96 116.97 -20.64 -29.69	50.97
08 14 16 00-0377	EA		2'-8" x 7' x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Maple Faced Wood Door <i>For 7 Ply Cold Press Construction, Deduct</i> <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	374.85 -5.46 204.68 122.81 -21.29 -30.66	50.97
08 14 16 00-0378	EA		2'-10" x 7' x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Maple Faced Wood Door <i>For 7 Ply Cold Press Construction, Deduct</i> <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	382.73 -5.62 210.59 126.36 -21.69 -31.25	50.97
08 14 16 00-0379	EA		3'-0" x 7' x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Maple Faced Wood Door <i>For 7 Ply Cold Press Construction, Deduct</i> <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	395.09 -5.77 216.54 129.92 -22.41 -32.29	53.19
08 14 16 00-0380	EA		3'-4" x 7' x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Maple Faced Wood Door <i>For 7 Ply Cold Press Construction, Deduct</i> <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	426.77 -6.41 240.30 144.18 -24.00 -34.67	53.19

08 Openings**08 10 Doors And Frames****08 14 Wood Doors**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 14 16 00-0381	EA		3'-6" x 7' x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Maple Faced Wood Door	451.68	55.40
			<i>For 7 Ply Cold Press Construction, Deduct</i>	-6.82	
			<i>For Stave Lumber Core (SLC), Add</i>	255.65	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	153.39	
			<i>For >50 To 100, Deduct</i>	-25.35	
			<i>For >100, Deduct</i>	-36.65	
08 14 16 00-0382	EA		2'-0" x 8' x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Maple Faced Wood Door	392.58	48.75
			<i>For 7 Ply Cold Press Construction, Deduct</i>	-5.90	
			<i>For Stave Lumber Core (SLC), Add</i>	221.30	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	132.78	
			<i>For >50 To 100, Deduct</i>	-22.07	
			<i>For >100, Deduct</i>	-31.88	
			<i>For 9' Door Height, Add</i>	61.96	
08 14 16 00-0383	EA		2'-4" x 8' x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Maple Faced Wood Door	392.58	48.75
			<i>For 7 Ply Cold Press Construction, Deduct</i>	-5.90	
			<i>For Stave Lumber Core (SLC), Add</i>	221.30	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	132.78	
			<i>For >50 To 100, Deduct</i>	-22.07	
			<i>For >100, Deduct</i>	-31.88	
			<i>For 9' Door Height, Add</i>	61.96	
08 14 16 00-0384	EA		2'-6" x 8' x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Maple Faced Wood Door	412.57	50.97
			<i>For 7 Ply Cold Press Construction, Deduct</i>	-6.21	
			<i>For Stave Lumber Core (SLC), Add</i>	232.97	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	139.78	
			<i>For >50 To 100, Deduct</i>	-23.18	
			<i>For >100, Deduct</i>	-33.49	
			<i>For 9' Door Height, Add</i>	65.23	
08 14 16 00-0385	EA		2'-8" x 8' x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Maple Faced Wood Door	428.05	50.97
			<i>For 7 Ply Cold Press Construction, Deduct</i>	-6.52	
			<i>For Stave Lumber Core (SLC), Add</i>	244.58	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	146.75	
			<i>For >50 To 100, Deduct</i>	-23.95	
			<i>For >100, Deduct</i>	-34.65	
			<i>For 9' Door Height, Add</i>	68.48	
08 14 16 00-0386	EA		2'-10" x 8' x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Maple Faced Wood Door	437.49	50.97
			<i>For 7 Ply Cold Press Construction, Deduct</i>	-6.71	
			<i>For Stave Lumber Core (SLC), Add</i>	251.66	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	151.00	
			<i>For >50 To 100, Deduct</i>	-24.42	
			<i>For >100, Deduct</i>	-35.36	
			<i>For 9' Door Height, Add</i>	70.47	
08 14 16 00-0387	EA		3'-0" x 8' x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Maple Faced Wood Door	451.39	53.19
			<i>For 7 Ply Cold Press Construction, Deduct</i>	-6.90	
			<i>For Stave Lumber Core (SLC), Add</i>	258.77	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	155.26	
			<i>For >50 To 100, Deduct</i>	-25.23	
			<i>For >100, Deduct</i>	-36.51	
			<i>For 9' Door Height, Add</i>	72.45	
08 14 16 00-0388	EA		3'-4" x 8' x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Maple Faced Wood Door	489.25	53.19
			<i>For 7 Ply Cold Press Construction, Deduct</i>	-7.66	
			<i>For Stave Lumber Core (SLC), Add</i>	287.16	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	172.30	
			<i>For >50 To 100, Deduct</i>	-27.12	
			<i>For >100, Deduct</i>	-39.35	
			<i>For 9' Door Height, Add</i>	80.40	
08 14 16 00-0389	EA		3'-6" x 8' x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Maple Faced Wood Door	518.15	55.40
			<i>For 7 Ply Cold Press Construction, Deduct</i>	-8.15	
			<i>For Stave Lumber Core (SLC), Add</i>	305.51	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	183.30	
			<i>For >50 To 100, Deduct</i>	-28.68	
			<i>For >100, Deduct</i>	-41.63	
			<i>For 9' Door Height, Add</i>	85.54	
08 14 16 00-0390			Lauan Faced Wood Doors (08 14 16 00-0314)		
08 14 16 00-0391	EA		2'-0" x 6'-8" x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), Lauan Faced Wood Door	214.88	48.75
			<i>For >50 To 100, Deduct</i>	-13.18	
			<i>For >100, Deduct</i>	-18.55	
08 14 16 00-0392	EA		2'-4" x 6'-8" x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), Lauan Faced Wood Door	214.88	48.75
			<i>For >50 To 100, Deduct</i>	-13.18	
			<i>For >100, Deduct</i>	-18.55	
08 14 16 00-0393	EA		2'-6" x 6'-8" x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), Lauan Faced Wood Door	225.73	50.97
			<i>For >50 To 100, Deduct</i>	-13.84	
			<i>For >100, Deduct</i>	-19.48	
08 14 16 00-0394	EA		2'-8" x 6'-8" x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), Lauan Faced Wood Door	232.20	50.97
			<i>For >50 To 100, Deduct</i>	-14.16	
			<i>For >100, Deduct</i>	-19.96	
08 14 16 00-0395	EA		2'-10" x 6'-8" x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), Lauan Faced Wood Door	235.45	50.97
			<i>For >50 To 100, Deduct</i>	-14.32	
			<i>For >100, Deduct</i>	-20.21	
08 14 16 00-0396	EA		3'-0" x 6'-8" x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), Lauan Faced Wood Door	243.16	53.19
			<i>For >50 To 100, Deduct</i>	-14.82	
			<i>For >100, Deduct</i>	-20.90	
08 14 16 00-0397	EA		3'-4" x 6'-8" x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), Lauan Faced Wood Door	258.18	53.19
			<i>For >50 To 100, Deduct</i>	-15.57	
			<i>For >100, Deduct</i>	-22.02	



Openings	08
Doors And Frames	08 10
Wood Doors	08 14

08

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 14 16 00-0398	EA		3'-6" x 6'-8" x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), Lauan Faced Wood Door <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	274.52 -16.50 -23.36	55.40
08 14 16 00-0399	EA		2'-0" x 7' x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), Lauan Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	221.71 -13.52 -19.07	48.75
08 14 16 00-0400	EA		2'-4" x 7' x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), Lauan Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	221.71 -13.52 -19.07	48.75
08 14 16 00-0401	EA		2'-6" x 7' x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), Lauan Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	232.95 -14.20 -20.02	50.97
08 14 16 00-0402	EA		2'-8" x 7' x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), Lauan Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	239.79 -14.54 -20.53	50.97
08 14 16 00-0403	EA		2'-10" x 7' x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), Lauan Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	243.23 -14.71 -20.79	50.97
08 14 16 00-0404	EA		3'-0" x 7' x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), Lauan Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	251.11 -15.21 -21.49	53.19
08 14 16 00-0405	EA		3'-4" x 7' x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), Lauan Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	267.03 -16.01 -22.69	53.19
08 14 16 00-0406	EA		3'-6" x 7' x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), Lauan Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	284.03 -16.97 -24.07	55.40
08 14 16 00-0407	EA		2'-0" x 8' x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), Lauan Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	245.94 -14.73 -20.88 31.17	48.75
08 14 16 00-0408	EA		2'-4" x 8' x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), Lauan Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	245.94 -14.73 -20.88 31.17	48.75
08 14 16 00-0409	EA		2'-6" x 8' x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), Lauan Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	258.48 -15.47 -21.93 32.87	50.97
08 14 16 00-0410	EA		2'-8" x 8' x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), Lauan Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	266.67 -15.88 -22.55 34.59	50.97
08 14 16 00-0411	EA		2'-10" x 8' x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), Lauan Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	270.79 -16.09 -22.86 35.46	50.97
08 14 16 00-0412	EA		3'-0" x 8' x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), Lauan Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	279.34 -16.63 -23.61 36.32	53.19
08 14 16 00-0413	EA		3'-4" x 8' x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), Lauan Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	298.35 -17.58 -25.04 40.32	53.19
08 14 16 00-0414	EA		3'-6" x 8' x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), Lauan Faced Wood Door..... <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	317.81 -18.66 -26.61 43.47	55.40
08 14 16 00-0415			Medium Density Overlay (MDO) Faced Wood Doors (08 14 16 00-0314)		
08 14 16 00-0416	EA		2'-0" x 6'-8" x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Medium Density Overlay (MDO) Faced Wood Door..... <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	230.05 99.41 59.64 -13.94 -19.69	48.75
08 14 16 00-0417	EA		2'-4" x 6'-8" x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Medium Density Overlay (MDO) Faced Wood Door..... <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	230.05 99.41 59.64 -13.94 -19.69	48.75
08 14 16 00-0418	EA		2'-6" x 6'-8" x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Medium Density Overlay (MDO) Faced Wood Door..... <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	242.18 105.18 63.11 -14.66 -20.71	50.97
08 14 16 00-0419	EA		2'-8" x 6'-8" x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Medium Density Overlay (MDO) Faced Wood Door..... <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	249.86 110.94 66.56 -15.04 -21.29	50.97

08 Openings**08 10 Doors And Frames****08 14 Wood Doors**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 14 16 00-0420	EA		2'-10" x 6'-8" x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Medium Density Overlay (MDO) Faced Wood Door.....	251.27	50.97
			<i>For Stave Lumber Core (SLC), Add</i>	112.00	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	67.20	
			<i>For >50 To 100, Deduct</i>	-15.11	
			<i>For >100, Deduct</i>	-21.39	
08 14 16 00-0421	EA		3'-6" x 6'-8" x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Medium Density Overlay (MDO) Faced Wood Door.....	257.13	53.19
			<i>For Stave Lumber Core (SLC), Add</i>	113.07	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	67.84	
			<i>For >50 To 100, Deduct</i>	-15.52	
			<i>For >100, Deduct</i>	-21.94	
08 14 16 00-0422	EA		3'-6" x 6'-8" x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Medium Density Overlay (MDO) Faced Wood Door.....	273.76	53.19
			<i>For Stave Lumber Core (SLC), Add</i>	125.54	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	75.33	
			<i>For >50 To 100, Deduct</i>	-16.35	
			<i>For >100, Deduct</i>	-23.19	
08 14 16 00-0423	EA		3'-6" x 6'-8" x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Medium Density Overlay (MDO) Faced Wood Door.....	308.52	55.40
			<i>For Stave Lumber Core (SLC), Add</i>	148.28	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	88.97	
			<i>For >50 To 100, Deduct</i>	-18.20	
			<i>For >100, Deduct</i>	-25.91	
08 14 16 00-0424	EA		2'-0" x 7' x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Medium Density Overlay (MDO) Faced Wood Door.....	237.77	48.75
			<i>For Stave Lumber Core (SLC), Add</i>	105.20	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	63.12	
			<i>For >50 To 100, Deduct</i>	-14.33	
			<i>For >100, Deduct</i>	-20.27	
08 14 16 00-0425	EA		2'-4" x 7' x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Medium Density Overlay (MDO) Faced Wood Door.....	237.78	48.75
			<i>For Stave Lumber Core (SLC), Add</i>	105.20	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	63.12	
			<i>For >50 To 100, Deduct</i>	-14.33	
			<i>For >100, Deduct</i>	-20.27	
08 14 16 00-0426	EA		2'-6" x 7' x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Medium Density Overlay (MDO) Faced Wood Door.....	250.35	50.97
			<i>For Stave Lumber Core (SLC), Add</i>	111.31	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	66.78	
			<i>For >50 To 100, Deduct</i>	-15.07	
			<i>For >100, Deduct</i>	-21.32	
08 14 16 00-0427	EA		2'-8" x 7' x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Medium Density Overlay (MDO) Faced Wood Door.....	258.47	50.97
			<i>For Stave Lumber Core (SLC), Add</i>	117.40	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	70.44	
			<i>For >50 To 100, Deduct</i>	-15.47	
			<i>For >100, Deduct</i>	-21.93	
08 14 16 00-0428	EA		2'-10" x 7' x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Medium Density Overlay (MDO) Faced Wood Door.....	259.97	50.97
			<i>For Stave Lumber Core (SLC), Add</i>	118.52	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	71.11	
			<i>For >50 To 100, Deduct</i>	-15.55	
			<i>For >100, Deduct</i>	-22.05	
08 14 16 00-0429	EA		3'-0" x 7' x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Medium Density Overlay (MDO) Faced Wood Door.....	265.90	53.19
			<i>For Stave Lumber Core (SLC), Add</i>	119.65	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	71.79	
			<i>For >50 To 100, Deduct</i>	-15.95	
			<i>For >100, Deduct</i>	-22.60	
08 14 16 00-0430	EA		3'-4" x 7' x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Medium Density Overlay (MDO) Faced Wood Door.....	283.50	53.19
			<i>For Stave Lumber Core (SLC), Add</i>	132.85	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	79.71	
			<i>For >50 To 100, Deduct</i>	-16.83	
			<i>For >100, Deduct</i>	-23.92	
08 14 16 00-0431	EA		3'-6" x 7' x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Medium Density Overlay (MDO) Faced Wood Door.....	320.04	55.40
			<i>For Stave Lumber Core (SLC), Add</i>	156.92	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	94.15	
			<i>For >50 To 100, Deduct</i>	-18.77	
			<i>For >100, Deduct</i>	-26.77	
08 14 16 00-0432	EA		2'-0" x 8' x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Medium Density Overlay (MDO) Faced Wood Door.....	265.10	48.75
			<i>For Stave Lumber Core (SLC), Add</i>	125.69	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	75.42	
			<i>For >50 To 100, Deduct</i>	-15.69	
			<i>For >100, Deduct</i>	-22.32	
			<i>For 9' Door Height, Add</i>	35.19	
08 14 16 00-0433	EA		2'-4" x 8' x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Medium Density Overlay (MDO) Faced Wood Door.....	265.13	48.75
			<i>For Stave Lumber Core (SLC), Add</i>	125.72	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	75.43	
			<i>For >50 To 100, Deduct</i>	-15.69	
			<i>For >100, Deduct</i>	-22.32	
			<i>For 9' Door Height, Add</i>	35.20	
08 14 16 00-0434	EA		2'-6" x 8' x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Medium Density Overlay (MDO) Faced Wood Door.....	279.28	50.97
			<i>For Stave Lumber Core (SLC), Add</i>	133.01	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	79.80	
			<i>For >50 To 100, Deduct</i>	-16.51	
			<i>For >100, Deduct</i>	-23.49	
			<i>For 9' Door Height, Add</i>	37.24	
08 14 16 00-0435	EA		2'-8" x 8' x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Medium Density Overlay (MDO) Faced Wood Door.....	288.98	50.97
			<i>For Stave Lumber Core (SLC), Add</i>	140.28	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	84.17	
			<i>For >50 To 100, Deduct</i>	-17.00	
			<i>For >100, Deduct</i>	-24.22	
			<i>For 9' Door Height, Add</i>	39.28	



Openings	08	08
Doors And Frames	08 10	
Wood Doors	08 14	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 14 16 00-0436	EA		2'-10" x 8' x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Medium Density Overlay (MDO) Faced Wood Door <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	290.77 141.62 84.97 -17.09 -24.36 39.65	50.97
08 14 16 00-0437	EA		3'-0" x 8' x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Medium Density Overlay (MDO) Faced Wood Door <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	297.02 142.99 85.79 -17.51 -24.94 40.04	53.19
08 14 16 00-0438	EA		3'-4" x 8' x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Medium Density Overlay (MDO) Faced Wood Door <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	318.05 158.76 95.26 -18.56 -26.51 44.45	53.19
08 14 16 00-0439	EA		3'-6" x 8' x 1-3/8" Thick, 5 Ply, Particleboard Core (PC), Medium Density Overlay (MDO) Faced Wood Door <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	360.85 187.53 112.52 -20.81 -29.83 52.51	55.40
08 14 16 00-0440			1-3/4" Thick, Particleboard Core (PC), Wood Doors <small>(08 14 16)</small> Note: PC = Particleboard, medium-density fiberboard (MDF), or agrifiber core, solid core door with stiles and rails bonded to the core and abrasive planed flat prior to the application of the faces.		
08 14 16 00-0441			Birch Faced Wood Doors <small>(08 14 16 00-0440)</small>		
08 14 16 00-0442	EA		2'-0" x 6'-8" x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Birch Faced Wood Door <i>For 7 Ply Cold Press Construction, Deduct</i> <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i> <i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i> <i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i> <i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	289.34 -3.84 143.87 86.32 23.02 103.59 143.87 230.20 -16.90 -24.14	48.75
08 14 16 00-0443	EA		2'-4" x 6'-8" x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Birch Faced Wood Door <i>For 7 Ply Cold Press Construction, Deduct</i> <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i> <i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i> <i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i> <i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	289.34 -3.84 143.87 86.32 23.02 103.59 143.87 230.20 -16.90 -24.14	48.75
08 14 16 00-0444	EA		2'-6" x 6'-8" x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Birch Faced Wood Door <i>For 7 Ply Cold Press Construction, Deduct</i> <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i> <i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i> <i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i> <i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	283.66 -3.63 136.29 81.77 21.81 98.13 136.29 218.06 -16.73 -23.82	50.97
08 14 16 00-0445	EA		2'-8" x 6'-8" x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Birch Faced Wood Door <i>For 7 Ply Cold Press Construction, Deduct</i> <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i> <i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i> <i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i> <i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	291.23 -3.79 141.97 85.18 22.71 102.22 141.97 227.15 -17.11 -24.39	50.97
08 14 16 00-0446	EA		2'-10" x 6'-8" x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Birch Faced Wood Door <i>For 7 Ply Cold Press Construction, Deduct</i> <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i> <i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i> <i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i> <i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	296.30 -3.89 145.77 87.46 23.32 104.95 145.77 233.23 -17.36 -24.77	50.97

08 Openings**08 10 Doors And Frames****08 14 Wood Doors**
 MINOR
 CSI UOM DESCRIPTION

 TOTAL DIRECT DEMOLITION
 UNIT COST UNIT COST

08 14 16 00-0447	EA	3'-0" x 6'-8" x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Birch Faced Wood Door	305.77	53.19
		<i>For 7 Ply Cold Press Construction, Deduct</i>	-3.99	
		<i>For Stave Lumber Core (SLC), Add</i>	149.55	
		<i>For Structural Composite Lumber Core (SCLC), Add</i>	89.73	
		<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	23.93	
		<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	107.68	
		<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	149.55	
		<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	239.28	
		<i>For >50 To 100, Deduct</i>	-17.95	
		<i>For >100, Deduct</i>	-25.59	
08 14 16 00-0448	EA	3'-4" x 6'-8" x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Birch Faced Wood Door	327.70	53.19
		<i>For 7 Ply Cold Press Construction, Deduct</i>	-4.43	
		<i>For Stave Lumber Core (SLC), Add</i>	166.00	
		<i>For Structural Composite Lumber Core (SCLC), Add</i>	99.60	
		<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	26.56	
		<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	119.52	
		<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	166.00	
		<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	265.60	
		<i>For >50 To 100, Deduct</i>	-19.04	
		<i>For >100, Deduct</i>	-27.24	
08 14 16 00-0449	EA	3'-6" x 6'-8" x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Birch Faced Wood Door	379.52	55.40
		<i>For 7 Ply Cold Press Construction, Deduct</i>	-5.37	
		<i>For Stave Lumber Core (SLC), Add</i>	201.53	
		<i>For Structural Composite Lumber Core (SCLC), Add</i>	120.92	
		<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	32.25	
		<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	145.10	
		<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	201.53	
		<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	322.45	
		<i>For >50 To 100, Deduct</i>	-21.75	
		<i>For >100, Deduct</i>	-31.23	
08 14 16 00-0450	EA	3'-8" x 6'-8" x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Birch Faced Wood Door	392.96	55.40
		<i>For 7 Ply Cold Press Construction, Deduct</i>	-5.64	
		<i>For Stave Lumber Core (SLC), Add</i>	211.61	
		<i>For Structural Composite Lumber Core (SCLC), Add</i>	126.97	
		<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	33.86	
		<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	152.36	
		<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	211.61	
		<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	338.58	
		<i>For >50 To 100, Deduct</i>	-22.42	
		<i>For >100, Deduct</i>	-32.24	
08 14 16 00-0451	EA	4'-0" x 6'-8" x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Birch Faced Wood Door	428.68	59.84
		<i>For 7 Ply Cold Press Construction, Deduct</i>	-6.18	
		<i>For Stave Lumber Core (SLC), Add</i>	231.76	
		<i>For Structural Composite Lumber Core (SCLC), Add</i>	139.05	
		<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	37.08	
		<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	166.87	
		<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	231.76	
		<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	370.81	
		<i>For >50 To 100, Deduct</i>	-24.43	
		<i>For >100, Deduct</i>	-35.14	
08 14 16 00-0452	EA	2'-0" x 7' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Birch Faced Wood Door	280.26	48.75
		<i>For 7 Ply Cold Press Construction, Deduct</i>	-3.66	
		<i>For Stave Lumber Core (SLC), Add</i>	137.06	
		<i>For Structural Composite Lumber Core (SCLC), Add</i>	82.24	
		<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	21.93	
		<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	98.69	
		<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	137.06	
		<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	219.30	
		<i>For >50 To 100, Deduct</i>	-16.45	
		<i>For >100, Deduct</i>	-23.46	
08 14 16 00-0453	EA	2'-4" x 7' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Birch Faced Wood Door	280.26	48.75
		<i>For 7 Ply Cold Press Construction, Deduct</i>	-3.66	
		<i>For Stave Lumber Core (SLC), Add</i>	137.06	
		<i>For Structural Composite Lumber Core (SCLC), Add</i>	82.24	
		<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	21.93	
		<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	98.69	
		<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	137.06	
		<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	219.30	
		<i>For >50 To 100, Deduct</i>	-16.45	
		<i>For >100, Deduct</i>	-23.46	
08 14 16 00-0454	EA	2'-6" x 7' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Birch Faced Wood Door	294.24	50.97
		<i>For 7 Ply Cold Press Construction, Deduct</i>	-3.85	
		<i>For Stave Lumber Core (SLC), Add</i>	144.23	
		<i>For Structural Composite Lumber Core (SCLC), Add</i>	86.54	
		<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	23.08	
		<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	103.84	
		<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	144.23	
		<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	230.76	
		<i>For >50 To 100, Deduct</i>	-17.26	
		<i>For >100, Deduct</i>	-24.62	



Openings	08	08
Doors And Frames	08 10	
Wood Doors	08 14	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 14 16 00-0455 EA 2'-8" x 7' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Birch Faced Wood Door <i>For 7 Ply Cold Press Construction, Deduct</i> <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i> <i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i> <i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i> <i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	302.25 -4.01 150.23 90.14 24.04 108.17 150.23 240.37 -17.66 -25.22	50.97
08 14 16 00-0456 EA 2'-10" x 7' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Birch Faced Wood Door <i>For 7 Ply Cold Press Construction, Deduct</i> <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i> <i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i> <i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i> <i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	307.61 -4.11 154.25 92.55 24.68 111.06 154.25 246.80 -17.93 -25.62	50.97
08 14 16 00-0457 EA 3'-0" x 7' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Birch Faced Wood Door <i>For 7 Ply Cold Press Construction, Deduct</i> <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i> <i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i> <i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i> <i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	317.37 -4.22 158.25 94.95 25.32 113.94 158.25 253.20 -18.53 -26.46	53.19
08 14 16 00-0458 EA 3'-4" x 7' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Birch Faced Wood Door <i>For 7 Ply Cold Press Construction, Deduct</i> <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i> <i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i> <i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i> <i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	340.58 -4.68 175.66 105.39 28.11 126.47 175.66 281.05 -19.69 -28.20	53.19
08 14 16 00-0459 EA 3'-6" x 7' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Birch Faced Wood Door <i>For 7 Ply Cold Press Construction, Deduct</i> <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i> <i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i> <i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i> <i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	395.17 -5.69 213.27 127.96 34.12 153.55 213.27 341.23 -22.53 -32.41	55.40
08 14 16 00-0460 EA 3'-8" x 7' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Birch Faced Wood Door <i>For 7 Ply Cold Press Construction, Deduct</i> <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i> <i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i> <i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i> <i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	409.38 -5.97 223.93 134.36 35.83 161.23 223.93 358.28 -23.24 -33.47	55.40
08 14 16 00-0461 EA 4'-0" x 7' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Birch Faced Wood Door <i>For 7 Ply Cold Press Construction, Deduct</i> <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i> <i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i> <i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i> <i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	446.67 -6.54 245.25 147.15 39.24 176.58 245.25 392.40 -25.33 -36.49	59.84
08 14 16 00-0462 EA 2'-0" x 8' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Birch Faced Wood Door <i>For 7 Ply Cold Press Construction, Deduct</i> <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i> <i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i> <i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i> <i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	340.07 -4.85 181.92 109.15 29.11 130.98 181.92 291.07 -19.44 -27.94 50.94	48.75

08 Openings**08 10 Doors And Frames****08 14 Wood Doors**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
-------	-----	-----	-------------	------------------------	----------------------

08 14 16 00-0463	EA	2'-4" x 8' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Birch Faced Wood Door	340.07	48.75
		<i>For 7 Ply Cold Press Construction, Deduct</i>	-4.85	
		<i>For Stave Lumber Core (SLC), Add</i>	181.92	
		<i>For Structural Composite Lumber Core (SCLC), Add</i>	109.15	
		<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	29.11	
		<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	130.98	
		<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	181.92	
		<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	291.07	
		<i>For >50 To 100, Deduct</i>	-19.44	
		<i>For >100, Deduct</i>	-27.94	
		<i>For 9' Door Height, Add</i>	50.94	
08 14 16 00-0464	EA	2'-6" x 8' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Birch Faced Wood Door	331.74	50.97
		<i>For 7 Ply Cold Press Construction, Deduct</i>	-4.60	
		<i>For Stave Lumber Core (SLC), Add</i>	172.35	
		<i>For Structural Composite Lumber Core (SCLC), Add</i>	103.41	
		<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	27.58	
		<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	124.09	
		<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	172.35	
		<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	275.76	
		<i>For >50 To 100, Deduct</i>	-19.14	
		<i>For >100, Deduct</i>	-27.43	
		<i>For 9' Door Height, Add</i>	48.26	
08 14 16 00-0465	EA	2'-8" x 8' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Birch Faced Wood Door	341.31	50.97
		<i>For 7 Ply Cold Press Construction, Deduct</i>	-4.79	
		<i>For Stave Lumber Core (SLC), Add</i>	179.53	
		<i>For Structural Composite Lumber Core (SCLC), Add</i>	107.72	
		<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	28.72	
		<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	129.26	
		<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	179.53	
		<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	287.24	
		<i>For >50 To 100, Deduct</i>	-19.61	
		<i>For >100, Deduct</i>	-28.15	
		<i>For 9' Door Height, Add</i>	50.27	
08 14 16 00-0466	EA	2'-10" x 8' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Birch Faced Wood Door	347.70	50.97
		<i>For 7 Ply Cold Press Construction, Deduct</i>	-4.92	
		<i>For Stave Lumber Core (SLC), Add</i>	184.32	
		<i>For Structural Composite Lumber Core (SCLC), Add</i>	110.59	
		<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	29.49	
		<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	132.71	
		<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	184.32	
		<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	294.91	
		<i>For >50 To 100, Deduct</i>	-19.93	
		<i>For >100, Deduct</i>	-28.63	
		<i>For 9' Door Height, Add</i>	51.61	
08 14 16 00-0467	EA	3'-4" x 8' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Birch Faced Wood Door	358.50	53.19
		<i>For 7 Ply Cold Press Construction, Deduct</i>	-5.04	
		<i>For Stave Lumber Core (SLC), Add</i>	189.10	
		<i>For Structural Composite Lumber Core (SCLC), Add</i>	113.46	
		<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	30.26	
		<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	136.15	
		<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	189.10	
		<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	302.56	
		<i>For >50 To 100, Deduct</i>	-20.58	
		<i>For >100, Deduct</i>	-29.55	
		<i>For 9' Door Height, Add</i>	52.95	
08 14 16 00-0468	EA	3'-4" x 8' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Birch Faced Wood Door	386.24	53.19
		<i>For 7 Ply Cold Press Construction, Deduct</i>	-5.60	
		<i>For Stave Lumber Core (SLC), Add</i>	209.90	
		<i>For Structural Composite Lumber Core (SCLC), Add</i>	125.94	
		<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	33.58	
		<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	151.13	
		<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	209.90	
		<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	335.84	
		<i>For >50 To 100, Deduct</i>	-21.97	
		<i>For >100, Deduct</i>	-31.63	
		<i>For 9' Door Height, Add</i>	58.77	
08 14 16 00-0469	EA	3'-6" x 8' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Birch Faced Wood Door	450.61	55.40
		<i>For 7 Ply Cold Press Construction, Deduct</i>	-6.80	
		<i>For Stave Lumber Core (SLC), Add</i>	254.85	
		<i>For Structural Composite Lumber Core (SCLC), Add</i>	152.91	
		<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	40.78	
		<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	183.49	
		<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	254.85	
		<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	407.76	
		<i>For >50 To 100, Deduct</i>	-25.30	
		<i>For >100, Deduct</i>	-36.57	
		<i>For 9' Door Height, Add</i>	71.36	



Openings	08	08
Doors And Frames	08 10	
Wood Doors	08 14	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 14 16 00-0470 EA 3'-8" x 8' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Birch Faced Wood Door <i>For 7 Ply Cold Press Construction, Deduct</i> <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i> <i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i> <i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i> <i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	467.60 -7.14 267.59 160.56 42.81 192.67 267.59 428.15 -26.15 -37.84 74.93	55.40
08 14 16 00-0471 EA 4'-0" x 8' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Birch Faced Wood Door <i>For 7 Ply Cold Press Construction, Deduct</i> <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i> <i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i> <i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i> <i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i> <i>For 9' Door Height, Add</i>	510.43 -7.82 293.07 175.84 46.89 211.01 293.07 468.91 -28.51 -41.27 82.06	59.84
08 14 16 00-0472 Oak Faced Wood Doors (08 14 16 00-0440)		
08 14 16 00-0473 EA 2'-0" x 6'-8" x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Oak Faced Wood Door..... <i>For 7 Ply Cold Press Construction, Deduct</i> <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i> <i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i> <i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i> <i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	356.60 -5.18 194.32 116.59 31.09 139.91 194.32 310.91 -20.27 -29.18	48.75
08 14 16 00-0474 EA 2'-4" x 6'-8" x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Oak Faced Wood Door..... <i>For 7 Ply Cold Press Construction, Deduct</i> <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i> <i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i> <i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i> <i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	356.60 -5.18 194.32 116.59 31.09 139.91 194.32 310.91 -20.27 -29.18	48.75
08 14 16 00-0475 EA 2'-6" x 6'-8" x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Oak Faced Wood Door..... <i>For 7 Ply Cold Press Construction, Deduct</i> <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i> <i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i> <i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i> <i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	361.03 -5.18 194.32 116.59 31.09 139.91 194.32 310.91 -20.60 -29.63	50.97
08 14 16 00-0476 EA 2'-8" x 6'-8" x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Oak Faced Wood Door..... <i>For 7 Ply Cold Press Construction, Deduct</i> <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i> <i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i> <i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i> <i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	363.70 -5.24 196.32 117.79 31.41 141.35 196.32 314.11 -20.73 -29.83	50.97
08 14 16 00-0477 EA 2'-10" x 6'-8" x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Oak Faced Wood Door..... <i>For 7 Ply Cold Press Construction, Deduct</i> <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i> <i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i> <i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i> <i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	364.90 -5.26 197.22 118.33 31.56 142.00 197.22 315.55 -20.79 -29.92	50.97
08 14 16 00-0478 EA 3'-0" x 6'-8" x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Oak Faced Wood Door..... <i>For 7 Ply Cold Press Construction, Deduct</i> <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i> <i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i> <i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i> <i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	370.53 -5.28 198.12 118.87 31.70 142.65 198.12 316.99 -21.19 -30.45	53.19

08 Openings**08 10 Doors And Frames****08 14 Wood Doors**

MINOR
CSI UOM DESCRIPTION

TOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

08 14 16 00-0479	EA 3'-4" x 6'-8" x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Oak Faced Wood Door.....	399.55	53.19
	<i>For 7 Ply Cold Press Construction, Deduct</i>	-5.86	
	<i>For Stave Lumber Core (SLC), Add</i>	219.89	
	<i>For Structural Composite Lumber Core (SCLC), Add</i>	131.93	
	<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	35.18	
	<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	158.32	
	<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	219.89	
	<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	351.82	
	<i>For >50 To 100, Deduct</i>	-22.64	
	<i>For >100, Deduct</i>	-32.63	
08 14 16 00-0480	EA 3'-6" x 6'-8" x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Oak Faced Wood Door.....	478.70	55.40
	<i>For 7 Ply Cold Press Construction, Deduct</i>	-7.36	
	<i>For Stave Lumber Core (SLC), Add</i>	275.92	
	<i>For Structural Composite Lumber Core (SCLC), Add</i>	165.55	
	<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	44.15	
	<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	198.66	
	<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	275.92	
	<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	441.47	
	<i>For >50 To 100, Deduct</i>	-26.71	
	<i>For >100, Deduct</i>	-38.67	
08 14 16 00-0481	EA 3'-8" x 6'-8" x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Oak Faced Wood Door.....	497.35	55.40
	<i>For 7 Ply Cold Press Construction, Deduct</i>	-7.73	
	<i>For Stave Lumber Core (SLC), Add</i>	289.91	
	<i>For Structural Composite Lumber Core (SCLC), Add</i>	173.94	
	<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	46.38	
	<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	208.73	
	<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	289.91	
	<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	463.85	
	<i>For >50 To 100, Deduct</i>	-27.64	
	<i>For >100, Deduct</i>	-40.07	
08 14 16 00-0482	EA 4'-0" x 6'-8" x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Oak Faced Wood Door.....	542.75	59.84
	<i>For 7 Ply Cold Press Construction, Deduct</i>	-8.46	
	<i>For Stave Lumber Core (SLC), Add</i>	317.31	
	<i>For Structural Composite Lumber Core (SCLC), Add</i>	190.39	
	<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	50.77	
	<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	228.46	
	<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	317.31	
	<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	507.70	
	<i>For >50 To 100, Deduct</i>	-30.13	
	<i>For >100, Deduct</i>	-43.70	
08 14 16 00-0483	EA 2'-0" x 7' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Oak Faced Wood Door.....	371.67	48.75
	<i>For 7 Ply Cold Press Construction, Deduct</i>	-5.48	
	<i>For Stave Lumber Core (SLC), Add</i>	205.62	
	<i>For Structural Composite Lumber Core (SCLC), Add</i>	123.37	
	<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	32.90	
	<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	148.05	
	<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	205.62	
	<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	328.99	
	<i>For >50 To 100, Deduct</i>	-21.02	
	<i>For >100, Deduct</i>	-30.31	
08 14 16 00-0484	EA 2'-4" x 7' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Oak Faced Wood Door.....	371.67	48.75
	<i>For 7 Ply Cold Press Construction, Deduct</i>	-5.48	
	<i>For Stave Lumber Core (SLC), Add</i>	205.62	
	<i>For Structural Composite Lumber Core (SCLC), Add</i>	123.37	
	<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	32.90	
	<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	148.05	
	<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	205.62	
	<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	328.99	
	<i>For >50 To 100, Deduct</i>	-21.02	
	<i>For >100, Deduct</i>	-30.31	
08 14 16 00-0485	EA 2'-6" x 7' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Oak Faced Wood Door.....	376.10	50.97
	<i>For 7 Ply Cold Press Construction, Deduct</i>	-5.48	
	<i>For Stave Lumber Core (SLC), Add</i>	205.62	
	<i>For Structural Composite Lumber Core (SCLC), Add</i>	123.37	
	<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	32.90	
	<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	148.05	
	<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	205.62	
	<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	328.99	
	<i>For >50 To 100, Deduct</i>	-21.35	
	<i>For >100, Deduct</i>	-30.76	
08 14 16 00-0486	EA 2'-8" x 7' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Oak Faced Wood Door.....	378.92	50.97
	<i>For 7 Ply Cold Press Construction, Deduct</i>	-5.54	
	<i>For Stave Lumber Core (SLC), Add</i>	207.74	
	<i>For Structural Composite Lumber Core (SCLC), Add</i>	124.64	
	<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	33.24	
	<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	149.57	
	<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	207.74	
	<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	332.38	
	<i>For >50 To 100, Deduct</i>	-21.49	
	<i>For >100, Deduct</i>	-30.97	



Openings	08	08
Doors And Frames	08 10	
Wood Doors	08 14	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 14 16 00-0487	EA		2'-10" x 7' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Oak Faced Wood Door For 7 Ply Cold Press Construction, Deduct For Stave Lumber Core (SLC), Add For Structural Composite Lumber Core (SCLC), Add For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add For >50 To 100, Deduct For >100, Deduct	380.20 -5.57 208.70 125.22 33.39 150.26 208.70 333.91 -21.56 -31.06	50.97
08 14 16 00-0488	EA		3'-0" x 7' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Oak Faced Wood Door For 7 Ply Cold Press Construction, Deduct For Stave Lumber Core (SLC), Add For Structural Composite Lumber Core (SCLC), Add For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add For >50 To 100, Deduct For >100, Deduct	385.91 -5.59 209.66 125.79 33.54 150.95 209.66 335.45 -21.95 -31.60	53.19
08 14 16 00-0489	EA		3'-4" x 7' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Oak Faced Wood Door For 7 Ply Cold Press Construction, Deduct For Stave Lumber Core (SLC), Add For Structural Composite Lumber Core (SCLC), Add For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add For >50 To 100, Deduct For >100, Deduct	416.61 -6.20 232.68 139.61 37.23 167.53 232.68 372.29 -23.49 -33.91	53.19
08 14 16 00-0490	EA		3'-6" x 7' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Oak Faced Wood Door For 7 Ply Cold Press Construction, Deduct For Stave Lumber Core (SLC), Add For Structural Composite Lumber Core (SCLC), Add For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add For >50 To 100, Deduct For >100, Deduct	500.12 -7.79 291.98 175.19 46.72 210.23 291.98 467.17 -27.78 -40.28	55.40
08 14 16 00-0491	EA		3'-8" x 7' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Oak Faced Wood Door For 7 Ply Cold Press Construction, Deduct For Stave Lumber Core (SLC), Add For Structural Composite Lumber Core (SCLC), Add For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add For >50 To 100, Deduct For >100, Deduct	519.84 -8.18 306.77 184.06 49.08 220.88 306.77 490.84 -28.76 -41.76	55.40
08 14 16 00-0492	EA		4'-0" x 7' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Oak Faced Wood Door For 7 Ply Cold Press Construction, Deduct For Stave Lumber Core (SLC), Add For Structural Composite Lumber Core (SCLC), Add For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add For >50 To 100, Deduct For >100, Deduct	567.37 -8.95 335.78 201.47 53.72 241.76 335.78 537.24 -31.36 -45.54	59.84
08 14 16 00-0493	EA		2'-0" x 8' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Oak Faced Wood Door For 7 Ply Cold Press Construction, Deduct For Stave Lumber Core (SLC), Add For Structural Composite Lumber Core (SCLC), Add For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add For >50 To 100, Deduct For >100, Deduct	425.13 -6.55 245.72 147.43 39.31 176.91 245.72 393.14 -23.69 -34.32	48.75
08 14 16 00-0494	EA		2'-4" x 8' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Oak Faced Wood Door For 7 Ply Cold Press Construction, Deduct For Stave Lumber Core (SLC), Add For Structural Composite Lumber Core (SCLC), Add For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add For >50 To 100, Deduct For >100, Deduct For 9' Door Height, Add	425.13 -6.55 245.72 147.43 39.31 176.91 245.72 393.14 -23.69 -34.32 68.80	48.75

08 Openings**08 10 Doors And Frames****08 14 Wood Doors**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
-------	-----	-----	-------------	------------------------	----------------------

08 14 16 00-0495	EA		2'-6" x 8' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Oak Faced Wood Door	429.56	50.97
			<i>For 7 Ply Cold Press Construction, Deduct</i>	-6.55	
			<i>For Stave Lumber Core (SLC), Add</i>	245.72	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	147.43	
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	39.31	
			<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	176.91	
			<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	245.72	
			<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	393.14	
			<i>For >50 To 100, Deduct</i>	-24.03	
			<i>For >100, Deduct</i>	-34.77	
			<i>For 9' Door Height, Add</i>	68.80	
08 14 16 00-0496	EA		2'-8" x 8' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Oak Faced Wood Door	432.93	50.97
			<i>For 7 Ply Cold Press Construction, Deduct</i>	-6.62	
			<i>For Stave Lumber Core (SLC), Add</i>	248.24	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	148.95	
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	39.72	
			<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	178.73	
			<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	248.24	
			<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	397.19	
			<i>For >50 To 100, Deduct</i>	-24.20	
			<i>For >100, Deduct</i>	-35.02	
			<i>For 9' Door Height, Add</i>	69.51	
08 14 16 00-0497	EA		2'-10" x 8' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Oak Faced Wood Door	434.47	50.97
			<i>For 7 Ply Cold Press Construction, Deduct</i>	-6.65	
			<i>For Stave Lumber Core (SLC), Add</i>	249.40	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	149.64	
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	39.90	
			<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	179.57	
			<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	249.40	
			<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	399.04	
			<i>For >50 To 100, Deduct</i>	-24.27	
			<i>For >100, Deduct</i>	-35.13	
			<i>For 9' Door Height, Add</i>	69.83	
08 14 16 00-0498	EA		3'-0" x 8' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Oak Faced Wood Door	440.41	53.19
			<i>For 7 Ply Cold Press Construction, Deduct</i>	-6.68	
			<i>For Stave Lumber Core (SLC), Add</i>	250.53	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	150.32	
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	40.08	
			<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	180.38	
			<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	250.53	
			<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	400.85	
			<i>For >50 To 100, Deduct</i>	-24.68	
			<i>For >100, Deduct</i>	-35.69	
			<i>For 9' Door Height, Add</i>	70.15	
08 14 16 00-0499	EA		3'-4" x 8' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Oak Faced Wood Door	477.10	53.19
			<i>For 7 Ply Cold Press Construction, Deduct</i>	-7.41	
			<i>For Stave Lumber Core (SLC), Add</i>	278.05	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	166.83	
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	44.49	
			<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	200.19	
			<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	278.05	
			<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	444.88	
			<i>For >50 To 100, Deduct</i>	-26.51	
			<i>For >100, Deduct</i>	-38.44	
			<i>For 9' Door Height, Add</i>	77.85	
08 14 16 00-0500	EA		3'-6" x 8' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Oak Faced Wood Door	576.03	55.40
			<i>For 7 Ply Cold Press Construction, Deduct</i>	-9.30	
			<i>For Stave Lumber Core (SLC), Add</i>	348.92	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	209.35	
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	55.83	
			<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	251.22	
			<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	348.92	
			<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	558.26	
			<i>For >50 To 100, Deduct</i>	-31.57	
			<i>For >100, Deduct</i>	-45.97	
			<i>For 9' Door Height, Add</i>	97.70	
08 14 16 00-0501	EA		3'-8" x 8' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Oak Faced Wood Door	599.60	55.40
			<i>For 7 Ply Cold Press Construction, Deduct</i>	-9.78	
			<i>For Stave Lumber Core (SLC), Add</i>	366.59	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	219.96	
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	58.65	
			<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	263.95	
			<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	366.59	
			<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	586.55	
			<i>For >50 To 100, Deduct</i>	-32.75	
			<i>For >100, Deduct</i>	-47.74	
			<i>For 9' Door Height, Add</i>	102.65	



Openings	08	08
Doors And Frames	08 10	
Wood Doors	08 14	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 14 16 00-0502	EA		4'-0" x 8' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Oak Faced Wood Door For 7 Ply Cold Press Construction, Deduct For Stave Lumber Core (SLC), Add For Structural Composite Lumber Core (SCLC), Add For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add For >50 To 100, Deduct For >100, Deduct For 9' Door Height, Add	654.67 -10.70 401.25 240.75 64.20 288.90 401.25 642.00 -35.73 -52.09 112.35	59.84
08 14 16 00-0503 Maple Faced Wood Doors (08 14 16 00-0440)					
08 14 16 00-0504	EA		2'-0" x 6'-8" x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Maple Faced Wood Door For 7 Ply Cold Press Construction, Deduct For Stave Lumber Core (SLC), Add For Structural Composite Lumber Core (SCLC), Add For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add For >50 To 100, Deduct For >100, Deduct	408.42 -6.22 233.18 139.91 37.31 167.89 233.18 373.09 -22.86 -33.07	48.75
08 14 16 00-0505	EA		2'-4" x 6'-8" x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Maple Faced Wood Door For 7 Ply Cold Press Construction, Deduct For Stave Lumber Core (SLC), Add For Structural Composite Lumber Core (SCLC), Add For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add For >50 To 100, Deduct For >100, Deduct	408.42 -6.22 233.18 139.91 37.31 167.89 233.18 373.09 -22.86 -33.07	48.75
08 14 16 00-0506	EA		2'-6" x 6'-8" x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Maple Faced Wood Door For 7 Ply Cold Press Construction, Deduct For Stave Lumber Core (SLC), Add For Structural Composite Lumber Core (SCLC), Add For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add For >50 To 100, Deduct For >100, Deduct	412.85 -6.22 233.18 139.91 37.31 167.89 233.18 373.09 -23.19 -33.51	50.97
08 14 16 00-0507	EA		2'-8" x 6'-8" x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Maple Faced Wood Door For 7 Ply Cold Press Construction, Deduct For Stave Lumber Core (SLC), Add For Structural Composite Lumber Core (SCLC), Add For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add For >50 To 100, Deduct For >100, Deduct	416.05 -6.28 235.58 141.35 37.69 169.62 235.58 376.93 -23.35 -33.75	50.97
08 14 16 00-0508	EA		2'-10" x 6'-8" x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Maple Faced Wood Door For 7 Ply Cold Press Construction, Deduct For Stave Lumber Core (SLC), Add For Structural Composite Lumber Core (SCLC), Add For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add For >50 To 100, Deduct For >100, Deduct	417.48 -6.31 236.66 141.99 37.86 170.39 236.66 378.65 -23.42 -33.86	50.97
08 14 16 00-0509	EA		3'-0" x 6'-8" x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Maple Faced Wood Door For 7 Ply Cold Press Construction, Deduct For Stave Lumber Core (SLC), Add For Structural Composite Lumber Core (SCLC), Add For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add For >50 To 100, Deduct For >100, Deduct	423.37 -6.34 237.75 142.65 38.04 171.18 237.75 380.40 -23.83 -34.41	53.19
08 14 16 00-0510	EA		3'-4" x 6'-8" x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Maple Faced Wood Door For 7 Ply Cold Press Construction, Deduct For Stave Lumber Core (SLC), Add For Structural Composite Lumber Core (SCLC), Add For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add For >50 To 100, Deduct For >100, Deduct	458.19 -7.04 263.87 158.32 42.22 189.98 263.87 422.18 -25.57 -37.02	53.19

08 Openings**08 10 Doors And Frames****08 14 Wood Doors**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 14 16 00-0511	EA		3'-6" x 6'-8" x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Maple Faced Wood Door.....	530.21	55.40
			<i>For 7 Ply Cold Press Construction, Deduct</i>	-8.39	
			<i>For Stave Lumber Core (SLC), Add</i>	314.55	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	188.73	
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	50.33	
			<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	226.48	
			<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	314.55	
			<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	503.28	
			<i>For >50 To 100, Deduct</i>	-29.28	
			<i>For >100, Deduct</i>	-42.54	
08 14 16 00-0512	EA		3'-8" x 6'-8" x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Maple Faced Wood Door.....	574.34	55.40
			<i>For 7 Ply Cold Press Construction, Deduct</i>	-9.27	
			<i>For Stave Lumber Core (SLC), Add</i>	347.65	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	208.59	
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	55.62	
			<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	250.31	
			<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	347.65	
			<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	556.24	
			<i>For >50 To 100, Deduct</i>	-31.49	
			<i>For >100, Deduct</i>	-45.85	
08 14 16 00-0513	EA		4'-0" x 6'-8" x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Maple Faced Wood Door.....	618.53	55.40
			<i>For 7 Ply Cold Press Construction, Deduct</i>	-10.15	
			<i>For Stave Lumber Core (SLC), Add</i>	380.79	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	228.47	
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	60.93	
			<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	274.17	
			<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	380.79	
			<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	609.26	
			<i>For >50 To 100, Deduct</i>	-33.70	
			<i>For >100, Deduct</i>	-49.16	
08 14 16 00-0514	EA		2'-0" x 7' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Maple Faced Wood Door.....	426.51	48.75
			<i>For 7 Ply Cold Press Construction, Deduct</i>	-6.58	
			<i>For Stave Lumber Core (SLC), Add</i>	246.75	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	148.05	
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	39.48	
			<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	177.66	
			<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	246.75	
			<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	394.80	
			<i>For >50 To 100, Deduct</i>	-23.76	
			<i>For >100, Deduct</i>	-34.43	
08 14 16 00-0515	EA		2'-4" x 7' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Maple Faced Wood Door.....	426.51	48.75
			<i>For 7 Ply Cold Press Construction, Deduct</i>	-6.58	
			<i>For Stave Lumber Core (SLC), Add</i>	246.75	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	148.05	
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	39.48	
			<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	177.66	
			<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	246.75	
			<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	394.80	
			<i>For >50 To 100, Deduct</i>	-23.76	
			<i>For >100, Deduct</i>	-34.43	
08 14 16 00-0516	EA		2'-6" x 7' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Maple Faced Wood Door.....	430.94	50.97
			<i>For 7 Ply Cold Press Construction, Deduct</i>	-6.58	
			<i>For Stave Lumber Core (SLC), Add</i>	246.75	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	148.05	
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	39.48	
			<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	177.66	
			<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	246.75	
			<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	394.80	
			<i>For >50 To 100, Deduct</i>	-24.10	
			<i>For >100, Deduct</i>	-34.87	
08 14 16 00-0517	EA		2'-8" x 7' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Maple Faced Wood Door.....	434.32	50.97
			<i>For 7 Ply Cold Press Construction, Deduct</i>	-6.65	
			<i>For Stave Lumber Core (SLC), Add</i>	249.29	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	149.57	
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	39.89	
			<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	179.49	
			<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	249.29	
			<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	398.86	
			<i>For >50 To 100, Deduct</i>	-24.26	
			<i>For >100, Deduct</i>	-35.12	
08 14 16 00-0518	EA		2'-10" x 7' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Maple Faced Wood Door.....	435.85	50.97
			<i>For 7 Ply Cold Press Construction, Deduct</i>	-6.68	
			<i>For Stave Lumber Core (SLC), Add</i>	250.43	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	150.26	
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	40.07	
			<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	180.31	
			<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	250.43	
			<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	400.69	
			<i>For >50 To 100, Deduct</i>	-24.34	
			<i>For >100, Deduct</i>	-35.24	



Openings	08	08
Doors And Frames	08 10	
Wood Doors	08 14	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 14 16 00-0519 EA 3'-0" x 7' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Maple Faced Wood Door.....	441.82	53.19
For 7 Ply Cold Press Construction, Deduct	-6.71	
For Stave Lumber Core (SLC), Add	251.59	
For Structural Composite Lumber Core (SCLC), Add	150.95	
For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add	40.25	
For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add	181.14	
For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add	251.59	
For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add	402.54	
For >50 To 100, Deduct	-24.75	
For >100, Deduct	-35.80	
08 14 16 00-0520 EA 3'-4" x 7' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Maple Faced Wood Door.....	478.66	53.19
For 7 Ply Cold Press Construction, Deduct	-7.45	
For Stave Lumber Core (SLC), Add	279.22	
For Structural Composite Lumber Core (SCLC), Add	167.53	
For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add	44.67	
For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add	201.04	
For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add	279.22	
For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add	446.75	
For >50 To 100, Deduct	-26.59	
For >100, Deduct	-38.56	
08 14 16 00-0521 EA 3'-6" x 7' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Maple Faced Wood Door.....	554.62	55.40
For 7 Ply Cold Press Construction, Deduct	-8.88	
For Stave Lumber Core (SLC), Add	332.86	
For Structural Composite Lumber Core (SCLC), Add	199.71	
For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add	53.26	
For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add	239.66	
For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add	332.86	
For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add	532.57	
For >50 To 100, Deduct	-30.50	
For >100, Deduct	-44.37	
08 14 16 00-0522 EA 3'-8" x 7' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Maple Faced Wood Door.....	601.34	55.40
For 7 Ply Cold Press Construction, Deduct	-9.81	
For Stave Lumber Core (SLC), Add	367.90	
For Structural Composite Lumber Core (SCLC), Add	220.74	
For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add	58.86	
For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add	264.89	
For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add	367.90	
For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add	588.64	
For >50 To 100, Deduct	-32.84	
For >100, Deduct	-47.87	
08 14 16 00-0523 EA 4'-0" x 7' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Maple Faced Wood Door.....	648.09	55.40
For 7 Ply Cold Press Construction, Deduct	-10.75	
For Stave Lumber Core (SLC), Add	402.96	
For Structural Composite Lumber Core (SCLC), Add	241.78	
For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add	64.47	
For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add	290.13	
For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add	402.96	
For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add	644.74	
For >50 To 100, Deduct	-35.17	
For >100, Deduct	-51.38	
08 14 16 00-0524 EA 2'-0" x 8' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Maple Faced Wood Door.....	490.65	48.75
For 7 Ply Cold Press Construction, Deduct	-7.86	
For Stave Lumber Core (SLC), Add	294.86	
For Structural Composite Lumber Core (SCLC), Add	176.91	
For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add	47.18	
For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add	212.30	
For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add	294.86	
For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add	471.77	
For >50 To 100, Deduct	-26.97	
For >100, Deduct	-39.24	
For 9' Door Height, Add	82.56	
08 14 16 00-0525 EA 2'-4" x 8' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Maple Faced Wood Door.....	490.65	48.75
For 7 Ply Cold Press Construction, Deduct	-7.86	
For Stave Lumber Core (SLC), Add	294.86	
For Structural Composite Lumber Core (SCLC), Add	176.91	
For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add	47.18	
For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add	212.30	
For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add	294.86	
For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add	471.77	
For >50 To 100, Deduct	-26.97	
For >100, Deduct	-39.24	
For 9' Door Height, Add	82.56	
08 14 16 00-0526 EA 2'-6" x 8' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Maple Faced Wood Door.....	495.08	50.97
For 7 Ply Cold Press Construction, Deduct	-7.86	
For Stave Lumber Core (SLC), Add	294.86	
For Structural Composite Lumber Core (SCLC), Add	176.91	
For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add	47.18	
For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add	212.30	
For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add	294.86	
For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add	471.77	
For >50 To 100, Deduct	-27.30	
For >100, Deduct	-39.68	
For 9' Door Height, Add	82.56	

08 Openings**08 10 Doors And Frames****08 14 Wood Doors**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 14 16 00-0527	EA		2'-8" x 8' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Maple Faced Wood Door	499.13	50.97
			<i>For 7 Ply Cold Press Construction, Deduct</i>	-7.94	
			<i>For Stave Lumber Core (SLC), Add</i>	297.89	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	178.74	
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	47.66	
			<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	214.48	
			<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	297.89	
			<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	476.63	
			<i>For >50 To 100, Deduct</i>	-27.51	
			<i>For >100, Deduct</i>	-39.98	
			<i>For 9' Door Height, Add</i>	83.41	
08 14 16 00-0528	EA		2'-10" x 8' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Maple Faced Wood Door	500.97	50.97
			<i>For 7 Ply Cold Press Construction, Deduct</i>	-7.98	
			<i>For Stave Lumber Core (SLC), Add</i>	299.27	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	179.56	
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	47.88	
			<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	215.48	
			<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	299.27	
			<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	478.84	
			<i>For >50 To 100, Deduct</i>	-27.60	
			<i>For >100, Deduct</i>	-40.12	
			<i>For 9' Door Height, Add</i>	83.80	
08 14 16 00-0529	EA		3'-0" x 8' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Maple Faced Wood Door	507.22	53.19
			<i>For 7 Ply Cold Press Construction, Deduct</i>	-8.02	
			<i>For Stave Lumber Core (SLC), Add</i>	300.64	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	180.38	
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	48.10	
			<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	216.46	
			<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	300.64	
			<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	481.02	
			<i>For >50 To 100, Deduct</i>	-28.02	
			<i>For >100, Deduct</i>	-40.70	
			<i>For 9' Door Height, Add</i>	84.18	
08 14 16 00-0530	EA		3'-4" x 8' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Maple Faced Wood Door	551.25	53.19
			<i>For 7 Ply Cold Press Construction, Deduct</i>	-8.90	
			<i>For Stave Lumber Core (SLC), Add</i>	333.66	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	200.20	
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	53.39	
			<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	240.24	
			<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	333.66	
			<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	533.86	
			<i>For >50 To 100, Deduct</i>	-30.22	
			<i>For >100, Deduct</i>	-44.00	
			<i>For 9' Door Height, Add</i>	93.42	
08 14 16 00-0531	EA		3'-6" x 8' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Maple Faced Wood Door	641.15	55.40
			<i>For 7 Ply Cold Press Construction, Deduct</i>	-10.61	
			<i>For Stave Lumber Core (SLC), Add</i>	397.76	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	238.65	
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	63.64	
			<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	286.38	
			<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	397.76	
			<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	636.41	
			<i>For >50 To 100, Deduct</i>	-34.83	
			<i>For >100, Deduct</i>	-50.86	
			<i>For 9' Door Height, Add</i>	111.37	
08 14 16 00-0532	EA		3'-8" x 8' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Maple Faced Wood Door	696.98	55.40
			<i>For 7 Ply Cold Press Construction, Deduct</i>	-11.72	
			<i>For Stave Lumber Core (SLC), Add</i>	439.63	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	263.78	
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	70.34	
			<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	316.53	
			<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	439.63	
			<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	703.40	
			<i>For >50 To 100, Deduct</i>	-37.62	
			<i>For >100, Deduct</i>	-55.04	
			<i>For 9' Door Height, Add</i>	123.10	
08 14 16 00-0533	EA		4'-0" x 8' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Maple Faced Wood Door	752.84	55.40
			<i>For 7 Ply Cold Press Construction, Deduct</i>	-12.84	
			<i>For Stave Lumber Core (SLC), Add</i>	481.52	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	288.91	
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	77.04	
			<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	346.70	
			<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	481.52	
			<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	770.44	
			<i>For >50 To 100, Deduct</i>	-40.41	
			<i>For >100, Deduct</i>	-59.23	
			<i>For 9' Door Height, Add</i>	134.83	

08 14 16 00-0534 Walnut Faced Wood Doors (08 14 16 00-0440)



Openings	08	08
Doors And Frames	08 10	
Wood Doors	08 14	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 14 16 00-0535	EA		2'-0" x 6'-8" x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Walnut Faced Wood Door <i>For 7 Ply Cold Press Construction, Deduct</i> <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i> <i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i> <i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i> <i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	495.03 -7.95 298.14 178.88 47.70 214.66 298.14 477.02 -27.19 -39.57	48.75
08 14 16 00-0536	EA		2'-4" x 6'-8" x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Walnut Faced Wood Door <i>For 7 Ply Cold Press Construction, Deduct</i> <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i> <i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i> <i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i> <i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	495.03 -7.95 298.14 178.88 47.70 214.66 298.14 477.02 -27.19 -39.57	48.75
08 14 16 00-0537	EA		2'-6" x 6'-8" x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Walnut Faced Wood Door <i>For 7 Ply Cold Press Construction, Deduct</i> <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i> <i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i> <i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i> <i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	499.59 -7.95 298.24 178.94 47.72 214.73 298.24 477.18 -27.53 -40.02	50.97
08 14 16 00-0538	EA		2'-8" x 6'-8" x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Walnut Faced Wood Door <i>For 7 Ply Cold Press Construction, Deduct</i> <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i> <i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i> <i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i> <i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	503.68 -8.03 301.31 180.78 48.21 216.94 301.31 482.09 -27.73 -40.32	50.97
08 14 16 00-0539	EA		2'-10" x 6'-8" x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Walnut Faced Wood Door <i>For 7 Ply Cold Press Construction, Deduct</i> <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i> <i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i> <i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i> <i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	514.40 -8.25 309.35 185.61 49.50 222.73 309.35 494.95 -28.27 -41.13	50.97
08 14 16 00-0540	EA		3'-0" x 6'-8" x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Walnut Faced Wood Door <i>For 7 Ply Cold Press Construction, Deduct</i> <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i> <i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i> <i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i> <i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	529.53 -8.46 317.37 190.42 50.78 228.51 317.37 507.79 -29.14 -42.37	53.19
08 14 16 00-0541	EA		3'-4" x 6'-8" x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Walnut Faced Wood Door <i>For 7 Ply Cold Press Construction, Deduct</i> <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i> <i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i> <i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i> <i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	557.32 -9.02 338.21 202.93 54.11 243.51 338.21 541.14 -30.53 -44.46	53.19
08 14 16 00-0542	EA		3'-6" x 6'-8" x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Walnut Faced Wood Door <i>For 7 Ply Cold Press Construction, Deduct</i> <i>For Stave Lumber Core (SLC), Add</i> <i>For Structural Composite Lumber Core (SCLC), Add</i> <i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i> <i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i> <i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i> <i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i> <i>For >50 To 100, Deduct</i> <i>For >100, Deduct</i>	679.05 -11.36 426.18 255.71 68.19 306.85 426.18 681.89 -36.72 -53.70	55.40

08 Openings**08 10 Doors And Frames****08 14 Wood Doors**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 14 16 00-0543	EA		3'-8" x 6'-8" x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Walnut Faced Wood Door707.45		55.40
			<i>For 7 Ply Cold Press Construction, Deduct</i>	-11.93	
			<i>For Stave Lumber Core (SLC), Add</i>	447.48	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	268.49	
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	71.60	
			<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	322.19	
			<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	447.48	
			<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	715.97	
			<i>For >50 To 100, Deduct</i>	-38.14	
			<i>For >100, Deduct</i>	-55.83	
08 14 16 00-0544	EA		4'-0" x 6'-8" x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Walnut Faced Wood Door764.30		55.40
			<i>For 7 Ply Cold Press Construction, Deduct</i>	-13.07	
			<i>For Stave Lumber Core (SLC), Add</i>	490.12	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	294.07	
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	78.42	
			<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	352.88	
			<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	490.12	
			<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	784.19	
			<i>For >50 To 100, Deduct</i>	-40.99	
			<i>For >100, Deduct</i>	-60.09	
08 14 16 00-0545	EA		2'-0" x 7' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Walnut Faced Wood Door518.16		48.75
			<i>For 7 Ply Cold Press Construction, Deduct</i>	-8.41	
			<i>For Stave Lumber Core (SLC), Add</i>	315.49	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	189.29	
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	50.48	
			<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	227.15	
			<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	315.49	
			<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	504.78	
			<i>For >50 To 100, Deduct</i>	-28.35	
			<i>For >100, Deduct</i>	-41.30	
08 14 16 00-0546	EA		2'-4" x 7' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Walnut Faced Wood Door518.16		48.75
			<i>For 7 Ply Cold Press Construction, Deduct</i>	-8.41	
			<i>For Stave Lumber Core (SLC), Add</i>	315.49	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	189.29	
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	50.48	
			<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	227.15	
			<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	315.49	
			<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	504.78	
			<i>For >50 To 100, Deduct</i>	-28.35	
			<i>For >100, Deduct</i>	-41.30	
08 14 16 00-0547	EA		2'-6" x 7' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Walnut Faced Wood Door522.72		50.97
			<i>For 7 Ply Cold Press Construction, Deduct</i>	-8.42	
			<i>For Stave Lumber Core (SLC), Add</i>	315.59	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	189.35	
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	50.49	
			<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	227.22	
			<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	315.59	
			<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	504.94	
			<i>For >50 To 100, Deduct</i>	-28.68	
			<i>For >100, Deduct</i>	-41.75	
08 14 16 00-0548	EA		2'-8" x 7' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Walnut Faced Wood Door527.07		50.97
			<i>For 7 Ply Cold Press Construction, Deduct</i>	-8.50	
			<i>For Stave Lumber Core (SLC), Add</i>	318.85	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	191.31	
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	51.02	
			<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	229.57	
			<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	318.85	
			<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	510.16	
			<i>For >50 To 100, Deduct</i>	-28.90	
			<i>For >100, Deduct</i>	-42.08	
08 14 16 00-0549	EA		2'-10" x 7' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Walnut Faced Wood Door538.40		50.97
			<i>For 7 Ply Cold Press Construction, Deduct</i>	-8.73	
			<i>For Stave Lumber Core (SLC), Add</i>	327.35	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	196.41	
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	52.38	
			<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	235.69	
			<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	327.35	
			<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	523.75	
			<i>For >50 To 100, Deduct</i>	-29.47	
			<i>For >100, Deduct</i>	-42.93	
08 14 16 00-0550	EA		3'-0" x 7' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Walnut Faced Wood Door554.14		53.19
			<i>For 7 Ply Cold Press Construction, Deduct</i>	-8.96	
			<i>For Stave Lumber Core (SLC), Add</i>	335.83	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	201.50	
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	53.73	
			<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	241.80	
			<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	335.83	
			<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	537.32	
			<i>For >50 To 100, Deduct</i>	-30.37	
			<i>For >100, Deduct</i>	-44.22	



Openings	08	08
Doors And Frames	08 10	
Wood Doors	08 14	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 14 16 00-0551	EA		3'-4" x 7' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Walnut Faced Wood Door For 7 Ply Cold Press Construction, Deduct For Stave Lumber Core (SLC), Add For Structural Composite Lumber Core (SCLC), Add For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add For >50 To 100, Deduct For >100, Deduct	583.57 -9.54 357.90 214.74 57.26 257.69 357.90 572.64 -31.84 -46.43	53.19
08 14 16 00-0552	EA		3'-6" x 7' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Walnut Faced Wood Door For 7 Ply Cold Press Construction, Deduct For Stave Lumber Core (SLC), Add For Structural Composite Lumber Core (SCLC), Add For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add For >50 To 100, Deduct For >100, Deduct	712.10 -12.03 450.97 270.58 72.15 324.70 450.97 721.55 -38.38 -56.18	55.40
08 14 16 00-0553	EA		3'-8" x 7' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Walnut Faced Wood Door For 7 Ply Cold Press Construction, Deduct For Stave Lumber Core (SLC), Add For Structural Composite Lumber Core (SCLC), Add For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add For >50 To 100, Deduct For >100, Deduct	742.17 -12.63 473.52 284.11 75.76 340.93 473.52 757.63 -39.88 -58.43	55.40
08 14 16 00-0554	EA		4'-0" x 7' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Walnut Faced Wood Door For 7 Ply Cold Press Construction, Deduct For Stave Lumber Core (SLC), Add For Structural Composite Lumber Core (SCLC), Add For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add For >50 To 100, Deduct For >100, Deduct	802.32 -13.83 518.63 311.18 82.98 373.42 518.63 829.81 -42.89 -62.94	55.40
08 14 16 00-0555	EA		2'-0" x 8' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Walnut Faced Wood Door For 7 Ply Cold Press Construction, Deduct For Stave Lumber Core (SLC), Add For Structural Composite Lumber Core (SCLC), Add For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add For >50 To 100, Deduct For >100, Deduct For 9' Door Height, Add	600.19 -10.05 377.01 226.21 60.32 271.45 377.01 603.22 -32.45 -47.45 105.56	48.75
08 14 16 00-0556	EA		2'-4" x 8' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Walnut Faced Wood Door For 7 Ply Cold Press Construction, Deduct For Stave Lumber Core (SLC), Add For Structural Composite Lumber Core (SCLC), Add For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add For >50 To 100, Deduct For >100, Deduct For 9' Door Height, Add	600.19 -10.05 377.01 226.21 60.32 271.45 377.01 603.22 -32.45 -47.45 105.56	48.75
08 14 16 00-0557	EA		2'-6" x 8' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Walnut Faced Wood Door For 7 Ply Cold Press Construction, Deduct For Stave Lumber Core (SLC), Add For Structural Composite Lumber Core (SCLC), Add For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add For >50 To 100, Deduct For >100, Deduct For 9' Door Height, Add	604.78 -10.06 377.13 226.28 60.34 271.53 377.13 603.41 -32.79 -47.91 105.60	50.97
08 14 16 00-0558	EA		2'-8" x 8' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Walnut Faced Wood Door For 7 Ply Cold Press Construction, Deduct For Stave Lumber Core (SLC), Add For Structural Composite Lumber Core (SCLC), Add For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add For >50 To 100, Deduct For >100, Deduct For 9' Door Height, Add	609.97 -10.16 381.02 228.61 60.96 274.34 381.02 609.64 -33.05 -48.30 106.69	50.97

08	08	Openings
	08 10	Doors And Frames
	08 14	Wood Doors



MINOR		TOTAL DIRECT	DEMOLITION
CSI	UOM DESCRIPTION	UNIT COST	UNIT COST
08 14 16 00-0559	EA 2'-10" x 8' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Walnut Faced Wood Door.....	623.51	50.97
	For 7 Ply Cold Press Construction, Deduct	-10.43	
	For Stave Lumber Core (SLC), Add	391.18	
	For Structural Composite Lumber Core (SCLC), Add	234.71	
	For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add	62.59	
	For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add	281.65	
	For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add	391.18	
	For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add	625.88	
	For >50 To 100, Deduct	-33.72	
	For >100, Deduct	-49.31	
	For 9' Door Height, Add	109.53	
08 14 16 00-0560	EA 3'-0" x 8' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Walnut Faced Wood Door.....	641.47	53.19
	For 7 Ply Cold Press Construction, Deduct	-10.70	
	For Stave Lumber Core (SLC), Add	401.33	
	For Structural Composite Lumber Core (SCLC), Add	240.80	
	For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add	64.21	
	For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add	288.95	
	For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add	401.33	
	For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add	642.12	
	For >50 To 100, Deduct	-34.73	
	For >100, Deduct	-50.77	
	For 9' Door Height, Add	112.37	
08 14 16 00-0561	EA 3'-4" x 8' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Walnut Faced Wood Door.....	676.63	53.19
	For 7 Ply Cold Press Construction, Deduct	-11.41	
	For Stave Lumber Core (SLC), Add	427.70	
	For Structural Composite Lumber Core (SCLC), Add	256.62	
	For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add	68.43	
	For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add	307.94	
	For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add	427.70	
	For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add	684.31	
	For >50 To 100, Deduct	-36.49	
	For >100, Deduct	-53.41	
	For 9' Door Height, Add	119.75	
08 14 16 00-0562	EA 3'-6" x 8' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Walnut Faced Wood Door.....	829.37	55.40
	For 7 Ply Cold Press Construction, Deduct	-14.37	
	For Stave Lumber Core (SLC), Add	538.92	
	For Structural Composite Lumber Core (SCLC), Add	323.35	
	For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add	86.23	
	For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add	388.02	
	For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add	538.92	
	For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add	862.27	
	For >50 To 100, Deduct	-44.24	
	For >100, Deduct	-64.97	
	For 9' Door Height, Add	150.90	
08 14 16 00-0563	EA 3'-8" x 8' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Walnut Faced Wood Door.....	865.29	55.40
	For 7 Ply Cold Press Construction, Deduct	-15.09	
	For Stave Lumber Core (SLC), Add	565.86	
	For Structural Composite Lumber Core (SCLC), Add	339.52	
	For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add	90.54	
	For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add	407.42	
	For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add	565.86	
	For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add	905.38	
	For >50 To 100, Deduct	-46.03	
	For >100, Deduct	-67.67	
	For 9' Door Height, Add	158.44	
08 14 16 00-0564	EA 4'-0" x 8' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Walnut Faced Wood Door.....	937.17	55.40
	For 7 Ply Cold Press Construction, Deduct	-16.53	
	For Stave Lumber Core (SLC), Add	619.77	
	For Structural Composite Lumber Core (SCLC), Add	371.86	
	For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add	99.16	
	For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add	446.23	
	For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add	619.77	
	For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add	991.63	
	For >50 To 100, Deduct	-49.63	
	For >100, Deduct	-73.06	
	For 9' Door Height, Add	173.54	
08 14 16 00-0565	Lauan Faced Wood Doors (08 14 16 00-0440)		
08 14 16 00-0566	EA 2'-0" x 6'-8" x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), Lauan Faced Wood Door	257.28	48.75
	For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add	19.17	
	For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add	86.28	
	For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add	119.83	
	For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add	191.72	
	For >50 To 100, Deduct	-15.30	
	For >100, Deduct	-21.73	
08 14 16 00-0567	EA 2'-4" x 6'-8" x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), Lauan Faced Wood Door	257.28	48.75
	For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add	19.17	
	For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add	86.28	
	For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add	119.83	
	For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add	191.72	
	For >50 To 100, Deduct	-15.30	
	For >100, Deduct	-21.73	



Openings	08	08
Doors And Frames	08 10	
Wood Doors	08 14	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 14 16 00-0568 EA 2'-6" x 6'-8" x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), Lauan Faced Wood Door For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add For >50 To 100, Deduct For >100, Deduct	262.17 19.23 86.52 120.17 192.28 -15.66 -22.21	50.97
08 14 16 00-0569 EA 2'-8" x 6'-8" x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), Lauan Faced Wood Door For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add For >50 To 100, Deduct For >100, Deduct	266.77 19.78 89.01 123.62 197.80 -15.89 -22.56	50.97
08 14 16 00-0570 EA 2'-10" x 6'-8" x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), Lauan Faced Wood Door For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add For >50 To 100, Deduct For >100, Deduct	268.43 19.98 89.90 124.87 199.79 -15.97 -22.68	50.97
08 14 16 00-0571 EA 3'-0" x 6'-8" x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), Lauan Faced Wood Door For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add For >50 To 100, Deduct For >100, Deduct	274.53 20.18 90.81 126.12 201.79 -16.39 -23.25	53.19
08 14 16 00-0572 EA 3'-4" x 6'-8" x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), Lauan Faced Wood Door For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add For >50 To 100, Deduct For >100, Deduct	289.73 22.00 99.01 137.52 220.03 -17.15 -24.39	53.19
08 14 16 00-0573 EA 3'-6" x 6'-8" x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), Lauan Faced Wood Door For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add For >50 To 100, Deduct For >100, Deduct	307.24 23.57 106.07 147.32 235.72 -18.13 -25.81	55.40
08 14 16 00-0574 EA 3'-8" x 6'-8" x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), Lauan Faced Wood Door For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add For >50 To 100, Deduct For >100, Deduct	317.07 24.75 111.38 154.70 247.51 -18.62 -26.55	55.40
08 14 16 00-0575 EA 4'-0" x 6'-8" x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), Lauan Faced Wood Door For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add For >50 To 100, Deduct For >100, Deduct	336.72 27.11 121.99 169.43 271.09 -19.61 -28.02	55.40
08 14 16 00-0576 EA 2'-0" x 7' x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), Lauan Faced Wood Door For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add For >50 To 100, Deduct For >100, Deduct	266.57 20.29 91.29 126.80 202.87 -15.77 -22.43	48.75
08 14 16 00-0577 EA 2'-4" x 7' x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), Lauan Faced Wood Door For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add For >50 To 100, Deduct For >100, Deduct	266.56 20.29 91.29 126.79 202.86 -15.77 -22.43	48.75
08 14 16 00-0578 EA 2'-6" x 7' x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), Lauan Faced Wood Door For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add For >50 To 100, Deduct For >100, Deduct	271.49 20.35 91.56 127.16 203.46 -16.12 -22.91	50.97
08 14 16 00-0579 EA 2'-8" x 7' x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), Lauan Faced Wood Door For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add For >50 To 100, Deduct For >100, Deduct	276.35 20.93 94.18 130.81 209.29 -16.37 -23.27	50.97

08 Openings**08 10 Doors And Frames****08 14 Wood Doors**

MINOR	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
-------	-------------	------------------------	----------------------

08 14 16 00-0580	EA 2'-10" x 7' x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), Lauan Faced Wood Door..... For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add For >50 To 100, Deduct For >100, Deduct	278.13 21.14 95.14 132.14 211.43 -16.46 -23.41	50.97
08 14 16 00-0581	EA 3'-0" x 7' x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), Lauan Faced Wood Door..... For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add For >50 To 100, Deduct For >100, Deduct	284.31 21.35 96.09 133.46 213.53 -16.87 -23.98	53.19
08 14 16 00-0582	EA 3'-4" x 7' x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), Lauan Faced Wood Door..... For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add For >50 To 100, Deduct For >100, Deduct	300.39 23.28 104.77 145.52 232.82 -17.68 -25.19	53.19
08 14 16 00-0583	EA 3'-6" x 7' x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), Lauan Faced Wood Door..... For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add For >50 To 100, Deduct For >100, Deduct	318.68 24.94 112.25 155.90 249.44 -18.70 -26.67	55.40
08 14 16 00-0584	EA 3'-8" x 7' x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), Lauan Faced Wood Door..... For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add For >50 To 100, Deduct For >100, Deduct	329.07 26.19 117.86 163.70 261.91 -19.22 -27.45	55.40
08 14 16 00-0585	EA 4'-0" x 7' x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), Lauan Faced Wood Door..... For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add For >50 To 100, Deduct For >100, Deduct	349.87 28.69 129.09 179.30 286.87 -20.26 -29.01	55.40
08 14 16 00-0586	EA 2'-0" x 8' x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), Lauan Faced Wood Door..... For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add For >50 To 100, Deduct For >100, Deduct	299.52 24.24 109.09 151.51 242.41 -17.41 -24.90	48.75
08 14 16 00-0587	EA 2'-4" x 8' x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), Lauan Faced Wood Door..... For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add For >50 To 100, Deduct For >100, Deduct	299.52 24.24 109.09 151.51 242.41 -17.41 -24.90	48.75
08 14 16 00-0588	EA 2'-6" x 8' x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), Lauan Faced Wood Door..... For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add For >50 To 100, Deduct For >100, Deduct	304.54 24.31 109.40 151.95 243.12 -17.78 -25.39	50.97
08 14 16 00-0589	EA 2'-8" x 8' x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), Lauan Faced Wood Door..... For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add For >50 To 100, Deduct For >100, Deduct	310.37 25.01 112.55 156.32 250.12 -18.07 -25.83	50.97
08 14 16 00-0590	EA 2'-10" x 8' x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), Lauan Faced Wood Door..... For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add For >50 To 100, Deduct For >100, Deduct	312.50 25.27 113.70 157.92 252.67 -18.17 -25.99	50.97
	For 9' Door Height, Add	44.22	



Openings	08	08
Doors And Frames	08 10	
Wood Doors	08 14	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 14 16 00-0591	EA		3'-0" x 8' x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), Lauan Faced Wood Door.....	319.02	53.19
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	25.52	
			<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	114.83	
			<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	159.49	
			<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	255.18	
			<i>For >50 To 100, Deduct</i>	-18.61	
			<i>For >100, Deduct</i>	-26.59	
			<i>For 9' Door Height, Add</i>	44.66	
08 14 16 00-0592	EA		3'-4" x 8' x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), Lauan Faced Wood Door.....	338.24	53.19
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	27.82	
			<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	125.21	
			<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	173.90	
			<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	278.24	
			<i>For >50 To 100, Deduct</i>	-19.57	
			<i>For >100, Deduct</i>	-28.03	
			<i>For 9' Door Height, Add</i>	48.69	
08 14 16 00-0593	EA		3'-6" x 8' x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), Lauan Faced Wood Door.....	359.21	55.40
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	29.81	
			<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	134.14	
			<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	186.30	
			<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	298.08	
			<i>For >50 To 100, Deduct</i>	-20.73	
			<i>For >100, Deduct</i>	-29.71	
			<i>For 9' Door Height, Add</i>	52.16	
08 14 16 00-0594	EA		3'-8" x 8' x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), Lauan Faced Wood Door.....	371.62	55.40
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	31.30	
			<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	140.84	
			<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	195.61	
			<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	312.97	
			<i>For >50 To 100, Deduct</i>	-21.35	
			<i>For >100, Deduct</i>	-30.64	
			<i>For 9' Door Height, Add</i>	54.77	
08 14 16 00-0595	EA		4'-0" x 8' x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), Lauan Faced Wood Door.....	396.49	55.40
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	34.28	
			<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	154.27	
			<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	214.26	
			<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	342.82	
			<i>For >50 To 100, Deduct</i>	-22.59	
			<i>For >100, Deduct</i>	-32.51	
			<i>For 9' Door Height, Add</i>	59.99	
08 14 16 00-0596			Medium Density Overlay (MDO) Wood Doors (08 14 16 00-0440)		
08 14 16 00-0597	EA		2'-0" x 6'-8" x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Medium Density Overlay (MDO) Faced Wood Door.....	264.06	48.75
			<i>For Stave Lumber Core (SLC), Add</i>	124.91	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	74.95	
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	19.99	
			<i>For >50 To 100, Deduct</i>	-15.64	
			<i>For >100, Deduct</i>	-22.24	
08 14 16 00-0598	EA		2'-4" x 6'-8" x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Medium Density Overlay (MDO) Faced Wood Door.....	264.06	48.75
			<i>For Stave Lumber Core (SLC), Add</i>	124.91	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	74.95	
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	19.99	
			<i>For >50 To 100, Deduct</i>	-15.64	
			<i>For >100, Deduct</i>	-22.24	
08 14 16 00-0599	EA		2'-6" x 6'-8" x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Medium Density Overlay (MDO) Faced Wood Door.....	278.13	50.97
			<i>For Stave Lumber Core (SLC), Add</i>	132.14	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	79.29	
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	21.14	
			<i>For >50 To 100, Deduct</i>	-16.46	
			<i>For >100, Deduct</i>	-23.41	
08 14 16 00-0600	EA		2'-8" x 6'-8" x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Medium Density Overlay (MDO) Faced Wood Door.....	287.75	50.97
			<i>For Stave Lumber Core (SLC), Add</i>	139.36	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	83.61	
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	22.30	
			<i>For >50 To 100, Deduct</i>	-16.94	
			<i>For >100, Deduct</i>	-24.13	
08 14 16 00-0601	EA		2'-10" x 6'-8" x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Medium Density Overlay (MDO) Faced Wood Door.....	289.54	50.97
			<i>For Stave Lumber Core (SLC), Add</i>	140.70	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	84.42	
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	22.51	
			<i>For >50 To 100, Deduct</i>	-17.03	
			<i>For >100, Deduct</i>	-24.26	
08 14 16 00-0602	EA		3'-0" x 6'-8" x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Medium Density Overlay (MDO) Faced Wood Door.....	295.79	53.19
			<i>For Stave Lumber Core (SLC), Add</i>	142.07	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	85.24	
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	22.73	
			<i>For >50 To 100, Deduct</i>	-17.45	
			<i>For >100, Deduct</i>	-24.84	
08 14 16 00-0603	EA		3'-4" x 6'-8" x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Medium Density Overlay (MDO) Faced Wood Door.....	316.67	53.19
			<i>For Stave Lumber Core (SLC), Add</i>	157.73	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	94.64	
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	25.24	
			<i>For >50 To 100, Deduct</i>	-18.49	
			<i>For >100, Deduct</i>	-26.41	

08 Openings**08 10 Doors And Frames****08 14 Wood Doors**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 14 16 00-0604	EA		3'-6" x 6'-8" x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Medium Density Overlay (MDO) Faced Wood Door.....	359.23	55.40
			<i>For Stave Lumber Core (SLC), Add</i>	186.32	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	111.79	
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	29.81	
			<i>For >50 To 100, Deduct</i>	-20.73	
			<i>For >100, Deduct</i>	-29.71	
08 14 16 00-0605	EA		3'-8" x 6'-8" x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Medium Density Overlay (MDO) Faced Wood Door.....	371.67	55.40
			<i>For Stave Lumber Core (SLC), Add</i>	195.65	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	117.39	
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	31.30	
			<i>For >50 To 100, Deduct</i>	-21.35	
			<i>For >100, Deduct</i>	-30.65	
08 14 16 00-0606	EA		4'-0" x 6'-8" x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Medium Density Overlay (MDO) Faced Wood Door.....	396.49	55.40
			<i>For Stave Lumber Core (SLC), Add</i>	214.26	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	128.56	
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	34.28	
			<i>For >50 To 100, Deduct</i>	-22.59	
			<i>For >100, Deduct</i>	-32.51	
08 14 16 00-0607	EA		2'-0" x 7' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Medium Density Overlay (MDO) Faced Wood Door.....	273.75	48.75
			<i>For Stave Lumber Core (SLC), Add</i>	132.18	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	79.31	
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	21.15	
			<i>For >50 To 100, Deduct</i>	-16.13	
			<i>For >100, Deduct</i>	-22.97	
08 14 16 00-0608	EA		2'-4" x 7' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Medium Density Overlay (MDO) Faced Wood Door.....	273.75	48.75
			<i>For Stave Lumber Core (SLC), Add</i>	132.18	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	79.31	
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	21.15	
			<i>For >50 To 100, Deduct</i>	-16.13	
			<i>For >100, Deduct</i>	-22.97	
08 14 16 00-0609	EA		2'-6" x 7' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Medium Density Overlay (MDO) Faced Wood Door.....	288.39	50.97
			<i>For Stave Lumber Core (SLC), Add</i>	139.84	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	83.90	
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	22.37	
			<i>For >50 To 100, Deduct</i>	-16.97	
			<i>For >100, Deduct</i>	-24.18	
08 14 16 00-0610	EA		2'-8" x 7' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Medium Density Overlay (MDO) Faced Wood Door.....	298.58	50.97
			<i>For Stave Lumber Core (SLC), Add</i>	147.48	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	88.49	
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	23.60	
			<i>For >50 To 100, Deduct</i>	-17.48	
			<i>For >100, Deduct</i>	-24.94	
08 14 16 00-0611	EA		2'-10" x 7' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Medium Density Overlay (MDO) Faced Wood Door.....	300.47	50.97
			<i>For Stave Lumber Core (SLC), Add</i>	148.90	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	89.34	
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	23.82	
			<i>For >50 To 100, Deduct</i>	-17.57	
			<i>For >100, Deduct</i>	-25.08	
08 14 16 00-0612	EA		3'-0" x 7' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Medium Density Overlay (MDO) Faced Wood Door.....	306.82	53.19
			<i>For Stave Lumber Core (SLC), Add</i>	150.34	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	90.20	
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	24.05	
			<i>For >50 To 100, Deduct</i>	-18.00	
			<i>For >100, Deduct</i>	-25.67	
08 14 16 00-0613	EA		3'-4" x 7' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Medium Density Overlay (MDO) Faced Wood Door.....	328.90	53.19
			<i>For Stave Lumber Core (SLC), Add</i>	166.90	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	100.14	
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	26.70	
			<i>For >50 To 100, Deduct</i>	-19.10	
			<i>For >100, Deduct</i>	-27.33	
08 14 16 00-0614	EA		3'-6" x 7' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Medium Density Overlay (MDO) Faced Wood Door.....	373.69	55.40
			<i>For Stave Lumber Core (SLC), Add</i>	197.16	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	118.30	
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	31.55	
			<i>For >50 To 100, Deduct</i>	-21.45	
			<i>For >100, Deduct</i>	-30.80	
08 14 16 00-0615	EA		3'-8" x 7' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Medium Density Overlay (MDO) Faced Wood Door.....	386.84	55.40
			<i>For Stave Lumber Core (SLC), Add</i>	207.02	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	124.21	
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	33.12	
			<i>For >50 To 100, Deduct</i>	-22.11	
			<i>For >100, Deduct</i>	-31.78	
08 14 16 00-0616	EA		4'-0" x 7' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Medium Density Overlay (MDO) Faced Wood Door.....	413.12	55.40
			<i>For Stave Lumber Core (SLC), Add</i>	226.73	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	136.04	
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	36.28	
			<i>For >50 To 100, Deduct</i>	-23.43	
			<i>For >100, Deduct</i>	-33.75	
08 14 16 00-0617	EA		2'-0" x 8' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Medium Density Overlay (MDO) Faced Wood Door.....	308.12	48.75
			<i>For Stave Lumber Core (SLC), Add</i>	157.96	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	94.77	
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	25.27	
			<i>For >50 To 100, Deduct</i>	-17.84	
			<i>For >100, Deduct</i>	-25.55	
			<i>For 9' Door Height, Add</i>	44.23	



Openings	08	08
Doors And Frames	08 10	
Wood Doors	08 14	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 14 16 00-0618	EA		2'-4" x 8' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Medium Density Overlay (MDO) Faced Wood Door For Stave Lumber Core (SLC), Add For Structural Composite Lumber Core (SCLC), Add For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add For >50 To 100, Deduct For >100, Deduct For 9' Door Height, Add	308.12 157.96 94.77 25.27 -17.84 -25.55 44.23	48.75
08 14 16 00-0619	EA		2'-6" x 8' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Medium Density Overlay (MDO) Faced Wood Door For Stave Lumber Core (SLC), Add For Structural Composite Lumber Core (SCLC), Add For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add For >50 To 100, Deduct For >100, Deduct For 9' Door Height, Add	324.75 167.11 100.26 26.74 -18.79 -26.90 46.79	50.97
08 14 16 00-0620	EA		2'-8" x 8' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Medium Density Overlay (MDO) Faced Wood Door For Stave Lumber Core (SLC), Add For Structural Composite Lumber Core (SCLC), Add For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add For >50 To 100, Deduct For >100, Deduct For 9' Door Height, Add	336.93 176.24 105.75 28.20 -19.40 -27.82 49.35	50.97
08 14 16 00-0621	EA		2'-10" x 8' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Medium Density Overlay (MDO) Faced Wood Door For Stave Lumber Core (SLC), Add For Structural Composite Lumber Core (SCLC), Add For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add For >50 To 100, Deduct For >100, Deduct For 9' Door Height, Add	339.18 177.93 106.76 28.47 -19.51 -27.99 49.82	50.97
08 14 16 00-0622	EA		3'-0" x 8' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Medium Density Overlay (MDO) Faced Wood Door For Stave Lumber Core (SLC), Add For Structural Composite Lumber Core (SCLC), Add For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add For >50 To 100, Deduct For >100, Deduct For 9' Door Height, Add	345.92 179.66 107.80 28.75 -19.96 -28.60 50.31	53.19
08 14 16 00-0623	EA		3'-4" x 8' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Medium Density Overlay (MDO) Faced Wood Door For Stave Lumber Core (SLC), Add For Structural Composite Lumber Core (SCLC), Add For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add For >50 To 100, Deduct For >100, Deduct For 9' Door Height, Add	372.30 199.45 119.67 31.91 -21.27 -30.58 55.85	53.19
08 14 16 00-0624	EA		3'-6" x 8' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Medium Density Overlay (MDO) Faced Wood Door For Stave Lumber Core (SLC), Add For Structural Composite Lumber Core (SCLC), Add For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add For >50 To 100, Deduct For >100, Deduct For 9' Door Height, Add	424.94 235.60 141.36 37.70 -24.02 -34.64 65.97	55.40
08 14 16 00-0625	EA		3'-8" x 8' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Medium Density Overlay (MDO) Faced Wood Door For Stave Lumber Core (SLC), Add For Structural Composite Lumber Core (SCLC), Add For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add For >50 To 100, Deduct For >100, Deduct For 9' Door Height, Add	440.68 247.40 148.44 39.58 -24.80 -35.82 69.27	55.40
08 14 16 00-0626	EA		4'-0" x 8' x 1-3/4" Thick, 5 Ply, Particleboard Core (PC), Medium Density Overlay (MDO) Faced Wood Door For Stave Lumber Core (SLC), Add For Structural Composite Lumber Core (SCLC), Add For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add For >50 To 100, Deduct For >100, Deduct For 9' Door Height, Add	472.07 270.95 162.57 43.35 -26.37 -38.18 75.86	55.40
08 14 16 00-0627			Manufacturer Prefinished Options For Flush Wood Doors (08 14 16)		
08 14 16 00-0628	EA		Clear Or Colored Catalyzed Polyurethane Factory Finish For Flush Wood Door Note: Includes any standard manufacturer color on six sides. For Custom Color To Match Non Standard Manufacturer Finish, Add	42.50 14.15	
08 14 16 00-0629			Semicircular Head Door, 1-3/4" Thick, Particleboard Core (PC), Wood Doors (08 14 16)		
08 14 16 00-0630	EA		2' x 6'-9" x 1-3/4" Thick, Particleboard Core, Semicircular Head Birch Faced Wood Door.....	2,188.51	39.00
08 14 16 00-0631	EA		2'-4" x 6'-9" x 1-3/4" Thick, Particleboard Core, Semicircular Head Birch Faced Wood Door	2,188.51	121.71
08 14 16 00-0632	EA		2'-6" x 6'-9" x 1-3/4" Thick, Particleboard Core, Semicircular Head Birch Faced Wood Door	2,188.51	39.00
08 14 23			Clad Wood Doors (08 14)		
08 14 23 13			Metal-Faced Wood Doors (08 14 23) See CSI section 08 70 00 00-0000 for finish hardware.		
08 14 23 13-0001			24 Gauge Metal Clad Door, 1-3/4" Thick, Solid Staved Wood Core (08 14 23 13)		
08 14 23 13-0002	EA		2' 6" x 7' x 1-3/4" Thick, 24 Gauge Metal Clad, Solid Staved Wood Core, Flush Type Door.....	581.98	109.03

08	08	Openings
	08 10	Doors And Frames
	08 14	Wood Doors



MINOR				TOTAL DIRECT	DEMOLITION
CSI	UOM	DESCRIPTION		UNIT COST	UNIT COST
08 14 23 13-0003	EA	2' 8" x 7' x 1-3/4" Thick, 24 Gauge Metal Clad, Solid Staved Wood Core, Flush Type Door.....		621.77	119.67
08 14 23 13-0004	EA	2' 10" x 7' x 1-3/4" Thick, 24 Gauge Metal Clad, Solid Staved Wood Core, Flush Type Door.....		667.84	132.08
08 14 23 13-0005	EA	3'-0" x 7' x 1-3/4" Thick, 24 Gauge Metal Clad, Solid Staved Wood Core, Flush Type Door.....		697.87	136.51
08 14 23 13-0006	EA	3' 4" x 7' x 1-3/4" Thick, 24 Gauge Metal Clad, Solid Staved Wood Core, Flush Type Door.....		746.48	150.25
08 14 23 13-0007	EA	3' 8" x 7' x 1-3/4" Thick, Metal Clad Door, Solid Staved Wood Core, Flush Type Door.....		809.20	155.13
08 14 23 16 Plastic-Laminate-Faced Wood Doors (08 14 23)					
08 14 23 16-0001		1-3/8" Thick, 3 Ply, Particleboard Core (PC), High Pressure Decorative Laminate (HPDL) Faced Wood Doors (08 14 23 16)			
Note: PC = Particleboard, medium-density fiberboard (MDF), or agrifiber core, solid core door with stiles and rails bonded to the core and abrasive planed flat prior to the application of the faces.					
08 14 23 16-0002	EA	2'-0" x 6'-8" x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), High Pressure Decorative Laminate (HPDL) Faced Wood Door.....		197.39	48.75
		For Structural Composite Lumber Core (SCLC), Add		44.95	
		For 5 Ply Construction, Add		3.50	
		For >50 To 100, Deduct		-12.31	
		For >100, Deduct		-17.24	
08 14 23 16-0003	EA	2'-4" x 6'-8" x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), High Pressure Decorative Laminate (HPDL) Faced Wood Door.....		197.39	48.75
		For Structural Composite Lumber Core (SCLC), Add		44.95	
		For 5 Ply Construction, Add		3.50	
		For >50 To 100, Deduct		-12.31	
		For >100, Deduct		-17.24	
08 14 23 16-0004	EA	2'-6" x 6'-8" x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), High Pressure Decorative Laminate (HPDL) Faced Wood Door.....		207.31	50.97
		For Structural Composite Lumber Core (SCLC), Add		47.42	
		For 5 Ply Construction, Add		3.69	
		For >50 To 100, Deduct		-12.91	
		For >100, Deduct		-18.10	
08 14 23 16-0005	EA	2'-8" x 6'-8" x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), High Pressure Decorative Laminate (HPDL) Faced Wood Door.....		212.80	50.97
		For Structural Composite Lumber Core (SCLC), Add		49.89	
		For 5 Ply Construction, Add		3.88	
		For >50 To 100, Deduct		-13.19	
		For >100, Deduct		-18.51	
08 14 23 16-0006	EA	2'-10" x 6'-8" x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), High Pressure Decorative Laminate (HPDL) Faced Wood Door.....		215.58	50.97
		For Structural Composite Lumber Core (SCLC), Add		51.14	
		For 5 Ply Construction, Add		3.98	
		For >50 To 100, Deduct		-13.33	
		For >100, Deduct		-18.72	
08 14 23 16-0007	EA	3'-0" x 6'-8" x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), High Pressure Decorative Laminate (HPDL) Faced Wood Door.....		222.76	53.19
		For Structural Composite Lumber Core (SCLC), Add		52.38	
		For 5 Ply Construction, Add		4.07	
		For >50 To 100, Deduct		-13.80	
		For >100, Deduct		-19.37	
08 14 23 16-0008	EA	3'-4" x 6'-8" x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), High Pressure Decorative Laminate (HPDL) Faced Wood Door.....		235.56	53.19
		For Structural Composite Lumber Core (SCLC), Add		58.14	
		For 5 Ply Construction, Add		4.52	
		For >50 To 100, Deduct		-14.44	
		For >100, Deduct		-20.33	
08 14 23 16-0009	EA	3'-6" x 6'-8" x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), High Pressure Decorative Laminate (HPDL) Faced Wood Door.....		248.27	55.40
		For Structural Composite Lumber Core (SCLC), Add		61.86	
		For 5 Ply Construction, Add		4.81	
		For >50 To 100, Deduct		-15.18	
		For >100, Deduct		-21.39	
08 14 23 16-0010	EA	2'-0" x 7' x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), High Pressure Decorative Laminate (HPDL) Faced Wood Door.....		203.20	48.75
		For Structural Composite Lumber Core (SCLC), Add		47.56	
		For 5 Ply Construction, Add		3.70	
		For >50 To 100, Deduct		-12.60	
		For >100, Deduct		-17.68	
08 14 23 16-0011	EA	2'-4" x 7' x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), High Pressure Decorative Laminate (HPDL) Faced Wood Door.....		203.20	48.75
		For Structural Composite Lumber Core (SCLC), Add		47.56	
		For 5 Ply Construction, Add		3.70	
		For >50 To 100, Deduct		-12.60	
		For >100, Deduct		-17.68	
08 14 23 16-0012	EA	2'-6" x 7' x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), High Pressure Decorative Laminate (HPDL) Faced Wood Door.....		213.44	50.97
		For Structural Composite Lumber Core (SCLC), Add		50.18	
		For 5 Ply Construction, Add		3.90	
		For >50 To 100, Deduct		-13.22	
		For >100, Deduct		-18.56	
08 14 23 16-0013	EA	2'-8" x 7' x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), High Pressure Decorative Laminate (HPDL) Faced Wood Door.....		219.25	50.97
		For Structural Composite Lumber Core (SCLC), Add		52.79	
		For 5 Ply Construction, Add		4.11	
		For >50 To 100, Deduct		-13.51	
		For >100, Deduct		-18.99	



Openings	08	08
Doors And Frames	08 10	
Wood Doors	08 14	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 14 23 16-0014	EA		2'-10" x 7' x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), High Pressure Decorative Laminate (HPDL) Faced Wood Door For Structural Composite Lumber Core (SCLC), Add For 5 Ply Construction, Add For >50 To 100, Deduct For >100, Deduct	222.18 54.11 4.21 -13.66 -19.21	50.97
08 14 23 16-0015	EA		3'-0" x 7' x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), High Pressure Decorative Laminate (HPDL) Faced Wood Door For Structural Composite Lumber Core (SCLC), Add For 5 Ply Construction, Add For >50 To 100, Deduct For >100, Deduct	229.53 55.42 4.31 -14.14 -19.87	53.19
08 14 23 16-0016	EA		3'-4" x 7' x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), High Pressure Decorative Laminate (HPDL) Faced Wood Door For Structural Composite Lumber Core (SCLC), Add For 5 Ply Construction, Add For >50 To 100, Deduct For >100, Deduct	243.08 61.52 4.78 -14.81 -20.89	53.19
08 14 23 16-0017	EA		3'-6" x 7' x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), High Pressure Decorative Laminate (HPDL) Faced Wood Door For Structural Composite Lumber Core (SCLC), Add For 5 Ply Construction, Add For >50 To 100, Deduct For >100, Deduct	256.27 65.46 5.09 -15.58 -21.99	55.40
08 14 23 16-0018	EA		2'-0" x 8' x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), High Pressure Decorative Laminate (HPDL) Faced Wood Door For Structural Composite Lumber Core (SCLC), Add For 5 Ply Construction, Add For >50 To 100, Deduct For >100, Deduct	223.81 56.84 4.42 -13.63 -19.22	48.75
08 14 23 16-0019	EA		2'-4" x 8' x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), High Pressure Decorative Laminate (HPDL) Faced Wood Door For Structural Composite Lumber Core (SCLC), Add For 5 Ply Construction, Add For >50 To 100, Deduct For >100, Deduct	223.81 56.84 4.42 -13.63 -19.22	48.75
08 14 23 16-0020	EA		2'-6" x 8' x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), High Pressure Decorative Laminate (HPDL) Faced Wood Door For Structural Composite Lumber Core (SCLC), Add For 5 Ply Construction, Add For >50 To 100, Deduct For >100, Deduct	235.19 59.96 4.66 -14.31 -20.19	50.97
08 14 23 16-0021	EA		2'-8" x 8' x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), High Pressure Decorative Laminate (HPDL) Faced Wood Door For Structural Composite Lumber Core (SCLC), Add For 5 Ply Construction, Add For >50 To 100, Deduct For >100, Deduct	242.13 63.09 4.91 -14.66 -20.71	50.97
08 14 23 16-0022	EA		2'-10" x 8' x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), High Pressure Decorative Laminate (HPDL) Faced Wood Door For Structural Composite Lumber Core (SCLC), Add For 5 Ply Construction, Add For >50 To 100, Deduct For >100, Deduct	245.63 64.66 5.03 -14.83 -20.97	50.97
08 14 23 16-0023	EA		3'-0" x 8' x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), High Pressure Decorative Laminate (HPDL) Faced Wood Door For Structural Composite Lumber Core (SCLC), Add For 5 Ply Construction, Add For >50 To 100, Deduct For >100, Deduct	253.55 66.23 5.15 -15.34 -21.68	53.19
08 14 23 16-0024	EA		3'-4" x 8' x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), High Pressure Decorative Laminate (HPDL) Faced Wood Door For Structural Composite Lumber Core (SCLC), Add For 5 Ply Construction, Add For >50 To 100, Deduct For >100, Deduct	269.73 73.51 5.72 -16.15 -22.89	53.19
08 14 23 16-0025	EA		3'-6" x 8' x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), High Pressure Decorative Laminate (HPDL) Faced Wood Door For Structural Composite Lumber Core (SCLC), Add For 5 Ply Construction, Add For >50 To 100, Deduct For >100, Deduct	284.63 78.22 6.08 -17.00 -24.12	55.40
08 14 23 16-0026			1-3/4" Thick, 3 Ply, Particleboard Core (PC), High Pressure Decorative Laminate (HPDL) Faced Wood Doors <small>(08 14 23 16)</small> Note: PC = Particleboard, medium-density fiberboard (MDF), or agrifiber core, solid core door with stiles and rails bonded to the core and abrasive planed flat prior to the application of the faces.		

08 Openings**08 10 Doors And Frames****08 14 Wood Doors**
 MINOR
 CSI UOM DESCRIPTION

 TOTAL DIRECT DEMOLITION
 UNIT COST UNIT COST

08 14 23 16-0027	EA	2'-0" x 6'-8" x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), High Pressure Decorative Laminate (HPDL) Faced Wood Door.....	267.67	48.75
		<i>For 5 Ply Construction, Add</i>	5.96	
		<i>For Stave Lumber Core (SLC), Add</i>	127.62	
		<i>For Structural Composite Lumber Core (SCLC), Add</i>	76.57	
		<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	20.42	
		<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	91.89	
		<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	127.62	
		<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	204.19	
		<i>For >50 To 100, Deduct</i>	-15.82	
		<i>For >100, Deduct</i>	-22.51	
08 14 23 16-0028	EA	2'-4" x 6'-8" x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), High Pressure Decorative Laminate (HPDL) Faced Wood Door.....	267.66	48.75
		<i>For 5 Ply Construction, Add</i>	5.96	
		<i>For Stave Lumber Core (SLC), Add</i>	127.61	
		<i>For Structural Composite Lumber Core (SCLC), Add</i>	76.57	
		<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	20.42	
		<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	91.88	
		<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	127.61	
		<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	204.18	
		<i>For >50 To 100, Deduct</i>	-15.82	
		<i>For >100, Deduct</i>	-22.51	
08 14 23 16-0029	EA	2'-4" x 6'-8" x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), High Pressure Decorative Laminate (HPDL) Faced Wood Door.....	277.41	50.97
		<i>For 5 Ply Construction, Add</i>	6.14	
		<i>For Stave Lumber Core (SLC), Add</i>	131.60	
		<i>For Structural Composite Lumber Core (SCLC), Add</i>	78.96	
		<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	21.06	
		<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	94.75	
		<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	131.60	
		<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	210.56	
		<i>For >50 To 100, Deduct</i>	-16.42	
		<i>For >100, Deduct</i>	-23.35	
08 14 23 16-0030	EA	2'-8" x 6'-8" x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), High Pressure Decorative Laminate (HPDL) Faced Wood Door.....	277.41	50.97
		<i>For 5 Ply Construction, Add</i>	6.14	
		<i>For Stave Lumber Core (SLC), Add</i>	131.60	
		<i>For Structural Composite Lumber Core (SCLC), Add</i>	78.96	
		<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	21.06	
		<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	94.75	
		<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	131.60	
		<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	210.56	
		<i>For >50 To 100, Deduct</i>	-16.42	
		<i>For >100, Deduct</i>	-23.35	
08 14 23 16-0031	EA	2'-10" x 6'-8" x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), High Pressure Decorative Laminate (HPDL) Faced Wood Door.....	287.95	50.97
		<i>For 5 Ply Construction, Add</i>	6.51	
		<i>For Stave Lumber Core (SLC), Add</i>	139.51	
		<i>For Structural Composite Lumber Core (SCLC), Add</i>	83.70	
		<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	22.32	
		<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	100.45	
		<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	139.51	
		<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	223.21	
		<i>For >50 To 100, Deduct</i>	-16.95	
		<i>For >100, Deduct</i>	-24.14	
08 14 23 16-0032	EA	3'-0" x 6'-8" x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), High Pressure Decorative Laminate (HPDL) Faced Wood Door.....	302.92	53.19
		<i>For 5 Ply Construction, Add</i>	6.88	
		<i>For Stave Lumber Core (SLC), Add</i>	147.41	
		<i>For Structural Composite Lumber Core (SCLC), Add</i>	88.45	
		<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	23.59	
		<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	106.14	
		<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	147.41	
		<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	235.86	
		<i>For >50 To 100, Deduct</i>	-17.81	
		<i>For >100, Deduct</i>	-25.38	
08 14 23 16-0033	EA	3'-4" x 6'-8" x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), High Pressure Decorative Laminate (HPDL) Faced Wood Door.....	313.69	53.19
		<i>For 5 Ply Construction, Add</i>	7.26	
		<i>For Stave Lumber Core (SLC), Add</i>	155.49	
		<i>For Structural Composite Lumber Core (SCLC), Add</i>	93.29	
		<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	24.88	
		<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	111.95	
		<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	155.49	
		<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	248.78	
		<i>For >50 To 100, Deduct</i>	-18.34	
		<i>For >100, Deduct</i>	-26.19	



Openings	08	08
Doors And Frames	08 10	
Wood Doors	08 14	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 14 23 16-0034 EA 3'-6" x 6'-8" x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), High Pressure Decorative Laminate (HPDL) Faced Wood Door.....	323.51	55.40
For 5 Ply Construction, Add	7.44	
For Stave Lumber Core (SLC), Add	159.53	
For Structural Composite Lumber Core (SCLC), Add	95.72	
For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add	25.52	
For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add	114.86	
For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add	159.53	
For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add	255.24	
For >50 To 100, Deduct	-18.95	
For >100, Deduct	-27.03	
08 14 23 16-0035 EA 3'-8" x 6'-8" x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), High Pressure Decorative Laminate (HPDL) Faced Wood Door.....	334.14	55.40
For 5 Ply Construction, Add	7.82	
For Stave Lumber Core (SLC), Add	167.50	
For Structural Composite Lumber Core (SCLC), Add	100.50	
For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add	26.80	
For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add	120.60	
For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add	167.50	
For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add	268.00	
For >50 To 100, Deduct	-19.48	
For >100, Deduct	-27.83	
08 14 23 16-0036 EA 4'-0" x 6'-8" x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), High Pressure Decorative Laminate (HPDL) Faced Wood Door.....	364.27	59.84
For 5 Ply Construction, Add	8.56	
For Stave Lumber Core (SLC), Add	183.45	
For Structural Composite Lumber Core (SCLC), Add	110.07	
For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add	29.35	
For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add	132.08	
For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add	183.45	
For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add	293.52	
For >50 To 100, Deduct	-21.21	
For >100, Deduct	-30.31	
08 14 23 16-0037 EA 2'-0" x 7' x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), High Pressure Decorative Laminate (HPDL) Faced Wood Door.....	277.57	48.75
For 5 Ply Construction, Add	6.30	
For Stave Lumber Core (SLC), Add	135.05	
For Structural Composite Lumber Core (SCLC), Add	81.03	
For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add	21.61	
For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add	97.23	
For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add	135.05	
For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add	216.07	
For >50 To 100, Deduct	-16.32	
For >100, Deduct	-23.26	
08 14 23 16-0038 EA 2'-4" x 7' x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), High Pressure Decorative Laminate (HPDL) Faced Wood Door.....	277.56	48.75
For 5 Ply Construction, Add	6.30	
For Stave Lumber Core (SLC), Add	135.04	
For Structural Composite Lumber Core (SCLC), Add	81.02	
For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add	21.61	
For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add	97.23	
For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add	135.04	
For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add	216.06	
For >50 To 100, Deduct	-16.32	
For >100, Deduct	-23.25	
08 14 23 16-0039 EA 2'-6" x 7' x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), High Pressure Decorative Laminate (HPDL) Faced Wood Door.....	287.63	50.97
For 5 Ply Construction, Add	6.50	
For Stave Lumber Core (SLC), Add	139.27	
For Structural Composite Lumber Core (SCLC), Add	83.56	
For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add	22.28	
For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add	100.27	
For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add	139.27	
For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add	222.83	
For >50 To 100, Deduct	-16.93	
For >100, Deduct	-24.12	
08 14 23 16-0040 EA 2'-8" x 7' x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), High Pressure Decorative Laminate (HPDL) Faced Wood Door.....	287.63	50.97
For 5 Ply Construction, Add	6.50	
For Stave Lumber Core (SLC), Add	139.27	
For Structural Composite Lumber Core (SCLC), Add	83.56	
For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add	22.28	
For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add	100.27	
For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add	139.27	
For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add	222.83	
For >50 To 100, Deduct	-16.93	
For >100, Deduct	-24.12	

08 Openings**08 10 Doors And Frames****08 14 Wood Doors**
 MINOR
 CSI UOM DESCRIPTION

 TOTAL DIRECT DEMOLITION
 UNIT COST UNIT COST

08 14 23 16-0041	EA	2'-10" x 7' x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), High Pressure Decorative Laminate (HPDL) Faced Wood Door.....	298.78	50.97
		<i>For 5 Ply Construction, Add</i>	6.89	
		<i>For Stave Lumber Core (SLC), Add</i>	147.63	
		<i>For Structural Composite Lumber Core (SCLC), Add</i>	88.58	
		<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	23.62	
		<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	106.29	
		<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	147.63	
		<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	236.21	
		<i>For >50 To 100, Deduct</i>	-17.49	
		<i>For >100, Deduct</i>	-24.96	
08 14 23 16-0042	EA	3'-0" x 7' x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), High Pressure Decorative Laminate (HPDL) Faced Wood Door.....	314.36	53.19
		<i>For 5 Ply Construction, Add</i>	7.28	
		<i>For Stave Lumber Core (SLC), Add</i>	155.99	
		<i>For Structural Composite Lumber Core (SCLC), Add</i>	93.60	
		<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	24.96	
		<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	112.31	
		<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	155.99	
		<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	249.59	
		<i>For >50 To 100, Deduct</i>	-18.38	
		<i>For >100, Deduct</i>	-26.24	
08 14 23 16-0043	EA	3'-4" x 7' x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), High Pressure Decorative Laminate (HPDL) Faced Wood Door.....	325.75	53.19
		<i>For 5 Ply Construction, Add</i>	7.68	
		<i>For Stave Lumber Core (SLC), Add</i>	164.54	
		<i>For Structural Composite Lumber Core (SCLC), Add</i>	98.72	
		<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	26.33	
		<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	118.47	
		<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	164.54	
		<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	263.26	
		<i>For >50 To 100, Deduct</i>	-18.95	
		<i>For >100, Deduct</i>	-27.09	
08 14 23 16-0044	EA	3'-6" x 7' x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), High Pressure Decorative Laminate (HPDL) Faced Wood Door.....	335.89	55.40
		<i>For 5 Ply Construction, Add</i>	7.88	
		<i>For Stave Lumber Core (SLC), Add</i>	168.81	
		<i>For Structural Composite Lumber Core (SCLC), Add</i>	101.29	
		<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	27.01	
		<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	121.54	
		<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	168.81	
		<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	270.10	
		<i>For >50 To 100, Deduct</i>	-19.56	
		<i>For >100, Deduct</i>	-27.96	
08 14 23 16-0045	EA	3'-8" x 7' x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), High Pressure Decorative Laminate (HPDL) Faced Wood Door.....	347.14	55.40
		<i>For 5 Ply Construction, Add</i>	8.27	
		<i>For Stave Lumber Core (SLC), Add</i>	177.25	
		<i>For Structural Composite Lumber Core (SCLC), Add</i>	106.35	
		<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	28.36	
		<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	127.62	
		<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	177.25	
		<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	283.60	
		<i>For >50 To 100, Deduct</i>	-20.13	
		<i>For >100, Deduct</i>	-28.81	
08 14 23 16-0046	EA	4'-0" x 7' x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), High Pressure Decorative Laminate (HPDL) Faced Wood Door.....	378.51	59.84
		<i>For 5 Ply Construction, Add</i>	9.06	
		<i>For Stave Lumber Core (SLC), Add</i>	194.13	
		<i>For Structural Composite Lumber Core (SCLC), Add</i>	116.48	
		<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	31.06	
		<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	139.77	
		<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	194.13	
		<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	310.61	
		<i>For >50 To 100, Deduct</i>	-21.92	
		<i>For >100, Deduct</i>	-31.38	
08 14 23 16-0047	EA	2'-0" x 8' x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), High Pressure Decorative Laminate (HPDL) Faced Wood Door.....	312.69	48.75
		<i>For 5 Ply Construction, Add</i>	7.53	
		<i>For Stave Lumber Core (SLC), Add</i>	161.39	
		<i>For Structural Composite Lumber Core (SCLC), Add</i>	96.83	
		<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	25.82	
		<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	116.20	
		<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	161.39	
		<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	258.22	
		<i>For >50 To 100, Deduct</i>	-18.07	
		<i>For >100, Deduct</i>	-25.89	



Openings	08	08
Doors And Frames	08 10	
Wood Doors	08 14	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 14 23 16-0048 EA 2'-4" x 8' x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), High Pressure Decorative Laminate (HPDL) Faced Wood Door.....	312.68	48.75
For 5 Ply Construction, Add	7.53	
For Stave Lumber Core (SLC), Add	161.38	
For Structural Composite Lumber Core (SCLC), Add	96.83	
For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add	25.82	
For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add	116.19	
For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add	161.38	
For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add	258.20	
For >50 To 100, Deduct	-18.07	
For >100, Deduct	-25.89	
08 14 23 16-0049 EA 2'-6" x 8' x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), High Pressure Decorative Laminate (HPDL) Faced Wood Door.....	323.84	50.97
For 5 Ply Construction, Add	7.77	
For Stave Lumber Core (SLC), Add	166.43	
For Structural Composite Lumber Core (SCLC), Add	99.86	
For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add	26.63	
For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add	119.83	
For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add	166.43	
For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add	266.28	
For >50 To 100, Deduct	-18.74	
For >100, Deduct	-26.84	
08 14 23 16-0050 EA 2'-8" x 8' x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), High Pressure Decorative Laminate (HPDL) Faced Wood Door.....	323.84	50.97
For 5 Ply Construction, Add	7.77	
For Stave Lumber Core (SLC), Add	166.43	
For Structural Composite Lumber Core (SCLC), Add	99.86	
For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add	26.63	
For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add	119.83	
For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add	166.43	
For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add	266.28	
For >50 To 100, Deduct	-18.74	
For >100, Deduct	-26.84	
08 14 23 16-0051 EA 2'-10" x 8' x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), High Pressure Decorative Laminate (HPDL) Faced Wood Door.....	337.16	50.97
For 5 Ply Construction, Add	8.23	
For Stave Lumber Core (SLC), Add	176.42	
For Structural Composite Lumber Core (SCLC), Add	105.85	
For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add	28.23	
For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add	127.02	
For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add	176.42	
For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add	282.26	
For >50 To 100, Deduct	-19.41	
For >100, Deduct	-27.84	
08 14 23 16-0052 EA 3'-0" x 8' x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), High Pressure Decorative Laminate (HPDL) Faced Wood Door.....	354.92	53.19
For 5 Ply Construction, Add	8.70	
For Stave Lumber Core (SLC), Add	186.41	
For Structural Composite Lumber Core (SCLC), Add	111.85	
For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add	29.83	
For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add	134.22	
For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add	186.41	
For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add	298.26	
For >50 To 100, Deduct	-20.41	
For >100, Deduct	-29.28	
08 14 23 16-0053 EA 3'-4" x 8' x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), High Pressure Decorative Laminate (HPDL) Faced Wood Door.....	368.53	53.19
For 5 Ply Construction, Add	9.18	
For Stave Lumber Core (SLC), Add	196.62	
For Structural Composite Lumber Core (SCLC), Add	117.97	
For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add	31.46	
For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add	141.57	
For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add	196.62	
For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add	314.59	
For >50 To 100, Deduct	-21.09	
For >100, Deduct	-30.30	
08 14 23 16-0054 EA 3'-6" x 8' x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), High Pressure Decorative Laminate (HPDL) Faced Wood Door.....	379.77	55.40
For 5 Ply Construction, Add	9.41	
For Stave Lumber Core (SLC), Add	201.72	
For Structural Composite Lumber Core (SCLC), Add	121.03	
For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add	32.28	
For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add	145.24	
For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add	201.72	
For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add	322.75	
For >50 To 100, Deduct	-21.76	
For >100, Deduct	-31.25	

08	08	Openings
	08 10	Doors And Frames
	08 14	Wood Doors



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 14 23 16-0055	EA		3'-8" x 8' x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), High Pressure Decorative Laminate (HPDL) Faced Wood Door	393.22	55.40
			<i>For 5 Ply Construction, Add</i>	9.88	
			<i>For Stave Lumber Core (SLC), Add</i>	211.81	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	127.08	
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	33.89	
			<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	152.50	
			<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	211.81	
			<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	338.89	
			<i>For >50 To 100, Deduct</i>	-22.43	
			<i>For >100, Deduct</i>	-32.26	
08 14 23 16-0056	EA		4'-0" x 8' x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), High Pressure Decorative Laminate (HPDL) Faced Wood Door	428.98	59.84
			<i>For 5 Ply Construction, Add</i>	10.83	
			<i>For Stave Lumber Core (SLC), Add</i>	231.98	
			<i>For Structural Composite Lumber Core (SCLC), Add</i>	139.19	
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	37.12	
			<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	167.03	
			<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	231.98	
			<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	371.17	
			<i>For >50 To 100, Deduct</i>	-24.44	
			<i>For >100, Deduct</i>	-35.17	

08 14 23 19 Molded-Hardboard-Faced Wood Doors (08 14 23)

08 14 23 19-0001 1-3/8" Thick, Hollow Core (HC), High Density Fiberboard/Hardboard (HDF) Faced Wood Doors (08 14 23 19)

08 14 23 19-0002	EA		2'-0" x 6'-8" x 1-3/8" Thick, 3 Ply, Hollow Core (HC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door	192.57	48.75
			<i>For >50 To 100, Deduct</i>	-12.07	
			<i>For >100, Deduct</i>	-16.88	
08 14 23 19-0003	EA		2'-4" x 6'-8" x 1-3/8" Thick, 3 Ply, Hollow Core (HC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door	192.57	48.75
			<i>For >50 To 100, Deduct</i>	-12.07	
			<i>For >100, Deduct</i>	-16.88	
08 14 23 19-0004	EA		2'-6" x 6'-8" x 1-3/8" Thick, 3 Ply, Hollow Core (HC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door	203.93	50.97
			<i>For >50 To 100, Deduct</i>	-12.75	
			<i>For >100, Deduct</i>	-17.84	
08 14 23 19-0005	EA		2'-8" x 6'-8" x 1-3/8" Thick, 3 Ply, Hollow Core (HC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door	207.23	50.97
			<i>For >50 To 100, Deduct</i>	-12.91	
			<i>For >100, Deduct</i>	-18.09	
08 14 23 19-0006	EA		2'-10" x 6'-8" x 1-3/8" Thick, 3 Ply, Hollow Core (HC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door	210.51	50.97
			<i>For >50 To 100, Deduct</i>	-13.07	
			<i>For >100, Deduct</i>	-18.34	
08 14 23 19-0007	EA		3'-0" x 6'-8" x 1-3/8" Thick, 3 Ply, Hollow Core (HC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door	218.24	53.19
			<i>For >50 To 100, Deduct</i>	-13.57	
			<i>For >100, Deduct</i>	-19.03	
08 14 23 19-0008	EA		3'-4" x 6'-8" x 1-3/8" Thick, 3 Ply, Hollow Core (HC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door	230.52	53.19
			<i>For >50 To 100, Deduct</i>	-14.19	
			<i>For >100, Deduct</i>	-19.95	
08 14 23 19-0009	EA		3'-6" x 6'-8" x 1-3/8" Thick, 3 Ply, Hollow Core (HC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door	242.92	55.40
			<i>For >50 To 100, Deduct</i>	-14.92	
			<i>For >100, Deduct</i>	-20.99	
08 14 23 19-0010	EA		2'-0" x 7' x 1-3/8" Thick, 3 Ply, Hollow Core (HC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door	198.09	48.75
			<i>For >50 To 100, Deduct</i>	-12.34	
			<i>For >100, Deduct</i>	-17.29	
08 14 23 19-0011	EA		2'-4" x 7' x 1-3/8" Thick, 3 Ply, Hollow Core (HC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door	198.09	48.75
			<i>For >50 To 100, Deduct</i>	-12.34	
			<i>For >100, Deduct</i>	-17.29	
08 14 23 19-0012	EA		2'-6" x 7' x 1-3/8" Thick, 3 Ply, Hollow Core (HC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door	209.87	50.97
			<i>For >50 To 100, Deduct</i>	-13.04	
			<i>For >100, Deduct</i>	-18.29	
08 14 23 19-0013	EA		2'-8" x 7' x 1-3/8" Thick, 3 Ply, Hollow Core (HC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door	213.35	50.97
			<i>For >50 To 100, Deduct</i>	-13.22	
			<i>For >100, Deduct</i>	-18.55	
08 14 23 19-0014	EA		2'-10" x 7' x 1-3/8" Thick, 3 Ply, Hollow Core (HC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door	216.83	50.97
			<i>For >50 To 100, Deduct</i>	-13.39	
			<i>For >100, Deduct</i>	-18.81	
08 14 23 19-0015	EA		3'-0" x 7' x 1-3/8" Thick, 3 Ply, Hollow Core (HC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door	224.74	53.19
			<i>For >50 To 100, Deduct</i>	-13.90	
			<i>For >100, Deduct</i>	-19.51	
08 14 23 19-0016	EA		3'-4" x 7' x 1-3/8" Thick, 3 Ply, Hollow Core (HC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door	237.73	53.19
			<i>For >50 To 100, Deduct</i>	-14.55	
			<i>For >100, Deduct</i>	-20.49	
08 14 23 19-0017	EA		3'-6" x 7' x 1-3/8" Thick, 3 Ply, Hollow Core (HC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door	250.59	55.40
			<i>For >50 To 100, Deduct</i>	-15.30	
			<i>For >100, Deduct</i>	-21.56	
08 14 23 19-0018	EA		2'-0" x 8' x 1-3/8" Thick, 3 Ply, Hollow Core (HC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door	217.72	48.75
			<i>For >50 To 100, Deduct</i>	-13.32	
			<i>For >100, Deduct</i>	-18.77	
08 14 23 19-0019	EA		2'-4" x 8' x 1-3/8" Thick, 3 Ply, Hollow Core (HC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door	217.72	48.75
			<i>For >50 To 100, Deduct</i>	-13.32	
			<i>For >100, Deduct</i>	-18.77	
08 14 23 19-0020	EA		2'-6" x 8' x 1-3/8" Thick, 3 Ply, Hollow Core (HC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door	230.92	50.97
			<i>For >50 To 100, Deduct</i>	-14.09	
			<i>For >100, Deduct</i>	-19.87	



Openings	08
Doors And Frames	08 10
Wood Doors	08 14

08

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 14 23 19-0021	EA		2'-8" x 8' x 1-3/8" Thick, 3 Ply, Hollow Core (HC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	235.07	50.97
			<i>For >50 To 100, Deduct</i>	-14.30	
			<i>For >100, Deduct</i>	-20.18	
08 14 23 19-0022	EA		2'-10" x 8' x 1-3/8" Thick, 3 Ply, Hollow Core (HC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	239.24	50.97
			<i>For >50 To 100, Deduct</i>	-14.51	
			<i>For >100, Deduct</i>	-20.49	
08 14 23 19-0023	EA		3'-0" x 8' x 1-3/8" Thick, 3 Ply, Hollow Core (HC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	247.81	53.19
			<i>For >50 To 100, Deduct</i>	-15.05	
			<i>For >100, Deduct</i>	-21.25	
08 14 23 19-0024	EA		3'-4" x 8' x 1-3/8" Thick, 3 Ply, Hollow Core (HC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	263.35	53.19
			<i>For >50 To 100, Deduct</i>	-15.83	
			<i>For >100, Deduct</i>	-22.41	
08 14 23 19-0025	EA		3'-6" x 8' x 1-3/8" Thick, 3 Ply, Hollow Core (HC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	277.84	55.40
			<i>For >50 To 100, Deduct</i>	-16.66	
			<i>For >100, Deduct</i>	-23.61	
08 14 23 19-0026			1-3/4" Thick, Hollow Core (HC), High Density Fiberboard/Hardboard (HDF)		
			Faced Wood Doors <small>(08 14 23 19)</small>		
08 14 23 19-0027	EA		2'-0" x 6'-8" x 1-3/4" Thick, 3 Ply, Hollow Core (HC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	215.95	48.75
			<i>For >50 To 100, Deduct</i>	-13.24	
			<i>For >100, Deduct</i>	-18.63	
08 14 23 19-0028	EA		2'-4" x 6'-8" x 1-3/4" Thick, 3 Ply, Hollow Core (HC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	215.95	48.75
			<i>For >50 To 100, Deduct</i>	-13.24	
			<i>For >100, Deduct</i>	-18.63	
08 14 23 19-0029	EA		2'-6" x 6'-8" x 1-3/4" Thick, 3 Ply, Hollow Core (HC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	223.66	50.97
			<i>For >50 To 100, Deduct</i>	-13.73	
			<i>For >100, Deduct</i>	-19.32	
08 14 23 19-0030	EA		2'-8" x 6'-8" x 1-3/4" Thick, 3 Ply, Hollow Core (HC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	230.26	50.97
			<i>For >50 To 100, Deduct</i>	-14.06	
			<i>For >100, Deduct</i>	-19.82	
08 14 23 19-0031	EA		2'-10" x 6'-8" x 1-3/4" Thick, 3 Ply, Hollow Core (HC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	233.56	50.97
			<i>For >50 To 100, Deduct</i>	-14.23	
			<i>For >100, Deduct</i>	-20.07	
08 14 23 19-0032	EA		3'-0" x 6'-8" x 1-3/4" Thick, 3 Ply, Hollow Core (HC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	241.24	53.19
			<i>For >50 To 100, Deduct</i>	-14.72	
			<i>For >100, Deduct</i>	-20.75	
08 14 23 19-0033	EA		3'-4" x 6'-8" x 1-3/4" Thick, 3 Ply, Hollow Core (HC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	248.76	53.19
			<i>For >50 To 100, Deduct</i>	-15.10	
			<i>For >100, Deduct</i>	-21.32	
08 14 23 19-0034	EA		3'-6" x 6'-8" x 1-3/4" Thick, 3 Ply, Hollow Core (HC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	277.66	55.40
			<i>For >50 To 100, Deduct</i>	-16.65	
			<i>For >100, Deduct</i>	-23.59	
08 14 23 19-0035	EA		3'-8" x 6'-8" x 1-3/4" Thick, 3 Ply, Hollow Core (HC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	286.00	55.40
			<i>For >50 To 100, Deduct</i>	-17.07	
			<i>For >100, Deduct</i>	-24.22	
08 14 23 19-0036	EA		4'-0" x 6'-8" x 1-3/4" Thick, 3 Ply, Hollow Core (HC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	302.71	55.40
			<i>For >50 To 100, Deduct</i>	-17.91	
			<i>For >100, Deduct</i>	-25.47	
08 14 23 19-0037	EA		2'-0" x 7' x 1-3/4" Thick, 3 Ply, Hollow Core (HC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	222.84	48.75
			<i>For >50 To 100, Deduct</i>	-13.58	
			<i>For >100, Deduct</i>	-19.15	
08 14 23 19-0038	EA		2'-4" x 7' x 1-3/4" Thick, 3 Ply, Hollow Core (HC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	222.84	48.75
			<i>For >50 To 100, Deduct</i>	-13.58	
			<i>For >100, Deduct</i>	-19.15	
08 14 23 19-0039	EA		2'-6" x 7' x 1-3/4" Thick, 3 Ply, Hollow Core (HC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	230.74	50.97
			<i>For >50 To 100, Deduct</i>	-14.09	
			<i>For >100, Deduct</i>	-19.85	
08 14 23 19-0040	EA		2'-8" x 7' x 1-3/4" Thick, 3 Ply, Hollow Core (HC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	237.73	50.97
			<i>For >50 To 100, Deduct</i>	-14.44	
			<i>For >100, Deduct</i>	-20.38	
08 14 23 19-0041	EA		2'-10" x 7' x 1-3/4" Thick, 3 Ply, Hollow Core (HC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	241.21	50.97
			<i>For >50 To 100, Deduct</i>	-14.61	
			<i>For >100, Deduct</i>	-20.64	
08 14 23 19-0042	EA		3'-0" x 7' x 1-3/4" Thick, 3 Ply, Hollow Core (HC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	249.09	53.19
			<i>For >50 To 100, Deduct</i>	-15.11	
			<i>For >100, Deduct</i>	-21.34	
08 14 23 19-0043	EA		3'-4" x 7' x 1-3/4" Thick, 3 Ply, Hollow Core (HC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	257.05	53.19
			<i>For >50 To 100, Deduct</i>	-15.51	
			<i>For >100, Deduct</i>	-21.94	
08 14 23 19-0044	EA		3'-6" x 7' x 1-3/4" Thick, 3 Ply, Hollow Core (HC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	287.39	55.40
			<i>For >50 To 100, Deduct</i>	-17.14	
			<i>For >100, Deduct</i>	-24.32	
08 14 23 19-0045	EA		3'-8" x 7' x 1-3/4" Thick, 3 Ply, Hollow Core (HC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	296.21	55.40
			<i>For >50 To 100, Deduct</i>	-17.58	
			<i>For >100, Deduct</i>	-24.99	
08 14 23 19-0046	EA		4'-0" x 7' x 1-3/4" Thick, 3 Ply, Hollow Core (HC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	313.87	55.40
			<i>For >50 To 100, Deduct</i>	-18.46	
			<i>For >100, Deduct</i>	-26.31	
08 14 23 19-0047	EA		2'-0" x 8' x 1-3/4" Thick, 3 Ply, Hollow Core (HC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	247.27	48.75
			<i>For >50 To 100, Deduct</i>	-14.80	
			<i>For >100, Deduct</i>	-20.98	

08	Openings
08 10	Doors And Frames
08 14	Wood Doors



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 14 23 19-0048	EA		2'-4" x 8' x 1-3/4" Thick, 3 Ply, Hollow Core (HC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	247.27	48.75
			<i>For >50 To 100, Deduct</i>	-14.80	
			<i>For >100, Deduct</i>	-20.98	
08 14 23 19-0049	EA		2'-6" x 8' x 1-3/4" Thick, 3 Ply, Hollow Core (HC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	255.87	50.97
			<i>For >50 To 100, Deduct</i>	-15.34	
			<i>For >100, Deduct</i>	-21.74	
08 14 23 19-0050	EA		2'-8" x 8' x 1-3/4" Thick, 3 Ply, Hollow Core (HC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	264.21	50.97
			<i>For >50 To 100, Deduct</i>	-15.76	
			<i>For >100, Deduct</i>	-22.36	
08 14 23 19-0051	EA		2'-10" x 8' x 1-3/4" Thick, 3 Ply, Hollow Core (HC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	268.36	50.97
			<i>For >50 To 100, Deduct</i>	-15.97	
			<i>For >100, Deduct</i>	-22.68	
08 14 23 19-0052	EA		3'-0" x 8' x 1-3/4" Thick, 3 Ply, Hollow Core (HC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	276.93	53.19
			<i>For >50 To 100, Deduct</i>	-16.51	
			<i>For >100, Deduct</i>	-23.43	
08 14 23 19-0053	EA		3'-4" x 8' x 1-3/4" Thick, 3 Ply, Hollow Core (HC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	286.43	53.19
			<i>For >50 To 100, Deduct</i>	-16.98	
			<i>For >100, Deduct</i>	-24.14	
08 14 23 19-0054	EA		3'-6" x 8' x 1-3/4" Thick, 3 Ply, Hollow Core (HC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	321.83	55.40
			<i>For >50 To 100, Deduct</i>	-18.86	
			<i>For >100, Deduct</i>	-26.91	
08 14 23 19-0055	EA		3'-8" x 8' x 1-3/4" Thick, 3 Ply, Hollow Core (HC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	332.37	55.40
			<i>For >50 To 100, Deduct</i>	-19.39	
			<i>For >100, Deduct</i>	-27.70	
08 14 23 19-0056	EA		4'-0" x 8' x 1-3/4" Thick, 3 Ply, Hollow Core (HC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	353.48	55.40
			<i>For >50 To 100, Deduct</i>	-20.44	
			<i>For >100, Deduct</i>	-29.28	
08 14 23 19-0057			1-3/8" Thick, Particleboard Core (PC), High Density Fiberboard/Hardboard (HDF) Faced Wood Doors <small>(08 14 23 19)</small>		
			Note: PC = Particleboard, medium-density fiberboard (MDF), or agrifiber core, solid core door with stiles and rails bonded to the core and abrasive planed flat prior to the application of the faces.		
08 14 23 19-0058	EA		2'-0" x 6'-8" x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	230.05	48.75
			<i>For >50 To 100, Deduct</i>	-13.94	
			<i>For >100, Deduct</i>	-19.69	
08 14 23 19-0059	EA		2'-4" x 6'-8" x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	230.05	48.75
			<i>For >50 To 100, Deduct</i>	-13.94	
			<i>For >100, Deduct</i>	-19.69	
08 14 23 19-0060	EA		2'-6" x 6'-8" x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	242.18	50.97
			<i>For >50 To 100, Deduct</i>	-14.66	
			<i>For >100, Deduct</i>	-20.71	
08 14 23 19-0061	EA		2'-8" x 6'-8" x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	249.86	50.97
			<i>For >50 To 100, Deduct</i>	-15.04	
			<i>For >100, Deduct</i>	-21.29	
08 14 23 19-0062	EA		2'-10" x 6'-8" x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	251.27	50.97
			<i>For >50 To 100, Deduct</i>	-15.11	
			<i>For >100, Deduct</i>	-21.39	
08 14 23 19-0063	EA		3'-0" x 6'-8" x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	257.13	53.19
			<i>For >50 To 100, Deduct</i>	-15.52	
			<i>For >100, Deduct</i>	-21.94	
08 14 23 19-0064	EA		3'-4" x 6'-8" x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	273.76	53.19
			<i>For >50 To 100, Deduct</i>	-16.35	
			<i>For >100, Deduct</i>	-23.19	
08 14 23 19-0065	EA		3'-6" x 6'-8" x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	308.52	55.40
			<i>For >50 To 100, Deduct</i>	-18.20	
			<i>For >100, Deduct</i>	-25.91	
08 14 23 19-0066	EA		2'-0" x 7' x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	237.78	48.75
			<i>For >50 To 100, Deduct</i>	-14.33	
			<i>For >100, Deduct</i>	-20.27	
08 14 23 19-0067	EA		2'-4" x 7' x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	237.78	48.75
			<i>For >50 To 100, Deduct</i>	-14.33	
			<i>For >100, Deduct</i>	-20.27	
08 14 23 19-0068	EA		2'-6" x 7' x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	250.34	50.97
			<i>For >50 To 100, Deduct</i>	-15.07	
			<i>For >100, Deduct</i>	-21.32	
08 14 23 19-0069	EA		2'-8" x 7' x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	258.46	50.97
			<i>For >50 To 100, Deduct</i>	-15.47	
			<i>For >100, Deduct</i>	-21.93	
08 14 23 19-0070	EA		2'-10" x 7' x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	259.97	50.97
			<i>For >50 To 100, Deduct</i>	-15.55	
			<i>For >100, Deduct</i>	-22.05	



Openings	08	08
Doors And Frames	08 10	
Wood Doors	08 14	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 14 23	19-0071	EA	3'-0" x 7' x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	265.90	53.19
			<i>For >50 To 100, Deduct</i>	-15.95	
			<i>For >100, Deduct</i>	-22.60	
08 14 23	19-0072	EA	3'-4" x 7' x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	283.51	53.19
			<i>For >50 To 100, Deduct</i>	-16.83	
			<i>For >100, Deduct</i>	-23.92	
08 14 23	19-0073	EA	3'-6" x 7' x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	320.03	55.40
			<i>For >50 To 100, Deduct</i>	-18.77	
			<i>For >100, Deduct</i>	-26.77	
08 14 23	19-0074	EA	2'-0" x 8' x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	265.13	48.75
			<i>For >50 To 100, Deduct</i>	-15.69	
			<i>For >100, Deduct</i>	-22.32	
08 14 23	19-0075	EA	2'-4" x 8' x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	265.13	48.75
			<i>For >50 To 100, Deduct</i>	-15.69	
			<i>For >100, Deduct</i>	-22.32	
08 14 23	19-0076	EA	2'-6" x 8' x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	279.28	50.97
			<i>For >50 To 100, Deduct</i>	-16.51	
			<i>For >100, Deduct</i>	-23.49	
08 14 23	19-0077	EA	2'-8" x 8' x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	288.98	50.97
			<i>For >50 To 100, Deduct</i>	-17.00	
			<i>For >100, Deduct</i>	-24.22	
08 14 23	19-0078	EA	2'-10" x 8' x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	290.77	50.97
			<i>For >50 To 100, Deduct</i>	-17.09	
			<i>For >100, Deduct</i>	-24.36	
08 14 23	19-0079	EA	3'-0" x 8' x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	297.02	53.19
			<i>For >50 To 100, Deduct</i>	-17.51	
			<i>For >100, Deduct</i>	-24.94	
08 14 23	19-0080	EA	3'-4" x 8' x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	318.05	53.19
			<i>For >50 To 100, Deduct</i>	-18.56	
			<i>For >100, Deduct</i>	-26.51	
08 14 23	19-0081	EA	3'-6" x 8' x 1-3/8" Thick, 3 Ply, Particleboard Core (PC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	360.85	55.40
			<i>For >50 To 100, Deduct</i>	-20.81	
			<i>For >100, Deduct</i>	-29.83	
08 14 23	19-0082		1-3/4" Thick, Particleboard Core (PC), High Density Fiberboard/Hardboard (HDF) Faced Wood Doors <small>(08 14 23 19)</small>		
			Note: PC = Particleboard, medium-density fiberboard (MDF), or agrifiber core, solid core door with stiles and rails bonded to the core and abrasive planed flat prior to the application of the faces.		
08 14 23	19-0083	EA	2'-0" x 6'-8" x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	264.06	48.75
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	19.99	
			<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	89.94	
			<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	124.91	
			<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	199.86	
			<i>For >50 To 100, Deduct</i>	-15.64	
			<i>For >100, Deduct</i>	-22.24	
08 14 23	19-0084	EA	2'-4" x 6'-8" x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	264.06	48.75
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	19.99	
			<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	89.94	
			<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	124.91	
			<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	199.86	
			<i>For >50 To 100, Deduct</i>	-15.64	
			<i>For >100, Deduct</i>	-22.24	
08 14 23	19-0085	EA	2'-6" x 6'-8" x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	278.13	50.97
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	21.14	
			<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	95.14	
			<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	132.14	
			<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	211.43	
			<i>For >50 To 100, Deduct</i>	-16.46	
			<i>For >100, Deduct</i>	-23.41	
08 14 23	19-0086	EA	2'-8" x 6'-8" x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	287.75	50.97
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	22.30	
			<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	100.34	
			<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	139.36	
			<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	222.97	
			<i>For >50 To 100, Deduct</i>	-16.94	
			<i>For >100, Deduct</i>	-24.13	

08 Openings**08 10 Doors And Frames****08 14 Wood Doors**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 14 23 19-0087	EA		2'-10" x 6'-8" x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	289.54	50.97
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	22.51	
			<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	101.30	
			<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	140.70	
			<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	225.12	
			<i>For >50 To 100, Deduct</i>	-17.03	
			<i>For >100, Deduct</i>	-24.26	
08 14 23 19-0088	EA		3'-0" x 6'-8" x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	295.79	53.19
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	22.73	
			<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	102.29	
			<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	142.07	
			<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	227.30	
			<i>For >50 To 100, Deduct</i>	-17.45	
			<i>For >100, Deduct</i>	-24.84	
08 14 23 19-0089	EA		3'-4" x 6'-8" x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	316.67	53.19
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	25.24	
			<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	113.56	
			<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	157.73	
			<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	252.36	
			<i>For >50 To 100, Deduct</i>	-18.49	
			<i>For >100, Deduct</i>	-26.41	
08 14 23 19-0090	EA		3'-6" x 6'-8" x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	359.23	55.40
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	29.81	
			<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	134.15	
			<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	186.32	
			<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	298.10	
			<i>For >50 To 100, Deduct</i>	-20.73	
			<i>For >100, Deduct</i>	-29.71	
08 14 23 19-0091	EA		3'-8" x 6'-8" x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	371.67	55.40
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	31.30	
			<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	140.86	
			<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	195.65	
			<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	313.03	
			<i>For >50 To 100, Deduct</i>	-21.35	
			<i>For >100, Deduct</i>	-30.65	
08 14 23 19-0092	EA		4'-0" x 6'-8" x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	396.49	55.40
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	34.28	
			<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	154.27	
			<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	214.26	
			<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	342.82	
			<i>For >50 To 100, Deduct</i>	-22.59	
			<i>For >100, Deduct</i>	-32.51	
08 14 23 19-0093	EA		2'-0" x 7' x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	273.75	48.75
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	21.15	
			<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	95.17	
			<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	132.18	
			<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	211.49	
			<i>For >50 To 100, Deduct</i>	-16.13	
			<i>For >100, Deduct</i>	-22.97	
08 14 23 19-0094	EA		2'-4" x 7' x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	273.75	48.75
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	21.15	
			<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	95.17	
			<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	132.18	
			<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	211.49	
			<i>For >50 To 100, Deduct</i>	-16.13	
			<i>For >100, Deduct</i>	-22.97	
08 14 23 19-0095	EA		2'-6" x 7' x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	288.39	50.97
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	22.37	
			<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	100.68	
			<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	139.84	
			<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	223.74	
			<i>For >50 To 100, Deduct</i>	-16.97	
			<i>For >100, Deduct</i>	-24.18	
08 14 23 19-0096	EA		2'-8" x 7' x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door.....	298.58	50.97
			<i>For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add</i>	23.60	
			<i>For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add</i>	106.19	
			<i>For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add</i>	147.48	
			<i>For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add</i>	235.97	
			<i>For >50 To 100, Deduct</i>	-17.48	
			<i>For >100, Deduct</i>	-24.94	



Openings	08	08
Doors And Frames	08 10	
Wood Doors	08 14	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 14 23	19-0097	EA	2'-10" x 7' x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door	300.47	50.97
			For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add	23.82	
			For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add	107.21	
			For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add	148.90	
			For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add	238.24	
			For >50 To 100, Deduct	-17.57	
			For >100, Deduct	-25.08	
08 14 23	19-0098	EA	3'-0" x 7' x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door	306.82	53.19
			For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add	24.05	
			For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add	108.24	
			For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add	150.34	
			For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add	240.54	
			For >50 To 100, Deduct	-18.00	
			For >100, Deduct	-25.67	
08 14 23	19-0099	EA	3'-4" x 7' x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door	328.90	53.19
			For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add	26.70	
			For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add	120.17	
			For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add	166.90	
			For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add	267.04	
			For >50 To 100, Deduct	-19.10	
			For >100, Deduct	-27.33	
08 14 23	19-0100	EA	3'-6" x 7' x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door	373.69	55.40
			For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add	31.55	
			For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add	141.96	
			For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add	197.16	
			For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add	315.46	
			For >50 To 100, Deduct	-21.45	
			For >100, Deduct	-30.80	
08 14 23	19-0101	EA	3'-8" x 7' x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door	386.84	55.40
			For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add	33.12	
			For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add	149.06	
			For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add	207.02	
			For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add	331.24	
			For >50 To 100, Deduct	-22.11	
			For >100, Deduct	-31.78	
08 14 23	19-0102	EA	4'-0" x 7' x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door	413.12	55.40
			For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add	36.28	
			For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add	163.25	
			For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add	226.73	
			For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add	362.77	
			For >50 To 100, Deduct	-23.43	
			For >100, Deduct	-33.75	
08 14 23	19-0103	EA	2'-0" x 8' x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door	308.12	48.75
			For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add	25.27	
			For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add	113.73	
			For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add	157.96	
			For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add	252.73	
			For >50 To 100, Deduct	-17.84	
			For >100, Deduct	-25.55	
08 14 23	19-0104	EA	2'-4" x 8' x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door	308.12	48.75
			For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add	25.27	
			For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add	113.73	
			For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add	157.96	
			For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add	252.73	
			For >50 To 100, Deduct	-17.84	
			For >100, Deduct	-25.55	
08 14 23	19-0105	EA	2'-6" x 8' x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door	324.75	50.97
			For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add	26.74	
			For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add	120.32	
			For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add	167.11	
			For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add	267.37	
			For >50 To 100, Deduct	-18.79	
			For >100, Deduct	-26.90	
08 14 23	19-0106	EA	2'-8" x 8' x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door	336.93	50.97
			For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add	28.20	
			For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add	126.89	
			For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add	176.24	
			For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add	281.99	
			For >50 To 100, Deduct	-19.40	
			For >100, Deduct	-27.82	

08 Openings**08 10 Doors And Frames****08 14 Wood Doors**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 14 23 19-0107	EA		2'-10" x 8' x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door	339.18	50.97
			For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add	28.47	
			For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add	128.11	
			For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add	177.93	
			For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add	284.69	
			For >50 To 100, Deduct	-19.51	
			For >100, Deduct	-27.99	
08 14 23 19-0108	EA		3'-0" x 8' x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door	345.92	53.19
			For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add	28.75	
			For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add	129.36	
			For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add	179.66	
			For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add	287.46	
			For >50 To 100, Deduct	-19.96	
			For >100, Deduct	-28.60	
08 14 23 19-0109	EA		3'-4" x 8' x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door	372.30	53.19
			For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add	31.91	
			For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add	143.60	
			For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add	199.45	
			For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add	319.12	
			For >50 To 100, Deduct	-21.27	
			For >100, Deduct	-30.58	
08 14 23 19-0110	EA		3'-6" x 8' x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door	424.94	55.40
			For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add	37.70	
			For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add	169.63	
			For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add	235.60	
			For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add	376.96	
			For >50 To 100, Deduct	-24.02	
			For >100, Deduct	-34.64	
08 14 23 19-0111	EA		3'-8" x 8' x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door	440.68	55.40
			For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add	39.58	
			For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add	178.13	
			For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add	247.40	
			For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add	395.84	
			For >50 To 100, Deduct	-24.80	
			For >100, Deduct	-35.82	
08 14 23 19-0112	EA		4'-0" x 8' x 1-3/4" Thick, 3 Ply, Particleboard Core (PC), High Density Fiberboard/Hardboard (HDF) Faced Wood Door	472.07	55.40
			For Commercial Grade 45 Minute Particleboard Core (PC), Fire Rated Door, Add	43.35	
			For Commercial Grade 45 Minute Mineral Core (MC), Fire Rated Door, Add	195.08	
			For Commercial Grade 60 Minute Mineral Core (MC), Fire Rated Door, Add	270.95	
			For Commercial Grade 90 Minute Mineral Core (MC), Rated Fire Door, Add	433.51	
			For >50 To 100, Deduct	-26.37	
			For >100, Deduct	-38.18	

08 14 66 Wood Screen Doors (08 14)

08 14 66 00-0001			Wood Screen Storm Door, Residential Grade (08 14 66) Note: Includes frame, trim, necessary anchors and usual hardware (closures, chain and spring, latching, screens, etc.).		
08 14 66 00-0002	EA		2'-8" x 6'-8" x 1-3/8" Thick, Wood Screen Door, Residential, With Frame, Trim, Hardware	430.08	127.65
08 14 66 00-0003	EA		3' x 6'-8" x 1-3/8" Thick, Wood Screen Door, Residential, With Frame, Trim, Hardware	449.79	141.83
08 14 66 00-0004	EA		2'-8" x 7" x 1-3/8" Thick, Wood Screen Door, Residential, With Frame, Trim, Hardware	430.08	127.65
08 14 66 00-0005	EA		3' x 7' x 1-3/8" Thick, Wood Screen Door, Residential, With Frame, Trim, Hardware	449.79	141.83

08 14 73 Sliding Wood Doors (08 14)

08 14 73 00-0001			Sliding Pocket Door (08 14 73) Note: Includes unfinished door, frame and trim, and all mounting and door hardware. See CSI section 08 14 73 00-0055 for accessories to be added.		
08 14 73 00-0002			Birch Faced Pocket Door (08 14 73 00-0001) Note: Includes door, frame and trim, and all mounting and door hardware.		
08 14 73 00-0003			1-3/8" Thick, Birch Faced Wood Pocket Door (08 14 73 00-0002) See CSI section 08 14 73 00-0055 for all jams and track hardware.		
08 14 73 00-0004			6'-8" High, 1-3/8" Thick, Birch Faced Wood Pocket Door (08 14 73 00-0003)		
08 14 73 00-0005	EA		2'-0" x 6'-8" x 1-3/8" Thick, Hollow Core (HC), Birch Faced Wood Pocket Door	484.23	31.03
			For Oak, Add	116.52	
			For Ash/Hickory, Add	169.72	
			For Walnut, Add	247.40	
			For Cherry, Add	402.35	
08 14 73 00-0006	EA		2'-4" x 6'-8" x 1-3/8" Thick, Hollow Core (HC), Birch Faced Wood Pocket Door	498.89	33.24
			For Oak, Add	119.35	
			For Ash/Hickory, Add	173.83	
			For Walnut, Add	253.40	
			For Cherry, Add	412.10	



Openings	08	08
Doors And Frames	08 10	
Wood Doors	08 14	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 14 73 00-0007	EA		2'-6" x 6'-8" x 1-3/8" Thick, Hollow Core (HC), Birch Faced Wood Pocket Door	516.11	35.45
			<i>For Oak, Add</i>	122.88	
			<i>For Ash/Hickory, Add</i>	178.97	
			<i>For Walnut, Add</i>	260.89	
			<i>For Cherry, Add</i>	424.29	
08 14 73 00-0008	EA		2'-8" x 6'-8" x 1-3/8" Thick, Hollow Core (HC), Birch Faced Wood Pocket Door	528.21	37.68
			<i>For Oak, Add</i>	125.00	
			<i>For Ash/Hickory, Add</i>	182.06	
			<i>For Walnut, Add</i>	265.39	
			<i>For Cherry, Add</i>	431.60	
08 14 73 00-0009	EA		2'-10" x 6'-8" x 1-3/8" Thick, Hollow Core (HC), Birch Faced Wood Pocket Door	545.45	39.89
			<i>For Oak, Add</i>	128.53	
			<i>For Ash/Hickory, Add</i>	187.20	
			<i>For Walnut, Add</i>	272.89	
			<i>For Cherry, Add</i>	443.79	
08 14 73 00-0010	EA		3'-0" x 6'-8" x 1-3/8" Thick, Hollow Core (HC), Birch Faced Wood Pocket Door	560.12	42.10
			<i>For Oak, Add</i>	131.35	
			<i>For Ash/Hickory, Add</i>	191.32	
			<i>For Walnut, Add</i>	278.89	
			<i>For Cherry, Add</i>	453.55	
08 14 73 00-0011	EA		4' Wide, Two 2'-0" x 6'-8" x 1-3/8" Thick, Hollow Core (HC), Birch Faced Wood Pocket Door	955.18	55.40
			<i>For Oak, Add</i>	233.05	
			<i>For Ash/Hickory, Add</i>	339.44	
			<i>For Walnut, Add</i>	494.80	
			<i>For Cherry, Add</i>	804.68	
08 14 73 00-0012	EA		5' Wide, Two 2'-6" x 6'-8" x 1-3/8" Thick, Hollow Core (HC), Birch Faced Wood Pocket Door	1,010.09	59.84
			<i>For Oak, Add</i>	245.76	
			<i>For Ash/Hickory, Add</i>	357.95	
			<i>For Walnut, Add</i>	521.79	
			<i>For Cherry, Add</i>	848.58	
08 14 73 00-0013	EA		6' Wide, Two 3'-0" x 6'-8" x 1-3/8" Thick, Hollow Core (HC), Birch Faced Wood Pocket Door	1,080.38	64.27
			<i>For Oak, Add</i>	262.71	
			<i>For Ash/Hickory, Add</i>	382.64	
			<i>For Walnut, Add</i>	557.78	
			<i>For Cherry, Add</i>	907.10	
08 14 73 00-0014			7' High, 1-3/8" Thick Birch Faced Wood Pocket Door <small>(08 14 73 00-0003)</small>		
08 14 73 00-0015	EA		2'-0" x 7' x 1-3/8" Thick, Hollow Core (HC), Birch Faced Wood Pocket Door	573.78	31.03
			<i>For Oak, Add</i>	119.75	
			<i>For Ash/Hickory, Add</i>	119.75	
			<i>For Walnut, Add</i>	197.02	
			<i>For Cherry, Add</i>	369.99	
08 14 73 00-0016	EA		2'-4" x 7' x 1-3/8" Thick, Hollow Core (HC), Birch Faced Wood Pocket Door	601.24	33.24
			<i>For Oak, Add</i>	125.14	
			<i>For Ash/Hickory, Add</i>	125.14	
			<i>For Walnut, Add</i>	205.89	
			<i>For Cherry, Add</i>	386.64	
08 14 73 00-0017	EA		2'-6" x 7' x 1-3/8" Thick, Hollow Core (HC), Birch Faced Wood Pocket Door	621.02	35.45
			<i>For Oak, Add</i>	128.73	
			<i>For Ash/Hickory, Add</i>	128.73	
			<i>For Walnut, Add</i>	211.80	
			<i>For Cherry, Add</i>	397.74	
08 14 73 00-0018	EA		2'-8" x 7' x 1-3/8" Thick, Hollow Core (HC), Birch Faced Wood Pocket Door	638.23	37.68
			<i>For Oak, Add</i>	131.72	
			<i>For Ash/Hickory, Add</i>	131.72	
			<i>For Walnut, Add</i>	216.72	
			<i>For Cherry, Add</i>	406.98	
08 14 73 00-0019	EA		2'-10" x 7' x 1-3/8" Thick, Hollow Core (HC), Birch Faced Wood Pocket Door	652.92	39.89
			<i>For Oak, Add</i>	134.12	
			<i>For Ash/Hickory, Add</i>	134.12	
			<i>For Walnut, Add</i>	220.66	
			<i>For Cherry, Add</i>	414.39	
08 14 73 00-0020	EA		3'-0" x 7' x 1-3/8" Thick, Hollow Core (HC), Birch Faced Wood Pocket Door	672.70	42.10
			<i>For Oak, Add</i>	137.71	
			<i>For Ash/Hickory, Add</i>	137.71	
			<i>For Walnut, Add</i>	226.57	
			<i>For Cherry, Add</i>	425.49	
08 14 73 00-0021	EA		4' Wide, Two 2'-0" x 7' x 1-3/8" Thick, Hollow Core (HC), Birch Faced Wood Pocket Door	1,134.29	55.40
			<i>For Oak, Add</i>	239.49	
			<i>For Ash/Hickory, Add</i>	239.49	
			<i>For Walnut, Add</i>	394.04	
			<i>For Cherry, Add</i>	739.98	
08 14 73 00-0022	EA		5' Wide, Two 2'-6" x 7' x 1-3/8" Thick, Hollow Core (HC), Birch Faced Wood Pocket Door	1,219.90	59.84
			<i>For Oak, Add</i>	257.46	
			<i>For Ash/Hickory, Add</i>	257.46	
			<i>For Walnut, Add</i>	423.59	
			<i>For Cherry, Add</i>	795.47	
08 14 73 00-0023	EA		6' Wide, Two 3' x 7' x 1-3/8" Thick, Hollow Core (HC), Birch Faced Wood Pocket Door	1,305.54	64.27
			<i>For Oak, Add</i>	275.42	
			<i>For Ash/Hickory, Add</i>	275.42	
			<i>For Walnut, Add</i>	453.15	
			<i>For Cherry, Add</i>	850.97	

08 Openings**08 10 Doors And Frames****08 14 Wood Doors**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 14 73 00-0024			1-3/4" Thick, Birch Faced Wood Pocket Door <small>(08 14 73 00-0002)</small> See CSI section 08 14 73 00-0055 for all jambs and track hardware.		
08 14 73 00-0025			6'-8" High, 1-3/4" Thick Birch Faced Wood Pocket Door <small>(08 14 73 00-0024)</small>		
08 14 73 00-0026	EA		2'-0" x 6'-8" x 1-3/4" Thick, Hollow Core (HC), Birch Faced Wood Pocket Door	727.30	31.03
			For Oak, Add	155.67	
			For Ash/Hickory, Add	155.67	
			For Walnut, Add	256.13	
			For Cherry, Add	480.98	
08 14 73 00-0027	EA		2'-4" x 6'-8" x 1-3/4" Thick, Hollow Core (HC), Birch Faced Wood Pocket Door	762.44	33.24
			For Oak, Add	162.86	
			For Ash/Hickory, Add	162.86	
			For Walnut, Add	267.95	
			For Cherry, Add	503.19	
08 14 73 00-0028	EA		2'-6" x 6'-8" x 1-3/4" Thick, Hollow Core (HC), Birch Faced Wood Pocket Door	782.22	35.45
			For Oak, Add	166.45	
			For Ash/Hickory, Add	166.45	
			For Walnut, Add	273.86	
			For Cherry, Add	514.28	
08 14 73 00-0029	EA		2'-8" x 6'-8" x 1-3/4" Thick, Hollow Core (HC), Birch Faced Wood Pocket Door	804.55	37.68
			For Oak, Add	170.64	
			For Ash/Hickory, Add	170.64	
			For Walnut, Add	280.75	
			For Cherry, Add	527.23	
08 14 73 00-0030	EA		2'-10" x 6'-8" x 1-3/4" Thick, Hollow Core (HC), Birch Faced Wood Pocket Door	824.35	39.89
			For Oak, Add	174.23	
			For Ash/Hickory, Add	174.23	
			For Walnut, Add	286.66	
			For Cherry, Add	538.33	
08 14 73 00-0031	EA		3'-0" x 6'-8" x 1-3/4" Thick, Hollow Core (HC), Birch Faced Wood Pocket Door	844.13	42.10
			For Oak, Add	177.82	
			For Ash/Hickory, Add	177.82	
			For Walnut, Add	292.57	
			For Cherry, Add	549.43	
08 14 73 00-0032	EA		4' Wide, Two 2'-0" x 6'-8" x 1-3/4" Thick, Hollow Core (HC), Birch Faced Wood Pocket Door	1,441.33	55.40
			For Oak, Add	311.34	
			For Ash/Hickory, Add	311.34	
			For Walnut, Add	512.25	
			For Cherry, Add	961.97	
08 14 73 00-0033	EA		5' Wide, Two 2'-6" x 6'-8" x 1-3/4" Thick, Hollow Core (HC), Birch Faced Wood Pocket Door	1,542.30	59.84
			For Oak, Add	332.90	
			For Ash/Hickory, Add	332.90	
			For Walnut, Add	547.72	
			For Cherry, Add	1,028.57	
08 14 73 00-0034	EA		6' Wide, Two 3'-0" x 6'-8" x 1-3/4" Thick, Hollow Core (HC), Birch Faced Wood Pocket Door	1,648.41	64.27
			For Oak, Add	355.65	
			For Ash/Hickory, Add	355.65	
			For Walnut, Add	585.15	
			For Cherry, Add	1,098.87	
08 14 73 00-0035			7' High, 1-3/4" Thick Birch Faced Wood Pocket Door <small>(08 14 73 00-0024)</small>		
08 14 73 00-0036	EA		2'-0" x 7' x 1-3/4" Thick, Hollow Core (HC), Birch Faced Wood Pocket Door	778.48	31.03
			For Oak, Add	167.65	
			For Ash/Hickory, Add	167.65	
			For Walnut, Add	275.83	
			For Cherry, Add	517.99	
08 14 73 00-0037	EA		2'-4" x 7' x 1-3/4" Thick, Hollow Core (HC), Birch Faced Wood Pocket Door	818.73	33.24
			For Oak, Add	176.03	
			For Ash/Hickory, Add	176.03	
			For Walnut, Add	289.62	
			For Cherry, Add	543.88	
08 14 73 00-0038	EA		2'-6" x 7' x 1-3/4" Thick, Hollow Core (HC), Birch Faced Wood Pocket Door	841.07	35.45
			For Oak, Add	180.22	
			For Ash/Hickory, Add	180.22	
			For Walnut, Add	296.52	
			For Cherry, Add	556.83	
08 14 73 00-0039	EA		2'-8" x 7' x 1-3/4" Thick, Hollow Core (HC), Birch Faced Wood Pocket Door	863.40	37.68
			For Oak, Add	184.41	
			For Ash/Hickory, Add	184.41	
			For Walnut, Add	303.41	
			For Cherry, Add	569.78	
08 14 73 00-0040	EA		2'-10" x 7' x 1-3/4" Thick, Hollow Core (HC), Birch Faced Wood Pocket Door	883.20	39.89
			For Oak, Add	188.00	
			For Ash/Hickory, Add	188.00	
			For Walnut, Add	309.32	
			For Cherry, Add	580.88	
08 14 73 00-0041	EA		3'-0" x 7' x 1-3/4" Thick, Hollow Core (HC), Birch Faced Wood Pocket Door	905.54	42.10
			For Oak, Add	192.19	
			For Ash/Hickory, Add	192.19	
			For Walnut, Add	316.22	
			For Cherry, Add	593.83	



Openings	08	08
Doors And Frames	08 10	
Wood Doors	08 14	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 14 73 00-0042	EA		4' Wide, Two 2'-0" x 7' x 1-3/4" Thick, Hollow Core (HC), Birch Faced Wood Pocket Door <i>For Oak, Add</i> <i>For Ash/Hickory, Add</i> <i>For Walnut, Add</i> <i>For Cherry, Add</i>	1,543.68 335.29 335.29 551.65 1,035.97	55.40
08 14 73 00-0043	EA		5' Wide, Two 2'-6" x 7' x 1-3/4" Thick, Hollow Core (HC), Birch Faced Wood Pocket Door <i>For Oak, Add</i> <i>For Ash/Hickory, Add</i> <i>For Walnut, Add</i> <i>For Cherry, Add</i>	1,660.00 360.44 360.44 593.03 1,113.67	59.84
08 14 73 00-0044	EA		6' Wide, Two 3'-0" x 7' x 1-3/4" Thick, Hollow Core (HC), Birch Faced Wood Pocket Door <i>For Oak, Add</i> <i>For Ash/Hickory, Add</i> <i>For Walnut, Add</i> <i>For Cherry, Add</i>	1,771.23 384.39 384.39 632.44 1,187.66	64.27
08 14 73 00-0045			8' High, 1-3/4" Thick Birch Faced Wood Pocket Door <small>(08 14 73 00-0044)</small>		
08 14 73 00-0046	EA		2'-0" x 8' x 1-3/4" High Wood Pocket Door, Hollow Core, Birch Faced <i>For Oak, Add</i> <i>For Ash/Hickory, Add</i> <i>For Walnut, Add</i> <i>For Cherry, Add</i>	829.65 179.62 179.62 295.53 554.98	31.03
08 14 73 00-0047	EA		2'-4" x 8' x 1-3/4" Thick, Hollow Core (HC), Birch Faced Wood Pocket Door <i>For Oak, Add</i> <i>For Ash/Hickory, Add</i> <i>For Walnut, Add</i> <i>For Cherry, Add</i>	869.90 188.00 188.00 309.32 580.88	33.24
08 14 73 00-0048	EA		2'-6" x 8' x 1-3/4" Thick, Hollow Core (HC), Birch Faced Wood Pocket Door <i>For Oak, Add</i> <i>For Ash/Hickory, Add</i> <i>For Walnut, Add</i> <i>For Cherry, Add</i>	894.80 192.79 192.79 317.20 595.68	35.45
08 14 73 00-0049	EA		2'-8" x 8' x 1-3/4" Thick, Hollow Core (HC), Birch Faced Wood Pocket Door <i>For Oak, Add</i> <i>For Ash/Hickory, Add</i> <i>For Walnut, Add</i> <i>For Cherry, Add</i>	919.69 197.58 197.58 325.08 610.48	37.68
08 14 73 00-0050	EA		2'-10" x 8' x 1-3/4" Thick, Hollow Core (HC), Birch Faced Wood Pocket Door <i>For Oak, Add</i> <i>For Ash/Hickory, Add</i> <i>For Walnut, Add</i> <i>For Cherry, Add</i>	939.49 201.17 201.17 330.99 621.58	39.89
08 14 73 00-0051	EA		3'-0" x 8' x 1-3/4" Thick, Hollow Core (HC), Birch Faced Wood Pocket Door <i>For Oak, Add</i> <i>For Ash/Hickory, Add</i> <i>For Walnut, Add</i> <i>For Cherry, Add</i>	964.39 205.96 205.96 338.87 636.38	42.10
08 14 73 00-0052	EA		4' Wide, Two 2'-0" x 8' x 1-3/4" Thick, Hollow Core (HC), Birch Faced Wood Pocket Door <i>For Oak, Add</i> <i>For Ash/Hickory, Add</i> <i>For Walnut, Add</i> <i>For Cherry, Add</i>	1,646.03 359.24 359.24 591.06 1,109.96	55.40
08 14 73 00-0053	EA		5' Wide, Two 2'-6" x 8' x 1-3/4" Thick, Hollow Core (HC), Birch Faced Wood Pocket Door <i>For Oak, Add</i> <i>For Ash/Hickory, Add</i> <i>For Walnut, Add</i> <i>For Cherry, Add</i>	1,767.46 385.59 385.59 634.40 1,191.36	59.84
08 14 73 00-0054	EA		6' Wide, Two 3'-0" x 8' x 1-3/4" Thick, Hollow Core (HC), Birch Faced Wood Pocket Door <i>For Oak, Add</i> <i>For Ash/Hickory, Add</i> <i>For Walnut, Add</i> <i>For Cherry, Add</i>	1,888.93 411.93 411.93 677.75 1,272.76	64.27
08 14 73 00-0055			Accessories <small>(08 14 73 00-0001)</small>		
08 14 73 00-0056			Jamb Replacement <small>(08 14 73 00-0055)</small>		
08 14 73 00-0057	EA		4-9/16 Or 4-3/4" Birch Jamb Replacement For Pocket Doors <i>For Oak, Add</i> <i>For Ash/Hickory, Add</i> <i>For Walnut, Add</i> <i>For Cherry, Add</i>	109.31 7.34 11.50 25.15 39.83	
08 14 73 00-0058	EA		5-1/4" Birch Jamb Replacement For Pocket Doors <i>For Oak, Add</i> <i>For Ash/Hickory, Add</i> <i>For Walnut, Add</i> <i>For Cherry, Add</i>	111.41 7.58 11.87 25.96 41.12	
08 14 73 00-0059	EA		6-9/16" Or 6-3/4" Birch Jamb Replacement For Pocket Doors <i>For Oak, Add</i> <i>For Ash/Hickory, Add</i> <i>For Walnut, Add</i> <i>For Cherry, Add</i>	125.03 9.12 14.28 31.23 49.47	



MINOR
CSI UOM DESCRIPTION

TOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 14 73 00-0060			Track And Hardware Replacement Kits (08 14 73 00-0055) Note: For double doors, use 2 appropriate sized hardware and 1 converging kit.		
08 14 73 00-0061	EA		Up To 2'-6" x 6'-8" Door Track And Hardware Replacement For Pocket Door.....	285.93	
08 14 73 00-0062	EA		2'-8" x 6'-8" Door Track And Hardware Replacement For Pocket Door.....	288.67	
08 14 73 00-0063	EA		3'-0" x 6'-8" Door Track And Hardware Replacement For Pocket Door.....	294.16	
08 14 73 00-0064	EA		Up To 2'-6" x 7' Door Track And Hardware Replacement For Pocket Door.....	346.28	
08 14 73 00-0065	EA		2'-8" x 7' Door Track And Hardware Replacement For Pocket Door.....	349.02	
08 14 73 00-0066	EA		3'-0" x 7' Door Track And Hardware Replacement For Pocket Door.....	354.51	
08 14 73 00-0067	EA		Up To 2'-6" x 8' Door Track And Hardware.....	373.71	
08 14 73 00-0068	EA		2'-8" x 8' Door Track And Hardware Replacement For Pocket Door.....	376.45	
08 14 73 00-0069	EA		3'-0" x 8' Door Track And Hardware Replacement For Pocket Door.....	381.94	
08 14 73 00-0070	EA		Double Door Converging Kit For Pocket Door.....	40.73	
08 14 73 00-0071			Bi-Pass Doors (08 14 73) Note: Includes unfinished doors, fascia track, hangers, door guide, door stop, and pulls. 125 LB maximum door weight (each opening).		
08 14 73 00-0072			Flush, Hollow Core (HC), Birch Faced Wood Bi-Pass Doors (08 14 73 00-0071)		
08 14 73 00-0073	EA		4' Wide, Two 2'-0" x 6'-8" x 1-3/8" Thick, Flush, Hollow Core (HC), Birch Faced Wood Bi-Pass Doors.....	294.30	70.89
08 14 73 00-0074	EA		5' Wide, Two 2'-6" x 6'-8" x 1-3/8" Thick, Flush, Hollow Core (HC), Birch Faced Wood Bi-Pass Doors.....	322.22	75.33
08 14 73 00-0075	EA		6' Wide, Two 3'-0" x 6'-8" x 1-3/8" Thick, Flush, Hollow Core (HC), Birch Faced Wood Bi-Pass Doors.....	350.46	79.75
08 14 73 00-0076	EA		8' Wide, Four 2'-0" x 6'-8" x 1-3/8" Thick, Flush, Hollow Core (HC), Birch Faced Wood Bi-Pass Doors.....	470.39	84.19
08 14 73 00-0077			Flush, Hollow Core (HC), Lauan Faced Wood Bi-Pass Doors (08 14 73 00-0071)		
08 14 73 00-0078	EA		4' Wide, Two 2'-0" x 6'-8" x 1-3/8" Thick, Flush, Hollow Core (HC), Lauan Faced Wood Bi-Pass Doors.....	276.63	70.89
08 14 73 00-0079	EA		5' Wide, Two 2'-6" x 6'-8" x 1-3/8" Thick, Flush, Hollow Core (HC), Lauan Faced Wood Bi-Pass Doors.....	294.68	75.33
08 14 73 00-0080	EA		6' Wide, Two 3'-0" x 6'-8" x 1-3/8" Thick, Flush, Hollow Core (HC), Lauan Faced Wood Bi-Pass Doors.....	320.14	79.75
08 14 73 00-0081	EA		8' Wide, Four 2'-0" x 6'-8" x 1-3/8" Thick, Flush, Hollow Core (HC), Lauan Faced Wood Bi-Pass Doors.....	435.05	84.19
08 14 73 00-0082			Molded Panel, Hollow Core (HC), High Density Fiberboard (HDF) Faced Wood Bi-Pass Doors (08 14 73 00-0071)		
08 14 73 00-0083	EA		4' Wide, Two 2'-0" x 6'-8" x 1-3/8" Thick, Molded Panel, Hollow Core (HC), High Density Fiberboard (HDF) Faced Wood Bi-Pass Doors.....	294.79	70.89
08 14 73 00-0084	EA		5' Wide, Two 2'-6" x 6'-8" x 1-3/8" Thick, Molded Panel, Hollow Core (HC), High Density Fiberboard (HDF) Faced Wood Bi-Pass Doors.....	320.99	75.33
08 14 73 00-0085	EA		6' Wide, Two 3'-0" x 6'-8" x 1-3/8" Thick, Molded Panel, Hollow Core (HC), High Density Fiberboard (HDF) Faced Wood Bi-Pass Doors.....	348.42	79.75
08 14 73 00-0086	EA		8' Wide, Four 2'-0" x 6'-8" x 1-3/8" Thick, Molded Panel, Hollow Core (HC), High Density Fiberboard (HDF) Faced Wood Bi-Pass Doors.....	471.38	84.19
08 14 76			Bifolding Wood Doors (08 14)		
08 14 76 00-0001			Bi-Fold Wood Doors (08 14 76) Note: Includes doors, track, top and bottom pivots, door guide, track stop, panel hinge, bottom pivot bracket, top pivot lock, and 4-door aligner (when necessary). Excludes door frame and knobs.		
08 14 76 00-0002			Flush, Hollow Core (HC), Lauan Faced Wood Bi-Fold Doors (08 14 76 00-0001)		
08 14 76 00-0003	EA		2'-0" Wide, Two 1'-0" x 6'-8" x 1-3/8" Thick, Flush, Hollow Core (HC), Lauan Faced Wood Bi-Fold Doors.....	149.57	53.17
08 14 76 00-0004	EA		2'-6" Wide, Two 1'-3" x 6'-8" x 1-3/8" Thick, Flush, Hollow Core (HC), Lauan Faced Wood Bi-Fold Doors.....	158.44	57.60
08 14 76 00-0005	EA		2'-8" Wide, Two 1'-4" x 6'-8" x 1-3/8" Thick, Flush, Hollow Core (HC), Lauan Faced Wood Bi-Fold Doors.....	170.19	62.03
08 14 76 00-0006	EA		3'-0" Wide, Two 1'-6" x 6'-8" x 1-3/8" Thick, Flush, Hollow Core (HC), Lauan Faced Wood Bi-Fold Doors.....	179.05	66.46
08 14 76 00-0007	EA		4'-0" Wide, Four 1'-0" x 6'-8" x 1-3/8" Thick, Flush, Hollow Core (HC), Lauan Faced Wood Bi-Fold Doors.....	224.77	70.89
08 14 76 00-0008	EA		4'-0" Wide, Four 1'-3" x 6'-8" x 1-3/8" Thick, Flush, Hollow Core (HC), Lauan Faced Wood Bi-Fold Doors.....	233.63	75.33
08 14 76 00-0009	EA		6'-0" Wide, Four 1'-6" x 6'-8" x 1-3/8" Thick, Flush, Hollow Core (HC), Lauan Faced Wood Bi-Fold Doors.....	248.61	79.75
08 14 76 00-0010			Flush, Hollow Core (HC), Birch Faced Wood Bi-Fold Doors (08 14 76 00-0001)		
08 14 76 00-0011	EA		2'-0" Wide, Two 1'-0" x 6'-8" x 1-3/8" Thick, Flush, Hollow Core (HC), Birch Faced Wood Bi-Fold Doors.....	156.63	53.17
08 14 76 00-0012	EA		2'-6" Wide, Two 1'-3" x 6'-8" x 1-3/8" Thick, Flush, Hollow Core (HC), Birch Faced Wood Bi-Fold Doors.....	167.81	57.60
08 14 76 00-0013	EA		2'-8" Wide, Two 1'-4" x 6'-8" x 1-3/8" Thick, Flush, Hollow Core (HC), Birch Faced Wood Bi-Fold Doors.....	181.11	62.03
08 14 76 00-0014	EA		3'-0" Wide, Two 1'-6" x 6'-8" x 1-3/8" Thick, Flush, Hollow Core (HC), Birch Faced Wood Bi-Fold Doors.....	189.97	66.46
08 14 76 00-0015	EA		4'-0" Wide, Four 1'-0" x 6'-8" x 1-3/8" Thick, Flush, Hollow Core (HC), Birch Faced Wood Bi-Fold Doors.....	239.88	70.89
08 14 76 00-0016	EA		5'-0" Wide, Four 1'-3" x 6'-8" x 1-3/8" Thick, Flush, Hollow Core (HC), Birch Faced Wood Bi-Fold Doors.....	257.18	75.33
08 14 76 00-0017	EA		6'-0" Wide, Four 1'-6" x 6'-8" x 1-3/8" Thick, Flush, Hollow Core (HC), Birch Faced Wood Bi-Fold Doors.....	275.37	79.75
08 14 76 00-0018			Flush, Hollow Core (HC), Oak Faced Wood Bi-Fold Doors (08 14 76 00-0001)		
08 14 76 00-0019	EA		2'-0" Wide, Two 1'-0" x 6'-8" x 1-3/8" Thick, Flush, Hollow Core (HC), Oak Faced Wood Bi-Fold Doors.....	156.96	53.17
08 14 76 00-0020	EA		2'-6" Wide, Two 1'-3" x 6'-8" x 1-3/8" Thick, Flush, Hollow Core (HC), Oak Faced Wood Bi-Fold Doors.....	172.33	57.60
08 14 76 00-0021	EA		2'-8" Wide, Two 1'-4" x 6'-8" x 1-3/8" Thick, Flush, Hollow Core (HC), Oak Faced Wood Bi-Fold Doors.....	185.28	62.03
08 14 76 00-0022	EA		3'-0" Wide, Two 1'-6" x 6'-8" x 1-3/8" Thick, Flush, Hollow Core (HC), Oak Faced Wood Bi-Fold Doors.....	194.14	66.46
08 14 76 00-0023	EA		4'-0" Wide, Four 1'-0" x 6'-8" x 1-3/8" Thick, Flush, Hollow Core (HC), Oak Faced Wood Bi-Fold Doors.....	243.53	70.89
08 14 76 00-0024	EA		5'-0" Wide, Four 1'-3" x 6'-8" x 1-3/8" Thick, Flush, Hollow Core (HC), Oak Faced Wood Bi-Fold Doors.....	253.85	75.33
08 14 76 00-0025	EA		6'-0" Wide, Four 1'-6" x 6'-8" x 1-3/8" Thick, Flush, Hollow Core (HC), Oak Faced Wood Bi-Fold Doors.....	275.37	79.75
08 14 76 00-0026			Raised Panel, Hollow Core (HC), Pine Faced Wood Bi-Fold Doors (08 14 76 00-0001)		



Openings	08	08
Doors And Frames	08 10	
Wood Doors	08 14	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 14 76 00-0027	EA		2'-0" Wide, Two 1'-0" x 6'-8" x 1-3/8" Thick, Raised Panel, Hollow Core (HC), Pine Faced Wood Bi-Fold Doors.....	366.68	53.17
08 14 76 00-0028	EA		2'-6" Wide, Two 1'-3" x 6'-8" x 1-3/8" Thick, Raised Panel, Hollow Core (HC), Pine Faced Wood Bi-Fold Doors.....	417.62	57.60
08 14 76 00-0029	EA		2'-8" Wide, Two 1'-4" x 6'-8" x 1-3/8" Thick, Raised Panel, Hollow Core (HC), Pine Faced Wood Bi-Fold Doors.....	475.37	62.03
08 14 76 00-0030	EA		3'-0" Wide, Two 1'-6" x 6'-8" x 1-3/8" Thick, Raised Panel, Hollow Core (HC), Pine Faced Wood Bi-Fold Doors.....	484.23	66.46
08 14 76 00-0031	EA		4'-0" Wide, Four 1'-0" x 6'-8" x 1-3/8" Thick, Raised Panel, Hollow Core (HC), Pine Faced Wood Bi-Fold Doors.....	662.49	70.89
08 14 76 00-0032	EA		5'-0" Wide, Four 1'-3" x 6'-8" x 1-3/8" Thick, Raised Panel, Hollow Core (HC), Pine Faced Wood Bi-Fold Doors.....	755.48	75.33
08 14 76 00-0033	EA		6'-0" Wide, Four 1'-6" x 6'-8" x 1-3/8" Thick, Raised Panel, Hollow Core (HC), Pine Faced Wood Bi-Fold Doors.....	862.11	79.75
08 14 76 00-0034			Raised Panel, Hollow Core (HC), Oak Faced Wood Bi-Fold Doors (08 14 76 00-0001)		
08 14 76 00-0035	EA		2'-0" Wide, Two 1'-0" x 6'-8" x 1-3/8" Thick, Raised Panel, Hollow Core (HC), Oak Faced Wood Bi-Fold Doors.....	463.32	53.17
08 14 76 00-0036	EA		2'-6" Wide, Two 1'-3" x 6'-8" x 1-3/8" Thick, Raised Panel, Hollow Core (HC), Oak Faced Wood Bi-Fold Doors.....	502.89	57.60
08 14 76 00-0037	EA		2'-8" Wide, Two 1'-4" x 6'-8" x 1-3/8" Thick, Raised Panel, Hollow Core (HC), Oak Faced Wood Bi-Fold Doors.....	549.27	62.03
08 14 76 00-0038	EA		3'-0" Wide, Two 1'-6" x 6'-8" x 1-3/8" Thick, Raised Panel, Hollow Core (HC), Oak Faced Wood Bi-Fold Doors.....	558.13	66.46
08 14 76 00-0039	EA		4'-0" Wide, Four 1'-0" x 6'-8" x 1-3/8" Thick, Raised Panel, Hollow Core (HC), Oak Faced Wood Bi-Fold Doors.....	855.76	70.89
08 14 76 00-0040	EA		5'-0" Wide, Four 1'-3" x 6'-8" x 1-3/8" Thick, Raised Panel, Hollow Core (HC), Oak Faced Wood Bi-Fold Doors.....	926.02	75.33
08 14 76 00-0041	EA		6'-0" Wide, Four 1'-6" x 6'-8" x 1-3/8" Thick, Raised Panel, Hollow Core (HC), Oak Faced Wood Bi-Fold Doors.....	1,009.91	79.75
08 14 76 00-0042			Molded Panel, Hollow Core (HC), High Density Fiberboard (HDF) Faced Wood Bi-Fold Doors (08 14 76 00-0001)		
08 14 76 00-0043	EA		2'-0" Wide, Two 1'-0" x 6'-8" x 1-3/8" Thick, Molded Panel, Hollow Core (HC), High Density Fiberboard (HDF) Faced Wood Bi-Fold Doors.....	152.05	53.17
08 14 76 00-0044	EA		2'-6" Wide, Two 1'-3" x 6'-8" x 1-3/8" Thick, Molded Panel, Hollow Core (HC), High Density Fiberboard (HDF) Faced Wood Bi-Fold Doors.....	163.83	57.60
08 14 76 00-0045	EA		2'-8" Wide, Two 1'-4" x 6'-8" x 1-3/8" Thick, Molded Panel, Hollow Core (HC), High Density Fiberboard (HDF) Faced Wood Bi-Fold Doors.....	178.83	62.03
08 14 76 00-0046	EA		3'-0" Wide, Two 1'-6" x 6'-8" x 1-3/8" Thick, Molded Panel, Hollow Core (HC), High Density Fiberboard (HDF) Faced Wood Bi-Fold Doors.....	182.51	66.46
08 14 76 00-0047	EA		4'-0" Wide, Four 1'-0" x 6'-8" x 1-3/8" Thick, Molded Panel, Hollow Core (HC), High Density Fiberboard (HDF) Faced Wood Bi-Fold Doors.....	220.68	70.89
08 14 76 00-0048	EA		5'-0" Wide, Four 1'-3" x 6'-8" x 1-3/8" Thick, Molded Panel, Hollow Core (HC), High Density Fiberboard (HDF) Faced Wood Bi-Fold Doors.....	237.66	75.33
08 14 76 00-0049	EA		6'-0" Wide, Four 1'-6" x 6'-8" x 1-3/8" Thick, Molded Panel, Hollow Core (HC), High Density Fiberboard (HDF) Faced Wood Bi-Fold Doors.....	264.06	79.75
08 15			Plastic Doors (08 10)		
			Note: Includes machining for all hardware, except mortised locks. Excludes frames, finish hardware. See CSI section 08 70 00 00-0000 for finish hardware.		
08 15 13			Laminated Plastic Doors (08 15)		
			See CSI section 08 70 00 00-0000 for finish hardware.		
08 16			Composite Doors (08 10)		
			Note: Includes machining for all hardware. Excludes frames, finish hardware. See CSI section 08 70 00 00-0000 for finish hardware.		
08 16 13			Fiberglass Doors (08 16)		
			See CSI section 08 70 00 00-0000 for finish hardware.		
08 16 13 00-0001			Corrosion Resistant Fiberglass Reinforced Polyester (FRP) Frames And Doors (08 16 13)		
08 16 13 00-0002			Corrosion Resistant Fiberglass Reinforced Polyester (FRP) Doors And Frames (Chem-Pruf) (08 16 13 00-0001)		
08 16 13 00-0003			Corrosion Resistant Fiberglass Reinforced Polyester (FRP) Doors And Frames (Chem-Pruf) (08 16 13 00-0002)		
			Note: White, tan, brown or gray finish. Includes factory hardware prep and 25 Mil resin rich gel coat.		
08 16 13 00-0004			Standard, Corrosion-Resistant Fiberglass Reinforced Polyester (FRP) Doors And Frames (Chem-Pruf) (08 16 13 00-0003)		
			Note: Includes fiberglass reinforced polyester (FRP) door frame, 4-1/2" x 4-1/2" stainless steel hinges and factory hardware prep. Excludes hardware.		
08 16 13 00-0005			6'-8" High, Standard Corrosion-Resistant Fiberglass Reinforced Polyester (FRP) Doors And Frames (Chem-Pruf) (08 16 13 00-0004)		
08 16 13 00-0006	EA		3' x 6'-8", Standard Corrosion Resistant Fiberglass Reinforced Polyester (FRP) Door And Frame (Chem-Pruf).....	2,372.05	53.19
			For Custom Color Finish, Add	123.31	
			For Stainless Steel Continuous Hinge, Add	274.47	
08 16 13 00-0007	EA		3'-6" x 6'-8", Standard Corrosion Resistant Fiberglass Reinforced Polyester (FRP) Door And Frame (Chem-Pruf).....	2,532.11	55.40
			For Custom Color Finish, Add	123.31	
			For Stainless Steel Continuous Hinge, Add	274.47	
08 16 13 00-0008	EA		4' x 6'-8", Standard Corrosion Resistant Fiberglass Reinforced Polyester (FRP) Door And Frame (Chem-Pruf).....	2,775.71	59.84
			For Custom Color Finish, Add	123.31	
			For Stainless Steel Continuous Hinge, Add	274.47	
08 16 13 00-0009			7' High, Standard Corrosion-Resistant Fiberglass Reinforced Polyester (FRP) Doors And Frames (Chem-Pruf) (08 16 13 00-0004)		

08	08	Openings
	08 10	Doors And Frames
	08 16	Composite Doors



MINOR		TOTAL DIRECT		DEMOLITION
CSI	UOM	DESCRIPTION	UNIT COST	UNIT COST
08 16 13 00-0010	EA	3' x 7', Standard Corrosion Resistant Fiberglass Reinforced Polyester (FRP) Door And Frame (Chem-Pruf) <i>For Custom Color Finish, Add</i> <i>For Stainless Steel Continuous Hinge, Add</i>	2,372.05 123.31 274.47	53.19
08 16 13 00-0011	EA	3'-6" x 7', Standard Corrosion Resistant Fiberglass Reinforced Polyester (FRP) Door And Frame (Chem-Pruf) <i>For Custom Color Finish, Add</i> <i>For Stainless Steel Continuous Hinge, Add</i>	2,595.41 123.31 274.47	55.40
08 16 13 00-0012	EA	4' x 7', Standard Corrosion Resistant Fiberglass Reinforced Polyester (FRP) Door And Frame (Chem-Pruf) <i>For Custom Color Finish, Add</i> <i>For Stainless Steel Continuous Hinge, Add</i>	2,842.97 123.31 274.47	59.84
08 16 13 00-0013		Fire Rated, Corrosion-Resistant Fiberglass Reinforced Polyester (FRP) Doors And Frames (Chem-Pruf) <small>(08 16 13 00-0003)</small> Note: Includes fiberglass reinforced polyester (FRP) door frame, 4-1/2" x 4-1/2" stainless steel hinges and factory hardware prep. Excludes hardware.		
08 16 13 00-0014		45 Minute Fire Rated, Corrosion-Resistant Fiberglass Reinforced Polyester (FRP) Doors And Frames (Chem-Pruf) <small>(08 16 13 00-0013)</small>		
08 16 13 00-0015		6'-8" High, 45 Minute Fire Rated, Corrosion-Resistant Fiberglass Reinforced Polyester (FRP) Doors And Frames (Chem-Pruf) <small>(08 16 13 00-0014)</small>		
08 16 13 00-0016	EA	3' x 6'-8", 45 Minute Fire Rated, Corrosion Resistant Fiberglass Reinforced Polyester (FRP) Door And Frame (Chem-Pruf) <i>For Custom Color Finish, Add</i> <i>For Stainless Steel Continuous Hinge, Add</i>	2,815.16 123.31 274.47	53.19
08 16 13 00-0017	EA	3'-6" x 6'-8", 45 Minute Fire Rated, Corrosion Resistant Fiberglass Reinforced Polyester (FRP) Door And Frame (Chem-Pruf) <i>For Custom Color Finish, Add</i> <i>For Stainless Steel Continuous Hinge, Add</i>	2,873.68 123.31 274.47	55.40
08 16 13 00-0018	EA	4' x 6'-8", 45 Minute Fire Rated, Corrosion Resistant Fiberglass Reinforced Polyester (FRP) Door And Frame (Chem-Pruf) <i>For Custom Color Finish, Add</i> <i>For Stainless Steel Continuous Hinge, Add</i>	3,276.85 123.31 274.47	59.84
08 16 13 00-0019		7' High, 45 Minute Fire Rated, Corrosion-Resistant Fiberglass Reinforced Polyester (FRP) Doors And Frames (Chem-Pruf) <small>(08 16 13 00-0014)</small>		
08 16 13 00-0020	EA	3' x 7', 45 Minute Fire Rated, Corrosion Resistant Fiberglass Reinforced Polyester (FRP) Door And Frame (Chem-Pruf) <i>For Custom Color Finish, Add</i> <i>For Stainless Steel Continuous Hinge, Add</i>	2,815.16 123.31 274.47	53.19
08 16 13 00-0021	EA	3'-6" x 7', 45 Minute Fire Rated, Corrosion Resistant Fiberglass Reinforced Polyester (FRP) Door And Frame (Chem-Pruf) <i>For Custom Color Finish, Add</i> <i>For Stainless Steel Continuous Hinge, Add</i>	3,079.41 123.31 274.47	55.40
08 16 13 00-0022	EA	4' x 7', 45 Minute Fire Rated, Corrosion Resistant Fiberglass Reinforced Polyester (FRP) Door And Frame (Chem-Pruf) <i>For Custom Color Finish, Add</i> <i>For Stainless Steel Continuous Hinge, Add</i>	3,353.34 123.31 274.47	59.84
08 16 13 00-0023		60 Minute Fire Rated, Corrosion-Resistant Fiberglass Reinforced Polyester (FRP) Doors And Frames (Chem-Pruf) <small>(08 16 13 00-0013)</small>		
08 16 13 00-0024		6'-8" High, 60 Minute Fire Rated, Corrosion-Resistant Fiberglass Reinforced Polyester (FRP) Doors And Frames (Chem-Pruf) <small>(08 16 13 00-0023)</small>		
08 16 13 00-0025	EA	3' x 6'-8", 60 Minute Fire Rated, Corrosion Resistant Fiberglass Reinforced Polyester (FRP) Door And Frame (Chem-Pruf) <i>For Custom Color Finish, Add</i> <i>For Stainless Steel Continuous Hinge, Add</i>	2,815.16 123.31 274.47	53.19
08 16 13 00-0026	EA	3'-6" x 6'-8", 60 Minute Fire Rated, Corrosion Resistant Fiberglass Reinforced Polyester (FRP) Door And Frame (Chem-Pruf) <i>For Custom Color Finish, Add</i> <i>For Stainless Steel Continuous Hinge, Add</i>	2,873.68 123.31 274.47	55.40
08 16 13 00-0027	EA	4' x 6'-8", 60 Minute Fire Rated, Corrosion Resistant Fiberglass Reinforced Polyester (FRP) Door And Frame (Chem-Pruf) <i>For Custom Color Finish, Add</i> <i>For Stainless Steel Continuous Hinge, Add</i>	3,276.85 123.31 274.47	59.84
08 16 13 00-0028		7' High, 60 Minute Fire Rated, Corrosion-Resistant Fiberglass Reinforced Polyester (FRP) Doors And Frames (Chem-Pruf) <small>(08 16 13 00-0023)</small>		
08 16 13 00-0029	EA	3' x 7', 60 Minute Fire Rated, Corrosion Resistant Fiberglass Reinforced Polyester (FRP) Door And Frame (Chem-Pruf) <i>For Custom Color Finish, Add</i> <i>For Stainless Steel Continuous Hinge, Add</i>	2,815.16 123.31 274.47	53.19
08 16 13 00-0030	EA	3'-6" x 7', 60 Minute Fire Rated, Corrosion Resistant Fiberglass Reinforced Polyester (FRP) Door And Frame (Chem-Pruf) <i>For Custom Color Finish, Add</i> <i>For Stainless Steel Continuous Hinge, Add</i>	3,079.41 123.31 274.47	55.40



Openings	08
Doors And Frames	08 10
Composite Doors	08 16

08

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 16 13 00-0031	EA		4' x 7', 60 Minute Fire Rated, Corrosion Resistant Fiberglass Reinforced Polyester (FRP) Door And Frame (Chem-Pruf)..... <i>For Custom Color Finish, Add</i> <i>For Stainless Steel Continuous Hinge, Add</i>	3,353.34 123.31 274.47	59.84
08 16 13 00-0032			90 Minute Fire Rated, Corrosion-Resistant Fiberglass Reinforced Polyester (FRP) Doors And Frames (Chem-Pruf) (08 16 13 00-0013)		
08 16 13 00-0033			6'-8" High, 90 Minute Fire Rated, Corrosion-Resistant Fiberglass Reinforced Polyester (FRP) Doors And Frames (Chem-Pruf) (08 16 13 00-0032)		
08 16 13 00-0034	EA		3' x 6'-8", 90 Minute Fire Rated, Corrosion Resistant Fiberglass Reinforced Polyester (FRP) Door And Frame (Chem-Pruf)..... <i>For Custom Color Finish, Add</i> <i>For Stainless Steel Continuous Hinge, Add</i>	2,815.16 123.31 274.47	53.19
08 16 13 00-0035	EA		3'-6" x 6'-8", 90 Minute Fire Rated, Corrosion Resistant Fiberglass Reinforced Polyester (FRP) Door And Frame (Chem-Pruf)..... <i>For Custom Color Finish, Add</i> <i>For Stainless Steel Continuous Hinge, Add</i>	2,873.68 123.31 274.47	55.40
08 16 13 00-0036	EA		4' x 6'-8", 90 Minute Fire Rated, Corrosion Resistant Fiberglass Reinforced Polyester (FRP) Door And Frame (Chem-Pruf)..... <i>For Custom Color Finish, Add</i> <i>For Stainless Steel Continuous Hinge, Add</i>	3,276.85 123.31 274.47	59.84
08 16 13 00-0037			7' High, 90 Minute Fire Rated, Corrosion-Resistant Fiberglass Reinforced Polyester (FRP) Doors And Frames (Chem-Pruf) (08 16 13 00-0032)		
08 16 13 00-0038	EA		3' x 7', 90 Minute Fire Rated, Corrosion Resistant Fiberglass Reinforced Polyester (FRP) Door And Frame (Chem-Pruf)..... <i>For Custom Color Finish, Add</i> <i>For Stainless Steel Continuous Hinge, Add</i>	2,815.16 123.31 274.47	53.19
08 16 13 00-0039	EA		3'-6" x 7', 90 Minute Fire Rated, Corrosion Resistant Fiberglass Reinforced Polyester (FRP) Door And Frame (Chem-Pruf)..... <i>For Custom Color Finish, Add</i> <i>For Stainless Steel Continuous Hinge, Add</i>	3,079.41 123.31 274.47	55.40
08 16 13 00-0040	EA		4' x 7', 90 Minute Fire Rated, Corrosion Resistant Fiberglass Reinforced Polyester (FRP) Door And Frame (Chem-Pruf)..... <i>For Custom Color Finish, Add</i> <i>For Stainless Steel Continuous Hinge, Add</i>	3,353.34 123.31 274.47	59.84
08 16 13 00-0041			Storm Rated, Corrosion-Resistant Fiberglass Reinforced Polyester (FRP) Doors And Frames (Chem-Pruf) (08 16 13 00-0003) Note: Includes fiberglass reinforced polyester (FRP) door frame, 4-1/2" x 4-1/2" stainless steel hinges and factory hardware prep. Excludes hardware.		
08 16 13 00-0042			6'-8" High, Storm Rated, Corrosion-Resistant Fiberglass Reinforced Polyester (FRP) Doors And Frames (Chem-Pruf) (08 16 13 00-0041)		
08 16 13 00-0043	EA		3' x 6'-8", Storm Rated, Corrosion Resistant Fiberglass Reinforced Polyester (FRP) Door And Frame (Chem-Pruf)..... <i>For Custom Color Finish, Add</i> <i>For Stainless Steel Continuous Hinge, Add</i>	2,507.89 123.31 274.47	53.19
08 16 13 00-0044			7' High, Storm Rated, Corrosion-Resistant Fiberglass Reinforced Polyester (FRP) Doors And Frames (Chem-Pruf) (08 16 13 00-0041)		
08 16 13 00-0045	EA		3' x 7', Storm Rated, Corrosion Resistant Fiberglass Reinforced Polyester (FRP) Door And Frame (Chem-Pruf)..... <i>For Custom Color Finish, Add</i> <i>For Stainless Steel Continuous Hinge, Add</i>	2,507.89 123.31 274.47	53.19
08 16 13 00-0046			Accessories For Corrosion Resistant Fiberglass Reinforced Polyester (FRP) Doors (Chem-Pruf) (08 16 13 00-0002)		
08 16 13 00-0047	SI		1/4" Tempered, Factory Installed Vision Glass (Chem-Pruf).....	0.34	
08 16 13 00-0048	SI		1/4" Laminated, Factory Installed Vision Glass (Chem-Pruf).....	0.34	
08 16 13 00-0049	SI		1/4" Wire, Factory Installed Vision Glass (Chem-Pruf).....	0.45	
08 16 13 00-0050	SI		1/2" Insulated, Factory Installed Vision Glass (Chem-Pruf).....	0.44	
08 16 13 00-0051	SI		Factory Installed Molded Louver (Chem-Pruf).....	0.87	
08 16 13 00-0052	SI		Factory Installed Molded Louver With Insect Screen (Chem-Pruf).....	0.97	
08 16 13 00-0053	LF		Weather Strip (Chem-Pruf).....	9.23	
08 16 13 00-0054	LF		Fiberglass Reinforced Polyester (FRP) Astragal With Seal (Chem-Pruf).....	11.87	
08 16 13 00-0055	LF		1/2" Fiberglass Reinforced Polyester (FRP) Grooved Saddle Threshold (Chem-Pruf).....	25.06	
08 16 13 00-0056	LF		Fiberglass Reinforced Polyester (FRP) Door Sweep (Chem-Pruf).....	27.69	
08 16 13 00-0057	LF		2-1/4" Fiberglass Reinforced Polyester (FRP) Center Door Mullion (Chem-Pruf).....	54.07	
08 16 13 00-0058			Corrosion Resistant Fiberglass Reinforced Polyester (FRP) Doors And Frames (Skule Door) (08 16 13 00-0001)		
08 16 13 00-0059			Corrosion Resistant Fiberglass Reinforced Polyester (FRP) Doors And Frames (Skule Door) (08 16 13 00-0058) Note: White, tan, brown or gray finish. Includes factory hardware prep.		

08	08	Openings
	08 10	Doors And Frames
	08 16	Composite Doors



MINOR		TOTAL DIRECT		DEMOLITION	
CSI	UOM	DESCRIPTION	UNIT COST	UNIT COST	
08 16 13 00-0060		Standard, Corrosion-Resistant Fiberglass Reinforced Polyester (FRP) Doors And Frames (Skule Door) <small>(08 16 13 00-0059)</small>			
		Note: Includes fiberglass reinforced polyester (FRP) door frame, 4-1/2" x 4-1/2" stainless steel hinges and factory hardware prep. Excludes hardware.			
08 16 13 00-0061		6'-8" High, Standard Corrosion-Resistant Fiberglass Reinforced Polyester (FRP) Doors And Frames (Skule Door) <small>(08 16 13 00-0060)</small>			
08 16 13 00-0062	EA	3' x 6'-8", Standard Corrosion Resistant Fiberglass Reinforced Polyester (FRP) Door And Frame (Skule Door)	1,813.65		53.19
		For Custom Color Finish, Add	123.31		
		For Stainless Steel Continuous Hinge, Add	274.47		
08 16 13 00-0063	EA	3'-6" x 6'-8", Standard Corrosion Resistant Fiberglass Reinforced Polyester (FRP) Door And Frame (Skule Door)	1,838.83		55.40
		For Custom Color Finish, Add	123.31		
		For Stainless Steel Continuous Hinge, Add	274.47		
08 16 13 00-0064	EA	4' x 6'-8", Standard Corrosion Resistant Fiberglass Reinforced Polyester (FRP) Door And Frame (Skule Door)	1,927.48		59.84
		For Custom Color Finish, Add	123.31		
		For Stainless Steel Continuous Hinge, Add	274.47		
08 16 13 00-0065		7' High, Standard Corrosion-Resistant Fiberglass Reinforced Polyester (FRP) Doors And Frames (Skule Door) <small>(08 16 13 00-0060)</small>			
08 16 13 00-0066	EA	3' x 7', Standard Corrosion Resistant Fiberglass Reinforced Polyester (FRP) Door And Frame (Skule Door)	1,813.65		53.19
		For Custom Color Finish, Add	123.31		
		For Stainless Steel Continuous Hinge, Add	274.47		
08 16 13 00-0067	EA	3'-6" x 7', Standard Corrosion Resistant Fiberglass Reinforced Polyester (FRP) Door And Frame (Skule Door)	1,918.62		55.40
		For Custom Color Finish, Add	123.31		
		For Stainless Steel Continuous Hinge, Add	274.47		
08 16 13 00-0068	EA	4' x 7', Standard Corrosion Resistant Fiberglass Reinforced Polyester (FRP) Door And Frame (Skule Door)	1,927.48		59.84
		For Custom Color Finish, Add	123.31		
		For Stainless Steel Continuous Hinge, Add	274.47		
08 16 13 00-0069		Fire Rated, Corrosion-Resistant Fiberglass Reinforced Polyester (FRP) Doors And Frames (Skule Door) <small>(08 16 13 00-0059)</small>			
		Note: Includes fiberglass reinforced polyester (FRP) door frame, 4-1/2" x 4-1/2" stainless steel hinges and factory hardware prep. Excludes hardware.			
08 16 13 00-0070		45 Minute Fire Rated, Corrosion-Resistant Fiberglass Reinforced Polyester (FRP) Doors And Frames (Skule Door) <small>(08 16 13 00-0069)</small>			
08 16 13 00-0071		6'-8" High, 45 Minute Fire Rated, Corrosion-Resistant Fiberglass Reinforced Polyester (FRP) Doors And Frames (Skule Door) <small>(08 16 13 00-0070)</small>			
08 16 13 00-0072	EA	3' x 6'-8", 45 Minute Fire Rated, Corrosion Resistant Fiberglass Reinforced Polyester (FRP) Door And Frame (Skule Door)	3,010.45		53.19
		For Custom Color Finish, Add	123.31		
		For Stainless Steel Continuous Hinge, Add	274.47		
08 16 13 00-0073	EA	3'-6" x 6'-8", 45 Minute Fire Rated, Corrosion Resistant Fiberglass Reinforced Polyester (FRP) Door And Frame (Skule Door)	3,072.34		55.40
		For Custom Color Finish, Add	123.31		
		For Stainless Steel Continuous Hinge, Add	274.47		
08 16 13 00-0074	EA	4' x 6'-8", 45 Minute Fire Rated, Corrosion Resistant Fiberglass Reinforced Polyester (FRP) Door And Frame (Skule Door)	3,218.43		59.84
		For Custom Color Finish, Add	123.31		
		For Stainless Steel Continuous Hinge, Add	274.47		
08 16 13 00-0075		7' High, 45 Minute Fire Rated, Corrosion-Resistant Fiberglass Reinforced Polyester (FRP) Doors And Frames (Skule Door) <small>(08 16 13 00-0070)</small>			
08 16 13 00-0076	EA	3' x 7', 45 Minute Fire Rated, Corrosion Resistant Fiberglass Reinforced Polyester (FRP) Door And Frame (Skule Door)	3,010.45		53.19
		For Custom Color Finish, Add	123.31		
		For Stainless Steel Continuous Hinge, Add	274.47		
08 16 13 00-0077	EA	3'-6" x 7', 45 Minute Fire Rated, Corrosion Resistant Fiberglass Reinforced Polyester (FRP) Door And Frame (Skule Door)	3,094.68		55.40
		For Custom Color Finish, Add	123.31		
		For Stainless Steel Continuous Hinge, Add	274.47		
08 16 13 00-0078	EA	4' x 7', 45 Minute Fire Rated, Corrosion Resistant Fiberglass Reinforced Polyester (FRP) Door And Frame (Skule Door)	3,287.05		59.84
		For Custom Color Finish, Add	123.31		
		For Stainless Steel Continuous Hinge, Add	274.47		
08 16 13 00-0079		60 Minute Fire Rated, Corrosion-Resistant Fiberglass Reinforced Polyester (FRP) Doors And Frames (Skule Door) <small>(08 16 13 00-0069)</small>			
08 16 13 00-0080		6'-8" High, 60 Minute Fire Rated, Corrosion-Resistant Fiberglass Reinforced Polyester (FRP) Doors And Frames (Skule Door) <small>(08 16 13 00-0079)</small>			
08 16 13 00-0081	EA	3' x 6'-8", 60 Minute Fire Rated, Corrosion Resistant Fiberglass Reinforced Polyester (FRP) Door And Frame (Skule Door)	3,010.45		53.19
		For Custom Color Finish, Add	123.31		
		For Stainless Steel Continuous Hinge, Add	274.47		



Openings	08	08
Doors And Frames	08 10	
Composite Doors	08 16	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 16 13 00-0082	EA		3'-6" x 6'-8", 60 Minute Fire Rated, Corrosion Resistant Fiberglass Reinforced Polyester (FRP) Door And Frame (Skule Door).....	3,072.34	55.40
			<i>For Custom Color Finish, Add</i>	123.31	
			<i>For Stainless Steel Continuous Hinge, Add</i>	274.47	
08 16 13 00-0083	EA		4' x 6'-8", 60 Minute Fire Rated, Corrosion Resistant Fiberglass Reinforced Polyester (FRP) Door And Frame (Skule Door).....	3,218.43	59.84
			<i>For Custom Color Finish, Add</i>	123.31	
			<i>For Stainless Steel Continuous Hinge, Add</i>	274.47	
08 16 13 00-0084			7' High, 60 Minute Fire Rated, Corrosion-Resistant Fiberglass Reinforced Polyester (FRP) Doors And Frames (Skule Door) (08 16 13 00-0079)		
08 16 13 00-0085	EA		3' x 7', 60 Minute Fire Rated, Corrosion Resistant Fiberglass Reinforced Polyester (FRP) Door And Frame (Skule Door).....	3,010.45	53.19
			<i>For Custom Color Finish, Add</i>	123.31	
			<i>For Stainless Steel Continuous Hinge, Add</i>	274.47	
08 16 13 00-0086	EA		3'-6" x 7', 60 Minute Fire Rated, Corrosion Resistant Fiberglass Reinforced Polyester (FRP) Door And Frame (Skule Door).....	3,094.68	55.40
			<i>For Custom Color Finish, Add</i>	123.31	
			<i>For Stainless Steel Continuous Hinge, Add</i>	274.47	
08 16 13 00-0087	EA		4' x 7', 60 Minute Fire Rated, Corrosion Resistant Fiberglass Reinforced Polyester (FRP) Door And Frame (Skule Door).....	3,287.05	59.84
			<i>For Custom Color Finish, Add</i>	123.31	
			<i>For Stainless Steel Continuous Hinge, Add</i>	274.47	
08 16 13 00-0088			90 Minute Fire Rated, Corrosion-Resistant Fiberglass Reinforced Polyester (FRP) Doors And Frames (Skule Door) (08 16 13 00-0069)		
08 16 13 00-0089			6'-8" High, 90 Minute Fire Rated, Corrosion-Resistant Fiberglass Reinforced Polyester (FRP) Doors And Frames (Skule Door) (08 16 13 00-0088)		
08 16 13 00-0090	EA		3' x 6'-8", 90 Minute Fire Rated, Corrosion Resistant Fiberglass Reinforced Polyester (FRP) Door And Frame (Skule Door).....	3,010.45	53.19
			<i>For Custom Color Finish, Add</i>	123.31	
			<i>For Stainless Steel Continuous Hinge, Add</i>	274.47	
08 16 13 00-0091	EA		3'-6" x 6'-8", 90 Minute Fire Rated, Corrosion Resistant Fiberglass Reinforced Polyester (FRP) Door And Frame (Skule Door).....	3,072.34	55.40
			<i>For Custom Color Finish, Add</i>	123.31	
			<i>For Stainless Steel Continuous Hinge, Add</i>	274.47	
08 16 13 00-0092	EA		4' x 6'-8", 90 Minute Fire Rated, Corrosion Resistant Fiberglass Reinforced Polyester (FRP) Door And Frame (Skule Door).....	3,218.43	59.84
			<i>For Custom Color Finish, Add</i>	123.31	
			<i>For Stainless Steel Continuous Hinge, Add</i>	274.47	
08 16 13 00-0093			7' High, 90 Minute Fire Rated, Corrosion-Resistant Fiberglass Reinforced Polyester (FRP) Doors And Frames (Skule Door) (08 16 13 00-0088)		
08 16 13 00-0094	EA		3' x 7', 90 Minute Fire Rated, Corrosion Resistant Fiberglass Reinforced Polyester (FRP) Door And Frame (Skule Door).....	3,010.45	53.19
			<i>For Custom Color Finish, Add</i>	123.31	
			<i>For Stainless Steel Continuous Hinge, Add</i>	274.47	
08 16 13 00-0095	EA		3'-6" x 7', 90 Minute Fire Rated, Corrosion Resistant Fiberglass Reinforced Polyester (FRP) Door And Frame (Skule Door).....	3,094.68	55.40
			<i>For Custom Color Finish, Add</i>	123.31	
			<i>For Stainless Steel Continuous Hinge, Add</i>	274.47	
08 16 13 00-0096	EA		4' x 7', 90 Minute Fire Rated, Corrosion Resistant Fiberglass Reinforced Polyester (FRP) Door And Frame (Skule Door).....	3,287.05	59.84
			<i>For Custom Color Finish, Add</i>	123.31	
			<i>For Stainless Steel Continuous Hinge, Add</i>	274.47	
08 16 13 00-0097			Storm Rated, Corrosion-Resistant Fiberglass Reinforced Polyester (FRP) Doors And Frames (Skule Door) (08 16 13 00-0059)		
			Note: Includes fiberglass reinforced polyester (FRP) door frame, 4-1/2" x 4-1/2" stainless steel hinges and factory hardware prep. Excludes hardware.		
08 16 13 00-0098			6'-8" High, Storm Rated, Corrosion-Resistant Fiberglass Reinforced Polyester (FRP) Doors And Frames (Skule Door) (08 16 13 00-0097)		
08 16 13 00-0099	EA		3' x 6'-8", Storm Rated, Corrosion Resistant Fiberglass Reinforced Polyester (FRP) Door And Frame (Skule Door).....	2,053.01	53.19
			<i>For Custom Color Finish, Add</i>	123.31	
			<i>For Stainless Steel Continuous Hinge, Add</i>	274.47	
08 16 13 00-0100			7' High, Storm Rated, Corrosion-Resistant Fiberglass Reinforced Polyester (FRP) Doors And Frames (Skule Door) (08 16 13 00-0097)		
08 16 13 00-0101	EA		3' x 7', Storm Rated, Corrosion Resistant Fiberglass Reinforced Polyester (FRP) Door And Frame (Skule Door).....	2,053.01	53.19
			<i>For Custom Color Finish, Add</i>	123.31	
			<i>For Stainless Steel Continuous Hinge, Add</i>	274.47	
08 16 13 00-0102			Accessories For Corrosion Resistant Fiberglass Reinforced Polyester (FRP) Doors (Skule Door) (08 16 13 00-0058)		

08 Openings**08 10 Doors And Frames****08 16 Composite Doors**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 16 13 00-0103	SI		1/4" Tempered, Factory Installed Vision Glass (Skule Door)	0.75	
08 16 13 00-0104	SI		1/4" Laminated, Factory Installed Vision Glass (Skule Door)	0.78	
08 16 13 00-0105	SI		1/4" Wire, Factory Installed Vision Glass (Skule Door)	0.82	
08 16 13 00-0106	SI		1/2" Insulated, Factory Installed Vision Glass (Skule Door)	1.17	
08 16 13 00-0107	SI		Factory Installed Molded Louver (Skule Door)	0.47	
08 16 13 00-0108	SI		Factory Installed Molded Louver With Insect Screen (Skule Door)	0.74	
08 16 13 00-0109	LF		Weather Strip (Skule Door)	6.38	
08 16 13 00-0110	LF		Fiberglass Reinforced Polyester (FRP) Astragal With Seal (Skule Door)	7.98	
08 16 13 00-0111	LF		1/2" Fiberglass Reinforced Polyester (FRP) Grooved Saddle Threshold (Skule Door)	25.53	
08 16 13 00-0112	LF		Fiberglass Reinforced Polyester (FRP) Door Sweep (Skule Door)	90.96	
08 16 13 00-0113	LF		2-1/4" Fiberglass Reinforced Polyester (FRP) Center Door Mullion (Skule Door)	35.11	
08 16 13 00-0114			Galvanized Insulated Poly Core Composite Doors (08 16 13)		
08 16 13 00-0115	EA		3'-0" x 7'-0" x 1-3/4" Thick, Flush, 18 Gauge, Galvanized, Insulated Poly Core Composite Door (Curries 707N)	800.98	53.19
08 17			Integrated Door Opening Assemblies (08 10)		
08 17 23			Integrated Metal Door Opening Assemblies (08 17)		
08 17 23 00-0001			Pre-Hung Interior Door Units (08 17 23)		
			Note: All pre-hung doors include door, frame, and trim, all mounting hardware (standard duty ball bearing hinges). Excludes lockset.		
08 17 23 00-0002			Hollow Core Doors, 1-3/8" Thick (08 17 23 00-0001)		
08 17 23 00-0003			Birch Faced (08 17 23 00-0002)		
08 17 23 00-0004	EA		2'-0" Or 2'-4" x 7' x 1-3/8" Prehung Hollow Core, Birch Faced Door	349.79	55.40
			For 8' Door Height, Add	57.36	
08 17 23 00-0005	EA		2'-6" x 7' x 1-3/8" Prehung Hollow Core, Birch Faced Door	364.47	55.40
			For 8' Door Height, Add	60.88	
08 17 23 00-0006	EA		2'-8" x 7' x 1-3/8" Prehung Hollow Core, Birch Faced Door	383.60	57.62
			For 8' Door Height, Add	64.41	
08 17 23 00-0007	EA		3' x 7' x 1-3/8" Prehung Hollow Core, Birch Faced Door	392.41	59.84
			For 8' Door Height, Add	65.46	
08 17 23 00-0008	EA		3'-4" x 7' x 1-3/8" Prehung Hollow Core, Birch Faced Door	419.05	59.84
			For 8' Door Height, Add	71.85	
08 17 23 00-0009	EA		3'-6" x 7' x 1-3/8" Prehung Hollow Core, Birch Faced Door	442.65	62.05
			For 8' Door Height, Add	76.45	
08 17 23 00-0010	EA		Pair 2' x 7' x 1-3/8" Prehung Hollow Core, Birch Faced Door	659.67	90.87
			For 8' Door Height, Add	114.71	
08 17 23 00-0011	EA		Pair 2'-6" x 7' x 1-3/8" Prehung Hollow Core, Birch Faced Door	702.37	97.51
			For 8' Door Height, Add	121.77	
08 17 23 00-0012	EA		Pair 3' x 7' x 1-3/8" Prehung Hollow Core, Birch Faced Door	753.78	104.16
			For 8' Door Height, Add	130.91	
08 17 23 00-0013			Lauan Faced (08 17 23 00-0002)		
08 17 23 00-0014	EA		2'-0" Or 2'-4" x 7' x 1-3/8" Prehung Hollow Core, Lauan Faced Door	318.53	55.40
			For 8' Door Height, Add	49.85	
08 17 23 00-0015	EA		2'-6" x 7' x 1-3/8" Prehung Hollow Core, Lauan Faced Door	332.62	55.40
			For 8' Door Height, Add	53.23	
08 17 23 00-0016	EA		2'-8" x 7' x 1-3/8" Prehung Hollow Core, Lauan Faced Door	348.91	57.62
			For 8' Door Height, Add	56.08	
08 17 23 00-0017	EA		3' x 7' x 1-3/8" Prehung Hollow Core, Lauan Faced Door	361.75	59.84
			For 8' Door Height, Add	58.10	
08 17 23 00-0018	EA		3'-4" x 7' x 1-3/8" Prehung Hollow Core, Lauan Faced Door	384.90	59.84
			For 8' Door Height, Add	63.65	
08 17 23 00-0019	EA		3'-6" x 7' x 1-3/8" Prehung Hollow Core, Lauan Faced Door	406.28	62.05
			For 8' Door Height, Add	67.72	
08 17 23 00-0020	EA		Pair 2' x 7' x 1-3/8" Prehung Hollow Core, Lauan Faced Door	597.17	90.87
			For 8' Door Height, Add	99.71	
08 17 23 00-0021	EA		Pair 2'-6" x 7' x 1-3/8" Prehung Hollow Core, Lauan Faced Door	638.58	97.51
			For 8' Door Height, Add	106.46	
08 17 23 00-0022	EA		Pair 3' x 7' x 1-3/8" Prehung Hollow Core, Lauan Faced Door	692.52	104.16
			For 8' Door Height, Add	116.21	
08 17 23 00-0023			Tempered Hardboard Faced (08 17 23 00-0002)		
08 17 23 00-0024	EA		2'-0" Or 2'-4" x 7' x 1-3/8" Prehung Hollow Core, Hardboard Faced Door	273.64	55.40
			For 8' Door Height, Add	39.08	
08 17 23 00-0025	EA		2'-6" x 7' x 1-3/8" Prehung Hollow Core, Hardboard Faced Door	285.52	55.40
			For 8' Door Height, Add	41.93	
08 17 23 00-0026	EA		2'-8" x 7' x 1-3/8" Prehung Hollow Core, Hardboard Faced Door	295.58	57.62
			For 8' Door Height, Add	43.28	
08 17 23 00-0027	EA		3' x 7' x 1-3/8" Prehung Hollow Core, Hardboard Faced Door	311.29	59.84
			For 8' Door Height, Add	45.99	
08 17 23 00-0028	EA		3'-4" x 7' x 1-3/8" Prehung Hollow Core, Hardboard Faced Door	332.35	59.84
			For 8' Door Height, Add	51.04	
08 17 23 00-0029	EA		3'-6" x 7' x 1-3/8" Prehung Hollow Core, Hardboard Faced Door	350.41	62.05
			For 8' Door Height, Add	54.31	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 17 23 00-0030 EA Pair 2' x 7' x 1-3/8" Prehung Hollow Core, Hardboard Faced Door..... <i>For 8' Door Height, Add</i>	507.39 78.16	90.87
08 17 23 00-0031 EA Pair 2'-6" x 7' x 1-3/8" Prehung Hollow Core, Hardboard Faced Door <i>For 8' Door Height, Add</i>	544.42 83.86	97.51
08 17 23 00-0032 EA Pair 3' x 7' x 1-3/8" Prehung Hollow Core, Hardboard Faced Door..... <i>For 8' Door Height, Add</i>	591.53 91.98	104.16
08 17 23 00-0033 Solid Core Doors, 1-3/8" Thick (08 17 23 00-0001)		
08 17 23 00-0034 Birch Faced (08 17 23 00-0033)		
08 17 23 00-0035 EA 2'-0" Or 2'-4" x 7' x 1-3/8" Prehung Solid Core, Birch Faced Door <i>For 8' Door Height, Add</i>	462.71 84.46	55.40
08 17 23 00-0036 EA 2'-6" x 7' x 1-3/8" Prehung Solid Core, Birch Faced Door <i>For 8' Door Height, Add</i>	481.22 88.90	55.40
08 17 23 00-0037 EA 2'-8" x 7' x 1-3/8" Prehung Solid Core, Birch Faced Door <i>For 8' Door Height, Add</i>	504.10 93.33	57.62
08 17 23 00-0038 EA 3' x 7' x 1-3/8" Prehung Solid Core, Birch Faced Door..... <i>For 8' Door Height, Add</i>	531.07 98.74	59.84
08 17 23 00-0039 EA 3'-4" x 7' x 1-3/8" Prehung Solid Core, Birch Faced Door <i>For 8' Door Height, Add</i>	576.25 109.58	59.84
08 17 23 00-0040 EA 3'-6" x 7' x 1-3/8" Prehung Solid Core, Birch Faced Door <i>For 8' Door Height, Add</i>	620.59 119.16	62.05
08 17 23 00-0041 EA Pair 2' x 7' x 1-3/8" Prehung Solid Core, Birch Faced Door <i>For 8' Door Height, Add</i>	885.52 168.91	90.87
08 17 23 00-0042 EA Pair 2'-6" x 7' x 1-3/8" Prehung Solid Core, Birch Faced Door <i>For 8' Door Height, Add</i>	935.82 177.79	97.51
08 17 23 00-0043 EA Pair 3' x 7' x 1-3/8" Prehung Solid Core, Birch Faced Door <i>For 8' Door Height, Add</i>	1,031.11 197.47	104.16
08 17 23 00-0044 Lauan Faced (08 17 23 00-0033)		
08 17 23 00-0045 EA 2'-0" Or 2'-4" x 7' x 1-3/8" Prehung Solid Core, Lauan Faced Door <i>For 8' Door Height, Add</i>	415.48 73.12	55.40
08 17 23 00-0046 EA 2'-6" x 7' x 1-3/8" Prehung Solid Core, Lauan Faced Door <i>For 8' Door Height, Add</i>	432.23 77.14	55.40
08 17 23 00-0047 EA 2'-8" x 7' x 1-3/8" Prehung Solid Core, Lauan Faced Door <i>For 8' Door Height, Add</i>	453.38 81.16	57.62
08 17 23 00-0048 EA 3' x 7' x 1-3/8" Prehung Solid Core, Lauan Faced Door <i>For 8' Door Height, Add</i>	474.72 85.21	59.84
08 17 23 00-0049 EA 3'-4" x 7' x 1-3/8" Prehung Solid Core, Lauan Faced Door <i>For 8' Door Height, Add</i>	513.77 94.58	59.84
08 17 23 00-0050 EA 3'-6" x 7' x 1-3/8" Prehung Solid Core, Lauan Faced Door <i>For 8' Door Height, Add</i>	543.43 100.64	62.05
08 17 23 00-0051 EA Pair 2' x 7' x 1-3/8" Prehung Solid Core, Lauan Faced Door <i>For 8' Door Height, Add</i>	791.04 146.24	90.87
08 17 23 00-0052 EA Pair 2'-6" x 7' x 1-3/8" Prehung Solid Core, Lauan Faced Door <i>For 8' Door Height, Add</i>	837.87 154.29	97.51
08 17 23 00-0053 EA Pair 3' x 7' x 1-3/8" Prehung Solid Core, Lauan Faced Door <i>For 8' Door Height, Add</i>	918.40 170.42	104.16
08 17 23 00-0054 Tempered Hardboard Faced (08 17 23 00-0033)		
08 17 23 00-0055 EA 2'-0" - 2'-4" x 7' x 1-3/8" Prehung Solid Core, Hardboard Faced Door <i>For 8' Door Height, Add</i>	373.41 63.02	55.40
08 17 23 00-0056 EA 2'-6" x 7' x 1-3/8" Prehung Solid Core, Hardboard Faced Door <i>For 8' Door Height, Add</i>	388.61 66.67	55.40
08 17 23 00-0057 EA 2'-8" x 7' x 1-3/8" Prehung Solid Core, Hardboard Faced Door <i>For 8' Door Height, Add</i>	408.29 70.33	57.62
08 17 23 00-0058 EA 3' x 7' x 1-3/8" Prehung Solid Core, Hardboard Faced Door <i>For 8' Door Height, Add</i>	418.37 71.69	59.84
08 17 23 00-0059 EA 3'-4" x 7' x 1-3/8" Prehung Solid Core, Hardboard Faced Door <i>For 8' Door Height, Add</i>	451.31 79.59	59.84
08 17 23 00-0060 EA 3'-6" x 7' x 1-3/8" Prehung Solid Core, Hardboard Faced Door <i>For 8' Door Height, Add</i>	476.99 84.69	62.05
08 17 23 00-0061 PR Pair 2' x 7' x 1-3/8" Prehung Solid Core, Hardboard Faced Door..... <i>For 8' Door Height, Add</i>	706.91 126.05	90.87
08 17 23 00-0062 PR Pair 2'-6" x 7' x 1-3/8" Prehung Solid Core, Hardboard Faced Door <i>For 8' Door Height, Add</i>	750.61 133.34	97.51
08 17 23 00-0063 PR Pair 3' x 7' x 1-3/8" Prehung Solid Core, Hardboard Faced Door..... <i>For 8' Door Height, Add</i>	805.69 143.37	104.16
08 17 23 00-0064 Hollow Core Doors, 1-3/4" Thick (08 17 23 00-0001)		
08 17 23 00-0065 Birch Faced (08 17 23 00-0064)		
08 17 23 00-0066 EA 2'-0" Or 2'-4" x 7' x 1-3/4" Prehung Hollow Core, Birch Faced Door <i>For 8' Door Height, Add</i>	409.50 71.69	55.40
08 17 23 00-0067 EA 2'-6" x 7' x 1-3/4" Prehung Hollow Core, Birch Faced Door <i>For 8' Door Height, Add</i>	420.78 74.39	55.40
08 17 23 00-0068 EA 2'-8" x 7' x 1-3/4" Prehung Hollow Core, Birch Faced Door <i>For 8' Door Height, Add</i>	429.37 75.39	57.62
08 17 23 00-0069 EA 3' x 7' x 1-3/4" Prehung Hollow Core, Birch Faced Door <i>For 8' Door Height, Add</i>	452.18 79.80	59.84

08 Openings**08 10 Doors And Frames****08 17 Integrated Door Opening Assemblies**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 17 23 00-0070	EA		3'-4" x 7' x 1-3/4" Prehung Hollow Core, Birch Faced Door..... <i>For 8' Door Height, Add</i>	500.96 91.51	59.84
08 17 23 00-0071	EA		3'-6" x 7' x 1-3/4" Prehung Hollow Core, Birch Faced Door..... <i>For 8' Door Height, Add</i>	562.38 105.18	62.05
08 17 23 00-0072	EA		Pair 2' x 7' x 1-3/4" Prehung Hollow Core, Birch Faced Door..... <i>For 8' Door Height, Add</i>	779.14 143.38	90.87
08 17 23 00-0073	EA		Pair 2'-6" x 7' x 1-3/4" Prehung Hollow Core, Birch Faced Door..... <i>For 8' Door Height, Add</i>	814.94 148.78	97.51
08 17 23 00-0074	EA		Pair 3' x 7' x 1-3/4" Prehung Hollow Core, Birch Faced Door..... <i>For 8' Door Height, Add</i>	873.36 159.61	104.16
08 17 23 00-0075			Lauan Faced <small>(08 17 23 00-0064)</small>		
08 17 23 00-0076	EA		2'-0" Or 2'-4" x 7' x 1-3/4" Prehung Hollow Core, Lauan Faced Door..... <i>For 8' Door Height, Add</i>	374.68 63.33	55.40
08 17 23 00-0077	EA		2'-6" x 7' x 1-3/4" Prehung Hollow Core, Lauan Faced Door..... <i>For 8' Door Height, Add</i>	392.87 67.69	55.40
08 17 23 00-0078	EA		2'-8" x 7' x 1-3/4" Prehung Hollow Core, Lauan Faced Door..... <i>For 8' Door Height, Add</i>	412.05 71.24	57.62
08 17 23 00-0079	EA		3' x 7' x 1-3/4" Prehung Hollow Core, Lauan Faced Door..... <i>For 8' Door Height, Add</i>	422.33 72.64	59.84
08 17 23 00-0080	EA		3'-4" x 7' x 1-3/4" Prehung Hollow Core, Lauan Faced Door..... <i>For 8' Door Height, Add</i>	455.60 80.62	59.84
08 17 23 00-0081	EA		3'-6" x 7' x 1-3/4" Prehung Hollow Core, Lauan Faced Door..... <i>For 8' Door Height, Add</i>	481.53 85.78	62.05
08 17 23 00-0082	EA		Pair 2' x 7' x 1-3/4" Prehung Hollow Core, Lauan Faced Door..... <i>For 8' Door Height, Add</i>	709.48 126.66	90.87
08 17 23 00-0083	EA		Pair 2'-6" x 7' x 1-3/4" Prehung Hollow Core, Lauan Faced Door..... <i>For 8' Door Height, Add</i>	759.13 135.39	97.51
08 17 23 00-0084	EA		Pair 3' x 7' x 1-3/4" Prehung Hollow Core, Lauan Faced Door..... <i>For 8' Door Height, Add</i>	813.64 145.28	104.16
08 17 23 00-0085			Tempered Hardboard Faced <small>(08 17 23 00-0064)</small>		
08 17 23 00-0086	EA		2'-0" Or 2'-4" x 7' x 1-3/4" Prehung Hollow Core, Hardboard Faced Door..... <i>For 8' Door Height, Add</i>	313.68 48.69	55.40
08 17 23 00-0087	EA		2'-6" x 7' x 1-3/4" Prehung Hollow Core, Hardboard Faced Door..... <i>For 8' Door Height, Add</i>	319.34 50.05	55.40
08 17 23 00-0088	EA		2'-8" x 7' x 1-3/4" Prehung Hollow Core, Hardboard Faced Door..... <i>For 8' Door Height, Add</i>	335.03 52.75	57.62
08 17 23 00-0089	EA		3' x 7' x 1-3/4" Prehung Hollow Core, Hardboard Faced Door..... <i>For 8' Door Height, Add</i>	350.75 55.46	59.84
08 17 23 00-0090	EA		3'-4" x 7' x 1-3/4" Prehung Hollow Core, Hardboard Faced Door..... <i>For 8' Door Height, Add</i>	363.62 58.55	59.84
08 17 23 00-0091	EA		3'-6" x 7' x 1-3/4" Prehung Hollow Core, Hardboard Faced Door..... <i>For 8' Door Height, Add</i>	383.68 62.30	62.05
08 17 23 00-0092	EA		Pair 2' x 7' x 1-3/4" Prehung Hollow Core, Hardboard Faced Door..... <i>For 8' Door Height, Add</i>	587.46 97.38	90.87
08 17 23 00-0093	EA		Pair 2'-6" x 7' x 1-3/4" Prehung Hollow Core, Hardboard Faced Door..... <i>For 8' Door Height, Add</i>	612.07 100.09	97.51
08 17 23 00-0094	EA		Pair 3' x 7' x 1-3/4" Prehung Hollow Core, Hardboard Faced Door..... <i>For 8' Door Height, Add</i>	670.49 110.92	104.16
08 17 23 00-0095			Solid Core Doors, 1-3/4" Thick <small>(08 17 23 00-0001)</small>		
08 17 23 00-0096			Birch Faced <small>(08 17 23 00-0095)</small>		
08 17 23 00-0097	EA		2'-0" Or 2'-4" x 7' x 1-3/4" Prehung Solid Core, Birch Faced Door..... <i>For 8' Door Height, Add</i>	516.59 97.39	55.40
08 17 23 00-0098	EA		2'-6" x 7' x 1-3/4" Prehung Solid Core, Birch Faced Door..... <i>For 8' Door Height, Add</i>	533.49 101.44	55.40
08 17 23 00-0099	EA		2'-8" x 7' x 1-3/4" Prehung Solid Core, Birch Faced Door..... <i>For 8' Door Height, Add</i>	543.56 102.80	57.62
08 17 23 00-0100	EA		3' x 7' x 1-3/4" Prehung Solid Core, Birch Faced Door..... <i>For 8' Door Height, Add</i>	564.90 106.86	59.84
08 17 23 00-0101	EA		3'-4" x 7' x 1-3/4" Prehung Solid Core, Birch Faced Door..... <i>For 8' Door Height, Add</i>	613.87 118.61	59.84
08 17 23 00-0102	EA		3'-6" x 7' x 1-3/4" Prehung Solid Core, Birch Faced Door..... <i>For 8' Door Height, Add</i>	667.76 130.48	62.05
08 17 23 00-0103	EA		Pair 2' x 7' x 1-3/4" Prehung Solid Core, Birch Faced Door..... <i>For 8' Door Height, Add</i>	993.29 194.78	90.87
08 17 23 00-0104	EA		Pair 2'-6" x 7' x 1-3/4" Prehung Solid Core, Birch Faced Door..... <i>For 8' Door Height, Add</i>	1,040.36 202.88	97.51
08 17 23 00-0105	EA		Pair 3' x 7' x 1-3/4" Prehung Solid Core, Birch Faced Door..... <i>For 8' Door Height, Add</i>	1,098.77 213.71	104.16
08 17 23 00-0106			Lauan Faced <small>(08 17 23 00-0095)</small>		
08 17 23 00-0107	EA		2'-0" Or 2'-4" x 7' x 1-3/4" Prehung Solid Core, Lauan Faced Door..... <i>For 8' Door Height, Add</i>	525.51 99.53	55.40
08 17 23 00-0108	EA		2'-6" x 7' x 1-3/4" Prehung Solid Core, Lauan Faced Door..... <i>For 8' Door Height, Add</i>	526.71 99.82	55.40



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 17 23 00-0109 EA 2'-8" x 7' x 1-3/4" Prehung Solid Core, Luan Faced Door <i>For 8' Door Height, Add</i>	543.08 102.68	57.62
08 17 23 00-0110 EA 3' x 7' x 1-3/4" Prehung Solid Core, Luan Faced Door <i>For 8' Door Height, Add</i>	556.17 104.76	59.84
08 17 23 00-0111 EA 3'-4" x 7' x 1-3/4" Prehung Solid Core, Luan Faced Door <i>For 8' Door Height, Add</i>	595.62 114.23	59.84
08 17 23 00-0112 EA 3'-6" x 7' x 1-3/4" Prehung Solid Core, Luan Faced Door <i>For 8' Door Height, Add</i>	630.51 121.54	62.05
08 17 23 00-0113 EA Pair 2' x 7' x 1-3/4" Prehung Solid Core, Luan Faced Door <i>For 8' Door Height, Add</i>	1,011.14 199.06	90.87
08 17 23 00-0114 EA Pair 2'-6" x 7' x 1-3/4" Prehung Solid Core, Luan Faced Door <i>For 8' Door Height, Add</i>	1,026.82 199.63	97.51
08 17 23 00-0115 EA Pair 3' x 7' x 1-3/4" Prehung Solid Core, Luan Faced Door <i>For 8' Door Height, Add</i>	1,081.32 209.52	104.16
08 17 23 00-0116 Tempered Hardboard Faced <small>(08 17 23 00-0095)</small>		
08 17 23 00-0117 EA 2'-0" Or 2'-4" x 7' x 1-3/4" Prehung Solid Core, Hardboard Faced Door <i>For 8' Door Height, Add</i>	432.05 77.10	55.40
08 17 23 00-0118 EA 2'-6" x 7' x 1-3/4" Prehung Solid Core, Hardboard Faced Door <i>For 8' Door Height, Add</i>	437.67 78.45	55.40
08 17 23 00-0119 EA 2'-8" x 7' x 1-3/4" Prehung Solid Core, Hardboard Faced Door <i>For 8' Door Height, Add</i>	447.74 79.80	57.62
08 17 23 00-0120 EA 3' x 7' x 1-3/4" Prehung Solid Core, Hardboard Faced Door <i>For 8' Door Height, Add</i>	463.47 82.51	59.84
08 17 23 00-0121 EA 3'-4" x 7' x 1-3/4" Prehung Solid Core, Hardboard Faced Door <i>For 8' Door Height, Add</i>	488.69 88.56	59.84
08 17 23 00-0122 EA 3'-6" x 7' x 1-3/4" Prehung Solid Core, Hardboard Faced Door <i>For 8' Door Height, Add</i>	516.74 94.23	62.05
08 17 23 00-0123 EA Pair 2' x 7' x 1-3/4" Prehung Solid Core, Hardboard Faced Door <i>For 8' Door Height, Add</i>	824.18 154.19	90.87
08 17 23 00-0124 EA Pair 2'-6" x 7' x 1-3/4" Prehung Solid Core, Hardboard Faced Door <i>For 8' Door Height, Add</i>	848.74 156.90	97.51
08 17 23 00-0125 EA Pair 3' x 7' x 1-3/4" Prehung Solid Core, Hardboard Faced Door <i>For 8' Door Height, Add</i>	895.89 165.02	104.16
08 17 23 00-0126 Oak Or Maple Faced <small>(08 17 23 00-0095)</small>		
08 17 23 00-0127 EA 2'-0" Or 2'-4" x 7' x 1-3/4" Prehung Solid Core, Oak Or Maple Faced Door <i>For 8' Door Height, Add</i>	621.03 122.45	55.40
08 17 23 00-0128 EA 2'-6" x 7' x 1-3/4" Prehung Solid Core, Oak Or Maple Faced Door <i>For 8' Door Height, Add</i>	624.14 123.20	55.40
08 17 23 00-0129 EA 2'-8" x 7' x 1-3/4" Prehung Solid Core, Oak Or Maple Faced Door <i>For 8' Door Height, Add</i>	654.94 129.53	57.62
08 17 23 00-0130 EA 3' x 7' x 1-3/4" Prehung Solid Core, Oak Or Maple Faced Door <i>For 8' Door Height, Add</i>	666.27 131.18	59.84
08 17 23 00-0131 EA 3'-4" x 7' x 1-3/4" Prehung Solid Core, Oak Or Maple Faced Door <i>For 8' Door Height, Add</i>	725.52 145.40	59.84
08 17 23 00-0132 EA 3'-6" x 7' x 1-3/4" Prehung Solid Core, Oak Or Maple Faced Door <i>For 8' Door Height, Add</i>	800.16 162.25	62.05
08 17 23 00-0133 EA Pair 2' x 7' x 1-3/4" Prehung Solid Core, Oak Or Maple Faced Door <i>For 8' Door Height, Add</i>	1,202.17 244.91	90.87
08 17 23 00-0134 EA Pair 2'-6" x 7' x 1-3/4" Prehung Solid Core, Oak Or Maple Faced Door <i>For 8' Door Height, Add</i>	1,221.71 246.40	97.51
08 17 23 00-0135 EA Pair 3' x 7' x 1-3/4" Prehung Solid Core, Oak Or Maple Faced Door <i>For 8' Door Height, Add</i>	1,301.51 262.37	104.16
08 17 23 00-0136 Walnut Faced <small>(08 17 23 00-0095)</small>		
08 17 23 00-0137 EA 2'-0" Or 2'-4" x 7' x 1-3/4" Prehung Solid Core, Walnut Faced Door <i>For 8' Door Height, Add</i>	780.37 160.69	55.40
08 17 23 00-0138 EA 2'-6" x 7' x 1-3/4" Prehung Solid Core, Walnut Faced Door <i>For 8' Door Height, Add</i>	808.21 167.38	55.40
08 17 23 00-0139 EA 2'-8" x 7' x 1-3/4" Prehung Solid Core, Walnut Faced Door <i>For 8' Door Height, Add</i>	821.96 169.62	57.62
08 17 23 00-0140 EA 3' x 7' x 1-3/4" Prehung Solid Core, Walnut Faced Door <i>For 8' Door Height, Add</i>	854.28 176.31	59.84
08 17 23 00-0141 EA 3'-4" x 7' x 1-3/4" Prehung Solid Core, Walnut Faced Door <i>For 8' Door Height, Add</i>	935.10 195.70	59.84
08 17 23 00-0142 EA 3'-6" x 7' x 1-3/4" Prehung Solid Core, Walnut Faced Door <i>For 8' Door Height, Add</i>	1,021.15 215.29	62.05
08 17 23 00-0143 EA Pair 2' x 7' x 1-3/4" Prehung Solid Core, Walnut Faced Door <i>For 8' Door Height, Add</i>	1,520.85 321.39	90.87
08 17 23 00-0144 EA Pair 2'-6" x 7' x 1-3/4" Prehung Solid Core, Walnut Faced Door <i>For 8' Door Height, Add</i>	1,589.81 334.75	97.51
08 17 23 00-0145 EA Pair 3' x 7' x 1-3/4" Prehung Solid Core, Walnut Faced Door <i>For 8' Door Height, Add</i>	1,677.55 352.62	104.16

08 30 Specialty Doors And Frames (08)

Note: Includes caulk, sealant and mounting anchors.

08 31 Access Doors And Panels (08 30)



MINOR
CSI UOM DESCRIPTION

TOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

See CSI section 07 72 33 00-0000 for roof hatches, 23 33 33 00-0000 for duct-mounted access doors.

08 31 13 Access Doors And Frames (08 31)

08 31 13 00-0001	Stainless Steel Access Doors (08 31 13)		
08 31 13 00-0002	Fire Rated Stainless Steel Access Doors (08 31 13 00-0001)		
08 31 13 00-0003	EA 12" x 12" Fire Rated Stainless Steel Access Door With Cam Latch.....	351.21	44.65
08 31 13 00-0004	EA 12" x 18" Fire Rated Stainless Steel Access Door With Cam Latch.....	409.32	47.58
08 31 13 00-0005	EA 18" x 18" Fire Rated Stainless Steel Access Door With Cam Latch.....	478.62	50.32
08 31 13 00-0006	EA 24" x 18" Fire Rated Stainless Steel Access Door With Cam Latch.....	553.15	52.87
08 31 13 00-0007	EA 24" x 24" Fire Rated Stainless Steel Access Door With Cam Latch.....	566.00	53.14
08 31 13 00-0008	EA 24" x 36" Fire Rated Stainless Steel Access Door With Cam Latch.....	732.40	54.79
08 31 13 00-0009	Stainless Steel Access Doors (08 31 13 00-0001)		
08 31 13 00-0010	EA 8" x 8" Stainless Steel Access Door With Cam Latch.....	137.94	34.25
08 31 13 00-0011	EA 12" x 12" Stainless Steel Access Door With Cam Latch.....	165.48	44.65
08 31 13 00-0012	EA 12" x 18" Stainless Steel Access Door With Cam Latch.....	237.34	47.58
08 31 13 00-0013	EA 18" x 18" Stainless Steel Access Door With Cam Latch.....	254.83	50.32
08 31 13 00-0014	EA 24" x 18" Stainless Steel Access Door With Cam Latch.....	296.42	52.87
08 31 13 00-0015	EA 24" x 24" Stainless Steel Access Door With Cam Latch.....	338.58	53.14
08 31 13 00-0016	Steel Access Doors (08 31 13)		
	Note: Includes paintable powder coated finish.		
08 31 13 00-0017	Insulated Fire Rated Steel Access Doors (08 31 13 00-0016)		
08 31 13 00-0018	EA 12" x 12" Insulated Fire Rated Steel Access Door With Cam Latch.....	232.12	44.93
08 31 13 00-0019	EA 12" x 18" Insulated Fire Rated Steel Access Door With Cam Latch.....	289.28	47.58
08 31 13 00-0020	EA 18" x 18" Insulated Fire Rated Steel Access Door With Cam Latch.....	288.44	50.32
08 31 13 00-0021	EA 24" x 18" Insulated Fire Rated Steel Access Door With Cam Latch.....	344.12	53.14
08 31 13 00-0022	EA 24" x 24" Insulated Fire Rated Steel Access Door With Cam Latch.....	360.26	53.14
08 31 13 00-0023	EA 24" x 36" Insulated Fire Rated Steel Access Door With Cam Latch.....	475.46	54.79
08 31 13 00-0024	EA 24" x 48" Insulated Fire Rated Steel Access Door With Cam Latch.....	549.98	57.08
08 31 13 00-0025	EA 36" x 36" Insulated Fire Rated Steel Access Door With Cam Latch.....	683.59	57.08
08 31 13 00-0026	EA 48" x 48" Insulated Fire Rated Steel Access Door With Cam Latch.....	878.57	68.49
08 31 13 00-0027	Steel Access Doors (08 31 13 00-0016)		
08 31 13 00-0028	EA 8" x 8" Steel Access Door With Cam Latch.....	114.52	34.43
08 31 13 00-0029	EA 12" x 12" Steel Access Door With Cam Latch.....	122.70	44.93
08 31 13 00-0030	EA 12" x 18" Steel Access Door With Cam Latch.....	142.21	47.58
08 31 13 00-0031	EA 18" x 18" Steel Access Door With Cam Latch.....	145.86	50.32
08 31 13 00-0032	EA 24" x 18" Steel Access Door With Cam Latch.....	174.64	53.14
08 31 13 00-0033	EA 24" x 24" Steel Access Door With Cam Latch.....	179.09	53.14
08 31 13 00-0034	EA 24" x 36" Steel Access Door With Cam Latch.....	232.43	54.79
08 31 13 00-0035	EA 36" x 36" Steel Access Door With Cam Latch.....	311.30	57.08
08 31 13 00-0036	Steel Recessed Access Doors For Drywall Application (08 31 13)		
	Note: Includes paintable powder coated finish.		
08 31 13 00-0037	EA 8" x 8" Recessed Steel Access Door With Cam Latch.....	168.03	34.25
	For Recessed Doors In Acoustical Tile, Add	12.47	
08 31 13 00-0038	EA 12" x 12" Recessed Steel Access Door With Cam Latch.....	175.61	36.71
	For Recessed Doors In Acoustical Tile, Add	14.02	
08 31 13 00-0039	EA 12" x 18" Recessed Steel Access Door With Cam Latch.....	188.91	38.81
	For Recessed Doors In Acoustical Tile, Add	14.37	
08 31 13 00-0040	EA 18" x 18" Recessed Steel Access Door With Cam Latch.....	222.98	41.10
	For Recessed Doors In Acoustical Tile, Add	11.76	
08 31 13 00-0041	EA 24" x 18" Recessed Steel Access Door With Cam Latch.....	234.55	43.37
	For Recessed Doors In Acoustical Tile, Add	12.54	
08 31 13 00-0042	EA 24" x 24" Recessed Steel Access Door With Cam Latch.....	258.03	43.37
	For Recessed Doors In Acoustical Tile, Add	9.01	
08 31 13 00-0043	EA 24" x 36" Recessed Steel Access Door With Cam Latch.....	321.21	54.79
	For Recessed Doors In Acoustical Tile, Add	12.09	
08 31 13 00-0044	EA 36" x 36" Recessed Steel Access Door With Cam Latch.....	465.20	57.08
	For Recessed Doors In Acoustical Tile, Add	-7.00	
08 31 13 00-0045	Steel Crawl Space Doors And Frames (08 31 13)		
	Note: Includes paintable powder coated finish.		
08 31 13 00-0046	EA 24" x 24" Steel Crawl Space Door With Cam Latch.....	192.06	57.80
08 31 13 00-0047	EA 30" x 24" Steel Crawl Space Door With Cam Latch.....	272.43	70.04
08 31 13 00-0048	EA 30" x 30" Steel Crawl Space Door With Cam Latch.....	305.86	76.07

08 32 Sliding Glass Doors (08 30)

Note: Includes stock frames, trim, necessary anchors and Usual hardware.

08 32 13 Sliding Aluminum-Framed Glass Doors (08 32)

08 32 13 00-0001 Residential Sliding Aluminum-Framed Glass Doors (08 32 13)



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
------------------------------	---------------------------	-------------------------

08 32 13 00-0002	5/8" Insulating Glass, Sliding Aluminum-Framed Glass Doors (08 32 13 00-0001)		
08 32 13 00-0003	SF Up To 6' Wide Sliding Glass Door 5/8" Insulated Glass With Frame, Trim, Hardware.....	26.08	3.99
	<i>For Custom Quality, Add</i>	3.88	
	<i>For Tempered Glass, Add</i>	1.42	
	<i>For Anodized Or Colored Aluminum Frames, Add</i>	2.80	
08 32 13 00-0004	SF >6' Up To 12' Wide Sliding Glass Door 5/8" Insulated Glass With Frame, Trim, Hardware.....	21.00	2.48
	<i>For Custom Quality, Add</i>	3.71	
	<i>For Tempered Glass, Add</i>	1.42	
	<i>For Anodized Or Colored Aluminum Frames, Add</i>	2.67	

08 32 13 00-0005	1" Insulating Glass, Sliding Aluminum-Framed Glass Doors (08 32 13 00-0001)		
08 32 13 00-0006	SF Up To 6' Wide Sliding Glass Door 1" Insulated Glass With Frame, Trim, Hardware.....	28.86	3.99
	<i>For Custom Quality, Add</i>	4.58	
	<i>For Tempered Glass, Add</i>	1.42	
	<i>For Anodized Or Colored Aluminum Frames, Add</i>	3.30	
08 32 13 00-0007	SF >6' Up To 12' Wide Sliding Glass Door 1" Insulated Glass With Frame, Trim, Hardware.....	23.74	2.48
	<i>For Custom Quality, Add</i>	4.40	
	<i>For Tempered Glass, Add</i>	1.42	
	<i>For Anodized Or Colored Aluminum Frames, Add</i>	3.16	

08 32 19 Sliding Wood-Framed Glass Doors (08 32)

08 32 19 00-0001	Residential Wood Sliding Doors With 5/8" Glass (08 32 19)		
08 32 19 00-0002	EA 6' x 6' 8" Sliding Glass Door, Wood, 5/8" Insulated Glass With Frame, Trim, Hardware.....	1,873.41	119.67
08 32 19 00-0003	EA 8' x 6' 8" Sliding Glass Door, Wood, 5/8" Insulated Glass With Frame, Trim, Hardware.....	2,286.99	146.27
08 32 19 00-0004	EA 9' x 6' 8" Sliding Glass Door, Wood, 5/8" Insulated Glass With Frame, Trim, Hardware.....	2,642.85	168.42
08 32 19 00-0005	EA 6' x 6' 8" Sliding Glass Door, Wood, 5/8" Insulated Glass With Grille, Frame, Trim, Hardware.....	2,063.54	119.67
08 32 19 00-0006	EA 8' x 6' 8" Sliding Glass Door, Wood, 5/8" Insulated Glass With Grille, Frame, Trim, Hardware.....	2,532.56	146.27
08 32 19 00-0007	EA 9' x 6' 8" Sliding Glass Door, Wood, 5/8" Insulated Glass With Grille, Frame, Trim, Hardware.....	2,946.76	168.42

08 33 Coiling Doors And Grilles (08 30)

08 33 13 Coiling Counter Doors (08 33)

08 33 13 00-0001	Overhead Rolling Counter Doors (08 33 13)		
08 33 13 00-0002	Galvanized Steel Overhead Rolling Counter Doors (08 33 13 00-0001)		
	Note: Includes necessary anchors, track and hardware. Includes galvanized steel primed with choice of baked-on polyester top coat finish. Non-galvanized exposed ferrous surfaces shall receive one coat of rust-inhibitive primer. Excludes steel framing supports.		
08 33 13 00-0003	EA 4' x 4', Galvanized Steel Overhead Rolling Counter Doors, Manual Lift (Overhead Door Company, Series 650).....	4,610.84	366.60
	<i>For Motor Operator (With Safety Reverse), Add</i>	741.65	
08 33 13 00-0004	EA 6' x 4', Galvanized Steel Overhead Rolling Counter Doors, Manual Lift (Overhead Door Company, Series 650).....	4,834.74	366.60
	<i>For Motor Operator (With Safety Reverse), Add</i>	741.65	
08 33 13 00-0005	EA 8' x 4', Galvanized Steel Overhead Rolling Counter Doors, Manual Lift (Overhead Door Company, Series 650).....	5,216.81	389.51
	<i>For Motor Operator (With Safety Reverse), Add</i>	746.27	
08 33 13 00-0006	EA 10' x 4', Galvanized Steel Overhead Rolling Counter Doors, Manual Lift (Overhead Door Company, Series 650).....	5,617.92	458.24
	<i>For Motor Operator (With Safety Reverse), Add</i>	763.99	
08 33 13 00-0007	EA 4' x 6', Galvanized Steel Overhead Rolling Counter Doors, Manual Lift (Overhead Door Company, Series 650).....	5,618.39	366.60
	<i>For Motor Operator (With Safety Reverse), Add</i>	741.65	
08 33 13 00-0008	EA 6' x 6', Galvanized Steel Overhead Rolling Counter Doors, Manual Lift (Overhead Door Company, Series 650).....	5,888.14	407.29
	<i>For Motor Operator (With Safety Reverse), Add</i>	751.83	
08 33 13 00-0009	EA 8' x 6', Galvanized Steel Overhead Rolling Counter Doors, Manual Lift (Overhead Door Company, Series 650).....	6,040.84	423.60
	<i>For Motor Operator (With Safety Reverse), Add</i>	755.91	
08 33 13 00-0010	EA 10' x 6', Galvanized Steel Overhead Rolling Counter Doors, Manual Lift (Overhead Door Company, Series 650).....	6,407.27	458.24
	<i>For Motor Operator (With Safety Reverse), Add</i>	764.56	

08 33 13 00-0011 Stainless Steel Overhead Rolling Counter Doors (08 33 13 00-0001)

	Note: Includes necessary anchors, track and hardware. Includes No. 4 stainless steel finish. Non-galvanized exposed ferrous surfaces shall receive one coat of rust-inhibitive primer. Excludes steel framing supports.		
08 33 13 00-0012	EA 4' x 4', Stainless Steel Overhead Rolling Counter Doors, Manual Lift (Overhead Door Company, Series 651).....	5,170.59	366.60
	<i>For Motor Operator (With Safety Reverse), Add</i>	741.65	
08 33 13 00-0013	EA 6' x 4', Stainless Steel Overhead Rolling Counter Doors, Manual Lift (Overhead Door Company, Series 651).....	5,786.31	366.60
	<i>For Motor Operator (With Safety Reverse), Add</i>	741.65	
08 33 13 00-0014	EA 8' x 4', Stainless Steel Overhead Rolling Counter Doors, Manual Lift (Overhead Door Company, Series 651).....	5,944.49	389.51
	<i>For Motor Operator (With Safety Reverse), Add</i>	746.27	
08 33 13 00-0015	EA 10' x 4', Stainless Steel Overhead Rolling Counter Doors, Manual Lift (Overhead Door Company, Series 651).....	7,241.20	458.24
	<i>For Motor Operator (With Safety Reverse), Add</i>	763.99	
08 33 13 00-0016	EA 4' x 6', Stainless Steel Overhead Rolling Counter Doors, Manual Lift (Overhead Door Company, Series 651).....	6,178.14	366.60
	<i>For Motor Operator (With Safety Reverse), Add</i>	741.65	
08 33 13 00-0017	EA 6' x 6', Stainless Steel Overhead Rolling Counter Doors, Manual Lift (Overhead Door Company, Series 651).....	6,391.92	407.29
	<i>For Motor Operator (With Safety Reverse), Add</i>	751.83	
08 33 13 00-0018	EA 8' x 6', Stainless Steel Overhead Rolling Counter Doors, Manual Lift (Overhead Door Company, Series 651).....	6,544.61	423.60
	<i>For Motor Operator (With Safety Reverse), Add</i>	755.91	
08 33 13 00-0019	EA 10' x 6', Stainless Steel Overhead Rolling Counter Doors, Manual Lift (Overhead Door Company, Series 651).....	8,310.42	458.24
	<i>For Motor Operator (With Safety Reverse), Add</i>	764.56	

08 Openings**08 30 Specialty Doors And Frames****08 33 Coiling Doors And Grilles**MINOR
CSI UOM DESCRIPTIONTOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 33 13 00-0020			Aluminum Overhead Rolling Counter Doors (08 33 13 00-0001) Note: Includes necessary anchors, track and hardware. Includes clear anodized aluminum finish. Non-galvanized exposed ferrous surfaces shall receive one coat of rust-inhibitive primer. Excludes steel framing supports.		
08 33 13 00-0021	EA		4' x 4', Aluminum Overhead Rolling Counter Doors, Manual Lift (Overhead Door Company, Series 652).....	5,058.64	366.60
			<i>For Motor Operator (With Safety Reverse), Add</i>	741.65	
08 33 13 00-0022	EA		6' x 4', Aluminum Overhead Rolling Counter Doors, Manual Lift (Overhead Door Company, Series 652).....	5,282.54	366.60
			<i>For Motor Operator (With Safety Reverse), Add</i>	741.65	
08 33 13 00-0023	EA		8' x 4', Aluminum Overhead Rolling Counter Doors, Manual Lift (Overhead Door Company, Series 652).....	5,888.51	389.51
			<i>For Motor Operator (With Safety Reverse), Add</i>	746.27	
08 33 13 00-0024	EA		10' x 4', Aluminum Overhead Rolling Counter Doors, Manual Lift (Overhead Door Company, Series 652).....	6,961.32	458.24
			<i>For Motor Operator (With Safety Reverse), Add</i>	763.99	
08 33 13 00-0025	EA		4' x 6', Aluminum Overhead Rolling Counter Doors, Manual Lift (Overhead Door Company, Series 652).....	6,066.19	366.60
			<i>For Motor Operator (With Safety Reverse), Add</i>	741.65	
08 33 13 00-0026	EA		6' x 6', Aluminum Overhead Rolling Counter Doors, Manual Lift (Overhead Door Company, Series 652).....	6,335.94	407.29
			<i>For Motor Operator (With Safety Reverse), Add</i>	751.83	
08 33 13 00-0027	EA		8' x 6', Aluminum Overhead Rolling Counter Doors, Manual Lift (Overhead Door Company, Series 652).....	6,516.62	423.60
			<i>For Motor Operator (With Safety Reverse), Add</i>	755.91	
08 33 13 00-0028	EA		10' x 6', Aluminum Overhead Rolling Counter Doors, Manual Lift (Overhead Door Company, Series 652).....	8,198.47	458.24
			<i>For Motor Operator (With Safety Reverse), Add</i>	764.56	
08 33 13 00-0029			Galvanized Steel Overhead Rolling Counter Fire Doors (08 33 13 00-0001) Note: Includes necessary anchors, track and hardware. Includes galvanized steel primed with choice of baked-on polyester top coat finish. Non-galvanized exposed ferrous surfaces shall receive one coat of rust-inhibitive primer. Excludes steel framing supports.		
08 33 13 00-0030	EA		4' x 4', Galvanized Steel Overhead Rolling Counter Fire Doors, Manual Lift (Overhead Door Company, Series 640).....	5,954.24	366.60
			<i>For Motor Operator (With Safety Reverse), Add</i>	741.65	
08 33 13 00-0031	EA		6' x 4', Galvanized Steel Overhead Rolling Counter Fire Doors, Manual Lift (Overhead Door Company, Series 640).....	6,290.09	366.60
			<i>For Motor Operator (With Safety Reverse), Add</i>	741.65	
08 33 13 00-0032	EA		8' x 4', Galvanized Steel Overhead Rolling Counter Fire Doors, Manual Lift (Overhead Door Company, Series 640).....	6,784.11	389.51
			<i>For Motor Operator (With Safety Reverse), Add</i>	746.27	
08 33 13 00-0033	EA		10' x 4', Galvanized Steel Overhead Rolling Counter Fire Doors, Manual Lift (Overhead Door Company, Series 640).....	7,297.17	458.24
			<i>For Motor Operator (With Safety Reverse), Add</i>	763.99	
08 33 13 00-0034	EA		4' x 6', Galvanized Steel Overhead Rolling Counter Fire Doors, Manual Lift (Overhead Door Company, Series 640).....	6,625.94	366.60
			<i>For Motor Operator (With Safety Reverse), Add</i>	741.65	
08 33 13 00-0035	EA		6' x 6', Galvanized Steel Overhead Rolling Counter Fire Doors, Manual Lift (Overhead Door Company, Series 640).....	6,951.67	407.29
			<i>For Motor Operator (With Safety Reverse), Add</i>	751.83	
08 33 13 00-0036	EA		8' x 6', Galvanized Steel Overhead Rolling Counter Fire Doors, Manual Lift (Overhead Door Company, Series 640).....	7,216.31	423.60
			<i>For Motor Operator (With Safety Reverse), Add</i>	755.91	
08 33 13 00-0037	EA		10' x 6', Galvanized Steel Overhead Rolling Counter Fire Doors, Manual Lift (Overhead Door Company, Series 640).....	7,414.82	458.24
			<i>For Motor Operator (With Safety Reverse), Add</i>	764.56	
08 33 13 00-0038			Stainless Steel Overhead Rolling Counter Fire Doors (08 33 13 00-0001) Note: Includes necessary anchors, track and hardware. Includes No. 4 stainless steel finish. Non-galvanized exposed ferrous surfaces shall receive one coat of rust-inhibitive primer. Excludes steel framing supports.		
08 33 13 00-0039	EA		4' x 4', Stainless Steel Overhead Rolling Counter Fire Doors, Manual Lift (Overhead Door Company, Series 641).....	6,737.89	366.60
			<i>For Motor Operator (With Safety Reverse), Add</i>	741.65	
08 33 13 00-0040	EA		6' x 4', Stainless Steel Overhead Rolling Counter Fire Doors, Manual Lift (Overhead Door Company, Series 641).....	7,633.49	366.60
			<i>For Motor Operator (With Safety Reverse), Add</i>	741.65	
08 33 13 00-0041	EA		8' x 4', Stainless Steel Overhead Rolling Counter Fire Doors, Manual Lift (Overhead Door Company, Series 641).....	7,791.66	389.51
			<i>For Motor Operator (With Safety Reverse), Add</i>	746.27	
08 33 13 00-0042	EA		10' x 4', Stainless Steel Overhead Rolling Counter Fire Doors, Manual Lift (Overhead Door Company, Series 641).....	9,536.17	458.24
			<i>For Motor Operator (With Safety Reverse), Add</i>	763.99	
08 33 13 00-0043	EA		4' x 6', Stainless Steel Overhead Rolling Counter Fire Doors, Manual Lift (Overhead Door Company, Series 641).....	7,297.64	366.60
			<i>For Motor Operator (With Safety Reverse), Add</i>	741.65	
08 33 13 00-0044	EA		6' x 6', Stainless Steel Overhead Rolling Counter Fire Doors, Manual Lift (Overhead Door Company, Series 641).....	7,567.40	407.29
			<i>For Motor Operator (With Safety Reverse), Add</i>	751.83	
08 33 13 00-0045	EA		8' x 6', Stainless Steel Overhead Rolling Counter Fire Doors, Manual Lift (Overhead Door Company, Series 641).....	7,832.04	423.60
			<i>For Motor Operator (With Safety Reverse), Add</i>	755.91	
08 33 13 00-0046	EA		10' x 6', Stainless Steel Overhead Rolling Counter Fire Doors, Manual Lift (Overhead Door Company, Series 641).....	9,653.82	458.24
			<i>For Motor Operator (With Safety Reverse), Add</i>	764.56	
08 33 13 00-0047			Integral Frame And Sill, Overhead Rolling Counter Doors (08 33 13)		
08 33 13 00-0048			Integral Frame And Sill, Aluminum Overhead Rolling Counter Doors With Stainless Steel Frame and Sill (08 33 13 00-0047) Note: Includes necessary anchors, track and hardware. Stainless surfaces feature a standard No. 4 finish, aluminum slats are finished with clear anodized finish. Non-galvanized exposed ferrous surfaces shall receive one coat of rust-inhibitive primer. Excludes steel framing supports.		
08 33 13 00-0049	EA		4' x 4', Integral Frame And Sill, Aluminum Overhead Rolling Counter Doors With Stainless Steel Frame and Sill, Manual Lift (Overhead Door Company, Series 655).....	9,648.59	366.60
			<i>For Motor Operator (With Safety Reverse), Add</i>	741.65	



	MINOR CSI UOM DESCRIPTION		TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 33 13 00-0050	EA 6' x 4', Integral Frame And Sill, Aluminum Overhead Rolling Counter Doors With Stainless Steel Frame and Sill, Manual Lift (Overhead Door Company, Series 655).....		9,872.49	366.60
	<i>For Motor Operator (With Safety Reverse), Add</i>		741.65	
08 33 13 00-0051	EA 8' x 4', Integral Frame And Sill, Aluminum Overhead Rolling Counter Doors With Stainless Steel Frame and Sill, Manual Lift (Overhead Door Company, Series 655).....		10,142.61	389.51
	<i>For Motor Operator (With Safety Reverse), Add</i>		746.27	
08 33 13 00-0052	EA 10' x 4', Integral Frame And Sill, Aluminum Overhead Rolling Counter Doors With Stainless Steel Frame and Sill, Manual Lift (Overhead Door Company, Series 655).....		10,543.72	458.24
	<i>For Motor Operator (With Safety Reverse), Add</i>		763.99	
08 33 13 00-0053	EA 4' x 6', Integral Frame And Sill, Aluminum Overhead Rolling Counter Doors With Stainless Steel Frame and Sill, Manual Lift (Overhead Door Company, Series 655).....		9,984.44	366.60
	<i>For Motor Operator (With Safety Reverse), Add</i>		741.65	
08 33 13 00-0054	EA 6' x 6', Integral Frame And Sill, Aluminum Overhead Rolling Counter Doors With Stainless Steel Frame and Sill, Manual Lift (Overhead Door Company, Series 655).....		10,310.17	407.29
	<i>For Motor Operator (With Safety Reverse), Add</i>		751.83	
08 33 13 00-0055	EA 8' x 6', Integral Frame And Sill, Aluminum Overhead Rolling Counter Doors With Stainless Steel Frame and Sill, Manual Lift (Overhead Door Company, Series 655).....		10,574.81	423.60
	<i>For Motor Operator (With Safety Reverse), Add</i>		755.91	
08 33 13 00-0056	EA 10' x 6', Integral Frame And Sill, Aluminum Overhead Rolling Counter Doors With Stainless Steel Frame and Sill, Manual Lift (Overhead Door Company, Series 655).....		11,780.87	458.24
	<i>For Motor Operator (With Safety Reverse), Add</i>		764.56	
08 33 13 00-0057	Integral Frame And Sill, Aluminum Overhead Rolling Counter Doors With Galvanized Frame and Stainless Steel Sill <small>(08 33 13 00-0047)</small> Note: Includes necessary anchors, track and hardware. Galvanized steel surfaces feature a baked-on primer coat to enhance overall durability and minimize field painting. Stainless surfaces feature a standard No. 4 finish, aluminum slats are finished with clear anodized finish. Non-galvanized exposed ferrous surfaces shall receive one coat of rust-inhibitive primer. Excludes steel framing supports.			
08 33 13 00-0058	EA 4' x 4', Integral Frame And Sill, Aluminum Overhead Rolling Counter Doors With Galvanized Steel Frame, Stainless Steel Sill, Manual Lift (Overhead Door Company, Series 656).....		8,529.09	366.60
	<i>For Motor Operator (With Safety Reverse), Add</i>		741.65	
08 33 13 00-0059	EA 6' x 4', Integral Frame And Sill, Aluminum Overhead Rolling Counter Doors With Galvanized Steel Frame, Stainless Steel Sill, Manual Lift (Overhead Door Company, Series 656).....		8,752.99	366.60
	<i>For Motor Operator (With Safety Reverse), Add</i>		741.65	
08 33 13 00-0060	EA 8' x 4', Integral Frame And Sill, Aluminum Overhead Rolling Counter Doors With Galvanized Steel Frame, Stainless Steel Sill, Manual Lift (Overhead Door Company, Series 656).....		9,023.11	389.51
	<i>For Motor Operator (With Safety Reverse), Add</i>		746.27	
08 33 13 00-0061	EA 10' x 4', Integral Frame And Sill, Aluminum Overhead Rolling Counter Doors With Galvanized Steel Frame, Stainless Steel Sill, Manual Lift (Overhead Door Company, Series 656).....		9,424.22	458.24
	<i>For Motor Operator (With Safety Reverse), Add</i>		763.99	
08 33 13 00-0062	EA 4' x 6', Integral Frame And Sill, Aluminum Overhead Rolling Counter Doors With Galvanized Steel Frame, Stainless Steel Sill, Manual Lift (Overhead Door Company, Series 656).....		9,536.64	366.60
	<i>For Motor Operator (With Safety Reverse), Add</i>		741.65	
08 33 13 00-0063	EA 6' x 6', Integral Frame And Sill, Aluminum Overhead Rolling Counter Doors With Galvanized Steel Frame, Stainless Steel Sill, Manual Lift (Overhead Door Company, Series 656).....		9,862.37	407.29
	<i>For Motor Operator (With Safety Reverse), Add</i>		751.83	
08 33 13 00-0064	EA 8' x 6', Integral Frame And Sill, Aluminum Overhead Rolling Counter Doors With Galvanized Steel Frame, Stainless Steel Sill, Manual Lift (Overhead Door Company, Series 656).....		10,238.96	423.60
	<i>For Motor Operator (With Safety Reverse), Add</i>		755.91	
08 33 13 00-0065	EA 10' x 6', Integral Frame And Sill, Aluminum Overhead Rolling Counter Doors With Galvanized Steel Frame, Stainless Steel Sill, Manual Lift (Overhead Door Company, Series 656).....		10,549.42	458.24
	<i>For Motor Operator (With Safety Reverse), Add</i>		764.56	
08 33 13 00-0066	Integral Frame And Sill, Stainless Steel Overhead Rolling Counter Doors With Stainless Steel Frame and Sill <small>(08 33 13 00-0047)</small> Note: Includes necessary anchors, track and hardware. Stainless surfaces feature a standard No. 4 finish. Non-galvanized exposed ferrous surfaces shall receive one coat of rust-inhibitive primer. Excludes steel framing supports.			
08 33 13 00-0067	EA 4' x 4', Integral Frame And Sill, Stainless Steel Overhead Rolling Counter Doors With Stainless Steel Frame and Sill, Manual Lift (Overhead Door Company, Series 657).....		13,230.99	366.60
	<i>For Motor Operator (With Safety Reverse), Add</i>		741.65	
08 33 13 00-0068	EA 6' x 4', Integral Frame And Sill, Stainless Steel Overhead Rolling Counter Doors With Stainless Steel Frame and Sill, Manual Lift (Overhead Door Company, Series 657).....		14,350.49	366.60
	<i>For Motor Operator (With Safety Reverse), Add</i>		741.65	
08 33 13 00-0069	EA 8' x 4', Integral Frame And Sill, Stainless Steel Overhead Rolling Counter Doors With Stainless Steel Frame and Sill, Manual Lift (Overhead Door Company, Series 657).....		16,635.71	389.51
	<i>For Motor Operator (With Safety Reverse), Add</i>		746.27	
08 33 13 00-0070	EA 10' x 4', Integral Frame And Sill, Stainless Steel Overhead Rolling Counter Doors With Stainless Steel Frame and Sill, Manual Lift (Overhead Door Company, Series 657).....		17,932.42	458.24
	<i>For Motor Operator (With Safety Reverse), Add</i>		763.99	
08 33 13 00-0071	EA 4' x 6', Integral Frame And Sill, Stainless Steel Overhead Rolling Counter Doors With Stainless Steel Frame and Sill, Manual Lift (Overhead Door Company, Series 657).....		14,910.24	366.60
	<i>For Motor Operator (With Safety Reverse), Add</i>		741.65	
08 33 13 00-0072	EA 6' x 6', Integral Frame And Sill, Stainless Steel Overhead Rolling Counter Doors With Stainless Steel Frame and Sill, Manual Lift (Overhead Door Company, Series 657).....		16,131.57	407.29
	<i>For Motor Operator (With Safety Reverse), Add</i>		751.83	
08 33 13 00-0073	EA 8' x 6', Integral Frame And Sill, Stainless Steel Overhead Rolling Counter Doors With Stainless Steel Frame and Sill, Manual Lift (Overhead Door Company, Series 657).....		17,851.56	423.60
	<i>For Motor Operator (With Safety Reverse), Add</i>		755.91	
08 33 13 00-0074	EA 10' x 6', Integral Frame And Sill, Stainless Steel Overhead Rolling Counter Doors With Stainless Steel Frame and Sill, Manual Lift (Overhead Door Company, Series 657).....		20,177.12	458.24
	<i>For Motor Operator (With Safety Reverse), Add</i>		764.56	

08	08	Openings
	08 30	Specialty Doors And Frames
	08 33	Coiling Doors And Grilles



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
------------------------------	---------------------------	-------------------------

08 33 13 00-0075	Integral Frame And Sill, Galvanized Steel Overhead Rolling Counter Doors With Galvanized Frame and Stainless Steel Sill <small>(08 33 13 00-0047)</small> Note: Includes necessary anchors, track and hardware. Galvanized steel surfaces feature a baked-on primer coat to enhance overall durability and minimize field painting. Stainless surfaces feature a standard No. 4 finish. Non-galvanized exposed ferrous surfaces shall receive one coat of rust-inhibitive primer. Excludes steel framing supports.		
08 33 13 00-0076	EA 4' x 4', Integral Frame And Sill, Galvanized Steel Overhead Rolling Counter Doors With Galvanized Steel Frame, Stainless Steel Sill, Manual Lift (Overhead Door Company, Series 658).....	11,215.89	366.60
	<i>For Motor Operator (With Safety Reverse), Add</i>	741.65	
08 33 13 00-0077	EA 6' x 4', Integral Frame And Sill, Galvanized Steel Overhead Rolling Counter Doors With Galvanized Steel Frame, Stainless Steel Sill, Manual Lift (Overhead Door Company, Series 658).....	11,439.79	366.60
	<i>For Motor Operator (With Safety Reverse), Add</i>	741.65	
08 33 13 00-0078	EA 8' x 4', Integral Frame And Sill, Galvanized Steel Overhead Rolling Counter Doors With Galvanized Steel Frame, Stainless Steel Sill, Manual Lift (Overhead Door Company, Series 658).....	11,933.81	389.51
	<i>For Motor Operator (With Safety Reverse), Add</i>	746.27	
08 33 13 00-0079	EA 10' x 4', Integral Frame And Sill, Galvanized Steel Overhead Rolling Counter Doors With Galvanized Steel Frame, Stainless Steel Sill, Manual Lift (Overhead Door Company, Series 658).....	12,894.67	458.24
	<i>For Motor Operator (With Safety Reverse), Add</i>	763.99	
08 33 13 00-0080	EA 4' x 6', Integral Frame And Sill, Galvanized Steel Overhead Rolling Counter Doors With Galvanized Steel Frame, Stainless Steel Sill, Manual Lift (Overhead Door Company, Series 658).....	11,887.59	366.60
	<i>For Motor Operator (With Safety Reverse), Add</i>	741.65	
08 33 13 00-0081	EA 6' x 6', Integral Frame And Sill, Galvanized Steel Overhead Rolling Counter Doors With Galvanized Steel Frame, Stainless Steel Sill, Manual Lift (Overhead Door Company, Series 658).....	12,661.12	407.29
	<i>For Motor Operator (With Safety Reverse), Add</i>	751.83	
08 33 13 00-0082	EA 8' x 6', Integral Frame And Sill, Galvanized Steel Overhead Rolling Counter Doors With Galvanized Steel Frame, Stainless Steel Sill, Manual Lift (Overhead Door Company, Series 658).....	13,373.56	423.60
	<i>For Motor Operator (With Safety Reverse), Add</i>	755.91	
08 33 13 00-0083	EA 10' x 6', Integral Frame And Sill, Galvanized Steel Overhead Rolling Counter Doors With Galvanized Steel Frame, Stainless Steel Sill, Manual Lift (Overhead Door Company, Series 658).....	15,699.12	458.24
	<i>For Motor Operator (With Safety Reverse), Add</i>	764.56	
08 33 13 00-0084	Integral Frame And Sill, Stainless Steel Overhead Rolling Counter Fire Doors With Stainless Steel Frame and Hood <small>(08 33 13 00-0047)</small> Note: Includes necessary anchors, track and hardware. Stainless surfaces feature a standard No. 4 finish. Non-galvanized exposed ferrous surfaces shall receive one coat of rust-inhibitive primer. Excludes steel framing supports.		
08 33 13 00-0085	EA 4' x 4', Integral Frame And Sill, Stainless Steel Overhead Rolling Counter Fire Doors With Stainless Steel Frame and Hood, Manual Lift (Overhead Door Company, Series 660).....	16,029.74	366.60
	<i>For Motor Operator (With Safety Reverse), Add</i>	741.65	
08 33 13 00-0086	EA 6' x 4', Integral Frame And Sill, Stainless Steel Overhead Rolling Counter Fire Doors With Stainless Steel Frame and Hood, Manual Lift (Overhead Door Company, Series 660).....	16,589.49	366.60
	<i>For Motor Operator (With Safety Reverse), Add</i>	741.65	
08 33 13 00-0087	EA 8' x 4', Integral Frame And Sill, Stainless Steel Overhead Rolling Counter Fire Doors With Stainless Steel Frame and Hood, Manual Lift (Overhead Door Company, Series 660).....	18,874.71	389.51
	<i>For Motor Operator (With Safety Reverse), Add</i>	746.27	
08 33 13 00-0088	Integral Frame And Sill, Galvanized Steel Overhead Rolling Counter Fire Doors With Galvanized Steel Frame and Hood <small>(08 33 13 00-0047)</small> Note: Includes necessary anchors, track and hardware. Galvanized steel surfaces feature a baked-on primer coat to enhance overall durability and minimize field painting. Non-galvanized exposed ferrous surfaces shall receive one coat of rust-inhibitive primer. Excludes steel framing supports.		
08 33 13 00-0089	EA 4' x 4', Integral Frame And Sill, Galvanized Steel Overhead Rolling Counter Fire Doors With Galvanized Steel Frame and Hood, Manual Lift (Overhead Door Company, Series 661).....	12,111.49	366.60
	<i>For Motor Operator (With Safety Reverse), Add</i>	741.65	
08 33 13 00-0090	EA 6' x 4', Integral Frame And Sill, Galvanized Steel Overhead Rolling Counter Fire Doors With Galvanized Steel Frame and Hood, Manual Lift (Overhead Door Company, Series 661).....	16,589.49	366.60
	<i>For Motor Operator (With Safety Reverse), Add</i>	741.65	
08 33 13 00-0091	EA 8' x 4', Integral Frame And Sill, Galvanized Steel Overhead Rolling Counter Fire Doors With Galvanized Steel Frame and Hood, Manual Lift (Overhead Door Company, Series 661).....	18,874.71	389.51
	<i>For Motor Operator (With Safety Reverse), Add</i>	746.27	
08 33 13 00-0092	Integral Frame And Sill, Galvanized Steel Overhead Rolling Counter Fire Doors With Stainless Steel Frame and Hood <small>(08 33 13 00-0047)</small> Note: Includes necessary anchors, track and hardware. Galvanized steel surfaces feature a baked-on primer coat to enhance overall durability and minimize field painting. Stainless surfaces feature a standard No. 4 finish. Non-galvanized exposed ferrous surfaces shall receive one coat of rust-inhibitive primer. Excludes steel framing supports.		
08 33 13 00-0093	EA 4' x 4', Integral Frame And Sill, Galvanized Steel Overhead Rolling Counter Fire Doors With Stainless Steel Frame and Hood, Manual Lift (Overhead Door Company, Series 662).....	10,544.19	366.60
	<i>For Motor Operator (With Safety Reverse), Add</i>	741.65	
08 33 13 00-0094	EA 6' x 4', Integral Frame And Sill, Galvanized Steel Overhead Rolling Counter Fire Doors With Stainless Steel Frame and Hood, Manual Lift (Overhead Door Company, Series 662).....	11,887.59	366.60
	<i>For Motor Operator (With Safety Reverse), Add</i>	741.65	
08 33 13 00-0095	EA 8' x 4', Integral Frame And Sill, Galvanized Steel Overhead Rolling Counter Fire Doors With Stainless Steel Frame and Hood, Manual Lift (Overhead Door Company, Series 662).....	12,717.46	389.51
	<i>For Motor Operator (With Safety Reverse), Add</i>	746.27	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
------------------------------	---------------------------	-------------------------

08 33 13 00-0096	EA	10' x 4', Integral Frame And Sill, Galvanized Steel Overhead Rolling Counter Fire Doors With Stainless Steel Frame and Hood, Manual Lift (Overhead Door Company, Series 662).....	14,014.17	458.24
		<i>For Motor Operator (With Safety Reverse), Add</i>	763.99	

08 33 16 Coiling Counter Grilles (08 33)

08 33 16 00-0001 Galvanized Steel Overhead Coiling Counter Grilles (Width x Height) (08 33 16)

08 33 16 00-0002	EA	4' x 4', Galvanized Steel Overhead Coiling Counter Grilles, Manual Lift.....	1,776.79	160.38
		<i>For Lexan Lattice Pattern, Add</i>	197.78	
		<i>For Aluminum With Clear Or Anodized Bronze Finish, Add</i>	93.17	
		<i>For Staggered Brick Pattern, Add</i>	165.88	
08 33 16 00-0003	EA	6' x 4', Galvanized Steel Overhead Coiling Counter Grilles, Manual Lift.....	1,945.42	160.38
		<i>For Lexan Lattice Pattern, Add</i>	223.08	
		<i>For Aluminum With Clear Or Anodized Bronze Finish, Add</i>	128.22	
		<i>For Staggered Brick Pattern, Add</i>	225.03	
08 33 16 00-0004	EA	8' x 4', Galvanized Steel Overhead Coiling Counter Grilles, Manual Lift.....	2,268.38	213.82
		<i>For Lexan Lattice Pattern, Add</i>	248.61	
		<i>For Aluminum With Clear Or Anodized Bronze Finish, Add</i>	163.28	
		<i>For Staggered Brick Pattern, Add</i>	284.19	
08 33 16 00-0005	EA	12' x 4', Galvanized Steel Overhead Coiling Counter Grilles, Manual Lift.....	2,674.20	213.82
		<i>For Lexan Lattice Pattern, Add</i>	309.48	
		<i>For Aluminum With Clear Or Anodized Bronze Finish, Add</i>	233.36	
		<i>For Staggered Brick Pattern, Add</i>	402.50	
08 33 16 00-0006	EA	16' x 4', Galvanized Steel Overhead Coiling Counter Grilles, Manual Lift.....	3,644.51	320.78
		<i>For Lexan Lattice Pattern, Add</i>	409.20	
		<i>For Aluminum With Clear Or Anodized Bronze Finish, Add</i>	349.60	
		<i>For Staggered Brick Pattern, Add</i>	530.74	
08 33 16 00-0007	EA	18' x 4', Galvanized Steel Overhead Coiling Counter Grilles, Manual Lift.....	4,129.06	366.60
		<i>For Lexan Lattice Pattern, Add</i>	459.06	
		<i>For Aluminum With Clear Or Anodized Bronze Finish, Add</i>	349.60	
		<i>For Staggered Brick Pattern, Add</i>	530.74	
08 33 16 00-0008	EA	20' x 4', Galvanized Steel Overhead Coiling Counter Grilles, Manual Lift.....	4,614.83	427.55
		<i>For Lexan Lattice Pattern, Add</i>	508.93	
		<i>For Aluminum With Clear Or Anodized Bronze Finish, Add</i>	465.83	
		<i>For Staggered Brick Pattern, Add</i>	658.99	
08 33 16 00-0009	EA	24' x 4', Galvanized Steel Overhead Coiling Counter Grilles, Manual Lift.....	5,745.33	513.24
		<i>For Lexan Lattice Pattern, Add</i>	641.49	
		<i>For Aluminum With Clear Or Anodized Bronze Finish, Add</i>	559.01	
		<i>For Staggered Brick Pattern, Add</i>	681.43	
08 33 16 00-0010	EA	30' x 4', Galvanized Steel Overhead Coiling Counter Grilles, Manual Lift.....	7,060.37	641.55
		<i>For Lexan Lattice Pattern, Add</i>	784.11	
		<i>For Aluminum With Clear Or Anodized Bronze Finish, Add</i>	654.29	
		<i>For Staggered Brick Pattern, Add</i>	782.21	
08 33 16 00-0011	EA	4' x 6', Galvanized Steel Overhead Coiling Counter Grilles, Manual Lift.....	1,905.51	160.38
		<i>For Lexan Lattice Pattern, Add</i>	217.09	
		<i>For Aluminum With Clear Or Anodized Bronze Finish, Add</i>	139.74	
		<i>For Staggered Brick Pattern, Add</i>	192.72	
08 33 16 00-0012	EA	6' x 6', Galvanized Steel Overhead Coiling Counter Grilles, Manual Lift.....	2,147.70	160.38
		<i>For Lexan Lattice Pattern, Add</i>	253.42	
		<i>For Aluminum With Clear Or Anodized Bronze Finish, Add</i>	209.60	
		<i>For Staggered Brick Pattern, Add</i>	262.10	
08 33 16 00-0013	EA	8' x 6', Galvanized Steel Overhead Coiling Counter Grilles, Manual Lift.....	2,443.32	213.91
		<i>For Lexan Lattice Pattern, Add</i>	274.85	
		<i>For Aluminum With Clear Or Anodized Bronze Finish, Add</i>	279.45	
		<i>For Staggered Brick Pattern, Add</i>	331.49	
08 33 16 00-0014	EA	12' x 6', Galvanized Steel Overhead Coiling Counter Grilles, Manual Lift.....	2,910.90	213.91
		<i>For Lexan Lattice Pattern, Add</i>	344.99	
		<i>For Aluminum With Clear Or Anodized Bronze Finish, Add</i>	419.25	
		<i>For Staggered Brick Pattern, Add</i>	470.24	
08 33 16 00-0015	EA	16' x 6', Galvanized Steel Overhead Coiling Counter Grilles, Manual Lift.....	3,976.52	320.78
		<i>For Lexan Lattice Pattern, Add</i>	459.00	
		<i>For Aluminum With Clear Or Anodized Bronze Finish, Add</i>	559.01	
		<i>For Staggered Brick Pattern, Add</i>	647.35	
08 33 16 00-0016	EA	18' x 6', Galvanized Steel Overhead Coiling Counter Grilles, Manual Lift.....	4,508.72	366.60
		<i>For Lexan Lattice Pattern, Add</i>	516.01	
		<i>For Aluminum With Clear Or Anodized Bronze Finish, Add</i>	559.01	
		<i>For Staggered Brick Pattern, Add</i>	647.35	
08 33 16 00-0017	EA	20' x 6', Galvanized Steel Overhead Coiling Counter Grilles, Manual Lift.....	5,038.88	427.55
		<i>For Lexan Lattice Pattern, Add</i>	573.02	
		<i>For Aluminum With Clear Or Anodized Bronze Finish, Add</i>	698.76	
		<i>For Staggered Brick Pattern, Add</i>	824.45	
08 33 16 00-0018	EA	24' x 6', Galvanized Steel Overhead Coiling Counter Grilles, Manual Lift.....	6,299.08	513.24
		<i>For Lexan Lattice Pattern, Add</i>	724.55	
		<i>For Aluminum With Clear Or Anodized Bronze Finish, Add</i>	838.50	
		<i>For Staggered Brick Pattern, Add</i>	950.43	
08 33 16 00-0019	EA	30' x 6', Galvanized Steel Overhead Coiling Counter Grilles, Manual Lift.....	7,611.90	641.55
		<i>For Lexan Lattice Pattern, Add</i>	866.84	
		<i>For Aluminum With Clear Or Anodized Bronze Finish, Add</i>	976.24	
		<i>For Staggered Brick Pattern, Add</i>	1,065.50	

08 33 23 Overhead Coiling Doors (08 33)

See CSI section 01 22 23 00-0923 for forklift.



MINOR
CSI UOM DESCRIPTION

TOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

08 33 23 11 Overhead Coiling Doors (08 33 23)

Note: Excludes lifting equipment (forklift or scissor lift) where required.

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 33 23 11-0001			Galvanized Steel Overhead Coiling Doors (Width x Height) (08 33 23 11) Note: Includes necessary anchors, track, and hardware. Includes galvanized steel primed with choice of baked-on polyester top coat finish. Non-galvanized exposed ferrous surfaces shall receive one coat of rust-inhibitive primer. Excludes steel framing supports.		
08 33 23 11-0002			26 Gauge Galvanized Steel Overhead Coiling Doors (08 33 23 11-0001)		
08 33 23 11-0003	EA		4' x 7', 26 Gauge Galvanized Steel Overhead Coiling Door, Manual Lift	987.20	401.04
08 33 23 11-0004	EA		4' x 8', 26 Gauge Galvanized Steel Overhead Coiling Door, Manual Lift	1,059.88	424.63
08 33 23 11-0005	EA		5' x 7', 26 Gauge Galvanized Steel Overhead Coiling Door, Manual Lift	1,056.90	424.63
08 33 23 11-0006	EA		5' x 8', 26 Gauge Galvanized Steel Overhead Coiling Door, Manual Lift	1,133.47	448.22
08 33 23 11-0007	EA		6' x 7', 26 Gauge Galvanized Steel Overhead Coiling Door, Manual Lift	1,150.19	460.03
08 33 23 11-0008	EA		6' x 8', 26 Gauge Galvanized Steel Overhead Coiling Door, Manual Lift	1,250.04	495.40
08 33 23 11-0009	EA		6' x 9', 26 Gauge Galvanized Steel Overhead Coiling Door, Manual Lift	1,337.72	519.00
08 33 23 11-0010	EA		8' x 7', 26 Gauge Galvanized Steel Overhead Coiling Door, Manual Lift	1,308.29	519.00
08 33 23 11-0011	EA		8' x 8', 26 Gauge Galvanized Steel Overhead Coiling Door, Manual Lift	1,353.20	530.79
08 33 23 11-0012	EA		8' x 9', 26 Gauge Galvanized Steel Overhead Coiling Door, Manual Lift	1,407.59	542.58
08 33 23 11-0013	EA		8' x 10', 26 Gauge Galvanized Steel Overhead Coiling Door, Manual Lift	1,514.32	566.17
08 33 23 11-0014	EA		10' x 7', 26 Gauge Galvanized Steel Overhead Coiling Door, Manual Lift	1,403.49	542.58
08 33 23 11-0015	EA		10' x 8', 26 Gauge Galvanized Steel Overhead Coiling Door, Manual Lift	1,494.73	566.17
08 33 23 11-0016	EA		10' x 9', 26 Gauge Galvanized Steel Overhead Coiling Door, Manual Lift	1,600.68	589.76
08 33 23 11-0017	EA		10' x 10', 26 Gauge Galvanized Steel Overhead Coiling Door, Manual Lift	1,678.22	613.36
08 33 23 11-0018			24 Gauge Galvanized Steel Overhead Coiling Doors (08 33 23 11-0001) Note: With curtain hood (barrel cover).		
08 33 23 11-0019	EA		8' x 7', 24 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift	2,600.00	596.85
			<i>For Insulated, Add</i>	1,144.27	
08 33 23 11-0020	EA		8' x 8', 24 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift	2,675.79	610.41
			<i>For Insulated, Add</i>	1,182.76	
08 33 23 11-0021	EA		8' x 10', 24 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift	2,899.70	651.10
			<i>For Insulated, Add</i>	1,295.80	
08 33 23 11-0022	EA		8' x 12', 24 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift	3,102.26	678.23
			<i>For Insulated, Add</i>	1,411.08	
08 33 23 11-0023	EA		10' x 7', 24 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift	2,789.99	623.97
			<i>For Insulated, Add</i>	1,250.13	
08 33 23 11-0024	EA		10' x 8', 24 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift	3,009.36	678.23
			<i>For Insulated, Add</i>	1,341.41	
08 33 23 11-0025	EA		10' x 10', 24 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift	3,174.48	705.36
			<i>For Insulated, Add</i>	1,428.62	
08 33 23 11-0026	EA		10' x 12', 24 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift	3,388.50	732.49
			<i>For Insulated, Add</i>	1,552.51	
08 33 23 11-0027	EA		12' x 7', 24 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift	2,989.47	651.10
			<i>For Insulated, Add</i>	1,363.12	
08 33 23 11-0028	EA		12' x 8', 24 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift	3,172.17	678.23
			<i>For Insulated, Add</i>	1,463.52	
08 33 23 11-0029	EA		12' x 10', 24 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift	3,409.14	732.49
			<i>For Insulated, Add</i>	1,567.99	
08 33 23 11-0030	EA		12' x 12', 24 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift	3,689.69	756.08
			<i>For Insulated, Add</i>	1,746.57	
08 33 23 11-0031	EA		14' x 8', 24 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift	3,759.75	803.26
			<i>For Insulated, Add</i>	1,735.41	
08 33 23 11-0032	EA		14' x 10', 24 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift	4,121.44	850.44
			<i>For Insulated, Add</i>	1,942.99	
08 33 23 11-0033	EA		14' x 12', 24 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift	4,499.34	897.63
			<i>For Insulated, Add</i>	2,162.72	
08 33 23 11-0034			22 Gauge Galvanized Steel Overhead Coiling Doors (08 33 23 11-0001) Note: With curtain hood (barrel cover).		
08 33 23 11-0035	EA		4' x 8', 22 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift	2,286.05	537.15
			<i>For Insulated, Add</i>	989.38	
08 33 23 11-0036	EA		4' x 10', 22 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift	2,466.95	567.00
			<i>For Insulated, Add</i>	1,084.74	
08 33 23 11-0037	EA		4' x 12', 22 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift	2,594.17	590.60
			<i>For Insulated, Add</i>	1,148.30	
08 33 23 11-0038	EA		6' x 8', 22 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift	2,600.69	626.68
			<i>For Insulated, Add</i>	1,104.46	
08 33 23 11-0039	EA		6' x 10', 22 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift	2,854.78	686.38
			<i>For Insulated, Add</i>	1,214.45	
08 33 23 11-0040	EA		6' x 12', 22 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift	3,025.75	709.96
			<i>For Insulated, Add</i>	1,310.84	
08 33 23 11-0041	EA		6' x 14', 22 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift	3,453.96	733.55
			<i>For Insulated, Add</i>	1,600.14	
08 33 23 11-0042	EA		6' x 16', 22 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift	3,905.74	768.94
			<i>For Insulated, Add</i>	1,891.22	
08 33 23 11-0043	EA		8' x 8', 22 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift	2,832.86	671.44
			<i>For Insulated, Add</i>	1,218.21	
08 33 23 11-0044	EA		8' x 10', 22 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift	3,071.40	716.21
			<i>For Insulated, Add</i>	1,336.67	
08 33 23 11-0045	EA		8' x 12', 22 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift	3,266.68	746.06
			<i>For Insulated, Add</i>	1,442.81	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 33 23 11-0046 EA 8' x 14', 22 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift..... <i>For Insulated, Add</i>	3,677.83 1,719.32	769.65
08 33 23 11-0047 EA 8' x 16', 22 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift..... <i>For Insulated, Add</i>	4,112.56 1,997.60	805.04
08 33 23 11-0048 EA 10' x 10', 22 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift..... <i>For Insulated, Add</i>	3,352.62 1,467.01	775.90
08 33 23 11-0049 EA 10' x 12', 22 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift..... <i>For Insulated, Add</i>	3,613.14 1,622.08	805.74
08 33 23 11-0050 EA 10' x 14', 22 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift..... <i>For Insulated, Add</i>	4,088.42 1,914.85	852.92
08 33 23 11-0051 EA 10' x 16', 22 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift..... <i>For Insulated, Add</i>	4,610.88 2,211.15	923.69
08 33 23 11-0052 EA 10' x 18', 22 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift..... <i>For Insulated, Add</i>	5,134.67 2,476.61	1,018.06
08 33 23 11-0053 EA 10' x 20', 22 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift..... <i>For Insulated, Add</i>	5,705.65 2,745.60	1,136.01
08 33 23 11-0054 EA 10' x 22', 22 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift..... <i>For Insulated, Add</i>	6,323.82 3,018.15	1,277.55
08 33 23 11-0055 EA 10' x 24', 22 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift..... <i>For Insulated, Add</i>	6,987.73 3,293.15	1,442.69
08 33 23 11-0056 EA 12' x 10', 22 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift..... <i>For Insulated, Add</i>	3,626.60 1,632.17	805.74
08 33 23 11-0057 EA 12' x 12', 22 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift..... <i>For Insulated, Add</i>	3,886.74 1,792.25	831.69
08 33 23 11-0058 EA 12' x 14', 22 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift..... <i>For Insulated, Add</i>	4,485.55 2,177.66	878.87
08 33 23 11-0059 EA 12' x 16', 22 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift..... <i>For Insulated, Add</i>	5,131.52 2,566.60	949.64
08 33 23 11-0060 EA 12' x 18', 22 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift..... <i>For Insulated, Add</i>	5,754.68 2,906.58	1,044.01
08 33 23 11-0061 EA 12' x 20', 22 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift..... <i>For Insulated, Add</i>	6,425.02 3,250.10	1,161.96
08 33 23 11-0062 EA 12' x 22', 22 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift..... <i>For Insulated, Add</i>	7,142.55 3,597.16	1,303.50
08 33 23 11-0063 EA 12' x 24', 22 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift..... <i>For Insulated, Add</i>	7,954.42 3,951.28	1,492.23
08 33 23 11-0064 20 Gauge Galvanized Steel Overhead Coiling Doors (08 33 23 11-0001) Note: With curtain hood (barrel cover)		
08 33 23 11-0065 EA 14' x 10', 20 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift..... <i>For Insulated, Add</i>	4,451.58 2,072.12	938.21
08 33 23 11-0066 EA 14' x 12', 20 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift..... <i>For Insulated, Add</i>	4,895.59 2,341.43	985.38
08 33 23 11-0067 EA 14' x 14', 20 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift..... <i>For Insulated, Add</i>	5,432.60 2,680.49	1,032.57
08 33 23 11-0068 EA 14' x 16', 20 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift..... <i>For Insulated, Add</i>	5,958.66 2,979.50	1,103.34
08 33 23 11-0069 EA 14' x 18', 20 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift..... <i>For Insulated, Add</i>	6,563.66 3,305.86	1,197.70
08 33 23 11-0070 EA 14' x 20', 20 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift..... <i>For Insulated, Add</i>	7,168.08 3,631.79	1,292.06
08 33 23 11-0071 EA 14' x 22', 20 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift..... <i>For Insulated, Add</i>	8,447.88 4,432.40	1,410.02
08 33 23 11-0072 EA 14' x 24', 20 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift..... <i>For Insulated, Add</i>	9,774.85 5,236.55	1,551.56
08 33 23 11-0073 EA 16' x 10', 20 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift..... <i>For Insulated, Add</i>	5,378.40 2,577.24	1,078.94
08 33 23 11-0074 EA 16' x 12', 20 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift..... <i>For Insulated, Add</i>	5,884.96 2,893.46	1,126.12
08 33 23 11-0075 EA 16' x 14', 20 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift..... <i>For Insulated, Add</i>	6,334.94 3,167.25	1,173.30
08 33 23 11-0076 EA 16' x 16', 20 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift..... <i>For Insulated, Add</i>	6,848.46 3,456.85	1,244.07
08 33 23 11-0077 EA 16' x 18', 20 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift..... <i>For Insulated, Add</i>	7,456.32 3,785.35	1,338.43
08 33 23 11-0078 EA 16' x 20', 20 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift..... <i>For Insulated, Add</i>	8,153.26 4,180.67	1,432.79
08 33 23 11-0079 EA 16' x 22', 20 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift..... <i>For Insulated, Add</i>	9,215.58 4,818.18	1,550.75
08 33 23 11-0080 EA 16' x 24', 20 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift..... <i>For Insulated, Add</i>	10,333.69 5,465.68	1,692.29
08 33 23 11-0081 EA 18' x 10', 20 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift..... <i>For Insulated, Add</i>	5,799.89 2,711.25	1,213.81
08 33 23 11-0082 EA 18' x 12', 20 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift..... <i>For Insulated, Add</i>	6,252.15 2,986.75	1,260.99
08 33 23 11-0083 EA 18' x 14', 20 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift..... <i>For Insulated, Add</i>	6,975.09 3,433.41	1,331.76
08 33 23 11-0084 EA 18' x 16', 20 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift..... <i>For Insulated, Add</i>	7,635.67 3,801.46	1,426.12
08 33 23 11-0085 EA 18' x 18', 20 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift..... <i>For Insulated, Add</i>	8,347.83 4,176.34	1,544.07
08 33 23 11-0086 EA 18' x 20', 20 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift..... <i>For Insulated, Add</i>	9,107.74 4,555.19	1,685.62

08	Openings
08 30	Specialty Doors And Frames
08 33	Coiling Doors And Grilles



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 33 23 11-0087	EA	18' x 22', 20 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift	10,423.99	1,850.76
		<i>For Insulated, Add</i>		5,319.45	
08 33 23 11-0088	EA	18' x 24', 20 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift	11,813.50	2,039.48
		<i>For Insulated, Add</i>		6,106.80	
08 33 23 11-0089	EA	20' x 10', 20 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift	6,627.18	1,395.88
		<i>For Insulated, Add</i>		3,085.92	
08 33 23 11-0090	EA	20' x 12', 20 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift	7,499.75	1,443.07
		<i>For Insulated, Add</i>		3,676.65	
08 33 23 11-0091	EA	20' x 14', 20 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift	8,465.11	1,706.70
		<i>For Insulated, Add</i>		4,044.81	
08 33 23 11-0092	EA	20' x 16', 20 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift	9,390.16	1,777.47
		<i>For Insulated, Add</i>		4,643.06	
08 33 23 11-0093	EA	20' x 18', 20 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift	10,499.91	1,871.83
		<i>For Insulated, Add</i>		5,347.98	
08 33 23 11-0094	EA	20' x 20', 20 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift	11,740.16	1,966.20
		<i>For Insulated, Add</i>		6,150.78	
08 33 23 11-0095	EA	20' x 22', 20 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift	13,033.75	2,084.15
		<i>For Insulated, Add</i>		6,961.74	
08 33 23 11-0096	EA	20' x 24', 20 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift	14,396.11	2,225.69
		<i>For Insulated, Add</i>		7,792.42	
08 33 23 11-0097	EA	22' x 10', 20 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift	7,216.15	1,652.45
		<i>For Insulated, Add</i>		3,181.34	
08 33 23 11-0098	EA	22' x 12', 20 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift	8,189.04	1,723.21
		<i>For Insulated, Add</i>		3,815.47	
08 33 23 11-0099	EA	22' x 14', 20 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift	9,477.55	1,877.36
		<i>For Insulated, Add</i>		4,573.69	
08 33 23 11-0100	EA	22' x 16', 20 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift	10,687.44	1,948.14
		<i>For Insulated, Add</i>		5,385.57	
08 33 23 11-0101	EA	22' x 18', 20 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift	11,948.61	2,042.50
		<i>For Insulated, Add</i>		6,204.06	
08 33 23 11-0102	EA	22' x 20', 20 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift	13,339.84	2,136.86
		<i>For Insulated, Add</i>		7,120.09	
08 33 23 11-0103	EA	22' x 22', 20 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift	14,782.54	2,254.81
		<i>For Insulated, Add</i>		8,042.88	
08 33 23 11-0104	EA	22' x 24', 20 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift	16,263.74	2,396.36
		<i>For Insulated, Add</i>		8,962.70	
08 33 23 11-0105	EA	24' x 10', 20 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift	7,954.59	1,817.68
		<i>For Insulated, Add</i>		3,512.05	
08 33 23 11-0106	EA	24' x 12', 20 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift	8,617.25	1,864.87
		<i>For Insulated, Add</i>		3,945.35	
08 33 23 11-0107	EA	24' x 14', 20 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift	10,066.77	1,912.04
		<i>For Insulated, Add</i>		4,968.79	
08 33 23 11-0108	EA	24' x 16', 20 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift	11,418.56	1,982.82
		<i>For Insulated, Add</i>		5,887.10	
08 33 23 11-0109	EA	24' x 18', 20 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift	12,764.30	2,077.18
		<i>For Insulated, Add</i>		6,769.01	
08 33 23 11-0110	EA	24' x 20', 20 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift	14,239.10	2,171.54
		<i>For Insulated, Add</i>		7,747.73	
08 33 23 11-0111	EA	24' x 22', 20 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift	15,055.32	1,817.21
		<i>For Insulated, Add</i>		8,839.20	
08 33 23 11-0112	EA	24' x 24', 20 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift	17,854.25	2,431.04
		<i>For Insulated, Add</i>		10,108.76	
08 33 23 11-0113		18 Gauge Galvanized Steel Overhead Coiling Doors (08 33 23 11-0001)			
		Note: With curtain hood (barrel cover).			
08 33 23 11-0114	EA	14' x 10', 18 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift	4,837.86	938.21
		<i>For Insulated, Add</i>		2,361.83	
08 33 23 11-0115	EA	14' x 12', 18 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift	5,334.32	985.38
		<i>For Insulated, Add</i>		2,670.48	
08 33 23 11-0116	EA	14' x 14', 18 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift	5,937.73	1,032.57
		<i>For Insulated, Add</i>		3,059.34	
08 33 23 11-0117	EA	14' x 16', 18 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift	6,521.46	1,103.34
		<i>For Insulated, Add</i>		3,401.60	
08 33 23 11-0118	EA	14' x 18', 18 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift	7,188.90	1,197.70
		<i>For Insulated, Add</i>		3,774.79	
08 33 23 11-0119	EA	14' x 20', 18 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift	7,855.68	1,292.06
		<i>For Insulated, Add</i>		4,147.49	
08 33 23 11-0120	EA	14' x 22', 18 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift	9,292.06	1,410.02
		<i>For Insulated, Add</i>		5,065.53	
08 33 23 11-0121	EA	14' x 24', 18 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift	10,775.61	1,551.56
		<i>For Insulated, Add</i>		5,987.12	
08 33 23 11-0122	EA	16' x 10', 18 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift	5,861.48	1,078.94
		<i>For Insulated, Add</i>		2,939.55	
08 33 23 11-0123	EA	16' x 12', 18 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift	6,429.86	1,126.12
		<i>For Insulated, Add</i>		3,302.14	
08 33 23 11-0124	EA	16' x 14', 18 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift	6,933.20	1,173.30
		<i>For Insulated, Add</i>		3,615.95	
08 33 23 11-0125	EA	16' x 16', 18 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift	7,502.51	1,244.07
		<i>For Insulated, Add</i>		3,947.39	
08 33 23 11-0126	EA	16' x 18', 18 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift	8,173.23	1,338.43
		<i>For Insulated, Add</i>		4,323.04	
08 33 23 11-0127	EA	16' x 20', 18 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift	8,946.41	1,432.79
		<i>For Insulated, Add</i>		4,775.53	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 33 23 11-0128 EA 16' x 22', 18 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift.....	10,132.70	1,550.75
For Insulated, Add	5,506.02	
08 33 23 11-0129 EA 16' x 24', 18 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift.....	11,376.05	1,692.29
For Insulated, Add	6,247.45	
08 33 23 11-0130 EA 18' x 10', 18 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift.....	6,305.73	1,213.81
For Insulated, Add	3,090.63	
08 33 23 11-0131 EA 18' x 12', 18 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift.....	6,811.66	1,260.99
For Insulated, Add	3,406.38	
08 33 23 11-0132 EA 18' x 14', 18 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift.....	7,621.82	1,331.76
For Insulated, Add	3,918.46	
08 33 23 11-0133 EA 18' x 16', 18 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift.....	8,353.19	1,426.12
For Insulated, Add	4,339.60	
08 33 23 11-0134 EA 18' x 18', 18 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift.....	9,136.77	1,544.07
For Insulated, Add	4,768.05	
08 33 23 11-0135 EA 18' x 20', 18 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift.....	9,968.21	1,685.62
For Insulated, Add	5,200.54	
08 33 23 11-0136 EA 18' x 22', 18 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift.....	11,432.36	1,850.76
For Insulated, Add	6,075.72	
08 33 23 11-0137 EA 18' x 24', 18 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift.....	12,973.67	2,039.48
For Insulated, Add	6,976.93	
08 33 23 11-0138 EA 20' x 10', 18 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift.....	7,202.49	1,395.88
For Insulated, Add	3,517.40	
08 33 23 11-0139 EA 20' x 12', 18 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift.....	8,191.78	1,443.07
For Insulated, Add	4,195.68	
08 33 23 11-0140 EA 20' x 14', 18 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift.....	9,026.41	1,706.70
For Insulated, Add	4,465.79	
08 33 23 11-0141 EA 20' x 16', 18 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift.....	10,038.52	1,777.47
For Insulated, Add	5,129.33	
08 33 23 11-0142 EA 20' x 18', 18 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift.....	11,250.60	1,871.83
For Insulated, Add	5,910.99	
08 33 23 11-0143 EA 20' x 20', 18 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift.....	12,607.70	1,966.20
For Insulated, Add	6,801.43	
08 33 23 11-0144 EA 20' x 22', 18 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift.....	14,018.80	2,084.15
For Insulated, Add	7,700.52	
08 33 23 11-0145 EA 20' x 24', 18 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift.....	15,501.08	2,225.69
For Insulated, Add	8,621.15	
08 33 23 11-0146 EA 22' x 10', 18 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift.....	7,650.73	1,652.45
For Insulated, Add	3,507.27	
08 33 23 11-0147 EA 22' x 12', 18 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift.....	8,715.99	1,723.21
For Insulated, Add	4,210.68	
08 33 23 11-0148 EA 22' x 14', 18 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift.....	10,113.42	1,877.36
For Insulated, Add	5,050.60	
08 33 23 11-0149 EA 22' x 16', 18 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift.....	11,442.00	1,948.14
For Insulated, Add	5,951.49	
08 33 23 11-0150 EA 22' x 18', 18 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift.....	12,822.34	2,042.50
For Insulated, Add	6,859.36	
08 33 23 11-0151 EA 22' x 20', 18 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift.....	14,347.18	2,136.86
For Insulated, Add	7,875.60	
08 33 23 11-0152 EA 22' x 22', 18 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift.....	15,923.97	2,254.81
For Insulated, Add	8,898.95	
08 33 23 11-0153 EA 22' x 24', 18 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift.....	17,538.30	2,396.36
For Insulated, Add	9,918.62	
08 33 23 11-0154 EA 24' x 10', 18 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift.....	8,434.50	1,817.68
For Insulated, Add	3,871.98	
08 33 23 11-0155 EA 24' x 12', 18 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift.....	9,160.31	1,864.87
For Insulated, Add	4,352.64	
08 33 23 11-0156 EA 24' x 14', 18 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift.....	10,760.39	1,912.04
For Insulated, Add	5,489.00	
08 33 23 11-0157 EA 24' x 16', 18 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift.....	12,246.66	1,982.82
For Insulated, Add	6,508.17	
08 33 23 11-0158 EA 24' x 18', 18 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift.....	13,720.96	2,077.18
For Insulated, Add	7,486.51	
08 33 23 11-0159 EA 24' x 20', 18 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift.....	15,338.66	2,171.54
For Insulated, Add	8,572.40	
08 33 23 11-0160 EA 24' x 22', 18 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift.....	16,324.41	1,817.21
For Insulated, Add	9,791.05	
08 33 23 11-0161 EA 24' x 24', 18 Gauge Galvanized Steel Overhead Coiling Door, Chain Lift.....	19,297.82	2,431.04
For Insulated, Add	11,191.44	

08 33 23 11-0162

Aluminum Overhead Coiling Doors (Width x Height) (08 33 23 11)

Note: Includes necessary anchors, track and hardware. Includes clear anodized aluminum finish. Non-galvanized exposed ferrous surfaces shall receive one coat of rust-inhibitive primer. Excludes steel framing supports.

08 33 23 11-0163

0.04" Aluminum Overhead Coiling Doors (08 33 23 11-0162)

08 33 23 11-0164 EA 4' x 8', 0.04" Aluminum Overhead Coiling Door, Chain Lift.....	2,167.23	537.15
08 33 23 11-0165 EA 4' x 10', 0.04" Aluminum Overhead Coiling Door, Chain Lift.....	2,334.10	567.00
08 33 23 11-0166 EA 4' x 12', 0.04" Aluminum Overhead Coiling Door, Chain Lift.....	2,781.11	590.60
08 33 23 11-0167 EA 6' x 8', 0.04" Aluminum Overhead Coiling Door, Chain Lift.....	2,670.03	626.68
08 33 23 11-0168 EA 6' x 10', 0.04" Aluminum Overhead Coiling Door, Chain Lift.....	2,921.95	686.38
08 33 23 11-0169 EA 6' x 12', 0.04" Aluminum Overhead Coiling Door, Chain Lift.....	3,101.73	709.96
08 33 23 11-0170 EA 6' x 14', 0.04" Aluminum Overhead Coiling Door, Chain Lift.....	3,321.27	733.55
08 33 23 11-0171 EA 6' x 16', 0.04" Aluminum Overhead Coiling Door, Chain Lift.....	3,567.28	768.94
08 33 23 11-0172 EA 8' x 8', 0.04" Aluminum Overhead Coiling Door, Chain Lift.....	2,923.09	671.44

08 Openings
08 30 Specialty Doors And Frames
08 33 Coiling Doors And Grilles



MINOR
CSI UOM DESCRIPTION

TOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

08 33 23 11-0173	EA	8' x 10', 0.04" Aluminum Overhead Coiling Door, Chain Lift	3,192.08	716.21
08 33 23 11-0174	EA	8' x 12', 0.04" Aluminum Overhead Coiling Door, Chain Lift	3,434.03	746.06
08 33 23 11-0175	EA	8' x 14', 0.04" Aluminum Overhead Coiling Door, Chain Lift	3,653.76	769.65
08 33 23 11-0176	EA	8' x 16', 0.04" Aluminum Overhead Coiling Door, Chain Lift	3,898.03	805.04
08 33 23 11-0177	EA	10' x 10', 0.04" Aluminum Overhead Coiling Door, Chain Lift	3,507.73	775.90
08 33 23 11-0178	EA	10' x 12', 0.04" Aluminum Overhead Coiling Door, Chain Lift	3,745.57	805.74
08 33 23 11-0179	EA	10' x 14', 0.04" Aluminum Overhead Coiling Door, Chain Lift	4,059.59	852.92
08 33 23 11-0180	EA	10' x 16', 0.04" Aluminum Overhead Coiling Door, Chain Lift	4,422.02	923.69
08 33 23 11-0181	EA	10' x 18', 0.04" Aluminum Overhead Coiling Door, Chain Lift	4,988.45	1,018.06
08 33 23 11-0182	EA	10' x 20', 0.04" Aluminum Overhead Coiling Door, Chain Lift	5,602.00	1,136.01
08 33 23 11-0183	EA	10' x 22', 0.04" Aluminum Overhead Coiling Door, Chain Lift	6,259.12	1,277.55
08 33 23 11-0184	EA	10' x 24', 0.04" Aluminum Overhead Coiling Door, Chain Lift	6,964.47	1,442.69
08 33 23 11-0185	EA	12' x 10', 0.04" Aluminum Overhead Coiling Door, Chain Lift	3,741.10	805.74
08 33 23 11-0186	EA	12' x 12', 0.04" Aluminum Overhead Coiling Door, Chain Lift	4,223.18	831.69
08 33 23 11-0187	EA	12' x 14', 0.04" Aluminum Overhead Coiling Door, Chain Lift	4,652.81	878.87
08 33 23 11-0188	EA	12' x 16', 0.04" Aluminum Overhead Coiling Door, Chain Lift	5,131.63	949.64
08 33 23 11-0189	EA	12' x 18', 0.04" Aluminum Overhead Coiling Door, Chain Lift	5,777.22	1,044.01
08 33 23 11-0190	EA	12' x 20', 0.04" Aluminum Overhead Coiling Door, Chain Lift	6,471.74	1,161.96
08 33 23 11-0191	EA	12' x 22', 0.04" Aluminum Overhead Coiling Door, Chain Lift	6,961.06	1,303.50
08 33 23 11-0192	EA	12' x 24', 0.04" Aluminum Overhead Coiling Door, Chain Lift	7,547.06	1,492.23

08 33 23 11-0193 0.05" Aluminum Overhead Coiling Doors (08 33 23 11-0192)

08 33 23 11-0194	EA	14' x 10', 0.05" Aluminum Overhead Coiling Door, Chain Lift	4,270.08	938.21
08 33 23 11-0195	EA	14' x 12', 0.05" Aluminum Overhead Coiling Door, Chain Lift	4,843.17	985.38
08 33 23 11-0196	EA	14' x 14', 0.05" Aluminum Overhead Coiling Door, Chain Lift	5,404.95	1,032.57
08 33 23 11-0197	EA	14' x 16', 0.05" Aluminum Overhead Coiling Door, Chain Lift	5,968.56	1,103.34
08 33 23 11-0198	EA	14' x 18', 0.05" Aluminum Overhead Coiling Door, Chain Lift	6,616.20	1,197.70
08 33 23 11-0199	EA	14' x 20', 0.05" Aluminum Overhead Coiling Door, Chain Lift	7,263.82	1,292.06
08 33 23 11-0200	EA	14' x 22', 0.05" Aluminum Overhead Coiling Door, Chain Lift	7,968.55	1,410.02
08 33 23 11-0201	EA	14' x 24', 0.05" Aluminum Overhead Coiling Door, Chain Lift	8,720.56	1,551.56
08 33 23 11-0202	EA	16' x 10', 0.05" Aluminum Overhead Coiling Door, Chain Lift	4,983.55	1,078.94
08 33 23 11-0203	EA	16' x 12', 0.05" Aluminum Overhead Coiling Door, Chain Lift	5,583.56	1,126.12
08 33 23 11-0204	EA	16' x 14', 0.05" Aluminum Overhead Coiling Door, Chain Lift	6,158.07	1,173.30
08 33 23 11-0205	EA	16' x 16', 0.05" Aluminum Overhead Coiling Door, Chain Lift	6,798.18	1,244.07
08 33 23 11-0206	EA	16' x 18', 0.05" Aluminum Overhead Coiling Door, Chain Lift	7,536.48	1,338.43
08 33 23 11-0207	EA	16' x 20', 0.05" Aluminum Overhead Coiling Door, Chain Lift	8,317.24	1,432.79
08 33 23 11-0208	EA	16' x 22', 0.05" Aluminum Overhead Coiling Door, Chain Lift	9,111.16	1,550.75
08 33 23 11-0209	EA	16' x 24', 0.05" Aluminum Overhead Coiling Door, Chain Lift	9,908.40	1,692.29
08 33 23 11-0210	EA	18' x 10', 0.05" Aluminum Overhead Coiling Door, Chain Lift	5,566.36	1,213.81
08 33 23 11-0211	EA	18' x 12', 0.05" Aluminum Overhead Coiling Door, Chain Lift	6,210.27	1,260.99
08 33 23 11-0212	EA	18' x 14', 0.05" Aluminum Overhead Coiling Door, Chain Lift	6,965.66	1,331.76
08 33 23 11-0213	EA	18' x 16', 0.05" Aluminum Overhead Coiling Door, Chain Lift	7,757.20	1,426.12
08 33 23 11-0214	EA	18' x 18', 0.05" Aluminum Overhead Coiling Door, Chain Lift	8,604.98	1,544.07
08 33 23 11-0215	EA	18' x 20', 0.05" Aluminum Overhead Coiling Door, Chain Lift	9,494.29	1,685.62
08 33 23 11-0216	EA	18' x 22', 0.05" Aluminum Overhead Coiling Door, Chain Lift	10,429.35	1,850.76
08 33 23 11-0217	EA	18' x 24', 0.05" Aluminum Overhead Coiling Door, Chain Lift	11,417.26	2,039.48
08 33 23 11-0218	EA	20' x 10', 0.05" Aluminum Overhead Coiling Door, Chain Lift	6,355.41	1,395.88
08 33 23 11-0219	EA	20' x 12', 0.05" Aluminum Overhead Coiling Door, Chain Lift	7,012.07	1,443.07
08 33 23 11-0220	EA	20' x 14', 0.05" Aluminum Overhead Coiling Door, Chain Lift	8,092.66	1,513.83
08 33 23 11-0221	EA	20' x 16', 0.05" Aluminum Overhead Coiling Door, Chain Lift	8,836.64	1,608.19
08 33 23 11-0222	EA	20' x 18', 0.05" Aluminum Overhead Coiling Door, Chain Lift	9,760.90	1,726.15
08 33 23 11-0223	EA	20' x 20', 0.05" Aluminum Overhead Coiling Door, Chain Lift	10,757.83	1,867.69
08 33 23 11-0224	EA	20' x 22', 0.05" Aluminum Overhead Coiling Door, Chain Lift	11,756.61	2,032.83
08 33 23 11-0225	EA	20' x 24', 0.05" Aluminum Overhead Coiling Door, Chain Lift	12,832.35	2,221.55
08 33 23 11-0226	EA	22' x 10', 0.05" Aluminum Overhead Coiling Door, Chain Lift	7,501.59	1,652.45
08 33 23 11-0227	EA	22' x 12', 0.05" Aluminum Overhead Coiling Door, Chain Lift	8,362.64	1,723.21
08 33 23 11-0228	EA	22' x 14', 0.05" Aluminum Overhead Coiling Door, Chain Lift	9,492.53	1,877.36
08 33 23 11-0229	EA	22' x 16', 0.05" Aluminum Overhead Coiling Door, Chain Lift	10,437.14	1,948.14
08 33 23 11-0230	EA	22' x 18', 0.05" Aluminum Overhead Coiling Door, Chain Lift	11,427.54	2,042.50
08 33 23 11-0231	EA	22' x 20', 0.05" Aluminum Overhead Coiling Door, Chain Lift	12,427.84	2,136.86
08 33 23 11-0232	EA	22' x 22', 0.05" Aluminum Overhead Coiling Door, Chain Lift	13,421.52	2,254.81
08 33 23 11-0233	EA	22' x 24', 0.05" Aluminum Overhead Coiling Door, Chain Lift	14,469.43	2,396.36
08 33 23 11-0234	EA	24' x 10', 0.05" Aluminum Overhead Coiling Door, Chain Lift	8,269.78	1,817.68
08 33 23 11-0235	EA	24' x 12', 0.05" Aluminum Overhead Coiling Door, Chain Lift	8,796.13	1,864.87
08 33 23 11-0236	EA	24' x 14', 0.05" Aluminum Overhead Coiling Door, Chain Lift	10,083.12	1,912.04
08 33 23 11-0237	EA	24' x 16', 0.05" Aluminum Overhead Coiling Door, Chain Lift	11,143.85	1,982.82
08 33 23 11-0238	EA	24' x 18', 0.05" Aluminum Overhead Coiling Door, Chain Lift	12,193.74	2,077.18
08 33 23 11-0239	EA	24' x 20', 0.05" Aluminum Overhead Coiling Door, Chain Lift	13,243.64	2,171.54
08 33 23 11-0240	EA	24' x 22', 0.05" Aluminum Overhead Coiling Door, Chain Lift	14,487.99	2,289.49
08 33 23 11-0241	EA	24' x 24', 0.05" Aluminum Overhead Coiling Door, Chain Lift	15,822.05	2,431.04

08 33 23 11-0242 Overhead Coiling Door Accessories (08 33 23 11)

08 33 23 11-0243	LF	Bottom Of Door, Weather Strip Seal For Coiling Doors, Astragal Only	3.50	1.11
08 33 23 11-0244	LF	Top Of Door (Lintel), Weather Strip Seal For Coiling Doors	20.25	1.33
08 33 23 11-0245	LF	Side Of Door (Guides), Weather Strip Seal For Coiling Doors	19.34	1.33
08 33 23 11-0246	EA	Cylinder Lock For Coiling Doors	222.07	55.40
08 33 23 11-0247	EA	Up To 12' Height, 1/2 HP Motorized Jackshaft Operator For Coiling Doors And Grilles	1,134.70	177.28

Note: Includes three button inside station controls and mounting hardware.



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 33 23 11-0248 EA Up To 12' Height, 3/4 HP Motorized Jackshaft Operator For Coiling Doors And Grilles Note: Includes three button inside station controls and mounting hardware.	1,412.97	177.28
08 33 23 11-0249 EA >12' To 18' Height, 1/2 HP Motorized Jackshaft Operator For Coiling Doors And Grilles Note: Includes three button inside station controls and mounting hardware.	1,339.08	199.45
08 33 23 11-0250 EA >12' To 18' Height, 3/4 HP Motorized Jackshaft Operator For Coiling Doors And Grilles Note: Includes three button inside station controls and mounting hardware.	1,567.55	199.45
08 33 23 11-0251 EA >18' To 24' Height, 3/4 HP Motorized Jackshaft Operator For Coiling Doors And Grilles Note: Includes motor, supports, push button operator, stationary electronic eye, signal wiring from eye to motor and motor to operator.	1,710.41	221.61
08 33 23 11-0252 EA >18' To 24' Height, 1 HP Motorized Jackshaft Operator For Coiling Doors And Grilles Note: Includes motor, supports, push button operator, stationary electronic eye, signal wiring from eye to motor and motor to operator.	1,849.01	221.61
08 33 23 11-0253 LF Safety Edge Bottom Bar Obstruction Detection Device, Electric For Coiling Doors And Grilles	82.48	
08 33 23 11-0254 EA Remote Transmitter Kit For Coiling Door Operators	291.70	88.64
08 33 23 11-0255 Removal And Reinstallation Of Roll-Up Door And Support (08 33 23 11) Note: Includes storage, cleaning and supply materials.		
08 33 23 11-0256 SF Removal And Reinstallation Of Metal Roll-up Door And Supports		19.00
08 33 23 13 Overhead Rapid Coiling Doors (08 33 23) Note: Excludes lifting equipment (forklift or scissor lift) where required. See CSI section 01 22 23 00-0923 for forklift.		
08 33 23 13-0001 2 Ply Fabric Panel, High-Speed Rolling Doors (Rytec® PredaDoor®) (08 33 23 13) Note: Rytec® PredaDoor® PD5500. Door panel is 2-ply multi-filament Rilon. Includes full width vision panel. Side frames are fully bolted together, anodized aluminum construction with weather seal. Bottom bar releases in either direction when impacted, without damage to door. Drive system is a 3 phase, variable-speed AC Drive with brake and absolute encoder. Opens at 50" per second and closes at 21" per second.		
08 33 23 13-0002 2 Ply Fabric Panel, High-Speed Rolling Doors (Rytec® PredaDoor®) (08 33 23 13-0001)		
08 33 23 13-0003 6' Wide, 2 Ply Fabric Panel, High-Speed Rolling Doors (Rytec® PredaDoor®) (08 33 23 13-0002)		
08 33 23 13-0004 EA 6' x 6', 2 Ply Fabric Panel, High-Speed Rolling Door (Rytec® PredaDoor®)	11,297.63	354.58
08 33 23 13-0005 EA 6' x 7', 2 Ply Fabric Panel, High-Speed Rolling Door (Rytec® PredaDoor®)	11,481.40	369.65
08 33 23 13-0006 EA 6' x 8', 2 Ply Fabric Panel, High-Speed Rolling Door (Rytec® PredaDoor®)	11,693.22	384.72
08 33 23 13-0007 EA 6' x 9', 2 Ply Fabric Panel, High-Speed Rolling Door (Rytec® PredaDoor®)	11,987.94	399.79
08 33 23 13-0008 EA 6' x 10', 2 Ply Fabric Panel, High-Speed Rolling Door (Rytec® PredaDoor®)	12,288.77	414.86
08 33 23 13-0009 EA 6' x 11', 2 Ply Fabric Panel, High-Speed Rolling Door (Rytec® PredaDoor®)	12,794.44	429.93
08 33 23 13-0010 EA 6' x 12', 2 Ply Fabric Panel, High-Speed Rolling Door (Rytec® PredaDoor®)	13,153.79	444.99
08 33 23 13-0011 7' Wide, 2 Ply Fabric Panel, High-Speed Rolling Doors (Rytec® PredaDoor®) (08 33 23 13-0002)		
08 33 23 13-0012 EA 7' x 6', 2 Ply Fabric Panel, High-Speed Rolling Door (Rytec® PredaDoor®)	11,521.64	369.65
08 33 23 13-0013 EA 7' x 7', 2 Ply Fabric Panel, High-Speed Rolling Door (Rytec® PredaDoor®)	11,755.41	384.72
08 33 23 13-0014 EA 7' x 8', 2 Ply Fabric Panel, High-Speed Rolling Door (Rytec® PredaDoor®)	12,048.91	399.79
08 33 23 13-0015 EA 7' x 9', 2 Ply Fabric Panel, High-Speed Rolling Door (Rytec® PredaDoor®)	12,359.49	414.86
08 33 23 13-0016 EA 7' x 10', 2 Ply Fabric Panel, High-Speed Rolling Door (Rytec® PredaDoor®)	12,768.83	429.93
08 33 23 13-0017 EA 7' x 11', 2 Ply Fabric Panel, High-Speed Rolling Door (Rytec® PredaDoor®)	13,262.31	444.99
08 33 23 13-0018 EA 7' x 12', 2 Ply Fabric Panel, High-Speed Rolling Door (Rytec® PredaDoor®)	13,652.15	460.06
08 33 23 13-0019 8' Wide, 2 Ply Fabric Panel, High-Speed Rolling Doors (Rytec® PredaDoor®) (08 33 23 13-0002)		
08 33 23 13-0020 EA 8' x 6', 2 Ply Fabric Panel, High-Speed Rolling Door (Rytec® PredaDoor®)	11,794.42	384.72
08 33 23 13-0021 EA 8' x 7', 2 Ply Fabric Panel, High-Speed Rolling Door (Rytec® PredaDoor®)	12,086.70	399.79
08 33 23 13-0022 EA 8' x 8', 2 Ply Fabric Panel, High-Speed Rolling Door (Rytec® PredaDoor®)	12,409.48	414.86
08 33 23 13-0023 EA 8' x 9', 2 Ply Fabric Panel, High-Speed Rolling Door (Rytec® PredaDoor®)	12,831.02	429.93
08 33 23 13-0024 EA 8' x 10', 2 Ply Fabric Panel, High-Speed Rolling Door (Rytec® PredaDoor®)	13,211.10	444.99
08 33 23 13-0025 EA 8' x 11', 2 Ply Fabric Panel, High-Speed Rolling Door (Rytec® PredaDoor®)	13,748.48	460.06
08 33 23 13-0026 EA 8' x 12', 2 Ply Fabric Panel, High-Speed Rolling Door (Rytec® PredaDoor®)	14,189.52	475.13
08 33 23 13-0027 9' Wide, 2 Ply Fabric Panel, High-Speed Rolling Doors (Rytec® PredaDoor®) (08 33 23 13-0002)		
08 33 23 13-0028 EA 9' x 6', 2 Ply Fabric Panel, High-Speed Rolling Door (Rytec® PredaDoor®)	12,126.94	399.79
08 33 23 13-0029 EA 9' x 7', 2 Ply Fabric Panel, High-Speed Rolling Door (Rytec® PredaDoor®)	12,447.28	414.86
08 33 23 13-0030 EA 9' x 8', 2 Ply Fabric Panel, High-Speed Rolling Door (Rytec® PredaDoor®)	12,868.81	429.93
08 33 23 13-0031 EA 9' x 9', 2 Ply Fabric Panel, High-Speed Rolling Door (Rytec® PredaDoor®)	13,261.09	444.99
08 33 23 13-0032 EA 9' x 10', 2 Ply Fabric Panel, High-Speed Rolling Door (Rytec® PredaDoor®)	13,672.88	460.06
08 33 23 13-0033 EA 9' x 11', 2 Ply Fabric Panel, High-Speed Rolling Door (Rytec® PredaDoor®)	14,100.51	475.13
08 33 23 13-0034 EA 9' x 12', 2 Ply Fabric Panel, High-Speed Rolling Door (Rytec® PredaDoor®)	14,569.60	490.20
08 33 23 13-0035 10' Wide, 2 Ply Fabric Panel, High-Speed Rolling Doors (Rytec® PredaDoor®) (08 33 23 13-0002)		
08 33 23 13-0036 EA 10' x 6', 2 Ply Fabric Panel, High-Speed Rolling Door (Rytec® PredaDoor®)	12,478.98	414.86
08 33 23 13-0037 EA 10' x 7', 2 Ply Fabric Panel, High-Speed Rolling Door (Rytec® PredaDoor®)	12,909.05	429.93



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 33 23 13-0038	EA		10' x 8', 2 Ply Fabric Panel, High-Speed Rolling Door (Rytec® PredaDoor®).....	13,297.67	444.99
08 33 23 13-0039	EA		10' x 9', 2 Ply Fabric Panel, High-Speed Rolling Door (Rytec® PredaDoor®).....	13,713.12	460.06
08 33 23 13-0040	EA		10' x 10', 2 Ply Fabric Panel, High-Speed Rolling Door (Rytec® PredaDoor®).....	14,173.67	475.13
08 33 23 13-0041	EA		10' x 11', 2 Ply Fabric Panel, High-Speed Rolling Door (Rytec® PredaDoor®).....	14,267.21	490.20
08 33 23 13-0042	EA		10' x 12', 2 Ply Fabric Panel, High-Speed Rolling Door (Rytec® PredaDoor®).....	15,049.66	505.27
08 33 23 13-0043			11' Wide, 2 Ply Fabric Panel, High-Speed Rolling Doors (Rytec® PredaDoor®) (08 33 23 13-0002)		
08 33 23 13-0044	EA		11' x 6', 2 Ply Fabric Panel, High-Speed Rolling Door (Rytec® PredaDoor®).....	12,932.22	429.93
08 33 23 13-0045	EA		11' x 7', 2 Ply Fabric Panel, High-Speed Rolling Door (Rytec® PredaDoor®).....	13,330.59	444.99
08 33 23 13-0046	EA		11' x 8', 2 Ply Fabric Panel, High-Speed Rolling Door (Rytec® PredaDoor®).....	13,750.92	460.06
08 33 23 13-0047	EA		11' x 9', 2 Ply Fabric Panel, High-Speed Rolling Door (Rytec® PredaDoor®).....	14,212.68	475.13
08 33 23 13-0048	EA		11' x 10', 2 Ply Fabric Panel, High-Speed Rolling Door (Rytec® PredaDoor®).....	14,515.95	490.20
08 33 23 13-0049	EA		11' x 11', 2 Ply Fabric Panel, High-Speed Rolling Door (Rytec® PredaDoor®).....	15,115.50	505.27
08 33 23 13-0050	EA		11' x 12', 2 Ply Fabric Panel, High-Speed Rolling Door (Rytec® PredaDoor®).....	15,606.54	520.34
08 33 23 13-0051			12' Wide, 2 Ply Fabric Panel, High-Speed Rolling Doors (Rytec® PredaDoor®) (08 33 23 13-0002)		
08 33 23 13-0052	EA		12' x 6', 2 Ply Fabric Panel, High-Speed Rolling Door (Rytec® PredaDoor®).....	13,341.56	444.99
08 33 23 13-0053	EA		12' x 7', 2 Ply Fabric Panel, High-Speed Rolling Door (Rytec® PredaDoor®).....	13,772.87	460.06
08 33 23 13-0054	EA		12' x 8', 2 Ply Fabric Panel, High-Speed Rolling Door (Rytec® PredaDoor®).....	14,243.17	475.13
08 33 23 13-0055	EA		12' x 9', 2 Ply Fabric Panel, High-Speed Rolling Door (Rytec® PredaDoor®).....	14,557.40	490.20
08 33 23 13-0056	EA		12' x 10', 2 Ply Fabric Panel, High-Speed Rolling Door (Rytec® PredaDoor®).....	14,970.41	505.27
08 33 23 13-0057	EA		12' x 11', 2 Ply Fabric Panel, High-Speed Rolling Door (Rytec® PredaDoor®).....	15,662.63	520.34
08 33 23 13-0058	EA		12' x 12', 2 Ply Fabric Panel, High-Speed Rolling Door (Rytec® PredaDoor®).....	16,143.92	535.42
08 33 23 13-0059			Rytec® PredaDoor® Door Options (08 33 23 13-0001)		
08 33 23 13-0060	EA		Up To 10' Wide Doors, Roll And Motor Hood For Rytec® PredaDoor® High-Speed Rolling Doors.....	396.28	88.64
08 33 23 13-0061	EA		>10' To 15' Wide Doors, Roll And Motor Hood For Rytec® PredaDoor® High-Speed Rolling Doors.....	658.43	88.64
08 33 23 13-0062	SF		Upgrade To 3-Ply Rilon Panel Material For Rytec® PredaDoor® High-Speed Rolling Doors.....	9.88	
08 33 23 13-0063			3 Ply Fabric Panel, High-Speed Rolling Doors (Rytec® Fast-Seal®) (08 33 23 13-0063)		
			Note: Rytec® Fast-Seal® FS1000. Door panel is heavy-duty 3-ply multi-filament Rilon. Independent opening and closing speeds up to 50" per second. Side frames are fully bolted together, reinforced with front and rear wind bar guides and full height vinyl weather seal on either side of the door panel. Counterbalance system consists of guided counterweights custom-sized to provide to provide proper balancing of each door system. The independent tension system maintains constant panel tensioning. The drive system is a 3 phase, variable speed AC drive motor with brake and absolute encoder. Bottom bar breaks away in either direction without damage to the bar, safety astragal, or side covers.		
08 33 23 13-0064			3 Ply Fabric Panel, High-Speed Rolling Doors (Rytec® Fast-Seal®) (08 33 23 13-0063)		
08 33 23 13-0065			8' Wide, 3 Ply Fabric Panel, High-Speed Rolling Doors (Rytec® Fast-Seal®) (08 33 23 13-0064)		
08 33 23 13-0066	EA		8' x 8', 3 Ply Fabric Panel, High-Speed Rolling Door (Rytec® Fast-Seal®).....	16,619.67	531.86
			For NEMA 4X Control Box, Add	675.00	
			For 2 Speed Motor, 60" Open, 30" Close, Add	1,100.00	
			For AC Variable Speed Motor And Controls, Add	2,750.00	
			For 304 Stainless Steel Side Frame Tower, Add	2,200.00	
			For 316 Stainless Steel Side Frame Tower, Add	3,300.00	
08 33 23 13-0067	EA		8' x 9', 3 Ply Fabric Panel, High-Speed Rolling Door (Rytec® Fast-Seal®).....	17,382.62	546.93
			For NEMA 4X Control Box, Add	675.00	
			For 2 Speed Motor, 60" Open, 30" Close, Add	1,100.00	
			For AC Variable Speed Motor And Controls, Add	2,750.00	
			For 304 Stainless Steel Side Frame Tower, Add	2,200.00	
			For 316 Stainless Steel Side Frame Tower, Add	3,300.00	
08 33 23 13-0068	EA		8' x 10', 3 Ply Fabric Panel, High-Speed Rolling Door (Rytec® Fast-Seal®).....	18,045.58	562.00
			For NEMA 4X Control Box, Add	675.00	
			For 2 Speed Motor, 60" Open, 30" Close, Add	1,100.00	
			For AC Variable Speed Motor And Controls, Add	2,750.00	
			For 304 Stainless Steel Side Frame Tower, Add	2,200.00	
			For 316 Stainless Steel Side Frame Tower, Add	3,300.00	
08 33 23 13-0069	EA		8' x 11', 3 Ply Fabric Panel, High-Speed Rolling Door (Rytec® Fast-Seal®).....	18,759.74	577.08
			For NEMA 4X Control Box, Add	675.00	
			For 2 Speed Motor, 60" Open, 30" Close, Add	1,100.00	
			For AC Variable Speed Motor And Controls, Add	2,750.00	
			For 304 Stainless Steel Side Frame Tower, Add	2,200.00	
			For 316 Stainless Steel Side Frame Tower, Add	3,300.00	
08 33 23 13-0070	EA		8' x 12', 3 Ply Fabric Panel, High-Speed Rolling Door (Rytec® Fast-Seal®).....	19,571.45	592.15
			For NEMA 4X Control Box, Add	675.00	
			For 2 Speed Motor, 60" Open, 30" Close, Add	1,100.00	
			For AC Variable Speed Motor And Controls, Add	2,750.00	
			For 304 Stainless Steel Side Frame Tower, Add	2,200.00	
			For 316 Stainless Steel Side Frame Tower, Add	3,300.00	



Openings	08	08
Specialty Doors And Frames	08 30	
Coiling Doors And Grilles	08 33	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 33 23	13-0071	EA	8' x 13', 3 Ply Fabric Panel, High-Speed Rolling Door (Rytec® Fast-Seal®)..... <i>For NEMA 4X Control Box, Add</i> <i>For 2 Speed Motor, 60" Open, 30" Close, Add</i> <i>For AC Variable Speed Motor And Controls, Add</i> <i>For 304 Stainless Steel Side Frame Tower, Add</i> <i>For 316 Stainless Steel Side Frame Tower, Add</i>	19,990.55 675.00 1,100.00 2,750.00 2,200.00 3,300.00	607.22
08 33 23	13-0072	EA	8' x 14', 3 Ply Fabric Panel, High-Speed Rolling Door (Rytec® Fast-Seal®)..... <i>For NEMA 4X Control Box, Add</i> <i>For 2 Speed Motor, 60" Open, 30" Close, Add</i> <i>For AC Variable Speed Motor And Controls, Add</i> <i>For 304 Stainless Steel Side Frame Tower, Add</i> <i>For 316 Stainless Steel Side Frame Tower, Add</i>	20,653.51 675.00 1,100.00 2,750.00 2,200.00 3,300.00	622.29
08 33 23	13-0073		9' Wide, 3 Ply Fabric Panel, High-Speed Rolling Doors (Rytec® Fast-Seal®) (08 33 23 13-0064)		
08 33 23	13-0074	EA	9' x 8', 3 Ply Fabric Panel, High-Speed Rolling Door (Rytec® Fast-Seal®)..... <i>For NEMA 4X Control Box, Add</i> <i>For 2 Speed Motor, 60" Open, 30" Close, Add</i> <i>For AC Variable Speed Motor And Controls, Add</i> <i>For 304 Stainless Steel Side Frame Tower, Add</i> <i>For 316 Stainless Steel Side Frame Tower, Add</i>	17,382.62 675.00 1,100.00 2,750.00 3,300.00 4,950.00	546.93
08 33 23	13-0075	EA	9' x 9', 3 Ply Fabric Panel, High-Speed Rolling Door (Rytec® Fast-Seal®)..... <i>For NEMA 4X Control Box, Add</i> <i>For 2 Speed Motor, 60" Open, 30" Close, Add</i> <i>For AC Variable Speed Motor And Controls, Add</i> <i>For 304 Stainless Steel Side Frame Tower, Add</i> <i>For 316 Stainless Steel Side Frame Tower, Add</i>	18,045.58 675.00 1,100.00 2,750.00 3,300.00 4,950.00	562.00
08 33 23	13-0076	EA	9' x 10', 3 Ply Fabric Panel, High-Speed Rolling Door (Rytec® Fast-Seal®)..... <i>For NEMA 4X Control Box, Add</i> <i>For 2 Speed Motor, 60" Open, 30" Close, Add</i> <i>For AC Variable Speed Motor And Controls, Add</i> <i>For 304 Stainless Steel Side Frame Tower, Add</i> <i>For 316 Stainless Steel Side Frame Tower, Add</i>	18,759.74 675.00 1,100.00 2,750.00 3,300.00 4,950.00	577.08
08 33 23	13-0077	EA	9' x 11', 3 Ply Fabric Panel, High-Speed Rolling Door (Rytec® Fast-Seal®)..... <i>For NEMA 4X Control Box, Add</i> <i>For 2 Speed Motor, 60" Open, 30" Close, Add</i> <i>For AC Variable Speed Motor And Controls, Add</i> <i>For 304 Stainless Steel Side Frame Tower, Add</i> <i>For 316 Stainless Steel Side Frame Tower, Add</i>	19,571.45 675.00 1,100.00 2,750.00 3,300.00 4,950.00	592.15
08 33 23	13-0078	EA	9' x 12', 3 Ply Fabric Panel, High-Speed Rolling Door (Rytec® Fast-Seal®)..... <i>For NEMA 4X Control Box, Add</i> <i>For 2 Speed Motor, 60" Open, 30" Close, Add</i> <i>For AC Variable Speed Motor And Controls, Add</i> <i>For 304 Stainless Steel Side Frame Tower, Add</i> <i>For 316 Stainless Steel Side Frame Tower, Add</i>	19,990.55 675.00 1,100.00 2,750.00 3,300.00 4,950.00	607.22
08 33 23	13-0079	EA	9' x 13', 3 Ply Fabric Panel, High-Speed Rolling Door (Rytec® Fast-Seal®)..... <i>For NEMA 4X Control Box, Add</i> <i>For 2 Speed Motor, 60" Open, 30" Close, Add</i> <i>For AC Variable Speed Motor And Controls, Add</i> <i>For 304 Stainless Steel Side Frame Tower, Add</i> <i>For 316 Stainless Steel Side Frame Tower, Add</i>	20,653.51 675.00 1,100.00 2,750.00 3,300.00 4,950.00	622.29
08 33 23	13-0080	EA	9' x 14', 3 Ply Fabric Panel, High-Speed Rolling Door (Rytec® Fast-Seal®)..... <i>For NEMA 4X Control Box, Add</i> <i>For 2 Speed Motor, 60" Open, 30" Close, Add</i> <i>For AC Variable Speed Motor And Controls, Add</i> <i>For 304 Stainless Steel Side Frame Tower, Add</i> <i>For 316 Stainless Steel Side Frame Tower, Add</i>	21,512.78 675.00 1,100.00 2,750.00 3,300.00 4,950.00	637.36
08 33 23	13-0081		10' Wide, 3 Ply Fabric Panel, High-Speed Rolling Doors (Rytec® Fast-Seal®) (08 33 23 13-0064)		
08 33 23	13-0082	EA	10' x 8', 3 Ply Fabric Panel, High-Speed Rolling Door (Rytec® Fast-Seal®)..... <i>For NEMA 4X Control Box, Add</i> <i>For 2 Speed Motor, 60" Open, 30" Close, Add</i> <i>For AC Variable Speed Motor And Controls, Add</i> <i>For 304 Stainless Steel Side Frame Tower, Add</i> <i>For 316 Stainless Steel Side Frame Tower, Add</i>	18,045.58 675.00 1,100.00 2,750.00 3,300.00 4,950.00	562.00
08 33 23	13-0083	EA	10' x 9', 3 Ply Fabric Panel, High-Speed Rolling Door (Rytec® Fast-Seal®)..... <i>For NEMA 4X Control Box, Add</i> <i>For 2 Speed Motor, 60" Open, 30" Close, Add</i> <i>For AC Variable Speed Motor And Controls, Add</i> <i>For 304 Stainless Steel Side Frame Tower, Add</i> <i>For 316 Stainless Steel Side Frame Tower, Add</i>	18,759.74 675.00 1,100.00 2,750.00 3,300.00 4,950.00	577.08
08 33 23	13-0084	EA	10' x 10', 3 Ply Fabric Panel, High-Speed Rolling Door (Rytec® Fast-Seal®)..... <i>For NEMA 4X Control Box, Add</i> <i>For 2 Speed Motor, 60" Open, 30" Close, Add</i> <i>For AC Variable Speed Motor And Controls, Add</i> <i>For 304 Stainless Steel Side Frame Tower, Add</i> <i>For 316 Stainless Steel Side Frame Tower, Add</i>	19,571.45 675.00 1,100.00 2,750.00 3,300.00 4,950.00	592.15

08 Openings**08 30 Specialty Doors And Frames**

08 33 Coiling Doors And Grilles



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 33 23 13-0085	EA	10' x 11', 3 Ply Fabric Panel, High-Speed Rolling Door (Rytec® Fast-Seal®)	19,990.55	607.22	
		<i>For NEMA 4X Control Box, Add</i>	675.00		
		<i>For 2 Speed Motor, 60" Open, 30" Close, Add</i>	1,100.00		
		<i>For AC Variable Speed Motor And Controls, Add</i>	2,750.00		
		<i>For 304 Stainless Steel Side Frame Tower, Add</i>	3,300.00		
		<i>For 316 Stainless Steel Side Frame Tower, Add</i>	4,950.00		
08 33 23 13-0086	EA	10' x 12', 3 Ply Fabric Panel, High-Speed Rolling Door (Rytec® Fast-Seal®)	20,653.51	622.29	
		<i>For NEMA 4X Control Box, Add</i>	675.00		
		<i>For 2 Speed Motor, 60" Open, 30" Close, Add</i>	1,100.00		
		<i>For AC Variable Speed Motor And Controls, Add</i>	2,750.00		
		<i>For 304 Stainless Steel Side Frame Tower, Add</i>	3,300.00		
		<i>For 316 Stainless Steel Side Frame Tower, Add</i>	4,950.00		
08 33 23 13-0087	EA	10' x 13', 3 Ply Fabric Panel, High-Speed Rolling Door (Rytec® Fast-Seal®)	21,512.78	637.36	
		<i>For NEMA 4X Control Box, Add</i>	675.00		
		<i>For 2 Speed Motor, 60" Open, 30" Close, Add</i>	1,100.00		
		<i>For AC Variable Speed Motor And Controls, Add</i>	2,750.00		
		<i>For 304 Stainless Steel Side Frame Tower, Add</i>	3,300.00		
		<i>For 316 Stainless Steel Side Frame Tower, Add</i>	4,950.00		
08 33 23 13-0088	EA	10' x 14', 3 Ply Fabric Panel, High-Speed Rolling Door (Rytec® Fast-Seal®)	22,323.28	652.43	
		<i>For NEMA 4X Control Box, Add</i>	675.00		
		<i>For 2 Speed Motor, 60" Open, 30" Close, Add</i>	1,100.00		
		<i>For AC Variable Speed Motor And Controls, Add</i>	2,750.00		
		<i>For 304 Stainless Steel Side Frame Tower, Add</i>	3,300.00		
		<i>For 316 Stainless Steel Side Frame Tower, Add</i>	4,950.00		
08 33 23 13-0089		11' Wide, 3 Ply Fabric Panel, High-Speed Rolling Doors (Rytec® Fast-Seal®) <small>(08 33 23 13-0064)</small>			
08 33 23 13-0090	EA	11' x 8', 3 Ply Fabric Panel, High-Speed Rolling Door (Rytec® Fast-Seal®)	18,759.74	577.08	
		<i>For NEMA 4X Control Box, Add</i>	675.00		
		<i>For 2 Speed Motor, 60" Open, 30" Close, Add</i>	1,100.00		
		<i>For AC Variable Speed Motor And Controls, Add</i>	2,750.00		
		<i>For 304 Stainless Steel Side Frame Tower, Add</i>	4,400.00		
		<i>For 316 Stainless Steel Side Frame Tower, Add</i>	6,600.00		
08 33 23 13-0091	EA	11' x 9', 3 Ply Fabric Panel, High-Speed Rolling Door (Rytec® Fast-Seal®)	19,571.45	592.15	
		<i>For NEMA 4X Control Box, Add</i>	675.00		
		<i>For 2 Speed Motor, 60" Open, 30" Close, Add</i>	1,100.00		
		<i>For AC Variable Speed Motor And Controls, Add</i>	2,750.00		
		<i>For 304 Stainless Steel Side Frame Tower, Add</i>	4,400.00		
		<i>For 316 Stainless Steel Side Frame Tower, Add</i>	6,600.00		
08 33 23 13-0092	EA	11' x 10', 3 Ply Fabric Panel, High-Speed Rolling Door (Rytec® Fast-Seal®)	19,990.55	607.22	
		<i>For NEMA 4X Control Box, Add</i>	675.00		
		<i>For 2 Speed Motor, 60" Open, 30" Close, Add</i>	1,100.00		
		<i>For AC Variable Speed Motor And Controls, Add</i>	2,750.00		
		<i>For 304 Stainless Steel Side Frame Tower, Add</i>	4,400.00		
		<i>For 316 Stainless Steel Side Frame Tower, Add</i>	6,600.00		
08 33 23 13-0093	EA	11' x 11', 3 Ply Fabric Panel, High-Speed Rolling Door (Rytec® Fast-Seal®)	20,653.51	622.29	
		<i>For NEMA 4X Control Box, Add</i>	675.00		
		<i>For 2 Speed Motor, 60" Open, 30" Close, Add</i>	1,100.00		
		<i>For AC Variable Speed Motor And Controls, Add</i>	2,750.00		
		<i>For 304 Stainless Steel Side Frame Tower, Add</i>	4,400.00		
		<i>For 316 Stainless Steel Side Frame Tower, Add</i>	6,600.00		
08 33 23 13-0094	EA	11' x 12', 3 Ply Fabric Panel, High-Speed Rolling Door (Rytec® Fast-Seal®)	21,512.78	637.36	
		<i>For NEMA 4X Control Box, Add</i>	675.00		
		<i>For 2 Speed Motor, 60" Open, 30" Close, Add</i>	1,100.00		
		<i>For AC Variable Speed Motor And Controls, Add</i>	2,750.00		
		<i>For 304 Stainless Steel Side Frame Tower, Add</i>	4,400.00		
		<i>For 316 Stainless Steel Side Frame Tower, Add</i>	6,600.00		
08 33 23 13-0095	EA	11' x 13', 3 Ply Fabric Panel, High-Speed Rolling Door (Rytec® Fast-Seal®)	22,323.28	652.43	
		<i>For NEMA 4X Control Box, Add</i>	675.00		
		<i>For 2 Speed Motor, 60" Open, 30" Close, Add</i>	1,100.00		
		<i>For AC Variable Speed Motor And Controls, Add</i>	2,750.00		
		<i>For 304 Stainless Steel Side Frame Tower, Add</i>	4,400.00		
		<i>For 316 Stainless Steel Side Frame Tower, Add</i>	6,600.00		
08 33 23 13-0096	EA	11' x 14', 3 Ply Fabric Panel, High-Speed Rolling Door (Rytec® Fast-Seal®)	23,231.32	667.50	
		<i>For NEMA 4X Control Box, Add</i>	675.00		
		<i>For 2 Speed Motor, 60" Open, 30" Close, Add</i>	1,100.00		
		<i>For AC Variable Speed Motor And Controls, Add</i>	2,750.00		
		<i>For 304 Stainless Steel Side Frame Tower, Add</i>	4,400.00		
		<i>For 316 Stainless Steel Side Frame Tower, Add</i>	6,600.00		
08 33 23 13-0097		12' Wide, 3 Ply Fabric Panel, High-Speed Rolling Doors (Rytec® Fast-Seal®) <small>(08 33 23 13-0064)</small>			
08 33 23 13-0098	EA	12' x 8', 3 Ply Fabric Panel, High-Speed Rolling Door (Rytec® Fast-Seal®)	19,571.45	592.15	
		<i>For NEMA 4X Control Box, Add</i>	675.00		
		<i>For 2 Speed Motor, 60" Open, 30" Close, Add</i>	1,100.00		
		<i>For AC Variable Speed Motor And Controls, Add</i>	2,750.00		
		<i>For 304 Stainless Steel Side Frame Tower, Add</i>	4,400.00		
		<i>For 316 Stainless Steel Side Frame Tower, Add</i>	6,600.00		



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 33 23 13-0099 EA 12' x 9', 3 Ply Fabric Panel, High-Speed Rolling Door (Rytec® Fast-Seal®)..... <i>For NEMA 4X Control Box, Add</i> <i>For 2 Speed Motor, 60" Open, 30" Close, Add</i> <i>For AC Variable Speed Motor And Controls, Add</i> <i>For 304 Stainless Steel Side Frame Tower, Add</i> <i>For 316 Stainless Steel Side Frame Tower, Add</i>	19,990.55 675.00 1,100.00 2,750.00 4,400.00 6,600.00	607.22
08 33 23 13-0100 EA 12' x 10', 3 Ply Fabric Panel, High-Speed Rolling Door (Rytec® Fast-Seal®)..... <i>For NEMA 4X Control Box, Add</i> <i>For 2 Speed Motor, 60" Open, 30" Close, Add</i> <i>For AC Variable Speed Motor And Controls, Add</i> <i>For 304 Stainless Steel Side Frame Tower, Add</i> <i>For 316 Stainless Steel Side Frame Tower, Add</i>	20,653.51 675.00 1,100.00 2,750.00 4,400.00 6,600.00	622.29
08 33 23 13-0101 EA 12' x 11', 3 Ply Fabric Panel, High-Speed Rolling Door (Rytec® Fast-Seal®)..... <i>For NEMA 4X Control Box, Add</i> <i>For 2 Speed Motor, 60" Open, 30" Close, Add</i> <i>For AC Variable Speed Motor And Controls, Add</i> <i>For 304 Stainless Steel Side Frame Tower, Add</i> <i>For 316 Stainless Steel Side Frame Tower, Add</i>	21,512.78 675.00 1,100.00 2,750.00 4,400.00 6,600.00	637.36
08 33 23 13-0102 EA 12' x 12', 3 Ply Fabric Panel, High-Speed Rolling Door (Rytec® Fast-Seal®)..... <i>For NEMA 4X Control Box, Add</i> <i>For 2 Speed Motor, 60" Open, 30" Close, Add</i> <i>For AC Variable Speed Motor And Controls, Add</i> <i>For 304 Stainless Steel Side Frame Tower, Add</i> <i>For 316 Stainless Steel Side Frame Tower, Add</i>	22,323.28 675.00 1,100.00 2,750.00 4,400.00 6,600.00	652.43
08 33 23 13-0103 EA 12' x 13', 3 Ply Fabric Panel, High-Speed Rolling Door (Rytec® Fast-Seal®)..... <i>For NEMA 4X Control Box, Add</i> <i>For 2 Speed Motor, 60" Open, 30" Close, Add</i> <i>For AC Variable Speed Motor And Controls, Add</i> <i>For 304 Stainless Steel Side Frame Tower, Add</i> <i>For 316 Stainless Steel Side Frame Tower, Add</i>	23,231.32 675.00 1,100.00 2,750.00 4,400.00 6,600.00	667.50
08 33 23 13-0104 EA 12' x 14', 3 Ply Fabric Panel, High-Speed Rolling Door (Rytec® Fast-Seal®)..... <i>For NEMA 4X Control Box, Add</i> <i>For 2 Speed Motor, 60" Open, 30" Close, Add</i> <i>For AC Variable Speed Motor And Controls, Add</i> <i>For 304 Stainless Steel Side Frame Tower, Add</i> <i>For 316 Stainless Steel Side Frame Tower, Add</i>	23,879.65 675.00 1,100.00 2,750.00 4,400.00 6,600.00	682.57
08 33 23 13-0105 13' Wide, 3 Ply Fabric Panel, High-Speed Rolling Doors (Rytec® Fast-Seal®) <small>(08 33 23 13-0064)</small>		
08 33 23 13-0106 EA 13' x 8', 3 Ply Fabric Panel, High-Speed Rolling Door (Rytec® Fast-Seal®)..... <i>For NEMA 4X Control Box, Add</i> <i>For 2 Speed Motor, 60" Open, 30" Close, Add</i> <i>For AC Variable Speed Motor And Controls, Add</i> <i>For 304 Stainless Steel Side Frame Tower, Add</i> <i>For 316 Stainless Steel Side Frame Tower, Add</i>	20,492.91 675.00 1,100.00 2,750.00 5,480.00 7,370.00	607.22
08 33 23 13-0107 EA 13' x 9', 3 Ply Fabric Panel, High-Speed Rolling Door (Rytec® Fast-Seal®)..... <i>For NEMA 4X Control Box, Add</i> <i>For 2 Speed Motor, 60" Open, 30" Close, Add</i> <i>For AC Variable Speed Motor And Controls, Add</i> <i>For 304 Stainless Steel Side Frame Tower, Add</i> <i>For 316 Stainless Steel Side Frame Tower, Add</i>	21,344.86 675.00 1,100.00 2,750.00 5,480.00 7,370.00	622.29
08 33 23 13-0108 EA 13' x 10', 3 Ply Fabric Panel, High-Speed Rolling Door (Rytec® Fast-Seal®)..... <i>For NEMA 4X Control Box, Add</i> <i>For 2 Speed Motor, 60" Open, 30" Close, Add</i> <i>For AC Variable Speed Motor And Controls, Add</i> <i>For 304 Stainless Steel Side Frame Tower, Add</i> <i>For 316 Stainless Steel Side Frame Tower, Add</i>	22,151.70 675.00 1,100.00 2,750.00 5,480.00 7,370.00	637.36
08 33 23 13-0109 EA 13' x 11', 3 Ply Fabric Panel, High-Speed Rolling Door (Rytec® Fast-Seal®)..... <i>For NEMA 4X Control Box, Add</i> <i>For 2 Speed Motor, 60" Open, 30" Close, Add</i> <i>For AC Variable Speed Motor And Controls, Add</i> <i>For 304 Stainless Steel Side Frame Tower, Add</i> <i>For 316 Stainless Steel Side Frame Tower, Add</i>	23,091.45 675.00 1,100.00 2,750.00 5,480.00 7,370.00	652.43
08 33 23 13-0110 EA 13' x 12', 3 Ply Fabric Panel, High-Speed Rolling Door (Rytec® Fast-Seal®)..... <i>For NEMA 4X Control Box, Add</i> <i>For 2 Speed Motor, 60" Open, 30" Close, Add</i> <i>For AC Variable Speed Motor And Controls, Add</i> <i>For 304 Stainless Steel Side Frame Tower, Add</i> <i>For 316 Stainless Steel Side Frame Tower, Add</i>	24,027.53 675.00 1,100.00 2,750.00 5,480.00 7,370.00	667.50
08 33 23 13-0111 EA 13' x 13', 3 Ply Fabric Panel, High-Speed Rolling Door (Rytec® Fast-Seal®)..... <i>For NEMA 4X Control Box, Add</i> <i>For 2 Speed Motor, 60" Open, 30" Close, Add</i> <i>For AC Variable Speed Motor And Controls, Add</i> <i>For 304 Stainless Steel Side Frame Tower, Add</i> <i>For 316 Stainless Steel Side Frame Tower, Add</i>	24,718.54 675.00 1,100.00 2,750.00 5,480.00 7,370.00	682.57
08 33 23 13-0112 EA 13' x 14', 3 Ply Fabric Panel, High-Speed Rolling Door (Rytec® Fast-Seal®)..... <i>For NEMA 4X Control Box, Add</i> <i>For 2 Speed Motor, 60" Open, 30" Close, Add</i> <i>For AC Variable Speed Motor And Controls, Add</i> <i>For 304 Stainless Steel Side Frame Tower, Add</i> <i>For 316 Stainless Steel Side Frame Tower, Add</i>	25,240.06 675.00 1,100.00 2,750.00 5,480.00 7,370.00	697.63

08	08	Openings
	08 30	Specialty Doors And Frames
	08 33	Coiling Doors And Grilles



MINOR		TOTAL DIRECT		DEMOLITION	
CSI	UOM	DESCRIPTION	UNIT COST	UNIT COST	
08 33 23 13-0113		14' Wide, 3 Ply Fabric Panel, High-Speed Rolling Doors (Rytec® Fast-Seal®) <small>(08 33 23 13-0064)</small>			
08 33 23 13-0114	EA	14' x 8', 3 Ply Fabric Panel, High-Speed Rolling Door (Rytec® Fast-Seal®).....	21,344.86		622.29
		For NEMA 4X Control Box, Add	675.00		
		For 2 Speed Motor, 60" Open, 30" Close, Add	1,100.00		
		For AC Variable Speed Motor And Controls, Add	2,750.00		
		For 304 Stainless Steel Side Frame Tower, Add	5,480.00		
		For 316 Stainless Steel Side Frame Tower, Add	7,370.00		
08 33 23 13-0115	EA	14' x 9', 3 Ply Fabric Panel, High-Speed Rolling Door (Rytec® Fast-Seal®).....	22,151.70		637.36
		For NEMA 4X Control Box, Add	675.00		
		For 2 Speed Motor, 60" Open, 30" Close, Add	1,100.00		
		For AC Variable Speed Motor And Controls, Add	2,750.00		
		For 304 Stainless Steel Side Frame Tower, Add	5,480.00		
		For 316 Stainless Steel Side Frame Tower, Add	7,370.00		
08 33 23 13-0116	EA	14' x 10', 3 Ply Fabric Panel, High-Speed Rolling Door (Rytec® Fast-Seal®).....	23,091.45		652.43
		For NEMA 4X Control Box, Add	675.00		
		For 2 Speed Motor, 60" Open, 30" Close, Add	1,100.00		
		For AC Variable Speed Motor And Controls, Add	2,750.00		
		For 304 Stainless Steel Side Frame Tower, Add	5,480.00		
		For 316 Stainless Steel Side Frame Tower, Add	7,370.00		
08 33 23 13-0117	EA	14' x 11', 3 Ply Fabric Panel, High-Speed Rolling Door (Rytec® Fast-Seal®).....	24,027.53		667.50
		For NEMA 4X Control Box, Add	675.00		
		For 2 Speed Motor, 60" Open, 30" Close, Add	1,100.00		
		For AC Variable Speed Motor And Controls, Add	2,750.00		
		For 304 Stainless Steel Side Frame Tower, Add	5,480.00		
		For 316 Stainless Steel Side Frame Tower, Add	7,370.00		
08 33 23 13-0118	EA	14' x 12', 3 Ply Fabric Panel, High-Speed Rolling Door (Rytec® Fast-Seal®).....	24,718.54		682.57
		For NEMA 4X Control Box, Add	675.00		
		For 2 Speed Motor, 60" Open, 30" Close, Add	1,100.00		
		For AC Variable Speed Motor And Controls, Add	2,750.00		
		For 304 Stainless Steel Side Frame Tower, Add	5,480.00		
		For 316 Stainless Steel Side Frame Tower, Add	7,370.00		
08 33 23 13-0119	EA	14' x 13', 3 Ply Fabric Panel, High-Speed Rolling Door (Rytec® Fast-Seal®).....	25,240.06		697.63
		For NEMA 4X Control Box, Add	675.00		
		For 2 Speed Motor, 60" Open, 30" Close, Add	1,100.00		
		For AC Variable Speed Motor And Controls, Add	2,750.00		
		For 304 Stainless Steel Side Frame Tower, Add	5,480.00		
		For 316 Stainless Steel Side Frame Tower, Add	7,370.00		
08 33 23 13-0120	EA	14' x 14', 3 Ply Fabric Panel, High-Speed Rolling Door (Rytec® Fast-Seal®).....	26,022.51		712.70
		For NEMA 4X Control Box, Add	675.00		
		For 2 Speed Motor, 60" Open, 30" Close, Add	1,100.00		
		For AC Variable Speed Motor And Controls, Add	2,750.00		
		For 304 Stainless Steel Side Frame Tower, Add	5,480.00		
		For 316 Stainless Steel Side Frame Tower, Add	7,370.00		
08 33 23 13-0121		Rytec® Fast-Seal® Door Options <small>(08 33 23 13-0063)</small>			
08 33 23 13-0122	LF	Strapped Windbar For Rytec® Fast-Seal® High-Speed Rolling Doors.....	36.58		
		Note: Multiply linear foot price x width of door.			
08 33 23 13-0123	EA	Up To 10' Wide Doors, Roll And Motor Hood For Rytec® Fast-Seal® High-Speed Rolling Doors.....	396.28		
08 33 23 13-0124	EA	>10' To 15' Wide Doors, Roll And Motor Hood For Rytec® Fast-Seal® High-Speed Rolling Doors.....	658.43		
08 33 23 13-0125	EA	>15' To 20' Wide Doors, Roll And Motor Hood For Rytec® Fast-Seal® High-Speed Rolling Doors.....	968.27		
08 33 23 13-0126	EA	One 17" x 17", 2mm Thick, Replaceable Polyvinyl Chloride (PVC) Window With Velcro For Rytec® Fast-Seal® High-Speed Rolling Doors.....	231.67		
08 33 23 13-0127	EA	Two 17" x 17", 2mm Thick, Replaceable Polyvinyl Chloride (PVC) Windows With Velcro For Rytec® Fast-Seal® High-Speed Rolling Doors.....	457.24		
		Note: Door must be at least 90" wide.			
08 33 23 13-0128	EA	Three 17" x 17", 2mm Thick, Replaceable Polyvinyl Chloride (PVC) Windows With Velcro For Rytec® Fast-Seal® High-Speed Rolling Doors.....	579.17		
		Note: Door must be at least 102" wide.			
08 33 23 13-0129	EA	Four 17" x 17", 2mm Thick, Replaceable Polyvinyl Chloride (PVC) Windows With Velcro For Rytec® Fast-Seal® High-Speed Rolling Doors.....	914.48		
		Note: Door must be at least 136" wide.			
08 33 23 13-0130	EA	One 24" x 24", 2mm Thick, Replaceable Polyvinyl Chloride (PVC) Window With Velcro For Rytec® Fast-Seal® High-Speed Rolling Doors.....	268.25		
08 33 23 13-0131	EA	Two 24" x 24", 2mm Thick, Replaceable Polyvinyl Chloride (PVC) Windows With Velcro For Rytec® Fast-Seal® High-Speed Rolling Doors.....	530.40		
		Note: Door must be at least 108" wide.			
08 33 23 13-0132	EA	Three 24" x 24", 2mm Thick, Replaceable Polyvinyl Chloride (PVC) Windows With Velcro For Rytec® Fast-Seal® High-Speed Rolling Doors.....	658.43		
		Note: Door must be at least 144" wide.			
08 33 23 13-0133	EA	Four 24" x 24", 2mm Thick, Replaceable Polyvinyl Chloride (PVC) Windows With Velcro For Rytec® Fast-Seal® High-Speed Rolling Doors.....	1,060.80		
		Note: Door must be at least 192" wide.			
08 33 23 13-0134		Aluminum Rigid Panels, High-Speed Rolling Doors (Rytec® Spiral®) <small>(08 33 23 13)</small>			
		Note: Door panels are double-walled aluminum slats that are 6" high x 1-3/16" thick. Width is variable. Side frames are galvanized steel with full height weather seal on both sides. There are extension springs in each column for counterbalance. The drive system is a 2 HP, 208,230/460 Volt, three-phase motor with variable speed AC drive. Opening and closing speeds up to 60" per second.			
08 33 23 13-0135		Aluminum Rigid Panels, High-Speed Rolling Doors (Rytec® Spiral®) <small>(08 33 23 13-0134)</small>			



	MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 33 23 13-0136				8' Wide, Aluminum Rigid Panels, High-Speed Rolling Door (Rytec® Spiral®) <small>(08 33 23 13-0135)</small>		
	08 33 23	13-0137	EA	8' x 8', Aluminum Rigid Panels, High-Speed Rolling Door (Rytec® Spiral®)	23,701.17	709.16
	08 33 23	13-0138	EA	8' x 9', Aluminum Rigid Panels, High-Speed Rolling Door (Rytec® Spiral®)	24,390.96	724.23
	08 33 23	13-0139	EA	8' x 10', Aluminum Rigid Panels, High-Speed Rolling Door (Rytec® Spiral®)	25,080.73	739.30
	08 33 23	13-0140	EA	8' x 11', Aluminum Rigid Panels, High-Speed Rolling Door (Rytec® Spiral®)	25,771.74	754.37
	08 33 23	13-0141	EA	8' x 12', Aluminum Rigid Panels, High-Speed Rolling Door (Rytec® Spiral®)	26,461.53	769.44
	08 33 23	13-0142	EA	8' x 13', Aluminum Rigid Panels, High-Speed Rolling Door (Rytec® Spiral®)	27,151.31	784.50
	08 33 23	13-0143	EA	8' x 14', Aluminum Rigid Panels, High-Speed Rolling Door (Rytec® Spiral®)	29,159.17	799.57
08 33 23 13-0144				9' Wide, Aluminum Rigid Panels, High-Speed Rolling Door (Rytec® Spiral®) <small>(08 33 23 13-0135)</small>		
	08 33 23	13-0145	EA	9' x 8', Aluminum Rigid Panels, High-Speed Rolling Door (Rytec® Spiral®)	24,390.96	724.23
	08 33 23	13-0146	EA	9' x 9', Aluminum Rigid Panels, High-Speed Rolling Door (Rytec® Spiral®)	25,080.73	739.30
	08 33 23	13-0147	EA	9' x 10', Aluminum Rigid Panels, High-Speed Rolling Door (Rytec® Spiral®)	25,771.74	754.37
	08 33 23	13-0148	EA	9' x 11', Aluminum Rigid Panels, High-Speed Rolling Door (Rytec® Spiral®)	26,461.53	769.44
	08 33 23	13-0149	EA	9' x 12', Aluminum Rigid Panels, High-Speed Rolling Door (Rytec® Spiral®)	27,151.31	784.50
	08 33 23	13-0150	EA	9' x 13', Aluminum Rigid Panels, High-Speed Rolling Door (Rytec® Spiral®)	27,841.10	799.57
	08 33 23	13-0151	EA	9' x 14', Aluminum Rigid Panels, High-Speed Rolling Door (Rytec® Spiral®)	29,848.95	814.64
08 33 23 13-0152				10' Wide, Aluminum Rigid Panels, High-Speed Rolling Door (Rytec® Spiral®) <small>(08 33 23 13-0135)</small>		
	08 33 23	13-0153	EA	10' x 8', Aluminum Rigid Panels, High-Speed Rolling Door (Rytec® Spiral®)	25,080.73	739.30
	08 33 23	13-0154	EA	10' x 9', Aluminum Rigid Panels, High-Speed Rolling Door (Rytec® Spiral®)	25,771.74	754.37
	08 33 23	13-0155	EA	10' x 10', Aluminum Rigid Panels, High-Speed Rolling Door (Rytec® Spiral®)	26,461.53	769.44
	08 33 23	13-0156	EA	10' x 11', Aluminum Rigid Panels, High-Speed Rolling Door (Rytec® Spiral®)	27,151.31	784.50
	08 33 23	13-0157	EA	10' x 12', Aluminum Rigid Panels, High-Speed Rolling Door (Rytec® Spiral®)	27,841.10	799.57
	08 33 23	13-0158	EA	10' x 13', Aluminum Rigid Panels, High-Speed Rolling Door (Rytec® Spiral®)	28,530.88	814.64
	08 33 23	13-0159	EA	10' x 14', Aluminum Rigid Panels, High-Speed Rolling Door (Rytec® Spiral®)	30,538.73	829.71
08 33 23 13-0160				11' Wide, Aluminum Rigid Panels, High-Speed Rolling Door (Rytec® Spiral®) <small>(08 33 23 13-0135)</small>		
	08 33 23	13-0161	EA	11' x 8', Aluminum Rigid Panels, High-Speed Rolling Door (Rytec® Spiral®)	25,771.74	754.37
	08 33 23	13-0162	EA	11' x 9', Aluminum Rigid Panels, High-Speed Rolling Door (Rytec® Spiral®)	26,461.53	769.44
	08 33 23	13-0163	EA	11' x 10', Aluminum Rigid Panels, High-Speed Rolling Door (Rytec® Spiral®)	27,151.31	784.50
	08 33 23	13-0164	EA	11' x 11', Aluminum Rigid Panels, High-Speed Rolling Door (Rytec® Spiral®)	27,841.10	799.57
	08 33 23	13-0165	EA	11' x 12', Aluminum Rigid Panels, High-Speed Rolling Door (Rytec® Spiral®)	28,530.88	814.64
	08 33 23	13-0166	EA	11' x 13', Aluminum Rigid Panels, High-Speed Rolling Door (Rytec® Spiral®)	29,220.66	829.71
	08 33 23	13-0167	EA	11' x 14', Aluminum Rigid Panels, High-Speed Rolling Door (Rytec® Spiral®)	31,227.31	844.78
08 33 23 13-0168				12' Wide, Aluminum Rigid Panels, High-Speed Rolling Door (Rytec® Spiral®) <small>(08 33 23 13-0135)</small>		
	08 33 23	13-0169	EA	12' x 8', Aluminum Rigid Panels, High-Speed Rolling Door (Rytec® Spiral®)	26,461.53	769.44
	08 33 23	13-0170	EA	12' x 9', Aluminum Rigid Panels, High-Speed Rolling Door (Rytec® Spiral®)	27,151.31	784.50
	08 33 23	13-0171	EA	12' x 10', Aluminum Rigid Panels, High-Speed Rolling Door (Rytec® Spiral®)	27,841.10	799.57
	08 33 23	13-0172	EA	12' x 11', Aluminum Rigid Panels, High-Speed Rolling Door (Rytec® Spiral®)	28,530.88	814.64
	08 33 23	13-0173	EA	12' x 12', Aluminum Rigid Panels, High-Speed Rolling Door (Rytec® Spiral®)	29,220.66	829.71
	08 33 23	13-0174	EA	12' x 13', Aluminum Rigid Panels, High-Speed Rolling Door (Rytec® Spiral®)	29,910.45	844.78
	08 33 23	13-0175	EA	12' x 14', Aluminum Rigid Panels, High-Speed Rolling Door (Rytec® Spiral®)	31,918.31	859.85
08 33 23 13-0176				13' Wide, Aluminum Rigid Panels, High-Speed Rolling Door (Rytec® Spiral®) <small>(08 33 23 13-0135)</small>		
	08 33 23	13-0177	EA	13' x 8', Aluminum Rigid Panels, High-Speed Rolling Door (Rytec® Spiral®)	27,151.31	784.50
	08 33 23	13-0178	EA	13' x 9', Aluminum Rigid Panels, High-Speed Rolling Door (Rytec® Spiral®)	27,841.10	799.57
	08 33 23	13-0179	EA	13' x 10', Aluminum Rigid Panels, High-Speed Rolling Door (Rytec® Spiral®)	28,530.88	814.64
	08 33 23	13-0180	EA	13' x 11', Aluminum Rigid Panels, High-Speed Rolling Door (Rytec® Spiral®)	29,220.66	829.71
	08 33 23	13-0181	EA	13' x 12', Aluminum Rigid Panels, High-Speed Rolling Door (Rytec® Spiral®)	29,910.45	844.78
	08 33 23	13-0182	EA	13' x 13', Aluminum Rigid Panels, High-Speed Rolling Door (Rytec® Spiral®)	30,600.24	859.85
	08 33 23	13-0183	EA	13' x 14', Aluminum Rigid Panels, High-Speed Rolling Door (Rytec® Spiral®)	32,608.10	874.92
08 33 23 13-0184				14' Wide, Aluminum Rigid Panels, High-Speed Rolling Door (Rytec® Spiral®) <small>(08 33 23 13-0135)</small>		
	08 33 23	13-0185	EA	14' x 8', Aluminum Rigid Panels, High-Speed Rolling Door (Rytec® Spiral®)	29,159.17	799.57
	08 33 23	13-0186	EA	14' x 9', Aluminum Rigid Panels, High-Speed Rolling Door (Rytec® Spiral®)	29,848.95	814.64
	08 33 23	13-0187	EA	14' x 10', Aluminum Rigid Panels, High-Speed Rolling Door (Rytec® Spiral®)	30,538.73	829.71
	08 33 23	13-0188	EA	14' x 11', Aluminum Rigid Panels, High-Speed Rolling Door (Rytec® Spiral®)	31,227.31	844.78
	08 33 23	13-0189	EA	14' x 12', Aluminum Rigid Panels, High-Speed Rolling Door (Rytec® Spiral®)	31,918.31	859.85
	08 33 23	13-0190	EA	14' x 13', Aluminum Rigid Panels, High-Speed Rolling Door (Rytec® Spiral®)	32,608.10	874.92
	08 33 23	13-0191	EA	14' x 14', Aluminum Rigid Panels, High-Speed Rolling Door (Rytec® Spiral®)	33,297.9	889.99

08 Openings**08 30 Specialty Doors And Frames****08 33 Coiling Doors And Grilles**

MINOR CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 33 23 13-0192		Rytec® Spiral® Door Options (08 33 23 13-0134)		
08 33 23 13-0193	EA	Insulated Slats For Rytec® Spiral® High-Speed Rolling Doors Note: Per door price.	396.28	
08 33 23 13-0194	EA	Up To 13' Wide Doors, 6" High x Width Of Door, Window Slats For Rytec® Spiral® High-Speed Rolling Doors Note: Maximum of 4 per door.	268.25	
08 33 23 13-0195	EA	>13' Wide Doors, 6" High x Width Of Door, Window Slats For Rytec® Spiral® High-Speed Rolling Doors Note: Maximum of 4 per door.	396.28	
08 33 23 13-0196	EA	Right Hand Motor Mount For Rytec® Spiral® High-Speed Rolling Doors.....	747.07	44.33
08 33 23 13-0197	EA	Up To 13' Wide Doors, Full Hood For Rytec® Spiral® High-Speed Rolling Doors	2,152.56	88.64
08 33 23 13-0198	EA	>13' To 16' Wide Doors, Full Hood For Rytec® Spiral® High-Speed Rolling Doors	3,865.69	88.64
08 33 23 13-0199	EA	>16' Wide Doors, Full Hood For Rytec® Spiral® High-Speed Rolling Doors	4,396.09	88.64
08 33 23 13-0200		Activation And Control Box Options For High Speed Doors (08 33 23 13)		
08 33 23 13-0201	EA	Pull Cord For High-Speed Rolling Doors.....	186.18	44.33
08 33 23 13-0202	EA	Emergency Stop, Pushbutton Control For High-Speed Rolling Doors	141.87	22.16
08 33 23 13-0203	EA	NEMA 4 Mushroom Remote Pushbutton Control For High-Speed Rolling Doors	178.45	22.16
08 33 23 13-0204	EA	On/Off Key Switch, Remote Control For High-Speed Rolling Doors.....	190.65	22.16
08 33 23 13-0205	EA	Open/Close/Stop, Remote Pushbutton Control For High-Speed Rolling Doors	343.06	22.16
08 33 23 13-0206	EA	Radio Control For High-Speed Rolling Doors	529.25	39.89
		Note: Includes one receiver and two transmitters.		
08 33 23 13-0207	EA	Floor Loop For High-Speed Rolling Doors	706.53	
		Note: Excludes sealant.		
08 33 23 13-0208	EA	Reflective Type Photo Eye For High-Speed Rolling Doors	455.73	39.89
08 33 23 13-0209	EA	Thru-Beam Type Photo Eye For High-Speed Rolling Doors	596.31	39.89
08 33 23 13-0210	EA	Motion Detector For High-Speed Rolling Doors	516.53	26.59
08 33 23 13-0211	EA	Remote Warning Horn For High-Speed Rolling Doors.....	356.89	44.33
		Note: Includes wall box and mounting hardware.		
08 33 23 13-0212	EA	Remote Strobe Light For High-Speed Rolling Doors.....	484.92	44.33
		Note: Includes wall box and mounting hardware.		
08 33 23 13-0213	EA	Remote Warning Horn And Strobe Light For High-Speed Rolling Doors	551.98	44.33
		Note: Includes wall box and mounting hardware.		
08 33 23 13-0214	EA	Red And Green Red Light For High-Speed Rolling Doors	686.10	44.33
		Note: Includes mounting hardware.		
08 33 26		Overhead Coiling Grilles (08 33)		
		Note: Includes curtains, guides, counterbalance mechanisms, hardware, operators, frame, supports and/or trim as required. Excludes lifting equipment (forklift or scissor lift) where required. See CSI section 01 22 23 00-0923 for forklift.		
08 33 26 00-0001		Galvanized Steel Overhead Coiling Grilles (Width x Height) (08 33 26)		
08 33 26 00-0002	EA	4' x 8', Galvanized Steel Overhead Coiling Grilles, Manual Lift..... For Lexan Lattice Pattern, Add For Aluminum With Clear Or Anodized Bronze Finish, Add For Staggered Brick Pattern, Add	2,189.27 245.97 186.34 252.23	192.47
08 33 26 00-0003	EA	6' x 8', Galvanized Steel Overhead Coiling Grilles, Manual Lift..... For Lexan Lattice Pattern, Add For Aluminum With Clear Or Anodized Bronze Finish, Add For Staggered Brick Pattern, Add	2,481.86 289.86 279.51 341.60	192.47
08 33 26 00-0004	EA	8' x 8', Galvanized Steel Overhead Coiling Grilles, Manual Lift..... For Lexan Lattice Pattern, Add For Aluminum With Clear Or Anodized Bronze Finish, Add For Staggered Brick Pattern, Add	2,986.70 344.80 372.67 430.97	240.58
08 33 26 00-0005	EA	12' x 8', Galvanized Steel Overhead Coiling Grilles, Manual Lift..... For Lexan Lattice Pattern, Add For Aluminum With Clear Or Anodized Bronze Finish, Add For Staggered Brick Pattern, Add	3,408.66 408.09 436.11 609.70	240.58
08 33 26 00-0006	EA	16' x 8', Galvanized Steel Overhead Coiling Grilles, Manual Lift..... For Lexan Lattice Pattern, Add For Aluminum With Clear Or Anodized Bronze Finish, Add For Staggered Brick Pattern, Add	4,690.72 538.37 745.34 859.82	384.93
08 33 26 00-0007	EA	20' x 8', Galvanized Steel Overhead Coiling Grilles, Manual Lift..... For Lexan Lattice Pattern, Add For Aluminum With Clear Or Anodized Bronze Finish, Add For Staggered Brick Pattern, Add	5,829.71 668.66 931.68 1,109.92	481.16
08 33 26 00-0008	EA	24' x 8', Galvanized Steel Overhead Coiling Grilles, Manual Lift..... For Lexan Lattice Pattern, Add For Aluminum With Clear Or Anodized Bronze Finish, Add For Staggered Brick Pattern, Add	7,349.38 855.15 1,118.01 1,248.52	577.40
08 33 26 00-0009	EA	30' x 8', Galvanized Steel Overhead Coiling Grilles, Manual Lift..... For Lexan Lattice Pattern, Add For Aluminum With Clear Or Anodized Bronze Finish, Add For Staggered Brick Pattern, Add	8,960.26 1,042.56 1,294.91 1,361.68	705.70
08 33 26 00-0010	EA	4' x 10', Galvanized Steel Overhead Coiling Grilles, Manual Lift..... For Lexan Lattice Pattern, Add For Aluminum With Clear Or Anodized Bronze Finish, Add For Staggered Brick Pattern, Add	2,401.34 277.78 232.92 299.66	192.47
08 33 26 00-0011	EA	6' x 10', Galvanized Steel Overhead Coiling Grilles, Manual Lift..... For Lexan Lattice Pattern, Add For Aluminum With Clear Or Anodized Bronze Finish, Add For Staggered Brick Pattern, Add	2,789.12 335.95 349.37 425.53	192.47



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 33 26 00-0012 EA 8' x 10', Galvanized Steel Overhead Coiling Grilles, Manual Lift..... <i>For Lexan Lattice Pattern, Add</i> <i>For Aluminum With Clear Or Anodized Bronze Finish, Add</i> <i>For Staggered Brick Pattern, Add</i>	3,327.36 396.20 465.84 551.40	240.58
08 33 26 00-0013 EA 12' x 10', Galvanized Steel Overhead Coiling Grilles, Manual Lift..... <i>For Lexan Lattice Pattern, Add</i> <i>For Aluminum With Clear Or Anodized Bronze Finish, Add</i> <i>For Staggered Brick Pattern, Add</i>	3,855.81 475.47 698.76 803.15	240.58
08 33 26 00-0014 EA 16' x 10', Galvanized Steel Overhead Coiling Grilles, Manual Lift..... <i>For Lexan Lattice Pattern, Add</i> <i>For Aluminum With Clear Or Anodized Bronze Finish, Add</i> <i>For Staggered Brick Pattern, Add</i>	5,278.06 626.48 931.68 1,107.44	384.93
08 33 26 00-0015 EA 20' x 10', Galvanized Steel Overhead Coiling Grilles, Manual Lift..... <i>For Lexan Lattice Pattern, Add</i> <i>For Aluminum With Clear Or Anodized Bronze Finish, Add</i> <i>For Staggered Brick Pattern, Add</i>	6,555.15 777.47 1,164.59 1,411.71	481.16
08 33 26 00-0016 EA 24' x 10', Galvanized Steel Overhead Coiling Grilles, Manual Lift..... <i>For Lexan Lattice Pattern, Add</i> <i>For Aluminum With Clear Or Anodized Bronze Finish, Add</i> <i>For Staggered Brick Pattern, Add</i>	8,225.86 986.62 1,397.69 1,634.87	577.40
08 33 26 00-0017 EA 30' x 10', Galvanized Steel Overhead Coiling Grilles, Manual Lift..... <i>For Lexan Lattice Pattern, Add</i> <i>For Aluminum With Clear Or Anodized Bronze Finish, Add</i> <i>For Staggered Brick Pattern, Add</i>	10,313.65 1,245.57 1,636.49 1,831.42	705.70
08 33 26 00-0018 EA 4' x 12', Galvanized Steel Overhead Coiling Grilles, Manual Lift..... <i>For Lexan Lattice Pattern, Add</i> <i>For Aluminum With Clear Or Anodized Bronze Finish, Add</i> <i>For Staggered Brick Pattern, Add</i>	2,644.20 314.21 279.51 346.39	192.47
08 33 26 00-0019 EA 6' x 12', Galvanized Steel Overhead Coiling Grilles, Manual Lift..... <i>For Lexan Lattice Pattern, Add</i> <i>For Aluminum With Clear Or Anodized Bronze Finish, Add</i> <i>For Staggered Brick Pattern, Add</i>	2,714.50 324.76 419.25 508.05	192.47
08 33 26 00-0020 EA 8' x 12', Galvanized Steel Overhead Coiling Grilles, Manual Lift..... <i>For Lexan Lattice Pattern, Add</i> <i>For Aluminum With Clear Or Anodized Bronze Finish, Add</i> <i>For Staggered Brick Pattern, Add</i>	3,305.94 392.68 558.99 669.71	240.58
08 33 26 00-0021 EA 12' x 12', Galvanized Steel Overhead Coiling Grilles, Manual Lift..... <i>For Lexan Lattice Pattern, Add</i> <i>For Aluminum With Clear Or Anodized Bronze Finish, Add</i> <i>For Staggered Brick Pattern, Add</i>	4,362.67 551.19 838.48 993.04	240.58
08 33 26 00-0022 EA 16' x 12', Galvanized Steel Overhead Coiling Grilles, Manual Lift..... <i>For Lexan Lattice Pattern, Add</i> <i>For Aluminum With Clear Or Anodized Bronze Finish, Add</i> <i>For Staggered Brick Pattern, Add</i>	6,108.32 751.01 1,118.00 1,380.61	384.93
08 33 26 00-0023 EA 20' x 12', Galvanized Steel Overhead Coiling Grilles, Manual Lift..... <i>For Lexan Lattice Pattern, Add</i> <i>For Aluminum With Clear Or Anodized Bronze Finish, Add</i> <i>For Staggered Brick Pattern, Add</i>	7,710.89 950.83 1,397.51 1,768.18	481.16
08 33 26 00-0024 EA 24' x 12', Galvanized Steel Overhead Coiling Grilles, Manual Lift..... <i>For Lexan Lattice Pattern, Add</i> <i>For Aluminum With Clear Or Anodized Bronze Finish, Add</i> <i>For Staggered Brick Pattern, Add</i>	9,349.04 1,155.10 1,677.02 1,869.61	577.40
08 33 26 00-0025 EA 30' x 12', Galvanized Steel Overhead Coiling Grilles, Manual Lift..... <i>For Lexan Lattice Pattern, Add</i> <i>For Aluminum With Clear Or Anodized Bronze Finish, Add</i> <i>For Staggered Brick Pattern, Add</i>	11,650.81 1,446.14 1,943.41 2,036.96	705.70
08 33 26 00-0026 EA 4' x 14', Galvanized Steel Overhead Coiling Grilles, Manual Lift..... <i>For Lexan Lattice Pattern, Add</i> <i>For Aluminum With Clear Or Anodized Bronze Finish, Add</i> <i>For Staggered Brick Pattern, Add</i>	3,078.57 379.37 325.96 640.69	192.47
08 33 26 00-0027 EA 6' x 14', Galvanized Steel Overhead Coiling Grilles, Manual Lift..... <i>For Lexan Lattice Pattern, Add</i> <i>For Aluminum With Clear Or Anodized Bronze Finish, Add</i> <i>For Staggered Brick Pattern, Add</i>	3,552.81 450.50 489.05 786.69	192.47
08 33 26 00-0028 EA 8' x 14', Galvanized Steel Overhead Coiling Grilles, Manual Lift..... <i>For Lexan Lattice Pattern, Add</i> <i>For Aluminum With Clear Or Anodized Bronze Finish, Add</i> <i>For Staggered Brick Pattern, Add</i>	4,168.82 522.42 652.12 916.04	240.58
08 33 26 00-0029 EA 12' x 14', Galvanized Steel Overhead Coiling Grilles, Manual Lift..... <i>For Lexan Lattice Pattern, Add</i> <i>For Aluminum With Clear Or Anodized Bronze Finish, Add</i> <i>For Staggered Brick Pattern, Add</i>	5,165.05 671.86 978.26 1,161.61	240.58
08 33 26 00-0030 EA 16' x 14', Galvanized Steel Overhead Coiling Grilles, Manual Lift..... <i>For Lexan Lattice Pattern, Add</i> <i>For Aluminum With Clear Or Anodized Bronze Finish, Add</i> <i>For Staggered Brick Pattern, Add</i>	6,936.70 875.27 1,304.35 1,554.02	384.93
08 33 26 00-0031 EA 20' x 14', Galvanized Steel Overhead Coiling Grilles, Manual Lift..... <i>For Lexan Lattice Pattern, Add</i> <i>For Aluminum With Clear Or Anodized Bronze Finish, Add</i> <i>For Staggered Brick Pattern, Add</i>	8,563.24 1,078.69 1,630.42 1,946.43	481.16
08 33 26 00-0032 EA 24' x 14', Galvanized Steel Overhead Coiling Grilles, Manual Lift..... <i>For Lexan Lattice Pattern, Add</i> <i>For Aluminum With Clear Or Anodized Bronze Finish, Add</i> <i>For Staggered Brick Pattern, Add</i>	10,233.99 1,287.84 1,956.51 2,207.46	577.40

08	08	Openings
	08 30	Specialty Doors And Frames
	08 33	Coiling Doors And Grilles



MINOR		TOTAL DIRECT	DEMOLITION
CSI	UOM DESCRIPTION	UNIT COST	UNIT COST
08 33 26 00-0033	EA 30' x 14', Galvanized Steel Overhead Coiling Grilles, Manual Lift..... <i>For Lexan Lattice Pattern, Add</i> <i>For Aluminum With Clear Or Anodized Bronze Finish, Add</i> <i>For Staggered Brick Pattern, Add</i>	13,092.49 1,662.40 2,309.69 2,522.13	705.70
08 33 26 00-0034	Coiling Grilles Accessories (08 33 26)		
08 33 26 00-0035	LF For Overhead Framed Rolling Grille Supports.....	93.49	
08 33 36	Side Coiling Grilles (08 33)		
08 33 36 00-0001	Galvanized Steel Side Coiling Grilles (Width x Height) (08 33 36)		
08 33 36 00-0002	EA 12' x 8', Galvanized Steel Side Coiling Grilles, Manually Operated..... <i>For Lexan Lattice Pattern, Add</i> <i>For Aluminum With Clear Or Anodized Bronze Finish, Add</i> <i>For Staggered Brick Pattern, Add</i>	3,721.75 327.60 559.01 609.70	538.17
08 33 36 00-0003	EA 18' x 8', Galvanized Steel Side Coiling Grilles, Manually Operated..... <i>For Lexan Lattice Pattern, Add</i> <i>For Aluminum With Clear Or Anodized Bronze Finish, Add</i> <i>For Staggered Brick Pattern, Add</i>	5,181.89 481.00 857.46 976.54	691.31
08 33 36 00-0004	EA 24' x 8', Galvanized Steel Side Coiling Grilles, Manually Operated..... <i>For Lexan Lattice Pattern, Add</i> <i>For Aluminum With Clear Or Anodized Bronze Finish, Add</i> <i>For Staggered Brick Pattern, Add</i>	6,702.24 631.77 1,118.01 1,248.52	871.68
08 33 36 00-0005	EA 30' x 8', Galvanized Steel Side Coiling Grilles, Manually Operated..... <i>For Lexan Lattice Pattern, Add</i> <i>For Aluminum With Clear Or Anodized Bronze Finish, Add</i> <i>For Staggered Brick Pattern, Add</i>	8,015.29 789.71 1,294.91 1,361.68	962.32
08 33 36 00-0006	EA 12' x 10', Galvanized Steel Side Coiling Grilles, Manually Operated..... <i>For Lexan Lattice Pattern, Add</i> <i>For Aluminum With Clear Or Anodized Bronze Finish, Add</i> <i>For Staggered Brick Pattern, Add</i>	4,481.13 409.21 698.76 803.15	613.60
08 33 36 00-0007	EA 18' x 10', Galvanized Steel Side Coiling Grilles, Manually Operated..... <i>For Lexan Lattice Pattern, Add</i> <i>For Aluminum With Clear Or Anodized Bronze Finish, Add</i> <i>For Staggered Brick Pattern, Add</i>	6,263.69 601.61 1,029.09 1,219.57	788.10
08 33 36 00-0008	EA 24' x 10', Galvanized Steel Side Coiling Grilles, Manually Operated..... <i>For Lexan Lattice Pattern, Add</i> <i>For Aluminum With Clear Or Anodized Bronze Finish, Add</i> <i>For Staggered Brick Pattern, Add</i>	8,008.19 775.35 1,397.69 1,634.87	993.39
08 33 36 00-0009	EA 30' x 10', Galvanized Steel Side Coiling Grilles, Manually Operated..... <i>For Lexan Lattice Pattern, Add</i> <i>For Aluminum With Clear Or Anodized Bronze Finish, Add</i> <i>For Staggered Brick Pattern, Add</i>	9,726.27 986.85 1,636.49 1,831.42	1,097.04
08 33 36 00-0010	EA 12' x 12', Galvanized Steel Side Coiling Grilles, Manually Operated..... <i>For Lexan Lattice Pattern, Add</i> <i>For Aluminum With Clear Or Anodized Bronze Finish, Add</i> <i>For Staggered Brick Pattern, Add</i>	5,249.85 491.20 838.48 993.04	691.31
08 33 36 00-0011	EA 18' x 12', Galvanized Steel Side Coiling Grilles, Manually Operated..... <i>For Lexan Lattice Pattern, Add</i> <i>For Aluminum With Clear Or Anodized Bronze Finish, Add</i> <i>For Staggered Brick Pattern, Add</i>	7,351.06 720.79 1,238.03 1,514.13	887.90
08 33 36 00-0012	EA 24' x 12', Galvanized Steel Side Coiling Grilles, Manually Operated..... <i>For Lexan Lattice Pattern, Add</i> <i>For Aluminum With Clear Or Anodized Bronze Finish, Add</i> <i>For Staggered Brick Pattern, Add</i>	9,499.92 947.65 1,677.02 1,869.61	1,119.50
08 33 36 00-0013	EA 30' x 12', Galvanized Steel Side Coiling Grilles, Manually Operated..... <i>For Lexan Lattice Pattern, Add</i> <i>For Aluminum With Clear Or Anodized Bronze Finish, Add</i> <i>For Staggered Brick Pattern, Add</i>	11,427.48 1,184.56 1,943.41 2,036.96	1,234.98
08 33 36 00-0014	EA 12' x 14', Galvanized Steel Side Coiling Grilles, Manually Operated..... <i>For Lexan Lattice Pattern, Add</i> <i>For Aluminum With Clear Or Anodized Bronze Finish, Add</i> <i>For Staggered Brick Pattern, Add</i>	6,011.01 574.33 978.26 1,161.61	764.36
08 33 36 00-0015	EA 18' x 14', Galvanized Steel Side Coiling Grilles, Manually Operated..... <i>For Lexan Lattice Pattern, Add</i> <i>For Aluminum With Clear Or Anodized Bronze Finish, Add</i> <i>For Staggered Brick Pattern, Add</i>	8,438.00 841.40 1,414.91 1,682.30	981.57
08 33 36 00-0016	EA 24' x 14', Galvanized Steel Side Coiling Grilles, Manually Operated..... <i>For Lexan Lattice Pattern, Add</i> <i>For Aluminum With Clear Or Anodized Bronze Finish, Add</i> <i>For Staggered Brick Pattern, Add</i>	10,895.57 1,105.59 1,956.51 2,207.46	1,237.54
08 33 36 00-0017	EA 30' x 14', Galvanized Steel Side Coiling Grilles, Manually Operated..... <i>For Lexan Lattice Pattern, Add</i> <i>For Aluminum With Clear Or Anodized Bronze Finish, Add</i> <i>For Staggered Brick Pattern, Add</i>	13,111.76 1,381.27 2,309.69 2,522.13	1,366.50
08 33 43	Overhead Coiling Smoke Curtains (08 33)		
08 33 43 00-0001	Elevator Smoke Guard (08 33 43)		
08 33 43 00-0002	EA Elevator Smoke Guard, 55" Width Housing (Smoke Guard 400).....	9,163.01	538.17
08 33 43 00-0003	EA Elevator Smoke Guard, 64" Width Housing (Smoke Guard 400).....	9,485.81	538.17
08 33 43 00-0004	EA Elevator Smoke Guard, 73" Width Housing (Smoke Guard 400).....	9,808.61	538.17



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
------------------------------	---------------------------	-------------------------

08 34 Special Function Doors (08 30)

08 34 13 Cold Storage Doors (08 34)

08 34 13 00-0001 Vertical Sliding Doors (08 34 13)

Note: Doors to be filled with 4" foamed-in-place polyurethane.

08 34 13 00-0002	EA	7'-0" x 8'-0" Single Leaf Vertical Sliding Cold Storage, Filled With 4" Foam In Place (FIP) Polyurethane.....	12,192.84	
		<i>For Adjusting Height Of Door To Fit Opening <7' Height, Add</i>	378.99	
08 34 13 00-0003	EA	7'-0" x 9'-0" Bi-Pass Vertical Sliding Cold Storage Door, Filled With 4" Foam In Place (FIP) Polyurethane	15,663.61	964.15
		<i>For Adjusting Height Of Door To Fit Opening <7' Height, Add</i>	482.08	

08 34 13 00-0004 Horizontal Sliding Doors (08 34 13)

Note: Doors to be filled with 4" foamed-in-place polyurethane.

08 34 13 00-0005	EA	6'-0" x 9'-0" Single Leaf Horizontal Sliding Cold Storage, Filled With 4" Foam In Place (FIP) Polyurethane	9,803.11	606.54
08 34 13 00-0006	EA	7'-0" x 9'-0" Single Leaf Horizontal Sliding Cold Storage, Filled With 4" Foam In Place (FIP) Polyurethane	11,042.28	683.97
08 34 13 00-0007	EA	7'-0" x 9'-0" Bi-Parting Horizontal Sliding Cold Storage, Filled With 4" Foam In Place (FIP) Polyurethane.....	14,235.18	901.39
08 34 13 00-0008	EA	5'-0" x 7'-0" Single Leaf Horizontal Sliding Cold Storage, Filled With 4" Foam In Place (FIP) Polyurethane	8,485.70	551.11

08 34 13 00-0009 Horizontal Hinge Type (08 34 13)

Note: Doors to be filled with 4" foamed-in-place polyurethane.

08 34 13 00-0010	EA	3'-0" x 7'-0" Swinging Cold Storage Door, Filled With 4" Foam In Place (FIP) Polyurethane	5,768.70	358.47
------------------	----	---	----------	--------

08 34 16 Hangar Doors (08 34)

08 34 16 00-0001	SF	70' To 120' Wide X To 20' High Hanger Door 25' Panels.....	56.59	14.71
		Note: Includes motorized opener and special hardware.		
08 34 16 00-0002	SF	120' To 180' Wide X To 20' High Hanger Door 25' Panels.....	50.89	14.71
		Note: Includes motorized opener and special hardware.		
08 34 16 00-0003	SF	120' To 180' Wide X 20-40' High Hanger Door 25' Panels.....	51.96	3.15
		Note: Includes motorized opener and special hardware.		
08 34 16 00-0004	SF	120' To 180' Wide X 40-60' High Hanger Door 25' Panels.....	54.41	2.10
		Note: Includes motorized opener and special hardware.		
08 34 16 00-0005	SF	120' To 180' Wide X 60-80' High Hanger Door 25' Panels.....	57.65	2.10
		Note: Includes motorized opener and special hardware.		
08 34 16 00-0006	SF	120' To 180' Wide x >80' High Hanger Door 25' Panels.....	90.40	2.10
		Note: Includes motorized opener and special hardware.		

08 34 23 Sidewalk and Basement Doors (08 34)

08 34 23 00-0001 Drainage Doors (08 34 23)

08 34 23 00-0002 Single Leaf Aluminum Drainage Doors (08 34 23 00-0001)

Note: Bilco - J Series.

08 34 23 00-0003	EA	2' x 2' Single Leaf Aluminum Drainage Floor, Vault Or Sidewalk Door	1,075.63	157.88
08 34 23 00-0004	EA	2' 6" x 2' 6" Single Leaf Aluminum Drainage Floor, Vault Or Sidewalk Door.....	1,325.97	164.97
08 34 23 00-0005	EA	3' x 2' 6" Single Leaf Aluminum Drainage Floor, Vault Or Sidewalk Door	1,408.82	168.51
08 34 23 00-0006	EA	3' x 3' Single Leaf Aluminum Drainage Floor, Vault Or Sidewalk Door	1,555.14	172.06
08 34 23 00-0007	EA	3' 6" x 3' 6" Single Leaf Aluminum Drainage Floor, Vault Or Sidewalk Door.....	1,815.18	180.93
08 34 23 00-0008	EA	2' 6" x 4' Single Leaf Aluminum Drainage Floor, Vault Or Sidewalk Door	1,851.28	176.76
08 34 23 00-0009	EA	3' x 4' Single Leaf Aluminum Drainage Floor, Vault Or Sidewalk Door	2,061.92	180.93
08 34 23 00-0010	EA	2' 6" x 5' Single Leaf Aluminum Drainage Floor, Vault Or Sidewalk Door	2,152.74	185.09
08 34 23 00-0011	EA	3' x 5' Single Leaf Aluminum Drainage Floor, Vault Or Sidewalk Door	2,363.40	189.26
08 34 23 00-0012	EA	3' x 6' Single Leaf Aluminum Drainage Floor, Vault Or Sidewalk Door	2,745.96	199.89

08 34 23 00-0013 Double Leaf Aluminum Drainage Doors (08 34 23 00-0001)

Note: Bilco - JD Series.

08 34 23 00-0014	EA	4' x 2' 6" Double Leaf Aluminum Drainage Floor, Vault Or Sidewalk Door.....	2,203.77	176.76
08 34 23 00-0015	EA	4' x 4' Double Leaf Aluminum Drainage Floor, Vault Or Sidewalk Door.....	2,314.05	189.26
08 34 23 00-0016	EA	4' x 6' Double Leaf Aluminum Drainage Floor, Vault Or Sidewalk Door	2,938.16	210.53
08 34 23 00-0017	EA	5' x 5' Double Leaf Aluminum Drainage Floor, Vault Or Sidewalk Door	3,022.76	210.53

08 34 23 00-0018 Single Leaf Aluminum H2O Drainage Doors (08 34 23 00-0001)

Note: Bilco - J H2O Series.

08 34 23 00-0019	EA	2' x 2' Single Leaf Aluminum H2O Drainage Floor, Vault Or Sidewalk Door	1,731.27	157.88
08 34 23 00-0020	EA	2' 6" x 2' 6" Single Leaf Aluminum H2O Drainage Floor, Vault Or Sidewalk Door	2,023.91	164.97
08 34 23 00-0021	EA	3' x 2' 6" Single Leaf Aluminum H2O Drainage Floor, Vault Or Sidewalk Door.....	2,205.49	168.51
08 34 23 00-0022	EA	3' x 3' Single Leaf Aluminum H2O Drainage Floor, Vault Or Sidewalk Door	2,499.86	172.06
08 34 23 00-0023	EA	3' 6" x 3' 6" Single Leaf Aluminum H2O Drainage Floor, Vault Or Sidewalk Door	2,893.84	180.93

08 34 23 00-0024 Double Leaf Aluminum H2O Drainage Doors (08 34 23 00-0001)

Note: Bilco - JD H2O Series.

08 34 23 00-0025	EA	4' x 2' 6" Double Leaf Aluminum H2O Drainage Floor, Vault Or Sidewalk Door	2,894.66	176.76
08 34 23 00-0026	EA	4' x 4' Double Leaf Aluminum H2O Drainage Floor, Vault Or Sidewalk Door.....	3,879.13	189.26
08 34 23 00-0027	EA	4' x 6' Double Leaf Aluminum H2O Drainage Floor, Vault Or Sidewalk Door.....	5,525.48	210.53
08 34 23 00-0028	EA	5' x 5' Double Leaf Aluminum H2O Drainage Floor, Vault Or Sidewalk Door.....	5,201.18	210.53

08 Openings**08 30 Specialty Doors And Frames****08 34 Special Function Doors**

MINOR
CSI UOM DESCRIPTION

TOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 34 23 00-0029			Single Leaf Steel Drainage Doors (08 34 23 00-0001) Note: Bilco - J Series.		
08 34 23 00-0030	EA		2' x 2' Single Leaf Steel Floor, Vault Or Sidewalk Door.....	1,469.69	157.88
08 34 23 00-0031	EA		2' 6" x 2' 6" Single Leaf Steel Drainage Floor, Vault Or Sidewalk Door.....	1,544.27	164.97
08 34 23 00-0032	EA		3' x 2' 6" Single Leaf Steel Drainage Floor, Vault Or Sidewalk Door.....	1,723.10	168.51
08 34 23 00-0033	EA		3' x 3' Single Leaf Steel Drainage Floor, Vault Or Sidewalk Door.....	1,911.09	172.06
08 34 23 00-0034	EA		3' 6" x 3' 6" Single Leaf Steel Drainage Floor, Vault Or Sidewalk Door.....	2,225.78	180.93
08 34 23 00-0035	EA		2' 6" x 4' Single Leaf Steel Drainage Floor, Vault Or Sidewalk Door.....	2,119.11	176.76
08 34 23 00-0036	EA		3' x 4' Single Leaf Steel Drainage Floor, Vault Or Sidewalk Door.....	2,417.58	180.93
08 34 23 00-0037	EA		2' 6" x 5' Single Leaf Steel Drainage Floor, Vault Or Sidewalk Door.....	2,405.53	185.09
08 34 23 00-0038	EA		3' x 5' Single Leaf Steel Drainage Floor, Vault Or Sidewalk Door.....	2,685.74	189.26
08 34 23 00-0039	EA		3' x 6' Single Leaf Steel Drainage Floor, Vault Or Sidewalk Door.....	2,866.10	199.89
08 34 23 00-0040			Double Leaf Steel Drainage Doors (08 34 23 00-0001) Note: Bilco - JD Series.		
08 34 23 00-0041	EA		4' x 2' 6" Double Leaf Steel Drainage Floor, Vault Or Sidewalk Door.....	2,612.31	176.76
08 34 23 00-0042	EA		2' 6" x 4' Double Leaf Steel Drainage Floor, Vault Or Sidewalk Door.....	2,740.54	189.26
08 34 23 00-0043	EA		4' x 6' Double Leaf Steel Drainage Floor, Vault Or Sidewalk Door.....	3,420.92	210.53
08 34 23 00-0044	EA		5' x 5' Double Leaf Steel Drainage Floor, Vault Or Sidewalk Door.....	3,521.39	210.53
08 34 23 00-0045			Single Leaf Steel H2O Drainage Doors (08 34 23 00-0001) Note: Bilco - J H2O Series.		
08 34 23 00-0046	EA		2' x 2' Single Leaf Steel H2O Drainage Floor, Vault Or Sidewalk Door.....	2,529.15	157.88
08 34 23 00-0047	EA		2' 6" x 2' 6" Single Leaf Steel H2O Drainage Floor, Vault Or Sidewalk Door.....	2,676.80	164.97
08 34 23 00-0048	EA		3' x 2' 6" Single Leaf Steel H2O Drainage Floor, Vault Or Sidewalk Door.....	2,773.46	168.51
08 34 23 00-0049	EA		3' x 3' Single Leaf Steel H2O Drainage Floor, Vault Or Sidewalk Door.....	3,271.98	172.06
08 34 23 00-0050	EA		3' 6" x 3' 6" Single Leaf Steel H2O Drainage Floor, Vault Or Sidewalk Door.....	3,860.67	180.93
08 34 23 00-0051			Double Leaf Steel H2O Drainage Doors (08 34 23 00-0001) Note: Bilco - JD H2O Series.		
08 34 23 00-0052	EA		4' x 2' 6" Double Leaf Steel H2O Drainage Floor, Vault Or Sidewalk Door.....	4,256.30	176.76
08 34 23 00-0053	EA		4' x 4' Double Leaf Steel H2O Drainage Floor, Vault Or Sidewalk Door.....	4,759.00	189.26
08 34 23 00-0054	EA		4' x 6' Double Leaf Steel H2O Drainage Floor, Vault Or Sidewalk Door.....	7,083.38	210.53
08 34 23 00-0055	EA		5' x 5' Double Leaf Steel H2O Drainage Floor, Vault Or Sidewalk Door.....	6,900.71	210.53
08 34 23 00-0056			Single Leaf Aluminum Drainage Door (08 34 23 00-0001) Note: Bilco - J-R (Odor Resistant).		
08 34 23 00-0057	EA		2' x 2' Single Leaf Aluminum Drainage Floor, Vault Or Sidewalk Door, Odor Resistant.....	1,895.41	157.88
08 34 23 00-0058	EA		2' 6" x 2' 6" Single Leaf Aluminum Drainage Floor, Vault Or Sidewalk Door, Odor Resistant.....	2,270.82	164.97
08 34 23 00-0059	EA		3' x 2' 6" Single Leaf Aluminum Drainage Floor, Vault Or Sidewalk Door, Odor Resistant.....	2,414.57	168.51
08 34 23 00-0060	EA		3' x 3' Single Leaf Aluminum Drainage Floor, Vault Or Sidewalk Door, Odor Resistant.....	2,561.00	172.06
08 34 23 00-0061	EA		3' 6" x 3' 6" Single Leaf Aluminum Drainage Floor, Vault Or Sidewalk Door, Odor Resistant.....	2,909.76	180.93
08 34 23 00-0062			Non-Drainage Doors (08 34 23)		
08 34 23 00-0063			Single Leaf Aluminum Non-Drainage Doors (08 34 23 00-0062) Note: Bilco - Q Series.		
08 34 23 00-0064	EA		2' x 2' Single Leaf Aluminum Non Drainage Floor, Vault Or Sidewalk Door.....	1,033.40	157.88
08 34 23 00-0065	EA		2' 6" x 2' 6" Single Leaf Aluminum Non Drainage Floor, Vault Or Sidewalk Door.....	1,255.48	164.97
08 34 23 00-0066	EA		3' x 2' 6" Single Leaf Aluminum Non Drainage Floor, Vault Or Sidewalk Door.....	1,345.43	168.51
08 34 23 00-0067	EA		3' x 3' Single Leaf Aluminum Non Drainage Floor, Vault Or Sidewalk Door.....	1,400.07	172.06
08 34 23 00-0068	EA		3' 6" x 3' 6" Single Leaf Aluminum Non Drainage Floor, Vault Or Sidewalk Door.....	1,765.83	180.93
08 34 23 00-0069	EA		2' 6" x 4' Single Leaf Aluminum Non Drainage Floor, Vault Or Sidewalk Door.....	1,590.46	176.76
08 34 23 00-0070	EA		3' x 4' Single Leaf Aluminum Non Drainage Floor, Vault Or Sidewalk Door.....	1,779.93	180.93
08 34 23 00-0071	EA		2' 6" x 5' Single Leaf Aluminum Non Drainage Floor, Vault Or Sidewalk Door.....	1,997.55	185.09
08 34 23 00-0072	EA		3' x 5' Single Leaf Aluminum Non Drainage Floor, Vault Or Sidewalk Door.....	2,116.72	189.26
08 34 23 00-0073	EA		3' x 6' Single Leaf Aluminum Non Drainage Floor, Vault Or Sidewalk Door.....	2,407.80	199.89
08 34 23 00-0074			Single Leaf Aluminum Non-Drainage Doors (08 34 23 00-0062) Note: Bilco - K Series.		
08 34 23 00-0075	EA		2' x 2' Single Leaf Aluminum Non Drainage Floor, Vault Or Sidewalk Door.....	843.05	157.88
08 34 23 00-0076	EA		2' 6" x 2' 6" Single Leaf Aluminum Non Drainage Floor, Vault Or Sidewalk Door.....	1,015.78	164.97
08 34 23 00-0077	EA		3' x 2' 6" Single Leaf Aluminum Non Drainage Floor, Vault Or Sidewalk Door.....	1,126.89	168.51
08 34 23 00-0078	EA		3' x 3' Single Leaf Aluminum Non Drainage Floor, Vault Or Sidewalk Door.....	1,202.68	172.06
08 34 23 00-0079	EA		3' 6" x 3' 6" Single Leaf Aluminum Non Drainage Floor, Vault Or Sidewalk Door.....	1,399.23	180.93
08 34 23 00-0080			Double Leaf Aluminum Non-Drainage Doors (08 34 23 00-0062) Note: Bilco - QD Series.		
08 34 23 00-0081	EA		4' x 2'-6" Double Leaf Aluminum Non Drainage Floor, Vault Or Sidewalk Door.....	2,027.56	176.76
08 34 23 00-0082			Double Leaf Aluminum Non-Drainage Doors (08 34 23 00-0062) Note: Bilco - KD Series.		



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 34 23 00-0083 EA 4' x 4' Double Leaf Aluminum Non Drainage Floor, Vault Or Sidewalk Door	1,940.48	189.26
08 34 23 00-0084 EA 4' x 6' Double Leaf Aluminum Non Drainage Floor, Vault Or Sidewalk Door	2,733.81	210.53
08 34 23 00-0085 EA 5' x 5' Double Leaf Aluminum Non Drainage Floor, Vault Or Sidewalk Door	2,790.20	210.53
08 34 23 00-0086 Single Leaf Aluminum Non-Drainage Doors (08 34 23 00-0062)		
Note: Bilco - T Series.		
08 34 23 00-0087 EA 2' x 2' Single Leaf Aluminum Non Drainage Door, Floor Installation For Covering	927.65	157.88
08 34 23 00-0088 EA 2'-6" x 2'-6" Single Leaf Aluminum Non Drainage Door, Floor Installation For Covering.....	1,086.28	164.97
08 34 23 00-0089 EA 3' x 2' 6" Single Leaf Aluminum Non Drainage Door, Floor Installation For Covering	1,162.14	168.51
08 34 23 00-0090 EA 3' x 3' Single Leaf Aluminum Non Drainage Door, Floor Installation For Covering	1,273.18	172.06
08 34 23 00-0091 EA 3'-6" x 3'-6" Single Leaf Aluminum Non Drainage Door, Floor Installation For Covering.....	1,490.88	180.93
08 34 23 00-0092 Double Leaf Aluminum Non-Drainage Doors (08 34 23 00-0062)		
Note: Bilco - TD Series.		
08 34 23 00-0093 EA 4' x 4' Double Leaf Aluminum Non Drainage Door, Floor Installation For Covering	2,060.32	189.26
08 34 23 00-0094 EA 4' x 6' Double Leaf Aluminum Non Drainage Door, Floor Installation For Covering	2,881.85	210.53
08 34 23 00-0095 EA 5' x 5' Double Leaf Aluminum Non Drainage Door, Floor Installation For Covering	2,924.15	210.53
08 34 23 00-0096 Single Leaf Steel Non-Drainage Doors (08 34 23 00-0062)		
Note: Bilco - Q Series.		
08 34 23 00-0097 EA 2' x 2' Single Leaf Steel Non Drainage Floor, Vault Or Sidewalk Door	994.82	157.88
08 34 23 00-0098 EA 2'-6" x 2'-6" Single Leaf Steel Non Drainage Floor, Vault Or Sidewalk Door.....	1,115.00	164.97
08 34 23 00-0099 EA 3' x 2'-6" Single Leaf Steel Non Drainage Floor, Vault Or Sidewalk Door.....	1,257.36	168.51
08 34 23 00-0100 EA 3' x 3' Single Leaf Steel Non Drainage Floor, Vault Or Sidewalk Door	1,335.72	172.06
08 34 23 00-0101 EA 2' 6" x 4' Single Leaf Steel Non Drainage Floor, Vault Or Sidewalk Door	1,527.52	172.06
08 34 23 00-0102 Double Leaf Steel Non-Drainage Doors (08 34 23 00-0062)		
Note: Bilco - QD Series.		
08 34 23 00-0103 EA 4' x 2' 6" Double Leaf Aluminum Non Drainage Floor, Vault Or Sidewalk Door	2,036.91	176.76
08 34 23 00-0104 Basement Doors (08 34 23)		
Note: 12 gauge primed steel, center opening, includes assembly and installation hardware.		
08 34 23 00-0105 EA 45-1/4" Wide x 65-1/4" Long, Sloped Wall Basement Door, Factory Primed Metal (Bilco Classic Series).....	1,345.80	199.45
08 34 23 00-0106 EA 30" High x 47" Wide x 58" Long, Basement Door (Bilco Classic Series).....	1,133.41	151.14
08 34 23 00-0107 EA 22" High x 51" Wide x 64" Long, Basement Door (Bilco Classic Series).....	1,176.35	166.21
08 34 23 00-0108 EA 19-1/2" High x 55" Wide x 72" Long, Basement Door (Bilco Classic Series).....	1,256.99	177.28
08 34 23 00-0109 EA 52" High x 51" Wide x 43-1/4" Long, Basement Door (Bilco Classic Series)	1,390.81	199.45
08 34 53 Security Doors And Frames (08 34)		
08 34 53 00-0001 Metal Security Doors, Bullet Resistant (08 34 53)		
Note: Includes door, frame, hardware hinges, lockset and cylinder, all UL 753 Listed.		
08 34 53 00-0002 SF Metal Security Door	49.62	7.52
08 34 53 00-0003 EA Up To 3' x 7' (.38 caliber) Medium-Small Arms Metal Security Door.....	2,008.09	375.31
08 34 53 00-0004 EA Up To 3' x 7' (.44 caliber) Super-Small Arms Metal Security Door.....	2,361.75	398.40
08 34 53 00-0005 Metal Security Doors (08 34 53)		
Note: Includes standard pitcher handle latch, pneumatic closure, hinges and baked enamel finish.		
08 34 53 00-0006 EA Up To 3' x 7' Steel Narrowline Security Door (Kane Screens S-501-28-O).....	868.10	68.74
Note: Top and bottom section are #12 mesh 0.028" stainless steel wire cloth with a bottom kick plate.		
08 34 53 00-0007 EA Up To 3' x 7' Steel Narrowline Security Door (Kane Screens S-503-28-O).....	868.10	68.74
Note: Top section is #12 mesh 0.028" stainless steel wire cloth and bottom section is a double kick panel.		
08 34 53 00-0008 EA Up To 3' x 7' Steel Narrowline Security Door (Kane Screens S-504-28-O).....	1,233.44	68.74
Note: Top section includes 1/8" tempered sash unit and #12 mesh 0.028" stainless steel wire cloth. Bottom section is a double kick panel.		
08 34 56 Security Gates (08 34)		
08 34 56 00-0001 Pivoting Double Folding Gate (08 34 56)		
Note: Includes locking bar, solid steel casters and galvanized finish. Excludes padlock.		
08 34 56 00-0002 EA 6' To 8' Width Opening, 6-1/2' In Use Height, Pivoting Galvanized Double Folding Gate.....	940.53	168.86
08 34 56 00-0003 EA 8' To 10' Width Opening, 6-1/2' In Use Height, Pivoting Galvanized Double Folding Gate	1,055.80	189.97
08 34 56 00-0004 EA 8' To 10' Width Opening, 7' In Use Height, Pivoting Galvanized Double Folding Gate	1,134.55	211.08
08 34 56 00-0005 EA 8' To 10' Width Opening, 8' In Use Height, Pivoting Galvanized Double Folding Gate	1,249.82	232.19
08 34 56 00-0006 EA 10' To 12' Width Opening, 6-1/2' In Use Height, Pivoting Galvanized Double Folding Gate	1,072.49	170.97
08 34 56 00-0007 EA 10' To 12' Width Opening, 7' In Use Height, Pivoting Galvanized Double Folding Gate	1,151.42	192.08
08 34 56 00-0008 EA 10' To 12' Width Opening, 7-1/2' In Use Height, Pivoting Galvanized Double Folding Gate	1,262.41	213.19
08 34 56 00-0009 EA 10' To 12' Width Opening, 8' In Use Height, Pivoting Galvanized Double Folding Gate	1,345.86	234.29
08 34 56 00-0010 EA 12' To 14' Width Opening, 6' In Use Height, Pivoting Galvanized Double Folding Gate	1,131.50	173.09
08 34 56 00-0011 EA 12' To 14' Width Opening, 6-1/2' In Use Height, Pivoting Galvanized Double Folding Gate	1,210.19	194.19
08 34 56 00-0012 EA 12' To 14' Width Opening, 7' In Use Height, Pivoting Galvanized Double Folding Gate	1,277.03	204.74
08 34 56 00-0013 EA 12' To 14' Width Opening, 7-1/2' In Use Height, Pivoting Galvanized Double Folding Gate	1,344.10	215.30
08 34 56 00-0014 EA 12' To 14' Width Opening, 8' In Use Height, Pivoting Galvanized Double Folding Gate	1,432.01	236.41
08 34 56 00-0015 EA 14' To 16' Width Opening, 6' In Use Height, Pivoting Galvanized Double Folding Gate	1,245.39	175.19

08 Openings**08 30 Specialty Doors And Frames****08 34 Special Function Doors**MINOR
CSI UOM DESCRIPTIONTOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

08 34 56 00-0016	EA	14' To 16' Width Opening, 6-1/2' In Use Height, Pivoting Galvanized Double Folding Gate	1,323.85	196.31
08 34 56 00-0017	EA	14' To 16' Width Opening, 7' In Use Height, Pivoting Galvanized Double Folding Gate	1,399.77	206.86
08 34 56 00-0018	EA	14' To 16' Width Opening, 7-1/2' In Use Height, Pivoting Galvanized Double Folding Gate	1,494.67	217.41
08 34 56 00-0019	EA	14' To 16' Width Opening, 8' In Use Height, Pivoting Galvanized Double Folding Gate	1,627.82	238.52
08 34 56 00-0020	EA	16' To 18' Width Opening, 6' In Use Height, Pivoting Galvanized Double Folding Gate	1,418.36	179.42
08 34 56 00-0021	EA	16' To 18' Width Opening, 6-1/2' In Use Height, Pivoting Galvanized Double Folding Gate	1,519.21	202.64
08 34 56 00-0022	EA	16' To 18' Width Opening, 7' In Use Height, Pivoting Galvanized Double Folding Gate	1,635.83	215.30
08 34 56 00-0023	EA	16' To 18' Width Opening, 7-1/2' In Use Height, Pivoting Galvanized Double Folding Gate	1,704.19	221.63

08 34 56 00-0024 Pivoting Single Folding Gate (08 34 56)

Note: Includes locking bar, solid steel casters and galvanized finish. Excludes padlock.

08 34 56 00-0025	EA	5' To 6' Width Opening, 6' In Use Height, Pivoting Galvanized Single Folding Gate	638.29	118.20
08 34 56 00-0026	EA	5' To 6' Width Opening, 6-1/2' In Use Height, Pivoting Galvanized Single Folding Gate	683.26	122.42
08 34 56 00-0027	EA	5' To 6' Width Opening, 7' In Use Height, Pivoting Galvanized Single Folding Gate	728.23	126.65
08 34 56 00-0028	EA	5' To 6' Width Opening, 7-1/2' In Use Height, Pivoting Galvanized Single Folding Gate	781.66	135.09
08 34 56 00-0029	EA	5' To 6' Width Opening, 8' In Use Height, Pivoting Galvanized Single Folding Gate	816.81	143.54
08 34 56 00-0030	EA	6' To 7' Width Opening, 6' In Use Height, Pivoting Galvanized Single Folding Gate	683.13	122.42
08 34 56 00-0031	EA	6' To 7' Width Opening, 6-1/2' In Use Height, Pivoting Galvanized Single Folding Gate	728.28	126.65
08 34 56 00-0032	EA	6' To 7' Width Opening, 7' In Use Height, Pivoting Galvanized Single Folding Gate	773.26	130.87
08 34 56 00-0033	EA	6' To 7' Width Opening, 7-1/2' In Use Height, Pivoting Galvanized Single Folding Gate	826.66	139.31
08 34 56 00-0034	EA	6' To 7' Width Opening, 8' In Use Height, Pivoting Galvanized Single Folding Gate	861.99	147.76
08 34 56 00-0035	EA	7' To 8' Width Opening, 6' In Use Height, Pivoting Galvanized Single Folding Gate	746.36	126.65
08 34 56 00-0036	EA	7' To 8' Width Opening, 6-1/2' In Use Height, Pivoting Galvanized Single Folding Gate	791.53	130.87
08 34 56 00-0037	EA	7' To 8' Width Opening, 7' In Use Height, Pivoting Galvanized Single Folding Gate	836.44	135.09
08 34 56 00-0038	EA	7' To 8' Width Opening, 7-1/2' In Use Height, Pivoting Galvanized Single Folding Gate	889.98	143.54
08 34 56 00-0039	EA	7' To 8' Width Opening, 8' In Use Height, Pivoting Galvanized Single Folding Gate	943.59	151.97

08 34 56 00-0040 Window Gates, Expands From 2' To 4' (08 34 56)

Note: Includes padlock hasp and galvanized finish. Excludes padlock.

08 34 56 00-0041	EA	33" High Window Gate, Up To 4' Wide Opening	259.62	46.44
08 34 56 00-0042	EA	37" High Window Gate, Up To 4' Wide Opening	268.07	50.65
08 34 56 00-0043	EA	40" High Window Gate, Up To 4' Wide Opening	268.07	50.65
08 34 56 00-0044	EA	43" High Window Gate, Up To 4' Wide Opening	277.23	54.88
08 34 56 00-0045	EA	46" High Window Gate, Up To 4' Wide Opening	277.23	54.88
08 34 56 00-0046	EA	49" High Window Gate, Up To 4' Wide Opening	285.67	59.10
08 34 56 00-0047	EA	51" High Window Gate, Up To 4' Wide Opening	285.68	59.10
08 34 56 00-0048	EA	53" High Window Gate, Up To 4' Wide Opening	294.11	63.32
08 34 56 00-0049	EA	55" High Window Gate, Up To 4' Wide Opening	294.11	63.32
08 34 56 00-0050	EA	57" High Window Gate, Up To 4' Wide Opening	302.56	67.55
08 34 56 00-0051	EA	59" High Window Gate, Up To 4' Wide Opening	302.56	67.55

08 34 56 00-0052 Pivoting Door Gate, Expands From 2' To 4' (08 34 56)

Note: Includes padlock hasp and galvanized finish. Excludes padlock.

08 34 56 00-0053	EA	61" High Pivoting Door Gate, Up To 4' Wide Opening	311.01	71.77
08 34 56 00-0054	EA	63" High Pivoting Door Gate, Up To 4' Wide Opening	313.24	71.77
08 34 56 00-0055	EA	66" High Pivoting Door Gate, Up To 4' Wide Opening	324.63	75.99
08 34 56 00-0056	EA	71" High Pivoting Door Gate, Up To 4' Wide Opening	336.04	80.21
08 34 56 00-0057	EA	73" High Pivoting Door Gate, Up To 4' Wide Opening	338.99	80.21
08 34 56 00-0058	EA	76" High Pivoting Door Gate, Up To 4' Wide Opening	350.39	84.43
08 34 56 00-0059	EA	79" High Pivoting Door Gate, Up To 4' Wide Opening	353.35	84.43
08 34 56 00-0060	EA	81" High Pivoting Door Gate, Up To 4' Wide Opening	363.85	88.65
08 34 56 00-0061	EA	83" High Pivoting Door Gate, Up To 4' Wide Opening	367.72	88.65

08 34 73 Sound Control Door Assemblies (08 34)**08 34 73 13 Metal Sound Control Door Assemblies (08 34 73)****08 34 73 13-0001 Steel Acoustical Door Assembly (08 34 73 13)**

Note: Includes seal.

08 34 73 13-0002 Steel Acoustical Doors (08 34 73 13-0001)

Note: Includes hinges.

08 34 73 13-0003	EA	3' x 7', 14 Gauge, STC 50, Steel Acoustical Door (Unrated)	3,066.81	53.19
		For 60 Minutes Fire Rated, Add	178.82	
		For 3" x 33" Vision Lite, Add	1,242.56	
		For 20" x 64" Vision Lite, Add	1,329.67	
08 34 73 13-0004	EA	3'-6" x 7', 14 Gauge, STC 52, Steel Acoustical Door (Unrated)	3,250.07	55.40
		For 60 Minutes Fire Rated, Add	178.82	
		For 3" x 33" Vision Lite, Add	1,242.56	
		For 20" x 64" Vision Lite, Add	1,329.67	
08 34 73 13-0005	EA	4' x 7', 14 Gauge, STC 53, Steel Acoustical Door (Unrated)	3,437.74	59.84
		For 60 Minutes Fire Rated, Add	178.82	
		For 3" x 33" Vision Lite, Add	1,242.56	
		For 20" x 64" Vision Lite, Add	1,329.67	
08 34 73 13-0006	PR	Pair 3' x 7', 14 Gauge, STC 50, Steel Acoustical Doors (Unrated)	6,122.98	101.06
		For 1 Hour Fire Rated, Add	357.64	
		For 3" x 33" Windows, Add	2,485.12	
		For 20" x 64" Windows, Add	2,659.35	



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
-------	-----	-----	-------------	------------------------	----------------------

08 34 73 13-0007 Steel Acoustical Door Frames <small>(08 34 73 13-0001)</small>					
08 34 73 13-0008	EA		3' x 7', 4-1/2" To 6-1/2" Wall Thickness, 14 Gauge, Split-Frame, Steel Acoustical Door Frame	2,497.33	88.64
08 34 73 13-0009	EA		3' x 7', 6-1/2" To 8-1/2" Wall Thickness, 14 Gauge, Split-Frame, Steel Acoustical Door Frame	2,563.05	88.64
08 34 73 13-0010	EA		3' x 7', 8-1/2" To 10-1/2" Wall Thickness, 14 Gauge, Split-Frame, Steel Acoustical Door Frame	2,628.77	88.64
08 34 73 13-0011	EA		3' x 7', 10-1/2" To 12-1/2" Wall Thickness, 14 Gauge, Split-Frame, Steel Acoustical Door Frame	2,694.49	88.64
08 34 73 13-0012	EA		3'-6" x 7', 4-1/2" To 6-1/2" Wall Thickness, 14 Gauge, Split-Frame, Steel Acoustical Door Frame	2,857.43	97.51
08 34 73 13-0013	EA		3'-6" x 7', 6-1/2" To 8-1/2" Wall Thickness, 14 Gauge, Split-Frame, Steel Acoustical Door Frame	2,930.79	97.51
08 34 73 13-0014	EA		3'-6" x 7', 8-1/2" To 10-1/2" Wall Thickness, 14 Gauge, Split-Frame, Steel Acoustical Door Frame	2,996.51	97.51
08 34 73 13-0015	EA		3'-6" x 7', 10-1/2" To 12-1/2" Wall Thickness, 14 Gauge, Split-Frame, Steel Acoustical Door Frame	3,078.02	97.51
08 34 73 13-0016	EA		4' x 7', 4-1/2" To 6-1/2" Wall Thickness, 14 Gauge, Split-Frame, Steel Acoustical Door Frame	3,225.45	101.94
08 34 73 13-0017	EA		4' x 7', 6-1/2" To 8-1/2" Wall Thickness, 14 Gauge, Split-Frame, Steel Acoustical Door Frame	3,291.17	101.94
08 34 73 13-0018	EA		4' x 7', 8-1/2" To 10-1/2" Wall Thickness, 14 Gauge, Split-Frame, Steel Acoustical Door Frame	3,356.89	101.94
08 34 73 13-0019	EA		4' x 7', 10-1/2" To 12-1/2" Wall Thickness, 14 Gauge, Split-Frame, Steel Acoustical Door Frame	3,430.25	101.94
08 34 73 13-0020	EA		6' x 7', 4-1/2" To 6-1/2" Wall Thickness, 14 Gauge, Split-Frame, Steel Acoustical Door Frame With Removable Center Mullion	5,729.52	115.24
08 34 73 13-0021	EA		6' x 7', 6-1/2" To 8-1/2" Wall Thickness, 14 Gauge, Split-Frame, Steel Acoustical Door Frame With Removable Center Mullion	5,792.18	115.24
08 34 73 13-0022	EA		6' x 7', 8-1/2" To 10-1/2" Wall Thickness, 14 Gauge, Split-Frame, Steel Acoustical Door Frame With Removable Center Mullion	5,859.43	115.24
08 34 73 13-0023	EA		6' x 7', 10-1/2" To 12-1/2" Wall Thickness, 14 Gauge, Split-Frame, Steel Acoustical Door Frame With Removable Center Mullion	5,928.20	115.24

08 34 73 16 Wood Sound Control Door Assemblies <small>(08 34 73)</small>					
08 34 73 16-0001 Wood Acoustical Door Assembly <small>(08 34 73 16)</small>					
Note: Includes the prefinished door, frame, hinges and seals.					
08 34 73 16-0002	EA		3' x 7' x 1-3/4" Thick, STC 40, Wood Acoustical Door System (Unrated)	3,036.21	159.56
08 34 73 16-0003	EA		3' x 7' x 1-3/4" Thick, STC 49, Wood Acoustical Door System (Unrated)	4,182.48	159.56

08 35 Folding Doors And Grilles <small>(08 30)</small>					
08 35 13 Folding Doors <small>(08 35)</small>					
08 35 13 13 Accordion Folding Doors <small>(08 35 13)</small>					
08 35 13 13-0001 Accordion Folding Doors <small>(08 35 13 13)</small>					
Note: Includes track, fittings and hardware, complete.					
08 35 13 13-0002	SF		Fire-Resistant, Vinyl Fabric Installed On Welded Steel Frames, Accordion Folding Door	58.33	8.86
			<i>For Fire Retardant, Add</i>	12.59	
08 35 13 13-0003	SF		1/32" Thick, Single Ply Vinyl, Accordion Folding Door	14.52	8.86
			<i>For Fire Retardant, Add</i>	1.64	
08 35 13 13-0004	SF		0.04" Thick, Fire-Resistant, Rigid Vinyl Panels, Accordion Folding Door	28.24	8.86
			<i>For Fire Retardant, Add</i>	5.07	
08 35 13 13-0005	SF		3/8" Thick, Fire-Resistant, Wood Veneer, Vinyl Or High Pressure Laminate, High Density Engineered Wood Core Panel, Accordion Folding Door	38.59	8.86
			<i>For Fire Retardant, Add</i>	7.65	

08 36 Panel Doors <small>(08 30)</small>					
08 36 13 Sectional Doors <small>(08 36)</small>					
Note: Excludes lifting equipment (forklift or scissor lift) where required. See CSI section 01 22 23 00-0923 for forklift.					
08 36 13 00-0001 Sectional Wood Overhead Doors (Width x Height) <small>(08 36 13)</small>					
08 36 13 00-0002 Wood Sectional Overhead Doors <small>(08 36 13 00-0001)</small>					
Note: Includes 1-3/4" door, tracks and hardware. Excludes frame.					
08 36 13 00-0003	EA		8' x 8', Wood Sectional Door, Manual Lift	2,475.23	354.58
08 36 13 00-0004	EA		10' x 10', Wood Sectional Door, Manual Lift	3,091.54	393.58
08 36 13 00-0005	EA		12' x 12', Wood Sectional Door, Manual Lift	3,953.71	471.59
08 36 13 00-0006	EA		14' x 14', Wood Sectional Door, Manual Lift	5,737.60	546.05
08 36 13 00-0007	EA		12' x 16', Wood Sectional Door, Manual Lift	6,130.18	709.16
08 36 13 00-0008	EA		20' x 8', Wood Sectional Door, Manual Lift	5,778.04	886.44
08 36 13 00-0009	EA		20' x 16', Wood Sectional Door, Manual Lift	10,673.65	1,181.64
08 36 13 00-0010 Residential Grade, Wood Sectional Overhead Doors <small>(08 36 13 00-0001)</small>					
Note: Includes 1-3/4" door, tracks and hardware. Excludes frame.					
08 36 13 00-0011	EA		9' x 7', Residential Grade, Wood Sectional Door, Manual Lift	1,279.43	177.28
			<i>For Hardboard Face, Add</i>	115.00	
			<i>For Insulation, Add</i>	117.00	
			<i>For Motor Operator With Remote Controls, Add</i>	404.74	
			<i>For Each Glass Vision Panel In Door, Add</i>	50.00	
08 36 13 00-0012	EA		16' x 7', Residential Grade, Wood Sectional Door, Manual Lift	2,040.08	177.28
			<i>For Hardboard Face, Add</i>	115.00	
			<i>For Insulation, Add</i>	117.00	
			<i>For Motor Operator With Remote Controls, Add</i>	431.09	
			<i>For Each Glass Vision Panel In Door, Add</i>	50.00	
08 36 13 00-0013 Sectional Metal Overhead Doors (Width x Height) <small>(08 36 13)</small>					
Note: Includes tracks and all hardware.					

08 Openings**08 30 Specialty Doors And Frames****08 36 Panel Doors**MINOR
CSI UOM DESCRIPTIONTOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 36 13 00-0014			Galvanized Steel Sectional Overhead Doors <small>(08 36 13 00-0013)</small>		
08 36 13 00-0015			Non-Insulated, 24 Gauge Galvanized Steel Sectional Doors <small>(08 36 13 00-0014)</small>		
			Note: Includes 2" door, tracks and hardware. Excludes frame.		
08 36 13 00-0016	EA		8' x 8', Non Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift	1,473.65	310.25
			For 20 Gauge Steel Ribbed, Heavy Duty Door, Add	123.70	
			For 16 Gauge Steel Ribbed, Heavy Duty Door, Add	213.28	
			For Aluminum, Mill Finish, Add	97.26	
			For Aluminum, Anodized Finish, Add	272.15	
08 36 13 00-0017	EA		8' x 10', Non Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift	1,739.08	354.58
			For 20 Gauge Steel Ribbed, Heavy Duty Door, Add	149.34	
			For 16 Gauge Steel Ribbed, Heavy Duty Door, Add	257.48	
			For Aluminum, Mill Finish, Add	117.41	
			For Aluminum, Anodized Finish, Add	328.54	
08 36 13 00-0018	EA		8' x 12', Non Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift	2,145.67	443.22
			For 20 Gauge Steel Ribbed, Heavy Duty Door, Add	182.59	
			For 16 Gauge Steel Ribbed, Heavy Duty Door, Add	314.81	
			For Aluminum, Mill Finish, Add	143.55	
			For Aluminum, Anodized Finish, Add	401.69	
08 36 13 00-0019	EA		10' x 8', Non Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift	1,660.34	354.58
			For 20 Gauge Steel Ribbed, Heavy Duty Door, Add	137.92	
			For 16 Gauge Steel Ribbed, Heavy Duty Door, Add	237.80	
			For Aluminum, Mill Finish, Add	108.43	
			For Aluminum, Anodized Finish, Add	303.43	
08 36 13 00-0020	EA		10' x 10', Non Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift	2,044.83	443.22
			For 20 Gauge Steel Ribbed, Heavy Duty Door, Add	167.97	
			For 16 Gauge Steel Ribbed, Heavy Duty Door, Add	289.60	
			For Aluminum, Mill Finish, Add	132.06	
			For Aluminum, Anodized Finish, Add	369.53	
08 36 13 00-0021	EA		10' x 12', Non Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift	2,569.08	576.19
			For 20 Gauge Steel Ribbed, Heavy Duty Door, Add	205.42	
			For 16 Gauge Steel Ribbed, Heavy Duty Door, Add	354.18	
			For Aluminum, Mill Finish, Add	161.50	
			For Aluminum, Anodized Finish, Add	451.93	
08 36 13 00-0022	EA		10' x 14', Non Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift	3,031.18	709.16
			For 20 Gauge Steel Ribbed, Heavy Duty Door, Add	233.86	
			For 16 Gauge Steel Ribbed, Heavy Duty Door, Add	403.22	
			For Aluminum, Mill Finish, Add	183.87	
			For Aluminum, Anodized Finish, Add	514.50	
08 36 13 00-0023	EA		12' x 8', Non Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift	1,978.54	443.22
			For 20 Gauge Steel Ribbed, Heavy Duty Door, Add	158.35	
			For 16 Gauge Steel Ribbed, Heavy Duty Door, Add	273.03	
			For Aluminum, Mill Finish, Add	124.50	
			For Aluminum, Anodized Finish, Add	348.38	
08 36 13 00-0024	EA		12' x 10', Non Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift	2,469.63	576.19
			For 20 Gauge Steel Ribbed, Heavy Duty Door, Add	191.00	
			For 16 Gauge Steel Ribbed, Heavy Duty Door, Add	329.31	
			For Aluminum, Mill Finish, Add	150.17	
			For Aluminum, Anodized Finish, Add	420.20	
08 36 13 00-0025	EA		12' x 12', Non Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift	3,013.21	709.16
			For 20 Gauge Steel Ribbed, Heavy Duty Door, Add	231.26	
			For 16 Gauge Steel Ribbed, Heavy Duty Door, Add	398.72	
			For Aluminum, Mill Finish, Add	181.82	
			For Aluminum, Anodized Finish, Add	508.77	
08 36 13 00-0026	EA		12' x 14', Non Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift	3,554.03	842.13
			For 20 Gauge Steel Ribbed, Heavy Duty Door, Add	271.12	
			For 16 Gauge Steel Ribbed, Heavy Duty Door, Add	467.45	
			For Aluminum, Mill Finish, Add	213.16	
			For Aluminum, Anodized Finish, Add	596.46	
08 36 13 00-0027	EA		12' x 16', Non Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift	4,238.75	1,019.41
			For 20 Gauge Steel Ribbed, Heavy Duty Door, Add	318.99	
			For 16 Gauge Steel Ribbed, Heavy Duty Door, Add	549.98	
			For Aluminum, Mill Finish, Add	250.79	
			For Aluminum, Anodized Finish, Add	701.78	
08 36 13 00-0028	EA		14' x 8', Non Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift	2,338.41	576.19
			For 20 Gauge Steel Ribbed, Heavy Duty Door, Add	171.97	
			For 16 Gauge Steel Ribbed, Heavy Duty Door, Add	296.51	
			For Aluminum, Mill Finish, Add	135.21	
			For Aluminum, Anodized Finish, Add	378.34	
08 36 13 00-0029	EA		14' x 10', Non Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift	2,876.47	709.16
			For 20 Gauge Steel Ribbed, Heavy Duty Door, Add	211.43	
			For 16 Gauge Steel Ribbed, Heavy Duty Door, Add	364.54	
			For Aluminum, Mill Finish, Add	166.23	
			For Aluminum, Anodized Finish, Add	465.15	
08 36 13 00-0030	EA		14' x 12', Non Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift	3,547.37	886.44
			For 20 Gauge Steel Ribbed, Heavy Duty Door, Add	257.30	
			For 16 Gauge Steel Ribbed, Heavy Duty Door, Add	443.62	
			For Aluminum, Mill Finish, Add	202.29	
			For Aluminum, Anodized Finish, Add	566.06	
08 36 13 00-0031	EA		14' x 14', Non Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift	4,090.95	1,019.41
			For 20 Gauge Steel Ribbed, Heavy Duty Door, Add	297.56	
			For 16 Gauge Steel Ribbed, Heavy Duty Door, Add	513.03	
			For Aluminum, Mill Finish, Add	233.94	
			For Aluminum, Anodized Finish, Add	654.63	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 36 13 00-0032 EA 14' x 16', Non Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift <i>For 20 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 16 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For Aluminum, Mill Finish, Add</i> <i>For Aluminum, Anodized Finish, Add</i>	4,707.74 348.43 600.75 273.94 766.55	1,152.38
08 36 13 00-0033 EA 16' x 8', Non Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift <i>For 20 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 16 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For Aluminum, Mill Finish, Add</i> <i>For Aluminum, Anodized Finish, Add</i>	2,828.11 204.42 352.45 160.72 449.72	709.16
08 36 13 00-0034 EA 16' x 10', Non Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift <i>For 20 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 16 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For Aluminum, Mill Finish, Add</i> <i>For Aluminum, Anodized Finish, Add</i>	3,496.25 249.89 430.84 196.46 549.75	886.44
08 36 13 00-0035 EA 16' x 12', Non Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift <i>For 20 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 16 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For Aluminum, Mill Finish, Add</i> <i>For Aluminum, Anodized Finish, Add</i>	4,117.18 301.36 519.59 236.93 663.00	1,019.41
08 36 13 00-0036 EA 16' x 14', Non Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift <i>For 20 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 16 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For Aluminum, Mill Finish, Add</i> <i>For Aluminum, Anodized Finish, Add</i>	4,914.94 378.48 652.55 297.56 832.65	1,152.38
08 36 13 00-0037 EA 16' x 16', Non Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift <i>For 20 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 16 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For Aluminum, Mill Finish, Add</i> <i>For Aluminum, Anodized Finish, Add</i>	5,726.75 444.77 766.85 349.68 978.50	1,329.67
08 36 13 00-0038 EA 18' x 8', Non Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift <i>For 20 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 16 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For Aluminum, Mill Finish, Add</i> <i>For Aluminum, Anodized Finish, Add</i>	3,602.64 265.31 457.44 208.59 583.69	886.44
08 36 13 00-0039 EA 18' x 10', Non Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift <i>For 20 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 16 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For Aluminum, Mill Finish, Add</i> <i>For Aluminum, Anodized Finish, Add</i>	4,307.82 329.01 567.25 258.67 723.81	1,019.41
08 36 13 00-0040 EA 18' x 12', Non Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift <i>For 20 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 16 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For Aluminum, Mill Finish, Add</i> <i>For Aluminum, Anodized Finish, Add</i>	5,218.83 422.54 728.52 332.20 929.59	1,152.38
08 36 13 00-0041 EA 18' x 14', Non Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift <i>For 20 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 16 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For Aluminum, Mill Finish, Add</i> <i>For Aluminum, Anodized Finish, Add</i>	6,032.03 489.04 843.17 384.49 1,075.88	1,329.67
08 36 13 00-0042 EA 18' x 16', Non Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift <i>For 20 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 16 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For Aluminum, Mill Finish, Add</i> <i>For Aluminum, Anodized Finish, Add</i>	6,930.87 567.95 979.23 446.53 1,249.50	1,506.96
08 36 13 00-0043 EA 20' x 8', Non Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift <i>For 20 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 16 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For Aluminum, Mill Finish, Add</i> <i>For Aluminum, Anodized Finish, Add</i>	4,090.95 297.56 513.03 233.94 654.63	1,019.41
08 36 13 00-0044 EA 20' x 10', Non Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift <i>For 20 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 16 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For Aluminum, Mill Finish, Add</i> <i>For Aluminum, Anodized Finish, Add</i>	4,796.15 361.25 622.85 284.02 794.75	1,152.38
08 36 13 00-0045 EA 20' x 12', Non Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift <i>For 20 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 16 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For Aluminum, Mill Finish, Add</i> <i>For Aluminum, Anodized Finish, Add</i>	5,925.67 473.62 816.58 372.36 1,041.96	1,329.67
08 36 13 00-0046 EA 20' x 14', Non Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift <i>For 20 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 16 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For Aluminum, Mill Finish, Add</i> <i>For Aluminum, Anodized Finish, Add</i>	6,738.86 540.11 931.23 424.64 1,188.25	1,506.96
08 36 13 00-0047 EA 20' x 16', Non Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift <i>For 20 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 16 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For Aluminum, Mill Finish, Add</i> <i>For Aluminum, Anodized Finish, Add</i>	8,333.90 719.98 1,241.34 566.05 1,583.95	1,684.25
08 36 13 00-0048 EA 22' x 8', Non Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift <i>For 20 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 16 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For Aluminum, Mill Finish, Add</i> <i>For Aluminum, Anodized Finish, Add</i>	4,553.03 326.00 562.07 256.30 717.20	1,152.38

08 Openings**08 30 Specialty Doors And Frames****08 36 Panel Doors**

MINOR		TOTAL DIRECT	DEMOLITION
CSI	UOM DESCRIPTION	UNIT COST	UNIT COST
08 36 13 00-0049	EA 22' x 10', Non Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift	5,628.69	1,329.67
	For 20 Gauge Steel Ribbed, Heavy Duty Door, Add	430.55	
	For 16 Gauge Steel Ribbed, Heavy Duty Door, Add	742.34	
	For Aluminum, Mill Finish, Add	338.50	
	For Aluminum, Anodized Finish, Add	947.22	
08 36 13 00-0050	EA 22' x 12', Non Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift	6,676.71	1,506.96
	For 20 Gauge Steel Ribbed, Heavy Duty Door, Add	531.10	
	For 16 Gauge Steel Ribbed, Heavy Duty Door, Add	915.69	
	For Aluminum, Mill Finish, Add	417.56	
	For Aluminum, Anodized Finish, Add	1,168.42	
08 36 13 00-0051	EA 22' x 14', Non Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift	7,887.72	1,684.25
	For 20 Gauge Steel Ribbed, Heavy Duty Door, Add	655.28	
	For 16 Gauge Steel Ribbed, Heavy Duty Door, Add	1,129.80	
	For Aluminum, Mill Finish, Add	515.19	
	For Aluminum, Anodized Finish, Add	1,441.62	
08 36 13 00-0052	EA 22' x 16', Non Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift	8,898.40	1,861.54
	For 20 Gauge Steel Ribbed, Heavy Duty Door, Add	750.42	
	For 16 Gauge Steel Ribbed, Heavy Duty Door, Add	1,293.83	
	For Aluminum, Mill Finish, Add	589.99	
	For Aluminum, Anodized Finish, Add	1,650.93	
08 36 13 00-0053	EA 24' x 8', Non Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift	5,041.62	1,329.67
	For 20 Gauge Steel Ribbed, Heavy Duty Door, Add	345.43	
	For 16 Gauge Steel Ribbed, Heavy Duty Door, Add	595.57	
	For Aluminum, Mill Finish, Add	271.58	
	For Aluminum, Anodized Finish, Add	759.94	
08 36 13 00-0054	EA 24' x 10', Non Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift	6,160.08	1,506.96
	For 20 Gauge Steel Ribbed, Heavy Duty Door, Add	456.19	
	For 16 Gauge Steel Ribbed, Heavy Duty Door, Add	786.54	
	For Aluminum, Mill Finish, Add	358.66	
	For Aluminum, Anodized Finish, Add	1,003.62	
08 36 13 00-0055	EA 24' x 12', Non Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift	7,517.53	1,684.25
	For 20 Gauge Steel Ribbed, Heavy Duty Door, Add	601.61	
	For 16 Gauge Steel Ribbed, Heavy Duty Door, Add	1,037.25	
	For Aluminum, Mill Finish, Add	472.99	
	For Aluminum, Anodized Finish, Add	1,323.53	
08 36 13 00-0056	EA 24' x 14', Non Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift	8,406.65	1,861.54
	For 20 Gauge Steel Ribbed, Heavy Duty Door, Add	679.12	
	For 16 Gauge Steel Ribbed, Heavy Duty Door, Add	1,170.90	
	For Aluminum, Mill Finish, Add	533.93	
	For Aluminum, Anodized Finish, Add	1,494.06	
08 36 13 00-0057	EA 24' x 16', Non Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift	9,442.23	2,038.83
	For 20 Gauge Steel Ribbed, Heavy Duty Door, Add	777.86	
	For 16 Gauge Steel Ribbed, Heavy Duty Door, Add	1,341.15	
	For Aluminum, Mill Finish, Add	611.56	
	For Aluminum, Anodized Finish, Add	1,711.30	
08 36 13 00-0058	Insulated, 24 Gauge Galvanized Steel Sectional Doors <small>(08 36 13 00-0014)</small>		
	Note: Includes 2" door with polystyrene insulation, 26 gauge interior cover, tracks and hardware. Excludes frame.		
08 36 13 00-0059	EA 8' x 8', Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift	1,880.15	310.25
	For 22 Gauge Steel Ribbed, Heavy Duty Door, Add	157.45	
	For 20 Gauge Steel Ribbed, Heavy Duty Door, Add	314.91	
	For 18 Gauge Steel Ribbed, Heavy Duty Door, Add	818.76	
	For 16 Gauge Steel Ribbed, Heavy Duty Door, Add	1,574.54	
	For Aluminum, Mill Finish, Add	143.60	
	For Aluminum, Anodized Finish, Add	401.82	
08 36 13 00-0060	EA 8' x 10', Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift	2,243.64	354.58
	For 22 Gauge Steel Ribbed, Heavy Duty Door, Add	191.81	
	For 20 Gauge Steel Ribbed, Heavy Duty Door, Add	383.62	
	For 18 Gauge Steel Ribbed, Heavy Duty Door, Add	997.41	
	For 16 Gauge Steel Ribbed, Heavy Duty Door, Add	1,918.10	
	For Aluminum, Mill Finish, Add	174.93	
	For Aluminum, Anodized Finish, Add	489.50	
08 36 13 00-0061	EA 8' x 12', Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift	2,754.37	443.22
	For 22 Gauge Steel Ribbed, Heavy Duty Door, Add	233.49	
	For 20 Gauge Steel Ribbed, Heavy Duty Door, Add	466.98	
	For 18 Gauge Steel Ribbed, Heavy Duty Door, Add	1,214.15	
	For 16 Gauge Steel Ribbed, Heavy Duty Door, Add	2,334.91	
	For Aluminum, Mill Finish, Add	212.94	
	For Aluminum, Anodized Finish, Add	595.87	
08 36 13 00-0062	EA 10' x 8', Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift	2,187.61	354.58
	For 22 Gauge Steel Ribbed, Heavy Duty Door, Add	184.81	
	For 20 Gauge Steel Ribbed, Heavy Duty Door, Add	369.61	
	For 18 Gauge Steel Ribbed, Heavy Duty Door, Add	960.99	
	For 16 Gauge Steel Ribbed, Heavy Duty Door, Add	1,848.06	
	For Aluminum, Mill Finish, Add	168.54	
	For Aluminum, Anodized Finish, Add	471.63	
08 36 13 00-0063	EA 10' x 10', Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift	2,187.61	443.22
	For 22 Gauge Steel Ribbed, Heavy Duty Door, Add	224.86	
	For 20 Gauge Steel Ribbed, Heavy Duty Door, Add	449.73	
	For 18 Gauge Steel Ribbed, Heavy Duty Door, Add	1,169.29	
	For 16 Gauge Steel Ribbed, Heavy Duty Door, Add	2,248.63	
	For Aluminum, Mill Finish, Add	205.07	
	For Aluminum, Anodized Finish, Add	573.85	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 36 13 00-0064 EA 10' x 12', Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift..... <i>For 22 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 20 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 18 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 16 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For Aluminum, Mill Finish, Add</i> <i>For Aluminum, Anodized Finish, Add</i>	3,411.08 282.34 564.68 1,468.16 2,823.38 257.49 720.53	576.19
08 36 13 00-0065 EA 10' x 14', Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift..... <i>For 22 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 20 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 18 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 16 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For Aluminum, Mill Finish, Add</i> <i>For Aluminum, Anodized Finish, Add</i>	3,950.57 316.53 633.06 1,645.96 3,165.31 288.68 807.79	709.16
08 36 13 00-0066 EA 12' x 8', Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift..... <i>For 22 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 20 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 18 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 16 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For Aluminum, Mill Finish, Add</i> <i>For Aluminum, Anodized Finish, Add</i>	2,579.84 211.68 423.35 1,100.71 2,116.75 193.05 540.19	443.22
08 36 13 00-0067 EA 12' x 10', Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift..... <i>For 22 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 20 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 18 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 16 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For Aluminum, Mill Finish, Add</i> <i>For Aluminum, Anodized Finish, Add</i>	3,211.80 257.43 514.86 1,338.62 2,574.28 234.77 656.95	576.19
08 36 13 00-0068 EA 12' x 12', Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift..... <i>For 22 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 20 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 18 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 16 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For Aluminum, Mill Finish, Add</i> <i>For Aluminum, Anodized Finish, Add</i>	3,915.41 312.14 624.27 1,623.11 3,121.36 284.67 796.57	709.16
08 36 13 00-0069 EA 12' x 14', Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift..... <i>For 22 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 20 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 18 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 16 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For Aluminum, Mill Finish, Add</i> <i>For Aluminum, Anodized Finish, Add</i>	4,576.01 361.47 722.94 1,879.65 3,614.71 329.66 922.47	842.13
08 36 13 00-0070 EA 12' x 16', Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift..... <i>For 22 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 20 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 18 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 16 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For Aluminum, Mill Finish, Add</i> <i>For Aluminum, Anodized Finish, Add</i>	5,555.83 439.63 879.25 2,286.06 4,396.26 400.94 1,121.93	1,019.41
08 36 13 00-0071 EA 14' x 8', Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift..... <i>For 22 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 20 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 18 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 16 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For Aluminum, Mill Finish, Add</i> <i>For Aluminum, Anodized Finish, Add</i>	3,056.79 238.05 476.10 1,237.87 2,380.51 217.10 607.51	576.19
08 36 13 00-0072 EA 14' x 10', Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift..... <i>For 22 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 20 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 18 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 16 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For Aluminum, Mill Finish, Add</i> <i>For Aluminum, Anodized Finish, Add</i>	3,791.66 296.67 593.34 1,542.67 2,966.68 270.56 757.10	709.16
08 36 13 00-0073 EA 14' x 12', Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift..... <i>For 22 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 20 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 18 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 16 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For Aluminum, Mill Finish, Add</i> <i>For Aluminum, Anodized Finish, Add</i>	4,608.66 354.47 708.94 1,843.24 3,544.70 323.28 904.61	886.44
08 36 13 00-0074 EA 14' x 14', Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift..... <i>For 22 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 20 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 18 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 16 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For Aluminum, Mill Finish, Add</i> <i>For Aluminum, Anodized Finish, Add</i>	5,435.98 424.65 849.29 2,208.15 4,246.45 387.28 1,083.69	1,019.41
08 36 13 00-0075 EA 14' x 16', Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift..... <i>For 22 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 20 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 18 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 16 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For Aluminum, Mill Finish, Add</i> <i>For Aluminum, Anodized Finish, Add</i>	6,242.50 492.22 984.44 2,559.53 4,922.18 448.90 1,256.14	1,152.38

08 Openings**08 30 Specialty Doors And Frames****08 36 Panel Doors**

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 36 13 00-0076 EA 16' x 8', Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift.....	3,657.50	709.16
For 22 Gauge Steel Ribbed, Heavy Duty Door, Add	279.90	
For 20 Gauge Steel Ribbed, Heavy Duty Door, Add	559.80	
For 18 Gauge Steel Ribbed, Heavy Duty Door, Add	1,455.47	
For 16 Gauge Steel Ribbed, Heavy Duty Door, Add	2,798.98	
For Aluminum, Mill Finish, Add	255.27	
For Aluminum, Anodized Finish, Add	714.30	
08 36 13 00-0077 EA 16' x 10', Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift.....	4,712.87	886.44
For 22 Gauge Steel Ribbed, Heavy Duty Door, Add	367.50	
For 20 Gauge Steel Ribbed, Heavy Duty Door, Add	734.99	
For 18 Gauge Steel Ribbed, Heavy Duty Door, Add	1,910.98	
For 16 Gauge Steel Ribbed, Heavy Duty Door, Add	3,674.96	
For Aluminum, Mill Finish, Add	335.16	
For Aluminum, Anodized Finish, Add	937.85	
08 36 13 00-0078 EA 16' x 12', Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift.....	5,506.33	1,019.41
For 22 Gauge Steel Ribbed, Heavy Duty Door, Add	433.44	
For 20 Gauge Steel Ribbed, Heavy Duty Door, Add	866.88	
For 18 Gauge Steel Ribbed, Heavy Duty Door, Add	2,253.88	
For 16 Gauge Steel Ribbed, Heavy Duty Door, Add	4,334.39	
For Aluminum, Mill Finish, Add	395.30	
For Aluminum, Anodized Finish, Add	1,106.14	
08 36 13 00-0079 EA 16' x 14', Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift.....	6,305.01	1,152.38
For 22 Gauge Steel Ribbed, Heavy Duty Door, Add	500.03	
For 20 Gauge Steel Ribbed, Heavy Duty Door, Add	1,000.06	
For 18 Gauge Steel Ribbed, Heavy Duty Door, Add	2,600.16	
For 16 Gauge Steel Ribbed, Heavy Duty Door, Add	5,000.31	
For Aluminum, Mill Finish, Add	456.03	
For Aluminum, Anodized Finish, Add	1,276.08	
08 36 13 00-0080 EA 16' x 16', Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift.....	7,461.99	1,329.67
For 22 Gauge Steel Ribbed, Heavy Duty Door, Add	600.33	
For 20 Gauge Steel Ribbed, Heavy Duty Door, Add	1,200.66	
For 18 Gauge Steel Ribbed, Heavy Duty Door, Add	3,121.72	
For 16 Gauge Steel Ribbed, Heavy Duty Door, Add	6,003.30	
For Aluminum, Mill Finish, Add	547.50	
For Aluminum, Anodized Finish, Add	1,532.04	
08 36 13 00-0081 EA 18' x 8', Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift.....	4,207.45	886.44
For 22 Gauge Steel Ribbed, Heavy Duty Door, Add	304.32	
For 20 Gauge Steel Ribbed, Heavy Duty Door, Add	608.64	
For 18 Gauge Steel Ribbed, Heavy Duty Door, Add	1,582.46	
For 16 Gauge Steel Ribbed, Heavy Duty Door, Add	3,043.19	
For Aluminum, Mill Finish, Add	277.54	
For Aluminum, Anodized Finish, Add	776.62	
08 36 13 00-0082 EA 18' x 10', Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift.....	5,228.87	1,019.41
For 22 Gauge Steel Ribbed, Heavy Duty Door, Add	398.76	
For 20 Gauge Steel Ribbed, Heavy Duty Door, Add	797.51	
For 18 Gauge Steel Ribbed, Heavy Duty Door, Add	2,073.53	
For 16 Gauge Steel Ribbed, Heavy Duty Door, Add	3,987.56	
For Aluminum, Mill Finish, Add	363.67	
For Aluminum, Anodized Finish, Add	1,017.63	
08 36 13 00-0083 EA 18' x 12', Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift.....	6,075.75	1,152.38
For 22 Gauge Steel Ribbed, Heavy Duty Door, Add	471.37	
For 20 Gauge Steel Ribbed, Heavy Duty Door, Add	942.75	
For 18 Gauge Steel Ribbed, Heavy Duty Door, Add	2,451.14	
For 16 Gauge Steel Ribbed, Heavy Duty Door, Add	4,713.74	
For Aluminum, Mill Finish, Add	429.89	
For Aluminum, Anodized Finish, Add	1,202.95	
08 36 13 00-0084 EA 18' x 14', Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift.....	7,594.85	1,329.67
For 22 Gauge Steel Ribbed, Heavy Duty Door, Add	616.94	
For 20 Gauge Steel Ribbed, Heavy Duty Door, Add	1,233.88	
For 18 Gauge Steel Ribbed, Heavy Duty Door, Add	3,208.08	
For 16 Gauge Steel Ribbed, Heavy Duty Door, Add	6,169.38	
For Aluminum, Mill Finish, Add	562.65	
For Aluminum, Anodized Finish, Add	1,574.42	
08 36 13 00-0085 EA 18' x 16', Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift.....	8,312.86	1,506.96
For 22 Gauge Steel Ribbed, Heavy Duty Door, Add	662.37	
For 20 Gauge Steel Ribbed, Heavy Duty Door, Add	1,324.73	
For 18 Gauge Steel Ribbed, Heavy Duty Door, Add	3,444.30	
For 16 Gauge Steel Ribbed, Heavy Duty Door, Add	6,623.65	
For Aluminum, Mill Finish, Add	604.08	
For Aluminum, Anodized Finish, Add	1,690.36	
08 36 13 00-0086 EA 20' x 8', Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift.....	5,204.12	1,019.41
For 22 Gauge Steel Ribbed, Heavy Duty Door, Add	395.66	
For 20 Gauge Steel Ribbed, Heavy Duty Door, Add	791.33	
For 18 Gauge Steel Ribbed, Heavy Duty Door, Add	2,057.45	
For 16 Gauge Steel Ribbed, Heavy Duty Door, Add	3,956.63	
For Aluminum, Mill Finish, Add	360.84	
For Aluminum, Anodized Finish, Add	1,009.73	
08 36 13 00-0087 EA 20' x 10', Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift.....	6,133.08	1,152.38
For 22 Gauge Steel Ribbed, Heavy Duty Door, Add	478.54	
For 20 Gauge Steel Ribbed, Heavy Duty Door, Add	957.08	
For 18 Gauge Steel Ribbed, Heavy Duty Door, Add	2,488.41	
For 16 Gauge Steel Ribbed, Heavy Duty Door, Add	4,785.40	
For Aluminum, Mill Finish, Add	436.43	
For Aluminum, Anodized Finish, Add	1,221.23	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 36 13 00-0088 EA 20' x 12', Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift..... <i>For 22 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 20 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 18 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 16 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For Aluminum, Mill Finish, Add</i> <i>For Aluminum, Anodized Finish, Add</i>	7,861.88 650.32 1,300.63 3,381.64 6,503.16 593.09 1,659.61	1,329.67
08 36 13 00-0089 EA 20' x 14', Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift..... <i>For 22 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 20 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 18 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 16 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For Aluminum, Mill Finish, Add</i> <i>For Aluminum, Anodized Finish, Add</i>	8,551.23 692.16 1,384.32 3,599.24 6,921.61 631.25 1,766.40	1,506.96
08 36 13 00-0090 EA 20' x 16', Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift..... <i>For 22 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 20 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 18 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 16 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For Aluminum, Mill Finish, Add</i> <i>For Aluminum, Anodized Finish, Add</i>	9,943.98 821.93 1,643.86 4,274.04 8,219.31 749.60 2,097.57	1,684.25
08 36 13 00-0091 EA 22' x 8', Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift..... <i>For 22 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 20 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 18 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 16 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For Aluminum, Mill Finish, Add</i> <i>For Aluminum, Anodized Finish, Add</i>	5,704.52 424.97 849.94 2,209.84 4,249.70 387.57 1,084.52	1,152.38
08 36 13 00-0092 EA 22' x 10', Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift..... <i>For 22 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 20 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 18 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 16 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For Aluminum, Mill Finish, Add</i> <i>For Aluminum, Anodized Finish, Add</i>	7,067.31 551.00 1,101.99 2,865.17 5,509.95 502.51 1,406.14	1,329.67
08 36 13 00-0093 EA 22' x 12', Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift..... <i>For 22 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 20 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 18 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 16 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For Aluminum, Mill Finish, Add</i> <i>For Aluminum, Anodized Finish, Add</i>	8,407.96 674.25 1,348.51 3,506.11 6,742.53 614.92 1,720.69	1,506.96
08 36 13 00-0094 EA 22' x 14', Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift..... <i>For 22 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 20 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 18 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 16 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For Aluminum, Mill Finish, Add</i> <i>For Aluminum, Anodized Finish, Add</i>	9,450.30 760.22 1,520.44 3,953.15 7,602.21 693.32 1,940.08	1,684.25
08 36 13 00-0095 EA 22' x 16', Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift..... <i>For 22 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 20 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 18 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 16 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For Aluminum, Mill Finish, Add</i> <i>For Aluminum, Anodized Finish, Add</i>	10,790.90 883.48 1,766.96 4,594.09 8,834.79 805.73 2,254.64	1,861.54
08 36 13 00-0096 EA 24' x 8', Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift..... <i>For 22 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 20 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 18 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 16 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For Aluminum, Mill Finish, Add</i> <i>For Aluminum, Anodized Finish, Add</i>	6,346.98 460.95 921.91 2,396.96 4,609.54 420.39 1,176.35	1,329.67
08 36 13 00-0097 EA 24' x 10', Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift..... <i>For 22 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 20 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 18 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 16 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For Aluminum, Mill Finish, Add</i> <i>For Aluminum, Anodized Finish, Add</i>	7,854.37 605.05 1,210.11 3,146.28 6,050.54 551.81 1,544.10	1,506.96
08 36 13 00-0098 EA 24' x 12', Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift..... <i>For 22 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 20 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 18 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 16 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For Aluminum, Mill Finish, Add</i> <i>For Aluminum, Anodized Finish, Add</i>	9,120.76 719.03 1,438.06 3,738.95 7,190.29 655.75 1,834.96	1,684.25
08 36 13 00-0099 EA 24' x 14', Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift..... <i>For 22 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 20 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 18 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For 16 Gauge Steel Ribbed, Heavy Duty Door, Add</i> <i>For Aluminum, Mill Finish, Add</i> <i>For Aluminum, Anodized Finish, Add</i>	10,463.96 842.61 1,685.22 4,381.58 8,426.11 768.46 2,150.34	1,861.54

08 Openings**08 30 Specialty Doors And Frames****08 36 Panel Doors**

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 36 13 00-0100 EA 24' x 16', Insulated, 24 Gauge Galvanized Steel Sectional Door, Manual Lift.....	11,785.05	2,038.83
For 22 Gauge Steel Ribbed, Heavy Duty Door, Add	963.43	
For 20 Gauge Steel Ribbed, Heavy Duty Door, Add	1,926.85	
For 18 Gauge Steel Ribbed, Heavy Duty Door, Add	5,009.81	
For 16 Gauge Steel Ribbed, Heavy Duty Door, Add	9,634.25	
For Aluminum, Mill Finish, Add	878.64	
For Aluminum, Anodized Finish, Add	2,458.66	
08 36 13 00-0101 Residential Grade, Galvanized Steel Sectional Overhead Doors (08 36 13 00-0013)		
Note: Includes track and hardware. Excludes frame.		
08 36 13 00-0102 EA 9' x 7', Non Insulated, 25 Gauge Residential Grade Galvanized Steel Sectional Door, Manual Lift.....	926.31	177.28
For Aluminum And Fiberglass, Add	149.76	
For Each Glass Vision Panel In Door, Add	50.00	
For Insulated Door, Add	256.04	
08 36 13 00-0103 EA 9' x 8', Non Insulated, 25 Gauge Residential Grade Galvanized Steel Sectional Door, Manual Lift.....	1,013.01	177.28
For Aluminum And Fiberglass, Add	176.63	
For Each Glass Vision Panel In Door, Add	50.00	
For Insulated Door, Add	301.99	
08 36 13 00-0104 EA 16' x 7', Non Insulated, 25 Gauge Residential Grade Galvanized Steel Sectional Door, Manual Lift.....	1,304.88	202.82
For Aluminum And Fiberglass, Add	247.67	
For Each Glass Vision Panel In Door, Add	50.00	
For Insulated Door, Add	423.43	
08 36 13 00-0105 EA 16' x 8', Non Insulated, 25 Gauge Residential Grade Galvanized Steel Sectional Door, Manual Lift.....	1,441.10	202.82
For Aluminum And Fiberglass, Add	289.89	
For Each Glass Vision Panel In Door, Add	50.00	
For Insulated Door, Add	495.62	
08 36 13 00-0106 Remove And Reinstall Sectional Metal Overhead Doors And Supports (08 36 13 00-0013)		
Note: Includes storage, cleaning and supply materials.		
08 36 13 00-0107 SF Removal And Reinstallation Of Sectional Metal Overhead Door And Supports.....	12.75	
08 36 13 00-0108 Sectional Fiberglass Overhead Doors (Width x Height) (08 36 13)		
08 36 13 00-0109 Fiberglass Sectional Overhead Doors (08 36 13 00-0108)		
08 36 13 00-0110 Non-Insulated, Fiberglass Sectional Doors (08 36 13 00-0109)		
Note: Includes 2" door, tracks and hardware. Excludes frame.		
08 36 13 00-0111 EA 8' x 8', Non Insulated, Fiberglass Sectional Door, Manual Lift.....	2,277.88	310.25
08 36 13 00-0112 EA 8' x 10', Non Insulated, Fiberglass Sectional Door, Manual Lift.....	2,707.17	354.58
08 36 13 00-0113 EA 8' x 12', Non Insulated, Fiberglass Sectional Door, Manual Lift.....	3,197.92	443.22
08 36 13 00-0114 EA 10' x 8', Non Insulated, Fiberglass Sectional Door, Manual Lift.....	2,674.46	354.58
08 36 13 00-0115 EA 10' x 10', Non Insulated, Fiberglass Sectional Door, Manual Lift.....	3,196.44	398.91
08 36 13 00-0116 EA 10' x 12', Non Insulated, Fiberglass Sectional Door, Manual Lift.....	3,972.87	554.03
08 36 13 00-0117 EA 10' x 14', Non Insulated, Fiberglass Sectional Door, Manual Lift.....	4,754.24	709.16
08 36 13 00-0118 EA 12' x 8', Non Insulated, Fiberglass Sectional Door, Manual Lift.....	3,151.58	443.22
08 36 13 00-0119 EA 12' x 10', Non Insulated, Fiberglass Sectional Door, Manual Lift.....	3,953.79	554.03
08 36 13 00-0120 EA 12' x 12', Non Insulated, Fiberglass Sectional Door, Manual Lift.....	4,744.83	664.83
08 36 13 00-0121 EA 12' x 14', Non Insulated, Fiberglass Sectional Door, Manual Lift.....	5,755.29	886.44
08 36 13 00-0122 EA 12' x 16', Non Insulated, Fiberglass Sectional Door, Manual Lift.....	6,684.33	1,063.74
08 36 13 00-0123 EA 14' x 8', Non Insulated, Fiberglass Sectional Door, Manual Lift.....	3,805.81	620.52
08 36 13 00-0124 EA 14' x 10', Non Insulated, Fiberglass Sectional Door, Manual Lift.....	4,639.76	709.16
08 36 13 00-0125 EA 14' x 12', Non Insulated, Fiberglass Sectional Door, Manual Lift.....	5,657.16	886.44
08 36 13 00-0126 EA 14' x 14', Non Insulated, Fiberglass Sectional Door, Manual Lift.....	6,673.42	1,063.74
08 36 13 00-0127 EA 14' x 16', Non Insulated, Fiberglass Sectional Door, Manual Lift.....	7,515.38	1,152.38
08 36 13 00-0128 EA 16' x 8', Non Insulated, Fiberglass Sectional Door, Manual Lift.....	4,320.84	709.16
08 36 13 00-0129 EA 16' x 10', Non Insulated, Fiberglass Sectional Door, Manual Lift.....	5,218.07	797.80
08 36 13 00-0130 EA 16' x 12', Non Insulated, Fiberglass Sectional Door, Manual Lift.....	6,309.35	975.10
08 36 13 00-0131 EA 16' x 14', Non Insulated, Fiberglass Sectional Door, Manual Lift.....	7,387.27	1,152.38
08 36 13 00-0132 EA 16' x 16', Non Insulated, Fiberglass Sectional Door, Manual Lift.....	8,287.60	1,241.02
08 36 13 00-0133 Insulated, Fiberglass Sectional Doors (08 36 13 00-0109)		
Note: Includes 2" door with polystyrene insulation, tracks and hardware. Excludes frame.		
08 36 13 00-0134 EA 8' x 8', Insulated, Fiberglass Sectional Door, Manual Lift.....	2,824.78	310.25
08 36 13 00-0135 EA 8' x 10', Insulated, Fiberglass Sectional Door, Manual Lift.....	3,366.52	354.58
08 36 13 00-0136 EA 8' x 12', Insulated, Fiberglass Sectional Door, Manual Lift.....	3,960.71	443.22
08 36 13 00-0137 EA 10' x 8', Insulated, Fiberglass Sectional Door, Manual Lift.....	3,323.01	354.58
08 36 13 00-0138 EA 10' x 10', Insulated, Fiberglass Sectional Door, Manual Lift.....	3,988.02	398.91
08 36 13 00-0139 EA 10' x 12', Insulated, Fiberglass Sectional Door, Manual Lift.....	4,918.25	554.03
08 36 13 00-0140 EA 10' x 14', Insulated, Fiberglass Sectional Door, Manual Lift.....	5,855.24	709.16
08 36 13 00-0141 EA 12' x 8', Insulated, Fiberglass Sectional Door, Manual Lift.....	3,899.08	443.22
08 36 13 00-0142 EA 12' x 10', Insulated, Fiberglass Sectional Door, Manual Lift.....	4,892.88	554.03
08 36 13 00-0143 EA 12' x 12', Insulated, Fiberglass Sectional Door, Manual Lift.....	5,871.92	664.83
08 36 13 00-0144 EA 12' x 14', Insulated, Fiberglass Sectional Door, Manual Lift.....	7,069.48	886.44
08 36 13 00-0145 EA 12' x 16', Insulated, Fiberglass Sectional Door, Manual Lift.....	8,188.31	1,063.74
08 36 13 00-0146 EA 14' x 8', Insulated, Fiberglass Sectional Door, Manual Lift.....	4,652.25	620.52
08 36 13 00-0147 EA 14' x 10', Insulated, Fiberglass Sectional Door, Manual Lift.....	5,702.98	709.16
08 36 13 00-0148 EA 14' x 12', Insulated, Fiberglass Sectional Door, Manual Lift.....	6,938.97	886.44
08 36 13 00-0149 EA 14' x 14', Insulated, Fiberglass Sectional Door, Manual Lift.....	8,173.81	1,063.74
08 36 13 00-0150 EA 14' x 16', Insulated, Fiberglass Sectional Door, Manual Lift.....	9,235.25	1,152.38



	MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
	08 36 13 00-0151	EA		16' x 8', Insulated, Fiberglass Sectional Door, Manual Lift	5,278.82	709.16
	08 36 13 00-0152	EA		16' x 10', Insulated, Fiberglass Sectional Door, Manual Lift	6,413.52	797.80
	08 36 13 00-0153	EA		16' x 12', Insulated, Fiberglass Sectional Door, Manual Lift	7,747.68	975.10
	08 36 13 00-0154	EA		16' x 14', Insulated, Fiberglass Sectional Door, Manual Lift	9,064.86	1,152.38
	08 36 13 00-0155	EA		16' x 16', Insulated, Fiberglass Sectional Door, Manual Lift	10,203.57	1,241.02

08 36 13 00-0156 Sectional Overhead Door Accessories (08 36 13)

08 36 13 00-0157 Sectional Overhead Door Accessories (08 36 13 00-0156)

	08 36 13 00-0158	LF		Flap Seal For Sectional Overhead Doors.....	3.33	
	08 36 13 00-0159	LF		Weather Seal At Top Of Door For Sectional Overhead Doors	4.85	
	08 36 13 00-0160	LF		Astragal Only, Weather Strip At Bottom Of Door For Sectional Overhead Doors	2.68	
	08 36 13 00-0161	EA		Cylinder Lock For Sectional Overhead Doors	294.60	
	08 36 13 00-0162	EA		Manual Chain Hoist For Sectional Overhead Doors	495.61	
	08 36 13 00-0163	EA		3/4 HP, Electric Chain Lift Operator For Sectional Overhead Doors	1,588.32	
				<i>Note: Includes motor, supports, push button operator, stationary electronic eye, signal wiring from eye to motor and motor to operator.</i>		
	08 36 13 00-0164	EA		1/2 HP Trolley Operator For Sectional Overhead Doors	919.82	
				<i>Note: Includes motor, supports, push button operator, stationary electronic eye, signal wiring from eye to motor and motor to operator.</i>		
	08 36 13 00-0165	EA		3/4 HP Trolley Operator For Sectional Overhead Doors	1,182.82	
				<i>Note: Includes motor, supports, push button operator, stationary electronic eye, signal wiring from eye to motor and motor to operator.</i>		
				<i>For Door Height >12', Add</i>	10.00	
				<i>Note: Includes motor, supports, push button operator, stationary electronic eye, signal wiring from eye to motor and motor to operator.</i>		
	08 36 13 00-0166	SF		Up To 2 SF Per Window 1/8" Double Strength Glass (DSB) Glazing For Sectional Overhead Doors	21.86	
				<i>Note: Additional cost for factory supplied.</i>		
	08 36 13 00-0167	SF		>2 SF Per Window 1/8" Double Strength Glass (DSB) Glazing For Sectional Overhead Doors	13.63	
				<i>Note: Additional cost for factory supplied.</i>		
	08 36 13 00-0168	SF		Up To 2 SF Per Window 1/8" Plexiglas Glazing For Sectional Overhead Doors	22.85	
				<i>Note: Additional cost for factory supplied.</i>		
	08 36 13 00-0169	SF		>2 SF Per Window 1/8" Plexiglas Glazing For Sectional Overhead Doors	15.58	
				<i>Note: Additional cost for factory supplied.</i>		
	08 36 13 00-0170	SF		Up To 2 SF Per Window 3/4" Insulated Glazing For Sectional Overhead Doors	36.77	
				<i>Note: Additional cost for factory supplied.</i>		
	08 36 13 00-0171	SF		>2 SF Per Window 3/4" Insulated Glazing For Sectional Overhead Doors	24.82	
				<i>Note: Additional cost for factory supplied.</i>		
	08 36 13 00-0172	EA		Vertical Lift Track For Sectional Overhead Doors Up To 12' High Door.....	473.07	
				<i>Note: Includes additional installation of vertical track, spring bumpers, counterweights and vertical lift springs.</i>		
	08 36 13 00-0173	EA		Vertical Lift Track For Sectional Overhead Doors >12' To 16' High Door	736.58	
				<i>Note: Includes additional installation of vertical track, spring bumpers, counterweights and vertical lift springs.</i>		
	08 36 13 00-0174	EA		Vertical Lift Track For Sectional Overhead Doors >16' To 20' High Door	1,088.24	
				<i>Note: Includes additional installation of vertical track, spring bumpers, counterweights and vertical lift springs.</i>		
	08 36 13 00-0175	SF		25,000 Cycle Spring In Lieu Of 10,000 Cycle For Sectional Overhead Doors	1.43	
				<i>Note: Additional cost for factory supplied/installed spring. Per SF of Door.</i>		
	08 36 13 00-0176	SF		50,000 Cycle Spring In Lieu Of 10,000 Cycle For Sectional Overhead Doors	1.84	
				<i>Note: Additional cost for factory supplied/installed spring. Per SF of Door.</i>		
	08 36 13 00-0177	SF		100,000 Cycle Spring In Lieu Of 10,000 Cycle For Sectional Overhead Doors	2.43	
				<i>Note: Additional cost for factory supplied/installed spring. Per SF of Door.</i>		

08 38 Traffic Doors (08 30)

08 38 13 Flexible Strip Doors (08 38)

08 38 13 00-0001 Clear Polyvinyl Chloride (PVC) Strip Doors (08 38 13)

	08 38 13 00-0002	SF		8" Smooth Strip, 0.080" Thick, 50% Overlap, Clear Polyvinyl Chloride (PVC) Strip Door	11.78	4.44
				<i>For Cooler/Freezer Doors, USDA Grade, Add</i>	0.73	
				<i>Note: Low temperature to -40 degree F.</i>		
				<i>For Ribbed Strip Material, Add</i>	1.54	
	08 38 13 00-0003	SF		8" Smooth Strip, 0.080" Thick, 100% Overlap, Clear Polyvinyl Chloride (PVC) Strip Door	15.23	4.88
				<i>For Cooler/Freezer Doors, USDA Grade, Add</i>	1.04	
				<i>Note: Low temperature to -40 degree F.</i>		
				<i>For Ribbed Strip Material, Add</i>	2.17	
	08 38 13 00-0004	SF		12" Smooth Strip, 0.120" Thick, 66% Overlap, Clear Polyvinyl Chloride (PVC) Strip Door	13.69	4.44
				<i>For Cooler/Freezer Doors, USDA Grade, Add</i>	0.93	
				<i>Note: Low temperature to -40 degree F.</i>		
				<i>For Ribbed Strip Material, Add</i>	1.94	
	08 38 13 00-0005	SF		12" Smooth Strip, 0.120" Thick, 100% Overlap, Clear Polyvinyl Chloride (PVC) Strip Door	16.50	4.88
				<i>For Cooler/Freezer Doors, USDA Grade, Add</i>	1.16	
				<i>Note: Low temperature to -40 degree F.</i>		
				<i>For Ribbed Strip Material, Add</i>	2.44	
	08 38 13 00-0006	SF		16" Smooth Strip, 0.160" Thick, 75% Overlap, Clear Polyvinyl Chloride (PVC) Strip Door	16.20	4.44
				<i>For Cooler/Freezer Doors, USDA Grade, Add</i>	1.18	
				<i>Note: Low temperature to -40 degree F.</i>		
				<i>For Ribbed Strip Material, Add</i>	2.47	

08 38 13 00-0007 Clear Polyvinyl Chloride (PVC) Replacement Strips (08 38 13)

08	08	Openings
	08 30	Specialty Doors And Frames
	08 38	Traffic Doors



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 38 13 00-0008	EA		8" Smooth Strip, 0.080" Thick, 7' Long, Replacement Strip <i>For Cooler/Freezer Doors, USDA Grade, Add</i> <i>Note: Low temperature to -40 degree F.</i>	32.35	8.86
			<i>For Ribbed Strip Material, Add</i>	2.35	
				4.93	
08 38 13 00-0009	EA		8" Smooth Strip, 0.080" Thick, 8' Long, Replacement Strip <i>For Cooler/Freezer Doors, USDA Grade, Add</i> <i>Note: Low temperature to -40 degree F.</i>	35.88	8.86
			<i>For Ribbed Strip Material, Add</i>	2.70	
				5.67	
08 38 13 00-0010	EA		12" Smooth Strip, 0.120" Thick, 8' Long, Replacement Strip <i>For Cooler/Freezer Doors, USDA Grade, Add</i> <i>Note: Low temperature to -40 degree F.</i>	70.13	8.86
			<i>For Ribbed Strip Material, Add</i>	6.13	
				12.87	
08 38 13 00-0011	EA		12" Smooth Strip, 0.120" Thick, 10' Long, Replacement Strip <i>For Cooler/Freezer Doors, USDA Grade, Add</i> <i>Note: Low temperature to -40 degree F.</i>	85.00	8.86
			<i>For Ribbed Strip Material, Add</i>	7.61	
				15.99	
08 38 13 00-0012	EA		12" Smooth Strip, 0.120" Thick, 12' Long, Replacement Strip <i>For Cooler/Freezer Doors, USDA Grade, Add</i> <i>Note: Low temperature to -40 degree F.</i>	100.37	8.86
			<i>For Ribbed Strip Material, Add</i>	9.15	
				19.22	
08 38 13 00-0013	EA		16" Smooth Strip, 0.160" Thick, 15' Long, Replacement Strip <i>For Cooler/Freezer Doors, USDA Grade, Add</i> <i>Note: Low temperature to -40 degree F.</i>	167.38	8.86
			<i>For Ribbed Strip Material, Add</i>	15.85	
				33.29	

08 38 16 Flexible Traffic Doors (08 38)

Note: Impact traffic doors also known as double action traffic doors. Includes hardware. Excludes door frame.

08 38 16 00-0001			0.160" Thick, Clear Polyvinyl Chloride (PVC) Flexible Impact Traffic Doors (TMI Mega-Pro) (08 38 16)		
08 38 16 00-0002			Double Door, 0.160" Thick, Clear Polyvinyl Chloride (PVC) Flexible Impact Traffic Doors (08 38 16 00-0001)		
08 38 16 00-0003			Double Door, 0.160" Thick, Clear Polyvinyl Chloride (PVC) Flexible Impact Traffic Doors (08 38 16 00-0002)		
08 38 16 00-0004	EA		72" x 84" Opening, Double Door, 0.160" Thick, Clear Polyvinyl Chloride (PVC) Flexible Impact Traffic Door	2,410.38	88.64
08 38 16 00-0005	EA		72" x 96" Opening, Double Door, 0.160" Thick, Clear Polyvinyl Chloride (PVC) Flexible Impact Traffic Door	2,602.33	88.64
08 38 16 00-0006	EA		96" x 96" Opening, Double Door, 0.160" Thick, Clear Polyvinyl Chloride (PVC) Flexible Impact Traffic Door	5,382.70	101.94
08 38 16 00-0007	EA		96" x 120" Opening, Double Door, 0.160" Thick, Clear Polyvinyl Chloride (PVC) Flexible Impact Traffic Door	6,038.89	110.81
08 38 16 00-0008	EA		108" x 108" Opening, Double Door, 0.160" Thick, Clear Polyvinyl Chloride (PVC) Flexible Impact Traffic Door	9,360.84	110.81
08 38 16 00-0009	EA		108" x 120" Opening, Double Door, 0.160" Thick, Clear Polyvinyl Chloride (PVC) Flexible Impact Traffic Door	9,790.58	110.81
08 38 16 00-0010	EA		120" x 120" Opening, Double Door, 0.160" Thick, Clear Polyvinyl Chloride (PVC) Flexible Impact Traffic Door	10,901.33	132.97
08 38 16 00-0011			Double Door With Impact Plate, 0.160" Thick, Clear Polyvinyl Chloride (PVC) Flexible Impact Traffic Doors (08 38 16 00-0002)		
08 38 16 00-0012	EA		72" x 84" Opening, Double Door With Impact Plate, 0.160" Thick, Clear Polyvinyl Chloride (PVC) Flexible Impact Traffic Door	2,677.61	88.64
08 38 16 00-0013	EA		72" x 96" Opening, Double Door With Impact Plate, 0.160" Thick, Clear Polyvinyl Chloride (PVC) Flexible Impact Traffic Door	2,891.37	88.64
08 38 16 00-0014	EA		96" x 96" Opening, Double Door With Impact Plate, 0.160" Thick, Clear Polyvinyl Chloride (PVC) Flexible Impact Traffic Door	6,367.03	101.94
08 38 16 00-0015	EA		96" x 120" Opening, Double Door With Impact Plate, 0.160" Thick, Clear Polyvinyl Chloride (PVC) Flexible Impact Traffic Door	7,018.85	110.81
08 38 16 00-0016	EA		108" x 108" Opening, Double Door With Impact Plate, 0.160" Thick, Clear Polyvinyl Chloride (PVC) Flexible Impact Traffic Door	10,484.72	110.81
08 38 16 00-0017	EA		108" x 120" Opening, Double Door With Impact Plate, 0.160" Thick, Clear Polyvinyl Chloride (PVC) Flexible Impact Traffic Door	10,921.85	110.81
08 38 16 00-0018	EA		120" x 120" Opening, Double Door With Impact Plate, 0.160" Thick, Clear Polyvinyl Chloride (PVC) Flexible Impact Traffic Door	12,159.90	132.97
08 38 16 00-0019			0.240" Thick, Double Ply Vinyl Flexible Impact Traffic Doors (Eliason FMP) (08 38 16) Note: Includes pebble embossed finish and a 14" x 16" vinyl window.		
08 38 16 00-0020			Single Door, 0.240" Thick, Double Ply Vinyl Flexible Impact Traffic Doors (08 38 16 00-0019)		
08 38 16 00-0021			84" Height, Single Door, 0.240" Thick, Double Ply Vinyl Flexible Impact Traffic Doors (08 38 16 00-0020)		
08 38 16 00-0022	EA		24" To 36" Width x 84" Height Opening, Single Door, 0.240" Thick, Double Ply Vinyl Flexible Impact Traffic Doors.....	1,209.56	48.75
08 38 16 00-0023	EA		40" To 44" Width x 84" Height Opening, Single Door, 0.240" Thick, Double Ply Vinyl Flexible Impact Traffic Doors.....	1,303.23	48.75
08 38 16 00-0024			96" Height, Single Door, 0.240" Thick, Double Ply Vinyl Flexible Impact Traffic Doors (08 38 16 00-0020)		
08 38 16 00-0025	EA		24" To 36" Width x 96" Height Opening, Single Door, 0.240" Thick, Double Ply Vinyl Flexible Impact Traffic Doors.....	1,303.23	48.75
08 38 16 00-0026	EA		40" To 44" Width x 96" Height Opening, Single Door, 0.240" Thick, Double Ply Vinyl Flexible Impact Traffic Doors.....	1,329.65	48.75



Openings	08	08
Specialty Doors And Frames	08 30	
Traffic Doors	08 38	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 38 16 00-0027 Double Door, 0.240" Thick, Double Ply Vinyl Flexible Impact Traffic Doors ^(08 38 16 00-0019)		
08 38 16 00-0028 84" Height, Double Door, 0.240" Thick, Double Ply Vinyl Flexible Impact Traffic Doors ^(08 38 16 00-0027)		
08 38 16 00-0029 EA 48" To 72" Width x 84" Height Opening, Double Door, 0.240" Thick, Double Ply Vinyl Flexible Impact Traffic Doors	2,392.51	84.22
08 38 16 00-0030 EA 80" To 88" Width x 84" Height Opening, Double Door, 0.240" Thick, Double Ply Vinyl Flexible Impact Traffic Doors	2,579.86	84.22
08 38 16 00-0031 96" Height, Double Door, 0.240" Thick, Double Ply Vinyl Flexible Impact Traffic Doors ^(08 38 16 00-0027)		
08 38 16 00-0032 EA 48" To 72" Width x 96" Height Opening, Double Door, 0.240" Thick, Double Ply Vinyl Flexible Impact Traffic Doors	2,579.86	84.22
08 38 16 00-0033 EA 80" To 88" Width x 96" Height Opening, Double Door, 0.240" Thick, Double Ply Vinyl Flexible Impact Traffic Doors	2,632.70	84.22
08 38 19 Rigid Traffic Doors ^(08 38)		
Note: Impact traffic doors also known as double action traffic doors. Includes hardware. Excludes door frame.		
08 38 19 00-0001 0.063" Thick, Satin Anodized Finish, Tempered Aluminum Alloy Impact Traffic Doors (Eliason LWP-3) ^(08 38 19)		
Note: Includes delta formed vertical edges and a 9" x 14" acrylic window.		
08 38 19 00-0002 Single Door, 0.063" Thick, Satin Anodized Finish, Tempered Aluminum Alloy Impact Traffic Doors ^(08 38 19 00-0001)		
08 38 19 00-0003 84" Height, Single Door, 0.063" Thick, Satin Anodized Finish, Tempered Aluminum Alloy Impact Traffic Doors ^(08 38 19 00-0002)		
08 38 19 00-0004 EA 24" x 84" Opening, Single Door, 0.063" Thick, Satin Anodized Finish, Tempered Aluminum Alloy Impact Traffic Door	597.08	48.75
For Each 14" x 16" Window, Add	22.00	
For Each 15" x 20" Window, Add	28.00	
For Each 18" x 30" Window, Add	41.00	
08 38 19 00-0005 EA 28" x 84" Opening, Single Door, 0.063" Thick, Satin Anodized Finish, Tempered Aluminum Alloy Impact Traffic Door	640.32	48.75
For Each 14" x 16" Window, Add	22.00	
For Each 15" x 20" Window, Add	28.00	
For Each 18" x 30" Window, Add	41.00	
08 38 19 00-0006 EA 30" x 84" Opening, Single Door, 0.063" Thick, Satin Anodized Finish, Tempered Aluminum Alloy Impact Traffic Door	661.57	50.97
For Each 14" x 16" Window, Add	22.00	
For Each 15" x 20" Window, Add	28.00	
For Each 18" x 30" Window, Add	41.00	
08 38 19 00-0007 EA 32" x 84" Opening, Single Door, 0.063" Thick, Satin Anodized Finish, Tempered Aluminum Alloy Impact Traffic Door	687.99	50.97
For Each 14" x 16" Window, Add	22.00	
For Each 15" x 20" Window, Add	28.00	
For Each 18" x 30" Window, Add	41.00	
08 38 19 00-0008 EA 36" x 84" Opening, Single Door, 0.063" Thick, Satin Anodized Finish, Tempered Aluminum Alloy Impact Traffic Door	718.86	53.19
For Each 14" x 16" Window, Add	22.00	
For Each 15" x 20" Window, Add	28.00	
For Each 18" x 30" Window, Add	41.00	
08 38 19 00-0009 EA 40" x 84" Opening, Single Door, 0.063" Thick, Satin Anodized Finish, Tempered Aluminum Alloy Impact Traffic Door	776.51	53.19
For Each 14" x 16" Window, Add	22.00	
For Each 15" x 20" Window, Add	28.00	
For Each 18" x 30" Window, Add	41.00	
08 38 19 00-0010 EA 42" x 84" Opening, Single Door, 0.063" Thick, Satin Anodized Finish, Tempered Aluminum Alloy Impact Traffic Door	806.59	59.84
For Each 14" x 16" Window, Add	22.00	
For Each 15" x 20" Window, Add	28.00	
For Each 18" x 30" Window, Add	41.00	
08 38 19 00-0011 96" Height, Single Door, 0.063" Thick, Satin Anodized Finish, Tempered Aluminum Alloy Impact Traffic Doors ^(08 38 19 00-0002)		
08 38 19 00-0012 EA 24" x 96" Opening, Single Door, 0.063" Thick, Satin Anodized Finish, Tempered Aluminum Alloy Impact Traffic Door	671.54	48.75
For Each 14" x 16" Window, Add	22.00	
For Each 15" x 20" Window, Add	28.00	
For Each 18" x 30" Window, Add	41.00	
08 38 19 00-0013 EA 28" x 96" Opening, Single Door, 0.063" Thick, Satin Anodized Finish, Tempered Aluminum Alloy Impact Traffic Door	705.17	48.75
For Each 14" x 16" Window, Add	22.00	
For Each 15" x 20" Window, Add	28.00	
For Each 18" x 30" Window, Add	41.00	
08 38 19 00-0014 EA 30" x 96" Opening, Single Door, 0.063" Thick, Satin Anodized Finish, Tempered Aluminum Alloy Impact Traffic Door	728.82	50.97
For Each 14" x 16" Window, Add	22.00	
For Each 15" x 20" Window, Add	28.00	
For Each 18" x 30" Window, Add	41.00	

08 Openings**08 30 Specialty Doors And Frames**

08 38 Traffic Doors



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 38 19 00-0015	EA		32" x 96" Opening, Single Door, 0.063" Thick, Satin Anodized Finish, Tempered Aluminum Alloy Impact Traffic Door	748.04	50.97
			For Each 14" x 16" Window, Add	22.00	
			For Each 15" x 20" Window, Add	28.00	
			For Each 18" x 30" Window, Add	41.00	
08 38 19 00-0016	EA		36" x 96" Opening, Single Door, 0.063" Thick, Satin Anodized Finish, Tempered Aluminum Alloy Impact Traffic Door	817.34	53.19
			For Each 14" x 16" Window, Add	22.00	
			For Each 15" x 20" Window, Add	28.00	
			For Each 18" x 30" Window, Add	41.00	
08 38 19 00-0017	EA		40" x 96" Opening, Single Door, 0.063" Thick, Satin Anodized Finish, Tempered Aluminum Alloy Impact Traffic Door	831.75	53.19
			For Each 14" x 16" Window, Add	22.00	
			For Each 15" x 20" Window, Add	28.00	
			For Each 18" x 30" Window, Add	41.00	
08 38 19 00-0018	EA		42" x 96" Opening, Single Door, 0.063" Thick, Satin Anodized Finish, Tempered Aluminum Alloy Impact Traffic Door	859.43	59.84
			For Each 14" x 16" Window, Add	22.00	
			For Each 15" x 20" Window, Add	28.00	
			For Each 18" x 30" Window, Add	41.00	
08 38 19 00-0019			Double Door, 0.063" Thick, Satin Anodized Finish, Tempered Aluminum Alloy Impact Traffic Doors (08 38 19 00-0001)		
08 38 19 00-0020			84" Height, Double Door, 0.063" Thick, Satin Anodized Finish, Tempered Aluminum Alloy Impact Traffic Doors (08 38 19 00-0019)		
08 38 19 00-0021	EA		48" x 84" Opening, Double Door, 0.063" Thick, Satin Anodized Finish, Tempered Aluminum Alloy Impact Traffic Door	1,167.57	84.22
			For Each 14" x 16" Window, Add	22.00	
			For Each 15" x 20" Window, Add	28.00	
			For Each 18" x 30" Window, Add	41.00	
08 38 19 00-0022	EA		56" x 84" Opening, Double Door, 0.063" Thick, Satin Anodized Finish, Tempered Aluminum Alloy Impact Traffic Door	1,254.04	84.22
			For Each 14" x 16" Window, Add	22.00	
			For Each 15" x 20" Window, Add	28.00	
			For Each 18" x 30" Window, Add	41.00	
08 38 19 00-0023	EA		60" x 84" Opening, Double Door, 0.063" Thick, Satin Anodized Finish, Tempered Aluminum Alloy Impact Traffic Door	1,287.66	84.22
			For Each 14" x 16" Window, Add	22.00	
			For Each 15" x 20" Window, Add	28.00	
			For Each 18" x 30" Window, Add	41.00	
08 38 19 00-0024	EA		64" x 84" Opening, Double Door, 0.063" Thick, Satin Anodized Finish, Tempered Aluminum Alloy Impact Traffic Door	1,340.50	84.22
			For Each 14" x 16" Window, Add	22.00	
			For Each 15" x 20" Window, Add	28.00	
			For Each 18" x 30" Window, Add	41.00	
08 38 19 00-0025	EA		72" x 84" Opening, Double Door, 0.063" Thick, Satin Anodized Finish, Tempered Aluminum Alloy Impact Traffic Door	1,402.22	88.64
			For Each 14" x 16" Window, Add	22.00	
			For Each 15" x 20" Window, Add	28.00	
			For Each 18" x 30" Window, Add	41.00	
08 38 19 00-0026	EA		80" x 84" Opening, Double Door, 0.063" Thick, Satin Anodized Finish, Tempered Aluminum Alloy Impact Traffic Door	1,517.51	88.64
			For Each 14" x 16" Window, Add	22.00	
			For Each 15" x 20" Window, Add	28.00	
			For Each 18" x 30" Window, Add	41.00	
08 38 19 00-0027	EA		84" x 84" Opening, Double Door, 0.063" Thick, Satin Anodized Finish, Tempered Aluminum Alloy Impact Traffic Door	1,551.14	88.64
			For Each 14" x 16" Window, Add	22.00	
			For Each 15" x 20" Window, Add	28.00	
			For Each 18" x 30" Window, Add	41.00	
08 38 19 00-0028			96" Height, Double Door, 0.063" Thick, Satin Anodized Finish, Tempered Aluminum Alloy Impact Traffic Doors (08 38 19 00-0019)		
08 38 19 00-0029	EA		48" x 96" Opening, Double Door, 0.063" Thick, Satin Anodized Finish, Tempered Aluminum Alloy Impact Traffic Door	1,316.48	84.22
			For Each 14" x 16" Window, Add	22.00	
			For Each 15" x 20" Window, Add	28.00	
			For Each 18" x 30" Window, Add	41.00	
08 38 19 00-0030	EA		56" x 96" Opening, Double Door, 0.063" Thick, Satin Anodized Finish, Tempered Aluminum Alloy Impact Traffic Door	1,383.74	84.22
			For Each 14" x 16" Window, Add	22.00	
			For Each 15" x 20" Window, Add	28.00	
			For Each 18" x 30" Window, Add	41.00	
08 38 19 00-0031	EA		60" x 96" Opening, Double Door, 0.063" Thick, Satin Anodized Finish, Tempered Aluminum Alloy Impact Traffic Door	1,422.17	84.22
			For Each 14" x 16" Window, Add	22.00	
			For Each 15" x 20" Window, Add	28.00	
			For Each 18" x 30" Window, Add	41.00	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 38 19 00-0032 EA 64" x 96" Opening, Double Door, 0.063" Thick, Satin Anodized Finish, Tempered Aluminum Alloy Impact Traffic Door.....	1,460.60	84.22
For Each 14" x 16" Window, Add	22.00	
For Each 15" x 20" Window, Add	28.00	
For Each 18" x 30" Window, Add	41.00	
08 38 19 00-0033 EA 72" x 96" Opening, Double Door, 0.063" Thick, Satin Anodized Finish, Tempered Aluminum Alloy Impact Traffic Door.....	1,599.18	88.64
For Each 14" x 16" Window, Add	22.00	
For Each 15" x 20" Window, Add	28.00	
For Each 18" x 30" Window, Add	41.00	
08 38 19 00-0034 EA 80" x 96" Opening, Double Door, 0.063" Thick, Satin Anodized Finish, Tempered Aluminum Alloy Impact Traffic Door.....	1,628.00	88.64
For Each 14" x 16" Window, Add	22.00	
For Each 15" x 20" Window, Add	28.00	
For Each 18" x 30" Window, Add	41.00	
08 38 19 00-0035 EA 84" x 96" Opening, Double Door, 0.063" Thick, Satin Anodized Finish, Tempered Aluminum Alloy Impact Traffic Door.....	1,656.82	88.64
For Each 14" x 16" Window, Add	22.00	
For Each 15" x 20" Window, Add	28.00	
For Each 18" x 30" Window, Add	41.00	
08 38 19 00-0036 3/4" Thick, Polymer Cell Core Impact Traffic Doors (Eliaison P-11 Plus) <small>(08 38 19)</small>		
<small>Note: Includes 0.125" thick thermoplastic exterior finish, 14 gauge back channel and a 14" x 16" acrylic window.</small>		
08 38 19 00-0037 Single Door, 3/4" Thick, Polymer Cell Core Impact Traffic Doors <small>(08 38 19 00-0036)</small>		
08 38 19 00-0038 84" Height, Single Door, 3/4" Thick, Polymer Cell Core Impact Traffic Doors <small>(08 38 19 00-0037)</small>		
08 38 19 00-0039 EA 24" x 84" Opening, Single Door, 3/4" Thick, Polymer Cell Core Impact Traffic Door.....	1,039.03	48.75
For Each 15" x 20" Window, Add	6.00	
For Each 18" x 30" Window, Add	19.00	
08 38 19 00-0040 EA 28" x 84" Opening, Single Door, 3/4" Thick, Polymer Cell Core Impact Traffic Door.....	1,151.91	48.75
For Each 15" x 20" Window, Add	6.00	
For Each 18" x 30" Window, Add	19.00	
08 38 19 00-0041 EA 30" x 84" Opening, Single Door, 3/4" Thick, Polymer Cell Core Impact Traffic Door.....	1,201.99	50.97
For Each 15" x 20" Window, Add	6.00	
For Each 18" x 30" Window, Add	19.00	
08 38 19 00-0042 EA 32" x 84" Opening, Single Door, 3/4" Thick, Polymer Cell Core Impact Traffic Door.....	1,250.02	50.97
For Each 15" x 20" Window, Add	6.00	
For Each 18" x 30" Window, Add	19.00	
08 38 19 00-0043 EA 36" x 84" Opening, Single Door, 3/4" Thick, Polymer Cell Core Impact Traffic Door.....	1,268.89	53.19
For Each 15" x 20" Window, Add	6.00	
For Each 18" x 30" Window, Add	19.00	
08 38 19 00-0044 EA 40" x 84" Opening, Single Door, 3/4" Thick, Polymer Cell Core Impact Traffic Door.....	1,367.36	53.19
For Each 15" x 20" Window, Add	6.00	
For Each 18" x 30" Window, Add	19.00	
08 38 19 00-0045 EA 42" x 84" Opening, Single Door, 3/4" Thick, Polymer Cell Core Impact Traffic Door.....	1,469.50	59.84
For Each 15" x 20" Window, Add	6.00	
For Each 18" x 30" Window, Add	19.00	
08 38 19 00-0046 EA 44" x 84" Opening, Single Door, 3/4" Thick, Polymer Cell Core Impact Traffic Door.....	1,486.31	59.84
For Each 15" x 20" Window, Add	6.00	
For Each 18" x 30" Window, Add	19.00	
08 38 19 00-0047 96" Height, Single Door, 3/4" Thick, Polymer Cell Core Impact Traffic Doors <small>(08 38 19 00-0037)</small>		
08 38 19 00-0048 EA 24" x 96" Opening, Single Door, 3/4" Thick, Polymer Cell Core Impact Traffic Door.....	1,135.10	48.75
For Each 15" x 20" Window, Add	6.00	
For Each 18" x 30" Window, Add	19.00	
08 38 19 00-0049 EA 28" x 96" Opening, Single Door, 3/4" Thick, Polymer Cell Core Impact Traffic Door.....	1,252.79	48.75
For Each 15" x 20" Window, Add	6.00	
For Each 18" x 30" Window, Add	19.00	
08 38 19 00-0050 EA 30" x 96" Opening, Single Door, 3/4" Thick, Polymer Cell Core Impact Traffic Door.....	1,302.86	50.97
For Each 15" x 20" Window, Add	6.00	
For Each 18" x 30" Window, Add	19.00	
08 38 19 00-0051 EA 32" x 96" Opening, Single Door, 3/4" Thick, Polymer Cell Core Impact Traffic Door.....	1,362.91	50.97
For Each 15" x 20" Window, Add	6.00	
For Each 18" x 30" Window, Add	19.00	
08 38 19 00-0052 EA 36" x 96" Opening, Single Door, 3/4" Thick, Polymer Cell Core Impact Traffic Door.....	1,410.59	53.19
For Each 15" x 20" Window, Add	6.00	
For Each 18" x 30" Window, Add	19.00	
08 38 19 00-0053 EA 40" x 96" Opening, Single Door, 3/4" Thick, Polymer Cell Core Impact Traffic Door.....	1,506.67	53.19
For Each 15" x 20" Window, Add	6.00	
For Each 18" x 30" Window, Add	19.00	
08 38 19 00-0054 EA 42" x 96" Opening, Single Door, 3/4" Thick, Polymer Cell Core Impact Traffic Door.....	1,558.37	59.84
For Each 15" x 20" Window, Add	6.00	
For Each 18" x 30" Window, Add	19.00	
08 38 19 00-0055 EA 44" x 96" Opening, Single Door, 3/4" Thick, Polymer Cell Core Impact Traffic Door.....	1,618.41	59.84
For Each 15" x 20" Window, Add	6.00	
For Each 18" x 30" Window, Add	19.00	
08 38 19 00-0056 Double Door, 3/4" Thick, Polymer Cell Core Impact Traffic Doors <small>(08 38 19 00-0036)</small>		

08 Openings**08 30 Specialty Doors And Frames**

08 38 Traffic Doors



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 38 19 00-0057			84" Height, Double Door, 3/4" Thick, Polymer Cell Core Impact Traffic Doors <small>(08 38 19 00-0056)</small>		
08 38 19 00-0058	EA		48" x 84" Opening, Double Door, 3/4" Thick, Polymer Cell Core Impact Traffic Door.....	2,051.45	84.22
			<i>For Each 15" x 20" Window, Add</i>	6.00	
			<i>For Each 18" x 30" Window, Add</i>	19.00	
08 38 19 00-0059	EA		56" x 84" Opening, Double Door, 3/4" Thick, Polymer Cell Core Impact Traffic Door.....	2,277.22	84.22
			<i>For Each 15" x 20" Window, Add</i>	6.00	
			<i>For Each 18" x 30" Window, Add</i>	19.00	
08 38 19 00-0060	EA		60" x 84" Opening, Double Door, 3/4" Thick, Polymer Cell Core Impact Traffic Door.....	2,368.49	84.22
			<i>For Each 15" x 20" Window, Add</i>	6.00	
			<i>For Each 18" x 30" Window, Add</i>	19.00	
08 38 19 00-0061	EA		64" x 84" Opening, Double Door, 3/4" Thick, Polymer Cell Core Impact Traffic Door.....	2,464.57	84.22
			<i>For Each 15" x 20" Window, Add</i>	6.00	
			<i>For Each 18" x 30" Window, Add</i>	19.00	
08 38 19 00-0062	EA		72" x 84" Opening, Double Door, 3/4" Thick, Polymer Cell Core Impact Traffic Door.....	2,502.27	88.64
			<i>For Each 15" x 20" Window, Add</i>	6.00	
			<i>For Each 18" x 30" Window, Add</i>	19.00	
08 38 19 00-0063	EA		80" x 84" Opening, Double Door, 3/4" Thick, Polymer Cell Core Impact Traffic Door.....	2,699.22	88.64
			<i>For Each 15" x 20" Window, Add</i>	6.00	
			<i>For Each 18" x 30" Window, Add</i>	19.00	
08 38 19 00-0064	EA		84" x 84" Opening, Double Door, 3/4" Thick, Polymer Cell Core Impact Traffic Door.....	2,876.96	88.64
			<i>For Each 15" x 20" Window, Add</i>	6.00	
			<i>For Each 18" x 30" Window, Add</i>	19.00	
08 38 19 00-0065	EA		88" x 84" Opening, Double Door, 3/4" Thick, Polymer Cell Core Impact Traffic Door.....	2,910.59	88.64
			<i>For Each 15" x 20" Window, Add</i>	6.00	
			<i>For Each 18" x 30" Window, Add</i>	19.00	
08 38 19 00-0066			96" Height, Double Door, 3/4" Thick, Polymer Cell Core Impact Traffic Doors <small>(08 38 19 00-0056)</small>		
08 38 19 00-0067	EA		48" x 96" Opening, Double Door, 3/4" Thick, Polymer Cell Core Impact Traffic Door.....	2,243.60	84.22
			<i>For Each 15" x 20" Window, Add</i>	6.00	
			<i>For Each 18" x 30" Window, Add</i>	19.00	
08 38 19 00-0068	EA		56" x 96" Opening, Double Door, 3/4" Thick, Polymer Cell Core Impact Traffic Door.....	2,478.98	84.22
			<i>For Each 15" x 20" Window, Add</i>	6.00	
			<i>For Each 18" x 30" Window, Add</i>	19.00	
08 38 19 00-0069	EA		60" x 96" Opening, Double Door, 3/4" Thick, Polymer Cell Core Impact Traffic Door.....	2,570.25	84.22
			<i>For Each 15" x 20" Window, Add</i>	6.00	
			<i>For Each 18" x 30" Window, Add</i>	19.00	
08 38 19 00-0070	EA		64" x 96" Opening, Double Door, 3/4" Thick, Polymer Cell Core Impact Traffic Door.....	2,690.34	84.22
			<i>For Each 15" x 20" Window, Add</i>	6.00	
			<i>For Each 18" x 30" Window, Add</i>	19.00	
08 38 19 00-0071	EA		72" x 96" Opening, Double Door, 3/4" Thick, Polymer Cell Core Impact Traffic Door.....	2,785.69	88.64
			<i>For Each 15" x 20" Window, Add</i>	6.00	
			<i>For Each 18" x 30" Window, Add</i>	19.00	
08 38 19 00-0072	EA		80" x 96" Opening, Double Door, 3/4" Thick, Polymer Cell Core Impact Traffic Door.....	2,977.84	88.64
			<i>For Each 15" x 20" Window, Add</i>	6.00	
			<i>For Each 18" x 30" Window, Add</i>	19.00	
08 38 19 00-0073	EA		84" x 96" Opening, Double Door, 3/4" Thick, Polymer Cell Core Impact Traffic Door.....	3,054.70	88.64
			<i>For Each 15" x 20" Window, Add</i>	6.00	
			<i>For Each 18" x 30" Window, Add</i>	19.00	
08 38 19 00-0074	EA		88" x 96" Opening, Double Door, 3/4" Thick, Polymer Cell Core Impact Traffic Door.....	3,174.79	88.64
			<i>For Each 15" x 20" Window, Add</i>	6.00	
			<i>For Each 18" x 30" Window, Add</i>	19.00	
08 38 19 00-0075			3/4" Thick, Double Ply Acrylonitrile Butadiene Styrene (ABS) Impact Traffic Doors (Eliason PMP-2) <small>(08 38 19)</small>		
			Note: Includes textured finish, 16 gauge back channel and a 14" x 16" window.		
08 38 19 00-0076			Single Door, 3/4" Thick, Double Ply Acrylonitrile Butadiene Styrene (ABS) Impact Traffic Doors <small>(08 38 19 00-0075)</small>		
08 38 19 00-0077			84" Height, Single Door, 3/4" Thick, Double Ply Acrylonitrile Butadiene Styrene (ABS) Impact Traffic Doors <small>(08 38 19 00-0076)</small>		
08 38 19 00-0078	EA		24" x 84" Opening, Single Door, 3/4" Thick, Double Ply Acrylonitrile Butadiene Styrene (ABS) Impact Traffic Door.....	1,096.67	48.75
			<i>For Each 15" x 20" Window, Add</i>	6.00	
			<i>For Each 18" x 30" Window, Add</i>	19.00	
08 38 19 00-0079	EA		28" x 84" Opening, Single Door, 3/4" Thick, Double Ply Acrylonitrile Butadiene Styrene (ABS) Impact Traffic Door.....	1,240.78	48.75
			<i>For Each 15" x 20" Window, Add</i>	6.00	
			<i>For Each 18" x 30" Window, Add</i>	19.00	
08 38 19 00-0080	EA		30" x 84" Opening, Single Door, 3/4" Thick, Double Ply Acrylonitrile Butadiene Styrene (ABS) Impact Traffic Door.....	1,283.65	50.97
			<i>For Each 15" x 20" Window, Add</i>	6.00	
			<i>For Each 18" x 30" Window, Add</i>	19.00	
08 38 19 00-0081	EA		32" x 84" Opening, Single Door, 3/4" Thick, Double Ply Acrylonitrile Butadiene Styrene (ABS) Impact Traffic Door.....	1,298.06	50.97
			<i>For Each 15" x 20" Window, Add</i>	6.00	
			<i>For Each 18" x 30" Window, Add</i>	19.00	
08 38 19 00-0082	EA		36" x 84" Opening, Single Door, 3/4" Thick, Double Ply Acrylonitrile Butadiene Styrene (ABS) Impact Traffic Door.....	1,316.92	53.19
			<i>For Each 15" x 20" Window, Add</i>	6.00	
			<i>For Each 18" x 30" Window, Add</i>	19.00	
08 38 19 00-0083	EA		40" x 84" Opening, Single Door, 3/4" Thick, Double Ply Acrylonitrile Butadiene Styrene (ABS) Impact Traffic Door.....	1,451.43	53.19
			<i>For Each 15" x 20" Window, Add</i>	6.00	
			<i>For Each 18" x 30" Window, Add</i>	19.00	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 38 19 00-0084 EA 42" x 84" Opening, Single Door, 3/4" Thick, Double Ply Acrylonitrile Butadiene Styrene (ABS) Impact Traffic Door..... <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	1,575.18 6.00 19.00	59.84
08 38 19 00-0085 EA 44" x 84" Opening, Single Door, 3/4" Thick, Double Ply Acrylonitrile Butadiene Styrene (ABS) Impact Traffic Door..... <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	1,591.99 6.00 19.00	59.84
08 38 19 00-0086 96" Height, Single Door, 3/4" Thick, Double Ply Acrylonitrile Butadiene Styrene (ABS) Impact Traffic Doors <small>(08 38 19 00-0076)</small>		
08 38 19 00-0087 EA 24" x 96" Opening, Single Door, 3/4" Thick, Double Ply Acrylonitrile Butadiene Styrene (ABS) Impact Traffic Door..... <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	1,127.89 6.00 19.00	48.75
08 38 19 00-0088 EA 28" x 96" Opening, Single Door, 3/4" Thick, Double Ply Acrylonitrile Butadiene Styrene (ABS) Impact Traffic Door..... <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	1,305.63 6.00 19.00	48.75
08 38 19 00-0089 EA 30" x 96" Opening, Single Door, 3/4" Thick, Double Ply Acrylonitrile Butadiene Styrene (ABS) Impact Traffic Door..... <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	1,350.90 6.00 19.00	50.97
08 38 19 00-0090 EA 32" x 96" Opening, Single Door, 3/4" Thick, Double Ply Acrylonitrile Butadiene Styrene (ABS) Impact Traffic Door..... <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	1,370.12 6.00 19.00	50.97
08 38 19 00-0091 EA 36" x 96" Opening, Single Door, 3/4" Thick, Double Ply Acrylonitrile Butadiene Styrene (ABS) Impact Traffic Door..... <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	1,379.37 6.00 19.00	53.19
08 38 19 00-0092 EA 40" x 96" Opening, Single Door, 3/4" Thick, Double Ply Acrylonitrile Butadiene Styrene (ABS) Impact Traffic Door..... <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	1,477.85 6.00 19.00	53.19
08 38 19 00-0093 EA 42" x 96" Opening, Single Door, 3/4" Thick, Double Ply Acrylonitrile Butadiene Styrene (ABS) Impact Traffic Door..... <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	1,599.20 6.00 19.00	59.84
08 38 19 00-0094 EA 44" x 96" Opening, Single Door, 3/4" Thick, Double Ply Acrylonitrile Butadiene Styrene (ABS) Impact Traffic Door..... <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	1,618.41 6.00 19.00	59.84
08 38 19 00-0095 Double Door, 3/4" Thick, Double Ply Acrylonitrile Butadiene Styrene (ABS) Impact Traffic Doors <small>(08 38 19 00-0075)</small>		
08 38 19 00-0096 84" Height, Double Door, 3/4" Thick, Double Ply Acrylonitrile Butadiene Styrene (ABS) Impact Traffic Doors <small>(08 38 19 00-0095)</small>		
08 38 19 00-0097 EA 48" x 84" Opening, Double Door, 3/4" Thick, Double Ply Acrylonitrile Butadiene Styrene (ABS) Impact Traffic Door..... <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	2,166.74 6.00 19.00	84.22
08 38 19 00-0098 EA 56" x 84" Opening, Double Door, 3/4" Thick, Double Ply Acrylonitrile Butadiene Styrene (ABS) Impact Traffic Door..... <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	2,454.96 6.00 19.00	84.22
08 38 19 00-0099 EA 60" x 84" Opening, Double Door, 3/4" Thick, Double Ply Acrylonitrile Butadiene Styrene (ABS) Impact Traffic Door..... <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	2,531.82 6.00 19.00	84.22
08 38 19 00-0100 EA 64" x 84" Opening, Double Door, 3/4" Thick, Double Ply Acrylonitrile Butadiene Styrene (ABS) Impact Traffic Door..... <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	2,560.64 6.00 19.00	84.22
08 38 19 00-0101 EA 72" x 84" Opening, Double Door, 3/4" Thick, Double Ply Acrylonitrile Butadiene Styrene (ABS) Impact Traffic Door..... <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	2,598.34 6.00 19.00	88.64
08 38 19 00-0102 EA 80" x 84" Opening, Double Door, 3/4" Thick, Double Ply Acrylonitrile Butadiene Styrene (ABS) Impact Traffic Door..... <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	2,867.35 6.00 19.00	88.64
08 38 19 00-0103 EA 84" x 84" Opening, Double Door, 3/4" Thick, Double Ply Acrylonitrile Butadiene Styrene (ABS) Impact Traffic Door..... <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	3,088.32 6.00 19.00	88.64
08 38 19 00-0104 EA 88" x 84" Opening, Double Door, 3/4" Thick, Double Ply Acrylonitrile Butadiene Styrene (ABS) Impact Traffic Door..... <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	3,121.95 6.00 19.00	88.64
08 38 19 00-0105 96" Height, Double Door, 3/4" Thick, Double Ply Acrylonitrile Butadiene Styrene (ABS) Impact Traffic Doors <small>(08 38 19 00-0095)</small>		
08 38 19 00-0106 EA 48" x 96" Opening, Double Door, 3/4" Thick, Double Ply Acrylonitrile Butadiene Styrene (ABS) Impact Traffic Door..... <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	2,229.19 6.00 19.00	84.22
08 38 19 00-0107 EA 56" x 96" Opening, Double Door, 3/4" Thick, Double Ply Acrylonitrile Butadiene Styrene (ABS) Impact Traffic Door..... <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	2,584.66 6.00 19.00	84.22
08 38 19 00-0108 EA 60" x 96" Opening, Double Door, 3/4" Thick, Double Ply Acrylonitrile Butadiene Styrene (ABS) Impact Traffic Door..... <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	2,666.32 6.00 19.00	84.22
08 38 19 00-0109 EA 64" x 96" Opening, Double Door, 3/4" Thick, Double Ply Acrylonitrile Butadiene Styrene (ABS) Impact Traffic Door..... <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	2,704.75 6.00 19.00	84.22

08 Openings**08 30 Specialty Doors And Frames****08 38 Traffic Doors**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 38 19 00-0110	EA		72" x 96" Opening, Double Door, 3/4" Thick, Double Ply Acrylonitrile Butadiene Styrene (ABS) Impact Traffic Door <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	2,723.24 6.00 19.00	88.64
08 38 19 00-0111	EA		80" x 96" Opening, Double Door, 3/4" Thick, Double Ply Acrylonitrile Butadiene Styrene (ABS) Impact Traffic Door <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	2,920.19 6.00 19.00	88.64
08 38 19 00-0112	EA		84" x 96" Opening, Double Door, 3/4" Thick, Double Ply Acrylonitrile Butadiene Styrene (ABS) Impact Traffic Door <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	3,136.36 6.00 19.00	88.64
08 38 19 00-0113	EA		88" x 96" Opening, Double Door, 3/4" Thick, Double Ply Acrylonitrile Butadiene Styrene (ABS) Impact Traffic Door <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	3,174.79 6.00 19.00	88.64
08 38 19 00-0114			1" Thick, Exterior Grade Solid Wood Core Impact Traffic Doors (Elison SCP-2) <small>(08 38 19)</small> Note: Includes 0.032" tempered aluminum alloy top panel, 48" high 16 gauge stainless steel front and galvanized back base plate, 14 gauge galvanized steel back channel and a 9" x 14" window.		
08 38 19 00-0115			Single Door, 1" Thick, Exterior Grade Solid Wood Core Impact Traffic Doors <small>(08 38 19 00-0114)</small>		
08 38 19 00-0116			84" Height, Single Door, 1" Thick, Exterior Grade Solid Wood Core Impact Traffic Doors <small>(08 38 19 00-0115)</small>		
08 38 19 00-0117	EA		24" x 84" Opening, Single Door, 1" Thick, Exterior Grade Solid Wood Core Impact Traffic Door <i>For Each 14" x 16" Window, Add</i> <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	1,384.89 22.00 28.00 41.00	48.75
08 38 19 00-0118	EA		28" x 84" Opening, Single Door, 1" Thick, Exterior Grade Solid Wood Core Impact Traffic Door <i>For Each 14" x 16" Window, Add</i> <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	1,512.19 22.00 28.00 41.00	48.75
08 38 19 00-0119	EA		30" x 84" Opening, Single Door, 1" Thick, Exterior Grade Solid Wood Core Impact Traffic Door <i>For Each 14" x 16" Window, Add</i> <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	1,550.26 22.00 28.00 41.00	50.97
08 38 19 00-0120	EA		32" x 84" Opening, Single Door, 1" Thick, Exterior Grade Solid Wood Core Impact Traffic Door <i>For Each 14" x 16" Window, Add</i> <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	1,581.48 22.00 28.00 41.00	50.97
08 38 19 00-0121	EA		36" x 84" Opening, Single Door, 1" Thick, Exterior Grade Solid Wood Core Impact Traffic Door <i>For Each 14" x 16" Window, Add</i> <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	1,638.77 22.00 28.00 41.00	53.19
08 38 19 00-0122	EA		40" x 84" Opening, Single Door, 1" Thick, Exterior Grade Solid Wood Core Impact Traffic Door <i>For Each 14" x 16" Window, Add</i> <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	1,698.82 22.00 28.00 41.00	53.19
08 38 19 00-0123	EA		42" x 84" Opening, Single Door, 1" Thick, Exterior Grade Solid Wood Core Impact Traffic Door <i>For Each 14" x 16" Window, Add</i> <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	1,760.12 22.00 28.00 41.00	59.84
08 38 19 00-0124	EA		44" x 84" Opening, Single Door, 1" Thick, Exterior Grade Solid Wood Core Impact Traffic Door <i>For Each 14" x 16" Window, Add</i> <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	1,800.96 22.00 28.00 41.00	59.84
08 38 19 00-0125			96" Height, Single Door, 1" Thick, Exterior Grade Solid Wood Core Impact Traffic Doors <small>(08 38 19 00-0115)</small>		
08 38 19 00-0126	EA		24" x 96" Opening, Single Door, 1" Thick, Exterior Grade Solid Wood Core Impact Traffic Door <i>For Each 14" x 16" Window, Add</i> <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	1,492.97 22.00 28.00 41.00	48.75
08 38 19 00-0127	EA		28" x 96" Opening, Single Door, 1" Thick, Exterior Grade Solid Wood Core Impact Traffic Door <i>For Each 14" x 16" Window, Add</i> <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	1,627.48 22.00 28.00 41.00	48.75
08 38 19 00-0128	EA		30" x 96" Opening, Single Door, 1" Thick, Exterior Grade Solid Wood Core Impact Traffic Door <i>For Each 14" x 16" Window, Add</i> <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	1,667.95 22.00 28.00 41.00	50.97
08 38 19 00-0129	EA		32" x 96" Opening, Single Door, 1" Thick, Exterior Grade Solid Wood Core Impact Traffic Door <i>For Each 14" x 16" Window, Add</i> <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	1,684.76 22.00 28.00 41.00	50.97
08 38 19 00-0130	EA		36" x 96" Opening, Single Door, 1" Thick, Exterior Grade Solid Wood Core Impact Traffic Door <i>For Each 14" x 16" Window, Add</i> <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	1,737.25 22.00 28.00 41.00	53.19
08 38 19 00-0131	EA		40" x 96" Opening, Single Door, 1" Thick, Exterior Grade Solid Wood Core Impact Traffic Door <i>For Each 14" x 16" Window, Add</i> <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	1,816.51 22.00 28.00 41.00	53.19



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 38 19 00-0132 EA 42" x 96" Opening, Single Door, 1" Thick, Exterior Grade Solid Wood Core Impact Traffic Door <i>For Each 14" x 16" Window, Add</i> <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	1,868.21 22.00 28.00 41.00	59.84
08 38 19 00-0133 EA 44" x 96" Opening, Single Door, 1" Thick, Exterior Grade Solid Wood Core Impact Traffic Door <i>For Each 14" x 16" Window, Add</i> <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	1,909.04 22.00 28.00 41.00	59.84
08 38 19 00-0134 Double Door, 1" Thick, Exterior Grade Solid Wood Core Impact Traffic Doors <small>(08 38 19 00-0114)</small>		
08 38 19 00-0135 84" Height, Double Door, 1" Thick, Exterior Grade Solid Wood Core Impact Traffic Doors <small>(08 38 19 00-0134)</small>		
08 38 19 00-0136 EA 48" x 84" Opening, Double Door, 1" Thick, Exterior Grade Solid Wood Core Impact Traffic Door <i>For Each 14" x 16" Window, Add</i> <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	2,743.18 22.00 28.00 41.00	84.22
08 38 19 00-0137 EA 56" x 84" Opening, Double Door, 1" Thick, Exterior Grade Solid Wood Core Impact Traffic Door <i>For Each 14" x 16" Window, Add</i> <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	2,997.78 22.00 28.00 41.00	84.22
08 38 19 00-0138 EA 60" x 84" Opening, Double Door, 1" Thick, Exterior Grade Solid Wood Core Impact Traffic Door <i>For Each 14" x 16" Window, Add</i> <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	3,065.03 22.00 28.00 41.00	84.22
08 38 19 00-0139 EA 64" x 84" Opening, Double Door, 1" Thick, Exterior Grade Solid Wood Core Impact Traffic Door <i>For Each 14" x 16" Window, Add</i> <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	3,127.48 22.00 28.00 41.00	84.22
08 38 19 00-0140 EA 72" x 84" Opening, Double Door, 1" Thick, Exterior Grade Solid Wood Core Impact Traffic Door <i>For Each 14" x 16" Window, Add</i> <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	3,242.04 22.00 28.00 41.00	88.64
08 38 19 00-0141 EA 80" x 84" Opening, Double Door, 1" Thick, Exterior Grade Solid Wood Core Impact Traffic Door <i>For Each 14" x 16" Window, Add</i> <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	3,362.13 22.00 28.00 41.00	88.64
08 38 19 00-0142 EA 84" x 84" Opening, Double Door, 1" Thick, Exterior Grade Solid Wood Core Impact Traffic Door <i>For Each 14" x 16" Window, Add</i> <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	3,458.21 22.00 28.00 41.00	88.64
08 38 19 00-0143 EA 88" x 84" Opening, Double Door, 1" Thick, Exterior Grade Solid Wood Core Impact Traffic Door <i>For Each 14" x 16" Window, Add</i> <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	3,539.87 22.00 28.00 41.00	88.64
08 38 19 00-0144 96" Height, Double Door, 1" Thick, Exterior Grade Solid Wood Core Impact Traffic Doors <small>(08 38 19 00-0134)</small>		
08 38 19 00-0145 EA 48" x 96" Opening, Double Door, 1" Thick, Exterior Grade Solid Wood Core Impact Traffic Door <i>For Each 14" x 16" Window, Add</i> <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	2,959.35 22.00 28.00 41.00	84.22
08 38 19 00-0146 EA 56" x 96" Opening, Double Door, 1" Thick, Exterior Grade Solid Wood Core Impact Traffic Door <i>For Each 14" x 16" Window, Add</i> <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	3,228.36 22.00 28.00 41.00	84.22
08 38 19 00-0147 EA 60" x 96" Opening, Double Door, 1" Thick, Exterior Grade Solid Wood Core Impact Traffic Door <i>For Each 14" x 16" Window, Add</i> <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	3,300.41 22.00 28.00 41.00	84.22
08 38 19 00-0148 EA 64" x 96" Opening, Double Door, 1" Thick, Exterior Grade Solid Wood Core Impact Traffic Door <i>For Each 14" x 16" Window, Add</i> <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	3,334.04 22.00 28.00 41.00	84.22
08 38 19 00-0149 EA 72" x 96" Opening, Double Door, 1" Thick, Exterior Grade Solid Wood Core Impact Traffic Door <i>For Each 14" x 16" Window, Add</i> <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	3,438.99 22.00 28.00 41.00	88.64
08 38 19 00-0150 EA 80" x 96" Opening, Double Door, 1" Thick, Exterior Grade Solid Wood Core Impact Traffic Door <i>For Each 14" x 16" Window, Add</i> <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	3,597.51 22.00 28.00 41.00	88.64
08 38 19 00-0151 EA 84" x 96" Opening, Double Door, 1" Thick, Exterior Grade Solid Wood Core Impact Traffic Door <i>For Each 14" x 16" Window, Add</i> <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	3,674.37 22.00 28.00 41.00	88.64
08 38 19 00-0152 EA 88" x 96" Opening, Double Door, 1" Thick, Exterior Grade Solid Wood Core Impact Traffic Door <i>For Each 14" x 16" Window, Add</i> <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	3,756.04 22.00 28.00 41.00	88.64

08	08	Openings
	08 30	Specialty Doors And Frames
	08 38	Traffic Doors



MINOR		TOTAL DIRECT		DEMOLITION	
CSI	UOM	DESCRIPTION	UNIT COST	UNIT COST	
08 38 19 00-0153		1-1/2" Thick, Polymer Cell Core Impact Traffic Doors (Eliaison HCP-10) <small>(08 38 19 00-0153)</small>			
		<small>19</small> Note: Includes 0.125" thick thermoplastic exterior finish, 14" x 16" acrylic window and 18" high easy spring bumpers.			
08 38 19 00-0154		Single Door, 1-1/2" Thick, Polymer Cell Core Impact Traffic Doors <small>(08 38 19 00-0153)</small>			
08 38 19 00-0155		84" Height, Single Door, 1-1/2" Thick, Polymer Cell Core Impact Traffic Doors <small>(08 38 19 00-0154)</small>			
08 38 19 00-0156	EA	24" x 84" Opening, Single Door, 1-1/2" Thick, Polymer Cell Core Impact Traffic Door	1,360.87		48.75
		For Each 15" x 20" Window, Add	6.00		
		For Each 18" x 30" Window, Add	19.00		
08 38 19 00-0157	EA	28" x 84" Opening, Single Door, 1-1/2" Thick, Polymer Cell Core Impact Traffic Door	1,430.53		48.75
		For Each 15" x 20" Window, Add	6.00		
		For Each 18" x 30" Window, Add	19.00		
08 38 19 00-0158	EA	30" x 84" Opening, Single Door, 1-1/2" Thick, Polymer Cell Core Impact Traffic Door	1,497.41		50.97
		For Each 15" x 20" Window, Add	6.00		
		For Each 18" x 30" Window, Add	19.00		
08 38 19 00-0159	EA	32" x 84" Opening, Single Door, 1-1/2" Thick, Polymer Cell Core Impact Traffic Door	1,538.25		50.97
		For Each 15" x 20" Window, Add	6.00		
		For Each 18" x 30" Window, Add	19.00		
08 38 19 00-0160	EA	36" x 84" Opening, Single Door, 1-1/2" Thick, Polymer Cell Core Impact Traffic Door	1,643.57		53.19
		For Each 15" x 20" Window, Add	6.00		
		For Each 18" x 30" Window, Add	19.00		
08 38 19 00-0161	EA	40" x 84" Opening, Single Door, 1-1/2" Thick, Polymer Cell Core Impact Traffic Door	1,725.24		53.19
		For Each 15" x 20" Window, Add	6.00		
		For Each 18" x 30" Window, Add	19.00		
08 38 19 00-0162	EA	42" x 84" Opening, Single Door, 1-1/2" Thick, Polymer Cell Core Impact Traffic Door	1,803.36		59.84
		For Each 15" x 20" Window, Add	6.00		
		For Each 18" x 30" Window, Add	19.00		
08 38 19 00-0163	EA	44" x 84" Opening, Single Door, 1-1/2" Thick, Polymer Cell Core Impact Traffic Door	1,880.22		59.84
		For Each 15" x 20" Window, Add	6.00		
		For Each 18" x 30" Window, Add	19.00		
08 38 19 00-0164		90" Height, Single Door, 1-1/2" Thick, Polymer Cell Core Impact Traffic Doors <small>(08 38 19 00-0154)</small>			
08 38 19 00-0165	EA	24" x 90" Opening, Single Door, 1-1/2" Thick, Polymer Cell Core Impact Traffic Door	1,408.91		48.75
		For Each 15" x 20" Window, Add	6.00		
		For Each 18" x 30" Window, Add	19.00		
08 38 19 00-0166	EA	28" x 90" Opening, Single Door, 1-1/2" Thick, Polymer Cell Core Impact Traffic Door	1,492.97		48.75
		For Each 15" x 20" Window, Add	6.00		
		For Each 18" x 30" Window, Add	19.00		
08 38 19 00-0167	EA	30" x 90" Opening, Single Door, 1-1/2" Thick, Polymer Cell Core Impact Traffic Door	1,538.25		50.97
		For Each 15" x 20" Window, Add	6.00		
		For Each 18" x 30" Window, Add	19.00		
08 38 19 00-0168	EA	32" x 90" Opening, Single Door, 1-1/2" Thick, Polymer Cell Core Impact Traffic Door	1,595.89		50.97
		For Each 15" x 20" Window, Add	6.00		
		For Each 18" x 30" Window, Add	19.00		
08 38 19 00-0169	EA	36" x 90" Opening, Single Door, 1-1/2" Thick, Polymer Cell Core Impact Traffic Door	1,708.42		53.19
		For Each 15" x 20" Window, Add	6.00		
		For Each 18" x 30" Window, Add	19.00		
08 38 19 00-0170	EA	40" x 90" Opening, Single Door, 1-1/2" Thick, Polymer Cell Core Impact Traffic Door	1,806.90		53.19
		For Each 15" x 20" Window, Add	6.00		
		For Each 18" x 30" Window, Add	19.00		
08 38 19 00-0171	EA	42" x 90" Opening, Single Door, 1-1/2" Thick, Polymer Cell Core Impact Traffic Door	1,880.22		59.84
		For Each 15" x 20" Window, Add	6.00		
		For Each 18" x 30" Window, Add	19.00		
08 38 19 00-0172	EA	44" x 90" Opening, Single Door, 1-1/2" Thick, Polymer Cell Core Impact Traffic Door	1,952.27		59.84
		For Each 15" x 20" Window, Add	6.00		
		For Each 18" x 30" Window, Add	19.00		
08 38 19 00-0173		96" Height, Single Door, 1-1/2" Thick, Polymer Cell Core Impact Traffic Doors <small>(08 38 19 00-0154)</small>			
08 38 19 00-0174	EA	24" x 96" Opening, Single Door, 1-1/2" Thick, Polymer Cell Core Impact Traffic Door	1,531.40		48.75
		For Each 15" x 20" Window, Add	6.00		
		For Each 18" x 30" Window, Add	19.00		
08 38 19 00-0175	EA	28" x 96" Opening, Single Door, 1-1/2" Thick, Polymer Cell Core Impact Traffic Door	1,548.22		48.75
		For Each 15" x 20" Window, Add	6.00		
		For Each 18" x 30" Window, Add	19.00		
08 38 19 00-0176	EA	30" x 96" Opening, Single Door, 1-1/2" Thick, Polymer Cell Core Impact Traffic Door	1,622.31		50.97
		For Each 15" x 20" Window, Add	6.00		
		For Each 18" x 30" Window, Add	19.00		
08 38 19 00-0177	EA	32" x 96" Opening, Single Door, 1-1/2" Thick, Polymer Cell Core Impact Traffic Door	1,675.15		50.97
		For Each 15" x 20" Window, Add	6.00		
		For Each 18" x 30" Window, Add	19.00		
08 38 19 00-0178	EA	36" x 96" Opening, Single Door, 1-1/2" Thick, Polymer Cell Core Impact Traffic Door	1,790.09		53.19
		For Each 15" x 20" Window, Add	6.00		
		For Each 18" x 30" Window, Add	19.00		
08 38 19 00-0179	EA	40" x 96" Opening, Single Door, 1-1/2" Thick, Polymer Cell Core Impact Traffic Door	1,907.78		53.19
		For Each 15" x 20" Window, Add	6.00		
		For Each 18" x 30" Window, Add	19.00		



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 38 19 00-0180	EA		42" x 96" Opening, Single Door, 1-1/2" Thick, Polymer Cell Core Impact Traffic Door <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	1,976.29 6.00 19.00	59.84
08 38 19 00-0181	EA		44" x 96" Opening, Single Door, 1-1/2" Thick, Polymer Cell Core Impact Traffic Door <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	2,048.35 6.00 19.00	59.84
08 38 19 00-0182			Double Door, 1-1/2" Thick, Polymer Cell Core Impact Traffic Doors <small>(08 38 19 00-0182)</small>		
08 38 19 00-0183			84" Height, Double Door, 1-1/2" Thick, Polymer Cell Core Impact Traffic Doors <small>(08 38 19 00-0182)</small>		
08 38 19 00-0184	EA		48" x 84" Opening, Double Door, 1-1/2" Thick, Polymer Cell Core Impact Traffic Door <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	2,695.15 6.00 19.00	84.22
08 38 19 00-0185	EA		56" x 84" Opening, Double Door, 1-1/2" Thick, Polymer Cell Core Impact Traffic Door <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	2,834.45 6.00 19.00	84.22
08 38 19 00-0186	EA		60" x 84" Opening, Double Door, 1-1/2" Thick, Polymer Cell Core Impact Traffic Door <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	2,959.35 6.00 19.00	84.22
08 38 19 00-0187	EA		64" x 84" Opening, Double Door, 1-1/2" Thick, Polymer Cell Core Impact Traffic Door <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	3,041.01 6.00 19.00	84.22
08 38 19 00-0188	EA		72" x 84" Opening, Double Door, 1-1/2" Thick, Polymer Cell Core Impact Traffic Door <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	3,251.65 6.00 19.00	88.64
08 38 19 00-0189	EA		80" x 84" Opening, Double Door, 1-1/2" Thick, Polymer Cell Core Impact Traffic Door <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	3,414.97 6.00 19.00	88.64
08 38 19 00-0190	EA		84" x 84" Opening, Double Door, 1-1/2" Thick, Polymer Cell Core Impact Traffic Door <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	3,544.67 6.00 19.00	88.64
08 38 19 00-0191	EA		88" x 84" Opening, Double Door, 1-1/2" Thick, Polymer Cell Core Impact Traffic Door <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	3,698.39 6.00 19.00	88.64
08 38 19 00-0192			90" Height, Double Door, 1-1/2" Thick, Polymer Cell Core Impact Traffic Doors <small>(08 38 19 00-0192)</small>		
08 38 19 00-0193	EA		48" x 90" Opening, Double Door, 1-1/2" Thick, Polymer Cell Core Impact Traffic Door <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	2,791.22 6.00 19.00	84.22
08 38 19 00-0194	EA		56" x 90" Opening, Double Door, 1-1/2" Thick, Polymer Cell Core Impact Traffic Door <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	2,959.35 6.00 19.00	84.22
08 38 19 00-0195	EA		60" x 90" Opening, Double Door, 1-1/2" Thick, Polymer Cell Core Impact Traffic Door <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	3,041.01 6.00 19.00	84.22
08 38 19 00-0196	EA		64" x 90" Opening, Double Door, 1-1/2" Thick, Polymer Cell Core Impact Traffic Door <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	3,156.30 6.00 19.00	84.22
08 38 19 00-0197	EA		72" x 90" Opening, Double Door, 1-1/2" Thick, Polymer Cell Core Impact Traffic Door <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	3,381.35 6.00 19.00	88.64
08 38 19 00-0198	EA		80" x 90" Opening, Double Door, 1-1/2" Thick, Polymer Cell Core Impact Traffic Door <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	3,578.30 6.00 19.00	88.64
08 38 19 00-0199	EA		84" x 90" Opening, Double Door, 1-1/2" Thick, Polymer Cell Core Impact Traffic Door <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	3,698.39 6.00 19.00	88.64
08 38 19 00-0200	EA		88" x 90" Opening, Double Door, 1-1/2" Thick, Polymer Cell Core Impact Traffic Door <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	3,842.50 6.00 19.00	88.64
08 38 19 00-0201			96" Height, Double Door, 1-1/2" Thick, Polymer Cell Core Impact Traffic Doors <small>(08 38 19 00-0192)</small>		
08 38 19 00-0202	EA		48" x 96" Opening, Double Door, 1-1/2" Thick, Polymer Cell Core Impact Traffic Door <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	3,036.21 6.00 19.00	84.22
08 38 19 00-0203	EA		56" x 96" Opening, Double Door, 1-1/2" Thick, Polymer Cell Core Impact Traffic Door <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	3,069.83 6.00 19.00	84.22
08 38 19 00-0204	EA		60" x 96" Opening, Double Door, 1-1/2" Thick, Polymer Cell Core Impact Traffic Door <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	3,209.14 6.00 19.00	84.22
08 38 19 00-0205	EA		64" x 96" Opening, Double Door, 1-1/2" Thick, Polymer Cell Core Impact Traffic Door <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	3,314.82 6.00 19.00	84.22
08 38 19 00-0206	EA		72" x 96" Opening, Double Door, 1-1/2" Thick, Polymer Cell Core Impact Traffic Door <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	3,544.67 6.00 19.00	88.64

08 Openings**08 30 Specialty Doors And Frames****08 38 Traffic Doors**

MINOR		TOTAL DIRECT	DEMOLITION
CSI	UOM DESCRIPTION	UNIT COST	UNIT COST
08 38 19 00-0207	EA 80" x 96" Opening, Double Door, 1-1/2" Thick, Polymer Cell Core Impact Traffic Door..... <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	3,780.06 6.00 19.00	88.64
08 38 19 00-0208	EA 84" x 96" Opening, Double Door, 1-1/2" Thick, Polymer Cell Core Impact Traffic Door..... <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	3,890.54 6.00 19.00	88.64
08 38 19 00-0209	EA 88" x 96" Opening, Double Door, 1-1/2" Thick, Polymer Cell Core Impact Traffic Door..... <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	4,034.65 6.00 19.00	88.64
08 38 19 00-0210	1-1/2" Thick, Urethane Foam Core Impact Traffic Doors (Eliason HFG-10) ^(08 38 19) Note: Includes 0.125" thick thermoplastic exterior finish, 14" x 16" acrylic window, 18" high easy spring bumpers, and perimeter gasketing.		
08 38 19 00-0211	Single Door, 1-1/2" Thick, Urethane Foam Core Impact Traffic Doors ^(08 38 19 00-0210)		
08 38 19 00-0212	84" Height, Single Door, 1-1/2" Thick, Urethane Foam Core Impact Traffic Doors ^(08 38 19 00-0211)		
08 38 19 00-0213	EA 24" x 84" Opening, Single Door, 1-1/2" Thick, Urethane Foam Core Impact Traffic Door..... <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	1,360.87 6.00 19.00	48.75
08 38 19 00-0214	EA 28" x 84" Opening, Single Door, 1-1/2" Thick, Urethane Foam Core Impact Traffic Door..... <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	1,430.53 6.00 19.00	48.75
08 38 19 00-0215	EA 30" x 84" Opening, Single Door, 1-1/2" Thick, Urethane Foam Core Impact Traffic Door..... <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	1,497.41 6.00 19.00	50.97
08 38 19 00-0216	EA 32" x 84" Opening, Single Door, 1-1/2" Thick, Urethane Foam Core Impact Traffic Door..... <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	1,538.25 6.00 19.00	50.97
08 38 19 00-0217	EA 36" x 84" Opening, Single Door, 1-1/2" Thick, Urethane Foam Core Impact Traffic Door..... <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	1,643.57 6.00 19.00	53.19
08 38 19 00-0218	EA 40" x 84" Opening, Single Door, 1-1/2" Thick, Urethane Foam Core Impact Traffic Door..... <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	1,725.24 6.00 19.00	53.19
08 38 19 00-0219	EA 42" x 84" Opening, Single Door, 1-1/2" Thick, Urethane Foam Core Impact Traffic Door..... <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	1,803.36 6.00 19.00	59.84
08 38 19 00-0220	EA 44" x 84" Opening, Single Door, 1-1/2" Thick, Urethane Foam Core Impact Traffic Door..... <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	1,880.22 6.00 19.00	59.84
08 38 19 00-0221	90" Height, Single Door, 1-1/2" Thick, Urethane Foam Core Impact Traffic Doors ^(08 38 19 00-0211)		
08 38 19 00-0222	EA 24" x 90" Opening, Single Door, 1-1/2" Thick, Urethane Foam Core Impact Traffic Door..... <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	1,408.91 6.00 19.00	48.75
08 38 19 00-0223	EA 28" x 90" Opening, Single Door, 1-1/2" Thick, Urethane Foam Core Impact Traffic Door..... <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	1,492.97 6.00 19.00	48.75
08 38 19 00-0224	EA 30" x 90" Opening, Single Door, 1-1/2" Thick, Urethane Foam Core Impact Traffic Door..... <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	1,538.25 6.00 19.00	50.97
08 38 19 00-0225	EA 32" x 90" Opening, Single Door, 1-1/2" Thick, Urethane Foam Core Impact Traffic Door..... <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	1,595.89 6.00 19.00	50.97
08 38 19 00-0226	EA 36" x 90" Opening, Single Door, 1-1/2" Thick, Urethane Foam Core Impact Traffic Door..... <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	1,708.42 6.00 19.00	53.19
08 38 19 00-0227	EA 40" x 90" Opening, Single Door, 1-1/2" Thick, Urethane Foam Core Impact Traffic Door..... <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	1,806.90 6.00 19.00	53.19
08 38 19 00-0228	EA 42" x 90" Opening, Single Door, 1-1/2" Thick, Urethane Foam Core Impact Traffic Door..... <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	1,880.22 6.00 19.00	59.84
08 38 19 00-0229	EA 44" x 90" Opening, Single Door, 1-1/2" Thick, Urethane Foam Core Impact Traffic Door..... <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	1,952.27 6.00 19.00	59.84
08 38 19 00-0230	96" Height, Single Door, 1-1/2" Thick, Urethane Foam Core Impact Traffic Doors ^(08 38 19 00-0211)		
08 38 19 00-0231	EA 24" x 96" Opening, Single Door, 1-1/2" Thick, Urethane Foam Core Impact Traffic Door..... <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	1,531.40 6.00 19.00	48.75
08 38 19 00-0232	EA 28" x 96" Opening, Single Door, 1-1/2" Thick, Urethane Foam Core Impact Traffic Door..... <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	1,548.22 6.00 19.00	48.75



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 38 19 00-0233	EA		30" x 96" Opening, Single Door, 1-1/2" Thick, Urethane Foam Core Impact Traffic Door..... <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	1,622.31 6.00 19.00	50.97
08 38 19 00-0234	EA		32" x 96" Opening, Single Door, 1-1/2" Thick, Urethane Foam Core Impact Traffic Door..... <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	1,675.15 6.00 19.00	50.97
08 38 19 00-0235	EA		36" x 96" Opening, Single Door, 1-1/2" Thick, Urethane Foam Core Impact Traffic Door..... <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	1,790.09 6.00 19.00	53.19
08 38 19 00-0236	EA		40" x 96" Opening, Single Door, 1-1/2" Thick, Urethane Foam Core Impact Traffic Door..... <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	1,907.78 6.00 19.00	53.19
08 38 19 00-0237	EA		42" x 96" Opening, Single Door, 1-1/2" Thick, Urethane Foam Core Impact Traffic Door..... <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	1,976.29 6.00 19.00	59.84
08 38 19 00-0238	EA		44" x 96" Opening, Single Door, 1-1/2" Thick, Urethane Foam Core Impact Traffic Door..... <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	2,048.35 6.00 19.00	59.84
08 38 19 00-0239			Double Door, 1-1/2" Thick, Urethane Foam Core Impact Traffic Doors (08 38 19 00-0210)		
08 38 19 00-0240			84" Height, Double Door, 1-1/2" Thick, Urethane Foam Core Impact Traffic Doors (08 38 19 00-0239)		
08 38 19 00-0241	EA		48" x 84" Opening, Double Door, 1-1/2" Thick, Urethane Foam Core Impact Traffic Door <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	2,695.15 6.00 19.00	84.22
08 38 19 00-0242	EA		56" x 84" Opening, Double Door, 1-1/2" Thick, Urethane Foam Core Impact Traffic Door <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	2,834.45 6.00 19.00	84.22
08 38 19 00-0243	EA		60" x 84" Opening, Double Door, 1-1/2" Thick, Urethane Foam Core Impact Traffic Door <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	2,959.35 6.00 19.00	84.22
08 38 19 00-0244	EA		64" x 84" Opening, Double Door, 1-1/2" Thick, Urethane Foam Core Impact Traffic Door <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	3,041.01 6.00 19.00	84.22
08 38 19 00-0245	EA		72" x 84" Opening, Double Door, 1-1/2" Thick, Urethane Foam Core Impact Traffic Door <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	3,251.65 6.00 19.00	88.64
08 38 19 00-0246	EA		80" x 84" Opening, Double Door, 1-1/2" Thick, Urethane Foam Core Impact Traffic Door <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	3,414.97 6.00 19.00	88.64
08 38 19 00-0247	EA		84" x 84" Opening, Double Door, 1-1/2" Thick, Urethane Foam Core Impact Traffic Door <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	3,544.67 6.00 19.00	88.64
08 38 19 00-0248	EA		88" x 84" Opening, Double Door, 1-1/2" Thick, Urethane Foam Core Impact Traffic Door <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	3,698.39 6.00 19.00	88.64
08 38 19 00-0249			90" Height, Double Door, 1-1/2" Thick, Urethane Foam Core Impact Traffic Doors (08 38 19 00-0239)		
08 38 19 00-0250	EA		48" x 90" Opening, Double Door, 1-1/2" Thick, Urethane Foam Core Impact Traffic Door <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	2,791.22 6.00 19.00	84.22
08 38 19 00-0251	EA		56" x 90" Opening, Double Door, 1-1/2" Thick, Urethane Foam Core Impact Traffic Door <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	2,959.35 6.00 19.00	84.22
08 38 19 00-0252	EA		60" x 90" Opening, Double Door, 1-1/2" Thick, Urethane Foam Core Impact Traffic Door <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	3,041.01 6.00 19.00	84.22
08 38 19 00-0253	EA		64" x 90" Opening, Double Door, 1-1/2" Thick, Urethane Foam Core Impact Traffic Door <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	3,156.30 6.00 19.00	84.22
08 38 19 00-0254	EA		72" x 90" Opening, Double Door, 1-1/2" Thick, Urethane Foam Core Impact Traffic Door <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	3,381.35 6.00 19.00	88.64
08 38 19 00-0255	EA		80" x 90" Opening, Double Door, 1-1/2" Thick, Urethane Foam Core Impact Traffic Door <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	3,578.30 6.00 19.00	88.64
08 38 19 00-0256	EA		84" x 90" Opening, Double Door, 1-1/2" Thick, Urethane Foam Core Impact Traffic Door <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	3,698.39 6.00 19.00	88.64
08 38 19 00-0257	EA		88" x 90" Opening, Double Door, 1-1/2" Thick, Urethane Foam Core Impact Traffic Door <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	3,842.50 6.00 19.00	88.64
08 38 19 00-0258			96" Height, Double Door, 1-1/2" Thick, Urethane Foam Core Impact Traffic Doors (08 38 19 00-0239)		
08 38 19 00-0259	EA		48" x 96" Opening, Double Door, 1-1/2" Thick, Urethane Foam Core Impact Traffic Door <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	3,036.21 6.00 19.00	84.22

08 Openings**08 30 Specialty Doors And Frames****08 38 Traffic Doors**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 38 19 00-0260	EA		56" x 96" Opening, Double Door, 1-1/2" Thick, Urethane Foam Core Impact Traffic Door <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	3,069.83 6.00 19.00	84.22
08 38 19 00-0261	EA		60" x 96" Opening, Double Door, 1-1/2" Thick, Urethane Foam Core Impact Traffic Door <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	3,209.14 6.00 19.00	84.22
08 38 19 00-0262	EA		64" x 96" Opening, Double Door, 1-1/2" Thick, Urethane Foam Core Impact Traffic Door <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	3,314.82 6.00 19.00	84.22
08 38 19 00-0263	EA		72" x 96" Opening, Double Door, 1-1/2" Thick, Urethane Foam Core Impact Traffic Door <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	3,544.67 6.00 19.00	88.64
08 38 19 00-0264	EA		80" x 96" Opening, Double Door, 1-1/2" Thick, Urethane Foam Core Impact Traffic Door <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	3,780.06 6.00 19.00	88.64
08 38 19 00-0265	EA		84" x 96" Opening, Double Door, 1-1/2" Thick, Urethane Foam Core Impact Traffic Door <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	3,890.54 6.00 19.00	88.64
08 38 19 00-0266	EA		88" x 96" Opening, Double Door, 1-1/2" Thick, Urethane Foam Core Impact Traffic Door <i>For Each 15" x 20" Window, Add</i> <i>For Each 18" x 30" Window, Add</i>	4,034.65 6.00 19.00	88.64
08 38 19 00-0267			Rigid Impact Traffic Door Accessories (08 38 19)		
08 38 19 00-0268			Bumper Strips For Impact Traffic Doors (08 38 19 00-0267) Note: Includes two bumpers per set.		
08 38 19 00-0269	SET		24" Wide, Bumper Strips For Impact Traffic Doors	124.32	35.45
08 38 19 00-0270	SET		30" Wide, Bumper Strips For Impact Traffic Doors	136.33	35.45
08 38 19 00-0271	SET		36" Wide, Bumper Strips For Impact Traffic Doors	145.94	35.45
08 38 19 00-0272	SET		48" Wide, Bumper Strips For Impact Traffic Doors	162.75	35.45
08 38 19 00-0273			Easy Spring Bumpers For Impact Traffic Doors (08 38 19 00-0267) Note: Includes two bumpers per set.		
08 38 19 00-0274	SET		18" Height, Easy Spring Bumpers For Impact Traffic Doors	318.87	35.45
08 38 19 00-0275	SET		24" Height, Easy Spring Bumpers For Impact Traffic Doors	419.75	35.45
08 38 19 00-0276	SET		36" Height, Easy Spring Bumpers For Impact Traffic Doors	614.30	35.45
08 38 19 00-0277	SET		42" Height, Easy Spring Bumpers For Impact Traffic Doors	707.97	35.45
08 38 19 00-0278	SET		48" Height, Easy Spring Bumpers For Impact Traffic Doors	804.04	35.45
08 38 19 00-0279			Scuff Plates For Impact Traffic Doors (08 38 19 00-0267) Note: Includes two 0.090" thermoplastic plates per set.		
08 38 19 00-0280			12" High, Scuff Plates For Impact Traffic Doors (08 38 19 00-0279)		
08 38 19 00-0281	SET		24" Wide x 12" High, Impact Traffic Door Scuff Plates	145.94	35.45
08 38 19 00-0282	SET		30" Wide x 12" High, Impact Traffic Door Scuff Plates	155.54	35.45
08 38 19 00-0283	SET		36" Wide x 12" High, Impact Traffic Door Scuff Plates	167.55	35.45
08 38 19 00-0284	SET		42" Wide x 12" High, Impact Traffic Door Scuff Plates	184.36	35.45
08 38 19 00-0285	SET		48" Wide x 12" High, Impact Traffic Door Scuff Plates	193.97	35.45
08 38 19 00-0286			24" High, Scuff Plates For Impact Traffic Doors (08 38 19 00-0279)		
08 38 19 00-0287	SET		24" Wide x 24" High, Impact Traffic Door Scuff Plates	193.97	35.45
08 38 19 00-0288	SET		30" Wide x 24" High, Impact Traffic Door Scuff Plates	237.21	35.45
08 38 19 00-0289	SET		36" Wide x 24" High, Impact Traffic Door Scuff Plates	261.22	35.45
08 38 19 00-0290	SET		42" Wide x 24" High, Impact Traffic Door Scuff Plates	294.85	35.45
08 38 19 00-0291	SET		48" Wide x 24" High, Impact Traffic Door Scuff Plates	316.47	35.45
08 38 19 00-0292			30" High, Scuff Plates For Impact Traffic Doors (08 38 19 00-0279)		
08 38 19 00-0293	SET		24" Wide x 30" High, Impact Traffic Door Scuff Plates	237.21	35.45
08 38 19 00-0294	SET		30" Wide x 30" High, Impact Traffic Door Scuff Plates	275.63	35.45
08 38 19 00-0295	SET		36" Wide x 30" High, Impact Traffic Door Scuff Plates	304.46	35.45
08 38 19 00-0296	SET		42" Wide x 30" High, Impact Traffic Door Scuff Plates	357.30	35.45
08 38 19 00-0297	SET		48" Wide x 30" High, Impact Traffic Door Scuff Plates	393.33	35.45
08 38 19 00-0298			36" High, Scuff Plates For Impact Traffic Doors (08 38 19 00-0279)		
08 38 19 00-0299	SET		24" Wide x 36" High, Impact Traffic Door Scuff Plates	261.22	35.45
08 38 19 00-0300	SET		30" Wide x 36" High, Impact Traffic Door Scuff Plates	304.46	35.45
08 38 19 00-0301	SET		36" Wide x 36" High, Impact Traffic Door Scuff Plates	352.49	35.45
08 38 19 00-0302	SET		42" Wide x 36" High, Impact Traffic Door Scuff Plates	378.91	35.45
08 38 19 00-0303	SET		48" Wide x 36" High, Impact Traffic Door Scuff Plates	419.75	35.45
08 38 19 00-0304			48" High, Scuff Plates For Impact Traffic Doors (08 38 19 00-0279)		
08 38 19 00-0305	SET		24" Wide x 48" High, Impact Traffic Door Scuff Plates	316.47	35.45
08 38 19 00-0306	SET		30" Wide x 48" High, Impact Traffic Door Scuff Plates	393.33	35.45
08 38 19 00-0307	SET		36" Wide x 48" High, Impact Traffic Door Scuff Plates	419.75	35.45
08 38 19 00-0308	SET		42" Wide x 48" High, Impact Traffic Door Scuff Plates	470.18	35.45



	MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 38 19 00-0309	SET			48" Wide x 48" High, Impact Traffic Door Scuff Plates.....	525.43	35.45
08 38 19 00-0310				Base Plates For Impact Traffic Doors <small>(08 38 19 00-0267)</small>		
				Note: Includes two base plates per set.		
08 38 19 00-0311				Galvanized, 18 Gauge Base Plates For Impact Traffic Doors <small>(08 38 19 00-0310)</small>		
08 38 19 00-0312				12" High, Galvanized, 18 Gauge Base Plates For Impact Traffic Doors <small>(08 38 19 00-0311)</small>		
08 38 19 00-0313	SET			24" Wide x 12" High, Galvanized, 18 Gauge Base Plates For Impact Traffic Doors	141.13	35.45
08 38 19 00-0314	SET			30" Wide x 12" High, Galvanized, 18 Gauge Base Plates For Impact Traffic Doors	150.74	35.45
08 38 19 00-0315	SET			36" Wide x 12" High, Galvanized, 18 Gauge Base Plates For Impact Traffic Doors	155.54	35.45
08 38 19 00-0316	SET			42" Wide x 12" High, Galvanized, 18 Gauge Base Plates For Impact Traffic Doors	177.16	35.45
08 38 19 00-0317	SET			48" Wide x 12" High, Galvanized, 18 Gauge Base Plates For Impact Traffic Doors	186.77	35.45
08 38 19 00-0318				24" High, Galvanized, 18 Gauge Base Plates For Impact Traffic Doors <small>(08 38 19 00-0311)</small>		
08 38 19 00-0319	SET			24" Wide x 24" High, Galvanized, 18 Gauge Base Plates For Impact Traffic Doors	177.16	35.45
08 38 19 00-0320	SET			30" Wide x 24" High, Galvanized, 18 Gauge Base Plates For Impact Traffic Doors	191.57	35.45
08 38 19 00-0321	SET			36" Wide x 24" High, Galvanized, 18 Gauge Base Plates For Impact Traffic Doors	205.98	35.45
08 38 19 00-0322	SET			42" Wide x 24" High, Galvanized, 18 Gauge Base Plates For Impact Traffic Doors	217.99	35.45
08 38 19 00-0323	SET			48" Wide x 24" High, Galvanized, 18 Gauge Base Plates For Impact Traffic Doors	237.21	35.45
08 38 19 00-0324				30" High, Galvanized, 18 Gauge Base Plates For Impact Traffic Doors <small>(08 38 19 00-0311)</small>		
08 38 19 00-0325	SET			24" Wide x 30" High, Galvanized, 18 Gauge Base Plates For Impact Traffic Doors	201.18	35.45
08 38 19 00-0326	SET			30" Wide x 30" High, Galvanized, 18 Gauge Base Plates For Impact Traffic Doors	213.19	35.45
08 38 19 00-0327	SET			36" Wide x 30" High, Galvanized, 18 Gauge Base Plates For Impact Traffic Doors	242.01	35.45
08 38 19 00-0328	SET			42" Wide x 30" High, Galvanized, 18 Gauge Base Plates For Impact Traffic Doors	273.23	35.45
08 38 19 00-0329	SET			48" Wide x 30" High, Galvanized, 18 Gauge Base Plates For Impact Traffic Doors	287.64	35.45
08 38 19 00-0330				36" High, Galvanized, 18 Gauge Base Plates For Impact Traffic Doors <small>(08 38 19 00-0311)</small>		
08 38 19 00-0331	SET			24" Wide x 36" High, Galvanized, 18 Gauge Base Plates For Impact Traffic Doors	213.19	35.45
08 38 19 00-0332	SET			30" Wide x 36" High, Galvanized, 18 Gauge Base Plates For Impact Traffic Doors	237.21	35.45
08 38 19 00-0333	SET			36" Wide x 36" High, Galvanized, 18 Gauge Base Plates For Impact Traffic Doors	273.23	35.45
08 38 19 00-0334	SET			42" Wide x 36" High, Galvanized, 18 Gauge Base Plates For Impact Traffic Doors	302.06	35.45
08 38 19 00-0335	SET			48" Wide x 36" High, Galvanized, 18 Gauge Base Plates For Impact Traffic Doors	318.87	35.45
08 38 19 00-0336				48" High, Galvanized, 18 Gauge Base Plates For Impact Traffic Doors <small>(08 38 19 00-0311)</small>		
08 38 19 00-0337	SET			24" Wide x 48" High, Galvanized, 18 Gauge Base Plates For Impact Traffic Doors	268.43	35.45
08 38 19 00-0338	SET			30" Wide x 48" High, Galvanized, 18 Gauge Base Plates For Impact Traffic Doors	302.06	35.45
08 38 19 00-0339	SET			36" Wide x 48" High, Galvanized, 18 Gauge Base Plates For Impact Traffic Doors	347.69	35.45
08 38 19 00-0340	SET			42" Wide x 48" High, Galvanized, 18 Gauge Base Plates For Impact Traffic Doors	369.31	35.45
08 38 19 00-0341	SET			48" Wide x 48" High, Galvanized, 18 Gauge Base Plates For Impact Traffic Doors	398.13	35.45
08 38 19 00-0342				Stainless Steel, 18 Gauge Base Plates For Impact Traffic Doors <small>(08 38 19 00-0310)</small>		
08 38 19 00-0343				12" High, Stainless Steel, 18 Gauge Base Plates For Impact Traffic Doors <small>(08 38 19 00-0342)</small>		
08 38 19 00-0344	SET			24" Wide x 12" High, Stainless Steel, 18 Gauge Base Plates For Impact Traffic Doors	184.36	35.45
08 38 19 00-0345	SET			30" Wide x 12" High, Stainless Steel, 18 Gauge Base Plates For Impact Traffic Doors	193.97	35.45
08 38 19 00-0346	SET			36" Wide x 12" High, Stainless Steel, 18 Gauge Base Plates For Impact Traffic Doors	222.79	35.45
08 38 19 00-0347	SET			42" Wide x 12" High, Stainless Steel, 18 Gauge Base Plates For Impact Traffic Doors	237.21	35.45
08 38 19 00-0348	SET			48" Wide x 12" High, Stainless Steel, 18 Gauge Base Plates For Impact Traffic Doors	278.04	35.45
08 38 19 00-0349				24" High, Stainless Steel, 18 Gauge Base Plates For Impact Traffic Doors <small>(08 38 19 00-0342)</small>		
08 38 19 00-0350	SET			24" Wide x 24" High, Stainless Steel, 18 Gauge Base Plates For Impact Traffic Doors	251.62	35.45
08 38 19 00-0351	SET			30" Wide x 24" High, Stainless Steel, 18 Gauge Base Plates For Impact Traffic Doors	294.85	35.45
08 38 19 00-0352	SET			36" Wide x 24" High, Stainless Steel, 18 Gauge Base Plates For Impact Traffic Doors	338.08	35.45
08 38 19 00-0353	SET			42" Wide x 24" High, Stainless Steel, 18 Gauge Base Plates For Impact Traffic Doors	390.92	35.45
08 38 19 00-0354	SET			48" Wide x 24" High, Stainless Steel, 18 Gauge Base Plates For Impact Traffic Doors	438.96	35.45
08 38 19 00-0355				30" High, Stainless Steel, 18 Gauge Base Plates For Impact Traffic Doors <small>(08 38 19 00-0342)</small>		
08 38 19 00-0356	SET			24" Wide x 30" High, Stainless Steel, 18 Gauge Base Plates For Impact Traffic Doors	285.24	35.45
08 38 19 00-0357	SET			30" Wide x 30" High, Stainless Steel, 18 Gauge Base Plates For Impact Traffic Doors	342.89	35.45
08 38 19 00-0358	SET			36" Wide x 30" High, Stainless Steel, 18 Gauge Base Plates For Impact Traffic Doors	395.73	35.45
08 38 19 00-0359	SET			42" Wide x 30" High, Stainless Steel, 18 Gauge Base Plates For Impact Traffic Doors	450.97	35.45
08 38 19 00-0360	SET			48" Wide x 30" High, Stainless Steel, 18 Gauge Base Plates For Impact Traffic Doors	515.82	35.45
08 38 19 00-0361				36" High, Stainless Steel, 18 Gauge Base Plates For Impact Traffic Doors <small>(08 38 19 00-0342)</small>		
08 38 19 00-0362	SET			24" Wide x 36" High, Stainless Steel, 18 Gauge Base Plates For Impact Traffic Doors	328.48	35.45

08	Openings
08 30	Specialty Doors And Frames
08 38	Traffic Doors



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 38 19 00-0363 SET 30" Wide x 36" High, Stainless Steel, 18 Gauge Base Plates For Impact Traffic Doors	390.92	35.45
08 38 19 00-0364 SET 36" Wide x 36" High, Stainless Steel, 18 Gauge Base Plates For Impact Traffic Doors	462.98	35.45
08 38 19 00-0365 SET 42" Wide x 36" High, Stainless Steel, 18 Gauge Base Plates For Impact Traffic Doors	532.63	35.45
08 38 19 00-0366 SET 48" Wide x 36" High, Stainless Steel, 18 Gauge Base Plates For Impact Traffic Doors	592.68	35.45
08 38 19 00-0367 48" High, Stainless Steel, 18 Gauge Base Plates For Impact Traffic Doors ^(08 38 19 00-0342)		
08 38 19 00-0368 SET 24" Wide x 48" High, Stainless Steel, 18 Gauge Base Plates For Impact Traffic Doors	405.33	35.45
08 38 19 00-0369 SET 30" Wide x 48" High, Stainless Steel, 18 Gauge Base Plates For Impact Traffic Doors	554.25	35.45
08 38 19 00-0370 SET 36" Wide x 48" High, Stainless Steel, 18 Gauge Base Plates For Impact Traffic Doors	592.68	35.45
08 38 19 00-0371 SET 42" Wide x 48" High, Stainless Steel, 18 Gauge Base Plates For Impact Traffic Doors	707.97	35.45
08 38 19 00-0372 SET 48" Wide x 48" High, Stainless Steel, 18 Gauge Base Plates For Impact Traffic Doors	775.22	35.45
08 38 19 00-0373 One Galvanized And One Stainless Steel, 18 Gauge Base Plates For Impact Traffic Doors ^(08 38 19 00-0310)		
08 38 19 00-0374 12" High, One Galvanized And One Stainless Steel, 18 Gauge Base Plates For Impact Traffic Doors ^(08 38 19 00-0373)		
08 38 19 00-0375 SET 24" Wide x 12" High, One Galvanized And One Stainless Steel, 18 Gauge Base Plates For Impact Traffic Doors	165.15	35.45
08 38 19 00-0376 SET 30" Wide x 12" High, One Galvanized And One Stainless Steel, 18 Gauge Base Plates For Impact Traffic Doors	177.16	35.45
08 38 19 00-0377 SET 36" Wide x 12" High, One Galvanized And One Stainless Steel, 18 Gauge Base Plates For Impact Traffic Doors	191.57	35.45
08 38 19 00-0378 SET 42" Wide x 12" High, One Galvanized And One Stainless Steel, 18 Gauge Base Plates For Impact Traffic Doors	208.38	35.45
08 38 19 00-0379 SET 48" Wide x 12" High, One Galvanized And One Stainless Steel, 18 Gauge Base Plates For Impact Traffic Doors	234.80	35.45
08 38 19 00-0380 24" High, One Galvanized And One Stainless Steel, 18 Gauge Base Plates For Impact Traffic Doors ^(08 38 19 00-0373)		
08 38 19 00-0381 SET 24" Wide x 24" High, One Galvanized And One Stainless Steel, 18 Gauge Base Plates For Impact Traffic Doors	217.99	35.45
08 38 19 00-0382 SET 30" Wide x 24" High, One Galvanized And One Stainless Steel, 18 Gauge Base Plates For Impact Traffic Doors	246.81	35.45
08 38 19 00-0383 SET 36" Wide x 24" High, One Galvanized And One Stainless Steel, 18 Gauge Base Plates For Impact Traffic Doors	275.63	35.45
08 38 19 00-0384 SET 42" Wide x 24" High, One Galvanized And One Stainless Steel, 18 Gauge Base Plates For Impact Traffic Doors	306.86	35.45
08 38 19 00-0385 SET 48" Wide x 24" High, One Galvanized And One Stainless Steel, 18 Gauge Base Plates For Impact Traffic Doors	342.89	35.45
08 38 19 00-0386 30" High, One Galvanized And One Stainless Steel, 18 Gauge Base Plates For Impact Traffic Doors ^(08 38 19 00-0373)		
08 38 19 00-0387 SET 24" Wide x 30" High, One Galvanized And One Stainless Steel, 18 Gauge Base Plates For Impact Traffic Doors	246.81	35.45
08 38 19 00-0388 SET 30" Wide x 30" High, One Galvanized And One Stainless Steel, 18 Gauge Base Plates For Impact Traffic Doors	282.84	35.45
08 38 19 00-0389 SET 36" Wide x 30" High, One Galvanized And One Stainless Steel, 18 Gauge Base Plates For Impact Traffic Doors	323.67	35.45
08 38 19 00-0390 SET 42" Wide x 30" High, One Galvanized And One Stainless Steel, 18 Gauge Base Plates For Impact Traffic Doors	374.11	35.45
08 38 19 00-0391 SET 48" Wide x 30" High, One Galvanized And One Stainless Steel, 18 Gauge Base Plates For Impact Traffic Doors	407.74	35.45
08 38 19 00-0392 36" High, One Galvanized And One Stainless Steel, 18 Gauge Base Plates For Impact Traffic Doors ^(08 38 19 00-0373)		
08 38 19 00-0393 SET 24" Wide x 36" High, One Galvanized And One Stainless Steel, 18 Gauge Base Plates For Impact Traffic Doors	275.63	35.45
08 38 19 00-0394 SET 30" Wide x 36" High, One Galvanized And One Stainless Steel, 18 Gauge Base Plates For Impact Traffic Doors	323.67	35.45
08 38 19 00-0395 SET 36" Wide x 36" High, One Galvanized And One Stainless Steel, 18 Gauge Base Plates For Impact Traffic Doors	374.11	35.45
08 38 19 00-0396 SET 42" Wide x 36" High, One Galvanized And One Stainless Steel, 18 Gauge Base Plates For Impact Traffic Doors	424.55	35.45
08 38 19 00-0397 SET 48" Wide x 36" High, One Galvanized And One Stainless Steel, 18 Gauge Base Plates For Impact Traffic Doors	460.58	35.45
08 38 19 00-0398 48" High, One Galvanized And One Stainless Steel, 18 Gauge Base Plates For Impact Traffic Doors ^(08 38 19 00-0373)		
08 38 19 00-0399 SET 24" Wide x 48" High, One Galvanized And One Stainless Steel, 18 Gauge Base Plates For Impact Traffic Doors	342.89	35.45
08 38 19 00-0400 SET 30" Wide x 48" High, One Galvanized And One Stainless Steel, 18 Gauge Base Plates For Impact Traffic Doors	417.34	35.45
08 38 19 00-0401 SET 36" Wide x 48" High, One Galvanized And One Stainless Steel, 18 Gauge Base Plates For Impact Traffic Doors	460.58	35.45
08 38 19 00-0402 SET 42" Wide x 48" High, One Galvanized And One Stainless Steel, 18 Gauge Base Plates For Impact Traffic Doors	547.04	35.45
08 38 19 00-0403 SET 48" Wide x 48" High, One Galvanized And One Stainless Steel, 18 Gauge Base Plates For Impact Traffic Doors	571.06	35.45
08 38 19 00-0404 Jamb Guards For Impact Traffic Doors ^(08 38 19 00-0267)		
08 38 19 00-0405 EA 3" x 9", Jamb Guard For Impact Traffic Doors	224.47	44.33
08 38 19 00-0406 EA 5" x 18", Jamb Guard For Impact Traffic Doors	296.52	44.33
08 38 19 00-0407 EA 5" x 18", Stainless Steel Jamb Guard For Impact Traffic Doors	560.73	44.33
08 38 19 00-0408 Other Impact Traffic Door Accessories ^(08 38 19 00-0267)		
08 38 19 00-0409 EA Push Plate For Impact Traffic Doors	60.59	22.16
08 38 19 00-0410 EA Pull Handle For Impact Traffic Doors	77.40	22.16
08 38 19 00-0411 EA Deadbolt Lock For Impact Traffic Doors	180.68	22.16
08 38 19 00-0412 PR Lock Hole Reinforcements For Impact Traffic Doors	223.92	22.16
08 38 19 00-0413 PR Padlock Brackets For Impact Traffic Doors	94.22	22.16
08 38 19 00-0414 Impact Traffic Door Knock Down Frames ^(08 38 19)		
Note: Frames are 16 gauge galvanized steel with reinforcement at hardware locations.		



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
-------	-----	-----	-------------	------------------------	----------------------

08 38 19 00-0415			Single Door, Impact Traffic Door Knock Down Frames <small>(08 38 19 00-0414)</small>		
08 38 19 00-0416			84" Height, Single Door, Impact Traffic Door Knock Down Frames <small>(08 38 19 00-0415)</small>		
08 38 19 00-0417	EA		24" x 84" Opening, Single Door, Impact Traffic Door Knock Down Frame.....	561.96	66.48
08 38 19 00-0418	EA		28" x 84" Opening, Single Door, Impact Traffic Door Knock Down Frame.....	656.98	73.13
08 38 19 00-0419	EA		30" x 84" Opening, Single Door, Impact Traffic Door Knock Down Frame.....	673.99	77.57
08 38 19 00-0420	EA		32" x 84" Opening, Single Door, Impact Traffic Door Knock Down Frame.....	694.43	84.22
08 38 19 00-0421	EA		36" x 84" Opening, Single Door, Impact Traffic Door Knock Down Frame.....	712.48	88.64
08 38 19 00-0422	EA		40" x 84" Opening, Single Door, Impact Traffic Door Knock Down Frame.....	743.39	93.08
08 38 19 00-0423	EA		42" x 84" Opening, Single Door, Impact Traffic Door Knock Down Frame.....	767.00	97.51
08 38 19 00-0424	EA		44" x 84" Opening, Single Door, Impact Traffic Door Knock Down Frame.....	783.93	101.94
08 38 19 00-0425			90" Height, Single Door, Impact Traffic Door Knock Down Frames <small>(08 38 19 00-0415)</small>		
08 38 19 00-0426	EA		24" x 90" Opening, Single Door, Impact Traffic Door Knock Down Frame.....	572.68	66.48
08 38 19 00-0427	EA		28" x 90" Opening, Single Door, Impact Traffic Door Knock Down Frame.....	669.73	73.13
08 38 19 00-0428	EA		30" x 90" Opening, Single Door, Impact Traffic Door Knock Down Frame.....	686.97	77.57
08 38 19 00-0429	EA		32" x 90" Opening, Single Door, Impact Traffic Door Knock Down Frame.....	707.58	84.22
08 38 19 00-0430	EA		36" x 90" Opening, Single Door, Impact Traffic Door Knock Down Frame.....	725.86	88.64
08 38 19 00-0431	EA		40" x 90" Opening, Single Door, Impact Traffic Door Knock Down Frame.....	757.32	93.08
08 38 19 00-0432	EA		42" x 90" Opening, Single Door, Impact Traffic Door Knock Down Frame.....	781.29	97.51
08 38 19 00-0433	EA		44" x 90" Opening, Single Door, Impact Traffic Door Knock Down Frame.....	798.43	101.94
08 38 19 00-0434			96" Height, Single Door, Impact Traffic Door Knock Down Frames <small>(08 38 19 00-0415)</small>		
08 38 19 00-0435	EA		24" x 96" Opening, Single Door, Impact Traffic Door Knock Down Frame.....	586.92	66.48
08 38 19 00-0436	EA		28" x 96" Opening, Single Door, Impact Traffic Door Knock Down Frame.....	686.69	73.13
08 38 19 00-0437	EA		30" x 96" Opening, Single Door, Impact Traffic Door Knock Down Frame.....	704.19	77.57
08 38 19 00-0438	EA		32" x 96" Opening, Single Door, Impact Traffic Door Knock Down Frame.....	720.82	84.22
08 38 19 00-0439	EA		36" x 96" Opening, Single Door, Impact Traffic Door Knock Down Frame.....	743.64	88.64
08 38 19 00-0440	EA		40" x 96" Opening, Single Door, Impact Traffic Door Knock Down Frame.....	771.25	93.08
08 38 19 00-0441	EA		42" x 96" Opening, Single Door, Impact Traffic Door Knock Down Frame.....	800.29	97.51
08 38 19 00-0442	EA		44" x 96" Opening, Single Door, Impact Traffic Door Knock Down Frame.....	818.75	99.73
08 38 19 00-0443			Double Door, Impact Traffic Door Knock Down Frames <small>(08 38 19 00-0414)</small>		
08 38 19 00-0444			84" Height, Double Door, Impact Traffic Door Knock Down Frames <small>(08 38 19 00-0443)</small>		
08 38 19 00-0445	EA		48" x 84" Opening, Double Door, Impact Traffic Door Knock Down Frame.....	796.30	101.94
08 38 19 00-0446	EA		56" x 84" Opening, Double Door, Impact Traffic Door Knock Down Frame.....	810.31	103.71
08 38 19 00-0447	EA		60" x 84" Opening, Double Door, Impact Traffic Door Knock Down Frame.....	825.58	106.37
08 38 19 00-0448	EA		64" x 84" Opening, Double Door, Impact Traffic Door Knock Down Frame.....	848.25	110.81
08 38 19 00-0449	EA		72" x 84" Opening, Double Door, Impact Traffic Door Knock Down Frame.....	863.72	115.24
08 38 19 00-0450	EA		80" x 84" Opening, Double Door, Impact Traffic Door Knock Down Frame.....	890.47	116.13
08 38 19 00-0451	EA		84" x 84" Opening, Double Door, Impact Traffic Door Knock Down Frame.....	909.03	117.46
08 38 19 00-0452	EA		88" x 84" Opening, Double Door, Impact Traffic Door Knock Down Frame.....	931.87	119.67
08 38 19 00-0453			90" Height, Double Door, Impact Traffic Door Knock Down Frames <small>(08 38 19 00-0443)</small>		
08 38 19 00-0454	EA		48" x 90" Opening, Double Door, Impact Traffic Door Knock Down Frame.....	811.09	101.94
08 38 19 00-0455	EA		56" x 90" Opening, Double Door, Impact Traffic Door Knock Down Frame.....	825.32	103.71
08 38 19 00-0456	EA		60" x 90" Opening, Double Door, Impact Traffic Door Knock Down Frame.....	840.91	106.37
08 38 19 00-0457	EA		64" x 90" Opening, Double Door, Impact Traffic Door Knock Down Frame.....	863.91	110.81
08 38 19 00-0458	EA		72" x 90" Opening, Double Door, Impact Traffic Door Knock Down Frame.....	879.57	115.24
08 38 19 00-0459	EA		80" x 90" Opening, Double Door, Impact Traffic Door Knock Down Frame.....	906.92	116.13
08 38 19 00-0460	EA		84" x 90" Opening, Double Door, Impact Traffic Door Knock Down Frame.....	925.87	117.46
08 38 19 00-0461	EA		88" x 90" Opening, Double Door, Impact Traffic Door Knock Down Frame.....	949.18	119.67
08 38 19 00-0462			96" Height, Double Door, Impact Traffic Door Knock Down Frames <small>(08 38 19 00-0443)</small>		
08 38 19 00-0463	EA		48" x 96" Opening, Double Door, Impact Traffic Door Knock Down Frame.....	828.36	101.94
08 38 19 00-0464	EA		56" x 96" Opening, Double Door, Impact Traffic Door Knock Down Frame.....	840.31	103.71
08 38 19 00-0465	EA		60" x 96" Opening, Double Door, Impact Traffic Door Knock Down Frame.....	861.25	106.37
08 38 19 00-0466	EA		64" x 96" Opening, Double Door, Impact Traffic Door Knock Down Frame.....	879.57	110.81
08 38 19 00-0467	EA		72" x 96" Opening, Double Door, Impact Traffic Door Knock Down Frame.....	900.59	115.24
08 38 19 00-0468	EA		80" x 96" Opening, Double Door, Impact Traffic Door Knock Down Frame.....	931.18	116.13
08 38 19 00-0469	EA		84" x 96" Opening, Double Door, Impact Traffic Door Knock Down Frame.....	948.26	117.46
08 38 19 00-0470	EA		88" x 96" Opening, Double Door, Impact Traffic Door Knock Down Frame.....	970.09	119.67

08 40 Entrances, Storefronts, And Curtain Walls (08)

08 42 Entrances (08 40)

08 42 13 Aluminum-Framed Entrances (08 42)

08 42 13 00-0001 Aluminum Framed Entrance Doors (08 42 13)

Note: Includes frame, trim, necessary anchors, tempered glass, standard hardware (hinges, pull handle, push plate, threshold, door sweep) and prepared for panic device. Fixed doors mullion (on pairs). Excludes exit device and closer. Special-Lite. See CSI section 08 71 11 00-2087 for exit device, 08 71 11 00-2235 for closer.

08 Openings**08 40 Entrances, Storefronts, And Curtain Walls****08 42 Entrances**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 42 13 00-0002	EA		3' x 7' x 1-3/4" Medium Stile, Aluminum Framed Entrance Doors (Special-Lite SL-14).....	4,797.04	611.30
			Note: Including Glazing, Trim And Hardware		
			For 8' High Door, Add	446.26	
			For 10' High Door, Add	970.14	
			For 1" Insulated Glazing, Add	66.06	
08 42 13 00-0003	EA		3'-6" x 7' x 1-3/4" Medium Stile, Aluminum Framed Entrance Doors (Special-Lite SL-14).....	4,822.19	611.30
			Note: Including Glazing, Trim And Hardware		
			For 8' High Door, Add	449.16	
			For 10' High Door, Add	976.43	
			For 1" Insulated Glazing, Add	66.06	
08 42 13 00-0004	PR		6' x 7' x 1-3/4" Medium Stile, Aluminum Framed Entrance Doors (Special-Lite SL-14).....	8,095.77	916.77
			Note: Including Glazing, Trim And Hardware		
			For 8' High Door, Add	773.23	
			For 10' High Door, Add	1,680.94	
			For 1" Insulated Glazing, Add	132.13	
08 42 13 00-0005	PR		7' x 7' x 1-3/4" Medium Stile, Aluminum Framed Entrance Doors (Special-Lite SL-14).....	9,332.93	916.77
			Note: Including Glazing, Trim And Hardware		
			For 8' High Door, Add	915.51	
			For 10' High Door, Add	1,990.23	
			For 1" Insulated Glazing, Add	132.13	
08 42 13 00-0006	EA		3' x 7' x 1-3/4" Wide Stile, Aluminum Framed Entrance Doors (Special-Lite SL-15).....	5,325.10	611.30
			Note: Including Glazing, Trim And Hardware		
			For 8' High Door, Add	506.99	
			For 10' High Door, Add	1,102.15	
			For 1" Insulated Glazing, Add	66.06	
08 42 13 00-0007	EA		3'-6" x 7' x 1-3/4" Wide Stile, Aluminum Framed Entrance Doors (Special-Lite SL-15).....	5,382.93	611.30
			Note: Including Glazing, Trim And Hardware		
			For 8' High Door, Add	513.64	
			For 10' High Door, Add	1,116.61	
			For 1" Insulated Glazing, Add	66.06	
08 42 13 00-0008	PR		6' x 7' x 1-3/4" Wide Stile, Aluminum Framed Entrance Doors (Special-Lite SL-15).....	9,094.05	916.77
			Note: Including Glazing, Trim And Hardware		
			For 8' High Door, Add	888.04	
			For 10' High Door, Add	1,930.51	
			For 1" Insulated Glazing, Add	132.13	
08 42 13 00-0009	PR		7' x 7' x 1-3/4" Wide Stile, Aluminum Framed Entrance Doors (Special-Lite SL-15).....	10,302.07	916.77
			Note: Including Glazing, Trim And Hardware		
			For 8' High Door, Add	1,026.96	
			For 10' High Door, Add	2,232.52	
			For 1" Insulated Glazing, Add	132.13	
08 42 26			All-Glass Entrances (08 42)		
08 42 26 00-0001			Full Glass Entrance Doors (08 42 26)		
			Note: Includes trim, necessary anchors, tempered glass, and standard hardware (hinges, handle, push plate, lock, closer). Excludes panic devices.		
08 42 26 00-0002	EA		3' x 7' x 1/2" Thick, Full Glass, Tempered, Glass Entrance Door.....	4,163.69	229.12
			Note: Including Trim And Hardware		
			For Anodized Color, Add	584.50	
			For Stainless Steel, Add	2,110.68	
			For 8' High Door, Add	373.43	
			For 10' High Door, Add	811.80	
			For 1" Insulated Glazing, Add	66.06	
08 42 26 00-0003	PR		6' x 7' x 1/2" Thick, Full Glass, Tempered, Glass Entrance Door (Per Pair 3' x 7' x 1/2").....	7,440.39	274.95
			Note: Including Trim And Hardware		
			For Anodized Color, Add	1,103.60	
			For Stainless Steel, Add	3,985.22	
			For 8' High Door, Add	705.08	
			For 10' High Door, Add	1,532.78	
			For 1" Insulated Glazing, Add	132.13	
08 42 26 00-0004	EA		3' x 7' x 5/8" Thick, Full Glass, Tempered, Glass Entrance Door.....	4,748.68	229.12
			Note: Including Trim And Hardware		
			For Anodized Color, Add	689.79	
			For Stainless Steel, Add	2,490.92	
			For 8' High Door, Add	440.70	
			For 10' High Door, Add	958.05	
			For 1" Insulated Glazing, Add	66.06	
08 42 26 00-0005	PR		6' x 7' x 5/8" Thick, Full Glass, Tempered, Glass Entrance Door (Per Pair 3' x 7' x 5/8").....	8,699.94	274.95
			Note: Including Trim And Hardware		
			For Anodized Color, Add	1,330.32	
			For Stainless Steel, Add	4,803.93	
			For 8' High Door, Add	849.93	
			For 10' High Door, Add	1,847.67	
			For 1" Insulated Glazing, Add	132.13	
08 42 26 00-0006	EA		3' x 7' x 3/4" Thick, Full Glass, Tempered, Glass Entrance Door.....	5,331.39	229.12
			Note: Including Trim And Hardware		
			For Anodized Color, Add	794.68	
			For Stainless Steel, Add	2,869.69	
			For 8' High Door, Add	507.71	
			For 10' High Door, Add	1,103.73	
			For 1" Insulated Glazing, Add	66.06	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 42 26 00-0007 PR 6' x 7' x 3/4" Thick, Full Glass, Tempered, Glass Entrance Door (Per Pair 3' x 7' x 3/4").....	9,957.42	274.95
Note: Including Trim And Hardware		
For Anodized Color, Add	1,556.67	
For Stainless Steel, Add	5,621.29	
For 8' High Door, Add	994.54	
For 10' High Door, Add	2,162.04	
For 1" Insulated Glazing, Add	132.13	
08 42 26 00-0008 EA 3' x 7' x 1" Thick, Full Glass, Tempered, Glass Entrance Door.....	6,499.07	229.12
Note: Including Trim And Hardware		
For Anodized Color, Add	1,004.86	
For Stainless Steel, Add	3,628.68	
For 8' High Door, Add	642.00	
For 10' High Door, Add	1,395.65	
For 1" Insulated Glazing, Add	66.06	
08 42 26 00-0009 PR 6' x 7' x 1" Thick, Full Glass, Tempered, Glass Entrance Door (Per Pair 3' x 7' x 1").....	12,474.44	274.95
Note: Including Trim And Hardware		
For Anodized Color, Add	2,009.73	
For Stainless Steel, Add	7,257.35	
For 8' High Door, Add	1,283.99	
For 10' High Door, Add	2,791.29	
For 1" Insulated Glazing, Add	132.13	
08 42 26 00-0010 Frames For Full Glass Doors (08 42 26)		
08 42 26 00-0011 LF Glass Entrance Door, Light Weight Aluminum Frame, 1/8" x 17" Shaped Jamb - Head.....	22.20	2.75
08 42 26 00-0012 LF Glass Entrance Door, Heavy Weight Aluminum Frame, 1/8" x 17" Shaped Jamb - Head	28.76	3.66
08 42 29 Automatic Entrances (08 42)		
08 42 29 23 Sliding Automatic Entrances (08 42 29)		
Note: Power-operated automatic sliding doors may be used as emergency egress doors as they can break-out in the direction of egress. Excludes glazing. See CSI section 08 80 00 00-0000 for glazing.		
08 42 29 23-0001 Bronze Finished Framed Sliding Automatic Entrances (08 42 29 23)		
08 42 29 23-0002 2 Panel, Bronze Finished Framed Sliding Automatic Entrance (08 42 29 23-0001)		
Note: Single sliding.		
08 42 29 23-0003 EA 5'-0" x 6'-8" 2 Panel, Bronze Finished Framed Sliding Automatic Entrance.....	1,924.66	91.65
For 7'-8" Frame Height (6'-11" Clear Door Opening Height), Add	130.60	
For Emergency Egress On All Panels, Add	348.27	
08 42 29 23-0004 EA 6'-0" x 6'-8" 2 Panel, Bronze Finished Framed Sliding Automatic Entrance.....	2,144.65	123.73
For 7'-8" Frame Height (6'-11" Clear Door Opening Height), Add	142.29	
For Emergency Egress On All Panels, Add	379.44	
08 42 29 23-0005 EA 7'-0" x 6'-8" 2 Panel, Bronze Finished Framed Sliding Automatic Entrance.....	2,333.77	137.47
For 7'-8" Frame Height (6'-11" Clear Door Opening Height), Add	154.41	
For Emergency Egress On All Panels, Add	411.76	
08 42 29 23-0006 EA 8'-0" x 6'-8" 2 Panel, Bronze Finished Framed Sliding Automatic Entrance.....	2,517.69	151.22
For 7'-8" Frame Height (6'-11" Clear Door Opening Height), Add	166.14	
For Emergency Egress On All Panels, Add	443.05	
08 42 29 23-0007 EA 10'-0" x 6'-8" 2 Panel, Bronze Finished Framed Sliding Automatic Entrance.....	3,303.98	183.30
For 7'-8" Frame Height (6'-11" Clear Door Opening Height), Add	220.30	
For Emergency Egress On All Panels, Add	587.48	
08 42 29 23-0008 EA 12'-0" x 6'-8" 2 Panel, Bronze Finished Framed Sliding Automatic Entrance.....	3,437.48	215.38
For 7'-8" Frame Height (6'-11" Clear Door Opening Height), Add	225.50	
For Emergency Egress On All Panels, Add	601.34	
08 42 29 23-0009 EA 15'-0" x 6'-8" 2 Panel, Bronze Finished Framed Sliding Automatic Entrance.....	4,584.61	247.45
For 7'-8" Frame Height (6'-11" Clear Door Opening Height), Add	306.73	
For Emergency Egress On All Panels, Add	817.94	
08 42 29 23-0010 4 Panel, Bronze Finished Framed Sliding Automatic Entrance (08 42 29 23-0001)		
Note: Bi-parting.		
08 42 29 23-0011 EA 12'-0" x 6'-8" 4 Panel, Bronze Finished Framed Sliding Automatic Entrance.....	3,866.14	229.12
For 7'-8" Frame Height (6'-11" Clear Door Opening Height), Add	255.59	
For Emergency Egress On All Panels, Add	681.58	
08 42 29 23-0012 EA 14'-0" x 6'-8" 4 Panel, Bronze Finished Framed Sliding Automatic Entrance.....	4,239.25	252.04
For 7'-8" Frame Height (6'-11" Clear Door Opening Height), Add	280.14	
For Emergency Egress On All Panels, Add	747.04	
08 42 29 23-0013 EA 16'-0" x 6'-8" 4 Panel, Bronze Finished Framed Sliding Automatic Entrance.....	4,612.36	274.95
For 7'-8" Frame Height (6'-11" Clear Door Opening Height), Add	304.68	
For Emergency Egress On All Panels, Add	812.49	
08 42 29 23-0014 EA 18'-0" x 6'-8" 4 Panel, Bronze Finished Framed Sliding Automatic Entrance.....	5,567.69	297.86
For 7'-8" Frame Height (6'-11" Clear Door Opening Height), Add	372.90	
For Emergency Egress On All Panels, Add	994.39	
08 42 29 23-0015 EA 20'-0" x 6'-8" 4 Panel, Bronze Finished Framed Sliding Automatic Entrance.....	6,523.03	320.68
For 7'-8" Frame Height (6'-11" Clear Door Opening Height), Add	441.11	
For Emergency Egress On All Panels, Add	1,176.30	
08 42 29 23-0016 Aluminum Finished Framed Sliding Automatic Entrances (08 42 29 23)		
08 42 29 23-0017 2 Panel, Aluminum Finished Framed Sliding Automatic Entrance (08 42 29 23-0016)		
Note: Single sliding.		

08 Openings**08 40 Entrances, Storefronts, And Curtain Walls****08 42 Entrances**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 42 29 23-0018	EA		5'-0" x 6'-8" 2 Panel, Aluminum Finished Framed Sliding Automatic Entrance <i>For 7'-8" Frame Height (6'-11" Clear Door Opening Height), Add</i> <i>For Emergency Egress On All Panels, Add</i>	1,760.60 118.30 315.46	91.65
08 42 29 23-0019	EA		6'-0" x 6'-8" 2 Panel, Aluminum Finished Framed Sliding Automatic Entrance <i>For 7'-8" Frame Height (6'-11" Clear Door Opening Height), Add</i> <i>For Emergency Egress On All Panels, Add</i>	1,965.93 128.89 343.70	123.73
08 42 29 23-0020	EA		7'-0" x 6'-8" 2 Panel, Aluminum Finished Framed Sliding Automatic Entrance <i>For 7'-8" Frame Height (6'-11" Clear Door Opening Height), Add</i> <i>For Emergency Egress On All Panels, Add</i>	2,136.80 139.64 372.37	137.47
08 42 29 23-0021	EA		8'-0" x 6'-8" 2 Panel, Aluminum Finished Framed Sliding Automatic Entrance <i>For 7'-8" Frame Height (6'-11" Clear Door Opening Height), Add</i> <i>For Emergency Egress On All Panels, Add</i>	2,308.99 150.49 401.31	151.22
08 42 29 23-0022	EA		10'-0" x 6'-8" 2 Panel, Aluminum Finished Framed Sliding Automatic Entrance <i>For 7'-8" Frame Height (6'-11" Clear Door Opening Height), Add</i> <i>For Emergency Egress On All Panels, Add</i>	3,027.27 199.55 532.13	183.30
08 42 29 23-0023	EA		12'-0" x 6'-8" 2 Panel, Aluminum Finished Framed Sliding Automatic Entrance <i>For 7'-8" Frame Height (6'-11" Clear Door Opening Height), Add</i> <i>For Emergency Egress On All Panels, Add</i>	3,154.22 204.26 544.69	215.38
08 42 29 23-0024	EA		15'-0" x 6'-8" 2 Panel, Aluminum Finished Framed Sliding Automatic Entrance <i>For 7'-8" Frame Height (6'-11" Clear Door Opening Height), Add</i> <i>For Emergency Egress On All Panels, Add</i>	4,199.37 277.84 740.89	247.45
08 42 29 23-0025			4 Panel, Aluminum Finished Framed Sliding Automatic Entrance (08 42 29 23-0016) Note: Bi-parting.		
08 42 29 23-0026	EA		12'-0" x 6'-8" 4 Panel, Aluminum Finished Framed Sliding Automatic Entrance <i>For 7'-8" Frame Height (6'-11" Clear Door Opening Height), Add</i> <i>For Emergency Egress On All Panels, Add</i>	3,545.11 231.52 617.37	229.12
08 42 29 23-0027	EA		14'-0" x 6'-8" 4 Panel, Aluminum Finished Framed Sliding Automatic Entrance <i>For 7'-8" Frame Height (6'-11" Clear Door Opening Height), Add</i> <i>For Emergency Egress On All Panels, Add</i>	3,887.37 253.75 676.66	252.04
08 42 29 23-0028	EA		16'-0" x 6'-8" 4 Panel, Aluminum Finished Framed Sliding Automatic Entrance <i>For 7'-8" Frame Height (6'-11" Clear Door Opening Height), Add</i> <i>For Emergency Egress On All Panels, Add</i>	4,229.63 275.98 735.95	274.95
08 42 29 23-0029	EA		18'-0" x 6'-8" 4 Panel, Aluminum Finished Framed Sliding Automatic Entrance <i>For 7'-8" Frame Height (6'-11" Clear Door Opening Height), Add</i> <i>For Emergency Egress On All Panels, Add</i>	5,099.30 337.77 900.72	297.86
08 42 29 23-0030	EA		20'-0" x 6'-8" 4 Panel, Aluminum Finished Framed Sliding Automatic Entrance <i>For 7'-8" Frame Height (6'-11" Clear Door Opening Height), Add</i> <i>For Emergency Egress On All Panels, Add</i>	5,968.98 399.56 1,065.49	320.68
08 42 29 23-0031			Stainless Steel Framed Sliding Automatic Entrances (08 42 29 23)		
08 42 29 23-0032			2 Panel, Stainless Steel Framed Sliding Automatic Entrance (08 42 29 23-0031) Note: Single sliding.		
08 42 29 23-0033	EA		5'-0" x 6'-8" 2 Panel, Stainless Steel Framed Sliding Automatic Entrance <i>For 7'-8" Frame Height (6'-11" Clear Door Opening Height), Add</i> <i>For Emergency Egress On All Panels, Add</i>	2,201.93 151.40 403.73	91.65
08 42 29 23-0034	EA		6'-0" x 6'-8" 2 Panel, Stainless Steel Framed Sliding Automatic Entrance <i>For 7'-8" Frame Height (6'-11" Clear Door Opening Height), Add</i> <i>For Emergency Egress On All Panels, Add</i>	2,446.76 164.95 439.86	123.73
08 42 29 23-0035	EA		7'-0" x 6'-8" 2 Panel, Stainless Steel Framed Sliding Automatic Entrance <i>For 7'-8" Frame Height (6'-11" Clear Door Opening Height), Add</i> <i>For Emergency Egress On All Panels, Add</i>	2,842.92 192.60 513.59	137.47
08 42 29 23-0036	EA		8'-0" x 6'-8" 2 Panel, Stainless Steel Framed Sliding Automatic Entrance <i>For 7'-8" Frame Height (6'-11" Clear Door Opening Height), Add</i> <i>For Emergency Egress On All Panels, Add</i>	3,261.46 221.93 591.80	151.22
08 42 29 23-0037	EA		10'-0" x 6'-8" 2 Panel, Stainless Steel Framed Sliding Automatic Entrance <i>For 7'-8" Frame Height (6'-11" Clear Door Opening Height), Add</i> <i>For Emergency Egress On All Panels, Add</i>	3,771.73 255.38 681.03	183.30
08 42 29 23-0038	EA		12'-0" x 6'-8" 2 Panel, Stainless Steel Framed Sliding Automatic Entrance <i>For 7'-8" Frame Height (6'-11" Clear Door Opening Height), Add</i> <i>For Emergency Egress On All Panels, Add</i>	3,916.24 261.41 697.10	215.38
08 42 29 23-0039	EA		15'-0" x 6'-8" 2 Panel, Stainless Steel Framed Sliding Automatic Entrance <i>For 7'-8" Frame Height (6'-11" Clear Door Opening Height), Add</i> <i>For Emergency Egress On All Panels, Add</i>	5,235.88 355.57 948.20	247.45
08 42 29 23-0040			4 Panel, Stainless Steel Framed Sliding Automatic Entrance (08 42 29 23-0031) Note: Bi-parting.		
08 42 29 23-0041	EA		12'-0" x 6'-8" 4 Panel, Stainless Steel Framed Sliding Automatic Entrance <i>For 7'-8" Frame Height (6'-11" Clear Door Opening Height), Add</i> <i>For Emergency Egress On All Panels, Add</i>	4,408.81 296.29 790.11	229.12
08 42 29 23-0042	EA		14'-0" x 6'-8" 4 Panel, Stainless Steel Framed Sliding Automatic Entrance <i>For 7'-8" Frame Height (6'-11" Clear Door Opening Height), Add</i> <i>For Emergency Egress On All Panels, Add</i>	4,834.02 324.75 865.99	252.04
08 42 29 23-0043	EA		16'-0" x 6'-8" 4 Panel, Stainless Steel Framed Sliding Automatic Entrance <i>For 7'-8" Frame Height (6'-11" Clear Door Opening Height), Add</i> <i>For Emergency Egress On All Panels, Add</i>	5,259.22 353.20 941.86	274.95
08 42 29 23-0044	EA		18'-0" x 6'-8" 4 Panel, Stainless Steel Framed Sliding Automatic Entrance <i>For 7'-8" Frame Height (6'-11" Clear Door Opening Height), Add</i> <i>For Emergency Egress On All Panels, Add</i>	6,359.40 432.28 1,152.74	297.86



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 42 29 23-0045 EA 20'-0" x 6'-8" 4 Panel, Stainless Steel Framed Sliding Automatic Entrance <i>For 7'-8" Frame Height (6'-11" Clear Door Opening Height), Add For Emergency Egress On All Panels, Add</i>	7,459.60 511.35 1,363.61	320.78
08 42 29 23-0046 Accessories For Sliding Automatic Entrances (08 42 29 23) See CSI section 08 42 29 33-0006 for eye operators.		
08 42 29 23-0047 EA Automatic 2 Panel Sliding Door Motor, Activation Eye Or Push Button Controls <i>Note: Includes motor for pair of sliding doors (2 panels).</i>	4,803.46	886.44
08 42 29 23-0048 EA Automatic 4 Panel Sliding Door Motor, Activation Eye Or Push Button Controls <i>Note: Includes motor for pair of sliding doors (4 panel).</i>	8,036.14	1,329.67
08 42 29 33 Swinging Automatic Entrances (08 42 29) <i>Note: Excludes glazing.</i>		
08 42 29 33-0001 Swing Door Operators, Up To 350 LB Panel Weight (08 42 29 33) <i>Note: Includes electro-mechanical swinging door operator and electrical controls, aluminum header, connecting hardware, actuating controls, and on/off/hold open switch. Excludes activation device, doors, and power connection. Stanley Magic Force or equal.</i>		
08 42 29 33-0002 EA Concealed Single Door Swing Door Operator, Up To 350 LB Panel <i>Note: For new storefront or existing concealed operator installations.</i>	2,683.08	395.34
08 42 29 33-0003 EA Concealed Pair Of Doors Swing Door Operator, Up To 350 LB Panel <i>Note: For new storefront or existing concealed operator installations.</i>	4,575.97	527.15
08 42 29 33-0004 EA Exposed Single Door Swing Door Operator, Up To 350 LB Panel	2,227.98	316.27
08 42 29 33-0005 EA Exposed Pair Of Doors Swing Door Operator, Up To 350 LB Panel	3,981.11	474.40
08 42 29 33-0006 Activation Devices For Door Operators (08 42 29 33)		
08 42 29 33-0007 EA Overhead Active Infrared Presence Detector For Door Operators (MS Sedco DH97)..... <i>Note: Includes wiring harness and relays.</i>	382.44	31.62
08 42 29 33-0008 EA On Door Active Infrared Presence Detector For Door Operator (Stanley Sentrex RS)..... <i>Note: Includes wiring harness and relays.</i>	337.19	31.62
08 42 29 33-0009 EA Microwave Motion Sensor For Door Operator (MS Sedco D38)..... <i>Note: Includes wiring harness and relays.</i>	340.80	31.62
08 42 29 33-0010 EA Push Plate For Door Operator (MS Sedco 59 Series)..... <i>Note: Excludes wiring from operator to push plate.</i>	123.66	31.62
08 42 29 33-0011 EA Jamb Mounted Push Button For Door Operator (MS Sedco 425 Series)..... <i>Note: Excludes wiring from operator to push button.</i>	103.00	31.62
08 42 29 33-0012 EA Radio Control System For Door Operator (MS Sedco Clearpath)..... <i>Note: Includes receiver and two push plate transmitters.</i>	541.11	79.07
<i>For Single Transmitter (Includes Receiver, One Push Plate Transmitter, And One Jamb Mounted Push Button), Deduct</i>	-64.00	
08 42 29 33-0013 EA Combination Digital Camera/Motion Detector For Door Operators (Stanley StanVision)..... <i>Note: Includes wiring harness and relays.</i>	843.38	39.53
08 42 29 33-0014 EA Guard Rail For Door With Operator	160.40	39.53
08 42 33 Revolving Door Entrances (08 42)		
08 42 33 00-0001 Aluminum Revolving Doors (08 42 33) <i>Note: Includes 3/4" tempered glass.</i>		
08 42 33 00-0002 EA 4'-6" To 5' Diameter Revolving Door 6'-10" To 7' High Door, Aluminum, With Frame And Hardware <i>For Automatic Controls, Add For Powder Coated, Add</i>	31,409.13 7,455.28 1,271.85	4,736.82
08 42 33 00-0003 EA 5'-6" To 6' Diameter Revolving Door 6'-10" To 7' High Door, Aluminum, With Frame And Hardware <i>For Automatic Controls, Add For Powder Coated, Add</i>	42,351.37 8,757.92 1,598.23	7,105.34
08 42 33 00-0004 EA 6'-6" To 7" Diameter Revolving Door 6'-10" To 7' High Door, Aluminum, With Frame And Hardware <i>For Automatic Controls, Add For Powder Coated, Add</i>	64,798.04 9,539.50 2,826.34	8,526.36
08 42 33 00-0005 EA 4'-6" To 5' Diameter Revolving Door 7'-2" To 8' High Door, Aluminum, With Frame And Hardware <i>For Automatic Controls, Add For Powder Coated, Add</i>	42,963.40 7,721.12 1,424.33	5,210.46
08 42 33 00-0006 EA 5'-6" To 6' Diameter Revolving Door 7'-2" To 8' High Door, Aluminum, With Frame And Hardware <i>For Automatic Controls, Add For Powder Coated, Add</i>	46,914.07 9,113.18 1,789.84	7,816.12
08 42 33 00-0007 EA 6'-6" To 7" Diameter Revolving Door 7'-2" To 8' High Door, Aluminum, With Frame And Hardware <i>For Automatic Controls, Add For Powder Coated, Add</i>	72,379.54 10,060.56 3,165.19	9,379.00
08 42 33 00-0008 Stainless Steel Revolving Doors (08 42 33) <i>Note: Includes 3/4" tempered glass.</i>		
08 42 33 00-0009 EA 4'-6" To 5' Diameter Revolving Door 6'-10" To 7' High Door, Stainless Steel, With Frame And Hardware <i>For Automatic Controls, Add</i>	32,252.23 7,455.28	4,736.82
08 42 33 00-0010 EA 5'-6" To 6' Diameter Revolving Door 6'-10" To 7' High Door, Stainless Steel, With Frame And Hardware <i>For Automatic Controls, Add</i>	43,410.82 8,757.92	7,105.34
08 42 33 00-0011 EA 6'-6" To 7" Diameter Revolving Door 6'-10" To 7' High Door, Stainless Steel, With Frame And Hardware <i>For Automatic Controls, Add</i>	66,671.59 9,539.50	8,526.36
08 42 33 00-0012 EA 4'-6" To 5' Diameter Revolving Door 7'-2" To 8' High Door, Stainless Steel, With Frame And Hardware <i>For Automatic Controls, Add</i>	35,909.83 7,721.12	5,210.46
08 42 33 00-0013 EA 5'-6" To 6' Diameter Revolving Door 7'-2" To 8' High Door, Stainless Steel, With Frame And Hardware <i>For Automatic Controls, Add</i>	48,103.36 9,113.18	7,816.12

08 Openings**08 40 Entrances, Storefronts, And Curtain Walls****08 42 Entrances**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 42 33 00-0014	EA		6'-6" To 7' Diameter Revolving Door 7'-2" To 8' High Door, Stainless Steel, With Frame And Hardware <i>For Automatic Controls, Add</i>	74,482.71 10,060.56	9,379.00
08 42 33 00-0015 Bronze Revolving Doors (08 42 33)					
Note: Includes 3/4" tempered glass.					
08 42 33 00-0016	EA		4'-6" To 5' Diameter Revolving Door 6'-10" To 7' High Door, Bronze, With Frame And Hardware <i>For Automatic Controls, Add</i>	29,278.93 7,455.28	4,736.82
08 42 33 00-0017	EA		5'-6" To 6' Diameter Revolving Door 6'-10" To 7' High Door, Bronze, With Frame And Hardware <i>For Automatic Controls, Add</i>	39,674.53 8,757.92	7,105.34
08 42 33 00-0018	EA		6'-6" To 7' Diameter Revolving Door 6'-10" To 7' High Door, Bronze, With Frame And Hardware <i>For Automatic Controls, Add</i>	60,064.27 9,539.50	8,526.36
08 42 33 00-0019	EA		4'-6" To 5' Diameter Revolving Door 7'-2" To 8' High Door, Bronze, With Frame And Hardware <i>For Automatic Controls, Add</i>	32,579.73 7,721.12	5,210.46
08 42 33 00-0020	EA		5'-6" To 6' Diameter Revolving Door 7'-2" To 8' High Door, Bronze, With Frame And Hardware <i>For Automatic Controls, Add</i>	43,918.73 9,113.18	7,816.12
08 42 33 00-0021	EA		6'-6" To 7' Diameter Revolving Door 7'-2" To 8' High Door, Bronze, With Frame And Hardware <i>For Automatic Controls, Add</i>	67,082.51 10,060.56	9,379.00
08 42 36 Balanced Door Entrances (08 42)					
08 42 36 00-0001 Balanced Doors, With Glass (08 42 36)					
Note: Includes 3/4" tempered glass, check and door guide, top pivot with bearing, torsion bar closer spring, bottom arm, semi-automatic hold open device, floor box, door roller guide, bottom pivot, top arm.					
08 42 36 00-0002	EA		2'-6" x 7'-0" Balanced Door, Stainless Steel <i>For Bronze Instead Of Stainless Steel, Deduct</i> <i>For 70% Fluoropolymer Exterior Finish (Duranar), Add</i> <i>For Tinted Glass, Add</i> <i>For Aluminum, Painted Finish, Deduct</i>	14,598.74 -3,482.61 1,393.04 696.52 -4,179.13	267.24
08 42 36 00-0003	EA		3'-0" x 7'-0" Balanced Door, Stainless Steel <i>For Bronze Instead Of Stainless Steel, Deduct</i> <i>For 70% Fluoropolymer Exterior Finish (Duranar), Add</i> <i>For Tinted Glass, Add</i> <i>For Aluminum, Painted Finish, Deduct</i>	15,164.46 -3,624.04 1,449.62 724.81 -4,348.85	267.24
08 42 36 00-0004	EA		3'-6" x 7'-0" Balanced Door, Stainless Steel <i>For Bronze Instead Of Stainless Steel, Deduct</i> <i>For 70% Fluoropolymer Exterior Finish (Duranar), Add</i> <i>For Tinted Glass, Add</i> <i>For Aluminum, Painted Finish, Deduct</i>	16,538.43 -3,967.53 1,587.01 793.51 -4,761.04	267.24
08 42 36 00-0005	EA		4'-0" x 7'-0" Balanced Door, Stainless Steel <i>For Bronze Instead Of Stainless Steel, Deduct</i> <i>For 70% Fluoropolymer Exterior Finish (Duranar), Add</i> <i>For Tinted Glass, Add</i> <i>For Aluminum, Painted Finish, Deduct</i>	18,154.91 -4,371.65 1,748.66 874.33 -5,245.98	267.24
08 42 36 00-0006	PR		Pair 3'-0" x 7'-0" Balanced Door, Stainless Steel <i>For Bronze Instead Of Stainless Steel, Deduct</i> <i>For 70% Fluoropolymer Exterior Finish (Duranar), Add</i> <i>For Tinted Glass, Add</i> <i>For Aluminum, Painted Finish, Deduct</i>	30,262.12 -7,248.08 2,899.23 1,449.62 -8,697.70	507.92
08 43 Storefronts (08 40)					
08 43 13 Aluminum-Framed Storefronts (08 43)					
08 43 13 00-0001 Aluminum Storefront Framing Assembly (08 43 13)					
Note: Includes frames, fasteners and accessories. Excludes steel reinforcement, doors (revolving, full-glass, balanced, sliding, bi-parting, etc.) and glazing. See CSI section 08 43 13 00-0083 for reinforcing steel (where required), 08 81 23 23-0045 for laminated glazing, 08 81 23 23-0051 for insulated glazing.					
08 43 13 00-0002 1-3/4" x 4-1/2" Frame, Aluminum Storefront Framing Assembly (08 43 13 00-0001)					
Note: Includes subsill flashing, clear class II finish frames (sill, head jamb, vertical wall jamb), fasteners, caulking and accessories. Excludes steel reinforcement, doors (revolving, full-glass, balanced, sliding, bi-parting, etc.) and glazing.					
08 43 13 00-0003	SF		5' High, 1-3/4" x 4-1/2" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	19.24 0.54 1.63	6.73
08 43 13 00-0004	SF		6' High, 1-3/4" x 4-1/2" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	17.30 0.49 1.46	6.06
08 43 13 00-0005	SF		7' High, 1-3/4" x 4-1/2" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	15.90 0.45 1.34	5.58
08 43 13 00-0006	SF		8' High, 1-3/4" x 4-1/2" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	14.87 0.42 1.25	5.22
08 43 13 00-0007	SF		9' High, 1-3/4" x 4-1/2" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	14.06 0.39 1.18	4.95
08 43 13 00-0008	SF		10' High, 1-3/4" x 4-1/2" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	13.41 0.38 1.13	4.73
08 43 13 00-0009	SF		11' High, 1-3/4" x 4-1/2" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	12.88 0.36 1.08	4.55



		Openings	08
		Entrances, Storefronts, And Curtain Walls	08 40
		Storefronts	08 43

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 43 13 00-0010	SF		12' High, 1-3/4" x 4-1/2" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly..... <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	12.43 0.35 1.04	4.39
08 43 13 00-0011			1-3/4" x 4-1/2" Frame With Horizontal Mullion, Aluminum Storefront Framing Assembly (08 43 13 00-0001) Note: Includes subsill flashing, clear class II finish frames (sill, head jamb, vertical wall jamb, single horizontal mullion), fasteners, caulking and accessories. Excludes steel reinforcement, doors (revolving, full-glass, balanced, sliding, bi-parting, etc.) and glazing.		
08 43 13 00-0012	SF		5' High With Horizontal Mullion, 1-3/4" x 4-1/2" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly..... <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	25.10 0.71 2.13	8.79
08 43 13 00-0013	SF		6' High With Horizontal Mullion, 1-3/4" x 4-1/2" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly..... <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	22.14 0.62 1.87	7.79
08 43 13 00-0014	SF		7' High, With Horizontal Mullion, 1-3/4" x 4-1/2" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly..... <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	20.15 0.57 1.70	7.05
08 43 13 00-0015	SF		8' High, With Horizontal Mullion, 1-3/4" x 4-1/2" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly..... <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	18.58 0.52 1.56	6.51
08 43 13 00-0016	SF		9' High, With Horizontal Mullion, 1-3/4" x 4-1/2" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly..... <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	17.36 0.49 1.46	6.05
08 43 13 00-0017	SF		10' High, With Horizontal Mullion, 1-3/4" x 4-1/2" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly..... <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	16.33 0.46 1.37	5.78
08 43 13 00-0018	SF		11' High, With Horizontal Mullion, 1-3/4" x 4-1/2" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly..... <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	15.59 0.44 1.31	5.50
08 43 13 00-0019	SF		12' High, With Horizontal Mullion, 1-3/4" x 4-1/2" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly..... <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	14.92 0.42 1.25	5.22
08 43 13 00-0020			1-3/4" x 4-1/2" Frame With Two Horizontal Mullions, Aluminum Storefront Framing Assembly (08 43 13 00-0001) Note: Includes subsill flashing, clear class II finish frames (sill, head jamb, vertical wall jamb, two horizontal mullion), fasteners, caulking and accessories. Excludes steel reinforcement, doors (revolving, full-glass, balanced, sliding, bi-parting, etc.) and glazing.		
08 43 13 00-0021	SF		5' High With Two Horizontal Mullions, 1-3/4" x 4-1/2" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly..... <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	30.98 0.87 2.62	10.82
08 43 13 00-0022	SF		6' High With Two Horizontal Mullions, 1-3/4" x 4-1/2" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly..... <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	27.11 0.76 2.29	9.44
08 43 13 00-0023	SF		7' High, With Two Horizontal Mullions, 1-3/4" x 4-1/2" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly..... <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	24.32 0.68 2.05	8.52
08 43 13 00-0024	SF		8' High, With Two Horizontal Mullions, 1-3/4" x 4-1/2" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly..... <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	22.22 0.62 1.87	7.79
08 43 13 00-0025	SF		9' High, With Two Horizontal Mullions, 1-3/4" x 4-1/2" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly..... <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	20.54 0.58 1.73	7.24
08 43 13 00-0026	SF		10' High, With Two Horizontal Mullions, 1-3/4" x 4-1/2" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly..... <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	19.28 0.54 1.62	6.78
08 43 13 00-0027	SF		11' High, With Two Horizontal Mullions, 1-3/4" x 4-1/2" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly..... <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	18.23 0.51 1.53	6.42
08 43 13 00-0028	SF		12' High, With Two Horizontal Mullions, 1-3/4" x 4-1/2" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly..... <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	17.35 0.49 1.46	6.14

08 Openings**08 40 Entrances, Storefronts, And Curtain Walls****08 43 Storefronts**MINOR
CSI UOM DESCRIPTIONTOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 43 13 00-0029			2" x 4-1/2" Frame, Aluminum Storefront Framing Assembly (08 43 13 00-0001) Note: Includes subsill flashing, clear class II finish frames (sill, head jamb, vertical wall jamb), fasteners, caulking and accessories. Excludes steel reinforcement, doors (revolving, full-glass, balanced, sliding, bi-parting, etc.) and glazing.		
08 43 13 00-0030	SF		5' High, 2" x 4-1/2" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	19.87 0.55 1.66	7.05
08 43 13 00-0031	SF		6' High, 2" x 4-1/2" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	17.88 0.50 1.49	6.33
08 43 13 00-0032	SF		7' High, 2" x 4-1/2" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	16.35 0.45 1.36	5.87
08 43 13 00-0033	SF		8' High, 2" x 4-1/2" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	15.28 0.42 1.27	5.50
08 43 13 00-0034	SF		9' High, 2" x 4-1/2" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	14.41 0.40 1.19	5.13
08 43 13 00-0035	SF		10' High, 2" x 4-1/2" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	13.82 0.38 1.13	4.95
08 43 13 00-0036	SF		11' High, 2" x 4-1/2" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	13.18 0.36 1.09	4.77
08 43 13 00-0037	SF		12' High, 2" x 4-1/2" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	12.77 0.35 1.05	4.58
08 43 13 00-0038			2" x 4-1/2" Frame With Horizontal Mullion, Aluminum Storefront Framing Assembly (08 43 13 00-0001) Note: Includes subsill flashing, clear class II finish frames (sill, head jamb, vertical wall jamb, single horizontal mullion), fasteners, caulking and accessories. Excludes steel reinforcement, doors (revolving, full-glass, balanced, sliding, bi-parting, etc.) and glazing.		
08 43 13 00-0039	SF		5' High With Horizontal Mullion, 2" x 4-1/2" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	26.48 0.72 2.16	9.53
08 43 13 00-0040	SF		6' High With Horizontal Mullion, 2" x 4-1/2" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	23.30 0.63 1.90	8.43
08 43 13 00-0041	SF		7' High With Horizontal Mullion, 2" x 4-1/2" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	21.08 0.57 1.72	7.61
08 43 13 00-0042	SF		8' High With Horizontal Mullion, 2" x 4-1/2" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	19.39 0.53 1.58	7.05
08 43 13 00-0043	SF		9' High With Horizontal Mullion, 2" x 4-1/2" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	18.15 0.49 1.47	6.60
08 43 13 00-0044	SF		10' High With Horizontal Mullion, 2" x 4-1/2" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	17.03 0.46 1.38	6.23
08 43 13 00-0045	SF		11' High With Horizontal Mullion, 2" x 4-1/2" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	16.18 0.44 1.31	5.87
08 43 13 00-0046	SF		12' High With Horizontal Mullion, 2" x 4-1/2" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	15.48 0.42 1.25	5.59
08 43 13 00-0047			2" x 4-1/2" Frame With Two Horizontal Mullions, Aluminum Storefront Framing Assembly (08 43 13 00-0001) Note: Includes subsill flashing, clear class II finish frames (sill, head jamb, vertical wall jamb, two horizontal mullion), fasteners, caulking and accessories. Excludes steel reinforcement, doors (revolving, full-glass, balanced, sliding, bi-parting, etc.) and glazing.		
08 43 13 00-0048	SF		5' High With Two Horizontal Mullions, 2" x 4-1/2" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	31.90 0.89 2.66	11.37
08 43 13 00-0049	SF		6' High With Two Horizontal Mullions, 2" x 4-1/2" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	27.90 0.77 2.32	9.90



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 43 13 00-0050 SF 7' High With Two Horizontal Mullions, 2" x 4-1/2" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	24.98 0.69 2.07	8.89
08 43 13 00-0051 SF 8' High With Two Horizontal Mullions, 2" x 4-1/2" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	22.87 0.63 1.89	8.16
08 43 13 00-0052 SF 9' High With Two Horizontal Mullions, 2" x 4-1/2" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	21.16 0.58 1.75	7.52
08 43 13 00-0053 SF 10' High With Two Horizontal Mullions, 2" x 4-1/2" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	19.79 0.54 1.63	7.05
08 43 13 00-0054 SF 11' High With Two Horizontal Mullions, 2" x 4-1/2" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	18.72 0.51 1.54	6.69
08 43 13 00-0055 SF 12' High With Two Horizontal Mullions, 2" x 4-1/2" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	17.73 0.49 1.46	6.42
08 43 13 00-0056 2-1/2" x 5" Frame, Aluminum Storefront Framing Assembly <small>(08 43 13 00-0001)</small> Note: Includes subsill flashing, clear class II finish frames (sill, head jamb, vertical wall jamb), fasteners, caulking and accessories. Excludes steel reinforcement, doors (revolving, full-glass, balanced, sliding, bi-parting, etc.) and glazing.		
08 43 13 00-0057 SF 5' High, 2-1/2" x 5" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	23.94 0.78 2.35	7.24
08 43 13 00-0058 SF 6' High, 2-1/2" x 5" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	21.53 0.70 2.11	6.51
08 43 13 00-0059 SF 7' High, 2-1/2" x 5" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	19.86 0.65 1.94	5.96
08 43 13 00-0060 SF 8' High, 2-1/2" x 5" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	18.60 0.60 1.81	5.59
08 43 13 00-0061 SF 9' High, 2-1/2" x 5" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	17.61 0.57 1.72	5.31
08 43 13 00-0062 SF 10' High, 2-1/2" x 5" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	16.80 0.55 1.64	5.04
08 43 13 00-0063 SF 11' High, 2-1/2" x 5" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	16.17 0.52 1.57	4.86
08 43 13 00-0064 SF 12' High, 2-1/2" x 5" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	15.59 0.51 1.52	4.68
08 43 13 00-0065 2-1/2" x 5" Frame With Horizontal Mullion, Aluminum Storefront Framing Assembly <small>(08 43 13 00-0001)</small> Note: Includes subsill flashing, clear class II finish frames (sill, head jamb, vertical wall jamb, single horizontal mullion), fasteners, caulking and accessories. Excludes steel reinforcement, doors (revolving, full-glass, balanced, sliding, bi-parting, etc.) and glazing.		
08 43 13 00-0066 SF 5' High with Horizontal Mullion, 2-1/2" x 5" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	31.73 1.02 3.05	9.72
08 43 13 00-0067 SF 6' High with Horizontal Mullion, 2-1/2" x 5" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	28.02 0.90 2.70	8.61
08 43 13 00-0068 SF 7' High with Horizontal Mullion, 2-1/2" x 5" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	25.42 0.82 2.45	7.79
08 43 13 00-0069 SF 8' High with Horizontal Mullion, 2-1/2" x 5" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	23.45 0.75 2.26	7.15
08 43 13 00-0070 SF 9' High with Horizontal Mullion, 2-1/2" x 5" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	21.89 0.70 2.11	6.69
08 43 13 00-0071 SF 10' High with Horizontal Mullion, 2-1/2" x 5" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	20.69 0.66 1.99	6.33

08 Openings**08 40 Entrances, Storefronts, And Curtain Walls****08 43 Storefronts**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 43 13 00-0072	SF		11' High with Horizontal Mullion, 2-1/2" x 5" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	19.70 0.63 1.90	6.05
08 43 13 00-0073	SF		12' High with Horizontal Mullion, 2-1/2" x 5" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	18.79 0.61 1.82	5.78
08 43 13 00-0074			2-1/2" x 5" Frame With Two Horizontal Mullions, Aluminum Storefront Framing Assembly <small>(08 43 13 00-0001)</small> Note: Includes subsill flashing, clear class II finish frames (sill, head jamb, vertical wall jamb, two horizontal mullion), fasteners, caulking and accessories. Excludes steel reinforcement, doors (revolving, full-glass, balanced, sliding, bi-parting, etc.) and glazing.		
08 43 13 00-0075	SF		5' High With Two Horizontal Mullions, 2-1/2" x 5" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	38.03 1.25 3.76	11.37
08 43 13 00-0076	SF		6' High With Two Horizontal Mullions, 2-1/2" x 5" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	33.49 1.10 3.29	10.08
08 43 13 00-0077	SF		7' High With Two Horizontal Mullions, 2-1/2" x 5" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	30.06 0.98 2.95	9.08
08 43 13 00-0078	SF		8' High With Two Horizontal Mullions, 2-1/2" x 5" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	27.56 0.90 2.70	8.25
08 43 13 00-0079	SF		9' High With Two Horizontal Mullions, 2-1/2" x 5" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	25.55 0.83 2.50	7.70
08 43 13 00-0080	SF		10' High With Two Horizontal Mullions, 2-1/2" x 5" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	23.95 0.78 2.35	7.24
08 43 13 00-0081	SF		11' High With Two Horizontal Mullions, 2-1/2" x 5" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	22.58 0.74 2.22	6.78
08 43 13 00-0082	SF		12' High With Two Horizontal Mullions, 2-1/2" x 5" Frame, Vertical Mullions 4' On Center, Aluminum Storefront Framing Assembly <i>For Various Color Class I Anodized Finish, Add</i> <i>For Black Color Class I Anodized Finish, Add</i>	21.54 0.70 2.11	6.51
08 43 13 00-0083			Accessories For Aluminum Storefront Framing Assembly <small>(08 43 13 00-0001)</small>		
08 43 13 00-0084	LF		For 3/4" x 4-3/16" x 10 Gauge Galvanized Steel Reinforcing, Storefront Framing	24.72	6.10
08 43 13 00-0085	LF		For 1-1/4" x 4-3/16" x 10 Gauge Galvanized Steel Reinforcing, Storefront Framing	28.04	6.71
08 43 13 00-0086	LF		For 1-7/16" x 4-5/8" x 1/4" Steel Reinforcing, Storefront Framing	41.10	7.37
08 43 19			Stainless-Steel-Framed Storefronts <small>(08 43)</small>		
08 43 19 00-0001			Stainless Steel Storefront Framing Assembly <small>(08 43 19)</small> Note: Includes frames, reinforcing and accessories. Excludes doors (revolving, full-glass, balanced, sliding, bi-parting, etc.) and glazing. Per SF of opening area. See CSI section 08 81 23 23-0051 for insulated glazing.		
08 43 19 00-0002	SF		Stainless Steel Storefront Framing Assembly <i>For 70% Fluoropolymer Exterior Finish (Duranar), Add</i>	38.94 3.20	4.58
08 44			Curtain Wall And Glazed Assemblies <small>(08 44)</small>		
08 44 13			Glazed Aluminum Curtain Walls <small>(08 44)</small>		
08 44 13 00-0001			Curtain Walls <small>(08 44 13)</small>		
08 44 13 00-0002			Coping Sections <small>(08 44 13 00-0001)</small>		
08 44 13 00-0003	LF		Curtain Wall, 1/8" x 8" Coping Section Shaped (3") Aluminum System Framing Section <i>For Bronze Anodized Aluminum, Add</i> <i>For Stainless Steel, Add</i> <i>For Black Anodized Finish, Add</i>	46.57 4.57 19.10 8.23	2.75
08 44 13 00-0004	LF		Curtain Wall, 1/8" x 9" Coping Section Shaped (4") Aluminum System Framing Section <i>For Bronze Anodized Aluminum, Add</i> <i>For Stainless Steel, Add</i> <i>For Black Anodized Finish, Add</i>	48.20 4.82 20.08 8.67	2.75
08 44 13 00-0005	LF		Curtain Wall, 1/8" x 12-1/2" Coping Section Shaped (5-1/2") Aluminum Framing Section <i>For Bronze Anodized Aluminum, Add</i> <i>For Stainless Steel, Add</i> <i>For Black Anodized Finish, Add</i>	58.15 5.72 23.87 10.29	3.66



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 44 13 00-0006 Sill Section <small>(08 44 13 00-0001)</small>		
08 44 13 00-0007 LF Aluminum Curtain Wall, 1/8" x 6" Sill Section Shaped Aluminum System Framing Section.....	37.78	1.83
<i>For Bronze Anodized Aluminum, Add</i>	3.97	
<i>For Stainless Steel, Add</i>	16.44	
<i>For Black Anodized Finish, Add</i>	7.14	
08 44 13 00-0008 LF Aluminum Curtain Wall, 1/8" x 7" Sill Section Shaped Aluminum System Framing Section.....	40.61	1.83
<i>For Bronze Anodized Aluminum, Add</i>	4.39	
<i>For Stainless Steel, Add</i>	18.14	
<i>For Black Anodized Finish, Add</i>	7.91	
08 44 13 00-0009 LF Aluminum Curtain Wall, 1/8" x 8-1/2" Sill Section Shaped Aluminum System Framing Section	43.47	1.83
<i>For Bronze Anodized Aluminum, Add</i>	4.82	
<i>For Stainless Steel, Add</i>	19.86	
<i>For Black Anodized Finish, Add</i>	8.68	
08 44 13 00-0010 Aluminum Column Covers <small>(08 44 13 00-0001)</small>		
Note: Includes all clips and fasteners.		
08 44 13 00-0011 LF Aluminum Column Covers, 1/8" x 26", Shaped.....	92.43	4.58
<i>For Bronze Anodized Aluminum, Add</i>	9.99	
<i>For Stainless Steel, Add</i>	41.26	
<i>For Black Anodized Finish, Add</i>	17.98	
08 44 13 00-0012 LF Aluminum Column Covers, 1/8" x 34", Shaped.....	112.40	4.58
<i>For Bronze Anodized Aluminum, Add</i>	12.76	
<i>For Stainless Steel, Add</i>	52.39	
<i>For Black Anodized Finish, Add</i>	22.96	
08 44 13 00-0013 LF Aluminum Column Covers, 1/8" x 38", Shaped.....	119.94	4.58
<i>For Bronze Anodized Aluminum, Add</i>	13.89	
<i>For Stainless Steel, Add</i>	56.92	
<i>For Black Anodized Finish, Add</i>	25.00	
08 44 13 00-0014 Spandrel Covers <small>(08 44 13 00-0001)</small>		
Note: Where exterior facing only is described in the following the interior face will be tempered hardboard (to be painted).		
08 44 13 00-0015 SF 1" Spandrel Cover, Aluminum Both Faces.....	36.59	1.83
<i>For Bronze Anodized Aluminum, Add</i>	4.33	
<i>For Stainless Steel, Add</i>	17.72	
<i>For Black Anodized Finish, Add</i>	7.80	
08 44 13 00-0016 SF 1" Spandrel Cover, Aluminum Exterior Face.....	32.30	1.83
<i>For Bronze Anodized Aluminum, Add</i>	3.69	
<i>For Stainless Steel, Add</i>	15.15	
<i>For Black Anodized Finish, Add</i>	6.64	
08 44 13 00-0017 SF 1" Spandrel Cover, Epoxy Both Faces.....	67.80	1.83
<i>For Bronze Anodized Aluminum, Add</i>	9.02	
<i>For Stainless Steel, Add</i>	36.45	
<i>For Black Anodized Finish, Add</i>	16.23	
08 44 13 00-0018 SF 1" Spandrel Cover, Epoxy Exterior Face Only.....	55.71	1.83
<i>For Bronze Anodized Aluminum, Add</i>	7.20	
<i>For Stainless Steel, Add</i>	29.19	
<i>For Black Anodized Finish, Add</i>	12.96	
08 44 13 00-0019 SF 2" Spandrel Cover, Aluminum Both Faces.....	41.39	1.83
<i>For Bronze Anodized Aluminum, Add</i>	4.75	
<i>For Stainless Steel, Add</i>	19.50	
<i>For Black Anodized Finish, Add</i>	8.56	
08 44 13 00-0020 SF 2" Spandrel Cover, Aluminum Exterior Face.....	37.33	1.83
<i>For Bronze Anodized Aluminum, Add</i>	4.14	
<i>For Stainless Steel, Add</i>	17.06	
<i>For Black Anodized Finish, Add</i>	7.46	
08 44 13 00-0021 SF 2" Spandrel Cover, Epoxy Both Faces.....	77.71	1.83
<i>For Bronze Anodized Aluminum, Add</i>	10.20	
<i>For Stainless Steel, Add</i>	41.29	
<i>For Black Anodized Finish, Add</i>	18.36	
08 44 13 00-0022 SF 2" Spandrel Cover, Epoxy Exterior Face Only.....	63.77	1.83
<i>For Bronze Anodized Aluminum, Add</i>	8.11	
<i>For Stainless Steel, Add</i>	32.93	
<i>For Black Anodized Finish, Add</i>	14.60	
08 44 13 00-0023 Curtain Wall, Aluminum System Framing Sections <small>(08 44 13 00-0001)</small>		
Note: The prices are based on stock shapes of anodized aluminum, plain color and of 0.125" thickness.		
08 44 13 00-0024 LF Aluminum System Curtain Wall, 1-1/2" x 3" Jamb Aluminum Framed Window Walls.....	52.13	1.83
<i>For Bronze Anodized Aluminum, Add</i>	6.73	
<i>For Stainless Steel, Add</i>	27.28	
<i>For Black Anodized Finish, Add</i>	12.11	
08 44 13 00-0025 LF Aluminum System Curtain Wall, 1-1/2" x 3" Head Aluminum Framed Window Walls.....	51.99	1.83
<i>For Bronze Anodized Aluminum, Add</i>	6.73	
<i>For Stainless Steel, Add</i>	27.27	
<i>For Black Anodized Finish, Add</i>	12.11	
08 44 13 00-0026 LF Aluminum System Curtain Wall, 1-1/2" x 3" Mullion Aluminum Framed Window Walls.....	51.99	1.83
<i>For Bronze Anodized Aluminum, Add</i>	6.73	
<i>For Stainless Steel, Add</i>	27.27	
<i>For Black Anodized Finish, Add</i>	12.11	
<i>For Corner Mullion, Add</i>	12.28	

08 Openings**08 40 Entrances, Storefronts, And Curtain Walls****08 44 Curtain Wall And Glazed Assemblies**

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 44 13 00-0027 LF Aluminum System Curtain Wall, 2" x 4" Jamb Aluminum Framed Window Walls	64.61	3.66
For Bronze Anodized Aluminum, Add	8.04	
For Stainless Steel, Add	32.72	
For Black Anodized Finish, Add	14.47	
08 44 13 00-0028 LF Aluminum System Curtain Wall, 2" x 4" Horizontal Aluminum Framed Window Walls	64.61	3.66
For Bronze Anodized Aluminum, Add	8.04	
For Stainless Steel, Add	32.72	
For Black Anodized Finish, Add	14.47	
08 44 13 00-0029 LF Aluminum System Curtain Wall, 2" x 4" Mullion Aluminum Framed Window Walls	64.61	3.66
For Bronze Anodized Aluminum, Add	8.04	
For Stainless Steel, Add	32.72	
For Black Anodized Finish, Add	14.47	
For Corner Mullion, Add	15.05	
08 44 13 00-0030 LF Aluminum System Curtain Wall, 2" x 6" Jamb Aluminum Framed Window Walls	70.96	4.03
For Bronze Anodized Aluminum, Add	8.81	
For Stainless Steel, Add	35.86	
For Black Anodized Finish, Add	15.86	
08 44 13 00-0031 LF Aluminum System Curtain Wall, 2" x 6" Horizontal Aluminum Framed Window Walls	70.96	4.03
For Bronze Anodized Aluminum, Add	8.81	
For Stainless Steel, Add	35.86	
For Black Anodized Finish, Add	15.86	
08 44 13 00-0032 LF Aluminum System Curtain Wall, 2" x 6" Mullion Aluminum Framed Window Walls	70.96	4.03
For Bronze Anodized Aluminum, Add	8.81	
For Stainless Steel, Add	35.86	
For Black Anodized Finish, Add	15.86	
For Corner Mullion, Add	16.52	
08 44 13 00-0033 LF Aluminum System Curtain Wall, 3" x 5-1/2" Jamb Aluminum Framed Window Walls	77.50	4.58
For Bronze Anodized Aluminum, Add	9.59	
For Stainless Steel, Add	39.03	
For Black Anodized Finish, Add	17.26	
08 44 13 00-0034 LF Aluminum System Curtain Wall, 3" x 5-1/2" Horizontal Aluminum Framed Window Walls	77.50	4.58
For Bronze Anodized Aluminum, Add	9.59	
For Stainless Steel, Add	39.03	
For Black Anodized Finish, Add	17.26	
08 44 13 00-0035 LF Aluminum System Curtain Wall, 3" x 5-1/2" Mullion Aluminum Framed Window Walls	77.50	4.58
For Bronze Anodized Aluminum, Add	9.59	
For Stainless Steel, Add	39.03	
For Black Anodized Finish, Add	17.26	
For Corner Mullion, Add	18.02	
08 44 13 00-0036 LF Aluminum System Curtain Wall, 3" x 6-3/4" Jamb Aluminum Framed Window Walls	86.91	4.95
For Bronze Anodized Aluminum, Add	10.81	
For Stainless Steel, Add	44.00	
For Black Anodized Finish, Add	19.46	
08 44 13 00-0037 LF Aluminum System Curtain Wall, 3" x 6-3/4" Horizontal Aluminum Framed Window Walls	86.91	4.95
For Bronze Anodized Aluminum, Add	10.81	
For Stainless Steel, Add	44.00	
For Black Anodized Finish, Add	19.46	
08 44 13 00-0038 LF Aluminum System Curtain Wall, 3" x 6-3/4" Mullion Aluminum Framed Window Walls	86.91	4.95
For Bronze Anodized Aluminum, Add	10.81	
For Stainless Steel, Add	44.00	
For Black Anodized Finish, Add	19.46	
For Corner Mullion, Add	20.25	
08 44 13 00-0039 LF Aluminum System Curtain Wall, 3" x 8-3/4" Jamb Aluminum Framed Window Walls	99.77	5.50
For Bronze Anodized Aluminum, Add	12.42	
For Stainless Steel, Add	50.51	
For Black Anodized Finish, Add	22.35	
08 44 13 00-0040 LF Aluminum System Curtain Wall, 3" x 8-3/4" Horizontal Aluminum Framed Window Walls	99.77	5.50
For Bronze Anodized Aluminum, Add	12.42	
For Stainless Steel, Add	50.51	
For Black Anodized Finish, Add	22.35	
08 44 13 00-0041 LF Aluminum System Curtain Wall, 3" x 8-3/4" Mullion Aluminum Framed Window Walls	99.77	5.50
For Bronze Anodized Aluminum, Add	12.42	
For Stainless Steel, Add	50.51	
For Black Anodized Finish, Add	22.35	
For Corner Mullion, Add	23.24	

08 45 Translucent Wall And Roof Assemblies (08 40)**08 45 23 Fiberglass-Sandwich-Panel Assemblies (08 45)****08 45 23 00-0001 Translucent Fiberglass Sandwich-Panels 2-3/4" Thick (08 45 23)**

08 45 23 00-0002 SF <5,000 SF Translucent Fiberglass Sandwich-Panel 2-3/4" Thick, Metal Framed.....	53.79	4.54
For Aluminum Frame, Add	4.70	
08 45 23 00-0003 SF >5,000 SF Translucent Fiberglass Sandwich-Panel 2-3/4" Thick, Metal Framed.....	49.09	3.86
For Aluminum Frame, Add	4.33	

08 50 Windows (08)

Note: Includes hardware, caulk, sealant and mounting anchors. Operable windows include weather stripping. Demolition includes removal of frame, glass and insect screens.

08 51 Metal Windows (08 50)**08 51 13 Aluminum Windows (08 51)**



Openings	08	08
Windows	08 50	
Metal Windows	08 51	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
------------------------------	---------------------------	-------------------------

See CSI section 08 80 00 00-0000 for glazing.

08 51 13 00-0001	Aluminum Windows (08 51 13) Note: Includes standard acrylic paint finish. Excludes glazing, panning and aluminum trim.		
08 51 13 00-0002	Single Hung Aluminum Windows (08 51 13 00-0001)		
08 51 13 00-0003	2-3/4" Frame Depth, C 35, Tilt In Sash, Single Hung Aluminum Window (Traco TR-5400) (08 51 13 00-0002)		
08 51 13 00-0004	EA Up To 6 SF, 2-3/4" Frame Depth, C 35, Tilt In Sash, Single Hung Aluminum Window (Traco TR-5400).....	456.83	85.10
	For 50% Fluoropolymer Finish (Acrynar), Add	6.30	
	For 70% Fluoropolymer Finish (Duranar), Add	18.90	
	For Clear Anodized Finish, Add	15.75	
	For Color Anodized Finish, Add	22.05	
08 51 13 00-0005	EA >6 To 10 SF, 2-3/4" Frame Depth, C 35, Tilt In Sash, Single Hung Aluminum Window (Traco TR-5400).....	514.31	90.41
	For 50% Fluoropolymer Finish (Acrynar), Add	7.27	
	For 70% Fluoropolymer Finish (Duranar), Add	21.82	
	For Clear Anodized Finish, Add	18.18	
	For Color Anodized Finish, Add	25.45	
08 51 13 00-0006	EA >10 To 15 SF, 2-3/4" Frame Depth, C 35, Tilt In Sash, Single Hung Aluminum Window (Traco TR-5400).....	563.35	95.73
	For 50% Fluoropolymer Finish (Acrynar), Add	8.08	
	For 70% Fluoropolymer Finish (Duranar), Add	24.23	
	For Clear Anodized Finish, Add	20.19	
	For Color Anodized Finish, Add	28.27	
08 51 13 00-0007	EA >15 To 20 SF, 2-3/4" Frame Depth, C 35, Tilt In Sash, Single Hung Aluminum Window (Traco TR-5400).....	603.92	101.06
	For 50% Fluoropolymer Finish (Acrynar), Add	8.71	
	For 70% Fluoropolymer Finish (Duranar), Add	26.13	
	For Clear Anodized Finish, Add	21.78	
	For Color Anodized Finish, Add	30.49	
08 51 13 00-0008	EA >20 To 30 SF, 2-3/4" Frame Depth, C 35, Tilt In Sash, Single Hung Aluminum Window (Traco TR-5400).....	695.23	106.37
	For 50% Fluoropolymer Finish (Acrynar), Add	10.36	
	For 70% Fluoropolymer Finish (Duranar), Add	31.08	
	For Clear Anodized Finish, Add	25.90	
	For Color Anodized Finish, Add	36.26	
08 51 13 00-0009	SF >30 SF, 2-3/4" Frame Depth, C 35, Tilt In Sash, Single Hung Aluminum Window (Traco TR-5400).....	22.59	3.19
	For 50% Fluoropolymer Finish (Acrynar), Add	0.35	
	For 70% Fluoropolymer Finish (Duranar), Add	1.04	
	For Clear Anodized Finish, Add	0.86	
	For Color Anodized Finish, Add	1.21	
08 51 13 00-0010	3-1/4" Frame Depth, HC 40, Side Loading Sash, Single Hung Aluminum Window (Traco TR-9100) (08 51 13 00-0002)		
08 51 13 00-0011	EA Up To 6 SF, 3-1/4" Frame Depth, HC 40, Side Loading Sash, Single Hung Aluminum Window (Traco TR-9100).....	680.92	85.10
	For 50% Fluoropolymer Finish (Acrynar), Add	10.78	
	For 70% Fluoropolymer Finish (Duranar), Add	32.35	
	For Clear Anodized Finish, Add	26.95	
	For Color Anodized Finish, Add	37.74	
08 51 13 00-0012	EA >6 To 10 SF, 3-1/4" Frame Depth, HC 40, Side Loading Sash, Single Hung Aluminum Window (Traco TR-9100).....	757.43	90.41
	For 50% Fluoropolymer Finish (Acrynar), Add	12.13	
	For 70% Fluoropolymer Finish (Duranar), Add	36.40	
	For Clear Anodized Finish, Add	30.34	
	For Color Anodized Finish, Add	42.47	
08 51 13 00-0013	EA >10 To 15 SF, 3-1/4" Frame Depth, HC 40, Side Loading Sash, Single Hung Aluminum Window (Traco TR-9100).....	821.27	95.73
	For 50% Fluoropolymer Finish (Acrynar), Add	13.23	
	For 70% Fluoropolymer Finish (Duranar), Add	39.70	
	For Clear Anodized Finish, Add	33.09	
	For Color Anodized Finish, Add	46.32	
08 51 13 00-0014	EA >15 To 20 SF, 3-1/4" Frame Depth, HC 40, Side Loading Sash, Single Hung Aluminum Window (Traco TR-9100).....	882.98	101.06
	For 50% Fluoropolymer Finish (Acrynar), Add	14.29	
	For 70% Fluoropolymer Finish (Duranar), Add	42.87	
	For Clear Anodized Finish, Add	35.73	
	For Color Anodized Finish, Add	50.02	
08 51 13 00-0015	EA >20 To 30 SF, 3-1/4" Frame Depth, HC 40, Side Loading Sash, Single Hung Aluminum Window (Traco TR-9100).....	1,050.40	106.37
	For 50% Fluoropolymer Finish (Acrynar), Add	17.46	
	For 70% Fluoropolymer Finish (Duranar), Add	52.39	
	For Clear Anodized Finish, Add	43.66	
	For Color Anodized Finish, Add	61.12	
08 51 13 00-0016	SF >30 SF, 3-1/4" Frame Depth, HC 40, Side Loading Sash, Single Hung Aluminum Window (Traco TR-9100).....	34.43	3.19
	For 50% Fluoropolymer Finish (Acrynar), Add	0.58	
	For 70% Fluoropolymer Finish (Duranar), Add	1.75	
	For Clear Anodized Finish, Add	1.46	
	For Color Anodized Finish, Add	2.04	
08 51 13 00-0017	3-1/4" Frame Depth, HC 40, Side Loading Sash, Single Hung Aluminum Window (Traco TR-9700) (08 51 13 00-0002)		
08 51 13 00-0018	EA Up To 6 SF, 3-1/4" Frame Depth, HC 40, Side Loading Sash, Single Hung Aluminum Window (Traco TR-9700).....	718.98	85.10
	For 50% Fluoropolymer Finish (Acrynar), Add	11.54	
	For 70% Fluoropolymer Finish (Duranar), Add	34.63	
	For Clear Anodized Finish, Add	28.86	
	For Color Anodized Finish, Add	40.40	

08 Openings

08 50 Windows

08 51 Metal Windows



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 51 13 00-0019	EA	>6 To 10 SF, 3-1/4" Frame Depth, HC 40, Side Loading Sash, Single Hung Aluminum Window (Traco TR-9700)	810.29	90.41	
		<i>For 50% Fluoropolymer Finish (Acrynar), Add</i>	13.19		
		<i>For 70% Fluoropolymer Finish (Durandar), Add</i>	39.58		
		<i>For Clear Anodized Finish, Add</i>	32.98		
		<i>For Color Anodized Finish, Add</i>	46.17		
08 51 13 00-0020	EA	>10 To 15 SF, 3-1/4" Frame Depth, HC 40, Side Loading Sash, Single Hung Aluminum Window (Traco TR-9700)	884.69	95.73	
		<i>For 50% Fluoropolymer Finish (Acrynar), Add</i>	14.50		
		<i>For 70% Fluoropolymer Finish (Durandar), Add</i>	43.51		
		<i>For Clear Anodized Finish, Add</i>	36.26		
		<i>For Color Anodized Finish, Add</i>	50.76		
08 51 13 00-0021	EA	>15 To 20 SF, 3-1/4" Frame Depth, HC 40, Side Loading Sash, Single Hung Aluminum Window (Traco TR-9700)	956.98	101.06	
		<i>For 50% Fluoropolymer Finish (Acrynar), Add</i>	15.77		
		<i>For 70% Fluoropolymer Finish (Durandar), Add</i>	47.31		
		<i>For Clear Anodized Finish, Add</i>	39.43		
		<i>For Color Anodized Finish, Add</i>	55.20		
08 51 13 00-0022	EA	>20 To 30 SF, 3-1/4" Frame Depth, HC 40, Side Loading Sash, Single Hung Aluminum Window (Traco TR-9700)	1,141.30	106.37	
		<i>For 50% Fluoropolymer Finish (Acrynar), Add</i>	19.28		
		<i>For 70% Fluoropolymer Finish (Durandar), Add</i>	57.84		
		<i>For Clear Anodized Finish, Add</i>	48.20		
		<i>For Color Anodized Finish, Add</i>	67.48		
08 51 13 00-0023	SF	>30 SF, 3-1/4" Frame Depth, HC 40, Side Loading Sash, Single Hung Aluminum Window (Traco TR-9700)	37.45	3.19	
		<i>For 50% Fluoropolymer Finish (Acrynar), Add</i>	0.64		
		<i>For 70% Fluoropolymer Finish (Durandar), Add</i>	1.93		
		<i>For Clear Anodized Finish, Add</i>	1.61		
		<i>For Color Anodized Finish, Add</i>	2.25		
08 51 13 00-0024		4" Frame Depth, HC 40, Side Loading Sash, Single Hung Aluminum Window (Traco TR-9700) (08 51 13 00-0002)			
08 51 13 00-0025	EA	Up To 6 SF, 4" Frame Depth, HC 40, Side Loading Sash, Single Hung Aluminum Window (Traco TR-9700)	790.86	85.10	
		<i>For 50% Fluoropolymer Finish (Acrynar), Add</i>	12.98		
		<i>For 70% Fluoropolymer Finish (Durandar), Add</i>	38.94		
		<i>For Clear Anodized Finish, Add</i>	32.45		
		<i>For Color Anodized Finish, Add</i>	45.43		
08 51 13 00-0026	EA	>6 To 10 SF, 4" Frame Depth, HC 40, Side Loading Sash, Single Hung Aluminum Window (Traco TR-9700)	909.65	90.41	
		<i>For 50% Fluoropolymer Finish (Acrynar), Add</i>	15.18		
		<i>For 70% Fluoropolymer Finish (Durandar), Add</i>	45.54		
		<i>For Clear Anodized Finish, Add</i>	37.95		
		<i>For Color Anodized Finish, Add</i>	53.13		
08 51 13 00-0027	EA	>10 To 15 SF, 4" Frame Depth, HC 40, Side Loading Sash, Single Hung Aluminum Window (Traco TR-9700)	986.17	95.73	
		<i>For 50% Fluoropolymer Finish (Acrynar), Add</i>	16.53		
		<i>For 70% Fluoropolymer Finish (Durandar), Add</i>	49.60		
		<i>For Clear Anodized Finish, Add</i>	41.33		
		<i>For Color Anodized Finish, Add</i>	57.86		
08 51 13 00-0028	EA	>15 To 20 SF, 4" Frame Depth, HC 40, Side Loading Sash, Single Hung Aluminum Window (Traco TR-9700)	1,058.45	101.06	
		<i>For 50% Fluoropolymer Finish (Acrynar), Add</i>	17.80		
		<i>For 70% Fluoropolymer Finish (Durandar), Add</i>	53.40		
		<i>For Clear Anodized Finish, Add</i>	44.50		
		<i>For Color Anodized Finish, Add</i>	62.30		
08 51 13 00-0029	EA	>20 To 30 SF, 4" Frame Depth, HC 40, Side Loading Sash, Single Hung Aluminum Window (Traco TR-9700)	1,227.98	106.37	
		<i>For 50% Fluoropolymer Finish (Acrynar), Add</i>	21.01		
		<i>For 70% Fluoropolymer Finish (Durandar), Add</i>	63.04		
		<i>For Clear Anodized Finish, Add</i>	52.54		
		<i>For Color Anodized Finish, Add</i>	73.55		
08 51 13 00-0030	SF	>30 SF, 4" Frame Depth, HC 40, Side Loading Sash, Single Hung Aluminum Window (Traco TR-9700)	40.35	3.19	
		<i>For 50% Fluoropolymer Finish (Acrynar), Add</i>	0.70		
		<i>For 70% Fluoropolymer Finish (Durandar), Add</i>	2.10		
		<i>For Clear Anodized Finish, Add</i>	1.75		
		<i>For Color Anodized Finish, Add</i>	2.45		
08 51 13 00-0031		Double Hung Aluminum Windows (08 51 13 00-0001)			
08 51 13 00-0032		3-1/4" Frame Depth, C 45, Tilt In Sash, Double Hung Aluminum Window (Traco TR-5000) (08 51 13 00-0031)			
08 51 13 00-0033	EA	Up To 6 SF, 3-1/4" Frame Depth, C 45, Tilt In Sash, Double Hung Aluminum Window (Traco TR-5000)	513.91	85.10	
		<i>For 50% Fluoropolymer Finish (Acrynar), Add</i>	7.44		
		<i>For 70% Fluoropolymer Finish (Durandar), Add</i>	22.32		
		<i>For Clear Anodized Finish, Add</i>	18.60		
		<i>For Color Anodized Finish, Add</i>	26.05		
08 51 13 00-0034	EA	>6 To 10 SF, 3-1/4" Frame Depth, C 45, Tilt In Sash, Double Hung Aluminum Window (Traco TR-5000)	569.28	90.41	
		<i>For 50% Fluoropolymer Finish (Acrynar), Add</i>	8.37		
		<i>For 70% Fluoropolymer Finish (Durandar), Add</i>	25.12		
		<i>For Clear Anodized Finish, Add</i>	20.93		
		<i>For Color Anodized Finish, Add</i>	29.30		
08 51 13 00-0035	EA	>10 To 15 SF, 3-1/4" Frame Depth, C 45, Tilt In Sash, Double Hung Aluminum Window (Traco TR-5000)	616.20	95.73	
		<i>For 50% Fluoropolymer Finish (Acrynar), Add</i>	9.13		
		<i>For 70% Fluoropolymer Finish (Durandar), Add</i>	27.40		
		<i>For Clear Anodized Finish, Add</i>	22.83		
		<i>For Color Anodized Finish, Add</i>	31.96		
08 51 13 00-0036	EA	>15 To 20 SF, 3-1/4" Frame Depth, C 45, Tilt In Sash, Double Hung Aluminum Window (Traco TR-5000)	665.23	101.06	
		<i>For 50% Fluoropolymer Finish (Acrynar), Add</i>	9.94		
		<i>For 70% Fluoropolymer Finish (Durandar), Add</i>	29.81		
		<i>For Clear Anodized Finish, Add</i>	24.84		
		<i>For Color Anodized Finish, Add</i>	34.78		



Openings	08	08
Windows	08 50	
Metal Windows	08 51	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 51	13 00-0037	EA	>20 To 30 SF, 3-1/4" Frame Depth, C 45, Tilt In Sash, Double Hung Aluminum Window (Traco TR-5000).....	777.68	106.37
			For 50% Fluoropolymer Finish (Acrynar), Add	12.01	
			For 70% Fluoropolymer Finish (Duranar), Add	36.02	
			For Clear Anodized Finish, Add	30.02	
			For Color Anodized Finish, Add	42.03	
08 51	13 00-0038	SF	>30 SF, 3-1/4" Frame Depth, C 45, Tilt In Sash, Double Hung Aluminum Window (Traco TR-5000).....	25.34	3.19
			For 50% Fluoropolymer Finish (Acrynar), Add	0.40	
			For 70% Fluoropolymer Finish (Duranar), Add	1.20	
			For Clear Anodized Finish, Add	1.00	
			For Color Anodized Finish, Add	1.40	
08 51	13 00-0039		4" Frame Depth, HC 45, Tilt In Sash, Double Hung Aluminum Window (Traco TR-9000) (08 51 13 00-0031)		
08 51	13 00-0040	EA	Up To 6 SF, 4" Frame Depth, HC 45, Tilt In Sash, Double Hung Aluminum Window (Traco TR-9000).....	634.41	85.10
			For 50% Fluoropolymer Finish (Acrynar), Add	9.85	
			For 70% Fluoropolymer Finish (Duranar), Add	29.55	
			For Clear Anodized Finish, Add	24.63	
			For Color Anodized Finish, Add	34.48	
08 51	13 00-0041	EA	>6 To 10 SF, 4" Frame Depth, HC 45, Tilt In Sash, Double Hung Aluminum Window (Traco TR-9000).....	736.29	90.41
			For 50% Fluoropolymer Finish (Acrynar), Add	11.71	
			For 70% Fluoropolymer Finish (Duranar), Add	35.14	
			For Clear Anodized Finish, Add	29.28	
			For Color Anodized Finish, Add	40.99	
08 51	13 00-0042	EA	>10 To 15 SF, 4" Frame Depth, HC 45, Tilt In Sash, Double Hung Aluminum Window (Traco TR-9000).....	819.16	95.73
			For 50% Fluoropolymer Finish (Acrynar), Add	13.19	
			For 70% Fluoropolymer Finish (Duranar), Add	39.58	
			For Clear Anodized Finish, Add	32.98	
			For Color Anodized Finish, Add	46.17	
08 51	13 00-0043	EA	>15 To 20 SF, 4" Frame Depth, HC 45, Tilt In Sash, Double Hung Aluminum Window (Traco TR-9000).....	912.58	101.06
			For 50% Fluoropolymer Finish (Acrynar), Add	14.88	
			For 70% Fluoropolymer Finish (Duranar), Add	44.65	
			For Clear Anodized Finish, Add	37.21	
			For Color Anodized Finish, Add	52.09	
08 51	13 00-0044	EA	>20 To 30 SF, 4" Frame Depth, HC 45, Tilt In Sash, Double Hung Aluminum Window (Traco TR-9000).....	1,084.22	106.37
			For 50% Fluoropolymer Finish (Acrynar), Add	18.14	
			For 70% Fluoropolymer Finish (Duranar), Add	54.42	
			For Clear Anodized Finish, Add	45.35	
			For Color Anodized Finish, Add	63.49	
08 51	13 00-0045	SF	>30 SF, 4" Frame Depth, HC 45, Tilt In Sash, Double Hung Aluminum Window (Traco TR-9000).....	35.55	3.19
			For 50% Fluoropolymer Finish (Acrynar), Add	0.60	
			For 70% Fluoropolymer Finish (Duranar), Add	1.81	
			For Clear Anodized Finish, Add	1.51	
			For Color Anodized Finish, Add	2.12	
08 51	13 00-0046		4" Frame Depth, HC 50, Side Loading Sash, Double Hung Aluminum Window (Traco TR-9400) (08 51 13 00-0031)		
08 51	13 00-0047	EA	Up To 6 SF, 4" Frame Depth, HC 50, Side Loading Sash, Double Hung Aluminum Window (Traco TR-9400).....	801.43	85.10
			For 50% Fluoropolymer Finish (Acrynar), Add	13.19	
			For 70% Fluoropolymer Finish (Duranar), Add	39.58	
			For Clear Anodized Finish, Add	32.98	
			For Color Anodized Finish, Add	46.17	
08 51	13 00-0048	EA	>6 To 10 SF, 4" Frame Depth, HC 50, Side Loading Sash, Double Hung Aluminum Window (Traco TR-9400).....	920.22	90.41
			For 50% Fluoropolymer Finish (Acrynar), Add	15.39	
			For 70% Fluoropolymer Finish (Duranar), Add	46.17	
			For Clear Anodized Finish, Add	38.48	
			For Color Anodized Finish, Add	53.87	
08 51	13 00-0049	EA	>10 To 15 SF, 4" Frame Depth, HC 50, Side Loading Sash, Double Hung Aluminum Window (Traco TR-9400).....	1,019.99	95.73
			For 50% Fluoropolymer Finish (Acrynar), Add	17.21	
			For 70% Fluoropolymer Finish (Duranar), Add	51.63	
			For Clear Anodized Finish, Add	43.02	
			For Color Anodized Finish, Add	60.23	
08 51	13 00-0050	EA	>15 To 20 SF, 4" Frame Depth, HC 50, Side Loading Sash, Double Hung Aluminum Window (Traco TR-9400).....	1,117.65	101.06
			For 50% Fluoropolymer Finish (Acrynar), Add	18.98	
			For 70% Fluoropolymer Finish (Duranar), Add	56.95	
			For Clear Anodized Finish, Add	47.46	
			For Color Anodized Finish, Add	66.45	
08 51	13 00-0051	EA	>20 To 30 SF, 4" Frame Depth, HC 50, Side Loading Sash, Double Hung Aluminum Window (Traco TR-9400).....	1,352.71	106.37
			For 50% Fluoropolymer Finish (Acrynar), Add	23.51	
			For 70% Fluoropolymer Finish (Duranar), Add	70.53	
			For Clear Anodized Finish, Add	58.77	
			For Color Anodized Finish, Add	82.28	
08 51	13 00-0052	SF	>30 SF, 4" Frame Depth, HC 50, Side Loading Sash, Double Hung Aluminum Window (Traco TR-9400).....	44.49	3.19
			For 50% Fluoropolymer Finish (Acrynar), Add	0.78	
			For 70% Fluoropolymer Finish (Duranar), Add	2.35	
			For Clear Anodized Finish, Add	1.96	
			For Color Anodized Finish, Add	2.74	
08 51	13 00-0053		4-1/2" Frame Depth, HC 65, Side Loading Sash, Double Hung Aluminum Window (Traco TR-9900) (08 51 13 00-0031)		

08 Openings**08 50 Windows****08 51 Metal Windows**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 51 13 00-0054	EA		Up To 10 SF, 4-1/2" Frame Depth, HC 65, Side Loading Sash, Double Hung Aluminum Window (Traco TR-9900).....	1,256.36	90.41
			For 50% Fluoropolymer Finish (Acrynar), Add	22.11	
			For 70% Fluoropolymer Finish (Durandar), Add	66.34	
			For Clear Anodized Finish, Add	55.28	
			For Color Anodized Finish, Add	77.40	
08 51 13 00-0055	EA		>15 To 20 SF, 4-1/2" Frame Depth, HC 65, Side Loading Sash, Double Hung Aluminum Window (Traco TR-9900).....	1,377.28	95.73
			For 50% Fluoropolymer Finish (Acrynar), Add	24.35	
			For 70% Fluoropolymer Finish (Durandar), Add	73.06	
			For Clear Anodized Finish, Add	60.89	
			For Color Anodized Finish, Add	85.24	
08 51 13 00-0056	EA		>15 To 20 SF, 4-1/2" Frame Depth, HC 65, Side Loading Sash, Double Hung Aluminum Window (Traco TR-9900).....	1,519.32	101.06
			For 50% Fluoropolymer Finish (Acrynar), Add	27.02	
			For 70% Fluoropolymer Finish (Durandar), Add	81.05	
			For Clear Anodized Finish, Add	67.55	
			For Color Anodized Finish, Add	94.56	
08 51 13 00-0057	EA		>20 To 30 SF, 4-1/2" Frame Depth, HC 65, Side Loading Sash, Double Hung Aluminum Window (Traco TR-9900).....	1,758.62	106.37
			For 50% Fluoropolymer Finish (Acrynar), Add	31.63	
			For 70% Fluoropolymer Finish (Durandar), Add	94.88	
			For Clear Anodized Finish, Add	79.07	
			For Color Anodized Finish, Add	110.69	
08 51 13 00-0058	SF		>30 SF, 4-1/2" Frame Depth, HC 65, Side Loading Sash, Double Hung Aluminum Window (Traco TR-9900).....	57.96	3.19
			For 50% Fluoropolymer Finish (Acrynar), Add	1.05	
			For 70% Fluoropolymer Finish (Durandar), Add	3.16	
			For Clear Anodized Finish, Add	2.63	
			For Color Anodized Finish, Add	3.68	
08 51 13 00-0059			5-1/4" Frame Depth, HC 80, Side Loading Sash, Double Hung Aluminum Window (Traco TR-9600) (08 51 13 00-0031)		
08 51 13 00-0060	EA		Up To 10 SF, 5-1/4" Frame Depth, HC 80, Side Loading Sash, Double Hung Aluminum Window (Traco TR-9600).....	1,734.14	90.41
			For 50% Fluoropolymer Finish (Acrynar), Add	31.67	
			For 70% Fluoropolymer Finish (Durandar), Add	95.01	
			For Clear Anodized Finish, Add	79.17	
			For Color Anodized Finish, Add	110.84	
08 51 13 00-0061	EA		>10 To 15 SF, 5-1/4" Frame Depth, HC 80, Side Loading Sash, Double Hung Aluminum Window (Traco TR-9600).....	1,869.86	95.73
			For 50% Fluoropolymer Finish (Acrynar), Add	34.21	
			For 70% Fluoropolymer Finish (Durandar), Add	102.62	
			For Clear Anodized Finish, Add	85.52	
			For Color Anodized Finish, Add	119.72	
08 51 13 00-0062	EA		>15 To 20 SF, 5-1/4" Frame Depth, HC 80, Side Loading Sash, Double Hung Aluminum Window (Traco TR-9600).....	2,024.59	101.06
			For 50% Fluoropolymer Finish (Acrynar), Add	37.12	
			For 70% Fluoropolymer Finish (Durandar), Add	111.37	
			For Clear Anodized Finish, Add	92.81	
			For Color Anodized Finish, Add	129.93	
08 51 13 00-0063	EA		>20 To 30 SF, 5-1/4" Frame Depth, HC 80, Side Loading Sash, Double Hung Aluminum Window (Traco TR-9600).....	2,293.48	106.37
			For 50% Fluoropolymer Finish (Acrynar), Add	42.32	
			For 70% Fluoropolymer Finish (Durandar), Add	126.97	
			For Clear Anodized Finish, Add	105.81	
			For Color Anodized Finish, Add	148.13	
08 51 13 00-0064	SF		>30 SF, 5-1/4" Frame Depth, HC 80, Side Loading Sash, Double Hung Aluminum Window (Traco TR-9600).....	75.93	3.19
			For 50% Fluoropolymer Finish (Acrynar), Add	1.41	
			For 70% Fluoropolymer Finish (Durandar), Add	4.24	
			For Clear Anodized Finish, Add	3.53	
			For Color Anodized Finish, Add	4.94	
08 51 13 00-0065			Horizontal Sliding Aluminum Windows (08 51 13 00-0001)		
08 51 13 00-0066			One Rolling Sash And One Stationary Sash, Horizontal Sliding Aluminum Windows (08 51 13 00-0065)		
08 51 13 00-0067			2-3/4" Frame Depth, C 40, One Rolling Sash And One Stationary Sash, Horizontal Sliding Aluminum Window (Traco TR-6400) (08 51 13 00-0066)		
08 51 13 00-0068	EA		Up To 6 SF, 2-3/4" Frame Depth, C 40, One Rolling Sash And One Stationary Sash, Horizontal Sliding Aluminum Window (Traco TR-6400).....	467.40	85.10
			For 50% Fluoropolymer Finish (Acrynar), Add	6.51	
			For 70% Fluoropolymer Finish (Durandar), Add	19.53	
			For Clear Anodized Finish, Add	16.28	
			For Color Anodized Finish, Add	22.79	
08 51 13 00-0069	EA		>6 To 10 SF, 2-3/4" Frame Depth, C 40, One Rolling Sash And One Stationary Sash, Horizontal Sliding Aluminum Window (Traco TR-6400).....	527.00	90.41
			For 50% Fluoropolymer Finish (Acrynar), Add	7.53	
			For 70% Fluoropolymer Finish (Durandar), Add	22.58	
			For Clear Anodized Finish, Add	18.82	
			For Color Anodized Finish, Add	26.34	
08 51 13 00-0070	EA		>10 To 15 SF, 2-3/4" Frame Depth, C 40, One Rolling Sash And One Stationary Sash, Horizontal Sliding Aluminum Window (Traco TR-6400).....	571.81	95.73
			For 50% Fluoropolymer Finish (Acrynar), Add	8.25	
			For 70% Fluoropolymer Finish (Durandar), Add	24.74	
			For Clear Anodized Finish, Add	20.61	
			For Color Anodized Finish, Add	28.86	



Openings	08	08
Windows	08 50	
Metal Windows	08 51	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 51 13 00-0071	EA		>15 To 20 SF, 2-3/4" Frame Depth, C 40, One Rolling Sash And One Stationary Sash, Horizontal Sliding Aluminum Window (Traco TR-6400).....	618.72	101.06
			For 50% Fluoropolymer Finish (Acrynar), Add	9.01	
			For 70% Fluoropolymer Finish (Duranar), Add	27.02	
			For Clear Anodized Finish, Add	22.52	
			For Color Anodized Finish, Add	31.52	
08 51 13 00-0072	EA		>20 To 30 SF, 2-3/4" Frame Depth, C 40, One Rolling Sash And One Stationary Sash, Horizontal Sliding Aluminum Window (Traco TR-6400).....	714.26	106.37
			For 50% Fluoropolymer Finish (Acrynar), Add	10.74	
			For 70% Fluoropolymer Finish (Duranar), Add	32.22	
			For Clear Anodized Finish, Add	26.85	
			For Color Anodized Finish, Add	37.59	
08 51 13 00-0073	SF		>30 SF, 2-3/4" Frame Depth, C 40, One Rolling Sash And One Stationary Sash, Horizontal Sliding Aluminum Window (Traco TR-6400).....	23.23	3.19
			For 50% Fluoropolymer Finish (Acrynar), Add	0.36	
			For 70% Fluoropolymer Finish (Duranar), Add	1.07	
			For Clear Anodized Finish, Add	0.90	
			For Color Anodized Finish, Add	1.25	
08 51 13 00-0074			3-1/4" Frame Depth, HC 60, One Rolling Sash And One Stationary Sash, Horizontal Sliding Aluminum Window (Traco TR-6800) (08 51 13 00-0066)		
08 51 13 00-0075	EA		Up To 6 SF, 3-1/4" Frame Depth, HC 60, One Rolling Sash And One Stationary Sash, Horizontal Sliding Aluminum Window (Traco TR-6800).....	735.89	85.10
			For 50% Fluoropolymer Finish (Acrynar), Add	11.88	
			For 70% Fluoropolymer Finish (Duranar), Add	35.64	
			For Clear Anodized Finish, Add	29.70	
			For Color Anodized Finish, Add	41.58	
08 51 13 00-0076	EA		>6 To 10 SF, 3-1/4" Frame Depth, HC 60, One Rolling Sash And One Stationary Sash, Horizontal Sliding Aluminum Window (Traco TR-6800).....	829.31	90.41
			For 50% Fluoropolymer Finish (Acrynar), Add	13.57	
			For 70% Fluoropolymer Finish (Duranar), Add	40.72	
			For Clear Anodized Finish, Add	33.93	
			For Color Anodized Finish, Add	47.50	
08 51 13 00-0077	EA		>10 To 15 SF, 3-1/4" Frame Depth, HC 60, One Rolling Sash And One Stationary Sash, Horizontal Sliding Aluminum Window (Traco TR-6800).....	903.72	95.73
			For 50% Fluoropolymer Finish (Acrynar), Add	14.88	
			For 70% Fluoropolymer Finish (Duranar), Add	44.65	
			For Clear Anodized Finish, Add	37.21	
			For Color Anodized Finish, Add	52.09	
08 51 13 00-0078	EA		>15 To 20 SF, 3-1/4" Frame Depth, HC 60, One Rolling Sash And One Stationary Sash, Horizontal Sliding Aluminum Window (Traco TR-6800).....	976.00	101.06
			For 50% Fluoropolymer Finish (Acrynar), Add	16.15	
			For 70% Fluoropolymer Finish (Duranar), Add	48.45	
			For Clear Anodized Finish, Add	40.38	
			For Color Anodized Finish, Add	56.53	
08 51 13 00-0079	EA		>20 To 30 SF, 3-1/4" Frame Depth, HC 60, One Rolling Sash And One Stationary Sash, Horizontal Sliding Aluminum Window (Traco TR-6800).....	1,132.85	106.37
			For 50% Fluoropolymer Finish (Acrynar), Add	19.11	
			For 70% Fluoropolymer Finish (Duranar), Add	57.33	
			For Clear Anodized Finish, Add	47.78	
			For Color Anodized Finish, Add	66.89	
08 51 13 00-0080	SF		>30 SF, 3-1/4" Frame Depth, HC 60, One Rolling Sash And One Stationary Sash, Horizontal Sliding Aluminum Window (Traco TR-6800).....	37.18	3.19
			For 50% Fluoropolymer Finish (Acrynar), Add	0.64	
			For 70% Fluoropolymer Finish (Duranar), Add	1.91	
			For Clear Anodized Finish, Add	1.59	
			For Color Anodized Finish, Add	2.23	
08 51 13 00-0081			Two Rolling Sashes, Horizontal Sliding Aluminum Windows (08 51 13 00-0065)		
08 51 13 00-0082			3-1/4" Frame Depth, C 45, Two Rolling Sashes, Horizontal Sliding Aluminum Window (Traco TR-6000) (08 51 13 00-0081)		
08 51 13 00-0083	EA		Up To 6 SF, 3-1/4" Frame Depth, C 45, Two Rolling Sashes, Horizontal Sliding Aluminum Window (Traco TR-6000).....	522.37	85.10
			For 50% Fluoropolymer Finish (Acrynar), Add	7.61	
			For 70% Fluoropolymer Finish (Duranar), Add	22.83	
			For Clear Anodized Finish, Add	19.03	
			For Color Anodized Finish, Add	26.64	
08 51 13 00-0084	EA		>6 To 10 SF, 3-1/4" Frame Depth, C 45, Two Rolling Sashes, Horizontal Sliding Aluminum Window (Traco TR-6000).....	598.88	90.41
			For 50% Fluoropolymer Finish (Acrynar), Add	8.96	
			For 70% Fluoropolymer Finish (Duranar), Add	26.89	
			For Clear Anodized Finish, Add	22.41	
			For Color Anodized Finish, Add	31.37	
08 51 13 00-0085	EA		>10 To 15 SF, 3-1/4" Frame Depth, C 45, Two Rolling Sashes, Horizontal Sliding Aluminum Window (Traco TR-6000).....	650.03	95.73
			For 50% Fluoropolymer Finish (Acrynar), Add	9.81	
			For 70% Fluoropolymer Finish (Duranar), Add	29.43	
			For Clear Anodized Finish, Add	24.52	
			For Color Anodized Finish, Add	34.33	

08 Openings

08 50 Windows

08 51 Metal Windows



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 51 13 00-0086	EA		>15 To 20 SF, 3-1/4" Frame Depth, C 45, Two Rolling Sashes, Horizontal Sliding Aluminum Window (Traco TR-6000).....	692.71	101.06
			For 50% Fluoropolymer Finish (Acrynar), Add	10.49	
			For 70% Fluoropolymer Finish (Durandar), Add	31.46	
			For Clear Anodized Finish, Add	26.21	
			For Color Anodized Finish, Add	36.70	
08 51 13 00-0087	EA		>20 To 30 SF, 3-1/4" Frame Depth, C 45, Two Rolling Sashes, Horizontal Sliding Aluminum Window (Traco TR-6000).....	800.94	106.37
			For 50% Fluoropolymer Finish (Acrynar), Add	12.47	
			For 70% Fluoropolymer Finish (Durandar), Add	37.42	
			For Clear Anodized Finish, Add	31.18	
			For Color Anodized Finish, Add	43.66	
08 51 13 00-0088	SF		>30 SF, 3-1/4" Frame Depth, C 45, Two Rolling Sashes, Horizontal Sliding Aluminum Window (Traco TR-6000).....	26.10	3.19
			For 50% Fluoropolymer Finish (Acrynar), Add	0.42	
			For 70% Fluoropolymer Finish (Durandar), Add	1.25	
			For Clear Anodized Finish, Add	1.04	
			For Color Anodized Finish, Add	1.45	
08 51 13 00-0089			Two Rolling Sashes And One Stationary Sash, Horizontal Sliding Aluminum Windows (08 51 13 00-0065)		
08 51 13 00-0090			4" Frame Depth, HC 65, Two Rolling Sashes And One Stationary Sash, Horizontal Sliding Aluminum Window (Traco TR-6330) (08 51 13 00-0089)		
08 51 13 00-0091	EA		Up To 12 SF, 4" Frame Depth, HC 65, Two Rolling Sashes And One Stationary Sash, Horizontal Sliding Aluminum Window (Traco TR-6330).....	1,323.61	85.10
			For 50% Fluoropolymer Finish (Acrynar), Add	23.64	
			For 70% Fluoropolymer Finish (Durandar), Add	70.91	
			For Clear Anodized Finish, Add	59.09	
			For Color Anodized Finish, Add	82.72	
08 51 13 00-0092	EA		>12 To 18 SF, 4" Frame Depth, HC 65, Two Rolling Sashes And One Stationary Sash, Horizontal Sliding Aluminum Window (Traco TR-6330).....	1,523.35	98.39
			For 50% Fluoropolymer Finish (Acrynar), Add	27.19	
			For 70% Fluoropolymer Finish (Durandar), Add	81.56	
			For Clear Anodized Finish, Add	67.97	
			For Color Anodized Finish, Add	95.16	
08 51 13 00-0093	EA		>18 To 24 SF, 4" Frame Depth, HC 65, Two Rolling Sashes And One Stationary Sash, Horizontal Sliding Aluminum Window (Traco TR-6330).....	1,646.38	103.71
			For 50% Fluoropolymer Finish (Acrynar), Add	29.47	
			For 70% Fluoropolymer Finish (Durandar), Add	88.41	
			For Clear Anodized Finish, Add	73.68	
			For Color Anodized Finish, Add	103.15	
08 51 13 00-0094	EA		>24 To 40 SF, 4" Frame Depth, HC 65, Two Rolling Sashes And One Stationary Sash, Horizontal Sliding Aluminum Window (Traco TR-6330).....	1,989.88	117.01
			For 50% Fluoropolymer Finish (Acrynar), Add	35.90	
			For 70% Fluoropolymer Finish (Durandar), Add	107.69	
			For Clear Anodized Finish, Add	89.74	
			For Color Anodized Finish, Add	125.64	
08 51 13 00-0095	EA		>40 To 60 SF, 4" Frame Depth, HC 65, Two Rolling Sashes And One Stationary Sash, Horizontal Sliding Aluminum Window (Traco TR-6330).....	2,297.65	132.97
			For 50% Fluoropolymer Finish (Acrynar), Add	41.52	
			For 70% Fluoropolymer Finish (Durandar), Add	124.56	
			For Clear Anodized Finish, Add	103.80	
			For Color Anodized Finish, Add	145.32	
08 51 13 00-0096	SF		>60 SF, 4" Frame Depth, HC 65, Two Rolling Sashes And One Stationary Sash, Horizontal Sliding Aluminum Window (Traco TR-6330).....	39.91	3.19
			For 50% Fluoropolymer Finish (Acrynar), Add	0.69	
			For 70% Fluoropolymer Finish (Durandar), Add	2.08	
			For Clear Anodized Finish, Add	1.73	
			For Color Anodized Finish, Add	2.42	
08 51 13 00-0097			Fixed Aluminum Windows (08 51 13 00-0001)		
08 51 13 00-0098			2-1/4" Frame Depth, C 50, Fixed Aluminum Window (Traco NX-280) (08 51 13 00-0097)		
08 51 13 00-0099	EA		Up To 6 SF, 2-1/4" Frame Depth, C 50, Fixed Aluminum Window (Traco NX-280).....	368.04	85.10
			For 50% Fluoropolymer Finish (Acrynar), Add	4.52	
			For 70% Fluoropolymer Finish (Durandar), Add	13.57	
			For Clear Anodized Finish, Add	11.31	
			For Color Anodized Finish, Add	15.83	
08 51 13 00-0100	EA		>6 To 10 SF, 2-1/4" Frame Depth, C 50, Fixed Aluminum Window (Traco NX-280).....	419.18	90.41
			For 50% Fluoropolymer Finish (Acrynar), Add	5.37	
			For 70% Fluoropolymer Finish (Durandar), Add	16.11	
			For Clear Anodized Finish, Add	13.42	
			For Color Anodized Finish, Add	18.79	
08 51 13 00-0101	EA		>10 To 15 SF, 2-1/4" Frame Depth, C 50, Fixed Aluminum Window (Traco NX-280).....	442.85	95.73
			For 50% Fluoropolymer Finish (Acrynar), Add	5.67	
			For 70% Fluoropolymer Finish (Durandar), Add	17.00	
			For Clear Anodized Finish, Add	14.16	
			For Color Anodized Finish, Add	19.83	
08 51 13 00-0102	EA		>15 To 20 SF, 2-1/4" Frame Depth, C 50, Fixed Aluminum Window (Traco NX-280).....	466.51	101.06
			For 50% Fluoropolymer Finish (Acrynar), Add	5.96	
			For 70% Fluoropolymer Finish (Durandar), Add	17.89	
			For Clear Anodized Finish, Add	14.90	
			For Color Anodized Finish, Add	20.87	



Openings	08	08
Windows	08 50	
Metal Windows	08 51	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 51	13 00-0103	EA	>20 To 30 SF, 2-1/4" Frame Depth, C 50, Fixed Aluminum Window (Traco NX-280) <i>For 50% Fluoropolymer Finish (Acrynar), Add</i> <i>For 70% Fluoropolymer Finish (Duranar), Add</i> <i>For Clear Anodized Finish, Add</i>	612.78 8.71 26.13 21.78 30.49	106.37
08 51	13 00-0104	SF	>30 SF, 2-1/4" Frame Depth, C 50, Fixed Aluminum Window (Traco NX-280)..... <i>For 50% Fluoropolymer Finish (Acrynar), Add</i> <i>For 70% Fluoropolymer Finish (Duranar), Add</i> <i>For Clear Anodized Finish, Add</i>	19.84 0.29 0.87 0.73 1.02	3.19
08 51 13 00-0105 2-1/4" Frame Depth, HC 65, Fixed Aluminum Window (Traco TR-2800) (08 51 13 00-0097)					
08 51	13 00-0106	EA	Up To 6 SF, 2-1/4" Frame Depth, HC 65, Fixed Aluminum Window (Traco TR-2800)..... <i>For 50% Fluoropolymer Finish (Acrynar), Add</i> <i>For 70% Fluoropolymer Finish (Duranar), Add</i> <i>For Clear Anodized Finish, Add</i>	461.06 6.38 19.15 15.96 22.35	85.10
08 51	13 00-0107	EA	>6 To 10 SF, 2-1/4" Frame Depth, HC 65, Fixed Aluminum Window (Traco TR-2800)..... <i>For 50% Fluoropolymer Finish (Acrynar), Add</i> <i>For 70% Fluoropolymer Finish (Duranar), Add</i> <i>For Clear Anodized Finish, Add</i> <i>For Color Anodized Finish, Add</i>	527.00 7.53 22.58 18.82 26.34	90.41
08 51	13 00-0108	EA	>10 To 15 SF, 2-1/4" Frame Depth, HC 65, Fixed Aluminum Window (Traco TR-2800)..... <i>For 50% Fluoropolymer Finish (Acrynar), Add</i> <i>For 70% Fluoropolymer Finish (Duranar), Add</i> <i>For Clear Anodized Finish, Add</i> <i>For Color Anodized Finish, Add</i>	567.58 8.16 24.48 20.40 28.56	95.73
08 51	13 00-0109	EA	>15 To 20 SF, 2-1/4" Frame Depth, HC 65, Fixed Aluminum Window (Traco TR-2800)..... <i>For 50% Fluoropolymer Finish (Acrynar), Add</i> <i>For 70% Fluoropolymer Finish (Duranar), Add</i> <i>For Clear Anodized Finish, Add</i> <i>For Color Anodized Finish, Add</i>	610.26 8.84 26.51 22.09 30.93	101.06
08 51	13 00-0110	EA	>20 To 30 SF, 2-1/4" Frame Depth, HC 65, Fixed Aluminum Window (Traco TR-2800)..... <i>For 50% Fluoropolymer Finish (Acrynar), Add</i> <i>For 70% Fluoropolymer Finish (Duranar), Add</i> <i>For Clear Anodized Finish, Add</i> <i>For Color Anodized Finish, Add</i>	800.94 12.47 37.42 31.18 43.66	106.37
08 51	13 00-0111	SF	>30 SF, 2-1/4" Frame Depth, HC 65, Fixed Aluminum Window (Traco TR-2800)..... <i>For 50% Fluoropolymer Finish (Acrynar), Add</i> <i>For 70% Fluoropolymer Finish (Duranar), Add</i> <i>For Clear Anodized Finish, Add</i> <i>For Color Anodized Finish, Add</i>	26.10 0.42 1.25 1.04 1.45	3.19
08 51 13 00-0112 3-1/4" Frame Depth, HC 65, Fixed Aluminum Window (Traco TR-7100) (08 51 13 00-0097)					
08 51	13 00-0113	EA	Up To 6 SF, 3-1/4" Frame Depth, HC 65, Fixed Aluminum Window (Traco TR-7100)..... <i>For 50% Fluoropolymer Finish (Acrynar), Add</i> <i>For 70% Fluoropolymer Finish (Duranar), Add</i> <i>For Clear Anodized Finish, Add</i> <i>For Color Anodized Finish, Add</i>	397.63 5.12 15.35 12.79 17.91	85.10
08 51	13 00-0114	EA	>6 To 10 SF, 3-1/4" Frame Depth, HC 65, Fixed Aluminum Window (Traco TR-7100)..... <i>For 50% Fluoropolymer Finish (Acrynar), Add</i> <i>For 70% Fluoropolymer Finish (Duranar), Add</i> <i>For Clear Anodized Finish, Add</i> <i>For Color Anodized Finish, Add</i>	463.58 6.26 18.77 15.64 21.90	90.41
08 51	13 00-0115	EA	>10 To 15 SF, 3-1/4" Frame Depth, HC 65, Fixed Aluminum Window (Traco TR-7100)..... <i>For 50% Fluoropolymer Finish (Acrynar), Add</i> <i>For 70% Fluoropolymer Finish (Duranar), Add</i> <i>For Clear Anodized Finish, Add</i> <i>For Color Anodized Finish, Add</i>	499.93 6.81 20.42 17.02 23.83	95.73
08 51	13 00-0116	EA	>15 To 20 SF, 3-1/4" Frame Depth, HC 65, Fixed Aluminum Window (Traco TR-7100)..... <i>For 50% Fluoropolymer Finish (Acrynar), Add</i> <i>For 70% Fluoropolymer Finish (Duranar), Add</i> <i>For Clear Anodized Finish, Add</i> <i>For Color Anodized Finish, Add</i>	538.39 7.40 22.20 18.50 25.90	101.06
08 51	13 00-0117	EA	>20 To 30 SF, 3-1/4" Frame Depth, HC 65, Fixed Aluminum Window (Traco TR-7100)..... <i>For 50% Fluoropolymer Finish (Acrynar), Add</i> <i>For 70% Fluoropolymer Finish (Duranar), Add</i> <i>For Clear Anodized Finish, Add</i> <i>For Color Anodized Finish, Add</i>	718.49 10.82 32.47 27.06 37.88	106.37
08 51	13 00-0118	SF	>30 SF, 3-1/4" Frame Depth, HC 65, Fixed Aluminum Window (Traco TR-7100)..... <i>For 50% Fluoropolymer Finish (Acrynar), Add</i> <i>For 70% Fluoropolymer Finish (Duranar), Add</i> <i>For Clear Anodized Finish, Add</i> <i>For Color Anodized Finish, Add</i>	23.35 0.36 1.08 0.90 1.26	3.19
08 51 13 00-0119 4" Frame Depth, HC 65, Fixed Aluminum Window (Traco TR-9500) (08 51 13 00-0097)					
08 51	13 00-0120	EA	Up To 6 SF, 4" Frame Depth, HC 65, Fixed Aluminum Window (Traco TR-9500)..... <i>For 50% Fluoropolymer Finish (Acrynar), Add</i> <i>For 70% Fluoropolymer Finish (Duranar), Add</i> <i>For Clear Anodized Finish, Add</i> <i>For Color Anodized Finish, Add</i>	395.52 5.07 15.22 12.68 17.76	85.10

08 Openings**08 50 Windows****08 51 Metal Windows**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 51 13 00-0121	EA		>6 To 10 SF, 4" Frame Depth, HC 65, Fixed Aluminum Window (Traco TR-9500)	455.12	90.41
			For 50% Fluoropolymer Finish (Acrynar), Add	6.09	
			For 70% Fluoropolymer Finish (Duranar), Add	18.27	
			For Clear Anodized Finish, Add	15.22	
			For Color Anodized Finish, Add	21.31	
08 51 13 00-0122	EA		>10 To 15 SF, 4" Frame Depth, HC 65, Fixed Aluminum Window (Traco TR-9500)	491.47	95.73
			For 50% Fluoropolymer Finish (Acrynar), Add	6.64	
			For 70% Fluoropolymer Finish (Duranar), Add	19.91	
			For Clear Anodized Finish, Add	16.60	
			For Color Anodized Finish, Add	23.23	
08 51 13 00-0123	EA		>15 To 20 SF, 4" Frame Depth, HC 65, Fixed Aluminum Window (Traco TR-9500)	529.93	101.06
			For 50% Fluoropolymer Finish (Acrynar), Add	7.23	
			For 70% Fluoropolymer Finish (Duranar), Add	21.69	
			For Clear Anodized Finish, Add	18.08	
			For Color Anodized Finish, Add	25.31	
08 51 13 00-0124	EA		>20 To 30 SF, 4" Frame Depth, HC 65, Fixed Aluminum Window (Traco TR-9500)	710.03	106.37
			For 50% Fluoropolymer Finish (Acrynar), Add	10.66	
			For 70% Fluoropolymer Finish (Duranar), Add	31.97	
			For Clear Anodized Finish, Add	26.64	
			For Color Anodized Finish, Add	37.29	
08 51 13 00-0125	SF		>30 SF, 4" Frame Depth, HC 65, Fixed Aluminum Window (Traco TR-9500)	23.08	3.19
			For 50% Fluoropolymer Finish (Acrynar), Add	0.36	
			For 70% Fluoropolymer Finish (Duranar), Add	1.07	
			For Clear Anodized Finish, Add	0.89	
			For Color Anodized Finish, Add	1.24	
08 51 13 00-0126			Projected Aluminum Windows (08 51 13 00-0001)		
08 51 13 00-0127			Single Vent, Projected Aluminum Windows (08 51 13 00-0126)		
08 51 13 00-0128			2-1/4" Frame Depth, C 50, Overlap, Single Vent, Projected Aluminum Window (Traco NX-240/250) (08 51 13 00-0127)		
08 51 13 00-0129	EA		Up To 6 SF, 2-1/4" Frame Depth, C 50, Overlap, Single Vent, Projected Aluminum Window (Traco NX-240/250)	527.02	85.10
			For 50% Fluoropolymer Finish (Acrynar), Add	7.70	
			For 70% Fluoropolymer Finish (Duranar), Add	23.11	
			For Clear Anodized Finish, Add	19.26	
			For Color Anodized Finish, Add	26.96	
08 51 13 00-0130	EA		>6 To 10 SF, 2-1/4" Frame Depth, C 50, Overlap, Single Vent, Projected Aluminum Window (Traco NX-240/250)	571.18	90.41
			For 50% Fluoropolymer Finish (Acrynar), Add	8.41	
			For 70% Fluoropolymer Finish (Duranar), Add	25.23	
			For Clear Anodized Finish, Add	21.02	
			For Color Anodized Finish, Add	29.43	
08 51 13 00-0131	EA		>10 To 15 SF, 2-1/4" Frame Depth, C 50, Overlap, Single Vent, Projected Aluminum Window (Traco NX-240/250)	622.55	95.73
			For 50% Fluoropolymer Finish (Acrynar), Add	9.26	
			For 70% Fluoropolymer Finish (Duranar), Add	27.78	
			For Clear Anodized Finish, Add	23.15	
			For Color Anodized Finish, Add	32.41	
08 51 13 00-0132	SF		>15 SF, 2-1/4" Frame Depth, C 50, Overlap, Single Vent, Projected Aluminum Window (Traco NX-240/250)	36.19	3.19
			For 50% Fluoropolymer Finish (Acrynar), Add	0.62	
			For 70% Fluoropolymer Finish (Duranar), Add	1.85	
			For Clear Anodized Finish, Add	1.54	
			For Color Anodized Finish, Add	2.16	
08 51 13 00-0133			2-1/4" Frame Depth, HC 80, Flush, Single Vent, Projected Aluminum Window (Traco TR-2400/2500) (08 51 13 00-0127)		
08 51 13 00-0134	EA		Up To 6 SF, 2-1/4" Frame Depth, HC 80, Flush, Single Vent, Projected Aluminum Window (Traco TR-2400/2500)	713.92	85.10
			For 50% Fluoropolymer Finish (Acrynar), Add	11.44	
			For 70% Fluoropolymer Finish (Duranar), Add	34.33	
			For Clear Anodized Finish, Add	28.60	
			For Color Anodized Finish, Add	40.05	
08 51 13 00-0135	EA		>6 To 10 SF, 2-1/4" Frame Depth, HC 80, Flush, Single Vent, Projected Aluminum Window (Traco TR-2400/2500)	788.95	90.41
			For 50% Fluoropolymer Finish (Acrynar), Add	12.77	
			For 70% Fluoropolymer Finish (Duranar), Add	38.30	
			For Clear Anodized Finish, Add	31.91	
			For Color Anodized Finish, Add	44.68	
08 51 13 00-0136	EA		>10 To 15 SF, 2-1/4" Frame Depth, HC 80, Flush, Single Vent, Projected Aluminum Window (Traco TR-2400/2500)	876.24	95.73
			For 50% Fluoropolymer Finish (Acrynar), Add	14.33	
			For 70% Fluoropolymer Finish (Duranar), Add	43.00	
			For Clear Anodized Finish, Add	35.83	
			For Color Anodized Finish, Add	50.17	
08 51 13 00-0137	SF		>15 SF, 2-1/4" Frame Depth, HC 80, Flush, Single Vent, Projected Aluminum Window (Traco TR-2400/2500)	53.10	3.19
			For 50% Fluoropolymer Finish (Acrynar), Add	0.96	
			For 70% Fluoropolymer Finish (Duranar), Add	2.87	
			For Clear Anodized Finish, Add	2.39	
			For Color Anodized Finish, Add	3.34	
08 51 13 00-0138			3-1/4" Frame Depth, HC 80, Overlap, Single Vent, Projected Aluminum Window (Traco TR-3400/3500) (08 51 13 00-0127)		



Openings	08	08
Windows	08 50	
Metal Windows	08 51	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 51	13 00-0139	EA	Up To 6 SF, 3-1/4" Frame Depth, HC 80, Overlap, Single Vent, Projected Aluminum Window (Traco TR-3400/3500).....	784.03	85.10
			For 50% Fluoropolymer Finish (Acrynar), Add	12.84	
			For 70% Fluoropolymer Finish (Duranar), Add	38.53	
			For Clear Anodized Finish, Add	32.11	
			For Color Anodized Finish, Add	44.95	
08 51	13 00-0140	EA	>6 To 10 SF, 3-1/4" Frame Depth, HC 80, Overlap, Single Vent, Projected Aluminum Window (Traco TR-3400/3500).....	870.60	90.41
			For 50% Fluoropolymer Finish (Acrynar), Add	14.40	
			For 70% Fluoropolymer Finish (Duranar), Add	43.19	
			For Clear Anodized Finish, Add	36.00	
			For Color Anodized Finish, Add	50.39	
08 51	13 00-0141	EA	>10 To 15 SF, 3-1/4" Frame Depth, HC 80, Overlap, Single Vent, Projected Aluminum Window (Traco TR-3400/3500).....	971.37	95.73
			For 50% Fluoropolymer Finish (Acrynar), Add	16.24	
			For 70% Fluoropolymer Finish (Duranar), Add	48.71	
			For Clear Anodized Finish, Add	40.59	
			For Color Anodized Finish, Add	56.83	
08 51	13 00-0142	SF	>15 SF, 3-1/4" Frame Depth, HC 80, Overlap, Single Vent, Projected Aluminum Window (Traco TR-3400/3500).....	59.44	3.19
			For 50% Fluoropolymer Finish (Acrynar), Add	1.08	
			For 70% Fluoropolymer Finish (Duranar), Add	3.25	
			For Clear Anodized Finish, Add	2.71	
			For Color Anodized Finish, Add	3.79	
08 51	13 00-0143		3-1/4" Frame Depth, HC 50, Top Hinge, Overlap, Single Vent, Projected Aluminum Window (Traco TR-3600) (08 51 13 00-0127)		
08 51	13 00-0144	EA	Up To 6 SF, 3-1/4" Frame Depth, HC 50, Top Hinge, Overlap, Single Vent, Projected Aluminum Window (Traco TR-3600).....	832.31	85.10
			For 50% Fluoropolymer Finish (Acrynar), Add	13.81	
			For 70% Fluoropolymer Finish (Duranar), Add	41.43	
			For Clear Anodized Finish, Add	34.52	
			For Color Anodized Finish, Add	48.33	
08 51	13 00-0145	EA	>6 To 10 SF, Single Vent, 3-1/4" Frame Depth, HC 50, Top Hinge, Overlap Projected Aluminum Window (Traco TR-3600).....	926.86	90.41
			For 50% Fluoropolymer Finish (Acrynar), Add	15.52	
			For 70% Fluoropolymer Finish (Duranar), Add	46.57	
			For Clear Anodized Finish, Add	38.81	
			For Color Anodized Finish, Add	54.33	
08 51	13 00-0146	EA	>10 To 15 SF, Single Vent, 3-1/4" Frame Depth, HC 50, Top Hinge, Overlap Projected Aluminum Window (Traco TR-3600).....	1,036.91	95.73
			For 50% Fluoropolymer Finish (Acrynar), Add	17.55	
			For 70% Fluoropolymer Finish (Duranar), Add	52.64	
			For Clear Anodized Finish, Add	43.87	
			For Color Anodized Finish, Add	61.41	
08 51	13 00-0147	SF	>15 SF, Single Vent, 3-1/4" Frame Depth, HC 50, Top Hinge, Overlap Projected Aluminum Window (Traco TR-3600).....	63.82	3.19
			For 50% Fluoropolymer Finish (Acrynar), Add	1.17	
			For 70% Fluoropolymer Finish (Duranar), Add	3.51	
			For Clear Anodized Finish, Add	2.93	
			For Color Anodized Finish, Add	4.10	
08 51	13 00-0148		4-5/8" Frame Depth, HC 80, Flush, Single Vent, Projected Aluminum Window (Traco TR-740/750) (08 51 13 00-0127)		
08 51	13 00-0149	EA	Up To 6 SF, 4-5/8" Frame Depth, HC 80, Flush, Single Vent, Projected Aluminum Window (Traco TR-740/750).....	826.08	85.10
			For 50% Fluoropolymer Finish (Acrynar), Add	13.69	
			For 70% Fluoropolymer Finish (Duranar), Add	41.06	
			For Clear Anodized Finish, Add	34.21	
			For Color Anodized Finish, Add	47.90	
08 51	13 00-0150	EA	>6 To 10 SF, 4-5/8" Frame Depth, HC 80, Flush, Single Vent, Projected Aluminum Window (Traco TR-740/750).....	919.61	90.41
			For 50% Fluoropolymer Finish (Acrynar), Add	15.38	
			For 70% Fluoropolymer Finish (Duranar), Add	46.14	
			For Clear Anodized Finish, Add	38.45	
			For Color Anodized Finish, Add	53.82	
08 51	13 00-0151	EA	>10 To 15 SF, 4-5/8" Frame Depth, HC 80, Flush, Single Vent, Projected Aluminum Window (Traco TR-740/750).....	1,028.45	95.73
			For 50% Fluoropolymer Finish (Acrynar), Add	17.38	
			For 70% Fluoropolymer Finish (Duranar), Add	52.13	
			For Clear Anodized Finish, Add	43.44	
			For Color Anodized Finish, Add	60.82	
08 51	13 00-0152	SF	>15 SF, 4-5/8" Frame Depth, HC 80, Flush, Single Vent, Projected Aluminum Window (Traco TR-740/750).....	63.25	3.19
			For 50% Fluoropolymer Finish (Acrynar), Add	1.16	
			For 70% Fluoropolymer Finish (Duranar), Add	3.48	
			For Clear Anodized Finish, Add	2.90	
			For Color Anodized Finish, Add	4.06	
08 51	13 00-0153		Fixed Over Vent, Projected Aluminum Windows (08 51 13 00-0126)		
08 51	13 00-0154		2-1/4" Frame Depth, C 50, Overlap, Fixed Over Vent, Projected Aluminum Window (Traco NX-240/250) (08 51 13 00-0153)		

08 Openings

08 50 Windows

08 51 Metal Windows



MINOR		TOTAL DIRECT		DEMOLITION
CSI	UOM	DESCRIPTION	UNIT COST	UNIT COST
08 51 13 00-0155	EA	Up To 6 SF, 2-1/4" Frame Depth, C 50, Overlap, Fixed Over Vent, Projected Aluminum Window (Traco NX-240/250).....	731.07	85.10
		<i>For 50% Fluoropolymer Finish (Acrynar), Add</i>	11.78	
		<i>For 70% Fluoropolymer Finish (Duranar), Add</i>	35.35	
		<i>For Clear Anodized Finish, Add</i>	29.46	
		<i>For Color Anodized Finish, Add</i>	41.25	
08 51 13 00-0156	EA	>6 To 10 SF, 2-1/4" Frame Depth, C 50, Overlap, Fixed Over Vent, Projected Aluminum Window (Traco NX-240/250).....	808.91	90.41
		<i>For 50% Fluoropolymer Finish (Acrynar), Add</i>	13.16	
		<i>For 70% Fluoropolymer Finish (Duranar), Add</i>	39.49	
		<i>For Clear Anodized Finish, Add</i>	32.91	
		<i>For Color Anodized Finish, Add</i>	46.08	
08 51 13 00-0157	EA	>10 To 15 SF, 2-1/4" Frame Depth, C 50, Overlap, Fixed Over Vent, Projected Aluminum Window (Traco NX-240/250).....	899.49	95.73
		<i>For 50% Fluoropolymer Finish (Acrynar), Add</i>	14.80	
		<i>For 70% Fluoropolymer Finish (Duranar), Add</i>	44.40	
		<i>For Clear Anodized Finish, Add</i>	37.00	
		<i>For Color Anodized Finish, Add</i>	51.80	
08 51 13 00-0158	SF	>15 SF, 2-1/4" Frame Depth, C 50, Overlap, Fixed Over Vent, Projected Aluminum Window (Traco NX-240/250).....	54.58	3.19
		<i>For 50% Fluoropolymer Finish (Acrynar), Add</i>	0.99	
		<i>For 70% Fluoropolymer Finish (Duranar), Add</i>	2.96	
		<i>For Clear Anodized Finish, Add</i>	2.46	
		<i>For Color Anodized Finish, Add</i>	3.45	
08 51 13 00-0159		2-1/4" Frame Depth, HC 80, Flush, Fixed Over Vent, Projected Aluminum Window (Traco TR-2400/2500) (08 51 13 00-0153)		
08 51 13 00-0160	EA	Up To 6 SF, 2-1/4" Frame Depth, HC 80, Flush, Fixed Over Vent, Projected Aluminum Window (Traco TR-2400/2500).....	1,027.02	85.10
		<i>For 50% Fluoropolymer Finish (Acrynar), Add</i>	17.70	
		<i>For 70% Fluoropolymer Finish (Duranar), Add</i>	53.11	
		<i>For Clear Anodized Finish, Add</i>	44.26	
		<i>For Color Anodized Finish, Add</i>	61.96	
08 51 13 00-0161	EA	>6 To 10 SF, 2-1/4" Frame Depth, HC 80, Flush, Fixed Over Vent, Projected Aluminum Window (Traco TR-2400/2500).....	1,153.70	90.41
		<i>For 50% Fluoropolymer Finish (Acrynar), Add</i>	20.06	
		<i>For 70% Fluoropolymer Finish (Duranar), Add</i>	60.18	
		<i>For Clear Anodized Finish, Add</i>	50.15	
		<i>For Color Anodized Finish, Add</i>	70.21	
08 51 13 00-0162	EA	>10 To 15 SF, 2-1/4" Frame Depth, HC 80, Flush, Fixed Over Vent, Projected Aluminum Window (Traco TR-2400/2500).....	1,301.17	95.73
		<i>For 50% Fluoropolymer Finish (Acrynar), Add</i>	22.83	
		<i>For 70% Fluoropolymer Finish (Duranar), Add</i>	68.50	
		<i>For Clear Anodized Finish, Add</i>	57.08	
		<i>For Color Anodized Finish, Add</i>	79.91	
08 51 13 00-0163	SF	>15 SF, 2-1/4" Frame Depth, HC 80, Flush, Fixed Over Vent, Projected Aluminum Window (Traco TR-2400/2500).....	81.43	3.19
		<i>For 50% Fluoropolymer Finish (Acrynar), Add</i>	1.52	
		<i>For 70% Fluoropolymer Finish (Duranar), Add</i>	4.57	
		<i>For Clear Anodized Finish, Add</i>	3.81	
		<i>For Color Anodized Finish, Add</i>	5.33	
08 51 13 00-0164		3-1/4" Frame Depth, HC 80, Overlap, Fixed Over Vent, Projected Aluminum Window (Traco TR-3400/3500) (08 51 13 00-0153)		
08 51 13 00-0165	EA	Up To 6 SF, 3-1/4" Frame Depth, HC 80, Overlap, Fixed Over Vent, Projected Aluminum Window (Traco TR-3400/3500).....	1,089.32	85.10
		<i>For 50% Fluoropolymer Finish (Acrynar), Add</i>	18.95	
		<i>For 70% Fluoropolymer Finish (Duranar), Add</i>	56.85	
		<i>For Clear Anodized Finish, Add</i>	47.37	
		<i>For Color Anodized Finish, Add</i>	66.32	
08 51 13 00-0166	EA	>6 To 10 SF, 3-1/4" Frame Depth, HC 80, Overlap, Fixed Over Vent, Projected Aluminum Window (Traco TR-3400/3500).....	1,226.28	90.41
		<i>For 50% Fluoropolymer Finish (Acrynar), Add</i>	21.51	
		<i>For 70% Fluoropolymer Finish (Duranar), Add</i>	64.54	
		<i>For Clear Anodized Finish, Add</i>	53.78	
		<i>For Color Anodized Finish, Add</i>	75.29	
08 51 13 00-0167	EA	>10 To 15 SF, 3-1/4" Frame Depth, HC 80, Overlap, Fixed Over Vent, Projected Aluminum Window (Traco TR-3400/3500).....	1,385.73	95.73
		<i>For 50% Fluoropolymer Finish (Acrynar), Add</i>	24.52	
		<i>For 70% Fluoropolymer Finish (Duranar), Add</i>	73.57	
		<i>For Clear Anodized Finish, Add</i>	61.31	
		<i>For Color Anodized Finish, Add</i>	85.83	
08 51 13 00-0168	SF	>15 SF, 3-1/4" Frame Depth, HC 80, Overlap, Fixed Over Vent, Projected Aluminum Window (Traco TR-3400/3500).....	86.92	3.19
		<i>For 50% Fluoropolymer Finish (Acrynar), Add</i>	1.63	
		<i>For 70% Fluoropolymer Finish (Duranar), Add</i>	4.90	
		<i>For Clear Anodized Finish, Add</i>	4.08	
		<i>For Color Anodized Finish, Add</i>	5.71	
08 51 13 00-0169		3-1/4" Frame Depth, HC 50, Top Hinge, Overlap, Fixed Over Vent, Projected Aluminum Window (Traco TR-3600) (08 51 13 00-0153)		



Openings	08	08
Windows	08 50	
Metal Windows	08 51	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 51	13 00-0170	EA	Up To 6 SF, 3-1/4" Frame Depth, HC 50, Top Hinge, Overlap, Fixed Over Vent, Projected Aluminum Window (Traco TR-3600)	1,083.11	85.10
			For 50% Fluoropolymer Finish (Acrynar), Add	18.83	
			For 70% Fluoropolymer Finish (Duranar), Add	56.48	
			For Clear Anodized Finish, Add	47.06	
			For Color Anodized Finish, Add	65.89	
08 51	13 00-0171	EA	>6 To 10 SF, 3-1/4" Frame Depth, HC 50, Top Hinge, Overlap, Fixed Over Vent, Projected Aluminum Window (Traco TR-3600)	1,219.02	90.41
			For 50% Fluoropolymer Finish (Acrynar), Add	21.37	
			For 70% Fluoropolymer Finish (Duranar), Add	64.10	
			For Clear Anodized Finish, Add	53.42	
			For Color Anodized Finish, Add	74.78	
08 51	13 00-0172	EA	>10 To 15 SF, 3-1/4" Frame Depth, HC 50, Top Hinge, Overlap, Fixed Over Vent, Projected Aluminum Window (Traco TR-3600)	1,377.28	95.73
			For 50% Fluoropolymer Finish (Acrynar), Add	24.35	
			For 70% Fluoropolymer Finish (Duranar), Add	73.06	
			For Clear Anodized Finish, Add	60.89	
			For Color Anodized Finish, Add	85.24	
08 51	13 00-0173	SF	>15 SF, 3-1/4" Frame Depth, HC 50, Top Hinge, Overlap, Fixed Over Vent, Projected Aluminum Window (Traco TR-3600)	86.50	3.19
			For 50% Fluoropolymer Finish (Acrynar), Add	1.62	
			For 70% Fluoropolymer Finish (Duranar), Add	4.87	
			For Clear Anodized Finish, Add	4.06	
			For Color Anodized Finish, Add	5.68	
08 51	13 00-0174		4-5/8" Frame Depth, HC 80, Flush, Fixed Over Vent, Projected Aluminum Window (Traco TR-740/750) (08 51 13 00-0153)		
08 51	13 00-0175	EA	Up To 6 SF, 4-5/8" Frame Depth, HC 80, Flush, Fixed Over Vent, Projected Aluminum Window (Traco TR-740/750)	1,179.68	85.10
			For 50% Fluoropolymer Finish (Acrynar), Add	20.76	
			For 70% Fluoropolymer Finish (Duranar), Add	62.27	
			For Clear Anodized Finish, Add	51.89	
			For Color Anodized Finish, Add	72.65	
08 51	13 00-0176	EA	>6 To 10 SF, 4-5/8" Frame Depth, HC 80, Flush, Fixed Over Vent, Projected Aluminum Window (Traco TR-740/750)	1,331.54	90.41
			For 50% Fluoropolymer Finish (Acrynar), Add	23.62	
			For 70% Fluoropolymer Finish (Duranar), Add	70.85	
			For Clear Anodized Finish, Add	59.04	
			For Color Anodized Finish, Add	82.66	
08 51	13 00-0177	EA	>10 To 15 SF, 4-5/8" Frame Depth, HC 80, Flush, Fixed Over Vent, Projected Aluminum Window (Traco TR-740/750)	1,508.35	95.73
			For 50% Fluoropolymer Finish (Acrynar), Add	26.98	
			For 70% Fluoropolymer Finish (Duranar), Add	80.93	
			For Clear Anodized Finish, Add	67.44	
			For Color Anodized Finish, Add	94.42	
08 51	13 00-0178	SF	>15 SF, 4-5/8" Frame Depth, HC 80, Flush, Fixed Over Vent, Projected Aluminum Window (Traco TR-740/750)	95.17	3.19
			For 50% Fluoropolymer Finish (Acrynar), Add	1.80	
			For 70% Fluoropolymer Finish (Duranar), Add	5.39	
			For Clear Anodized Finish, Add	4.49	
			For Color Anodized Finish, Add	6.29	
08 51	13 00-0179		Casement Aluminum Windows (08 51 13 00-0001)		
08 51	13 00-0180		Single Vent, Casement Aluminum Windows (08 51 13 00-0179)		
08 51	13 00-0181		2-1/4" Frame Depth, C 50, Overlap, Single Vent, Casement Aluminum Window (Traco NX-210/220) (08 51 13 00-0180)		
08 51	13 00-0182	EA	Up To 6 SF, 2-1/4" Frame Depth, C 50, Overlap, Single Vent, Casement Aluminum Window (Traco NX-210/220)	603.34	85.10
			For 50% Fluoropolymer Finish (Acrynar), Add	9.23	
			For 70% Fluoropolymer Finish (Duranar), Add	27.69	
			For Clear Anodized Finish, Add	23.08	
			For Color Anodized Finish, Add	32.31	
08 51	13 00-0183	EA	>6 To 10 SF, 2-1/4" Frame Depth, C 50, Overlap, Single Vent, Casement Aluminum Window (Traco NX-210/220)	660.10	90.41
			For 50% Fluoropolymer Finish (Acrynar), Add	10.19	
			For 70% Fluoropolymer Finish (Duranar), Add	30.56	
			For Clear Anodized Finish, Add	25.47	
			For Color Anodized Finish, Add	35.66	
08 51	13 00-0184	EA	>10 To 15 SF, 2-1/4" Frame Depth, C 50, Overlap, Single Vent, Casement Aluminum Window (Traco NX-210/220)	726.14	95.73
			For 50% Fluoropolymer Finish (Acrynar), Add	11.33	
			For 70% Fluoropolymer Finish (Duranar), Add	33.99	
			For Clear Anodized Finish, Add	28.33	
			For Color Anodized Finish, Add	39.66	
08 51	13 00-0185	SF	>15 SF, 2-1/4" Frame Depth, C 50, Overlap, Single Vent, Casement Aluminum Window (Traco NX-210/220)	43.10	3.19
			For 50% Fluoropolymer Finish (Acrynar), Add	0.76	
			For 70% Fluoropolymer Finish (Duranar), Add	2.27	
			For Clear Anodized Finish, Add	1.89	
			For Color Anodized Finish, Add	2.64	
08 51	13 00-0186		2-1/4" Frame Depth, HC 80, Flush, Single Vent, Casement Aluminum Window (Traco TR-2100/2200) (08 51 13 00-0180)		

08 Openings**08 50 Windows**

08 51 Metal Windows



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 51 13 00-0187 EA Up To 6 SF, 2-1/4" Frame Depth, HC 80, Flush, Single Vent, Casement Aluminum Window (Traco TR-2100/2200).....	886.84	85.10
For 50% Fluoropolymer Finish (Acrynar), Add	14.90	
For 70% Fluoropolymer Finish (Durantar), Add	44.70	
For Clear Anodized Finish, Add	37.25	
For Color Anodized Finish, Add	52.15	
08 51 13 00-0188 EA >6 To 10 SF, 2-1/4" Frame Depth, HC 80, Flush, Single Vent, Casement Aluminum Window (Traco TR-2100/2200).....	990.36	90.41
For 50% Fluoropolymer Finish (Acrynar), Add	16.79	
For 70% Fluoropolymer Finish (Durantar), Add	50.38	
For Clear Anodized Finish, Add	41.98	
For Color Anodized Finish, Add	58.78	
08 51 13 00-0189 EA >10 To 15 SF, 2-1/4" Frame Depth, HC 80, Flush, Single Vent, Casement Aluminum Window (Traco TR-2100/2200).....	1,110.90	95.73
For 50% Fluoropolymer Finish (Acrynar), Add	19.03	
For 70% Fluoropolymer Finish (Durantar), Add	57.08	
For Clear Anodized Finish, Add	47.57	
For Color Anodized Finish, Add	66.59	
08 51 13 00-0190 SF >15 SF, 2-1/4" Frame Depth, HC 80, Flush, Single Vent, Casement Aluminum Window (Traco TR-2100/2200).....	68.74	3.19
For 50% Fluoropolymer Finish (Acrynar), Add	1.27	
For 70% Fluoropolymer Finish (Durantar), Add	3.81	
For Clear Anodized Finish, Add	3.17	
For Color Anodized Finish, Add	4.44	
08 51 13 00-0191 3-1/4" Frame Depth, HC 80, Overlap, Single Vent, Casement Aluminum Window (Traco TR-3100/3200) (08 51 13 00-0190)		
08 51 13 00-0192 EA Up To 6 SF, 3-1/4" Frame Depth, HC 80, Overlap, Single Vent, Casement Aluminum Window (Traco TR-3100/3200).....	891.51	85.10
For 50% Fluoropolymer Finish (Acrynar), Add	14.99	
For 70% Fluoropolymer Finish (Durantar), Add	44.98	
For Clear Anodized Finish, Add	37.48	
For Color Anodized Finish, Add	52.48	
08 51 13 00-0193 EA >6 To 10 SF, 3-1/4" Frame Depth, HC 80, Overlap, Single Vent, Casement Aluminum Window (Traco TR-3100/3200).....	995.82	90.41
For 50% Fluoropolymer Finish (Acrynar), Add	16.90	
For 70% Fluoropolymer Finish (Durantar), Add	50.71	
For Clear Anodized Finish, Add	42.26	
For Color Anodized Finish, Add	59.16	
08 51 13 00-0194 EA >10 To 15 SF, 3-1/4" Frame Depth, HC 80, Overlap, Single Vent, Casement Aluminum Window (Traco TR-3100/3200).....	1,117.24	95.73
For 50% Fluoropolymer Finish (Acrynar), Add	19.15	
For 70% Fluoropolymer Finish (Durantar), Add	57.46	
For Clear Anodized Finish, Add	47.88	
For Color Anodized Finish, Add	67.04	
08 51 13 00-0195 SF >15 SF, 3-1/4" Frame Depth, HC 80, Overlap, Single Vent, Casement Aluminum Window (Traco TR-3100/3200).....	69.17	3.19
For 50% Fluoropolymer Finish (Acrynar), Add	1.28	
For 70% Fluoropolymer Finish (Durantar), Add	3.83	
For Clear Anodized Finish, Add	3.19	
For Color Anodized Finish, Add	4.47	
08 51 13 00-0196 4-5/8" Frame Depth, HC 80, Flush, Single Vent, Casement Aluminum Window (Traco TR-710/720) (08 51 13 00-0180)		
08 51 13 00-0197 EA Up To 6 SF, 4-5/8" Frame Depth, HC 80, Flush, Single Vent, Casement Aluminum Window (Traco TR-710/720).....	939.79	85.10
For 50% Fluoropolymer Finish (Acrynar), Add	15.96	
For 70% Fluoropolymer Finish (Durantar), Add	47.88	
For Clear Anodized Finish, Add	39.90	
For Color Anodized Finish, Add	55.86	
08 51 13 00-0198 EA >6 To 10 SF, 4-5/8" Frame Depth, HC 80, Flush, Single Vent, Casement Aluminum Window (Traco TR-710/720).....	1,052.07	90.41
For 50% Fluoropolymer Finish (Acrynar), Add	18.03	
For 70% Fluoropolymer Finish (Durantar), Add	54.08	
For Clear Anodized Finish, Add	45.07	
For Color Anodized Finish, Add	63.10	
08 51 13 00-0199 EA >10 To 15 SF, 4-5/8" Frame Depth, HC 80, Flush, Single Vent, Casement Aluminum Window (Traco TR-710/720).....	1,182.78	95.73
For 50% Fluoropolymer Finish (Acrynar), Add	20.46	
For 70% Fluoropolymer Finish (Durantar), Add	61.39	
For Clear Anodized Finish, Add	51.16	
For Color Anodized Finish, Add	71.63	
08 51 13 00-0200 SF >15 SF, 4-5/8" Frame Depth, HC 80, Flush, Single Vent, Casement Aluminum Window (Traco TR-710/720).....	73.54	3.19
For 50% Fluoropolymer Finish (Acrynar), Add	1.36	
For 70% Fluoropolymer Finish (Durantar), Add	4.09	
For Clear Anodized Finish, Add	3.41	
For Color Anodized Finish, Add	4.78	
08 51 13 00-0201 Fixed Over Vent, Casement Aluminum Windows (08 51 13 00-0179)		
08 51 13 00-0202 2-1/4" Frame Depth, C 50, Overlap, Fixed Over Vent, Casement Aluminum Window (Traco NX-210/220) (08 51 13 00-0201)		
08 51 13 00-0203 EA Up To 6 SF, 2-1/4" Frame Depth, C 50, Overlap, Fixed Over Vent, Casement Aluminum Window (Traco NX-210/220).....	689.01	85.10
For 50% Fluoropolymer Finish (Acrynar), Add	10.94	
For 70% Fluoropolymer Finish (Durantar), Add	32.83	
For Clear Anodized Finish, Add	27.36	
For Color Anodized Finish, Add	38.30	



Openings	08	08
Windows	08 50	
Metal Windows	08 51	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 51	13 00-0204	EA	>6 To 10 SF, 2-1/4" Frame Depth, C 50, Overlap, Fixed Over Vent, Casement Aluminum Window (Traco NX-210/220).....	759.91	90.41
			For 50% Fluoropolymer Finish (Acrynar), Add	12.18	
			For 70% Fluoropolymer Finish (Duranar), Add	36.55	
			For Clear Anodized Finish, Add	30.46	
			For Color Anodized Finish, Add	42.65	
08 51	13 00-0205	EA	>10 To 15 SF, 2-1/4" Frame Depth, C 50, Overlap, Fixed Over Vent, Casement Aluminum Window (Traco NX-210/220).....	842.41	95.73
			For 50% Fluoropolymer Finish (Acrynar), Add	13.66	
			For 70% Fluoropolymer Finish (Duranar), Add	40.97	
			For Clear Anodized Finish, Add	34.14	
			For Color Anodized Finish, Add	47.80	
08 51	13 00-0206	SF	>15 SF, 2-1/4" Frame Depth, C 50, Overlap, Fixed Over Vent, Casement Aluminum Window (Traco NX-210/220).....	50.84	3.19
			For 50% Fluoropolymer Finish (Acrynar), Add	0.91	
			For 70% Fluoropolymer Finish (Duranar), Add	2.73	
			For Clear Anodized Finish, Add	2.28	
			For Color Anodized Finish, Add	3.19	
08 51	13 00-0207		2-1/4" Frame Depth, HC 80, Flush, Fixed Over Vent, Casement Aluminum Window (Traco TR-2100/2200) (08 51 13 00-0201)		
08 51	13 00-0208	EA	Up To 6 SF, 2-1/4" Frame Depth, HC 80, Flush, Fixed Over Vent, Casement Aluminum Window (Traco TR-2100/2200).....	972.50	85.10
			For 50% Fluoropolymer Finish (Acrynar), Add	16.61	
			For 70% Fluoropolymer Finish (Duranar), Add	49.84	
			For Clear Anodized Finish, Add	41.53	
			For Color Anodized Finish, Add	58.15	
08 51	13 00-0209	EA	>6 To 10 SF, 2-1/4" Frame Depth, HC 80, Flush, Fixed Over Vent, Casement Aluminum Window (Traco TR-2100/2200).....	1,090.17	90.41
			For 50% Fluoropolymer Finish (Acrynar), Add	18.79	
			For 70% Fluoropolymer Finish (Duranar), Add	56.37	
			For Clear Anodized Finish, Add	46.97	
			For Color Anodized Finish, Add	65.76	
08 51	13 00-0210	EA	>10 To 15 SF, 2-1/4" Frame Depth, HC 80, Flush, Fixed Over Vent, Casement Aluminum Window (Traco TR-2100/2200).....	1,227.18	95.73
			For 50% Fluoropolymer Finish (Acrynar), Add	21.35	
			For 70% Fluoropolymer Finish (Duranar), Add	64.06	
			For Clear Anodized Finish, Add	53.38	
			For Color Anodized Finish, Add	74.73	
08 51	13 00-0211	SF	>15 SF, 2-1/4" Frame Depth, HC 80, Flush, Fixed Over Vent, Casement Aluminum Window (Traco TR-2100/2200).....	76.50	3.19
			For 50% Fluoropolymer Finish (Acrynar), Add	1.42	
			For 70% Fluoropolymer Finish (Duranar), Add	4.27	
			For Clear Anodized Finish, Add	3.56	
			For Color Anodized Finish, Add	4.98	
08 51	13 00-0212		3-1/4" Frame Depth, HC 80, Overlap, Fixed Over Vent, Casement Aluminum Window (Traco TR-3100/3200) (08 51 13 00-0201)		
08 51	13 00-0213	EA	Up To 6 SF, 3-1/4" Frame Depth, HC 80, Overlap, Fixed Over Vent, Casement Aluminum Window (Traco TR-3100/3200).....	1,076.87	85.10
			For 50% Fluoropolymer Finish (Acrynar), Add	18.70	
			For 70% Fluoropolymer Finish (Duranar), Add	56.10	
			For Clear Anodized Finish, Add	46.75	
			For Color Anodized Finish, Add	65.45	
08 51	13 00-0214	EA	>6 To 10 SF, 3-1/4" Frame Depth, HC 80, Overlap, Fixed Over Vent, Casement Aluminum Window (Traco TR-3100/3200).....	1,211.77	90.41
			For 50% Fluoropolymer Finish (Acrynar), Add	21.22	
			For 70% Fluoropolymer Finish (Duranar), Add	63.66	
			For Clear Anodized Finish, Add	53.05	
			For Color Anodized Finish, Add	74.28	
08 51	13 00-0215	EA	>10 To 15 SF, 3-1/4" Frame Depth, HC 80, Overlap, Fixed Over Vent, Casement Aluminum Window (Traco TR-3100/3200).....	1,368.82	95.73
			For 50% Fluoropolymer Finish (Acrynar), Add	24.19	
			For 70% Fluoropolymer Finish (Duranar), Add	72.56	
			For Clear Anodized Finish, Add	60.46	
			For Color Anodized Finish, Add	84.65	
08 51	13 00-0216	SF	>15 SF, 3-1/4" Frame Depth, HC 80, Overlap, Fixed Over Vent, Casement Aluminum Window (Traco TR-3100/3200).....	85.93	3.19
			For 50% Fluoropolymer Finish (Acrynar), Add	1.61	
			For 70% Fluoropolymer Finish (Duranar), Add	4.84	
			For Clear Anodized Finish, Add	4.03	
			For Color Anodized Finish, Add	5.64	
08 51	13 00-0217		4-5/8" Frame Depth, HC 80, Flush, Fixed Over Vent, Casement Aluminum Window (Traco TR-710/720) (08 51 13 00-0201)		
08 51	13 00-0218	EA	Up To 6 SF, 4-5/8" Frame Depth, HC 80, Flush, Fixed Over Vent, Casement Aluminum Window (Traco TR-710/720).....	1,171.88	85.10
			For 50% Fluoropolymer Finish (Acrynar), Add	20.60	
			For 70% Fluoropolymer Finish (Duranar), Add	61.80	
			For Clear Anodized Finish, Add	51.50	
			For Color Anodized Finish, Add	72.10	

08 Openings**08 50 Windows****08 51 Metal Windows**

MINOR		TOTAL DIRECT	DEMOLITION
CSI	UOM DESCRIPTION	UNIT COST	UNIT COST
08 51 13 00-0219	EA >6 To 10 SF, 4-5/8" Frame Depth, HC 80, Flush, Fixed Over Vent, Casement Aluminum Window (Traco TR-710/720).....	1,322.47	90.41
	For 50% Fluoropolymer Finish (Acrynar), Add	23.44	
	For 70% Fluoropolymer Finish (Durandar), Add	70.31	
	For Clear Anodized Finish, Add	58.59	
	For Color Anodized Finish, Add	82.02	
08 51 13 00-0220	EA >10 To 15 SF, 4-5/8" Frame Depth, HC 80, Flush, Fixed Over Vent, Casement Aluminum Window (Traco TR-710/720).....	1,497.78	95.73
	For 50% Fluoropolymer Finish (Acrynar), Add	26.76	
	For 70% Fluoropolymer Finish (Durandar), Add	80.29	
	For Clear Anodized Finish, Add	66.91	
	For Color Anodized Finish, Add	93.68	
08 51 13 00-0221	SF >15 SF, 4-5/8" Frame Depth, HC 80, Flush, Fixed Over Vent, Casement Aluminum Window (Traco TR-710/720).....	94.53	3.19
	For 50% Fluoropolymer Finish (Acrynar), Add	1.78	
	For 70% Fluoropolymer Finish (Durandar), Add	5.35	
	For Clear Anodized Finish, Add	4.46	
	For Color Anodized Finish, Add	6.24	
08 51 13 00-0222	Aluminum Window Accessories (08 51 13)		
08 51 13 00-0223	Aluminum Window Mullions (08 51 13 00-0222)		
08 51 13 00-0224	LF Integral Mullions For Aluminum Windows	20.83	3.99
	For 50% Fluoropolymer Finish (Acrynar), Add	0.27	
	For 70% Fluoropolymer Finish (Durandar), Add	0.81	
	For Clear Anodized Finish, Add	0.67	
	For Color Anodized Finish, Add	0.94	
08 51 13 00-0225	Aluminum Window Panning (08 51 13 00-0222)		
	Note: Panning price is determined by window size. For windows greater than 30 square feet multiply window square footage by square foot price.		
08 51 13 00-0226	EA Up To 6 SF Window, Aluminum Window Panning	214.01	32.70
	For 50% Fluoropolymer Finish (Acrynar), Add	3.19	
	For 70% Fluoropolymer Finish (Durandar), Add	9.57	
	For Clear Anodized Finish, Add	7.98	
	For Color Anodized Finish, Add	11.17	
08 51 13 00-0227	EA >6 To 10 SF Window, Aluminum Window Panning.....	296.45	54.49
	For 50% Fluoropolymer Finish (Acrynar), Add	4.11	
	For 70% Fluoropolymer Finish (Durandar), Add	12.34	
	For Clear Anodized Finish, Add	10.28	
	For Color Anodized Finish, Add	14.39	
08 51 13 00-0228	EA >10 To 15 SF Window, Aluminum Window Panning.....	361.09	81.73
	For 50% Fluoropolymer Finish (Acrynar), Add	4.50	
	For 70% Fluoropolymer Finish (Durandar), Add	13.49	
	For Clear Anodized Finish, Add	11.24	
	For Color Anodized Finish, Add	15.74	
08 51 13 00-0229	EA >15 To 20 SF Window, Aluminum Window Panning.....	429.56	108.98
	For 50% Fluoropolymer Finish (Acrynar), Add	4.96	
	For 70% Fluoropolymer Finish (Durandar), Add	14.88	
	For Clear Anodized Finish, Add	12.40	
	For Color Anodized Finish, Add	17.36	
08 51 13 00-0230	EA >20 To 30 SF Window, Aluminum Window Panning.....	564.58	163.47
	For 50% Fluoropolymer Finish (Acrynar), Add	5.84	
	For 70% Fluoropolymer Finish (Durandar), Add	17.53	
	For Clear Anodized Finish, Add	14.61	
	For Color Anodized Finish, Add	20.45	
08 51 13 00-0231	SF >30 SF Window, Aluminum Window Panning.....	20.49	6.82
	For 50% Fluoropolymer Finish (Acrynar), Add	0.18	
	For 70% Fluoropolymer Finish (Durandar), Add	0.55	
	For Clear Anodized Finish, Add	0.46	
	For Color Anodized Finish, Add	0.64	
08 51 13 00-0232	Aluminum Window Muntins, Grilles Or Dividers (08 51 13 00-0222)		
08 51 13 00-0233	SF Applied (Per Side) Muntins Grilles Or Dividers For Aluminum Windows.....	6.18	3.99
	For 50% Fluoropolymer Finish (Acrynar), Add	0.02	
	For 70% Fluoropolymer Finish (Durandar), Add	0.05	
	For Clear Anodized Finish, Add	0.04	
	For Color Anodized Finish, Add	0.06	
08 51 13 00-0234	SF Internal Only (Between Glass) Muntins, Grilles Or Dividers For Aluminum Windows	8.68	3.99
	For 50% Fluoropolymer Finish (Acrynar), Add	0.07	
	For 70% Fluoropolymer Finish (Durandar), Add	0.20	
	For Clear Anodized Finish, Add	0.17	
	For Color Anodized Finish, Add	0.24	
08 51 13 00-0235	SF Simulated Divided Lite Muntins Grilles Or Dividers For Aluminum Windows	18.10	3.99
	For 50% Fluoropolymer Finish (Acrynar), Add	0.10	
	For 70% Fluoropolymer Finish (Durandar), Add	0.29	
	For Clear Anodized Finish, Add	0.24	
	For Color Anodized Finish, Add	0.34	
08 51 13 00-0236	SF True Divided Lite Muntins Grilles Or Dividers For Aluminum Windows.....	21.80	3.99
	For 50% Fluoropolymer Finish (Acrynar), Add	0.13	
	For 70% Fluoropolymer Finish (Durandar), Add	0.40	
	For Clear Anodized Finish, Add	0.34	
	For Color Anodized Finish, Add	0.47	



Openings	08	08
Windows	08 50	
Metal Windows	08 51	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 51 13 00-0237 Other Aluminum Window Accessories <small>(08 51 13 00-0222)</small>		
08 51 13 00-0238 EA Roto Operator For Casement Aluminum Windows	169.55	17.72
08 51 13 00-0239 EA Head And Sill Automatic Locks For Hung Aluminum Windows	84.99	17.72
08 51 19 Stainless-Steel Windows <small>(08 51)</small>		
<small>See CSI section 08 80 00 00-0000 for glazing.</small>		
08 51 19 00-0001 Stainless Steel Windows Types <small>(08 51 19)</small>		
08 51 19 00-0002 Industrial <small>(08 51 19 00-0001)</small>		
08 51 19 00-0003 SF Stainless Steel Window With Horizontal Pivot Sash	82.19	5.32
08 51 19 00-0004 SF Stainless Steel Window, Fixed Sash	61.50	5.32
08 51 19 00-0005 Projected Sash <small>(08 51 19 00-0001)</small>		
08 51 19 00-0006 SF Commercial Projected Sash Window - 40% Vented Stainless Steel	86.05	5.32
08 51 19 00-0007 SF Intermediate Projected Sash Window - 40% Vented Stainless Steel	95.20	5.32
08 51 19 00-0008 Other Type Sash <small>(08 51 19 00-0001)</small>		
08 51 19 00-0009 SF Double Hung Stainless Steel Window Sash	104.33	5.32
08 51 19 00-0010 SF Single Hung Stainless Steel Window Sash	73.24	5.32
08 51 19 00-0011 SF Stainless Steel Picture Window Sash	60.88	5.32
08 51 19 00-0012 SF Sliding Stainless Steel Window	107.68	5.32
08 51 19 00-0013 Casements <small>(08 51 19 00-0001)</small>		
08 51 19 00-0014 SF Stainless Steel Window Casements, 100% Vented Operable, Factory Primed	93.30	5.32
08 51 19 00-0015 SF Stainless Steel Window Casements, 50% Vented Operable, Factory Primed	80.44	5.32
08 51 19 00-0016 SF Stainless Steel Window Casements, Fixed Sash, Factory Primed	56.17	5.32
08 51 23 Steel Windows <small>(08 51)</small>		
<small>Note: All sashes are factory primed. See CSI section 08 80 00 00-0000 for glazing.</small>		
08 51 23 00-0001 Steel Windows <small>(08 51 23)</small>		
08 51 23 00-0002 Industrial <small>(08 51 23 00-0001)</small>		
08 51 23 00-0003 SF Industrial Steel Window With Horizontal Pivot Sash	42.12	5.32
08 51 23 00-0004 SF Industrial Steel Window, Fixed Sash	37.86	5.32
08 51 23 00-0005 SF Industrial Steel Window, Operable Security Sash	59.61	5.32
08 51 23 00-0006 SF Industrial Steel Window, Fixed Security Sash	51.08	5.32
08 51 23 00-0007 Projected Sash <small>(08 51 23 00-0001)</small>		
08 51 23 00-0008 SF Commercial Projected Sash Window - 40% Vented Steel	48.48	5.32
08 51 23 00-0009 SF Intermediate Projected Sash Window - 40% Vented Steel	53.16	5.32
08 51 23 00-0010 Other Type Sash <small>(08 51 23 00-0001)</small>		
08 51 23 00-0011 SF Double Hung Steel Window Sash	61.45	5.32
08 51 23 00-0012 SF Steel Picture Window Sash	28.06	5.32
08 51 23 00-0013 SF Fire Rated Double Hung Steel Window Sash	63.29	6.65
08 51 23 00-0014 SF Single Hung Steel Window Sash	44.33	5.32
08 51 23 00-0015 Casements <small>(08 51 23 00-0001)</small>		
08 51 23 00-0016 SF Steel Window Casements, 100% Vented Operable, Factory Primed	55.39	2.66
08 51 23 00-0017 SF Steel Window Casements, 50% Vented Operable, Factory Primed	48.30	2.66
08 51 23 00-0018 SF Steel Window Casements, Fixed Sash, Factory Primed	34.92	3.99
08 51 23 00-0019 Mullions <small>(08 51 23 00-0001)</small>		
08 51 23 00-0020 LF Open Faced Steel Mullion	21.42	3.99
08 51 23 00-0021 LF Covered Steel Mullions	34.83	3.99
08 51 23 00-0022 Removal And Reinstallation Of Metal Window And Frame <small>(08 51 23)</small>		
<small>Note: Steel or aluminum frame. Includes storage, cleaning and supply materials, caulk and sealants.</small>		
08 51 23 00-0023 SF Removal And Reinstallation Of Metal Window And Frame	13.70	
08 51 69 Metal Storm Windows <small>(08 51)</small>		
08 51 69 00-0001 Storm Windows <small>(08 51 69)</small>		
08 51 69 00-0002 SF Double Hung, Aluminum, Combination Storm And Screen	29.76	2.66

08	08	Openings
	08 50	Windows
	08 52	Wood Windows



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
------------------------------	---------------------------	-------------------------

08 52 Wood Windows (08 50)

08 52 11 Wood Windows (08 52)

08 52 11 00-0001 Sash-Only Replacement Kits For Double Hung Wood Windows (08 52 11)
 Note: Includes demo of the existing sashes and jamb liners. Includes two sashes, jamb liners, insulated glass and all hardware needed for installation. Includes primed pine wood interior and exterior. Excludes window frame, trim, insect screens and grilles.

08 52 11 00-0002 30" Height, Sash-Only Replacement Kits For Double Hung Wood Windows (08 52 11 00-0001)

08 52 11 00-0003	EA 20" x 30", Sash-Only Replacement Kit For Double Hung Wood Windows	239.18
	<i>For Low-E Insulated Glass, Add</i>	18.54
	<i>For Aluminum Clad Exterior, Add</i>	19.87
08 52 11 00-0004	EA 24" x 30", Sash-Only Replacement Kit For Double Hung Wood Windows	253.66
	<i>For Low-E Insulated Glass, Add</i>	19.88
	<i>For Aluminum Clad Exterior, Add</i>	21.30
08 52 11 00-0005	EA 28" x 30", Sash-Only Replacement Kit For Double Hung Wood Windows	269.12
	<i>For Low-E Insulated Glass, Add</i>	21.34
	<i>For Aluminum Clad Exterior, Add</i>	22.87
08 52 11 00-0006	EA 30" x 30", Sash-Only Replacement Kit For Double Hung Wood Windows	277.31
	<i>For Low-E Insulated Glass, Add</i>	22.14
	<i>For Aluminum Clad Exterior, Add</i>	23.73
08 52 11 00-0007	EA 32" x 30", Sash-Only Replacement Kit For Double Hung Wood Windows	284.56
	<i>For Low-E Insulated Glass, Add</i>	22.81
	<i>For Aluminum Clad Exterior, Add</i>	24.44
08 52 11 00-0008	EA 34" x 30", Sash-Only Replacement Kit For Double Hung Wood Windows	293.72
	<i>For Low-E Insulated Glass, Add</i>	23.75
	<i>For Aluminum Clad Exterior, Add</i>	25.44
08 52 11 00-0009	EA 36" x 30", Sash-Only Replacement Kit For Double Hung Wood Windows	298.12
	<i>For Low-E Insulated Glass, Add</i>	24.02
	<i>For Aluminum Clad Exterior, Add</i>	25.73
08 52 11 00-0010	EA 40" x 30", Sash-Only Replacement Kit For Double Hung Wood Windows	316.40
	<i>For Low-E Insulated Glass, Add</i>	25.88
	<i>For Aluminum Clad Exterior, Add</i>	27.73
08 52 11 00-0011	EA 44" x 30", Sash-Only Replacement Kit For Double Hung Wood Windows	331.84
	<i>For Low-E Insulated Glass, Add</i>	27.35
	<i>For Aluminum Clad Exterior, Add</i>	29.30

08 52 11 00-0012 34" Height, Sash-Only Replacement Kits For Double Hung Wood Windows (08 52 11 00-0001)

08 52 11 00-0013	EA 20" x 34", Sash-Only Replacement Kit For Double Hung Wood Windows	253.66
	<i>For Low-E Insulated Glass, Add</i>	19.88
	<i>For Aluminum Clad Exterior, Add</i>	21.30
08 52 11 00-0014	EA 24" x 34", Sash-Only Replacement Kit For Double Hung Wood Windows	269.12
	<i>For Low-E Insulated Glass, Add</i>	21.34
	<i>For Aluminum Clad Exterior, Add</i>	22.87
08 52 11 00-0015	EA 28" x 34", Sash-Only Replacement Kit For Double Hung Wood Windows	282.08
	<i>For Low-E Insulated Glass, Add</i>	22.81
	<i>For Aluminum Clad Exterior, Add</i>	24.44
08 52 11 00-0016	EA 30" x 34", Sash-Only Replacement Kit For Double Hung Wood Windows	293.72
	<i>For Low-E Insulated Glass, Add</i>	23.75
	<i>For Aluminum Clad Exterior, Add</i>	25.44
08 52 11 00-0017	EA 32" x 34", Sash-Only Replacement Kit For Double Hung Wood Windows	300.95
	<i>For Low-E Insulated Glass, Add</i>	24.41
	<i>For Aluminum Clad Exterior, Add</i>	26.16
08 52 11 00-0018	EA 34" x 34", Sash-Only Replacement Kit For Double Hung Wood Windows	309.16
	<i>For Low-E Insulated Glass, Add</i>	25.21
	<i>For Aluminum Clad Exterior, Add</i>	27.01
08 52 11 00-0019	EA 36" x 34", Sash-Only Replacement Kit For Double Hung Wood Windows	316.40
	<i>For Low-E Insulated Glass, Add</i>	25.88
	<i>For Aluminum Clad Exterior, Add</i>	27.73
08 52 11 00-0020	EA 40" x 34", Sash-Only Replacement Kit For Double Hung Wood Windows	331.84
	<i>For Low-E Insulated Glass, Add</i>	27.35
	<i>For Aluminum Clad Exterior, Add</i>	29.30
08 52 11 00-0021	EA 44" x 34", Sash-Only Replacement Kit For Double Hung Wood Windows	347.30
	<i>For Low-E Insulated Glass, Add</i>	28.81
	<i>For Aluminum Clad Exterior, Add</i>	30.87

08 52 11 00-0022 36" Height, Sash-Only Replacement Kits For Double Hung Wood Windows (08 52 11 00-0001)

08 52 11 00-0023	EA 20" x 36", Sash-Only Replacement Kit For Double Hung Wood Windows	260.63
	<i>For Low-E Insulated Glass, Add</i>	20.68
	<i>For Aluminum Clad Exterior, Add</i>	22.15
08 52 11 00-0024	EA 24" x 36", Sash-Only Replacement Kit For Double Hung Wood Windows	276.07
	<i>For Low-E Insulated Glass, Add</i>	22.14
	<i>For Aluminum Clad Exterior, Add</i>	23.73
08 52 11 00-0025	EA 28" x 36", Sash-Only Replacement Kit For Double Hung Wood Windows	292.47
	<i>For Low-E Insulated Glass, Add</i>	23.75
	<i>For Aluminum Clad Exterior, Add</i>	25.44
08 52 11 00-0026	EA 30" x 36", Sash-Only Replacement Kit For Double Hung Wood Windows	299.71
	<i>For Low-E Insulated Glass, Add</i>	24.41
	<i>For Aluminum Clad Exterior, Add</i>	26.16



Openings	08	08
Windows	08 50	
Wood Windows	08 52	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 52 11 00-0027	EA		32" x 36", Sash-Only Replacement Kit For Double Hung Wood Windows <i>For Low-E Insulated Glass, Add</i> <i>For Aluminum Clad Exterior, Add</i>	307.92 25.21 27.01	
08 52 11 00-0028	EA		34" x 36", Sash-Only Replacement Kit For Double Hung Wood Windows <i>For Low-E Insulated Glass, Add</i> <i>For Aluminum Clad Exterior, Add</i>	315.16 25.88 27.73	
08 52 11 00-0029	EA		36" x 36", Sash-Only Replacement Kit For Double Hung Wood Windows <i>For Low-E Insulated Glass, Add</i> <i>For Aluminum Clad Exterior, Add</i>	323.36 26.68 28.59	
08 52 11 00-0030	EA		40" x 36", Sash-Only Replacement Kit For Double Hung Wood Windows <i>For Low-E Insulated Glass, Add</i> <i>For Aluminum Clad Exterior, Add</i>	337.86 28.01 30.02	
08 52 11 00-0031	EA		44" x 36", Sash-Only Replacement Kit For Double Hung Wood Windows <i>For Low-E Insulated Glass, Add</i> <i>For Aluminum Clad Exterior, Add</i>	353.30 29.48 31.59	
08 52 11 00-0032			38" Height, Sash-Only Replacement Kits For Double Hung Wood Windows <small>(08 52 11 00-0001)</small>		
08 52 11 00-0033	EA		20" x 38", Sash-Only Replacement Kit For Double Hung Wood Windows <i>For Low-E Insulated Glass, Add</i> <i>For Aluminum Clad Exterior, Add</i>	270.36 21.34 22.87	
08 52 11 00-0034	EA		24" x 38", Sash-Only Replacement Kit For Double Hung Wood Windows <i>For Low-E Insulated Glass, Add</i> <i>For Aluminum Clad Exterior, Add</i>	285.80 22.81 24.44	
08 52 11 00-0035	EA		28" x 38", Sash-Only Replacement Kit For Double Hung Wood Windows <i>For Low-E Insulated Glass, Add</i> <i>For Aluminum Clad Exterior, Add</i>	302.20 24.41 26.16	
08 52 11 00-0036	EA		30" x 38", Sash-Only Replacement Kit For Double Hung Wood Windows <i>For Low-E Insulated Glass, Add</i> <i>For Aluminum Clad Exterior, Add</i>	310.40 25.21 27.01	
08 52 11 00-0037	EA		32" x 38", Sash-Only Replacement Kit For Double Hung Wood Windows <i>For Low-E Insulated Glass, Add</i> <i>For Aluminum Clad Exterior, Add</i>	317.64 25.88 27.73	
08 52 11 00-0038	EA		34" x 38", Sash-Only Replacement Kit For Double Hung Wood Windows <i>For Low-E Insulated Glass, Add</i> <i>For Aluminum Clad Exterior, Add</i>	325.84 26.68 28.59	
08 52 11 00-0039	EA		36" x 38", Sash-Only Replacement Kit For Double Hung Wood Windows <i>For Low-E Insulated Glass, Add</i> <i>For Aluminum Clad Exterior, Add</i>	333.09 27.35 29.30	
08 52 11 00-0040	EA		40" x 38", Sash-Only Replacement Kit For Double Hung Wood Windows <i>For Low-E Insulated Glass, Add</i> <i>For Aluminum Clad Exterior, Add</i>	348.54 28.81 30.87	
08 52 11 00-0041	EA		44" x 38", Sash-Only Replacement Kit For Double Hung Wood Windows <i>For Low-E Insulated Glass, Add</i> <i>For Aluminum Clad Exterior, Add</i>	363.99 30.28 32.45	
08 52 11 00-0042			46" Height, Sash-Only Replacement Kits For Double Hung Wood Windows <small>(08 52 11 00-0001)</small>		
08 52 11 00-0043	EA		20" x 46", Sash-Only Replacement Kit For Double Hung Wood Windows <i>For Low-E Insulated Glass, Add</i> <i>For Aluminum Clad Exterior, Add</i>	300.95 24.41 26.16	
08 52 11 00-0044	EA		24" x 46", Sash-Only Replacement Kit For Double Hung Wood Windows <i>For Low-E Insulated Glass, Add</i> <i>For Aluminum Clad Exterior, Add</i>	316.40 25.88 27.73	
08 52 11 00-0045	EA		28" x 46", Sash-Only Replacement Kit For Double Hung Wood Windows <i>For Low-E Insulated Glass, Add</i> <i>For Aluminum Clad Exterior, Add</i>	331.84 27.35 29.30	
08 52 11 00-0046	EA		30" x 46", Sash-Only Replacement Kit For Double Hung Wood Windows <i>For Low-E Insulated Glass, Add</i> <i>For Aluminum Clad Exterior, Add</i>	339.09 28.01 30.02	
08 52 11 00-0047	EA		32" x 46", Sash-Only Replacement Kit For Double Hung Wood Windows <i>For Low-E Insulated Glass, Add</i> <i>For Aluminum Clad Exterior, Add</i>	347.30 28.81 30.87	
08 52 11 00-0048	EA		34" x 46", Sash-Only Replacement Kit For Double Hung Wood Windows <i>For Low-E Insulated Glass, Add</i> <i>For Aluminum Clad Exterior, Add</i>	354.53 29.48 31.59	
08 52 11 00-0049	EA		36" x 46", Sash-Only Replacement Kit For Double Hung Wood Windows <i>For Low-E Insulated Glass, Add</i> <i>For Aluminum Clad Exterior, Add</i>	362.74 30.28 32.45	
08 52 11 00-0050	EA		40" x 46", Sash-Only Replacement Kit For Double Hung Wood Windows <i>For Low-E Insulated Glass, Add</i> <i>For Aluminum Clad Exterior, Add</i>	378.19 31.75 34.02	
08 52 11 00-0051	EA		44" x 46", Sash-Only Replacement Kit For Double Hung Wood Windows <i>For Low-E Insulated Glass, Add</i> <i>For Aluminum Clad Exterior, Add</i>	394.58 33.35 35.73	
08 52 11 00-0052			48" Height, Sash-Only Replacement Kits For Double Hung Wood Windows <small>(08 52 11 00-0001)</small>		
08 52 11 00-0053	EA		20" x 48", Sash-Only Replacement Kit For Double Hung Wood Windows <i>For Low-E Insulated Glass, Add</i> <i>For Aluminum Clad Exterior, Add</i>	307.92 25.21 27.01	

08 Openings**08 50 Windows****08 52 Wood Windows**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 52 11 00-0054	EA		24" x 48", Sash-Only Replacement Kit For Double Hung Wood Windows	323.36	
			<i>For Low-E Insulated Glass, Add</i>	26.68	
			<i>For Aluminum Clad Exterior, Add</i>	28.59	
08 52 11 00-0055	EA		28" x 48", Sash-Only Replacement Kit For Double Hung Wood Windows	337.86	
			<i>For Low-E Insulated Glass, Add</i>	28.01	
			<i>For Aluminum Clad Exterior, Add</i>	30.02	
08 52 11 00-0056	EA		30" x 48", Sash-Only Replacement Kit For Double Hung Wood Windows	346.05	
			<i>For Low-E Insulated Glass, Add</i>	28.81	
			<i>For Aluminum Clad Exterior, Add</i>	30.87	
08 52 11 00-0057	EA		32" x 48", Sash-Only Replacement Kit For Double Hung Wood Windows	353.30	
			<i>For Low-E Insulated Glass, Add</i>	29.48	
			<i>For Aluminum Clad Exterior, Add</i>	31.59	
08 52 11 00-0058	EA		34" x 48", Sash-Only Replacement Kit For Double Hung Wood Windows	361.50	
			<i>For Low-E Insulated Glass, Add</i>	30.28	
			<i>For Aluminum Clad Exterior, Add</i>	32.45	
08 52 11 00-0059	EA		36" x 48", Sash-Only Replacement Kit For Double Hung Wood Windows	368.75	
			<i>For Low-E Insulated Glass, Add</i>	30.95	
			<i>For Aluminum Clad Exterior, Add</i>	33.16	
08 52 11 00-0060	EA		40" x 48", Sash-Only Replacement Kit For Double Hung Wood Windows	385.15	
			<i>For Low-E Insulated Glass, Add</i>	32.55	
			<i>For Aluminum Clad Exterior, Add</i>	34.88	
08 52 11 00-0061	EA		44" x 48", Sash-Only Replacement Kit For Double Hung Wood Windows	400.59	
			<i>For Low-E Insulated Glass, Add</i>	34.02	
			<i>For Aluminum Clad Exterior, Add</i>	36.45	
08 52 11 00-0062			50" Height, Sash-Only Replacement Kits For Double Hung Wood Windows		
			<small>(08 52 11 00-0001)</small>		
08 52 11 00-0063	EA		20" x 50", Sash-Only Replacement Kit For Double Hung Wood Windows	317.64	
			<i>For Low-E Insulated Glass, Add</i>	25.88	
			<i>For Aluminum Clad Exterior, Add</i>	27.73	
08 52 11 00-0064	EA		24" x 50", Sash-Only Replacement Kit For Double Hung Wood Windows	333.09	
			<i>For Low-E Insulated Glass, Add</i>	27.35	
			<i>For Aluminum Clad Exterior, Add</i>	29.30	
08 52 11 00-0065	EA		28" x 50", Sash-Only Replacement Kit For Double Hung Wood Windows	348.54	
			<i>For Low-E Insulated Glass, Add</i>	28.81	
			<i>For Aluminum Clad Exterior, Add</i>	30.87	
08 52 11 00-0066	EA		30" x 50", Sash-Only Replacement Kit For Double Hung Wood Windows	355.78	
			<i>For Low-E Insulated Glass, Add</i>	29.48	
			<i>For Aluminum Clad Exterior, Add</i>	31.59	
08 52 11 00-0067	EA		32" x 50", Sash-Only Replacement Kit For Double Hung Wood Windows	363.99	
			<i>For Low-E Insulated Glass, Add</i>	30.28	
			<i>For Aluminum Clad Exterior, Add</i>	32.45	
08 52 11 00-0068	EA		34" x 50", Sash-Only Replacement Kit For Double Hung Wood Windows	371.22	
			<i>For Low-E Insulated Glass, Add</i>	30.95	
			<i>For Aluminum Clad Exterior, Add</i>	33.16	
08 52 11 00-0069	EA		36" x 50", Sash-Only Replacement Kit For Double Hung Wood Windows	379.43	
			<i>For Low-E Insulated Glass, Add</i>	31.75	
			<i>For Aluminum Clad Exterior, Add</i>	34.02	
08 52 11 00-0070	EA		40" x 50", Sash-Only Replacement Kit For Double Hung Wood Windows	395.82	
			<i>For Low-E Insulated Glass, Add</i>	33.35	
			<i>For Aluminum Clad Exterior, Add</i>	35.73	
08 52 11 00-0071	EA		44" x 50", Sash-Only Replacement Kit For Double Hung Wood Windows	411.27	
			<i>For Low-E Insulated Glass, Add</i>	34.82	
			<i>For Aluminum Clad Exterior, Add</i>	37.30	
08 52 11 00-0072			54" Height, Sash-Only Replacement Kits For Double Hung Wood Windows		
			<small>(08 52 11 00-0001)</small>		
08 52 11 00-0073	EA		20" x 54", Sash-Only Replacement Kit For Double Hung Wood Windows	333.09	
			<i>For Low-E Insulated Glass, Add</i>	27.35	
			<i>For Aluminum Clad Exterior, Add</i>	29.30	
08 52 11 00-0074	EA		24" x 54", Sash-Only Replacement Kit For Double Hung Wood Windows	348.54	
			<i>For Low-E Insulated Glass, Add</i>	28.81	
			<i>For Aluminum Clad Exterior, Add</i>	30.87	
08 52 11 00-0075	EA		28" x 54", Sash-Only Replacement Kit For Double Hung Wood Windows	363.99	
			<i>For Low-E Insulated Glass, Add</i>	30.28	
			<i>For Aluminum Clad Exterior, Add</i>	32.45	
08 52 11 00-0076	EA		30" x 54", Sash-Only Replacement Kit For Double Hung Wood Windows	371.22	
			<i>For Low-E Insulated Glass, Add</i>	30.95	
			<i>For Aluminum Clad Exterior, Add</i>	33.16	
08 52 11 00-0077	EA		32" x 54", Sash-Only Replacement Kit For Double Hung Wood Windows	379.43	
			<i>For Low-E Insulated Glass, Add</i>	31.75	
			<i>For Aluminum Clad Exterior, Add</i>	34.02	
08 52 11 00-0078	EA		34" x 54", Sash-Only Replacement Kit For Double Hung Wood Windows	387.63	
			<i>For Low-E Insulated Glass, Add</i>	32.55	
			<i>For Aluminum Clad Exterior, Add</i>	34.88	
08 52 11 00-0079	EA		36" x 54", Sash-Only Replacement Kit For Double Hung Wood Windows	395.82	
			<i>For Low-E Insulated Glass, Add</i>	33.35	
			<i>For Aluminum Clad Exterior, Add</i>	35.73	
08 52 11 00-0080	EA		40" x 54", Sash-Only Replacement Kit For Double Hung Wood Windows	411.27	
			<i>For Low-E Insulated Glass, Add</i>	34.82	
			<i>For Aluminum Clad Exterior, Add</i>	37.30	
08 52 11 00-0081	EA		44" x 54", Sash-Only Replacement Kit For Double Hung Wood Windows	426.72	
			<i>For Low-E Insulated Glass, Add</i>	36.29	
			<i>For Aluminum Clad Exterior, Add</i>	38.88	



Openings	08	08
Windows	08 50	
Wood Windows	08 52	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
------------------------------	---------------------------	-------------------------

08 52 11 00-0082 58" Height, Sash-Only Replacement Kits For Double Hung Wood Windows
(08 52 11 00-0001)

08 52 11 00-0083	EA 20" x 58", Sash-Only Replacement Kit For Double Hung Wood Windows	347.30
	For Low-E Insulated Glass, Add	28.81
	For Aluminum Clad Exterior, Add	30.87
08 52 11 00-0084	EA 24" x 58", Sash-Only Replacement Kit For Double Hung Wood Windows	362.74
	For Low-E Insulated Glass, Add	30.28
	For Aluminum Clad Exterior, Add	32.45
08 52 11 00-0085	EA 28" x 58", Sash-Only Replacement Kit For Double Hung Wood Windows	378.19
	For Low-E Insulated Glass, Add	31.75
	For Aluminum Clad Exterior, Add	34.02
08 52 11 00-0086	EA 30" x 58", Sash-Only Replacement Kit For Double Hung Wood Windows	386.38
	For Low-E Insulated Glass, Add	32.55
	For Aluminum Clad Exterior, Add	34.88
08 52 11 00-0087	EA 32" x 58", Sash-Only Replacement Kit For Double Hung Wood Windows	394.58
	For Low-E Insulated Glass, Add	33.35
	For Aluminum Clad Exterior, Add	35.73
08 52 11 00-0088	EA 34" x 58", Sash-Only Replacement Kit For Double Hung Wood Windows	401.83
	For Low-E Insulated Glass, Add	34.02
	For Aluminum Clad Exterior, Add	36.45
08 52 11 00-0089	EA 36" x 58", Sash-Only Replacement Kit For Double Hung Wood Windows	410.02
	For Low-E Insulated Glass, Add	34.82
	For Aluminum Clad Exterior, Add	37.30
08 52 11 00-0090	EA 40" x 58", Sash-Only Replacement Kit For Double Hung Wood Windows	425.48
	For Low-E Insulated Glass, Add	36.29
	For Aluminum Clad Exterior, Add	38.88
08 52 11 00-0091	EA 44" x 58", Sash-Only Replacement Kit For Double Hung Wood Windows	439.96
	For Low-E Insulated Glass, Add	37.62
	For Aluminum Clad Exterior, Add	40.31

08 52 11 00-0092 60" Height, Sash-Only Replacement Kits For Double Hung Wood Windows
(08 52 11 00-0001)

08 52 11 00-0093	EA 20" x 60", Sash-Only Replacement Kit For Double Hung Wood Windows	353.30
	For Low-E Insulated Glass, Add	29.48
	For Aluminum Clad Exterior, Add	31.59
08 52 11 00-0094	EA 24" x 60", Sash-Only Replacement Kit For Double Hung Wood Windows	368.75
	For Low-E Insulated Glass, Add	30.95
	For Aluminum Clad Exterior, Add	33.16
08 52 11 00-0095	EA 28" x 60", Sash-Only Replacement Kit For Double Hung Wood Windows	385.15
	For Low-E Insulated Glass, Add	32.55
	For Aluminum Clad Exterior, Add	34.88
08 52 11 00-0096	EA 30" x 60", Sash-Only Replacement Kit For Double Hung Wood Windows	393.34
	For Low-E Insulated Glass, Add	33.35
	For Aluminum Clad Exterior, Add	35.73
08 52 11 00-0097	EA 32" x 60", Sash-Only Replacement Kit For Double Hung Wood Windows	400.59
	For Low-E Insulated Glass, Add	34.02
	For Aluminum Clad Exterior, Add	36.45
08 52 11 00-0098	EA 34" x 60", Sash-Only Replacement Kit For Double Hung Wood Windows	408.78
	For Low-E Insulated Glass, Add	34.82
	For Aluminum Clad Exterior, Add	37.30
08 52 11 00-0099	EA 36" x 60", Sash-Only Replacement Kit For Double Hung Wood Windows	416.04
	For Low-E Insulated Glass, Add	35.48
	For Aluminum Clad Exterior, Add	38.02
08 52 11 00-0100	EA 40" x 60", Sash-Only Replacement Kit For Double Hung Wood Windows	431.48
	For Low-E Insulated Glass, Add	36.95
	For Aluminum Clad Exterior, Add	39.59
08 52 11 00-0101	EA 44" x 60", Sash-Only Replacement Kit For Double Hung Wood Windows	446.93
	For Low-E Insulated Glass, Add	38.42
	For Aluminum Clad Exterior, Add	41.16

08 52 11 00-0102 62" Height, Sash-Only Replacement Kits For Double Hung Wood Windows
(08 52 11 00-0001)

08 52 11 00-0103	EA 20" x 62", Sash-Only Replacement Kit For Double Hung Wood Windows	363.99
	For Low-E Insulated Glass, Add	30.28
	For Aluminum Clad Exterior, Add	32.45
08 52 11 00-0104	EA 24" x 62", Sash-Only Replacement Kit For Double Hung Wood Windows	379.43
	For Low-E Insulated Glass, Add	31.75
	For Aluminum Clad Exterior, Add	34.02
08 52 11 00-0105	EA 28" x 62", Sash-Only Replacement Kit For Double Hung Wood Windows	395.82
	For Low-E Insulated Glass, Add	33.35
	For Aluminum Clad Exterior, Add	35.73
08 52 11 00-0106	EA 30" x 62", Sash-Only Replacement Kit For Double Hung Wood Windows	403.07
	For Low-E Insulated Glass, Add	34.02
	For Aluminum Clad Exterior, Add	36.45
08 52 11 00-0107	EA 32" x 62", Sash-Only Replacement Kit For Double Hung Wood Windows	411.27
	For Low-E Insulated Glass, Add	34.82
	For Aluminum Clad Exterior, Add	37.30
08 52 11 00-0108	EA 34" x 62", Sash-Only Replacement Kit For Double Hung Wood Windows	418.52
	For Low-E Insulated Glass, Add	35.48
	For Aluminum Clad Exterior, Add	38.02

08 Openings**08 50 Windows****08 52 Wood Windows**

MINOR		TOTAL DIRECT	DEMOLITION
CSI	UOM DESCRIPTION	UNIT COST	UNIT COST
08 52 11 00-0109	EA 36" x 62", Sash-Only Replacement Kit For Double Hung Wood Windows <i>For Low-E Insulated Glass, Add</i> <i>For Aluminum Clad Exterior, Add</i>	426.72 36.29 38.88	
08 52 11 00-0110	EA 40" x 62", Sash-Only Replacement Kit For Double Hung Wood Windows <i>For Low-E Insulated Glass, Add</i> <i>For Aluminum Clad Exterior, Add</i>	441.21 37.62 40.31	
08 52 11 00-0111	EA 44" x 62", Sash-Only Replacement Kit For Double Hung Wood Windows <i>For Low-E Insulated Glass, Add</i> <i>For Aluminum Clad Exterior, Add</i>	456.66 39.09 41.88	
08 52 11 00-0112	66" Height, Sash-Only Replacement Kits For Double Hung Wood Windows <small>(08 52 11 00-0001)</small>		
08 52 11 00-0113	EA 20" x 66", Sash-Only Replacement Kit For Double Hung Wood Windows <i>For Low-E Insulated Glass, Add</i> <i>For Aluminum Clad Exterior, Add</i>	379.43 31.75 34.02	
08 52 11 00-0114	EA 24" x 66", Sash-Only Replacement Kit For Double Hung Wood Windows <i>For Low-E Insulated Glass, Add</i> <i>For Aluminum Clad Exterior, Add</i>	395.82 33.35 35.73	
08 52 11 00-0115	EA 28" x 66", Sash-Only Replacement Kit For Double Hung Wood Windows <i>For Low-E Insulated Glass, Add</i> <i>For Aluminum Clad Exterior, Add</i>	411.27 34.82 37.30	
08 52 11 00-0116	EA 30" x 66", Sash-Only Replacement Kit For Double Hung Wood Windows <i>For Low-E Insulated Glass, Add</i> <i>For Aluminum Clad Exterior, Add</i>	418.52 35.48 38.02	
08 52 11 00-0117	EA 32" x 66", Sash-Only Replacement Kit For Double Hung Wood Windows <i>For Low-E Insulated Glass, Add</i> <i>For Aluminum Clad Exterior, Add</i>	426.72 36.29 38.88	
08 52 11 00-0118	EA 34" x 66", Sash-Only Replacement Kit For Double Hung Wood Windows <i>For Low-E Insulated Glass, Add</i> <i>For Aluminum Clad Exterior, Add</i>	433.96 36.95 39.59	
08 52 11 00-0119	EA 36" x 66", Sash-Only Replacement Kit For Double Hung Wood Windows <i>For Low-E Insulated Glass, Add</i> <i>For Aluminum Clad Exterior, Add</i>	441.21 37.62 40.31	
08 52 11 00-0120	EA 40" x 66", Sash-Only Replacement Kit For Double Hung Wood Windows <i>For Low-E Insulated Glass, Add</i> <i>For Aluminum Clad Exterior, Add</i>	456.66 39.09 41.88	
08 52 11 00-0121	EA 44" x 66", Sash-Only Replacement Kit For Double Hung Wood Windows <i>For Low-E Insulated Glass, Add</i> <i>For Aluminum Clad Exterior, Add</i>	472.11 40.55 43.45	
08 52 11 00-0122	70" Height, Sash-Only Replacement Kits For Double Hung Wood Windows <small>(08 52 11 00-0001)</small>		
08 52 11 00-0123	EA 20" x 70", Sash-Only Replacement Kit For Double Hung Wood Windows <i>For Low-E Insulated Glass, Add</i> <i>For Aluminum Clad Exterior, Add</i>	394.58 33.35 35.73	
08 52 11 00-0124	EA 24" x 70", Sash-Only Replacement Kit For Double Hung Wood Windows <i>For Low-E Insulated Glass, Add</i> <i>For Aluminum Clad Exterior, Add</i>	410.02 34.82 37.30	
08 52 11 00-0125	EA 28" x 70", Sash-Only Replacement Kit For Double Hung Wood Windows <i>For Low-E Insulated Glass, Add</i> <i>For Aluminum Clad Exterior, Add</i>	425.48 36.29 38.88	
08 52 11 00-0126	EA 30" x 70", Sash-Only Replacement Kit For Double Hung Wood Windows <i>For Low-E Insulated Glass, Add</i> <i>For Aluminum Clad Exterior, Add</i>	432.72 36.95 39.59	
08 52 11 00-0127	EA 32" x 70", Sash-Only Replacement Kit For Double Hung Wood Windows <i>For Low-E Insulated Glass, Add</i> <i>For Aluminum Clad Exterior, Add</i>	439.96 37.62 40.31	
08 52 11 00-0128	EA 34" x 70", Sash-Only Replacement Kit For Double Hung Wood Windows <i>For Low-E Insulated Glass, Add</i> <i>For Aluminum Clad Exterior, Add</i>	450.99 38.82 41.59	
08 52 11 00-0129	EA 36" x 70", Sash-Only Replacement Kit For Double Hung Wood Windows <i>For Low-E Insulated Glass, Add</i> <i>For Aluminum Clad Exterior, Add</i>	456.41 39.23 42.03	
08 52 11 00-0130	EA 40" x 70", Sash-Only Replacement Kit For Double Hung Wood Windows <i>For Low-E Insulated Glass, Add</i> <i>For Aluminum Clad Exterior, Add</i>	470.86 40.55 43.45	
08 52 11 00-0131	EA 44" x 70", Sash-Only Replacement Kit For Double Hung Wood Windows <i>For Low-E Insulated Glass, Add</i> <i>For Aluminum Clad Exterior, Add</i>	487.26 42.15 45.17	
08 52 11 00-0132	74" Height, Sash-Only Replacement Kits For Double Hung Wood Windows <small>(08 52 11 00-0001)</small>		
08 52 11 00-0133	EA 20" x 74", Sash-Only Replacement Kit For Double Hung Wood Windows <i>For Low-E Insulated Glass, Add</i> <i>For Aluminum Clad Exterior, Add</i>	411.27 34.82 37.30	
08 52 11 00-0134	EA 24" x 74", Sash-Only Replacement Kit For Double Hung Wood Windows <i>For Low-E Insulated Glass, Add</i> <i>For Aluminum Clad Exterior, Add</i>	426.72 36.29 38.88	
08 52 11 00-0135	EA 28" x 74", Sash-Only Replacement Kit For Double Hung Wood Windows <i>For Low-E Insulated Glass, Add</i> <i>For Aluminum Clad Exterior, Add</i>	441.21 37.62 40.31	



Openings	08	08
Windows	08 50	
Wood Windows	08 52	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 52 11 00-0136	EA		30" x 74", Sash-Only Replacement Kit For Double Hung Wood Windows <i>For Low-E Insulated Glass, Add</i> <i>For Aluminum Clad Exterior, Add</i>	449.40 38.42 41.16	
08 52 11 00-0137	EA		32" x 74", Sash-Only Replacement Kit For Double Hung Wood Windows <i>For Low-E Insulated Glass, Add</i> <i>For Aluminum Clad Exterior, Add</i>	456.66 39.09 41.88	
08 52 11 00-0138	EA		34" x 74", Sash-Only Replacement Kit For Double Hung Wood Windows <i>For Low-E Insulated Glass, Add</i> <i>For Aluminum Clad Exterior, Add</i>	464.85 39.89 42.74	
08 52 11 00-0139	EA		36" x 74", Sash-Only Replacement Kit For Double Hung Wood Windows <i>For Low-E Insulated Glass, Add</i> <i>For Aluminum Clad Exterior, Add</i>	472.11 40.55 43.45	
08 52 11 00-0140	EA		40" x 74", Sash-Only Replacement Kit For Double Hung Wood Windows <i>For Low-E Insulated Glass, Add</i> <i>For Aluminum Clad Exterior, Add</i>	488.50 42.15 45.17	
08 52 11 00-0141	EA		44" x 74", Sash-Only Replacement Kit For Double Hung Wood Windows <i>For Low-E Insulated Glass, Add</i> <i>For Aluminum Clad Exterior, Add</i>	503.94 43.62 46.74	
08 52 11 00-0142			78" Height, Sash-Only Replacement Kits For Double Hung Wood Windows <small>(08 52 11 00-0001)</small>		
08 52 11 00-0143	EA		20" x 78", Sash-Only Replacement Kit For Double Hung Wood Windows <i>For Low-E Insulated Glass, Add</i> <i>For Aluminum Clad Exterior, Add</i>	431.69 36.29 38.88	
08 52 11 00-0144	EA		24" x 78", Sash-Only Replacement Kit For Double Hung Wood Windows <i>For Low-E Insulated Glass, Add</i> <i>For Aluminum Clad Exterior, Add</i>	446.17 37.62 40.31	
08 52 11 00-0145	EA		28" x 78", Sash-Only Replacement Kit For Double Hung Wood Windows <i>For Low-E Insulated Glass, Add</i> <i>For Aluminum Clad Exterior, Add</i>	461.63 39.09 41.88	
08 52 11 00-0146	EA		30" x 78", Sash-Only Replacement Kit For Double Hung Wood Windows <i>For Low-E Insulated Glass, Add</i> <i>For Aluminum Clad Exterior, Add</i>	469.81 39.89 42.74	
08 52 11 00-0147	EA		32" x 78", Sash-Only Replacement Kit For Double Hung Wood Windows <i>For Low-E Insulated Glass, Add</i> <i>For Aluminum Clad Exterior, Add</i>	477.07 40.55 43.45	
08 52 11 00-0148	EA		34" x 78", Sash-Only Replacement Kit For Double Hung Wood Windows <i>For Low-E Insulated Glass, Add</i> <i>For Aluminum Clad Exterior, Add</i>	485.26 41.35 44.31	
08 52 11 00-0149	EA		36" x 78", Sash-Only Replacement Kit For Double Hung Wood Windows <i>For Low-E Insulated Glass, Add</i> <i>For Aluminum Clad Exterior, Add</i>	493.46 42.15 45.17	
08 52 11 00-0150	EA		40" x 78", Sash-Only Replacement Kit For Double Hung Wood Windows <i>For Low-E Insulated Glass, Add</i> <i>For Aluminum Clad Exterior, Add</i>	508.90 43.62 46.74	
08 52 11 00-0151	EA		44" x 78", Sash-Only Replacement Kit For Double Hung Wood Windows <i>For Low-E Insulated Glass, Add</i> <i>For Aluminum Clad Exterior, Add</i>	524.34 45.09 48.31	
08 52 11 00-0152			Commercial And Institutional Heavy Double Hung Windows <small>(08 52 11)</small> Note: With true divided lites. Performance grade DP 40 in NWWDA I.S. 2-93. Includes complete unit with hardware, blocking and accessories, glazing, caulking, prepare opening, anchors, testing and certifications. Excludes painting.		
08 52 11 00-0153	SF		Up To 21 SF Double Hung Wood Window With True Divided Lite <i>For Insulating Glass, Add</i>	75.56 4.54	11.08
08 52 11 00-0154	SF		21 To 40 SF Double Hung Wood Window With True Divided Lite <i>For Insulating Glass, Add</i>	72.44 4.06	12.32
08 52 11 00-0155	SF		40 SF And Over Double Hung Wood Window With True Divided Lite <i>For Insulating Glass, Add</i>	69.78 3.58	13.83
08 52 11 00-0156			Architectural And Historic Reproduction Wood Windows <small>(08 52 11)</small> Note: Fixed casement, awning, and double hung. With true divided lites. Casement performance grade DP 40; awning performance grade DP 25; double hung performance grade DP 30. Includes complete unit with hardware, blocking and accessories, glazing, caulking, prepare opening, anchors, testing and certifications. Excludes painting.		
08 52 11 00-0157	SF		Up To 21 SF Architectural And Historic Reproduction Wood Window <i>For Insulating Glass, Add</i>	81.18 5.02	11.07
08 52 11 00-0158	SF		21 To 40 SF Architectural And Historic Reproduction Wood Window <i>For Insulating Glass, Add</i>	75.48 4.32	12.32
08 52 11 00-0159	SF		40 SF And Over Architectural And Historic Reproduction Wood Window <i>For Insulating Glass, Add</i>	71.56 3.73	13.83
08 52 11 00-0160			Removal And Reinstallation Of Wood Window And Frame <small>(08 52 11)</small> Note: Includes storage, cleaning and supply materials.		
08 52 11 00-0161	SF		Removal And Reinstallation Of Wood Windows And Frames	27.37	
08 52 16			Plastic-Clad Wood Windows <small>(08 52)</small>		
08 52 16 00-0001			Double Hung Wood Clad Windows <small>(08 52 16)</small> Note: Double hung windows feature two movable sashes that operate vertically and open independently.		

08	08	Openings
	08 50	Windows
	08 52	Wood Windows



MINOR		TOTAL DIRECT		DEMOLITION	
CSI	UOM	DESCRIPTION	UNIT COST	UNIT COST	UNIT COST
08 52 16 00-0002		Double Hung Wood Clad Windows (Andersen 200 TW Series) (08 52 16 00-0001) Note: Includes painted or stained wood interior, colored PVC clad exterior, standard hardware and clear insulated glass. Excludes grilles and insect screens.			
08 52 16 00-0003		35-1/2" Height, Double Hung Wood Clad Windows (Andersen 200 TW Series) (08 52 16 00-0002)			
08 52 16 00-0004	EA	23-1/2" x 35-1/2" Double Hung Wood Clad Window (Andersen 200 TW Series).....	315.54		40.77
		For Low-E Insulated Glass, Add	28.08		
		For Tempered Clear Insulated Glass, Add	46.80		
08 52 16 00-0005	EA	27-1/2" x 35-1/2" Double Hung Wood Clad Window (Andersen 200 TW Series).....	334.27		42.55
		For Low-E Insulated Glass, Add	29.90		
		For Tempered Clear Insulated Glass, Add	49.83		
08 52 16 00-0006	EA	31-1/2" x 35-1/2" Double Hung Wood Clad Window (Andersen 200 TW Series).....	351.72		44.33
		For Low-E Insulated Glass, Add	31.57		
		For Tempered Clear Insulated Glass, Add	52.62		
08 52 16 00-0007	EA	35-1/2" x 35-1/2" Double Hung Wood Clad Window (Andersen 200 TW Series).....	369.18		46.10
		For Low-E Insulated Glass, Add	33.24		
		For Tempered Clear Insulated Glass, Add	55.40		
08 52 16 00-0008		41-1/2" Height, Double Hung Wood Clad Windows (Andersen 200 TW Series) (08 52 16 00-0002)			
08 52 16 00-0009	EA	23-1/2" x 41-1/2" Double Hung Wood Clad Window (Andersen 200 TW Series).....	342.36		43.44
		For Low-E Insulated Glass, Add	30.66		
		For Tempered Clear Insulated Glass, Add	51.10		
08 52 16 00-0010	EA	27-1/2" x 41-1/2" Double Hung Wood Clad Window (Andersen 200 TW Series).....	361.08		45.21
		For Low-E Insulated Glass, Add	32.48		
		For Tempered Clear Insulated Glass, Add	54.13		
08 52 16 00-0011	EA	31-1/2" x 41-1/2" Double Hung Wood Clad Window (Andersen 200 TW Series).....	378.54		46.98
		For Low-E Insulated Glass, Add	34.15		
		For Tempered Clear Insulated Glass, Add	56.92		
08 52 16 00-0012	EA	35-1/2" x 41-1/2" Double Hung Wood Clad Window (Andersen 200 TW Series).....	396.00		48.75
		For Low-E Insulated Glass, Add	35.82		
		For Tempered Clear Insulated Glass, Add	59.70		
08 52 16 00-0013		47-1/2" Height, Double Hung Wood Clad Windows (Andersen 200 TW Series) (08 52 16 00-0002)			
08 52 16 00-0014	EA	23-1/2" x 47-1/2" Double Hung Wood Clad Window (Andersen 200 TW Series).....	369.18		46.10
		For Low-E Insulated Glass, Add	33.24		
		For Tempered Clear Insulated Glass, Add	55.40		
08 52 16 00-0015	EA	27-1/2" x 47-1/2" Double Hung Wood Clad Window (Andersen 200 TW Series).....	386.63		47.87
		For Low-E Insulated Glass, Add	34.91		
		For Tempered Clear Insulated Glass, Add	58.18		
08 52 16 00-0016	EA	31-1/2" x 47-1/2" Double Hung Wood Clad Window (Andersen 200 TW Series).....	405.37		49.64
		For Low-E Insulated Glass, Add	36.73		
		For Tempered Clear Insulated Glass, Add	61.22		
08 52 16 00-0017	EA	35-1/2" x 47-1/2" Double Hung Wood Clad Window (Andersen 200 TW Series).....	422.82		51.42
		For Low-E Insulated Glass, Add	38.40		
		For Tempered Clear Insulated Glass, Add	64.00		
08 52 16 00-0018		53-1/2" Height, Double Hung Wood Clad Windows (Andersen 200 TW Series) (08 52 16 00-0002)			
08 52 16 00-0019	EA	23-1/2" x 53-1/2" Double Hung Wood Clad Window (Andersen 200 TW Series).....	396.00		48.75
		For Low-E Insulated Glass, Add	35.82		
		For Tempered Clear Insulated Glass, Add	59.70		
08 52 16 00-0020	EA	27-1/2" x 53-1/2" Double Hung Wood Clad Window (Andersen 200 TW Series).....	413.47		50.52
		For Low-E Insulated Glass, Add	37.49		
		For Tempered Clear Insulated Glass, Add	62.48		
08 52 16 00-0021	EA	31-1/2" x 53-1/2" Double Hung Wood Clad Window (Andersen 200 TW Series).....	430.92		52.30
		For Low-E Insulated Glass, Add	39.16		
		For Tempered Clear Insulated Glass, Add	65.26		
08 52 16 00-0022	EA	35-1/2" x 53-1/2" Double Hung Wood Clad Window (Andersen 200 TW Series).....	449.65		54.07
		For Low-E Insulated Glass, Add	40.98		
		For Tempered Clear Insulated Glass, Add	68.30		
08 52 16 00-0023		56-1/2" Height, Double Hung Wood Clad Windows (Andersen 200 TW Series) (08 52 16 00-0002)			
08 52 16 00-0024	EA	19-1/2" x 56-1/2" Double Hung Wood Clad Window (Andersen 200 TW Series).....	391.32		48.75
		For Low-E Insulated Glass, Add	35.36		
		For Tempered Clear Insulated Glass, Add	58.94		
08 52 16 00-0025	EA	23-1/2" x 56-1/2" Double Hung Wood Clad Window (Andersen 200 TW Series).....	408.78		50.08
		For Low-E Insulated Glass, Add	37.03		
		For Tempered Clear Insulated Glass, Add	61.72		
08 52 16 00-0026	EA	27-1/2" x 56-1/2" Double Hung Wood Clad Window (Andersen 200 TW Series).....	427.50		52.30
		For Low-E Insulated Glass, Add	38.85		
		For Tempered Clear Insulated Glass, Add	64.76		
08 52 16 00-0027	EA	31-1/2" x 56-1/2" Double Hung Wood Clad Window (Andersen 200 TW Series).....	444.96		54.07
		For Low-E Insulated Glass, Add	40.52		
		For Tempered Clear Insulated Glass, Add	67.54		



Openings	08	08
Windows	08 50	
Wood Windows	08 52	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 52 16 00-0028	EA		35-1/2" x 56-1/2" Double Hung Wood Clad Window (Andersen 200 TW Series)..... <i>For Low-E Insulated Glass, Add</i> <i>For Tempered Clear Insulated Glass, Add</i>	462.42 42.19 70.32	55.85
08 52 16 00-0029	EA		39-1/2" x 56-1/2" Double Hung Wood Clad Window (Andersen 200 TW Series)..... <i>For Low-E Insulated Glass, Add</i> <i>For Tempered Clear Insulated Glass, Add</i>	479.88 43.86 73.11	57.62
08 52 16 00-0030			59-1/2" Height, Double Hung Wood Clad Windows (Andersen 200 TW Series) (08 52 16 00-0002)		
08 52 16 00-0031	EA		19-1/2" x 59-1/2" Double Hung Wood Clad Window (Andersen 200 TW Series)..... <i>For Low-E Insulated Glass, Add</i> <i>For Tempered Clear Insulated Glass, Add</i>	405.37 36.73 61.22	49.64
08 52 16 00-0032	EA		23-1/2" x 59-1/2" Double Hung Wood Clad Window (Andersen 200 TW Series)..... <i>For Low-E Insulated Glass, Add</i> <i>For Tempered Clear Insulated Glass, Add</i>	422.82 38.40 64.00	51.42
08 52 16 00-0033	EA		27-1/2" x 59-1/2" Double Hung Wood Clad Window (Andersen 200 TW Series)..... <i>For Low-E Insulated Glass, Add</i> <i>For Tempered Clear Insulated Glass, Add</i>	440.28 40.07 66.78	53.19
08 52 16 00-0034	EA		31-1/2" x 59-1/2" Double Hung Wood Clad Window (Andersen 200 TW Series)..... <i>For Low-E Insulated Glass, Add</i> <i>For Tempered Clear Insulated Glass, Add</i>	457.74 41.74 69.56	54.96
08 52 16 00-0035	EA		35-1/2" x 59-1/2" Double Hung Wood Clad Window (Andersen 200 TW Series)..... <i>For Low-E Insulated Glass, Add</i> <i>For Tempered Clear Insulated Glass, Add</i>	475.19 43.41 72.35	56.73
08 52 16 00-0036	EA		39-1/2" x 59-1/2" Double Hung Wood Clad Window (Andersen 200 TW Series)..... <i>For Low-E Insulated Glass, Add</i> <i>For Tempered Clear Insulated Glass, Add</i>	493.92 45.23 75.38	58.50
08 52 16 00-0037			65-1/2" Height, Double Hung Wood Clad Windows (Andersen 200 TW Series) (08 52 16 00-0002)		
08 52 16 00-0038	EA		23-1/2" x 65-1/2" Double Hung Wood Clad Window (Andersen 200 TW Series)..... <i>For Low-E Insulated Glass, Add</i> <i>For Tempered Clear Insulated Glass, Add</i>	449.65 40.98 68.30	54.07
08 52 16 00-0039	EA		27-1/2" x 65-1/2" Double Hung Wood Clad Window (Andersen 200 TW Series)..... <i>For Low-E Insulated Glass, Add</i> <i>For Tempered Clear Insulated Glass, Add</i>	467.10 42.65 71.08	55.85
08 52 16 00-0040	EA		31-1/2" x 65-1/2" Double Hung Wood Clad Window (Andersen 200 TW Series)..... <i>For Low-E Insulated Glass, Add</i> <i>For Tempered Clear Insulated Glass, Add</i>	484.56 44.32 73.86	57.62
08 52 16 00-0041	EA		35-1/2" x 65-1/2" Double Hung Wood Clad Window (Andersen 200 TW Series)..... <i>For Low-E Insulated Glass, Add</i> <i>For Tempered Clear Insulated Glass, Add</i>	502.01 45.99 76.65	59.40
08 52 16 00-0042			71-1/2" Height, Double Hung Wood Clad Windows (Andersen 200 TW Series) (08 52 16 00-0002)		
08 52 16 00-0043	EA		23-1/2" x 71-1/2" Double Hung Wood Clad Window (Andersen 200 TW Series)..... <i>For Low-E Insulated Glass, Add</i> <i>For Tempered Clear Insulated Glass, Add</i>	475.19 43.41 72.35	56.73
08 52 16 00-0044	EA		27-1/2" x 71-1/2" Double Hung Wood Clad Window (Andersen 200 TW Series)..... <i>For Low-E Insulated Glass, Add</i> <i>For Tempered Clear Insulated Glass, Add</i>	493.92 45.23 75.38	58.50
08 52 16 00-0045	EA		31-1/2" x 71-1/2" Double Hung Wood Clad Window (Andersen 200 TW Series)..... <i>For Low-E Insulated Glass, Add</i> <i>For Tempered Clear Insulated Glass, Add</i>	511.37 46.90 78.16	60.28
08 52 16 00-0046	EA		35-1/2" x 71-1/2" Double Hung Wood Clad Window (Andersen 200 TW Series)..... <i>For Low-E Insulated Glass, Add</i> <i>For Tempered Clear Insulated Glass, Add</i>	528.85 48.57 80.95	62.05
08 52 16 00-0047			Double Hung Wood Clad Windows (Andersen 400 TW Series) (08 52 16 00-0001) Note: Includes painted or stained wood interior, colored PVC clad exterior, standard hardware and Low-E insulated glass. Excludes grilles and insect screens.		
08 52 16 00-0048			36-7/8" Height, Double Hung Wood Clad Windows (Andersen 400 TW Series) (08 52 16 00-0047)		
08 52 16 00-0049	EA		21-5/8" x 36-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	390.54 61.98	40.77
08 52 16 00-0050	EA		25-5/8" x 36-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	414.33 66.02	42.10
08 52 16 00-0051	EA		29-5/8" x 36-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	439.37 70.32	43.88
08 52 16 00-0052	EA		31-5/8" x 36-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	452.53 72.60	45.21
08 52 16 00-0053	EA		33-5/8" x 36-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	464.43 74.62	46.10
08 52 16 00-0054	EA		35-5/8" x 36-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	476.31 76.65	46.98
08 52 16 00-0055	EA		37-5/8" x 36-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	489.47 78.92	47.42

08 Openings**08 50 Windows****08 52 Wood Windows**

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 52 16 00-0056 EA 41-5/8" x 36-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	513.24	49.20
For Tempered Low-E Insulated Glass, Add	82.97	
08 52 16 00-0057 EA 45-5/8" x 36-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	538.30	50.97
For Tempered Low-E Insulated Glass, Add	87.27	
08 52 16 00-0058 40-7/8" Height, Double Hung Wood Clad Windows (Andersen 400 TW Series) (08 52 16 00-0047)		
08 52 16 00-0059 EA 21-5/8" x 40-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	414.33	42.55
For Tempered Low-E Insulated Glass, Add	66.02	
08 52 16 00-0060 EA 25-5/8" x 40-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	439.37	43.88
For Tempered Low-E Insulated Glass, Add	70.32	
08 52 16 00-0061 EA 29-5/8" x 40-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	464.43	45.65
For Tempered Low-E Insulated Glass, Add	74.62	
08 52 16 00-0062 EA 31-5/8" x 40-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	476.31	46.98
For Tempered Low-E Insulated Glass, Add	76.65	
08 52 16 00-0063 EA 33-5/8" x 40-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	489.47	47.87
For Tempered Low-E Insulated Glass, Add	78.92	
08 52 16 00-0064 EA 35-5/8" x 40-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	501.36	48.75
For Tempered Low-E Insulated Glass, Add	80.95	
08 52 16 00-0065 EA 37-5/8" x 40-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	513.24	49.20
For Tempered Low-E Insulated Glass, Add	82.97	
08 52 16 00-0066 EA 41-5/8" x 40-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	538.30	50.97
For Tempered Low-E Insulated Glass, Add	87.27	
08 52 16 00-0067 EA 45-5/8" x 40-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	563.34	52.75
For Tempered Low-E Insulated Glass, Add	91.57	
08 52 16 00-0068 44-7/8" Height, Double Hung Wood Clad Windows (Andersen 400 TW Series) (08 52 16 00-0047)		
08 52 16 00-0069 EA 21-5/8" x 44-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	439.37	44.33
For Tempered Low-E Insulated Glass, Add	70.32	
08 52 16 00-0070 EA 25-5/8" x 44-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	464.43	45.65
For Tempered Low-E Insulated Glass, Add	74.62	
08 52 16 00-0071 EA 29-5/8" x 44-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	489.47	47.42
For Tempered Low-E Insulated Glass, Add	78.92	
08 52 16 00-0072 EA 31-5/8" x 44-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	501.36	48.75
For Tempered Low-E Insulated Glass, Add	80.95	
08 52 16 00-0073 EA 33-5/8" x 44-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	513.24	49.64
For Tempered Low-E Insulated Glass, Add	82.97	
08 52 16 00-0074 EA 35-5/8" x 44-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	526.41	50.52
For Tempered Low-E Insulated Glass, Add	85.25	
08 52 16 00-0075 EA 37-5/8" x 44-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	538.30	50.97
For Tempered Low-E Insulated Glass, Add	87.27	
08 52 16 00-0076 EA 41-5/8" x 44-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	563.34	52.75
For Tempered Low-E Insulated Glass, Add	91.57	
08 52 16 00-0077 EA 45-5/8" x 44-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	588.39	54.52
For Tempered Low-E Insulated Glass, Add	95.87	
08 52 16 00-0078 48-7/8" Height, Double Hung Wood Clad Windows (Andersen 400 TW Series) (08 52 16 00-0047)		
08 52 16 00-0079 EA 21-5/8" x 48-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	464.43	46.10
For Tempered Low-E Insulated Glass, Add	74.62	
08 52 16 00-0080 EA 25-5/8" x 48-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	489.47	47.42
For Tempered Low-E Insulated Glass, Add	78.92	
08 52 16 00-0081 EA 29-5/8" x 48-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	513.24	49.20
For Tempered Low-E Insulated Glass, Add	82.97	
08 52 16 00-0082 EA 31-5/8" x 48-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	526.41	50.52
For Tempered Low-E Insulated Glass, Add	85.25	
08 52 16 00-0083 EA 33-5/8" x 48-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	538.30	51.42
For Tempered Low-E Insulated Glass, Add	87.27	
08 52 16 00-0084 EA 35-5/8" x 48-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	550.18	52.30
For Tempered Low-E Insulated Glass, Add	89.29	
08 52 16 00-0085 EA 37-5/8" x 48-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	563.34	52.75
For Tempered Low-E Insulated Glass, Add	91.57	
08 52 16 00-0086 EA 41-5/8" x 48-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	588.39	54.52
For Tempered Low-E Insulated Glass, Add	95.87	
08 52 16 00-0087 EA 45-5/8" x 48-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	612.18	56.29
For Tempered Low-E Insulated Glass, Add	99.92	
08 52 16 00-0088 52-7/8" Height, Double Hung Wood Clad Windows (Andersen 400 TW Series) (08 52 16 00-0047)		
08 52 16 00-0089 EA 21-5/8" x 52-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	489.47	47.87
For Tempered Low-E Insulated Glass, Add	78.92	
08 52 16 00-0090 EA 25-5/8" x 52-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	513.24	49.20
For Tempered Low-E Insulated Glass, Add	82.97	
08 52 16 00-0091 EA 29-5/8" x 52-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	538.30	50.97
For Tempered Low-E Insulated Glass, Add	87.27	
08 52 16 00-0092 EA 31-5/8" x 52-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	550.18	52.30
For Tempered Low-E Insulated Glass, Add	89.29	



Openings	08	08
Windows	08 50	
Wood Windows	08 52	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 52 16 00-0093	EA		33-5/8" x 52-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	563.34 91.57	53.19
08 52 16 00-0094	EA		35-5/8" x 52-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	575.24 93.60	54.07
08 52 16 00-0095	EA		37-5/8" x 52-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	588.39 95.87	54.52
08 52 16 00-0096	EA		41-5/8" x 52-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	612.18 99.92	56.29
08 52 16 00-0097	EA		45-5/8" x 52-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	637.23 104.22	58.06
08 52 16 00-0098			56-7/8" Height, Double Hung Wood Clad Windows (Andersen 400 TW Series) (08 52 16 00-0047)		
08 52 16 00-0099	EA		21-5/8" x 56-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	513.24 82.97	49.64
08 52 16 00-0100	EA		25-5/8" x 56-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	538.30 87.27	50.97
08 52 16 00-0101	EA		29-5/8" x 56-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	563.34 91.57	52.75
08 52 16 00-0102	EA		31-5/8" x 56-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	575.24 93.60	54.07
08 52 16 00-0103	EA		33-5/8" x 56-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	588.39 95.87	54.96
08 52 16 00-0104	EA		35-5/8" x 56-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	600.29 97.90	55.85
08 52 16 00-0105	EA		37-5/8" x 56-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	612.18 99.92	56.29
08 52 16 00-0106	EA		41-5/8" x 56-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	637.23 104.22	58.06
08 52 16 00-0107	EA		45-5/8" x 56-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	662.27 108.52	59.84
08 52 16 00-0108			60-7/8" Height, Double Hung Wood Clad Windows (Andersen 400 TW Series) (08 52 16 00-0047)		
08 52 16 00-0109	EA		21-5/8" x 60-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	538.30 87.27	51.42
08 52 16 00-0110	EA		25-5/8" x 60-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	563.34 91.57	52.75
08 52 16 00-0111	EA		29-5/8" x 60-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	588.39 95.87	54.52
08 52 16 00-0112	EA		31-5/8" x 60-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	600.29 97.90	55.85
08 52 16 00-0113	EA		33-5/8" x 60-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	612.18 99.92	56.73
08 52 16 00-0114	EA		35-5/8" x 60-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	625.33 102.20	57.62
08 52 16 00-0115	EA		37-5/8" x 60-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	637.23 104.22	58.06
08 52 16 00-0116	EA		41-5/8" x 60-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	662.27 108.52	59.84
08 52 16 00-0117	EA		45-5/8" x 60-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	686.06 112.57	61.61
08 52 16 00-0118			64-7/8" Height, Double Hung Wood Clad Windows (Andersen 400 TW Series) (08 52 16 00-0047)		
08 52 16 00-0119	EA		21-5/8" x 64-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	563.34 91.57	53.19
08 52 16 00-0120	EA		25-5/8" x 64-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	588.39 95.87	54.52
08 52 16 00-0121	EA		29-5/8" x 64-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	612.18 99.92	56.29
08 52 16 00-0122	EA		31-5/8" x 64-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	625.33 102.20	57.62
08 52 16 00-0123	EA		33-5/8" x 64-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	637.23 104.22	58.50
08 52 16 00-0124	EA		35-5/8" x 64-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	649.12 106.24	59.40
08 52 16 00-0125	EA		37-5/8" x 64-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	662.27 108.52	59.84
08 52 16 00-0126	EA		41-5/8" x 64-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	686.06 112.57	61.61
08 52 16 00-0127	EA		45-5/8" x 64-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	711.10 116.87	63.38
08 52 16 00-0128			68-7/8" Height, Double Hung Wood Clad Windows (Andersen 400 TW Series) (08 52 16 00-0047)		
08 52 16 00-0129	EA		21-5/8" x 68-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	588.39 95.87	54.96

08 Openings

08 50 Windows

08 52 Wood Windows



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 52 16 00-0130	EA		25-5/8" x 68-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	612.18	56.29
			<i>For Tempered Low-E Insulated Glass, Add</i>	99.92	
08 52 16 00-0131	EA		29-5/8" x 68-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	637.23	58.06
			<i>For Tempered Low-E Insulated Glass, Add</i>	104.22	
08 52 16 00-0132	EA		31-5/8" x 68-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	649.12	59.40
			<i>For Tempered Low-E Insulated Glass, Add</i>	106.24	
08 52 16 00-0133	EA		33-5/8" x 68-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	662.27	60.28
			<i>For Tempered Low-E Insulated Glass, Add</i>	108.52	
08 52 16 00-0134	EA		35-5/8" x 68-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	674.16	61.17
			<i>For Tempered Low-E Insulated Glass, Add</i>	110.54	
08 52 16 00-0135	EA		37-5/8" x 68-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	686.06	61.61
			<i>For Tempered Low-E Insulated Glass, Add</i>	112.57	
08 52 16 00-0136	EA		41-5/8" x 68-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	711.10	63.38
			<i>For Tempered Low-E Insulated Glass, Add</i>	116.87	
08 52 16 00-0137	EA		45-5/8" x 68-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	736.15	65.15
			<i>For Tempered Low-E Insulated Glass, Add</i>	121.17	
08 52 16 00-0138			72-7/8" Height, Double Hung Wood Clad Windows (Andersen 400 TW Series) (08 52 16 00-0047)		
08 52 16 00-0139	EA		21-5/8" x 72-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	612.18	56.73
			<i>For Tempered Low-E Insulated Glass, Add</i>	99.92	
08 52 16 00-0140	EA		25-5/8" x 72-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	637.23	58.06
			<i>For Tempered Low-E Insulated Glass, Add</i>	104.22	
08 52 16 00-0141	EA		29-5/8" x 72-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	662.27	59.84
			<i>For Tempered Low-E Insulated Glass, Add</i>	108.52	
08 52 16 00-0142	EA		31-5/8" x 72-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	674.16	61.17
			<i>For Tempered Low-E Insulated Glass, Add</i>	110.54	
08 52 16 00-0143	EA		33-5/8" x 72-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	686.06	62.05
			<i>For Tempered Low-E Insulated Glass, Add</i>	112.57	
08 52 16 00-0144	EA		35-5/8" x 72-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	699.21	62.94
			<i>For Tempered Low-E Insulated Glass, Add</i>	114.84	
08 52 16 00-0145	EA		37-5/8" x 72-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	711.10	63.38
			<i>For Tempered Low-E Insulated Glass, Add</i>	116.87	
08 52 16 00-0146	EA		41-5/8" x 72-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	736.15	65.15
			<i>For Tempered Low-E Insulated Glass, Add</i>	121.17	
08 52 16 00-0147	EA		45-5/8" x 72-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	761.19	66.92
			<i>For Tempered Low-E Insulated Glass, Add</i>	125.47	
08 52 16 00-0148			76-7/8" Height, Double Hung Wood Clad Windows (Andersen 400 TW Series) (08 52 16 00-0047)		
08 52 16 00-0149	EA		21-5/8" x 76-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	637.23	58.50
			<i>For Tempered Low-E Insulated Glass, Add</i>	104.22	
08 52 16 00-0150	EA		25-5/8" x 76-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	662.27	59.84
			<i>For Tempered Low-E Insulated Glass, Add</i>	108.52	
08 52 16 00-0151	EA		29-5/8" x 76-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	686.06	61.61
			<i>For Tempered Low-E Insulated Glass, Add</i>	112.57	
08 52 16 00-0152	EA		31-5/8" x 76-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	699.21	62.94
			<i>For Tempered Low-E Insulated Glass, Add</i>	114.84	
08 52 16 00-0153	EA		33-5/8" x 76-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	711.10	63.82
			<i>For Tempered Low-E Insulated Glass, Add</i>	116.87	
08 52 16 00-0154	EA		35-5/8" x 76-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	724.25	64.71
			<i>For Tempered Low-E Insulated Glass, Add</i>	119.14	
08 52 16 00-0155	EA		37-5/8" x 76-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	736.15	65.15
			<i>For Tempered Low-E Insulated Glass, Add</i>	121.17	
08 52 16 00-0156	EA		41-5/8" x 76-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	761.19	66.92
			<i>For Tempered Low-E Insulated Glass, Add</i>	125.47	
08 52 16 00-0157	EA		45-5/8" x 76-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	784.98	68.70
			<i>For Tempered Low-E Insulated Glass, Add</i>	129.52	
08 52 16 00-0158			84-7/8" Height, Double Hung Wood Clad Windows (Andersen 400 TW Series) (08 52 16 00-0047)		
08 52 16 00-0159	EA		21-5/8" x 84-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	987.08	62.05
			<i>For Tempered Low-E Insulated Glass, Add</i>	172.77	
08 52 16 00-0160	EA		25-5/8" x 84-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	1,022.24	63.38
			<i>For Tempered Low-E Insulated Glass, Add</i>	179.10	
08 52 16 00-0161	EA		29-5/8" x 84-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	1,057.41	65.15
			<i>For Tempered Low-E Insulated Glass, Add</i>	185.42	
08 52 16 00-0162	EA		31-5/8" x 84-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	1,074.36	66.48
			<i>For Tempered Low-E Insulated Glass, Add</i>	188.46	
08 52 16 00-0163	EA		33-5/8" x 84-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	1,092.57	67.37
			<i>For Tempered Low-E Insulated Glass, Add</i>	191.74	
08 52 16 00-0164	EA		35-5/8" x 84-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	1,109.52	68.26
			<i>For Tempered Low-E Insulated Glass, Add</i>	194.78	
08 52 16 00-0165	EA		37-5/8" x 84-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	1,126.47	68.70
			<i>For Tempered Low-E Insulated Glass, Add</i>	197.81	
08 52 16 00-0166	EA		41-5/8" x 84-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	1,161.64	70.47
			<i>For Tempered Low-E Insulated Glass, Add</i>	204.14	
08 52 16 00-0167	EA		45-5/8" x 84-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	1,196.80	72.24
			<i>For Tempered Low-E Insulated Glass, Add</i>	210.46	



Openings	08	08
Windows	08 50	
Wood Windows	08 52	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 52 16 00-0168 88-7/8" Height, Double Hung Wood Clad Windows (Andersen 400 TW Series) (08 52 16 00-0047)		
08 52 16 00-0169 EA 21-5/8" x 88-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	1,022.24	63.82
For Tempered Low-E Insulated Glass, Add	179.10	
08 52 16 00-0170 EA 25-5/8" x 88-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	1,057.41	65.15
For Tempered Low-E Insulated Glass, Add	185.42	
08 52 16 00-0171 EA 29-5/8" x 88-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	1,092.57	66.92
For Tempered Low-E Insulated Glass, Add	191.74	
08 52 16 00-0172 EA 31-5/8" x 88-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	1,109.52	68.26
For Tempered Low-E Insulated Glass, Add	194.78	
08 52 16 00-0173 EA 33-5/8" x 88-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	1,126.47	69.15
For Tempered Low-E Insulated Glass, Add	197.81	
08 52 16 00-0174 EA 35-5/8" x 88-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	1,144.70	70.03
For Tempered Low-E Insulated Glass, Add	201.10	
08 52 16 00-0175 EA 37-5/8" x 88-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	1,161.64	70.47
For Tempered Low-E Insulated Glass, Add	204.14	
08 52 16 00-0176 EA 41-5/8" x 88-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	1,196.80	72.24
For Tempered Low-E Insulated Glass, Add	210.46	
08 52 16 00-0177 EA 45-5/8" x 88-7/8" Double Hung Wood Clad Window (Andersen 400 TW Series).....	1,231.97	74.01
For Tempered Low-E Insulated Glass, Add	216.79	
08 52 16 00-0178 Casement Wood Clad Windows (08 52 16)		
Note: Casement windows are hinged on one side and swing inward or outward with a crank or push out operation.		
08 52 16 00-0179 Casement Wood Clad Windows (Andersen 200 Series) (08 52 16 00-0178)		
Note: Includes painted or stained wood interior, colored PVC clad exterior, standard hardware and clear insulated glass. Excludes grilles and insect screens.		
08 52 16 00-0180 One Operating Sash, Casement Wood Clad Windows (Andersen 200 Series) (08 52 16 00-0179)		
08 52 16 00-0181 24-1/8" Height, One Operating Sash, Casement Wood Clad Windows (Andersen 200 Series) (08 52 16 00-0180)		
08 52 16 00-0182 EA 17" x 24-1/8", One Operating Sash, Casement Wood Clad Window (Andersen 200 Series).....	304.41	33.68
For Tempered Clear Insulated Glass, Add	47.59	
08 52 16 00-0183 EA 20-1/2" x 24-1/8", One Operating Sash, Casement Wood Clad Window (Andersen 200 Series).....	321.84	34.57
For Tempered Clear Insulated Glass, Add	50.54	
08 52 16 00-0184 EA 24-1/8" x 24-1/8", One Operating Sash, Casement Wood Clad Window (Andersen 200 Series).....	341.37	36.35
For Tempered Clear Insulated Glass, Add	53.74	
08 52 16 00-0185 EA 28-3/8" x 24-1/8", One Operating Sash, Casement Wood Clad Window (Andersen 200 Series).....	359.41	38.12
For Tempered Clear Insulated Glass, Add	56.63	
08 52 16 00-0186 28-3/8" Height, One Operating Sash, Casement Wood Clad Windows (Andersen 200 Series) (08 52 16 00-0180)		
08 52 16 00-0187 EA 17" x 28-3/8", One Operating Sash, Casement Wood Clad Window (Andersen 200 Series).....	326.41	35.45
For Tempered Clear Insulated Glass, Add	51.28	
08 52 16 00-0188 EA 20-1/2" x 28-3/8", One Operating Sash, Casement Wood Clad Window (Andersen 200 Series).....	343.83	36.35
For Tempered Clear Insulated Glass, Add	54.23	
08 52 16 00-0189 EA 24-1/8" x 28-3/8", One Operating Sash, Casement Wood Clad Window (Andersen 200 Series).....	363.37	38.12
For Tempered Clear Insulated Glass, Add	57.43	
08 52 16 00-0190 EA 28-3/8" x 28-3/8", One Operating Sash, Casement Wood Clad Window (Andersen 200 Series).....	373.23	39.89
For Tempered Clear Insulated Glass, Add	58.69	
08 52 16 00-0191 EA 31-1/2" x 28-3/8", One Operating Sash, Casement Wood Clad Window (Andersen 200 Series).....	395.71	41.66
For Tempered Clear Insulated Glass, Add	62.65	
08 52 16 00-0192 35-15/16" Height, One Operating Sash, Casement Wood Clad Windows (Andersen 200 Series) (08 52 16 00-0190)		
08 52 16 00-0193 EA 17" x 35-15/16", One Operating Sash, Casement Wood Clad Window (Andersen 200 Series).....	365.83	38.12
For Tempered Clear Insulated Glass, Add	57.92	
08 52 16 00-0194 EA 20-1/2" x 35-15/16", One Operating Sash, Casement Wood Clad Window (Andersen 200 Series).....	384.47	39.89
For Tempered Clear Insulated Glass, Add	61.12	
08 52 16 00-0195 EA 24-1/8" x 35-15/16", One Operating Sash, Casement Wood Clad Window (Andersen 200 Series).....	404.01	41.22
For Tempered Clear Insulated Glass, Add	64.31	
08 52 16 00-0196 EA 28-3/8" x 35-15/16", One Operating Sash, Casement Wood Clad Window (Andersen 200 Series).....	434.62	42.99
For Tempered Clear Insulated Glass, Add	69.73	
08 52 16 00-0197 EA 31-1/2" x 35-15/16", One Operating Sash, Casement Wood Clad Window (Andersen 200 Series).....	463.68	44.33
For Tempered Clear Insulated Glass, Add	75.01	
08 52 16 00-0198 EA 35-15/16" x 35-15/16", One Operating Sash, Casement Wood Clad Window (Andersen 200 Series).....	491.94	45.21
For Tempered Clear Insulated Glass, Add	80.31	
08 52 16 00-0199 40-13/16" Height, One Operating Sash, Casement Wood Clad Windows (Andersen 200 Series) (08 52 16 00-0190)		
08 52 16 00-0200 EA 17" x 40-13/16", One Operating Sash, Casement Wood Clad Window (Andersen 200 Series).....	392.39	40.77
For Tempered Clear Insulated Glass, Add	62.35	

08 Openings**08 50 Windows****08 52 Wood Windows**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 52 16 00-0201	EA		20-1/2" x 40-13/16", One Operating Sash, Casement Wood Clad Window (Andersen 200 Series).....	409.82	41.66
			<i>For Tempered Clear Insulated Glass, Add</i>	65.30	
08 52 16 00-0202	EA		24-1/8" x 40-13/16", One Operating Sash, Casement Wood Clad Window (Andersen 200 Series).....	429.35	43.44
			<i>For Tempered Clear Insulated Glass, Add</i>	68.50	
08 52 16 00-0203	EA		28-3/8" x 40-13/16", One Operating Sash, Casement Wood Clad Window (Andersen 200 Series).....	473.49	45.21
			<i>For Tempered Clear Insulated Glass, Add</i>	76.62	
08 52 16 00-0204	EA		31-1/2" x 40-13/16", One Operating Sash, Casement Wood Clad Window (Andersen 200 Series).....	503.93	46.98
			<i>For Tempered Clear Insulated Glass, Add</i>	82.17	
08 52 16 00-0205	EA		35-15/16" x 40-13/16", One Operating Sash, Casement Wood Clad Window (Andersen 200 Series).....	532.59	48.75
			<i>For Tempered Clear Insulated Glass, Add</i>	87.19	
08 52 16 00-0206			48" Height, One Operating Sash, Casement Wood Clad Windows		
			(Andersen 200 Series) (08 52 16 00-0180)		
08 52 16 00-0207	EA		17" x 48", One Operating Sash, Casement Wood Clad Window (Andersen 200 Series).....	430.24	44.33
			<i>For Tempered Clear Insulated Glass, Add</i>	68.50	
08 52 16 00-0208	EA		20-1/2" x 48", One Operating Sash, Casement Wood Clad Window (Andersen 200 Series).....	448.88	45.21
			<i>For Tempered Clear Insulated Glass, Add</i>	71.69	
08 52 16 00-0209	EA		24-1/8" x 48", One Operating Sash, Casement Wood Clad Window (Andersen 200 Series).....	468.43	46.98
			<i>For Tempered Clear Insulated Glass, Add</i>	74.89	
08 52 16 00-0210	EA		28-3/8" x 48", One Operating Sash, Casement Wood Clad Window (Andersen 200 Series).....	529.17	48.75
			<i>For Tempered Clear Insulated Glass, Add</i>	86.33	
08 52 16 00-0211	EA		31-1/2" x 48", One Operating Sash, Casement Wood Clad Window (Andersen 200 Series).....	553.07	50.52
			<i>For Tempered Clear Insulated Glass, Add</i>	90.58	
08 52 16 00-0212	EA		35-15/16" x 48", One Operating Sash, Casement Wood Clad Window (Andersen 200 Series).....	588.88	52.30
			<i>For Tempered Clear Insulated Glass, Add</i>	97.03	
08 52 16 00-0213			52-13/16" Height, One Operating Sash, Casement Wood Clad Windows		
			(Andersen 200 Series) (08 52 16 00-0180)		
08 52 16 00-0214	EA		17" x 52-13/16", One Operating Sash, Casement Wood Clad Window (Andersen 200 Series).....	455.94	46.10
			<i>For Tempered Clear Insulated Glass, Add</i>	72.93	
08 52 16 00-0215	EA		20-1/2" x 52-13/16", One Operating Sash, Casement Wood Clad Window (Andersen 200 Series).....	473.35	46.98
			<i>For Tempered Clear Insulated Glass, Add</i>	75.88	
08 52 16 00-0216	EA		24-1/8" x 52-13/16", One Operating Sash, Casement Wood Clad Window (Andersen 200 Series).....	492.89	48.75
			<i>For Tempered Clear Insulated Glass, Add</i>	79.08	
08 52 16 00-0217	EA		28-3/8" x 52-13/16", One Operating Sash, Casement Wood Clad Window (Andersen 200 Series).....	567.78	50.52
			<i>For Tempered Clear Insulated Glass, Add</i>	93.34	
08 52 16 00-0218	EA		31-1/2" x 52-13/16", One Operating Sash, Casement Wood Clad Window (Andersen 200 Series).....	603.32	52.30
			<i>For Tempered Clear Insulated Glass, Add</i>	99.92	
08 52 16 00-0219	EA		35-15/16" x 52-13/16", One Operating Sash, Casement Wood Clad Window (Andersen 200 Series).....	626.88	54.07
			<i>For Tempered Clear Insulated Glass, Add</i>	103.92	
08 52 16 00-0220			59-7/8" Height, One Operating Sash, Casement Wood Clad Windows		
			(Andersen 200 Series) (08 52 16 00-0180)		
08 52 16 00-0221	EA		17" x 59-7/8", One Operating Sash, Casement Wood Clad Window (Andersen 200 Series).....	492.89	48.75
			<i>For Tempered Clear Insulated Glass, Add</i>	79.08	
08 52 16 00-0222	EA		20-1/2" x 59-7/8", One Operating Sash, Casement Wood Clad Window (Andersen 200 Series).....	511.54	50.52
			<i>For Tempered Clear Insulated Glass, Add</i>	82.27	
08 52 16 00-0223	EA		24-1/8" x 59-7/8", One Operating Sash, Casement Wood Clad Window (Andersen 200 Series).....	531.07	51.86
			<i>For Tempered Clear Insulated Glass, Add</i>	85.47	
08 52 16 00-0224	EA		28-3/8" x 59-7/8", One Operating Sash, Casement Wood Clad Window (Andersen 200 Series).....	623.19	53.63
			<i>For Tempered Clear Insulated Glass, Add</i>	103.19	
08 52 16 00-0225	EA		31-1/2" x 59-7/8", One Operating Sash, Casement Wood Clad Window (Andersen 200 Series).....	648.45	54.96
			<i>For Tempered Clear Insulated Glass, Add</i>	107.71	
08 52 16 00-0226	EA		35-15/16" x 59-7/8", One Operating Sash, Casement Wood Clad Window (Andersen 200 Series).....	682.28	56.73
			<i>For Tempered Clear Insulated Glass, Add</i>	113.76	
08 52 16 00-0227			64-13/16" Height, One Operating Sash, Casement Wood Clad Windows		
			(Andersen 200 Series) (08 52 16 00-0180)		
08 52 16 00-0228	EA		17" x 64-13/16", One Operating Sash, Casement Wood Clad Window (Andersen 200 Series).....	519.46	51.42
			<i>For Tempered Clear Insulated Glass, Add</i>	83.50	
08 52 16 00-0229	EA		20-1/2" x 64-13/16", One Operating Sash, Casement Wood Clad Window (Andersen 200 Series).....	536.88	52.30
			<i>For Tempered Clear Insulated Glass, Add</i>	86.46	
08 52 16 00-0230	EA		24-1/8" x 64-13/16", One Operating Sash, Casement Wood Clad Window (Andersen 200 Series).....	556.42	54.07
			<i>For Tempered Clear Insulated Glass, Add</i>	89.65	
08 52 16 00-0231	EA		28-3/8" x 64-13/16", One Operating Sash, Casement Wood Clad Window (Andersen 200 Series).....	662.06	55.85
			<i>For Tempered Clear Insulated Glass, Add</i>	110.07	
08 52 16 00-0232	EA		31-1/2" x 64-13/16", One Operating Sash, Casement Wood Clad Window (Andersen 200 Series).....	685.58	57.62
			<i>For Tempered Clear Insulated Glass, Add</i>	114.25	
08 52 16 00-0233	EA		35-15/16" x 64-13/16", One Operating Sash, Casement Wood Clad Window (Andersen 200 Series).....	721.16	59.40
			<i>For Tempered Clear Insulated Glass, Add</i>	120.65	
08 52 16 00-0234			71-7/8" Height, One Operating Sash, Casement Wood Clad Windows		
			(Andersen 200 Series) (08 52 16 00-0180)		
08 52 16 00-0235	EA		17" x 71-7/8", One Operating Sash, Casement Wood Clad Window (Andersen 200 Series).....	556.42	54.07
			<i>For Tempered Clear Insulated Glass, Add</i>	89.65	



Openings	08	08
Windows	08 50	
Wood Windows	08 52	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 52 16 00-0236	EA		20-1/2" x 71-7/8", One Operating Sash, Casement Wood Clad Window (Andersen 200 Series) <i>For Tempered Clear Insulated Glass, Add</i>	575.07 92.85	55.85
08 52 16 00-0237	EA		24-1/8" x 71-7/8", One Operating Sash, Casement Wood Clad Window (Andersen 200 Series) <i>For Tempered Clear Insulated Glass, Add</i>	594.60 96.05	57.17
08 52 16 00-0238	EA		28-3/8" x 71-7/8", One Operating Sash, Casement Wood Clad Window (Andersen 200 Series) <i>For Tempered Clear Insulated Glass, Add</i>	717.47 119.91	58.94
08 52 16 00-0239	EA		31-1/2" x 71-7/8", One Operating Sash, Casement Wood Clad Window (Andersen 200 Series) <i>For Tempered Clear Insulated Glass, Add</i>	746.28 125.15	60.28
08 52 16 00-0240	EA		35-15/16" x 71-7/8", One Operating Sash, Casement Wood Clad Window (Andersen 200 Series) <i>For Tempered Clear Insulated Glass, Add</i>	776.58 130.49	62.05
08 52 16 00-0241			Two Operating Sashes, Casement Wood Clad Windows (Andersen 200 Series) (08 52 16 00-0179)		
08 52 16 00-0242			24-1/8" Height, Two Operating Sashes, Casement Wood Clad Windows (Andersen 200 Series) (08 52 16 00-0241)		
08 52 16 00-0243	EA		40-3/4" x 24-1/8", Two Operating Sashes, Casement Wood Clad Window (Andersen 200 Series) <i>For Tempered Clear Insulated Glass, Add</i>	542.45 91.12	43.44
08 52 16 00-0244	EA		48" x 24-1/8", Two Operating Sashes, Casement Wood Clad Window (Andersen 200 Series) <i>For Tempered Clear Insulated Glass, Add</i>	616.15 104.44	46.98
08 52 16 00-0245	EA		56-1/2" x 24-1/8", Two Operating Sashes, Casement Wood Clad Window (Andersen 200 Series) <i>For Tempered Clear Insulated Glass, Add</i>	701.45 120.08	50.52
08 52 16 00-0246			28-3/8" Height, Two Operating Sashes, Casement Wood Clad Windows (Andersen 200 Series) (08 52 16 00-0241)		
08 52 16 00-0247	EA		40-3/4" x 28-3/8", Two Operating Sashes, Casement Wood Clad Window (Andersen 200 Series) <i>For Tempered Clear Insulated Glass, Add</i>	585.03 98.92	45.21
08 52 16 00-0248	EA		48" x 28-3/8", Two Operating Sashes, Casement Wood Clad Window (Andersen 200 Series) <i>For Tempered Clear Insulated Glass, Add</i>	658.74 112.25	48.75
08 52 16 00-0249	EA		56-1/2" x 28-3/8", Two Operating Sashes, Casement Wood Clad Window (Andersen 200 Series) <i>For Tempered Clear Insulated Glass, Add</i>	744.02 127.88	52.30
08 52 16 00-0250			35-15/16" Height, Two Operating Sashes, Casement Wood Clad Windows (Andersen 200 Series) (08 52 16 00-0241)		
08 52 16 00-0251	EA		33-3/4" x 35-15/16", Two Operating Sashes, Casement Wood Clad Window (Andersen 200 Series) <i>For Tempered Clear Insulated Glass, Add</i>	579.79 97.88	45.21
08 52 16 00-0252	EA		40-3/4" x 35-15/16", Two Operating Sashes, Casement Wood Clad Window (Andersen 200 Series) <i>For Tempered Clear Insulated Glass, Add</i>	654.89 111.65	48.75
08 52 16 00-0253	EA		48" x 35-15/16", Two Operating Sashes, Casement Wood Clad Window (Andersen 200 Series) <i>For Tempered Clear Insulated Glass, Add</i>	733.32 125.92	52.30
08 52 16 00-0254	EA		56-1/2" x 35-15/16", Two Operating Sashes, Casement Wood Clad Window (Andersen 200 Series) <i>For Tempered Clear Insulated Glass, Add</i>	824.07 142.65	55.40
08 52 16 00-0255	EA		62-3/4" x 35-15/16", Two Operating Sashes, Casement Wood Clad Window (Andersen 200 Series) <i>For Tempered Clear Insulated Glass, Add</i>	884.90 153.75	58.06
08 52 16 00-0256	EA		71-5/8" x 35-15/16", Two Operating Sashes, Casement Wood Clad Window (Andersen 200 Series) <i>For Tempered Clear Insulated Glass, Add</i>	986.21 172.42	62.05
08 52 16 00-0257			40-13/16" Height, Two Operating Sashes, Casement Wood Clad Windows (Andersen 200 Series) (08 52 16 00-0241)		
08 52 16 00-0258	EA		33-3/4" x 40-13/16", Two Operating Sashes, Casement Wood Clad Window (Andersen 200 Series) <i>For Tempered Clear Insulated Glass, Add</i>	632.21 107.47	47.42
08 52 16 00-0259	EA		40-3/4" x 40-13/16", Two Operating Sashes, Casement Wood Clad Window (Andersen 200 Series) <i>For Tempered Clear Insulated Glass, Add</i>	707.30 121.25	50.52
08 52 16 00-0260	EA		48" x 40-13/16", Two Operating Sashes, Casement Wood Clad Window (Andersen 200 Series) <i>For Tempered Clear Insulated Glass, Add</i>	785.74 135.52	54.07
08 52 16 00-0261	EA		56-1/2" x 40-13/16", Two Operating Sashes, Casement Wood Clad Window (Andersen 200 Series) <i>For Tempered Clear Insulated Glass, Add</i>	876.47 152.25	57.62
08 52 16 00-0262	EA		62-3/4" x 40-13/16", Two Operating Sashes, Casement Wood Clad Window (Andersen 200 Series) <i>For Tempered Clear Insulated Glass, Add</i>	943.82 164.65	60.28
08 52 16 00-0263	EA		71-5/8" x 40-13/16", Two Operating Sashes, Casement Wood Clad Window (Andersen 200 Series) <i>For Tempered Clear Insulated Glass, Add</i>	1,226.81 219.66	64.27
08 52 16 00-0264			48" Height, Two Operating Sashes, Casement Wood Clad Windows (Andersen 200 Series) (08 52 16 00-0241)		
08 52 16 00-0265	EA		33-3/4" x 48", Two Operating Sashes, Casement Wood Clad Window (Andersen 200 Series) <i>For Tempered Clear Insulated Glass, Add</i>	709.41 121.49	50.97
08 52 16 00-0266	EA		40-3/4" x 48", Two Operating Sashes, Casement Wood Clad Window (Andersen 200 Series) <i>For Tempered Clear Insulated Glass, Add</i>	785.74 135.52	54.07
08 52 16 00-0267	EA		48" x 48", Two Operating Sashes, Casement Wood Clad Window (Andersen 200 Series) <i>For Tempered Clear Insulated Glass, Add</i>	864.17 149.79	57.62
08 52 16 00-0268	EA		56-1/2" x 48", Two Operating Sashes, Casement Wood Clad Window (Andersen 200 Series) <i>For Tempered Clear Insulated Glass, Add</i>	954.91 166.52	61.17
08 52 16 00-0269	EA		62-3/4" x 48", Two Operating Sashes, Casement Wood Clad Window (Andersen 200 Series) <i>For Tempered Clear Insulated Glass, Add</i>	1,019.43 178.36	63.82
08 52 16 00-0270	EA		71-5/8" x 48", Two Operating Sashes, Casement Wood Clad Window (Andersen 200 Series) <i>For Tempered Clear Insulated Glass, Add</i>	1,117.04 196.28	67.82

08	08	Openings
	08 50	Windows
	08 52	Wood Windows



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
-------	-----	-----	-------------	------------------------	----------------------

08 52 16 00-0271			52-13/16" Height, Two Operating Sashes, Casement Wood Clad Windows (Andersen 200 Series) <small>(08 52 16 00-0241)</small>		
08 52 16 00-0272	EA		33-3/4" x 52-13/16", Two Operating Sashes, Casement Wood Clad Window (Andersen 200 Series).....	760.93	52.75
			<i>For Tempered Clear Insulated Glass, Add</i>	131.09	
08 52 16 00-0273	EA		40-3/4" x 52-13/16", Two Operating Sashes, Casement Wood Clad Window (Andersen 200 Series).....	836.02	55.85
			<i>For Tempered Clear Insulated Glass, Add</i>	144.87	
08 52 16 00-0274	EA		48" x 52-13/16", Two Operating Sashes, Casement Wood Clad Window (Andersen 200 Series).....	905.32	59.40
			<i>For Tempered Clear Insulated Glass, Add</i>	157.31	
08 52 16 00-0275	EA		56-1/2" x 52-13/16", Two Operating Sashes, Casement Wood Clad Window (Andersen 200 Series).....	1,005.20	62.94
			<i>For Tempered Clear Insulated Glass, Add</i>	175.86	
08 52 16 00-0276	EA		62-3/4" x 52-13/16", Two Operating Sashes, Casement Wood Clad Window (Andersen 200 Series).....	1,072.80	65.59
			<i>For Tempered Clear Insulated Glass, Add</i>	188.32	
08 52 16 00-0277	EA		71-5/8" x 52-13/16", Two Operating Sashes, Casement Wood Clad Window (Andersen 200 Series).....	1,168.57	69.59
			<i>For Tempered Clear Insulated Glass, Add</i>	205.88	
08 52 16 00-0278			59-7/8" Height, Two Operating Sashes, Casement Wood Clad Windows (Andersen 200 Series) <small>(08 52 16 00-0241)</small>		
08 52 16 00-0279	EA		33-3/4" x 59-7/8", Two Operating Sashes, Casement Wood Clad Window (Andersen 200 Series).....	837.25	55.85
			<i>For Tempered Clear Insulated Glass, Add</i>	145.11	
08 52 16 00-0280	EA		40-3/4" x 59-7/8", Two Operating Sashes, Casement Wood Clad Window (Andersen 200 Series).....	912.34	59.40
			<i>For Tempered Clear Insulated Glass, Add</i>	158.89	
08 52 16 00-0281	EA		48" x 59-7/8", Two Operating Sashes, Casement Wood Clad Window (Andersen 200 Series).....	990.78	62.94
			<i>For Tempered Clear Insulated Glass, Add</i>	173.16	
08 52 16 00-0282	EA		56-1/2" x 59-7/8", Two Operating Sashes, Casement Wood Clad Window (Andersen 200 Series).....	1,081.52	66.04
			<i>For Tempered Clear Insulated Glass, Add</i>	189.89	
08 52 16 00-0283	EA		62-3/4" x 59-7/8", Two Operating Sashes, Casement Wood Clad Window (Andersen 200 Series).....	1,149.12	68.70
			<i>For Tempered Clear Insulated Glass, Add</i>	202.34	
08 52 16 00-0284	EA		71-5/8" x 59-7/8", Two Operating Sashes, Casement Wood Clad Window (Andersen 200 Series).....	1,243.65	72.69
			<i>For Tempered Clear Insulated Glass, Add</i>	219.66	
08 52 16 00-0285			64-13/16" Height, Two Operating Sashes, Casement Wood Clad Windows (Andersen 200 Series) <small>(08 52 16 00-0241)</small>		
08 52 16 00-0286	EA		33-3/4" x 64-13/16", Two Operating Sashes, Casement Wood Clad Window (Andersen 200 Series).....	889.66	58.06
			<i>For Tempered Clear Insulated Glass, Add</i>	154.71	
08 52 16 00-0287	EA		40-3/4" x 64-13/16", Two Operating Sashes, Casement Wood Clad Window (Andersen 200 Series).....	964.75	61.17
			<i>For Tempered Clear Insulated Glass, Add</i>	168.48	
08 52 16 00-0288	EA		48" x 64-13/16", Two Operating Sashes, Casement Wood Clad Window (Andersen 200 Series).....	1,044.41	64.71
			<i>For Tempered Clear Insulated Glass, Add</i>	183.00	
08 52 16 00-0289	EA		56-1/2" x 64-13/16", Two Operating Sashes, Casement Wood Clad Window (Andersen 200 Series).....	1,135.15	68.26
			<i>For Tempered Clear Insulated Glass, Add</i>	199.73	
08 52 16 00-0290			71-7/8" Height, Two Operating Sashes, Casement Wood Clad Windows (Andersen 200 Series) <small>(08 52 16 00-0241)</small>		
08 52 16 00-0291	EA		33-3/4" x 71-7/8", Two Operating Sashes, Casement Wood Clad Window (Andersen 200 Series).....	965.98	61.17
			<i>For Tempered Clear Insulated Glass, Add</i>	168.73	
08 52 16 00-0292	EA		40-3/4" x 71-7/8", Two Operating Sashes, Casement Wood Clad Window (Andersen 200 Series).....	1,041.06	64.71
			<i>For Tempered Clear Insulated Glass, Add</i>	182.51	
08 52 16 00-0293	EA		48" x 71-7/8", Two Operating Sashes, Casement Wood Clad Window (Andersen 200 Series).....	1,119.50	68.26
			<i>For Tempered Clear Insulated Glass, Add</i>	196.78	
08 52 16 00-0294	EA		56-1/2" x 71-7/8", Two Operating Sashes, Casement Wood Clad Window (Andersen 200 Series).....	1,210.24	71.36
			<i>For Tempered Clear Insulated Glass, Add</i>	213.50	
08 52 16 00-0295			One Stationary Sash And Two Operating Sashes, Casement Wood Clad Windows (Andersen 200 Series) <small>(08 52 16 00-0179)</small>		
08 52 16 00-0296			24-1/8" Height, One Stationary Sash And Two Operating Sashes, Casement Wood Clad Windows (Andersen 200 Series) <small>(08 52 16 00-0295)</small>		
08 52 16 00-0297	EA		71-7/8" x 24-1/8", One Stationary Sash And Two Operating Sashes, Casement Wood Clad Window (Andersen 200 Series).....	858.46	57.17
			<i>For Tempered Clear Insulated Glass, Add</i>	148.82	
08 52 16 00-0298	EA		84-5/8" x 24-1/8", One Stationary Sash And Two Operating Sashes, Casement Wood Clad Window (Andersen 200 Series).....	998.05	62.94
			<i>For Tempered Clear Insulated Glass, Add</i>	174.43	
08 52 16 00-0299			28-3/8" Height, One Stationary Sash And Two Operating Sashes, Casement Wood Clad Windows (Andersen 200 Series) <small>(08 52 16 00-0295)</small>		
08 52 16 00-0300	EA		71-7/8" x 28-3/8", One Stationary Sash And Two Operating Sashes, Casement Wood Clad Window (Andersen 200 Series).....	910.74	58.94
			<i>For Tempered Clear Insulated Glass, Add</i>	158.57	
08 52 16 00-0301	EA		84-5/8" x 28-3/8", One Stationary Sash And Two Operating Sashes, Casement Wood Clad Window (Andersen 200 Series).....	1,041.19	64.71
			<i>For Tempered Clear Insulated Glass, Add</i>	182.35	



Openings	08	08
Windows	08 50	
Wood Windows	08 52	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 52 16 00-0302			35-15/16" Height, One Stationary Sash And Two Operating Sashes, Casement Wood Clad Windows (Andersen 200 Series) <small>(08 52 16 00-0295)</small>		
08 52 16 00-0303	EA		61" x 35-15/16", One Stationary Sash And Two Operating Sashes, Casement Wood Clad Window (Andersen 200 Series)	876.72	57.62
			<i>For Tempered Clear Insulated Glass, Add</i>	152.30	
08 52 16 00-0304	EA		71-7/8" x 35-15/16", One Stationary Sash And Two Operating Sashes, Casement Wood Clad Window (Andersen 200 Series)	988.67	62.05
			<i>For Tempered Clear Insulated Glass, Add</i>	172.91	
08 52 16 00-0305	EA		84-5/8" x 35-15/16", One Stationary Sash And Two Operating Sashes, Casement Wood Clad Window (Andersen 200 Series)	1,126.88	68.26
			<i>For Tempered Clear Insulated Glass, Add</i>	198.25	
08 52 16 00-0306			40-13/16" Height, One Stationary Sash And Two Operating Sashes, Casement Wood Clad Windows (Andersen 200 Series) <small>(08 52 16 00-0295)</small>		
08 52 16 00-0307	EA		61" x 40-13/16", One Stationary Sash And Two Operating Sashes, Casement Wood Clad Window (Andersen 200 Series)	926.62	60.28
			<i>For Tempered Clear Insulated Glass, Add</i>	161.39	
08 52 16 00-0308	EA		71-7/8" x 40-13/16", One Stationary Sash And Two Operating Sashes, Casement Wood Clad Window (Andersen 200 Series)	1,042.29	64.27
			<i>For Tempered Clear Insulated Glass, Add</i>	182.75	
08 52 16 00-0309	EA		84-5/8" x 40-13/16", One Stationary Sash And Two Operating Sashes, Casement Wood Clad Window (Andersen 200 Series)	1,179.29	70.03
			<i>For Tempered Clear Insulated Glass, Add</i>	207.85	
08 52 16 00-0310			48" Height, One Stationary Sash And Two Operating Sashes, Casement Wood Clad Windows (Andersen 200 Series) <small>(08 52 16 00-0295)</small>		
08 52 16 00-0311	EA		71-7/8" x 48", One Stationary Sash And Two Operating Sashes, Casement Wood Clad Window (Andersen 200 Series)	1,119.50	67.82
			<i>For Tempered Clear Insulated Glass, Add</i>	196.78	
08 52 16 00-0312	EA		84-5/8" x 48", One Stationary Sash And Two Operating Sashes, Casement Wood Clad Window (Andersen 200 Series)	1,256.50	73.57
			<i>For Tempered Clear Insulated Glass, Add</i>	221.87	
08 52 16 00-0313			52-13/16" Height, One Stationary Sash And Two Operating Sashes, Casement Wood Clad Windows (Andersen 200 Series) <small>(08 52 16 00-0295)</small>		
08 52 16 00-0314	EA		71-7/8" x 52-13/16", One Stationary Sash And Two Operating Sashes, Casement Wood Clad Window (Andersen 200 Series)	1,171.03	69.59
			<i>For Tempered Clear Insulated Glass, Add</i>	206.37	
08 52 16 00-0315	EA		84-5/8" x 52-13/16", One Stationary Sash And Two Operating Sashes, Casement Wood Clad Window (Andersen 200 Series)	1,308.01	75.35
			<i>For Tempered Clear Insulated Glass, Add</i>	231.46	
08 52 16 00-0316			59-7/8" Height, One Stationary Sash And Two Operating Sashes, Casement Wood Clad Windows (Andersen 200 Series) <small>(08 52 16 00-0295)</small>		
08 52 16 00-0317	EA		71-7/8" x 59-7/8", One Stationary Sash And Two Operating Sashes, Casement Wood Clad Window (Andersen 200 Series)	1,246.11	72.69
			<i>For Tempered Clear Insulated Glass, Add</i>	220.15	
08 52 16 00-0318	EA		84-5/8" x 59-7/8", One Stationary Sash And Two Operating Sashes, Casement Wood Clad Window (Andersen 200 Series)	1,384.34	78.89
			<i>For Tempered Clear Insulated Glass, Add</i>	245.49	
08 52 16 00-0319			Casement Wood Clad Windows (Andersen 400 Series) <small>(08 52 16 00-0178)</small>		
			Note: Includes painted or stained wood interior, colored PVC clad exterior, standard hardware and Low-E insulated glass. Excludes grilles and insect screens.		
08 52 16 00-0320			One Operating Sash, Casement Wood Clad Windows (Andersen 400 Series) <small>(08 52 16 00-0319)</small>		
08 52 16 00-0321			24-1/8" Height, One Operating Sash, Casement Wood Clad Windows (Andersen 400 Series) <small>(08 52 16 00-0320)</small>		
08 52 16 00-0322	EA		17" x 24-1/8", One Operating Sash, Casement Wood Clad Window (Andersen 400 Series)	361.61	33.68
			<i>For Tempered Low-E Insulated Glass, Add</i>	59.03	
08 52 16 00-0323	EA		20-1/2" x 24-1/8", One Operating Sash, Casement Wood Clad Window (Andersen 400 Series)	382.73	34.57
			<i>For Tempered Low-E Insulated Glass, Add</i>	62.72	
08 52 16 00-0324	EA		24-1/8" x 24-1/8", One Operating Sash, Casement Wood Clad Window (Andersen 400 Series)	406.26	36.35
			<i>For Tempered Low-E Insulated Glass, Add</i>	66.71	
08 52 16 00-0325	EA		28-3/8" x 24-1/8", One Operating Sash, Casement Wood Clad Window (Andersen 400 Series)	427.93	38.12
			<i>For Tempered Low-E Insulated Glass, Add</i>	70.34	
08 52 16 00-0326			28-3/8" Height, One Operating Sash, Casement Wood Clad Windows (Andersen 400 Series) <small>(08 52 16 00-0320)</small>		
08 52 16 00-0327	EA		17" x 28-3/8", One Operating Sash, Casement Wood Clad Window (Andersen 400 Series)	388.22	35.45
			<i>For Tempered Low-E Insulated Glass, Add</i>	63.64	
08 52 16 00-0328	EA		20-1/2" x 28-3/8", One Operating Sash, Casement Wood Clad Window (Andersen 400 Series)	409.33	36.35
			<i>For Tempered Low-E Insulated Glass, Add</i>	67.33	

08 Openings**08 50 Windows**

08 52 Wood Windows



MINOR		TOTAL DIRECT		DEMOLITION
CSI	UOM	DESCRIPTION	UNIT COST	UNIT COST
08 52 16 00-0329	EA	24-1/8" x 28-3/8", One Operating Sash, Casement Wood Clad Window (Andersen 400 Series).....	432.87	38.12
		<i>For Tempered Low-E Insulated Glass, Add</i>	71.33	
08 52 16 00-0330	EA	28-3/8" x 28-3/8", One Operating Sash, Casement Wood Clad Window (Andersen 400 Series).....	444.31	39.89
		<i>For Tempered Low-E Insulated Glass, Add</i>	72.91	
08 52 16 00-0331	EA	31-1/2" x 28-3/8", One Operating Sash, Casement Wood Clad Window (Andersen 400 Series).....	471.75	41.66
		<i>For Tempered Low-E Insulated Glass, Add</i>	77.86	
08 52 16 00-0332		35-15/16" Height, One Operating Sash, Casement Wood Clad Windows		
		(Andersen 400 Series) <small>(08 52 16 00-0320)</small>		
08 52 16 00-0333	EA	17" x 35-15/16", One Operating Sash, Casement Wood Clad Window (Andersen 400 Series).....	435.94	38.12
		<i>For Tempered Low-E Insulated Glass, Add</i>	71.94	
08 52 16 00-0334	EA	20-1/2" x 35-15/16", One Operating Sash, Casement Wood Clad Window (Andersen 400 Series).....	458.58	39.89
		<i>For Tempered Low-E Insulated Glass, Add</i>	75.94	
08 52 16 00-0335	EA	24-1/8" x 35-15/16", One Operating Sash, Casement Wood Clad Window (Andersen 400 Series).....	482.12	41.22
		<i>For Tempered Low-E Insulated Glass, Add</i>	79.94	
08 52 16 00-0336	EA	28-3/8" x 35-15/16", One Operating Sash, Casement Wood Clad Window (Andersen 400 Series).....	519.50	42.99
		<i>For Tempered Low-E Insulated Glass, Add</i>	86.70	
08 52 16 00-0337	EA	31-1/2" x 35-15/16", One Operating Sash, Casement Wood Clad Window (Andersen 400 Series).....	555.16	44.33
		<i>For Tempered Low-E Insulated Glass, Add</i>	93.30	
08 52 16 00-0338	EA	35-15/16" x 35-15/16", One Operating Sash, Casement Wood Clad Window (Andersen 400 Series).....	590.04	45.21
		<i>For Tempered Low-E Insulated Glass, Add</i>	99.93	
08 52 16 00-0339		40-13/16" Height, One Operating Sash, Casement Wood Clad Windows		
		(Andersen 400 Series) <small>(08 52 16 00-0320)</small>		
08 52 16 00-0340	EA	17" x 40-13/16", One Operating Sash, Casement Wood Clad Window (Andersen 400 Series).....	468.04	40.77
		<i>For Tempered Low-E Insulated Glass, Add</i>	77.48	
08 52 16 00-0341	EA	20-1/2" x 40-13/16", One Operating Sash, Casement Wood Clad Window (Andersen 400 Series).....	489.16	41.66
		<i>For Tempered Low-E Insulated Glass, Add</i>	81.17	
08 52 16 00-0342	EA	24-1/8" x 40-13/16", One Operating Sash, Casement Wood Clad Window (Andersen 400 Series).....	512.69	43.44
		<i>For Tempered Low-E Insulated Glass, Add</i>	85.16	
08 52 16 00-0343	EA	28-3/8" x 40-13/16", One Operating Sash, Casement Wood Clad Window (Andersen 400 Series).....	566.97	45.21
		<i>For Tempered Low-E Insulated Glass, Add</i>	95.31	
08 52 16 00-0344	EA	31-1/2" x 40-13/16", One Operating Sash, Casement Wood Clad Window (Andersen 400 Series).....	604.37	46.98
		<i>For Tempered Low-E Insulated Glass, Add</i>	102.26	
08 52 16 00-0345	EA	35-15/16" x 40-13/16", One Operating Sash, Casement Wood Clad Window (Andersen 400 Series).....	639.30	48.75
		<i>For Tempered Low-E Insulated Glass, Add</i>	108.54	
08 52 16 00-0346		48" Height, One Operating Sash, Casement Wood Clad Windows		
		(Andersen 400 Series) <small>(08 52 16 00-0320)</small>		
08 52 16 00-0347	EA	17" x 48", One Operating Sash, Casement Wood Clad Window (Andersen 400 Series).....	513.58	44.33
		<i>For Tempered Low-E Insulated Glass, Add</i>	85.16	
08 52 16 00-0348	EA	20-1/2" x 48", One Operating Sash, Casement Wood Clad Window (Andersen 400 Series).....	536.22	45.21
		<i>For Tempered Low-E Insulated Glass, Add</i>	89.16	
08 52 16 00-0349	EA	24-1/8" x 48", One Operating Sash, Casement Wood Clad Window (Andersen 400 Series).....	559.76	46.98
		<i>For Tempered Low-E Insulated Glass, Add</i>	93.16	
08 52 16 00-0350	EA	28-3/8" x 48", One Operating Sash, Casement Wood Clad Window (Andersen 400 Series).....	634.80	48.75
		<i>For Tempered Low-E Insulated Glass, Add</i>	107.46	
08 52 16 00-0351	EA	31-1/2" x 48", One Operating Sash, Casement Wood Clad Window (Andersen 400 Series).....	664.01	50.52
		<i>For Tempered Low-E Insulated Glass, Add</i>	112.77	
08 52 16 00-0352	EA	35-15/16" x 48", One Operating Sash, Casement Wood Clad Window (Andersen 400 Series).....	707.89	52.30
		<i>For Tempered Low-E Insulated Glass, Add</i>	120.84	
08 52 16 00-0353		52-13/16" Height, One Operating Sash, Casement Wood Clad Windows		
		(Andersen 400 Series) <small>(08 52 16 00-0320)</small>		
08 52 16 00-0354	EA	17" x 52-13/16", One Operating Sash, Casement Wood Clad Window (Andersen 400 Series).....	544.81	46.10
		<i>For Tempered Low-E Insulated Glass, Add</i>	90.70	
08 52 16 00-0355	EA	20-1/2" x 52-13/16", One Operating Sash, Casement Wood Clad Window (Andersen 400 Series).....	565.91	46.98
		<i>For Tempered Low-E Insulated Glass, Add</i>	94.39	
08 52 16 00-0356	EA	24-1/8" x 52-13/16", One Operating Sash, Casement Wood Clad Window (Andersen 400 Series).....	589.45	48.75
		<i>For Tempered Low-E Insulated Glass, Add</i>	98.39	
08 52 16 00-0357	EA	28-3/8" x 52-13/16", One Operating Sash, Casement Wood Clad Window (Andersen 400 Series).....	682.18	50.52
		<i>For Tempered Low-E Insulated Glass, Add</i>	116.22	
08 52 16 00-0358	EA	31-1/2" x 52-13/16", One Operating Sash, Casement Wood Clad Window (Andersen 400 Series).....	725.94	52.30
		<i>For Tempered Low-E Insulated Glass, Add</i>	124.45	
08 52 16 00-0359	EA	35-15/16" x 52-13/16", One Operating Sash, Casement Wood Clad Window (Andersen 400 Series).....	754.50	54.07
		<i>For Tempered Low-E Insulated Glass, Add</i>	129.45	
08 52 16 00-0360		59-7/8" Height, One Operating Sash, Casement Wood Clad Windows		
		(Andersen 400 Series) <small>(08 52 16 00-0320)</small>		
08 52 16 00-0361	EA	17" x 59-7/8", One Operating Sash, Casement Wood Clad Window (Andersen 400 Series).....	589.45	48.75
		<i>For Tempered Low-E Insulated Glass, Add</i>	98.39	
08 52 16 00-0362	EA	20-1/2" x 59-7/8", One Operating Sash, Casement Wood Clad Window (Andersen 400 Series).....	612.10	50.52
		<i>For Tempered Low-E Insulated Glass, Add</i>	102.39	
08 52 16 00-0363	EA	24-1/8" x 59-7/8", One Operating Sash, Casement Wood Clad Window (Andersen 400 Series).....	635.63	51.86
		<i>For Tempered Low-E Insulated Glass, Add</i>	106.38	



Openings	08	08
Windows	08 50	
Wood Windows	08 52	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 52 16 00-0364	EA		28-3/8" x 59-7/8", One Operating Sash, Casement Wood Clad Window (Andersen 400 Series)	749.88	53.63
			<i>For Tempered Low-E Insulated Glass, Add</i>	128.62	
08 52 16 00-0365	EA		31-1/2" x 59-7/8", One Operating Sash, Casement Wood Clad Window (Andersen 400 Series)	780.81	54.96
			<i>For Tempered Low-E Insulated Glass, Add</i>	134.18	
08 52 16 00-0366	EA		35-15/16" x 59-7/8", One Operating Sash, Casement Wood Clad Window (Andersen 400 Series)	822.20	56.73
			<i>For Tempered Low-E Insulated Glass, Add</i>	141.75	
08 52 16 00-0367			64-13/16" Height, One Operating Sash, Casement Wood Clad Windows (Andersen 400 Series) <small>(08 52 16 00-0320)</small>		
08 52 16 00-0368	EA		17" x 64-13/16", One Operating Sash, Casement Wood Clad Window (Andersen 400 Series)	621.56	51.42
			<i>For Tempered Low-E Insulated Glass, Add</i>	103.92	
08 52 16 00-0369	EA		20-1/2" x 64-13/16", One Operating Sash, Casement Wood Clad Window (Andersen 400 Series)	642.67	52.30
			<i>For Tempered Low-E Insulated Glass, Add</i>	107.61	
08 52 16 00-0370	EA		24-1/8" x 64-13/16", One Operating Sash, Casement Wood Clad Window (Andersen 400 Series)	666.21	54.07
			<i>For Tempered Low-E Insulated Glass, Add</i>	111.61	
08 52 16 00-0371	EA		28-3/8" x 64-13/16", One Operating Sash, Casement Wood Clad Window (Andersen 400 Series)	797.37	55.85
			<i>For Tempered Low-E Insulated Glass, Add</i>	137.14	
08 52 16 00-0372	EA		31-1/2" x 64-13/16", One Operating Sash, Casement Wood Clad Window (Andersen 400 Series)	826.11	57.62
			<i>For Tempered Low-E Insulated Glass, Add</i>	142.35	
08 52 16 00-0373	EA		35-15/16" x 64-13/16", One Operating Sash, Casement Wood Clad Window (Andersen 400 Series)	869.70	59.40
			<i>For Tempered Low-E Insulated Glass, Add</i>	150.36	
08 52 16 00-0374			71-7/8" Height, One Operating Sash, Casement Wood Clad Windows (Andersen 400 Series) <small>(08 52 16 00-0320)</small>		
08 52 16 00-0375	EA		17" x 71-7/8", One Operating Sash, Casement Wood Clad Window (Andersen 400 Series)	666.21	54.07
			<i>For Tempered Low-E Insulated Glass, Add</i>	111.61	
08 52 16 00-0376	EA		20-1/2" x 71-7/8", One Operating Sash, Casement Wood Clad Window (Andersen 400 Series)	688.86	55.85
			<i>For Tempered Low-E Insulated Glass, Add</i>	115.61	
08 52 16 00-0377	EA		24-1/8" x 71-7/8", One Operating Sash, Casement Wood Clad Window (Andersen 400 Series)	712.38	57.17
			<i>For Tempered Low-E Insulated Glass, Add</i>	119.61	
08 52 16 00-0378	EA		28-3/8" x 71-7/8", One Operating Sash, Casement Wood Clad Window (Andersen 400 Series)	865.08	58.94
			<i>For Tempered Low-E Insulated Glass, Add</i>	149.44	
08 52 16 00-0379	EA		31-1/2" x 71-7/8", One Operating Sash, Casement Wood Clad Window (Andersen 400 Series)	900.43	60.28
			<i>For Tempered Low-E Insulated Glass, Add</i>	155.98	
08 52 16 00-0380	EA		35-15/16" x 71-7/8", One Operating Sash, Casement Wood Clad Window (Andersen 400 Series)	937.41	62.05
			<i>For Tempered Low-E Insulated Glass, Add</i>	162.66	
08 52 16 00-0381			Two Operating Sashes, Casement Wood Clad Windows (Andersen 400 Series) <small>(08 52 16 00-0319)</small>		
08 52 16 00-0382			24-1/8" Height, Two Operating Sashes, Casement Wood Clad Windows (Andersen 400 Series) <small>(08 52 16 00-0381)</small>		
08 52 16 00-0383	EA		40-3/4" x 24-1/8", Two Operating Sashes, Casement Wood Clad Window (Andersen 400 Series)	651.78	43.44
			<i>For Tempered Low-E Insulated Glass, Add</i>	112.98	
08 52 16 00-0384	EA		48" x 24-1/8", Two Operating Sashes, Casement Wood Clad Window (Andersen 400 Series)	742.13	46.98
			<i>For Tempered Low-E Insulated Glass, Add</i>	129.63	
08 52 16 00-0385	EA		56-1/2" x 24-1/8", Two Operating Sashes, Casement Wood Clad Window (Andersen 400 Series)	846.98	50.52
			<i>For Tempered Low-E Insulated Glass, Add</i>	149.18	
08 52 16 00-0386			28-3/8" Height, Two Operating Sashes, Casement Wood Clad Windows (Andersen 400 Series) <small>(08 52 16 00-0381)</small>		
08 52 16 00-0387	EA		40-3/4" x 28-3/8", Two Operating Sashes, Casement Wood Clad Window (Andersen 400 Series)	704.11	45.21
			<i>For Tempered Low-E Insulated Glass, Add</i>	122.74	
08 52 16 00-0388	EA		48" x 28-3/8", Two Operating Sashes, Casement Wood Clad Window (Andersen 400 Series)	794.48	48.75
			<i>For Tempered Low-E Insulated Glass, Add</i>	139.39	
08 52 16 00-0389	EA		56-1/2" x 28-3/8", Two Operating Sashes, Casement Wood Clad Window (Andersen 400 Series)	899.31	52.30
			<i>For Tempered Low-E Insulated Glass, Add</i>	158.94	
08 52 16 00-0390			35-15/16" Height, Two Operating Sashes, Casement Wood Clad Windows (Andersen 400 Series) <small>(08 52 16 00-0381)</small>		
08 52 16 00-0391	EA		33-3/4" x 35-15/16", Two Operating Sashes, Casement Wood Clad Window (Andersen 400 Series)	697.57	45.21
			<i>For Tempered Low-E Insulated Glass, Add</i>	121.43	
08 52 16 00-0392	EA		40-3/4" x 35-15/16", Two Operating Sashes, Casement Wood Clad Window (Andersen 400 Series)	789.89	48.75
			<i>For Tempered Low-E Insulated Glass, Add</i>	138.65	
08 52 16 00-0393	EA		48" x 35-15/16", Two Operating Sashes, Casement Wood Clad Window (Andersen 400 Series)	886.16	52.30
			<i>For Tempered Low-E Insulated Glass, Add</i>	156.49	
08 52 16 00-0394	EA		56-1/2" x 35-15/16", Two Operating Sashes, Casement Wood Clad Window (Andersen 400 Series)	997.82	55.40
			<i>For Tempered Low-E Insulated Glass, Add</i>	177.40	
08 52 16 00-0395	EA		62-3/4" x 35-15/16", Two Operating Sashes, Casement Wood Clad Window (Andersen 400 Series)	1,072.53	58.06
			<i>For Tempered Low-E Insulated Glass, Add</i>	191.28	
08 52 16 00-0396	EA		71-5/8" x 35-15/16", Two Operating Sashes, Casement Wood Clad Window (Andersen 400 Series)	1,197.17	62.05
			<i>For Tempered Low-E Insulated Glass, Add</i>	214.61	
08 52 16 00-0397			40-13/16" Height, Two Operating Sashes, Casement Wood Clad Windows (Andersen 400 Series) <small>(08 52 16 00-0381)</small>		

08 Openings**08 50 Windows****08 52 Wood Windows**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 52 16 00-0398	EA		33-3/4" x 40-13/16", Two Operating Sashes, Casement Wood Clad Window (Andersen 400 Series).....	761.98	47.42
			<i>For Tempered Low-E Insulated Glass, Add</i>	133.43	
08 52 16 00-0399	EA		40-3/4" x 40-13/16", Two Operating Sashes, Casement Wood Clad Window (Andersen 400 Series).....	854.30	50.52
			<i>For Tempered Low-E Insulated Glass, Add</i>	150.65	
08 52 16 00-0400	EA		48" x 40-13/16", Two Operating Sashes, Casement Wood Clad Window (Andersen 400 Series).....	950.57	54.07
			<i>For Tempered Low-E Insulated Glass, Add</i>	168.48	
08 52 16 00-0401	EA		56-1/2" x 40-13/16", Two Operating Sashes, Casement Wood Clad Window (Andersen 400 Series).....	1,062.22	57.62
			<i>For Tempered Low-E Insulated Glass, Add</i>	189.40	
08 52 16 00-0402	EA		62-3/4" x 40-13/16", Two Operating Sashes, Casement Wood Clad Window (Andersen 400 Series).....	1,145.07	60.28
			<i>For Tempered Low-E Insulated Glass, Add</i>	204.90	
08 52 16 00-0403	EA		71-5/8" x 40-13/16", Two Operating Sashes, Casement Wood Clad Window (Andersen 400 Series).....	1,496.81	64.27
			<i>For Tempered Low-E Insulated Glass, Add</i>	273.66	
08 52 16 00-0404			48" Height, Two Operating Sashes, Casement Wood Clad Windows		
			(Andersen 400 Series) (08 52 16 00-0381)		
08 52 16 00-0405	EA		33-3/4" x 48", Two Operating Sashes, Casement Wood Clad Window (Andersen 400 Series).....	856.71	50.97
			<i>For Tempered Low-E Insulated Glass, Add</i>	150.95	
08 52 16 00-0406	EA		40-3/4" x 48", Two Operating Sashes, Casement Wood Clad Window (Andersen 400 Series).....	950.57	54.07
			<i>For Tempered Low-E Insulated Glass, Add</i>	168.48	
08 52 16 00-0407	EA		48" x 48", Two Operating Sashes, Casement Wood Clad Window (Andersen 400 Series).....	1,046.84	57.62
			<i>For Tempered Low-E Insulated Glass, Add</i>	186.32	
08 52 16 00-0408	EA		56-1/2" x 48", Two Operating Sashes, Casement Wood Clad Window (Andersen 400 Series).....	1,158.49	61.17
			<i>For Tempered Low-E Insulated Glass, Add</i>	207.23	
08 52 16 00-0409	EA		62-3/4" x 48", Two Operating Sashes, Casement Wood Clad Window (Andersen 400 Series).....	1,237.81	63.82
			<i>For Tempered Low-E Insulated Glass, Add</i>	222.03	
08 52 16 00-0410	EA		71-5/8" x 48", Two Operating Sashes, Casement Wood Clad Window (Andersen 400 Series).....	1,357.83	67.82
			<i>For Tempered Low-E Insulated Glass, Add</i>	244.44	
08 52 16 00-0411			52-13/16" Height, Two Operating Sashes, Casement Wood Clad Windows		
			(Andersen 400 Series) (08 52 16 00-0381)		
08 52 16 00-0412	EA		33-3/4" x 52-13/16", Two Operating Sashes, Casement Wood Clad Window (Andersen 400 Series).....	920.22	52.75
			<i>For Tempered Low-E Insulated Glass, Add</i>	162.95	
08 52 16 00-0413	EA		40-3/4" x 52-13/16", Two Operating Sashes, Casement Wood Clad Window (Andersen 400 Series).....	1,012.54	55.85
			<i>For Tempered Low-E Insulated Glass, Add</i>	180.17	
08 52 16 00-0414	EA		48" x 52-13/16", Two Operating Sashes, Casement Wood Clad Window (Andersen 400 Series).....	1,099.68	59.40
			<i>For Tempered Low-E Insulated Glass, Add</i>	196.18	
08 52 16 00-0415	EA		56-1/2" x 52-13/16", Two Operating Sashes, Casement Wood Clad Window (Andersen 400 Series).....	1,220.47	62.94
			<i>For Tempered Low-E Insulated Glass, Add</i>	218.92	
08 52 16 00-0416	EA		62-3/4" x 52-13/16", Two Operating Sashes, Casement Wood Clad Window (Andersen 400 Series).....	1,303.64	65.59
			<i>For Tempered Low-E Insulated Glass, Add</i>	234.49	
08 52 16 00-0417	EA		71-5/8" x 52-13/16", Two Operating Sashes, Casement Wood Clad Window (Andersen 400 Series).....	1,421.35	69.59
			<i>For Tempered Low-E Insulated Glass, Add</i>	256.43	
08 52 16 00-0418			59-7/8" Height, Two Operating Sashes, Casement Wood Clad Windows		
			(Andersen 400 Series) (08 52 16 00-0381)		
08 52 16 00-0419	EA		33-3/4" x 59-7/8", Two Operating Sashes, Casement Wood Clad Window (Andersen 400 Series).....	1,014.08	55.85
			<i>For Tempered Low-E Insulated Glass, Add</i>	180.48	
08 52 16 00-0420	EA		40-3/4" x 59-7/8", Two Operating Sashes, Casement Wood Clad Window (Andersen 400 Series).....	1,106.39	59.40
			<i>For Tempered Low-E Insulated Glass, Add</i>	197.70	
08 52 16 00-0421	EA		48" x 59-7/8", Two Operating Sashes, Casement Wood Clad Window (Andersen 400 Series).....	1,202.66	62.94
			<i>For Tempered Low-E Insulated Glass, Add</i>	215.53	
08 52 16 00-0422	EA		56-1/2" x 59-7/8", Two Operating Sashes, Casement Wood Clad Window (Andersen 400 Series).....	1,314.31	66.04
			<i>For Tempered Low-E Insulated Glass, Add</i>	236.45	
08 52 16 00-0423	EA		62-3/4" x 59-7/8", Two Operating Sashes, Casement Wood Clad Window (Andersen 400 Series).....	1,397.48	68.70
			<i>For Tempered Low-E Insulated Glass, Add</i>	252.02	
08 52 16 00-0424	EA		71-5/8" x 59-7/8", Two Operating Sashes, Casement Wood Clad Window (Andersen 400 Series).....	1,513.65	72.69
			<i>For Tempered Low-E Insulated Glass, Add</i>	273.66	
08 52 16 00-0425			64-13/16" Height, Two Operating Sashes, Casement Wood Clad Windows		
			(Andersen 400 Series) (08 52 16 00-0381)		
08 52 16 00-0426	EA		33-3/4" x 64-13/16", Two Operating Sashes, Casement Wood Clad Window (Andersen 400 Series).....	1,078.48	58.06
			<i>For Tempered Low-E Insulated Glass, Add</i>	192.47	
08 52 16 00-0427	EA		40-3/4" x 64-13/16", Two Operating Sashes, Casement Wood Clad Window (Andersen 400 Series).....	1,170.79	61.17
			<i>For Tempered Low-E Insulated Glass, Add</i>	209.69	
08 52 16 00-0428	EA		48" x 64-13/16", Two Operating Sashes, Casement Wood Clad Window (Andersen 400 Series).....	1,268.60	64.71
			<i>For Tempered Low-E Insulated Glass, Add</i>	227.84	
08 52 16 00-0429	EA		56-1/2" x 64-13/16", Two Operating Sashes, Casement Wood Clad Window (Andersen 400 Series).....	1,380.24	68.26
			<i>For Tempered Low-E Insulated Glass, Add</i>	248.75	
08 52 16 00-0430			71-7/8" Height, Two Operating Sashes, Casement Wood Clad Windows		
			(Andersen 400 Series) (08 52 16 00-0381)		
08 52 16 00-0431	EA		33-3/4" x 71-7/8", Two Operating Sashes, Casement Wood Clad Window (Andersen 400 Series).....	1,172.33	61.17
			<i>For Tempered Low-E Insulated Glass, Add</i>	210.00	
08 52 16 00-0432	EA		40-3/4" x 71-7/8", Two Operating Sashes, Casement Wood Clad Window (Andersen 400 Series).....	1,264.63	64.71
			<i>For Tempered Low-E Insulated Glass, Add</i>	227.22	



Openings	08	08
Windows	08 50	
Wood Windows	08 52	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 52 16 00-0433	EA		48" x 71-7/8", Two Operating Sashes, Casement Wood Clad Window (Andersen 400 Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	1,360.90 245.06	68.26
08 52 16 00-0434	EA		56-1/2" x 71-7/8", Two Operating Sashes, Casement Wood Clad Window (Andersen 400 Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	1,472.56 265.97	71.36
08 52 16 00-0435			One Stationary Sash And Two Operating Sashes, Casement Wood Clad Windows (Andersen 400 Series) (08 52 16 00-0319)		
08 52 16 00-0436			24-1/8" Height, One Stationary Sash And Two Operating Sashes, Casement Wood Clad Windows (Andersen 400 Series) (08 52 16 00-0435)		
08 52 16 00-0437	EA		71-7/8" x 24-1/8", One Stationary Sash And Two Operating Sashes, Casement Wood Clad Window (Andersen 400 Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	1,042.21 185.57	57.17
08 52 16 00-0438	EA		84-5/8" x 24-1/8", One Stationary Sash And Two Operating Sashes, Casement Wood Clad Window (Andersen 400 Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	1,211.53 217.13	62.94
08 52 16 00-0439			28-3/8" Height, One Stationary Sash And Two Operating Sashes, Casement Wood Clad Windows (Andersen 400 Series) (08 52 16 00-0435)		
08 52 16 00-0440	EA		71-7/8" x 28-3/8", One Stationary Sash And Two Operating Sashes, Casement Wood Clad Window (Andersen 400 Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	1,104.39 197.30	58.94
08 52 16 00-0441	EA		84-5/8" x 28-3/8", One Stationary Sash And Two Operating Sashes, Casement Wood Clad Window (Andersen 400 Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	1,264.57 227.03	64.71
08 52 16 00-0442			35-15/16" Height, One Stationary Sash And Two Operating Sashes, Casement Wood Clad Windows (Andersen 400 Series) (08 52 16 00-0435)		
08 52 16 00-0443	EA		61" x 35-15/16", One Stationary Sash And Two Operating Sashes, Casement Wood Clad Window (Andersen 400 Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	1,062.53 189.46	57.62
08 52 16 00-0444	EA		71-7/8" x 35-15/16", One Stationary Sash And Two Operating Sashes, Casement Wood Clad Window (Andersen 400 Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	1,200.24 215.23	62.05
08 52 16 00-0445	EA		84-5/8" x 35-15/16", One Stationary Sash And Two Operating Sashes, Casement Wood Clad Window (Andersen 400 Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	1,370.13 246.90	68.26
08 52 16 00-0446			40-13/16" Height, One Stationary Sash And Two Operating Sashes, Casement Wood Clad Windows (Andersen 400 Series) (08 52 16 00-0435)		
08 52 16 00-0447	EA		61" x 40-13/16", One Stationary Sash And Two Operating Sashes, Casement Wood Clad Window (Andersen 400 Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	1,123.79 200.82	60.28
08 52 16 00-0448	EA		71-7/8" x 40-13/16", One Stationary Sash And Two Operating Sashes, Casement Wood Clad Window (Andersen 400 Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	1,266.17 227.53	64.27
08 52 16 00-0449	EA		84-5/8" x 40-13/16", One Stationary Sash And Two Operating Sashes, Casement Wood Clad Window (Andersen 400 Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	1,434.54 258.90	70.03
08 52 16 00-0450			48" Height, One Stationary Sash And Two Operating Sashes, Casement Wood Clad Windows (Andersen 400 Series) (08 52 16 00-0435)		
08 52 16 00-0451	EA		71-7/8" x 48", One Stationary Sash And Two Operating Sashes, Casement Wood Clad Window (Andersen 400 Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	1,360.90 245.06	67.82
08 52 16 00-0452	EA		84-5/8" x 48", One Stationary Sash And Two Operating Sashes, Casement Wood Clad Window (Andersen 400 Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	1,529.27 276.42	73.57
08 52 16 00-0453			52-13/16" Height, One Stationary Sash And Two Operating Sashes, Casement Wood Clad Windows (Andersen 400 Series) (08 52 16 00-0435)		
08 52 16 00-0454	EA		71-7/8" x 52-13/16", One Stationary Sash And Two Operating Sashes, Casement Wood Clad Window (Andersen 400 Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	1,424.43 257.05	69.59
08 52 16 00-0455	EA		84-5/8" x 52-13/16", One Stationary Sash And Two Operating Sashes, Casement Wood Clad Window (Andersen 400 Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	1,592.78 288.42	75.35
08 52 16 00-0456			59-7/8" Height, One Stationary Sash And Two Operating Sashes, Casement Wood Clad Windows (Andersen 400 Series) (08 52 16 00-0435)		
08 52 16 00-0457	EA		71-7/8" x 59-7/8", One Stationary Sash And Two Operating Sashes, Casement Wood Clad Window (Andersen 400 Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	1,516.73 274.27	72.69

08 Openings

08 50 Windows

08 52 Wood Windows



MINOR CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 52 16 00-0458	EA	84-5/8" x 59-7/8", One Stationary Sash And Two Operating Sashes, Casement Wood Clad Window (Andersen 400 Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	1,686.63 305.95	78.89
08 52 16 00-0459		Awning Wood Clad Windows (08 52 16)		
		Note: Awning windows are hinged at the top of the frame and swing outward with a crank or push out operation.		
08 52 16 00-0460		Awning Wood Clad Windows (Andersen 200 Series) (08 52 16 00-0459)		
		Note: Includes painted or stained wood interior, colored PVC clad exterior, standard hardware and clear insulated glass. Excludes grilles and insect screens.		
08 52 16 00-0461		Venting, Awning Wood Clad Windows (Andersen 200 Series) (08 52 16 00-0460)		
08 52 16 00-0462		17" Height, Venting, Awning Wood Clad Windows (Andersen 200 Series) (08 52 16 00-0461)		
08 52 16 00-0463	EA	24-1/8" x 17", Venting, Awning Wood Clad Window (Andersen 200 Series)..... <i>For Tempered Clear Insulated Glass, Add</i>	329.64 51.39	36.35
08 52 16 00-0464	EA	28-3/8" x 17", Venting, Awning Wood Clad Window (Andersen 200 Series)..... <i>For Tempered Clear Insulated Glass, Add</i>	352.87 55.33	38.12
08 52 16 00-0465	EA	31-1/2" x 17", Venting, Awning Wood Clad Window (Andersen 200 Series)..... <i>For Tempered Clear Insulated Glass, Add</i>	371.87 58.60	39.45
08 52 16 00-0466	EA	35-15/16" x 17", Venting, Awning Wood Clad Window (Andersen 200 Series)..... <i>For Tempered Clear Insulated Glass, Add</i>	395.97 62.71	41.22
08 52 16 00-0467	EA	40-13/16" x 17", Venting, Awning Wood Clad Window (Andersen 200 Series)..... <i>For Tempered Clear Insulated Glass, Add</i>	423.77 67.38	43.44
08 52 16 00-0468	EA	48" x 17", Venting, Awning Wood Clad Window (Andersen 200 Series)..... <i>For Tempered Clear Insulated Glass, Add</i>	466.54 74.52	46.98
08 52 16 00-0469	EA	52-13/16" x 17", Venting, Awning Wood Clad Window (Andersen 200 Series)..... <i>For Tempered Clear Insulated Glass, Add</i>	493.46 79.19	48.75
08 52 16 00-0470	EA	59-7/8" x 17", Venting, Awning Wood Clad Window (Andersen 200 Series)..... <i>For Tempered Clear Insulated Glass, Add</i>	532.87 85.83	52.30
08 52 16 00-0471	EA	64-13/16" x 17", Venting, Awning Wood Clad Window (Andersen 200 Series)..... <i>For Tempered Clear Insulated Glass, Add</i>	547.84 87.94	54.07
08 52 16 00-0472	EA	71-7/8" x 17", Venting, Awning Wood Clad Window (Andersen 200 Series)..... <i>For Tempered Clear Insulated Glass, Add</i>	586.83 94.50	57.17
08 52 16 00-0473		20-1/2" Height, Venting, Awning Wood Clad Windows (Andersen 200 Series) (08 52 16 00-0461)		
08 52 16 00-0474	EA	24-1/8" x 20-1/2", Venting, Awning Wood Clad Window (Andersen 200 Series)..... <i>For Tempered Clear Insulated Glass, Add</i>	347.67 54.46	38.12
08 52 16 00-0475	EA	28-3/8" x 20-1/2", Venting, Awning Wood Clad Window (Andersen 200 Series)..... <i>For Tempered Clear Insulated Glass, Add</i>	372.74 58.77	39.89
08 52 16 00-0476	EA	31-1/2" x 20-1/2", Venting, Awning Wood Clad Window (Andersen 200 Series)..... <i>For Tempered Clear Insulated Glass, Add</i>	389.13 61.52	40.77
08 52 16 00-0477	EA	35-15/16" x 20-1/2", Venting, Awning Wood Clad Window (Andersen 200 Series)..... <i>For Tempered Clear Insulated Glass, Add</i>	415.85 66.15	42.55
08 52 16 00-0478	EA	40-13/16" x 20-1/2", Venting, Awning Wood Clad Window (Andersen 200 Series)..... <i>For Tempered Clear Insulated Glass, Add</i>	443.65 70.82	45.21
08 52 16 00-0479	EA	48" x 20-1/2", Venting, Awning Wood Clad Window (Andersen 200 Series)..... <i>For Tempered Clear Insulated Glass, Add</i>	485.19 77.71	48.31
08 52 16 00-0480	EA	52-13/16" x 20-1/2", Venting, Awning Wood Clad Window (Andersen 200 Series)..... <i>For Tempered Clear Insulated Glass, Add</i>	512.11 82.39	50.52
08 52 16 00-0481	EA	59-7/8" x 20-1/2", Venting, Awning Wood Clad Window (Andersen 200 Series)..... <i>For Tempered Clear Insulated Glass, Add</i>	552.75 89.28	53.19
08 52 16 00-0482	EA	64-13/16" x 20-1/2", Venting, Awning Wood Clad Window (Andersen 200 Series)..... <i>For Tempered Clear Insulated Glass, Add</i>	566.28 91.09	55.85
08 52 16 00-0483	EA	71-7/8" x 20-1/2", Venting, Awning Wood Clad Window (Andersen 200 Series)..... <i>For Tempered Clear Insulated Glass, Add</i>	606.49 97.90	58.50
08 52 16 00-0484	EA	84-5/8" x 20-1/2", Venting, Awning Wood Clad Window (Andersen 200 Series)..... <i>For Tempered Clear Insulated Glass, Add</i>	930.41 160.38	64.71
08 52 16 00-0485		24-1/8" Height, Venting, Awning Wood Clad Windows (Andersen 200 Series) (08 52 16 00-0461)		
08 52 16 00-0486	EA	24-1/8" x 24-1/8", Venting, Awning Wood Clad Window (Andersen 200 Series)..... <i>For Tempered Clear Insulated Glass, Add</i>	370.28 58.28	39.89
08 52 16 00-0487	EA	28-3/8" x 24-1/8", Venting, Awning Wood Clad Window (Andersen 200 Series)..... <i>For Tempered Clear Insulated Glass, Add</i>	393.51 62.21	41.66
08 52 16 00-0488	EA	31-1/2" x 24-1/8", Venting, Awning Wood Clad Window (Andersen 200 Series)..... <i>For Tempered Clear Insulated Glass, Add</i>	409.38 64.86	42.55
08 52 16 00-0489	EA	35-15/16" x 24-1/8", Venting, Awning Wood Clad Window (Andersen 200 Series)..... <i>For Tempered Clear Insulated Glass, Add</i>	436.61 69.59	44.33
08 52 16 00-0490	EA	40-13/16" x 24-1/8", Venting, Awning Wood Clad Window (Andersen 200 Series)..... <i>For Tempered Clear Insulated Glass, Add</i>	464.43 74.27	46.98
08 52 16 00-0491	EA	48" x 24-1/8", Venting, Awning Wood Clad Window (Andersen 200 Series)..... <i>For Tempered Clear Insulated Glass, Add</i>	507.19 81.40	50.08
08 52 16 00-0492	EA	52-13/16" x 24-1/8", Venting, Awning Wood Clad Window (Andersen 200 Series)..... <i>For Tempered Clear Insulated Glass, Add</i>	534.10 86.08	52.30
08 52 16 00-0493	EA	59-7/8" x 24-1/8", Venting, Awning Wood Clad Window (Andersen 200 Series)..... <i>For Tempered Clear Insulated Glass, Add</i>	574.75 92.97	54.96
08 52 16 00-0494	EA	64-13/16" x 24-1/8", Venting, Awning Wood Clad Window (Andersen 200 Series)..... <i>For Tempered Clear Insulated Glass, Add</i>	586.83 94.50	57.62



Openings	08	08
Windows	08 50	
Wood Windows	08 52	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 52 16 00-0495	EA		71-7/8" x 24-1/8", Venting, Awning Wood Clad Window (Andersen 200 Series)	625.77	60.28
			<i>For Tempered Clear Insulated Glass, Add</i>	101.04	
08 52 16 00-0496	EA		84-5/8" x 24-1/8", Venting, Awning Wood Clad Window (Andersen 200 Series)	978.82	66.48
			<i>For Tempered Clear Insulated Glass, Add</i>	169.35	
08 52 16 00-0497			28-3/8" Height, Venting, Awning Wood Clad Windows (Andersen 200 Series) <small>(08 52 16 00-0461)</small>		
08 52 16 00-0498	EA		24-1/8" x 28-3/8", Venting, Awning Wood Clad Window (Andersen 200 Series)	370.14	41.66
			<i>For Tempered Clear Insulated Glass, Add</i>	57.54	
08 52 16 00-0499	EA		28-3/8" x 28-3/8", Venting, Awning Wood Clad Window (Andersen 200 Series)	405.67	43.44
			<i>For Tempered Clear Insulated Glass, Add</i>	63.94	
08 52 16 00-0500	EA		31-1/2" x 28-3/8", Venting, Awning Wood Clad Window (Andersen 200 Series)	428.56	44.33
			<i>For Tempered Clear Insulated Glass, Add</i>	67.98	
08 52 16 00-0501	EA		35-15/16" x 28-3/8", Venting, Awning Wood Clad Window (Andersen 200 Series)	470.92	46.10
			<i>For Tempered Clear Insulated Glass, Add</i>	75.75	
08 52 16 00-0502	EA		40-13/16" x 28-3/8", Venting, Awning Wood Clad Window (Andersen 200 Series)	513.48	48.75
			<i>For Tempered Clear Insulated Glass, Add</i>	83.37	
08 52 16 00-0503	EA		48" x 28-3/8", Venting, Awning Wood Clad Window (Andersen 200 Series).....	575.92	51.86
			<i>For Tempered Clear Insulated Glass, Add</i>	94.44	
08 52 16 00-0504	EA		52-13/16" x 28-3/8", Venting, Awning Wood Clad Window (Andersen 200 Series)	616.38	54.07
			<i>For Tempered Clear Insulated Glass, Add</i>	101.82	
08 52 16 00-0505	EA		59-7/8" x 28-3/8", Venting, Awning Wood Clad Window (Andersen 200 Series)	677.93	56.73
			<i>For Tempered Clear Insulated Glass, Add</i>	112.89	
08 52 16 00-0506	EA		64-13/16" x 28-3/8", Venting, Awning Wood Clad Window (Andersen 200 Series)	700.90	59.40
			<i>For Tempered Clear Insulated Glass, Add</i>	116.60	
08 52 16 00-0507	EA		71-7/8" x 28-3/8", Venting, Awning Wood Clad Window (Andersen 200 Series)	760.55	62.05
			<i>For Tempered Clear Insulated Glass, Add</i>	127.29	
08 52 16 00-0508	EA		84-5/8" x 28-3/8", Venting, Awning Wood Clad Window (Andersen 200 Series)	1,005.40	68.26
			<i>For Tempered Clear Insulated Glass, Add</i>	173.96	
08 52 16 00-0509			31-1/2" Height, Venting, Awning Wood Clad Windows (Andersen 200 Series) <small>(08 52 16 00-0461)</small>		
08 52 16 00-0510	EA		28-3/8" x 31-1/2", Venting, Awning Wood Clad Window (Andersen 200 Series)	428.56	44.33
			<i>For Tempered Clear Insulated Glass, Add</i>	67.98	
08 52 16 00-0511	EA		31-1/2" x 31-1/2", Venting, Awning Wood Clad Window (Andersen 200 Series)	453.14	45.65
			<i>For Tempered Clear Insulated Glass, Add</i>	72.37	
08 52 16 00-0512	EA		35-15/16" x 31-1/2", Venting, Awning Wood Clad Window (Andersen 200 Series)	486.94	47.42
			<i>For Tempered Clear Insulated Glass, Add</i>	78.42	
08 52 16 00-0513	EA		40-13/16" x 31-1/2", Venting, Awning Wood Clad Window (Andersen 200 Series)	524.76	49.64
			<i>For Tempered Clear Insulated Glass, Add</i>	85.09	
08 52 16 00-0514	EA		48" x 31-1/2", Venting, Awning Wood Clad Window (Andersen 200 Series).....	579.83	53.19
			<i>For Tempered Clear Insulated Glass, Add</i>	94.69	
08 52 16 00-0515	EA		52-13/16" x 31-1/2", Venting, Awning Wood Clad Window (Andersen 200 Series)	617.81	54.96
			<i>For Tempered Clear Insulated Glass, Add</i>	101.58	
08 52 16 00-0516	EA		59-7/8" x 31-1/2", Venting, Awning Wood Clad Window (Andersen 200 Series)	672.00	58.50
			<i>For Tempered Clear Insulated Glass, Add</i>	111.17	
08 52 16 00-0517	EA		64-13/16" x 31-1/2", Venting, Awning Wood Clad Window (Andersen 200 Series)	709.81	60.28
			<i>For Tempered Clear Insulated Glass, Add</i>	117.85	
08 52 16 00-0518	EA		71-7/8" x 31-1/2", Venting, Awning Wood Clad Window (Andersen 200 Series)	765.05	63.38
			<i>For Tempered Clear Insulated Glass, Add</i>	127.66	
08 52 16 00-0519	EA		84-5/8" x 31-1/2", Venting, Awning Wood Clad Window (Andersen 200 Series)	1,071.51	69.15
			<i>For Tempered Clear Insulated Glass, Add</i>	186.64	
08 52 16 00-0520			35-15/16" Height, Venting, Awning Wood Clad Windows (Andersen 200 Series) <small>(08 52 16 00-0461)</small>		
08 52 16 00-0521	EA		31-1/2" x 35-15/16", Venting, Awning Wood Clad Window (Andersen 200 Series)	486.94	47.42
			<i>For Tempered Clear Insulated Glass, Add</i>	78.42	
08 52 16 00-0522	EA		35-15/16" x 35-15/16", Venting, Awning Wood Clad Window (Andersen 200 Series)	534.93	49.20
			<i>For Tempered Clear Insulated Glass, Add</i>	87.31	
08 52 16 00-0523	EA		40-13/16" x 35-15/16", Venting, Awning Wood Clad Window (Andersen 200 Series)	577.50	51.42
			<i>For Tempered Clear Insulated Glass, Add</i>	94.93	
08 52 16 00-0524	EA		48" x 35-15/16", Venting, Awning Wood Clad Window (Andersen 200 Series).....	639.95	54.96
			<i>For Tempered Clear Insulated Glass, Add</i>	106.01	
08 52 16 00-0525	EA		52-13/16" x 35-15/16", Venting, Awning Wood Clad Window (Andersen 200 Series)	681.62	56.73
			<i>For Tempered Clear Insulated Glass, Add</i>	113.63	
08 52 16 00-0526	EA		59-7/8" x 35-15/16", Venting, Awning Wood Clad Window (Andersen 200 Series)	741.95	60.28
			<i>For Tempered Clear Insulated Glass, Add</i>	124.46	
08 52 16 00-0527	EA		64-13/16" x 35-15/16", Venting, Awning Wood Clad Window (Andersen 200 Series)	650.03	62.05
			<i>For Tempered Clear Insulated Glass, Add</i>	105.18	
08 52 16 00-0528	EA		71-7/8" x 35-15/16", Venting, Awning Wood Clad Window (Andersen 200 Series)	697.52	65.15
			<i>For Tempered Clear Insulated Glass, Add</i>	113.44	
08 52 16 00-0529			40-3/4" Height, Venting, Awning Wood Clad Windows (Andersen 200 Series) <small>(08 52 16 00-0461)</small>		
08 52 16 00-0530	EA		35-15/16" x 40-3/4", Venting, Awning Wood Clad Window (Andersen 200 Series)	570.12	51.42
			<i>For Tempered Clear Insulated Glass, Add</i>	93.46	
08 52 16 00-0531	EA		40-13/16" x 40-3/4", Venting, Awning Wood Clad Window (Andersen 200 Series)	640.98	54.07
			<i>For Tempered Clear Insulated Glass, Add</i>	106.74	

08	08	Openings
	08 50	Windows
	08 52	Wood Windows



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 52 16 00-0532			48" Height, Venting, Awning Wood Clad Windows (Andersen 200 Series) ^(08 52 16 00-0461)		
08 52 16 00-0533	EA		35-15/16" x 48", Venting, Awning Wood Clad Window (Andersen 200 Series).....	676.85	54.96
			<i>For Tempered Clear Insulated Glass, Add</i>	113.39	
08 52 16 00-0534	EA		40-13/16" x 48", Venting, Awning Wood Clad Window (Andersen 200 Series).....	748.93	57.62
			<i>For Tempered Clear Insulated Glass, Add</i>	126.92	
08 52 16 00-0535	EA		48" x 48", Venting, Awning Wood Clad Window (Andersen 200 Series).....	854.43	60.72
			<i>For Tempered Clear Insulated Glass, Add</i>	146.60	
08 52 16 00-0536			59-13/16" Height, Venting, Awning Wood Clad Windows (Andersen 200 Series) ^(08 52 16 00-0461)		
08 52 16 00-0537	EA		35-15/16" x 59-13/16", Venting, Awning Wood Clad Window (Andersen 200 Series).....	836.41	59.84
			<i>For Tempered Clear Insulated Glass, Add</i>	143.35	
08 52 16 00-0538	EA		40-13/16" x 59-13/16", Venting, Awning Wood Clad Window (Andersen 200 Series).....	899.59	62.05
			<i>For Tempered Clear Insulated Glass, Add</i>	155.10	
08 52 16 00-0539			71-7/8" Height, Venting, Awning Wood Clad Windows (Andersen 200 Series) ^(08 52 16 00-0461)		
08 52 16 00-0540	EA		24-1/8" x 71-7/8", Venting, Awning Wood Clad Window (Andersen 200 Series).....	913.66	60.28
			<i>For Tempered Clear Insulated Glass, Add</i>	158.62	
08 52 16 00-0541	EA		35-15/16" x 71-7/8", Venting, Awning Wood Clad Window (Andersen 200 Series).....	945.84	65.15
			<i>For Tempered Clear Insulated Glass, Add</i>	163.11	
08 52 16 00-0542	EA		40-13/16" x 71-7/8", Venting, Awning Wood Clad Window (Andersen 200 Series).....	1,045.85	67.37
			<i>For Tempered Clear Insulated Glass, Add</i>	182.22	
08 52 16 00-0543	EA		48" x 71-7/8", Venting, Awning Wood Clad Window (Andersen 200 Series).....	1,148.27	70.92
			<i>For Tempered Clear Insulated Glass, Add</i>	201.29	
08 52 16 00-0544			Stationary, Awning Wood Clad Windows (Andersen 200 Series) ^(08 52 16 00-0460)		
08 52 16 00-0545			17" Height, Stationary, Awning Wood Clad Windows (Andersen 200 Series) ^(08 52 16 00-0544)		
08 52 16 00-0546	EA		24-1/8" x 17", Stationary, Awning Wood Clad Window (Andersen 200 Series).....	291.51	36.35
			<i>For Tempered Clear Insulated Glass, Add</i>	43.76	
08 52 16 00-0547	EA		28-3/8" x 17", Stationary, Awning Wood Clad Window (Andersen 200 Series).....	313.51	38.12
			<i>For Tempered Clear Insulated Glass, Add</i>	47.45	
08 52 16 00-0548	EA		31-1/2" x 17", Stationary, Awning Wood Clad Window (Andersen 200 Series).....	328.05	39.45
			<i>For Tempered Clear Insulated Glass, Add</i>	49.83	
08 52 16 00-0549	EA		35-15/16" x 17", Stationary, Awning Wood Clad Window (Andersen 200 Series).....	351.69	41.22
			<i>For Tempered Clear Insulated Glass, Add</i>	53.85	
08 52 16 00-0550	EA		40-13/16" x 17", Stationary, Awning Wood Clad Window (Andersen 200 Series).....	377.03	43.44
			<i>For Tempered Clear Insulated Glass, Add</i>	58.03	
08 52 16 00-0551	EA		48" x 17", Stationary, Awning Wood Clad Window (Andersen 200 Series).....	416.10	46.98
			<i>For Tempered Clear Insulated Glass, Add</i>	64.43	
08 52 16 00-0552	EA		52-13/16" x 17", Stationary, Awning Wood Clad Window (Andersen 200 Series).....	439.33	48.75
			<i>For Tempered Clear Insulated Glass, Add</i>	68.36	
08 52 16 00-0553	EA		59-7/8" x 17", Stationary, Awning Wood Clad Window (Andersen 200 Series).....	476.29	52.30
			<i>For Tempered Clear Insulated Glass, Add</i>	74.52	
08 52 16 00-0554	EA		64-13/16" x 17", Stationary, Awning Wood Clad Window (Andersen 200 Series).....	501.64	54.07
			<i>For Tempered Clear Insulated Glass, Add</i>	78.70	
08 52 16 00-0555	EA		71-7/8" x 17", Stationary, Awning Wood Clad Window (Andersen 200 Series).....	538.59	57.17
			<i>For Tempered Clear Insulated Glass, Add</i>	84.85	
08 52 16 00-0556			20-1/2" Height, Stationary, Awning Wood Clad Windows (Andersen 200 Series) ^(08 52 16 00-0544)		
08 52 16 00-0557	EA		24-1/8" x 20-1/2", Stationary, Awning Wood Clad Window (Andersen 200 Series).....	308.93	38.12
			<i>For Tempered Clear Insulated Glass, Add</i>	46.72	
08 52 16 00-0558	EA		28-3/8" x 20-1/2", Stationary, Awning Wood Clad Window (Andersen 200 Series).....	330.92	39.89
			<i>For Tempered Clear Insulated Glass, Add</i>	50.41	
08 52 16 00-0559	EA		31-1/2" x 20-1/2", Stationary, Awning Wood Clad Window (Andersen 200 Series).....	344.27	40.77
			<i>For Tempered Clear Insulated Glass, Add</i>	52.54	
08 52 16 00-0560	EA		35-15/16" x 20-1/2", Stationary, Awning Wood Clad Window (Andersen 200 Series).....	370.34	42.55
			<i>For Tempered Clear Insulated Glass, Add</i>	57.05	
08 52 16 00-0561	EA		40-13/16" x 20-1/2", Stationary, Awning Wood Clad Window (Andersen 200 Series).....	395.68	45.21
			<i>For Tempered Clear Insulated Glass, Add</i>	61.23	
08 52 16 00-0562	EA		48" x 20-1/2", Stationary, Awning Wood Clad Window (Andersen 200 Series).....	433.52	48.31
			<i>For Tempered Clear Insulated Glass, Add</i>	67.38	
08 52 16 00-0563	EA		52-13/16" x 20-1/2", Stationary, Awning Wood Clad Window (Andersen 200 Series).....	457.99	50.52
			<i>For Tempered Clear Insulated Glass, Add</i>	71.56	
08 52 16 00-0564	EA		59-7/8" x 20-1/2", Stationary, Awning Wood Clad Window (Andersen 200 Series).....	493.71	53.19
			<i>For Tempered Clear Insulated Glass, Add</i>	77.47	
08 52 16 00-0565	EA		64-13/16" x 20-1/2", Stationary, Awning Wood Clad Window (Andersen 200 Series).....	520.29	55.85
			<i>For Tempered Clear Insulated Glass, Add</i>	81.90	
08 52 16 00-0566	EA		71-7/8" x 20-1/2", Stationary, Awning Wood Clad Window (Andersen 200 Series).....	556.01	58.50
			<i>For Tempered Clear Insulated Glass, Add</i>	87.80	



Openings	08	08
Windows	08 50	
Wood Windows	08 52	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 52 16 00-0567 24-1/8" Height, Stationary, Awning Wood Clad Windows (Andersen 200 Series) <small>(08 52 16 00-0544)</small>		
08 52 16 00-0568 EA 24-1/8" x 24-1/8", Stationary, Awning Wood Clad Window (Andersen 200 Series) <i>For Tempered Clear Insulated Glass, Add</i>	328.46 49.91	39.89
08 52 16 00-0569 EA 28-3/8" x 24-1/8", Stationary, Awning Wood Clad Window (Andersen 200 Series) <i>For Tempered Clear Insulated Glass, Add</i>	350.46 53.60	41.66
08 52 16 00-0570 EA 31-1/2" x 24-1/8", Stationary, Awning Wood Clad Window (Andersen 200 Series) <i>For Tempered Clear Insulated Glass, Add</i>	362.43 55.47	42.55
08 52 16 00-0571 EA 35-15/16" x 24-1/8", Stationary, Awning Wood Clad Window (Andersen 200 Series) <i>For Tempered Clear Insulated Glass, Add</i>	388.64 60.00	44.33
08 52 16 00-0572 EA 40-13/16" x 24-1/8", Stationary, Awning Wood Clad Window (Andersen 200 Series) <i>For Tempered Clear Insulated Glass, Add</i>	413.99 64.18	46.98
08 52 16 00-0573 EA 48" x 24-1/8", Stationary, Awning Wood Clad Window (Andersen 200 Series) <i>For Tempered Clear Insulated Glass, Add</i>	451.83 70.33	50.08
08 52 16 00-0574 EA 52-13/16" x 24-1/8", Stationary, Awning Wood Clad Window (Andersen 200 Series) <i>For Tempered Clear Insulated Glass, Add</i>	476.29 74.52	52.30
08 52 16 00-0575 EA 59-7/8" x 24-1/8", Stationary, Awning Wood Clad Window (Andersen 200 Series) <i>For Tempered Clear Insulated Glass, Add</i>	513.25 80.67	54.96
08 52 16 00-0576 EA 64-13/16" x 24-1/8", Stationary, Awning Wood Clad Window (Andersen 200 Series) <i>For Tempered Clear Insulated Glass, Add</i>	538.59 84.85	57.62
08 52 16 00-0577 EA 71-7/8" x 24-1/8", Stationary, Awning Wood Clad Window (Andersen 200 Series) <i>For Tempered Clear Insulated Glass, Add</i>	575.54 91.00	60.28
08 52 16 00-0578 28-3/8" Height, Stationary, Awning Wood Clad Windows (Andersen 200 Series) <small>(08 52 16 00-0544)</small>		
08 52 16 00-0579 EA 24-1/8" x 28-3/8", Stationary, Awning Wood Clad Window (Andersen 200 Series) <i>For Tempered Clear Insulated Glass, Add</i>	330.78 49.67	41.66
08 52 16 00-0580 EA 28-3/8" x 28-3/8", Stationary, Awning Wood Clad Window (Andersen 200 Series) <i>For Tempered Clear Insulated Glass, Add</i>	360.16 54.83	43.44
08 52 16 00-0581 EA 31-1/2" x 28-3/8", Stationary, Awning Wood Clad Window (Andersen 200 Series) <i>For Tempered Clear Insulated Glass, Add</i>	376.40 57.55	44.33
08 52 16 00-0582 EA 35-15/16" x 28-3/8", Stationary, Awning Wood Clad Window (Andersen 200 Series) <i>For Tempered Clear Insulated Glass, Add</i>	392.19 60.00	46.10
08 52 16 00-0583 EA 40-13/16" x 28-3/8", Stationary, Awning Wood Clad Window (Andersen 200 Series) <i>For Tempered Clear Insulated Glass, Add</i>	447.05 70.09	48.75
08 52 16 00-0584 EA 48" x 28-3/8", Stationary, Awning Wood Clad Window (Andersen 200 Series) <i>For Tempered Clear Insulated Glass, Add</i>	497.20 78.70	51.86
08 52 16 00-0585 EA 52-13/16" x 28-3/8", Stationary, Awning Wood Clad Window (Andersen 200 Series) <i>For Tempered Clear Insulated Glass, Add</i>	530.27 84.60	54.07
08 52 16 00-0586 EA 59-7/8" x 28-3/8", Stationary, Awning Wood Clad Window (Andersen 200 Series) <i>For Tempered Clear Insulated Glass, Add</i>	579.52 93.21	56.73
08 52 16 00-0587 EA 64-13/16" x 28-3/8", Stationary, Awning Wood Clad Window (Andersen 200 Series) <i>For Tempered Clear Insulated Glass, Add</i>	614.71 99.36	59.40
08 52 16 00-0588 EA 71-7/8" x 28-3/8", Stationary, Awning Wood Clad Window (Andersen 200 Series) <i>For Tempered Clear Insulated Glass, Add</i>	663.98 107.97	62.05
08 52 16 00-0589 31-1/2" Height, Stationary, Awning Wood Clad Windows (Andersen 200 Series) <small>(08 52 16 00-0544)</small>		
08 52 16 00-0590 EA 28-3/8" x 31-1/2", Stationary, Awning Wood Clad Window (Andersen 200 Series) <i>For Tempered Clear Insulated Glass, Add</i>	376.40 57.55	44.33
08 52 16 00-0591 EA 31-1/2" x 31-1/2", Stationary, Awning Wood Clad Window (Andersen 200 Series) <i>For Tempered Clear Insulated Glass, Add</i>	396.81 61.10	45.65
08 52 16 00-0592 EA 35-15/16" x 31-1/2", Stationary, Awning Wood Clad Window (Andersen 200 Series) <i>For Tempered Clear Insulated Glass, Add</i>	424.34 65.90	47.42
08 52 16 00-0593 EA 40-13/16" x 31-1/2", Stationary, Awning Wood Clad Window (Andersen 200 Series) <i>For Tempered Clear Insulated Glass, Add</i>	455.91 71.32	49.64
08 52 16 00-0594 EA 48" x 31-1/2", Stationary, Awning Wood Clad Window (Andersen 200 Series) <i>For Tempered Clear Insulated Glass, Add</i>	501.59 79.04	53.19
08 52 16 00-0595 EA 52-13/16" x 31-1/2", Stationary, Awning Wood Clad Window (Andersen 200 Series) <i>For Tempered Clear Insulated Glass, Add</i>	532.26 84.47	54.96
08 52 16 00-0596 EA 59-7/8" x 31-1/2", Stationary, Awning Wood Clad Window (Andersen 200 Series) <i>For Tempered Clear Insulated Glass, Add</i>	577.07 92.19	58.50
08 52 16 00-0597 EA 64-13/16" x 31-1/2", Stationary, Awning Wood Clad Window (Andersen 200 Series) <i>For Tempered Clear Insulated Glass, Add</i>	607.57 97.40	60.28
08 52 16 00-0598 EA 71-7/8" x 31-1/2", Stationary, Awning Wood Clad Window (Andersen 200 Series) <i>For Tempered Clear Insulated Glass, Add</i>	652.38 105.12	63.38
08 52 16 00-0599 35-15/16" Height, Stationary, Awning Wood Clad Windows (Andersen 200 Series) <small>(08 52 16 00-0544)</small>		
08 52 16 00-0600 EA 31-1/2" x 35-15/16", Stationary, Awning Wood Clad Window (Andersen 200 Series) <i>For Tempered Clear Insulated Glass, Add</i>	424.34 65.90	47.42
08 52 16 00-0601 EA 35-15/16" x 35-15/16", Stationary, Awning Wood Clad Window (Andersen 200 Series) <i>For Tempered Clear Insulated Glass, Add</i>	464.82 73.29	49.20
08 52 16 00-0602 EA 40-13/16" x 35-15/16", Stationary, Awning Wood Clad Window (Andersen 200 Series) <i>For Tempered Clear Insulated Glass, Add</i>	498.78 79.19	51.42
08 52 16 00-0603 EA 48" x 35-15/16", Stationary, Awning Wood Clad Window (Andersen 200 Series) <i>For Tempered Clear Insulated Glass, Add</i>	550.15 88.05	54.96
08 52 16 00-0604 EA 52-13/16" x 35-15/16", Stationary, Awning Wood Clad Window (Andersen 200 Series) <i>For Tempered Clear Insulated Glass, Add</i>	583.21 93.95	56.73

08 Openings**08 50 Windows****08 52 Wood Windows**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 52 16 00-0605	EA		59-7/8" x 35-15/16", Stationary, Awning Wood Clad Window (Andersen 200 Series).....	632.48	60.28
			<i>For Tempered Clear Insulated Glass, Add</i>	102.56	
08 52 16 00-0606	EA		64-13/16" x 35-15/16", Stationary, Awning Wood Clad Window (Andersen 200 Series).....	666.44	62.05
			<i>For Tempered Clear Insulated Glass, Add</i>	108.47	
08 52 16 00-0607	EA		71-7/8" x 35-15/16", Stationary, Awning Wood Clad Window (Andersen 200 Series).....	715.69	65.15
			<i>For Tempered Clear Insulated Glass, Add</i>	117.08	
08 52 16 00-0608			Awning Wood Clad Windows (Andersen 400 Series) <small>(08 52 16 00-0459)</small>		
			Note: Includes painted or stained wood interior, colored PVC clad exterior, standard hardware and Low-E insulated glass. Excludes grilles and insect screens.		
08 52 16 00-0609			Venting, Awning Wood Clad Windows (Andersen 400 Series) <small>(08 52 16 00-0608)</small>		
08 52 16 00-0610			17" Height, Venting, Awning Wood Clad Windows (Andersen 400 Series) <small>(08 52 16 00-0609)</small>		
08 52 16 00-0611	EA		24-1/8" x 17", Venting, Awning Wood Clad Window (Andersen 400 Series).....	390.53	36.35
			<i>For Tempered Low-E Insulated Glass, Add</i>	63.57	
08 52 16 00-0612	EA		28-3/8" x 17", Venting, Awning Wood Clad Window (Andersen 400 Series).....	418.68	38.12
			<i>For Tempered Low-E Insulated Glass, Add</i>	68.49	
08 52 16 00-0613	EA		31-1/2" x 17", Venting, Awning Wood Clad Window (Andersen 400 Series).....	441.77	39.45
			<i>For Tempered Low-E Insulated Glass, Add</i>	72.58	
08 52 16 00-0614	EA		35-15/16" x 17", Venting, Awning Wood Clad Window (Andersen 400 Series).....	471.01	41.22
			<i>For Tempered Low-E Insulated Glass, Add</i>	77.71	
08 52 16 00-0615	EA		40-13/16" x 17", Venting, Awning Wood Clad Window (Andersen 400 Series).....	504.65	43.44
			<i>For Tempered Low-E Insulated Glass, Add</i>	83.56	
08 52 16 00-0616	EA		48" x 17", Venting, Awning Wood Clad Window (Andersen 400 Series).....	556.33	46.98
			<i>For Tempered Low-E Insulated Glass, Add</i>	92.47	
08 52 16 00-0617	EA		52-13/16" x 17", Venting, Awning Wood Clad Window (Andersen 400 Series).....	589.10	48.75
			<i>For Tempered Low-E Insulated Glass, Add</i>	98.32	
08 52 16 00-0618	EA		59-7/8" x 17", Venting, Awning Wood Clad Window (Andersen 400 Series).....	636.81	52.30
			<i>For Tempered Low-E Insulated Glass, Add</i>	106.62	
08 52 16 00-0619	EA		64-13/16" x 17", Venting, Awning Wood Clad Window (Andersen 400 Series).....	654.41	54.07
			<i>For Tempered Low-E Insulated Glass, Add</i>	109.25	
08 52 16 00-0620	EA		71-7/8" x 17", Venting, Awning Wood Clad Window (Andersen 400 Series).....	701.60	57.17
			<i>For Tempered Low-E Insulated Glass, Add</i>	117.45	
08 52 16 00-0621			20-1/2" Height, Venting, Awning Wood Clad Windows (Andersen 400 Series) <small>(08 52 16 00-0609)</small>		
08 52 16 00-0622	EA		24-1/8" x 20-1/2", Venting, Awning Wood Clad Window (Andersen 400 Series).....	412.40	38.12
			<i>For Tempered Low-E Insulated Glass, Add</i>	67.41	
08 52 16 00-0623	EA		28-3/8" x 20-1/2", Venting, Awning Wood Clad Window (Andersen 400 Series).....	442.86	39.89
			<i>For Tempered Low-E Insulated Glass, Add</i>	72.79	
08 52 16 00-0624	EA		31-1/2" x 20-1/2", Venting, Awning Wood Clad Window (Andersen 400 Series).....	462.68	40.77
			<i>For Tempered Low-E Insulated Glass, Add</i>	76.23	
08 52 16 00-0625	EA		35-15/16" x 20-1/2", Venting, Awning Wood Clad Window (Andersen 400 Series).....	495.19	42.55
			<i>For Tempered Low-E Insulated Glass, Add</i>	82.02	
08 52 16 00-0626	EA		40-13/16" x 20-1/2", Venting, Awning Wood Clad Window (Andersen 400 Series).....	528.84	45.21
			<i>For Tempered Low-E Insulated Glass, Add</i>	87.86	
08 52 16 00-0627	EA		48" x 20-1/2", Venting, Awning Wood Clad Window (Andersen 400 Series).....	578.98	48.31
			<i>For Tempered Low-E Insulated Glass, Add</i>	96.47	
08 52 16 00-0628	EA		52-13/16" x 20-1/2", Venting, Awning Wood Clad Window (Andersen 400 Series).....	611.75	50.52
			<i>For Tempered Low-E Insulated Glass, Add</i>	102.32	
08 52 16 00-0629	EA		59-7/8" x 20-1/2", Venting, Awning Wood Clad Window (Andersen 400 Series).....	661.00	53.19
			<i>For Tempered Low-E Insulated Glass, Add</i>	110.93	
08 52 16 00-0630	EA		64-13/16" x 20-1/2", Venting, Awning Wood Clad Window (Andersen 400 Series).....	676.81	55.85
			<i>For Tempered Low-E Insulated Glass, Add</i>	113.20	
08 52 16 00-0631	EA		71-7/8" x 20-1/2", Venting, Awning Wood Clad Window (Andersen 400 Series).....	725.51	58.50
			<i>For Tempered Low-E Insulated Glass, Add</i>	121.70	
08 52 16 00-0632	EA		84-5/8" x 20-1/2", Venting, Awning Wood Clad Window (Andersen 400 Series).....	1,127.53	64.71
			<i>For Tempered Low-E Insulated Glass, Add</i>	199.80	
08 52 16 00-0633			24-1/8" Height, Venting, Awning Wood Clad Windows (Andersen 400 Series) <small>(08 52 16 00-0609)</small>		
08 52 16 00-0634	EA		24-1/8" x 24-1/8", Venting, Awning Wood Clad Window (Andersen 400 Series).....	439.78	39.89
			<i>For Tempered Low-E Insulated Glass, Add</i>	72.18	
08 52 16 00-0635	EA		28-3/8" x 24-1/8", Venting, Awning Wood Clad Window (Andersen 400 Series).....	467.93	41.66
			<i>For Tempered Low-E Insulated Glass, Add</i>	77.10	
08 52 16 00-0636	EA		31-1/2" x 24-1/8", Venting, Awning Wood Clad Window (Andersen 400 Series).....	487.10	42.55
			<i>For Tempered Low-E Insulated Glass, Add</i>	80.40	
08 52 16 00-0637	EA		35-15/16" x 24-1/8", Venting, Awning Wood Clad Window (Andersen 400 Series).....	520.26	44.33
			<i>For Tempered Low-E Insulated Glass, Add</i>	86.32	
08 52 16 00-0638	EA		40-13/16" x 24-1/8", Venting, Awning Wood Clad Window (Andersen 400 Series).....	553.91	46.98
			<i>For Tempered Low-E Insulated Glass, Add</i>	92.17	
08 52 16 00-0639	EA		48" x 24-1/8", Venting, Awning Wood Clad Window (Andersen 400 Series).....	605.60	50.08
			<i>For Tempered Low-E Insulated Glass, Add</i>	101.09	
08 52 16 00-0640	EA		52-13/16" x 24-1/8", Venting, Awning Wood Clad Window (Andersen 400 Series).....	638.35	52.30
			<i>For Tempered Low-E Insulated Glass, Add</i>	106.93	
08 52 16 00-0641	EA		59-7/8" x 24-1/8", Venting, Awning Wood Clad Window (Andersen 400 Series).....	687.61	54.96
			<i>For Tempered Low-E Insulated Glass, Add</i>	115.54	
08 52 16 00-0642	EA		64-13/16" x 24-1/8", Venting, Awning Wood Clad Window (Andersen 400 Series).....	701.60	57.62
			<i>For Tempered Low-E Insulated Glass, Add</i>	117.45	



Openings	08	08
Windows	08 50	
Wood Windows	08 52	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 52 16 00-0643	EA		71-7/8" x 24-1/8", Venting, Awning Wood Clad Window (Andersen 400 Series)	748.73	60.28
			<i>For Tempered Low-E Insulated Glass, Add</i>	125.64	
08 52 16 00-0644	EA		84-5/8" x 24-1/8", Venting, Awning Wood Clad Window (Andersen 400 Series)	1,187.15	66.48
			<i>For Tempered Low-E Insulated Glass, Add</i>	211.01	
08 52 16 00-0645			28-3/8" Height, Venting, Awning Wood Clad Windows (Andersen 400 Series) <small>(08 52 16 00-0609)</small>		
08 52 16 00-0646	EA		24-1/8" x 28-3/8", Venting, Awning Wood Clad Window (Andersen 400 Series)	438.72	41.66
			<i>For Tempered Low-E Insulated Glass, Add</i>	71.26	
08 52 16 00-0647	EA		28-3/8" x 28-3/8", Venting, Awning Wood Clad Window (Andersen 400 Series)	482.25	43.44
			<i>For Tempered Low-E Insulated Glass, Add</i>	79.25	
08 52 16 00-0648	EA		31-1/2" x 28-3/8", Venting, Awning Wood Clad Window (Andersen 400 Series)	510.20	44.33
			<i>For Tempered Low-E Insulated Glass, Add</i>	84.31	
08 52 16 00-0649	EA		35-15/16" x 28-3/8", Venting, Awning Wood Clad Window (Andersen 200 Series)	562.25	46.10
			<i>For Tempered Low-E Insulated Glass, Add</i>	94.01	
08 52 16 00-0650	EA		40-13/16" x 28-3/8", Venting, Awning Wood Clad Window (Andersen 400 Series)	614.35	48.75
			<i>For Tempered Low-E Insulated Glass, Add</i>	103.55	
08 52 16 00-0651	EA		48" x 28-3/8", Venting, Awning Wood Clad Window (Andersen 400 Series).....	690.63	51.86
			<i>For Tempered Low-E Insulated Glass, Add</i>	117.38	
08 52 16 00-0652	EA		52-13/16" x 28-3/8", Venting, Awning Wood Clad Window (Andersen 400 Series)	740.31	54.07
			<i>For Tempered Low-E Insulated Glass, Add</i>	126.61	
08 52 16 00-0653	EA		59-7/8" x 28-3/8", Venting, Awning Wood Clad Window (Andersen 400 Series)	815.70	56.73
			<i>For Tempered Low-E Insulated Glass, Add</i>	140.45	
08 52 16 00-0654	EA		64-13/16" x 28-3/8", Venting, Awning Wood Clad Window (Andersen 400 Series)	843.30	59.40
			<i>For Tempered Low-E Insulated Glass, Add</i>	145.08	
08 52 16 00-0655	EA		71-7/8" x 28-3/8", Venting, Awning Wood Clad Window (Andersen 400 Series)	1,050.22	62.05
			<i>For Tempered Low-E Insulated Glass, Add</i>	185.22	
08 52 16 00-0656	EA		84-5/8" x 28-3/8", Venting, Awning Wood Clad Window (Andersen 400 Series)	1,219.50	68.26
			<i>For Tempered Low-E Insulated Glass, Add</i>	216.78	
08 52 16 00-0657			31-1/2" Height, Venting, Awning Wood Clad Windows (Andersen 400 Series) <small>(08 52 16 00-0609)</small>		
08 52 16 00-0658	EA		28-3/8" x 31-1/2", Venting, Awning Wood Clad Window (Andersen 400 Series)	510.20	44.33
			<i>For Tempered Low-E Insulated Glass, Add</i>	84.31	
08 52 16 00-0659	EA		31-1/2" x 31-1/2", Venting, Awning Wood Clad Window (Andersen 400 Series)	540.25	45.65
			<i>For Tempered Low-E Insulated Glass, Add</i>	89.79	
08 52 16 00-0660	EA		35-15/16" x 31-1/2", Venting, Awning Wood Clad Window (Andersen 400 Series)	581.61	47.42
			<i>For Tempered Low-E Insulated Glass, Add</i>	97.35	
08 52 16 00-0661	EA		40-13/16" x 31-1/2", Venting, Awning Wood Clad Window (Andersen 400 Series)	627.78	49.64
			<i>For Tempered Low-E Insulated Glass, Add</i>	105.70	
08 52 16 00-0662	EA		48" x 31-1/2", Venting, Awning Wood Clad Window (Andersen 400 Series).....	694.85	53.19
			<i>For Tempered Low-E Insulated Glass, Add</i>	117.70	
08 52 16 00-0663	EA		52-13/16" x 31-1/2", Venting, Awning Wood Clad Window (Andersen 400 Series)	741.43	54.96
			<i>For Tempered Low-E Insulated Glass, Add</i>	126.30	
08 52 16 00-0664	EA		59-7/8" x 31-1/2", Venting, Awning Wood Clad Window (Andersen 400 Series)	807.63	58.50
			<i>For Tempered Low-E Insulated Glass, Add</i>	138.30	
08 52 16 00-0665	EA		64-13/16" x 31-1/2", Venting, Awning Wood Clad Window (Andersen 400 Series)	853.78	60.28
			<i>For Tempered Low-E Insulated Glass, Add</i>	146.65	
08 52 16 00-0666	EA		71-7/8" x 31-1/2", Venting, Awning Wood Clad Window (Andersen 400 Series)	921.28	63.38
			<i>For Tempered Low-E Insulated Glass, Add</i>	158.90	
08 52 16 00-0667	EA		84-5/8" x 31-1/2", Venting, Awning Wood Clad Window (Andersen 400 Series)	1,301.46	69.15
			<i>For Tempered Low-E Insulated Glass, Add</i>	232.63	
08 52 16 00-0668			35-15/16" Height, Venting, Awning Wood Clad Windows (Andersen 400 Series) <small>(08 52 16 00-0609)</small>		
08 52 16 00-0669	EA		31-1/2" x 35-15/16", Venting, Awning Wood Clad Window (Andersen 400 Series)	581.61	47.42
			<i>For Tempered Low-E Insulated Glass, Add</i>	97.35	
08 52 16 00-0670	EA		35-15/16" x 35-15/16", Venting, Awning Wood Clad Window (Andersen 400 Series)	640.72	49.20
			<i>For Tempered Low-E Insulated Glass, Add</i>	108.47	
08 52 16 00-0671	EA		40-13/16" x 35-15/16", Venting, Awning Wood Clad Window (Andersen 400 Series)	692.82	51.42
			<i>For Tempered Low-E Insulated Glass, Add</i>	118.00	
08 52 16 00-0672	EA		48" x 35-15/16", Venting, Awning Wood Clad Window (Andersen 400 Series).....	769.11	54.96
			<i>For Tempered Low-E Insulated Glass, Add</i>	131.84	
08 52 16 00-0673	EA		52-13/16" x 35-15/16", Venting, Awning Wood Clad Window (Andersen 400 Series)	820.31	56.73
			<i>For Tempered Low-E Insulated Glass, Add</i>	141.37	
08 52 16 00-0674	EA		59-7/8" x 35-15/16", Venting, Awning Wood Clad Window (Andersen 400 Series)	894.18	60.28
			<i>For Tempered Low-E Insulated Glass, Add</i>	154.90	
08 52 16 00-0675	EA		64-13/16" x 35-15/16", Venting, Awning Wood Clad Window (Andersen 400 Series)	778.16	62.05
			<i>For Tempered Low-E Insulated Glass, Add</i>	130.81	
08 52 16 00-0676	EA		71-7/8" x 35-15/16", Venting, Awning Wood Clad Window (Andersen 400 Series)	835.97	65.15
			<i>For Tempered Low-E Insulated Glass, Add</i>	141.13	
08 52 16 00-0677			40-3/4" Height, Venting, Awning Wood Clad Windows (Andersen 400 Series) <small>(08 52 16 00-0609)</small>		
08 52 16 00-0678	EA		35-15/16" x 40-3/4", Venting, Awning Wood Clad Window (Andersen 400 Series)	679.16	51.42
			<i>For Tempered Low-E Insulated Glass, Add</i>	116.15	
08 52 16 00-0679	EA		40-13/16" x 40-3/4", Venting, Awning Wood Clad Window (Andersen 400 Series)	773.72	54.96
			<i>For Tempered Low-E Insulated Glass, Add</i>	132.76	

08	08	Openings
	08 50	Windows
	08 52	Wood Windows



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 52 16 00-0680			48" Height, Venting, Awning Wood Clad Windows (Andersen 400 Series) ^(08 52 16 00-0609)		
08 52 16 00-0681	EA		35-15/16" x 48", Venting, Awning Wood Clad Window (Andersen 400 Series).....	815.23	54.96
			<i>For Tempered Low-E Insulated Glass, Add</i>	141.06	
08 52 16 00-0682	EA		40-13/16" x 48", Venting, Awning Wood Clad Window (Andersen 400 Series).....	904.23	57.62
			<i>For Tempered Low-E Insulated Glass, Add</i>	157.98	
08 52 16 00-0683	EA		48" x 48", Venting, Awning Wood Clad Window (Andersen 400 Series).....	1,034.33	60.72
			<i>For Tempered Low-E Insulated Glass, Add</i>	182.58	
08 52 16 00-0684			59-13/16" Height, Venting, Awning Wood Clad Windows (Andersen 400 Series) ^(08 52 16 00-0609)		
08 52 16 00-0685	EA		35-15/16" x 59-13/16", Venting, Awning Wood Clad Window (Andersen 400 Series).....	1,012.24	59.84
			<i>For Tempered Low-E Insulated Glass, Add</i>	178.51	
08 52 16 00-0686	EA		40-13/16" x 59-13/16", Venting, Awning Wood Clad Window (Andersen 400 Series).....	1,090.12	62.05
			<i>For Tempered Low-E Insulated Glass, Add</i>	193.20	
08 52 16 00-0687			71-7/8" Height, Venting, Awning Wood Clad Windows (Andersen 400 Series) ^(08 52 16 00-0609)		
08 52 16 00-0688	EA		24-1/8" x 71-7/8", Venting, Awning Wood Clad Window (Andersen 400 Series).....	1,108.59	60.28
			<i>For Tempered Low-E Insulated Glass, Add</i>	197.61	
08 52 16 00-0689	EA		35-15/16" x 71-7/8", Venting, Awning Wood Clad Window (Andersen 400 Series).....	1,146.38	65.15
			<i>For Tempered Low-E Insulated Glass, Add</i>	203.21	
08 52 16 00-0690	EA		40-13/16" x 71-7/8", Venting, Awning Wood Clad Window (Andersen 400 Series).....	1,270.27	67.37
			<i>For Tempered Low-E Insulated Glass, Add</i>	227.11	
08 52 16 00-0691	EA		48" x 71-7/8", Venting, Awning Wood Clad Window (Andersen 400 Series).....	1,396.54	70.92
			<i>For Tempered Low-E Insulated Glass, Add</i>	250.94	
08 52 16 00-0692			Stationary, Awning Wood Clad Windows (Andersen 400 Series) ^(08 52 16 00-0608)		
08 52 16 00-0693			17" Height, Stationary, Awning Wood Clad Windows (Andersen 400 Series) ^(08 52 16 00-0692)		
08 52 16 00-0694	EA		24-1/8" x 17", Stationary, Awning Wood Clad Window (Andersen 400 Series).....	342.86	36.35
			<i>For Tempered Low-E Insulated Glass, Add</i>	54.03	
08 52 16 00-0695	EA		28-3/8" x 17", Stationary, Awning Wood Clad Window (Andersen 400 Series).....	369.48	38.12
			<i>For Tempered Low-E Insulated Glass, Add</i>	58.65	
08 52 16 00-0696	EA		31-1/2" x 17", Stationary, Awning Wood Clad Window (Andersen 400 Series).....	387.00	39.45
			<i>For Tempered Low-E Insulated Glass, Add</i>	61.62	
08 52 16 00-0697	EA		35-15/16" x 17", Stationary, Awning Wood Clad Window (Andersen 400 Series).....	415.65	41.22
			<i>For Tempered Low-E Insulated Glass, Add</i>	66.64	
08 52 16 00-0698	EA		40-13/16" x 17", Stationary, Awning Wood Clad Window (Andersen 400 Series).....	446.22	43.44
			<i>For Tempered Low-E Insulated Glass, Add</i>	71.87	
08 52 16 00-0699	EA		48" x 17", Stationary, Awning Wood Clad Window (Andersen 400 Series).....	493.29	46.98
			<i>For Tempered Low-E Insulated Glass, Add</i>	79.87	
08 52 16 00-0700	EA		52-13/16" x 17", Stationary, Awning Wood Clad Window (Andersen 400 Series).....	521.44	48.75
			<i>For Tempered Low-E Insulated Glass, Add</i>	84.79	
08 52 16 00-0701	EA		59-7/8" x 17", Stationary, Awning Wood Clad Window (Andersen 400 Series).....	566.08	52.30
			<i>For Tempered Low-E Insulated Glass, Add</i>	92.47	
08 52 16 00-0702	EA		64-13/16" x 17", Stationary, Awning Wood Clad Window (Andersen 400 Series).....	596.66	54.07
			<i>For Tempered Low-E Insulated Glass, Add</i>	97.70	
08 52 16 00-0703	EA		71-7/8" x 17", Stationary, Awning Wood Clad Window (Andersen 400 Series).....	641.30	57.17
			<i>For Tempered Low-E Insulated Glass, Add</i>	105.39	
08 52 16 00-0704			20-1/2" Height, Stationary, Awning Wood Clad Windows (Andersen 400 Series) ^(08 52 16 00-0692)		
08 52 16 00-0705	EA		24-1/8" x 20-1/2", Stationary, Awning Wood Clad Window (Andersen 400 Series).....	363.97	38.12
			<i>For Tempered Low-E Insulated Glass, Add</i>	57.72	
08 52 16 00-0706	EA		28-3/8" x 20-1/2", Stationary, Awning Wood Clad Window (Andersen 400 Series).....	390.58	39.89
			<i>For Tempered Low-E Insulated Glass, Add</i>	62.34	
08 52 16 00-0707	EA		31-1/2" x 20-1/2", Stationary, Awning Wood Clad Window (Andersen 400 Series).....	406.61	40.77
			<i>For Tempered Low-E Insulated Glass, Add</i>	65.01	
08 52 16 00-0708	EA		35-15/16" x 20-1/2", Stationary, Awning Wood Clad Window (Andersen 400 Series).....	438.30	42.55
			<i>For Tempered Low-E Insulated Glass, Add</i>	70.64	
08 52 16 00-0709	EA		40-13/16" x 20-1/2", Stationary, Awning Wood Clad Window (Andersen 400 Series).....	468.87	45.21
			<i>For Tempered Low-E Insulated Glass, Add</i>	75.87	
08 52 16 00-0710	EA		48" x 20-1/2", Stationary, Awning Wood Clad Window (Andersen 400 Series).....	514.40	48.31
			<i>For Tempered Low-E Insulated Glass, Add</i>	83.56	
08 52 16 00-0711	EA		52-13/16" x 20-1/2", Stationary, Awning Wood Clad Window (Andersen 400 Series).....	544.09	50.52
			<i>For Tempered Low-E Insulated Glass, Add</i>	88.78	
08 52 16 00-0712	EA		59-7/8" x 20-1/2", Stationary, Awning Wood Clad Window (Andersen 400 Series).....	587.19	53.19
			<i>For Tempered Low-E Insulated Glass, Add</i>	96.16	
08 52 16 00-0713	EA		64-13/16" x 20-1/2", Stationary, Awning Wood Clad Window (Andersen 400 Series).....	619.31	55.85
			<i>For Tempered Low-E Insulated Glass, Add</i>	101.70	
08 52 16 00-0714	EA		71-7/8" x 20-1/2", Stationary, Awning Wood Clad Window (Andersen 400 Series).....	662.41	58.50
			<i>For Tempered Low-E Insulated Glass, Add</i>	109.08	



Openings	08	08
Windows	08 50	
Wood Windows	08 52	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 52 16 00-0715 24-1/8" Height, Stationary, Awning Wood Clad Windows (Andersen 400 Series) <small>(08 52 16 00-0692)</small>		
08 52 16 00-0716 EA 24-1/8" x 24-1/8", Stationary, Awning Wood Clad Window (Andersen 400 Series)	387.50	39.89
For Tempered Low-E Insulated Glass, Add	61.72	
08 52 16 00-0717 EA 28-3/8" x 24-1/8", Stationary, Awning Wood Clad Window (Andersen 400 Series)	414.12	41.66
For Tempered Low-E Insulated Glass, Add	66.34	
08 52 16 00-0718 EA 31-1/2" x 24-1/8", Stationary, Awning Wood Clad Window (Andersen 400 Series)	428.41	42.55
For Tempered Low-E Insulated Glass, Add	68.66	
08 52 16 00-0719 EA 35-15/16" x 24-1/8", Stationary, Awning Wood Clad Window (Andersen 400 Series)	460.29	44.33
For Tempered Low-E Insulated Glass, Add	74.33	
08 52 16 00-0720 EA 40-13/16" x 24-1/8", Stationary, Awning Wood Clad Window (Andersen 400 Series)	490.87	46.98
For Tempered Low-E Insulated Glass, Add	79.56	
08 52 16 00-0721 EA 48" x 24-1/8", Stationary, Awning Wood Clad Window (Andersen 400 Series)	536.40	50.08
For Tempered Low-E Insulated Glass, Add	87.25	
08 52 16 00-0722 EA 52-13/16" x 24-1/8", Stationary, Awning Wood Clad Window (Andersen 400 Series)	566.08	52.30
For Tempered Low-E Insulated Glass, Add	92.47	
08 52 16 00-0723 EA 59-7/8" x 24-1/8", Stationary, Awning Wood Clad Window (Andersen 400 Series)	610.73	54.96
For Tempered Low-E Insulated Glass, Add	100.16	
08 52 16 00-0724 EA 64-13/16" x 24-1/8", Stationary, Awning Wood Clad Window (Andersen 400 Series)	641.30	57.62
For Tempered Low-E Insulated Glass, Add	105.39	
08 52 16 00-0725 EA 71-7/8" x 24-1/8", Stationary, Awning Wood Clad Window (Andersen 400 Series)	685.94	60.28
For Tempered Low-E Insulated Glass, Add	113.08	
08 52 16 00-0726 28-3/8" Height, Stationary, Awning Wood Clad Windows (Andersen 400 Series) <small>(08 52 16 00-0692)</small>		
08 52 16 00-0727 EA 24-1/8" x 28-3/8", Stationary, Awning Wood Clad Window (Andersen 400 Series)	389.51	41.66
For Tempered Low-E Insulated Glass, Add	61.41	
08 52 16 00-0728 EA 28-3/8" x 28-3/8", Stationary, Awning Wood Clad Window (Andersen 400 Series)	425.35	43.44
For Tempered Low-E Insulated Glass, Add	67.87	
08 52 16 00-0729 EA 31-1/2" x 28-3/8", Stationary, Awning Wood Clad Window (Andersen 400 Series)	445.00	44.33
For Tempered Low-E Insulated Glass, Add	71.27	
08 52 16 00-0730 EA 35-15/16" x 28-3/8", Stationary, Awning Wood Clad Window (Andersen 400 Series)	463.84	46.10
For Tempered Low-E Insulated Glass, Add	74.33	
08 52 16 00-0731 EA 40-13/16" x 28-3/8", Stationary, Awning Wood Clad Window (Andersen 400 Series)	531.32	48.75
For Tempered Low-E Insulated Glass, Add	86.94	
08 52 16 00-0732 EA 48" x 28-3/8", Stationary, Awning Wood Clad Window (Andersen 400 Series)	592.22	51.86
For Tempered Low-E Insulated Glass, Add	97.70	
08 52 16 00-0733 EA 52-13/16" x 28-3/8", Stationary, Awning Wood Clad Window (Andersen 400 Series)	632.67	54.07
For Tempered Low-E Insulated Glass, Add	105.08	
08 52 16 00-0734 EA 59-7/8" x 28-3/8", Stationary, Awning Wood Clad Window (Andersen 400 Series)	692.69	56.73
For Tempered Low-E Insulated Glass, Add	115.85	
08 52 16 00-0735 EA 64-13/16" x 28-3/8", Stationary, Awning Wood Clad Window (Andersen 400 Series)	735.57	59.40
For Tempered Low-E Insulated Glass, Add	123.53	
08 52 16 00-0736 EA 71-7/8" x 28-3/8", Stationary, Awning Wood Clad Window (Andersen 400 Series)	795.60	62.05
For Tempered Low-E Insulated Glass, Add	134.30	
08 52 16 00-0737 31-1/2" Height, Stationary, Awning Wood Clad Windows (Andersen 400 Series) <small>(08 52 16 00-0692)</small>		
08 52 16 00-0738 EA 28-3/8" x 31-1/2", Stationary, Awning Wood Clad Window (Andersen 400 Series)	445.00	44.33
For Tempered Low-E Insulated Glass, Add	71.27	
08 52 16 00-0739 EA 31-1/2" x 31-1/2", Stationary, Awning Wood Clad Window (Andersen 400 Series)	469.83	45.65
For Tempered Low-E Insulated Glass, Add	75.70	
08 52 16 00-0740 EA 35-15/16" x 31-1/2", Stationary, Awning Wood Clad Window (Andersen 400 Series)	503.37	47.42
For Tempered Low-E Insulated Glass, Add	81.70	
08 52 16 00-0741 EA 40-13/16" x 31-1/2", Stationary, Awning Wood Clad Window (Andersen 400 Series)	541.71	49.64
For Tempered Low-E Insulated Glass, Add	88.48	
08 52 16 00-0742 EA 48" x 31-1/2", Stationary, Awning Wood Clad Window (Andersen 400 Series)	597.04	53.19
For Tempered Low-E Insulated Glass, Add	98.13	
08 52 16 00-0743 EA 52-13/16" x 31-1/2", Stationary, Awning Wood Clad Window (Andersen 400 Series)	634.50	54.96
For Tempered Low-E Insulated Glass, Add	104.92	
08 52 16 00-0744 EA 59-7/8" x 31-1/2", Stationary, Awning Wood Clad Window (Andersen 400 Series)	688.96	58.50
For Tempered Low-E Insulated Glass, Add	114.57	
08 52 16 00-0745 EA 64-13/16" x 31-1/2", Stationary, Awning Wood Clad Window (Andersen 400 Series)	725.98	60.28
For Tempered Low-E Insulated Glass, Add	121.09	
08 52 16 00-0746 EA 71-7/8" x 31-1/2", Stationary, Awning Wood Clad Window (Andersen 400 Series)	780.44	63.38
For Tempered Low-E Insulated Glass, Add	130.74	
08 52 16 00-0747 35-15/16" Height, Stationary, Awning Wood Clad Windows (Andersen 400 Series) <small>(08 52 16 00-0692)</small>		
08 52 16 00-0748 EA 31-1/2" x 35-15/16", Stationary, Awning Wood Clad Window (Andersen 400 Series)	503.37	47.42
For Tempered Low-E Insulated Glass, Add	81.70	
08 52 16 00-0749 EA 35-15/16" x 35-15/16", Stationary, Awning Wood Clad Window (Andersen 400 Series)	553.07	49.20
For Tempered Low-E Insulated Glass, Add	90.94	
08 52 16 00-0750 EA 40-13/16" x 35-15/16", Stationary, Awning Wood Clad Window (Andersen 400 Series)	594.42	51.42
For Tempered Low-E Insulated Glass, Add	98.32	
08 52 16 00-0751 EA 48" x 35-15/16", Stationary, Awning Wood Clad Window (Andersen 400 Series)	656.86	54.96
For Tempered Low-E Insulated Glass, Add	109.39	
08 52 16 00-0752 EA 52-13/16" x 35-15/16", Stationary, Awning Wood Clad Window (Andersen 400 Series)	697.30	56.73
For Tempered Low-E Insulated Glass, Add	116.77	

08	08	Openings
	08 50	Windows
	08 52	Wood Windows



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 52 16 00-0753	EA		59-7/8" x 35-15/16", Stationary, Awning Wood Clad Window (Andersen 400 Series).....	757.33	60.28
			<i>For Tempered Low-E Insulated Glass, Add</i>	127.53	
08 52 16 00-0754	EA		64-13/16" x 35-15/16", Stationary, Awning Wood Clad Window (Andersen 400 Series).....	798.67	62.05
			<i>For Tempered Low-E Insulated Glass, Add</i>	134.91	
08 52 16 00-0755	EA		71-7/8" x 35-15/16", Stationary, Awning Wood Clad Window (Andersen 400 Series).....	858.69	65.15
			<i>For Tempered Low-E Insulated Glass, Add</i>	145.68	
08 52 16 00-0756			Horizontal Sliding Wood Clad Windows (08 52 16)		
			Note: Sliding windows open horizontally with one or more operating sashes combined with stationary sashes		
08 52 16 00-0757			One Operating Sash, Horizontal Sliding Wood Clad Windows (Andersen 200 Series) (08 52 16 00-0756)		
			Note: Includes painted or stained wood interior, colored PVC clad exterior, standard hardware and clear insulated glass. Excludes grilles and insect screens.		
08 52 16 00-0758			17-1/2" Height, One Operating Sash, Horizontal Sliding Wood Clad Windows (Andersen 200 Series) (08 52 16 00-0757)		
08 52 16 00-0759	EA		47-1/2" x 17-1/2", One Operating Sash, Horizontal Sliding Wood Clad Window (Andersen 200 Series).....	408.85	46.98
			<i>For Tempered Clear Insulated Glass, Add</i>	63.15	
08 52 16 00-0760			23-1/2" Height, One Operating Sash, Horizontal Sliding Wood Clad Windows (Andersen 200 Series) (08 52 16 00-0757)		
08 52 16 00-0761	EA		35-1/2" x 23-1/2", One Operating Sash, Horizontal Sliding Wood Clad Window (Andersen 200 Series).....	376.21	43.44
			<i>For Tempered Clear Insulated Glass, Add</i>	57.69	
08 52 16 00-0762	EA		47-1/2" x 23-1/2", One Operating Sash, Horizontal Sliding Wood Clad Window (Andersen 200 Series).....	439.97	49.64
			<i>For Tempered Clear Insulated Glass, Add</i>	68.32	
08 52 16 00-0763			35-1/2" Height, One Operating Sash, Horizontal Sliding Wood Clad Windows (Andersen 200 Series) (08 52 16 00-0757)		
08 52 16 00-0764	EA		35-1/2" x 35-1/2", One Operating Sash, Horizontal Sliding Wood Clad Window (Andersen 200 Series).....	439.97	49.64
			<i>For Tempered Clear Insulated Glass, Add</i>	68.32	
08 52 16 00-0765	EA		47-1/2" x 35-1/2", One Operating Sash, Horizontal Sliding Wood Clad Window (Andersen 200 Series).....	503.75	54.96
			<i>For Tempered Clear Insulated Glass, Add</i>	78.94	
08 52 16 00-0766	EA		59-1/2" x 35-1/2", One Operating Sash, Horizontal Sliding Wood Clad Window (Andersen 200 Series).....	567.52	59.84
			<i>For Tempered Clear Insulated Glass, Add</i>	89.57	
08 52 16 00-0767	EA		71-1/2" x 35-1/2", One Operating Sash, Horizontal Sliding Wood Clad Window (Andersen 200 Series).....	631.30	65.15
			<i>For Tempered Clear Insulated Glass, Add</i>	100.20	
08 52 16 00-0768			41-1/2" Height, One Operating Sash, Horizontal Sliding Wood Clad Windows (Andersen 200 Series) (08 52 16 00-0757)		
08 52 16 00-0769	EA		35-1/2" x 41-1/2", One Operating Sash, Horizontal Sliding Wood Clad Window (Andersen 200 Series).....	472.62	52.30
			<i>For Tempered Clear Insulated Glass, Add</i>	73.78	
08 52 16 00-0770	EA		47-1/2" x 41-1/2", One Operating Sash, Horizontal Sliding Wood Clad Window (Andersen 200 Series).....	534.88	57.62
			<i>For Tempered Clear Insulated Glass, Add</i>	84.11	
08 52 16 00-0771	EA		59-1/2" x 41-1/2", One Operating Sash, Horizontal Sliding Wood Clad Window (Andersen 200 Series).....	598.65	62.50
			<i>For Tempered Clear Insulated Glass, Add</i>	94.73	
08 52 16 00-0772	EA		71-1/2" x 41-1/2", One Operating Sash, Horizontal Sliding Wood Clad Window (Andersen 200 Series).....	715.55	67.82
			<i>For Tempered Clear Insulated Glass, Add</i>	115.99	
08 52 16 00-0773			47-1/2" Height, One Operating Sash, Horizontal Sliding Wood Clad Windows (Andersen 200 Series) (08 52 16 00-0757)		
08 52 16 00-0774	EA		35-1/2" x 47-1/2", One Operating Sash, Horizontal Sliding Wood Clad Window (Andersen 200 Series).....	503.75	54.96
			<i>For Tempered Clear Insulated Glass, Add</i>	78.94	
08 52 16 00-0775	EA		47-1/2" x 47-1/2", One Operating Sash, Horizontal Sliding Wood Clad Window (Andersen 200 Series).....	567.52	60.28
			<i>For Tempered Clear Insulated Glass, Add</i>	89.57	
08 52 16 00-0776	EA		59-1/2" x 47-1/2", One Operating Sash, Horizontal Sliding Wood Clad Window (Andersen 200 Series).....	631.30	65.15
			<i>For Tempered Clear Insulated Glass, Add</i>	100.20	
08 52 16 00-0777	EA		71-1/2" x 47-1/2", One Operating Sash, Horizontal Sliding Wood Clad Window (Andersen 200 Series).....	695.07	70.47
			<i>For Tempered Clear Insulated Glass, Add</i>	110.82	
08 52 16 00-0778			53-1/2" Height, One Operating Sash, Horizontal Sliding Wood Clad Windows (Andersen 200 Series) (08 52 16 00-0757)		
08 52 16 00-0779	EA		47-1/2" x 53-1/2", One Operating Sash, Horizontal Sliding Wood Clad Window (Andersen 200 Series).....	598.65	62.94
			<i>For Tempered Clear Insulated Glass, Add</i>	94.73	
08 52 16 00-0780	EA		59-1/2" x 53-1/2", One Operating Sash, Horizontal Sliding Wood Clad Window (Andersen 200 Series).....	662.42	67.82
			<i>For Tempered Clear Insulated Glass, Add</i>	105.36	
08 52 16 00-0781	EA		71-1/2" x 53-1/2", One Operating Sash, Horizontal Sliding Wood Clad Window (Andersen 200 Series).....	726.20	73.13
			<i>For Tempered Clear Insulated Glass, Add</i>	115.99	
08 52 16 00-0782			59-1/2" Height, One Operating Sash, Horizontal Sliding Wood Clad Windows (Andersen 200 Series) (08 52 16 00-0757)		
08 52 16 00-0783	EA		47-1/2" x 59-1/2", One Operating Sash, Horizontal Sliding Wood Clad Window (Andersen 200 Series).....	631.30	65.59
			<i>For Tempered Clear Insulated Glass, Add</i>	100.20	



Openings	08	08
Windows	08 50	
Wood Windows	08 52	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 52 16 00-0784	EA		59-1/2" x 59-1/2", One Operating Sash, Horizontal Sliding Wood Clad Window (Andersen 200 Series).....	695.07	70.47
			<i>For Tempered Clear Insulated Glass, Add</i>	110.82	
08 52 16 00-0785	EA		71-1/2" x 59-1/2", One Operating Sash, Horizontal Sliding Wood Clad Window (Andersen 200 Series).....	758.95	75.80
			<i>For Tempered Clear Insulated Glass, Add</i>	121.47	
08 52 16 00-0786			Two Operating Sashes, Horizontal Sliding Wood Clad Windows (Andersen 400 Series) (08 52 16 00-0786)		
			Note: Includes painted or stained wood interior, colored PVC clad exterior, standard hardware and Low-E insulated glass. Excludes grilles and insect screens.		
08 52 16 00-0787			22-1/4" Height, Two Operating Sashes, Horizontal Sliding Wood Clad Windows (Andersen 400 Series) (08 52 16 00-0786)		
08 52 16 00-0788	EA		35-1/4" x 22-1/4", Two Operating Sashes, Horizontal Sliding Wood Clad Window (Andersen 400 Series).....	908.92	43.44
			<i>For Tempered Low-E Insulated Glass, Add</i>	164.23	
08 52 16 00-0789	EA		47-1/4" x 22-1/4", Two Operating Sashes, Horizontal Sliding Wood Clad Window (Andersen 400 Series).....	1,081.99	49.64
			<i>For Tempered Low-E Insulated Glass, Add</i>	196.72	
08 52 16 00-0790			35-1/4" Height, Two Operating Sashes, Horizontal Sliding Wood Clad Windows (Andersen 400 Series) (08 52 16 00-0786)		
08 52 16 00-0791	EA		35-1/4" x 35-1/4", Two Operating Sashes, Horizontal Sliding Wood Clad Window (Andersen 400 Series).....	1,095.66	49.64
			<i>For Tempered Low-E Insulated Glass, Add</i>	199.45	
08 52 16 00-0792	EA		47-1/4" x 35-1/4", Two Operating Sashes, Horizontal Sliding Wood Clad Window (Andersen 400 Series).....	1,270.26	54.96
			<i>For Tempered Low-E Insulated Glass, Add</i>	232.25	
08 52 16 00-0793	EA		59-1/4" x 35-1/4", Two Operating Sashes, Horizontal Sliding Wood Clad Window (Andersen 400 Series).....	1,443.34	59.84
			<i>For Tempered Low-E Insulated Glass, Add</i>	264.73	
08 52 16 00-0794	EA		71-1/4" x 35-1/4", Two Operating Sashes, Horizontal Sliding Wood Clad Window (Andersen 400 Series).....	1,616.42	65.15
			<i>For Tempered Low-E Insulated Glass, Add</i>	297.22	
08 52 16 00-0795			41-1/4" Height, Two Operating Sashes, Horizontal Sliding Wood Clad Windows (Andersen 400 Series) (08 52 16 00-0786)		
08 52 16 00-0796	EA		35-1/4" x 41-1/4", Two Operating Sashes, Horizontal Sliding Wood Clad Window (Andersen 400 Series).....	1,182.96	52.30
			<i>For Tempered Low-E Insulated Glass, Add</i>	215.85	
08 52 16 00-0797	EA		47-1/4" x 41-1/4", Two Operating Sashes, Horizontal Sliding Wood Clad Window (Andersen 400 Series).....	1,356.04	57.62
			<i>For Tempered Low-E Insulated Glass, Add</i>	248.34	
08 52 16 00-0798	EA		59-1/4" x 41-1/4", Two Operating Sashes, Horizontal Sliding Wood Clad Window (Andersen 400 Series).....	1,530.64	62.50
			<i>For Tempered Low-E Insulated Glass, Add</i>	281.13	
08 52 16 00-0799	EA		71-1/4" x 41-1/4", Two Operating Sashes, Horizontal Sliding Wood Clad Window (Andersen 400 Series).....	1,703.71	67.82
			<i>For Tempered Low-E Insulated Glass, Add</i>	313.62	
08 52 16 00-0800			47-1/4" Height, Two Operating Sashes, Horizontal Sliding Wood Clad Windows (Andersen 400 Series) (08 52 16 00-0786)		
08 52 16 00-0801	EA		35-1/4" x 47-1/4", Two Operating Sashes, Horizontal Sliding Wood Clad Window (Andersen 400 Series).....	1,270.26	54.96
			<i>For Tempered Low-E Insulated Glass, Add</i>	232.25	
08 52 16 00-0802	EA		47-1/4" x 47-1/4", Two Operating Sashes, Horizontal Sliding Wood Clad Window (Andersen 400 Series).....	1,443.34	60.28
			<i>For Tempered Low-E Insulated Glass, Add</i>	264.73	
08 52 16 00-0803	EA		59-1/4" x 47-1/4", Two Operating Sashes, Horizontal Sliding Wood Clad Window (Andersen 400 Series).....	1,616.42	65.15
			<i>For Tempered Low-E Insulated Glass, Add</i>	297.22	
08 52 16 00-0804	EA		71-1/4" x 47-1/4", Two Operating Sashes, Horizontal Sliding Wood Clad Window (Andersen 400 Series).....	1,791.02	70.47
			<i>For Tempered Low-E Insulated Glass, Add</i>	330.01	
08 52 16 00-0805			59-1/4" Height, Two Operating Sashes, Horizontal Sliding Wood Clad Windows (Andersen 400 Series) (08 52 16 00-0786)		
08 52 16 00-0806	EA		35-1/4" x 59-1/4", Two Operating Sashes, Horizontal Sliding Wood Clad Window (Andersen 400 Series).....	1,443.34	60.28
			<i>For Tempered Low-E Insulated Glass, Add</i>	264.73	
08 52 16 00-0807	EA		47-1/4" x 59-1/4", Two Operating Sashes, Horizontal Sliding Wood Clad Window (Andersen 400 Series).....	1,616.42	65.59
			<i>For Tempered Low-E Insulated Glass, Add</i>	297.22	
08 52 16 00-0808	EA		59-1/4" x 59-1/4", Two Operating Sashes, Horizontal Sliding Wood Clad Window (Andersen 400 Series).....	1,791.02	70.47
			<i>For Tempered Low-E Insulated Glass, Add</i>	330.01	
08 52 16 00-0809	EA		71-1/4" x 59-1/4", Two Operating Sashes, Horizontal Sliding Wood Clad Window (Andersen 400 Series).....	1,964.09	75.80
			<i>For Tempered Low-E Insulated Glass, Add</i>	362.50	
08 52 16 00-0810			Picture Wood Clad Windows (08 52 16)		
			Note: Picture windows are fixed windows.		
08 52 16 00-0811			Picture Wood Clad Windows For Awning And Casement Windows (08 52 16 00-0810)		
08 52 16 00-0812			Picture Wood Clad Windows For Awning And Casement Windows (Andersen 200 Series) (08 52 16 00-0811)		
			Note: Includes painted or stained wood interior, colored PVC clad exterior, standard hardware and clear insulated glass. Excludes grilles and insect screens.		
08 52 16 00-0813			12" Height, Picture Wood Clad Windows For Awning And Casement Windows (Andersen 200 Series) (08 52 16 00-0812)		
08 52 16 00-0814	EA		40-13/16" x 12", Picture Wood Clad Window For Awning And Casement Windows (Andersen 200 Series).....	321.43	35.45
			<i>For Tempered Clear Insulated Glass, Add</i>	50.10	

08 Openings**08 50 Windows****08 52 Wood Windows**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 52 16 00-0815	EA		48" x 12", Picture Wood Clad Window For Awning And Casement Windows (Andersen 200 Series)	375.98	39.00
			<i>For Tempered Clear Insulated Glass, Add</i>	59.59	
08 52 16 00-0816	EA		52-13/16" x 12", Picture Wood Clad Window For Awning And Casement Windows (Andersen 200 Series)	399.38	40.77
			<i>For Tempered Clear Insulated Glass, Add</i>	63.57	
08 52 16 00-0817	EA		59-7/8" x 12", Picture Wood Clad Window For Awning And Casement Windows (Andersen 200 Series)	433.18	44.33
			<i>For Tempered Clear Insulated Glass, Add</i>	69.08	
08 52 16 00-0818	EA		64-13/16" x 12", Picture Wood Clad Window For Awning And Casement Windows (Andersen 200 Series)	456.37	46.10
			<i>For Tempered Clear Insulated Glass, Add</i>	72.84	
08 52 16 00-0819	EA		71-7/8" x 12", Picture Wood Clad Window For Awning And Casement Windows (Andersen 200 Series)	490.16	49.64
			<i>For Tempered Clear Insulated Glass, Add</i>	78.35	
08 52 16 00-0820			35-15/16" Height, Picture Wood Clad Windows For Awning And Casement Windows (Andersen 200 Series) (08 52 16 00-0812)		
08 52 16 00-0821	EA		35-15/16" x 35-15/16", Picture Wood Clad Window For Awning And Casement Windows (Andersen 200 Series)	357.14	43.44
			<i>For Tempered Clear Insulated Glass, Add</i>	54.05	
08 52 16 00-0822	EA		40-13/16" x 35-15/16", Picture Wood Clad Window For Awning And Casement Windows (Andersen 200 Series)	412.64	46.10
			<i>For Tempered Clear Insulated Glass, Add</i>	64.27	
08 52 16 00-0823	EA		48" x 35-15/16", Picture Wood Clad Window For Awning And Casement Windows (Andersen 200 Series)	494.45	49.20
			<i>For Tempered Clear Insulated Glass, Add</i>	79.21	
08 52 16 00-0824	EA		52-13/16" x 35-15/16", Picture Wood Clad Window For Awning And Casement Windows (Andersen 200 Series)	547.82	50.97
			<i>For Tempered Clear Insulated Glass, Add</i>	89.18	
08 52 16 00-0825	EA		59-7/8" x 35-15/16", Picture Wood Clad Window For Awning And Casement Windows (Andersen 200 Series)	627.51	54.07
			<i>For Tempered Clear Insulated Glass, Add</i>	103.87	
08 52 16 00-0826	EA		64-13/16" x 35-15/16", Picture Wood Clad Window For Awning And Casement Windows (Andersen 200 Series)	683.00	56.29
			<i>For Tempered Clear Insulated Glass, Add</i>	114.08	
08 52 16 00-0827	EA		71-7/8" x 35-15/16", Picture Wood Clad Window For Awning And Casement Windows (Andersen 200 Series)	1,011.78	59.40
			<i>For Tempered Clear Insulated Glass, Add</i>	178.60	
08 52 16 00-0828			40-13/16" Height, Picture Wood Clad Windows For Awning And Casement Windows (Andersen 200 Series) (08 52 16 00-0812)		
08 52 16 00-0829	EA		35-15/16" x 40-13/16", Picture Wood Clad Window For Awning And Casement Windows (Andersen 200 Series)	412.64	46.10
			<i>For Tempered Clear Insulated Glass, Add</i>	64.27	
08 52 16 00-0830	EA		40-13/16" x 40-13/16", Picture Wood Clad Window For Awning And Casement Windows (Andersen 200 Series)	468.12	47.87
			<i>For Tempered Clear Insulated Glass, Add</i>	74.48	
08 52 16 00-0831	EA		48" x 40-13/16", Picture Wood Clad Window For Awning And Casement Windows (Andersen 200 Series)	549.95	51.42
			<i>For Tempered Clear Insulated Glass, Add</i>	89.42	
08 52 16 00-0832	EA		52-13/16" x 40-13/16", Picture Wood Clad Window For Awning And Casement Windows (Andersen 200 Series)	603.31	53.19
			<i>For Tempered Clear Insulated Glass, Add</i>	99.39	
08 52 16 00-0833	EA		59-7/8" x 40-13/16", Picture Wood Clad Window For Awning And Casement Windows (Andersen 200 Series)	683.00	56.73
			<i>For Tempered Clear Insulated Glass, Add</i>	114.08	
08 52 16 00-0834	EA		64-13/16" x 40-13/16", Picture Wood Clad Window For Awning And Casement Windows (Andersen 200 Series)	738.50	58.50
			<i>For Tempered Clear Insulated Glass, Add</i>	124.30	
08 52 16 00-0835	EA		71-7/8" x 40-13/16", Picture Wood Clad Window For Awning And Casement Windows (Andersen 200 Series)	818.19	62.05
			<i>For Tempered Clear Insulated Glass, Add</i>	138.99	
08 52 16 00-0836			48" Height, Picture Wood Clad Windows For Awning And Casement Windows (Andersen 200 Series) (08 52 16 00-0812)		
08 52 16 00-0837	EA		35-15/16" x 48", Picture Wood Clad Window For Awning And Casement Windows (Andersen 200 Series)	494.45	49.64
			<i>For Tempered Clear Insulated Glass, Add</i>	79.21	
08 52 16 00-0838	EA		40-13/16" x 48", Picture Wood Clad Window For Awning And Casement Windows (Andersen 200 Series)	549.95	51.42
			<i>For Tempered Clear Insulated Glass, Add</i>	89.42	
08 52 16 00-0839	EA		48" x 48", Picture Wood Clad Window For Awning And Casement Windows (Andersen 200 Series)	631.77	54.96
			<i>For Tempered Clear Insulated Glass, Add</i>	104.37	
08 52 16 00-0840	EA		52-13/16" x 48", Picture Wood Clad Window For Awning And Casement Windows (Andersen 200 Series)	685.13	56.73
			<i>For Tempered Clear Insulated Glass, Add</i>	114.33	
08 52 16 00-0841	EA		59-7/8" x 48", Picture Wood Clad Window For Awning And Casement Windows (Andersen 200 Series)	764.82	60.28
			<i>For Tempered Clear Insulated Glass, Add</i>	129.03	
08 52 16 00-0842	EA		64-13/16" x 48", Picture Wood Clad Window For Awning And Casement Windows (Andersen 200 Series)	820.32	62.05
			<i>For Tempered Clear Insulated Glass, Add</i>	139.24	
08 52 16 00-0843	EA		71-7/8" x 48", Picture Wood Clad Window For Awning And Casement Windows (Andersen 200 Series)	900.01	65.59
			<i>For Tempered Clear Insulated Glass, Add</i>	153.94	
08 52 16 00-0844			52-13/16" Height, Picture Wood Clad Windows For Awning And Casement Windows (Andersen 200 Series) (08 52 16 00-0812)		
08 52 16 00-0845	EA		35-15/16" x 52-13/16", Picture Wood Clad Window For Awning And Casement Windows (Andersen 200 Series)	547.82	51.42
			<i>For Tempered Clear Insulated Glass, Add</i>	89.18	
08 52 16 00-0846	EA		40-13/16" x 52-13/16", Picture Wood Clad Window For Awning And Casement Windows (Andersen 200 Series)	603.31	53.19
			<i>For Tempered Clear Insulated Glass, Add</i>	99.39	
08 52 16 00-0847	EA		48" x 52-13/16", Picture Wood Clad Window For Awning And Casement Windows (Andersen 200 Series)	685.13	56.73
			<i>For Tempered Clear Insulated Glass, Add</i>	114.33	
08 52 16 00-0848	EA		52-13/16" x 52-13/16", Picture Wood Clad Window For Awning And Casement Windows (Andersen 200 Series)	738.50	58.50
			<i>For Tempered Clear Insulated Glass, Add</i>	124.30	
08 52 16 00-0849	EA		59-7/8" x 52-13/16", Picture Wood Clad Window For Awning And Casement Windows (Andersen 200 Series)	818.19	62.05
			<i>For Tempered Clear Insulated Glass, Add</i>	138.99	
08 52 16 00-0850	EA		64-13/16" x 52-13/16", Picture Wood Clad Window For Awning And Casement Windows (Andersen 200 Series)	873.68	63.82
			<i>For Tempered Clear Insulated Glass, Add</i>	149.21	
08 52 16 00-0851	EA		71-7/8" x 52-13/16", Picture Wood Clad Window For Awning And Casement Windows (Andersen 200 Series)	1,026.85	67.37
			<i>For Tempered Clear Insulated Glass, Add</i>	178.60	



Openings	08	08
Windows	08 50	
Wood Windows	08 52	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 52 16 00-0852 59-7/8" Height, Picture Wood Clad Windows For Awning And Casement Windows (Andersen 200 Series) <small>(08 52 16 00-0812)</small>		
08 52 16 00-0853 EA 35-15/16" x 59-7/8", Picture Wood Clad Window For Awning And Casement Windows (Andersen 200 Series).....	627.51	54.07
<i>For Tempered Clear Insulated Glass, Add</i>	<i>103.87</i>	
08 52 16 00-0854 EA 40-13/16" x 59-7/8", Picture Wood Clad Window For Awning And Casement Windows (Andersen 200 Series).....	683.00	56.73
<i>For Tempered Clear Insulated Glass, Add</i>	<i>114.08</i>	
08 52 16 00-0855 EA 48" x 59-7/8", Picture Wood Clad Window For Awning And Casement Windows (Andersen 200 Series).....	764.82	59.84
<i>For Tempered Clear Insulated Glass, Add</i>	<i>129.03</i>	
08 52 16 00-0856 EA 52-13/16" x 59-7/8", Picture Wood Clad Window For Awning And Casement Windows (Andersen 200 Series).....	818.19	61.61
<i>For Tempered Clear Insulated Glass, Add</i>	<i>138.99</i>	
08 52 16 00-0857 EA 59-7/8" x 59-7/8", Picture Wood Clad Window For Awning And Casement Windows (Andersen 200 Series).....	897.87	64.71
<i>For Tempered Clear Insulated Glass, Add</i>	<i>153.69</i>	
08 52 16 00-0858 EA 64-13/16" x 59-7/8", Picture Wood Clad Window For Awning And Casement Windows (Andersen 200 Series).....	953.36	66.92
<i>For Tempered Clear Insulated Glass, Add</i>	<i>163.90</i>	
08 52 16 00-0859 EA 71-7/8" x 59-7/8", Picture Wood Clad Window For Awning And Casement Windows (Andersen 200 Series).....	1,033.06	70.03
<i>For Tempered Clear Insulated Glass, Add</i>	<i>178.60</i>	
08 52 16 00-0860 64-13/16" Height, Picture Wood Clad Windows For Awning And Casement Windows (Andersen 200 Series) <small>(08 52 16 00-0812)</small>		
08 52 16 00-0861 EA 35-15/16" x 64-13/16", Picture Wood Clad Window For Awning And Casement Windows (Andersen 200 Series).....	683.00	56.73
<i>For Tempered Clear Insulated Glass, Add</i>	<i>114.08</i>	
08 52 16 00-0862 EA 40-13/16" x 64-13/16", Picture Wood Clad Window For Awning And Casement Windows (Andersen 200 Series).....	738.50	58.50
<i>For Tempered Clear Insulated Glass, Add</i>	<i>124.30</i>	
08 52 16 00-0863 EA 48" x 64-13/16", Picture Wood Clad Window For Awning And Casement Windows (Andersen 200 Series).....	820.32	62.05
<i>For Tempered Clear Insulated Glass, Add</i>	<i>139.24</i>	
08 52 16 00-0864 EA 52-13/16" x 64-13/16", Picture Wood Clad Window For Awning And Casement Windows (Andersen 200 Series).....	873.68	63.82
<i>For Tempered Clear Insulated Glass, Add</i>	<i>149.21</i>	
08 52 16 00-0865 EA 59-7/8" x 64-13/16", Picture Wood Clad Window For Awning And Casement Windows (Andersen 200 Series).....	1,026.85	67.37
<i>For Tempered Clear Insulated Glass, Add</i>	<i>178.60</i>	
08 52 16 00-0866 71-7/8" Height, Picture Wood Clad Windows For Awning And Casement Windows (Andersen 200 Series) <small>(08 52 16 00-0812)</small>		
08 52 16 00-0867 EA 35-15/16" x 71-7/8", Picture Wood Clad Window For Awning And Casement Windows (Andersen 200 Series).....	762.68	59.40
<i>For Tempered Clear Insulated Glass, Add</i>	<i>128.78</i>	
08 52 16 00-0868 EA 40-13/16" x 71-7/8", Picture Wood Clad Window For Awning And Casement Windows (Andersen 200 Series).....	818.19	62.05
<i>For Tempered Clear Insulated Glass, Add</i>	<i>138.99</i>	
08 52 16 00-0869 EA 48" x 71-7/8", Picture Wood Clad Window For Awning And Casement Windows (Andersen 200 Series).....	900.01	65.15
<i>For Tempered Clear Insulated Glass, Add</i>	<i>153.94</i>	
08 52 16 00-0870 EA 52-13/16" x 71-7/8", Picture Wood Clad Window For Awning And Casement Windows (Andersen 200 Series).....	953.36	66.92
<i>For Tempered Clear Insulated Glass, Add</i>	<i>163.90</i>	
08 52 16 00-0871 EA 59-7/8" x 71-7/8", Picture Wood Clad Window For Awning And Casement Windows (Andersen 200 Series).....	1,033.06	70.03
<i>For Tempered Clear Insulated Glass, Add</i>	<i>178.60</i>	
08 52 16 00-0872 Picture Wood Clad Windows For Awning And Casement Windows (Andersen 400 Series) <small>(08 52 16 00-0811)</small>		
<i>Note: Includes painted or stained wood interior, colored PVC clad exterior, standard hardware and Low-E insulated glass. Excludes grilles and insect screens.</i>		
08 52 16 00-0873 12" Height, Picture Wood Clad Windows For Awning And Casement Windows (Andersen 400 Series) <small>(08 52 16 00-0872)</small>		
08 52 16 00-0874 EA 40-13/16" x 12", Picture Wood Clad Window For Awning And Casement Windows (Andersen 400 Series).....	380.19	35.45
<i>For Tempered Low-E Insulated Glass, Add</i>	<i>61.85</i>	
08 52 16 00-0875 EA 48" x 12", Picture Wood Clad Window For Awning And Casement Windows (Andersen 400 Series).....	445.87	39.00
<i>For Tempered Low-E Insulated Glass, Add</i>	<i>73.57</i>	
08 52 16 00-0876 EA 52-13/16" x 12", Picture Wood Clad Window For Awning And Casement Windows (Andersen 400 Series).....	473.93	40.77
<i>For Tempered Low-E Insulated Glass, Add</i>	<i>78.48</i>	
08 52 16 00-0877 EA 59-7/8" x 12", Picture Wood Clad Window For Awning And Casement Windows (Andersen 400 Series).....	514.20	44.33
<i>For Tempered Low-E Insulated Glass, Add</i>	<i>85.29</i>	
08 52 16 00-0878 EA 64-13/16" x 12", Picture Wood Clad Window For Awning And Casement Windows (Andersen 400 Series).....	541.79	46.10
<i>For Tempered Low-E Insulated Glass, Add</i>	<i>89.92</i>	
08 52 16 00-0879 EA 71-7/8" x 12", Picture Wood Clad Window For Awning And Casement Windows (Andersen 400 Series).....	582.06	49.64
<i>For Tempered Low-E Insulated Glass, Add</i>	<i>96.73</i>	
08 52 16 00-0880 35-15/16" Height, Picture Wood Clad Windows For Awning And Casement Windows (Andersen 400 Series) <small>(08 52 16 00-0872)</small>		
08 52 16 00-0881 EA 35-15/16" x 35-15/16", Picture Wood Clad Window For Awning And Casement Windows (Andersen 400 Series).....	420.53	43.44
<i>For Tempered Low-E Insulated Glass, Add</i>	<i>66.73</i>	
08 52 16 00-0882 EA 40-13/16" x 35-15/16", Picture Wood Clad Window For Awning And Casement Windows (Andersen 400 Series).....	488.01	46.10
<i>For Tempered Low-E Insulated Glass, Add</i>	<i>79.34</i>	
08 52 16 00-0883 EA 48" x 35-15/16", Picture Wood Clad Window For Awning And Casement Windows (Andersen 400 Series).....	587.35	49.20
<i>For Tempered Low-E Insulated Glass, Add</i>	<i>97.79</i>	
08 52 16 00-0884 EA 52-13/16" x 35-15/16", Picture Wood Clad Window For Awning And Casement Windows (Andersen 400 Series).....	652.40	50.97
<i>For Tempered Low-E Insulated Glass, Add</i>	<i>110.09</i>	
08 52 16 00-0885 EA 59-7/8" x 35-15/16", Picture Wood Clad Window For Awning And Casement Windows (Andersen 400 Series).....	749.33	54.07
<i>For Tempered Low-E Insulated Glass, Add</i>	<i>128.24</i>	

08 Openings**08 50 Windows**

08 52 Wood Windows



MINOR CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 52 16 00-0886	EA	64-13/16" x 35-15/16", Picture Wood Clad Window For Awning And Casement Windows (Andersen 400 Series).....	816.80	56.29
		<i>For Tempered Low-E Insulated Glass, Add</i>	140.84	
08 52 16 00-0887	EA	71-7/8" x 35-15/16", Picture Wood Clad Window For Awning And Casement Windows (Andersen 400 Series).....	1,221.25	59.40
		<i>For Tempered Low-E Insulated Glass, Add</i>	220.49	
08 52 16 00-0888		40-13/16" Height, Picture Wood Clad Windows For Awning And Casement Windows (Andersen 400 Series) (08 52 16 00-0872)		
08 52 16 00-0889	EA	35-15/16" x 40-13/16", Picture Wood Clad Window For Awning And Casement Windows (Andersen 400 Series).....	488.01	46.10
		<i>For Tempered Low-E Insulated Glass, Add</i>	79.34	
08 52 16 00-0890	EA	40-13/16" x 40-13/16", Picture Wood Clad Window For Awning And Casement Windows (Andersen 400 Series).....	555.47	47.87
		<i>For Tempered Low-E Insulated Glass, Add</i>	91.95	
08 52 16 00-0891	EA	48" x 40-13/16", Picture Wood Clad Window For Awning And Casement Windows (Andersen 400 Series).....	654.83	51.42
		<i>For Tempered Low-E Insulated Glass, Add</i>	110.40	
08 52 16 00-0892	EA	52-13/16" x 40-13/16", Picture Wood Clad Window For Awning And Casement Windows (Andersen 400 Series).....	719.88	53.19
		<i>For Tempered Low-E Insulated Glass, Add</i>	122.70	
08 52 16 00-0893	EA	59-7/8" x 40-13/16", Picture Wood Clad Window For Awning And Casement Windows (Andersen 400 Series).....	816.80	56.73
		<i>For Tempered Low-E Insulated Glass, Add</i>	140.84	
08 52 16 00-0894	EA	64-13/16" x 40-13/16", Picture Wood Clad Window For Awning And Casement Windows (Andersen 400 Series).....	884.28	58.50
		<i>For Tempered Low-E Insulated Glass, Add</i>	153.45	
08 52 16 00-0895	EA	71-7/8" x 40-13/16", Picture Wood Clad Window For Awning And Casement Windows (Andersen 400 Series).....	981.21	62.05
		<i>For Tempered Low-E Insulated Glass, Add</i>	171.60	
08 52 16 00-0896		48" Height, Picture Wood Clad Windows For Awning And Casement Windows (Andersen 400 Series) (08 52 16 00-0872)		
08 52 16 00-0897	EA	35-15/16" x 48", Picture Wood Clad Window For Awning And Casement Windows (Andersen 400 Series).....	587.35	49.64
		<i>For Tempered Low-E Insulated Glass, Add</i>	97.79	
08 52 16 00-0898	EA	40-13/16" x 48", Picture Wood Clad Window For Awning And Casement Windows (Andersen 400 Series).....	654.83	51.42
		<i>For Tempered Low-E Insulated Glass, Add</i>	110.40	
08 52 16 00-0899	EA	48" x 48", Picture Wood Clad Window For Awning And Casement Windows (Andersen 400 Series).....	754.18	54.96
		<i>For Tempered Low-E Insulated Glass, Add</i>	128.85	
08 52 16 00-0900	EA	52-13/16" x 48", Picture Wood Clad Window For Awning And Casement Windows (Andersen 400 Series).....	819.22	56.73
		<i>For Tempered Low-E Insulated Glass, Add</i>	141.15	
08 52 16 00-0901	EA	59-7/8" x 48", Picture Wood Clad Window For Awning And Casement Windows (Andersen 400 Series).....	916.15	60.28
		<i>For Tempered Low-E Insulated Glass, Add</i>	159.30	
08 52 16 00-0902	EA	64-13/16" x 48", Picture Wood Clad Window For Awning And Casement Windows (Andersen 400 Series).....	983.63	62.05
		<i>For Tempered Low-E Insulated Glass, Add</i>	171.90	
08 52 16 00-0903	EA	71-7/8" x 48", Picture Wood Clad Window For Awning And Casement Windows (Andersen 400 Series).....	1,080.55	65.59
		<i>For Tempered Low-E Insulated Glass, Add</i>	190.05	
08 52 16 00-0904		52-13/16" Height, Picture Wood Clad Windows For Awning And Casement Windows (Andersen 400 Series) (08 52 16 00-0872)		
08 52 16 00-0905	EA	35-15/16" x 52-13/16", Picture Wood Clad Window For Awning And Casement Windows (Andersen 400 Series).....	652.40	51.42
		<i>For Tempered Low-E Insulated Glass, Add</i>	110.09	
08 52 16 00-0906	EA	40-13/16" x 52-13/16", Picture Wood Clad Window For Awning And Casement Windows (Andersen 400 Series).....	719.88	53.19
		<i>For Tempered Low-E Insulated Glass, Add</i>	122.70	
08 52 16 00-0907	EA	48" x 52-13/16", Picture Wood Clad Window For Awning And Casement Windows (Andersen 400 Series).....	819.22	56.73
		<i>For Tempered Low-E Insulated Glass, Add</i>	141.15	
08 52 16 00-0908	EA	52-13/16" x 52-13/16", Picture Wood Clad Window For Awning And Casement Windows (Andersen 400 Series).....	884.28	58.50
		<i>For Tempered Low-E Insulated Glass, Add</i>	153.45	
08 52 16 00-0909	EA	59-7/8" x 52-13/16", Picture Wood Clad Window For Awning And Casement Windows (Andersen 400 Series).....	981.21	62.05
		<i>For Tempered Low-E Insulated Glass, Add</i>	171.60	
08 52 16 00-0910	EA	64-13/16" x 52-13/16", Picture Wood Clad Window For Awning And Casement Windows (Andersen 400 Series).....	1,048.68	63.82
		<i>For Tempered Low-E Insulated Glass, Add</i>	184.21	
08 52 16 00-0911	EA	71-7/8" x 52-13/16", Picture Wood Clad Window For Awning And Casement Windows (Andersen 400 Series).....	1,236.32	67.37
		<i>For Tempered Low-E Insulated Glass, Add</i>	220.49	
08 52 16 00-0912		59-7/8" Height, Picture Wood Clad Windows For Awning And Casement Windows (Andersen 400 Series) (08 52 16 00-0872)		
08 52 16 00-0913	EA	35-15/16" x 59-7/8", Picture Wood Clad Window For Awning And Casement Windows (Andersen 400 Series).....	749.33	54.07
		<i>For Tempered Low-E Insulated Glass, Add</i>	128.24	
08 52 16 00-0914	EA	40-13/16" x 59-7/8", Picture Wood Clad Window For Awning And Casement Windows (Andersen 400 Series).....	816.80	56.73
		<i>For Tempered Low-E Insulated Glass, Add</i>	140.84	
08 52 16 00-0915	EA	48" x 59-7/8", Picture Wood Clad Window For Awning And Casement Windows (Andersen 400 Series).....	916.15	59.84
		<i>For Tempered Low-E Insulated Glass, Add</i>	159.30	
08 52 16 00-0916	EA	52-13/16" x 59-7/8", Picture Wood Clad Window For Awning And Casement Windows (Andersen 400 Series).....	981.21	61.61
		<i>For Tempered Low-E Insulated Glass, Add</i>	171.60	
08 52 16 00-0917	EA	59-7/8" x 59-7/8", Picture Wood Clad Window For Awning And Casement Windows (Andersen 400 Series).....	1,078.12	64.71
		<i>For Tempered Low-E Insulated Glass, Add</i>	189.74	
08 52 16 00-0918	EA	64-13/16" x 59-7/8", Picture Wood Clad Window For Awning And Casement Windows (Andersen 400 Series).....	1,145.60	66.92
		<i>For Tempered Low-E Insulated Glass, Add</i>	202.35	
08 52 16 00-0919	EA	71-7/8" x 59-7/8", Picture Wood Clad Window For Awning And Casement Windows (Andersen 400 Series).....	1,242.53	70.03
		<i>For Tempered Low-E Insulated Glass, Add</i>	220.49	
08 52 16 00-0920		64-13/16" Height, Picture Wood Clad Windows For Awning And Casement Windows (Andersen 400 Series) (08 52 16 00-0872)		



Openings	08	08
Windows	08 50	
Wood Windows	08 52	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 52 16 00-0921	EA		35-15/16" x 64-13/16", Picture Wood Clad Window For Awning And Casement Windows (Andersen 400 Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	816.80 140.84	56.73
08 52 16 00-0922	EA		40-13/16" x 64-13/16", Picture Wood Clad Window For Awning And Casement Windows (Andersen 400 Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	884.28 153.45	58.50
08 52 16 00-0923	EA		48" x 64-13/16", Picture Wood Clad Window For Awning And Casement Windows (Andersen 400 Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	983.63 171.90	62.05
08 52 16 00-0924	EA		52-13/16" x 64-13/16", Picture Wood Clad Window For Awning And Casement Windows (Andersen 400 Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	1,048.68 184.21	63.82
08 52 16 00-0925	EA		59-7/8" x 64-13/16", Picture Wood Clad Window For Awning And Casement Windows (Andersen 400 Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	1,236.32 220.49	67.37
08 52 16 00-0926			71-7/8" Height, Picture Wood Clad Windows For Awning And Casement Windows (Andersen 400 Series) (08 52 16 00-0872)		
08 52 16 00-0927	EA		35-15/16" x 71-7/8", Picture Wood Clad Window For Awning And Casement Windows (Andersen 400 Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	913.72 158.99	59.40
08 52 16 00-0928	EA		40-13/16" x 71-7/8", Picture Wood Clad Window For Awning And Casement Windows (Andersen 400 Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	981.21 171.60	62.05
08 52 16 00-0929	EA		48" x 71-7/8", Picture Wood Clad Window For Awning And Casement Windows (Andersen 400 Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	1,080.55 190.05	65.15
08 52 16 00-0930	EA		52-13/16" x 71-7/8", Picture Wood Clad Window For Awning And Casement Windows (Andersen 400 Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	1,145.60 202.35	66.92
08 52 16 00-0931	EA		59-7/8" x 71-7/8", Picture Wood Clad Window For Awning And Casement Windows (Andersen 400 Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	1,242.53 220.49	70.03
08 52 16 00-0932			Picture Wood Clad Windows For Double Hung Windows (08 52 16 00-0810)		
08 52 16 00-0933			Picture Wood Clad Windows For Double Hung Windows (Andersen 200 Series) (08 52 16 00-0932) Note: Includes painted or stained wood interior, colored PVC clad exterior, standard hardware and clear insulated glass. Excludes grilles and insect screens.		
08 52 16 00-0934			35-1/2" Height, Picture Wood Clad Windows For Double Hung Windows (Andersen 200 Series) (08 52 16 00-0933)		
08 52 16 00-0935	EA		56-1/2" x 35-1/2", Picture Wood Clad Window For Double Hung Windows (Andersen 200 Series)..... <i>For Tempered Clear Insulated Glass, Add</i>	458.23 69.48	55.40
08 52 16 00-0936	EA		59-1/2" x 35-1/2", Picture Wood Clad Window For Double Hung Windows (Andersen 200 Series)..... <i>For Tempered Clear Insulated Glass, Add</i>	470.42 71.39	56.73
08 52 16 00-0937			47-1/2" Height, Picture Wood Clad Windows For Double Hung Windows (Andersen 200 Series) (08 52 16 00-0933)		
08 52 16 00-0938	EA		47-1/2" x 47-1/2", Picture Wood Clad Window For Double Hung Windows (Andersen 200 Series)..... <i>For Tempered Clear Insulated Glass, Add</i>	470.42 71.39	56.73
08 52 16 00-0939	EA		71-1/2" x 47-1/2", Picture Wood Clad Window For Double Hung Windows (Andersen 200 Series)..... <i>For Tempered Clear Insulated Glass, Add</i>	570.72 87.20	67.37
08 52 16 00-0940			53-1/2" Height, Picture Wood Clad Windows For Double Hung Windows (Andersen 200 Series) (08 52 16 00-0933)		
08 52 16 00-0941	EA		56-1/2" x 53-1/2", Picture Wood Clad Window For Double Hung Windows (Andersen 200 Series)..... <i>For Tempered Clear Insulated Glass, Add</i>	534.13 81.47	63.38
08 52 16 00-0942	EA		59-1/2" x 53-1/2", Picture Wood Clad Window For Double Hung Windows (Andersen 200 Series)..... <i>For Tempered Clear Insulated Glass, Add</i>	546.33 83.38	64.71
08 52 16 00-0943			56-1/2" Height, Picture Wood Clad Windows For Double Hung Windows (Andersen 200 Series) (08 52 16 00-0933)		
08 52 16 00-0944	EA		35-1/2" x 56-1/2", Picture Wood Clad Window For Double Hung Windows (Andersen 200 Series)..... <i>For Tempered Clear Insulated Glass, Add</i>	458.23 69.48	55.85
08 52 16 00-0945	EA		53-1/2" x 56-1/2", Picture Wood Clad Window For Double Hung Windows (Andersen 200 Series)..... <i>For Tempered Clear Insulated Glass, Add</i>	534.13 81.47	63.38
08 52 16 00-0946			59-1/2" Height, Picture Wood Clad Windows For Double Hung Windows (Andersen 200 Series) (08 52 16 00-0933)		
08 52 16 00-0947	EA		35-1/2" x 59-1/2", Picture Wood Clad Window For Double Hung Windows (Andersen 200 Series)..... <i>For Tempered Clear Insulated Glass, Add</i>	470.42 71.39	56.73
08 52 16 00-0948	EA		53-1/2" x 59-1/2", Picture Wood Clad Window For Double Hung Windows (Andersen 200 Series)..... <i>For Tempered Clear Insulated Glass, Add</i>	546.33 83.38	64.71
08 52 16 00-0949	EA		59-1/2" x 59-1/2", Picture Wood Clad Window For Double Hung Windows (Andersen 200 Series)..... <i>For Tempered Clear Insulated Glass, Add</i>	570.72 87.20	67.37
08 52 16 00-0950	EA		65-1/2" x 59-1/2", Picture Wood Clad Window For Double Hung Windows (Andersen 200 Series)..... <i>For Tempered Clear Insulated Glass, Add</i>	596.48 91.28	70.03
08 52 16 00-0951			65-1/2" Height, Picture Wood Clad Windows For Double Hung Windows (Andersen 200 Series) (08 52 16 00-0933)		

08 Openings**08 50 Windows**

08 52 Wood Windows



MINOR CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 52 16 00-0952	EA	59-1/2" x 65-1/2", Picture Wood Clad Window For Double Hung Windows (Andersen 200 Series) <i>For Tempered Clear Insulated Glass, Add</i>	596.48 91.28	70.03
08 52 16 00-0953		71-1/2" Height, Picture Wood Clad Windows For Double Hung Windows (Andersen 200 Series) (08 52 16 00-0933)		
08 52 16 00-0954	EA	47-1/2" x 71-1/2", Picture Wood Clad Window For Double Hung Windows (Andersen 200 Series) <i>For Tempered Clear Insulated Glass, Add</i>	570.72 87.20	67.37
08 52 16 00-0955		Picture Wood Clad Windows For Double Hung Windows (Andersen 400 Series) (08 52 16 00-0932) Note: Includes painted or stained wood interior, colored PVC clad exterior, standard hardware and Low-E insulated glass. Excludes grilles and insect screens.		
08 52 16 00-0956		48-7/8" Height, Picture Wood Clad Windows For Double Hung Windows (Andersen 400 Series) (08 52 16 00-0955)		
08 52 16 00-0957	EA	12" x 48-7/8", Picture Wood Clad Window For Double Hung Windows (Andersen 400 Series) <i>For Tempered Low-E Insulated Glass, Add</i>	509.77 85.29	41.66
08 52 16 00-0958	EA	37-5/8" x 48-7/8", Picture Wood Clad Window For Double Hung Windows (Andersen 400 Series) <i>For Tempered Low-E Insulated Glass, Add</i>	711.76 121.26	53.19
08 52 16 00-0959	EA	41-5/8" x 48-7/8", Picture Wood Clad Window For Double Hung Windows (Andersen 400 Series) <i>For Tempered Low-E Insulated Glass, Add</i>	742.56 126.71	54.52
08 52 16 00-0960	EA	47-5/16" x 48-7/8", Picture Wood Clad Window For Double Hung Windows (Andersen 400 Series) <i>For Tempered Low-E Insulated Glass, Add</i>	788.76 134.88	57.17
08 52 16 00-0961	EA	51-5/16" x 48-7/8", Picture Wood Clad Window For Double Hung Windows (Andersen 400 Series) <i>For Tempered Low-E Insulated Glass, Add</i>	819.56 140.33	59.40
08 52 16 00-0962	EA	59-5/16" x 48-7/8", Picture Wood Clad Window For Double Hung Windows (Andersen 400 Series) <i>For Tempered Low-E Insulated Glass, Add</i>	882.51 151.50	62.50
08 52 16 00-0963	EA	67-5/16" x 48-7/8", Picture Wood Clad Window For Double Hung Windows (Andersen 400 Series) <i>For Tempered Low-E Insulated Glass, Add</i>	945.46 162.68	66.48
08 52 16 00-0964		52-7/8" Height, Picture Wood Clad Windows For Double Hung Windows (Andersen 400 Series) (08 52 16 00-0955)		
08 52 16 00-0965	EA	12" x 52-7/8", Picture Wood Clad Window For Double Hung Windows (Andersen 400 Series) <i>For Tempered Low-E Insulated Glass, Add</i>	541.92 91.01	43.44
08 52 16 00-0966	EA	37-5/8" x 52-7/8", Picture Wood Clad Window For Double Hung Windows (Andersen 400 Series) <i>For Tempered Low-E Insulated Glass, Add</i>	742.56 126.71	54.96
08 52 16 00-0967	EA	41-5/8" x 52-7/8", Picture Wood Clad Window For Double Hung Windows (Andersen 400 Series) <i>For Tempered Low-E Insulated Glass, Add</i>	774.72 132.43	56.29
08 52 16 00-0968	EA	47-5/16" x 52-7/8", Picture Wood Clad Window For Double Hung Windows (Andersen 400 Series) <i>For Tempered Low-E Insulated Glass, Add</i>	819.56 140.33	58.94
08 52 16 00-0969	EA	51-5/16" x 52-7/8", Picture Wood Clad Window For Double Hung Windows (Andersen 400 Series) <i>For Tempered Low-E Insulated Glass, Add</i>	851.71 146.05	61.17
08 52 16 00-0970	EA	59-5/16" x 52-7/8", Picture Wood Clad Window For Double Hung Windows (Andersen 400 Series) <i>For Tempered Low-E Insulated Glass, Add</i>	914.66 157.23	64.27
08 52 16 00-0971	EA	67-5/16" x 52-7/8", Picture Wood Clad Window For Double Hung Windows (Andersen 400 Series) <i>For Tempered Low-E Insulated Glass, Add</i>	977.61 168.40	68.26
08 52 16 00-0972		56-7/8" Height, Picture Wood Clad Windows For Double Hung Windows (Andersen 400 Series) (08 52 16 00-0955)		
08 52 16 00-0973	EA	12" x 56-7/8", Picture Wood Clad Window For Double Hung Windows (Andersen 400 Series) <i>For Tempered Low-E Insulated Glass, Add</i>	572.71 96.46	45.21
08 52 16 00-0974	EA	37-5/8" x 56-7/8", Picture Wood Clad Window For Double Hung Windows (Andersen 400 Series) <i>For Tempered Low-E Insulated Glass, Add</i>	774.72 132.43	56.73
08 52 16 00-0975	EA	41-5/8" x 56-7/8", Picture Wood Clad Window For Double Hung Windows (Andersen 400 Series) <i>For Tempered Low-E Insulated Glass, Add</i>	805.52 137.88	58.06
08 52 16 00-0976	EA	47-5/16" x 56-7/8", Picture Wood Clad Window For Double Hung Windows (Andersen 400 Series) <i>For Tempered Low-E Insulated Glass, Add</i>	851.71 146.05	60.72
08 52 16 00-0977	EA	51-5/16" x 56-7/8", Picture Wood Clad Window For Double Hung Windows (Andersen 400 Series) <i>For Tempered Low-E Insulated Glass, Add</i>	882.51 151.50	62.94
08 52 16 00-0978	EA	59-5/16" x 56-7/8", Picture Wood Clad Window For Double Hung Windows (Andersen 400 Series) <i>For Tempered Low-E Insulated Glass, Add</i>	945.46 162.68	66.04
08 52 16 00-0979	EA	67-5/16" x 56-7/8", Picture Wood Clad Window For Double Hung Windows (Andersen 400 Series) <i>For Tempered Low-E Insulated Glass, Add</i>	1,009.78 174.12	70.03
08 52 16 00-0980		60-7/8" Height, Picture Wood Clad Windows For Double Hung Windows (Andersen 400 Series) (08 52 16 00-0955)		
08 52 16 00-0981	EA	12" x 60-7/8", Picture Wood Clad Window For Double Hung Windows (Andersen 400 Series) <i>For Tempered Low-E Insulated Glass, Add</i>	604.87 102.18	46.98
08 52 16 00-0982	EA	37-5/8" x 60-7/8", Picture Wood Clad Window For Double Hung Windows (Andersen 400 Series) <i>For Tempered Low-E Insulated Glass, Add</i>	805.52 137.88	58.50
08 52 16 00-0983	EA	41-5/8" x 60-7/8", Picture Wood Clad Window For Double Hung Windows (Andersen 400 Series) <i>For Tempered Low-E Insulated Glass, Add</i>	837.67 143.60	59.84
08 52 16 00-0984	EA	47-5/16" x 60-7/8", Picture Wood Clad Window For Double Hung Windows (Andersen 400 Series) <i>For Tempered Low-E Insulated Glass, Add</i>	882.51 151.50	62.50
08 52 16 00-0985	EA	51-5/16" x 60-7/8", Picture Wood Clad Window For Double Hung Windows (Andersen 400 Series) <i>For Tempered Low-E Insulated Glass, Add</i>	914.66 157.23	64.71



Openings	08	08
Windows	08 50	
Wood Windows	08 52	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 52 16 00-0986	EA		59-5/16" x 60-7/8", Picture Wood Clad Window For Double Hung Windows (Andersen 400 Series) <i>For Tempered Low-E Insulated Glass, Add</i>	977.61 168.40	67.82
08 52 16 00-0987	EA		67-5/16" x 60-7/8", Picture Wood Clad Window For Double Hung Windows (Andersen 400 Series) <i>For Tempered Low-E Insulated Glass, Add</i>	1,040.57 179.57	71.80
08 52 16 00-0988			64-7/8" Height, Picture Wood Clad Windows For Double Hung Windows (Andersen 400 Series) (08 52 16 00-0955)		
08 52 16 00-0989	EA		12" x 64-7/8", Picture Wood Clad Window For Double Hung Windows (Andersen 400 Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	635.67 107.63	48.75
08 52 16 00-0990	EA		37-5/8" x 64-7/8", Picture Wood Clad Window For Double Hung Windows (Andersen 400 Series) <i>For Tempered Low-E Insulated Glass, Add</i>	837.67 143.60	60.28
08 52 16 00-0991	EA		41-5/8" x 64-7/8", Picture Wood Clad Window For Double Hung Windows (Andersen 400 Series) <i>For Tempered Low-E Insulated Glass, Add</i>	869.84 149.32	61.61
08 52 16 00-0992	EA		47-5/16" x 64-7/8", Picture Wood Clad Window For Double Hung Windows (Andersen 400 Series) <i>For Tempered Low-E Insulated Glass, Add</i>	914.66 157.23	64.27
08 52 16 00-0993	EA		51-5/16" x 64-7/8", Picture Wood Clad Window For Double Hung Windows (Andersen 400 Series) <i>For Tempered Low-E Insulated Glass, Add</i>	945.46 162.68	66.48
08 52 16 00-0994	EA		59-5/16" x 64-7/8", Picture Wood Clad Window For Double Hung Windows (Andersen 400 Series) <i>For Tempered Low-E Insulated Glass, Add</i>	1,009.78 174.12	69.59
08 52 16 00-0995	EA		67-5/16" x 64-7/8", Picture Wood Clad Window For Double Hung Windows (Andersen 400 Series) <i>For Tempered Low-E Insulated Glass, Add</i>	1,072.73 185.29	73.57
08 52 16 00-0996			68-7/8" Height, Picture Wood Clad Windows For Double Hung Windows (Andersen 400 Series) (08 52 16 00-0955)		
08 52 16 00-0997	EA		12" x 68-7/8", Picture Wood Clad Window For Double Hung Windows (Andersen 400 Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	667.83 113.35	50.52
08 52 16 00-0998	EA		37-5/8" x 68-7/8", Picture Wood Clad Window For Double Hung Windows (Andersen 400 Series) <i>For Tempered Low-E Insulated Glass, Add</i>	869.84 149.32	62.05
08 52 16 00-0999	EA		41-5/8" x 68-7/8", Picture Wood Clad Window For Double Hung Windows (Andersen 400 Series) <i>For Tempered Low-E Insulated Glass, Add</i>	900.62 154.77	63.38
08 52 16 00-1000	EA		47-5/16" x 68-7/8", Picture Wood Clad Window For Double Hung Windows (Andersen 400 Series) <i>For Tempered Low-E Insulated Glass, Add</i>	945.46 162.68	66.04
08 52 16 00-1001	EA		51-5/16" x 68-7/8", Picture Wood Clad Window For Double Hung Windows (Andersen 400 Series) <i>For Tempered Low-E Insulated Glass, Add</i>	977.61 168.40	68.26
08 52 16 00-1002	EA		59-5/16" x 68-7/8", Picture Wood Clad Window For Double Hung Windows (Andersen 400 Series) <i>For Tempered Low-E Insulated Glass, Add</i>	1,040.57 179.57	71.36
08 52 16 00-1003	EA		67-5/16" x 68-7/8", Picture Wood Clad Window For Double Hung Windows (Andersen 400 Series) <i>For Tempered Low-E Insulated Glass, Add</i>	1,103.52 190.74	75.35
08 52 16 00-1004			72-7/8" Height, Picture Wood Clad Windows For Double Hung Windows (Andersen 400 Series) (08 52 16 00-0955)		
08 52 16 00-1005	EA		12" x 72-7/8", Picture Wood Clad Window For Double Hung Windows (Andersen 400 Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	698.62 118.80	52.30
08 52 16 00-1006	EA		37-5/8" x 72-7/8", Picture Wood Clad Window For Double Hung Windows (Andersen 400 Series) <i>For Tempered Low-E Insulated Glass, Add</i>	900.62 154.77	63.82
08 52 16 00-1007	EA		41-5/8" x 72-7/8", Picture Wood Clad Window For Double Hung Windows (Andersen 400 Series) <i>For Tempered Low-E Insulated Glass, Add</i>	932.79 160.50	65.15
08 52 16 00-1008	EA		47-5/16" x 72-7/8", Picture Wood Clad Window For Double Hung Windows (Andersen 400 Series) <i>For Tempered Low-E Insulated Glass, Add</i>	977.61 168.40	67.82
08 52 16 00-1009	EA		51-5/16" x 72-7/8", Picture Wood Clad Window For Double Hung Windows (Andersen 400 Series) <i>For Tempered Low-E Insulated Glass, Add</i>	1,009.78 174.12	70.03
08 52 16 00-1010	EA		59-5/16" x 72-7/8", Picture Wood Clad Window For Double Hung Windows (Andersen 400 Series) <i>For Tempered Low-E Insulated Glass, Add</i>	1,072.73 185.29	73.13
08 52 16 00-1011	EA		67-5/16" x 72-7/8", Picture Wood Clad Window For Double Hung Windows (Andersen 400 Series) <i>For Tempered Low-E Insulated Glass, Add</i>	1,135.67 196.46	77.12
08 52 16 00-1012			76-7/8" Height, Picture Wood Clad Windows For Double Hung Windows (Andersen 400 Series) (08 52 16 00-0955)		
08 52 16 00-1013	EA		12" x 76-7/8", Picture Wood Clad Window For Double Hung Windows (Andersen 400 Series)..... <i>For Tempered Low-E Insulated Glass, Add</i>	730.78 124.53	54.07
08 52 16 00-1014	EA		37-5/8" x 76-7/8", Picture Wood Clad Window For Double Hung Windows (Andersen 400 Series) <i>For Tempered Low-E Insulated Glass, Add</i>	932.79 160.50	65.59
08 52 16 00-1015	EA		41-5/8" x 76-7/8", Picture Wood Clad Window For Double Hung Windows (Andersen 400 Series) <i>For Tempered Low-E Insulated Glass, Add</i>	963.57 165.94	66.92
08 52 16 00-1016	EA		47-5/16" x 76-7/8", Picture Wood Clad Window For Double Hung Windows (Andersen 400 Series) <i>For Tempered Low-E Insulated Glass, Add</i>	1,009.78 174.12	69.59
08 52 16 00-1017	EA		51-5/16" x 76-7/8", Picture Wood Clad Window For Double Hung Windows (Andersen 400 Series) <i>For Tempered Low-E Insulated Glass, Add</i>	1,040.57 179.57	71.80
08 52 16 00-1018	EA		59-5/16" x 76-7/8", Picture Wood Clad Window For Double Hung Windows (Andersen 400 Series) <i>For Tempered Low-E Insulated Glass, Add</i>	1,103.52 190.74	74.91
08 52 16 00-1019	EA		67-5/16" x 76-7/8", Picture Wood Clad Window For Double Hung Windows (Andersen 400 Series) <i>For Tempered Low-E Insulated Glass, Add</i>	1,166.47 201.91	78.89
08 52 16 00-1020			Picture Wood Clad Windows For Horizontal Sliding Windows (08 52 16 00-0810)		

08	08	Openings
	08 50	Windows
	08 52	Wood Windows



MINOR CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 52 16 00-1021		Picture Wood Clad Windows For Horizontal Sliding Windows (Andersen 200 Series) <small>(08 52 16 00-1020)</small> Note: Includes painted or stained wood interior, colored PVC clad exterior, standard hardware and clear insulated glass. Excludes grilles and insect screens.		
08 52 16 00-1022		35-1/2" Height, Picture Wood Clad Windows For Horizontal Sliding Windows (Andersen 200 Series) <small>(08 52 16 00-1021)</small>		
08 52 16 00-1023	EA	56-1/2" x 35-1/2", Picture Wood Clad Window For Horizontal Sliding Windows (Andersen 200 Series).....	458.23	55.40
		<i>For Tempered Clear Insulated Glass, Add</i>	69.48	
08 52 16 00-1024	EA	59-1/2" x 35-1/2", Picture Wood Clad Window For Horizontal Sliding Windows (Andersen 200 Series).....	470.42	56.73
		<i>For Tempered Clear Insulated Glass, Add</i>	71.39	
08 52 16 00-1025		47-1/2" Height, Picture Wood Clad Windows For Horizontal Sliding Windows (Andersen 200 Series) <small>(08 52 16 00-1021)</small>		
08 52 16 00-1026	EA	47-1/2" x 47-1/2", Picture Wood Clad Window For Horizontal Sliding Windows (Andersen 200 Series).....	470.42	56.73
		<i>For Tempered Clear Insulated Glass, Add</i>	71.39	
08 52 16 00-1027	EA	71-1/2" x 47-1/2", Picture Wood Clad Window For Horizontal Sliding Windows (Andersen 200 Series).....	570.72	67.37
		<i>For Tempered Clear Insulated Glass, Add</i>	87.20	
08 52 16 00-1028		53-1/2" Height, Picture Wood Clad Windows For Horizontal Sliding Windows (Andersen 200 Series) <small>(08 52 16 00-1021)</small>		
08 52 16 00-1029	EA	56-1/2" x 53-1/2", Picture Wood Clad Window For Horizontal Sliding Windows (Andersen 200 Series).....	534.13	63.38
		<i>For Tempered Clear Insulated Glass, Add</i>	81.47	
08 52 16 00-1030	EA	59-1/2" x 53-1/2", Picture Wood Clad Window For Horizontal Sliding Windows (Andersen 200 Series).....	546.33	64.71
		<i>For Tempered Clear Insulated Glass, Add</i>	83.38	
08 52 16 00-1031		56-1/2" Height, Picture Wood Clad Windows For Horizontal Sliding Windows (Andersen 200 Series) <small>(08 52 16 00-1021)</small>		
08 52 16 00-1032	EA	35-1/2" x 56-1/2", Picture Wood Clad Window For Horizontal Sliding Windows (Andersen 200 Series).....	458.23	55.85
		<i>For Tempered Clear Insulated Glass, Add</i>	69.48	
08 52 16 00-1033	EA	53-1/2" x 56-1/2", Picture Wood Clad Window For Horizontal Sliding Windows (Andersen 200 Series).....	534.13	63.38
		<i>For Tempered Clear Insulated Glass, Add</i>	81.47	
08 52 16 00-1034		59-1/2" Height, Picture Wood Clad Windows For Horizontal Sliding Windows (Andersen 200 Series) <small>(08 52 16 00-1021)</small>		
08 52 16 00-1035	EA	35-1/2" x 59-1/2", Picture Wood Clad Window For Horizontal Sliding Windows (Andersen 200 Series).....	470.42	56.73
		<i>For Tempered Clear Insulated Glass, Add</i>	71.39	
08 52 16 00-1036	EA	53-1/2" x 59-1/2", Picture Wood Clad Window For Horizontal Sliding Windows (Andersen 200 Series).....	546.33	64.71
		<i>For Tempered Clear Insulated Glass, Add</i>	83.38	
08 52 16 00-1037	EA	59-1/2" x 59-1/2", Picture Wood Clad Window For Horizontal Sliding Windows (Andersen 200 Series).....	570.72	67.37
		<i>For Tempered Clear Insulated Glass, Add</i>	87.20	
08 52 16 00-1038	EA	65-1/2" x 59-1/2", Picture Wood Clad Window For Horizontal Sliding Windows (Andersen 200 Series).....	596.48	70.03
		<i>For Tempered Clear Insulated Glass, Add</i>	91.28	
08 52 16 00-1039		65-1/2" Height, Picture Wood Clad Windows For Horizontal Sliding Windows (Andersen 200 Series) <small>(08 52 16 00-1021)</small>		
08 52 16 00-1040	EA	59-1/2" x 65-1/2", Picture Wood Clad Window For Horizontal Sliding Windows (Andersen 200 Series).....	596.48	70.03
		<i>For Tempered Clear Insulated Glass, Add</i>	91.28	
08 52 16 00-1041		71-1/2" Height, Picture Wood Clad Windows For Horizontal Sliding Windows (Andersen 200 Series) <small>(08 52 16 00-1021)</small>		
08 52 16 00-1042	EA	47-1/2" x 71-1/2", Picture Wood Clad Window For Horizontal Sliding Windows (Andersen 200 Series).....	570.72	67.37
		<i>For Tempered Clear Insulated Glass, Add</i>	87.20	
08 52 16 00-1043		Basement Wood Clad Windows <small>(08 52 16)</small> Note: Basement windows are hinged at the bottom of the frame and swing outward with a crank or push out operation.		
08 52 16 00-1044		Basement Wood Clad Windows (Andersen 400 Series) <small>(08 52 16 00-1043)</small> Note: Includes painted or stained wood interior, colored PVC clad exterior, standard hardware, Low-E insulated glass and insect screens. Excludes grilles.		
08 52 16 00-1045	EA	32-1/4" x 15-3/4", Basement Wood Clad Window (Andersen 400 Series).....	242.98	35.45
08 52 16 00-1046	EA	32-1/4" x 19-3/4", Basement Wood Clad Window (Andersen 400 Series).....	255.90	35.45
08 52 16 00-1047	EA	32-1/4" x 23-3/4", Basement Wood Clad Window (Andersen 400 Series).....	267.27	35.45
08 52 16 00-1048		Factory Installed Grilles For Wood Clad Windows <small>(08 52 16)</small>		
08 52 16 00-1049		Fixed Grille Installed Between Glass Panes, Factory Installed Grilles For Wood Clad Windows <small>(08 52 16 00-1048)</small>		
08 52 16 00-1050	EA	Up To 9 SF Windows, Fixed Grille Installed Between Glass Panes, Factory Installed Grilles For Wood Clad Windows.....	33.62	



Openings	08	08
Windows	08 50	
Wood Windows	08 52	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 52 16 00-1051 EA >9 To 18 SF Windows, Fixed Grille Installed Between Glass Panes, Factory Installed Grilles For Wood Clad Windows.....	49.54	
08 52 16 00-1052 EA >18 To 24 SF Windows, Fixed Grille Installed Between Glass Panes, Factory Installed Grilles For Wood Clad Windows.....	67.24	
08 52 16 00-1053 EA >24 To 36 SF Windows, Fixed Grille Installed Between Glass Panes, Factory Installed Grilles For Wood Clad Windows.....	84.93	
08 52 16 00-1054 EA >36 SF Windows, Fixed Grille Installed Between Glass Panes, Factory Installed Grilles For Wood Clad Windows.....	120.32	
08 52 16 00-1055 Fixed Exterior And Removable Interior Grilles, Factory Installed Grilles For Wood Clad Windows (08 52 16 00-1048)		
08 52 16 00-1056 EA Up To 9 SF Windows, Fixed Grille Installed Between Glass Panes, Factory Installed Grilles For Wood Clad Windows.....	53.79	
08 52 16 00-1057 EA >9 To 18 SF Windows, Fixed Grille Installed Between Glass Panes, Factory Installed Grilles For Wood Clad Windows.....	79.27	
08 52 16 00-1058 EA >18 To 24 SF Windows, Fixed Grille Installed Between Glass Panes, Factory Installed Grilles For Wood Clad Windows.....	107.58	
08 52 16 00-1059 EA >24 To 36 SF Windows, Fixed Grille Installed Between Glass Panes, Factory Installed Grilles For Wood Clad Windows.....	135.89	
08 52 16 00-1060 EA >36 SF Windows, Fixed Grille Installed Between Glass Panes, Factory Installed Grilles For Wood Clad Windows.....	192.51	
08 52 16 00-1061 Fixed Exterior And Interior Grilles, Factory Installed Grilles For Wood Clad Windows (08 52 16 00-1048)		
08 52 16 00-1062 EA Up To 9 SF Windows, Fixed Exterior And Interior Grilles, Factory Installed Grilles For Wood Clad Windows.....	64.55	
08 52 16 00-1063 EA >9 To 18 SF Windows, Fixed Exterior And Interior Grilles, Factory Installed Grilles For Wood Clad Windows.....	95.12	
08 52 16 00-1064 EA >18 To 24 SF Windows, Fixed Exterior And Interior Grilles, Factory Installed Grilles For Wood Clad Windows.....	129.10	
08 52 16 00-1065 EA >24 To 36 SF Windows, Fixed Exterior And Interior Grilles, Factory Installed Grilles For Wood Clad Windows.....	163.07	
08 52 16 00-1066 EA >36 SF Windows, Fixed Exterior And Interior Grilles, Factory Installed Grilles For Wood Clad Windows.....	231.01	
08 52 16 00-1067 Fixed Exterior And Interior Grilles With Spacers, Factory Installed Grilles For Wood Clad Windows (08 52 16 00-1048)		
08 52 16 00-1068 EA Up To 9 SF Windows, Fixed Exterior And Interior Grilles With Spacers, Factory Installed Grilles For Wood Clad Windows.....	77.46	
08 52 16 00-1069 EA >9 To 18 SF Windows, Fixed Exterior And Interior Grilles With Spacers, Factory Installed Grilles For Wood Clad Windows.....	114.14	
08 52 16 00-1070 EA >18 To 24 SF Windows, Fixed Exterior And Interior Grilles With Spacers, Factory Installed Grilles For Wood Clad Windows.....	154.91	
08 52 16 00-1071 EA >24 To 36 SF Windows, Fixed Exterior And Interior Grilles With Spacers, Factory Installed Grilles For Wood Clad Windows.....	195.68	
08 52 16 00-1072 EA >36 SF Windows, Fixed Exterior And Interior Grilles With Spacers, Factory Installed Grilles For Wood Clad Windows.....	277.21	
08 52 66 Wood Window Screens (08 52)		
08 52 66 00-0001 Insect Screens For Wood Clad Windows (08 52 66)		
08 52 66 00-0002 EA Up To 6 SF, Insect Screen For Wood Clad Windows.....	37.67	7.77
08 52 66 00-0003 EA >6 To 9 SF, Insect Screen For Wood Clad Windows.....	44.00	7.77
08 52 66 00-0004 EA >9 To 12 SF, Insect Screen For Wood Clad Windows.....	47.16	7.77
08 52 66 00-0005 EA >12 To 15 SF, Insect Screen For Wood Clad Windows.....	53.48	7.77
08 52 66 00-0006 EA >15 To 20 SF, Insect Screen For Wood Clad Windows.....	66.13	7.77
08 52 66 00-0007 EA >20 To 25 SF, Insect Screen For Wood Clad Windows.....	72.46	7.77
08 52 66 00-0008 EA >25 To 30 SF, Insect Screen For Wood Clad Windows.....	78.78	7.77
08 52 66 00-0009 EA >30 To 35 SF, Insect Screen For Wood Clad Windows.....	85.10	7.77
08 52 66 00-0010 SF >35 SF, Insect Screen For Wood Clad Windows.....	2.56	0.16
08 53 Plastic Windows (08 50)		
08 53 13 Vinyl Windows (08 53)		
08 53 13 00-0001 Single Hung Vinyl Windows (08 53 13)		
08 53 13 00-0002 New Construction, Single Hung Vinyl Windows (Silver Line 2200) (08 53 13 00-0001) Note: Includes white solid vinyl interior and exterior, standard hardware, clear insulated glass and insect screen. Excludes grilles.		
08 53 13 00-0003 34" Height, New Construction, Single Hung Vinyl Windows (Silver Line 2200) (08 53 13 00-0002)		
08 53 13 00-0004 EA 24" x 34", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	210.62	40.77
For Colored Vinyl, Add	12.91	
For Tinted Glass, Add	15.49	
For Low-E Insulated Glass, Add	32.27	
For Obscure Glass, Add	35.49	
08 53 13 00-0005 EA 28" x 34", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	221.36	42.55
For Colored Vinyl, Add	13.63	
For Tinted Glass, Add	16.35	
For Low-E Insulated Glass, Add	34.07	
For Obscure Glass, Add	37.47	

08 Openings**08 50 Windows****08 53 Plastic Windows**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 53 13 00-0006	EA		30" x 34", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	225.91	43.44
			<i>For Colored Vinyl, Add</i>	13.90	
			<i>For Tinted Glass, Add</i>	16.68	
			<i>For Low-E Insulated Glass, Add</i>	34.76	
			<i>For Obscure Glass, Add</i>	38.24	
08 53 13 00-0007	EA		32" x 34", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	230.82	44.33
			<i>For Colored Vinyl, Add</i>	14.22	
			<i>For Tinted Glass, Add</i>	17.06	
			<i>For Low-E Insulated Glass, Add</i>	35.55	
			<i>For Obscure Glass, Add</i>	39.10	
08 53 13 00-0008	EA		36" x 34", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	243.17	46.10
			<i>For Colored Vinyl, Add</i>	15.10	
			<i>For Tinted Glass, Add</i>	18.12	
			<i>For Low-E Insulated Glass, Add</i>	37.75	
			<i>For Obscure Glass, Add</i>	41.52	
08 53 13 00-0009	EA		44" x 34", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	263.56	49.64
			<i>For Colored Vinyl, Add</i>	16.43	
			<i>For Tinted Glass, Add</i>	19.71	
			<i>For Low-E Insulated Glass, Add</i>	41.07	
			<i>For Obscure Glass, Add</i>	45.17	
08 53 13 00-0010			36" Height, New Construction, Single Hung Vinyl Windows (Silver Line 2200) <small>(08 53 13 00-0002)</small>		
08 53 13 00-0011	EA		24" x 36", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	214.93	41.66
			<i>For Colored Vinyl, Add</i>	13.16	
			<i>For Tinted Glass, Add</i>	15.79	
			<i>For Low-E Insulated Glass, Add</i>	32.90	
			<i>For Obscure Glass, Add</i>	36.19	
08 53 13 00-0012	EA		28" x 36", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	225.67	42.55
			<i>For Colored Vinyl, Add</i>	13.88	
			<i>For Tinted Glass, Add</i>	16.66	
			<i>For Low-E Insulated Glass, Add</i>	34.70	
			<i>For Obscure Glass, Add</i>	38.17	
08 53 13 00-0013	EA		30" x 36", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	230.21	44.33
			<i>For Colored Vinyl, Add</i>	14.16	
			<i>For Tinted Glass, Add</i>	16.99	
			<i>For Low-E Insulated Glass, Add</i>	35.39	
			<i>For Obscure Glass, Add</i>	38.93	
08 53 13 00-0014	EA		32" x 36", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	235.12	45.21
			<i>For Colored Vinyl, Add</i>	14.47	
			<i>For Tinted Glass, Add</i>	17.37	
			<i>For Low-E Insulated Glass, Add</i>	36.18	
			<i>For Obscure Glass, Add</i>	39.80	
08 53 13 00-0015	EA		36" x 36", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	247.47	46.98
			<i>For Colored Vinyl, Add</i>	15.35	
			<i>For Tinted Glass, Add</i>	18.42	
			<i>For Low-E Insulated Glass, Add</i>	38.38	
			<i>For Obscure Glass, Add</i>	42.22	
08 53 13 00-0016	EA		44" x 36", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	267.86	50.52
			<i>For Colored Vinyl, Add</i>	16.68	
			<i>For Tinted Glass, Add</i>	20.02	
			<i>For Low-E Insulated Glass, Add</i>	41.70	
			<i>For Obscure Glass, Add</i>	45.87	
08 53 13 00-0017			38" Height, New Construction, Single Hung Vinyl Windows (Silver Line 2200) <small>(08 53 13 00-0002)</small>		
08 53 13 00-0018	EA		24" x 38", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	219.11	42.55
			<i>For Colored Vinyl, Add</i>	13.40	
			<i>For Tinted Glass, Add</i>	16.08	
			<i>For Low-E Insulated Glass, Add</i>	33.50	
			<i>For Obscure Glass, Add</i>	36.85	
08 53 13 00-0019	EA		28" x 38", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	229.85	44.33
			<i>For Colored Vinyl, Add</i>	14.12	
			<i>For Tinted Glass, Add</i>	16.95	
			<i>For Low-E Insulated Glass, Add</i>	35.30	
			<i>For Obscure Glass, Add</i>	38.83	
08 53 13 00-0020	EA		30" x 38", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	234.56	45.21
			<i>For Colored Vinyl, Add</i>	14.42	
			<i>For Tinted Glass, Add</i>	17.30	
			<i>For Low-E Insulated Glass, Add</i>	36.04	
			<i>For Obscure Glass, Add</i>	39.64	
08 53 13 00-0021	EA		32" x 38", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	239.48	46.10
			<i>For Colored Vinyl, Add</i>	14.73	
			<i>For Tinted Glass, Add</i>	17.67	
			<i>For Low-E Insulated Glass, Add</i>	36.82	
			<i>For Obscure Glass, Add</i>	40.50	
08 53 13 00-0022	EA		36" x 38", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	252.00	47.87
			<i>For Colored Vinyl, Add</i>	15.63	
			<i>For Tinted Glass, Add</i>	18.75	
			<i>For Low-E Insulated Glass, Add</i>	39.07	
			<i>For Obscure Glass, Add</i>	42.97	



Openings	08	08
Windows	08 50	
Plastic Windows	08 53	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 53 13 00-0023	EA		44" x 38", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	272.63	51.42
			<i>For Colored Vinyl, Add</i>	16.98	
			<i>For Tinted Glass, Add</i>	20.38	
			<i>For Low-E Insulated Glass, Add</i>	42.45	
			<i>For Obscure Glass, Add</i>	46.70	
08 53 13 00-0024			44" Height, New Construction, Single Hung Vinyl Windows (Silver Line 2200) <small>(08 53 13 00-0002)</small>		
08 53 13 00-0025	EA		24" x 44", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	231.88	45.21
			<i>For Colored Vinyl, Add</i>	14.15	
			<i>For Tinted Glass, Add</i>	16.98	
			<i>For Low-E Insulated Glass, Add</i>	35.37	
			<i>For Obscure Glass, Add</i>	38.90	
08 53 13 00-0026	EA		28" x 44", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	242.63	46.98
			<i>For Colored Vinyl, Add</i>	14.87	
			<i>For Tinted Glass, Add</i>	17.84	
			<i>For Low-E Insulated Glass, Add</i>	37.17	
			<i>For Obscure Glass, Add</i>	40.88	
08 53 13 00-0027	EA		30" x 44", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	247.86	47.87
			<i>For Colored Vinyl, Add</i>	15.21	
			<i>For Tinted Glass, Add</i>	18.26	
			<i>For Low-E Insulated Glass, Add</i>	38.03	
			<i>For Obscure Glass, Add</i>	41.84	
08 53 13 00-0028	EA		32" x 44", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	252.78	48.75
			<i>For Colored Vinyl, Add</i>	15.53	
			<i>For Tinted Glass, Add</i>	18.63	
			<i>For Low-E Insulated Glass, Add</i>	38.82	
			<i>For Obscure Glass, Add</i>	42.70	
08 53 13 00-0029	EA		36" x 44", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	265.84	50.52
			<i>For Colored Vinyl, Add</i>	16.48	
			<i>For Tinted Glass, Add</i>	19.77	
			<i>For Low-E Insulated Glass, Add</i>	41.20	
			<i>For Obscure Glass, Add</i>	45.31	
08 53 13 00-0030	EA		44" x 44", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	287.13	54.07
			<i>For Colored Vinyl, Add</i>	17.90	
			<i>For Tinted Glass, Add</i>	21.48	
			<i>For Low-E Insulated Glass, Add</i>	44.75	
			<i>For Obscure Glass, Add</i>	49.22	
08 53 13 00-0031			46" Height, New Construction, Single Hung Vinyl Windows (Silver Line 2200) <small>(08 53 13 00-0002)</small>		
08 53 13 00-0032	EA		24" x 46", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	236.20	46.10
			<i>For Colored Vinyl, Add</i>	14.40	
			<i>For Tinted Glass, Add</i>	17.28	
			<i>For Low-E Insulated Glass, Add</i>	36.00	
			<i>For Obscure Glass, Add</i>	39.60	
08 53 13 00-0033	EA		28" x 46", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	246.93	47.87
			<i>For Colored Vinyl, Add</i>	15.12	
			<i>For Tinted Glass, Add</i>	18.14	
			<i>For Low-E Insulated Glass, Add</i>	37.80	
			<i>For Obscure Glass, Add</i>	41.58	
08 53 13 00-0034	EA		30" x 46", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	252.34	48.75
			<i>For Colored Vinyl, Add</i>	15.48	
			<i>For Tinted Glass, Add</i>	18.58	
			<i>For Low-E Insulated Glass, Add</i>	38.71	
			<i>For Obscure Glass, Add</i>	42.58	
08 53 13 00-0035	EA		32" x 46", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	257.26	49.64
			<i>For Colored Vinyl, Add</i>	15.80	
			<i>For Tinted Glass, Add</i>	18.96	
			<i>For Low-E Insulated Glass, Add</i>	39.49	
			<i>For Obscure Glass, Add</i>	43.44	
08 53 13 00-0036	EA		36" x 46", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	270.46	51.42
			<i>For Colored Vinyl, Add</i>	16.76	
			<i>For Tinted Glass, Add</i>	20.12	
			<i>For Low-E Insulated Glass, Add</i>	41.91	
			<i>For Obscure Glass, Add</i>	46.10	
08 53 13 00-0037	EA		44" x 46", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	292.00	54.96
			<i>For Colored Vinyl, Add</i>	18.21	
			<i>For Tinted Glass, Add</i>	21.85	
			<i>For Low-E Insulated Glass, Add</i>	45.52	
			<i>For Obscure Glass, Add</i>	50.07	
08 53 13 00-0038			48" Height, New Construction, Single Hung Vinyl Windows (Silver Line 2200) <small>(08 53 13 00-0002)</small>		
08 53 13 00-0039	EA		24" x 48", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	240.54	46.98
			<i>For Colored Vinyl, Add</i>	14.66	
			<i>For Tinted Glass, Add</i>	17.59	
			<i>For Low-E Insulated Glass, Add</i>	36.65	
			<i>For Obscure Glass, Add</i>	40.31	

08 Openings**08 50 Windows****08 53 Plastic Windows**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 53 13 00-0040	EA		28" x 48", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	251.28	48.75
			<i>For Colored Vinyl, Add</i>	15.38	
			<i>For Tinted Glass, Add</i>	18.45	
			<i>For Low-E Insulated Glass, Add</i>	38.44	
			<i>For Obscure Glass, Add</i>	42.29	
08 53 13 00-0041	EA		30" x 48", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	256.85	49.64
			<i>For Colored Vinyl, Add</i>	15.76	
			<i>For Tinted Glass, Add</i>	18.91	
			<i>For Low-E Insulated Glass, Add</i>	39.39	
			<i>For Obscure Glass, Add</i>	43.33	
08 53 13 00-0042	EA		32" x 48", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	261.76	50.52
			<i>For Colored Vinyl, Add</i>	16.07	
			<i>For Tinted Glass, Add</i>	19.28	
			<i>For Low-E Insulated Glass, Add</i>	40.18	
			<i>For Obscure Glass, Add</i>	44.19	
08 53 13 00-0043	EA		36" x 48", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	275.15	52.30
			<i>For Colored Vinyl, Add</i>	17.06	
			<i>For Tinted Glass, Add</i>	20.47	
			<i>For Low-E Insulated Glass, Add</i>	42.64	
			<i>For Obscure Glass, Add</i>	46.90	
08 53 13 00-0044	EA		44" x 48", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	296.91	55.85
			<i>For Colored Vinyl, Add</i>	18.52	
			<i>For Tinted Glass, Add</i>	22.23	
			<i>For Low-E Insulated Glass, Add</i>	46.31	
			<i>For Obscure Glass, Add</i>	50.94	
08 53 13 00-0045			50" Height, New Construction, Single Hung Vinyl Windows (Silver Line 2200) (08 53 13 00-0002)		
08 53 13 00-0046	EA		24" x 50", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	244.72	47.87
			<i>For Colored Vinyl, Add</i>	14.90	
			<i>For Tinted Glass, Add</i>	17.88	
			<i>For Low-E Insulated Glass, Add</i>	37.25	
			<i>For Obscure Glass, Add</i>	40.97	
08 53 13 00-0047	EA		28" x 50", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	255.47	49.64
			<i>For Colored Vinyl, Add</i>	15.62	
			<i>For Tinted Glass, Add</i>	18.74	
			<i>For Low-E Insulated Glass, Add</i>	39.05	
			<i>For Obscure Glass, Add</i>	42.95	
08 53 13 00-0048	EA		30" x 50", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	261.22	50.52
			<i>For Colored Vinyl, Add</i>	16.02	
			<i>For Tinted Glass, Add</i>	19.22	
			<i>For Low-E Insulated Glass, Add</i>	40.04	
			<i>For Obscure Glass, Add</i>	44.04	
08 53 13 00-0049	EA		32" x 50", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	266.13	51.42
			<i>For Colored Vinyl, Add</i>	16.33	
			<i>For Tinted Glass, Add</i>	19.60	
			<i>For Low-E Insulated Glass, Add</i>	40.83	
			<i>For Obscure Glass, Add</i>	44.91	
08 53 13 00-0050	EA		36" x 50", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	279.68	53.19
			<i>For Colored Vinyl, Add</i>	17.33	
			<i>For Tinted Glass, Add</i>	20.80	
			<i>For Low-E Insulated Glass, Add</i>	43.33	
			<i>For Obscure Glass, Add</i>	47.66	
08 53 13 00-0051	EA		44" x 50", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	301.66	56.73
			<i>For Colored Vinyl, Add</i>	18.82	
			<i>For Tinted Glass, Add</i>	22.58	
			<i>For Low-E Insulated Glass, Add</i>	47.05	
			<i>For Obscure Glass, Add</i>	51.76	
08 53 13 00-0052			52" Height, New Construction, Single Hung Vinyl Windows (Silver Line 2200) (08 53 13 00-0002)		
08 53 13 00-0053	EA		24" x 52", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	248.93	48.75
			<i>For Colored Vinyl, Add</i>	15.14	
			<i>For Tinted Glass, Add</i>	18.17	
			<i>For Low-E Insulated Glass, Add</i>	37.86	
			<i>For Obscure Glass, Add</i>	41.64	
08 53 13 00-0054	EA		28" x 52", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	259.68	50.52
			<i>For Colored Vinyl, Add</i>	15.86	
			<i>For Tinted Glass, Add</i>	19.03	
			<i>For Low-E Insulated Glass, Add</i>	39.66	
			<i>For Obscure Glass, Add</i>	43.62	
08 53 13 00-0055	EA		30" x 52", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	265.60	51.42
			<i>For Colored Vinyl, Add</i>	16.28	
			<i>For Tinted Glass, Add</i>	19.53	
			<i>For Low-E Insulated Glass, Add</i>	40.69	
			<i>For Obscure Glass, Add</i>	44.76	
08 53 13 00-0056	EA		32" x 52", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	270.51	52.30
			<i>For Colored Vinyl, Add</i>	16.59	
			<i>For Tinted Glass, Add</i>	19.91	
			<i>For Low-E Insulated Glass, Add</i>	41.48	
			<i>For Obscure Glass, Add</i>	45.63	



Openings	08	08
Windows	08 50	
Plastic Windows	08 53	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 53 13 00-0057	EA		36" x 52", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	284.26	54.07
			<i>For Colored Vinyl, Add</i>	17.61	
			<i>For Tinted Glass, Add</i>	21.13	
			<i>For Low-E Insulated Glass, Add</i>	44.03	
			<i>For Obscure Glass, Add</i>	48.43	
08 53 13 00-0058	EA		44" x 52", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	306.46	57.62
			<i>For Colored Vinyl, Add</i>	19.12	
			<i>For Tinted Glass, Add</i>	22.95	
			<i>For Low-E Insulated Glass, Add</i>	47.81	
			<i>For Obscure Glass, Add</i>	52.59	
08 53 13 00-0059			54" Height, New Construction, Single Hung Vinyl Windows (Silver Line 2200) <small>(08 53 13 00-0002)</small>		
08 53 13 00-0060	EA		24" x 54", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	253.14	49.64
			<i>For Colored Vinyl, Add</i>	15.39	
			<i>For Tinted Glass, Add</i>	18.46	
			<i>For Low-E Insulated Glass, Add</i>	38.46	
			<i>For Obscure Glass, Add</i>	42.31	
08 53 13 00-0061	EA		28" x 54", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	263.88	51.42
			<i>For Colored Vinyl, Add</i>	16.11	
			<i>For Tinted Glass, Add</i>	19.33	
			<i>For Low-E Insulated Glass, Add</i>	40.26	
			<i>For Obscure Glass, Add</i>	44.29	
08 53 13 00-0062	EA		30" x 54", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	269.96	52.30
			<i>For Colored Vinyl, Add</i>	16.54	
			<i>For Tinted Glass, Add</i>	19.84	
			<i>For Low-E Insulated Glass, Add</i>	41.34	
			<i>For Obscure Glass, Add</i>	45.47	
08 53 13 00-0063	EA		32" x 54", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	274.88	53.19
			<i>For Colored Vinyl, Add</i>	16.85	
			<i>For Tinted Glass, Add</i>	20.22	
			<i>For Low-E Insulated Glass, Add</i>	42.13	
			<i>For Obscure Glass, Add</i>	46.34	
08 53 13 00-0064	EA		36" x 54", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	288.78	54.96
			<i>For Colored Vinyl, Add</i>	17.89	
			<i>For Tinted Glass, Add</i>	21.46	
			<i>For Low-E Insulated Glass, Add</i>	44.72	
			<i>For Obscure Glass, Add</i>	49.19	
08 53 13 00-0065	EA		44" x 54", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	311.21	58.50
			<i>For Colored Vinyl, Add</i>	19.42	
			<i>For Tinted Glass, Add</i>	23.30	
			<i>For Low-E Insulated Glass, Add</i>	48.55	
			<i>For Obscure Glass, Add</i>	53.41	
08 53 13 00-0066			60" Height, New Construction, Single Hung Vinyl Windows (Silver Line 2200) <small>(08 53 13 00-0002)</small>		
08 53 13 00-0067	EA		24" x 60", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	266.05	52.30
			<i>For Colored Vinyl, Add</i>	16.15	
			<i>For Tinted Glass, Add</i>	19.37	
			<i>For Low-E Insulated Glass, Add</i>	40.36	
			<i>For Obscure Glass, Add</i>	44.40	
08 53 13 00-0068	EA		28" x 60", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	276.80	54.07
			<i>For Colored Vinyl, Add</i>	16.87	
			<i>For Tinted Glass, Add</i>	20.24	
			<i>For Low-E Insulated Glass, Add</i>	42.16	
			<i>For Obscure Glass, Add</i>	46.38	
08 53 13 00-0069	EA		30" x 60", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	283.37	54.96
			<i>For Colored Vinyl, Add</i>	17.35	
			<i>For Tinted Glass, Add</i>	20.81	
			<i>For Low-E Insulated Glass, Add</i>	43.36	
			<i>For Obscure Glass, Add</i>	47.70	
08 53 13 00-0070	EA		32" x 60", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	288.28	55.85
			<i>For Colored Vinyl, Add</i>	17.66	
			<i>For Tinted Glass, Add</i>	21.19	
			<i>For Low-E Insulated Glass, Add</i>	44.15	
			<i>For Obscure Glass, Add</i>	48.56	
08 53 13 00-0071	EA		36" x 60", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	302.71	57.62
			<i>For Colored Vinyl, Add</i>	18.75	
			<i>For Tinted Glass, Add</i>	22.50	
			<i>For Low-E Insulated Glass, Add</i>	46.87	
			<i>For Obscure Glass, Add</i>	51.55	
08 53 13 00-0072	EA		44" x 60", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	325.83	61.17
			<i>For Colored Vinyl, Add</i>	20.35	
			<i>For Tinted Glass, Add</i>	24.42	
			<i>For Low-E Insulated Glass, Add</i>	50.88	
			<i>For Obscure Glass, Add</i>	55.96	
08 53 13 00-0073			62" Height, New Construction, Single Hung Vinyl Windows (Silver Line 2200) <small>(08 53 13 00-0002)</small>		

08 Openings**08 50 Windows**

08 53 Plastic Windows



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 53 13 00-0074	EA		24" x 62", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	270.26	53.19
			<i>For Colored Vinyl, Add</i>	16.39	
			<i>For Tinted Glass, Add</i>	19.67	
			<i>For Low-E Insulated Glass, Add</i>	40.97	
			<i>For Obscure Glass, Add</i>	45.07	
08 53 13 00-0075	EA		28" x 62", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	281.00	54.96
			<i>For Colored Vinyl, Add</i>	17.11	
			<i>For Tinted Glass, Add</i>	20.53	
			<i>For Low-E Insulated Glass, Add</i>	42.77	
			<i>For Obscure Glass, Add</i>	47.05	
08 53 13 00-0076	EA		30" x 62", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	287.78	55.85
			<i>For Colored Vinyl, Add</i>	17.61	
			<i>For Tinted Glass, Add</i>	21.13	
			<i>For Low-E Insulated Glass, Add</i>	44.02	
			<i>For Obscure Glass, Add</i>	48.42	
08 53 13 00-0077	EA		32" x 62", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	292.69	56.73
			<i>For Colored Vinyl, Add</i>	17.92	
			<i>For Tinted Glass, Add</i>	21.51	
			<i>For Low-E Insulated Glass, Add</i>	44.81	
			<i>For Obscure Glass, Add</i>	49.29	
08 53 13 00-0078	EA		36" x 62", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	307.28	58.50
			<i>For Colored Vinyl, Add</i>	19.03	
			<i>For Tinted Glass, Add</i>	22.83	
			<i>For Low-E Insulated Glass, Add</i>	47.57	
			<i>For Obscure Glass, Add</i>	52.32	
08 53 13 00-0079	EA		44" x 62", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	330.65	62.05
			<i>For Colored Vinyl, Add</i>	20.65	
			<i>For Tinted Glass, Add</i>	24.78	
			<i>For Low-E Insulated Glass, Add</i>	51.64	
			<i>For Obscure Glass, Add</i>	56.80	
08 53 13 00-0080			66" Height, New Construction, Single Hung Vinyl Windows (Silver Line 2200) (08 53 13 00-0002)		
08 53 13 00-0081	EA		24" x 66", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	278.79	54.96
			<i>For Colored Vinyl, Add</i>	16.89	
			<i>For Tinted Glass, Add</i>	20.26	
			<i>For Low-E Insulated Glass, Add</i>	42.22	
			<i>For Obscure Glass, Add</i>	46.44	
08 53 13 00-0082	EA		28" x 66", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	289.52	56.73
			<i>For Colored Vinyl, Add</i>	17.61	
			<i>For Tinted Glass, Add</i>	21.13	
			<i>For Low-E Insulated Glass, Add</i>	44.02	
			<i>For Obscure Glass, Add</i>	48.42	
08 53 13 00-0083	EA		30" x 66", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	296.63	57.62
			<i>For Colored Vinyl, Add</i>	18.14	
			<i>For Tinted Glass, Add</i>	21.77	
			<i>For Low-E Insulated Glass, Add</i>	45.35	
			<i>For Obscure Glass, Add</i>	49.88	
08 53 13 00-0084	EA		32" x 66", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	301.55	58.50
			<i>For Colored Vinyl, Add</i>	18.45	
			<i>For Tinted Glass, Add</i>	22.14	
			<i>For Low-E Insulated Glass, Add</i>	46.14	
			<i>For Obscure Glass, Add</i>	50.75	
08 53 13 00-0085	EA		36" x 66", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	316.50	60.28
			<i>For Colored Vinyl, Add</i>	19.60	
			<i>For Tinted Glass, Add</i>	23.51	
			<i>For Low-E Insulated Glass, Add</i>	48.99	
			<i>For Obscure Glass, Add</i>	53.89	
08 53 13 00-0086	EA		44" x 66", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	340.29	63.82
			<i>For Colored Vinyl, Add</i>	21.26	
			<i>For Tinted Glass, Add</i>	25.52	
			<i>For Low-E Insulated Glass, Add</i>	53.16	
			<i>For Obscure Glass, Add</i>	58.48	
08 53 13 00-0087			72" Height, New Construction, Single Hung Vinyl Windows (Silver Line 2200) (08 53 13 00-0002)		
08 53 13 00-0088	EA		24" x 72", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	291.71	57.62
			<i>For Colored Vinyl, Add</i>	17.65	
			<i>For Tinted Glass, Add</i>	21.18	
			<i>For Low-E Insulated Glass, Add</i>	44.12	
			<i>For Obscure Glass, Add</i>	48.53	
08 53 13 00-0089	EA		28" x 72", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	302.44	59.40
			<i>For Colored Vinyl, Add</i>	18.37	
			<i>For Tinted Glass, Add</i>	22.04	
			<i>For Low-E Insulated Glass, Add</i>	45.92	
			<i>For Obscure Glass, Add</i>	50.51	
08 53 13 00-0090	EA		30" x 72", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	309.54	60.28
			<i>For Colored Vinyl, Add</i>	18.90	
			<i>For Tinted Glass, Add</i>	22.68	
			<i>For Low-E Insulated Glass, Add</i>	47.25	
			<i>For Obscure Glass, Add</i>	51.97	



Openings	08	08
Windows	08 50	
Plastic Windows	08 53	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 53 13 00-0091	EA		32" x 72", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	314.47	61.17
			<i>For Colored Vinyl, Add</i>	19.21	
			<i>For Tinted Glass, Add</i>	23.06	
			<i>For Low-E Insulated Glass, Add</i>	48.04	
			<i>For Obscure Glass, Add</i>	52.84	
08 53 13 00-0092	EA		36" x 72", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	329.42	62.94
			<i>For Colored Vinyl, Add</i>	20.35	
			<i>For Tinted Glass, Add</i>	24.42	
			<i>For Low-E Insulated Glass, Add</i>	50.89	
			<i>For Obscure Glass, Add</i>	55.97	
08 53 13 00-0093	EA		44" x 72", New Construction, Single Hung Vinyl Window (Silver Line 2200).....	353.21	66.48
			<i>For Colored Vinyl, Add</i>	22.02	
			<i>For Tinted Glass, Add</i>	26.43	
			<i>For Low-E Insulated Glass, Add</i>	55.06	
			<i>For Obscure Glass, Add</i>	60.57	
08 53 13 00-0094			Replacement, Single Hung Vinyl Windows (Silver Line 2000) <small>(08 53 13 00-0001)</small>		
			Note: Includes white solid vinyl interior and exterior, standard hardware, clear insulated glass and insect screen. Excludes grilles. Pricing calculated by the United Inch (the combined inches of one width and one height).		
08 53 13 00-0095	EA		Up To 73" UI, Replacement, Single Hung Vinyl Window (Silver Line 2000)	300.19	46.54
			<i>For Colored Vinyl, Add</i>	20.71	
			<i>For Tinted Glass, Add</i>	24.85	
			<i>For Low-E Insulated Glass, Add</i>	51.78	
			<i>For Obscure Glass, Add</i>	56.96	
08 53 13 00-0096	EA		>73" To 83" UI, Replacement, Single Hung Vinyl Window (Silver Line 2000).....	329.01	50.97
			<i>For Colored Vinyl, Add</i>	22.71	
			<i>For Tinted Glass, Add</i>	27.25	
			<i>For Low-E Insulated Glass, Add</i>	56.77	
			<i>For Obscure Glass, Add</i>	62.44	
08 53 13 00-0097	EA		>83" To 93" UI, Replacement, Single Hung Vinyl Window (Silver Line 2000).....	355.82	55.40
			<i>For Colored Vinyl, Add</i>	24.50	
			<i>For Tinted Glass, Add</i>	29.40	
			<i>For Low-E Insulated Glass, Add</i>	61.25	
			<i>For Obscure Glass, Add</i>	67.38	
08 53 13 00-0098	EA		>93" To 101" UI, Replacement, Single Hung Vinyl Window (Silver Line 2000).....	375.52	59.84
			<i>For Colored Vinyl, Add</i>	25.59	
			<i>For Tinted Glass, Add</i>	30.70	
			<i>For Low-E Insulated Glass, Add</i>	63.96	
			<i>For Obscure Glass, Add</i>	70.36	
08 53 13 00-0099	EA		>101" To 110" UI, Replacement, Single Hung Vinyl Window (Silver Line 2000).....	396.03	64.27
			<i>For Colored Vinyl, Add</i>	26.75	
			<i>For Tinted Glass, Add</i>	32.10	
			<i>For Low-E Insulated Glass, Add</i>	66.88	
			<i>For Obscure Glass, Add</i>	73.56	
08 53 13 00-0100	EA		>110" To 120" UI, Replacement, Single Hung Vinyl Window (Silver Line 2000).....	429.22	68.70
			<i>For Colored Vinyl, Add</i>	29.18	
			<i>For Tinted Glass, Add</i>	35.02	
			<i>For Low-E Insulated Glass, Add</i>	72.96	
			<i>For Obscure Glass, Add</i>	80.25	
08 53 13 00-0101	UI		>120" UI, Replacement, Single Hung Vinyl Window (Silver Line 2000)	3.59	0.57
			<i>For Colored Vinyl, Add</i>	0.24	
			<i>For Tinted Glass, Add</i>	0.29	
			<i>For Low-E Insulated Glass, Add</i>	0.61	
			<i>For Obscure Glass, Add</i>	0.67	
08 53 13 00-0102			Double Hung Vinyl Windows <small>(08 53 13)</small>		
08 53 13 00-0103			New Construction, Double Hung Vinyl Windows (Silver Line 3900) <small>(08 53 13 00-0102)</small>		
			Note: Includes white solid vinyl interior and exterior, standard hardware, clear insulated glass and insect screen. Excludes grilles.		
08 53 13 00-0104			34" Height, New Construction, Double Hung Vinyl Windows (Silver Line 3900) <small>(08 53 13 00-0103)</small>		
08 53 13 00-0105	EA		24" x 34", New Construction, Double Hung Vinyl Window (Silver Line 3900)	288.58	40.77
			<i>For Colored Vinyl, Add</i>	20.70	
			<i>For Tinted Glass, Add</i>	24.84	
			<i>For Low-E Insulated Glass, Add</i>	51.76	
			<i>For Obscure Glass, Add</i>	56.93	
08 53 13 00-0106	EA		28" x 34", New Construction, Double Hung Vinyl Window (Silver Line 3900)	299.32	42.55
			<i>For Colored Vinyl, Add</i>	21.42	
			<i>For Tinted Glass, Add</i>	25.71	
			<i>For Low-E Insulated Glass, Add</i>	53.56	
			<i>For Obscure Glass, Add</i>	58.91	
08 53 13 00-0107	EA		30" x 34", New Construction, Double Hung Vinyl Window (Silver Line 3900)	304.54	43.44
			<i>For Colored Vinyl, Add</i>	21.77	
			<i>For Tinted Glass, Add</i>	26.12	
			<i>For Low-E Insulated Glass, Add</i>	54.42	
			<i>For Obscure Glass, Add</i>	59.86	
08 53 13 00-0108	EA		32" x 34", New Construction, Double Hung Vinyl Window (Silver Line 3900)	309.45	44.33
			<i>For Colored Vinyl, Add</i>	22.08	
			<i>For Tinted Glass, Add</i>	26.50	
			<i>For Low-E Insulated Glass, Add</i>	55.20	
			<i>For Obscure Glass, Add</i>	60.72	

08 Openings**08 50 Windows****08 53 Plastic Windows**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 53 13 00-0109	EA		36" x 34", New Construction, Double Hung Vinyl Window (Silver Line 3900)	321.13	46.10
			<i>For Colored Vinyl, Add</i>	22.89	
			<i>For Tinted Glass, Add</i>	27.47	
			<i>For Low-E Insulated Glass, Add</i>	57.24	
			<i>For Obscure Glass, Add</i>	62.96	
08 53 13 00-0110	EA		44" x 34", New Construction, Double Hung Vinyl Window (Silver Line 3900)	340.65	49.64
			<i>For Colored Vinyl, Add</i>	24.14	
			<i>For Tinted Glass, Add</i>	28.96	
			<i>For Low-E Insulated Glass, Add</i>	60.34	
			<i>For Obscure Glass, Add</i>	66.37	
08 53 13 00-0111			36" Height, New Construction, Double Hung Vinyl Windows (Silver Line 3900) <small>(08 53 13 00-0103)</small>		
08 53 13 00-0112	EA		24" x 36", New Construction, Double Hung Vinyl Window (Silver Line 3900)	292.89	41.66
			<i>For Colored Vinyl, Add</i>	20.96	
			<i>For Tinted Glass, Add</i>	25.15	
			<i>For Low-E Insulated Glass, Add</i>	52.39	
			<i>For Obscure Glass, Add</i>	57.63	
08 53 13 00-0113	EA		28" x 36", New Construction, Double Hung Vinyl Window (Silver Line 3900)	303.63	43.44
			<i>For Colored Vinyl, Add</i>	21.68	
			<i>For Tinted Glass, Add</i>	26.01	
			<i>For Low-E Insulated Glass, Add</i>	54.19	
			<i>For Obscure Glass, Add</i>	59.61	
08 53 13 00-0114	EA		30" x 36", New Construction, Double Hung Vinyl Window (Silver Line 3900)	308.84	44.33
			<i>For Colored Vinyl, Add</i>	22.02	
			<i>For Tinted Glass, Add</i>	26.42	
			<i>For Low-E Insulated Glass, Add</i>	55.05	
			<i>For Obscure Glass, Add</i>	60.56	
08 53 13 00-0115	EA		32" x 36", New Construction, Double Hung Vinyl Window (Silver Line 3900)	313.75	45.21
			<i>For Colored Vinyl, Add</i>	22.33	
			<i>For Tinted Glass, Add</i>	26.80	
			<i>For Low-E Insulated Glass, Add</i>	55.84	
			<i>For Obscure Glass, Add</i>	61.42	
08 53 13 00-0116	EA		36" x 36", New Construction, Double Hung Vinyl Window (Silver Line 3900)	325.43	46.98
			<i>For Colored Vinyl, Add</i>	23.15	
			<i>For Tinted Glass, Add</i>	27.78	
			<i>For Low-E Insulated Glass, Add</i>	57.87	
			<i>For Obscure Glass, Add</i>	63.65	
08 53 13 00-0117	EA		44" x 36", New Construction, Double Hung Vinyl Window (Silver Line 3900)	344.95	50.52
			<i>For Colored Vinyl, Add</i>	24.39	
			<i>For Tinted Glass, Add</i>	29.27	
			<i>For Low-E Insulated Glass, Add</i>	60.97	
			<i>For Obscure Glass, Add</i>	67.07	
08 53 13 00-0118			38" Height, New Construction, Double Hung Vinyl Windows (Silver Line 3900) <small>(08 53 13 00-0103)</small>		
08 53 13 00-0119	EA		24" x 38", New Construction, Double Hung Vinyl Window (Silver Line 3900)	296.83	42.55
			<i>For Colored Vinyl, Add</i>	21.17	
			<i>For Tinted Glass, Add</i>	25.41	
			<i>For Low-E Insulated Glass, Add</i>	52.93	
			<i>For Obscure Glass, Add</i>	58.23	
08 53 13 00-0120	EA		28" x 38", New Construction, Double Hung Vinyl Window (Silver Line 3900)	307.57	44.33
			<i>For Colored Vinyl, Add</i>	21.89	
			<i>For Tinted Glass, Add</i>	26.27	
			<i>For Low-E Insulated Glass, Add</i>	54.73	
			<i>For Obscure Glass, Add</i>	60.21	
08 53 13 00-0121	EA		30" x 38", New Construction, Double Hung Vinyl Window (Silver Line 3900)	312.92	45.21
			<i>For Colored Vinyl, Add</i>	22.25	
			<i>For Tinted Glass, Add</i>	26.70	
			<i>For Low-E Insulated Glass, Add</i>	55.63	
			<i>For Obscure Glass, Add</i>	61.19	
08 53 13 00-0122	EA		32" x 38", New Construction, Double Hung Vinyl Window (Silver Line 3900)	317.84	46.10
			<i>For Colored Vinyl, Add</i>	22.57	
			<i>For Tinted Glass, Add</i>	27.08	
			<i>For Low-E Insulated Glass, Add</i>	56.41	
			<i>For Obscure Glass, Add</i>	62.05	
08 53 13 00-0123	EA		36" x 38", New Construction, Double Hung Vinyl Window (Silver Line 3900)	329.71	47.87
			<i>For Colored Vinyl, Add</i>	23.40	
			<i>For Tinted Glass, Add</i>	28.08	
			<i>For Low-E Insulated Glass, Add</i>	58.50	
			<i>For Obscure Glass, Add</i>	64.34	
08 53 13 00-0124	EA		44" x 38", New Construction, Double Hung Vinyl Window (Silver Line 3900)	349.44	51.42
			<i>For Colored Vinyl, Add</i>	24.66	
			<i>For Tinted Glass, Add</i>	29.59	
			<i>For Low-E Insulated Glass, Add</i>	61.65	
			<i>For Obscure Glass, Add</i>	67.82	
08 53 13 00-0125			44" Height, New Construction, Double Hung Vinyl Windows (Silver Line 3900) <small>(08 53 13 00-0103)</small>		



Openings	08	08
Windows	08 50	
Plastic Windows	08 53	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 53 13 00-0126	EA		24" x 44", New Construction, Double Hung Vinyl Window (Silver Line 3900).....	310.03	45.21
			<i>For Colored Vinyl, Add</i>	21.96	
			<i>For Tinted Glass, Add</i>	26.35	
			<i>For Low-E Insulated Glass, Add</i>	54.91	
			<i>For Obscure Glass, Add</i>	60.40	
08 53 13 00-0127	EA		28" x 44", New Construction, Double Hung Vinyl Window (Silver Line 3900).....	320.77	46.98
			<i>For Colored Vinyl, Add</i>	22.68	
			<i>For Tinted Glass, Add</i>	27.22	
			<i>For Low-E Insulated Glass, Add</i>	56.70	
			<i>For Obscure Glass, Add</i>	62.37	
08 53 13 00-0128	EA		30" x 44", New Construction, Double Hung Vinyl Window (Silver Line 3900).....	325.30	47.87
			<i>For Colored Vinyl, Add</i>	22.96	
			<i>For Tinted Glass, Add</i>	27.65	
			<i>For Low-E Insulated Glass, Add</i>	57.39	
			<i>For Obscure Glass, Add</i>	63.13	
08 53 13 00-0129	EA		32" x 44", New Construction, Double Hung Vinyl Window (Silver Line 3900).....	330.22	48.75
			<i>For Colored Vinyl, Add</i>	23.27	
			<i>For Tinted Glass, Add</i>	27.93	
			<i>For Low-E Insulated Glass, Add</i>	58.18	
			<i>For Obscure Glass, Add</i>	64.00	
08 53 13 00-0130	EA		36" x 44", New Construction, Double Hung Vinyl Window (Silver Line 3900).....	342.54	50.52
			<i>For Colored Vinyl, Add</i>	24.15	
			<i>For Tinted Glass, Add</i>	28.98	
			<i>For Low-E Insulated Glass, Add</i>	60.37	
			<i>For Obscure Glass, Add</i>	66.41	
08 53 13 00-0131	EA		44" x 44", New Construction, Double Hung Vinyl Window (Silver Line 3900).....	363.27	54.07
			<i>For Colored Vinyl, Add</i>	25.51	
			<i>For Tinted Glass, Add</i>	30.61	
			<i>For Low-E Insulated Glass, Add</i>	63.78	
			<i>For Obscure Glass, Add</i>	70.16	
08 53 13 00-0132			46" Height, New Construction, Double Hung Vinyl Windows (Silver Line 3900) <small>(08 53 13 00-0103)</small>		
08 53 13 00-0133	EA		24" x 46", New Construction, Double Hung Vinyl Window (Silver Line 3900).....	313.95	46.10
			<i>For Colored Vinyl, Add</i>	22.18	
			<i>For Tinted Glass, Add</i>	26.61	
			<i>For Low-E Insulated Glass, Add</i>	55.44	
			<i>For Obscure Glass, Add</i>	60.98	
08 53 13 00-0134	EA		28" x 46", New Construction, Double Hung Vinyl Window (Silver Line 3900).....	324.69	47.87
			<i>For Colored Vinyl, Add</i>	22.90	
			<i>For Tinted Glass, Add</i>	27.48	
			<i>For Low-E Insulated Glass, Add</i>	57.24	
			<i>For Obscure Glass, Add</i>	62.96	
08 53 13 00-0135	EA		30" x 46", New Construction, Double Hung Vinyl Window (Silver Line 3900).....	329.45	48.75
			<i>For Colored Vinyl, Add</i>	23.19	
			<i>For Tinted Glass, Add</i>	27.83	
			<i>For Low-E Insulated Glass, Add</i>	57.99	
			<i>For Obscure Glass, Add</i>	63.78	
08 53 13 00-0136	EA		32" x 46", New Construction, Double Hung Vinyl Window (Silver Line 3900).....	334.37	49.64
			<i>For Colored Vinyl, Add</i>	23.51	
			<i>For Tinted Glass, Add</i>	28.21	
			<i>For Low-E Insulated Glass, Add</i>	58.77	
			<i>For Obscure Glass, Add</i>	64.65	
08 53 13 00-0137	EA		36" x 46", New Construction, Double Hung Vinyl Window (Silver Line 3900).....	346.82	51.42
			<i>For Colored Vinyl, Add</i>	24.40	
			<i>For Tinted Glass, Add</i>	29.28	
			<i>For Low-E Insulated Glass, Add</i>	61.00	
			<i>For Obscure Glass, Add</i>	67.10	
08 53 13 00-0138	EA		44" x 46", New Construction, Double Hung Vinyl Window (Silver Line 3900).....	368.16	54.96
			<i>For Colored Vinyl, Add</i>	25.82	
			<i>For Tinted Glass, Add</i>	30.99	
			<i>For Low-E Insulated Glass, Add</i>	64.56	
			<i>For Obscure Glass, Add</i>	71.02	
08 53 13 00-0139			48" Height, New Construction, Double Hung Vinyl Windows (Silver Line 3900) <small>(08 53 13 00-0103)</small>		
08 53 13 00-0140	EA		24" x 48", New Construction, Double Hung Vinyl Window (Silver Line 3900).....	317.91	46.98
			<i>For Colored Vinyl, Add</i>	22.40	
			<i>For Tinted Glass, Add</i>	26.87	
			<i>For Low-E Insulated Glass, Add</i>	55.99	
			<i>For Obscure Glass, Add</i>	61.59	
08 53 13 00-0141	EA		28" x 48", New Construction, Double Hung Vinyl Window (Silver Line 3900).....	328.66	48.75
			<i>For Colored Vinyl, Add</i>	23.12	
			<i>For Tinted Glass, Add</i>	27.74	
			<i>For Low-E Insulated Glass, Add</i>	57.79	
			<i>For Obscure Glass, Add</i>	63.57	
08 53 13 00-0142	EA		30" x 48", New Construction, Double Hung Vinyl Window (Silver Line 3900).....	333.54	49.64
			<i>For Colored Vinyl, Add</i>	23.43	
			<i>For Tinted Glass, Add</i>	28.11	
			<i>For Low-E Insulated Glass, Add</i>	58.56	
			<i>For Obscure Glass, Add</i>	64.42	

08 Openings**08 50 Windows****08 53 Plastic Windows**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 53 13 00-0143	EA		32" x 48", New Construction, Double Hung Vinyl Window (Silver Line 3900)	338.45	50.52
			<i>For Colored Vinyl, Add</i>	23.74	
			<i>For Tinted Glass, Add</i>	28.49	
			<i>For Low-E Insulated Glass, Add</i>	59.35	
			<i>For Obscure Glass, Add</i>	65.28	
08 53 13 00-0144	EA		36" x 48", New Construction, Double Hung Vinyl Window (Silver Line 3900)	351.11	52.30
			<i>For Colored Vinyl, Add</i>	24.65	
			<i>For Tinted Glass, Add</i>	29.58	
			<i>For Low-E Insulated Glass, Add</i>	61.63	
			<i>For Obscure Glass, Add</i>	67.79	
08 53 13 00-0145	EA		44" x 48", New Construction, Double Hung Vinyl Window (Silver Line 3900)	372.97	55.85
			<i>For Colored Vinyl, Add</i>	26.13	
			<i>For Tinted Glass, Add</i>	31.35	
			<i>For Low-E Insulated Glass, Add</i>	65.32	
			<i>For Obscure Glass, Add</i>	71.85	
08 53 13 00-0146			50" Height, New Construction, Double Hung Vinyl Windows (Silver Line		
			3900) <small>(08 53 13 00-0103)</small>		
08 53 13 00-0147	EA		24" x 50", New Construction, Double Hung Vinyl Window (Silver Line 3900)	321.83	47.87
			<i>For Colored Vinyl, Add</i>	22.61	
			<i>For Tinted Glass, Add</i>	27.13	
			<i>For Low-E Insulated Glass, Add</i>	56.53	
			<i>For Obscure Glass, Add</i>	62.18	
08 53 13 00-0148	EA		28" x 50", New Construction, Double Hung Vinyl Window (Silver Line 3900)	332.58	49.64
			<i>For Colored Vinyl, Add</i>	23.33	
			<i>For Tinted Glass, Add</i>	27.99	
			<i>For Low-E Insulated Glass, Add</i>	58.32	
			<i>For Obscure Glass, Add</i>	64.15	
08 53 13 00-0149	EA		30" x 50", New Construction, Double Hung Vinyl Window (Silver Line 3900)	337.66	50.52
			<i>For Colored Vinyl, Add</i>	23.66	
			<i>For Tinted Glass, Add</i>	28.39	
			<i>For Low-E Insulated Glass, Add</i>	59.15	
			<i>For Obscure Glass, Add</i>	65.07	
08 53 13 00-0150	EA		32" x 50", New Construction, Double Hung Vinyl Window (Silver Line 3900)	342.57	51.42
			<i>For Colored Vinyl, Add</i>	23.97	
			<i>For Tinted Glass, Add</i>	28.77	
			<i>For Low-E Insulated Glass, Add</i>	59.94	
			<i>For Obscure Glass, Add</i>	65.93	
08 53 13 00-0151	EA		36" x 50", New Construction, Double Hung Vinyl Window (Silver Line 3900)	355.39	53.19
			<i>For Colored Vinyl, Add</i>	24.90	
			<i>For Tinted Glass, Add</i>	29.88	
			<i>For Low-E Insulated Glass, Add</i>	62.26	
			<i>For Obscure Glass, Add</i>	68.48	
08 53 13 00-0152	EA		44" x 50", New Construction, Double Hung Vinyl Window (Silver Line 3900)	377.84	56.73
			<i>For Colored Vinyl, Add</i>	26.44	
			<i>For Tinted Glass, Add</i>	31.73	
			<i>For Low-E Insulated Glass, Add</i>	66.10	
			<i>For Obscure Glass, Add</i>	72.70	
08 53 13 00-0153			52" Height, New Construction, Double Hung Vinyl Windows (Silver Line		
			3900) <small>(08 53 13 00-0103)</small>		
08 53 13 00-0154	EA		24" x 52", New Construction, Double Hung Vinyl Window (Silver Line 3900)	325.78	48.75
			<i>For Colored Vinyl, Add</i>	22.83	
			<i>For Tinted Glass, Add</i>	27.39	
			<i>For Low-E Insulated Glass, Add</i>	57.07	
			<i>For Obscure Glass, Add</i>	62.77	
08 53 13 00-0155	EA		28" x 52", New Construction, Double Hung Vinyl Window (Silver Line 3900)	336.52	50.52
			<i>For Colored Vinyl, Add</i>	23.55	
			<i>For Tinted Glass, Add</i>	28.26	
			<i>For Low-E Insulated Glass, Add</i>	58.87	
			<i>For Obscure Glass, Add</i>	64.75	
08 53 13 00-0156	EA		30" x 52", New Construction, Double Hung Vinyl Window (Silver Line 3900)	341.74	51.42
			<i>For Colored Vinyl, Add</i>	23.89	
			<i>For Tinted Glass, Add</i>	28.67	
			<i>For Low-E Insulated Glass, Add</i>	59.73	
			<i>For Obscure Glass, Add</i>	65.70	
08 53 13 00-0157	EA		32" x 52", New Construction, Double Hung Vinyl Window (Silver Line 3900)	346.65	52.30
			<i>For Colored Vinyl, Add</i>	24.21	
			<i>For Tinted Glass, Add</i>	29.05	
			<i>For Low-E Insulated Glass, Add</i>	60.51	
			<i>For Obscure Glass, Add</i>	66.56	
08 53 13 00-0158	EA		36" x 52", New Construction, Double Hung Vinyl Window (Silver Line 3900)	360.03	54.07
			<i>For Colored Vinyl, Add</i>	25.19	
			<i>For Tinted Glass, Add</i>	30.23	
			<i>For Low-E Insulated Glass, Add</i>	62.97	
			<i>For Obscure Glass, Add</i>	69.27	
08 53 13 00-0159	EA		44" x 52", New Construction, Double Hung Vinyl Window (Silver Line 3900)	382.64	57.62
			<i>For Colored Vinyl, Add</i>	26.74	
			<i>For Tinted Glass, Add</i>	32.09	
			<i>For Low-E Insulated Glass, Add</i>	66.85	
			<i>For Obscure Glass, Add</i>	73.54	



Openings	08	08
Windows	08 50	
Plastic Windows	08 53	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 53 13 00-0160 54" Height, New Construction, Double Hung Vinyl Windows (Silver Line 3900) <small>(08 53 13 00-0103)</small>		
08 53 13 00-0161 EA 24" x 54", New Construction, Double Hung Vinyl Window (Silver Line 3900).....	329.75	49.64
For Colored Vinyl, Add	23.05	
For Tinted Glass, Add	27.66	
For Low-E Insulated Glass, Add	57.62	
For Obscure Glass, Add	63.38	
08 53 13 00-0162 EA 28" x 54", New Construction, Double Hung Vinyl Window (Silver Line 3900).....	340.48	51.42
For Colored Vinyl, Add	23.77	
For Tinted Glass, Add	28.52	
For Low-E Insulated Glass, Add	59.41	
For Obscure Glass, Add	65.35	
08 53 13 00-0163 EA 30" x 54", New Construction, Double Hung Vinyl Window (Silver Line 3900).....	345.88	52.30
For Colored Vinyl, Add	24.13	
For Tinted Glass, Add	28.95	
For Low-E Insulated Glass, Add	60.32	
For Obscure Glass, Add	66.35	
08 53 13 00-0164 EA 32" x 54", New Construction, Double Hung Vinyl Window (Silver Line 3900).....	350.79	53.19
For Colored Vinyl, Add	24.44	
For Tinted Glass, Add	29.33	
For Low-E Insulated Glass, Add	61.11	
For Obscure Glass, Add	67.22	
08 53 13 00-0165 EA 36" x 54", New Construction, Double Hung Vinyl Window (Silver Line 3900).....	364.65	54.96
For Colored Vinyl, Add	25.47	
For Tinted Glass, Add	30.57	
For Low-E Insulated Glass, Add	63.68	
For Obscure Glass, Add	70.05	
08 53 13 00-0166 EA 44" x 54", New Construction, Double Hung Vinyl Window (Silver Line 3900).....	387.45	58.50
For Colored Vinyl, Add	27.04	
For Tinted Glass, Add	32.45	
For Low-E Insulated Glass, Add	67.61	
For Obscure Glass, Add	74.37	
08 53 13 00-0167 60" Height, New Construction, Double Hung Vinyl Windows (Silver Line 3900) <small>(08 53 13 00-0103)</small>		
08 53 13 00-0168 EA 24" x 60", New Construction, Double Hung Vinyl Window (Silver Line 3900).....	341.60	52.30
For Colored Vinyl, Add	23.70	
For Tinted Glass, Add	28.44	
For Low-E Insulated Glass, Add	59.25	
For Obscure Glass, Add	65.18	
08 53 13 00-0169 EA 28" x 60", New Construction, Double Hung Vinyl Window (Silver Line 3900).....	352.35	54.07
For Colored Vinyl, Add	24.42	
For Tinted Glass, Add	29.30	
For Low-E Insulated Glass, Add	61.05	
For Obscure Glass, Add	67.16	
08 53 13 00-0170 EA 30" x 60", New Construction, Double Hung Vinyl Window (Silver Line 3900).....	358.94	54.96
For Colored Vinyl, Add	24.90	
For Tinted Glass, Add	29.88	
For Low-E Insulated Glass, Add	62.26	
For Obscure Glass, Add	68.48	
08 53 13 00-0171 EA 32" x 60", New Construction, Double Hung Vinyl Window (Silver Line 3900).....	363.85	55.85
For Colored Vinyl, Add	25.22	
For Tinted Glass, Add	30.26	
For Low-E Insulated Glass, Add	63.04	
For Obscure Glass, Add	69.34	
08 53 13 00-0172 EA 36" x 60", New Construction, Double Hung Vinyl Window (Silver Line 3900).....	378.49	57.62
For Colored Vinyl, Add	26.33	
For Tinted Glass, Add	31.59	
For Low-E Insulated Glass, Add	65.81	
For Obscure Glass, Add	72.39	
08 53 13 00-0173 EA 44" x 60", New Construction, Double Hung Vinyl Window (Silver Line 3900).....	401.93	61.17
For Colored Vinyl, Add	27.96	
For Tinted Glass, Add	33.55	
For Low-E Insulated Glass, Add	69.90	
For Obscure Glass, Add	76.89	
08 53 13 00-0174 62" Height, New Construction, Double Hung Vinyl Windows (Silver Line 3900) <small>(08 53 13 00-0103)</small>		
08 53 13 00-0175 EA 24" x 62", New Construction, Double Hung Vinyl Window (Silver Line 3900).....	345.54	53.19
For Colored Vinyl, Add	23.92	
For Tinted Glass, Add	28.70	
For Low-E Insulated Glass, Add	59.79	
For Obscure Glass, Add	65.77	
08 53 13 00-0176 EA 28" x 62", New Construction, Double Hung Vinyl Window (Silver Line 3900).....	356.29	54.96
For Colored Vinyl, Add	24.64	
For Tinted Glass, Add	29.56	
For Low-E Insulated Glass, Add	61.59	
For Obscure Glass, Add	67.75	

08 Openings**08 50 Windows****08 53 Plastic Windows**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 53 13 00-0177	EA		30" x 62", New Construction, Double Hung Vinyl Window (Silver Line 3900)	363.36	55.85
			<i>For Colored Vinyl, Add</i>	25.17	
			<i>For Tinted Glass, Add</i>	30.20	
			<i>For Low-E Insulated Glass, Add</i>	62.92	
			<i>For Obscure Glass, Add</i>	69.21	
08 53 13 00-0178	EA		32" x 62", New Construction, Double Hung Vinyl Window (Silver Line 3900)	368.28	56.73
			<i>For Colored Vinyl, Add</i>	25.48	
			<i>For Tinted Glass, Add</i>	30.58	
			<i>For Low-E Insulated Glass, Add</i>	63.71	
			<i>For Obscure Glass, Add</i>	70.08	
08 53 13 00-0179	EA		36" x 62", New Construction, Double Hung Vinyl Window (Silver Line 3900)	383.07	58.50
			<i>For Colored Vinyl, Add</i>	26.61	
			<i>For Tinted Glass, Add</i>	31.93	
			<i>For Low-E Insulated Glass, Add</i>	66.52	
			<i>For Obscure Glass, Add</i>	73.17	
08 53 13 00-0180	EA		44" x 62", New Construction, Double Hung Vinyl Window (Silver Line 3900)	407.16	62.05
			<i>For Colored Vinyl, Add</i>	28.31	
			<i>For Tinted Glass, Add</i>	33.97	
			<i>For Low-E Insulated Glass, Add</i>	70.76	
			<i>For Obscure Glass, Add</i>	77.84	
08 53 13 00-0181			66" Height, New Construction, Double Hung Vinyl Windows (Silver Line 3900) <small>(08 53 13 00-0103)</small>		
08 53 13 00-0182	EA		24" x 66", New Construction, Double Hung Vinyl Window (Silver Line 3900)	354.16	54.96
			<i>For Colored Vinyl, Add</i>	24.42	
			<i>For Tinted Glass, Add</i>	29.31	
			<i>For Low-E Insulated Glass, Add</i>	61.06	
			<i>For Obscure Glass, Add</i>	67.17	
08 53 13 00-0183	EA		28" x 66", New Construction, Double Hung Vinyl Window (Silver Line 3900)	364.89	56.73
			<i>For Colored Vinyl, Add</i>	25.14	
			<i>For Tinted Glass, Add</i>	30.17	
			<i>For Low-E Insulated Glass, Add</i>	62.86	
			<i>For Obscure Glass, Add</i>	69.14	
08 53 13 00-0184	EA		30" x 66", New Construction, Double Hung Vinyl Window (Silver Line 3900)	372.24	57.62
			<i>For Colored Vinyl, Add</i>	25.70	
			<i>For Tinted Glass, Add</i>	30.84	
			<i>For Low-E Insulated Glass, Add</i>	64.25	
			<i>For Obscure Glass, Add</i>	70.68	
08 53 13 00-0185	EA		32" x 66", New Construction, Double Hung Vinyl Window (Silver Line 3900)	377.16	58.50
			<i>For Colored Vinyl, Add</i>	26.02	
			<i>For Tinted Glass, Add</i>	31.22	
			<i>For Low-E Insulated Glass, Add</i>	65.04	
			<i>For Obscure Glass, Add</i>	71.54	
08 53 13 00-0186	EA		36" x 66", New Construction, Double Hung Vinyl Window (Silver Line 3900)	392.33	60.28
			<i>For Colored Vinyl, Add</i>	27.18	
			<i>For Tinted Glass, Add</i>	32.61	
			<i>For Low-E Insulated Glass, Add</i>	67.95	
			<i>For Obscure Glass, Add</i>	74.74	
08 53 13 00-0187	EA		44" x 66", New Construction, Double Hung Vinyl Window (Silver Line 3900)	417.26	63.82
			<i>For Colored Vinyl, Add</i>	28.96	
			<i>For Tinted Glass, Add</i>	34.75	
			<i>For Low-E Insulated Glass, Add</i>	72.40	
			<i>For Obscure Glass, Add</i>	79.64	
08 53 13 00-0188			72" Height, New Construction, Double Hung Vinyl Windows (Silver Line 3900) <small>(08 53 13 00-0103)</small>		
08 53 13 00-0189	EA		24" x 72", New Construction, Double Hung Vinyl Window (Silver Line 3900)	367.08	57.62
			<i>For Colored Vinyl, Add</i>	25.18	
			<i>For Tinted Glass, Add</i>	30.22	
			<i>For Low-E Insulated Glass, Add</i>	62.96	
			<i>For Obscure Glass, Add</i>	69.26	
08 53 13 00-0190	EA		28" x 72", New Construction, Double Hung Vinyl Window (Silver Line 3900)	377.81	59.40
			<i>For Colored Vinyl, Add</i>	25.90	
			<i>For Tinted Glass, Add</i>	31.08	
			<i>For Low-E Insulated Glass, Add</i>	64.76	
			<i>For Obscure Glass, Add</i>	71.23	
08 53 13 00-0191	EA		30" x 72", New Construction, Double Hung Vinyl Window (Silver Line 3900)	385.15	60.28
			<i>For Colored Vinyl, Add</i>	26.46	
			<i>For Tinted Glass, Add</i>	31.75	
			<i>For Low-E Insulated Glass, Add</i>	66.15	
			<i>For Obscure Glass, Add</i>	72.77	
08 53 13 00-0192	EA		32" x 72", New Construction, Double Hung Vinyl Window (Silver Line 3900)	390.08	61.17
			<i>For Colored Vinyl, Add</i>	26.78	
			<i>For Tinted Glass, Add</i>	32.13	
			<i>For Low-E Insulated Glass, Add</i>	66.94	
			<i>For Obscure Glass, Add</i>	73.63	
08 53 13 00-0193	EA		36" x 72", New Construction, Double Hung Vinyl Window (Silver Line 3900)	405.26	62.94
			<i>For Colored Vinyl, Add</i>	27.94	
			<i>For Tinted Glass, Add</i>	33.53	
			<i>For Low-E Insulated Glass, Add</i>	69.85	
			<i>For Obscure Glass, Add</i>	76.83	



Openings	08	08
Windows	08 50	
Plastic Windows	08 53	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 53 13 00-0194	EA		44" x 72", New Construction, Double Hung Vinyl Window (Silver Line 3900).....	430.18	66.48
			<i>For Colored Vinyl, Add</i>	29.72	
			<i>For Tinted Glass, Add</i>	35.67	
			<i>For Low-E Insulated Glass, Add</i>	74.30	
			<i>For Obscure Glass, Add</i>	81.73	
08 53 13 00-0195			Replacement, Double Hung Vinyl Windows (Silver Line 8500) <small>(08 53 13 00-0102)</small>		
			Note: Includes white solid vinyl interior and exterior, standard hardware, clear insulated glass and insect screen. Excludes grilles. Pricing calculated by the United Inch (the combined inches of one width and one height).		
08 53 13 00-0196	EA		Up To 73" UI, Replacement, Double Hung Vinyl Window (Silver Line 8500).....	351.97	46.54
			<i>For Colored Vinyl, Add</i>	25.89	
			<i>For Tinted Glass, Add</i>	31.07	
			<i>For Low-E Insulated Glass, Add</i>	64.72	
			<i>For Obscure Glass, Add</i>	71.19	
08 53 13 00-0197	EA		>73" To 83" UI, Replacement, Double Hung Vinyl Window (Silver Line 8500).....	387.88	50.97
			<i>For Colored Vinyl, Add</i>	28.59	
			<i>For Tinted Glass, Add</i>	34.31	
			<i>For Low-E Insulated Glass, Add</i>	71.49	
			<i>For Obscure Glass, Add</i>	78.63	
08 53 13 00-0198	EA		>83" To 93" UI, Replacement, Double Hung Vinyl Window (Silver Line 8500).....	421.78	55.40
			<i>For Colored Vinyl, Add</i>	31.10	
			<i>For Tinted Glass, Add</i>	37.32	
			<i>For Low-E Insulated Glass, Add</i>	77.74	
			<i>For Obscure Glass, Add</i>	85.52	
08 53 13 00-0199	EA		>93" To 101" UI, Replacement, Double Hung Vinyl Window (Silver Line 8500).....	447.16	59.84
			<i>For Colored Vinyl, Add</i>	32.75	
			<i>For Tinted Glass, Add</i>	39.30	
			<i>For Low-E Insulated Glass, Add</i>	81.87	
			<i>For Obscure Glass, Add</i>	90.06	
08 53 13 00-0200	EA		>101" To 110" UI, Replacement, Double Hung Vinyl Window (Silver Line 8500).....	474.05	64.27
			<i>For Colored Vinyl, Add</i>	34.55	
			<i>For Tinted Glass, Add</i>	41.46	
			<i>For Low-E Insulated Glass, Add</i>	86.38	
			<i>For Obscure Glass, Add</i>	95.02	
08 53 13 00-0201	EA		>110" To 120" UI, Replacement, Double Hung Vinyl Window (Silver Line 8500).....	514.33	68.70
			<i>For Colored Vinyl, Add</i>	37.69	
			<i>For Tinted Glass, Add</i>	45.23	
			<i>For Low-E Insulated Glass, Add</i>	94.23	
			<i>For Obscure Glass, Add</i>	103.66	
08 53 13 00-0202	UI		>120" UI, Replacement, Double Hung Vinyl Window (Silver Line 8500).....	4.30	0.57
			<i>For Colored Vinyl, Add</i>	0.31	
			<i>For Tinted Glass, Add</i>	0.38	
			<i>For Low-E Insulated Glass, Add</i>	0.79	
			<i>For Obscure Glass, Add</i>	0.86	
08 53 13 00-0203			Casement Vinyl Windows <small>(08 53 13)</small>		
08 53 13 00-0204			New Construction, Casement Vinyl Windows (Silver Line 7550) <small>(08 53 13 00-0203)</small>		
			Note: Includes white solid vinyl interior and exterior, standard hardware, clear insulated glass and insect screen. Excludes grilles.		
08 53 13 00-0205			One Operating Sash, New Construction, Casement Vinyl Windows (Silver Line 7550) <small>(08 53 13 00-0204)</small>		
08 53 13 00-0206			24" Height, One Operating Sash, New Construction, Casement Vinyl Windows (Silver Line 7550) <small>(08 53 13 00-0205)</small>		
08 53 13 00-0207	EA		17" x 24", One Operating Sash, New Construction, Casement Vinyl Window (Silver Line 7550).....	261.55	33.68
			<i>For Colored Vinyl, Add</i>	19.51	
			<i>For Tinted Glass, Add</i>	23.41	
			<i>For Low-E Insulated Glass, Add</i>	48.77	
			<i>For Obscure Glass, Add</i>	53.64	
08 53 13 00-0208	EA		20" x 24", One Operating Sash, New Construction, Casement Vinyl Window (Silver Line 7550).....	270.81	34.57
			<i>For Colored Vinyl, Add</i>	20.17	
			<i>For Tinted Glass, Add</i>	24.20	
			<i>For Low-E Insulated Glass, Add</i>	50.42	
			<i>For Obscure Glass, Add</i>	55.46	
08 53 13 00-0209	EA		24" x 24", One Operating Sash, New Construction, Casement Vinyl Window (Silver Line 7550).....	280.94	36.35
			<i>For Colored Vinyl, Add</i>	20.83	
			<i>For Tinted Glass, Add</i>	24.99	
			<i>For Low-E Insulated Glass, Add</i>	52.06	
			<i>For Obscure Glass, Add</i>	57.27	
08 53 13 00-0210	EA		28" x 24", One Operating Sash, New Construction, Casement Vinyl Window (Silver Line 7550).....	298.33	38.12
			<i>For Colored Vinyl, Add</i>	22.21	
			<i>For Tinted Glass, Add</i>	26.65	
			<i>For Low-E Insulated Glass, Add</i>	55.52	
			<i>For Obscure Glass, Add</i>	61.07	
08 53 13 00-0211			28" Height, One Operating Sash, New Construction, Casement Vinyl Windows (Silver Line 7550) <small>(08 53 13 00-0205)</small>		

08 Openings**08 50 Windows****08 53 Plastic Windows**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 53 13 00-0212	EA		17" x 28", One Operating Sash, New Construction, Casement Vinyl Window (Silver Line 7550)	277.36	35.45
			<i>For Colored Vinyl, Add</i>	20.73	
			<i>For Tinted Glass, Add</i>	24.88	
			<i>For Low-E Insulated Glass, Add</i>	51.83	
			<i>For Obscure Glass, Add</i>	57.02	
08 53 13 00-0213	EA		20" x 28", One Operating Sash, New Construction, Casement Vinyl Window (Silver Line 7550)	287.36	36.35
			<i>For Colored Vinyl, Add</i>	21.47	
			<i>For Tinted Glass, Add</i>	25.76	
			<i>For Low-E Insulated Glass, Add</i>	53.67	
			<i>For Obscure Glass, Add</i>	59.03	
08 53 13 00-0214	EA		24" x 28", One Operating Sash, New Construction, Casement Vinyl Window (Silver Line 7550)	298.23	38.12
			<i>For Colored Vinyl, Add</i>	22.20	
			<i>For Tinted Glass, Add</i>	26.64	
			<i>For Low-E Insulated Glass, Add</i>	55.50	
			<i>For Obscure Glass, Add</i>	61.05	
08 53 13 00-0215	EA		28" x 28", One Operating Sash, New Construction, Casement Vinyl Window (Silver Line 7550)	316.50	39.89
			<i>For Colored Vinyl, Add</i>	23.67	
			<i>For Tinted Glass, Add</i>	28.41	
			<i>For Low-E Insulated Glass, Add</i>	59.18	
			<i>For Obscure Glass, Add</i>	65.10	
08 53 13 00-0216			36" Height, One Operating Sash, New Construction, Casement Vinyl Windows (Silver Line 7550) <small>(08 53 13 00-0205)</small>		
08 53 13 00-0217	EA		17" x 36", One Operating Sash, New Construction, Casement Vinyl Window (Silver Line 7550)	296.75	38.12
			<i>For Colored Vinyl, Add</i>	22.05	
			<i>For Tinted Glass, Add</i>	26.46	
			<i>For Low-E Insulated Glass, Add</i>	55.13	
			<i>For Obscure Glass, Add</i>	60.64	
08 53 13 00-0218	EA		20" x 36", One Operating Sash, New Construction, Casement Vinyl Window (Silver Line 7550)	307.10	39.89
			<i>For Colored Vinyl, Add</i>	22.82	
			<i>For Tinted Glass, Add</i>	27.39	
			<i>For Low-E Insulated Glass, Add</i>	57.05	
			<i>For Obscure Glass, Add</i>	62.76	
08 53 13 00-0219	EA		24" x 36", One Operating Sash, New Construction, Casement Vinyl Window (Silver Line 7550)	318.37	41.22
			<i>For Colored Vinyl, Add</i>	23.59	
			<i>For Tinted Glass, Add</i>	28.31	
			<i>For Low-E Insulated Glass, Add</i>	58.98	
			<i>For Obscure Glass, Add</i>	64.88	
08 53 13 00-0220	EA		28" x 36", One Operating Sash, New Construction, Casement Vinyl Window (Silver Line 7550)	337.36	42.99
			<i>For Colored Vinyl, Add</i>	25.14	
			<i>For Tinted Glass, Add</i>	30.16	
			<i>For Low-E Insulated Glass, Add</i>	62.84	
			<i>For Obscure Glass, Add</i>	69.13	
08 53 13 00-0221			40" Height, One Operating Sash, New Construction, Casement Vinyl Windows (Silver Line 7550) <small>(08 53 13 00-0205)</small>		
08 53 13 00-0222	EA		17" x 40", One Operating Sash, New Construction, Casement Vinyl Window (Silver Line 7550)	313.87	40.77
			<i>For Colored Vinyl, Add</i>	23.32	
			<i>For Tinted Glass, Add</i>	27.99	
			<i>For Low-E Insulated Glass, Add</i>	58.30	
			<i>For Obscure Glass, Add</i>	64.13	
08 53 13 00-0223	EA		20" x 40", One Operating Sash, New Construction, Casement Vinyl Window (Silver Line 7550)	324.77	41.66
			<i>For Colored Vinyl, Add</i>	24.14	
			<i>For Tinted Glass, Add</i>	28.97	
			<i>For Low-E Insulated Glass, Add</i>	60.36	
			<i>For Obscure Glass, Add</i>	66.40	
08 53 13 00-0224	EA		24" x 40", One Operating Sash, New Construction, Casement Vinyl Window (Silver Line 7550)	336.54	43.44
			<i>For Colored Vinyl, Add</i>	24.97	
			<i>For Tinted Glass, Add</i>	29.96	
			<i>For Low-E Insulated Glass, Add</i>	62.42	
			<i>For Obscure Glass, Add</i>	68.66	
08 53 13 00-0225	EA		28" x 40", One Operating Sash, New Construction, Casement Vinyl Window (Silver Line 7550)	356.98	45.21
			<i>For Colored Vinyl, Add</i>	26.66	
			<i>For Tinted Glass, Add</i>	31.99	
			<i>For Low-E Insulated Glass, Add</i>	66.64	
			<i>For Obscure Glass, Add</i>	73.31	
08 53 13 00-0226			48" Height, One Operating Sash, New Construction, Casement Vinyl Windows (Silver Line 7550) <small>(08 53 13 00-0205)</small>		
08 53 13 00-0227	EA		17" x 48", One Operating Sash, New Construction, Casement Vinyl Window (Silver Line 7550)	333.80	44.33
			<i>For Colored Vinyl, Add</i>	24.60	
			<i>For Tinted Glass, Add</i>	29.52	
			<i>For Low-E Insulated Glass, Add</i>	61.51	
			<i>For Obscure Glass, Add</i>	67.66	
08 53 13 00-0228	EA		20" x 48", One Operating Sash, New Construction, Casement Vinyl Window (Silver Line 7550)	345.12	45.21
			<i>For Colored Vinyl, Add</i>	25.47	
			<i>For Tinted Glass, Add</i>	30.57	
			<i>For Low-E Insulated Glass, Add</i>	63.68	
			<i>For Obscure Glass, Add</i>	70.05	



Openings	08	08
Windows	08 50	
Plastic Windows	08 53	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 53 13 00-0229	EA		24" x 48", One Operating Sash, New Construction, Casement Vinyl Window (Silver Line 7550) <i>For Colored Vinyl, Add</i> <i>For Tinted Glass, Add</i> <i>For Low-E Insulated Glass, Add</i> <i>For Obscure Glass, Add</i>	357.37 26.34 31.61 65.85 72.44	46.98
08 53 13 00-0230	EA		28" x 48", One Operating Sash, New Construction, Casement Vinyl Window (Silver Line 7550) <i>For Colored Vinyl, Add</i> <i>For Tinted Glass, Add</i> <i>For Low-E Insulated Glass, Add</i> <i>For Obscure Glass, Add</i>	379.74 28.22 33.87 70.56 77.61	48.75
08 53 13 00-0231			52" Height, One Operating Sash, New Construction, Casement Vinyl Windows (Silver Line 7550) (08 53 13 00-0205)		
08 53 13 00-0232	EA		17" x 52", One Operating Sash, New Construction, Casement Vinyl Window (Silver Line 7550) <i>For Colored Vinyl, Add</i> <i>For Tinted Glass, Add</i> <i>For Low-E Insulated Glass, Add</i> <i>For Obscure Glass, Add</i>	350.12 25.88 31.06 64.70 71.17	46.10
08 53 13 00-0233	EA		20" x 52", One Operating Sash, New Construction, Casement Vinyl Window (Silver Line 7550) <i>For Colored Vinyl, Add</i> <i>For Tinted Glass, Add</i> <i>For Low-E Insulated Glass, Add</i> <i>For Obscure Glass, Add</i>	362.05 26.81 32.17 67.02 73.72	46.98
08 53 13 00-0234	EA		24" x 52", One Operating Sash, New Construction, Casement Vinyl Window (Silver Line 7550) <i>For Colored Vinyl, Add</i> <i>For Tinted Glass, Add</i> <i>For Low-E Insulated Glass, Add</i> <i>For Obscure Glass, Add</i>	374.86 27.74 33.28 69.34 76.27	48.75
08 53 13 00-0235	EA		28" x 52", One Operating Sash, New Construction, Casement Vinyl Window (Silver Line 7550) <i>For Colored Vinyl, Add</i> <i>For Tinted Glass, Add</i> <i>For Low-E Insulated Glass, Add</i> <i>For Obscure Glass, Add</i>	397.60 29.65 35.58 74.14 81.55	50.52
08 53 13 00-0236			60" Height, One Operating Sash, New Construction, Casement Vinyl Windows (Silver Line 7550) (08 53 13 00-0205)		
08 53 13 00-0237	EA		17" x 60", One Operating Sash, New Construction, Casement Vinyl Window (Silver Line 7550) <i>For Colored Vinyl, Add</i> <i>For Tinted Glass, Add</i> <i>For Low-E Insulated Glass, Add</i> <i>For Obscure Glass, Add</i>	369.09 27.16 32.59 67.90 74.68	48.75
08 53 13 00-0238	EA		20" x 60", One Operating Sash, New Construction, Casement Vinyl Window (Silver Line 7550) <i>For Colored Vinyl, Add</i> <i>For Tinted Glass, Add</i> <i>For Low-E Insulated Glass, Add</i> <i>For Obscure Glass, Add</i>	381.61 28.14 33.77 70.36 77.40	50.52
08 53 13 00-0239	EA		24" x 60", One Operating Sash, New Construction, Casement Vinyl Window (Silver Line 7550) <i>For Colored Vinyl, Add</i> <i>For Tinted Glass, Add</i> <i>For Low-E Insulated Glass, Add</i> <i>For Obscure Glass, Add</i>	395.02 29.13 34.96 72.83 80.11	51.86
08 53 13 00-0240	EA		28" x 60", One Operating Sash, New Construction, Casement Vinyl Window (Silver Line 7550) <i>For Colored Vinyl, Add</i> <i>For Tinted Glass, Add</i> <i>For Low-E Insulated Glass, Add</i> <i>For Obscure Glass, Add</i>	418.11 31.09 37.30 77.71 85.48	53.63
08 53 13 00-0241			64" Height, One Operating Sash, New Construction, Casement Vinyl Windows (Silver Line 7550) (08 53 13 00-0205)		
08 53 13 00-0242	EA		17" x 64", One Operating Sash, New Construction, Casement Vinyl Window (Silver Line 7550) <i>For Colored Vinyl, Add</i> <i>For Tinted Glass, Add</i> <i>For Low-E Insulated Glass, Add</i> <i>For Obscure Glass, Add</i>	385.98 28.40 34.08 71.01 78.11	51.42
08 53 13 00-0243	EA		20" x 64", One Operating Sash, New Construction, Casement Vinyl Window (Silver Line 7550) <i>For Colored Vinyl, Add</i> <i>For Tinted Glass, Add</i> <i>For Low-E Insulated Glass, Add</i> <i>For Obscure Glass, Add</i>	398.81 29.42 35.31 73.55 80.91	52.30
08 53 13 00-0244	EA		24" x 64", One Operating Sash, New Construction, Casement Vinyl Window (Silver Line 7550) <i>For Colored Vinyl, Add</i> <i>For Tinted Glass, Add</i> <i>For Low-E Insulated Glass, Add</i> <i>For Obscure Glass, Add</i>	413.04 30.49 36.59 76.22 83.84	54.07
08 53 13 00-0245	EA		28" x 64", One Operating Sash, New Construction, Casement Vinyl Window (Silver Line 7550) <i>For Colored Vinyl, Add</i> <i>For Tinted Glass, Add</i> <i>For Low-E Insulated Glass, Add</i> <i>For Obscure Glass, Add</i>	435.61 32.39 38.87 80.98 89.08	55.85

08	08	Openings
	08 50	Windows
	08 53	Plastic Windows



MINOR		TOTAL DIRECT		DEMOLITION	
CSI	UOM	DESCRIPTION	UNIT COST	UNIT COST	UNIT COST
08 53 13 00-0246		72" Height, One Operating Sash, New Construction, Casement Vinyl Windows (Silver Line 7550) <small>(08 53 13 00-0205)</small>			
08 53 13 00-0247	EA	17" x 72", One Operating Sash, New Construction, Casement Vinyl Window (Silver Line 7550)	406.92		54.07
		<i>For Colored Vinyl, Add</i>	29.88		
		<i>For Tinted Glass, Add</i>	35.85		
		<i>For Low-E Insulated Glass, Add</i>	74.69		
		<i>For Obscure Glass, Add</i>	82.16		
08 53 13 00-0248	EA	20" x 72", One Operating Sash, New Construction, Casement Vinyl Window (Silver Line 7550)	420.38		55.85
		<i>For Colored Vinyl, Add</i>	30.96		
		<i>For Tinted Glass, Add</i>	37.15		
		<i>For Low-E Insulated Glass, Add</i>	77.39		
		<i>For Obscure Glass, Add</i>	85.13		
08 53 13 00-0249	EA	24" x 72", One Operating Sash, New Construction, Casement Vinyl Window (Silver Line 7550)	434.04		57.17
		<i>For Colored Vinyl, Add</i>	31.97		
		<i>For Tinted Glass, Add</i>	38.36		
		<i>For Low-E Insulated Glass, Add</i>	79.92		
		<i>For Obscure Glass, Add</i>	87.91		
08 53 13 00-0250	EA	28" x 72", One Operating Sash, New Construction, Casement Vinyl Window (Silver Line 7550)	456.35		58.94
		<i>For Colored Vinyl, Add</i>	33.85		
		<i>For Tinted Glass, Add</i>	40.61		
		<i>For Low-E Insulated Glass, Add</i>	84.61		
		<i>For Obscure Glass, Add</i>	93.07		
08 53 13 00-0251		Two Operating Sashes, New Construction, Casement Vinyl Windows (Silver Line 7550) <small>(08 53 13 00-0204)</small>			
08 53 13 00-0252		36" Height, Two Operating Sashes, New Construction, Casement Vinyl Windows (Silver Line 7550) <small>(08 53 13 00-0251)</small>			
08 53 13 00-0253	EA	33" x 36", Two Operating Sashes, New Construction, Casement Vinyl Window (Silver Line 7550)	513.93		45.21
		<i>For Colored Vinyl, Add</i>	42.35		
		<i>For Tinted Glass, Add</i>	50.82		
		<i>For Low-E Insulated Glass, Add</i>	105.88		
		<i>For Obscure Glass, Add</i>	116.47		
08 53 13 00-0254	EA	40" x 36", Two Operating Sashes, New Construction, Casement Vinyl Window (Silver Line 7550)	533.44		48.75
		<i>For Colored Vinyl, Add</i>	43.68		
		<i>For Tinted Glass, Add</i>	52.42		
		<i>For Low-E Insulated Glass, Add</i>	109.21		
		<i>For Obscure Glass, Add</i>	120.13		
08 53 13 00-0255	EA	48" x 36", Two Operating Sashes, New Construction, Casement Vinyl Window (Silver Line 7550)	553.84		52.30
		<i>For Colored Vinyl, Add</i>	45.01		
		<i>For Tinted Glass, Add</i>	54.02		
		<i>For Low-E Insulated Glass, Add</i>	112.53		
		<i>For Obscure Glass, Add</i>	123.79		
08 53 13 00-0256	EA	56" x 36", Two Operating Sashes, New Construction, Casement Vinyl Window (Silver Line 7550)	576.73		55.40
		<i>For Colored Vinyl, Add</i>	46.59		
		<i>For Tinted Glass, Add</i>	55.91		
		<i>For Low-E Insulated Glass, Add</i>	116.48		
		<i>For Obscure Glass, Add</i>	128.13		
08 53 13 00-0257		40" Height, Two Operating Sashes, New Construction, Casement Vinyl Windows (Silver Line 7550) <small>(08 53 13 00-0251)</small>			
08 53 13 00-0258	EA	33" x 40", Two Operating Sashes, New Construction, Casement Vinyl Window (Silver Line 7550)	543.99		47.42
		<i>For Colored Vinyl, Add</i>	44.91		
		<i>For Tinted Glass, Add</i>	53.90		
		<i>For Low-E Insulated Glass, Add</i>	112.29		
		<i>For Obscure Glass, Add</i>	123.51		
08 53 13 00-0259	EA	40" x 40", Two Operating Sashes, New Construction, Casement Vinyl Window (Silver Line 7550)	564.59		50.52
		<i>For Colored Vinyl, Add</i>	46.35		
		<i>For Tinted Glass, Add</i>	55.62		
		<i>For Low-E Insulated Glass, Add</i>	115.88		
		<i>For Obscure Glass, Add</i>	127.47		
08 53 13 00-0260	EA	48" x 40", Two Operating Sashes, New Construction, Casement Vinyl Window (Silver Line 7550)	586.09		54.07
		<i>For Colored Vinyl, Add</i>	47.79		
		<i>For Tinted Glass, Add</i>	57.35		
		<i>For Low-E Insulated Glass, Add</i>	119.49		
		<i>For Obscure Glass, Add</i>	131.43		
08 53 13 00-0261	EA	56" x 40", Two Operating Sashes, New Construction, Casement Vinyl Window (Silver Line 7550)	608.29		57.62
		<i>For Colored Vinyl, Add</i>	49.31		
		<i>For Tinted Glass, Add</i>	59.17		
		<i>For Low-E Insulated Glass, Add</i>	123.26		
		<i>For Obscure Glass, Add</i>	135.59		
08 53 13 00-0262		48" Height, Two Operating Sashes, New Construction, Casement Vinyl Windows (Silver Line 7550) <small>(08 53 13 00-0251)</small>			
08 53 13 00-0263	EA	33" x 48", Two Operating Sashes, New Construction, Casement Vinyl Window (Silver Line 7550)	577.20		50.97
		<i>For Colored Vinyl, Add</i>	47.53		
		<i>For Tinted Glass, Add</i>	57.03		
		<i>For Low-E Insulated Glass, Add</i>	118.82		
		<i>For Obscure Glass, Add</i>	130.70		



Openings	08	08
Windows	08 50	
Plastic Windows	08 53	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 53 13 00-0264	EA		40" x 48", Two Operating Sashes, New Construction, Casement Vinyl Window (Silver Line 7550)	598.59	54.07
			<i>For Colored Vinyl, Add</i>	49.04	
			<i>For Tinted Glass, Add</i>	58.85	
			<i>For Low-E Insulated Glass, Add</i>	122.61	
			<i>For Obscure Glass, Add</i>	134.87	
08 53 13 00-0265	EA		48" x 48", Two Operating Sashes, New Construction, Casement Vinyl Window (Silver Line 7550)	620.88	57.62
			<i>For Colored Vinyl, Add</i>	50.56	
			<i>For Tinted Glass, Add</i>	60.68	
			<i>For Low-E Insulated Glass, Add</i>	126.41	
			<i>For Obscure Glass, Add</i>	139.05	
08 53 13 00-0266	EA		56" x 48", Two Operating Sashes, New Construction, Casement Vinyl Window (Silver Line 7550)	644.93	61.17
			<i>For Colored Vinyl, Add</i>	52.26	
			<i>For Tinted Glass, Add</i>	62.71	
			<i>For Low-E Insulated Glass, Add</i>	130.65	
			<i>For Obscure Glass, Add</i>	143.72	
08 53 13 00-0267			52" Height, Two Operating Sashes, New Construction, Casement Vinyl Windows (Silver Line 7550) (08 53 13 00-0251)		
08 53 13 00-0268	EA		33" x 52", Two Operating Sashes, New Construction, Casement Vinyl Window (Silver Line 7550)	606.80	52.75
			<i>For Colored Vinyl, Add</i>	50.13	
			<i>For Tinted Glass, Add</i>	60.16	
			<i>For Low-E Insulated Glass, Add</i>	125.33	
			<i>For Obscure Glass, Add</i>	137.86	
08 53 13 00-0269	EA		40" x 52", Two Operating Sashes, New Construction, Casement Vinyl Window (Silver Line 7550)	629.25	55.85
			<i>For Colored Vinyl, Add</i>	51.76	
			<i>For Tinted Glass, Add</i>	62.11	
			<i>For Low-E Insulated Glass, Add</i>	129.39	
			<i>For Obscure Glass, Add</i>	142.33	
08 53 13 00-0270	EA		48" x 52", Two Operating Sashes, New Construction, Casement Vinyl Window (Silver Line 7550)	652.57	59.40
			<i>For Colored Vinyl, Add</i>	53.38	
			<i>For Tinted Glass, Add</i>	64.05	
			<i>For Low-E Insulated Glass, Add</i>	133.45	
			<i>For Obscure Glass, Add</i>	146.79	
08 53 13 00-0271	EA		56" x 52", Two Operating Sashes, New Construction, Casement Vinyl Window (Silver Line 7550)	676.99	62.94
			<i>For Colored Vinyl, Add</i>	55.11	
			<i>For Tinted Glass, Add</i>	66.13	
			<i>For Low-E Insulated Glass, Add</i>	137.78	
			<i>For Obscure Glass, Add</i>	151.56	
08 53 13 00-0272			60" Height, Two Operating Sashes, New Construction, Casement Vinyl Windows (Silver Line 7550) (08 53 13 00-0251)		
08 53 13 00-0273	EA		33" x 60", Two Operating Sashes, New Construction, Casement Vinyl Window (Silver Line 7550)	639.07	55.85
			<i>For Colored Vinyl, Add</i>	52.74	
			<i>For Tinted Glass, Add</i>	63.29	
			<i>For Low-E Insulated Glass, Add</i>	131.85	
			<i>For Obscure Glass, Add</i>	145.03	
08 53 13 00-0274	EA		40" x 60", Two Operating Sashes, New Construction, Casement Vinyl Window (Silver Line 7550)	662.57	59.40
			<i>For Colored Vinyl, Add</i>	54.47	
			<i>For Tinted Glass, Add</i>	65.36	
			<i>For Low-E Insulated Glass, Add</i>	136.17	
			<i>For Obscure Glass, Add</i>	149.78	
08 53 13 00-0275	EA		48" x 60", Two Operating Sashes, New Construction, Casement Vinyl Window (Silver Line 7550)	686.93	62.94
			<i>For Colored Vinyl, Add</i>	56.19	
			<i>For Tinted Glass, Add</i>	67.43	
			<i>For Low-E Insulated Glass, Add</i>	140.49	
			<i>For Obscure Glass, Add</i>	154.53	
08 53 13 00-0276	EA		56" x 60", Two Operating Sashes, New Construction, Casement Vinyl Window (Silver Line 7550)	711.69	66.04
			<i>For Colored Vinyl, Add</i>	57.96	
			<i>For Tinted Glass, Add</i>	69.55	
			<i>For Low-E Insulated Glass, Add</i>	144.90	
			<i>For Obscure Glass, Add</i>	159.39	
08 53 13 00-0277			64" Height, Two Operating Sashes, New Construction, Casement Vinyl Windows (Silver Line 7550) (08 53 13 00-0251)		
08 53 13 00-0278	EA		33" x 64", Two Operating Sashes, New Construction, Casement Vinyl Window (Silver Line 7550)	670.43	58.06
			<i>For Colored Vinyl, Add</i>	55.43	
			<i>For Tinted Glass, Add</i>	66.52	
			<i>For Low-E Insulated Glass, Add</i>	138.58	
			<i>For Obscure Glass, Add</i>	152.43	
08 53 13 00-0279	EA		40" x 64", Two Operating Sashes, New Construction, Casement Vinyl Window (Silver Line 7550)	693.91	61.17
			<i>For Colored Vinyl, Add</i>	57.16	
			<i>For Tinted Glass, Add</i>	68.59	
			<i>For Low-E Insulated Glass, Add</i>	142.90	
			<i>For Obscure Glass, Add</i>	157.18	
08 53 13 00-0280	EA		48" x 64", Two Operating Sashes, New Construction, Casement Vinyl Window (Silver Line 7550)	718.19	64.71
			<i>For Colored Vinyl, Add</i>	58.88	
			<i>For Tinted Glass, Add</i>	70.65	
			<i>For Low-E Insulated Glass, Add</i>	147.19	
			<i>For Obscure Glass, Add</i>	161.91	

08 Openings**08 50 Windows****08 53 Plastic Windows**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 53 13 00-0281	EA		56" x 64", Two Operating Sashes, New Construction, Casement Vinyl Window (Silver Line 7550).....	743.03	68.26
			<i>For Colored Vinyl, Add</i>	60.65	
			<i>For Tinted Glass, Add</i>	72.78	
			<i>For Low-E Insulated Glass, Add</i>	151.63	
			<i>For Obscure Glass, Add</i>	166.79	
08 53 13 00-0282			72" Height, Two Operating Sashes, New Construction, Casement Vinyl Windows (Silver Line 7550) <small>(08 53 13 00-0251)</small>		
08 53 13 00-0283	EA		33" x 72", Two Operating Sashes, New Construction, Casement Vinyl Window (Silver Line 7550).....	705.28	61.17
			<i>For Colored Vinyl, Add</i>	58.30	
			<i>For Tinted Glass, Add</i>	69.95	
			<i>For Low-E Insulated Glass, Add</i>	145.74	
			<i>For Obscure Glass, Add</i>	160.31	
08 53 13 00-0284	EA		40" x 72", Two Operating Sashes, New Construction, Casement Vinyl Window (Silver Line 7550).....	728.77	64.71
			<i>For Colored Vinyl, Add</i>	60.02	
			<i>For Tinted Glass, Add</i>	72.03	
			<i>For Low-E Insulated Glass, Add</i>	150.06	
			<i>For Obscure Glass, Add</i>	165.07	
08 53 13 00-0285	EA		48" x 72", Two Operating Sashes, New Construction, Casement Vinyl Window (Silver Line 7550).....	753.14	68.26
			<i>For Colored Vinyl, Add</i>	61.75	
			<i>For Tinted Glass, Add</i>	74.10	
			<i>For Low-E Insulated Glass, Add</i>	154.38	
			<i>For Obscure Glass, Add</i>	169.82	
08 53 13 00-0286	EA		56" x 72", Two Operating Sashes, New Construction, Casement Vinyl Window (Silver Line 7550).....	777.92	71.36
			<i>For Colored Vinyl, Add</i>	63.52	
			<i>For Tinted Glass, Add</i>	76.22	
			<i>For Low-E Insulated Glass, Add</i>	158.80	
			<i>For Obscure Glass, Add</i>	174.68	
08 53 13 00-0287			Three Operating Sashes, New Construction, Casement Vinyl Windows (Silver Line 7550) <small>(08 53 13 00-0204)</small>		
08 53 13 00-0288			36" Height, Three Operating Sashes, New Construction, Casement Vinyl Windows (Silver Line 7550) <small>(08 53 13 00-0287)</small>		
08 53 13 00-0289	EA		62" x 36", Three Operating Sashes, New Construction, Casement Vinyl Window (Silver Line 7550).....	635.31	57.62
			<i>For Colored Vinyl, Add</i>	52.01	
			<i>For Tinted Glass, Add</i>	62.41	
			<i>For Low-E Insulated Glass, Add</i>	130.02	
			<i>For Obscure Glass, Add</i>	143.02	
08 53 13 00-0290	EA		72" x 36", Three Operating Sashes, New Construction, Casement Vinyl Window (Silver Line 7550).....	666.09	62.05
			<i>For Colored Vinyl, Add</i>	54.20	
			<i>For Tinted Glass, Add</i>	65.04	
			<i>For Low-E Insulated Glass, Add</i>	135.50	
			<i>For Obscure Glass, Add</i>	149.04	
08 53 13 00-0291	EA		86" x 36", Three Operating Sashes, New Construction, Casement Vinyl Window (Silver Line 7550).....	720.59	68.70
			<i>For Colored Vinyl, Add</i>	58.32	
			<i>For Tinted Glass, Add</i>	69.98	
			<i>For Low-E Insulated Glass, Add</i>	145.80	
			<i>For Obscure Glass, Add</i>	160.38	
08 53 13 00-0292			40" Height, Three Operating Sashes, New Construction, Casement Vinyl Windows (Silver Line 7550) <small>(08 53 13 00-0287)</small>		
08 53 13 00-0293	EA		62" x 40", Three Operating Sashes, New Construction, Casement Vinyl Window (Silver Line 7550).....	676.28	60.28
			<i>For Colored Vinyl, Add</i>	55.66	
			<i>For Tinted Glass, Add</i>	66.79	
			<i>For Low-E Insulated Glass, Add</i>	139.15	
			<i>For Obscure Glass, Add</i>	153.07	
08 53 13 00-0294	EA		72" x 40", Three Operating Sashes, New Construction, Casement Vinyl Window (Silver Line 7550).....	707.27	64.27
			<i>For Colored Vinyl, Add</i>	57.87	
			<i>For Tinted Glass, Add</i>	69.45	
			<i>For Low-E Insulated Glass, Add</i>	144.69	
			<i>For Obscure Glass, Add</i>	159.15	
08 53 13 00-0295	EA		86" x 40", Three Operating Sashes, New Construction, Casement Vinyl Window (Silver Line 7550).....	764.74	70.92
			<i>For Colored Vinyl, Add</i>	62.29	
			<i>For Tinted Glass, Add</i>	74.75	
			<i>For Low-E Insulated Glass, Add</i>	155.73	
			<i>For Obscure Glass, Add</i>	171.30	
08 53 13 00-0296			48" Height, Three Operating Sashes, New Construction, Casement Vinyl Windows (Silver Line 7550) <small>(08 53 13 00-0287)</small>		
08 53 13 00-0297	EA		62" x 48", Three Operating Sashes, New Construction, Casement Vinyl Window (Silver Line 7550).....	715.57	63.82
			<i>For Colored Vinyl, Add</i>	58.79	
			<i>For Tinted Glass, Add</i>	70.55	
			<i>For Low-E Insulated Glass, Add</i>	146.98	
			<i>For Obscure Glass, Add</i>	161.68	



Openings	08	08
Windows	08 50	
Plastic Windows	08 53	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 53 13 00-0298	EA		72" x 48", Three Operating Sashes, New Construction, Casement Vinyl Window (Silver Line 7550).....	751.64	67.82
			<i>For Colored Vinyl, Add</i>	61.60	
			<i>For Tinted Glass, Add</i>	73.92	
			<i>For Low-E Insulated Glass, Add</i>	154.01	
			<i>For Obscure Glass, Add</i>	169.41	
08 53 13 00-0299	EA		86" x 48", Three Operating Sashes, New Construction, Casement Vinyl Window (Silver Line 7550).....	811.66	74.46
			<i>For Colored Vinyl, Add</i>	66.27	
			<i>For Tinted Glass, Add</i>	79.53	
			<i>For Low-E Insulated Glass, Add</i>	165.69	
			<i>For Obscure Glass, Add</i>	182.25	
08 53 13 00-0300			52" Height, Three Operating Sashes, New Construction, Casement Vinyl Windows (Silver Line 7550) (08 53 13 00-0287)		
08 53 13 00-0301	EA		62" x 52", Three Operating Sashes, New Construction, Casement Vinyl Window (Silver Line 7550).....	754.40	65.59
			<i>For Colored Vinyl, Add</i>	62.32	
			<i>For Tinted Glass, Add</i>	74.78	
			<i>For Low-E Insulated Glass, Add</i>	155.80	
			<i>For Obscure Glass, Add</i>	171.38	
08 53 13 00-0302	EA		72" x 52", Three Operating Sashes, New Construction, Casement Vinyl Window (Silver Line 7550).....	792.91	70.03
			<i>For Colored Vinyl, Add</i>	65.29	
			<i>For Tinted Glass, Add</i>	78.34	
			<i>For Low-E Insulated Glass, Add</i>	163.21	
			<i>For Obscure Glass, Add</i>	179.53	
08 53 13 00-0303	EA		86" x 52", Three Operating Sashes, New Construction, Casement Vinyl Window (Silver Line 7550).....	860.88	76.24
			<i>For Colored Vinyl, Add</i>	70.84	
			<i>For Tinted Glass, Add</i>	85.01	
			<i>For Low-E Insulated Glass, Add</i>	177.10	
			<i>For Obscure Glass, Add</i>	194.81	
08 53 13 00-0304			60" Height, Three Operating Sashes, New Construction, Casement Vinyl Windows (Silver Line 7550) (08 53 13 00-0287)		
08 53 13 00-0305	EA		62" x 60", Three Operating Sashes, New Construction, Casement Vinyl Window (Silver Line 7550).....	795.86	68.70
			<i>For Colored Vinyl, Add</i>	65.85	
			<i>For Tinted Glass, Add</i>	79.02	
			<i>For Low-E Insulated Glass, Add</i>	164.62	
			<i>For Obscure Glass, Add</i>	181.08	
08 53 13 00-0306	EA		72" x 60", Three Operating Sashes, New Construction, Casement Vinyl Window (Silver Line 7550).....	835.92	73.13
			<i>For Colored Vinyl, Add</i>	68.97	
			<i>For Tinted Glass, Add</i>	82.76	
			<i>For Low-E Insulated Glass, Add</i>	172.41	
			<i>For Obscure Glass, Add</i>	189.65	
08 53 13 00-0307	EA		86" x 60", Three Operating Sashes, New Construction, Casement Vinyl Window (Silver Line 7550).....	912.76	79.34
			<i>For Colored Vinyl, Add</i>	75.41	
			<i>For Tinted Glass, Add</i>	90.49	
			<i>For Low-E Insulated Glass, Add</i>	188.52	
			<i>For Obscure Glass, Add</i>	207.37	
08 53 13 00-0308			64" Height, Three Operating Sashes, New Construction, Casement Vinyl Windows (Silver Line 7550) (08 53 13 00-0287)		
08 53 13 00-0309	EA		62" x 64", Three Operating Sashes, New Construction, Casement Vinyl Window (Silver Line 7550).....	840.13	70.92
			<i>For Colored Vinyl, Add</i>	69.83	
			<i>For Tinted Glass, Add</i>	83.80	
			<i>For Low-E Insulated Glass, Add</i>	174.58	
			<i>For Obscure Glass, Add</i>	192.03	
08 53 13 00-0310	EA		72" x 64", Three Operating Sashes, New Construction, Casement Vinyl Window (Silver Line 7550).....	880.16	75.35
			<i>For Colored Vinyl, Add</i>	72.95	
			<i>For Tinted Glass, Add</i>	87.54	
			<i>For Low-E Insulated Glass, Add</i>	182.37	
			<i>For Obscure Glass, Add</i>	200.60	
08 53 13 00-0311	EA		86" x 64", Three Operating Sashes, New Construction, Casement Vinyl Window (Silver Line 7550).....	957.02	81.55
			<i>For Colored Vinyl, Add</i>	79.39	
			<i>For Tinted Glass, Add</i>	95.27	
			<i>For Low-E Insulated Glass, Add</i>	198.48	
			<i>For Obscure Glass, Add</i>	218.33	
08 53 13 00-0312			72" Height, Three Operating Sashes, New Construction, Casement Vinyl Windows (Silver Line 7550) (08 53 13 00-0287)		
08 53 13 00-0313	EA		62" x 72", Three Operating Sashes, New Construction, Casement Vinyl Window (Silver Line 7550).....	886.26	74.01
			<i>For Colored Vinyl, Add</i>	73.82	
			<i>For Tinted Glass, Add</i>	88.59	
			<i>For Low-E Insulated Glass, Add</i>	184.56	
			<i>For Obscure Glass, Add</i>	203.01	
08 53 13 00-0314	EA		72" x 72", Three Operating Sashes, New Construction, Casement Vinyl Window (Silver Line 7550).....	926.29	78.45
			<i>For Colored Vinyl, Add</i>	76.94	
			<i>For Tinted Glass, Add</i>	92.33	
			<i>For Low-E Insulated Glass, Add</i>	192.35	
			<i>For Obscure Glass, Add</i>	211.58	

08 Openings**08 50 Windows**

08 53 Plastic Windows



MINOR		TOTAL DIRECT	DEMOLITION
CSI	UOM DESCRIPTION	UNIT COST	UNIT COST
08 53 13 00-0315	EA 86" x 72", Three Operating Sashes, New Construction, Casement Vinyl Window (Silver Line 7500).....	1,003.15	84.66
	<i>For Colored Vinyl, Add</i>	83.38	
	<i>For Tinted Glass, Add</i>	100.06	
	<i>For Low-E Insulated Glass, Add</i>	208.46	
	<i>For Obscure Glass, Add</i>	229.31	
08 53 13 00-0316	Replacement, Casement Vinyl Windows (Silver Line 7500) (08 53 13 00-0203)		
	Note: Includes white solid vinyl interior and exterior, standard hardware, clear insulated glass and insect screen. Excludes grilles. Pricing calculated by the United Inch (the combined inches of one width and one height).		
08 53 13 00-0317	One Operating Sash, Replacement, Casement Vinyl Windows (Silver Line 7500) (08 53 13 00-0316)		
08 53 13 00-0318	EA Up To 53" UI, One Operating Sash, Replacement, Casement Vinyl Window (Silver Line 7500).....	333.12	37.68
	<i>For Colored Vinyl, Add</i>	25.78	
	<i>For Tinted Glass, Add</i>	30.93	
	<i>For Low-E Insulated Glass, Add</i>	64.44	
	<i>For Obscure Glass, Add</i>	70.89	
08 53 13 00-0319	EA >53 To 63" UI, One Operating Sash, Replacement, Casement Vinyl Window (Silver Line 7500).....	377.86	42.10
	<i>For Colored Vinyl, Add</i>	29.36	
	<i>For Tinted Glass, Add</i>	35.24	
	<i>For Low-E Insulated Glass, Add</i>	73.41	
	<i>For Obscure Glass, Add</i>	80.75	
08 53 13 00-0320	EA >63 To 73" UI, One Operating Sash, Replacement, Casement Vinyl Window (Silver Line 7500).....	418.54	46.54
	<i>For Colored Vinyl, Add</i>	32.55	
	<i>For Tinted Glass, Add</i>	39.06	
	<i>For Low-E Insulated Glass, Add</i>	81.37	
	<i>For Obscure Glass, Add</i>	89.50	
08 53 13 00-0321	EA >73" To 83" UI, One Operating Sash, Replacement, Casement Vinyl Window (Silver Line 7500).....	455.16	50.97
	<i>For Colored Vinyl, Add</i>	35.32	
	<i>For Tinted Glass, Add</i>	42.39	
	<i>For Low-E Insulated Glass, Add</i>	88.31	
	<i>For Obscure Glass, Add</i>	97.14	
08 53 13 00-0322	EA >83" To 93" UI, One Operating Sash, Replacement, Casement Vinyl Window (Silver Line 7500).....	487.74	55.40
	<i>For Colored Vinyl, Add</i>	37.69	
	<i>For Tinted Glass, Add</i>	45.23	
	<i>For Low-E Insulated Glass, Add</i>	94.23	
	<i>For Obscure Glass, Add</i>	103.66	
08 53 13 00-0323	EA >93" To 101" UI, One Operating Sash, Replacement, Casement Vinyl Window (Silver Line 7500).....	508.56	59.84
	<i>For Colored Vinyl, Add</i>	38.89	
	<i>For Tinted Glass, Add</i>	46.67	
	<i>For Low-E Insulated Glass, Add</i>	97.22	
	<i>For Obscure Glass, Add</i>	106.94	
08 53 13 00-0324	UI >101" UI, One Operating Sash, Replacement, Casement Vinyl Window (Silver Line 7500).....	5.01	0.57
	<i>For Colored Vinyl, Add</i>	0.39	
	<i>For Tinted Glass, Add</i>	0.46	
	<i>For Low-E Insulated Glass, Add</i>	0.96	
	<i>For Obscure Glass, Add</i>	1.06	
08 53 13 00-0325	Two Operating Sashes, Replacement, Casement Vinyl Windows (Silver Line 7500) (08 53 13 00-0316)		
08 53 13 00-0326	EA Up To 73" UI, Two Operating Sashes, Replacement, Casement Vinyl Window (Silver Line 7500).....	544.29	46.54
	<i>For Colored Vinyl, Add</i>	45.12	
	<i>For Tinted Glass, Add</i>	54.15	
	<i>For Low-E Insulated Glass, Add</i>	112.80	
	<i>For Obscure Glass, Add</i>	124.08	
08 53 13 00-0327	EA >73" To 83" UI, Two Operating Sashes, Replacement, Casement Vinyl Window (Silver Line 7500).....	598.14	50.97
	<i>For Colored Vinyl, Add</i>	49.62	
	<i>For Tinted Glass, Add</i>	59.54	
	<i>For Low-E Insulated Glass, Add</i>	124.05	
	<i>For Obscure Glass, Add</i>	136.46	
08 53 13 00-0328	EA >83" To 93" UI, Two Operating Sashes, Replacement, Casement Vinyl Window (Silver Line 7500).....	647.94	55.40
	<i>For Colored Vinyl, Add</i>	53.71	
	<i>For Tinted Glass, Add</i>	64.46	
	<i>For Low-E Insulated Glass, Add</i>	134.28	
	<i>For Obscure Glass, Add</i>	147.71	
08 53 13 00-0329	EA >93" To 101" UI, Two Operating Sashes, Replacement, Casement Vinyl Window (Silver Line 7500).....	682.54	59.84
	<i>For Colored Vinyl, Add</i>	56.29	
	<i>For Tinted Glass, Add</i>	67.54	
	<i>For Low-E Insulated Glass, Add</i>	140.72	
	<i>For Obscure Glass, Add</i>	154.79	
08 53 13 00-0330	EA >101" To 110" UI, Two Operating Sashes, Replacement, Casement Vinyl Window (Silver Line 7500).....	719.26	64.27
	<i>For Colored Vinyl, Add</i>	59.07	
	<i>For Tinted Glass, Add</i>	70.89	
	<i>For Low-E Insulated Glass, Add</i>	147.68	
	<i>For Obscure Glass, Add</i>	162.45	
08 53 13 00-0331	EA >110" To 120" UI, Two Operating Sashes, Replacement, Casement Vinyl Window (Silver Line 7500).....	757.52	68.70
	<i>For Colored Vinyl, Add</i>	62.01	
	<i>For Tinted Glass, Add</i>	74.41	
	<i>For Low-E Insulated Glass, Add</i>	155.03	
	<i>For Obscure Glass, Add</i>	170.53	



Openings	08	08
Windows	08 50	
Plastic Windows	08 53	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 53 13 00-0332	UI		>120" UI, Two Operating Sashes, Replacement, Casement Vinyl Window (Silver Line 7500).....	6.33	0.57
			<i>For Colored Vinyl, Add</i>	0.62	
			<i>For Tinted Glass, Add</i>	0.62	
			<i>For Low-E Insulated Glass, Add</i>	1.29	
			<i>For Obscure Glass, Add</i>	1.42	
08 53 13 00-0333			Three Operating Sashes, Replacement, Casement Vinyl Windows (Silver Line 7500) <small>(08 53 13 00-0316)</small>		
08 53 13 00-0334	EA		Up To 73" UI, Three Operating Sashes, Replacement, Casement Vinyl Window (Silver Line 7500).....	566.48	46.54
			<i>For Colored Vinyl, Add</i>	47.34	
			<i>For Tinted Glass, Add</i>	56.81	
			<i>For Low-E Insulated Glass, Add</i>	118.35	
			<i>For Obscure Glass, Add</i>	130.19	
08 53 13 00-0335	EA		>73" To 83" UI, Three Operating Sashes, Replacement, Casement Vinyl Window (Silver Line 7500).....	622.76	50.97
			<i>For Colored Vinyl, Add</i>	52.08	
			<i>For Tinted Glass, Add</i>	62.50	
			<i>For Low-E Insulated Glass, Add</i>	130.21	
			<i>For Obscure Glass, Add</i>	143.23	
08 53 13 00-0336	EA		>83" To 93" UI, Three Operating Sashes, Replacement, Casement Vinyl Window (Silver Line 7500).....	676.21	55.40
			<i>For Colored Vinyl, Add</i>	56.54	
			<i>For Tinted Glass, Add</i>	67.85	
			<i>For Low-E Insulated Glass, Add</i>	141.35	
			<i>For Obscure Glass, Add</i>	155.49	
08 53 13 00-0337	EA		>93" To 101" UI, Three Operating Sashes, Replacement, Casement Vinyl Window (Silver Line 7500).....	713.24	59.84
			<i>For Colored Vinyl, Add</i>	59.36	
			<i>For Tinted Glass, Add</i>	71.23	
			<i>For Low-E Insulated Glass, Add</i>	148.39	
			<i>For Obscure Glass, Add</i>	163.23	
08 53 13 00-0338	EA		>101" To 110" UI, Three Operating Sashes, Replacement, Casement Vinyl Window (Silver Line 7500).....	752.70	64.27
			<i>For Colored Vinyl, Add</i>	62.42	
			<i>For Tinted Glass, Add</i>	74.90	
			<i>For Low-E Insulated Glass, Add</i>	156.04	
			<i>For Obscure Glass, Add</i>	171.65	
08 53 13 00-0339	EA		>110" To 120" UI, Three Operating Sashes, Replacement, Casement Vinyl Window (Silver Line 7500).....	794.00	68.70
			<i>For Colored Vinyl, Add</i>	65.66	
			<i>For Tinted Glass, Add</i>	78.79	
			<i>For Low-E Insulated Glass, Add</i>	164.15	
			<i>For Obscure Glass, Add</i>	180.57	
08 53 13 00-0340	UI		>120" UI, Three Operating Sashes, Replacement, Casement Vinyl Window (Silver Line 7500).....	6.63	0.57
			<i>For Colored Vinyl, Add</i>	0.55	
			<i>For Tinted Glass, Add</i>	0.66	
			<i>For Low-E Insulated Glass, Add</i>	1.37	
			<i>For Obscure Glass, Add</i>	1.50	
08 53 13 00-0341			Awning Vinyl Windows <small>(08 53 13)</small>		
08 53 13 00-0342			New Construction, Awning Vinyl Windows (Silver Line 7450) <small>(08 53 13 00-0341)</small>		
			Note: Includes white solid vinyl interior and exterior, standard hardware, clear insulated glass and insect screen. Excludes grilles.		
08 53 13 00-0343			Venting, New Construction, Awning Vinyl Windows (Silver Line 7450) <small>(08 53 13 00-0342)</small>		
08 53 13 00-0344			17" Height, Venting, New Construction, Awning Vinyl Windows (Silver Line 7450) <small>(08 53 13 00-0343)</small>		
08 53 13 00-0345	EA		24" x 17", Venting, New Construction, Awning Vinyl Window (Silver Line 7450).....	334.46	36.35
			<i>For Colored Vinyl, Add</i>	26.18	
			<i>For Tinted Glass, Add</i>	31.41	
			<i>For Low-E Insulated Glass, Add</i>	65.44	
			<i>For Obscure Glass, Add</i>	71.99	
08 53 13 00-0346	EA		28" x 17", Venting, New Construction, Awning Vinyl Window (Silver Line 7450).....	350.17	38.12
			<i>For Colored Vinyl, Add</i>	27.39	
			<i>For Tinted Glass, Add</i>	32.87	
			<i>For Low-E Insulated Glass, Add</i>	68.48	
			<i>For Obscure Glass, Add</i>	75.33	
08 53 13 00-0347	EA		36" x 17", Venting, New Construction, Awning Vinyl Window (Silver Line 7450).....	374.60	41.22
			<i>For Colored Vinyl, Add</i>	29.22	
			<i>For Tinted Glass, Add</i>	35.06	
			<i>For Low-E Insulated Glass, Add</i>	73.04	
			<i>For Obscure Glass, Add</i>	80.34	
08 53 13 00-0348	EA		40" x 17", Venting, New Construction, Awning Vinyl Window (Silver Line 7450).....	390.51	43.44
			<i>For Colored Vinyl, Add</i>	30.36	
			<i>For Tinted Glass, Add</i>	36.44	
			<i>For Low-E Insulated Glass, Add</i>	75.91	
			<i>For Obscure Glass, Add</i>	83.50	
08 53 13 00-0349	EA		48" x 17", Venting, New Construction, Awning Vinyl Window (Silver Line 7450).....	416.52	46.98
			<i>For Colored Vinyl, Add</i>	32.26	
			<i>For Tinted Glass, Add</i>	38.71	
			<i>For Low-E Insulated Glass, Add</i>	80.64	
			<i>For Obscure Glass, Add</i>	88.70	
08 53 13 00-0350			20" Height, Venting, New Construction, Awning Vinyl Windows (Silver Line 7450) <small>(08 53 13 00-0343)</small>		

08 Openings**08 50 Windows****08 53 Plastic Windows**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 53 13 00-0351	EA		24" x 20", Venting, New Construction, Awning Vinyl Window (Silver Line 7450)	352.32	38.12
			<i>For Colored Vinyl, Add</i>	27.70	
			<i>For Tinted Glass, Add</i>	33.24	
			<i>For Low-E Insulated Glass, Add</i>	69.24	
			<i>For Obscure Glass, Add</i>	76.17	
08 53 13 00-0352	EA		28" x 20", Venting, New Construction, Awning Vinyl Window (Silver Line 7450)	368.01	39.89
			<i>For Colored Vinyl, Add</i>	28.91	
			<i>For Tinted Glass, Add</i>	34.69	
			<i>For Low-E Insulated Glass, Add</i>	72.28	
			<i>For Obscure Glass, Add</i>	79.51	
08 53 13 00-0353	EA		36" x 20", Venting, New Construction, Awning Vinyl Window (Silver Line 7450)	394.15	42.55
			<i>For Colored Vinyl, Add</i>	30.91	
			<i>For Tinted Glass, Add</i>	37.09	
			<i>For Low-E Insulated Glass, Add</i>	77.26	
			<i>For Obscure Glass, Add</i>	84.99	
08 53 13 00-0354	EA		40" x 20", Venting, New Construction, Awning Vinyl Window (Silver Line 7450)	410.07	45.21
			<i>For Colored Vinyl, Add</i>	32.05	
			<i>For Tinted Glass, Add</i>	38.46	
			<i>For Low-E Insulated Glass, Add</i>	80.14	
			<i>For Obscure Glass, Add</i>	88.15	
08 53 13 00-0355	EA		48" x 20", Venting, New Construction, Awning Vinyl Window (Silver Line 7450)	437.75	48.31
			<i>For Colored Vinyl, Add</i>	34.11	
			<i>For Tinted Glass, Add</i>	40.94	
			<i>For Low-E Insulated Glass, Add</i>	85.28	
			<i>For Obscure Glass, Add</i>	93.81	
08 53 13 00-0356			24" Height, Venting, New Construction, Awning Vinyl Windows (Silver Line 7450) <small>(08 53 13 00-0343)</small>		
08 53 13 00-0357	EA		24" x 24", Venting, New Construction, Awning Vinyl Window (Silver Line 7450)	364.29	39.89
			<i>For Colored Vinyl, Add</i>	28.54	
			<i>For Tinted Glass, Add</i>	34.25	
			<i>For Low-E Insulated Glass, Add</i>	71.35	
			<i>For Obscure Glass, Add</i>	78.49	
08 53 13 00-0358	EA		28" x 24", Venting, New Construction, Awning Vinyl Window (Silver Line 7450)	380.00	41.66
			<i>For Colored Vinyl, Add</i>	29.76	
			<i>For Tinted Glass, Add</i>	35.71	
			<i>For Low-E Insulated Glass, Add</i>	74.39	
			<i>For Obscure Glass, Add</i>	81.83	
08 53 13 00-0359	EA		36" x 24", Venting, New Construction, Awning Vinyl Window (Silver Line 7450)	406.97	44.33
			<i>For Colored Vinyl, Add</i>	31.83	
			<i>For Tinted Glass, Add</i>	38.20	
			<i>For Low-E Insulated Glass, Add</i>	79.58	
			<i>For Obscure Glass, Add</i>	87.54	
08 53 13 00-0360	EA		40" x 24", Venting, New Construction, Awning Vinyl Window (Silver Line 7450)	424.26	46.98
			<i>For Colored Vinyl, Add</i>	33.12	
			<i>For Tinted Glass, Add</i>	39.74	
			<i>For Low-E Insulated Glass, Add</i>	82.80	
			<i>For Obscure Glass, Add</i>	91.07	
08 53 13 00-0361	EA		48" x 24", Venting, New Construction, Awning Vinyl Window (Silver Line 7450)	452.28	50.08
			<i>For Colored Vinyl, Add</i>	35.21	
			<i>For Tinted Glass, Add</i>	42.25	
			<i>For Low-E Insulated Glass, Add</i>	88.03	
			<i>For Obscure Glass, Add</i>	96.83	
08 53 13 00-0362			28" Height, Venting, New Construction, Awning Vinyl Windows (Silver Line 7450) <small>(08 53 13 00-0343)</small>		
08 53 13 00-0363	EA		24" x 28", Venting, New Construction, Awning Vinyl Window (Silver Line 7450)	376.29	41.66
			<i>For Colored Vinyl, Add</i>	29.39	
			<i>For Tinted Glass, Add</i>	35.26	
			<i>For Low-E Insulated Glass, Add</i>	73.46	
			<i>For Obscure Glass, Add</i>	80.81	
08 53 13 00-0364	EA		28" x 28", Venting, New Construction, Awning Vinyl Window (Silver Line 7450)	392.00	43.44
			<i>For Colored Vinyl, Add</i>	30.60	
			<i>For Tinted Glass, Add</i>	36.72	
			<i>For Low-E Insulated Glass, Add</i>	76.50	
			<i>For Obscure Glass, Add</i>	84.15	
08 53 13 00-0365	EA		36" x 28", Venting, New Construction, Awning Vinyl Window (Silver Line 7450)	419.82	46.10
			<i>For Colored Vinyl, Add</i>	32.76	
			<i>For Tinted Glass, Add</i>	39.32	
			<i>For Low-E Insulated Glass, Add</i>	81.91	
			<i>For Obscure Glass, Add</i>	90.10	
08 53 13 00-0366	EA		40" x 28", Venting, New Construction, Awning Vinyl Window (Silver Line 7450)	438.35	48.75
			<i>For Colored Vinyl, Add</i>	34.17	
			<i>For Tinted Glass, Add</i>	41.01	
			<i>For Low-E Insulated Glass, Add</i>	85.43	
			<i>For Obscure Glass, Add</i>	93.98	
08 53 13 00-0367	EA		48" x 28", Venting, New Construction, Awning Vinyl Window (Silver Line 7450)	466.80	51.86
			<i>For Colored Vinyl, Add</i>	36.31	
			<i>For Tinted Glass, Add</i>	43.57	
			<i>For Low-E Insulated Glass, Add</i>	90.77	
			<i>For Obscure Glass, Add</i>	99.85	



Openings	08	08
Windows	08 50	
Plastic Windows	08 53	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 53 13 00-0368 36" Height, Venting, New Construction, Awning Vinyl Windows (Silver Line 7450) <small>(08 53 13 00-0343)</small>		
08 53 13 00-0369 EA 36" x 36", Venting, New Construction, Awning Vinyl Window (Silver Line 7450)	444.58	49.20
For Colored Vinyl, Add	34.62	
For Tinted Glass, Add	41.54	
For Low-E Insulated Glass, Add	86.55	
For Obscure Glass, Add	95.20	
08 53 13 00-0370 EA 40" x 36", Venting, New Construction, Awning Vinyl Window (Silver Line 7450)	463.15	51.42
For Colored Vinyl, Add	36.03	
For Tinted Glass, Add	43.24	
For Low-E Insulated Glass, Add	90.08	
For Obscure Glass, Add	99.09	
08 53 13 00-0371 EA 48" x 36", Venting, New Construction, Awning Vinyl Window (Silver Line 7450)	493.28	54.96
For Colored Vinyl, Add	38.34	
For Tinted Glass, Add	46.00	
For Low-E Insulated Glass, Add	95.84	
For Obscure Glass, Add	105.42	
08 53 13 00-0372 Replacement, Awning Vinyl Windows (Silver Line 7400) <small>(08 53 13 00-0341)</small>		
Note: Includes white solid vinyl interior and exterior, standard hardware, clear insulated glass and insect screen. Excludes grilles. Pricing calculated by the United Inch (the combined inches of one width and one height).		
08 53 13 00-0373 EA Up To 53" UI, Replacement, Awning Vinyl Window (Silver Line 7400)	349.24	37.68
For Colored Vinyl, Add	27.39	
For Tinted Glass, Add	32.87	
For Low-E Insulated Glass, Add	68.47	
For Obscure Glass, Add	75.32	
08 53 13 00-0374 EA >53" To 63" UI, Replacement, Awning Vinyl Window (Silver Line 7400)	403.40	42.10
For Colored Vinyl, Add	31.92	
For Tinted Glass, Add	38.30	
For Low-E Insulated Glass, Add	79.80	
For Obscure Glass, Add	87.77	
08 53 13 00-0375 EA >63" To 73" UI, Replacement, Awning Vinyl Window (Silver Line 7400)	455.52	46.54
For Colored Vinyl, Add	36.24	
For Tinted Glass, Add	43.49	
For Low-E Insulated Glass, Add	90.61	
For Obscure Glass, Add	99.67	
08 53 13 00-0376 EA >73" To 83" UI, Replacement, Awning Vinyl Window (Silver Line 7400)	505.62	50.97
For Colored Vinyl, Add	40.37	
For Tinted Glass, Add	48.44	
For Low-E Insulated Glass, Add	100.92	
For Obscure Glass, Add	111.01	
08 53 13 00-0377 EA >83" To 93" UI, Replacement, Awning Vinyl Window (Silver Line 7400)	553.71	55.40
For Colored Vinyl, Add	44.29	
For Tinted Glass, Add	53.15	
For Low-E Insulated Glass, Add	110.73	
For Obscure Glass, Add	121.80	
08 53 13 00-0378 EA >93" To 101" UI, Replacement, Awning Vinyl Window (Silver Line 7400)	580.20	59.84
For Colored Vinyl, Add	46.05	
For Tinted Glass, Add	55.26	
For Low-E Insulated Glass, Add	115.13	
For Obscure Glass, Add	126.65	
08 53 13 00-0379 UI >101" UI, Replacement, Awning Vinyl Window (Silver Line 7400)	5.72	0.57
For Colored Vinyl, Add	0.46	
For Tinted Glass, Add	0.55	
For Low-E Insulated Glass, Add	1.14	
For Obscure Glass, Add	1.25	
08 53 13 00-0380 Horizontal Sliding Vinyl Windows <small>(08 53 13)</small>		
08 53 13 00-0381 New Construction, Horizontal Sliding Vinyl Windows (Silver Line 2800) <small>(08 53 13 00-0380)</small>		
Note: Includes white solid vinyl interior and exterior, standard hardware, clear insulated glass and insect screen. Excludes grilles.		
08 53 13 00-0382 20" Height, New Construction, Horizontal Sliding Vinyl Windows (Silver Line 2800) <small>(08 53 13 00-0381)</small>		
08 53 13 00-0383 EA 36" x 20", New Construction, Horizontal Sliding Vinyl Window (Silver Line 2800)	208.33	43.44
For Colored Vinyl, Add	12.23	
For Tinted Glass, Add	14.68	
For Low-E Insulated Glass, Add	30.59	
For Obscure Glass, Add	33.64	
08 53 13 00-0384 EA 48" x 20", New Construction, Horizontal Sliding Vinyl Window (Silver Line 2800)	230.96	48.75
For Colored Vinyl, Add	13.43	
For Tinted Glass, Add	16.12	
For Low-E Insulated Glass, Add	33.59	
For Obscure Glass, Add	36.94	
08 53 13 00-0385 EA 54" x 20", New Construction, Horizontal Sliding Vinyl Window (Silver Line 2800)	242.28	50.97
For Colored Vinyl, Add	14.03	
For Tinted Glass, Add	16.84	
For Low-E Insulated Glass, Add	35.09	
For Obscure Glass, Add	38.59	

08 Openings**08 50 Windows****08 53 Plastic Windows**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 53 13 00-0386	EA		60" x 20", New Construction, Horizontal Sliding Vinyl Window (Silver Line 2800)	253.60	53.63
			<i>For Colored Vinyl, Add</i>	14.63	
			<i>For Tinted Glass, Add</i>	17.56	
			<i>For Low-E Insulated Glass, Add</i>	36.59	
			<i>For Obscure Glass, Add</i>	40.24	
08 53 13 00-0387	EA		64" x 20", New Construction, Horizontal Sliding Vinyl Window (Silver Line 2800)	261.14	55.85
			<i>For Colored Vinyl, Add</i>	15.03	
			<i>For Tinted Glass, Add</i>	18.04	
			<i>For Low-E Insulated Glass, Add</i>	37.58	
			<i>For Obscure Glass, Add</i>	41.34	
08 53 13 00-0388	EA		72" x 20", New Construction, Horizontal Sliding Vinyl Window (Silver Line 2800)	276.23	58.94
			<i>For Colored Vinyl, Add</i>	15.83	
			<i>For Tinted Glass, Add</i>	19.00	
			<i>For Low-E Insulated Glass, Add</i>	39.58	
			<i>For Obscure Glass, Add</i>	43.54	
08 53 13 00-0389			24" Height, New Construction, Horizontal Sliding Vinyl Windows (Silver Line 2800) <small>(08 53 13 00-0381)</small>		
08 53 13 00-0390	EA		36" x 24", New Construction, Horizontal Sliding Vinyl Window (Silver Line 2800)	218.62	45.21
			<i>For Colored Vinyl, Add</i>	12.91	
			<i>For Tinted Glass, Add</i>	15.49	
			<i>For Low-E Insulated Glass, Add</i>	32.27	
			<i>For Obscure Glass, Add</i>	35.50	
08 53 13 00-0391	EA		48" x 24", New Construction, Horizontal Sliding Vinyl Window (Silver Line 2800)	241.80	50.52
			<i>For Colored Vinyl, Add</i>	14.16	
			<i>For Tinted Glass, Add</i>	17.00	
			<i>For Low-E Insulated Glass, Add</i>	35.41	
			<i>For Obscure Glass, Add</i>	38.95	
08 53 13 00-0392	EA		54" x 24", New Construction, Horizontal Sliding Vinyl Window (Silver Line 2800)	253.46	52.75
			<i>For Colored Vinyl, Add</i>	14.80	
			<i>For Tinted Glass, Add</i>	17.76	
			<i>For Low-E Insulated Glass, Add</i>	37.00	
			<i>For Obscure Glass, Add</i>	40.69	
08 53 13 00-0393	EA		60" x 24", New Construction, Horizontal Sliding Vinyl Window (Silver Line 2800)	265.01	55.40
			<i>For Colored Vinyl, Add</i>	15.42	
			<i>For Tinted Glass, Add</i>	18.50	
			<i>For Low-E Insulated Glass, Add</i>	38.55	
			<i>For Obscure Glass, Add</i>	42.41	
08 53 13 00-0394	EA		64" x 24", New Construction, Horizontal Sliding Vinyl Window (Silver Line 2800)	272.72	57.62
			<i>For Colored Vinyl, Add</i>	15.84	
			<i>For Tinted Glass, Add</i>	19.00	
			<i>For Low-E Insulated Glass, Add</i>	39.59	
			<i>For Obscure Glass, Add</i>	43.55	
08 53 13 00-0395	EA		72" x 24", New Construction, Horizontal Sliding Vinyl Window (Silver Line 2800)	288.18	60.72
			<i>For Colored Vinyl, Add</i>	16.67	
			<i>For Tinted Glass, Add</i>	20.01	
			<i>For Low-E Insulated Glass, Add</i>	41.69	
			<i>For Obscure Glass, Add</i>	45.85	
08 53 13 00-0396			36" Height, New Construction, Horizontal Sliding Vinyl Windows (Silver Line 2800) <small>(08 53 13 00-0381)</small>		
08 53 13 00-0397	EA		36" x 36", New Construction, Horizontal Sliding Vinyl Window (Silver Line 2800)	249.69	50.52
			<i>For Colored Vinyl, Add</i>	14.95	
			<i>For Tinted Glass, Add</i>	17.94	
			<i>For Low-E Insulated Glass, Add</i>	37.38	
			<i>For Obscure Glass, Add</i>	41.12	
08 53 13 00-0398	EA		48" x 36", New Construction, Horizontal Sliding Vinyl Window (Silver Line 2800)	274.63	55.85
			<i>For Colored Vinyl, Add</i>	16.38	
			<i>For Tinted Glass, Add</i>	19.66	
			<i>For Low-E Insulated Glass, Add</i>	40.96	
			<i>For Obscure Glass, Add</i>	45.05	
08 53 13 00-0399	EA		54" x 36", New Construction, Horizontal Sliding Vinyl Window (Silver Line 2800)	287.13	58.06
			<i>For Colored Vinyl, Add</i>	17.10	
			<i>For Tinted Glass, Add</i>	20.52	
			<i>For Low-E Insulated Glass, Add</i>	42.75	
			<i>For Obscure Glass, Add</i>	47.03	
08 53 13 00-0400	EA		60" x 36", New Construction, Horizontal Sliding Vinyl Window (Silver Line 2800)	299.59	60.72
			<i>For Colored Vinyl, Add</i>	17.82	
			<i>For Tinted Glass, Add</i>	21.38	
			<i>For Low-E Insulated Glass, Add</i>	44.54	
			<i>For Obscure Glass, Add</i>	48.99	
08 53 13 00-0401	EA		64" x 36", New Construction, Horizontal Sliding Vinyl Window (Silver Line 2800)	307.92	62.05
			<i>For Colored Vinyl, Add</i>	18.29	
			<i>For Tinted Glass, Add</i>	21.95	
			<i>For Low-E Insulated Glass, Add</i>	45.73	
			<i>For Obscure Glass, Add</i>	50.31	
08 53 13 00-0402	EA		72" x 36", New Construction, Horizontal Sliding Vinyl Window (Silver Line 2800)	324.56	66.04
			<i>For Colored Vinyl, Add</i>	19.25	
			<i>For Tinted Glass, Add</i>	23.10	
			<i>For Low-E Insulated Glass, Add</i>	48.12	
			<i>For Obscure Glass, Add</i>	52.93	



Openings	08	08
Windows	08 50	
Plastic Windows	08 53	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 53 13 00-0403 42" Height, New Construction, Horizontal Sliding Vinyl Windows (Silver Line 2800) <small>(08 53 13 00-0381)</small>		
08 53 13 00-0404 EA 36" x 42", New Construction, Horizontal Sliding Vinyl Window (Silver Line 2800)	265.21	53.19
For Colored Vinyl, Add	15.97	
For Tinted Glass, Add	19.17	
For Low-E Insulated Glass, Add	39.93	
For Obscure Glass, Add	43.93	
08 53 13 00-0405 EA 48" x 42", New Construction, Horizontal Sliding Vinyl Window (Silver Line 2800)	291.06	58.50
For Colored Vinyl, Add	17.49	
For Tinted Glass, Add	20.99	
For Low-E Insulated Glass, Add	43.73	
For Obscure Glass, Add	48.11	
08 53 13 00-0406 EA 54" x 42", New Construction, Horizontal Sliding Vinyl Window (Silver Line 2800)	303.99	60.72
For Colored Vinyl, Add	18.26	
For Tinted Glass, Add	21.91	
For Low-E Insulated Glass, Add	45.64	
For Obscure Glass, Add	50.20	
08 53 13 00-0407 EA 60" x 42", New Construction, Horizontal Sliding Vinyl Window (Silver Line 2800)	316.91	63.38
For Colored Vinyl, Add	19.02	
For Tinted Glass, Add	22.82	
For Low-E Insulated Glass, Add	47.54	
For Obscure Glass, Add	52.29	
08 53 13 00-0408 EA 64" x 42", New Construction, Horizontal Sliding Vinyl Window (Silver Line 2800)	325.51	65.59
For Colored Vinyl, Add	19.52	
For Tinted Glass, Add	23.42	
For Low-E Insulated Glass, Add	48.80	
For Obscure Glass, Add	53.68	
08 53 13 00-0409 EA 72" x 42", New Construction, Horizontal Sliding Vinyl Window (Silver Line 2800)	342.75	68.70
For Colored Vinyl, Add	20.54	
For Tinted Glass, Add	24.64	
For Low-E Insulated Glass, Add	51.34	
For Obscure Glass, Add	56.47	
08 53 13 00-0410 44" Height, New Construction, Horizontal Sliding Vinyl Windows (Silver Line 2800) <small>(08 53 13 00-0381)</small>		
08 53 13 00-0411 EA 36" x 44", New Construction, Horizontal Sliding Vinyl Window (Silver Line 2800)	270.40	54.07
For Colored Vinyl, Add	16.31	
For Tinted Glass, Add	19.58	
For Low-E Insulated Glass, Add	40.79	
For Obscure Glass, Add	44.86	
08 53 13 00-0412 EA 48" x 44", New Construction, Horizontal Sliding Vinyl Window (Silver Line 2800)	296.54	59.40
For Colored Vinyl, Add	17.86	
For Tinted Glass, Add	21.44	
For Low-E Insulated Glass, Add	44.66	
For Obscure Glass, Add	49.13	
08 53 13 00-0413 EA 54" x 44", New Construction, Horizontal Sliding Vinyl Window (Silver Line 2800)	309.60	61.61
For Colored Vinyl, Add	18.64	
For Tinted Glass, Add	22.37	
For Low-E Insulated Glass, Add	46.60	
For Obscure Glass, Add	51.25	
08 53 13 00-0414 EA 60" x 44", New Construction, Horizontal Sliding Vinyl Window (Silver Line 2800)	322.67	64.27
For Colored Vinyl, Add	19.41	
For Tinted Glass, Add	23.30	
For Low-E Insulated Glass, Add	48.54	
For Obscure Glass, Add	53.39	
08 53 13 00-0415 EA 64" x 44", New Construction, Horizontal Sliding Vinyl Window (Silver Line 2800)	331.39	66.48
For Colored Vinyl, Add	19.93	
For Tinted Glass, Add	23.92	
For Low-E Insulated Glass, Add	49.83	
For Obscure Glass, Add	54.81	
08 53 13 00-0416 EA 72" x 44", New Construction, Horizontal Sliding Vinyl Window (Silver Line 2800)	348.80	69.59
For Colored Vinyl, Add	20.96	
For Tinted Glass, Add	25.15	
For Low-E Insulated Glass, Add	52.41	
For Obscure Glass, Add	57.65	
08 53 13 00-0417 46" Height, New Construction, Horizontal Sliding Vinyl Windows (Silver Line 2800) <small>(08 53 13 00-0381)</small>		
08 53 13 00-0418 EA 36" x 46", New Construction, Horizontal Sliding Vinyl Window (Silver Line 2800)	275.57	54.96
For Colored Vinyl, Add	16.65	
For Tinted Glass, Add	19.98	
For Low-E Insulated Glass, Add	41.64	
For Obscure Glass, Add	45.80	
08 53 13 00-0419 EA 48" x 46", New Construction, Horizontal Sliding Vinyl Window (Silver Line 2800)	302.00	60.28
For Colored Vinyl, Add	18.23	
For Tinted Glass, Add	21.88	
For Low-E Insulated Glass, Add	45.58	
For Obscure Glass, Add	50.14	

08 Openings**08 50 Windows****08 53 Plastic Windows**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 53 13 00-0420	EA		54" x 46", New Construction, Horizontal Sliding Vinyl Window (Silver Line 2800)	315.22	62.50
			<i>For Colored Vinyl, Add</i>	19.02	
			<i>For Tinted Glass, Add</i>	22.83	
			<i>For Low-E Insulated Glass, Add</i>	47.56	
			<i>For Obscure Glass, Add</i>	52.31	
08 53 13 00-0421	EA		60" x 46", New Construction, Horizontal Sliding Vinyl Window (Silver Line 2800)	328.42	65.15
			<i>For Colored Vinyl, Add</i>	19.81	
			<i>For Tinted Glass, Add</i>	23.77	
			<i>For Low-E Insulated Glass, Add</i>	49.53	
			<i>For Obscure Glass, Add</i>	54.48	
08 53 13 00-0422	EA		64" x 46", New Construction, Horizontal Sliding Vinyl Window (Silver Line 2800)	337.23	67.37
			<i>For Colored Vinyl, Add</i>	20.34	
			<i>For Tinted Glass, Add</i>	24.41	
			<i>For Low-E Insulated Glass, Add</i>	50.85	
			<i>For Obscure Glass, Add</i>	55.93	
08 53 13 00-0423	EA		72" x 46", New Construction, Horizontal Sliding Vinyl Window (Silver Line 2800)	354.87	70.47
			<i>For Colored Vinyl, Add</i>	21.39	
			<i>For Tinted Glass, Add</i>	25.67	
			<i>For Low-E Insulated Glass, Add</i>	53.48	
			<i>For Obscure Glass, Add</i>	58.83	
08 53 13 00-0424			48" Height, New Construction, Horizontal Sliding Vinyl Windows (Silver Line 2800) <small>(08 53 13 00-0381)</small>		
08 53 13 00-0425	EA		36" x 48", New Construction, Horizontal Sliding Vinyl Window (Silver Line 2800)	280.75	55.85
			<i>For Colored Vinyl, Add</i>	16.99	
			<i>For Tinted Glass, Add</i>	20.39	
			<i>For Low-E Insulated Glass, Add</i>	42.49	
			<i>For Obscure Glass, Add</i>	46.73	
08 53 13 00-0426	EA		48" x 48", New Construction, Horizontal Sliding Vinyl Window (Silver Line 2800)	307.48	61.17
			<i>For Colored Vinyl, Add</i>	18.60	
			<i>For Tinted Glass, Add</i>	22.32	
			<i>For Low-E Insulated Glass, Add</i>	46.51	
			<i>For Obscure Glass, Add</i>	51.16	
08 53 13 00-0427	EA		54" x 48", New Construction, Horizontal Sliding Vinyl Window (Silver Line 2800)	320.84	63.38
			<i>For Colored Vinyl, Add</i>	19.41	
			<i>For Tinted Glass, Add</i>	23.29	
			<i>For Low-E Insulated Glass, Add</i>	48.52	
			<i>For Obscure Glass, Add</i>	53.37	
08 53 13 00-0428	EA		60" x 48", New Construction, Horizontal Sliding Vinyl Window (Silver Line 2800)	334.19	66.04
			<i>For Colored Vinyl, Add</i>	20.21	
			<i>For Tinted Glass, Add</i>	24.25	
			<i>For Low-E Insulated Glass, Add</i>	50.53	
			<i>For Obscure Glass, Add</i>	55.58	
08 53 13 00-0429	EA		64" x 48", New Construction, Horizontal Sliding Vinyl Window (Silver Line 2800)	343.10	68.26
			<i>For Colored Vinyl, Add</i>	20.75	
			<i>For Tinted Glass, Add</i>	24.90	
			<i>For Low-E Insulated Glass, Add</i>	51.87	
			<i>For Obscure Glass, Add</i>	57.06	
08 53 13 00-0430	EA		72" x 48", New Construction, Horizontal Sliding Vinyl Window (Silver Line 2800)	360.94	71.36
			<i>For Colored Vinyl, Add</i>	21.82	
			<i>For Tinted Glass, Add</i>	26.19	
			<i>For Low-E Insulated Glass, Add</i>	54.56	
			<i>For Obscure Glass, Add</i>	60.01	
08 53 13 00-0431			50" Height, New Construction, Horizontal Sliding Vinyl Windows (Silver Line 2800) <small>(08 53 13 00-0381)</small>		
08 53 13 00-0432	EA		36" x 50", New Construction, Horizontal Sliding Vinyl Window (Silver Line 2800)	285.93	56.73
			<i>For Colored Vinyl, Add</i>	17.34	
			<i>For Tinted Glass, Add</i>	20.80	
			<i>For Low-E Insulated Glass, Add</i>	43.34	
			<i>For Obscure Glass, Add</i>	47.67	
08 53 13 00-0433	EA		48" x 50", New Construction, Horizontal Sliding Vinyl Window (Silver Line 2800)	312.94	62.05
			<i>For Colored Vinyl, Add</i>	18.97	
			<i>For Tinted Glass, Add</i>	22.77	
			<i>For Low-E Insulated Glass, Add</i>	47.43	
			<i>For Obscure Glass, Add</i>	52.17	
08 53 13 00-0434	EA		54" x 50", New Construction, Horizontal Sliding Vinyl Window (Silver Line 2800)	326.44	64.27
			<i>For Colored Vinyl, Add</i>	19.79	
			<i>For Tinted Glass, Add</i>	23.75	
			<i>For Low-E Insulated Glass, Add</i>	49.48	
			<i>For Obscure Glass, Add</i>	54.43	
08 53 13 00-0435	EA		60" x 50", New Construction, Horizontal Sliding Vinyl Window (Silver Line 2800)	339.95	66.92
			<i>For Colored Vinyl, Add</i>	20.61	
			<i>For Tinted Glass, Add</i>	24.73	
			<i>For Low-E Insulated Glass, Add</i>	51.53	
			<i>For Obscure Glass, Add</i>	56.68	
08 53 13 00-0436	EA		64" x 50", New Construction, Horizontal Sliding Vinyl Window (Silver Line 2800)	348.97	69.15
			<i>For Colored Vinyl, Add</i>	21.16	
			<i>For Tinted Glass, Add</i>	25.39	
			<i>For Low-E Insulated Glass, Add</i>	52.89	
			<i>For Obscure Glass, Add</i>	58.18	



Openings	08	08
Windows	08 50	
Plastic Windows	08 53	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 53 13 00-0437	EA		72" x 50", New Construction, Horizontal Sliding Vinyl Window (Silver Line 2800)	366.98	72.24
			For Colored Vinyl, Add	22.25	
			For Tinted Glass, Add	26.70	
			For Low-E Insulated Glass, Add	55.62	
			For Obscure Glass, Add	61.18	
08 53 13 00-0438			52" Height, New Construction, Horizontal Sliding Vinyl Windows (Silver Line 2800) (08 53 13 00-0381)		
08 53 13 00-0439	EA		36" x 52", New Construction, Horizontal Sliding Vinyl Window (Silver Line 2800)	291.10	57.62
			For Colored Vinyl, Add	17.68	
			For Tinted Glass, Add	21.21	
			For Low-E Insulated Glass, Add	44.19	
			For Obscure Glass, Add	48.61	
08 53 13 00-0440	EA		48" x 52", New Construction, Horizontal Sliding Vinyl Window (Silver Line 2800)	318.42	62.94
			For Colored Vinyl, Add	19.34	
			For Tinted Glass, Add	23.21	
			For Low-E Insulated Glass, Add	48.36	
			For Obscure Glass, Add	53.19	
08 53 13 00-0441	EA		54" x 52", New Construction, Horizontal Sliding Vinyl Window (Silver Line 2800)	332.07	65.15
			For Colored Vinyl, Add	20.18	
			For Tinted Glass, Add	24.21	
			For Low-E Insulated Glass, Add	50.44	
			For Obscure Glass, Add	55.48	
08 53 13 00-0442	EA		60" x 52", New Construction, Horizontal Sliding Vinyl Window (Silver Line 2800)	345.73	67.82
			For Colored Vinyl, Add	21.01	
			For Tinted Glass, Add	25.21	
			For Low-E Insulated Glass, Add	52.53	
			For Obscure Glass, Add	57.78	
08 53 13 00-0443	EA		64" x 52", New Construction, Horizontal Sliding Vinyl Window (Silver Line 2800)	354.84	70.03
			For Colored Vinyl, Add	21.57	
			For Tinted Glass, Add	25.88	
			For Low-E Insulated Glass, Add	53.92	
			For Obscure Glass, Add	59.31	
08 53 13 00-0444	EA		72" x 52", New Construction, Horizontal Sliding Vinyl Window (Silver Line 2800)	373.06	73.13
			For Colored Vinyl, Add	22.68	
			For Tinted Glass, Add	27.21	
			For Low-E Insulated Glass, Add	56.70	
			For Obscure Glass, Add	62.37	
08 53 13 00-0445			54" Height, New Construction, Horizontal Sliding Vinyl Windows (Silver Line 2800) (08 53 13 00-0381)		
08 53 13 00-0446	EA		36" x 54", New Construction, Horizontal Sliding Vinyl Window (Silver Line 2800)	296.29	58.50
			For Colored Vinyl, Add	18.02	
			For Tinted Glass, Add	21.62	
			For Low-E Insulated Glass, Add	45.04	
			For Obscure Glass, Add	49.54	
08 53 13 00-0447	EA		48" x 54", New Construction, Horizontal Sliding Vinyl Window (Silver Line 2800)	323.88	63.82
			For Colored Vinyl, Add	19.71	
			For Tinted Glass, Add	23.65	
			For Low-E Insulated Glass, Add	49.28	
			For Obscure Glass, Add	54.21	
08 53 13 00-0448	EA		54" x 54", New Construction, Horizontal Sliding Vinyl Window (Silver Line 2800)	337.69	66.04
			For Colored Vinyl, Add	20.56	
			For Tinted Glass, Add	24.67	
			For Low-E Insulated Glass, Add	51.40	
			For Obscure Glass, Add	56.54	
08 53 13 00-0449	EA		60" x 54", New Construction, Horizontal Sliding Vinyl Window (Silver Line 2800)	351.50	68.70
			For Colored Vinyl, Add	21.41	
			For Tinted Glass, Add	25.69	
			For Low-E Insulated Glass, Add	53.53	
			For Obscure Glass, Add	58.88	
08 53 13 00-0450	EA		64" x 54", New Construction, Horizontal Sliding Vinyl Window (Silver Line 2800)	360.71	70.92
			For Colored Vinyl, Add	21.98	
			For Tinted Glass, Add	26.37	
			For Low-E Insulated Glass, Add	54.94	
			For Obscure Glass, Add	60.43	
08 53 13 00-0451	EA		72" x 54", New Construction, Horizontal Sliding Vinyl Window (Silver Line 2800)	379.10	74.01
			For Colored Vinyl, Add	23.11	
			For Tinted Glass, Add	27.73	
			For Low-E Insulated Glass, Add	57.77	
			For Obscure Glass, Add	63.54	
08 53 13 00-0452			60" Height, New Construction, Horizontal Sliding Vinyl Windows (Silver Line 2800) (08 53 13 00-0381)		
08 53 13 00-0453	EA		36" x 60", New Construction, Horizontal Sliding Vinyl Window (Silver Line 2800)	320.79	61.17
			For Colored Vinyl, Add	19.94	
			For Tinted Glass, Add	23.92	
			For Low-E Insulated Glass, Add	49.84	
			For Obscure Glass, Add	54.82	

08 Openings**08 50 Windows****08 53 Plastic Windows**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 53 13 00-0454	EA		48" x 60", New Construction, Horizontal Sliding Vinyl Window (Silver Line 2800)	340.31	66.48
			For Colored Vinyl, Add	20.82	
			For Tinted Glass, Add	24.99	
			For Low-E Insulated Glass, Add	52.06	
			For Obscure Glass, Add	57.26	
08 53 13 00-0455	EA		54" x 60", New Construction, Horizontal Sliding Vinyl Window (Silver Line 2800)	354.56	68.70
			For Colored Vinyl, Add	21.72	
			For Tinted Glass, Add	26.06	
			For Low-E Insulated Glass, Add	54.29	
			For Obscure Glass, Add	59.72	
08 53 13 00-0456	EA		60" x 60", New Construction, Horizontal Sliding Vinyl Window (Silver Line 2800)	368.80	71.36
			For Colored Vinyl, Add	22.61	
			For Tinted Glass, Add	27.13	
			For Low-E Insulated Glass, Add	56.52	
			For Obscure Glass, Add	62.17	
08 53 13 00-0457	EA		64" x 60", New Construction, Horizontal Sliding Vinyl Window (Silver Line 2800)	378.31	73.57
			For Colored Vinyl, Add	23.20	
			For Tinted Glass, Add	27.84	
			For Low-E Insulated Glass, Add	58.01	
			For Obscure Glass, Add	63.81	
08 53 13 00-0458	EA		72" x 60", New Construction, Horizontal Sliding Vinyl Window (Silver Line 2800)	397.28	76.68
			For Colored Vinyl, Add	24.39	
			For Tinted Glass, Add	29.27	
			For Low-E Insulated Glass, Add	60.98	
			For Obscure Glass, Add	67.08	
08 53 13 00-0459			Replacement, Horizontal Sliding Vinyl Windows (Silver Line 8700) <small>(08 53 13 00-0380)</small>		
			Note: Includes white solid vinyl interior and exterior, standard hardware, clear insulated glass and insect screen. Excludes grilles. Pricing calculated by the United Inch (the combined inches of one width and one height).		
08 53 13 00-0460	EA		Up To 73" UI, Replacement, Horizontal Sliding Vinyl Window (Silver Line 8700)	322.38	46.54
			For Colored Vinyl, Add	22.93	
			For Tinted Glass, Add	27.52	
			For Low-E Insulated Glass, Add	57.33	
			For Obscure Glass, Add	63.06	
08 53 13 00-0461	EA		>73" To 83" UI, Replacement, Horizontal Sliding Vinyl Window (Silver Line 8700)	354.24	50.97
			For Colored Vinyl, Add	25.23	
			For Tinted Glass, Add	30.28	
			For Low-E Insulated Glass, Add	63.08	
			For Obscure Glass, Add	69.38	
08 53 13 00-0462	EA		>83" To 93" UI, Replacement, Horizontal Sliding Vinyl Window (Silver Line 8700)	384.09	55.40
			For Colored Vinyl, Add	27.33	
			For Tinted Glass, Add	32.79	
			For Low-E Insulated Glass, Add	68.32	
			For Obscure Glass, Add	75.15	
08 53 13 00-0463	EA		>93" To 101" UI, Replacement, Horizontal Sliding Vinyl Window (Silver Line 8700)	406.22	59.84
			For Colored Vinyl, Add	28.66	
			For Tinted Glass, Add	34.39	
			For Low-E Insulated Glass, Add	71.64	
			For Obscure Glass, Add	78.80	
08 53 13 00-0464	EA		>101" To 110" UI, Replacement, Horizontal Sliding Vinyl Window (Silver Line 8700)	429.47	64.27
			For Colored Vinyl, Add	30.09	
			For Tinted Glass, Add	36.11	
			For Low-E Insulated Glass, Add	75.24	
			For Obscure Glass, Add	82.76	
08 53 13 00-0465	EA		>110" To 120" UI, Replacement, Horizontal Sliding Vinyl Window (Silver Line 8700)	465.70	68.70
			For Colored Vinyl, Add	32.83	
			For Tinted Glass, Add	39.40	
			For Low-E Insulated Glass, Add	82.08	
			For Obscure Glass, Add	90.28	
08 53 13 00-0466	UI		>120" UI, Replacement, Horizontal Sliding Vinyl Window (Silver Line 8700)	3.90	0.57
			For Colored Vinyl, Add	0.27	
			For Tinted Glass, Add	0.33	
			For Low-E Insulated Glass, Add	0.69	
			For Obscure Glass, Add	0.75	
08 53 13 00-0467			Basement Vinyl Windows <small>(08 53 13)</small>		
08 53 13 00-0468			New Construction, Basement Vinyl Windows (Silver Line 5900) <small>(08 53 13 00-0467)</small>		
			Note: Includes white solid vinyl interior and exterior, standard hardware, clear insulated glass and insect screen. Excludes grilles.		
08 53 13 00-0469	EA		32" x 15", New Construction, Basement Vinyl Window (Silver Line 5900)	192.51	35.45
			For Colored Vinyl, Add	12.16	
			For Tinted Glass, Add	14.59	
			For Low-E Insulated Glass, Add	30.40	
			For Obscure Glass, Add	33.44	
08 53 13 00-0470	EA		32" x 20", New Construction, Basement Vinyl Window (Silver Line 5900)	206.70	35.45
			For Colored Vinyl, Add	13.58	
			For Tinted Glass, Add	16.29	
			For Low-E Insulated Glass, Add	33.95	
			For Obscure Glass, Add	37.34	



Openings	08	08
Windows	08 50	
Plastic Windows	08 53	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 53 13 00-0471	EA		32" x 23", New Construction, Basement Vinyl Window (Silver Line 5900)..... <i>For Colored Vinyl, Add</i> <i>For Tinted Glass, Add</i> <i>For Low-E Insulated Glass, Add</i> <i>For Obscure Glass, Add</i>	214.80 14.39 17.27 35.97 39.57	35.45
08 53 13 00-0472			Replacement, Basement Vinyl Windows (08 53 13 00-0467) Note: Includes white solid vinyl interior and exterior, standard hardware, clear insulated glass and insect screen. Excludes grilles. Pricing calculated by the United Inch (the combined inches of one width and one height).		
08 53 13 00-0473	EA		Up To 47" UI, Replacement, Basement Vinyl Window..... <i>For Colored Vinyl, Add</i> <i>For Tinted Glass, Add</i> <i>For Low-E Insulated Glass, Add</i> <i>For Obscure Glass, Add</i>	241.41 17.23 20.67 43.07 47.37	34.57
08 53 13 00-0474	EA		>47" To 55" UI, Replacement, Basement Vinyl Window..... <i>For Colored Vinyl, Add</i> <i>For Tinted Glass, Add</i> <i>For Low-E Insulated Glass, Add</i> <i>For Obscure Glass, Add</i>	269.26 18.95 22.74 47.37 52.11	39.89
08 53 13 00-0475	EA		>55" UI, Replacement, Basement Vinyl Window..... <i>For Colored Vinyl, Add</i> <i>For Tinted Glass, Add</i> <i>For Low-E Insulated Glass, Add</i> <i>For Obscure Glass, Add</i>	4.61 0.35 0.41 0.86 0.95	0.57
08 53 13 00-0476			Accessories For Vinyl Windows (08 53 13)		
08 53 13 00-0477			Factory Installed Grilles For Vinyl Windows (08 53 13 00-0476)		
08 53 13 00-0478			Fixed Grille Installed Between Glass Panes, Factory Installed Grilles For Vinyl Windows (08 53 13 00-0477)		
08 53 13 00-0479	EA		Up To 9 SF Windows, Fixed Grille Installed Between Glass Panes, Factory Installed Grilles For Vinyl Windows.....	28.37	
08 53 13 00-0480	EA		>9 To 18 SF Windows, Fixed Grille Installed Between Glass Panes, Factory Installed Grilles For Vinyl Windows.....	36.48	
08 53 13 00-0481	EA		>18 To 24 SF Windows, Fixed Grille Installed Between Glass Panes, Factory Installed Grilles For Vinyl Windows.....	46.98	
08 53 13 00-0482	EA		>24 To 36 SF Windows, Fixed Grille Installed Between Glass Panes, Factory Installed Grilles For Vinyl Windows.....	55.45	
08 53 13 00-0483	EA		>36 SF Windows, Fixed Grille Installed Between Glass Panes, Factory Installed Grilles For Vinyl Windows.....	68.17	
08 53 13 00-0484			Fixed Exterior And Interior Grilles With Spacers, Factory Installed Grilles For Vinyl Windows (08 53 13 00-0477)		
08 53 13 00-0485	EA		Up To 9 SF Windows, Fixed Exterior And Interior Grilles With Spacers, Factory Installed Grilles For Vinyl Windows.....	64.48	
08 53 13 00-0486	EA		>9 To 18 SF Windows, Fixed Exterior And Interior Grilles With Spacers, Factory Installed Grilles For Vinyl Windows.....	77.38	
08 53 13 00-0487	EA		>18 To 24 SF Windows, Fixed Exterior And Interior Grilles With Spacers, Factory Installed Grilles For Vinyl Windows.....	97.64	
08 53 13 00-0488	EA		>24 To 36 SF Windows, Fixed Exterior And Interior Grilles With Spacers, Factory Installed Grilles For Vinyl Windows.....	121.59	
08 53 13 00-0489	EA		>36 SF Windows, Fixed Exterior And Interior Grilles With Spacers, Factory Installed Grilles For Vinyl Windows.....	145.54	
08 53 66			Vinyl Window Screens (08 53)		
08 53 66 00-0001			Insect Screens For Vinyl Windows (08 53 66)		
08 53 66 00-0002	EA		Up To 6 SF, Insect Screen For Vinyl Windows.....	33.96	7.77
08 53 66 00-0003	EA		>6 To 9 SF, Insect Screen For Vinyl Windows.....	45.02	7.77
08 53 66 00-0004	EA		>9 To 12 SF, Insect Screen For Vinyl Windows.....	48.70	7.77
08 53 66 00-0005	EA		>12 To 15 SF, Insect Screen For Vinyl Windows.....	56.07	7.77
08 53 66 00-0006	EA		>15 To 20 SF, Insect Screen For Vinyl Windows.....	72.65	7.77
08 53 66 00-0007	EA		>20 To 25 SF, Insect Screen For Vinyl Windows.....	80.02	7.77
08 53 66 00-0008	EA		>25 To 30 SF, Insect Screen For Vinyl Windows.....	91.07	7.77
08 53 66 00-0009	EA		>30 To 35 SF, Insect Screen For Vinyl Windows.....	98.44	7.77
08 53 66 00-0010	SF		>35 SF, Insect Screen For Vinyl Windows.....	2.97	0.16
08 56			Special Function Windows (08 50)		
08 56 19			Pass Windows (08 56)		
08 56 19 00-0001			Bullet Resistant Pass Through Service Window, Steel Frame (08 56 19) Note: Secure air passage for voice transmission; Natural Voice Transmission (NVR)		
08 56 19 00-0002	EA		24" x 36", Bullet Resistant Pass Through Service Window, 1.25" Acrylic Glazing Level I, Steel Frame..... <i>For 1.375" Acrylic Level II Bullet Resistant Glazing, Add</i> <i>For 1.25" Multi-Ply Polycarbonate Level III Bullet Resistant Glazing, Add</i>	2,915.39 45.00 295.00	549.90
08 56 19 00-0003	EA		30" x 36", Bullet Resistant Pass Through Service Window, 1.25" Acrylic Glazing Level I, Steel Frame..... <i>For 1.375" Acrylic Level II Bullet Resistant Glazing, Add</i> <i>For 1.25" Multi-Ply Polycarbonate Level III Bullet Resistant Glazing, Add</i>	3,187.74 60.00 370.00	595.72
08 56 19 00-0004	EA		36" x 36", Bullet Resistant Pass Through Service Window, 1.25" Acrylic Glazing Level I, Steel Frame..... <i>For 1.375" Acrylic Level II Bullet Resistant Glazing, Add</i> <i>For 1.25" Multi-Ply Polycarbonate Level III Bullet Resistant Glazing, Add</i>	3,362.57 70.00 445.00	641.55

08	08	Openings
	08 50	Windows
	08 56	Special Function Windows



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 56 19 00-0005	EA		48" x 40", Bullet Resistant Pass Through Service Window, 1.25" Acrylic Glazing Level I, Steel Frame <i>For 1.375" Acrylic Level II Bullet Resistant Glazing, Add</i> <i>For 1.25" Multi-Ply Polycarbonate Level III Bullet Resistant Glazing, Add</i>	4,182.14 100.00 650.00	733.19
08 56 19 00-0006	EA		72" x 40", Bullet Resistant Pass Through Service Window, 1.25" Acrylic Glazing Level I, Steel Frame <i>For 1.375" Acrylic Level II Bullet Resistant Glazing, Add</i> <i>For 1.25" Multi-Ply Polycarbonate Level III Bullet Resistant Glazing, Add</i>	5,720.15 150.00 975.00	1,099.80
08 56 56			Security Window Screens <small>(08 56)</small>		
			Note: All security window screens include frame and mounting hardware. Operable security screens include hinges and related hardware.		
08 56 56 00-0001			Wire Mesh Security Screen <small>(08 56 56)</small>		
08 56 56 00-0002			Wire Mesh, Inoperable, Security Window Screen <small>(08 56 56 00-0001)</small>		
08 56 56 00-0003	SF		13 Gauge, Wire Mesh, Inoperable, Steel Security Window Screen <i>For Painted Steel, Add</i> <i>For Galvanized Steel, Add</i> <i>For Aluminum, Add</i> <i>For Stainless Steel, Add</i>	19.33 1.38 2.77 5.53 24.20	4.12
08 56 56 00-0004	SF		11 Gauge, Wire Mesh, Inoperable, Steel Security Window Screen <i>For Painted Steel, Add</i> <i>For Galvanized Steel, Add</i> <i>For Aluminum, Add</i> <i>For Stainless Steel, Add</i>	19.73 1.42 2.85 5.69 24.90	4.12
08 56 56 00-0005	SF		9 Gauge, Wire Mesh, Inoperable, Steel Security Window Screen <i>For Painted Steel, Add</i> <i>For Galvanized Steel, Add</i> <i>For Aluminum, Add</i> <i>For Stainless Steel, Add</i>	21.55 1.61 3.21 6.42 28.09	4.12
08 56 56 00-0006	SF		6 Gauge, Wire Mesh, Inoperable, Steel Security Window Screen <i>For Painted Steel, Add</i> <i>For Galvanized Steel, Add</i> <i>For Aluminum, Add</i> <i>For Stainless Steel, Add</i>	25.46 2.00 3.99 7.98 34.93	4.12
08 56 56 00-0007			Wire Mesh, Operable, Security Window Screen <small>(08 56 56 00-0001)</small>		
08 56 56 00-0008	SF		13 Gauge, Wire Mesh, Operable, Steel Security Window Screen <i>For Painted Steel, Add</i> <i>For Galvanized Steel, Add</i> <i>For Aluminum, Add</i> <i>For Stainless Steel, Add</i>	27.03 1.97 3.94 7.88 34.48	5.04
08 56 56 00-0009	SF		11 Gauge, Wire Mesh, Operable, Steel Security Window Screen <i>For Painted Steel, Add</i> <i>For Galvanized Steel, Add</i> <i>For Aluminum, Add</i> <i>For Stainless Steel, Add</i>	27.63 2.03 4.06 8.12 35.53	5.04
08 56 56 00-0010	SF		9 Gauge, Wire Mesh, Operable, Steel Security Window Screen <i>For Painted Steel, Add</i> <i>For Galvanized Steel, Add</i> <i>For Aluminum, Add</i> <i>For Stainless Steel, Add</i>	30.25 2.29 4.58 9.17 40.11	5.04
08 56 56 00-0011	SF		6 Gauge, Wire Mesh, Operable, Steel Security Window Screen <i>For Painted Steel, Add</i> <i>For Galvanized Steel, Add</i> <i>For Aluminum, Add</i> <i>For Stainless Steel, Add</i>	35.72 2.84 5.68 11.36 49.68	5.04
08 56 56 00-0012			Wire Cloth Security Screen <small>(08 56 56)</small>		
			Note: Wire cloth has from 10 to 12 strands per 1".		
08 56 56 00-0013			Wire Cloth, Inoperable, Security Window Screens <small>(08 56 56 00-0012)</small>		
08 56 56 00-0014	SF		24 Gauge, Wire Cloth, Inoperable, Steel Security Window Screen <i>For Painted Steel, Add</i> <i>For Galvanized Steel, Add</i> <i>For Aluminum, Add</i> <i>For Stainless Steel, Add</i>	12.83 0.41 1.24 2.48 10.31	2.75
08 56 56 00-0015	SF		22 Gauge, Wire Cloth, Inoperable, Steel Security Window Screen <i>For Painted Steel, Add</i> <i>For Galvanized Steel, Add</i> <i>For Aluminum, Add</i> <i>For Stainless Steel, Add</i>	13.38 0.44 1.32 2.64 11.00	2.75
08 56 56 00-0016	SF		20 Gauge, Wire Cloth, Inoperable, Steel Security Window Screen <i>For Painted Steel, Add</i> <i>For Galvanized Steel, Add</i> <i>For Aluminum, Add</i> <i>For Stainless Steel, Add</i>	14.26 0.48 1.45 2.90 12.10	2.75
08 56 56 00-0017	SF		18 Gauge, Wire Cloth, Inoperable, Steel Security Window Screen <i>For Painted Steel, Add</i> <i>For Galvanized Steel, Add</i> <i>For Aluminum, Add</i> <i>For Stainless Steel, Add</i>	15.92 0.57 1.70 3.40 14.18	2.75



Openings	08	08
Windows	08 50	
Special Function Windows	08 56	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 56 56 00-0018 Wire Cloth, Operable, Security Window Screens <small>(08 56 56 00-0012)</small>		
08 56 56 00-0019 SF 24 Gauge, Wire Cloth, Operable, Steel Security Window Screen.....	17.25	3.66
For Painted Steel, Add	0.59	
For Galvanized Steel, Add	1.76	
For Aluminum, Add	3.53	
For Stainless Steel, Add	14.69	
08 56 56 00-0020 SF 22 Gauge, Wire Cloth, Operable, Steel Security Window Screen.....	18.11	3.66
For Painted Steel, Add	0.63	
For Galvanized Steel, Add	1.89	
For Aluminum, Add	3.78	
For Stainless Steel, Add	15.76	
08 56 56 00-0021 SF 20 Gauge, Wire Cloth, Operable, Steel Security Window Screen.....	19.30	3.66
For Painted Steel, Add	0.69	
For Galvanized Steel, Add	2.07	
For Aluminum, Add	4.14	
For Stainless Steel, Add	17.25	
08 56 56 00-0022 SF 18 Gauge, Wire Cloth, Operable, Steel Security Window Screen.....	21.68	3.66
For Painted Steel, Add	0.81	
For Galvanized Steel, Add	2.43	
For Aluminum, Add	4.85	
For Stainless Steel, Add	20.23	
08 56 56 00-0023 Expanded Metal Security Screen <small>(08 56 56)</small>		
Note: Flattened or standard pattern. Dimension given is the short distance across the opening (SWO). The # designation is the pattern number of the expanded metal and is not the gauge.		
08 56 56 00-0024 Expanded Metal, Inoperable, Security Screen <small>(08 56 56 00-0023)</small>		
08 56 56 00-0025 SF 1/4" #18, Thickness 0.04" Expanded Metal, Inoperable, Steel Security Window Screen.....	24.35	6.87
For Painted Steel, Add	0.81	
For Galvanized Steel, Add	2.42	
For Aluminum, Add	4.83	
For Stainless Steel, Add	20.13	
08 56 56 00-0026 SF 1/2" #13, Thickness 0.07" Expanded Metal, Inoperable, Steel Security Window Screen.....	28.48	8.25
For Painted Steel, Add	0.92	
For Galvanized Steel, Add	2.76	
For Aluminum, Add	5.52	
For Stainless Steel, Add	23.00	
08 56 56 00-0027 SF 3/4" #13, Thickness 0.07" Expanded Metal, Inoperable, Steel Security Window Screen.....	31.98	10.08
For Painted Steel, Add	1.00	
For Galvanized Steel, Add	3.01	
For Aluminum, Add	6.02	
For Stainless Steel, Add	25.09	
08 56 56 00-0028 SF 3/4" #9, Thickness 0.12" Expanded Metal, Inoperable, Steel Security Window Screen.....	37.58	11.91
For Painted Steel, Add	1.15	
For Galvanized Steel, Add	3.44	
For Aluminum, Add	6.88	
For Stainless Steel, Add	28.65	
08 56 56 00-0029 SF 1-1/2" #9, Thickness 0.11" Expanded Metal, Inoperable, Steel Security Window Screen.....	35.00	11.46
For Painted Steel, Add	1.06	
For Galvanized Steel, Add	3.19	
For Aluminum, Add	6.38	
For Stainless Steel, Add	26.58	
08 56 56 00-0030 SF 3 LB/SF Expanded Metal, Inoperable, Steel Security Window Screen.....	44.15	14.66
For Painted Steel, Add	1.34	
For Galvanized Steel, Add	4.01	
For Aluminum, Add	8.02	
For Stainless Steel, Add	33.41	
08 56 56 00-0031 Expanded Metal, Operable, Security Screen <small>(08 56 56 00-0023)</small>		
08 56 56 00-0032 SF 1/4" #18, Thickness 0.04" Expanded Metal, Operable, Steel Security Window Screen.....	24.50	8.25
For Painted Steel, Add	0.72	
For Galvanized Steel, Add	2.16	
For Aluminum, Add	4.33	
For Stainless Steel, Add	18.03	
08 56 56 00-0033 SF 1/2" #13, Thickness 0.07" Expanded Metal, Operable, Steel Security Window Screen.....	38.16	10.08
For Painted Steel, Add	1.31	
For Galvanized Steel, Add	3.94	
For Aluminum, Add	7.88	
For Stainless Steel, Add	32.81	
08 56 56 00-0034 SF 3/4" #13, Thickness 0.07" Expanded Metal, Operable, Steel Security Window Screen.....	42.37	11.46
For Painted Steel, Add	1.43	
For Galvanized Steel, Add	4.29	
For Aluminum, Add	8.59	
For Stainless Steel, Add	35.79	
08 56 56 00-0035 SF 1-1/2" #9, Thickness 0.11" Expanded Metal, Operable, Steel Security Window Screen.....	45.88	12.83
For Painted Steel, Add	1.52	
For Galvanized Steel, Add	4.55	
For Aluminum, Add	9.09	
For Stainless Steel, Add	37.88	

08	08	Openings
	08 50	Windows
	08 56	Special Function Windows



MINOR CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 56 56 00-0036	SF	3/4" #9, Thickness 0.12" Expanded Metal, Operable, Steel Security Window Screen	50.08	14.66
		<i>For Painted Steel, Add</i>	1.63	
		<i>For Galvanized Steel, Add</i>	4.90	
		<i>For Aluminum, Add</i>	9.80	
		<i>For Stainless Steel, Add</i>	40.83	
08 56 56 00-0037	SF	3 LB/SF Expanded Metal, Operable, Steel Security Window Screen.....	57.32	16.04
		<i>For Painted Steel, Add</i>	1.90	
		<i>For Galvanized Steel, Add</i>	5.71	
		<i>For Aluminum, Add</i>	11.42	
		<i>For Stainless Steel, Add</i>	47.59	
08 56 56 00-0038		Perforated Metal Security Screen <small>(08 56 56)</small>		
08 56 56 00-0039		Perforated Metal, Inoperable, Steel Security Window Screen <small>(08 56 56 00-0038)</small>		
08 56 56 00-0040	SF	22 Gauge Perforated Metal, 63% Openings, Inoperable, Steel Security Window Screen.....	21.52	4.12
		<i>For Painted Steel, Add</i>	0.80	
		<i>For Galvanized Steel, Add</i>	2.40	
		<i>For Aluminum, Add</i>	4.81	
		<i>For Stainless Steel, Add</i>	16.02	
08 56 56 00-0041	SF	20 Gauge Perforated Metal, 63% Openings, Inoperable, Steel Security Window Screen.....	22.16	4.12
		<i>For Painted Steel, Add</i>	0.83	
		<i>For Galvanized Steel, Add</i>	2.50	
		<i>For Aluminum, Add</i>	5.00	
		<i>For Stainless Steel, Add</i>	16.66	
08 56 56 00-0042	SF	18 Gauge Perforated Metal, 63% Openings, Inoperable, Steel Security Window Screen.....	24.30	4.12
		<i>For Painted Steel, Add</i>	0.94	
		<i>For Galvanized Steel, Add</i>	2.82	
		<i>For Aluminum, Add</i>	5.64	
		<i>For Stainless Steel, Add</i>	18.80	
08 56 56 00-0043	SF	16 Gauge Perforated Metal, 63% Openings, Inoperable, Steel Security Window Screen.....	28.34	4.12
		<i>For Painted Steel, Add</i>	1.14	
		<i>For Galvanized Steel, Add</i>	3.43	
		<i>For Aluminum, Add</i>	6.85	
		<i>For Stainless Steel, Add</i>	22.84	
08 56 56 00-0044		Perforated Metal, Operable, Steel Security Window Screen <small>(08 56 56 00-0038)</small>		
08 56 56 00-0045	SF	22 Gauge Perforated Metal, 63% Openings, Operable, Steel Security Window Screen.....	30.09	5.04
		<i>For Painted Steel, Add</i>	1.14	
		<i>For Galvanized Steel, Add</i>	3.41	
		<i>For Aluminum, Add</i>	6.83	
		<i>For Stainless Steel, Add</i>	22.76	
08 56 56 00-0046	SF	20 Gauge Perforated Metal, 63% Openings, Operable, Steel Security Window Screen.....	31.20	5.04
		<i>For Painted Steel, Add</i>	1.19	
		<i>For Galvanized Steel, Add</i>	3.58	
		<i>For Aluminum, Add</i>	7.16	
		<i>For Stainless Steel, Add</i>	23.87	
08 56 56 00-0047	SF	18 Gauge Perforated Metal, 63% Openings, Operable, Steel Security Window Screen.....	33.98	5.04
		<i>For Painted Steel, Add</i>	1.33	
		<i>For Galvanized Steel, Add</i>	4.00	
		<i>For Aluminum, Add</i>	8.00	
		<i>For Stainless Steel, Add</i>	26.65	
08 56 56 00-0048	SF	16 Gauge Perforated Metal, 63% Openings, Operable, Steel Security Window Screen.....	39.77	5.04
		<i>For Painted Steel, Add</i>	1.62	
		<i>For Galvanized Steel, Add</i>	4.87	
		<i>For Aluminum, Add</i>	9.73	
		<i>For Stainless Steel, Add</i>	32.44	
08 56 56 00-0049		Remove And Reinstall Security Screens And Guards <small>(08 56 56)</small>		
08 56 56 00-0050	SF	Removal And Reinstallation Of Security Screens	11.52	
08 56 59		Service And Teller Window Units <small>(08 56)</small>		
08 56 59 00-0001		Communicator For Window <small>(08 56 59)</small>		
08 56 59 00-0002	EA	Electronic Two-Way Talk-thru Hands-Free Audio Communicator (Haven SC-350).....	1,620.87	183.30
		Note: Communicator is designed for applications where a fire shutter or window shade is present. Two-way communication is accomplished through the use of speakers and micro-phones located on each side of the partition. The Master unit is equipped with a 15" gooseneck microphone, power on/off switch, power-on LED, and external volume controls. The Remote Unit is window-mounted and may incorporate a level 3 bullet-resistive insert.		
08 56 59 00-0003	EA	Electronic Two-Way Audio Communicator (Haven SC-300).....	1,424.42	183.30
		Note: Communicator is designed for application where a cutout in the barrier is impractical. Two-way communication is accomplished through the use of speakers and microphones located on each side of the partition. The master unit is equipped with a 20" gooseneck microphone, power on/off switch, power-on LED, and external volume controls. The Remote unit is vandal-resistant with all controls located within the housing.		
08 56 59 00-0004	EA	Electronic Two-Way Talk-Thru Communication System (Norcon TTU-1).....	1,303.14	183.30
08 56 59 00-0005		Speak-Thru Communicator For Window <small>(08 56 59)</small>		



Openings	08	08
Windows	08 50	
Special Function Windows	08 56	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 56 59 00-0006	EA		5-5/16" Diameter, Satin Anodized Aluminum, No-Draft Speak-Thru (CRL 834A).....	98.17	
			Note: Includes gaskets and mounting screws for installation on glass from 1/4" (6 mm) to 1/2" (12 mm) thick. Require a minimum hole diameter of 2-1/4" (57 mm), and will cover holes up to 4-1/4" (108 mm). Recommended hole diameter is 3-1/2" (89 mm).		
08 56 59 00-0007	EA		6-3/16" Diameter, Polished Stainless Steel, No-Draft Speak-Thru (Brixwell 834LPS).....	140.63	
			Note: Includes gaskets and mounting screws for installation on glass from 1/4" (6 mm) to 1/2" (12 mm) thick. Require a minimum hole diameter of 2-1/4" (57 mm), and will cover holes up to 4-1/4" (108 mm). Recommended hole diameter is 3-1/2" (89 mm).		
08 56 59 00-0008			Counter Drop-In Deal Tray (08 56 59)		
08 56 59 00-0009	EA		16" Wide x 10" Deep x 1-9/16" High, Brushed Stainless Steel, Standard Drop-In Deal Tray (CRL CTDB16).....	264.08	33.43

08 60 Roof Windows And Skylights (08)

Note: Includes hardware, caulk, sealant and necessary anchors.

08 62 Unit Skylights (08 60)

08 62 23 Tubular Skylights (08 62)

08 62 23 00-0001 Aluminum Framed Solar Tube Skylights (08 62 23)

Note: Includes knock down curb with safety security guard, class 1 hail rated double glazed skylight, light shaft top trim, reflective light well, T-bar ceiling frame, acrylic diffuser lens and lens clip.

08 62 23 00-0002 31-5/8" x 31-5/8" Inside Frame Dimensions, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Solar Tube Skylights (08 62 23 00-0001)

08 62 23 00-0003	EA		2' Shaft Length, 31-5/8" x 31-5/8" Inside Frame Dimensions, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Solar Tube Skylight.....	856.84	162.97
			<i>For Class 3 Hail Rated, Add</i>	4.00	
			<i>For Polycarbonate Diffuser Lens, Add</i>	7.00	
			<i>For High Velocity Hurricane Zone Rated, Add</i>	14.00	
			<i>For FM Approved, Add</i>	20.00	
			<i>For 18 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	49.00	
			<i>For 14 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	69.00	
			<i>For Single Blade Louver, Add</i>	599.22	
08 62 23 00-0004	EA		3' Shaft Length, 31-5/8" x 31-5/8" Inside Frame Dimensions, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Solar Tube Skylight.....	901.95	167.04
			<i>For Class 3 Hail Rated, Add</i>	4.00	
			<i>For Polycarbonate Diffuser Lens, Add</i>	7.00	
			<i>For High Velocity Hurricane Zone Rated, Add</i>	14.00	
			<i>For FM Approved, Add</i>	20.00	
			<i>For 18 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	49.00	
			<i>For 14 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	69.00	
			<i>For Single Blade Louver, Add</i>	600.04	
08 62 23 00-0005	EA		4' Shaft Length, 31-5/8" x 31-5/8" Inside Frame Dimensions, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Solar Tube Skylight.....	945.81	171.11
			<i>For Class 3 Hail Rated, Add</i>	4.00	
			<i>For Polycarbonate Diffuser Lens, Add</i>	7.00	
			<i>For High Velocity Hurricane Zone Rated, Add</i>	14.00	
			<i>For FM Approved, Add</i>	20.00	
			<i>For 18 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	49.00	
			<i>For 14 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	69.00	
			<i>For Single Blade Louver, Add</i>	600.85	
08 62 23 00-0006	EA		5' Shaft Length, 31-5/8" x 31-5/8" Inside Frame Dimensions, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Solar Tube Skylight.....	1,006.93	175.19
			<i>For Class 3 Hail Rated, Add</i>	4.00	
			<i>For Polycarbonate Diffuser Lens, Add</i>	7.00	
			<i>For High Velocity Hurricane Zone Rated, Add</i>	14.00	
			<i>For FM Approved, Add</i>	20.00	
			<i>For 18 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	49.00	
			<i>For 14 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	69.00	
			<i>For Single Blade Louver, Add</i>	601.67	
08 62 23 00-0007	EA		6' Shaft Length, 31-5/8" x 31-5/8" Inside Frame Dimensions, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Solar Tube Skylight.....	1,060.65	179.27
			<i>For Class 3 Hail Rated, Add</i>	4.00	
			<i>For Polycarbonate Diffuser Lens, Add</i>	7.00	
			<i>For High Velocity Hurricane Zone Rated, Add</i>	14.00	
			<i>For FM Approved, Add</i>	20.00	
			<i>For 18 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	49.00	
			<i>For 14 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	69.00	
			<i>For Single Blade Louver, Add</i>	602.48	
08 62 23 00-0008	EA		7' Shaft Length, 31-5/8" x 31-5/8" Inside Frame Dimensions, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Solar Tube Skylight.....	1,104.53	183.34
			<i>For Class 3 Hail Rated, Add</i>	4.00	
			<i>For Polycarbonate Diffuser Lens, Add</i>	7.00	
			<i>For High Velocity Hurricane Zone Rated, Add</i>	14.00	
			<i>For FM Approved, Add</i>	20.00	
			<i>For 18 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	49.00	
			<i>For 14 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	69.00	
			<i>For Single Blade Louver, Add</i>	603.30	

08 Openings**08 60 Roof Windows And Skylights****08 62 Unit Skylights**

MINOR		TOTAL DIRECT	DEMOLITION
CSI	UOM DESCRIPTION	UNIT COST	UNIT COST
08 62 23 00-0009	EA 8' Shaft Length, 31-5/8" x 31-5/8" Inside Frame Dimensions, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Solar Tube Skylight.....	1,148.40	187.41
	<i>For Class 3 Hail Rated, Add</i>	4.00	
	<i>For Polycarbonate Diffuser Lens, Add</i>	7.00	
	<i>For High Velocity Hurricane Zone Rated, Add</i>	14.00	
	<i>For FM Approved, Add</i>	20.00	
	<i>For 18 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	49.00	
	<i>For 14 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	69.00	
	<i>For Single Blade Louver, Add</i>	604.11	
08 62 23 00-0010	EA 9' Shaft Length, 31-5/8" x 31-5/8" Inside Frame Dimensions, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Solar Tube Skylight.....	1,219.36	191.49
	<i>For Class 3 Hail Rated, Add</i>	4.00	
	<i>For Polycarbonate Diffuser Lens, Add</i>	7.00	
	<i>For High Velocity Hurricane Zone Rated, Add</i>	14.00	
	<i>For FM Approved, Add</i>	20.00	
	<i>For 18 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	49.00	
	<i>For 14 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	69.00	
	<i>For Single Blade Louver, Add</i>	604.93	
08 62 23 00-0011	EA 10' Shaft Length, 31-5/8" x 31-5/8" Inside Frame Dimensions, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Solar Tube Skylight.....	1,263.23	195.56
	<i>For Class 3 Hail Rated, Add</i>	4.00	
	<i>For Polycarbonate Diffuser Lens, Add</i>	7.00	
	<i>For High Velocity Hurricane Zone Rated, Add</i>	14.00	
	<i>For FM Approved, Add</i>	20.00	
	<i>For 18 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	49.00	
	<i>For 14 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	69.00	
	<i>For Single Blade Louver, Add</i>	605.74	
08 62 23 00-0012	EA 11' Shaft Length, 31-5/8" x 31-5/8" Inside Frame Dimensions, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Solar Tube Skylight.....	1,308.34	199.63
	<i>For Class 3 Hail Rated, Add</i>	4.00	
	<i>For Polycarbonate Diffuser Lens, Add</i>	7.00	
	<i>For High Velocity Hurricane Zone Rated, Add</i>	14.00	
	<i>For FM Approved, Add</i>	20.00	
	<i>For 18 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	49.00	
	<i>For 14 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	69.00	
	<i>For Single Blade Louver, Add</i>	606.56	
08 62 23 00-0013	EA 12' Shaft Length, 31-5/8" x 31-5/8" Inside Frame Dimensions, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Solar Tube Skylight.....	1,352.21	203.70
	<i>For Class 3 Hail Rated, Add</i>	4.00	
	<i>For Polycarbonate Diffuser Lens, Add</i>	7.00	
	<i>For High Velocity Hurricane Zone Rated, Add</i>	14.00	
	<i>For FM Approved, Add</i>	20.00	
	<i>For 18 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	49.00	
	<i>For 14 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	69.00	
	<i>For Single Blade Louver, Add</i>	607.37	
08 62 23 00-0014	EA 13' Shaft Length, 31-5/8" x 31-5/8" Inside Frame Dimensions, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Solar Tube Skylight.....	1,423.18	207.79
	<i>For Class 3 Hail Rated, Add</i>	4.00	
	<i>For Polycarbonate Diffuser Lens, Add</i>	7.00	
	<i>For High Velocity Hurricane Zone Rated, Add</i>	14.00	
	<i>For FM Approved, Add</i>	20.00	
	<i>For 18 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	49.00	
	<i>For 14 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	69.00	
	<i>For Single Blade Louver, Add</i>	608.19	
08 62 23 00-0015	EA 14' Shaft Length, 31-5/8" x 31-5/8" Inside Frame Dimensions, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Solar Tube Skylight.....	1,467.04	211.86
	<i>For Class 3 Hail Rated, Add</i>	4.00	
	<i>For Polycarbonate Diffuser Lens, Add</i>	7.00	
	<i>For High Velocity Hurricane Zone Rated, Add</i>	14.00	
	<i>For FM Approved, Add</i>	20.00	
	<i>For 18 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	49.00	
	<i>For 14 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	69.00	
	<i>For Single Blade Louver, Add</i>	609.00	
08 62 23 00-0016	EA 15' Shaft Length, 31-5/8" x 31-5/8" Inside Frame Dimensions, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Solar Tube Skylight.....	1,510.93	215.93
	<i>For Class 3 Hail Rated, Add</i>	4.00	
	<i>For Polycarbonate Diffuser Lens, Add</i>	7.00	
	<i>For High Velocity Hurricane Zone Rated, Add</i>	14.00	
	<i>For FM Approved, Add</i>	20.00	
	<i>For 18 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	49.00	
	<i>For 14 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	69.00	
	<i>For Single Blade Louver, Add</i>	609.82	
08 62 23 00-0017	EA 16' Shaft Length, 31-5/8" x 31-5/8" Inside Frame Dimensions, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Solar Tube Skylight.....	1,554.79	220.01
	<i>For Class 3 Hail Rated, Add</i>	4.00	
	<i>For Polycarbonate Diffuser Lens, Add</i>	7.00	
	<i>For High Velocity Hurricane Zone Rated, Add</i>	14.00	
	<i>For FM Approved, Add</i>	20.00	
	<i>For 18 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	49.00	
	<i>For 14 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	69.00	
	<i>For Single Blade Louver, Add</i>	610.63	
08 62 23 00-0018	31-5/8" x 55-5/8" Inside Frame Dimensions, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Solar Tube Skylights (08 62 23 00-0001)		



Openings	08
Roof Windows And Skylights	08 60
Unit Skylights	08 62

08

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 62 23 00-0019	EA		2' Shaft Length, 31-5/8" x 55-5/8" Inside Frame Dimensions, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Solar Tube Skylight.....	1,023.13	162.97
			<i>For Class 3 Hail Rated, Add</i>	5.00	
			<i>For Polycarbonate Diffuser Lens, Add</i>	8.00	
			<i>For High Velocity Hurricane Zone Rated, Add</i>	14.00	
			<i>For FM Approved, Add</i>	22.00	
			<i>For 18 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	50.00	
			<i>For 14 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	86.00	
			<i>For Single Blade Louver, Add</i>	599.22	
08 62 23 00-0020	EA		3' Shaft Length, 31-5/8" x 55-5/8" Inside Frame Dimensions, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Solar Tube Skylight.....	1,084.26	167.04
			<i>For Class 3 Hail Rated, Add</i>	5.00	
			<i>For Polycarbonate Diffuser Lens, Add</i>	8.00	
			<i>For High Velocity Hurricane Zone Rated, Add</i>	14.00	
			<i>For FM Approved, Add</i>	22.00	
			<i>For 18 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	50.00	
			<i>For 14 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	86.00	
			<i>For Single Blade Louver, Add</i>	600.04	
08 62 23 00-0021	EA		4' Shaft Length, 31-5/8" x 55-5/8" Inside Frame Dimensions, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Solar Tube Skylight.....	1,145.36	171.11
			<i>For Class 3 Hail Rated, Add</i>	5.00	
			<i>For Polycarbonate Diffuser Lens, Add</i>	8.00	
			<i>For High Velocity Hurricane Zone Rated, Add</i>	14.00	
			<i>For FM Approved, Add</i>	22.00	
			<i>For 18 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	50.00	
			<i>For 14 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	86.00	
			<i>For Single Blade Louver, Add</i>	600.85	
08 62 23 00-0022	EA		5' Shaft Length, 31-5/8" x 55-5/8" Inside Frame Dimensions, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Solar Tube Skylight.....	1,206.48	175.19
			<i>For Class 3 Hail Rated, Add</i>	5.00	
			<i>For Polycarbonate Diffuser Lens, Add</i>	8.00	
			<i>For High Velocity Hurricane Zone Rated, Add</i>	14.00	
			<i>For FM Approved, Add</i>	22.00	
			<i>For 18 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	50.00	
			<i>For 14 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	86.00	
			<i>For Single Blade Louver, Add</i>	601.67	
08 62 23 00-0023	EA		6' Shaft Length, 31-5/8" x 55-5/8" Inside Frame Dimensions, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Solar Tube Skylight.....	1,304.54	179.27
			<i>For Class 3 Hail Rated, Add</i>	5.00	
			<i>For Polycarbonate Diffuser Lens, Add</i>	8.00	
			<i>For High Velocity Hurricane Zone Rated, Add</i>	14.00	
			<i>For FM Approved, Add</i>	22.00	
			<i>For 18 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	50.00	
			<i>For 14 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	86.00	
			<i>For Single Blade Louver, Add</i>	602.48	
08 62 23 00-0024	EA		7' Shaft Length, 31-5/8" x 55-5/8" Inside Frame Dimensions, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Solar Tube Skylight.....	1,365.67	183.34
			<i>For Class 3 Hail Rated, Add</i>	5.00	
			<i>For Polycarbonate Diffuser Lens, Add</i>	8.00	
			<i>For High Velocity Hurricane Zone Rated, Add</i>	14.00	
			<i>For FM Approved, Add</i>	22.00	
			<i>For 18 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	50.00	
			<i>For 14 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	86.00	
			<i>For Single Blade Louver, Add</i>	603.30	
08 62 23 00-0025	EA		8' Shaft Length, 31-5/8" x 55-5/8" Inside Frame Dimensions, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Solar Tube Skylight.....	1,426.79	187.41
			<i>For Class 3 Hail Rated, Add</i>	5.00	
			<i>For Polycarbonate Diffuser Lens, Add</i>	8.00	
			<i>For High Velocity Hurricane Zone Rated, Add</i>	14.00	
			<i>For FM Approved, Add</i>	22.00	
			<i>For 18 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	50.00	
			<i>For 14 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	86.00	
			<i>For Single Blade Louver, Add</i>	604.11	
08 62 23 00-0026	EA		9' Shaft Length, 31-5/8" x 55-5/8" Inside Frame Dimensions, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Solar Tube Skylight.....	1,524.85	191.49
			<i>For Class 3 Hail Rated, Add</i>	5.00	
			<i>For Polycarbonate Diffuser Lens, Add</i>	8.00	
			<i>For High Velocity Hurricane Zone Rated, Add</i>	14.00	
			<i>For FM Approved, Add</i>	22.00	
			<i>For 18 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	50.00	
			<i>For 14 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	86.00	
			<i>For Single Blade Louver, Add</i>	604.93	
08 62 23 00-0027	EA		10' Shaft Length, 31-5/8" x 55-5/8" Inside Frame Dimensions, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Solar Tube Skylight.....	1,585.97	195.56
			<i>For Class 3 Hail Rated, Add</i>	5.00	
			<i>For Polycarbonate Diffuser Lens, Add</i>	8.00	
			<i>For High Velocity Hurricane Zone Rated, Add</i>	14.00	
			<i>For FM Approved, Add</i>	22.00	
			<i>For 18 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	50.00	
			<i>For 14 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	86.00	
			<i>For Single Blade Louver, Add</i>	605.74	

08 Openings**08 60 Roof Windows And Skylights****08 62 Unit Skylights**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 62 23 00-0028	EA		11' Shaft Length, 31-5/8" x 55-5/8" Inside Frame Dimensions, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Solar Tube Skylight.....	1,647.08	199.63
			<i>For Class 3 Hail Rated, Add</i>	5.00	
			<i>For Polycarbonate Diffuser Lens, Add</i>	8.00	
			<i>For High Velocity Hurricane Zone Rated, Add</i>	14.00	
			<i>For FM Approved, Add</i>	22.00	
			<i>For 18 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	50.00	
			<i>For 14 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	86.00	
			<i>For Single Blade Louver, Add</i>	606.56	
08 62 23 00-0029	EA		12' Shaft Length, 31-5/8" x 55-5/8" Inside Frame Dimensions, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Solar Tube Skylight.....	1,708.20	203.70
			<i>For Class 3 Hail Rated, Add</i>	5.00	
			<i>For Polycarbonate Diffuser Lens, Add</i>	8.00	
			<i>For High Velocity Hurricane Zone Rated, Add</i>	14.00	
			<i>For FM Approved, Add</i>	22.00	
			<i>For 18 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	50.00	
			<i>For 14 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	86.00	
			<i>For Single Blade Louver, Add</i>	607.37	
08 62 23 00-0030	EA		13' Shaft Length, 31-5/8" x 55-5/8" Inside Frame Dimensions, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Solar Tube Skylight.....	1,806.27	207.79
			<i>For Class 3 Hail Rated, Add</i>	5.00	
			<i>For Polycarbonate Diffuser Lens, Add</i>	8.00	
			<i>For High Velocity Hurricane Zone Rated, Add</i>	14.00	
			<i>For FM Approved, Add</i>	22.00	
			<i>For 18 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	50.00	
			<i>For 14 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	86.00	
			<i>For Single Blade Louver, Add</i>	608.19	
08 62 23 00-0031	EA		14' Shaft Length, 31-5/8" x 55-5/8" Inside Frame Dimensions, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Solar Tube Skylight.....	1,867.38	211.86
			<i>For Class 3 Hail Rated, Add</i>	5.00	
			<i>For Polycarbonate Diffuser Lens, Add</i>	8.00	
			<i>For High Velocity Hurricane Zone Rated, Add</i>	14.00	
			<i>For FM Approved, Add</i>	22.00	
			<i>For 18 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	50.00	
			<i>For 14 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	86.00	
			<i>For Single Blade Louver, Add</i>	609.00	
08 62 23 00-0032	EA		15' Shaft Length, 31-5/8" x 55-5/8" Inside Frame Dimensions, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Solar Tube Skylight.....	1,928.51	215.93
			<i>For Class 3 Hail Rated, Add</i>	5.00	
			<i>For Polycarbonate Diffuser Lens, Add</i>	8.00	
			<i>For High Velocity Hurricane Zone Rated, Add</i>	14.00	
			<i>For FM Approved, Add</i>	22.00	
			<i>For 18 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	50.00	
			<i>For 14 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	86.00	
			<i>For Single Blade Louver, Add</i>	609.82	
08 62 23 00-0033	EA		16' Shaft Length, 31-5/8" x 55-5/8" Inside Frame Dimensions, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Solar Tube Skylight.....	1,989.61	220.01
			<i>For Class 3 Hail Rated, Add</i>	5.00	
			<i>For Polycarbonate Diffuser Lens, Add</i>	8.00	
			<i>For High Velocity Hurricane Zone Rated, Add</i>	14.00	
			<i>For FM Approved, Add</i>	22.00	
			<i>For 18 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	50.00	
			<i>For 14 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	86.00	
			<i>For Single Blade Louver, Add</i>	610.63	
08 62 23 00-0034			55-5/8" x 55-5/8" Inside Frame Dimensions, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Solar Tube Skylights (08 62 23 00-0001)		
08 62 23 00-0035	EA		2' Shaft Length, 55-5/8" x 55-5/8" Inside Frame Dimensions, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Solar Tube Skylight.....	1,350.89	183.34
			<i>For Class 3 Hail Rated, Add</i>	10.00	
			<i>For Polycarbonate Diffuser Lens, Add</i>	14.00	
			<i>For High Velocity Hurricane Zone Rated, Add</i>	22.00	
			<i>For FM Approved, Add</i>	36.00	
			<i>For 18 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	95.00	
			<i>For 14 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	145.00	
			<i>For Single Blade Louver, Add</i>	603.30	
08 62 23 00-0036	EA		3' Shaft Length, 55-5/8" x 55-5/8" Inside Frame Dimensions, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Solar Tube Skylight.....	1,435.41	187.41
			<i>For Class 3 Hail Rated, Add</i>	10.00	
			<i>For Polycarbonate Diffuser Lens, Add</i>	14.00	
			<i>For High Velocity Hurricane Zone Rated, Add</i>	22.00	
			<i>For FM Approved, Add</i>	36.00	
			<i>For 18 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	95.00	
			<i>For 14 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	145.00	
			<i>For Single Blade Louver, Add</i>	604.11	
08 62 23 00-0037	EA		4' Shaft Length, 55-5/8" x 55-5/8" Inside Frame Dimensions, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Solar Tube Skylight.....	1,521.15	191.49
			<i>For Class 3 Hail Rated, Add</i>	10.00	
			<i>For Polycarbonate Diffuser Lens, Add</i>	14.00	
			<i>For High Velocity Hurricane Zone Rated, Add</i>	22.00	
			<i>For FM Approved, Add</i>	36.00	
			<i>For 18 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	95.00	
			<i>For 14 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	145.00	
			<i>For Single Blade Louver, Add</i>	604.93	



Openings	08	08
Roof Windows And Skylights	08 60	
Unit Skylights	08 62	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 62 23 00-0038	EA		5' Shaft Length, 55-5/8" x 55-5/8" Inside Frame Dimensions, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Solar Tube Skylight.....	1,605.67	195.56
			<i>For Class 3 Hail Rated, Add</i>	10.00	
			<i>For Polycarbonate Diffuser Lens, Add</i>	14.00	
			<i>For High Velocity Hurricane Zone Rated, Add</i>	22.00	
			<i>For FM Approved, Add</i>	36.00	
			<i>For 18 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	95.00	
			<i>For 14 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	145.00	
			<i>For Single Blade Louver, Add</i>	605.74	
08 62 23 00-0039	EA		6' Shaft Length, 55-5/8" x 55-5/8" Inside Frame Dimensions, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Solar Tube Skylight.....	1,739.47	199.63
			<i>For Class 3 Hail Rated, Add</i>	10.00	
			<i>For Polycarbonate Diffuser Lens, Add</i>	14.00	
			<i>For High Velocity Hurricane Zone Rated, Add</i>	22.00	
			<i>For FM Approved, Add</i>	36.00	
			<i>For 18 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	95.00	
			<i>For 14 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	145.00	
			<i>For Single Blade Louver, Add</i>	606.56	
08 62 23 00-0040	EA		7' Shaft Length, 55-5/8" x 55-5/8" Inside Frame Dimensions, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Solar Tube Skylight.....	1,823.99	203.70
			<i>For Class 3 Hail Rated, Add</i>	10.00	
			<i>For Polycarbonate Diffuser Lens, Add</i>	14.00	
			<i>For High Velocity Hurricane Zone Rated, Add</i>	22.00	
			<i>For FM Approved, Add</i>	36.00	
			<i>For 18 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	95.00	
			<i>For 14 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	145.00	
			<i>For Single Blade Louver, Add</i>	607.37	
08 62 23 00-0041	EA		8' Shaft Length, 55-5/8" x 55-5/8" Inside Frame Dimensions, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Solar Tube Skylight.....	1,908.51	207.79
			<i>For Class 3 Hail Rated, Add</i>	10.00	
			<i>For Polycarbonate Diffuser Lens, Add</i>	14.00	
			<i>For High Velocity Hurricane Zone Rated, Add</i>	22.00	
			<i>For FM Approved, Add</i>	36.00	
			<i>For 18 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	95.00	
			<i>For 14 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	145.00	
			<i>For Single Blade Louver, Add</i>	608.19	
08 62 23 00-0042	EA		9' Shaft Length, 55-5/8" x 55-5/8" Inside Frame Dimensions, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Solar Tube Skylight.....	2,043.53	211.86
			<i>For Class 3 Hail Rated, Add</i>	10.00	
			<i>For Polycarbonate Diffuser Lens, Add</i>	14.00	
			<i>For High Velocity Hurricane Zone Rated, Add</i>	22.00	
			<i>For FM Approved, Add</i>	36.00	
			<i>For 18 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	95.00	
			<i>For 14 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	145.00	
			<i>For Single Blade Louver, Add</i>	609.00	
08 62 23 00-0043	EA		10' Shaft Length, 55-5/8" x 55-5/8" Inside Frame Dimensions, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Solar Tube Skylight.....	2,128.06	215.93
			<i>For Class 3 Hail Rated, Add</i>	10.00	
			<i>For Polycarbonate Diffuser Lens, Add</i>	14.00	
			<i>For High Velocity Hurricane Zone Rated, Add</i>	22.00	
			<i>For FM Approved, Add</i>	36.00	
			<i>For 18 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	95.00	
			<i>For 14 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	145.00	
			<i>For Single Blade Louver, Add</i>	609.82	
08 62 23 00-0044	EA		11' Shaft Length, 55-5/8" x 55-5/8" Inside Frame Dimensions, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Solar Tube Skylight.....	2,212.57	220.01
			<i>For Class 3 Hail Rated, Add</i>	10.00	
			<i>For Polycarbonate Diffuser Lens, Add</i>	14.00	
			<i>For High Velocity Hurricane Zone Rated, Add</i>	22.00	
			<i>For FM Approved, Add</i>	36.00	
			<i>For 18 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	95.00	
			<i>For 14 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	145.00	
			<i>For Single Blade Louver, Add</i>	610.63	
08 62 23 00-0045	EA		12' Shaft Length, 55-5/8" x 55-5/8" Inside Frame Dimensions, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Solar Tube Skylight.....	2,297.09	224.08
			<i>For Class 3 Hail Rated, Add</i>	10.00	
			<i>For Polycarbonate Diffuser Lens, Add</i>	14.00	
			<i>For High Velocity Hurricane Zone Rated, Add</i>	22.00	
			<i>For FM Approved, Add</i>	36.00	
			<i>For 18 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	95.00	
			<i>For 14 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	145.00	
			<i>For Single Blade Louver, Add</i>	611.45	
08 62 23 00-0046	EA		13' Shaft Length, 55-5/8" x 55-5/8" Inside Frame Dimensions, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Solar Tube Skylight.....	2,430.88	228.15
			<i>For Class 3 Hail Rated, Add</i>	10.00	
			<i>For Polycarbonate Diffuser Lens, Add</i>	14.00	
			<i>For High Velocity Hurricane Zone Rated, Add</i>	22.00	
			<i>For FM Approved, Add</i>	36.00	
			<i>For 18 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	95.00	
			<i>For 14 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	145.00	
			<i>For Single Blade Louver, Add</i>	612.26	

08	08	Openings
	08 60	Roof Windows And Skylights
	08 62	Unit Skylights



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 62 23 00-0047	EA		14' Shaft Length, 55-5/8" x 55-5/8" Inside Frame Dimensions, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Solar Tube Skylight.....	2,515.41	232.23
			<i>For Class 3 Hail Rated, Add</i>	10.00	
			<i>For Polycarbonate Diffuser Lens, Add</i>	14.00	
			<i>For High Velocity Hurricane Zone Rated, Add</i>	22.00	
			<i>For FM Approved, Add</i>	36.00	
			<i>For 18 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	95.00	
			<i>For 14 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	145.00	
			<i>For Single Blade Louver, Add</i>	613.08	
08 62 23 00-0048	EA		15' Shaft Length, 55-5/8" x 55-5/8" Inside Frame Dimensions, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Solar Tube Skylight.....	2,601.16	236.30
			<i>For Class 3 Hail Rated, Add</i>	10.00	
			<i>For Polycarbonate Diffuser Lens, Add</i>	14.00	
			<i>For High Velocity Hurricane Zone Rated, Add</i>	22.00	
			<i>For FM Approved, Add</i>	36.00	
			<i>For 18 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	95.00	
			<i>For 14 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	145.00	
			<i>For Single Blade Louver, Add</i>	613.89	
08 62 23 00-0049	EA		16' Shaft Length, 55-5/8" x 55-5/8" Inside Frame Dimensions, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Solar Tube Skylight.....	2,685.67	240.38
			<i>For Class 3 Hail Rated, Add</i>	10.00	
			<i>For Polycarbonate Diffuser Lens, Add</i>	14.00	
			<i>For High Velocity Hurricane Zone Rated, Add</i>	22.00	
			<i>For FM Approved, Add</i>	36.00	
			<i>For 18 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	95.00	
			<i>For 14 Gauge, Insulated Galvanized Steel Roof Curb, Add</i>	145.00	
			<i>For Single Blade Louver, Add</i>	614.71	

08 63 Metal-Framed Skylights (08 60)

08 63 13 Domed Metal-Framed Skylights (08 63)

- 08 63 13 00-0001 Aluminum Framed Skylights (08 63 13)
- 08 63 13 00-0002 Fixed Dome, Aluminum Framed Skylights (08 63 13 00-0001)
- 08 63 13 00-0003 Industrial Style Fixed Dome, Aluminum Framed Skylights (08 63 13 00-0002)
- 08 63 13 00-0004 Class 1 Hail Rated, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylights (08 63 13 00-0003)

Note: Includes mill finish aluminum frame, integral condensation and weepage gutters, insulated thermal break, weather sweep, curb seal tape and fasteners. Excludes roof curb.

08 63 13 00-0005	EA		27-1/4" x 27-1/4" Inside Frame Dimensions, Class 1 Hail Rated, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight	311.84	81.49
08 63 13 00-0006	EA		27-1/4" x 51-1/4" Inside Frame Dimensions, Class 1 Hail Rated, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight	354.20	81.49
08 63 13 00-0007	EA		27-1/4" x 99-1/4" Inside Frame Dimensions, Class 1 Hail Rated, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight	475.02	91.67
08 63 13 00-0008	EA		27-1/4" x 123-1/4" Inside Frame Dimensions, Class 1 Hail Rated, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight	536.53	101.85
08 63 13 00-0009	EA		39-1/4" x 39-1/4" Inside Frame Dimensions, Class 1 Hail Rated, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight	375.98	81.49
08 63 13 00-0010	EA		39-1/4" x 63-1/4" Inside Frame Dimensions, Class 1 Hail Rated, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight	459.29	91.67
08 63 13 00-0011	EA		39-1/4" x 75-1/4" Inside Frame Dimensions, Class 1 Hail Rated, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight	485.92	91.67
08 63 13 00-0012	EA		39-1/4" x 99-1/4" Inside Frame Dimensions, Class 1 Hail Rated, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight	558.32	101.85
08 63 13 00-0013	EA		39-1/4" x 123-1/4" Inside Frame Dimensions, Class 1 Hail Rated, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight	648.90	112.04
08 63 13 00-0014	EA		51-1/4" x 51-1/4" Inside Frame Dimensions, Class 1 Hail Rated, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight	464.13	91.67
08 63 13 00-0015	EA		51-1/4" x 63-1/4" Inside Frame Dimensions, Class 1 Hail Rated, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight	513.54	101.85
08 63 13 00-0016	EA		51-1/4" x 75-1/4" Inside Frame Dimensions, Class 1 Hail Rated, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight	564.37	101.85
08 63 13 00-0017	EA		51-1/4" x 87-1/4" Inside Frame Dimensions, Class 1 Hail Rated, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight	621.06	112.04
08 63 13 00-0018	EA		52-1/4" x 100-1/4" Inside Frame Dimensions, Class 1 Hail Rated, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight	687.42	122.23
08 63 13 00-0019	EA		52-1/4" x 123-1/4" Inside Frame Dimensions, Class 1 Hail Rated, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight	771.94	132.41
08 63 13 00-0020	EA		63-1/4" x 63-1/4" Inside Frame Dimensions, Class 1 Hail Rated, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight	549.85	101.85
08 63 13 00-0021	EA		63-5/8" x 75-5/8" Inside Frame Dimensions, Class 1 Hail Rated, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight	605.32	112.04
08 63 13 00-0022	EA		63-1/4" x 87-1/4" Inside Frame Dimensions, Class 1 Hail Rated, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight	688.63	122.23
08 63 13 00-0023	EA		63-1/4" x 99-5/8" Inside Frame Dimensions, Class 1 Hail Rated, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight	720.10	122.23
08 63 13 00-0024	EA		63-1/4" x 123-1/4" Inside Frame Dimensions, Class 1 Hail Rated, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight	828.82	132.41



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
-------	-----	-----	-------------	------------------------	----------------------

08 63	13 00-0025		Class 3 Hail Rated, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylights <small>(08 63 13 00-0003)</small> Note: Includes mill finish aluminum frame, integral condensation and weepage gutters, insulated thermal break, weather sweep, curb seal tape and fasteners. Excludes roof curb.		
08 63	13 00-0026	EA	27-1/4" x 27-1/4" Inside Frame Dimensions, Class 3 Hail Rated, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight	372.35	81.49
08 63	13 00-0027	EA	27-1/4" x 51-1/4" Inside Frame Dimensions, Class 3 Hail Rated, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight	413.50	81.49
08 63	13 00-0028	EA	27-1/4" x 99-1/4" Inside Frame Dimensions, Class 3 Hail Rated, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight	522.22	91.67
08 63	13 00-0029	EA	27-1/4" x 123-1/4" Inside Frame Dimensions, Class 3 Hail Rated, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight	584.94	101.85
08 63	13 00-0030	EA	39-1/4" x 39-1/4" Inside Frame Dimensions, Class 3 Hail Rated, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight	419.55	81.49
08 63	13 00-0031	EA	39-1/4" x 63-1/4" Inside Frame Dimensions, Class 3 Hail Rated, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight	493.18	91.67
08 63	13 00-0032	EA	39-1/4" x 75-1/4" Inside Frame Dimensions, Class 3 Hail Rated, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight	522.22	91.67
08 63	13 00-0033	EA	39-1/4" x 99-1/4" Inside Frame Dimensions, Class 3 Hail Rated, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight	599.47	101.85
08 63	13 00-0034	EA	39-1/4" x 123-1/4" Inside Frame Dimensions, Class 3 Hail Rated, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight	673.10	112.04
08 63	13 00-0035	EA	51-1/4" x 51-1/4" Inside Frame Dimensions, Class 3 Hail Rated, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight	498.02	91.67
08 63	13 00-0036	EA	51-1/4" x 63-1/4" Inside Frame Dimensions, Class 3 Hail Rated, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight	552.27	101.85
08 63	13 00-0037	EA	51-1/4" x 75-1/4" Inside Frame Dimensions, Class 3 Hail Rated, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight	584.94	101.85
08 63	13 00-0038	EA	51-1/4" x 87-1/4" Inside Frame Dimensions, Class 3 Hail Rated, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight	644.05	112.04
08 63	13 00-0039	EA	52-1/4" x 100-1/4" Inside Frame Dimensions, Class 3 Hail Rated, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight	699.52	122.23
08 63	13 00-0040	EA	52-1/4" x 123-1/4" Inside Frame Dimensions, Class 3 Hail Rated, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight	785.25	132.41
08 63	13 00-0041	EA	63-1/4" x 63-1/4" Inside Frame Dimensions, Class 3 Hail Rated, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight	589.79	101.85
08 63	13 00-0042	EA	63-5/8" x 75-5/8" Inside Frame Dimensions, Class 3 Hail Rated, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight	648.90	112.04
08 63	13 00-0043	EA	63-1/4" x 87-1/4" Inside Frame Dimensions, Class 3 Hail Rated, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight	714.05	122.23
08 63	13 00-0044	EA	63-1/4" x 99-5/8" Inside Frame Dimensions, Class 3 Hail Rated, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight	747.93	122.23
08 63	13 00-0045	EA	63-1/4" x 123-1/4" Inside Frame Dimensions, Class 3 Hail Rated, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight	846.97	132.41

08 63	13 00-0046		High Velocity Hurricane Zone Rated, Polycarbonate/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylights <small>(08 63 13 00-0003)</small> Note: Includes mill finish aluminum frame, integral condensation and weepage gutters, insulated thermal break, weather sweep, curb seal tape and fasteners. Excludes roof curb.		
08 63	13 00-0047	EA	27-1/4" x 27-1/4" Inside Frame Dimensions, High Velocity Hurricane Zone Rated, Polycarbonate/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight	377.19	81.49
08 63	13 00-0048	EA	27-1/4" x 51-1/4" Inside Frame Dimensions, High Velocity Hurricane Zone Rated, Polycarbonate/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight	423.18	81.49
08 63	13 00-0049	EA	27-1/4" x 99-1/4" Inside Frame Dimensions, High Velocity Hurricane Zone Rated, Polycarbonate/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight	535.54	91.67
08 63	13 00-0050	EA	39-1/4" x 39-1/4" Inside Frame Dimensions, High Velocity Hurricane Zone Rated, Polycarbonate/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight	431.66	81.49
08 63	13 00-0051	EA	39-1/4" x 63-1/4" Inside Frame Dimensions, High Velocity Hurricane Zone Rated, Polycarbonate/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight	510.12	91.67
08 63	13 00-0052	EA	39-1/4" x 75-1/4" Inside Frame Dimensions, High Velocity Hurricane Zone Rated, Polycarbonate/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight	535.54	91.67
08 63	13 00-0053	EA	39-1/4" x 99-1/4" Inside Frame Dimensions, High Velocity Hurricane Zone Rated, Polycarbonate/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight	613.99	101.85
08 63	13 00-0054	EA	51-1/4" x 51-1/4" Inside Frame Dimensions, High Velocity Hurricane Zone Rated, Polycarbonate/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight	508.91	91.67
08 63	13 00-0055	EA	51-1/4" x 63-1/4" Inside Frame Dimensions, High Velocity Hurricane Zone Rated, Polycarbonate/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight	561.95	101.85
08 63	13 00-0056	EA	51-1/4" x 75-1/4" Inside Frame Dimensions, High Velocity Hurricane Zone Rated, Polycarbonate/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight	600.68	101.85
08 63	13 00-0057	EA	51-1/4" x 87-1/4" Inside Frame Dimensions, High Velocity Hurricane Zone Rated, Polycarbonate/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight	659.79	112.04
08 63	13 00-0058	EA	52-1/4" x 100-1/4" Inside Frame Dimensions, High Velocity Hurricane Zone Rated, Polycarbonate/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight	718.89	122.23
08 63	13 00-0059	EA	63-1/4" x 63-1/4" Inside Frame Dimensions, High Velocity Hurricane Zone Rated, Polycarbonate/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight	604.31	101.85
08 63	13 00-0060	EA	63-5/8" x 75-5/8" Inside Frame Dimensions, High Velocity Hurricane Zone Rated, Polycarbonate/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight	668.26	112.04
08 63	13 00-0061	EA	63-1/4" x 87-1/4" Inside Frame Dimensions, High Velocity Hurricane Zone Rated, Polycarbonate/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight	733.41	122.23
08 63	13 00-0062	EA	63-1/4" x 99-5/8" Inside Frame Dimensions, High Velocity Hurricane Zone Rated, Polycarbonate/Acrylic Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight	767.30	122.23

08 Openings**08 60 Roof Windows And Skylights****08 63 Metal-Framed Skylights**MINOR
CSI UOM DESCRIPTIONTOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 63 13 00-0063			FM Approved, Polycarbonate/Polycarbonate Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylights <small>(08 63 13 00-0003)</small> Note: Includes mill finish aluminum frame, integral condensation and weepage gutters, insulated thermal break, weather sweep, curb seal tape and fasteners. Excludes roof curb.		
08 63 13 00-0064	EA		27-1/4" x 27-1/4" Inside Frame Dimensions, FM Approved, Polycarbonate/Polycarbonate Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight.....	385.67	81.49
08 63 13 00-0065	EA		27-1/4" x 51-1/4" Inside Frame Dimensions, FM Approved, Polycarbonate/Polycarbonate Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight.....	436.50	81.49
08 63 13 00-0066	EA		27-1/4" x 99-1/4" Inside Frame Dimensions, FM Approved, Polycarbonate/Polycarbonate Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight.....	547.64	91.67
08 63 13 00-0067	EA		27-1/4" x 123-1/4" Inside Frame Dimensions, FM Approved, Polycarbonate/Polycarbonate Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight.....	628.52	101.85
08 63 13 00-0068	EA		39-1/4" x 39-1/4" Inside Frame Dimensions, FM Approved, Polycarbonate/Polycarbonate Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight.....	443.76	81.49
08 63 13 00-0069	EA		39-1/4" x 63-1/4" Inside Frame Dimensions, FM Approved, Polycarbonate/Polycarbonate Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight.....	521.01	91.67
08 63 13 00-0070	EA		39-1/4" x 75-1/4" Inside Frame Dimensions, FM Approved, Polycarbonate/Polycarbonate Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight.....	547.64	91.67
08 63 13 00-0071	EA		39-1/4" x 99-1/4" Inside Frame Dimensions, FM Approved, Polycarbonate/Polycarbonate Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight.....	632.15	101.85
08 63 13 00-0072	EA		51-1/4" x 51-1/4" Inside Frame Dimensions, FM Approved, Polycarbonate/Polycarbonate Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight.....	522.22	91.67
08 63 13 00-0073	EA		51-1/4" x 63-1/4" Inside Frame Dimensions, FM Approved, Polycarbonate/Polycarbonate Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight.....	575.26	101.85
08 63 13 00-0074	EA		51-1/4" x 75-1/4" Inside Frame Dimensions, FM Approved, Polycarbonate/Polycarbonate Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight.....	617.62	101.85
08 63 13 00-0075	EA		51-1/4" x 87-1/4" Inside Frame Dimensions, FM Approved, Polycarbonate/Polycarbonate Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight.....	677.94	112.04
08 63 13 00-0076	EA		52-1/4" x 100-1/4" Inside Frame Dimensions, FM Approved, Polycarbonate/Polycarbonate Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight.....	738.25	122.23
08 63 13 00-0077	EA		63-1/4" x 63-1/4" Inside Frame Dimensions, FM Approved, Polycarbonate/Polycarbonate Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight.....	622.46	101.85
08 63 13 00-0078	EA		63-5/8" x 75-5/8" Inside Frame Dimensions, FM Approved, Polycarbonate/Polycarbonate Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight.....	686.41	112.04
08 63 13 00-0079	EA		63-1/4" x 87-1/4" Inside Frame Dimensions, FM Approved, Polycarbonate/Polycarbonate Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight.....	752.78	122.23
08 63 13 00-0080	EA		63-1/4" x 99-5/8" Inside Frame Dimensions, FM Approved, Polycarbonate/Polycarbonate Double Glazed Prismatic Lens, Industrial Style Fixed Dome, Aluminum Framed Skylight.....	789.09	122.23
08 63 13 00-0081			Curb Top Inserts <small>(08 63 13 00-0003)</small> Note: For use with industrial style fixed dome skylights for better u-value and solar heat gain coefficient/shading coefficient (SHGC/SC) properties. Includes mill finish aluminum frame and acrylic or polycarbonate glazing. Excludes roof curb.		
08 63 13 00-0082			Single Glazed, Aluminum Framed Curb Top Inserts <small>(08 63 13 00-0081)</small>		
08 63 13 00-0083	EA		27-1/4" x 51-1/4" Inside Frame Dimensions, Single Glazed, Aluminum Framed Curb Top Insert.....	125.83	40.74
08 63 13 00-0084	EA		51-1/4" x 51-1/4" Inside Frame Dimensions, Single Glazed, Aluminum Framed Curb Top Insert.....	171.74	45.84
08 63 13 00-0085	EA		52-1/4" x 100-1/4" Inside Frame Dimensions, Single Glazed, Aluminum Framed Curb Top Insert.....	284.83	61.11
08 63 13 00-0086	EA		63-5/8" x 75-5/8" Inside Frame Dimensions, Single Glazed, Aluminum Framed Curb Top Insert.....	263.55	56.02
08 63 13 00-0087	EA		63-1/4" x 99-5/8" Inside Frame Dimensions, Single Glazed, Aluminum Framed Curb Top Insert.....	319.32	61.11
08 63 13 00-0088			Double Glazed, Aluminum Framed Curb Top Inserts <small>(08 63 13 00-0081)</small>		
08 63 13 00-0089	EA		27-1/4" x 51-1/4" Inside Frame Dimensions, Double Glazed, Aluminum Framed Curb Top Insert.....	176.34	40.74
08 63 13 00-0090	EA		51-1/4" x 51-1/4" Inside Frame Dimensions, Double Glazed, Aluminum Framed Curb Top Insert.....	269.05	45.84
08 63 13 00-0091	EA		52-1/4" x 100-1/4" Inside Frame Dimensions, Double Glazed, Aluminum Framed Curb Top Insert.....	460.97	61.11
08 63 13 00-0092	EA		63-5/8" x 75-5/8" Inside Frame Dimensions, Double Glazed, Aluminum Framed Curb Top Insert.....	450.78	56.02
08 63 13 00-0093	EA		63-1/4" x 99-5/8" Inside Frame Dimensions, Double Glazed, Aluminum Framed Curb Top Insert.....	563.21	61.11
08 63 13 00-0094			Triple Glazed, Aluminum Framed Curb Top Inserts <small>(08 63 13 00-0081)</small>		
08 63 13 00-0095	EA		27-1/4" x 51-1/4" Inside Frame Dimensions, Triple Glazed, Aluminum Framed Curb Top Insert.....	225.61	40.74
08 63 13 00-0096	EA		51-1/4" x 51-1/4" Inside Frame Dimensions, Triple Glazed, Aluminum Framed Curb Top Insert.....	361.43	45.84
08 63 13 00-0097	EA		52-1/4" x 100-1/4" Inside Frame Dimensions, Triple Glazed, Aluminum Framed Curb Top Insert.....	677.77	61.11
08 63 13 00-0098	EA		63-5/8" x 75-5/8" Inside Frame Dimensions, Triple Glazed, Aluminum Framed Curb Top Insert.....	625.70	56.02
08 63 13 00-0099	EA		63-1/4" x 99-5/8" Inside Frame Dimensions, Triple Glazed, Aluminum Framed Curb Top Insert.....	789.87	61.11
08 63 13 00-0100			Pyramid Style Fixed Dome, Aluminum Framed Skylights <small>(08 63 13 00-0002)</small>		
08 63 13 00-0101			Acrylic/Acrylic Double Glazed Prismatic Lens, Pyramid Style Fixed Dome, Aluminum Framed Skylight <small>(08 63 13 00-0100)</small> Note: Includes mill finish aluminum frame, integral condensation and weepage gutters, insulated thermal break, weather sweep, curb seal tape and fasteners. Excludes roof curb.		
08 63 13 00-0102	EA		27-1/4" x 27-1/4" Inside Frame Dimensions, Acrylic/Acrylic Double Glazed Prismatic Lens, Pyramid Style Fixed Dome, Aluminum Framed Skylight.....	290.05	81.49
08 63 13 00-0103	EA		39-1/4" x 39-1/4" Inside Frame Dimensions, Acrylic/Acrylic Double Glazed Prismatic Lens, Pyramid Style Fixed Dome, Aluminum Framed Skylight.....	342.09	81.49



Openings	08	08
Roof Windows And Skylights	08 60	
Metal-Framed Skylights	08 63	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 63 13 00-0104 EA 51-1/4" x 51-1/4" Inside Frame Dimensions, Acrylic/Acrylic Double Glazed Prismatic Lens, Pyramid Style Fixed Dome, Aluminum Framed Skylight	430.24	91.67
08 63 13 00-0105 EA 63-1/4" x 63-1/4" Inside Frame Dimensions, Acrylic/Acrylic Double Glazed Prismatic Lens, Pyramid Style Fixed Dome, Aluminum Framed Skylight	536.53	101.85
08 63 13 00-0106 Polycarbonate/Polycarbonate Double Glazed Prismatic Lens, Pyramid Style Fixed Dome, Aluminum Framed Skylight <small>(08 63 13 00-0100)</small>		
<i>Note: Includes mill finish aluminum frame, integral condensation and weepage gutters, insulated thermal break, weather sweep, curb seal tape and fasteners. Excludes roof curb.</i>		
08 63 13 00-0107 EA 27-1/4" x 27-1/4" Inside Frame Dimensions, Polycarbonate/Polycarbonate Double Glazed Prismatic Lens, Pyramid Style Fixed Dome, Aluminum Framed Skylight	384.45	81.49
08 63 13 00-0108 EA 39-1/4" x 39-1/4" Inside Frame Dimensions, Polycarbonate/Polycarbonate Double Glazed Prismatic Lens, Pyramid Style Fixed Dome, Aluminum Framed Skylight	438.92	81.49
08 63 13 00-0109 EA 51-1/4" x 51-1/4" Inside Frame Dimensions, Polycarbonate/Polycarbonate Double Glazed Prismatic Lens, Pyramid Style Fixed Dome, Aluminum Framed Skylight	518.59	91.67
08 63 13 00-0110 EA 63-1/4" x 63-1/4" Inside Frame Dimensions, Polycarbonate/Polycarbonate Double Glazed Prismatic Lens, Pyramid Style Fixed Dome, Aluminum Framed Skylight	617.62	101.85
08 63 13 00-0111 Double Hip Style Fixed Dome, Aluminum Framed Skylights <small>(08 63 13 00-0002)</small>		
08 63 13 00-0112 Acrylic/Acrylic Double Glazed Prismatic Lens, Double Hip Style Fixed Dome, Aluminum Framed Skylight <small>(08 63 13 00-0111)</small>		
<i>Note: Includes mill finish aluminum frame, integral condensation and weepage gutters, insulated thermal break, weather sweep, curb seal tape and fasteners. Excludes roof curb.</i>		
08 63 13 00-0113 EA 27-1/4" x 51-1/4" Inside Frame Dimensions, Acrylic/Acrylic Double Glazed Prismatic Lens, Double Hip Style Fixed Dome, Aluminum Framed Skylight	334.83	81.49
08 63 13 00-0114 EA 27-1/4" x 99-1/4" Inside Frame Dimensions, Acrylic/Acrylic Double Glazed Prismatic Lens, Double Hip Style Fixed Dome, Aluminum Framed Skylight	438.71	91.67
08 63 13 00-0115 EA 27-1/4" x 123-1/4" Inside Frame Dimensions, Acrylic/Acrylic Double Glazed Prismatic Lens, Double Hip Style Fixed Dome, Aluminum Framed Skylight	517.17	101.85
08 63 13 00-0116 EA 39-1/4" x 63-1/4" Inside Frame Dimensions, Acrylic/Acrylic Double Glazed Prismatic Lens, Double Hip Style Fixed Dome, Aluminum Framed Skylight	413.30	91.67
08 63 13 00-0117 EA 39-1/4" x 75-1/4" Inside Frame Dimensions, Acrylic/Acrylic Double Glazed Prismatic Lens, Double Hip Style Fixed Dome, Aluminum Framed Skylight	438.71	91.67
08 63 13 00-0118 EA 39-1/4" x 99-1/4" Inside Frame Dimensions, Acrylic/Acrylic Double Glazed Prismatic Lens, Double Hip Style Fixed Dome, Aluminum Framed Skylight	531.69	101.85
08 63 13 00-0119 EA 39-1/4" x 123-1/4" Inside Frame Dimensions, Acrylic/Acrylic Double Glazed Prismatic Lens, Double Hip Style Fixed Dome, Aluminum Framed Skylight	623.48	112.04
08 63 13 00-0120 EA 51-1/4" x 63-1/4" Inside Frame Dimensions, Acrylic/Acrylic Double Glazed Prismatic Lens, Double Hip Style Fixed Dome, Aluminum Framed Skylight	480.86	101.85
08 63 13 00-0121 EA 51-1/4" x 75-1/4" Inside Frame Dimensions, Acrylic/Acrylic Double Glazed Prismatic Lens, Double Hip Style Fixed Dome, Aluminum Framed Skylight	517.17	101.85
08 63 13 00-0122 EA 51-1/4" x 87-1/4" Inside Frame Dimensions, Acrylic/Acrylic Double Glazed Prismatic Lens, Double Hip Style Fixed Dome, Aluminum Framed Skylight	577.49	112.04
08 63 13 00-0123 EA 52-1/4" x 100-1/4" Inside Frame Dimensions, Acrylic/Acrylic Double Glazed Prismatic Lens, Double Hip Style Fixed Dome, Aluminum Framed Skylight	634.17	122.23
08 63 13 00-0124 EA 52-1/4" x 123-1/4" Inside Frame Dimensions, Acrylic/Acrylic Double Glazed Prismatic Lens, Double Hip Style Fixed Dome, Aluminum Framed Skylight	745.31	132.41
08 63 13 00-0125 EA 63-5/8" x 75-5/8" Inside Frame Dimensions, Acrylic/Acrylic Double Glazed Prismatic Lens, Double Hip Style Fixed Dome, Aluminum Framed Skylight	592.01	112.04
08 63 13 00-0126 EA 63-1/4" x 87-1/4" Inside Frame Dimensions, Acrylic/Acrylic Double Glazed Prismatic Lens, Double Hip Style Fixed Dome, Aluminum Framed Skylight	670.48	122.23
08 63 13 00-0127 EA 63-1/4" x 99-5/8" Inside Frame Dimensions, Acrylic/Acrylic Double Glazed Prismatic Lens, Double Hip Style Fixed Dome, Aluminum Framed Skylight	707.99	122.23
08 63 13 00-0128 EA 63-1/4" x 123-1/4" Inside Frame Dimensions, Acrylic/Acrylic Double Glazed Prismatic Lens, Double Hip Style Fixed Dome, Aluminum Framed Skylight	815.51	132.41
08 63 13 00-0129 Polycarbonate/Acrylic Double Glazed Prismatic Lens, Double Hip Style Fixed Dome, Aluminum Framed Skylight <small>(08 63 13 00-0111)</small>		
<i>Note: Includes mill finish aluminum frame, integral condensation and weepage gutters, insulated thermal break, weather sweep, curb seal tape and fasteners. Excludes roof curb.</i>		
08 63 13 00-0130 EA 27-1/4" x 27-1/4" Inside Frame Dimensions, Polycarbonate/Acrylic Double Glazed Prismatic Lens, Double Hip Style Fixed Dome, Aluminum Framed Skylight	375.98	81.49
08 63 13 00-0131 EA 27-1/4" x 51-1/4" Inside Frame Dimensions, Polycarbonate/Acrylic Double Glazed Prismatic Lens, Double Hip Style Fixed Dome, Aluminum Framed Skylight	419.55	81.49
08 63 13 00-0132 EA 27-1/4" x 99-1/4" Inside Frame Dimensions, Polycarbonate/Acrylic Double Glazed Prismatic Lens, Double Hip Style Fixed Dome, Aluminum Framed Skylight	528.28	91.67
08 63 13 00-0133 EA 39-1/4" x 39-1/4" Inside Frame Dimensions, Polycarbonate/Acrylic Double Glazed Prismatic Lens, Double Hip Style Fixed Dome, Aluminum Framed Skylight	428.03	81.49
08 63 13 00-0134 EA 39-1/4" x 51-1/4" Inside Frame Dimensions, Polycarbonate/Acrylic Double Glazed Prismatic Lens, Double Hip Style Fixed Dome, Aluminum Framed Skylight	479.86	91.67
08 63 13 00-0135 EA 39-1/4" x 63-1/4" Inside Frame Dimensions, Polycarbonate/Acrylic Double Glazed Prismatic Lens, Double Hip Style Fixed Dome, Aluminum Framed Skylight	502.86	91.67
08 63 13 00-0136 EA 39-1/4" x 75-1/4" Inside Frame Dimensions, Polycarbonate/Acrylic Double Glazed Prismatic Lens, Double Hip Style Fixed Dome, Aluminum Framed Skylight	528.28	91.67
08 63 13 00-0137 EA 39-1/4" x 99-1/4" Inside Frame Dimensions, Polycarbonate/Acrylic Double Glazed Prismatic Lens, Double Hip Style Fixed Dome, Aluminum Framed Skylight	607.94	101.85
08 63 13 00-0138 EA 51-1/4" x 51-1/4" Inside Frame Dimensions, Polycarbonate/Acrylic Double Glazed Prismatic Lens, Double Hip Style Fixed Dome, Aluminum Framed Skylight	504.07	91.67

08 Openings**08 60 Roof Windows And Skylights****08 63 Metal-Framed Skylights**

MINOR CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 63 13 00-0139	EA	51-1/4" x 63-1/4" Inside Frame Dimensions, Polycarbonate/Acrylic Double Glazed Prismatic Lens, Double Hip Style Fixed Dome, Aluminum Framed Skylight.....	557.11	101.85
08 63 13 00-0140	EA	51-1/4" x 75-1/4" Inside Frame Dimensions, Polycarbonate/Acrylic Double Glazed Prismatic Lens, Double Hip Style Fixed Dome, Aluminum Framed Skylight.....	593.42	101.85
08 63 13 00-0141	EA	51-1/4" x 87-1/4" Inside Frame Dimensions, Polycarbonate/Acrylic Double Glazed Prismatic Lens, Double Hip Style Fixed Dome, Aluminum Framed Skylight.....	651.32	112.04
08 63 13 00-0142	EA	52-1/4" x 100-1/4" Inside Frame Dimensions, Polycarbonate/Acrylic Double Glazed Prismatic Lens, Double Hip Style Fixed Dome, Aluminum Framed Skylight.....	709.21	122.23
08 63 13 00-0143	EA	63-1/4" x 63-1/4" Inside Frame Dimensions, Polycarbonate/Acrylic Double Glazed Prismatic Lens, Double Hip Style Fixed Dome, Aluminum Framed Skylight.....	595.84	101.85
08 63 13 00-0144	EA	63-5/8" x 75-5/8" Inside Frame Dimensions, Polycarbonate/Acrylic Double Glazed Prismatic Lens, Double Hip Style Fixed Dome, Aluminum Framed Skylight.....	659.79	112.04
08 63 13 00-0145	EA	63-1/4" x 87-1/4" Inside Frame Dimensions, Polycarbonate/Acrylic Double Glazed Prismatic Lens, Double Hip Style Fixed Dome, Aluminum Framed Skylight.....	723.73	122.23
08 63 13 00-0146	EA	63-1/4" x 99-5/8" Inside Frame Dimensions, Polycarbonate/Acrylic Double Glazed Prismatic Lens, Double Hip Style Fixed Dome, Aluminum Framed Skylight.....	756.41	122.23
08 63 13 00-0147		Polycarbonate/Polycarbonate Double Glazed Prismatic Lens, Double Hip Style Fixed Dome, Aluminum Framed Skylight <small>(08 63 13 00-0111)</small>		
		Note: Includes mill finish aluminum frame, integral condensation and weepage gutters, insulated thermal break, weather sweep, curb seal tape and fasteners. Excludes roof curb.		
08 63 13 00-0148	EA	27-1/4" x 51-1/4" Inside Frame Dimensions, Polycarbonate/Polycarbonate Double Glazed Prismatic Lens, Double Hip Style Fixed Dome, Aluminum Framed Skylight.....	415.92	81.49
08 63 13 00-0149	EA	27-1/4" x 99-1/4" Inside Frame Dimensions, Polycarbonate/Polycarbonate Double Glazed Prismatic Lens, Double Hip Style Fixed Dome, Aluminum Framed Skylight.....	544.01	91.67
08 63 13 00-0150	EA	39-1/4" x 63-1/4" Inside Frame Dimensions, Polycarbonate/Polycarbonate Double Glazed Prismatic Lens, Double Hip Style Fixed Dome, Aluminum Framed Skylight.....	516.17	91.67
08 63 13 00-0151	EA	39-1/4" x 75-1/4" Inside Frame Dimensions, Polycarbonate/Polycarbonate Double Glazed Prismatic Lens, Double Hip Style Fixed Dome, Aluminum Framed Skylight.....	544.01	91.67
08 63 13 00-0152	EA	39-1/4" x 99-1/4" Inside Frame Dimensions, Polycarbonate/Polycarbonate Double Glazed Prismatic Lens, Double Hip Style Fixed Dome, Aluminum Framed Skylight.....	627.30	101.85
08 63 13 00-0153	EA	51-1/4" x 63-1/4" Inside Frame Dimensions, Polycarbonate/Polycarbonate Double Glazed Prismatic Lens, Double Hip Style Fixed Dome, Aluminum Framed Skylight.....	571.63	101.85
08 63 13 00-0154	EA	51-1/4" x 75-1/4" Inside Frame Dimensions, Polycarbonate/Polycarbonate Double Glazed Prismatic Lens, Double Hip Style Fixed Dome, Aluminum Framed Skylight.....	611.57	101.85
08 63 13 00-0155	EA	51-1/4" x 87-1/4" Inside Frame Dimensions, Polycarbonate/Polycarbonate Double Glazed Prismatic Lens, Double Hip Style Fixed Dome, Aluminum Framed Skylight.....	673.10	112.04
08 63 13 00-0156	EA	52-1/4" x 100-1/4" Inside Frame Dimensions, Polycarbonate/Polycarbonate Double Glazed Prismatic Lens, Double Hip Style Fixed Dome, Aluminum Framed Skylight.....	728.57	122.23
08 63 13 00-0157	EA	63-5/8" x 75-5/8" Inside Frame Dimensions, Polycarbonate/Polycarbonate Double Glazed Prismatic Lens, Double Hip Style Fixed Dome, Aluminum Framed Skylight.....	681.57	112.04
08 63 13 00-0158	EA	63-1/4" x 87-1/4" Inside Frame Dimensions, Polycarbonate/Polycarbonate Double Glazed Prismatic Lens, Double Hip Style Fixed Dome, Aluminum Framed Skylight.....	747.93	122.23
08 63 13 00-0159	EA	63-1/4" x 99-5/8" Inside Frame Dimensions, Polycarbonate/Polycarbonate Double Glazed Prismatic Lens, Double Hip Style Fixed Dome, Aluminum Framed Skylight.....	783.03	122.23
08 63 13 00-0160		Smoke Vent Dome, Aluminum Framed Skylights <small>(08 63 13 00-0001)</small>		
08 63 13 00-0161		Industrial Style Smoke Vent Dome, Aluminum Framed Skylights <small>(08 63 13 00-0160)</small>		
		Note: UL listed or FM approved. Includes mill finish aluminum frame, integral condensation and weepage gutters, insulated thermal break, curb seal tape, weather sweep, fasteners, fusible link with a minimum temperature rating of 165 degrees, gas shocks and exterior manual release cable for testing.		
08 63 13 00-0162		Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Smoke Vent Dome, Aluminum Framed Skylights <small>(08 63 13 00-0161)</small>		
08 63 13 00-0163		10 LB Uplift Rated, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Smoke Vent Dome, Aluminum Framed Skylights <small>(08 63 13 00-0162)</small>		
08 63 13 00-0164	EA	52-1/4" x 100-1/4" Inside Frame Dimensions, 10 LB Uplift Rated, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Smoke Vent Dome, Aluminum Framed Skylight.....	1,658.08	122.23
08 63 13 00-0165	EA	63-5/8" x 75-5/8" Inside Frame Dimensions, 10 LB Uplift Rated, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Smoke Vent Dome, Aluminum Framed Skylight.....	1,547.94	122.23
08 63 13 00-0166	EA	63-1/4" x 99-5/8" Inside Frame Dimensions, 10 LB Uplift Rated, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Smoke Vent Dome, Aluminum Framed Skylight.....	1,739.17	122.23
08 63 13 00-0167		25 LB Uplift Rated, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Smoke Vent Dome, Aluminum Framed Skylights <small>(08 63 13 00-0162)</small>		
08 63 13 00-0168	EA	52-1/4" x 100-1/4" Inside Frame Dimensions, 25 LB Uplift Rated, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Smoke Vent Dome, Aluminum Framed Skylight.....	2,140.99	122.23
08 63 13 00-0169	EA	63-5/8" x 75-5/8" Inside Frame Dimensions, 25 LB Uplift Rated, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Smoke Vent Dome, Aluminum Framed Skylight.....	2,035.69	122.23
08 63 13 00-0170	EA	63-1/4" x 99-5/8" Inside Frame Dimensions, 25 LB Uplift Rated, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Smoke Vent Dome, Aluminum Framed Skylight.....	2,251.13	122.23
08 63 13 00-0171		30 LB Uplift Rated, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Smoke Vent Dome, Aluminum Framed Skylights <small>(08 63 13 00-0162)</small>		
08 63 13 00-0172	EA	52-1/4" x 100-1/4" Inside Frame Dimensions, 30 LB Uplift Rated, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Smoke Vent Dome, Aluminum Framed Skylight.....	2,280.17	122.23



Openings	08	08
Roof Windows And Skylights	08 60	
Metal-Framed Skylights	08 63	

MINOR CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 63 13 00-0173	EA	63-5/8" x 75-5/8" Inside Frame Dimensions, 30 LB Uplift Rated, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Smoke Vent Dome, Aluminum Framed Skylight.....	2,172.46	122.23
08 63 13 00-0174	EA	63-1/4" x 99-5/8" Inside Frame Dimensions, 30 LB Uplift Rated, Acrylic/Acrylic Double Glazed Prismatic Lens, Industrial Style Smoke Vent Dome, Aluminum Framed Skylight.....	2,387.89	122.23
08 63 13 00-0175		Polycarbonate/Polycarbonate Double Glazed Prismatic Lens, Industrial Style Smoke Vent Dome, Aluminum Framed Skylights (08 63 13 00-0161)		
08 63 13 00-0176		10 LB Uplift Rated, Polycarbonate/Polycarbonate Double Glazed Prismatic Lens, Industrial Style Smoke Vent Dome, Aluminum Framed Skylights (08 63 13 00-0175)		
08 63 13 00-0177	EA	52-1/4" x 100-1/4" Inside Frame Dimensions, 10 LB Uplift Rated, Polycarbonate/Polycarbonate Double Glazed Prismatic Lens, Industrial Style Smoke Vent Dome, Aluminum Framed Skylight	1,665.34	122.23
08 63 13 00-0178	EA	63-5/8" x 75-5/8" Inside Frame Dimensions, 10 LB Uplift Rated, Polycarbonate/Polycarbonate Double Glazed Prismatic Lens, Industrial Style Smoke Vent Dome, Aluminum Framed Skylight	1,555.20	122.23
08 63 13 00-0179	EA	63-1/4" x 99-5/8" Inside Frame Dimensions, 10 LB Uplift Rated, Polycarbonate/Polycarbonate Double Glazed Prismatic Lens, Industrial Style Smoke Vent Dome, Aluminum Framed Skylight	1,750.06	122.23
08 63 13 00-0180		25 LB Uplift Rated, Polycarbonate/Polycarbonate Double Glazed Prismatic Lens, Industrial Style Smoke Vent Dome, Aluminum Framed Skylights (08 63 13 00-0175)		
08 63 13 00-0181	EA	52-1/4" x 100-1/4" Inside Frame Dimensions, 25 LB Uplift Rated, Polycarbonate/Polycarbonate Double Glazed Prismatic Lens, Industrial Style Smoke Vent Dome, Aluminum Framed Skylight	2,150.67	122.23
08 63 13 00-0182	EA	63-5/8" x 75-5/8" Inside Frame Dimensions, 25 LB Uplift Rated, Polycarbonate/Polycarbonate Double Glazed Prismatic Lens, Industrial Style Smoke Vent Dome, Aluminum Framed Skylight	2,042.96	122.23
08 63 13 00-0183	EA	63-1/4" x 99-5/8" Inside Frame Dimensions, 25 LB Uplift Rated, Polycarbonate/Polycarbonate Double Glazed Prismatic Lens, Industrial Style Smoke Vent Dome, Aluminum Framed Skylight	2,263.23	122.23
08 63 13 00-0184		30 LB Uplift Rated, Polycarbonate/Polycarbonate Double Glazed Prismatic Lens, Industrial Style Smoke Vent Dome, Aluminum Framed Skylights (08 63 13 00-0175)		
08 63 13 00-0185	EA	52-1/4" x 100-1/4" Inside Frame Dimensions, 30 LB Uplift Rated, Polycarbonate/Polycarbonate Double Glazed Prismatic Lens, Industrial Style Smoke Vent Dome, Aluminum Framed Skylight	2,287.44	122.23
08 63 13 00-0186	EA	63-5/8" x 75-5/8" Inside Frame Dimensions, 30 LB Uplift Rated, Polycarbonate/Polycarbonate Double Glazed Prismatic Lens, Industrial Style Smoke Vent Dome, Aluminum Framed Skylight	2,179.72	122.23
08 63 13 00-0187	EA	63-1/4" x 99-5/8" Inside Frame Dimensions, 30 LB Uplift Rated, Polycarbonate/Polycarbonate Double Glazed Prismatic Lens, Industrial Style Smoke Vent Dome, Aluminum Framed Skylight	2,399.99	122.23
08 66		Wood-Framed Skylights (08 60)		
08 66 00 00-0001		Wood-Framed Skylights (Andersen 400 Series) (08 66)		
08 66 00 00-0002	EA	16-1/2" x 38", Domed, Wood-Framed Skylight (Andersen 400 Series).....	522.98	110.81
		For Tempered Laminated Low-E Insulated Glass, Add	75.34	
		For Aluminum Shingle Flashing, Add	60.27	
08 66 00 00-0003	EA	16-1/2" x 46", Domed, Wood-Framed Skylight (Andersen 400 Series).....	535.28	110.81
		For Tempered Laminated Low-E Insulated Glass, Add	78.42	
		For Aluminum Shingle Flashing, Add	62.73	
08 66 00 00-0004	EA	24-1/2" x 27", Domed, Wood-Framed Skylight (Andersen 400 Series).....	506.07	110.81
		For Tempered Laminated Low-E Insulated Glass, Add	71.12	
		For Aluminum Shingle Flashing, Add	56.89	
08 66 00 00-0005	EA	24-1/2" x 38", Domed, Wood-Framed Skylight (Andersen 400 Series).....	544.51	110.81
		For Tempered Laminated Low-E Insulated Glass, Add	80.73	
		For Aluminum Shingle Flashing, Add	64.58	
08 66 00 00-0006	EA	24-1/2" x 46", Domed, Wood-Framed Skylight (Andersen 400 Series).....	576.80	110.81
		For Tempered Laminated Low-E Insulated Glass, Add	88.80	
		For Aluminum Shingle Flashing, Add	71.04	
08 66 00 00-0007	EA	24-1/2" x 57", Domed, Wood-Framed Skylight (Andersen 400 Series).....	629.08	110.81
		For Tempered Laminated Low-E Insulated Glass, Add	101.87	
		For Aluminum Shingle Flashing, Add	81.49	
08 66 00 00-0008	EA	24-1/2" x 72", Domed, Wood-Framed Skylight (Andersen 400 Series).....	695.19	110.81
		For Tempered Laminated Low-E Insulated Glass, Add	118.40	
		For Aluminum Shingle Flashing, Add	94.72	
08 66 00 00-0009	EA	27" x 24-1/2", Domed, Wood-Framed Skylight (Andersen 400 Series).....	506.07	110.81
		For Tempered Laminated Low-E Insulated Glass, Add	71.12	
		For Aluminum Shingle Flashing, Add	56.89	
08 66 00 00-0010	EA	28" x 38", Domed, Wood-Framed Skylight (Andersen 400 Series).....	584.49	110.81
		For Tempered Laminated Low-E Insulated Glass, Add	90.72	
		For Aluminum Shingle Flashing, Add	72.58	
08 66 00 00-0011	EA	28" x 46", Domed, Wood-Framed Skylight (Andersen 400 Series).....	629.08	110.81
		For Tempered Laminated Low-E Insulated Glass, Add	101.87	
		For Aluminum Shingle Flashing, Add	81.49	
08 66 00 00-0012	EA	28" x 57", Domed, Wood-Framed Skylight (Andersen 400 Series).....	679.82	110.81
		For Tempered Laminated Low-E Insulated Glass, Add	114.55	
		For Aluminum Shingle Flashing, Add	91.64	
08 66 00 00-0013	EA	28" x 72", Domed, Wood-Framed Skylight (Andersen 400 Series).....	747.47	110.81
		For Tempered Laminated Low-E Insulated Glass, Add	131.47	
		For Aluminum Shingle Flashing, Add	105.17	
08 66 00 00-0014	EA	38" x 16-1/2", Domed, Wood-Framed Skylight (Andersen 400 Series).....	522.98	110.81
		For Tempered Laminated Low-E Insulated Glass, Add	75.34	
		For Aluminum Shingle Flashing, Add	60.27	

08 Openings**08 60 Roof Windows And Skylights****08 66 Wood-Framed Skylights**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 66 00 00-0015	EA		38" x 24-1/2", Domed, Wood-Framed Skylight (Andersen 400 Series).....	544.51	110.81
			<i>For Tempered Laminated Low-E Insulated Glass, Add</i>	80.73	
			<i>For Aluminum Shingle Flashing, Add</i>	64.58	
08 66 00 00-0016	EA		38" x 28", Domed, Wood-Framed Skylight (Andersen 400 Series).....	584.49	110.81
			<i>For Tempered Laminated Low-E Insulated Glass, Add</i>	90.72	
			<i>For Aluminum Shingle Flashing, Add</i>	72.58	
08 66 00 00-0017	EA		44" x 46", Domed, Wood-Framed Skylight (Andersen 400 Series).....	725.95	110.81
			<i>For Tempered Laminated Low-E Insulated Glass, Add</i>	126.09	
			<i>For Aluminum Shingle Flashing, Add</i>	100.87	
08 66 00 00-0018	EA		46" x 16-1/2", Domed, Wood-Framed Skylight (Andersen 400 Series).....	535.28	110.81
			<i>For Tempered Laminated Low-E Insulated Glass, Add</i>	78.42	
			<i>For Aluminum Shingle Flashing, Add</i>	62.73	
08 66 00 00-0019	EA		46" x 24-1/2", Domed, Wood-Framed Skylight (Andersen 400 Series).....	576.80	110.81
			<i>For Tempered Laminated Low-E Insulated Glass, Add</i>	88.80	
			<i>For Aluminum Shingle Flashing, Add</i>	71.04	
08 66 00 00-0020	EA		46" x 28", Domed, Wood-Framed Skylight (Andersen 400 Series).....	629.08	110.81
			<i>For Tempered Laminated Low-E Insulated Glass, Add</i>	101.87	
			<i>For Aluminum Shingle Flashing, Add</i>	81.49	
08 66 00 00-0021	EA		46" x 44", Domed, Wood-Framed Skylight (Andersen 400 Series).....	725.95	110.81
			<i>For Tempered Laminated Low-E Insulated Glass, Add</i>	126.09	
			<i>For Aluminum Shingle Flashing, Add</i>	100.87	
08 66 00 00-0022	EA		57" x 24-1/2", Domed, Wood-Framed Skylight (Andersen 400 Series).....	629.08	110.81
			<i>For Tempered Laminated Low-E Insulated Glass, Add</i>	101.87	
			<i>For Aluminum Shingle Flashing, Add</i>	81.49	
08 66 00 00-0023	EA		57" x 28", Domed, Wood-Framed Skylight (Andersen 400 Series).....	679.82	110.81
			<i>For Tempered Laminated Low-E Insulated Glass, Add</i>	114.55	
			<i>For Aluminum Shingle Flashing, Add</i>	91.64	
08 66 00 00-0024	EA		72" x 24-1/2", Domed, Wood-Framed Skylight (Andersen 400 Series).....	695.19	110.81
			<i>For Tempered Laminated Low-E Insulated Glass, Add</i>	118.40	
			<i>For Aluminum Shingle Flashing, Add</i>	94.72	
08 66 00 00-0025	EA		72" x 28", Domed, Wood-Framed Skylight (Andersen 400 Series).....	747.47	110.81
			<i>For Tempered Laminated Low-E Insulated Glass, Add</i>	131.47	
			<i>For Aluminum Shingle Flashing, Add</i>	105.17	

08 70 Hardware (08)**08 71 Door Hardware** (08 70)**08 71 11 Door Hardware** (08 71)

Note: All hardware is ANSI/BHMA Grade 1 unless otherwise noted. See CSI section 08 05 13 00-0050 for removal and reinstallation of existing door where required for modifications.

08 71 11 00-0001	PR		Hinges (08 71 11) Note: Unit of measure "PR" indicates that two (2) sets of hinges (top and bottom) are priced. For doors with three (3) sets of hinges (top, middle and bottom), use 1.5 pairs. Excludes mortise preparation for wood doors.		
08 71 11 00-0002	PR		Brass/Bronze, Satin Chrome Finish Hinges (08 71 11 00-0001) Note: US26D (BHMA 626) satin chrome finish.		
08 71 11 00-0003	PR		Standard Duty, Full Mortise, Plain Bearing, Brass/Bronze, Satin Chrome Finish Hinges (08 71 11 00-0002) Note: Set into the mortised edge of the door and mortised rabbet edge of the frame.		
08 71 11 00-0004	PR		3-1/2" x 3-1/2" Standard Duty, Full Mortise, Plain Bearing, Brass/Bronze, Satin Chrome Finish Hinge.....	66.57	6.21
			<i>For Clear Coated Bright Brass, Add</i>	4.73	
			<i>For Pair Of Non-Removable Pins (NRP), Add</i>	6.00	
08 71 11 00-0005	PR		4" x 4" Standard Duty, Full Mortise, Plain Bearing, Brass/Bronze, Satin Chrome Finish Hinge.....	73.02	8.86
			<i>For Clear Coated Bright Brass, Add</i>	5.26	
			<i>For Pair Of Non-Removable Pins (NRP), Add</i>	6.00	
08 71 11 00-0006	PR		4-1/2" x 4-1/2" Standard Duty, Full Mortise, Plain Bearing, Brass/Bronze, Satin Chrome Finish Hinge.....	82.07	9.75
			<i>For Clear Coated Bright Brass, Add</i>	4.40	
			<i>For Pair Of Non-Removable Pins (NRP), Add</i>	6.00	
08 71 11 00-0007	PR		Standard Duty, Full Mortise, Ball Bearing, Brass/Bronze, Satin Chrome Finish Hinges (08 71 11 00-0002) Note: Set into the mortised edge of the door and mortised rabbet edge of the frame.		
08 71 11 00-0008	PR		3-1/2" x 3-1/2" Standard Duty, Full Mortise, Ball Bearing, Brass/Bronze, Satin Chrome Finish Hinge.....	76.75	6.21
			<i>For Clear Coated Bright Brass, Add</i>	6.06	
			<i>For Pair Of Non-Removable Pins (NRP), Add</i>	6.00	
08 71 11 00-0009	PR		4" x 4" Standard Duty, Full Mortise, Ball Bearing, Brass/Bronze, Satin Chrome Finish Hinge.....	87.63	8.86
			<i>For Clear Coated Bright Brass, Add</i>	6.06	
			<i>For Pair Of Non-Removable Pins (NRP), Add</i>	6.00	
08 71 11 00-0010	PR		4-1/2" x 4-1/2" Standard Duty, Full Mortise, Ball Bearing, Brass/Bronze, Satin Chrome Finish Hinge.....	88.92	9.75
			<i>For Clear Coated Bright Brass, Add</i>	5.36	
			<i>For Pair Of Non-Removable Pins (NRP), Add</i>	6.00	
08 71 11 00-0011	PR		5" x 4-1/2" Standard Duty, Full Mortise, Ball Bearing, Brass/Bronze, Satin Chrome Finish Hinge.....	103.87	11.52
			<i>For Clear Coated Bright Brass, Add</i>	6.27	
			<i>For Pair Of Non-Removable Pins (NRP), Add</i>	6.00	
08 71 11 00-0012	PR		5" x 5" Standard Duty, Full Mortise, Ball Bearing, Brass/Bronze, Satin Chrome Finish Hinge.....	104.55	11.52
			<i>For Clear Coated Bright Brass, Add</i>	6.36	
			<i>For Pair Of Non-Removable Pins (NRP), Add</i>	6.00	
08 71 11 00-0013	PR		6" x 5" Standard Duty, Full Mortise, Ball Bearing, Brass/Bronze, Satin Chrome Finish Hinge.....	112.34	14.80
			<i>For Clear Coated Bright Brass, Add</i>	7.46	
			<i>For Pair Of Non-Removable Pins (NRP), Add</i>	6.00	



Openings	08	08
Hardware	08 70	
Door Hardware	08 71	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
------------------------------	---------------------------	-------------------------

08 71 11 00-0014	Standard Duty, Full Mortise, Concealed Ball Bearing, Brass/Bronze, Satin Chrome Finish Hinges <small>(08 71 11 00-0002)</small> Note: Set into the mortised edge of the door and mortised rabbet edge of the frame.		
08 71 11 00-0015	PR 3-1/2" x 3-1/2", Standard Duty, Full Mortise, Concealed Ball Bearing, Brass/Bronze, Satin Chrome Finish Hinge.....	87.19	6.21
08 71 11 00-0016	PR 4" x 4", Standard Duty, Full Mortise, Concealed Ball Bearing, Brass/Bronze, Satin Chrome Finish Hinge.....	98.07	8.86
08 71 11 00-0017	PR 4-1/2" x 4-1/2", Standard Duty, Full Mortise, Concealed Ball Bearing, Brass/Bronze, Satin Chrome Finish Hinge.....	100.27	9.75
08 71 11 00-0018	PR 5" x 4", Standard Duty, Full Mortise, Concealed Ball Bearing, Brass/Bronze, Satin Chrome Finish Hinge.....	116.39	11.52
08 71 11 00-0019	Standard Duty, Half Surface, Ball Bearing, Brass/Bronze, Satin Chrome Finish Hinges <small>(08 71 11 00-0002)</small> Note: Surface mounted to the face of the door and set into mortised rabbet edge of the frame.		
08 71 11 00-0020	PR 4-1/2" x 4-1/2" Standard Duty, Half Surface, Ball Bearing, Brass/Bronze, Satin Chrome Finish Hinge.....	111.69	9.75
	For Clear Coated Bright Brass, Add	8.55	
	For Pair Of Non-Removable Pins (NRP), Add	6.00	
08 71 11 00-0021	PR 5" x 4" Standard Duty, Half Surface, Ball Bearing, Brass/Bronze, Satin Chrome Finish Hinge.....	126.83	11.52
	For Clear Coated Bright Brass, Add	9.48	
	For Pair Of Non-Removable Pins (NRP), Add	6.00	
08 71 11 00-0022	PR 5" x 5" Standard Duty, Half Surface, Ball Bearing, Brass/Bronze, Satin Chrome Finish Hinge.....	141.17	11.52
	For Clear Coated Bright Brass, Add	11.49	
	For Pair Of Non-Removable Pins (NRP), Add	6.00	
08 71 11 00-0023	Standard Duty, Half Mortise, Ball Bearing, Brass/Bronze, Satin Chrome Finish Hinges <small>(08 71 11 00-0002)</small> Note: Set into mortised edge of the door and surface applied to the face of the frame.		
08 71 11 00-0024	PR 4-1/2" x 4-1/2" Standard Duty, Half Mortise, Ball Bearing, Brass/Bronze, Satin Chrome Finish Hinge.....	114.52	9.75
	For Clear Coated Bright Brass, Add	8.94	
	For Pair Of Non-Removable Pins (NRP), Add	6.00	
08 71 11 00-0025	PR 5" x 4" Standard Duty, Half Mortise, Ball Bearing, Brass/Bronze, Satin Chrome Finish Hinge.....	134.90	11.52
	For Clear Coated Bright Brass, Add	10.61	
	For Pair Of Non-Removable Pins (NRP), Add	6.00	
08 71 11 00-0026	Heavy Duty, Full Mortise, Plain Bearing, Brass/Bronze Satin Chrome Finish Hinge <small>(08 71 11 00-0002)</small> Note: Set into the mortised edge of the door and mortised rabbet edge of the frame.		
08 71 11 00-0027	PR 4-1/2" x 4-1/2" Heavy Duty, Full Mortise, Plain Bearing, Brass/Bronze, Satin Chrome Finish Hinge.....	111.09	9.75
	For Clear Coated Bright Brass, Add	8.46	
	For Pair Of Non-Removable Pins (NRP), Add	6.00	
08 71 11 00-0028	PR 5" x 5" Heavy Duty, Full Mortise, Plain Bearing, Brass/Bronze, Satin Chrome Finish Hinge.....	128.39	14.80
	For Clear Coated Bright Brass, Add	9.70	
	For Pair Of Non-Removable Pins (NRP), Add	6.00	
08 71 11 00-0029	PR 6" x 5" Heavy Duty, Full Mortise, Plain Bearing, Brass/Bronze, Satin Chrome Finish Hinge.....	153.03	14.80
	For Clear Coated Bright Brass, Add	13.15	
	For Pair Of Non-Removable Pins (NRP), Add	6.00	
08 71 11 00-0030	Mortised, Wrought Steel Hinges <small>(08 71 11 00-0001)</small> Note: Clear coated, US 26D satin chrome finish (BHMA 652).		
08 71 11 00-0031	Full Mortise, Plain Bearing, Wrought Steel Hinges <small>(08 71 11 00-0030)</small> Note: Set into the mortised edge of the door and mortised rabbet edge of the frame.		
08 71 11 00-0032	PR 3-1/2" x 3-1/2", Standard Duty, Full Mortise, Plain Bearing, Wrought Steel Hinge.....	42.54	6.21
	For Primed For Paint Finish, Deduct	-1.82	
	For Bright Chrome Plated Finish US26 (BHMA 625), Add	1.14	
	For Satin Brass Plated Clear Coated Finish, Deduct	-1.09	
	For Stainless Steel, Add	5.00	
	For Heavy Duty, Add	1.36	
	For Extra Heavy Duty, Add	3.64	
	For Pair Of Non-Removable Pins (NRP), Add	6.00	
08 71 11 00-0033	PR 4" x 4", Standard Duty, Full Mortise, Plain Bearing, Wrought Steel Hinge.....	54.36	8.86
	For Primed For Paint Finish, Deduct	-2.01	
	For Bright Chrome Plated Finish US26 (BHMA 625), Add	1.25	
	For Satin Brass Plated Clear Coated Finish, Deduct	-1.20	
	For Stainless Steel, Add	5.52	
	For Heavy Duty, Add	1.50	
	For Extra Heavy Duty, Add	4.01	
	For Pair Of Non-Removable Pins (NRP), Add	6.00	
08 71 11 00-0034	PR 4-1/2" x 4-1/2", Standard Duty, Full Mortise, Plain Bearing, Wrought Steel Hinge.....	62.88	9.75
	For Primed For Paint Finish, Deduct	-2.45	
	For Bright Chrome Plated Finish US26 (BHMA 625), Add	1.53	
	For Satin Brass Plated Clear Coated Finish, Deduct	-1.47	
	For Stainless Steel, Add	6.73	
	For Heavy Duty, Add	1.83	
	For Extra Heavy Duty, Add	4.89	
	For Pair Of Non-Removable Pins (NRP), Add	6.00	
08 71 11 00-0035	Full Mortise, Ball Bearing, Wrought Steel Hinges <small>(08 71 11 00-0030)</small> Note: Set into the mortised edge of the door and mortised rabbet edge of the frame.		

08 Openings**08 70 Hardware****08 71 Door Hardware**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 71 11 00-0036	PR		3-1/2" x 3-1/2", Standard Duty, Full Mortise, Ball Bearing, Wrought Steel Hinge.....	66.59	6.21
			<i>For Primed For Paint Finish, Deduct</i>	-6.63	
			<i>For Bright Chrome Plated Finish US26 (BHMA 625), Add</i>	4.14	
			<i>For Satin Brass Plated Clear Coated Finish, Deduct</i>	-3.98	
			<i>For Stainless Steel, Add</i>	18.23	
			<i>For Heavy Duty, Add</i>	4.97	
			<i>For Extra Heavy Duty, Add</i>	13.26	
			<i>For Pair Of Non-Removable Pins (NRP), Add</i>	6.00	
08 71 11 00-0037	PR		4" x 4", Standard Duty, Full Mortise, Ball Bearing, Wrought Steel Hinge.....	81.86	8.86
			<i>For Primed For Paint Finish, Deduct</i>	-7.51	
			<i>For Bright Chrome Plated Finish US26 (BHMA 625), Add</i>	4.69	
			<i>For Satin Brass Plated Clear Coated Finish, Deduct</i>	-4.50	
			<i>For Stainless Steel, Add</i>	20.64	
			<i>For Heavy Duty, Add</i>	5.63	
			<i>For Extra Heavy Duty, Add</i>	15.01	
			<i>For Pair Of Non-Removable Pins (NRP), Add</i>	6.00	
08 71 11 00-0038	PR		4-1/2" x 4-1/2", Standard Duty, Full Mortise, Ball Bearing, Wrought Steel Hinge.....	100.65	9.75
			<i>For Primed For Paint Finish, Deduct</i>	-10.00	
			<i>For Bright Chrome Plated Finish US26 (BHMA 625), Add</i>	6.25	
			<i>For Satin Brass Plated Clear Coated Finish, Deduct</i>	-6.00	
			<i>For Stainless Steel, Add</i>	27.50	
			<i>For Heavy Duty, Add</i>	7.50	
			<i>For Extra Heavy Duty, Add</i>	20.00	
			<i>For Pair Of Non-Removable Pins (NRP), Add</i>	6.00	
08 71 11 00-0039	PR		5" x 4-1/2", Standard Duty, Full Mortise, Ball Bearing, Wrought Steel Hinge.....	113.96	11.52
			<i>For Primed For Paint Finish, Deduct</i>	-10.97	
			<i>For Bright Chrome Plated Finish US26 (BHMA 625), Add</i>	6.86	
			<i>For Satin Brass Plated Clear Coated Finish, Deduct</i>	-6.58	
			<i>For Stainless Steel, Add</i>	30.18	
			<i>For Heavy Duty, Add</i>	8.23	
			<i>For Extra Heavy Duty, Add</i>	21.95	
			<i>For Pair Of Non-Removable Pins (NRP), Add</i>	6.00	
08 71 11 00-0040	PR		5" x 5", Standard Duty, Full Mortise, Ball Bearing, Wrought Steel Hinge.....	121.70	11.52
			<i>For Primed For Paint Finish, Deduct</i>	-12.52	
			<i>For Bright Chrome Plated Finish US26 (BHMA 625), Add</i>	7.83	
			<i>For Satin Brass Plated Clear Coated Finish, Deduct</i>	-7.51	
			<i>For Stainless Steel, Add</i>	34.44	
			<i>For Heavy Duty, Add</i>	9.39	
			<i>For Extra Heavy Duty, Add</i>	25.04	
			<i>For Pair Of Non-Removable Pins (NRP), Add</i>	6.00	
08 71 11 00-0041	PR		6" x 5", Standard Duty, Full Mortise, Ball Bearing, Wrought Steel Hinge.....	145.31	11.52
			<i>For Primed For Paint Finish, Deduct</i>	-17.24	
			<i>For Bright Chrome Plated Finish US26 (BHMA 625), Add</i>	10.78	
			<i>For Satin Brass Plated Clear Coated Finish, Deduct</i>	-10.35	
			<i>For Stainless Steel, Add</i>	47.42	
			<i>For Heavy Duty, Add</i>	12.93	
			<i>For Extra Heavy Duty, Add</i>	34.49	
			<i>For Pair Of Non-Removable Pins (NRP), Add</i>	6.00	
08 71 11 00-0042			Half Surface, Plain Bearing, Wrought Steel Hinges (08 71 11 00-0030)		
			Note: Surface mounted to the face of the door and set into mortised rabbet edge of the frame.		
08 71 11 00-0043	PR		3-1/2" x 3-1/2", Standard Duty, Half Surface, Plain Bearing, Wrought Steel Hinge.....	80.48	6.21
			<i>For Primed For Paint Finish, Deduct</i>	-9.41	
			<i>For Bright Chrome Plated Finish US26 (BHMA 625), Add</i>	5.88	
			<i>For Satin Brass Plated Clear Coated Finish, Deduct</i>	-5.64	
			<i>For Stainless Steel, Add</i>	25.87	
			<i>For Heavy Duty, Add</i>	7.05	
			<i>For Extra Heavy Duty, Add</i>	18.81	
			<i>For Pair Of Non-Removable Pins (NRP), Add</i>	6.00	
08 71 11 00-0044	PR		4" x 4", Standard Duty, Half Surface, Plain Bearing, Wrought Steel Hinge.....	97.63	8.86
			<i>For Primed For Paint Finish, Deduct</i>	-10.66	
			<i>For Bright Chrome Plated Finish US26 (BHMA 625), Add</i>	6.66	
			<i>For Satin Brass Plated Clear Coated Finish, Deduct</i>	-6.40	
			<i>For Stainless Steel, Add</i>	29.32	
			<i>For Heavy Duty, Add</i>	8.00	
			<i>For Extra Heavy Duty, Add</i>	21.32	
			<i>For Pair Of Non-Removable Pins (NRP), Add</i>	6.00	
08 71 11 00-0045	PR		4-1/2" x 4-1/2", Standard Duty, Half Surface, Plain Bearing, Wrought Steel Hinge.....	110.22	9.75
			<i>For Primed For Paint Finish, Deduct</i>	-11.91	
			<i>For Bright Chrome Plated Finish US26 (BHMA 625), Add</i>	7.45	
			<i>For Satin Brass Plated Clear Coated Finish, Deduct</i>	-7.15	
			<i>For Stainless Steel, Add</i>	32.76	
			<i>For Heavy Duty, Add</i>	8.94	
			<i>For Extra Heavy Duty, Add</i>	23.83	
			<i>For Pair Of Non-Removable Pins (NRP), Add</i>	6.00	
08 71 11 00-0046	PR		5" x 4-1/2", Standard Duty, Half Surface, Plain Bearing, Wrought Steel Hinge.....	124.93	11.52
			<i>For Primed For Paint Finish, Deduct</i>	-13.17	
			<i>For Bright Chrome Plated Finish US26 (BHMA 625), Add</i>	8.23	
			<i>For Satin Brass Plated Clear Coated Finish, Deduct</i>	-7.90	
			<i>For Stainless Steel, Add</i>	36.21	
			<i>For Heavy Duty, Add</i>	9.88	
			<i>For Extra Heavy Duty, Add</i>	26.34	
			<i>For Pair Of Non-Removable Pins (NRP), Add</i>	6.00	



Openings	08	08
Hardware	08 70	
Door Hardware	08 71	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 71 11 00-0047 Half Surface, Ball Bearing, Wrought Steel Hinges <small>(08 71 11 00-0030)</small> Note: Surface mounted to the face of the door and set into mortised rabbet edge of the frame.		
08 71 11 00-0048 PR 4" x 4", Standard Duty, Half Surface, Ball Bearing, Wrought Steel Hinge.....	111.74	9.75
For Primed For Paint Finish, Deduct	-13.48	
For Bright Chrome Plated Finish US26 (BHMA 625), Add	8.43	
For Satin Brass Plated Clear Coated Finish, Deduct	-8.09	
For Stainless Steel, Add	37.08	
For Heavy Duty, Add	10.11	
For Extra Heavy Duty, Add	26.96	
For Pair Of Non-Removable Pins (NRP), Add	6.00	
08 71 11 00-0049 PR 4-1/2" x 4-1/2", Standard Duty, Half Surface, Ball Bearing, Wrought Steel Hinge.....	125.24	9.75
For Primed For Paint Finish, Deduct	-14.92	
For Bright Chrome Plated Finish US26 (BHMA 625), Add	9.32	
For Satin Brass Plated Clear Coated Finish, Deduct	-8.95	
For Stainless Steel, Add	41.02	
For Heavy Duty, Add	11.19	
For Extra Heavy Duty, Add	29.84	
For Pair Of Non-Removable Pins (NRP), Add	6.00	
08 71 11 00-0050 PR 5" x 5", Standard Duty, Half Surface, Ball Bearing, Wrought Steel Hinge.....	145.31	11.52
For Primed For Paint Finish, Deduct	-17.24	
For Bright Chrome Plated Finish US26 (BHMA 625), Add	10.78	
For Satin Brass Plated Clear Coated Finish, Deduct	-10.35	
For Stainless Steel, Add	47.42	
For Heavy Duty, Add	12.93	
For Extra Heavy Duty, Add	34.49	
For Pair Of Non-Removable Pins (NRP), Add	6.00	
08 71 11 00-0051 Slide-In, Full Mortise, Ball Bearing, Wrought Steel Hinges <small>(08 71 11 00-0030)</small> Note: Both leaves slide into a cavity prepared in the door and door frame.		
08 71 11 00-0052 PR 4-1/2" x 4-1/2", Standard Duty, Slide In, Full Mortise, Ball Bearing, Wrought Steel Hinge.....	102.27	9.75
For Primed For Paint Finish, Deduct	-10.32	
For Bright Chrome Plated Finish US26 (BHMA 625), Add	6.45	
For Satin Brass Plated Clear Coated Finish, Deduct	-6.19	
For Stainless Steel, Add	28.39	
For Heavy Duty, Add	7.74	
For Extra Heavy Duty, Add	20.65	
For Pair Of Non-Removable Pins (NRP), Add	6.00	
08 71 11 00-0053 Blank Butt Hinges <small>(08 71 11 00-0030)</small>		
08 71 11 00-0054 PR 3.5" x 3.5" To 5" x 5", Blank Butt With Screws, Steel Hinge.....	22.42	3.99
For Primed For Paint Finish, Deduct	-1.31	
For Bright Chrome Plated Finish US26 (BHMA 625), Add	0.82	
For Satin Brass Plated Clear Coated Finish, Deduct	-0.79	
For Stainless Steel, Add	3.61	
For Heavy Duty, Add	0.99	
For Extra Heavy Duty, Add	2.63	
For Pair Of Non-Removable Pins (NRP), Add	6.00	
08 71 11 00-0055 Full Mortise, Single Acting Spring, Wrought Steel Hinges <small>(08 71 11 00-0030)</small> Note: Set into the mortised edge of the door and mortised rabbet edge of the frame.		
08 71 11 00-0056 PR 3-1/2" x 3-1/2", Full Mortise, Single Acting Spring, Wrought Steel Hinge.....	82.76	6.21
For Primed For Paint Finish, Deduct	-9.86	
For Bright Chrome Plated Finish US26 (BHMA 625), Add	6.16	
For Satin Brass Plated Clear Coated Finish, Deduct	-5.92	
For Stainless Steel, Add	27.12	
08 71 11 00-0057 PR 4" x 4", Full Mortise, Single Acting Spring, Wrought Steel Hinge.....	108.83	8.86
For Primed For Paint Finish, Deduct	-12.90	
For Bright Chrome Plated Finish US26 (BHMA 625), Add	8.06	
For Satin Brass Plated Clear Coated Finish, Deduct	-7.74	
For Stainless Steel, Add	35.48	
08 71 11 00-0058 PR 4-1/2" x 4-1/2", Full Mortise, Single Acting Spring, Wrought Steel Hinge.....	145.52	9.75
For Primed For Paint Finish, Deduct	-18.97	
For Bright Chrome Plated Finish US26 (BHMA 625), Add	11.86	
For Satin Brass Plated Clear Coated Finish, Deduct	-11.38	
For Stainless Steel, Add	52.18	
08 71 11 00-0059 Offset And Pivot Hinges <small>(08 71 11 00-0001)</small> Note: Satin chrome plated, US26D.		
08 71 11 00-0060 Offset Swing Clear Hinges <small>(08 71 11 00-0059)</small> Note: For use on 1-3/8" and 1-3/4" doors. Allows doors to swing completely clear of the openings.		
08 71 11 00-0061 EA 4-1/2", Swing Clear, Offset Hinges.....	144.21	2.77
08 71 11 00-0062 Offset Pivot Hinges <small>(08 71 11 00-0059)</small>		
08 71 11 00-0063 3/4" Offset Pivot Hinges <small>(08 71 11 00-0062)</small>		
08 71 11 00-0064 3/4" Offset Pivot Hinges <small>(08 71 11 00-0063)</small>		
08 71 11 00-0065 Top Mount, 3/4" Offset Pivot Hinges <small>(08 71 11 00-0064)</small>		



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 71 11 00-0127 EA Dark Bronze Finish, 500 LB Max Door Weight, Intermediate Mount, 3/4" Offset Pivot Hinge (Ives 7215 INT)	160.79	11.08
08 71 11 00-0128 EA Bright Chrome Finish, 500 LB Max Door Weight, Intermediate Mount, 3/4" Offset Pivot Hinge (Ives 7215 INT)	160.79	11.08
08 71 11 00-0129 600 LB Max Door Weight, Intermediate Mount, 3/4" Offset Pivot Hinges (08 71 11 00-0112)		
08 71 11 00-0130 EA Painted Finish, 600 LB Max Door Weight, Intermediate Mount, 3/4" Offset Pivot Hinge (Ives 7226 INT)	136.45	11.08
08 71 11 00-0131 EA Satin Chrome Finish, 600 LB Max Door Weight, Intermediate Mount, 3/4" Offset Pivot Hinge (Ives 7226 INT)	145.30	11.08
08 71 11 00-0132 EA Bright Brass Finish, 600 LB Max Door Weight, Intermediate Mount, 3/4" Offset Pivot Hinge (Ives 7226 INT)	160.79	11.08
08 71 11 00-0133 EA Satin Brass Finish, 600 LB Max Door Weight, Intermediate Mount, 3/4" Offset Pivot Hinge (Ives 7226 INT)	160.79	11.08
08 71 11 00-0134 EA Satin Bronze Finish, 600 LB Max Door Weight, Intermediate Mount, 3/4" Offset Pivot Hinge (Ives 7226 INT)	160.79	11.08
08 71 11 00-0135 EA Dark Bronze Finish, 600 LB Max Door Weight, Intermediate Mount, 3/4" Offset Pivot Hinge (Ives 7226 INT)	160.79	11.08
08 71 11 00-0136 EA Bright Chrome Finish, 600 LB Max Door Weight, Intermediate Mount, 3/4" Offset Pivot Hinge (Ives 7226 INT)	160.79	11.08
08 71 11 00-0137 700 LB Max Door Weight, Intermediate Mount, 3/4" Offset Pivot Hinges (08 71 11 00-0112)		
08 71 11 00-0138 EA Painted Finish, 700 LB Max Door Weight, Intermediate Mount, 3/4" Offset Pivot Hinge (Ives 7227 INT)	136.45	11.08
08 71 11 00-0139 EA Satin Chrome Finish, 700 LB Max Door Weight, Intermediate Mount, 3/4" Offset Pivot Hinge (Ives 7227 INT)	145.30	11.08
08 71 11 00-0140 EA Bright Brass Finish, 700 LB Max Door Weight, Intermediate Mount, 3/4" Offset Pivot Hinge (Ives 7227 INT)	160.79	11.08
08 71 11 00-0141 EA Satin Brass Finish, 700 LB Max Door Weight, Intermediate Mount, 3/4" Offset Pivot Hinge (Ives 7227 INT)	160.79	11.08
08 71 11 00-0142 EA Satin Bronze Finish, 700 LB Max Door Weight, Intermediate Mount, 3/4" Offset Pivot Hinge (Ives 7227 INT)	160.79	11.08
08 71 11 00-0143 EA Dark Bronze Finish, 700 LB Max Door Weight, Intermediate Mount, 3/4" Offset Pivot Hinge (Ives 7227 INT)	160.79	11.08
08 71 11 00-0144 EA Bright Chrome Finish, 700 LB Max Door Weight, Intermediate Mount, 3/4" Offset Pivot Hinge (Ives 7227 INT)	160.79	11.08
08 71 11 00-0145 Bottom Mount, 3/4" Offset Pivot Hinges (08 71 11 00-0064)		
08 71 11 00-0146 200 LB Max Door Weight, Bottom Mount, 3/4" Offset Pivot Hinges (08 71 11 00-0145)		
08 71 11 00-0147 EA Painted Finish, 200 LB Max Door Weight, Bottom Jamb Mount, 3/4" Offset Pivot Hinge (Ives 7212 BTM)	108.43	8.86
08 71 11 00-0148 EA Satin Chrome Finish, 200 LB Max Door Weight, Bottom Jamb Mount, 3/4" Offset Pivot Hinge (Ives 7212 BTM)	137.20	8.86
08 71 11 00-0149 EA Bright Brass Finish, 200 LB Max Door Weight, Bottom Jamb Mount, 3/4" Offset Pivot Hinge (Ives 7212 BTM)	156.36	8.86
08 71 11 00-0150 EA Satin Brass Finish, 200 LB Max Door Weight, Bottom Jamb Mount, 3/4" Offset Pivot Hinge (Ives 7212 BTM)	156.36	8.86
08 71 11 00-0151 EA Satin Bronze Finish, 200 LB Max Door Weight, Bottom Jamb Mount, 3/4" Offset Pivot Hinge (Ives 7212 BTM)	156.36	8.86
08 71 11 00-0152 EA Dark Bronze Finish, 200 LB Max Door Weight, Bottom Jamb Mount, 3/4" Offset Pivot Hinge (Ives 7212 BTM)	156.36	8.86
08 71 11 00-0153 EA Bright Chrome Finish, 200 LB Max Door Weight, Bottom Jamb Mount, 3/4" Offset Pivot Hinge (Ives 7212 BTM)	156.36	8.86
08 71 11 00-0154 EA Painted Finish, 200 LB Max Door Weight, Bottom Jamb Mount, 3/4" Offset Pivot Hinge (Ives 7212 VBTM)	108.43	8.86
08 71 11 00-0155 EA Satin Chrome Finish, 200 LB Max Door Weight, Bottom Jamb Mount, 3/4" Offset Pivot Hinge (Ives 7212 VBTM)	137.20	8.86
08 71 11 00-0156 EA Bright Brass Finish, 200 LB Max Door Weight, Bottom Jamb Mount, 3/4" Offset Pivot Hinge (Ives 7212 VBTM)	156.36	8.86
08 71 11 00-0157 EA Satin Brass Finish, 200 LB Max Door Weight, Bottom Jamb Mount, 3/4" Offset Pivot Hinge (Ives 7212 VBTM)	156.36	8.86
08 71 11 00-0158 EA Satin Bronze Finish, 200 LB Max Door Weight, Bottom Jamb Mount, 3/4" Offset Pivot Hinge (Ives 7212 VBTM)	156.36	8.86
08 71 11 00-0159 EA Dark Bronze Finish, 200 LB Max Door Weight, Bottom Jamb Mount, 3/4" Offset Pivot Hinge (Ives 7212 VBTM)	156.36	8.86
08 71 11 00-0160 EA Bright Chrome Finish, 200 LB Max Door Weight, Bottom Jamb Mount, 3/4" Offset Pivot Hinge (Ives 7212 VBTM)	156.36	8.86
08 71 11 00-0161 EA Painted Finish, 200 LB Max Door Weight, Bottom Base Plate Mount, 3/4" Offset Pivot Hinge (Ives 7222 BTM)	94.42	8.86
08 71 11 00-0162 EA Satin Chrome Finish, 200 LB Max Door Weight, Bottom Base Plate Mount, 3/4" Offset Pivot Hinge (Ives 7222 BTM)	127.61	8.86
08 71 11 00-0163 EA Bright Brass Finish, 200 LB Max Door Weight, Bottom Base Plate Mount, 3/4" Offset Pivot Hinge (Ives 7222 BTM)	146.77	8.86
08 71 11 00-0164 EA Satin Brass Finish, 200 LB Max Door Weight, Bottom Base Plate Mount, 3/4" Offset Pivot Hinge (Ives 7222 BTM)	146.77	8.86
08 71 11 00-0165 EA Satin Bronze Finish, 200 LB Max Door Weight, Bottom Base Plate Mount, 3/4" Offset Pivot Hinge (Ives 7222 BTM)	146.77	8.86
08 71 11 00-0166 EA Dark Bronze Finish, 200 LB Max Door Weight, Bottom Base Plate Mount, 3/4" Offset Pivot Hinge (Ives 7222 BTM)	146.77	8.86
08 71 11 00-0167 EA Bright Chrome Finish, 200 LB Max Door Weight, Bottom Base Plate Mount, 3/4" Offset Pivot Hinge (Ives 7222 BTM)	146.77	8.86
08 71 11 00-0168 500 LB Max Door Weight, Bottom Mount, 3/4" Offset Pivot Hinges (08 71 11 00-0145)		
08 71 11 00-0169 EA Satin Chrome Finish, 500 LB Max Door Weight, Bottom Jamb Mount, 3/4" Offset Pivot Hinge (Ives 7215 BTM)	164.48	11.08
08 71 11 00-0170 EA Bright Brass Finish, 500 LB Max Door Weight, Bottom Jamb Mount, 3/4" Offset Pivot Hinge (Ives 7215 BTM)	174.80	11.08
08 71 11 00-0171 EA Satin Brass Finish, 500 LB Max Door Weight, Bottom Jamb Mount, 3/4" Offset Pivot Hinge (Ives 7215 BTM)	174.80	11.08
08 71 11 00-0172 EA Satin Bronze Finish, 500 LB Max Door Weight, Bottom Jamb Mount, 3/4" Offset Pivot Hinge (Ives 7215 BTM)	174.80	11.08
08 71 11 00-0173 EA Dark Bronze Finish, 500 LB Max Door Weight, Bottom Jamb Mount, 3/4" Offset Pivot Hinge (Ives 7215 BTM)	174.80	11.08
08 71 11 00-0174 EA Bright Chrome Finish, 500 LB Max Door Weight, Bottom Jamb Mount, 3/4" Offset Pivot Hinge (Ives 7215 BTM)	174.80	11.08
08 71 11 00-0175 EA Painted Finish, 500 LB Max Door Weight, Bottom Jamb Mount, 3/4" Offset Pivot Hinge (Ives 7215 BTM)	177.75	11.08
08 71 11 00-0176 600 LB Max Door Weight, Bottom Mount, 3/4" Offset Pivot Hinges (08 71 11 00-0145)		
08 71 11 00-0177 EA Painted Finish, 600 LB Max Door Weight, Bottom Jamb Mount, 3/4" Offset Pivot Hinge (Ives 7226 BTM)	141.63	11.08
08 71 11 00-0178 EA Satin Chrome Finish, 600 LB Max Door Weight, Bottom Jamb Mount, 3/4" Offset Pivot Hinge (Ives 7226 BTM)	154.89	11.08
08 71 11 00-0179 EA Bright Brass Finish, 600 LB Max Door Weight, Bottom Jamb Mount, 3/4" Offset Pivot Hinge (Ives 7226 BTM)	164.48	11.08
08 71 11 00-0180 EA Satin Brass Finish, 600 LB Max Door Weight, Bottom Jamb Mount, 3/4" Offset Pivot Hinge (Ives 7226 BTM)	164.48	11.08
08 71 11 00-0181 EA Satin Bronze Finish, 600 LB Max Door Weight, Bottom Jamb Mount, 3/4" Offset Pivot Hinge (Ives 7226 BTM)	164.48	11.08
08 71 11 00-0182 EA Dark Bronze Finish, 600 LB Max Door Weight, Bottom Jamb Mount, 3/4" Offset Pivot Hinge (Ives 7226 BTM)	164.48	11.08
08 71 11 00-0183 EA Bright Chrome Finish, 600 LB Max Door Weight, Bottom Jamb Mount, 3/4" Offset Pivot Hinge (Ives 7226 BTM)	164.48	11.08
08 71 11 00-0184 700 LB Max Door Weight, Bottom Mount, 3/4" Offset Pivot Hinges (08 71 11 00-0145)		
08 71 11 00-0185 EA Painted Finish, 700 LB Max Door Weight, Bottom Jamb Mount, 3/4" Offset Pivot Hinge (Ives 7227 BTM)	321.54	11.08
08 71 11 00-0186 EA Satin Chrome Finish, 700 LB Max Door Weight, Bottom Jamb Mount, 3/4" Offset Pivot Hinge (Ives 7227 BTM)	345.13	11.08
08 71 11 00-0187 EA Bright Brass Finish, 700 LB Max Door Weight, Bottom Jamb Mount, 3/4" Offset Pivot Hinge (Ives 7227 BTM)	382.75	11.08
08 71 11 00-0188 EA Satin Brass Finish, 700 LB Max Door Weight, Bottom Jamb Mount, 3/4" Offset Pivot Hinge (Ives 7227 BTM)	382.75	11.08
08 71 11 00-0189 EA Satin Bronze Finish, 700 LB Max Door Weight, Bottom Jamb Mount, 3/4" Offset Pivot Hinge (Ives 7227 BTM)	382.75	11.08

08 Openings**08 70 Hardware**

08 71 Door Hardware



MINOR CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 71 11 00-0190	EA	Dark Bronze Finish, 700 LB Max Door Weight, Bottom Jamb Mount, 3/4" Offset Pivot Hinge (Ives 7227 BTM)	382.75	11.08
08 71 11 00-0191	EA	Bright Chrome Finish, 700 LB Max Door Weight, Bottom Jamb Mount, 3/4" Offset Pivot Hinge (Ives 7227 BTM)	382.75	11.08
08 71 11 00-0192		Fire Rated, 3/4" Offset Pivot Hinges (08 71 11 00-0063)		
08 71 11 00-0193		Top Mount, Fire Rated, 3/4" Offset Pivot Hinges (08 71 11 00-0192)		
08 71 11 00-0194		500 LB Max Door Weight, Top Mount, Fire Rated, 3/4" Offset Pivot Hinges (08 71 11 00-0193)		
08 71 11 00-0195	EA	Painted Finish, 500 LB Max Door Weight, Top Header Mount, Fire Rated, 3/4" Offset Pivot Hinge (Ives 7215F Top)	192.51	11.08
08 71 11 00-0196	EA	Satin Stainless Finish, 500 LB Max Door Weight, Top Header Mount, Fire Rated, 3/4" Offset Pivot Hinge (Ives 7215F Top)	227.15	11.08
08 71 11 00-0197	EA	Bright Stainless Finish, 500 LB Max Door Weight, Top Header Mount, Fire Rated, 3/4" Offset Pivot Hinge (Ives 7215F Top)	255.18	11.08
08 71 11 00-0198	EA	Bright Brass Finish, 500 LB Max Door Weight, Top Header Mount, Fire Rated, 3/4" Offset Pivot Hinge (Ives 7215F Top)	255.18	11.08
08 71 11 00-0199	EA	Satin Bronze Finish, 500 LB Max Door Weight, Top Header Mount, Fire Rated, 3/4" Offset Pivot Hinge (Ives 7215F Top)	255.18	11.08
08 71 11 00-0200		600 LB Max Door Weight, Top Mount, Fire Rated, 3/4" Offset Pivot Hinges (08 71 11 00-0193)		
08 71 11 00-0201	EA	Painted Finish, 600 LB Max Door Weight, Top Header Mount, Fire Rated, 3/4" Offset Pivot Hinge (Ives 7226F Top)	192.51	11.08
08 71 11 00-0202	EA	Satin Stainless Finish, 600 LB Max Door Weight, Top Header Mount, Fire Rated, 3/4" Offset Pivot Hinge (Ives 7226F Top)	227.15	11.08
08 71 11 00-0203	EA	Bright Stainless Finish, 600 LB Max Door Weight, Top Header Mount, Fire Rated, 3/4" Offset Pivot Hinge (Ives 7226F Top)	255.18	11.08
08 71 11 00-0204	EA	Bright Brass Finish, 600 LB Max Door Weight, Top Header Mount, Fire Rated, 3/4" Offset Pivot Hinge (Ives 7226F Top)	255.18	11.08
08 71 11 00-0205	EA	Satin Bronze Finish, 600 LB Max Door Weight, Top Header Mount, Fire Rated, 3/4" Offset Pivot Hinge (Ives 7226F Top)	255.18	11.08
08 71 11 00-0206		700 LB Max Door Weight, Top Mount, Fire Rated, 3/4" Offset Pivot Hinges (08 71 11 00-0193)		
08 71 11 00-0207	EA	Painted Finish, 700 LB Max Door Weight, Top Header Mount, Fire Rated, 3/4" Offset Pivot Hinge (Ives 7227F Top)	192.51	11.08
08 71 11 00-0208	EA	Satin Stainless Finish, 700 LB Max Door Weight, Top Header Mount, Fire Rated, 3/4" Offset Pivot Hinge (Ives 7227F Top)	227.15	11.08
08 71 11 00-0209	EA	Bright Stainless Finish, 700 LB Max Door Weight, Top Header Mount, Fire Rated, 3/4" Offset Pivot Hinge (Ives 7227F Top)	255.18	11.08
08 71 11 00-0210	EA	Bright Brass Finish, 700 LB Max Door Weight, Top Header Mount, Fire Rated, 3/4" Offset Pivot Hinge (Ives 7227F Top)	255.18	11.08
08 71 11 00-0211	EA	Satin Bronze Finish, 700 LB Max Door Weight, Top Header Mount, Fire Rated, 3/4" Offset Pivot Hinge (Ives 7227F Top)	255.18	11.08
08 71 11 00-0212		1,000 LB Max Door Weight, Top Mount, Fire Rated, 3/4" Offset Pivot Hinges (08 71 11 00-0193)		
08 71 11 00-0213	EA	Painted Finish, 1,000 LB Max Door Weight, Top Header Mount, Fire Rated, 3/4" Offset Pivot Hinge (Ives 7230F Top)	202.82	13.30
08 71 11 00-0214	EA	Satin Stainless Finish, 1,000 LB Max Door Weight, Top Header Mount, Fire Rated, 3/4" Offset Pivot Hinge (Ives 7230F Top)	231.58	13.30
08 71 11 00-0215	EA	Bright Stainless Finish, 1,000 LB Max Door Weight, Top Header Mount, Fire Rated, 3/4" Offset Pivot Hinge (Ives 7230F Top)	244.86	13.30
08 71 11 00-0216	EA	Bright Brass Finish, 1,000 LB Max Door Weight, Top Header Mount, Fire Rated, 3/4" Offset Pivot Hinge (Ives 7230F Top)	244.86	13.30
08 71 11 00-0217	EA	Satin Bronze Finish, 1,000 LB Max Door Weight, Top Header Mount, Fire Rated, 3/4" Offset Pivot Hinge (Ives 7230F Top)	244.86	13.30
08 71 11 00-0218		1,750 LB Max Door Weight, Top Mount, Fire Rated, 3/4" Offset Pivot Hinges (08 71 11 00-0193)		
08 71 11 00-0219	EA	Painted Finish, 1,750 LB Max Door Weight, Top Header Mount, Fire Rated, 3/4" Offset Pivot Hinge (Ives 7237F Top)	202.82	13.30
08 71 11 00-0220	EA	Satin Stainless Finish, 1,750 LB Max Door Weight, Top Header Mount, Fire Rated, 3/4" Offset Pivot Hinge (Ives 7237F Top)	231.58	13.30
08 71 11 00-0221	EA	Bright Stainless Finish, 1,750 LB Max Door Weight, Top Header Mount, Fire Rated, 3/4" Offset Pivot Hinge (Ives 7237F Top)	244.86	13.30
08 71 11 00-0222	EA	Bright Brass Finish, 1,750 LB Max Door Weight, Top Header Mount, Fire Rated, 3/4" Offset Pivot Hinge (Ives 7237F Top)	244.86	13.30
08 71 11 00-0223	EA	Satin Bronze Finish, 1,750 LB Max Door Weight, Top Header Mount, Fire Rated, 3/4" Offset Pivot Hinge (Ives 7237F Top)	244.86	13.30
08 71 11 00-0224		Intermediate Mount, Fire Rated, 3/4" Offset Pivot Hinges (08 71 11 00-0192)		
08 71 11 00-0225		500 LB Max Door Weight, Intermediate Mount, Fire Rated, 3/4" Offset Pivot Hinges (08 71 11 00-0224)		
08 71 11 00-0226	EA	Painted Finish, 500 LB Max Door Weight, Intermediate Mount, Fire Rated, 3/4" Offset Pivot Hinge (Ives 7215 FINT).....	198.39	11.08



Openings	08	08
Hardware	08 70	
Door Hardware	08 71	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 71 11 00-0227	EA		Satin Stainless Finish, 500 LB Max Door Weight, Intermediate Mount, Fire Rated, 3/4" Offset Pivot Hinge (Ives 7215 FINT).....	230.84	11.08
08 71 11 00-0228	EA		Bright Stainless Finish, 500 LB Max Door Weight, Intermediate Mount, Fire Rated, 3/4" Offset Pivot Hinge (Ives 7215 FINT).....	240.43	11.08
08 71 11 00-0229	EA		Bright Brass Finish, 500 LB Max Door Weight, Intermediate Mount, Fire Rated, 3/4" Offset Pivot Hinge (Ives 7215 FINT).....	240.43	11.08
08 71 11 00-0230	EA		Satin Bronze Finish, 500 LB Max Door Weight, Intermediate Mount, Fire Rated, 3/4" Offset Pivot Hinge (Ives 7215 FINT).....	240.43	11.08
08 71 11 00-0231			600 LB Max Door Weight, Intermediate Mount, Fire Rated, 3/4" Offset Pivot Hinges <small>(08 71 11 00-0224)</small>		
08 71 11 00-0232	EA		Painted Finish, 600 LB Max Door Weight, Intermediate Mount, Fire Rated, 3/4" Offset Pivot Hinge (Ives 7226 FINT).....	198.39	11.08
08 71 11 00-0233	EA		Satin Stainless Finish, 600 LB Max Door Weight, Intermediate Mount, Fire Rated, 3/4" Offset Pivot Hinge (Ives 7226 FINT).....	230.84	11.08
08 71 11 00-0234	EA		Bright Stainless Finish, 600 LB Max Door Weight, Intermediate Mount, Fire Rated, 3/4" Offset Pivot Hinge (Ives 7226 FINT).....	240.43	11.08
08 71 11 00-0235	EA		Bright Brass Finish, 600 LB Max Door Weight, Intermediate Mount, Fire Rated, 3/4" Offset Pivot Hinge (Ives 7226 FINT).....	240.43	11.08
08 71 11 00-0236	EA		Satin Bronze Finish, 600 LB Max Door Weight, Intermediate Mount, Fire Rated, 3/4" Offset Pivot Hinge (Ives 7226 FINT).....	240.43	11.08
08 71 11 00-0237			700 LB Max Door Weight, Intermediate Mount, Fire Rated, 3/4" Offset Pivot Hinges <small>(08 71 11 00-0224)</small>		
08 71 11 00-0238	EA		Painted Finish, 700 LB Max Door Weight, Intermediate Mount, Fire Rated, 3/4" Offset Pivot Hinge (Ives 7227 FINT).....	198.39	11.08
08 71 11 00-0239	EA		Satin Stainless Finish, 700 LB Max Door Weight, Intermediate Mount, Fire Rated, 3/4" Offset Pivot Hinge (Ives 7227 FINT).....	230.84	11.08
08 71 11 00-0240	EA		Bright Stainless Finish, 700 LB Max Door Weight, Intermediate Mount, Fire Rated, 3/4" Offset Pivot Hinge (Ives 7227 FINT).....	240.43	11.08
08 71 11 00-0241	EA		Bright Brass Finish, 700 LB Max Door Weight, Intermediate Mount, Fire Rated, 3/4" Offset Pivot Hinge (Ives 7227 FINT).....	240.43	11.08
08 71 11 00-0242	EA		Satin Bronze Finish, 700 LB Max Door Weight, Intermediate Mount, Fire Rated, 3/4" Offset Pivot Hinge (Ives 7227 FINT).....	240.43	11.08
08 71 11 00-0243			1,000 LB Max Door Weight, Intermediate Mount, Fire Rated, 3/4" Offset Pivot Hinges <small>(08 71 11 00-0224)</small>		
08 71 11 00-0244	EA		Painted Finish, 1,000 LB Max Door Weight, Intermediate Mount, Fire Rated, 3/4" Offset Pivot Hinge (Ives 7230 FINT).....	222.00	13.30
08 71 11 00-0245	EA		Satin Stainless Finish, 1,000 LB Max Door Weight, Intermediate Mount, Fire Rated, 3/4" Offset Pivot Hinge (Ives 7230 FINT).....	255.18	13.30
08 71 11 00-0246	EA		Bright Stainless Finish, 1,000 LB Max Door Weight, Intermediate Mount, Fire Rated, 3/4" Offset Pivot Hinge (Ives 7230 FINT).....	264.02	13.30
08 71 11 00-0247	EA		Bright Brass Finish, 1,000 LB Max Door Weight, Intermediate Mount, Fire Rated, 3/4" Offset Pivot Hinge (Ives 7230 FINT).....	264.02	13.30
08 71 11 00-0248	EA		Satin Bronze Finish, 1,000 LB Max Door Weight, Intermediate Mount, Fire Rated, 3/4" Offset Pivot Hinge (Ives 7230 FINT).....	264.02	13.30
08 71 11 00-0249			1,750 LB Max Door Weight, Intermediate Mount, Fire Rated, 3/4" Offset Pivot Hinges <small>(08 71 11 00-0224)</small>		
08 71 11 00-0250	EA		Painted Finish, 1,750 LB Max Door Weight, Intermediate Mount, Fire Rated, 3/4" Offset Pivot Hinge (Ives 7237 FINT).....	222.00	13.30
08 71 11 00-0251	EA		Satin Stainless Finish, 1,750 LB Max Door Weight, Intermediate Mount, Fire Rated, 3/4" Offset Pivot Hinge (Ives 7237 FINT).....	255.18	13.30
08 71 11 00-0252	EA		Bright Stainless Finish, 1,750 LB Max Door Weight, Intermediate Mount, Fire Rated, 3/4" Offset Pivot Hinge (Ives 7237 FINT).....	264.02	13.30
08 71 11 00-0253	EA		Bright Brass Finish, 1,750 LB Max Door Weight, Intermediate Mount, Fire Rated, 3/4" Offset Pivot Hinge (Ives 7237 FINT).....	264.02	13.30
08 71 11 00-0254	EA		Satin Bronze Finish, 1,750 LB Max Door Weight, Intermediate Mount, Fire Rated, 3/4" Offset Pivot Hinge (Ives 7237 FINT).....	264.02	13.30
08 71 11 00-0255			Bottom Mount, Fire Rated, 3/4" Offset Pivot Hinges <small>(08 71 11 00-0192)</small>		
08 71 11 00-0256			500 LB Max Door Weight, Bottom Mount, Fire Rated, 3/4" Offset Pivot Hinges <small>(08 71 11 00-0255)</small>		
08 71 11 00-0257	EA		Painted Finish, 500 LB Max Door Weight, Bottom Jamb Mount, Fire Rated, 3/4" Offset Pivot Hinge (Ives 7215F BTM).....	221.26	11.08
08 71 11 00-0258	EA		Satin Stainless Finish, 500 LB Max Door Weight, Bottom Jamb Mount, Fire Rated, 3/4" Offset Pivot Hinge (Ives 7215F BTM).....	273.62	11.08
08 71 11 00-0259	EA		Bright Stainless Finish, 500 LB Max Door Weight, Bottom Jamb Mount, Fire Rated, 3/4" Offset Pivot Hinge (Ives 7215F BTM).....	293.52	11.08
08 71 11 00-0260	EA		Bright Brass Finish, 500 LB Max Door Weight, Bottom Jamb Mount, Fire Rated, 3/4" Offset Pivot Hinge (Ives 7215F BTM).....	293.52	11.08
08 71 11 00-0261	EA		Satin Bronze Finish, 500 LB Max Door Weight, Bottom Jamb Mount, Fire Rated, 3/4" Offset Pivot Hinge (Ives 7215F BTM).....	293.52	11.08

08	08	Openings
	08 70	Hardware
	08 71	Door Hardware



MINOR CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 71 11 00-0262		600 LB Max Door Weight, Bottom Mount, Fire Rated, 3/4" Offset Pivot Hinges <small>(08 71 11 00-0255)</small>		
08 71 11 00-0263	EA	Painted Finish, 600 LB Max Door Weight, Bottom Jamb Mount, Fire Rated, 3/4" Offset Pivot Hinge (Ives 7226F BTM).....	217.57	11.08
08 71 11 00-0264	EA	Satin Stainless Finish, 600 LB Max Door Weight, Bottom Jamb Mount, Fire Rated, 3/4" Offset Pivot Hinge (Ives 7226F BTM).....	230.84	11.08
08 71 11 00-0265	EA	Bright Stainless Finish, 600 LB Max Door Weight, Bottom Jamb Mount, Fire Rated, 3/4" Offset Pivot Hinge (Ives 7226F BTM).....	264.77	11.08
08 71 11 00-0266	EA	Bright Brass Finish, 600 LB Max Door Weight, Bottom Jamb Mount, Fire Rated, 3/4" Offset Pivot Hinge (Ives 7226F BTM).....	264.77	11.08
08 71 11 00-0267	EA	Satin Bronze Finish, 600 LB Max Door Weight, Bottom Jamb Mount, Fire Rated, 3/4" Offset Pivot Hinge (Ives 7226F BTM).....	264.77	11.08
08 71 11 00-0268		1,000 LB Max Door Weight, Bottom Mount, Fire Rated, 3/4" Offset Pivot Hinges <small>(08 71 11 00-0255)</small>		
08 71 11 00-0269	EA	Painted Finish, 1,000 LB Max Door Weight, Bottom Jamb Mount, Fire Rated, 3/4" Offset Pivot Hinge (Ives 7230F BTM).....	250.02	13.30
08 71 11 00-0270	EA	Satin Stainless Finish, 1,000 LB Max Door Weight, Bottom Jamb Mount, Fire Rated, 3/4" Offset Pivot Hinge (Ives 7230F BTM).....	278.05	13.30
08 71 11 00-0271	EA	Bright Stainless Finish, 1,000 LB Max Door Weight, Bottom Jamb Mount, Fire Rated, 3/4" Offset Pivot Hinge (Ives 7230F BTM).....	288.36	13.30
08 71 11 00-0272	EA	Bright Brass Finish, 1,000 LB Max Door Weight, Bottom Jamb Mount, Fire Rated, 3/4" Offset Pivot Hinge (Ives 7230F BTM).....	288.36	13.30
08 71 11 00-0273	EA	Satin Bronze Finish, 1,000 LB Max Door Weight, Bottom Jamb Mount, Fire Rated, 3/4" Offset Pivot Hinge (Ives 7230F BTM).....	288.36	13.30
08 71 11 00-0274		1,750 LB Max Door Weight, Bottom Mount, Fire Rated, 3/4" Offset Pivot Hinges <small>(08 71 11 00-0255)</small>		
08 71 11 00-0275	EA	Painted Finish, 1,750 LB Max Door Weight, Bottom Jamb Mount, Fire Rated, 3/4" Offset Pivot Hinge (Ives 7237F BTM).....	353.99	13.30
08 71 11 00-0276	EA	Satin Stainless Finish, 1,750 LB Max Door Weight, Bottom Jamb Mount, Fire Rated, 3/4" Offset Pivot Hinge (Ives 7237F BTM).....	377.59	13.30
08 71 11 00-0277	EA	Bright Stainless Finish, 1,750 LB Max Door Weight, Bottom Jamb Mount, Fire Rated, 3/4" Offset Pivot Hinge (Ives 7237F BTM).....	387.18	13.30
08 71 11 00-0278	EA	Bright Brass Finish, 1,750 LB Max Door Weight, Bottom Jamb Mount, Fire Rated, 3/4" Offset Pivot Hinge (Ives 7237F BTM).....	387.18	13.30
08 71 11 00-0279	EA	Satin Bronze Finish, 1,750 LB Max Door Weight, Bottom Jamb Mount, Fire Rated, 3/4" Offset Pivot Hinge (Ives 7237F BTM).....	387.18	13.30
08 71 11 00-0280		1-1/2" Offset Pivot Hinges <small>(08 71 11 00-0282)</small>		
08 71 11 00-0281		Fire Rated, 1-1/2" Offset Pivot Hinges <small>(08 71 11 00-0280)</small>		
08 71 11 00-0282		Top Mount, Fire Rated, 1-1/2" Offset Pivot Hinges <small>(08 71 11 00-0281)</small>		
08 71 11 00-0283		400 LB Max Door Weight, Top Mount, Fire Rated, 1-1/2" Offset Pivot Hinges <small>(08 71 11 00-0282)</small>		
08 71 11 00-0284	EA	Painted Finish, 400 LB Max Door Weight, Top Header Mount, Fire Rated, 1-1/2" Offset Pivot Hinge (Ives 7244 Top).....	227.15	11.08
08 71 11 00-0285	EA	Satin Stainless Finish, 400 LB Max Door Weight, Top Header Mount, Fire Rated, 1-1/2" Offset Pivot Hinge (Ives 7244 Top).....	245.59	11.08
08 71 11 00-0286	EA	Bright Stainless Finish, 400 LB Max Door Weight, Top Header Mount, Fire Rated, 1-1/2" Offset Pivot Hinge (Ives 7244 Top).....	259.59	11.08
08 71 11 00-0287	EA	Bright Bronze Finish, 400 LB Max Door Weight, Top Header Mount, Fire Rated, 1-1/2" Offset Pivot Hinge (Ives 7244 Top).....	259.59	11.08
08 71 11 00-0288	EA	Satin Bronze Finish, 400 LB Max Door Weight, Top Header Mount, Fire Rated, 1-1/2" Offset Pivot Hinge (Ives 7244 Top).....	259.59	11.08
08 71 11 00-0289		500 LB Max Door Weight, Top Mount, Fire Rated, 1-1/2" Offset Pivot Hinges <small>(08 71 11 00-0282)</small>		
08 71 11 00-0290	EA	Painted Finish, 500 LB Max Door Weight, Top Header Mount, Fire Rated, 1-1/2" Offset Pivot Hinge (Ives 7245 Top).....	227.15	11.08
08 71 11 00-0291	EA	Satin Stainless Finish, 500 LB Max Door Weight, Top Header Mount, Fire Rated, 1-1/2" Offset Pivot Hinge (Ives 7245 Top).....	245.59	11.08
08 71 11 00-0292	EA	Bright Stainless Finish, 500 LB Max Door Weight, Top Header Mount, Fire Rated, 1-1/2" Offset Pivot Hinge (Ives 7245 Top).....	259.59	11.08
08 71 11 00-0293	EA	Bright Bronze Finish, 500 LB Max Door Weight, Top Header Mount, Fire Rated, 1-1/2" Offset Pivot Hinge (Ives 7245 Top).....	259.59	11.08
08 71 11 00-0294	EA	Satin Bronze Finish, 500 LB Max Door Weight, Top Header Mount, Fire Rated, 1-1/2" Offset Pivot Hinge (Ives 7245 Top).....	259.59	11.08
08 71 11 00-0295		Intermediate Mount, Fire Rated, 1-1/2" Offset Pivot Hinges <small>(08 71 11 00-0281)</small>		
08 71 11 00-0296		400 LB Max Door Weight, Intermediate Mount, Fire Rated, 1-1/2" Offset Pivot Hinges <small>(08 71 11 00-0295)</small>		



Openings	08	08
Hardware	08 70	
Door Hardware	08 71	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 71 11 00-0297	EA		Painted Finish, 400 LB Max Door Weight, Intermediate Mount, Fire Rated, 1-1/2" Offset Pivot Hinge (Ives 7244 FINT).....	236.00	11.08
08 71 11 00-0298	EA		Satin Stainless Finish, 400 LB Max Door Weight, Intermediate Mount, Fire Rated, 1-1/2" Offset Pivot Hinge (Ives 7244 FINT).....	264.77	11.08
08 71 11 00-0299	EA		Bright Stainless Finish, 400 LB Max Door Weight, Intermediate Mount, Fire Rated, 1-1/2" Offset Pivot Hinge (Ives 7244 FINT).....	278.77	11.08
08 71 11 00-0300	EA		Bright Brass Finish, 400 LB Max Door Weight, Intermediate Mount, Fire Rated, 1-1/2" Offset Pivot Hinge (Ives 7244 FINT).....	278.77	11.08
08 71 11 00-0301	EA		Satin Bronze Finish, 400 LB Max Door Weight, Intermediate Mount, Fire Rated, 1-1/2" Offset Pivot Hinge (Ives 7244 FINT).....	278.77	11.08
08 71 11 00-0302			500 LB Max Door Weight, Intermediate Mount, Fire Rated, 1-1/2" Offset Pivot Hinges <small>(08 71 11 00-0295)</small>		
08 71 11 00-0303	EA		Painted Finish, 500 LB Max Door Weight, Intermediate Mount, Fire Rated, 1-1/2" Offset Pivot Hinge (Ives 7245 FINT).....	236.00	11.08
08 71 11 00-0304	EA		Satin Stainless Finish, 500 LB Max Door Weight, Intermediate Mount, Fire Rated, 1-1/2" Offset Pivot Hinge (Ives 7245 FINT).....	264.77	11.08
08 71 11 00-0305	EA		Bright Stainless Finish, 500 LB Max Door Weight, Intermediate Mount, Fire Rated, 1-1/2" Offset Pivot Hinge (Ives 7245 FINT).....	278.77	11.08
08 71 11 00-0306	EA		Bright Brass Finish, 500 LB Max Door Weight, Intermediate Mount, Fire Rated, 1-1/2" Offset Pivot Hinge (Ives 7245 FINT).....	278.77	11.08
08 71 11 00-0307	EA		Satin Bronze Finish, 500 LB Max Door Weight, Intermediate Mount, Fire Rated, 1-1/2" Offset Pivot Hinge (Ives 7245 FINT).....	278.77	11.08
08 71 11 00-0308			Bottom Mount, Fire Rated, 1-1/2" Offset Pivot Hinges <small>(08 71 11 00-0281)</small>		
08 71 11 00-0309			400 LB Max Door Weight, Bottom Mount, Fire Rated, 1-1/2" Offset Pivot Hinges <small>(08 71 11 00-0308)</small>		
08 71 11 00-0310	EA		Painted Finish, 400 LB Max Door Weight, Bottom Base Plate Mount, Fire Rated, 1-1/2" Offset Pivot Hinge (Ives 7244 BTM).....	230.84	11.08
08 71 11 00-0311	EA		Satin Stainless Finish, 400 LB Max Door Weight, Bottom Base Plate Mount, Fire Rated, 1-1/2" Offset Pivot Hinge (Ives 7244 BTM).....	264.77	11.08
08 71 11 00-0312	EA		Bright Stainless Finish, 400 LB Max Door Weight, Bottom Base Plate Mount, Fire Rated, 1-1/2" Offset Pivot Hinge (Ives 7244 BTM).....	278.77	11.08
08 71 11 00-0313	EA		Bright Brass Finish, 400 LB Max Door Weight, Bottom Base Plate Mount, Fire Rated, 1-1/2" Offset Pivot Hinge (Ives 7244 BTM).....	278.77	11.08
08 71 11 00-0314	EA		Satin Bronze Finish, 400 LB Max Door Weight, Bottom Base Plate Mount, Fire Rated, 1-1/2" Offset Pivot Hinge (Ives 7244 BTM).....	278.77	11.08
08 71 11 00-0315			500 LB Max Door Weight, Bottom Mount, Fire Rated, 1-1/2" Offset Pivot Hinges <small>(08 71 11 00-0308)</small>		
08 71 11 00-0316	EA		Painted Finish, 500 LB Max Door Weight, Bottom Base Plate Mount, Fire Rated, 1-1/2" Offset Pivot Hinge (Ives 7245 BTM).....	373.16	11.08
08 71 11 00-0317	EA		Satin Stainless Finish, 500 LB Max Door Weight, Bottom Base Plate Mount, Fire Rated, 1-1/2" Offset Pivot Hinge (Ives 7245 BTM).....	411.51	11.08
08 71 11 00-0318	EA		Bright Stainless Finish, 500 LB Max Door Weight, Bottom Base Plate Mount, Fire Rated, 1-1/2" Offset Pivot Hinge (Ives 7245 BTM).....	421.10	11.08
08 71 11 00-0319	EA		Bright Brass Finish, 500 LB Max Door Weight, Bottom Base Plate Mount, Fire Rated, 1-1/2" Offset Pivot Hinge (Ives 7245 BTM).....	421.10	11.08
08 71 11 00-0320	EA		Satin Bronze Finish, 500 LB Max Door Weight, Bottom Base Plate Mount, Fire Rated, 1-1/2" Offset Pivot Hinge (Ives 7245 BTM).....	421.10	11.08
08 71 11 00-0321			Center Hung Pivot Hinges <small>(08 71 11 00-0059)</small>		
08 71 11 00-0322			Top Mount, Center Hung Pivot Hinges <small>(08 71 11 00-0321)</small>		
08 71 11 00-0323			300 LB Max Door Weight, Top Mount, Center Hung Pivot Hinges <small>(08 71 11 00-0322)</small>		
08 71 11 00-0324	EA		Painted Finish, 300 LB Max Door Weight, Top Header Mount, Center Hung Pivot Hinge (Ives 7253 Top).....	118.02	8.86
08 71 11 00-0325	EA		Satin Chrome Finish, 300 LB Max Door Weight, Top Header Mount, Center Hung Pivot Hinge (Ives 7253 Top).....	127.61	8.86
08 71 11 00-0326	EA		Bright Brass Finish, 300 LB Max Door Weight, Top Header Mount, Center Hung Pivot Hinge (Ives 7253 Top).....	127.61	8.86
08 71 11 00-0327	EA		Satin Brass Finish, 300 LB Max Door Weight, Top Header Mount, Center Hung Pivot Hinge (Ives 7253 Top).....	127.61	8.86
08 71 11 00-0328	EA		Satin Bronze Finish, 300 LB Max Door Weight, Top Header Mount, Center Hung Pivot Hinge (Ives 7253 Top).....	127.61	8.86
08 71 11 00-0329	EA		Dark Bronze Finish, 300 LB Max Door Weight, Top Header Mount, Center Hung Pivot Hinge (Ives 7253 Top).....	127.61	8.86
08 71 11 00-0330	EA		Bright Chrome Finish, 300 LB Max Door Weight, Top Header Mount, Center Hung Pivot Hinge (Ives 7253 Top).....	127.61	8.86
08 71 11 00-0331			500 LB Max Door Weight, Top Mount, Center Hung Pivot Hinges <small>(08 71 11 00-0322)</small>		
08 71 11 00-0332	EA		Painted Finish, 500 LB Max Door Weight, Top Header Mount, Center Hung Pivot Hinge (Ives 7255 Top).....	122.45	11.08
08 71 11 00-0333	EA		Satin Chrome Finish, 500 LB Max Door Weight, Top Header Mount, Center Hung Pivot Hinge (Ives 7255 Top).....	132.04	11.08
08 71 11 00-0334	EA		Bright Brass Finish, 500 LB Max Door Weight, Top Header Mount, Center Hung Pivot Hinge (Ives 7255 Top).....	132.04	11.08
08 71 11 00-0335	EA		Satin Brass Finish, 500 LB Max Door Weight, Top Header Mount, Center Hung Pivot Hinge (Ives 7255 Top).....	132.04	11.08
08 71 11 00-0336	EA		Satin Bronze Finish, 500 LB Max Door Weight, Top Header Mount, Center Hung Pivot Hinge (Ives 7255 Top).....	132.04	11.08
08 71 11 00-0337	EA		Dark Bronze Finish, 500 LB Max Door Weight, Top Header Mount, Center Hung Pivot Hinge (Ives 7255 Top).....	132.04	11.08
08 71 11 00-0338	EA		Bright Chrome Finish, 500 LB Max Door Weight, Top Header Mount, Center Hung Pivot Hinge (Ives 7255 Top).....	132.04	11.08
08 71 11 00-0339			600 LB Max Door Weight, Top Mount, Center Hung Pivot Hinges <small>(08 71 11 00-0322)</small>		
08 71 11 00-0340	EA		Painted Finish, 600 LB Max Door Weight, Top Header Mount, Center Hung Pivot Hinge (Ives 7256 Top).....	122.45	11.08

08 Openings**08 70 Hardware**

08 71 Door Hardware



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 71 11 00-0341	EA		Satin Chrome Finish, 600 LB Max Door Weight, Top Header Mount, Center Hung Pivot Hinge (Ives 7256 Top)	132.04	11.08
08 71 11 00-0342	EA		Bright Brass Finish, 600 LB Max Door Weight, Top Header Mount, Center Hung Pivot Hinge (Ives 7256 Top)	132.04	11.08
08 71 11 00-0343	EA		Satin Brass Finish, 600 LB Max Door Weight, Top Header Mount, Center Hung Pivot Hinge (Ives 7256 Top)	132.04	11.08
08 71 11 00-0344	EA		Satin Chrome Finish, 600 LB Max Door Weight, Top Header Mount, Center Hung Pivot Hinge (Ives 7256 Top)	132.04	11.08
08 71 11 00-0345	EA		Dark Bronze Finish, 600 LB Max Door Weight, Top Header Mount, Center Hung Pivot Hinge (Ives 7256 Top)	132.04	11.08
08 71 11 00-0346	EA		Bright Chrome Finish, 600 LB Max Door Weight, Top Header Mount, Center Hung Pivot Hinge (Ives 7256 Top)	132.04	11.08
08 71 11 00-0347			1,000 LB Max Door Weight, Top Mount, Center Hung Pivot Hinges (08 71 11 00-0322)		
08 71 11 00-0348	EA		Painted Finish, 1,000 LB Max Door Weight, Top Header Mount, Center Hung Pivot Hinge (Ives 7259 Top)	193.23	13.30
08 71 11 00-0349	EA		Satin Chrome Finish, 1,000 LB Max Door Weight, Top Header Mount, Center Hung Pivot Hinge (Ives 7259 Top)	225.69	13.30
08 71 11 00-0350	EA		Bright Brass Finish, 1,000 LB Max Door Weight, Top Header Mount, Center Hung Pivot Hinge (Ives 7259 Top)	259.61	13.30
08 71 11 00-0351	EA		Satin Brass Finish, 1,000 LB Max Door Weight, Top Header Mount, Center Hung Pivot Hinge (Ives 7259 Top)	259.61	13.30
08 71 11 00-0352	EA		Satin Bronze Finish, 1,000 LB Max Door Weight, Top Header Mount, Center Hung Pivot Hinge (Ives 7259 Top)	259.61	13.30
08 71 11 00-0353	EA		Dark Bronze Finish, 1,000 LB Max Door Weight, Top Header Mount, Center Hung Pivot Hinge (Ives 7259 Top)	259.61	13.30
08 71 11 00-0354	EA		Bright Chrome Finish, 1,000 LB Max Door Weight, Top Header Mount, Center Hung Pivot Hinge (Ives 7259 Top)	259.61	13.30
08 71 11 00-0355			Bottom Mount, Center Hung Pivot Hinges (08 71 11 00-0321)		
08 71 11 00-0356			300 LB Max Door Weight, Bottom Mount, Center Hung Pivot Hinges (08 71 11 00-0355)		
08 71 11 00-0357	EA		Painted Finish, 300 LB Max Door Weight, Bottom Base Plate Mount, Center Hung Pivot Hinge (Ives 7253 BTM)	89.99	8.86
08 71 11 00-0358	EA		Satin Chrome Finish, 300 LB Max Door Weight, Bottom Base Plate Mount, Center Hung Pivot Hinge (Ives 7253 BTM)	104.01	8.86
08 71 11 00-0359	EA		Bright Brass Finish, 300 LB Max Door Weight, Bottom Base Plate Mount, Center Hung Pivot Hinge (Ives 7253 BTM)	118.02	8.86
08 71 11 00-0360	EA		Satin Brass Finish, 300 LB Max Door Weight, Bottom Base Plate Mount, Center Hung Pivot Hinge (Ives 7253 BTM)	118.02	8.86
08 71 11 00-0361	EA		Satin Bronze Finish, 300 LB Max Door Weight, Bottom Base Plate Mount, Center Hung Pivot Hinge (Ives 7253 BTM)	118.02	8.86
08 71 11 00-0362	EA		Dark Bronze Finish, 300 LB Max Door Weight, Bottom Base Plate Mount, Center Hung Pivot Hinge (Ives 7253 BTM)	118.02	8.86
08 71 11 00-0363	EA		Bright Chrome Finish, 300 LB Max Door Weight, Bottom Base Plate Mount, Center Hung Pivot Hinge (Ives 7253 BTM)	118.02	8.86
08 71 11 00-0364			500 LB Max Door Weight, Bottom Mount, 3/4" Offset Pivot Hinges (08 71 11 00-0355)		
08 71 11 00-0365	EA		Painted Finish, 500 LB Max Door Weight, Bottom Base Plate Mount, Center Hung Pivot Hinge (Ives 7255 BTM)	132.04	11.08
08 71 11 00-0366	EA		Satin Chrome Finish, 500 LB Max Door Weight, Bottom Base Plate Mount, Center Hung Pivot Hinge (Ives 7255 BTM)	136.45	11.08
08 71 11 00-0367	EA		Bright Brass Finish, 500 LB Max Door Weight, Bottom Base Plate Mount, Center Hung Pivot Hinge (Ives 7255 BTM)	136.45	11.08
08 71 11 00-0368	EA		Satin Brass Finish, 500 LB Max Door Weight, Bottom Base Plate Mount, Center Hung Pivot Hinge (Ives 7255 BTM)	136.45	11.08
08 71 11 00-0369	EA		Satin Bronze Finish, 500 LB Max Door Weight, Bottom Base Plate Mount, Center Hung Pivot Hinge (Ives 7255 BTM)	136.45	11.08
08 71 11 00-0370	EA		Dark Bronze Finish, 500 LB Max Door Weight, Bottom Base Plate Mount, Center Hung Pivot Hinge (Ives 7255 BTM)	136.45	11.08
08 71 11 00-0371	EA		Bright Chrome Finish, 500 LB Max Door Weight, Bottom Base Plate Mount, Center Hung Pivot Hinge (Ives 7255 BTM)	136.45	11.08
08 71 11 00-0372	EA		Painted Finish, 500 LB Max Door Weight, Bottom Jamb Mount, Center Hung Pivot Hinge (Ives 7255 JBTM)	132.04	11.08
08 71 11 00-0373	EA		Satin Chrome Finish, 500 LB Max Door Weight, Bottom Jamb Mount, Center Hung Pivot Hinge (Ives 7255 JBTM)	136.45	11.08
08 71 11 00-0374	EA		Bright Brass Finish, 500 LB Max Door Weight, Bottom Jamb Mount, Center Hung Pivot Hinge (Ives 7255 JBTM)	136.45	11.08
08 71 11 00-0375	EA		Satin Brass Finish, 500 LB Max Door Weight, Bottom Jamb Mount, Center Hung Pivot Hinge (Ives 7255 JBTM)	136.45	11.08
08 71 11 00-0376	EA		Satin Bronze Finish, 500 LB Max Door Weight, Bottom Jamb Mount, Center Hung Pivot Hinge (Ives 7255 JBTM)	136.45	11.08
08 71 11 00-0377	EA		Dark Bronze Finish, 500 LB Max Door Weight, Bottom Jamb Mount, Center Hung Pivot Hinge (Ives 7255 JBTM)	136.45	11.08
08 71 11 00-0378	EA		Bright Chrome Finish, 500 LB Max Door Weight, Bottom Jamb Mount, Center Hung Pivot Hinge (Ives 7255 JBTM)	136.45	11.08
08 71 11 00-0379			600 LB Max Door Weight, Bottom Mount, Center Hung Pivot Hinges (08 71 11 00-0355)		
08 71 11 00-0380	EA		Painted Finish, 600 LB Max Door Weight, Bottom Base Plate Mount, Center Hung Pivot Hinge (Ives 7256 BTM)	264.77	11.08
08 71 11 00-0381	EA		Satin Chrome Finish, 600 LB Max Door Weight, Bottom Base Plate Mount, Center Hung Pivot Hinge (Ives 7256 BTM)	278.77	11.08
08 71 11 00-0382	EA		Bright Brass Finish, 600 LB Max Door Weight, Bottom Base Plate Mount, Center Hung Pivot Hinge (Ives 7256 BTM)	293.52	11.08
08 71 11 00-0383	EA		Satin Brass Finish, 600 LB Max Door Weight, Bottom Base Plate Mount, Center Hung Pivot Hinge (Ives 7256 BTM)	293.52	11.08
08 71 11 00-0384	EA		Satin Bronze Finish, 600 LB Max Door Weight, Bottom Base Plate Mount, Center Hung Pivot Hinge (Ives 7256 BTM)	293.52	11.08
08 71 11 00-0385	EA		Dark Bronze Finish, 600 LB Max Door Weight, Bottom Base Plate Mount, Center Hung Pivot Hinge (Ives 7256 BTM)	293.52	11.08
08 71 11 00-0386	EA		Bright Chrome Finish, 600 LB Max Door Weight, Bottom Base Plate Mount, Center Hung Pivot Hinge (Ives 7256 BTM)	293.52	11.08
08 71 11 00-0387			1,000 LB Max Door Weight, Bottom Mount, Center Hung Pivot Hinges (08 71 11 00-0355)		
08 71 11 00-0388	EA		Painted Finish, 1,000 LB Max Door Weight, Bottom Base Plate Mount, Center Hung Pivot Hinge (Ives 7259 BTM)	486.73	13.30
08 71 11 00-0389	EA		Satin Chrome Finish, 1,000 LB Max Door Weight, Bottom Base Plate Mount, Center Hung Pivot Hinge (Ives 7259 BTM)	500.73	13.30



Openings	08	08
Hardware	08 70	
Door Hardware	08 71	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 71 11 00-0390	EA		Bright Brass Finish, 1,000 LB Max Door Weight, Bottom Base Plate Mount, Center Hung Pivot Hinge (Ives 7259 BTM).....	519.91	13.30
08 71 11 00-0391	EA		Satin Brass Finish, 1,000 LB Max Door Weight, Bottom Base Plate Mount, Center Hung Pivot Hinge (Ives 7259 BTM).....	519.91	13.30
08 71 11 00-0392	EA		Satin Bronze Finish, 1,000 LB Max Door Weight, Bottom Base Plate Mount, Center Hung Pivot Hinge (Ives 7259 BTM).....	519.91	13.30
08 71 11 00-0393	EA		Dark Bronze Finish, 1,000 LB Max Door Weight, Bottom Base Plate Mount, Center Hung Pivot Hinge (Ives 7259 BTM).....	519.91	13.30
08 71 11 00-0394	EA		Bright Chrome Finish, 1,000 LB Max Door Weight, Bottom Base Plate Mount, Center Hung Pivot Hinge (Ives 7259 BTM).....	519.91	13.30
08 71 11 00-0395			Continuous Barrel-Type Hinge (08 71 11 00-0001)		
08 71 11 00-0396	LF		1-1/2" Wide, Steel, Continuous Barrel-Type Hinge.....	21.31	3.54
			<i>For Stainless Steel, Add</i>	3.92	
			<i>For Brass Or Nickel, Add</i>	4.27	
			<i>For Aluminum, Add</i>	1.40	
			<i>For Medium Gauge, Deduct</i>	-1.42	
08 71 11 00-0397	LF		2" Wide, Steel, Continuous Barrel-Type Hinge.....	21.79	3.54
			<i>For Stainless Steel, Add</i>	4.18	
			<i>For Brass Or Nickel, Add</i>	4.56	
			<i>For Aluminum, Add</i>	1.49	
			<i>For Medium Gauge, Deduct</i>	-1.52	
08 71 11 00-0398	LF		2-1/2" Wide, Steel, Continuous Barrel-Type Hinge.....	22.74	3.54
			<i>For Stainless Steel, Add</i>	4.70	
			<i>For Brass Or Nickel, Add</i>	5.13	
			<i>For Aluminum, Add</i>	1.68	
			<i>For Medium Gauge, Deduct</i>	-1.71	
08 71 11 00-0399	LF		3" Wide, Steel, Continuous Barrel-Type Hinge.....	23.81	3.54
			<i>For Stainless Steel, Add</i>	5.29	
			<i>For Brass Or Nickel, Add</i>	5.77	
			<i>For Aluminum, Add</i>	1.89	
			<i>For Medium Gauge, Deduct</i>	-1.92	
08 71 11 00-0400			Continuous Geared Hinges (08 71 11 00-0001)		
08 71 11 00-0401	LF		Half Surface, Aluminum Geared Continuous Hinge, Standard Duty (Roton 780-053).....	38.72	3.54
			<i>For Bronze Finish, Add</i>	9.20	
			<i>For Heavy Duty, Add</i>	6.55	
08 71 11 00-0402	LF		Full Surface, Aluminum Geared Continuous Hinge, Standard Duty (Roton 780-057).....	41.59	3.54
			<i>For Bronze Finish, Add</i>	10.28	
			<i>For Heavy Duty, Add</i>	7.32	
08 71 11 00-0403	LF		Concealed (Full Mortise), Aluminum Geared Continuous Hinge, Standard Duty (Roton 780-112).....	27.22	3.54
			<i>For Bronze Finish, Add</i>	4.89	
08 71 11 00-0404	LF		Concealed (Full Mortise), Aluminum Geared Continuous Hinge, Heavy Duty (Roton 780-112HD).....	31.38	3.54
			<i>For Bronze Finish, Add</i>	6.45	
08 71 11 00-0405			Mortised, Primed Steel, Double Acting Spring Hinges (08 71 11 00-0001)		
08 71 11 00-0406	PR		2", Mortised, Primed Steel, Double Acting Spring Hinge.....	102.86	6.21
			<i>For Satin Brass, Add</i>	17.24	
08 71 11 00-0407	PR		3", Mortised, Primed Steel, Double Acting Spring Hinge.....	111.75	7.98
			<i>For Satin Brass, Add</i>	17.25	
08 71 11 00-0408	PR		4", Mortised, Primed Steel, Double Acting Spring Hinge.....	124.53	9.75
			<i>For Satin Brass, Add</i>	18.19	
08 71 11 00-0409	PR		5", Mortised, Primed Steel, Double Acting Spring Hinge.....	162.46	11.52
			<i>For Satin Brass, Add</i>	25.16	
08 71 11 00-0410	PR		6", Mortised, Primed Steel, Double Acting Spring Hinge.....	181.95	13.30
			<i>For Satin Brass, Add</i>	27.71	
08 71 11 00-0411	PR		7", Mortised, Primed Steel, Double Acting Spring Hinge.....	218.38	15.07
			<i>For Satin Brass, Add</i>	34.33	
08 71 11 00-0412	PR		8", Mortised, Primed Steel, Double Acting Spring Hinge.....	294.59	42.10
			<i>For Satin Brass, Add</i>	50.49	
08 71 11 00-0413			Security Hinges (08 71 11 00-0001)		
08 71 11 00-0414	EA		4-1/2" x 4-1/2", Non Removable Pin, Full Mortise, Ball Bearing, Steel Security Hinge.....	33.16	6.21
08 71 11 00-0415			Concealed Circuit Electric Hinge Option (08 71 11 00-0001)		
			Note: Excludes the hinge. These tasks are used in conjunction with other hinges in the Construction Task Catalog® to electrify the hinge.		
08 71 11 00-0416	EA		4 Wire Concealed Circuit Electric Hinge Option.....	175.76	
08 71 11 00-0417	EA		6 Wire Concealed Circuit Electric Hinge Option.....	207.52	
08 71 11 00-0418	EA		8 Wire Concealed Circuit Electric Hinge Option.....	239.28	
08 71 11 00-0419			Hinge Filler Plates For Door Frames (08 71 11 00-0001)		
08 71 11 00-0420	PR		Hinge Filler Plates For Door Frames.....	14.61	4.44
08 71 11 00-0421			Door Trim (08 71 11)		

08 Openings**08 70 Hardware**

08 71 Door Hardware

MINOR
CSI UOM DESCRIPTIONTOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

08 71 11 00-0422		Floor Stops, Wall Stops And Bumpers (08 71 11 00-0421)		
08 71 11 00-0423		Floor Stops (08 71 11 00-0422)		
08 71 11 00-0424		Aluminum Floor Stops (08 71 11 00-0423)		
08 71 11 00-0425	EA	1-5/16" Overall Height, Satin Aluminum Finish, Aluminum Floor Stop (Ives FS430)	24.03	11.08
08 71 11 00-0426	EA	1" Overall Height, 3/16" Base Height, Satin Aluminum Finish, Aluminum Dome Floor Stop (Ives FS436)	25.89	11.08
08 71 11 00-0427	EA	1-3/8" Overall Height, 9/16" Base Height, Satin Aluminum Finish, Aluminum Dome Floor Stop (Ives FS438)	26.61	11.08
08 71 11 00-0428	EA	2-1/8" Overall Height, Satin Aluminum Finish, Aluminum Floor Stop (Ives FS441)	37.42	11.08
08 71 11 00-0429	EA	3" Overall Height, Satin Aluminum Finish, Aluminum Floor Stop (Ives FS444/448)	38.71	11.08
08 71 11 00-0430		Brass Floor Stops (08 71 11 00-0423)		
08 71 11 00-0431	EA	1" Overall Height, 3/16" Base Height, Satin Chrome Finish, Brass Dome Floor Stop (Ives FS436)	26.16	11.08
08 71 11 00-0432	EA	1" Overall Height, 3/16" Base Height, Satin Brass Finish, Brass Dome Floor Stop (Ives FS436)	26.87	11.08
08 71 11 00-0433	EA	1" Overall Height, 3/16" Base Height, Bright Brass Finish, Brass Dome Floor Stop (Ives FS436)	26.87	11.08
08 71 11 00-0434	EA	1" Overall Height, 3/16" Base Height, Bright Chrome Finish, Brass Dome Floor Stop (Ives FS436)	27.14	11.08
08 71 11 00-0435	EA	1" Overall Height, 3/16" Base Height, Satin Bronze Finish, Brass Dome Floor Stop (Ives FS436)	27.51	11.08
08 71 11 00-0436	EA	1" Overall Height, 3/16" Base Height, Dark Bronze Finish, Brass Dome Floor Stop (Ives FS436)	27.51	11.08
08 71 11 00-0437	EA	1" Overall Height, 3/16" Base Height, Satin Nickel Finish, Brass Dome Floor Stop (Ives FS436)	27.51	11.08
08 71 11 00-0438	EA	1-3/8" Overall Height, 9/16" Base Height, Satin Chrome Finish, Brass Dome Floor Stop (Ives FS438)	26.61	11.08
08 71 11 00-0439	EA	1-3/8" Overall Height, 9/16" Base Height, Satin Brass Finish, Brass Dome Floor Stop (Ives FS438)	27.68	11.08
08 71 11 00-0440	EA	1-3/8" Overall Height, 9/16" Base Height, Bright Brass Finish, Brass Dome Floor Stop (Ives FS438)	27.68	11.08
08 71 11 00-0441	EA	1-3/8" Overall Height, 9/16" Base Height, Bright Chrome Finish, Brass Dome Floor Stop (Ives FS438)	28.10	11.08
08 71 11 00-0442	EA	1-3/8" Overall Height, 9/16" Base Height, Satin Bronze Finish, Brass Dome Floor Stop (Ives FS438)	28.47	11.08
08 71 11 00-0443	EA	1-3/8" Overall Height, 9/16" Base Height, Dark Bronze Finish, Brass Dome Floor Stop (Ives FS438)	28.47	11.08
08 71 11 00-0444	EA	1-3/8" Overall Height, 9/16" Base Height, Satin Nickel Finish, Brass Dome Floor Stop (Ives FS438)	30.17	11.08
08 71 11 00-0445	EA	1" Overall Height, 5/32" Base Height, Satin Chrome Finish, Brass Dome Floor Stop (Ives FS13)	27.75	11.08
08 71 11 00-0446	EA	1" Overall Height, 5/32" Base Height, Bright Brass Finish, Brass Dome Floor Stop (Ives FS13)	27.75	11.08
08 71 11 00-0447	EA	1" Overall Height, 5/32" Base Height, Bright Chrome Finish, Brass Dome Floor Stop (Ives FS13)	28.93	11.08
08 71 11 00-0448	EA	1" Overall Height, 5/32" Base Height, Satin Brass Finish, Brass Dome Floor Stop (Ives FS13)	28.93	11.08
08 71 11 00-0449	EA	1" Overall Height, 5/32" Base Height, Satin Bronze Finish, Brass Dome Floor Stop (Ives FS13)	28.93	11.08
08 71 11 00-0450	EA	1" Overall Height, 5/32" Base Height, Dark Bronze Finish, Brass Dome Floor Stop (Ives FS13)	28.93	11.08
08 71 11 00-0451	EA	1-11/32" Overall Height, 1/2" Base Height, Satin Chrome Finish, Brass Dome Floor Stop (Ives FS17)	28.57	11.08
08 71 11 00-0452	EA	1-11/32" Overall Height, 1/2" Base Height, Bright Brass Finish, Brass Dome Floor Stop (Ives FS17)	28.57	11.08
08 71 11 00-0453	EA	1-11/32" Overall Height, 1/2" Base Height, Bright Chrome Finish, Brass Dome Floor Stop (Ives FS17)	29.72	11.08
08 71 11 00-0454	EA	1-11/32" Overall Height, 1/2" Base Height, Satin Brass Finish, Brass Dome Floor Stop (Ives FS17)	29.72	11.08
08 71 11 00-0455	EA	1-11/32" Overall Height, 1/2" Base Height, Satin Bronze Finish, Brass Dome Floor Stop (Ives FS17)	29.72	11.08
08 71 11 00-0456	EA	1-11/32" Overall Height, 1/2" Base Height, Dark Bronze Finish, Brass Dome Floor Stop (Ives FS17)	29.72	11.08
08 71 11 00-0457	EA	2-1/8" Overall Height, Satin Chrome Finish, Brass Floor Stop (Ives FS441)	38.46	11.08
08 71 11 00-0458	EA	2-1/8" Overall Height, Bright Brass Finish, Brass Floor Stop (Ives FS441)	38.97	11.08
08 71 11 00-0459	EA	2-1/8" Overall Height, Dark Bronze Finish, Brass Floor Stop (Ives FS441)	40.21	11.08
08 71 11 00-0460	EA	2-1/8" Overall Height, Satin Brass Finish, Brass Floor Stop (Ives FS441)	41.21	11.08
08 71 11 00-0461	EA	2-1/8" Overall Height, Satin Bronze Finish, Brass Floor Stop (Ives FS441)	41.21	11.08
08 71 11 00-0462	EA	2-1/8" Overall Height, Bright Chrome Finish, Brass Floor Stop (Ives FS441)	45.29	11.08
08 71 11 00-0463	EA	2-1/8" Overall Height, Satin Nickel Finish, Brass Floor Stop (Ives FS441)	45.29	11.08
08 71 11 00-0464	EA	3" Overall Height, Dark Bronze Finish, Brass Floor Stop (Ives FS444/448)	43.78	11.08
08 71 11 00-0465	EA	3" Overall Height, Satin Chrome Finish, Brass Floor Stop (Ives FS444/448)	44.51	11.08
08 71 11 00-0466	EA	3" Overall Height, Satin Brass Finish, Brass Floor Stop (Ives FS444/448)	44.51	11.08
08 71 11 00-0467	EA	3" Overall Height, Bright Brass Finish, Brass Floor Stop (Ives FS444/448)	44.51	11.08
08 71 11 00-0468	EA	3" Overall Height, Satin Bronze Finish, Brass Floor Stop (Ives FS444/448)	44.51	11.08
08 71 11 00-0469	EA	3" Overall Height, Bright Chrome Finish, Brass Floor Stop (Ives FS444/448)	50.10	11.08
08 71 11 00-0470	EA	3" Overall Height, Satin Nickel Finish, Brass Floor Stop (Ives FS444/448)	50.10	11.08
08 71 11 00-0471	EA	1-5/16" Overall Height, Satin Brass Finish, Brass Floor Stop (Ives FS430)	32.37	11.08
08 71 11 00-0472	EA	1-5/16" Overall Height, Bright Brass Finish, Brass Floor Stop (Ives FS430)	33.30	11.08
08 71 11 00-0473	EA	1-5/16" Overall Height, Satin Chrome Finish, Brass Floor Stop (Ives FS430)	35.41	11.08
08 71 11 00-0474	EA	1-5/16" Overall Height, Bright Chrome Finish, Brass Floor Stop (Ives FS430)	35.41	11.08
08 71 11 00-0475	EA	1-5/16" Overall Height, Dark Bronze Finish, Brass Floor Stop (Ives FS430)	35.41	11.08
08 71 11 00-0476	EA	1-5/16" Overall Height, Satin Nickel Finish, Brass Floor Stop (Ives FS430)	36.04	11.08
08 71 11 00-0477		Steel Floor Stops (08 71 11 00-0423)		
08 71 11 00-0478	EA	2-5/8" Overall Height, Zinc Plated Finish, Wrought Steel Floor Stop (Ives FS434)	28.74	11.08
08 71 11 00-0479	EA	1-1/2" Overall Height, Grout In, Molded Rubber Security Floor Stop (Ives FS18S) Note: Includes drilling. Excludes Grout.	63.35	11.08
08 71 11 00-0480	EA	3-1/2" Overall Height, Grout In, Molded Rubber Security Floor Stop (Ives FS18L) Note: Includes drilling. Excludes Grout.	66.30	11.08
08 71 11 00-0481		Wall Stops (08 71 11 00-0422)		
08 71 11 00-0482		Aluminum Wall Stops (08 71 11 00-0481)		
08 71 11 00-0483	EA	3-3/4" Projection, Residential Rigid Type, Satin Aluminum Finish, Aluminum Wall Stop (Ives 60)	11.43	4.44
08 71 11 00-0484	EA	3-3/4" Projection, Rigid Type, Satin Aluminum Finish, Aluminum Wall Stop (Ives WS65)	16.79	6.65
08 71 11 00-0485		Brass Wall Stops (08 71 11 00-0481)		
08 71 11 00-0486	EA	3-3/4" Projection, Residential Rigid Type, Satin Chrome Finish, Brass Wall Stop (Ives 60)	17.77	4.44
08 71 11 00-0487	EA	3-3/4" Projection, Residential Rigid Type, Satin Brass Finish, Brass Wall Stop (Ives 60)	17.77	4.44
08 71 11 00-0488	EA	3-3/4" Projection, Residential Rigid Type, Bright Brass Finish, Brass Wall Stop (Ives 60)	17.77	4.44
08 71 11 00-0489	EA	3-3/4" Projection, Residential Rigid Type, Satin Nickel Finish, Brass Wall Stop (Ives 60)	20.53	4.44



Openings	08	08
Hardware	08 70	
Door Hardware	08 71	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 71 11 00-0490 EA 3-3/4" Projection, Residential Rigid Type, Bright Chrome Finish, Brass Wall Stop (Ives 60).....	20.79	4.44
08 71 11 00-0491 EA 3-3/4" Projection, Residential Rigid Type, Satin Bronze Finish, Brass Wall Stop (Ives 60).....	20.79	4.44
08 71 11 00-0492 EA 3-3/4" Projection, Residential Rigid Type, Dark Bronze Finish, Brass Wall Stop (Ives 60).....	20.79	4.44
08 71 11 00-0493 EA 3-3/4" Projection, Rigid Type, Satin Chrome Finish, Brass Wall Stop (Ives WS11).....	46.22	6.65
08 71 11 00-0494 EA 3-3/4" Projection, Rigid Type, Dark Bronze Finish, Brass Wall Stop (Ives WS11).....	47.20	6.65
08 71 11 00-0495 EA 3-3/4" Projection, Rigid Type, Bright Brass Finish, Brass Wall Stop (Ives WS11).....	47.20	6.65
08 71 11 00-0496 EA 3-3/4" Projection, Rigid Type, Satin Bronze Finish, Brass Wall Stop (Ives WS11).....	47.20	6.65
08 71 11 00-0497 EA 3-3/4" Projection, Rigid Type, Bright Chrome Finish, Brass Wall Stop (Ives WS11).....	47.20	6.65
08 71 11 00-0498 EA 3-3/4" Projection, Rigid Type, Satin Brass Finish, Brass Wall Stop (Ives WS11).....	47.20	6.65
08 71 11 00-0499 EA 3-3/4" Projection, Rigid Type, Bright Brass Finish, Brass Wall Stop (Ives WS443/447).....	39.37	6.65
08 71 11 00-0500 EA 3-3/4" Projection, Rigid Type, Satin Bronze Finish, Brass Wall Stop (Ives WS443/447).....	44.63	6.65
08 71 11 00-0501 EA 3-3/4" Projection, Rigid Type, Bright Chrome Finish, Brass Wall Stop (Ives WS443/447).....	44.63	6.65
08 71 11 00-0502 EA 3-3/4" Projection, Rigid Type, Dark Bronze Finish, Brass Wall Stop (Ives WS443/447).....	44.63	6.65
08 71 11 00-0503 EA 3-3/4" Projection, Rigid Type, Satin Chrome Finish, Brass Wall Stop (Ives WS443/447).....	44.63	6.65
08 71 11 00-0504 EA 3-3/4" Projection, Rigid Type, Satin Brass Finish, Brass Wall Stop (Ives WS443/447).....	45.88	6.65
08 71 11 00-0505 EA 3-3/4" Projection, Rigid Type, Satin Nickel Finish, Brass Wall Stop (Ives WS443/447).....	45.88	6.65
08 71 11 00-0506 EA 3-3/4" Projection, Rigid Type, Satin Chrome Finish, Brass Wall Stop (Ives WS33).....	71.86	6.65
08 71 11 00-0507 Steel Wall Stops (08 71 11 00-0481)		
08 71 11 00-0508 EA 3" Projection, Residential Spring Type, Bright Brass Finish, Steel Wall Stop (Ives 63).....	9.40	4.44
08 71 11 00-0509 Hinge Pin Door Stops (08 71 11 00-0422)		
08 71 11 00-0510 Aluminum Hinge Pin Door Stops (08 71 11 00-0509)		
08 71 11 00-0511 EA Satin Aluminum Finish, Aluminum Hinge Pin Door Stop (Ives 70).....	19.33	8.86
08 71 11 00-0512 Brass Hinge Pin Door Stops (08 71 11 00-0509)		
08 71 11 00-0513 EA Satin Brass Finish, Brass Residential Hinge Pin Door Stop (Ives 72).....	19.63	8.86
08 71 11 00-0514 EA Satin Brass Finish, Brass Hinge Pin Door Stop (Ives 73).....	21.55	8.86
08 71 11 00-0515 EA Satin Chrome Finish, Brass Hinge Pin Door Stop (Ives 70).....	26.17	8.86
08 71 11 00-0516 EA Satin Brass Finish, Brass Hinge Pin Door Stop (Ives 70).....	26.17	8.86
08 71 11 00-0517 EA Bright Brass Finish, Brass Hinge Pin Door Stop (Ives 70).....	26.17	8.86
08 71 11 00-0518 EA Bright Chrome Finish, Brass Hinge Pin Door Stop (Ives 70).....	28.34	8.86
08 71 11 00-0519 EA Satin Bronze Finish, Brass Hinge Pin Door Stop (Ives 70).....	28.34	8.86
08 71 11 00-0520 EA Dark Bronze Finish, Brass Hinge Pin Door Stop (Ives 70).....	28.34	8.86
08 71 11 00-0521 EA Satin Nickel Finish, Brass Hinge Pin Door Stop (Ives 70).....	28.34	8.86
08 71 11 00-0522 Wall Bumpers (08 71 11 00-0422)		
08 71 11 00-0523 Brass Wall Bumpers (08 71 11 00-0522)		
08 71 11 00-0524 EA 2-1/2" Base Diameter, Convex Or Concave Rubber Insert, Satin Chrome Finish, Wrought Brass Wall Bumper (Ives WS406/407).....	25.18	11.08
08 71 11 00-0525 EA 2-1/2" Base Diameter, Convex Or Concave Rubber Insert, Satin Brass Finish, Wrought Brass Wall Bumper (Ives WS406/407).....	25.18	11.08
08 71 11 00-0526 EA 2-1/2" Base Diameter, Convex Or Concave Rubber Insert, Bright Brass Finish, Wrought Brass Wall Bumper (Ives WS406/407).....	25.18	11.08
08 71 11 00-0527 EA 2-1/2" Base Diameter, Convex Or Concave Rubber Insert, Bright Chrome Finish, Wrought Brass Wall Bumper (Ives WS406/407).....	25.44	11.08
08 71 11 00-0528 EA 2-1/2" Base Diameter, Convex Or Concave Rubber Insert, Satin Bronze Finish, Wrought Brass Wall Bumper (Ives WS406/407).....	25.44	11.08
08 71 11 00-0529 EA 2-1/2" Base Diameter, Convex Or Concave Rubber Insert, Dark Bronze Finish, Wrought Brass Wall Bumper (Ives WS406/407).....	25.44	11.08
08 71 11 00-0530 EA 2-1/2" Base Diameter, Convex Or Concave Rubber Insert, Satin Nickel Finish, Wrought Brass Wall Bumper (Ives WS406/407).....	25.44	11.08
08 71 11 00-0531 EA 2-1/2" Base Diameter, Convex Or Concave Rubber Insert, Bright Brass Finish, Cast Brass Wall Bumper (Ives WS401/402).....	34.34	11.08
08 71 11 00-0532 EA 2-1/2" Base Diameter, Convex Or Concave Rubber Insert, Satin Chrome Finish, Cast Brass Wall Bumper (Ives WS401/402).....	36.75	11.08
08 71 11 00-0533 EA 2-1/2" Base Diameter, Convex Or Concave Rubber Insert, Bright Chrome Finish, Cast Brass Wall Bumper (Ives WS401/402).....	36.75	11.08
08 71 11 00-0534 EA 2-1/2" Base Diameter, Convex Or Concave Rubber Insert, Satin Brass Finish, Cast Brass Wall Bumper (Ives WS401/402).....	36.75	11.08
08 71 11 00-0535 EA 2-1/2" Base Diameter, Convex Or Concave Rubber Insert, Satin Bronze Finish, Cast Brass Wall Bumper (Ives WS401/402).....	36.75	11.08
08 71 11 00-0536 EA 2-1/2" Base Diameter, Convex Or Concave Rubber Insert, Dark Bronze Finish, Cast Brass Wall Bumper (Ives WS401/402).....	36.75	11.08
08 71 11 00-0537 EA 2-1/2" Base Diameter, Convex Or Concave Rubber Insert, Satin Nickel Finish, Cast Brass Wall Bumper (Ives WS401/402).....	37.29	11.08
08 71 11 00-0538 Rubber Wall Bumpers (08 71 11 00-0522)		
08 71 11 00-0539 EA 1-7/8" Base Diameter, Adhesive-Backed, Concave Rubber Wall Bumper (Ives WS411R-W).....	24.22	11.08
08 71 11 00-0540 Holders (08 71 11 00-0421)		
08 71 11 00-0541 Plunger Type Door Holders (08 71 11 00-0540)		

08	08	Openings
	08 70	Hardware
	08 71	Door Hardware



MINOR		TOTAL DIRECT		DEMOLITION	
CSI	UOM	DESCRIPTION	UNIT COST	UNIT COST	
08 71 11 00-0542		Aluminum Plunger Type Door Holders (08 71 11 00-0541)			
08 71 11 00-0543	EA	Satin Aluminum Finish, Aluminum Plunger Type Door Holder (Ives FS1153).....	48.62		6.65
08 71 11 00-0544		Brass Plunger Type Door Holders (08 71 11 00-0541)			
08 71 11 00-0545	EA	Satin Chrome Finish, Brass Plunger Type Door Holder (Ives FS1154).....	77.01		6.65
08 71 11 00-0546	EA	Bright Chrome Finish, Brass Plunger Type Door Holder (Ives FS1154).....	77.01		6.65
08 71 11 00-0547	EA	Satin Brass Finish, Brass Plunger Type Door Holder (Ives FS1154).....	77.01		6.65
08 71 11 00-0548	EA	Bright Brass Finish, Brass Plunger Type Door Holder (Ives FS1154).....	77.01		6.65
08 71 11 00-0549	EA	Satin Bronze Finish, Brass Plunger Type Door Holder (Ives FS1154).....	77.01		6.65
08 71 11 00-0550	EA	Dark Bronze Finish, Brass Plunger Type Door Holder (Ives FS1154).....	77.01		6.65
08 71 11 00-0551	EA	Satin Nickel Finish, Brass Plunger Type Door Holder (Ives FS1154).....	77.01		6.65
08 71 11 00-0552		Kick Down Door Holders (08 71 11 00-0540)			
08 71 11 00-0553		Aluminum Kick Down Door Holders (08 71 11 00-0552)			
08 71 11 00-0554	EA	Satin Aluminum Finish, Aluminum Kick Down Door Holder (Ives FS455).....	19.07		6.65
08 71 11 00-0555		Brass Kick Down Door Holders (08 71 11 00-0552)			
08 71 11 00-0556	EA	Satin Brass Finish, Brass Kick Down Door Holder (Ives FS455).....	36.72		6.65
08 71 11 00-0557	EA	Bright Brass Finish, Brass Kick Down Door Holder (Ives FS455).....	36.72		6.65
08 71 11 00-0558	EA	Satin Bronze Finish, Brass Kick Down Door Holder (Ives FS455).....	36.72		6.65
08 71 11 00-0559	EA	Satin Chrome Finish, Brass Kick Down Door Holder (Ives FS455).....	41.33		6.65
08 71 11 00-0560	EA	Bright Chrome Finish, Brass Kick Down Door Holder (Ives FS455).....	41.33		6.65
08 71 11 00-0561	EA	Dark Bronze Finish, Brass Kick Down Door Holder (Ives FS455).....	41.33		6.65
08 71 11 00-0562	EA	Satin Nickel Finish, Brass Kick Down Door Holder (Ives FS455).....	42.49		6.65
08 71 11 00-0563		Steel Kick Down Door Holders (08 71 11 00-0552)			
08 71 11 00-0564	EA	Steel Kick Down Door Holder (Ives FS544).....	22.63		6.65
08 71 11 00-0565		Floor Mounted Door Holders (08 71 11 00-0540)			
08 71 11 00-0566		Brass Floor Mounted Door Holders (08 71 11 00-0565)			
08 71 11 00-0567	EA	Up To 1/2" Door To Floor Clearance, Satin Chrome Finish, Brass Floor Stop And Automatic Door Holder (Ives FS40).....	72.05		13.30
		For >1/2" To 1-1/16" Door To Floor Clearance, Add	1.78		
		For >1-1/16" To 1-9/16" Door To Floor Clearance, Add	10.53		
		For >1-9/16" To 2-11/16" Door To Floor Clearance, Add	15.80		
08 71 11 00-0568	EA	Up To 1/2" Door To Floor Clearance, Satin Brass Finish, Brass Floor Stop And Automatic Door Holder (Ives FS40).....	72.05		13.30
		For >1/2" To 1-1/16" Door To Floor Clearance, Add	1.78		
		For >1-1/16" To 1-9/16" Door To Floor Clearance, Add	10.53		
		For >1-9/16" To 2-11/16" Door To Floor Clearance, Add	15.80		
08 71 11 00-0569	EA	Up To 1/2" Door To Floor Clearance, Bright Chrome Finish, Brass Floor Stop And Automatic Door Holder (Ives FS40).....	87.35		13.30
		For >1/2" To 1-1/16" Door To Floor Clearance, Add	1.78		
		For >1-1/16" To 1-9/16" Door To Floor Clearance, Add	10.53		
		For >1-9/16" To 2-11/16" Door To Floor Clearance, Add	15.80		
08 71 11 00-0570	EA	Up To 1/2" Door To Floor Clearance, Bright Brass Finish, Brass Floor Stop And Automatic Door Holder (Ives FS40).....	87.35		13.30
		For >1/2" To 1-1/16" Door To Floor Clearance, Add	1.78		
		For >1-1/16" To 1-9/16" Door To Floor Clearance, Add	10.53		
		For >1-9/16" To 2-11/16" Door To Floor Clearance, Add	15.80		
08 71 11 00-0571	EA	Up To 1/2" Door To Floor Clearance, Satin Bronze Finish, Brass Floor Stop And Automatic Door Holder (Ives FS40).....	87.35		13.30
		For >1/2" To 1-1/16" Door To Floor Clearance, Add	1.78		
		For >1-1/16" To 1-9/16" Door To Floor Clearance, Add	10.53		
		For >1-9/16" To 2-11/16" Door To Floor Clearance, Add	15.80		
08 71 11 00-0572	EA	Up To 1/2" Door To Floor Clearance, Dark Bronze Finish, Brass Floor Stop And Automatic Door Holder (Ives FS40).....	87.35		13.30
		For >1/2" To 1-1/16" Door To Floor Clearance, Add	1.78		
		For >1-1/16" To 1-9/16" Door To Floor Clearance, Add	10.53		
		For >1-9/16" To 2-11/16" Door To Floor Clearance, Add	15.80		
08 71 11 00-0573		Wall Mounted Door Holders (08 71 11 00-0540)			
08 71 11 00-0574		Aluminum Wall Mounted Door Holders (08 71 11 00-0573)			
08 71 11 00-0575	EA	4" Projection, Rigid Type, Satin Aluminum Finish, Aluminum Wall Stop And Manual Door Holder (Ives WS20).....	61.51		7.76
08 71 11 00-0576	EA	Wall Mounted, Satin Aluminum Finish, Aluminum Automatic Door Holder (Ives WS40).....	91.38		13.30
08 71 11 00-0577		Brass Wall Mounted Door Holders (08 71 11 00-0573)			
08 71 11 00-0578	EA	3-11/16" Projection, Rigid Type, Bright Brass Finish, Brass Wall Stop And Manual Door Holder (Ives WS445/449).....	56.88		7.76
08 71 11 00-0579	EA	3-11/16" Projection, Rigid Type, Satin Chrome Finish, Brass Wall Stop And Manual Door Holder (Ives WS445/449).....	65.17		7.76
08 71 11 00-0580	EA	3-11/16" Projection, Rigid Type, Bright Chrome Finish, Brass Wall Stop And Manual Door Holder (Ives WS445/449).....	65.17		7.76



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 71 11 00-0581	EA		3-11/16" Projection, Rigid Type, Satin Brass Finish, Brass Wall Stop And Manual Door Holder (Ives WS445/449).....	65.17	7.76
08 71 11 00-0582	EA		3-11/16" Projection, Rigid Type, Satin Bronze Finish, Brass Wall Stop And Manual Door Holder (Ives WS445/449).....	65.17	7.76
08 71 11 00-0583	EA		3-11/16" Projection, Rigid Type, Dark Bronze Finish, Brass Wall Stop And Manual Door Holder (Ives WS445/449).....	65.17	7.76
08 71 11 00-0584	EA		3-11/16" Projection, Rigid Type, Satin Nickel Finish, Brass Wall Stop And Manual Door Holder (Ives WS445/449).....	67.12	7.76
08 71 11 00-0585	EA		4" Projection, Rigid Type, Satin Chrome Finish, Brass Wall Stop And Manual Door Holder (Ives WS20).....	63.82	7.76
08 71 11 00-0586	EA		4" Projection, Rigid Type, Bright Chrome Finish, Brass Wall Stop And Manual Door Holder (Ives WS20).....	75.14	7.76
08 71 11 00-0587	EA		4" Projection, Rigid Type, Satin Brass Finish, Brass Wall Stop And Manual Door Holder (Ives WS20).....	75.14	7.76
08 71 11 00-0588	EA		4" Projection, Rigid Type, Bright Brass Finish, Brass Wall Stop And Manual Door Holder (Ives WS20).....	75.14	7.76
08 71 11 00-0589	EA		4" Projection, Rigid Type, Satin Bronze Finish, Brass Wall Stop And Manual Door Holder (Ives WS20).....	75.14	7.76
08 71 11 00-0590	EA		4" Projection, Rigid Type, Dark Bronze Finish, Brass Wall Stop And Manual Door Holder (Ives WS20).....	75.14	7.76
08 71 11 00-0591	EA		Wall Mounted, Satin Chrome Finish, Brass Automatic Door Holder (Ives WS40).....	102.67	13.30
08 71 11 00-0592	EA		Wall Mounted, Bright Chrome Finish, Brass Automatic Door Holder (Ives WS40).....	107.75	13.30
08 71 11 00-0593	EA		Wall Mounted, Satin Brass Finish, Brass Automatic Door Holder (Ives WS40).....	107.75	13.30
08 71 11 00-0594	EA		Wall Mounted, Bright Brass Finish, Brass Automatic Door Holder (Ives WS40).....	107.75	13.30
08 71 11 00-0595	EA		Wall Mounted, Satin Bronze Finish, Brass Automatic Door Holder (Ives WS40).....	107.75	13.30
08 71 11 00-0596	EA		Wall Mounted, Dark Bronze Finish, Brass Automatic Door Holder (Ives WS40).....	107.75	13.30
08 71 11 00-0597			Overhead Door Holders (08 71 11 00-0540)		
08 71 11 00-0598			Surface Mounted, Overhead Door Holders (08 71 11 00-0597)		
08 71 11 00-0599	EA		Surface Mounted, Aluminum Finish, Overhead Door Holder/Stop Without Hold Open (Glynn Johnson 81).....	320.54	22.16
			<i>For Hold Open, Add</i>	33.46	
08 71 11 00-0600	EA		Surface Mounted, Dark Bronze Finish, Overhead Door Holder/Stop Without Hold Open (Glynn Johnson 81).....	363.26	22.16
			<i>For Hold Open, Add</i>	39.63	
08 71 11 00-0601	EA		Surface Mounted, Polished Brass Finish, Overhead Door Holder/Stop Without Hold Open (Glynn Johnson 81).....	363.26	22.16
			<i>For Hold Open, Add</i>	39.63	
08 71 11 00-0602	EA		Surface Mounted, Polished Chrome Finish, Overhead Door Holder/Stop Without Hold Open (Glynn Johnson 81).....	363.26	22.16
			<i>For Hold Open, Add</i>	39.63	
08 71 11 00-0603	EA		Surface Mounted, Stainless Steel Finish, Overhead Door Holder/Stop Without Hold Open (Glynn Johnson 81).....	361.80	22.16
			<i>For Hold Open, Add</i>	39.42	
08 71 11 00-0604			Heavy Duty, Surface Mounted, Overhead Door Holders (08 71 11 00-0597)		
			Note: With or without hold open feature.		
08 71 11 00-0605	EA		Heavy Duty, Surface Mounted, Aluminum Finish, Overhead Door Holder/Stop (Glynn Johnson 90).....	256.03	22.16
08 71 11 00-0606	EA		Heavy Duty, Surface Mounted, Stainless Steel Finish, Overhead Door Holder/Stop (Glynn Johnson 90).....	358.03	22.16
08 71 11 00-0607	EA		Heavy Duty, Surface Mounted, Dark Bronze Finish, Overhead Door Holder/Stop (Glynn Johnson 90).....	402.49	22.16
08 71 11 00-0608	EA		Heavy Duty, Surface Mounted, Polished Brass Finish, Overhead Door Holder/Stop (Glynn Johnson 90).....	402.49	22.16
08 71 11 00-0609	EA		Heavy Duty, Surface Mounted, Polished Chrome Finish, Overhead Door Holder/Stop (Glynn Johnson 90).....	402.49	22.16
08 71 11 00-0610			Concealed Mounted, Overhead Door Holders (08 71 11 00-0597)		
			Note: With or without hold open feature.		
08 71 11 00-0611	EA		Concealed Mounted, Aluminum Finish, Overhead Door Holder/Stop (Glynn Johnson 100).....	347.27	22.16
08 71 11 00-0612	EA		Concealed Mounted, Stainless Steel Finish, Overhead Door Holder/Stop (Glynn Johnson 100).....	347.27	22.16
08 71 11 00-0613	EA		Concealed Mounted, Dark Bronze Finish, Overhead Door Holder/Stop (Glynn Johnson 100).....	364.71	22.16
08 71 11 00-0614	EA		Concealed Mounted, Polished Brass Finish, Overhead Door Holder/Stop (Glynn Johnson 100).....	379.53	22.16
08 71 11 00-0615	EA		Concealed Mounted, Polished Chrome Finish, Overhead Door Holder/Stop (Glynn Johnson 100).....	379.53	22.16
08 71 11 00-0616			Silencers (08 71 11 00-0421)		
08 71 11 00-0617	EA		Replacement Of Rubber Door Silencers.....	1.31	
			Note: For repair / maintenance only. This task is not to be used in conjunction with new door or frame installations.		
08 71 11 00-0618			Bolts (08 71 11 00-0421)		
08 71 11 00-0619			Brass Surface Bolts (08 71 11 00-0618)		
08 71 11 00-0620	EA		8" Length, Satin Chrome Finish, Brass Surface Bolt With Strike (Ives SB1640).....	102.71	11.08
08 71 11 00-0621	EA		8" Length, Bright Brass Finish, Brass Surface Bolt With Strike (Ives SB1640).....	109.43	11.08
08 71 11 00-0622	EA		8" Length, Dark Bronze Finish, Brass Surface Bolt With Strike (Ives SB1640).....	109.43	11.08
08 71 11 00-0623			Steel Surface Bolts (08 71 11 00-0618)		
08 71 11 00-0624	EA		8" Length, Zinc Plated Finish, Steel Surface Bolt With Strike (Ives SB453).....	50.70	11.08
08 71 11 00-0625	EA		8" Length, Bright Brass Finish, Steel Surface Bolt With Strike (Ives SB453).....	50.70	11.08
08 71 11 00-0626	EA		8" Length, Satin Brass Finish, Steel Surface Bolt With Strike (Ives SB453).....	50.70	11.08
08 71 11 00-0627	EA		8" Length, Satin Bronze Finish, Steel Surface Bolt With Strike (Ives SB453).....	56.57	11.08
08 71 11 00-0628	EA		8" Length, Satin Chrome Finish, Steel Surface Bolt With Strike (Ives SB453).....	57.41	11.08
08 71 11 00-0629	EA		8" Length, Dark Bronze Finish, Steel Surface Bolt With Strike (Ives SB453).....	59.08	11.08
08 71 11 00-0630	EA		12" Length, Zinc Plated Finish, Steel Surface Bolt With Strike (Ives SB453).....	58.24	11.08
08 71 11 00-0631	EA		12" Length, Satin Bronze Finish, Steel Surface Bolt With Strike (Ives SB453).....	60.77	11.08
08 71 11 00-0632	EA		12" Length, Dark Bronze Finish, Steel Surface Bolt With Strike (Ives SB453).....	64.12	11.08
08 71 11 00-0633	EA		12" Length, Satin Chrome Finish, Steel Surface Bolt With Strike (Ives SB453).....	66.64	11.08
08 71 11 00-0634	EA		12" Length, Zinc Plated Finish, Steel Surface Bolt With Strike (Ives SB360).....	100.20	11.08
08 71 11 00-0635			Door Viewer (08 71 11 00-0421)		
08 71 11 00-0636			Brass Door Viewer (08 71 11 00-0635)		

08 Openings**08 70 Hardware****08 71 Door Hardware**

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 71 11 00-0637 EA 120 Degree Angle Of View, Satin Chrome Finish, Brass One-Way Door Viewer (Ives U700).....	30.17	11.08
08 71 11 00-0638 EA 120 Degree Angle Of View, Satin Brass Finish, Brass One-Way Door Viewer (Ives U700).....	30.17	11.08
08 71 11 00-0639 EA 120 Degree Angle Of View, Dark Bronze Finish, Brass One-Way Door Viewer (Ives U700).....	30.17	11.08
08 71 11 00-0640 EA 150 Degree Angle Of View, Satin Chrome Finish, Brass One-Way Door Viewer (Ives U696).....	33.91	11.08
08 71 11 00-0641 EA 150 Degree Angle Of View, Dark Bronze Finish, Brass One-Way Door Viewer (Ives U696).....	33.91	11.08
08 71 11 00-0642 EA 150 Degree Angle Of View, Satin Brass Finish, Brass One-Way Door Viewer (Ives U696).....	33.91	11.08
08 71 11 00-0643 EA 190 Degree Angle Of View, Satin Chrome Finish, Brass One-Way Wide Angle Door Viewer (Ives U698).....	38.54	11.08
08 71 11 00-0644 EA 190 Degree Angle Of View, Bright Brass Finish, Brass One-Way Wide Angle Door Viewer (Ives U698).....	38.54	11.08
08 71 11 00-0645 Door Knockers (08 71 11 00-0421)		
08 71 11 00-0646 Brass Door Knockers (08 71 11 00-0645)		
08 71 11 00-0647 EA 5-15/16" Length, 3" Width, Bright Brass Finish, Brass Door Knocker (Ives 3125).....	41.73	11.08
08 71 11 00-0648 EA 5-15/16" Length, 3" Width, Satin Chrome Finish, Brass Door Knocker (Ives 3125).....	45.29	11.08
08 71 11 00-0649 EA 5-15/16" Length, 3" Width, Bright Chrome Finish, Brass Door Knocker (Ives 3125).....	45.29	11.08
08 71 11 00-0650 EA 5-15/16" Length, 3" Width, Satin Nickel Finish, Brass Door Knocker (Ives 3125).....	45.29	11.08
08 71 11 00-0651 EA 8-1/2" Length, 4-1/8" Width, Bright Brass Finish, Brass Door Knocker (Ives 3107).....	58.80	11.08
08 71 11 00-0652 EA 8-1/2" Length, 4-1/8" Width, Satin Nickel Finish, Brass Door Knocker (Ives 3107).....	67.39	11.08
08 71 11 00-0653 Hasps (08 71 11 00-0421)		
08 71 11 00-0654 EA 3-1/4", Zinc Plated Finish, Steel Hasp Assembly.....	21.57	8.36
08 71 11 00-0655 EA 4-1/2", Zinc Plated Finish, Steel Hasp Assembly.....	22.98	8.86
08 71 11 00-0656 EA 6", Zinc Plated Finish, Steel Hasp Assembly.....	28.46	9.97
08 71 11 00-0657 EA 6", Zinc Plated Finish, Steel High Security Hasp Assembly.....	97.74	11.97
08 71 11 00-0658 Flush Bolts (08 71 11 00-0421)		
08 71 11 00-0659 Flush Bolts For Metal Doors (08 71 11 00-0658)		
08 71 11 00-0660 Brass Flush Bolts For Metal Doors (08 71 11 00-0659)		
08 71 11 00-0661 Manual, Brass Flush Bolts For Metal Doors (08 71 11 00-0660)		
Note: Includes brass construction with bright brass, satin brass, satin bronze, dark bronze, satin nickel, bright chrome or satin chrome finish.		
08 71 11 00-0662 EA Top Or Bottom Bolt, Manual, Brass Flush Bolt For Metal Doors (Ives FB457/458).....	40.63	11.08
08 71 11 00-0663 Automatic, Brass Flush Bolts For Metal Doors (08 71 11 00-0660)		
Note: Includes brass construction with bright brass, satin brass, satin bronze or dark bronze finish.		
08 71 11 00-0664 EA Top Bolt Only, Automatic, Brass Flush Bolt For Metal Doors (Ives FB31T).....	89.11	11.08
08 71 11 00-0665 EA Bottom Bolt Only, Automatic, Brass Flush Bolt For Metal Doors (Ives FB31B).....	89.11	11.08
08 71 11 00-0666 EA Top And Bottom Bolt, Automatic, Brass Flush Bolt For Metal Doors (Ives FB31P).....	162.33	17.73
08 71 11 00-0667 EA Top Bolt With Auxiliary Fire Latch, Automatic, Brass Flush Bolt For Metal Doors (Ives FB32).....	157.91	15.51
08 71 11 00-0668 EA Top Bolt With Auxiliary Fire Latch And Retrofit Plate, Automatic, Brass Flush Bolt For Metal Doors (Ives FB33).....	164.32	16.62
08 71 11 00-0669 Constant Latching, Brass Flush Bolts For Metal Doors (08 71 11 00-0660)		
Note: Includes brass construction with bright brass, satin brass, satin bronze or dark bronze finish.		
08 71 11 00-0670 EA Top Bolt Only, Constant Latching, Brass Flush Bolt For Metal Doors (Ives FB51T).....	88.37	11.08
08 71 11 00-0671 EA Top And Bottom Bolt, Constant Latching, Brass Flush Bolt For Metal Doors (Ives FB51P).....	162.33	17.73
08 71 11 00-0672 EA Top Bolt With Auxiliary Fire Latch, Constant Latching, Brass Flush Bolt For Metal Doors (Ives FB52).....	157.91	15.51
08 71 11 00-0673 EA Top Bolt With Auxiliary Fire Latch And Retrofit Plate, Constant Latching, Brass Flush Bolt For Metal Doors (Ives FB53).....	164.32	16.62
08 71 11 00-0674 Stainless Steel Flush Bolts For Metal Doors (08 71 11 00-0659)		
08 71 11 00-0675 Automatic, Stainless Steel Flush Bolts For Metal Doors (08 71 11 00-0674)		
Note: Includes stainless steel construction with bright or satin finish.		
08 71 11 00-0676 EA Top Bolt Only, Automatic, Stainless Steel Flush Bolt For Metal Doors (Ives FB31T).....	89.11	11.08
08 71 11 00-0677 EA Bottom Bolt Only, Automatic, Stainless Steel Flush Bolt For Metal Doors (Ives FB31B).....	89.11	11.08
08 71 11 00-0678 EA Top And Bottom Bolt, Automatic, Stainless Steel Flush Bolt For Metal Doors (Ives FB31P).....	162.33	17.73
08 71 11 00-0679 EA Top Bolt With Auxiliary Fire Latch, Automatic, Stainless Steel Flush Bolt For Metal Doors (Ives FB32).....	157.91	15.51
08 71 11 00-0680 EA Top Bolt With Auxiliary Fire Latch And Retrofit Plate, Automatic, Stainless Steel Flush Bolt For Metal Doors (Ives FB33).....	164.32	16.62
08 71 11 00-0681 Constant Latching, Stainless Steel Flush Bolts For Metal Doors (08 71 11 00-0674)		
Note: Includes stainless steel construction with bright or satin finish.		
08 71 11 00-0682 EA Top Bolt Only, Constant Latching, Stainless Steel Flush Bolt For Metal Doors (Ives FB51T).....	88.37	11.08
08 71 11 00-0683 EA Top And Bottom Bolt, Constant Latching, Stainless Steel Flush Bolt For Metal Doors (Ives FB51P).....	162.33	17.73
08 71 11 00-0684 EA Top Bolt With Auxiliary Fire Latch, Constant Latching, Stainless Steel Flush Bolt For Metal Doors (Ives FB52).....	157.91	15.51
08 71 11 00-0685 EA Top Bolt With Auxiliary Fire Latch And Retrofit Plate, Constant Latching, Stainless Steel Flush Bolt For Metal Doors (Ives FB53).....	164.32	16.62
08 71 11 00-0686 Flush Bolts For Wood Doors (08 71 11 00-0658)		
08 71 11 00-0687 Brass Flush Bolts For Wood Doors (08 71 11 00-0686)		



Openings	08	08
Hardware	08 70	
Door Hardware	08 71	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 71 11 00-0688 Manual, Brass Flush Bolts For Wood Doors <small>(08 71 11 00-0687)</small> Note: Includes brass construction with bright brass, satin brass, satin bronze, dark bronze, satin nickel, bright chrome or satin chrome finish.		
08 71 11 00-0689 EA Top Or Bottom Bolt, Manual, Brass Flush Bolt For Wood Doors (Ives FB358).....	46.90	11.08
08 71 11 00-0690 Automatic, Brass Flush Bolts For Wood Doors <small>(08 71 11 00-0687)</small> Note: Includes brass construction with bright brass, satin brass, satin bronze or dark bronze finish.		
08 71 11 00-0691 EA Top Bolt Only, Automatic, Brass Flush Bolt For Wood Doors (Ives FB41T).....	92.38	11.08
08 71 11 00-0692 EA Bottom Bolt Only, Automatic, Brass Flush Bolt For Metal Doors (Ives FB41B).....	92.38	11.08
08 71 11 00-0693 EA Top And Bottom Bolt, Automatic, Brass Flush Bolt For Wood Doors (Ives FB41P).....	169.37	17.73
08 71 11 00-0694 EA Top Bolt With Auxiliary Fire Latch, Automatic, Brass Flush Bolt For Wood Doors (Ives FB42).....	164.95	15.51
08 71 11 00-0695 Constant Latching, Brass Flush Bolts For Wood Doors <small>(08 71 11 00-0687)</small> Note: Includes brass construction with bright brass, satin brass, satin bronze or dark bronze finish.		
08 71 11 00-0696 EA Top Bolt Only, Constant Latching, Brass Flush Bolt For Wood Doors (Ives FB61T).....	91.73	11.08
08 71 11 00-0697 EA Top And Bottom Bolt, Constant Latching, Brass Flush Bolt For Wood Doors (Ives FB61P).....	169.37	17.73
08 71 11 00-0698 EA Top Bolt With Auxiliary Fire Latch, Constant Latching, Brass Flush Bolt For Wood Doors (Ives FB62).....	164.95	15.51
08 71 11 00-0699 Stainless Steel Flush Bolts For Wood Doors <small>(08 71 11 00-0686)</small>		
08 71 11 00-0700 Automatic, Stainless Steel Flush Bolts For Wood Doors <small>(08 71 11 00-0699)</small> Note: Includes stainless steel construction with bright or satin finish.		
08 71 11 00-0701 EA Top Bolt Only, Automatic, Stainless Steel Flush Bolt For Wood Doors (Ives FB41T).....	92.38	11.08
08 71 11 00-0702 EA Bottom Bolt Only, Automatic, Stainless Steel Flush Bolt For Metal Doors (Ives FB41B).....	92.38	11.08
08 71 11 00-0703 EA Top And Bottom Bolt, Automatic, Stainless Steel Flush Bolt For Wood Doors (Ives FB41P).....	169.37	17.73
08 71 11 00-0704 EA Top Bolt With Auxiliary Fire Latch, Automatic, Stainless Steel Flush Bolt For Wood Doors (Ives FB42).....	164.95	15.51
08 71 11 00-0705 Constant Latching, Stainless Steel Flush Bolts For Wood Doors <small>(08 71 11 00-0699)</small> Note: Includes stainless steel construction with bright or satin finish.		
08 71 11 00-0706 EA Top Bolt Only, Constant Latching, Stainless Steel Flush Bolt For Wood Doors (Ives FB61T).....	91.73	11.08
08 71 11 00-0707 EA Top And Bottom Bolt, Constant Latching, Stainless Steel Flush Bolt For Wood Doors (Ives FB61P).....	169.37	17.73
08 71 11 00-0708 EA Top Bolt With Auxiliary Fire Latch, Constant Latching, Stainless Steel Flush Bolt For Wood Doors (Ives FB62).....	164.95	15.51
08 71 11 00-0709 Dust Proof Strikes <small>(08 71 11 00-0658)</small>		
08 71 11 00-0710 EA Satin Brass Finish, Brass Dust Proof Strike (Ives DP1).....	35.69	8.86
08 71 11 00-0711 EA Satin Chrome Finish, Brass Dust Proof Strike (Ives DP1).....	35.69	8.86
08 71 11 00-0712 EA Bright Brass Finish, Brass Dust Proof Strike (Ives DP1).....	35.69	8.86
08 71 11 00-0713 EA Satin Bronze Finish, Brass Dust Proof Strike (Ives DP1).....	35.69	8.86
08 71 11 00-0714 EA Dark Bronze Finish, Brass Dust Proof Strike (Ives DP1).....	35.69	8.86
08 71 11 00-0715 EA Satin Bronze Finish, Brass Dust Proof Strike With Plate (Ives DP2).....	40.38	8.86
08 71 11 00-0716 EA Satin Chrome Finish, Brass Dust Proof Strike With Plate (Ives DP2).....	40.38	8.86
08 71 11 00-0717 EA Satin Brass Finish, Brass Dust Proof Strike With Plate (Ives DP2).....	40.38	8.86
08 71 11 00-0718 EA Bright Brass Finish, Brass Dust Proof Strike With Plate (Ives DP2).....	40.38	8.86
08 71 11 00-0719 EA Dark Bronze Finish, Brass Dust Proof Strike With Plate (Ives DP2).....	40.38	8.86
08 71 11 00-0720 Roller Bumpers <small>(08 71 11 00-0421)</small>		
08 71 11 00-0721 Brass Roller Bumpers <small>(08 71 11 00-0720)</small>		
08 71 11 00-0722 EA 5" Length, Bright Brass Finish, Brass Offset Arm Roller Bumper (Ives RB470).....	35.82	6.65
08 71 11 00-0723 EA 5" Length, Satin Chrome Finish, Brass Offset Arm Roller Bumper (Ives RB470).....	41.43	6.65
08 71 11 00-0724 EA 5" Length, Bright Chrome Finish, Brass Offset Arm Roller Bumper (Ives RB470).....	41.43	6.65
08 71 11 00-0725 EA 4-1/2" Length, Bright Brass Finish, Brass Straight Arm Roller Bumper (Ives RB471).....	34.56	6.65
08 71 11 00-0726 EA 4-1/2" Length, Satin Chrome Finish, Brass Straight Arm Roller Bumper (Ives RB471).....	38.83	6.65
08 71 11 00-0727 EA 4-1/2" Length, Bright Chrome Finish, Brass Straight Arm Roller Bumper (Ives RB471).....	38.83	6.65
08 71 11 00-0728 EA 4-1/2" Length, Satin Brass Finish, Brass Straight Arm Roller Bumper (Ives RB471).....	38.83	6.65
08 71 11 00-0729 EA 6" Length, Bright Brass Finish, Brass Straight Arm Roller Bumper (Ives RB472).....	35.91	6.65
08 71 11 00-0730 EA 6" Length, Satin Nickel Finish, Brass Straight Arm Roller Bumper (Ives RB472).....	38.93	6.65
08 71 11 00-0731 EA 6" Length, Satin Chrome Finish, Brass Straight Arm Roller Bumper (Ives RB472).....	40.35	6.65
08 71 11 00-0732 EA 6" Length, Bright Chrome Finish, Brass Straight Arm Roller Bumper (Ives RB472).....	40.35	6.65
08 71 11 00-0733 EA 6" Length, Satin Brass Finish, Brass Straight Arm Roller Bumper (Ives RB472).....	40.35	6.65
08 71 11 00-0734 EA 6" Length, Satin Bronze Finish, Brass Straight Arm Roller Bumper (Ives RB472).....	40.35	6.65
08 71 11 00-0735 EA 6" Length, Dark Bronze Finish, Brass Straight Arm Roller Bumper (Ives RB472).....	40.35	6.65
08 71 11 00-0736 Other Door Trim <small>(08 71 11 00-0421)</small>		
08 71 11 00-0737 Coat And Hat Hooks <small>(08 71 11 00-0736)</small>		
08 71 11 00-0738 Aluminum Coat And Hat Hooks <small>(08 71 11 00-0737)</small>		
08 71 11 00-0739 EA 1-1/4" Height, 1-1/4" Width, Bright Brass Finish, Aluminum Wardrobe Hook (Ives 581).....	15.00	6.65
08 71 11 00-0740 EA 1-1/4" Height, 1-1/4" Width, Aluminum Finish, Aluminum Wardrobe Hook (Ives 581).....	15.00	6.65
08 71 11 00-0741 EA 1-1/4" Height, 1-1/4" Width, Satin Nickel Finish, Aluminum Wardrobe Hook (Ives 581).....	15.10	6.65
08 71 11 00-0742 EA 1-3/4" Height, 1-1/4" Width, Satin Bronze Finish, Aluminum Coat And Hat Hook (Ives 571).....	14.93	6.65
08 71 11 00-0743 EA 1-3/4" Height, 1-1/4" Width, Bright Brass Finish, Aluminum Coat And Hat Hook (Ives 571).....	14.93	6.65
08 71 11 00-0744 EA 1-3/4" Height, 1-1/4" Width, Aluminum Finish, Aluminum Coat And Hat Hook (Ives 571).....	14.93	6.65

08 Openings**08 70 Hardware**

08 71 Door Hardware



MINOR				TOTAL DIRECT	DEMOLITION
CSI	UOM	DESCRIPTION		UNIT COST	UNIT COST
08 71 11 00-0745	EA	1-3/4" Height, 1-1/4" Width, Satin Nickel Finish, Aluminum Coat And Hat Hook (Ives 571)		15.10	6.65
08 71 11 00-0746	EA	1-1/2" Height, 2-1/2" Width, Satin Brass Finish, Aluminum Coat And Hat Hook (Ives 405)		15.62	6.65
08 71 11 00-0747	EA	1-1/2" Height, 2-1/2" Width, Bright Brass Finish, Aluminum Coat And Hat Hook (Ives 405)		15.62	6.65
08 71 11 00-0748	EA	1-1/2" Height, 2-1/2" Width, Satin Bronze Finish, Aluminum Coat And Hat Hook (Ives 405)		15.62	6.65
08 71 11 00-0749	EA	1-1/2" Height, 2-1/2" Width, Dark Bronze Finish, Aluminum Coat And Hat Hook (Ives 405)		15.62	6.65
08 71 11 00-0750	EA	1-1/2" Height, 2-1/2" Width, Aluminum Finish, Aluminum Coat And Hat Hook (Ives 405)		15.62	6.65
08 71 11 00-0751		Brass Coat And Hat Hooks (08 71 11 00-0737)			
08 71 11 00-0752	EA	1-1/4" Height, 1-1/4" Width, Bright Brass Finish, Brass Wardrobe Hook (Ives 581)		17.85	6.65
08 71 11 00-0753	EA	1-1/4" Height, 1-1/4" Width, Satin Brass Finish, Brass Wardrobe Hook (Ives 581)		18.12	6.65
08 71 11 00-0754	EA	1-1/4" Height, 1-1/4" Width, Dark Bronze Finish, Brass Wardrobe Hook (Ives 581)		18.56	6.65
08 71 11 00-0755	EA	1-1/4" Height, 1-1/4" Width, Satin Chrome Finish, Brass Wardrobe Hook (Ives 581)		18.56	6.65
08 71 11 00-0756	EA	1-1/4" Height, 1-1/4" Width, Satin Nickel Finish, Brass Wardrobe Hook (Ives 581)		18.83	6.65
08 71 11 00-0757	EA	1-3/4" Height, 1-1/4" Width, Bright Brass Finish, Brass Coat And Hat Hook (Ives 571)		19.72	6.65
08 71 11 00-0758	EA	1-3/4" Height, 1-1/4" Width, Satin Brass Finish, Brass Coat And Hat Hook (Ives 571)		20.97	6.65
08 71 11 00-0759	EA	1-3/4" Height, 1-1/4" Width, Dark Bronze Finish, Brass Coat And Hat Hook (Ives 571)		20.97	6.65
08 71 11 00-0760	EA	1-3/4" Height, 1-1/4" Width, Satin Chrome Finish, Brass Coat And Hat Hook (Ives 571)		20.97	6.65
08 71 11 00-0761	EA	1-3/4" Height, 1-1/4" Width, Satin Nickel Finish, Brass Coat And Hat Hook (Ives 571)		21.25	6.65
08 71 11 00-0762		Door Plates And Pulls (08 71 11)			
08 71 11 00-0763		Kick Plate (08 71 11 00-0762)			
		Note: Ives 8400.			
08 71 11 00-0764		Aluminum Base Material Kick Plate (08 71 11 00-0763)			
08 71 11 00-0765		Satin Aluminum Finish, Aluminum Kick Plate (08 71 11 00-0764)			
08 71 11 00-0766	EA	8" x 22", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate		40.47	6.65
		For Four Beveled Edges, Add		1.76	
		For UL Label (Fire Rated), Add		11.40	
08 71 11 00-0767	EA	8" x 24", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate		41.74	6.65
		For Four Beveled Edges, Add		1.76	
		For UL Label (Fire Rated), Add		11.40	
08 71 11 00-0768	EA	8" x 26", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate		42.99	6.65
		For Four Beveled Edges, Add		1.76	
		For UL Label (Fire Rated), Add		11.40	
08 71 11 00-0769	EA	8" x 28", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate		44.26	6.65
		For Four Beveled Edges, Add		1.76	
		For UL Label (Fire Rated), Add		11.40	
08 71 11 00-0770	EA	8" x 30", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate		47.32	7.09
		For Four Beveled Edges, Add		1.76	
		For UL Label (Fire Rated), Add		11.40	
08 71 11 00-0771	EA	8" x 32", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate		48.55	7.09
		For Four Beveled Edges, Add		1.76	
		For UL Label (Fire Rated), Add		11.40	
08 71 11 00-0772	EA	8" x 34", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate		49.83	7.09
		For Four Beveled Edges, Add		1.76	
		For UL Label (Fire Rated), Add		11.40	
08 71 11 00-0773	EA	8" x 36", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate		51.08	7.09
		For Four Beveled Edges, Add		1.76	
		For UL Label (Fire Rated), Add		11.40	
08 71 11 00-0774	EA	8" x 38", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate		54.11	7.54
		For Four Beveled Edges, Add		1.76	
		For UL Label (Fire Rated), Add		11.40	
08 71 11 00-0775	EA	8" x 40", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate		55.38	7.54
		For Four Beveled Edges, Add		1.76	
		For UL Label (Fire Rated), Add		11.40	
08 71 11 00-0776	EA	8" x 42", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate		56.63	7.54
		For Four Beveled Edges, Add		1.76	
		For UL Label (Fire Rated), Add		11.40	
08 71 11 00-0777	EA	8" x 44", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate		59.68	7.98
		For Four Beveled Edges, Add		1.76	
		For UL Label (Fire Rated), Add		11.40	
08 71 11 00-0778	EA	8" x 46", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate		60.94	7.98
		For Four Beveled Edges, Add		1.76	
		For UL Label (Fire Rated), Add		11.40	
08 71 11 00-0779	EA	8" x 48", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate		62.19	7.98
		For Four Beveled Edges, Add		1.76	
		For UL Label (Fire Rated), Add		11.40	
08 71 11 00-0780	EA	10" x 22", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate		43.95	6.65
		For Four Beveled Edges, Add		1.76	
		For UL Label (Fire Rated), Add		11.40	
08 71 11 00-0781	EA	10" x 24", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate		45.54	6.65
		For Four Beveled Edges, Add		1.76	
		For UL Label (Fire Rated), Add		11.40	
08 71 11 00-0782	EA	10" x 26", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate		47.09	6.65
		For Four Beveled Edges, Add		1.76	
		For UL Label (Fire Rated), Add		11.40	
08 71 11 00-0783	EA	10" x 28", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate		48.68	6.65
		For Four Beveled Edges, Add		1.76	
		For UL Label (Fire Rated), Add		11.40	



Openings	08	08
Hardware	08 70	
Door Hardware	08 71	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 71 11 00-0784	EA		10" x 30", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	52.04 1.76 11.40	7.09
08 71 11 00-0785	EA		10" x 32", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	53.61 1.76 11.40	7.09
08 71 11 00-0786	EA		10" x 34", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	55.19 1.76 11.40	7.09
08 71 11 00-0787	EA		10" x 36", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	56.76 1.76 11.40	7.09
08 71 11 00-0788	EA		10" x 38", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	60.12 1.76 11.40	7.54
08 71 11 00-0789	EA		10" x 40", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	61.68 1.76 11.40	7.54
08 71 11 00-0790	EA		10" x 42", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	63.27 1.76 11.40	7.54
08 71 11 00-0791	EA		10" x 44", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	66.62 1.76 11.40	7.98
08 71 11 00-0792	EA		10" x 46", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	68.18 1.76 11.40	7.98
08 71 11 00-0793	EA		10" x 48", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	69.76 1.76 11.40	7.98
08 71 11 00-0794	EA		12" x 22", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	47.43 1.76 11.40	6.65
08 71 11 00-0795	EA		12" x 24", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	49.30 1.76 11.40	6.65
08 71 11 00-0796	EA		12" x 26", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	51.22 1.76 11.40	6.65
08 71 11 00-0797	EA		12" x 28", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	53.08 1.76 11.40	6.65
08 71 11 00-0798	EA		12" x 30", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	56.76 1.76 11.40	7.09
08 71 11 00-0799	EA		12" x 32", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	58.65 1.76 11.40	7.09
08 71 11 00-0800	EA		12" x 34", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	60.54 1.76 11.40	7.09
08 71 11 00-0801	EA		12" x 36", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	62.44 1.76 11.40	7.09
08 71 11 00-0802	EA		12" x 38", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	66.10 1.76 11.40	7.54
08 71 11 00-0803	EA		12" x 40", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	67.99 1.76 11.40	7.54
08 71 11 00-0804	EA		12" x 42", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	69.89 1.76 11.40	7.54
08 71 11 00-0805	EA		12" x 44", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	73.55 1.76 11.40	7.98
08 71 11 00-0806	EA		12" x 46", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	75.44 1.76 11.40	7.98
08 71 11 00-0807	EA		12" x 48", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	77.35 1.76 11.40	7.98
08 71 11 00-0808	EA		14" x 22", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	52.65 1.76 11.40	7.09
08 71 11 00-0809	EA		14" x 24", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	54.86 1.76 11.40	7.09
08 71 11 00-0810	EA		14" x 26", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	57.10 1.76 11.40	7.09
08 71 11 00-0811	EA		14" x 28", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	59.30 1.76 11.40	7.09

08 Openings**08 70 Hardware**

08 71 Door Hardware



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 71 11 00-0812	EA		14" x 30", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	63.27 1.76 11.40	7.54
08 71 11 00-0813	EA		14" x 32", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	65.48 1.76 11.40	7.54
08 71 11 00-0814	EA		14" x 34", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	67.69 1.76 11.40	7.54
08 71 11 00-0815	EA		14" x 36", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	69.89 1.76 11.40	7.54
08 71 11 00-0816	EA		14" x 38", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	73.87 1.76 11.40	7.98
08 71 11 00-0817	EA		14" x 40", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	76.07 1.76 11.40	7.98
08 71 11 00-0818	EA		14" x 42", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	78.28 1.76 11.40	7.98
08 71 11 00-0819	EA		14" x 44", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	82.25 1.76 11.40	8.42
08 71 11 00-0820	EA		14" x 46", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	84.48 1.76 11.40	8.42
08 71 11 00-0821	EA		14" x 48", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	86.69 1.76 11.40	8.42
08 71 11 00-0822	EA		16" x 22", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	56.14 1.76 11.40	7.09
08 71 11 00-0823	EA		16" x 24", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	58.65 1.76 11.40	7.09
08 71 11 00-0824	EA		16" x 26", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	61.19 1.76 11.40	7.09
08 71 11 00-0825	EA		16" x 28", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	63.71 1.76 11.40	7.09
08 71 11 00-0826	EA		16" x 30", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	65.48 1.76 11.40	7.54
08 71 11 00-0827	EA		16" x 32", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	70.53 1.76 11.40	7.54
08 71 11 00-0828	EA		16" x 34", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	73.06 1.76 11.40	7.54
08 71 11 00-0829	EA		16" x 36", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	75.58 1.76 11.40	7.54
08 71 11 00-0830	EA		16" x 38", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	79.86 1.76 11.40	7.98
08 71 11 00-0831	EA		16" x 40", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	82.40 1.76 11.40	7.98
08 71 11 00-0832	EA		16" x 42", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	84.92 1.76 11.40	7.98
08 71 11 00-0833	EA		16" x 44", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	89.20 1.76 11.40	8.42
08 71 11 00-0834	EA		16" x 46", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	91.73 1.76 11.40	8.42
08 71 11 00-0835	EA		16" x 48", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	94.27 1.76 11.40	8.42
08 71 11 00-0836	EA		18" x 22", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	61.60 6.30 11.40	7.09
08 71 11 00-0837	EA		18" x 24", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	64.62 6.30 11.40	7.09
08 71 11 00-0838	EA		18" x 26", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	67.64 6.30 11.40	7.09
08 71 11 00-0839	EA		18" x 28", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	70.67 6.30 11.40	7.09



Openings	08	08
Hardware	08 70	
Door Hardware	08 71	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 71 11 00-0840	EA		18" x 30", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	75.44 6.30 11.40	7.54
08 71 11 00-0841	EA		18" x 32", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	78.47 6.30 11.40	7.54
08 71 11 00-0842	EA		18" x 34", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	81.49 6.30 11.40	7.54
08 71 11 00-0843	EA		18" x 36", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	84.51 6.30 11.40	7.54
08 71 11 00-0844	EA		18" x 38", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	89.30 6.30 11.40	7.98
08 71 11 00-0845	EA		18" x 40", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	92.33 6.30 11.40	7.98
08 71 11 00-0846	EA		18" x 42", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	95.35 6.30 11.40	7.98
08 71 11 00-0847	EA		18" x 44", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	100.14 6.30 11.40	8.42
08 71 11 00-0848	EA		18" x 46", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	103.16 6.30 11.40	8.42
08 71 11 00-0849	EA		18" x 48", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	106.18 6.30 11.40	8.42
08 71 11 00-0850	EA		20" x 22", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	67.06 6.30 11.40	7.54
08 71 11 00-0851	EA		20" x 24", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	70.42 6.30 11.40	7.54
08 71 11 00-0852	EA		20" x 26", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	73.77 6.30 11.40	7.54
08 71 11 00-0853	EA		20" x 28", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	77.13 6.30 11.40	7.54
08 71 11 00-0854	EA		20" x 30", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	82.26 6.30 11.40	7.98
08 71 11 00-0855	EA		20" x 32", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	85.61 6.30 11.40	7.98
08 71 11 00-0856	EA		20" x 34", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	88.97 6.30 11.40	7.98
08 71 11 00-0857	EA		20" x 36", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	92.33 6.30 11.40	7.98
08 71 11 00-0858	EA		20" x 38", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	97.45 6.30 11.40	8.42
08 71 11 00-0859	EA		20" x 40", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	100.81 6.30 11.40	8.42
08 71 11 00-0860	EA		20" x 42", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	104.16 6.30 11.40	8.42
08 71 11 00-0861	EA		20" x 44", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	109.29 6.30 11.40	8.86
08 71 11 00-0862	EA		20" x 46", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	112.65 6.30 11.40	8.86
08 71 11 00-0863	EA		20" x 48", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	116.00 6.30 11.40	8.86
08 71 11 00-0864	EA		22" x 22", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	70.75 6.30 11.40	7.54
08 71 11 00-0865	EA		22" x 24", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	74.44 6.30 11.40	7.54
08 71 11 00-0866	EA		22" x 26", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	78.13 6.30 11.40	7.54
08 71 11 00-0867	EA		22" x 28", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	81.82 6.30 11.40	7.54

08 Openings**08 70 Hardware****08 71 Door Hardware**

MINOR		TOTAL DIRECT	DEMOLITION
CSI	UOM DESCRIPTION	UNIT COST	UNIT COST
08 71 11 00-0868	EA 22" x 30", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	87.30 6.30 11.40	7.98
08 71 11 00-0869	EA 22" x 32", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	90.99 6.30 11.40	7.98
08 71 11 00-0870	EA 22" x 34", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	94.68 6.30 11.40	7.98
08 71 11 00-0871	EA 22" x 36", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	98.37 6.30 11.40	7.98
08 71 11 00-0872	EA 22" x 38", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	103.83 6.30 11.40	8.42
08 71 11 00-0873	EA 22" x 40", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	107.52 6.30 11.40	8.42
08 71 11 00-0874	EA 22" x 42", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	111.21 6.30 11.40	8.42
08 71 11 00-0875	EA 22" x 44", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	116.67 6.30 11.40	8.86
08 71 11 00-0876	EA 22" x 46", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	120.36 6.30 11.40	8.86
08 71 11 00-0877	EA 22" x 48", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	124.05 6.30 11.40	8.86
08 71 11 00-0878	EA 24" x 22", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	74.44 6.30 11.40	7.54
08 71 11 00-0879	EA 24" x 24", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	78.47 6.30 11.40	7.54
08 71 11 00-0880	EA 24" x 26", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	82.51 6.30 11.40	7.54
08 71 11 00-0881	EA 24" x 28", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	86.53 6.30 11.40	7.54
08 71 11 00-0882	EA 24" x 30", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	92.33 6.30 11.40	7.98
08 71 11 00-0883	EA 24" x 32", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	96.35 6.30 11.40	7.98
08 71 11 00-0884	EA 24" x 34", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	100.38 6.30 11.40	7.98
08 71 11 00-0885	EA 24" x 36", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	104.41 6.30 11.40	7.98
08 71 11 00-0886	EA 24" x 38", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	110.21 6.30 11.40	8.42
08 71 11 00-0887	EA 24" x 40", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	114.23 6.30 11.40	8.42
08 71 11 00-0888	EA 24" x 42", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	118.26 6.30 11.40	8.42
08 71 11 00-0889	EA 24" x 44", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	124.05 6.30 11.40	8.86
08 71 11 00-0890	EA 24" x 46", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	128.09 6.30 11.40	8.86
08 71 11 00-0891	EA 24" x 48", 0.050" Thick, Satin Aluminum Finish, Aluminum Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	132.12 6.30 11.40	8.86
08 71 11 00-0892	Brass Base Material Kick Plate (08 71 11 00-0763)		
08 71 11 00-0893	Bright/Satin Brass Finish, Brass Kick Plate (08 71 11 00-0892)		
08 71 11 00-0894	EA 8" x 22", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	72.52 1.76 11.40	6.65
08 71 11 00-0895	EA 8" x 24", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	76.69 1.76 11.40	6.65



Openings	08	08
Hardware	08 70	
Door Hardware	08 71	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 71 11 00-0896	EA		8" x 26", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	80.87 1.76 11.40	6.65
08 71 11 00-0897	EA		8" x 28", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	85.04 1.76 11.40	6.65
08 71 11 00-0898	EA		8" x 30", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	90.99 1.76 11.40	7.09
08 71 11 00-0899	EA		8" x 32", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	95.19 1.76 11.40	7.09
08 71 11 00-0900	EA		8" x 34", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	99.36 1.76 11.40	7.09
08 71 11 00-0901	EA		8" x 36", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	103.53 1.76 11.40	7.09
08 71 11 00-0902	EA		8" x 38", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	109.47 1.76 11.40	7.54
08 71 11 00-0903	EA		8" x 40", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	113.64 1.76 11.40	7.54
08 71 11 00-0904	EA		8" x 42", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	117.81 1.76 11.40	7.54
08 71 11 00-0905	EA		8" x 44", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	123.75 1.76 11.40	7.98
08 71 11 00-0906	EA		8" x 46", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	127.95 1.76 11.40	7.98
08 71 11 00-0907	EA		8" x 48", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	132.12 1.76 11.40	7.98
08 71 11 00-0908	EA		10" x 22", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	84.01 1.76 11.40	6.65
08 71 11 00-0909	EA		10" x 24", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	89.21 1.76 11.40	6.65
08 71 11 00-0910	EA		10" x 26", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	94.45 1.76 11.40	6.65
08 71 11 00-0911	EA		10" x 28", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	99.66 1.76 11.40	6.65
08 71 11 00-0912	EA		10" x 30", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	106.64 1.76 11.40	7.09
08 71 11 00-0913	EA		10" x 32", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	111.87 1.76 11.40	7.09
08 71 11 00-0914	EA		10" x 34", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	117.10 1.76 11.40	7.09
08 71 11 00-0915	EA		10" x 36", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	122.32 1.76 11.40	7.09
08 71 11 00-0916	EA		10" x 38", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	129.29 1.76 11.40	7.54
08 71 11 00-0917	EA		10" x 40", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	134.52 1.76 11.40	7.54
08 71 11 00-0918	EA		10" x 42", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	139.75 1.76 11.40	7.54
08 71 11 00-0919	EA		10" x 44", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	146.73 1.76 11.40	7.98
08 71 11 00-0920	EA		10" x 46", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	151.96 1.76 11.40	7.98
08 71 11 00-0921	EA		10" x 48", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	157.17 1.76 11.40	7.98
08 71 11 00-0922	EA		12" x 22", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	95.46 1.76 11.40	6.65
08 71 11 00-0923	EA		12" x 24", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	101.75 1.76 11.40	6.65

08 Openings**08 70 Hardware**

08 71 Door Hardware



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 71 11 00-0924	EA	12" x 26", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate108.00	6.65	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-0925	EA	12" x 28", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate114.26	6.65	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-0926	EA	12" x 30", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate122.32	7.09	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-0927	EA	12" x 32", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate128.58	7.09	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-0928	EA	12" x 34", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate134.85	7.09	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-0929	EA	12" x 36", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate141.09	7.09	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-0930	EA	12" x 38", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate149.16	7.54	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-0931	EA	12" x 40", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate155.40	7.54	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-0932	EA	12" x 42", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate161.67	7.54	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-0933	EA	12" x 44", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate169.70	7.98	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-0934	EA	12" x 46", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate175.95	7.98	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-0935	EA	12" x 48", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate182.24	7.98	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-0936	EA	14" x 22", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate108.75	7.09	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-0937	EA	14" x 24", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate116.04	7.09	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-0938	EA	14" x 26", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate123.35	7.09	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-0939	EA	14" x 28", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate130.68	7.09	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-0940	EA	14" x 30", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate139.75	7.54	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-0941	EA	14" x 32", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate147.06	7.54	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-0942	EA	14" x 34", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate154.36	7.54	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-0943	EA	14" x 36", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate161.67	7.54	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-0944	EA	14" x 38", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate170.74	7.98	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-0945	EA	14" x 40", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate178.05	7.98	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-0946	EA	14" x 42", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate185.35	7.98	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-0947	EA	14" x 44", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate194.43	8.42	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-0948	EA	14" x 46", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate201.75	8.42	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-0949	EA	14" x 48", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate209.06	8.42	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-0950	EA	16" x 22", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate149.39	7.09	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-0951	EA	16" x 24", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate160.42	7.09	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		



Openings	08	08
Hardware	08 70	
Door Hardware	08 71	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 71 11 00-0952	EA		16" x 26", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	171.42 1.76 11.40	7.09
08 71 11 00-0953	EA		16" x 28", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	182.40 1.76 11.40	7.09
08 71 11 00-0954	EA		16" x 30", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	195.17 1.76 11.40	7.54
08 71 11 00-0955	EA		16" x 32", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	206.19 1.76 11.40	7.54
08 71 11 00-0956	EA		16" x 34", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	217.20 1.76 11.40	7.54
08 71 11 00-0957	EA		16" x 36", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	228.17 1.76 11.40	7.54
08 71 11 00-0958	EA		16" x 38", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	240.97 1.76 11.40	7.98
08 71 11 00-0959	EA		16" x 40", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	251.98 1.76 11.40	7.98
08 71 11 00-0960	EA		16" x 42", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	262.98 1.76 11.40	7.98
08 71 11 00-0961	EA		16" x 44", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	275.74 1.76 11.40	8.42
08 71 11 00-0962	EA		16" x 46", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	286.73 1.76 11.40	8.42
08 71 11 00-0963	EA		16" x 48", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	297.75 1.76 11.40	8.42
08 71 11 00-0964	EA		18" x 22", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	164.28 6.30 11.40	7.09
08 71 11 00-0965	EA		18" x 24", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	176.63 6.30 11.40	7.09
08 71 11 00-0966	EA		18" x 26", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	188.97 6.30 11.40	7.09
08 71 11 00-0967	EA		18" x 28", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	201.35 6.30 11.40	7.09
08 71 11 00-0968	EA		18" x 30", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	215.47 6.30 11.40	7.54
08 71 11 00-0969	EA		18" x 32", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	227.81 6.30 11.40	7.54
08 71 11 00-0970	EA		18" x 34", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	240.19 6.30 11.40	7.54
08 71 11 00-0971	EA		18" x 36", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	252.52 6.30 11.40	7.54
08 71 11 00-0972	EA		18" x 38", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	266.67 6.30 11.40	7.98
08 71 11 00-0973	EA		18" x 40", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	279.02 6.30 11.40	7.98
08 71 11 00-0974	EA		18" x 42", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	291.36 6.30 11.40	7.98
08 71 11 00-0975	EA		18" x 44", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	305.51 6.30 11.40	8.42
08 71 11 00-0976	EA		18" x 46", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	317.84 6.30 11.40	8.42
08 71 11 00-0977	EA		18" x 48", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	330.19 6.30 11.40	8.42
08 71 11 00-0978	EA		20" x 22", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	181.15 6.30 11.40	7.54
08 71 11 00-0979	EA		20" x 24", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	194.87 6.30 11.40	7.54

08 Openings**08 70 Hardware**

08 71 Door Hardware



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 71 11 00-0980	EA	20" x 26", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate	208.61	7.54
		<i>For Four Beveled Edges, Add</i>		6.30	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-0981	EA	20" x 28", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate	222.31	7.54
		<i>For Four Beveled Edges, Add</i>		6.30	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-0982	EA	20" x 30", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate	237.83	7.98
		<i>For Four Beveled Edges, Add</i>		6.30	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-0983	EA	20" x 32", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate	251.56	7.98
		<i>For Four Beveled Edges, Add</i>		6.30	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-0984	EA	20" x 34", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate	265.28	7.98
		<i>For Four Beveled Edges, Add</i>		6.30	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-0985	EA	20" x 36", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate	279.02	7.98
		<i>For Four Beveled Edges, Add</i>		6.30	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-0986	EA	20" x 38", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate	294.49	8.42
		<i>For Four Beveled Edges, Add</i>		6.30	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-0987	EA	20" x 40", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate	308.24	8.42
		<i>For Four Beveled Edges, Add</i>		6.30	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-0988	EA	20" x 42", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate	321.97	8.42
		<i>For Four Beveled Edges, Add</i>		6.30	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-0989	EA	20" x 44", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate	337.46	8.86
		<i>For Four Beveled Edges, Add</i>		6.30	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-0990	EA	20" x 46", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate	351.20	8.86
		<i>For Four Beveled Edges, Add</i>		6.30	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-0991	EA	20" x 48", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate	364.90	8.86
		<i>For Four Beveled Edges, Add</i>		6.30	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-0992	EA	22" x 22", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate	196.26	7.54
		<i>For Four Beveled Edges, Add</i>		6.30	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-0993	EA	22" x 24", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate	211.34	7.54
		<i>For Four Beveled Edges, Add</i>		6.30	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-0994	EA	22" x 26", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate	226.44	7.54
		<i>For Four Beveled Edges, Add</i>		6.30	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-0995	EA	22" x 28", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate	241.55	7.54
		<i>For Four Beveled Edges, Add</i>		6.30	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-0996	EA	22" x 30", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate	258.42	7.98
		<i>For Four Beveled Edges, Add</i>		6.30	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-0997	EA	22" x 32", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate	273.53	7.98
		<i>For Four Beveled Edges, Add</i>		6.30	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-0998	EA	22" x 34", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate	288.63	7.98
		<i>For Four Beveled Edges, Add</i>		6.30	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-0999	EA	22" x 36", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate	303.74	7.98
		<i>For Four Beveled Edges, Add</i>		6.30	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-1000	EA	22" x 38", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate	320.59	8.42
		<i>For Four Beveled Edges, Add</i>		6.30	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-1001	EA	22" x 40", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate	335.69	8.42
		<i>For Four Beveled Edges, Add</i>		6.30	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-1002	EA	22" x 42", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate	350.80	8.42
		<i>For Four Beveled Edges, Add</i>		6.30	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-1003	EA	22" x 44", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate	367.66	8.86
		<i>For Four Beveled Edges, Add</i>		6.30	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-1004	EA	22" x 46", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate	382.78	8.86
		<i>For Four Beveled Edges, Add</i>		6.30	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-1005	EA	22" x 48", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate	397.84	8.86
		<i>For Four Beveled Edges, Add</i>		6.30	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-1006	EA	24" x 22", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate	211.34	7.54
		<i>For Four Beveled Edges, Add</i>		6.30	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-1007	EA	24" x 24", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate	227.81	7.54
		<i>For Four Beveled Edges, Add</i>		6.30	
		<i>For UL Label (Fire Rated), Add</i>		11.40	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 71 11 00-1008 EA 24" x 26", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	244.30 6.30 11.40	7.54
08 71 11 00-1009 EA 24" x 28", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	260.77 6.30 11.40	7.54
08 71 11 00-1010 EA 24" x 30", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	279.02 6.30 11.40	7.98
08 71 11 00-1011 EA 24" x 32", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	295.48 6.30 11.40	7.98
08 71 11 00-1012 EA 24" x 34", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	311.96 6.30 11.40	7.98
08 71 11 00-1013 EA 24" x 36", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	329.34 6.30 11.40	7.98
08 71 11 00-1014 EA 24" x 38", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	346.67 6.30 11.40	8.42
08 71 11 00-1015 EA 24" x 40", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	363.13 6.30 11.40	8.42
08 71 11 00-1016 EA 24" x 42", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	379.61 6.30 11.40	8.42
08 71 11 00-1017 EA 24" x 44", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	397.84 6.30 11.40	8.86
08 71 11 00-1018 EA 24" x 46", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	414.35 6.30 11.40	8.86
08 71 11 00-1019 EA 24" x 48", 0.050" Thick, Bright/Satin Brass Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	430.81 6.30 11.40	8.86
08 71 11 00-1020 Bright/Satin Chrome Finish, Brass Kick Plate <small>(08 71 11 00-0892)</small>		
08 71 11 00-1021 EA 8" x 22", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	77.24 1.76 11.40	6.65
08 71 11 00-1022 EA 8" x 24", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	81.85 1.76 11.40	6.65
08 71 11 00-1023 EA 8" x 26", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	86.45 1.76 11.40	6.65
08 71 11 00-1024 EA 8" x 28", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	91.06 1.76 11.40	6.65
08 71 11 00-1025 EA 8" x 30", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	97.45 1.76 11.40	7.09
08 71 11 00-1026 EA 8" x 32", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	102.04 1.76 11.40	7.09
08 71 11 00-1027 EA 8" x 34", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	106.64 1.76 11.40	7.09
08 71 11 00-1028 EA 8" x 36", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	111.25 1.76 11.40	7.09
08 71 11 00-1029 EA 8" x 38", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	117.63 1.76 11.40	7.54
08 71 11 00-1030 EA 8" x 40", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	122.25 1.76 11.40	7.54
08 71 11 00-1031 EA 8" x 42", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	126.85 1.76 11.40	7.54
08 71 11 00-1032 EA 8" x 44", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	133.23 1.76 11.40	7.98
08 71 11 00-1033 EA 8" x 46", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	137.83 1.76 11.40	7.98
08 71 11 00-1034 EA 8" x 48", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	142.44 1.76 11.40	7.98
08 71 11 00-1035 EA 10" x 22", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	89.91 1.76 11.40	6.65

08 Openings**08 70 Hardware**

08 71 Door Hardware



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 71 11 00-1036	EA	10" x 24", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate95.67	6.65	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1037	EA	10" x 26", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate101.42	6.65	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1038	EA	10" x 28", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate107.17	6.65	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1039	EA	10" x 30", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate114.72	7.09	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1040	EA	10" x 32", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate120.48	7.09	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1041	EA	10" x 34", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate126.23	7.09	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1042	EA	10" x 36", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate131.98	7.09	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1043	EA	10" x 38", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate139.51	7.54	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1044	EA	10" x 40", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate145.26	7.54	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1045	EA	10" x 42", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate151.02	7.54	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1046	EA	10" x 44", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate158.54	7.98	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1047	EA	10" x 46", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate164.29	7.98	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1048	EA	10" x 48", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate170.05	7.98	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1049	EA	12" x 22", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate102.57	6.65	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1050	EA	12" x 24", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate109.47	6.65	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1051	EA	12" x 26", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate116.40	6.65	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1052	EA	12" x 28", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate123.30	6.65	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1053	EA	12" x 30", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate131.98	7.09	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1054	EA	12" x 32", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate138.90	7.09	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1055	EA	12" x 34", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate145.80	7.09	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1056	EA	12" x 36", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate152.70	7.09	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1057	EA	12" x 38", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate161.38	7.54	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1058	EA	12" x 40", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate168.28	7.54	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1059	EA	12" x 42", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate175.19	7.54	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1060	EA	12" x 44", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate183.86	7.98	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1061	EA	12" x 46", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate190.80	7.98	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1062	EA	12" x 48", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate197.70	7.98	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1063	EA	14" x 22", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate117.00	7.09	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		



Openings	08	08
Hardware	08 70	
Door Hardware	08 71	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 71 11 00-1064	EA		14" x 24", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	125.08 1.76 11.40	7.09
08 71 11 00-1065	EA		14" x 26", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	133.15 1.76 11.40	7.09
08 71 11 00-1066	EA		14" x 28", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	141.20 1.76 11.40	7.09
08 71 11 00-1067	EA		14" x 30", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	151.02 1.76 11.40	7.54
08 71 11 00-1068	EA		14" x 32", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	159.08 1.76 11.40	7.54
08 71 11 00-1069	EA		14" x 34", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	167.13 1.76 11.40	7.54
08 71 11 00-1070	EA		14" x 36", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	175.19 1.76 11.40	7.54
08 71 11 00-1071	EA		14" x 38", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	185.04 1.76 11.40	7.98
08 71 11 00-1072	EA		14" x 40", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	193.09 1.76 11.40	7.98
08 71 11 00-1073	EA		14" x 42", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	201.14 1.76 11.40	7.98
08 71 11 00-1074	EA		14" x 44", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	196.45 1.76 11.40	8.42
08 71 11 00-1075	EA		14" x 46", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	219.02 1.76 11.40	8.42
08 71 11 00-1076	EA		14" x 48", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	227.09 1.76 11.40	8.42
08 71 11 00-1077	EA		16" x 22", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	163.44 1.76 11.40	7.09
08 71 11 00-1078	EA		16" x 24", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	175.73 1.76 11.40	7.09
08 71 11 00-1079	EA		16" x 26", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	188.01 1.76 11.40	7.09
08 71 11 00-1080	EA		16" x 28", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	200.29 1.76 11.40	7.09
08 71 11 00-1081	EA		16" x 30", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	214.34 1.76 11.40	7.54
08 71 11 00-1082	EA		16" x 32", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	226.61 1.76 11.40	7.54
08 71 11 00-1083	EA		16" x 34", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	238.91 1.76 11.40	7.54
08 71 11 00-1084	EA		16" x 36", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	251.18 1.76 11.40	7.54
08 71 11 00-1085	EA		16" x 38", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	265.23 1.76 11.40	7.98
08 71 11 00-1086	EA		16" x 40", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	277.51 1.76 11.40	7.98
08 71 11 00-1087	EA		16" x 42", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	289.79 1.76 11.40	7.98
08 71 11 00-1088	EA		16" x 44", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	303.84 1.76 11.40	8.42
08 71 11 00-1089	EA		16" x 46", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	316.11 1.76 11.40	8.42
08 71 11 00-1090	EA		16" x 48", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	328.39 1.76 11.40	8.42
08 71 11 00-1091	EA		18" x 22", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	179.89 6.30 11.40	7.09

08 Openings**08 70 Hardware**

08 71 Door Hardware



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 71 11 00-1092	EA		18" x 24", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	193.68 6.30 11.40	7.09
08 71 11 00-1093	EA		18" x 26", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	207.44 6.30 11.40	7.09
08 71 11 00-1094	EA		18" x 28", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	221.23 6.30 11.40	7.09
08 71 11 00-1095	EA		18" x 30", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	236.76 6.30 11.40	7.54
08 71 11 00-1096	EA		18" x 32", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	250.53 6.30 11.40	7.54
08 71 11 00-1097	EA		18" x 34", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	264.31 6.30 11.40	7.54
08 71 11 00-1098	EA		18" x 36", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	278.08 6.30 11.40	7.54
08 71 11 00-1099	EA		18" x 38", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	293.61 6.30 11.40	7.98
08 71 11 00-1100	EA		18" x 40", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	307.40 6.30 11.40	7.98
08 71 11 00-1101	EA		18" x 42", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	321.19 6.30 11.40	7.98
08 71 11 00-1102	EA		18" x 44", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	336.72 6.30 11.40	8.42
08 71 11 00-1103	EA		18" x 46", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	350.51 6.30 11.40	8.42
08 71 11 00-1104	EA		18" x 48", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	364.27 6.30 11.40	8.42
08 71 11 00-1105	EA		20" x 22", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	198.48 6.30 11.40	7.54
08 71 11 00-1106	EA		20" x 24", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	213.81 6.30 11.40	7.54
08 71 11 00-1107	EA		20" x 26", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	229.10 6.30 11.40	7.54
08 71 11 00-1108	EA		20" x 28", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	244.43 6.30 11.40	7.54
08 71 11 00-1109	EA		20" x 30", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	261.48 6.30 11.40	7.98
08 71 11 00-1110	EA		20" x 32", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	276.78 6.30 11.40	7.98
08 71 11 00-1111	EA		20" x 34", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	292.10 6.30 11.40	7.98
08 71 11 00-1112	EA		20" x 36", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	307.40 6.30 11.40	7.98
08 71 11 00-1113	EA		20" x 38", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	324.50 6.30 11.40	8.42
08 71 11 00-1114	EA		20" x 40", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	339.78 6.30 11.40	8.42
08 71 11 00-1115	EA		20" x 42", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	355.08 6.30 11.40	8.42
08 71 11 00-1116	EA		20" x 44", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	372.17 6.30 11.40	8.86
08 71 11 00-1117	EA		20" x 46", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	387.47 6.30 11.40	8.86
08 71 11 00-1118	EA		20" x 48", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	402.78 6.30 11.40	8.86
08 71 11 00-1119	EA		22" x 22", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	215.32 6.30 11.40	7.54



Openings	08	08
Hardware	08 70	
Door Hardware	08 71	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 71 11 00-1120	EA		22" x 24", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	232.18 6.30 11.40	7.54
08 71 11 00-1121	EA		22" x 26", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	249.01 6.30 11.40	7.54
08 71 11 00-1122	EA		22" x 28", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	265.83 6.30 11.40	7.54
08 71 11 00-1123	EA		22" x 30", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	284.46 6.30 11.40	7.98
08 71 11 00-1124	EA		22" x 32", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	301.28 6.30 11.40	7.98
08 71 11 00-1125	EA		22" x 34", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	318.12 6.30 11.40	7.98
08 71 11 00-1126	EA		22" x 36", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	334.95 6.30 11.40	7.98
08 71 11 00-1127	EA		22" x 38", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	353.57 6.30 11.40	8.42
08 71 11 00-1128	EA		22" x 40", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	370.40 6.30 11.40	8.42
08 71 11 00-1129	EA		22" x 42", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	387.24 6.30 11.40	8.42
08 71 11 00-1130	EA		22" x 44", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	405.83 6.30 11.40	8.86
08 71 11 00-1131	EA		22" x 46", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	422.66 6.30 11.40	8.86
08 71 11 00-1132	EA		22" x 48", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	439.51 6.30 11.40	8.86
08 71 11 00-1133	EA		24" x 22", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	232.18 6.30 11.40	7.54
08 71 11 00-1134	EA		24" x 24", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	250.53 6.30 11.40	7.54
08 71 11 00-1135	EA		24" x 26", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	268.90 6.30 11.40	7.54
08 71 11 00-1136	EA		24" x 28", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	287.26 6.30 11.40	7.54
08 71 11 00-1137	EA		24" x 30", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	307.40 6.30 11.40	7.98
08 71 11 00-1138	EA		24" x 32", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	325.76 6.30 11.40	7.98
08 71 11 00-1139	EA		24" x 34", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	344.16 6.30 11.40	7.98
08 71 11 00-1140	EA		24" x 36", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	362.50 6.30 11.40	7.98
08 71 11 00-1141	EA		24" x 38", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	382.63 6.30 11.40	8.42
08 71 11 00-1142	EA		24" x 40", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	401.01 6.30 11.40	8.42
08 71 11 00-1143	EA		24" x 42", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	419.38 6.30 11.40	8.42
08 71 11 00-1144	EA		24" x 44", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	439.51 6.30 11.40	8.86
08 71 11 00-1145	EA		24" x 46", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	457.88 6.30 11.40	8.86
08 71 11 00-1146	EA		24" x 48", 0.050" Thick, Bright/Satin Chrome Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	476.25 6.30 11.40	8.86

08 71 11 00-1147 Satin/Dark Bronze Finish, Brass Kick Plate (08 71 11 00-0892)

08 Openings**08 70 Hardware**

08 71 Door Hardware



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 71 11 00-1148	EA	8" x 22", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate.....	78.14	6.65	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1149	EA	8" x 24", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate.....	82.81	6.65	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1150	EA	8" x 26", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate.....	87.51	6.65	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1151	EA	8" x 28", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate.....	92.18	6.65	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1152	EA	8" x 30", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate.....	98.67	7.09	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1153	EA	8" x 32", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate.....	103.34	7.09	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1154	EA	8" x 34", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate.....	108.04	7.09	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1155	EA	8" x 36", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate.....	112.72	7.09	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1156	EA	8" x 38", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate.....	119.15	7.54	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1157	EA	8" x 40", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate.....	123.86	7.54	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1158	EA	8" x 42", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate.....	128.54	7.54	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1159	EA	8" x 44", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate.....	135.00	7.98	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1160	EA	8" x 46", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate.....	139.68	7.98	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1161	EA	8" x 48", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate.....	144.37	7.98	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1162	EA	10" x 22", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate.....	91.02	6.65	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1163	EA	10" x 24", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate.....	96.89	6.65	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1164	EA	10" x 26", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate.....	102.73	6.65	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1165	EA	10" x 28", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate.....	108.58	6.65	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1166	EA	10" x 30", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate.....	116.22	7.09	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1167	EA	10" x 32", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate.....	122.09	7.09	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1168	EA	10" x 34", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate.....	127.93	7.09	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1169	EA	10" x 36", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate.....	133.79	7.09	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1170	EA	10" x 38", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate.....	141.43	7.54	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1171	EA	10" x 40", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate.....	147.28	7.54	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1172	EA	10" x 42", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate.....	153.12	7.54	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1173	EA	10" x 44", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate.....	160.78	7.98	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1174	EA	10" x 46", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate.....	166.62	7.98	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1175	EA	10" x 48", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate.....	172.47	7.98	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		



Openings	08	08
Hardware	08 70	
Door Hardware	08 71	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 71 11 00-1176	EA		12" x 22", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	103.90 1.76 11.40	6.65
08 71 11 00-1177	EA		12" x 24", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	110.94 1.76 11.40	6.65
08 71 11 00-1178	EA		12" x 26", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	117.95 1.76 11.40	6.65
08 71 11 00-1179	EA		12" x 28", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	124.99 1.76 11.40	6.65
08 71 11 00-1180	EA		12" x 30", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	133.79 1.76 11.40	7.09
08 71 11 00-1181	EA		12" x 32", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	140.83 1.76 11.40	7.09
08 71 11 00-1182	EA		12" x 34", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	147.86 1.76 11.40	7.09
08 71 11 00-1183	EA		12" x 36", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	154.88 1.76 11.40	7.09
08 71 11 00-1184	EA		12" x 38", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	163.69 1.76 11.40	7.54
08 71 11 00-1185	EA		12" x 40", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	170.70 1.76 11.40	7.54
08 71 11 00-1186	EA		12" x 42", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	177.72 1.76 11.40	7.54
08 71 11 00-1187	EA		12" x 44", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	186.52 1.76 11.40	7.98
08 71 11 00-1188	EA		12" x 46", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	193.57 1.76 11.40	7.98
08 71 11 00-1189	EA		12" x 48", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	200.59 1.76 11.40	7.98
08 71 11 00-1190	EA		14" x 22", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	118.56 1.76 11.40	7.09
08 71 11 00-1191	EA		14" x 24", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	126.77 1.76 11.40	7.09
08 71 11 00-1192	EA		14" x 26", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	134.96 1.76 11.40	7.09
08 71 11 00-1193	EA		14" x 28", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	143.16 1.76 11.40	7.09
08 71 11 00-1194	EA		14" x 30", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	153.12 1.76 11.40	7.54
08 71 11 00-1195	EA		14" x 32", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	161.33 1.76 11.40	7.54
08 71 11 00-1196	EA		14" x 34", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	169.53 1.76 11.40	7.54
08 71 11 00-1197	EA		14" x 36", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	177.72 1.76 11.40	7.54
08 71 11 00-1198	EA		14" x 38", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	187.70 1.76 11.40	7.98
08 71 11 00-1199	EA		14" x 40", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	195.90 1.76 11.40	7.98
08 71 11 00-1200	EA		14" x 42", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	204.09 1.76 11.40	7.98
08 71 11 00-1201	EA		14" x 44", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	214.07 1.76 11.40	8.42
08 71 11 00-1202	EA		14" x 46", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	222.29 1.76 11.40	8.42
08 71 11 00-1203	EA		14" x 48", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	230.49 1.76 11.40	8.42

08 Openings**08 70 Hardware**

08 71 Door Hardware



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 71 11 00-1204	EA	16" x 22", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate.....	163.44	7.09	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1205	EA	16" x 24", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate.....	175.73	7.09	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1206	EA	16" x 26", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate.....	188.01	7.09	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1207	EA	16" x 28", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate.....	200.29	7.09	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1208	EA	16" x 30", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate.....	214.34	7.54	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1209	EA	16" x 32", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate.....	226.61	7.54	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1210	EA	16" x 34", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate.....	238.91	7.54	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1211	EA	16" x 36", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate.....	251.18	7.54	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1212	EA	16" x 38", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate.....	265.23	7.98	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1213	EA	16" x 40", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate.....	277.51	7.98	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1214	EA	16" x 42", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate.....	289.79	7.98	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1215	EA	16" x 44", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate.....	303.84	8.42	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1216	EA	16" x 46", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate.....	316.11	8.42	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1217	EA	16" x 48", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate.....	328.39	8.42	
		<i>For Four Beveled Edges, Add</i>	1.76		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1218	EA	18" x 22", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate.....	179.89	7.09	
		<i>For Four Beveled Edges, Add</i>	6.30		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1219	EA	18" x 24", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate.....	193.68	7.09	
		<i>For Four Beveled Edges, Add</i>	6.30		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1220	EA	18" x 26", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate.....	207.44	7.09	
		<i>For Four Beveled Edges, Add</i>	6.30		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1221	EA	18" x 28", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate.....	221.23	7.09	
		<i>For Four Beveled Edges, Add</i>	6.30		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1222	EA	18" x 30", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate.....	236.76	7.54	
		<i>For Four Beveled Edges, Add</i>	6.30		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1223	EA	18" x 32", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate.....	250.53	7.54	
		<i>For Four Beveled Edges, Add</i>	6.30		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1224	EA	18" x 34", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate.....	264.31	7.54	
		<i>For Four Beveled Edges, Add</i>	6.30		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1225	EA	18" x 36", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate.....	278.08	7.54	
		<i>For Four Beveled Edges, Add</i>	6.30		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1226	EA	18" x 38", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate.....	293.61	7.98	
		<i>For Four Beveled Edges, Add</i>	6.30		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1227	EA	18" x 40", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate.....	307.40	7.98	
		<i>For Four Beveled Edges, Add</i>	6.30		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1228	EA	18" x 42", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate.....	321.19	7.98	
		<i>For Four Beveled Edges, Add</i>	6.30		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1229	EA	18" x 44", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate.....	336.72	8.42	
		<i>For Four Beveled Edges, Add</i>	6.30		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1230	EA	18" x 46", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate.....	350.51	8.42	
		<i>For Four Beveled Edges, Add</i>	6.30		
		<i>For UL Label (Fire Rated), Add</i>	11.40		
08 71 11 00-1231	EA	18" x 48", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate.....	364.27	8.42	
		<i>For Four Beveled Edges, Add</i>	6.30		
		<i>For UL Label (Fire Rated), Add</i>	11.40		



Openings	08	08
Hardware	08 70	
Door Hardware	08 71	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 71 11 00-1232	EA		20" x 22", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	198.48 6.30 11.40	7.54
08 71 11 00-1233	EA		20" x 24", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	213.81 6.30 11.40	7.54
08 71 11 00-1234	EA		20" x 26", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	229.10 6.30 11.40	7.54
08 71 11 00-1235	EA		20" x 28", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	244.43 6.30 11.40	7.54
08 71 11 00-1236	EA		20" x 30", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	261.48 6.30 11.40	7.98
08 71 11 00-1237	EA		20" x 32", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	276.78 6.30 11.40	7.98
08 71 11 00-1238	EA		20" x 34", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	292.10 6.30 11.40	7.98
08 71 11 00-1239	EA		20" x 36", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	307.40 6.30 11.40	7.98
08 71 11 00-1240	EA		20" x 38", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	324.50 6.30 11.40	8.42
08 71 11 00-1241	EA		20" x 40", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	339.78 6.30 11.40	8.42
08 71 11 00-1242	EA		20" x 42", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	355.08 6.30 11.40	8.42
08 71 11 00-1243	EA		20" x 44", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	372.17 6.30 11.40	8.86
08 71 11 00-1244	EA		20" x 46", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	387.47 6.30 11.40	8.86
08 71 11 00-1245	EA		20" x 48", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	402.78 6.30 11.40	8.86
08 71 11 00-1246	EA		22" x 22", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	215.32 6.30 11.40	7.54
08 71 11 00-1247	EA		22" x 24", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	232.18 6.30 11.40	7.54
08 71 11 00-1248	EA		22" x 26", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	249.01 6.30 11.40	7.54
08 71 11 00-1249	EA		22" x 28", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	265.83 6.30 11.40	7.54
08 71 11 00-1250	EA		22" x 30", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	284.46 6.30 11.40	7.98
08 71 11 00-1251	EA		22" x 32", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	301.28 6.30 11.40	7.98
08 71 11 00-1252	EA		22" x 34", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	318.12 6.30 11.40	7.98
08 71 11 00-1253	EA		22" x 36", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	334.95 6.30 11.40	7.98
08 71 11 00-1254	EA		22" x 38", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	353.57 6.30 11.40	8.42
08 71 11 00-1255	EA		22" x 40", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	370.40 6.30 11.40	8.42
08 71 11 00-1256	EA		22" x 42", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	387.24 6.30 11.40	8.42
08 71 11 00-1257	EA		22" x 44", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	405.83 6.30 11.40	8.86
08 71 11 00-1258	EA		22" x 46", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	422.66 6.30 11.40	8.86
08 71 11 00-1259	EA		22" x 48", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	439.51 6.30 11.40	8.86

08 Openings**08 70 Hardware**

08 71 Door Hardware



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 71 11 00-1260	EA		24" x 22", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	232.18 6.30 11.40	7.54
08 71 11 00-1261	EA		24" x 24", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	250.53 6.30 11.40	7.54
08 71 11 00-1262	EA		24" x 26", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	268.90 6.30 11.40	7.54
08 71 11 00-1263	EA		24" x 28", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	287.26 6.30 11.40	7.54
08 71 11 00-1264	EA		24" x 30", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	307.40 6.30 11.40	7.98
08 71 11 00-1265	EA		24" x 32", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	325.76 6.30 11.40	7.98
08 71 11 00-1266	EA		24" x 34", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	344.16 6.30 11.40	7.98
08 71 11 00-1267	EA		24" x 36", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	362.50 6.30 11.40	7.98
08 71 11 00-1268	EA		24" x 38", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	382.63 6.30 11.40	8.42
08 71 11 00-1269	EA		24" x 40", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	401.01 6.30 11.40	8.42
08 71 11 00-1270	EA		24" x 42", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	419.38 6.30 11.40	8.42
08 71 11 00-1271	EA		24" x 44", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	439.51 6.30 11.40	8.86
08 71 11 00-1272	EA		24" x 46", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	457.88 6.30 11.40	8.86
08 71 11 00-1273	EA		24" x 48", 0.050" Thick, Satin/Dark Bronze Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	476.25 6.30 11.40	8.86
08 71 11 00-1274			Satin Nickel Finish, Brass Kick Plate (08 71 11 00-0892)		
08 71 11 00-1275	EA		8" x 22", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	78.14 1.76 11.40	6.65
08 71 11 00-1276	EA		8" x 24", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	82.81 1.76 11.40	6.65
08 71 11 00-1277	EA		8" x 26", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	87.51 1.76 11.40	6.65
08 71 11 00-1278	EA		8" x 28", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	92.18 1.76 11.40	6.65
08 71 11 00-1279	EA		8" x 30", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	98.67 1.76 11.40	7.09
08 71 11 00-1280	EA		8" x 32", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	103.34 1.76 11.40	7.09
08 71 11 00-1281	EA		8" x 34", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	108.04 1.76 11.40	7.09
08 71 11 00-1282	EA		8" x 36", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	112.72 1.76 11.40	7.09
08 71 11 00-1283	EA		8" x 38", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	119.15 1.76 11.40	7.54
08 71 11 00-1284	EA		8" x 40", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	123.86 1.76 11.40	7.54
08 71 11 00-1285	EA		8" x 42", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	128.54 1.76 11.40	7.54
08 71 11 00-1286	EA		8" x 44", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	135.00 1.76 11.40	7.98
08 71 11 00-1287	EA		8" x 46", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	139.68 1.76 11.40	7.98



Openings	08	08
Hardware	08 70	
Door Hardware	08 71	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 71 11 00-1288	EA		8" x 48", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	144.37 1.76 11.40	7.98
08 71 11 00-1289	EA		10" x 22", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	91.02 1.76 11.40	6.65
08 71 11 00-1290	EA		10" x 24", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	96.89 1.76 11.40	6.65
08 71 11 00-1291	EA		10" x 26", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	102.73 1.76 11.40	6.65
08 71 11 00-1292	EA		10" x 28", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	108.58 1.76 11.40	6.65
08 71 11 00-1293	EA		10" x 30", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	116.22 1.76 11.40	7.09
08 71 11 00-1294	EA		10" x 32", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	122.09 1.76 11.40	7.09
08 71 11 00-1295	EA		10" x 34", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	127.93 1.76 11.40	7.09
08 71 11 00-1296	EA		10" x 36", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	133.79 1.76 11.40	7.09
08 71 11 00-1297	EA		10" x 38", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	141.43 1.76 11.40	7.54
08 71 11 00-1298	EA		10" x 40", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	147.28 1.76 11.40	7.54
08 71 11 00-1299	EA		10" x 42", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	153.12 1.76 11.40	7.54
08 71 11 00-1300	EA		10" x 44", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	160.78 1.76 11.40	7.98
08 71 11 00-1301	EA		10" x 46", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	166.62 1.76 11.40	7.98
08 71 11 00-1302	EA		10" x 48", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	172.47 1.76 11.40	7.98
08 71 11 00-1303	EA		12" x 22", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	103.90 1.76 11.40	6.65
08 71 11 00-1304	EA		12" x 24", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	110.94 1.76 11.40	6.65
08 71 11 00-1305	EA		12" x 26", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	117.95 1.76 11.40	6.65
08 71 11 00-1306	EA		12" x 28", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	124.99 1.76 11.40	6.65
08 71 11 00-1307	EA		12" x 30", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	133.79 1.76 11.40	7.09
08 71 11 00-1308	EA		12" x 32", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	140.83 1.76 11.40	7.09
08 71 11 00-1309	EA		12" x 34", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	147.86 1.76 11.40	7.09
08 71 11 00-1310	EA		12" x 36", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	154.88 1.76 11.40	7.09
08 71 11 00-1311	EA		12" x 38", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	163.69 1.76 11.40	7.54
08 71 11 00-1312	EA		12" x 40", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	170.70 1.76 11.40	7.54
08 71 11 00-1313	EA		12" x 42", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	177.72 1.76 11.40	7.54
08 71 11 00-1314	EA		12" x 44", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	186.52 1.76 11.40	7.98
08 71 11 00-1315	EA		12" x 46", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	193.57 1.76 11.40	7.98

08 Openings**08 70 Hardware**

08 71 Door Hardware



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 71 11 00-1316	EA		12" x 48", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	200.59 1.76 11.40	7.98
08 71 11 00-1317	EA		14" x 22", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	118.56 1.76 11.40	7.09
08 71 11 00-1318	EA		14" x 24", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	126.77 1.76 11.40	7.09
08 71 11 00-1319	EA		14" x 26", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	134.96 1.76 11.40	7.09
08 71 11 00-1320	EA		14" x 28", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	143.16 1.76 11.40	7.09
08 71 11 00-1321	EA		14" x 30", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	153.12 1.76 11.40	7.54
08 71 11 00-1322	EA		14" x 32", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	161.33 1.76 11.40	7.54
08 71 11 00-1323	EA		14" x 34", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	169.53 1.76 11.40	7.54
08 71 11 00-1324	EA		14" x 36", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	177.72 1.76 11.40	7.54
08 71 11 00-1325	EA		14" x 38", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	187.70 1.76 11.40	7.98
08 71 11 00-1326	EA		14" x 40", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	195.90 1.76 11.40	7.98
08 71 11 00-1327	EA		14" x 42", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	204.09 1.76 11.40	7.98
08 71 11 00-1328	EA		14" x 44", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	214.07 1.76 11.40	8.42
08 71 11 00-1329	EA		14" x 46", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	222.29 1.76 11.40	8.42
08 71 11 00-1330	EA		14" x 48", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	230.49 1.76 11.40	8.42
08 71 11 00-1331	EA		16" x 22", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	163.44 1.76 11.40	7.09
08 71 11 00-1332	EA		16" x 24", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	175.73 1.76 11.40	7.09
08 71 11 00-1333	EA		16" x 26", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	188.01 1.76 11.40	7.09
08 71 11 00-1334	EA		16" x 28", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	200.29 1.76 11.40	7.09
08 71 11 00-1335	EA		16" x 30", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	214.34 1.76 11.40	7.54
08 71 11 00-1336	EA		16" x 32", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	226.61 1.76 11.40	7.54
08 71 11 00-1337	EA		16" x 34", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	238.91 1.76 11.40	7.54
08 71 11 00-1338	EA		16" x 36", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	251.18 1.76 11.40	7.54
08 71 11 00-1339	EA		16" x 38", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	265.23 1.76 11.40	7.98
08 71 11 00-1340	EA		16" x 40", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	277.51 1.76 11.40	7.98
08 71 11 00-1341	EA		16" x 42", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	289.79 1.76 11.40	7.98
08 71 11 00-1342	EA		16" x 44", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	303.84 1.76 11.40	8.42
08 71 11 00-1343	EA		16" x 46", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	316.11 1.76 11.40	8.42



Openings	08	08
Hardware	08 70	
Door Hardware	08 71	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 71 11 00-1344	EA		16" x 48", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	328.39 1.76 11.40	8.42
08 71 11 00-1345	EA		18" x 22", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	179.89 6.30 11.40	7.09
08 71 11 00-1346	EA		18" x 24", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	193.68 6.30 11.40	7.09
08 71 11 00-1347	EA		18" x 26", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	207.44 6.30 11.40	7.09
08 71 11 00-1348	EA		18" x 28", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	221.23 6.30 11.40	7.09
08 71 11 00-1349	EA		18" x 30", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	236.76 6.30 11.40	7.54
08 71 11 00-1350	EA		18" x 32", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	250.53 6.30 11.40	7.54
08 71 11 00-1351	EA		18" x 34", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	264.31 6.30 11.40	7.54
08 71 11 00-1352	EA		18" x 36", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	278.08 6.30 11.40	7.54
08 71 11 00-1353	EA		18" x 38", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	293.61 6.30 11.40	7.98
08 71 11 00-1354	EA		18" x 40", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	307.40 6.30 11.40	7.98
08 71 11 00-1355	EA		18" x 42", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	321.19 6.30 11.40	7.98
08 71 11 00-1356	EA		18" x 44", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	336.72 6.30 11.40	8.42
08 71 11 00-1357	EA		18" x 46", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	350.51 6.30 11.40	8.42
08 71 11 00-1358	EA		18" x 48", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	364.27 6.30 11.40	8.42
08 71 11 00-1359	EA		20" x 22", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	198.48 6.30 11.40	7.54
08 71 11 00-1360	EA		20" x 24", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	213.81 6.30 11.40	7.54
08 71 11 00-1361	EA		20" x 26", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	229.10 6.30 11.40	7.54
08 71 11 00-1362	EA		20" x 28", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	244.43 6.30 11.40	7.54
08 71 11 00-1363	EA		20" x 30", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	261.48 6.30 11.40	7.98
08 71 11 00-1364	EA		20" x 32", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	276.78 6.30 11.40	7.98
08 71 11 00-1365	EA		20" x 34", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	292.10 6.30 11.40	7.98
08 71 11 00-1366	EA		20" x 36", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	307.40 6.30 11.40	7.98
08 71 11 00-1367	EA		20" x 38", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	324.50 6.30 11.40	8.42
08 71 11 00-1368	EA		20" x 40", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	339.78 6.30 11.40	8.42
08 71 11 00-1369	EA		20" x 42", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	355.08 6.30 11.40	8.42
08 71 11 00-1370	EA		20" x 44", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	372.17 6.30 11.40	8.86
08 71 11 00-1371	EA		20" x 46", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	387.47 6.30 11.40	8.86

08 Openings**08 70 Hardware**

08 71 Door Hardware



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 71 11 00-1372	EA		20" x 48", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	402.78 6.30 11.40	8.86
08 71 11 00-1373	EA		22" x 22", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	215.32 6.30 11.40	7.54
08 71 11 00-1374	EA		22" x 24", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	232.18 6.30 11.40	7.54
08 71 11 00-1375	EA		22" x 26", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	249.01 6.30 11.40	7.54
08 71 11 00-1376	EA		22" x 28", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	265.83 6.30 11.40	7.54
08 71 11 00-1377	EA		22" x 30", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	284.46 6.30 11.40	7.98
08 71 11 00-1378	EA		22" x 32", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	301.28 6.30 11.40	7.98
08 71 11 00-1379	EA		22" x 34", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	318.12 6.30 11.40	7.98
08 71 11 00-1380	EA		22" x 36", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	334.95 6.30 11.40	7.98
08 71 11 00-1381	EA		22" x 38", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	353.57 6.30 11.40	8.42
08 71 11 00-1382	EA		22" x 40", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	370.40 6.30 11.40	8.42
08 71 11 00-1383	EA		22" x 42", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	387.24 6.30 11.40	8.42
08 71 11 00-1384	EA		22" x 44", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	405.83 6.30 11.40	8.86
08 71 11 00-1385	EA		22" x 46", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	422.66 6.30 11.40	8.86
08 71 11 00-1386	EA		22" x 48", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	439.51 6.30 11.40	8.86
08 71 11 00-1387	EA		24" x 22", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	232.18 6.30 11.40	7.54
08 71 11 00-1388	EA		24" x 24", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	250.53 6.30 11.40	7.54
08 71 11 00-1389	EA		24" x 26", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	268.90 6.30 11.40	7.54
08 71 11 00-1390	EA		24" x 28", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	287.26 6.30 11.40	7.54
08 71 11 00-1391	EA		24" x 30", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	307.40 6.30 11.40	7.98
08 71 11 00-1392	EA		24" x 32", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	325.76 6.30 11.40	7.98
08 71 11 00-1393	EA		24" x 34", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	344.16 6.30 11.40	7.98
08 71 11 00-1394	EA		24" x 36", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	362.50 6.30 11.40	7.98
08 71 11 00-1395	EA		24" x 38", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	382.63 6.30 11.40	8.42
08 71 11 00-1396	EA		24" x 40", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	401.01 6.30 11.40	8.42
08 71 11 00-1397	EA		24" x 42", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	419.38 6.30 11.40	8.42
08 71 11 00-1398	EA		24" x 44", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	439.51 6.30 11.40	8.86
08 71 11 00-1399	EA		24" x 46", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	457.88 6.30 11.40	8.86



Openings	08	08
Hardware	08 70	
Door Hardware	08 71	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 71 11 00-1400	EA		24" x 48", 0.050" Thick, Satin Nickel Finish, Brass Kick Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	476.25 6.30 11.40	8.86
08 71 11 00-1401			Stainless Base Material Kick Plate (08 71 11 00-0763)		
08 71 11 00-1402			Satin Stainless Finish, Stainless Kick Plate (08 71 11 00-1401)		
08 71 11 00-1403	EA		8" x 22", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	42.67 1.76 11.40	6.65
08 71 11 00-1404	EA		8" x 24", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	44.16 1.76 11.40	6.65
08 71 11 00-1405	EA		8" x 26", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	45.60 1.76 11.40	6.65
08 71 11 00-1406	EA		8" x 28", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	47.09 1.76 11.40	6.65
08 71 11 00-1407	EA		8" x 30", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	50.32 1.76 11.40	7.09
08 71 11 00-1408	EA		8" x 32", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	51.76 1.76 11.40	7.09
08 71 11 00-1409	EA		8" x 34", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	53.26 1.76 11.40	7.09
08 71 11 00-1410	EA		8" x 36", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	54.71 1.76 11.40	7.09
08 71 11 00-1411	EA		8" x 38", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	57.95 1.76 11.40	7.54
08 71 11 00-1412	EA		8" x 40", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	59.42 1.76 11.40	7.54
08 71 11 00-1413	EA		8" x 42", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	60.87 1.76 11.40	7.54
08 71 11 00-1414	EA		8" x 44", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	64.11 1.76 11.40	7.98
08 71 11 00-1415	EA		8" x 46", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	65.58 1.76 11.40	7.98
08 71 11 00-1416	EA		8" x 48", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	67.03 1.76 11.40	7.98
08 71 11 00-1417	EA		10" x 22", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	46.70 1.76 11.40	6.65
08 71 11 00-1418	EA		10" x 24", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	48.54 1.76 11.40	6.65
08 71 11 00-1419	EA		10" x 26", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	50.38 1.76 11.40	6.65
08 71 11 00-1420	EA		10" x 28", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	52.19 1.76 11.40	6.65
08 71 11 00-1421	EA		10" x 30", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	55.82 1.76 11.40	7.09
08 71 11 00-1422	EA		10" x 32", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	57.65 1.76 11.40	7.09
08 71 11 00-1423	EA		10" x 34", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	59.46 1.76 11.40	7.09
08 71 11 00-1424	EA		10" x 36", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	61.28 1.76 11.40	7.09
08 71 11 00-1425	EA		10" x 38", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	64.91 1.76 11.40	7.54
08 71 11 00-1426	EA		10" x 40", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	66.73 1.76 11.40	7.54
08 71 11 00-1427	EA		10" x 42", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	68.54 1.76 11.40	7.54

08 Openings**08 70 Hardware**

08 71 Door Hardware



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 71 11 00-1428	EA		10" x 44", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	72.16 1.76 11.40	7.98
08 71 11 00-1429	EA		10" x 46", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	73.99 1.76 11.40	7.98
08 71 11 00-1430	EA		10" x 48", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	75.81 1.76 11.40	7.98
08 71 11 00-1431	EA		12" x 22", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	50.74 1.76 11.40	6.65
08 71 11 00-1432	EA		12" x 24", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	52.93 1.76 11.40	6.65
08 71 11 00-1433	EA		12" x 26", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	55.13 1.76 11.40	6.65
08 71 11 00-1434	EA		12" x 28", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	57.32 1.76 11.40	6.65
08 71 11 00-1435	EA		12" x 30", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	61.28 1.76 11.40	7.09
08 71 11 00-1436	EA		12" x 32", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	63.49 1.76 11.40	7.09
08 71 11 00-1437	EA		12" x 34", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	65.67 1.76 11.40	7.09
08 71 11 00-1438	EA		12" x 36", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	67.88 1.76 11.40	7.09
08 71 11 00-1439	EA		12" x 38", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	71.83 1.76 11.40	7.54
08 71 11 00-1440	EA		12" x 40", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	74.04 1.76 11.40	7.54
08 71 11 00-1441	EA		12" x 42", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	76.24 1.76 11.40	7.54
08 71 11 00-1442	EA		12" x 44", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	80.19 1.76 11.40	7.98
08 71 11 00-1443	EA		12" x 46", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	82.40 1.76 11.40	7.98
08 71 11 00-1444	EA		12" x 48", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	84.58 1.76 11.40	7.98
08 71 11 00-1445	EA		14" x 22", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	56.54 1.76 11.40	7.09
08 71 11 00-1446	EA		14" x 24", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	59.10 1.76 11.40	7.09
08 71 11 00-1447	EA		14" x 26", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	61.67 1.76 11.40	7.09
08 71 11 00-1448	EA		14" x 28", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	64.23 1.76 11.40	7.09
08 71 11 00-1449	EA		14" x 30", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	68.54 1.76 11.40	7.54
08 71 11 00-1450	EA		14" x 32", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	71.11 1.76 11.40	7.54
08 71 11 00-1451	EA		14" x 34", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	73.67 1.76 11.40	7.54
08 71 11 00-1452	EA		14" x 36", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	76.24 1.76 11.40	7.54
08 71 11 00-1453	EA		14" x 38", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	80.59 1.76 11.40	7.98
08 71 11 00-1454	EA		14" x 40", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	83.11 1.76 11.40	7.98
08 71 11 00-1455	EA		14" x 42", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	85.69 1.76 11.40	7.98



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 71 11 00-1456	EA		14" x 44", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	90.03 1.76 11.40	8.42
08 71 11 00-1457	EA		14" x 46", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	92.58 1.76 11.40	8.42
08 71 11 00-1458	EA		14" x 48", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	95.16 1.76 11.40	8.42
08 71 11 00-1459	EA		16" x 22", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	62.68 1.76 11.40	7.09
08 71 11 00-1460	EA		16" x 24", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	65.94 1.76 11.40	7.09
08 71 11 00-1461	EA		16" x 26", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	69.08 1.76 11.40	7.09
08 71 11 00-1462	EA		16" x 28", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	72.21 1.76 11.40	7.09
08 71 11 00-1463	EA		16" x 30", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	77.10 1.76 11.40	7.54
08 71 11 00-1464	EA		16" x 32", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	80.24 1.76 11.40	7.54
08 71 11 00-1465	EA		16" x 34", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	83.38 1.76 11.40	7.54
08 71 11 00-1466	EA		16" x 36", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	86.50 1.76 11.40	7.54
08 71 11 00-1467	EA		16" x 38", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	91.40 1.76 11.40	7.98
08 71 11 00-1468	EA		16" x 40", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	94.55 1.76 11.40	7.98
08 71 11 00-1469	EA		16" x 42", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	97.69 1.76 11.40	7.98
08 71 11 00-1470	EA		16" x 44", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	102.84 1.76 11.40	8.42
08 71 11 00-1471	EA		16" x 46", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	105.71 1.76 11.40	8.42
08 71 11 00-1472	EA		16" x 48", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	108.84 1.76 11.40	8.42
08 71 11 00-1473	EA		18" x 22", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	66.25 6.30 11.40	7.09
08 71 11 00-1474	EA		18" x 24", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	69.71 6.30 11.40	7.09
08 71 11 00-1475	EA		18" x 26", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	73.14 6.30 11.40	7.09
08 71 11 00-1476	EA		18" x 28", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	76.58 6.30 11.40	7.09
08 71 11 00-1477	EA		18" x 30", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	81.81 6.30 11.40	7.54
08 71 11 00-1478	EA		18" x 32", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	85.24 6.30 11.40	7.54
08 71 11 00-1479	EA		18" x 34", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	88.68 6.30 11.40	7.54
08 71 11 00-1480	EA		18" x 36", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	92.11 6.30 11.40	7.54
08 71 11 00-1481	EA		18" x 38", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	97.34 6.30 11.40	7.98
08 71 11 00-1482	EA		18" x 40", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	100.78 6.30 11.40	7.98
08 71 11 00-1483	EA		18" x 42", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	104.21 6.30 11.40	7.98

08 Openings**08 70 Hardware**

08 71 Door Hardware



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 71 11 00-1484	EA	18" x 44", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate	109.44	8.42
		<i>For Four Beveled Edges, Add</i>		6.30	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-1485	EA	18" x 46", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate	112.90	8.42
		<i>For Four Beveled Edges, Add</i>		6.30	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-1486	EA	18" x 48", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate	116.33	8.42
		<i>For Four Beveled Edges, Add</i>		6.30	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-1487	EA	20" x 22", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate	72.23	7.54
		<i>For Four Beveled Edges, Add</i>		6.30	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-1488	EA	20" x 24", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate	76.05	7.54
		<i>For Four Beveled Edges, Add</i>		6.30	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-1489	EA	20" x 26", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate	79.89	7.54
		<i>For Four Beveled Edges, Add</i>		6.30	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-1490	EA	20" x 28", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate	83.70	7.54
		<i>For Four Beveled Edges, Add</i>		6.30	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-1491	EA	20" x 30", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate	89.30	7.98
		<i>For Four Beveled Edges, Add</i>		6.30	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-1492	EA	20" x 32", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate	93.14	7.98
		<i>For Four Beveled Edges, Add</i>		6.30	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-1493	EA	20" x 34", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate	96.95	7.98
		<i>For Four Beveled Edges, Add</i>		6.30	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-1494	EA	20" x 36", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate	100.78	7.98
		<i>For Four Beveled Edges, Add</i>		6.30	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-1495	EA	20" x 38", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate	106.37	8.42
		<i>For Four Beveled Edges, Add</i>		6.30	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-1496	EA	20" x 40", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate	110.21	8.42
		<i>For Four Beveled Edges, Add</i>		6.30	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-1497	EA	20" x 42", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate	114.05	8.42
		<i>For Four Beveled Edges, Add</i>		6.30	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-1498	EA	20" x 44", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate	119.62	8.86
		<i>For Four Beveled Edges, Add</i>		6.30	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-1499	EA	20" x 46", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate	123.46	8.86
		<i>For Four Beveled Edges, Add</i>		6.30	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-1500	EA	20" x 48", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate	127.28	8.86
		<i>For Four Beveled Edges, Add</i>		6.30	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-1501	EA	22" x 22", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate	76.43	7.54
		<i>For Four Beveled Edges, Add</i>		6.30	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-1502	EA	22" x 24", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate	80.66	7.54
		<i>For Four Beveled Edges, Add</i>		6.30	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-1503	EA	22" x 26", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate	84.85	7.54
		<i>For Four Beveled Edges, Add</i>		6.30	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-1504	EA	22" x 28", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate	89.07	7.54
		<i>For Four Beveled Edges, Add</i>		6.30	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-1505	EA	22" x 30", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate	95.03	7.98
		<i>For Four Beveled Edges, Add</i>		6.30	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-1506	EA	22" x 32", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate	99.26	7.98
		<i>For Four Beveled Edges, Add</i>		6.30	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-1507	EA	22" x 34", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate	103.46	7.98
		<i>For Four Beveled Edges, Add</i>		6.30	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-1508	EA	22" x 36", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate	107.67	7.98
		<i>For Four Beveled Edges, Add</i>		6.30	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-1509	EA	22" x 38", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate	113.64	8.42
		<i>For Four Beveled Edges, Add</i>		6.30	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-1510	EA	22" x 40", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate	117.85	8.42
		<i>For Four Beveled Edges, Add</i>		6.30	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-1511	EA	22" x 42", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate	122.08	8.42
		<i>For Four Beveled Edges, Add</i>		6.30	
		<i>For UL Label (Fire Rated), Add</i>		11.40	



Openings	08	08
Hardware	08 70	
Door Hardware	08 71	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 71 11 00-1512	EA		22" x 44", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	128.04 6.30 11.40	8.86
08 71 11 00-1513	EA		22" x 46", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	132.26 6.30 11.40	8.86
08 71 11 00-1514	EA		22" x 48", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	136.45 6.30 11.40	8.86
08 71 11 00-1515	EA		24" x 22", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	80.66 6.30 11.40	7.54
08 71 11 00-1516	EA		24" x 24", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	85.24 6.30 11.40	7.54
08 71 11 00-1517	EA		24" x 26", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	89.84 6.30 11.40	7.54
08 71 11 00-1518	EA		24" x 28", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	94.42 6.30 11.40	7.54
08 71 11 00-1519	EA		24" x 30", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	100.78 6.30 11.40	7.98
08 71 11 00-1520	EA		24" x 32", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	105.37 6.30 11.40	7.98
08 71 11 00-1521	EA		24" x 34", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	109.97 6.30 11.40	7.98
08 71 11 00-1522	EA		24" x 36", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	114.56 6.30 11.40	7.98
08 71 11 00-1523	EA		24" x 38", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	120.92 6.30 11.40	8.42
08 71 11 00-1524	EA		24" x 40", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	125.51 6.30 11.40	8.42
08 71 11 00-1525	EA		24" x 42", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	130.10 6.30 11.40	8.42
08 71 11 00-1526	EA		24" x 44", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	136.45 6.30 11.40	8.86
08 71 11 00-1527	EA		24" x 46", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	141.05 6.30 11.40	8.86
08 71 11 00-1528	EA		24" x 48", 0.050" Thick, Satin Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	145.66 6.30 11.40	8.86
08 71 11 00-1529			Bright Stainless Finish, Stainless Kick Plate (08 71 11 00-1401)		
08 71 11 00-1530	EA		8" x 22", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	63.66 1.76 11.40	6.65
08 71 11 00-1531	EA		8" x 24", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	67.04 1.76 11.40	6.65
08 71 11 00-1532	EA		8" x 26", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	70.40 1.76 11.40	6.65
08 71 11 00-1533	EA		8" x 28", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	73.77 1.76 11.40	6.65
08 71 11 00-1534	EA		8" x 30", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	78.91 1.76 11.40	7.09
08 71 11 00-1535	EA		8" x 32", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	82.29 1.76 11.40	7.09
08 71 11 00-1536	EA		8" x 34", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	85.65 1.76 11.40	7.09
08 71 11 00-1537	EA		8" x 36", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	89.03 1.76 11.40	7.09
08 71 11 00-1538	EA		8" x 38", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	94.14 1.76 11.40	7.54
08 71 11 00-1539	EA		8" x 40", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	97.53 1.76 11.40	7.54

08 Openings**08 70 Hardware**

08 71 Door Hardware



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 71 11 00-1540	EA	8" x 42", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate	100.92	7.54
		<i>For Four Beveled Edges, Add</i>		1.76	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-1541	EA	8" x 44", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate	106.04	7.98
		<i>For Four Beveled Edges, Add</i>		1.76	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-1542	EA	8" x 46", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate	109.41	7.98
		<i>For Four Beveled Edges, Add</i>		1.76	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-1543	EA	8" x 48", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate	112.77	7.98
		<i>For Four Beveled Edges, Add</i>		1.76	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-1544	EA	10" x 22", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate	72.93	6.65
		<i>For Four Beveled Edges, Add</i>		1.76	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-1545	EA	10" x 24", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate	77.13	6.65
		<i>For Four Beveled Edges, Add</i>		1.76	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-1546	EA	10" x 26", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate	81.35	6.65
		<i>For Four Beveled Edges, Add</i>		1.76	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-1547	EA	10" x 28", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate	85.57	6.65
		<i>For Four Beveled Edges, Add</i>		1.76	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-1548	EA	10" x 30", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate	91.55	7.09
		<i>For Four Beveled Edges, Add</i>		1.76	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-1549	EA	10" x 32", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate	95.76	7.09
		<i>For Four Beveled Edges, Add</i>		1.76	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-1550	EA	10" x 34", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate	99.99	7.09
		<i>For Four Beveled Edges, Add</i>		1.76	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-1551	EA	10" x 36", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate	104.20	7.09
		<i>For Four Beveled Edges, Add</i>		1.76	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-1552	EA	10" x 38", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate	110.17	7.54
		<i>For Four Beveled Edges, Add</i>		1.76	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-1553	EA	10" x 40", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate	114.38	7.54
		<i>For Four Beveled Edges, Add</i>		1.76	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-1554	EA	10" x 42", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate	118.61	7.54
		<i>For Four Beveled Edges, Add</i>		1.76	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-1555	EA	10" x 44", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate	124.57	7.98
		<i>For Four Beveled Edges, Add</i>		1.76	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-1556	EA	10" x 46", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate	128.80	7.98
		<i>For Four Beveled Edges, Add</i>		1.76	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-1557	EA	10" x 48", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate	133.01	7.98
		<i>For Four Beveled Edges, Add</i>		1.76	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-1558	EA	12" x 22", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate	82.18	6.65
		<i>For Four Beveled Edges, Add</i>		1.76	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-1559	EA	12" x 24", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate	87.25	6.65
		<i>For Four Beveled Edges, Add</i>		1.76	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-1560	EA	12" x 26", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate	92.31	6.65
		<i>For Four Beveled Edges, Add</i>		1.76	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-1561	EA	12" x 28", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate	97.37	6.65
		<i>For Four Beveled Edges, Add</i>		1.76	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-1562	EA	12" x 30", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate	104.20	7.09
		<i>For Four Beveled Edges, Add</i>		1.76	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-1563	EA	12" x 32", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate	109.23	7.09
		<i>For Four Beveled Edges, Add</i>		1.76	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-1564	EA	12" x 34", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate	114.30	7.09
		<i>For Four Beveled Edges, Add</i>		1.76	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-1565	EA	12" x 36", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate	119.36	7.09
		<i>For Four Beveled Edges, Add</i>		1.76	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-1566	EA	12" x 38", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate	126.18	7.54
		<i>For Four Beveled Edges, Add</i>		1.76	
		<i>For UL Label (Fire Rated), Add</i>		11.40	
08 71 11 00-1567	EA	12" x 40", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate	131.24	7.54
		<i>For Four Beveled Edges, Add</i>		1.76	
		<i>For UL Label (Fire Rated), Add</i>		11.40	



Openings	08	08
Hardware	08 70	
Door Hardware	08 71	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 71 11 00-1568	EA		12" x 42", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	136.28 1.76 11.40	7.54
08 71 11 00-1569	EA		12" x 44", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	143.12 1.76 11.40	7.98
08 71 11 00-1570	EA		12" x 46", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	148.16 1.76 11.40	7.98
08 71 11 00-1571	EA		12" x 48", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	153.22 1.76 11.40	7.98
08 71 11 00-1572	EA		14" x 22", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	93.25 1.76 11.40	7.09
08 71 11 00-1573	EA		14" x 24", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	99.15 1.76 11.40	7.09
08 71 11 00-1574	EA		14" x 26", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	105.04 1.76 11.40	7.09
08 71 11 00-1575	EA		14" x 28", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	110.94 1.76 11.40	7.09
08 71 11 00-1576	EA		14" x 30", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	118.61 1.76 11.40	7.54
08 71 11 00-1577	EA		14" x 32", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	124.50 1.76 11.40	7.54
08 71 11 00-1578	EA		14" x 34", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	130.40 1.76 11.40	7.54
08 71 11 00-1579	EA		14" x 36", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	136.28 1.76 11.40	7.54
08 71 11 00-1580	EA		14" x 38", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	143.97 1.76 11.40	7.98
08 71 11 00-1581	EA		14" x 40", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	149.86 1.76 11.40	7.98
08 71 11 00-1582	EA		14" x 42", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	155.76 1.76 11.40	7.98
08 71 11 00-1583	EA		14" x 44", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	163.43 1.76 11.40	8.42
08 71 11 00-1584	EA		14" x 46", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	169.30 1.76 11.40	8.42
08 71 11 00-1585	EA		14" x 48", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	175.20 1.76 11.40	8.42
08 71 11 00-1586	EA		16" x 22", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	102.50 1.76 11.40	7.09
08 71 11 00-1587	EA		16" x 24", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	109.23 1.76 11.40	7.09
08 71 11 00-1588	EA		16" x 26", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	116.00 1.76 11.40	7.09
08 71 11 00-1589	EA		16" x 28", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	122.73 1.76 11.40	7.09
08 71 11 00-1590	EA		16" x 30", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	131.24 1.76 11.40	7.54
08 71 11 00-1591	EA		16" x 32", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	137.98 1.76 11.40	7.54
08 71 11 00-1592	EA		16" x 34", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	144.71 1.76 11.40	7.54
08 71 11 00-1593	EA		16" x 36", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	151.45 1.76 11.40	7.54
08 71 11 00-1594	EA		16" x 38", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	159.96 1.76 11.40	7.98
08 71 11 00-1595	EA		16" x 40", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	166.69 1.76 11.40	7.98

08 Openings**08 70 Hardware**

08 71 Door Hardware



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 71 11 00-1596	EA		16" x 42", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	173.43 1.76 11.40	7.98
08 71 11 00-1597	EA		16" x 44", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	181.94 1.76 11.40	8.42
08 71 11 00-1598	EA		16" x 46", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	188.70 1.76 11.40	8.42
08 71 11 00-1599	EA		16" x 48", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	195.44 1.76 11.40	8.42
08 71 11 00-1600	EA		18" x 22", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	112.76 6.30 11.40	7.09
08 71 11 00-1601	EA		18" x 24", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	120.46 6.30 11.40	7.09
08 71 11 00-1602	EA		18" x 26", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	128.10 6.30 11.40	7.09
08 71 11 00-1603	EA		18" x 28", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	135.80 6.30 11.40	7.09
08 71 11 00-1604	EA		18" x 30", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	145.25 6.30 11.40	7.54
08 71 11 00-1605	EA		18" x 32", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	152.89 6.30 11.40	7.54
08 71 11 00-1606	EA		18" x 34", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	160.59 6.30 11.40	7.54
08 71 11 00-1607	EA		18" x 36", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	172.62 6.30 11.40	7.54
08 71 11 00-1608	EA		18" x 38", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	177.70 6.30 11.40	7.98
08 71 11 00-1609	EA		18" x 40", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	185.38 6.30 11.40	7.98
08 71 11 00-1610	EA		18" x 42", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	193.05 6.30 11.40	7.98
08 71 11 00-1611	EA		18" x 44", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	202.49 6.30 11.40	8.42
08 71 11 00-1612	EA		18" x 46", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	210.16 6.30 11.40	8.42
08 71 11 00-1613	EA		18" x 48", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	217.83 6.30 11.40	8.42
08 71 11 00-1614	EA		20" x 22", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	123.93 6.30 11.40	7.54
08 71 11 00-1615	EA		20" x 24", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	132.45 6.30 11.40	7.54
08 71 11 00-1616	EA		20" x 26", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	140.97 6.30 11.40	7.54
08 71 11 00-1617	EA		20" x 28", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	149.49 6.30 11.40	7.54
08 71 11 00-1618	EA		20" x 30", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	159.79 6.30 11.40	7.98
08 71 11 00-1619	EA		20" x 32", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	168.33 6.30 11.40	7.98
08 71 11 00-1620	EA		20" x 34", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	176.83 6.30 11.40	7.98
08 71 11 00-1621	EA		20" x 36", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	185.38 6.30 11.40	7.98
08 71 11 00-1622	EA		20" x 38", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	195.65 6.30 11.40	8.42
08 71 11 00-1623	EA		20" x 40", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	204.19 6.30 11.40	8.42



Openings	08	08
Hardware	08 70	
Door Hardware	08 71	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 71 11 00-1624	EA		20" x 42", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	212.72 6.30 11.40	8.42
08 71 11 00-1625	EA		20" x 44", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	223.00 6.30 11.40	8.86
08 71 11 00-1626	EA		20" x 46", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	231.53 6.30 11.40	8.86
08 71 11 00-1627	EA		20" x 48", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	240.05 6.30 11.40	8.86
08 71 11 00-1628	EA		22" x 22", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	133.30 6.30 11.40	7.54
08 71 11 00-1629	EA		22" x 24", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	142.67 6.30 11.40	7.54
08 71 11 00-1630	EA		22" x 26", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	152.05 6.30 11.40	7.54
08 71 11 00-1631	EA		22" x 28", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	161.42 6.30 11.40	7.54
08 71 11 00-1632	EA		22" x 30", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	172.57 6.30 11.40	7.98
08 71 11 00-1633	EA		22" x 32", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	181.96 6.30 11.40	7.98
08 71 11 00-1634	EA		22" x 34", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	191.35 6.30 11.40	7.98
08 71 11 00-1635	EA		22" x 36", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	200.72 6.30 11.40	7.98
08 71 11 00-1636	EA		22" x 38", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	211.86 6.30 11.40	8.42
08 71 11 00-1637	EA		22" x 40", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	221.23 6.30 11.40	8.42
08 71 11 00-1638	EA		22" x 42", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	230.61 6.30 11.40	8.42
08 71 11 00-1639	EA		22" x 44", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	241.75 6.30 11.40	8.86
08 71 11 00-1640	EA		22" x 46", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	251.15 6.30 11.40	8.86
08 71 11 00-1641	EA		22" x 48", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	260.52 6.30 11.40	8.86
08 71 11 00-1642	EA		24" x 22", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	142.67 6.30 11.40	7.54
08 71 11 00-1643	EA		24" x 24", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	152.89 6.30 11.40	7.54
08 71 11 00-1644	EA		24" x 26", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	163.13 6.30 11.40	7.54
08 71 11 00-1645	EA		24" x 28", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	173.36 6.30 11.40	7.54
08 71 11 00-1646	EA		24" x 30", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	185.38 6.30 11.40	7.98
08 71 11 00-1647	EA		24" x 32", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	195.59 6.30 11.40	7.98
08 71 11 00-1648	EA		24" x 34", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	205.82 6.30 11.40	7.98
08 71 11 00-1649	EA		24" x 36", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	216.06 6.30 11.40	7.98
08 71 11 00-1650	EA		24" x 38", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	228.06 6.30 11.40	8.42
08 71 11 00-1651	EA		24" x 40", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	238.28 6.30 11.40	8.42

08 Openings**08 70 Hardware****08 71 Door Hardware**MINOR
CSI UOM DESCRIPTIONTOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

08 71 11 00-1652	EA	24" x 42", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	248.52 6.30 11.40	8.42
08 71 11 00-1653	EA	24" x 44", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	260.52 6.30 11.40	8.86
08 71 11 00-1654	EA	24" x 46", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	270.76 6.30 11.40	8.86
08 71 11 00-1655	EA	24" x 48", 0.050" Thick, Bright Stainless Finish, Stainless Kick Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	280.98 6.30 11.40	8.86

08 71 11 00-1656 Plastic Kick Plate (08 71 11 00-0763)

08 71 11 00-1657 Clear Or Black Finish, Plastic Kick Plate (08 71 11 00-1656)

Note: With four beveled edges.

08 71 11 00-1658	EA	8" x 22", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate	38.51	6.65
08 71 11 00-1659	EA	8" x 24", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate	39.57	6.65
08 71 11 00-1660	EA	8" x 26", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate	40.68	6.65
08 71 11 00-1661	EA	8" x 28", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate	41.76	6.65
08 71 11 00-1662	EA	8" x 30", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate	44.63	7.09
08 71 11 00-1663	EA	8" x 32", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate	45.71	7.09
08 71 11 00-1664	EA	8" x 34", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate	46.77	7.09
08 71 11 00-1665	EA	8" x 36", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate	47.88	7.09
08 71 11 00-1666	EA	8" x 38", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate	52.04	7.54
08 71 11 00-1667	EA	8" x 40", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate	51.79	7.54
08 71 11 00-1668	EA	8" x 42", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate	52.90	7.54
08 71 11 00-1669	EA	8" x 44", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate	55.74	7.98
08 71 11 00-1670	EA	8" x 46", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate	56.84	7.98
08 71 11 00-1671	EA	8" x 48", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate	57.91	7.98
08 71 11 00-1672	EA	10" x 22", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate	41.48	6.65
08 71 11 00-1673	EA	10" x 24", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate	42.85	6.65
08 71 11 00-1674	EA	10" x 26", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate	44.19	6.65
08 71 11 00-1675	EA	10" x 28", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate	45.53	6.65
08 71 11 00-1676	EA	10" x 30", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate	48.68	7.09
08 71 11 00-1677	EA	10" x 32", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate	50.02	7.09
08 71 11 00-1678	EA	10" x 34", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate	51.39	7.09
08 71 11 00-1679	EA	10" x 36", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate	52.73	7.09
08 71 11 00-1680	EA	10" x 38", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate	55.87	7.54
08 71 11 00-1681	EA	10" x 40", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate	57.21	7.54
08 71 11 00-1682	EA	10" x 42", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate	58.58	7.54
08 71 11 00-1683	EA	10" x 44", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate	61.69	7.98
08 71 11 00-1684	EA	10" x 46", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate	63.06	7.98
08 71 11 00-1685	EA	10" x 48", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate	64.40	7.98
08 71 11 00-1686	EA	12" x 22", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate	44.47	6.65
08 71 11 00-1687	EA	12" x 24", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate	46.10	6.65
08 71 11 00-1688	EA	12" x 26", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate	47.70	6.65
08 71 11 00-1689	EA	12" x 28", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate	49.35	6.65
08 71 11 00-1690	EA	12" x 30", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate	52.73	7.09
08 71 11 00-1691	EA	12" x 32", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate	54.37	7.09
08 71 11 00-1692	EA	12" x 34", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate	56.01	7.09
08 71 11 00-1693	EA	12" x 36", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate	57.62	7.09
08 71 11 00-1694	EA	12" x 38", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate	61.00	7.54
08 71 11 00-1695	EA	12" x 40", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate	62.63	7.54
08 71 11 00-1696	EA	12" x 42", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate	64.27	7.54
08 71 11 00-1697	EA	12" x 44", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate	67.65	7.98
08 71 11 00-1698	EA	12" x 46", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate	69.29	7.98
08 71 11 00-1699	EA	12" x 48", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate	70.90	7.98
08 71 11 00-1700	EA	14" x 22", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate	49.22	7.09
08 71 11 00-1701	EA	14" x 24", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate	51.13	7.09
08 71 11 00-1702	EA	14" x 26", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate	53.01	7.09
08 71 11 00-1703	EA	14" x 28", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate	54.91	7.09
08 71 11 00-1704	EA	14" x 30", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate	58.58	7.54
08 71 11 00-1705	EA	14" x 32", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate	60.46	7.54
08 71 11 00-1706	EA	14" x 34", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate	62.37	7.54
08 71 11 00-1707	EA	14" x 36", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate	64.27	7.54
08 71 11 00-1708	EA	14" x 38", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate	67.92	7.98
08 71 11 00-1709	EA	14" x 40", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate	69.83	7.98
08 71 11 00-1710	EA	14" x 42", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate	71.73	7.98
08 71 11 00-1711	EA	14" x 44", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate	75.38	8.42
08 71 11 00-1712	EA	14" x 46", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate	77.28	8.42
08 71 11 00-1713	EA	14" x 48", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate	79.16	8.42
08 71 11 00-1714	EA	16" x 22", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate	55.77	7.09
08 71 11 00-1715	EA	16" x 24", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate	58.27	7.09
08 71 11 00-1716	EA	16" x 26", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate	60.73	7.09
08 71 11 00-1717	EA	16" x 28", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate	63.23	7.09
08 71 11 00-1718	EA	16" x 30", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate	67.50	7.54
08 71 11 00-1719	EA	16" x 32", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate	69.98	7.54
08 71 11 00-1720	EA	16" x 34", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate	72.48	7.54
08 71 11 00-1721	EA	16" x 36", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate	74.95	7.54



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 71 11 00-1722	EA		16" x 38", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate.....	79.22	7.98
08 71 11 00-1723	EA		16" x 40", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate.....	81.71	7.98
08 71 11 00-1724	EA		16" x 42", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate.....	84.21	7.98
08 71 11 00-1725	EA		16" x 44", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate.....	88.48	8.42
08 71 11 00-1726	EA		16" x 46", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate.....	90.94	8.42
08 71 11 00-1727	EA		16" x 48", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate.....	93.44	8.42
08 71 11 00-1728	EA		18" x 22", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate.....	59.18	7.09
08 71 11 00-1729	EA		18" x 24", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate.....	61.99	7.09
08 71 11 00-1730	EA		18" x 26", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate.....	64.78	7.09
08 71 11 00-1731	EA		18" x 28", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate.....	67.59	7.09
08 71 11 00-1732	EA		18" x 30", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate.....	134.34	7.54
08 71 11 00-1733	EA		18" x 32", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate.....	74.95	7.54
08 71 11 00-1734	EA		18" x 34", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate.....	77.77	7.54
08 71 11 00-1735	EA		18" x 36", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate.....	80.56	7.54
08 71 11 00-1736	EA		18" x 38", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate.....	85.14	7.98
08 71 11 00-1737	EA		18" x 40", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate.....	87.94	7.98
08 71 11 00-1738	EA		18" x 42", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate.....	90.73	7.98
08 71 11 00-1739	EA		18" x 44", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate.....	95.32	8.42
08 71 11 00-1740	EA		18" x 46", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate.....	98.11	8.42
08 71 11 00-1741	EA		18" x 48", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate.....	100.92	8.42
08 71 11 00-1742	EA		20" x 22", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate.....	64.38	7.54
08 71 11 00-1743	EA		20" x 24", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate.....	67.50	7.54
08 71 11 00-1744	EA		20" x 26", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate.....	70.60	7.54
08 71 11 00-1745	EA		20" x 28", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate.....	73.72	7.54
08 71 11 00-1746	EA		20" x 30", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate.....	78.60	7.98
08 71 11 00-1747	EA		20" x 32", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate.....	81.71	7.98
08 71 11 00-1748	EA		20" x 34", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate.....	84.83	7.98
08 71 11 00-1749	EA		20" x 36", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate.....	87.94	7.98
08 71 11 00-1750	EA		20" x 38", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate.....	92.82	8.42
08 71 11 00-1751	EA		20" x 40", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate.....	95.93	8.42
08 71 11 00-1752	EA		20" x 42", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate.....	99.04	8.42
08 71 11 00-1753	EA		20" x 44", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate.....	103.93	8.86
08 71 11 00-1754	EA		20" x 46", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate.....	107.04	8.86
08 71 11 00-1755	EA		20" x 48", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate.....	110.15	8.86
08 71 11 00-1756	EA		22" x 22", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate.....	67.81	7.54
08 71 11 00-1757	EA		22" x 24", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate.....	71.22	7.54
08 71 11 00-1758	EA		22" x 26", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate.....	74.65	7.54
08 71 11 00-1759	EA		22" x 28", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate.....	78.06	7.54
08 71 11 00-1760	EA		22" x 30", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate.....	83.27	7.98
08 71 11 00-1761	EA		22" x 32", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate.....	86.71	7.98
08 71 11 00-1762	EA		22" x 34", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate.....	90.11	7.98
08 71 11 00-1763	EA		22" x 36", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate.....	93.55	7.98
08 71 11 00-1764	EA		22" x 38", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate.....	98.72	8.42
08 71 11 00-1765	EA		22" x 40", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate.....	102.16	8.42
08 71 11 00-1766	EA		22" x 42", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate.....	105.59	8.42
08 71 11 00-1767	EA		22" x 44", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate.....	110.77	8.86
08 71 11 00-1768	EA		22" x 46", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate.....	114.20	8.86
08 71 11 00-1769	EA		22" x 48", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate.....	117.61	8.86
08 71 11 00-1770	EA		24" x 22", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate.....	71.22	7.54
08 71 11 00-1771	EA		24" x 24", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate.....	74.95	7.54
08 71 11 00-1772	EA		24" x 26", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate.....	78.70	7.54
08 71 11 00-1773	EA		24" x 28", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate.....	82.44	7.54
08 71 11 00-1774	EA		24" x 30", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate.....	87.94	7.98
08 71 11 00-1775	EA		24" x 32", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate.....	91.67	7.98
08 71 11 00-1776	EA		24" x 34", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate.....	95.40	7.98
08 71 11 00-1777	EA		24" x 36", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate.....	99.15	7.98
08 71 11 00-1778	EA		24" x 38", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate.....	104.66	8.42
08 71 11 00-1779	EA		24" x 40", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate.....	108.38	8.42
08 71 11 00-1780	EA		24" x 42", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate.....	112.11	8.42
08 71 11 00-1781	EA		24" x 44", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate.....	117.61	8.86
08 71 11 00-1782	EA		24" x 46", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate.....	121.37	8.86
08 71 11 00-1783	EA		24" x 48", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Kick Plate.....	125.10	8.86

08 71 11 00-1784

Mop Plate (08 71 11 00-0762)
Note: Ives 8400.

08 71 11 00-1785

Aluminum Base Material Mop Plate (08 71 11 00-1784)

08 71 11 00-1786

Satin Aluminum Finish, Aluminum Mop Plate (08 71 11 00-1785)

08 71 11 00-1787	EA		4" x 22", 0.050" Thick, Satin Aluminum Finish, Aluminum Mop Plate.....	34.13	6.47
			<i>For Four Beveled Edges, Add</i>	1.76	
			<i>For UL Label (Fire Rated), Add</i>	11.40	
08 71 11 00-1788	EA		4" x 24", 0.050" Thick, Satin Aluminum Finish, Aluminum Mop Plate.....	34.90	6.47
			<i>For Four Beveled Edges, Add</i>	1.76	
			<i>For UL Label (Fire Rated), Add</i>	11.40	
08 71 11 00-1789	EA		4" x 26", 0.050" Thick, Satin Aluminum Finish, Aluminum Mop Plate.....	35.64	6.47
			<i>For Four Beveled Edges, Add</i>	1.76	
			<i>For UL Label (Fire Rated), Add</i>	11.40	
08 71 11 00-1790	EA		4" x 28", 0.050" Thick, Satin Aluminum Finish, Aluminum Mop Plate.....	36.41	6.47
			<i>For Four Beveled Edges, Add</i>	1.76	
			<i>For UL Label (Fire Rated), Add</i>	11.40	

08 Openings**08 70 Hardware****08 71 Door Hardware**

MINOR		TOTAL DIRECT	DEMOLITION
CSI	UOM DESCRIPTION	UNIT COST	UNIT COST
08 71 11 00-1791	EA 4" x 30", 0.050" Thick, Satin Aluminum Finish, Aluminum Mop Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	38.25 1.76 11.40	6.74
08 71 11 00-1792	EA 4" x 32", 0.050" Thick, Satin Aluminum Finish, Aluminum Mop Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	38.99 1.76 11.40	6.74
08 71 11 00-1793	EA 4" x 34", 0.050" Thick, Satin Aluminum Finish, Aluminum Mop Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	39.76 1.76 11.40	6.74
08 71 11 00-1794	EA 4" x 36", 0.050" Thick, Satin Aluminum Finish, Aluminum Mop Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	40.50 1.76 11.40	6.74
08 71 11 00-1795	EA 4" x 38", 0.050" Thick, Satin Aluminum Finish, Aluminum Mop Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	42.78 1.76 11.40	7.09
08 71 11 00-1796	EA 4" x 40", 0.050" Thick, Satin Aluminum Finish, Aluminum Mop Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	43.54 1.76 11.40	7.09
08 71 11 00-1797	EA 4" x 42", 0.050" Thick, Satin Aluminum Finish, Aluminum Mop Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	44.29 1.76 11.40	7.09
08 71 11 00-1798	EA 4" x 44", 0.050" Thick, Satin Aluminum Finish, Aluminum Mop Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	46.82 1.76 11.40	7.54
08 71 11 00-1799	EA 4" x 46", 0.050" Thick, Satin Aluminum Finish, Aluminum Mop Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	47.59 1.76 11.40	7.54
08 71 11 00-1800	EA 4" x 48", 0.050" Thick, Satin Aluminum Finish, Aluminum Mop Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	48.33 1.76 11.40	7.54
08 71 11 00-1801	EA 6" x 22", 0.050" Thick, Satin Aluminum Finish, Aluminum Mop Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	38.30 1.76 11.40	6.47
08 71 11 00-1802	EA 6" x 24", 0.050" Thick, Satin Aluminum Finish, Aluminum Mop Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	39.43 1.76 11.40	6.47
08 71 11 00-1803	EA 6" x 26", 0.050" Thick, Satin Aluminum Finish, Aluminum Mop Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	40.58 1.76 11.40	6.47
08 71 11 00-1804	EA 6" x 28", 0.050" Thick, Satin Aluminum Finish, Aluminum Mop Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	41.71 1.76 11.40	6.47
08 71 11 00-1805	EA 6" x 30", 0.050" Thick, Satin Aluminum Finish, Aluminum Mop Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	43.93 1.76 11.40	6.74
08 71 11 00-1806	EA 6" x 32", 0.050" Thick, Satin Aluminum Finish, Aluminum Mop Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	45.05 1.76 11.40	6.74
08 71 11 00-1807	EA 6" x 34", 0.050" Thick, Satin Aluminum Finish, Aluminum Mop Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	46.21 1.76 11.40	6.74
08 71 11 00-1808	EA 6" x 36", 0.050" Thick, Satin Aluminum Finish, Aluminum Mop Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	47.33 1.76 11.40	6.74
08 71 11 00-1809	EA 6" x 38", 0.050" Thick, Satin Aluminum Finish, Aluminum Mop Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	49.99 1.76 11.40	7.09
08 71 11 00-1810	EA 6" x 40", 0.050" Thick, Satin Aluminum Finish, Aluminum Mop Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	51.12 1.76 11.40	7.09
08 71 11 00-1811	EA 6" x 42", 0.050" Thick, Satin Aluminum Finish, Aluminum Mop Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	52.27 1.76 11.40	7.09
08 71 11 00-1812	EA 6" x 44", 0.050" Thick, Satin Aluminum Finish, Aluminum Mop Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	55.18 1.76 11.40	7.54
08 71 11 00-1813	EA 6" x 46", 0.050" Thick, Satin Aluminum Finish, Aluminum Mop Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	56.32 1.76 11.40	7.54
08 71 11 00-1814	EA 6" x 48", 0.050" Thick, Satin Aluminum Finish, Aluminum Mop Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	57.44 1.76 11.40	7.54
08 71 11 00-1815	Brass Base Material Mop Plate (08 71 11 00-1794)		
08 71 11 00-1816	Bright/Satin Brass Finish, Brass Mop Plate (08 71 11 00-1815)		
08 71 11 00-1817	EA 4" x 22", 0.050" Thick, Bright/Satin Brass Finish, Brass Mop Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	50.14 1.76 11.40	6.47
08 71 11 00-1818	EA 4" x 24", 0.050" Thick, Bright/Satin Brass Finish, Brass Mop Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	52.38 1.76 11.40	6.47



Openings	08	08
Hardware	08 70	
Door Hardware	08 71	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 71 11 00-1819	EA		4" x 26", 0.050" Thick, Bright/Satin Brass Finish, Brass Mop Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	54.59 1.76 11.40	6.47
08 71 11 00-1820	EA		4" x 28", 0.050" Thick, Bright/Satin Brass Finish, Brass Mop Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	56.81 1.76 11.40	6.47
08 71 11 00-1821	EA		4" x 30", 0.050" Thick, Bright/Satin Brass Finish, Brass Mop Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	60.09 1.76 11.40	6.74
08 71 11 00-1822	EA		4" x 32", 0.050" Thick, Bright/Satin Brass Finish, Brass Mop Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	62.30 1.76 11.40	6.74
08 71 11 00-1823	EA		4" x 34", 0.050" Thick, Bright/Satin Brass Finish, Brass Mop Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	64.52 1.76 11.40	6.74
08 71 11 00-1824	EA		4" x 36", 0.050" Thick, Bright/Satin Brass Finish, Brass Mop Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	66.73 1.76 11.40	6.74
08 71 11 00-1825	EA		4" x 38", 0.050" Thick, Bright/Satin Brass Finish, Brass Mop Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	70.46 1.76 11.40	7.09
08 71 11 00-1826	EA		4" x 40", 0.050" Thick, Bright/Satin Brass Finish, Brass Mop Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	72.67 1.76 11.40	7.09
08 71 11 00-1827	EA		4" x 42", 0.050" Thick, Bright/Satin Brass Finish, Brass Mop Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	74.88 1.76 11.40	7.09
08 71 11 00-1828	EA		4" x 44", 0.050" Thick, Bright/Satin Brass Finish, Brass Mop Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	78.87 1.76 11.40	7.54
08 71 11 00-1829	EA		4" x 46", 0.050" Thick, Bright/Satin Brass Finish, Brass Mop Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	81.08 1.76 11.40	7.54
08 71 11 00-1830	EA		4" x 48", 0.050" Thick, Bright/Satin Brass Finish, Brass Mop Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	83.32 1.76 11.40	7.54
08 71 11 00-1831	EA		6" x 22", 0.050" Thick, Bright/Satin Brass Finish, Brass Mop Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	62.35 1.76 11.40	6.47
08 71 11 00-1832	EA		6" x 24", 0.050" Thick, Bright/Satin Brass Finish, Brass Mop Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	65.66 1.76 11.40	6.47
08 71 11 00-1833	EA		6" x 26", 0.050" Thick, Bright/Satin Brass Finish, Brass Mop Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	68.99 1.76 11.40	6.47
08 71 11 00-1834	EA		6" x 28", 0.050" Thick, Bright/Satin Brass Finish, Brass Mop Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	72.30 1.76 11.40	6.47
08 71 11 00-1835	EA		6" x 30", 0.050" Thick, Bright/Satin Brass Finish, Brass Mop Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	76.70 1.76 11.40	6.74
08 71 11 00-1836	EA		6" x 32", 0.050" Thick, Bright/Satin Brass Finish, Brass Mop Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	80.04 1.76 11.40	6.74
08 71 11 00-1837	EA		6" x 34", 0.050" Thick, Bright/Satin Brass Finish, Brass Mop Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	83.34 1.76 11.40	6.74
08 71 11 00-1838	EA		6" x 36", 0.050" Thick, Bright/Satin Brass Finish, Brass Mop Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	86.68 1.76 11.40	6.74
08 71 11 00-1839	EA		6" x 38", 0.050" Thick, Bright/Satin Brass Finish, Brass Mop Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	91.49 1.76 11.40	7.09
08 71 11 00-1840	EA		6" x 40", 0.050" Thick, Bright/Satin Brass Finish, Brass Mop Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	94.83 1.76 11.40	7.09
08 71 11 00-1841	EA		6" x 42", 0.050" Thick, Bright/Satin Brass Finish, Brass Mop Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	98.16 1.76 11.40	7.09
08 71 11 00-1842	EA		6" x 44", 0.050" Thick, Bright/Satin Brass Finish, Brass Mop Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	103.24 1.76 11.40	7.54
08 71 11 00-1843	EA		6" x 46", 0.050" Thick, Bright/Satin Brass Finish, Brass Mop Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	106.57 1.76 11.40	7.54
08 71 11 00-1844	EA		6" x 48", 0.050" Thick, Bright/Satin Brass Finish, Brass Mop Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	109.88 1.76 11.40	7.54
08 71 11 00-1845			Bright/Satin Chrome Finish, Brass Mop Plate (08 71 11 00-1815)		
08 71 11 00-1846	EA		4" x 22", 0.050" Thick, Bright/Satin Chrome Finish, Brass Mop Plate..... <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	52.45 1.76 11.40	6.47

08 Openings**08 70 Hardware**

08 71 Door Hardware

MINOR
CSI UOM DESCRIPTIONTOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

08 71 11 00-1847	EA 4" x 24", 0.050" Thick, Bright/Satin Chrome Finish, Brass Mop Plate For Four Beveled Edges, Add For UL Label (Fire Rated), Add	54.86 1.76 11.40	6.47
08 71 11 00-1848	EA 4" x 26", 0.050" Thick, Bright/Satin Chrome Finish, Brass Mop Plate For Four Beveled Edges, Add For UL Label (Fire Rated), Add	57.29 1.76 11.40	6.47
08 71 11 00-1849	EA 4" x 28", 0.050" Thick, Bright/Satin Chrome Finish, Brass Mop Plate For Four Beveled Edges, Add For UL Label (Fire Rated), Add	59.72 1.76 11.40	6.47
08 71 11 00-1850	EA 4" x 30", 0.050" Thick, Bright/Satin Chrome Finish, Brass Mop Plate For Four Beveled Edges, Add For UL Label (Fire Rated), Add	63.20 1.76 11.40	6.74
08 71 11 00-1851	EA 4" x 32", 0.050" Thick, Bright/Satin Chrome Finish, Brass Mop Plate For Four Beveled Edges, Add For UL Label (Fire Rated), Add	65.63 1.76 11.40	6.74
08 71 11 00-1852	EA 4" x 34", 0.050" Thick, Bright/Satin Chrome Finish, Brass Mop Plate For Four Beveled Edges, Add For UL Label (Fire Rated), Add	68.05 1.76 11.40	6.74
08 71 11 00-1853	EA 4" x 36", 0.050" Thick, Bright/Satin Chrome Finish, Brass Mop Plate For Four Beveled Edges, Add For UL Label (Fire Rated), Add	70.46 1.76 11.40	6.74
08 71 11 00-1854	EA 4" x 38", 0.050" Thick, Bright/Satin Chrome Finish, Brass Mop Plate For Four Beveled Edges, Add For UL Label (Fire Rated), Add	74.40 1.76 11.40	7.09
08 71 11 00-1855	EA 4" x 40", 0.050" Thick, Bright/Satin Chrome Finish, Brass Mop Plate For Four Beveled Edges, Add For UL Label (Fire Rated), Add	76.84 1.76 11.40	7.09
08 71 11 00-1856	EA 4" x 42", 0.050" Thick, Bright/Satin Chrome Finish, Brass Mop Plate For Four Beveled Edges, Add For UL Label (Fire Rated), Add	79.27 1.76 11.40	7.09
08 71 11 00-1857	EA 4" x 44", 0.050" Thick, Bright/Satin Chrome Finish, Brass Mop Plate For Four Beveled Edges, Add For UL Label (Fire Rated), Add	83.47 1.76 11.40	7.54
08 71 11 00-1858	EA 4" x 46", 0.050" Thick, Bright/Satin Chrome Finish, Brass Mop Plate For Four Beveled Edges, Add For UL Label (Fire Rated), Add	85.88 1.76 11.40	7.54
08 71 11 00-1859	EA 4" x 48", 0.050" Thick, Bright/Satin Chrome Finish, Brass Mop Plate For Four Beveled Edges, Add For UL Label (Fire Rated), Add	88.30 1.76 11.40	7.54
08 71 11 00-1860	EA 6" x 22", 0.050" Thick, Bright/Satin Chrome Finish, Brass Mop Plate For Four Beveled Edges, Add For UL Label (Fire Rated), Add	65.78 1.76 11.40	6.47
08 71 11 00-1861	EA 6" x 24", 0.050" Thick, Bright/Satin Chrome Finish, Brass Mop Plate For Four Beveled Edges, Add For UL Label (Fire Rated), Add	69.39 1.76 11.40	6.47
08 71 11 00-1862	EA 6" x 26", 0.050" Thick, Bright/Satin Chrome Finish, Brass Mop Plate For Four Beveled Edges, Add For UL Label (Fire Rated), Add	73.04 1.76 11.40	6.47
08 71 11 00-1863	EA 6" x 28", 0.050" Thick, Bright/Satin Chrome Finish, Brass Mop Plate For Four Beveled Edges, Add For UL Label (Fire Rated), Add	76.69 1.76 11.40	6.47
08 71 11 00-1864	EA 6" x 30", 0.050" Thick, Bright/Satin Chrome Finish, Brass Mop Plate For Four Beveled Edges, Add For UL Label (Fire Rated), Add	81.38 1.76 11.40	6.74
08 71 11 00-1865	EA 6" x 32", 0.050" Thick, Bright/Satin Chrome Finish, Brass Mop Plate For Four Beveled Edges, Add For UL Label (Fire Rated), Add	85.02 1.76 11.40	6.74
08 71 11 00-1866	EA 6" x 34", 0.050" Thick, Bright/Satin Chrome Finish, Brass Mop Plate For Four Beveled Edges, Add For UL Label (Fire Rated), Add	88.64 1.76 11.40	6.74
08 71 11 00-1867	EA 6" x 36", 0.050" Thick, Bright/Satin Chrome Finish, Brass Mop Plate For Four Beveled Edges, Add For UL Label (Fire Rated), Add	92.29 1.76 11.40	6.74
08 71 11 00-1868	EA 6" x 38", 0.050" Thick, Bright/Satin Chrome Finish, Brass Mop Plate For Four Beveled Edges, Add For UL Label (Fire Rated), Add	97.45 1.76 11.40	7.09
08 71 11 00-1869	EA 6" x 40", 0.050" Thick, Bright/Satin Chrome Finish, Brass Mop Plate For Four Beveled Edges, Add For UL Label (Fire Rated), Add	101.06 1.76 11.40	7.09
08 71 11 00-1870	EA 6" x 42", 0.050" Thick, Bright/Satin Chrome Finish, Brass Mop Plate For Four Beveled Edges, Add For UL Label (Fire Rated), Add	104.71 1.76 11.40	7.09
08 71 11 00-1871	EA 6" x 44", 0.050" Thick, Bright/Satin Chrome Finish, Brass Mop Plate For Four Beveled Edges, Add For UL Label (Fire Rated), Add	110.10 1.76 11.40	7.54
08 71 11 00-1872	EA 6" x 46", 0.050" Thick, Bright/Satin Chrome Finish, Brass Mop Plate For Four Beveled Edges, Add For UL Label (Fire Rated), Add	113.75 1.76 11.40	7.54
08 71 11 00-1873	EA 6" x 48", 0.050" Thick, Bright/Satin Chrome Finish, Brass Mop Plate For Four Beveled Edges, Add For UL Label (Fire Rated), Add	117.38 1.76 11.40	7.54

08 71 11 00-1874 Satin/Dark Bronze Finish, Brass Mop Plate (08 71 11 00-1815)



Openings	08	08
Hardware	08 70	
Door Hardware	08 71	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 71 11 00-1875	EA		4" x 22", 0.050" Thick, Satin/Dark Bronze Finish, Brass Mop Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	52.89 1.76 11.40	6.47
08 71 11 00-1876	EA		4" x 24", 0.050" Thick, Satin/Dark Bronze Finish, Brass Mop Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	55.34 1.76 11.40	6.47
08 71 11 00-1877	EA		4" x 26", 0.050" Thick, Satin/Dark Bronze Finish, Brass Mop Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	57.81 1.76 11.40	6.47
08 71 11 00-1878	EA		4" x 28", 0.050" Thick, Satin/Dark Bronze Finish, Brass Mop Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	60.27 1.76 11.40	6.47
08 71 11 00-1879	EA		4" x 30", 0.050" Thick, Satin/Dark Bronze Finish, Brass Mop Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	63.81 1.76 11.40	6.74
08 71 11 00-1880	EA		4" x 32", 0.050" Thick, Satin/Dark Bronze Finish, Brass Mop Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	66.28 1.76 11.40	6.74
08 71 11 00-1881	EA		4" x 34", 0.050" Thick, Satin/Dark Bronze Finish, Brass Mop Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	68.75 1.76 11.40	6.74
08 71 11 00-1882	EA		4" x 36", 0.050" Thick, Satin/Dark Bronze Finish, Brass Mop Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	71.22 1.76 11.40	6.74
08 71 11 00-1883	EA		4" x 38", 0.050" Thick, Satin/Dark Bronze Finish, Brass Mop Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	75.17 1.76 11.40	7.09
08 71 11 00-1884	EA		4" x 40", 0.050" Thick, Satin/Dark Bronze Finish, Brass Mop Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	77.64 1.76 11.40	7.09
08 71 11 00-1885	EA		4" x 42", 0.050" Thick, Satin/Dark Bronze Finish, Brass Mop Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	80.11 1.76 11.40	7.09
08 71 11 00-1886	EA		4" x 44", 0.050" Thick, Satin/Dark Bronze Finish, Brass Mop Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	84.35 1.76 11.40	7.54
08 71 11 00-1887	EA		4" x 46", 0.050" Thick, Satin/Dark Bronze Finish, Brass Mop Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	86.82 1.76 11.40	7.54
08 71 11 00-1888	EA		4" x 48", 0.050" Thick, Satin/Dark Bronze Finish, Brass Mop Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	89.26 1.76 11.40	7.54
08 71 11 00-1889	EA		6" x 22", 0.050" Thick, Satin/Dark Bronze Finish, Brass Mop Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	66.43 1.76 11.40	6.47
08 71 11 00-1890	EA		6" x 24", 0.050" Thick, Satin/Dark Bronze Finish, Brass Mop Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	70.15 1.76 11.40	6.47
08 71 11 00-1891	EA		6" x 26", 0.050" Thick, Satin/Dark Bronze Finish, Brass Mop Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	73.84 1.76 11.40	6.47
08 71 11 00-1892	EA		6" x 28", 0.050" Thick, Satin/Dark Bronze Finish, Brass Mop Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	84.72 1.76 11.40	6.47
08 71 11 00-1893	EA		6" x 30", 0.050" Thick, Satin/Dark Bronze Finish, Brass Mop Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	82.29 1.76 11.40	6.74
08 71 11 00-1894	EA		6" x 32", 0.050" Thick, Satin/Dark Bronze Finish, Brass Mop Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	85.98 1.76 11.40	6.74
08 71 11 00-1895	EA		6" x 34", 0.050" Thick, Satin/Dark Bronze Finish, Brass Mop Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	89.67 1.76 11.40	6.74
08 71 11 00-1896	EA		6" x 36", 0.050" Thick, Satin/Dark Bronze Finish, Brass Mop Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	93.36 1.76 11.40	6.74
08 71 11 00-1897	EA		6" x 38", 0.050" Thick, Satin/Dark Bronze Finish, Brass Mop Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	98.59 1.76 11.40	7.09
08 71 11 00-1898	EA		6" x 40", 0.050" Thick, Satin/Dark Bronze Finish, Brass Mop Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	102.28 1.76 11.40	7.09
08 71 11 00-1899	EA		6" x 42", 0.050" Thick, Satin/Dark Bronze Finish, Brass Mop Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	105.97 1.76 11.40	7.09
08 71 11 00-1900	EA		6" x 44", 0.050" Thick, Satin/Dark Bronze Finish, Brass Mop Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	111.44 1.76 11.40	7.54
08 71 11 00-1901	EA		6" x 46", 0.050" Thick, Satin/Dark Bronze Finish, Brass Mop Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	115.13 1.76 11.40	7.54
08 71 11 00-1902	EA		6" x 48", 0.050" Thick, Satin/Dark Bronze Finish, Brass Mop Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	118.82 1.76 11.40	7.54

08 Openings

08 70 Hardware

08 71 Door Hardware



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 71 11 00-1903			Satin Nickel Finish, Brass Mop Plate <small>(08 71 11 00-1815)</small>		
08 71 11 00-1904	EA		4" x 22", 0.050" Thick, Satin/Nickel Finish, Brass Mop Plate	53.41	6.47
			For Four Beveled Edges, Add	1.76	
			For UL Label (Fire Rated), Add	11.40	
08 71 11 00-1905	EA		4" x 24", 0.050" Thick, Satin/Nickel Finish, Brass Mop Plate	55.90	6.47
			For Four Beveled Edges, Add	1.76	
			For UL Label (Fire Rated), Add	11.40	
08 71 11 00-1906	EA		4" x 26", 0.050" Thick, Satin/Nickel Finish, Brass Mop Plate	58.42	6.47
			For Four Beveled Edges, Add	1.76	
			For UL Label (Fire Rated), Add	11.40	
08 71 11 00-1907	EA		4" x 28", 0.050" Thick, Satin/Nickel Finish, Brass Mop Plate	60.94	6.47
			For Four Beveled Edges, Add	1.76	
			For UL Label (Fire Rated), Add	11.40	
08 71 11 00-1908	EA		4" x 30", 0.050" Thick, Satin/Nickel Finish, Brass Mop Plate	64.52	6.74
			For Four Beveled Edges, Add	1.76	
			For UL Label (Fire Rated), Add	11.40	
08 71 11 00-1909	EA		4" x 32", 0.050" Thick, Satin/Nickel Finish, Brass Mop Plate	67.02	6.74
			For Four Beveled Edges, Add	1.76	
			For UL Label (Fire Rated), Add	11.40	
08 71 11 00-1910	EA		4" x 34", 0.050" Thick, Satin/Nickel Finish, Brass Mop Plate	69.53	6.74
			For Four Beveled Edges, Add	1.76	
			For UL Label (Fire Rated), Add	11.40	
08 71 11 00-1911	EA		4" x 36", 0.050" Thick, Satin/Nickel Finish, Brass Mop Plate	72.05	6.74
			For Four Beveled Edges, Add	1.76	
			For UL Label (Fire Rated), Add	11.40	
08 71 11 00-1912	EA		4" x 38", 0.050" Thick, Satin/Nickel Finish, Brass Mop Plate	76.09	7.09
			For Four Beveled Edges, Add	1.76	
			For UL Label (Fire Rated), Add	11.40	
08 71 11 00-1913	EA		4" x 40", 0.050" Thick, Satin/Nickel Finish, Brass Mop Plate	78.59	7.09
			For Four Beveled Edges, Add	1.76	
			For UL Label (Fire Rated), Add	11.40	
08 71 11 00-1914	EA		4" x 42", 0.050" Thick, Satin/Nickel Finish, Brass Mop Plate	81.08	7.09
			For Four Beveled Edges, Add	1.76	
			For UL Label (Fire Rated), Add	11.40	
08 71 11 00-1915	EA		4" x 44", 0.050" Thick, Satin/Nickel Finish, Brass Mop Plate	85.38	7.54
			For Four Beveled Edges, Add	1.76	
			For UL Label (Fire Rated), Add	11.40	
08 71 11 00-1916	EA		4" x 46", 0.050" Thick, Satin/Nickel Finish, Brass Mop Plate	87.90	7.54
			For Four Beveled Edges, Add	1.76	
			For UL Label (Fire Rated), Add	11.40	
08 71 11 00-1917	EA		4" x 48", 0.050" Thick, Satin/Nickel Finish, Brass Mop Plate	90.38	7.54
			For Four Beveled Edges, Add	1.76	
			For UL Label (Fire Rated), Add	11.40	
08 71 11 00-1918	EA		6" x 22", 0.050" Thick, Satin/Nickel Finish, Brass Mop Plate	67.21	6.47
			For Four Beveled Edges, Add	1.76	
			For UL Label (Fire Rated), Add	11.40	
08 71 11 00-1919	EA		6" x 24", 0.050" Thick, Satin/Nickel Finish, Brass Mop Plate	70.98	6.47
			For Four Beveled Edges, Add	1.76	
			For UL Label (Fire Rated), Add	11.40	
08 71 11 00-1920	EA		6" x 26", 0.050" Thick, Satin/Nickel Finish, Brass Mop Plate	74.74	6.47
			For Four Beveled Edges, Add	1.76	
			For UL Label (Fire Rated), Add	11.40	
08 71 11 00-1921	EA		6" x 28", 0.050" Thick, Satin/Nickel Finish, Brass Mop Plate	78.50	6.47
			For Four Beveled Edges, Add	1.76	
			For UL Label (Fire Rated), Add	11.40	
08 71 11 00-1922	EA		6" x 30", 0.050" Thick, Satin/Nickel Finish, Brass Mop Plate	83.34	6.74
			For Four Beveled Edges, Add	1.76	
			For UL Label (Fire Rated), Add	11.40	
08 71 11 00-1923	EA		6" x 32", 0.050" Thick, Satin/Nickel Finish, Brass Mop Plate	87.10	6.74
			For Four Beveled Edges, Add	1.76	
			For UL Label (Fire Rated), Add	11.40	
08 71 11 00-1924	EA		6" x 34", 0.050" Thick, Satin/Nickel Finish, Brass Mop Plate	90.86	6.74
			For Four Beveled Edges, Add	1.76	
			For UL Label (Fire Rated), Add	11.40	
08 71 11 00-1925	EA		6" x 36", 0.050" Thick, Satin/Nickel Finish, Brass Mop Plate	94.64	6.74
			For Four Beveled Edges, Add	1.76	
			For UL Label (Fire Rated), Add	11.40	
08 71 11 00-1926	EA		6" x 38", 0.050" Thick, Satin/Nickel Finish, Brass Mop Plate	99.92	7.09
			For Four Beveled Edges, Add	1.76	
			For UL Label (Fire Rated), Add	11.40	
08 71 11 00-1927	EA		6" x 40", 0.050" Thick, Satin/Nickel Finish, Brass Mop Plate	103.69	7.09
			For Four Beveled Edges, Add	1.76	
			For UL Label (Fire Rated), Add	11.40	
08 71 11 00-1928	EA		6" x 42", 0.050" Thick, Satin/Nickel Finish, Brass Mop Plate	107.46	7.09
			For Four Beveled Edges, Add	1.76	
			For UL Label (Fire Rated), Add	11.40	
08 71 11 00-1929	EA		6" x 44", 0.050" Thick, Satin/Nickel Finish, Brass Mop Plate	112.99	7.54
			For Four Beveled Edges, Add	1.76	
			For UL Label (Fire Rated), Add	11.40	
08 71 11 00-1930	EA		6" x 46", 0.050" Thick, Satin/Nickel Finish, Brass Mop Plate	116.75	7.54
			For Four Beveled Edges, Add	1.76	
			For UL Label (Fire Rated), Add	11.40	
08 71 11 00-1931	EA		6" x 48", 0.050" Thick, Satin/Nickel Finish, Brass Mop Plate	120.53	7.54
			For Four Beveled Edges, Add	1.76	
			For UL Label (Fire Rated), Add	11.40	



Openings	08	08
Hardware	08 70	
Door Hardware	08 71	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 71 11 00-1932 Stainless Base Material Mop Plate <small>(08 71 11 00-1784)</small>		
08 71 11 00-1933 Satin Stainless Finish, Stainless Mop Plate <small>(08 71 11 00-1932)</small>		
08 71 11 00-1934 EA 4" x 22", 0.050" Thick, Satin Stainless Finish, Stainless Mop Plate	34.67	6.47
For Four Beveled Edges, Add	1.76	
For UL Label (Fire Rated), Add	11.40	
08 71 11 00-1935 EA 4" x 24", 0.050" Thick, Satin Stainless Finish, Stainless Mop Plate	35.45	6.47
For Four Beveled Edges, Add	1.76	
For UL Label (Fire Rated), Add	11.40	
08 71 11 00-1936 EA 4" x 26", 0.050" Thick, Satin Stainless Finish, Stainless Mop Plate	36.27	6.47
For Four Beveled Edges, Add	1.76	
For UL Label (Fire Rated), Add	11.40	
08 71 11 00-1937 EA 4" x 28", 0.050" Thick, Satin Stainless Finish, Stainless Mop Plate	37.07	6.47
For Four Beveled Edges, Add	1.76	
For UL Label (Fire Rated), Add	11.40	
08 71 11 00-1938 EA 4" x 30", 0.050" Thick, Satin Stainless Finish, Stainless Mop Plate	38.95	6.74
For Four Beveled Edges, Add	1.76	
For UL Label (Fire Rated), Add	11.40	
08 71 11 00-1939 EA 4" x 32", 0.050" Thick, Satin Stainless Finish, Stainless Mop Plate	39.76	6.74
For Four Beveled Edges, Add	1.76	
For UL Label (Fire Rated), Add	11.40	
08 71 11 00-1940 EA 4" x 34", 0.050" Thick, Satin Stainless Finish, Stainless Mop Plate	40.55	6.74
For Four Beveled Edges, Add	1.76	
For UL Label (Fire Rated), Add	11.40	
08 71 11 00-1941 EA 4" x 36", 0.050" Thick, Satin Stainless Finish, Stainless Mop Plate	41.36	6.74
For Four Beveled Edges, Add	1.76	
For UL Label (Fire Rated), Add	11.40	
08 71 11 00-1942 EA 4" x 38", 0.050" Thick, Satin Stainless Finish, Stainless Mop Plate	43.67	7.09
For Four Beveled Edges, Add	1.76	
For UL Label (Fire Rated), Add	11.40	
08 71 11 00-1943 EA 4" x 40", 0.050" Thick, Satin Stainless Finish, Stainless Mop Plate	44.48	7.09
For Four Beveled Edges, Add	1.76	
For UL Label (Fire Rated), Add	11.40	
08 71 11 00-1944 EA 4" x 42", 0.050" Thick, Satin Stainless Finish, Stainless Mop Plate	45.30	7.09
For Four Beveled Edges, Add	1.76	
For UL Label (Fire Rated), Add	11.40	
08 71 11 00-1945 EA 4" x 44", 0.050" Thick, Satin Stainless Finish, Stainless Mop Plate	47.85	7.54
For Four Beveled Edges, Add	1.76	
For UL Label (Fire Rated), Add	11.40	
08 71 11 00-1946 EA 4" x 46", 0.050" Thick, Satin Stainless Finish, Stainless Mop Plate	48.67	7.54
For Four Beveled Edges, Add	1.76	
For UL Label (Fire Rated), Add	11.40	
08 71 11 00-1947 EA 4" x 48", 0.050" Thick, Satin Stainless Finish, Stainless Mop Plate	49.46	7.54
For Four Beveled Edges, Add	1.76	
For UL Label (Fire Rated), Add	11.40	
08 71 11 00-1948 EA 6" x 22", 0.050" Thick, Satin Stainless Finish, Stainless Mop Plate	39.07	6.47
For Four Beveled Edges, Add	1.76	
For UL Label (Fire Rated), Add	11.40	
08 71 11 00-1949 EA 6" x 24", 0.050" Thick, Satin Stainless Finish, Stainless Mop Plate	40.29	6.47
For Four Beveled Edges, Add	1.76	
For UL Label (Fire Rated), Add	11.40	
08 71 11 00-1950 EA 6" x 26", 0.050" Thick, Satin Stainless Finish, Stainless Mop Plate	41.50	6.47
For Four Beveled Edges, Add	1.76	
For UL Label (Fire Rated), Add	11.40	
08 71 11 00-1951 EA 6" x 28", 0.050" Thick, Satin Stainless Finish, Stainless Mop Plate	42.72	6.47
For Four Beveled Edges, Add	1.76	
For UL Label (Fire Rated), Add	11.40	
08 71 11 00-1952 EA 6" x 30", 0.050" Thick, Satin Stainless Finish, Stainless Mop Plate	44.98	6.74
For Four Beveled Edges, Add	1.76	
For UL Label (Fire Rated), Add	11.40	
08 71 11 00-1953 EA 6" x 32", 0.050" Thick, Satin Stainless Finish, Stainless Mop Plate	46.18	6.74
For Four Beveled Edges, Add	1.76	
For UL Label (Fire Rated), Add	11.40	
08 71 11 00-1954 EA 6" x 34", 0.050" Thick, Satin Stainless Finish, Stainless Mop Plate	47.41	6.74
For Four Beveled Edges, Add	1.76	
For UL Label (Fire Rated), Add	11.40	
08 71 11 00-1955 EA 6" x 36", 0.050" Thick, Satin Stainless Finish, Stainless Mop Plate	48.61	6.74
For Four Beveled Edges, Add	1.76	
For UL Label (Fire Rated), Add	11.40	
08 71 11 00-1956 EA 6" x 38", 0.050" Thick, Satin Stainless Finish, Stainless Mop Plate	51.34	7.09
For Four Beveled Edges, Add	1.76	
For UL Label (Fire Rated), Add	11.40	
08 71 11 00-1957 EA 6" x 40", 0.050" Thick, Satin Stainless Finish, Stainless Mop Plate	52.53	7.09
For Four Beveled Edges, Add	1.76	
For UL Label (Fire Rated), Add	11.40	
08 71 11 00-1958 EA 6" x 42", 0.050" Thick, Satin Stainless Finish, Stainless Mop Plate	53.74	7.09
For Four Beveled Edges, Add	1.76	
For UL Label (Fire Rated), Add	11.40	
08 71 11 00-1959 EA 6" x 44", 0.050" Thick, Satin Stainless Finish, Stainless Mop Plate	56.73	7.54
For Four Beveled Edges, Add	1.76	
For UL Label (Fire Rated), Add	11.40	

08 Openings**08 70 Hardware**

08 71 Door Hardware



MINOR		TOTAL DIRECT		DEMOLITION
CSI	UOM	DESCRIPTION	UNIT COST	UNIT COST
08 71 11 00-1960	EA	6" x 46", 0.050" Thick, Satin Stainless Finish, Stainless Mop Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	57.92 1.76 11.40	7.54
08 71 11 00-1961	EA	6" x 48", 0.050" Thick, Satin Stainless Finish, Stainless Mop Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	59.14 1.76 11.40	7.54
08 71 11 00-1962 Bright Stainless Finish, Stainless Mop Plate <small>(08 71 11 00-1932)</small>				
08 71 11 00-1963	EA	4" x 22", 0.050" Thick, Bright Stainless Finish, Stainless Mop Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	45.49 1.76 11.40	6.47
08 71 11 00-1964	EA	4" x 24", 0.050" Thick, Bright Stainless Finish, Stainless Mop Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	47.29 1.76 11.40	6.47
08 71 11 00-1965	EA	4" x 26", 0.050" Thick, Bright Stainless Finish, Stainless Mop Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	49.10 1.76 11.40	6.47
08 71 11 00-1966	EA	4" x 28", 0.050" Thick, Bright Stainless Finish, Stainless Mop Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	50.87 1.76 11.40	6.47
08 71 11 00-1967	EA	4" x 30", 0.050" Thick, Bright Stainless Finish, Stainless Mop Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	53.74 1.76 11.40	6.74
08 71 11 00-1968	EA	4" x 32", 0.050" Thick, Bright Stainless Finish, Stainless Mop Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	55.53 1.76 11.40	6.74
08 71 11 00-1969	EA	4" x 34", 0.050" Thick, Bright Stainless Finish, Stainless Mop Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	57.33 1.76 11.40	6.74
08 71 11 00-1970	EA	4" x 36", 0.050" Thick, Bright Stainless Finish, Stainless Mop Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	59.13 1.76 11.40	6.74
08 71 11 00-1971	EA	4" x 38", 0.050" Thick, Bright Stainless Finish, Stainless Mop Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	62.41 1.76 11.40	7.09
08 71 11 00-1972	EA	4" x 40", 0.050" Thick, Bright Stainless Finish, Stainless Mop Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	64.22 1.76 11.40	7.09
08 71 11 00-1973	EA	4" x 42", 0.050" Thick, Bright Stainless Finish, Stainless Mop Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	66.02 1.76 11.40	7.09
08 71 11 00-1974	EA	4" x 44", 0.050" Thick, Bright Stainless Finish, Stainless Mop Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	69.57 1.76 11.40	7.54
08 71 11 00-1975	EA	4" x 46", 0.050" Thick, Bright Stainless Finish, Stainless Mop Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	71.38 1.76 11.40	7.54
08 71 11 00-1976	EA	4" x 48", 0.050" Thick, Bright Stainless Finish, Stainless Mop Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	73.15 1.76 11.40	7.54
08 71 11 00-1977	EA	6" x 22", 0.050" Thick, Bright Stainless Finish, Stainless Mop Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	55.34 1.76 11.40	6.47
08 71 11 00-1978	EA	6" x 24", 0.050" Thick, Bright Stainless Finish, Stainless Mop Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	58.06 1.76 11.40	6.47
08 71 11 00-1979	EA	6" x 26", 0.050" Thick, Bright Stainless Finish, Stainless Mop Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	60.75 1.76 11.40	6.47
08 71 11 00-1980	EA	6" x 28", 0.050" Thick, Bright Stainless Finish, Stainless Mop Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	63.44 1.76 11.40	6.47
08 71 11 00-1981	EA	6" x 30", 0.050" Thick, Bright Stainless Finish, Stainless Mop Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	67.18 1.76 11.40	6.74
08 71 11 00-1982	EA	6" x 32", 0.050" Thick, Bright Stainless Finish, Stainless Mop Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	69.87 1.76 11.40	6.74
08 71 11 00-1983	EA	6" x 34", 0.050" Thick, Bright Stainless Finish, Stainless Mop Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	72.56 1.76 11.40	6.74
08 71 11 00-1984	EA	6" x 36", 0.050" Thick, Bright Stainless Finish, Stainless Mop Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	75.24 1.76 11.40	6.74
08 71 11 00-1985	EA	6" x 38", 0.050" Thick, Bright Stainless Finish, Stainless Mop Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	79.46 1.76 11.40	7.09
08 71 11 00-1986	EA	6" x 40", 0.050" Thick, Bright Stainless Finish, Stainless Mop Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	82.15 1.76 11.40	7.09
08 71 11 00-1987	EA	6" x 42", 0.050" Thick, Bright Stainless Finish, Stainless Mop Plate <i>For Four Beveled Edges, Add</i> <i>For UL Label (Fire Rated), Add</i>	84.83 1.76 11.40	7.09



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 71 11 00-1988 EA 6" x 44", 0.050" Thick, Bright Stainless Finish, Stainless Mop Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	89.29 1.76 11.40	7.54
08 71 11 00-1989 EA 6" x 46", 0.050" Thick, Bright Stainless Finish, Stainless Mop Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	91.97 1.76 11.40	7.54
08 71 11 00-1990 EA 6" x 48", 0.050" Thick, Bright Stainless Finish, Stainless Mop Plate <i>For Four Beveled Edges, Add For UL Label (Fire Rated), Add</i>	94.65 1.76 11.40	7.54
08 71 11 00-1991 Plastic Mop Plate <small>(08 71 11 00-1784)</small>		
08 71 11 00-1992 Clear Or Black Finish, Plastic Mop Plate <small>(08 71 11 00-1991)</small> Note: With four beveled edges.		
08 71 11 00-1993 EA 4" x 22", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Plastic Mop Plate Note: 4 sides beveled.	33.17	6.47
08 71 11 00-1994 EA 4" x 24", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Plastic Mop Plate Note: 4 sides beveled.	33.84	6.47
08 71 11 00-1995 EA 4" x 26", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Plastic Mop Plate Note: 4 sides beveled.	34.52	6.47
08 71 11 00-1996 EA 4" x 28", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Plastic Mop Plate Note: 4 sides beveled.	35.19	6.47
08 71 11 00-1997 EA 4" x 30", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Plastic Mop Plate Note: 4 sides beveled.	36.93	6.74
08 71 11 00-1998 EA 4" x 32", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Plastic Mop Plate Note: 4 sides beveled.	37.60	6.74
08 71 11 00-1999 EA 4" x 34", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Plastic Mop Plate Note: 4 sides beveled.	38.27	6.74
08 71 11 00-2000 EA 4" x 36", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Plastic Mop Plate Note: 4 sides beveled.	38.95	6.74
08 71 11 00-2001 EA 4" x 38", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Plastic Mop Plate Note: 4 sides beveled.	41.13	7.09
08 71 11 00-2002 EA 4" x 40", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Plastic Mop Plate Note: 4 sides beveled.	41.80	7.09
08 71 11 00-2003 EA 4" x 42", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Plastic Mop Plate Note: 4 sides beveled.	42.46	7.09
08 71 11 00-2004 EA 4" x 44", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Plastic Mop Plate Note: 4 sides beveled.	44.90	7.54
08 71 11 00-2005 EA 4" x 46", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Plastic Mop Plate Note: 4 sides beveled.	45.59	7.54
08 71 11 00-2006 EA 4" x 48", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Plastic Mop Plate Note: 4 sides beveled.	46.25	7.54
08 71 11 00-2007 EA 6" x 22", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Plastic Mop Plate Note: 4 sides beveled.	36.86	6.47
08 71 11 00-2008 EA 6" x 24", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Plastic Mop Plate Note: 4 sides beveled.	37.88	6.47
08 71 11 00-2009 EA 6" x 26", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Plastic Mop Plate Note: 4 sides beveled.	38.88	6.47
08 71 11 00-2010 EA 6" x 28", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Plastic Mop Plate Note: 4 sides beveled.	39.88	6.47
08 71 11 00-2011 EA 6" x 30", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Plastic Mop Plate Note: 4 sides beveled.	41.97	6.74
08 71 11 00-2012 EA 6" x 32", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Plastic Mop Plate Note: 4 sides beveled.	42.97	6.74
08 71 11 00-2013 EA 6" x 34", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Plastic Mop Plate Note: 4 sides beveled.	43.98	6.74
08 71 11 00-2014 EA 6" x 36", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Plastic Mop Plate Note: 4 sides beveled.	44.98	6.74
08 71 11 00-2015 EA 6" x 38", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Plastic Mop Plate Note: 4 sides beveled.	47.51	7.09
08 71 11 00-2016 EA 6" x 40", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Plastic Mop Plate Note: 4 sides beveled.	48.51	7.09
08 71 11 00-2017 EA 6" x 42", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Plastic Mop Plate Note: 4 sides beveled.	49.51	7.09
08 71 11 00-2018 EA 6" x 44", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Plastic Mop Plate Note: 4 sides beveled.	52.30	7.54
08 71 11 00-2019 EA 6" x 46", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Plastic Mop Plate Note: 4 sides beveled.	53.30	7.54
08 71 11 00-2020 EA 6" x 48", 1/8" Thick, Clear Or Black Finish, High Impact Polyethylene Plastic Mop Plate Note: 4 sides beveled.	54.30	7.54
08 71 11 00-2021 Armor Door Plate <small>(08 71 11 00-0762)</small> Note: Size ranges of 26" to 48" high, 22" to 48" wide. Ives 8400.		
08 71 11 00-2022 SF 4 to 8 SF, 0.050" Thick, Satin Aluminum Finish, Aluminum Door Armor Plate	16.52	1.11
08 71 11 00-2023 SF >8 to 16 SF, 0.050" Thick, Satin Aluminum Finish, Aluminum Door Armor Plate	15.54	0.87
08 71 11 00-2024 SF 4 to 8 SF, 0.050" Thick, Satin Stainless Finish, Stainless Door Armor Plate	18.21	1.11
08 71 11 00-2025 SF >8 to 16 SF, 0.050" Thick, Satin Stainless Finish, Stainless Door Armor Plate	17.23	0.87
08 71 11 00-2026 SF 4 to 8 SF, 0.050" Thick, Bright Stainless Finish, Stainless Door Armor Plate	35.13	1.11
08 71 11 00-2027 SF >8 to 16 SF, 0.050" Thick, Bright Stainless Finish, Stainless Door Armor Plate	34.15	0.87
08 71 11 00-2028 Pull Handle And Plates <small>(08 71 11 00-0762)</small>		

08 Openings**08 70 Hardware**

08 71 Door Hardware

MINOR
CSI UOM DESCRIPTIONTOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 71 11 00-2029			Pull Handle (08 71 11 00-2028)		
08 71 11 00-2030	EA		3/4" Diameter, 6" Center to Center, Aluminum Door Pulls (Ives 8102HD-6).....	41.45	7.31
			For Stainless Steel, Add	5.12	
			For Brass, Add	6.95	
08 71 11 00-2031	EA		3/4" Diameter, 8" Center to Center, Aluminum Door Pulls (Ives 8102HD-8).....	43.03	7.31
			For Stainless Steel, Add	5.78	
			For Brass, Add	7.85	
08 71 11 00-2032	EA		3/4" Diameter, 10" Center to Center, Aluminum Door Pulls (Ives 8102HD-10).....	45.53	7.31
			For Stainless Steel, Add	6.83	
			For Brass, Add	9.27	
08 71 11 00-2033	EA		1" Diameter, 8" Center to Center, Aluminum Door Pulls (Ives 8103HD-8).....	46.91	7.31
			For Stainless Steel, Add	7.41	
			For Brass, Add	10.06	
08 71 11 00-2034	EA		1" Diameter, 10" Center to Center, Aluminum Door Pulls (Ives 8103HD-10).....	49.42	7.31
			For Stainless Steel, Add	8.47	
			For Brass, Add	11.49	
08 71 11 00-2035	EA		1" Diameter, 12" Center to Center, Aluminum Door Pulls (Ives 8103HD-12).....	52.66	7.31
			For Stainless Steel, Add	9.83	
			For Brass, Add	13.34	
08 71 11 00-2036	EA		1" Flattened x 1/2" Round, 6" Center To Center, Aluminum Door Pulls (Ives 8105-6).....	43.15	7.31
			For Stainless Steel, Add	5.83	
			For Brass, Add	7.92	
08 71 11 00-2037	EA		1" Flattened x 1/2" Round, 8" Center To Center, Aluminum Door Pulls (Ives 8105-8).....	46.61	7.31
			For Stainless Steel, Add	7.29	
			For Brass, Add	9.89	
08 71 11 00-2038	EA		1" Flattened x 1/2" Round, 10" Center To Center, Aluminum Door Pulls (Ives 8105-10).....	47.18	7.31
			For Stainless Steel, Add	7.53	
			For Brass, Add	10.21	
08 71 11 00-2039	EA		1" Diameter, 8" Center to Center, Satin Stainless Steel Offset Door Pulls (Ives 8190HD-8).....	82.05	7.31
			For Bright Stainless Steel US32 (BHMA 629) Finish, Add	9.98	
			For Brass, Add	9.19	
08 71 11 00-2040	EA		1" Diameter, 10" Center to Center, Satin Stainless Steel Offset Door Pulls (Ives 8190HD-0).....	84.18	7.31
			For Bright Stainless Steel US32 (BHMA 629) Finish, Add	10.38	
			For Brass, Add	9.56	
08 71 11 00-2041	EA		1" Diameter, 12" Center to Center, Satin Stainless Steel Offset Door Pulls (Ives 8190HD-2).....	88.48	7.31
			For Bright Stainless Steel US32 (BHMA 629) Finish, Add	11.19	
			For Brass, Add	10.30	
08 71 11 00-2042	EA		1" Diameter, 18" Center to Center, Satin Stainless Steel Offset Door Pulls (Ives 8190HD-18).....	113.35	7.31
			For Bright Stainless Steel US32 (BHMA 629) Finish, Add	15.89	
			For Brass, Add	14.63	
08 71 11 00-2043			Pull Plate (08 71 11 00-2028)		
08 71 11 00-2044	EA		3-1/2" x 15" Aluminum Pull Plate Door Hardware (Ives 8302).....	56.91	5.54
			For Stainless Steel, Add	20.50	
			For Brass, Add	26.06	
08 71 11 00-2045	EA		4" x 16" Aluminum Pull Plate Door Hardware (Ives 8302).....	58.12	5.54
			For Stainless Steel, Add	21.22	
			For Brass, Add	26.97	
08 71 11 00-2046	EA		6" x 16" Aluminum Pull Plate Door Hardware (Ives 8302).....	60.88	5.54
			For Stainless Steel, Add	22.84	
			For Brass, Add	29.04	
08 71 11 00-2047			Push Bars And Plates (08 71 11 00-0762)		
08 71 11 00-2048			Push Bars (08 71 11 00-2047)		
08 71 11 00-2049	EA		3/8" x 2-1/2" Bronze Push Bar, Rectangular, With Base Plate.....	167.84	5.54
			Note: Up to 34" wide. All finishes.		
08 71 11 00-2050	EA		3/4" Diameter Stainless Steel Push Bar, Up To 34" Wide.....	139.85	5.54
			For Brass Push Bar, Add	20.48	
08 71 11 00-2051	EA		1" Diameter Stainless Steel Push Bar, Up To 34" Wide.....	144.79	5.54
			For Brass Push Bar, Add	21.34	
08 71 11 00-2052	EA		1-1/4" Diameter Stainless Steel Push Bar, Up To 34" Wide.....	267.43	5.54
			For Brass Push Bar, Add	42.68	
08 71 11 00-2053			Push Plates (08 71 11 00-2047)		
08 71 11 00-2054			Aluminum Push Plates (08 71 11 00-2053)		
08 71 11 00-2055			Clear Anodized Finish, Aluminum Push Plates (08 71 11 00-2054)		
			Note: Ives 8200 Series.		
08 71 11 00-2056	EA		3" x 12", Clear Anodized Finish, Aluminum Push Plate Door Hardware.....	30.89	5.54
08 71 11 00-2057	EA		4" x 16", Clear Anodized Finish, Aluminum Push Plate Door Hardware.....	30.89	5.54
08 71 11 00-2058	EA		6" x 16", Clear Anodized Finish, Aluminum Push Plate Door Hardware.....	30.89	5.54
08 71 11 00-2059	EA		8" x 16", Clear Anodized Finish, Aluminum Push Plate Door Hardware.....	33.10	5.54
08 71 11 00-2060			Stainless Steel Push Plates (08 71 11 00-2053)		
08 71 11 00-2061			Satin Finish, Stainless Steel Push Plates (08 71 11 00-2060)		
			Note: Ives 8200 Series.		
08 71 11 00-2062	EA		3" x 12", Satin Finish, Stainless Steel Push Plate Door Hardware.....	30.89	5.54



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 71 11 00-2063 EA 4" x 16", Satin Finish, Stainless Steel Push Plate Door Hardware	32.59	5.54
08 71 11 00-2064 EA 6" x 16", Satin Finish, Stainless Steel Push Plate Door Hardware	36.47	5.54
08 71 11 00-2065 EA 8" x 16", Satin Finish, Stainless Steel Push Plate Door Hardware	42.21	5.54
08 71 11 00-2066 Brass Push Plates (08 71 11 00-2053)		
08 71 11 00-2067 Bright/Satin Brass Finish, Brass Push Plates (08 71 11 00-2066) Note: Ives 8200 Series.		
08 71 11 00-2068 EA 3" x 12", Bright/Satin Brass Finish, Brass Push Plate Door Hardware	36.08	5.54
08 71 11 00-2069 EA 4" x 16", Bright/Satin Brass Finish, Brass Push Plate Door Hardware	40.44	5.54
08 71 11 00-2070 EA 6" x 16", Bright/Satin Brass Finish, Brass Push Plate Door Hardware	50.94	5.54
08 71 11 00-2071 EA 8" x 16", Bright/Satin Brass Finish, Brass Push Plate Door Hardware	57.85	5.54
08 71 11 00-2072 Bright/Satin Chrome Finish, Brass Push Plates (08 71 11 00-2066) Note: Ives 8200 Series.		
08 71 11 00-2073 EA 3" x 12", Bright/Satin Chrome Finish, Brass Push Plate Door Hardware	39.57	5.54
08 71 11 00-2074 EA 4" x 16", Bright/Satin Chrome Finish, Brass Push Plate Door Hardware	43.11	5.54
08 71 11 00-2075 EA 6" x 16", Bright/Satin Chrome Finish, Brass Push Plate Door Hardware	52.73	5.54
08 71 11 00-2076 EA 8" x 16", Bright/Satin Chrome Finish, Brass Push Plate Door Hardware	62.22	5.54
08 71 11 00-2077 Satin/Dark Bronze Finish, Brass Push Plates (08 71 11 00-2066) Note: Ives 8200 Series.		
08 71 11 00-2078 EA 3" x 12", Satin/Dark Bronze Finish, Brass Push Plate Door Hardware	39.57	5.54
08 71 11 00-2079 EA 4" x 16", Satin/Dark Bronze Finish, Brass Push Plate Door Hardware	43.11	5.54
08 71 11 00-2080 EA 6" x 16", Satin/Dark Bronze Finish, Brass Push Plate Door Hardware	54.43	5.54
08 71 11 00-2081 EA 8" x 16", Satin/Dark Bronze Finish, Brass Push Plate Door Hardware	63.16	5.54
08 71 11 00-2082 Satin Nickel Finish, Brass Push Plates (08 71 11 00-2066) Note: Ives 8200 Series.		
08 71 11 00-2083 EA 3" x 12", Satin Nickel Finish, Brass Push Plate Door Hardware	39.57	5.54
08 71 11 00-2084 EA 4" x 16", Satin Nickel Finish, Brass Push Plate Door Hardware	44.00	5.54
08 71 11 00-2085 EA 6" x 16", Satin Nickel Finish, Brass Push Plate Door Hardware	57.12	5.54
08 71 11 00-2086 EA 8" x 16", Satin Nickel Finish, Brass Push Plate Door Hardware	65.85	5.54
08 71 11 00-2087 Exit Devices (08 71 11)		
08 71 11 00-2088 Push Bar Exit Device, Von Duprin Series 22 (08 71 11 00-2087) Note: Grade 1, BHMA 156.3.		
08 71 11 00-2089 EA 3" Push Bar, Rim Type, Exit Device	594.70	99.73
Note: Anodized finish: aluminum or dark brown. Von Duprin Series 22.		
For 4" Push Bar, Add	13.00	
08 71 11 00-2090 EA 3" Push Bar, Fire Rated, Rim Type, Exit Device	659.76	99.73
Note: Anodized finish: aluminum or dark brown. Von Duprin Series 22-F.		
For 4" Push Bar, Add	13.00	
08 71 11 00-2091 EA 3" Push Bar, Surface Vertical Rods, Exit Device	858.46	119.67
Note: Anodized finish: aluminum or dark brown. Von Duprin Series 2227.		
For 4" Push Bar, Add	13.00	
08 71 11 00-2092 EA 3" Push Bar, Fire Rated, Surface Vertical Rods, Exit Device	1,020.49	110.81
Note: Anodized finish: aluminum or dark brown. Von Duprin Series 2227-F.		
For 4" Push Bar, Add	13.00	
08 71 11 00-2093 EA Dummy Trim (Von Duprin Series 22, 210DT)	81.09	16.62
Note: Anodized finish: aluminum or dark brown.		
08 71 11 00-2094 EA Night Latch Trim With Cylinder (Von Duprin Series 22, 210NL)	178.32	22.16
Note: Anodized finish: aluminum or dark brown.		
08 71 11 00-2095 EA Knob Trim With Cylinder (Von Duprin Series 22, 210K)	327.93	33.24
Note: Anodized finish: aluminum or dark brown.		
08 71 11 00-2096 EA Lever Trim With Cylinder (Von Duprin Series 22, 230L)	324.93	33.24
Note: Anodized finish: aluminum or dark brown.		
08 71 11 00-2097 EA Thumbpiece Trim With Cylinder (Von Duprin Series 22, 230TP)	324.18	33.24
Note: Anodized finish: aluminum or dark brown.		
08 71 11 00-2098 EA Blank Escutcheon Knob (Von Duprin Series 22, 210K-BE)	254.41	33.24
Note: Anodized finish: aluminum or dark brown.		
08 71 11 00-2099 EA Exit Only Trim Plate (Von Duprin Series 22, 230EO)	102.96	13.30
Note: Anodized finish: aluminum or dark brown.		
08 71 11 00-2100 EA Dummy Trim (Von Duprin Series 22, 230DT)	119.34	16.62
Note: Anodized finish: aluminum or dark brown.		
08 71 11 00-2101 EA Night Latch Trim With Cylinder (Von Duprin Series 22, 230NL)	218.08	22.16
Note: Anodized finish: aluminum or dark brown.		
08 71 11 00-2102 EA Blank Escutcheon Lever (Von Duprin Series 22, 230L-BE)	251.42	33.24
Note: Anodized finish: aluminum or dark brown.		
08 71 11 00-2103 EA Blank Escutcheon Thumbpiece (Von Duprin Series 22, 230TP-BE)	250.67	33.24
Note: Anodized finish: aluminum or dark brown.		
08 71 11 00-2104 Push Bar Exit Device, Narrow Stile, Von Duprin Series 33/35 (08 71 11 00-2087) Note: Grade 1, BHMA 156.3. Series 33 has a ribbed case, Series 35 has a smooth case.		

08 Openings

08 70 Hardware

08 71 Door Hardware



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 71 11 00-2105	EA		3' Push Bar, Rim Type, Narrow Stile Exit Device Note: Aluminum anodized finish. Von Duprin Series 33/35. For 4' Push Bar, Add For Duranodic Dark Bronze US313 (BHMA 710) Finish, Add For Satin Chrome Plated US26D (BHMA 626) Finish, Add For Satin Bronze, Clear Coated US10 (BHMA 612) Finish, Add For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add	1,102.33 13.00 85.65 164.35 31.78 244.23	99.73
08 71 11 00-2106	EA		3' Push Bar, Surface Vertical Rods, Narrow Stile Exit Device Note: Aluminum anodized finish. Von Duprin Series 3327/3527. For 4' Push Bar, Add For Duranodic Dark Bronze US313 (BHMA 710) Finish, Add For Satin Chrome Plated US26D (BHMA 626) Finish, Add For Satin Bronze, Clear Coated US10 (BHMA 612) Finish, Add For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add	1,495.31 13.00 120.44 231.12 44.70 343.45	119.67
08 71 11 00-2107	EA		3' Push Bar, Fire Rated, Surface Vertical Rods, Narrow Stile Exit Device Note: Aluminum anodized finish. Von Duprin Series 3327-F/3527-F. For 4' Push Bar, Add For Duranodic Dark Bronze US313 (BHMA 710) Finish, Add For Satin Chrome Plated US26D (BHMA 626) Finish, Add For Satin Bronze, Clear Coated US10 (BHMA 612) Finish, Add For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add	1,523.81 13.00 123.36 236.72 45.78 351.77	119.67
08 71 11 00-2108	EA		3' Push Bar, Concealed Vertical Rods, Narrow Stile Exit Device Note: Aluminum anodized finish. Von Duprin Series 3347/3547. For 4' Push Bar, Add For Duranodic Dark Bronze US313 (BHMA 710) Finish, Add For Satin Chrome Plated US26D (BHMA 626) Finish, Add For Satin Bronze, Clear Coated US10 (BHMA 612) Finish, Add For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add	1,554.57 13.00 121.52 233.18 45.09 346.51	137.40
08 71 11 00-2109	EA		3' Push Bar, Fire Rated, Concealed Vertical Rods, Narrow Stile Exit Device Note: Aluminum anodized finish. Von Duprin Series 3347-F/3547-F. For 4' Push Bar, Add For Duranodic Dark Bronze US313 (BHMA 710) Finish, Add For Satin Chrome Plated US26D (BHMA 626) Finish, Add For Satin Bronze, Clear Coated US10 (BHMA 612) Finish, Add For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add	1,628.08 13.00 129.04 247.63 47.89 367.98	137.40
08 71 11 00-2110	EA		3' Push Bar, Concealed Vertical Rods, Narrow Stile Exit Device Note: Aluminum anodized finish. Von Duprin Series 3348/3548. For 4' Push Bar, Add For Duranodic Dark Bronze US313 (BHMA 710) Finish, Add For Satin Chrome Plated US26D (BHMA 626) Finish, Add For Satin Bronze, Clear Coated US10 (BHMA 612) Finish, Add For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add	1,730.85 13.00 139.57 267.82 51.79 397.99	137.40
08 71 11 00-2111	EA		3' Push Bar, Fire Rated, Concealed Vertical Rods, Narrow Stile Exit Device Note: Aluminum anodized finish. Von Duprin Series 3348-F/3548-F. For 4' Push Bar, Add For Duranodic Dark Bronze US313 (BHMA 710) Finish, Add For Satin Chrome Plated US26D (BHMA 626) Finish, Add For Satin Bronze, Clear Coated US10 (BHMA 612) Finish, Add For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add	1,804.36 13.00 147.10 282.27 54.59 419.45	137.40
08 71 11 00-2112	EA		Dummy Trim (Von Duprin Series 33/35, DT) Note: Anodized finish: aluminum or dark brown. For Satin Chrome Plated US26D (BHMA 626) Finish, Add For Satin Bronze, Clear Coated US10 (BHMA 612) Finish, Add For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add	245.36 39.50 7.64 58.70	16.62
08 71 11 00-2113	EA		Night Latch With Cylinder, Less Pull (Von Duprin Series 33/35, NL-OP) Note: Anodized finish: aluminum or dark brown. For Satin Chrome Plated US26D (BHMA 626) Finish, Add For Satin Bronze, Clear Coated US10 (BHMA 612) Finish, Add For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add	309.59 48.64 9.41 72.28	22.16
08 71 11 00-2114	EA		Night Latch With Cylinder (Von Duprin Series 33/35, NL) Note: Anodized finish: aluminum or dark brown. For Satin Chrome Plated US26D (BHMA 626) Finish, Add For Satin Bronze, Clear Coated US10 (BHMA 612) Finish, Add For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add	490.37 84.16 16.28 125.07	22.16
08 71 11 00-2115	EA		Lever Trim With Cylinder (Von Duprin Series 33/35, 360L) Note: Anodized finish: aluminum or dark brown. For Satin Chrome Plated US26D (BHMA 626) Finish, Add For Satin Bronze, Clear Coated US10 (BHMA 612) Finish, Add For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add	615.23 103.47 20.01 153.76	33.24
08 71 11 00-2116	EA		Blank Escutcheon Lever With Cylinder (Von Duprin Series 33/35, 360L-BE) Note: Anodized finish: aluminum or dark brown. For Satin Chrome Plated US26D (BHMA 626) Finish, Add For Satin Bronze, Clear Coated US10 (BHMA 612) Finish, Add For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add	591.22 98.76 19.10 146.75	33.24
08 71 11 00-2117	EA		Lever Dummy Trim With Cylinder (Von Duprin Series 33/35, 360L-DT) Note: Anodized finish: aluminum or dark brown. For Satin Chrome Plated US26D (BHMA 626) Finish, Add For Satin Bronze, Clear Coated US10 (BHMA 612) Finish, Add For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add	579.96 96.54 18.67 143.47	33.24
08 71 11 00-2118	EA		Thumbturn Trim With Cylinder (Von Duprin Series 33/35, 360T) Note: Anodized finish: aluminum or dark brown. For Satin Chrome Plated US26D (BHMA 626) Finish, Add For Satin Bronze, Clear Coated US10 (BHMA 612) Finish, Add For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add	585.22 97.58 18.87 145.00	33.24



Openings	08	08
Hardware	08 70	
Door Hardware	08 71	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 71 11 00-2119 Push Bar Exit Device, Von Duprin Series 98/99 <small>(08 71 11 00-2087)</small>		
Note: Grade 1, BHMA 156.3. Series 98 has a smooth case, Series 99 has a grooved case.		
08 71 11 00-2120 EA 3' Push Bar, Rim Type, Exit Device (Von Duprin Series 98/99).....	977.81	99.73
Note: Clear anodized satin aluminum US28 (BHMA 628) finish.		
For 4' Push Bar, Add	13.00	
For Duranodic Dark Bronze US313 (BHMA 710) Finish, Add	43.42	
For Satin Chrome Plated US26D (BHMA 626) Finish, Add	69.05	
For Satin Bronze, Clear Coated US10 (BHMA 612) Finish, Add	110.34	
For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add	225.66	
For Satin Brass, Clear Coated US4 (BHMA 606) Finish, Add	71.19	
For Satin Stainless Steel, US32D (BHMA 630) Finish, Add	104.64	
For Standard Baseplate Cylinder Dogging (CD), Add	47.45	
For Special Center Case Dogging (SD), Add	198.64	
For Cylinder Dogging Indicator (CI), Add	132.22	
For Dogging Indicator (DI), Add	121.46	
For Quiet Electric Latch Retraction (QEL), Add	383.97	
For Vision Impaired Touchpad, Raised Letters and Braille, Add	61.37	
For Safety Glow Touchpad, Add	221.41	
08 71 11 00-2121 EA 3' Push Bar, Fire Rated, Rim Type, Exit Device (Von Duprin Series 98-F/99-F).....	1,102.33	99.73
Note: Clear anodized satin aluminum US28 (BHMA 628) finish.		
For 4' Push Bar, Add	13.00	
For Duranodic Dark Bronze US313 (BHMA 710) Finish, Add	51.02	
For Satin Chrome Plated US26D (BHMA 626) Finish, Add	81.13	
For Satin Bronze, Clear Coated US10 (BHMA 612) Finish, Add	129.64	
For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add	265.14	
For Satin Brass, Clear Coated US4 (BHMA 606) Finish, Add	83.64	
For Satin Stainless Steel, US32D (BHMA 630) Finish, Add	122.95	
For Quiet Electric Latch Retraction (QEL), Add	383.97	
For Vision Impaired Touchpad, Raised Letters and Braille, Add	61.37	
For Safety Glow Touchpad, Add	221.41	
08 71 11 00-2122 EA 3' Push Bar, Rim Type, Exit Device (Von Duprin Series XP98/XP99).....	1,061.07	99.73
Note: Clear anodized satin aluminum US28 (BHMA 628) finish.		
For 4' Push Bar, Add	13.00	
For Duranodic Dark Bronze US313 (BHMA 710) Finish, Add	48.50	
For Satin Chrome Plated US26D (BHMA 626) Finish, Add	77.13	
For Satin Bronze, Clear Coated US10 (BHMA 612) Finish, Add	123.25	
For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add	252.06	
For Satin Brass, Clear Coated US4 (BHMA 606) Finish, Add	79.51	
For Satin Stainless Steel, US32D (BHMA 630) Finish, Add	116.88	
For Standard Baseplate Cylinder Dogging (CD), Add	47.45	
For Special Center Case Dogging (SD), Add	198.64	
For Cylinder Dogging Indicator (CI), Add	132.22	
For Dogging Indicator (DI), Add	121.46	
For Quiet Electric Latch Retraction (QEL), Add	383.97	
For Vision Impaired Touchpad, Raised Letters and Braille, Add	61.37	
For Safety Glow Touchpad, Add	221.41	
08 71 11 00-2123 EA 3' Push Bar, Fire Rated, Rim Type, Exit Device (Von Duprin Series XP98-F/XP99-F).....	1,182.59	99.73
Note: Clear anodized satin aluminum US28 (BHMA 628) finish.		
For 4' Push Bar, Add	13.00	
For Duranodic Dark Bronze US313 (BHMA 710) Finish, Add	55.92	
For Satin Chrome Plated US26D (BHMA 626) Finish, Add	88.92	
For Satin Bronze, Clear Coated US10 (BHMA 612) Finish, Add	142.08	
For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add	290.58	
For Satin Brass, Clear Coated US4 (BHMA 606) Finish, Add	91.67	
For Satin Stainless Steel, US32D (BHMA 630) Finish, Add	134.75	
For Quiet Electric Latch Retraction (QEL), Add	383.97	
For Vision Impaired Touchpad, Raised Letters and Braille, Add	61.37	
For Safety Glow Touchpad, Add	221.41	
08 71 11 00-2124 EA 3' Push Bar, Surface Vertical Rods, Exit Device (Von Duprin Series 9827/9927).....	1,382.04	119.67
Note: Clear anodized satin aluminum US28 (BHMA 628) finish.		
For 4' Push Bar, Add	13.00	
For Duranodic Dark Bronze US313 (BHMA 710) Finish, Add	64.84	
For Satin Chrome Plated US26D (BHMA 626) Finish, Add	103.10	
For Satin Bronze, Clear Coated US10 (BHMA 612) Finish, Add	164.75	
For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add	336.95	
For Satin Brass, Clear Coated US4 (BHMA 606) Finish, Add	106.29	
For Satin Stainless Steel, US32D (BHMA 630) Finish, Add	156.25	
For Standard Baseplate Cylinder Dogging (CD), Add	47.45	
For Special Center Case Dogging (SD), Add	198.64	
For Cylinder Dogging Indicator (CI), Add	132.22	
For Dogging Indicator (DI), Add	121.46	
For Quiet Electric Latch Retraction (QEL), Add	383.97	
For Vision Impaired Touchpad, Raised Letters and Braille, Add	61.37	
For Safety Glow Touchpad, Add	221.41	
08 71 11 00-2125 EA 3' Push Bar, Fire Rated, Surface Vertical Rods, Exit Device (Von Duprin Series 9827-F/9927-F).....	1,550.82	119.67
Note: Clear anodized satin aluminum US28 (BHMA 628) finish.		
For 4' Push Bar, Add	13.00	
For Duranodic Dark Bronze US313 (BHMA 710) Finish, Add	75.13	
For Satin Chrome Plated US26D (BHMA 626) Finish, Add	119.47	
For Satin Bronze, Clear Coated US10 (BHMA 612) Finish, Add	190.91	
For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add	390.45	
For Satin Brass, Clear Coated US4 (BHMA 606) Finish, Add	123.17	
For Satin Stainless Steel, US32D (BHMA 630) Finish, Add	181.06	
For Quiet Electric Latch Retraction (QEL), Add	383.97	
For Vision Impaired Touchpad, Raised Letters and Braille, Add	61.37	
For Safety Glow Touchpad, Add	221.41	

08	08	Openings
	08 70	Hardware
	08 71	Door Hardware



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 71 11 00-2126 EA 3' Push Bar, Concealed Vertical Rods, Exit Device (Von Duprin Series 9847/9947)	1,458.56	137.40
Note: Clear anodized satin aluminum US28 (BHMA 628) finish.		
<i>For 4' Push Bar, Add</i>	13.00	
<i>For Duranodic Dark Bronze US313 (BHMA 710) Finish, Add</i>	101.43	
<i>For Satin Chrome Plated US26D (BHMA 626) Finish, Add</i>	105.80	
<i>For Satin Bronze, Clear Coated US10 (BHMA 612) Finish, Add</i>	169.06	
<i>For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add</i>	345.75	
<i>For Satin Brass, Clear Coated US4 (BHMA 606) Finish, Add</i>	109.07	
<i>For Satin Stainless Steel, US32D (BHMA 630) Finish, Add</i>	160.33	
<i>For Standard Baseplate Cylinder Dogging (CD), Add</i>	47.45	
<i>For Special Center Case Dogging (SD), Add</i>	198.64	
<i>For Cylinder Dogging Indicator (CI), Add</i>	132.22	
<i>For Dogging Indicator (DI), Add</i>	121.46	
<i>For Quiet Electric Latch Retraction (QEL), Add</i>	383.97	
<i>For Vision Impaired Touchpad, Raised Letters and Braille, Add</i>	61.37	
<i>For Safety Glow Touchpad, Add</i>	221.41	
08 71 11 00-2127 EA 3' Push Bar, Fire Rated, Concealed Vertical Rods, Exit Device (Von Duprin Series 9847-F/9947-F)	1,631.09	137.40
Note: Clear anodized satin aluminum US28 (BHMA 628) finish.		
<i>For 4' Push Bar, Add</i>	13.00	
<i>For Duranodic Dark Bronze US313 (BHMA 710) Finish, Add</i>	117.48	
<i>For Satin Chrome Plated US26D (BHMA 626) Finish, Add</i>	122.53	
<i>For Satin Bronze, Clear Coated US10 (BHMA 612) Finish, Add</i>	195.80	
<i>For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add</i>	400.44	
<i>For Satin Brass, Clear Coated US4 (BHMA 606) Finish, Add</i>	126.32	
<i>For Satin Stainless Steel, US32D (BHMA 630) Finish, Add</i>	185.69	
<i>For Quiet Electric Latch Retraction (QEL), Add</i>	383.97	
<i>For Vision Impaired Touchpad, Raised Letters and Braille, Add</i>	61.37	
<i>For Safety Glow Touchpad, Add</i>	221.41	
08 71 11 00-2128 EA 3' Push Bar, Concealed Vertical Rods, Exit Device (Von Duprin Series 9848/9948)	1,634.84	137.40
Note: Clear anodized satin aluminum US28 (BHMA 628) finish.		
<i>For 4' Push Bar, Add</i>	13.00	
<i>For Duranodic Dark Bronze US313 (BHMA 710) Finish, Add</i>	117.83	
<i>For Satin Chrome Plated US26D (BHMA 626) Finish, Add</i>	122.90	
<i>For Satin Bronze, Clear Coated US10 (BHMA 612) Finish, Add</i>	196.38	
<i>For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add</i>	401.63	
<i>For Satin Brass, Clear Coated US4 (BHMA 606) Finish, Add</i>	126.70	
<i>For Satin Stainless Steel, US32D (BHMA 630) Finish, Add</i>	186.24	
<i>For Standard Baseplate Cylinder Dogging (CD), Add</i>	47.45	
<i>For Special Center Case Dogging (SD), Add</i>	198.64	
<i>For Cylinder Dogging Indicator (CI), Add</i>	132.22	
<i>For Dogging Indicator (DI), Add</i>	121.46	
<i>For Quiet Electric Latch Retraction (QEL), Add</i>	383.97	
<i>For Vision Impaired Touchpad, Raised Letters and Braille, Add</i>	61.37	
<i>For Safety Glow Touchpad, Add</i>	221.41	
08 71 11 00-2129 EA 3' Push Bar, Fire Rated, Concealed Vertical Rods, Exit Device (Von Duprin Series 9848-F/9948-F)	1,807.36	137.40
Note: Clear anodized satin aluminum US28 (BHMA 628) finish.		
<i>For 4' Push Bar, Add</i>	13.00	
<i>For Duranodic Dark Bronze US313 (BHMA 710) Finish, Add</i>	133.87	
<i>For Satin Chrome Plated US26D (BHMA 626) Finish, Add</i>	139.63	
<i>For Satin Bronze, Clear Coated US10 (BHMA 612) Finish, Add</i>	223.12	
<i>For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add</i>	456.32	
<i>For Satin Brass, Clear Coated US4 (BHMA 606) Finish, Add</i>	143.95	
<i>For Satin Stainless Steel, US32D (BHMA 630) Finish, Add</i>	211.60	
<i>For Quiet Electric Latch Retraction (QEL), Add</i>	383.97	
<i>For Vision Impaired Touchpad, Raised Letters and Braille, Add</i>	61.37	
<i>For Safety Glow Touchpad, Add</i>	221.41	
08 71 11 00-2130 EA 3' Push Bar, Concealed Vertical Rods, Exit Device For Wood Door (Von Duprin Series 9847WDC/9947WDC)	1,583.83	137.40
Note: Clear anodized satin aluminum US28 (BHMA 628) finish.		
<i>For 4' Push Bar, Add</i>	13.00	
<i>For Duranodic Dark Bronze US313 (BHMA 710) Finish, Add</i>	113.08	
<i>For Satin Chrome Plated US26D (BHMA 626) Finish, Add</i>	117.95	
<i>For Satin Bronze, Clear Coated US10 (BHMA 612) Finish, Add</i>	188.47	
<i>For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add</i>	385.46	
<i>For Satin Brass, Clear Coated US4 (BHMA 606) Finish, Add</i>	121.60	
<i>For Satin Stainless Steel, US32D (BHMA 630) Finish, Add</i>	178.74	
<i>For Standard Baseplate Cylinder Dogging (CD), Add</i>	47.45	
<i>For Special Center Case Dogging (SD), Add</i>	198.64	
<i>For Cylinder Dogging Indicator (CI), Add</i>	132.22	
<i>For Dogging Indicator (DI), Add</i>	121.46	
<i>For Quiet Electric Latch Retraction (QEL), Add</i>	383.97	
<i>For Vision Impaired Touchpad, Raised Letters and Braille, Add</i>	61.37	
<i>For Safety Glow Touchpad, Add</i>	221.41	
08 71 11 00-2131 EA 3' Push Bar, Fire Rated, Concealed Vertical Rods, Exit Device For Wood Door (Von Duprin Series 9847WDC-F/9947WDC-F)	1,778.11	137.40
Note: Clear anodized satin aluminum US28 (BHMA 628) finish.		
<i>For 4' Push Bar, Add</i>	13.00	
<i>For Duranodic Dark Bronze US313 (BHMA 710) Finish, Add</i>	131.15	
<i>For Satin Chrome Plated US26D (BHMA 626) Finish, Add</i>	136.79	
<i>For Satin Bronze, Clear Coated US10 (BHMA 612) Finish, Add</i>	218.59	
<i>For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add</i>	447.04	
<i>For Satin Brass, Clear Coated US4 (BHMA 606) Finish, Add</i>	141.02	
<i>For Satin Stainless Steel, US32D (BHMA 630) Finish, Add</i>	207.30	
<i>For Quiet Electric Latch Retraction (QEL), Add</i>	383.97	
<i>For Vision Impaired Touchpad, Raised Letters and Braille, Add</i>	61.37	
<i>For Safety Glow Touchpad, Add</i>	221.41	



Openings	08	08
Hardware	08 70	
Door Hardware	08 71	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 71 11 00-2132	EA		3' Push Bar, Surface Mount, Three Point Latch, Exit Device (Von Duprin Series 9857/9957)1,710.60	1,710.60	119.67
			Note: Clear anodized satin aluminum US28 (BHMA 628) finish.		
			For 4' Push Bar, Add	13.00	
			For Duranodic Dark Bronze US313 (BHMA 710) Finish, Add	84.88	
			For Satin Chrome Plated US26D (BHMA 626) Finish, Add	134.97	
			For Satin Bronze, Clear Coated US10 (BHMA 612) Finish, Add	215.68	
			For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add	441.10	
			For Satin Brass, Clear Coated US4 (BHMA 606) Finish, Add	139.15	
			For Satin Stainless Steel, US32D (BHMA 630) Finish, Add	204.55	
			For Standard Baseplate Cylinder Dogging (CD), Add	47.45	
			For Special Center Case Dogging (SD), Add	198.64	
			For Cylinder Dogging Indicator (CI), Add	132.22	
			For Dogging Indicator (DI), Add	121.46	
			For Quiet Electric Latch Retraction (QEL), Add	383.97	
			For Vision Impaired Touchpad, Raised Letters and Braille, Add	61.37	
			For Safety Glow Touchpad, Add	221.41	
08 71 11 00-2133	EA		3' Push Bar, Fire Rated, Surface Mount, Three Point Latch, Exit Device (Von Duprin Series 9857-F/9957-F).....1,822.37	1,822.37	119.67
			Note: Clear anodized satin aluminum US28 (BHMA 628) finish.		
			For 4' Push Bar, Add	13.00	
			For Duranodic Dark Bronze US313 (BHMA 710) Finish, Add	91.70	
			For Satin Chrome Plated US26D (BHMA 626) Finish, Add	145.82	
			For Satin Bronze, Clear Coated US10 (BHMA 612) Finish, Add	233.00	
			For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add	476.53	
			For Satin Brass, Clear Coated US4 (BHMA 606) Finish, Add	150.33	
			For Satin Stainless Steel, US32D (BHMA 630) Finish, Add	220.98	
			For Standard Baseplate Cylinder Dogging (CD), Add	47.45	
			For Special Center Case Dogging (SD), Add	198.64	
			For Cylinder Dogging Indicator (CI), Add	132.22	
			For Dogging Indicator (DI), Add	121.46	
			For Quiet Electric Latch Retraction (QEL), Add	383.97	
			For Vision Impaired Touchpad, Raised Letters and Braille, Add	61.37	
			For Safety Glow Touchpad, Add	221.41	
08 71 11 00-2134	EA		3' Push Bar, Mortise Lock, Exit Device (Von Duprin Series 9875/9975)1,372.84	1,372.84	124.11
			Note: Clear anodized satin aluminum US28 (BHMA 628) finish.		
			For 4' Push Bar, Add	13.00	
			For Duranodic Dark Bronze US313 (BHMA 710) Finish, Add	38.50	
			For Satin Chrome Plated US26D (BHMA 626) Finish, Add	100.92	
			For Satin Bronze, Clear Coated US10 (BHMA 612) Finish, Add	161.27	
			For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add	329.81	
			For Satin Brass, Clear Coated US4 (BHMA 606) Finish, Add	104.04	
			For Satin Stainless Steel, US32D (BHMA 630) Finish, Add	152.94	
			For Standard Baseplate Cylinder Dogging (CD), Add	47.45	
			For Special Center Case Dogging (SD), Add	198.64	
			For Cylinder Dogging Indicator (CI), Add	132.22	
			For Dogging Indicator (DI), Add	121.46	
			For Quiet Electric Latch Retraction (QEL), Add	383.97	
			For Vision Impaired Touchpad, Raised Letters and Braille, Add	61.37	
			For Safety Glow Touchpad, Add	221.41	
08 71 11 00-2135	EA		3' Push Bar, Fire Rated, Mortise Lock, Exit Device (Von Duprin Series 9875-F/9975-F).....1,499.61	1,499.61	124.11
			Note: Clear anodized satin aluminum US28 (BHMA 628) finish.		
			For 4' Push Bar, Add	13.00	
			For Duranodic Dark Bronze US313 (BHMA 710) Finish, Add	43.19	
			For Satin Chrome Plated US26D (BHMA 626) Finish, Add	113.22	
			For Satin Bronze, Clear Coated US10 (BHMA 612) Finish, Add	180.91	
			For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add	370.00	
			For Satin Brass, Clear Coated US4 (BHMA 606) Finish, Add	116.72	
			For Satin Stainless Steel, US32D (BHMA 630) Finish, Add	171.58	
			For Quiet Electric Latch Retraction (QEL), Add	383.97	
			For Vision Impaired Touchpad, Raised Letters and Braille, Add	61.37	
			For Safety Glow Touchpad, Add	221.41	
08 71 11 00-2136	EA		3' Push Bar, Concealed Vertical Cable, Exit Device (Von Duprin Series 9849/9949)1,511.81	1,511.81	137.40
			Note: Clear anodized satin aluminum US28 (BHMA 628) finish.		
			For 4' Push Bar, Add	13.00	
			For Duranodic Dark Bronze US313 (BHMA 710) Finish, Add	106.39	
			For Satin Chrome Plated US26D (BHMA 626) Finish, Add	110.96	
			For Satin Bronze, Clear Coated US10 (BHMA 612) Finish, Add	177.31	
			For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add	362.63	
			For Satin Brass, Clear Coated US4 (BHMA 606) Finish, Add	114.39	
			For Satin Stainless Steel, US32D (BHMA 630) Finish, Add	168.16	
			For Standard Baseplate Cylinder Dogging (CD), Add	47.45	
			For Special Center Case Dogging (SD), Add	198.64	
			For Cylinder Dogging Indicator (CI), Add	132.22	
			For Dogging Indicator (DI), Add	121.46	
			For Quiet Electric Latch Retraction (QEL), Add	383.97	
			For Vision Impaired Touchpad, Raised Letters and Braille, Add	61.37	
			For Safety Glow Touchpad, Add	221.41	

08 Openings**08 70 Hardware****08 71 Door Hardware**

MINOR CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 71 11 00-2137	EA	3' Push Bar, Fire Rated, Concealed Vertical Cable, Exit Device(Von Duprin Series 9849-F/9949-F).....	1,637.83	137.40
		Note: Clear anodized satin aluminum US28 (BHMA 628) finish.		
		For 4' Push Bar, Add	13.00	
		For Duranodic Dark Bronze US313 (BHMA 710) Finish, Add	118.11	
		For Satin Chrome Plated US26D (BHMA 626) Finish, Add	123.19	
		For Satin Bronze, Clear Coated US10 (BHMA 612) Finish, Add	196.84	
		For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add	402.57	
		For Satin Brass, Clear Coated US4 (BHMA 606) Finish, Add	127.00	
		For Satin Stainless Steel, US32D (BHMA 630) Finish, Add	186.68	
		For Standard Baseplate Cylinder Dogging (CD), Add	47.45	
		For Special Center Case Dogging (SD), Add	198.64	
		For Cylinder Dogging Indicator (CI), Add	132.22	
		For Dogging Indicator (DI), Add	121.46	
		For Quiet Electric Latch Retraction (QEL), Add	383.97	
		For Vision Impaired Touchpad, Raised Letters and Braille, Add	61.37	
		For Safety Glow Touchpad, Add	221.41	
08 71 11 00-2138	EA	3' Push Bar, Concealed Vertical Cable, Exit Device For Wood Door (Von Duprin Series 9849WDC/9949WDC).....	1,642.33	137.40
		Note: Clear anodized satin aluminum US28 (BHMA 628) finish.		
		For 4' Push Bar, Add	13.00	
		For Duranodic Dark Bronze US313 (BHMA 710) Finish, Add	118.52	
		For Satin Chrome Plated US26D (BHMA 626) Finish, Add	123.62	
		For Satin Bronze, Clear Coated US10 (BHMA 612) Finish, Add	197.54	
		For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add	404.00	
		For Satin Brass, Clear Coated US4 (BHMA 606) Finish, Add	127.45	
		For Satin Stainless Steel, US32D (BHMA 630) Finish, Add	187.34	
		For Standard Baseplate Cylinder Dogging (CD), Add	47.45	
		For Special Center Case Dogging (SD), Add	198.64	
		For Cylinder Dogging Indicator (CI), Add	132.22	
		For Dogging Indicator (DI), Add	121.46	
		For Quiet Electric Latch Retraction (QEL), Add	383.97	
		For Vision Impaired Touchpad, Raised Letters and Braille, Add	61.37	
		For Safety Glow Touchpad, Add	221.41	
08 71 11 00-2139	EA	3' Push Bar, Fire Rated, Concealed Vertical Cable, Exit Device For Wood Door (Von Duprin Series 9849WDC-F/9949WDC-F).....	1,867.37	137.40
		Note: Clear anodized satin aluminum US28 (BHMA 628) finish.		
		For 4' Push Bar, Add	13.00	
		For Duranodic Dark Bronze US313 (BHMA 710) Finish, Add	139.45	
		For Satin Chrome Plated US26D (BHMA 626) Finish, Add	145.45	
		For Satin Bronze, Clear Coated US10 (BHMA 612) Finish, Add	232.42	
		For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add	475.34	
		For Satin Brass, Clear Coated US4 (BHMA 606) Finish, Add	149.95	
		For Satin Stainless Steel, US32D (BHMA 630) Finish, Add	220.43	
		For Standard Baseplate Cylinder Dogging (CD), Add	47.45	
		For Special Center Case Dogging (SD), Add	198.64	
		For Cylinder Dogging Indicator (CI), Add	132.22	
		For Dogging Indicator (DI), Add	121.46	
		For Quiet Electric Latch Retraction (QEL), Add	383.97	
		For Vision Impaired Touchpad, Raised Letters and Braille, Add	61.37	
		For Safety Glow Touchpad, Add	221.41	
08 71 11 00-2140	EA	3' Push Bar, Chexit Delayed Egress, Exit Device (Von Duprin Series CX98/CX99).....	2,112.79	115.24
		Note: Clear anodized satin aluminum US28 (BHMA 628) finish.		
		For 4' Push Bar, Add	13.00	
		For Satin Bronze, Clear Coated US10 (BHMA 612) Finish, Add	279.39	
		For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add	571.41	
		For Satin Brass, Clear Coated US4 (BHMA 606) Finish, Add	180.25	
		For Duranodic Dark Bronze US313 (BHMA 710) Finish, Add	67.05	
		For Satin Chrome Plated US26D (BHMA 626) Finish, Add	75.35	
		For Center Case Dogging (CD-CX), Add	214.45	
		For Quiet Electric Latch Retraction (QEL), Add	383.97	
		For Vision Impaired Touchpad, Raised Letters and Braille, Add	61.37	
		For Safety Glow Touchpad, Add	221.41	
08 71 11 00-2141	EA	3' Push Bar, Fire Rated, Chexit Delayed Egress, Exit Device (Von Duprin Series CX98-F/CX99-F).....	2,237.31	115.24
		Note: Excludes power supply. Clear anodized satin aluminum US28 (BHMA 628) finish.		
		For 4' Push Bar, Add	13.00	
		For Satin Bronze, Clear Coated US10 (BHMA 612) Finish, Add	298.69	
		For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add	610.88	
		For Satin Brass, Clear Coated US4 (BHMA 606) Finish, Add	192.71	
		For Duranodic Dark Bronze US313 (BHMA 710) Finish, Add	71.69	
		For Satin Chrome Plated US26D (BHMA 626) Finish, Add	80.55	
		For Quiet Electric Latch Retraction (QEL), Add	383.97	
		For Vision Impaired Touchpad, Raised Letters and Braille, Add	61.37	
		For Safety Glow Touchpad, Add	221.41	
08 71 11 00-2142	EA	3' Push Bar, Mortise Chexit Delayed Egress, Exit Device (Von Duprin Series CX9875/CX9975).....	2,516.70	141.83
		Note: Excludes power supply. Clear anodized satin aluminum US28 (BHMA 628) finish.		
		For 4' Push Bar, Add	13.00	
		For Satin Bronze, Clear Coated US10 (BHMA 612) Finish, Add	330.32	
		For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add	675.56	
		For Satin Brass, Clear Coated US4 (BHMA 606) Finish, Add	213.11	
		For Duranodic Dark Bronze US313 (BHMA 710) Finish, Add	79.28	
		For Satin Chrome Plated US26D (BHMA 626) Finish, Add	89.08	
		For Center Case Dogging (CD-CX), Add	214.45	
		For Quiet Electric Latch Retraction (QEL), Add	383.97	
		For Vision Impaired Touchpad, Raised Letters and Braille, Add	61.37	
		For Safety Glow Touchpad, Add	221.41	



Openings	08	08
Hardware	08 70	
Door Hardware	08 71	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 71	11 00-2143	EA	3' Push Bar, Fire Rated, Mortise Chexit Delayed Egress, Exit Device (Von Duprin Series CX9875-F/CX9975-F).....	2,643.48	141.83
			Note: Excludes power supply. Clear anodized satin aluminum US28 (BHMA 628) finish.		
			For 4' Push Bar, Add	13.00	
			For Satin Bronze, Clear Coated US10 (BHMA 612) Finish, Add	349.97	
			For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add	715.74	
			For Satin Brass, Clear Coated US4 (BHMA 606) Finish, Add	225.79	
			For Duranodic Dark Bronze US313 (BHMA 710) Finish, Add	83.99	
			For Satin Chrome Plated US26D (BHMA 626) Finish, Add	94.38	
			For Quiet Electric Latch Retraction (QEL), Add	383.97	
			For Vision Impaired Touchpad, Raised Letters and Braille, Add	61.37	
			For Safety Glow Touchpad, Add	221.41	
08 71	11 00-2144	EA	3' Push Bar, Electric Latch Retraction, Exit Device (Von Duprin Series E98/E99).....	1,377.68	115.24
			Note: Excludes power supply. Clear anodized satin aluminum US28 (BHMA 628) finish.		
			For 4' Push Bar, Add	13.00	
			For Satin Bronze, Clear Coated US10 (BHMA 612) Finish, Add	165.45	
			For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add	338.38	
			For Satin Brass, Clear Coated US4 (BHMA 606) Finish, Add	106.74	
			For Duranodic Dark Bronze US313 (BHMA 710) Finish, Add	39.71	
			For Satin Chrome Plated US26D (BHMA 626) Finish, Add	61.27	
			For Standard Baseplate Cylinder Dogging (CD), Add	47.45	
			For Special Center Case Dogging (SD), Add	198.64	
			For Dogging Indicator (DI), Add	121.46	
			For Quiet Electric Latch Retraction (QEL), Add	383.97	
			For Vision Impaired Touchpad, Raised Letters and Braille, Add	61.37	
			For Safety Glow Touchpad, Add	221.41	
08 71	11 00-2145	EA	3' Push Bar, Fire Rated, Electric Latch Retraction, Exit Device (Von Duprin Series E98-F/E99-F).....	1,502.20	115.24
			Note: Excludes power supply. Clear anodized satin aluminum US28 (BHMA 628) finish.		
			For 4' Push Bar, Add	13.00	
			For Satin Bronze, Clear Coated US10 (BHMA 612) Finish, Add	184.75	
			For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add	377.85	
			For Satin Brass, Clear Coated US4 (BHMA 606) Finish, Add	119.20	
			For Duranodic Dark Bronze US313 (BHMA 710) Finish, Add	44.34	
			For Satin Chrome Plated US26D (BHMA 626) Finish, Add	68.42	
			For Quiet Electric Latch Retraction (QEL), Add	383.97	
			For Vision Impaired Touchpad, Raised Letters and Braille, Add	61.37	
			For Safety Glow Touchpad, Add	221.41	
08 71	11 00-2146	EA	3' Push Bar, Mortise Electric Latch Retraction, Exit Device (Von Duprin Series E9875/E9975).....	1,781.59	141.83
			Note: Excludes power supply. Clear anodized satin aluminum US28 (BHMA 628) finish.		
			For 4' Push Bar, Add	13.00	
			For Satin Bronze, Clear Coated US10 (BHMA 612) Finish, Add	216.38	
			For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add	442.53	
			For Satin Brass, Clear Coated US4 (BHMA 606) Finish, Add	139.60	
			For Duranodic Dark Bronze US313 (BHMA 710) Finish, Add	51.93	
			For Satin Chrome Plated US26D (BHMA 626) Finish, Add	80.13	
			For Standard Baseplate Cylinder Dogging (CD), Add	47.45	
			For Special Center Case Dogging (SD), Add	198.64	
			For Dogging Indicator (DI), Add	121.46	
			For Quiet Electric Latch Retraction (QEL), Add	383.97	
			For Vision Impaired Touchpad, Raised Letters and Braille, Add	61.37	
			For Safety Glow Touchpad, Add	221.41	
08 71	11 00-2147	EA	3' Push Bar, Fire Rated, Mortise Electric Latch Retraction, Exit Device (Von Duprin Series E9875-F/E9975-F).....	1,908.35	141.83
			Note: Excludes power supply. Clear anodized satin aluminum US28 (BHMA 628) finish.		
			For 4' Push Bar, Add	13.00	
			For Satin Bronze, Clear Coated US10 (BHMA 612) Finish, Add	236.02	
			For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add	482.71	
			For Satin Brass, Clear Coated US4 (BHMA 606) Finish, Add	152.27	
			For Duranodic Dark Bronze US313 (BHMA 710) Finish, Add	56.65	
			For Satin Chrome Plated US26D (BHMA 626) Finish, Add	87.41	
			For Quiet Electric Latch Retraction (QEL), Add	383.97	
			For Vision Impaired Touchpad, Raised Letters and Braille, Add	61.37	
			For Safety Glow Touchpad, Add	221.41	
08 71	11 00-2148	EA	Exit Only Trim Plate (Von Duprin Series 98/99, EO).....	115.16	13.30
			Note: Satin chrome plated US26D (BHMA 626) finish.		
			For Duranodic Dark Bronze US313 (BHMA 710) Finish, Add	2.39	
			For Satin Bronze, Clear Coated US10 (BHMA 612) Finish, Add	3.59	
			For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add	13.55	
08 71	11 00-2149	EA	Dummy Trim (Von Duprin Series 98/99, 990DT).....	168.32	16.62
			Note: Satin chrome plated US26D (BHMA 626) finish.		
			For Duranodic Dark Bronze US313 (BHMA 710) Finish, Add	3.72	
			For Satin Bronze, Clear Coated US10 (BHMA 612) Finish, Add	5.58	
			For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add	21.08	
08 71	11 00-2150	EA	Night Latch Pull Trim With 110NL Cylinder (Von Duprin Series 98/99, 990NL).....	268.41	22.16
			Note: Satin chrome plated US26D (BHMA 626) finish.		
			For Duranodic Dark Bronze US313 (BHMA 710) Finish, Add	6.19	
			For Satin Bronze, Clear Coated US10 (BHMA 612) Finish, Add	9.29	
			For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add	35.08	
08 71	11 00-2151	EA	Night Latch Pull Trim Without Cylinder (Von Duprin Series 98/99, 990NL).....	194.90	22.16
			Note: Satin chrome plated US26D (BHMA 626) finish.		
			For Duranodic Dark Bronze US313 (BHMA 710) Finish, Add	3.99	
			For Satin Bronze, Clear Coated US10 (BHMA 612) Finish, Add	5.98	
			For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add	22.58	
08 71	11 00-2152	EA	Lever Trim With 110NL Cylinder (Von Duprin Series 98/99, 996L).....	448.72	33.24
			Note: Satin chrome plated US26D (BHMA 626) finish.		
			For Duranodic Dark Bronze US313 (BHMA 710) Finish, Add	10.80	
			For Satin Bronze, Clear Coated US10 (BHMA 612) Finish, Add	16.20	
			For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add	61.21	

08	08	Openings
	08 70	Hardware
	08 71	Door Hardware



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 71 11 00-2153 EA Lever Trim Without Cylinder (Von Duprin Series 98/99, 996L) Note: Satin chrome plated US26D (BHMA 626) finish. For Duranodic Dark Bronze US313 (BHMA 710) Finish, Add For Satin Bronze, Clear Coated US10 (BHMA 612) Finish, Add For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add	375.21 8.60 12.90 48.72	33.24
08 71 11 00-2154 EA Blank Escutcheon, Lever (Von Duprin Series 98/99, 996L-BE) Note: Satin chrome plated US26D (BHMA 626) finish. For Duranodic Dark Bronze US313 (BHMA 710) Finish, Add For Satin Bronze, Clear Coated US10 (BHMA 612) Finish, Add For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add	375.21 8.60 12.90 48.72	33.24
08 71 11 00-2155 EA Night Latch, Lever With 110NL Cylinder (Von Duprin Series 98/99, 996L-NL) Note: Satin chrome plated US26D (BHMA 626) finish. For Duranodic Dark Bronze US313 (BHMA 710) Finish, Add For Satin Bronze, Clear Coated US10 (BHMA 612) Finish, Add For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add	385.46 8.90 13.36 50.46	33.24
08 71 11 00-2156 EA Night Latch, Lever Without Cylinder (Von Duprin Series 98/99, 996L-NL) Note: Satin chrome plated US26D (BHMA 626) finish. For Duranodic Dark Bronze US313 (BHMA 710) Finish, Add For Satin Bronze, Clear Coated US10 (BHMA 612) Finish, Add For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add	311.95 6.70 10.05 37.96	33.24
08 71 11 00-2157 EA Lever Dummy Trim (Von Duprin Series 98/99, 996L-DT) Note: Satin chrome plated US26D (BHMA 626) finish. For Duranodic Dark Bronze US313 (BHMA 710) Finish, Add For Satin Bronze, Clear Coated US10 (BHMA 612) Finish, Add For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add	311.95 6.70 10.05 37.96	33.24
08 71 11 00-2158 EA Knob Trim With 110NL Cylinder (Von Duprin Series 98/99, K) Note: Satin chrome plated US26D (BHMA 626) finish. For Duranodic Dark Bronze US313 (BHMA 710) Finish, Add For Satin Bronze, Clear Coated US10 (BHMA 612) Finish, Add For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add	375.35 8.60 12.90 48.74	33.24
08 71 11 00-2159 EA Knob Trim Without Cylinder (Von Duprin Series 98/99, K) Note: Satin chrome plated US26D (BHMA 626) finish. For Duranodic Dark Bronze US313 (BHMA 710) Finish, Add For Satin Bronze, Clear Coated US10 (BHMA 612) Finish, Add For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add	301.83 6.40 9.59 36.24	33.24
08 71 11 00-2160 EA Blank Escutcheon, Knob (Von Duprin Series 98/99, K-BE) Note: Satin chrome plated US26D (BHMA 626) finish. For Duranodic Dark Bronze US313 (BHMA 710) Finish, Add For Satin Bronze, Clear Coated US10 (BHMA 612) Finish, Add For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add	301.83 6.40 9.59 36.24	33.24
08 71 11 00-2161 EA Night Latch, Knob With 110NL Cylinder (Von Duprin Series 98/99, K-NL) Note: Satin chrome plated US26D (BHMA 626) finish. For Duranodic Dark Bronze US313 (BHMA 710) Finish, Add For Satin Bronze, Clear Coated US10 (BHMA 612) Finish, Add For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add	369.65 8.43 12.65 47.77	33.24
08 71 11 00-2162 EA Night Latch, Knob Without Cylinder (Von Duprin Series 98/99, K-NL) Note: Satin chrome plated US26D (BHMA 626) finish. For Duranodic Dark Bronze US313 (BHMA 710) Finish, Add For Satin Bronze, Clear Coated US10 (BHMA 612) Finish, Add For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add	296.14 6.23 9.34 35.28	33.24
08 71 11 00-2163 EA Dummy Trim For Knob Without Cylinder (Von Duprin Series 98/99, K-DT) Note: Satin chrome plated US26D (BHMA 626) finish. For Duranodic Dark Bronze US313 (BHMA 710) Finish, Add For Satin Bronze, Clear Coated US10 (BHMA 612) Finish, Add For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add	296.14 6.23 9.34 35.28	33.24
08 71 11 00-2164 EA Thumbpiece Trim With 110NL Cylinder (Von Duprin Series 98/99, TP) Note: Satin chrome plated US26D (BHMA 626) finish. For Duranodic Dark Bronze US313 (BHMA 710) Finish, Add For Satin Bronze, Clear Coated US10 (BHMA 612) Finish, Add For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add	338.65 7.50 11.25 42.50	33.24
08 71 11 00-2165 EA Thumbpiece Trim Without Cylinder (Von Duprin Series 98/99, TP) Note: Satin chrome plated US26D (BHMA 626) finish. For Duranodic Dark Bronze US313 (BHMA 710) Finish, Add For Satin Bronze, Clear Coated US10 (BHMA 612) Finish, Add For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add	265.14 5.30 7.94 30.01	33.24
08 71 11 00-2166 EA Blank Escutcheon, Thumbpiece (Von Duprin Series 98/99, T-BE) Note: Satin chrome plated US26D (BHMA 626) finish. For Duranodic Dark Bronze US313 (BHMA 710) Finish, Add For Satin Bronze, Clear Coated US10 (BHMA 612) Finish, Add For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add	265.14 5.30 7.94 30.01	33.24
08 71 11 00-2167 EA Push/Pull Hospital Latch Trim With 110NL Cylinder (Von Duprin Series 98/99, HL) Note: Satin chrome plated US26D (BHMA 626) finish. For Duranodic Dark Bronze US313 (BHMA 710) Finish, Add For Satin Bronze, Clear Coated US10 (BHMA 612) Finish, Add For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add	285.17 5.90 8.84 33.41	33.24
08 71 11 00-2168 Option And Kits For Series 22, 33, 35, 98 Or 99 <small>(08 71 11 00-2087)</small>		
08 71 11 00-2169 EA Alarm Kit With Switch And 9 Volt Battery Back-up	741.98	33.24



Openings	08	08
Hardware	08 70	
Door Hardware	08 71	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 71 11 00-2170	EA		4 Amperes Output Current, 12-24 Volt DC, Power Supply (Von Duprin PS914).....	457.22	33.24
			<i>For Battery Backup (Includes Board And 2 Batteries), Add</i>	91.23	
			<i>For Fire Alarm Interface, Add</i>	45.62	
			<i>For 2 Relay Panic Device Control Board, Add</i>	105.83	
			<i>For 2 Relay Quiet Electric Latch Panic Device Control Board, Add</i>	124.07	
			<i>For 4 Relay Output Board, Add</i>	102.18	
			<i>For 4 Relay Logic Board, Add</i>	280.24	
			<i>For Fused 8 Zone Distribution Board, Add</i>	36.49	
08 71 11 00-2171	EA		Jamb Mounted Concealed Electric Power Transfer (Von Duprin EPT-10).....	428.60	33.24
08 71 11 00-2172	EA		2 Amperes Output Current, 12/24 Volt DC, Power Supply (Von Duprin PS902).....	246.79	33.24
			<i>For Battery Backup (Includes Board And 2 Batteries), Add</i>	91.23	
			<i>For Fire Alarm Interface, Add</i>	45.62	
			<i>For 2 Relay Quiet Electric Latch Panic Device Control Board, Add</i>	124.07	
			<i>For 4 Relay Output Board, Add</i>	102.18	
			<i>For 4 Relay Logic Board, Add</i>	280.24	
			<i>For Fused 8 Zone Distribution Board, Add</i>	36.49	
08 71 11 00-2173	EA		4 Amperes Output Current, 12/24 Volt DC, Power Supply (Von Duprin PS904).....	386.74	33.24
			<i>For Battery Backup (Includes Board And 2 Batteries), Add</i>	91.23	
			<i>For Fire Alarm Interface, Add</i>	45.62	
			<i>For 2 Relay Quiet Electric Latch Panic Device Control Board, Add</i>	124.07	
			<i>For 4 Relay Output Board, Add</i>	102.18	
			<i>For 4 Relay Logic Board, Add</i>	280.24	
			<i>For Fused 8 Zone Distribution Board, Add</i>	36.49	
08 71 11 00-2174	EA		Request to Exit Push Pad Monitor Switch (RX)	165.16	22.16
08 71 11 00-2175			Removable Verticals, Mullions (Von Duprin) <small>(08 71 11 00-2057)</small>		
08 71 11 00-2176	EA		7'-2" Removable Steel Mullion, 2" x 3" x 1/8" Wall Thickness (Von Duprin 4954-72).....	433.70	22.16
			Note: For use with Von Duprin Panic rim devices.		
			<i>For Owner Furnished Material, Deduct</i>	-345.06	
08 71 11 00-2177	EA		8'-2" Removable Steel Mullion, 2" x 3" x 1/8" Wall Thickness (Von Duprin 4954-82).....	460.70	22.16
			Note: For use with Von Duprin Panic rim devices.		
			<i>For Owner Furnished Material, Deduct</i>	-372.06	
08 71 11 00-2178	EA		10'-2" Removable Steel Mullion, 2" x 3" x 1/8" Wall Thickness (Von Duprin 4954-102).....	751.98	22.16
			Note: For use with Von Duprin Panic rim devices.		
			<i>For Owner Furnished Material, Deduct</i>	-663.34	
08 71 11 00-2179	EA		7'-6" Keyed Removable Steel Mullion, 2" x 3" x 1/8" Wall Thickness (Von Duprin KR4954-76).....	739.48	26.59
			Note: For use with Von Duprin Panic rim devices.		
			<i>For Owner Furnished Material, Deduct</i>	-633.10	
08 71 11 00-2180	EA		8'-6" Keyed Removable Steel Mullion, 2" x 3" x 1/8" Wall Thickness (Von Duprin KR4954-86).....	766.48	26.59
			Note: For use with Von Duprin Panic rim devices.		
			<i>For Owner Furnished Material, Deduct</i>	-660.10	
08 71 11 00-2181	EA		10'-6" Keyed Removable Steel Mullion, 2" x 3" x 1/8" Wall Thickness (Von Duprin KR4954-106).....	825.75	26.59
			Note: For use with Von Duprin Panic rim devices.		
			<i>For Owner Furnished Material, Deduct</i>	-719.37	
08 71 11 00-2182	EA		7'-3" Removable Steel Mullion, 2" x 3" x 1/8" Wall Thickness, Fire Rated (Von Duprin 9954-73).....	622.72	22.16
			Note: For use with Von Duprin Panic rim devices.		
			<i>For Owner Furnished Material, Deduct</i>	-534.08	
08 71 11 00-2183	EA		8'-3" Removable Steel Mullion, 2" x 3" x 1/8" Wall Thickness, Fire Rated (Von Duprin 9954-83).....	650.48	22.16
			Note: For use with Von Duprin Panic rim devices.		
			<i>For Owner Furnished Material, Deduct</i>	-561.84	
08 71 11 00-2184	EA		10'-3" Removable Steel Mullion, 2" x 3" x 1/8" Wall Thickness, Fire Rated (Von Duprin 9954-103).....	706.74	22.16
			Note: For use with Von Duprin Panic rim devices.		
			<i>For Owner Furnished Material, Deduct</i>	-618.10	
08 71 11 00-2185	EA		7'-5" Keyed Removable Steel Mullion, 2" x 3" x 1/8" Wall Thickness, Fire Rated (Von Duprin KR9954-75).....	957.76	26.59
			Note: For use with Von Duprin Panic rim devices.		
			<i>For Owner Furnished Material, Deduct</i>	-851.38	
08 71 11 00-2186	EA		8'-5" Keyed Removable Steel Mullion, 2" x 3" x 1/8" Wall Thickness, Fire Rated (Von Duprin KR9954-85).....	985.52	26.59
			Note: For use with Von Duprin Panic rim devices.		
			<i>For Owner Furnished Material, Deduct</i>	-879.14	
08 71 11 00-2187	EA		10'-5" Keyed Removable Steel Mullion, 2" x 3" x 1/8" Wall Thickness, Fire Rated (Von Duprin KR9954-105).....	1,857.69	26.59
			Note: For use with Von Duprin Panic rim devices.		
			<i>For Owner Furnished Material, Deduct</i>	-1,751.31	
08 71 11 00-2188	EA		Mullion Stabilizer Set (Von Duprin 154)	91.71	17.73
			Note: For use with Von Duprin Panic rim devices.		
			<i>For Owner Furnished Material, Deduct</i>	-56.26	
08 71 11 00-2189			Cross Bar Exit Device, Narrow Stile, Von Duprin Series 55 <small>(08 71 11 00-2087)</small>		
			Note: Grade 1, BHMA 156.3.		
08 71 11 00-2190	EA		42" Crossbar Exit Device, Rim Type, Narrow Stile.....	1,698.67	99.73
			Note: Anodized finish: dull brass or dull bronze. Von Duprin Series 55.		
			<i>For Satin Chrome Plated US26D (BHMA 626) Finish, Add</i>	180.52	
			<i>For Dark Oxidized Satin Bronze, Oil Rubbed, US10B (BHMA 613) Finish, Add</i>	207.75	
			<i>For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add</i>	273.65	
			<i>For Bright Stainless Steel US32 (BHMA 629) Finish, Add</i>	298.01	
08 71 11 00-2191	EA		42" Crossbar Exit Device, Concealed Vertical Rod, Narrow Stile	2,188.43	137.40
			Note: Anodized finish: dull brass or dull bronze. Von Duprin Series 5547.		
			<i>For Satin Chrome Plated US26D (BHMA 626) Finish, Add</i>	229.39	
			<i>For Dark Oxidized Satin Bronze, Oil Rubbed, US10B (BHMA 613) Finish, Add</i>	263.98	
			<i>For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add</i>	347.73	
			<i>For Bright Stainless Steel US32 (BHMA 629) Finish, Add</i>	378.67	

08	08	Openings
	08 70	Hardware
	08 71	Door Hardware



MINOR		TOTAL DIRECT		DEMOLITION	
CSI	UOM	DESCRIPTION	UNIT COST	UNIT COST	
08 71 11 00-2192	EA	42" Crossbar Exit Device, Concealed Vertical Rod, Narrow Stile, Fire Rated..... Note: Anodized finish: dull brass or dull bronze. Von Duprin Series 5547-F.	2,391.71	137.40	
		<i>For Satin Chrome Plated US26D (BHMA 626) Finish, Add</i>	255.00		
		<i>For Dark Oxidized Satin Bronze, Oil Rubbed, US10B (BHMA 613) Finish, Add</i>	293.46		
		<i>For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add</i>	386.55		
		<i>For Bright Stainless Steel US32 (BHMA 629) Finish, Add</i>	420.96		
08 71 11 00-2193	EA	42" Crossbar Exit Device, Wood Door Concealed Vertical Rod, Narrow Stile Note: Anodized finish: dull brass or dull bronze. Von Duprin Series 5547WDC.	2,238.68	137.40	
		<i>For Satin Chrome Plated US26D (BHMA 626) Finish, Add</i>	235.72		
		<i>For Dark Oxidized Satin Bronze, Oil Rubbed, US10B (BHMA 613) Finish, Add</i>	271.27		
		<i>For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add</i>	357.32		
		<i>For Bright Stainless Steel US32 (BHMA 629) Finish, Add</i>	389.13		
08 71 11 00-2194	EA	42" Crossbar Exit Device, Wood Door Concealed Vertical Rod, Narrow Stile, Fire Rated..... Note: Anodized finish: dull brass or dull bronze. Von Duprin Series 5547WDC-F.	2,435.96	137.40	
		<i>For Satin Chrome Plated US26D (BHMA 626) Finish, Add</i>	260.58		
		<i>For Dark Oxidized Satin Bronze, Oil Rubbed, US10B (BHMA 613) Finish, Add</i>	299.87		
		<i>For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add</i>	395.00		
		<i>For Bright Stainless Steel US32 (BHMA 629) Finish, Add</i>	430.16		
08 71 11 00-2195	EA	42" Crossbar Exit Device, Mortise Lock, Narrow Stile..... Note: Anodized finish: dull brass or dull bronze. Von Duprin Series 5575.	1,699.14	124.11	
		<i>For Satin Chrome Plated US26D (BHMA 626) Finish, Add</i>	172.21		
		<i>For Dark Oxidized Satin Bronze, Oil Rubbed, US10B (BHMA 613) Finish, Add</i>	198.17		
		<i>For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add</i>	261.04		
		<i>For Bright Stainless Steel US32 (BHMA 629) Finish, Add</i>	284.28		
08 71 11 00-2196	EA	42" Crossbar Exit Device, Mortise Lock, Narrow Stile, Fire Rated..... Note: Anodized finish: dull brass or dull bronze. Von Duprin Series 5575-F.	1,831.91	124.11	
		<i>For Satin Chrome Plated US26D (BHMA 626) Finish, Add</i>	188.94		
		<i>For Dark Oxidized Satin Bronze, Oil Rubbed, US10B (BHMA 613) Finish, Add</i>	217.43		
		<i>For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add</i>	286.40		
		<i>For Bright Stainless Steel US32 (BHMA 629) Finish, Add</i>	311.89		
08 71 11 00-2197	EA	Dummy Trim (DT) Pull Bracket, Von Duprin Series 55 Note: Anodized finish: dull brass or dull bronze.	291.12	16.62	
		<i>For Satin Chrome Plated US26D (BHMA 626) Finish, Add</i>	31.10		
		<i>For Dark Oxidized Satin Bronze, Oil Rubbed, US10B (BHMA 613) Finish, Add</i>	35.78		
		<i>For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add</i>	47.14		
		<i>For Bright Stainless Steel US32 (BHMA 629) Finish, Add</i>	51.33		
08 71 11 00-2198	EA	Cylinder Assembly, Von Duprin Series 55 Note: Anodized finish: dull brass or dull bronze.	131.81	23.49	
		<i>For Satin Chrome Plated US26D (BHMA 626) Finish, Add</i>	8.79		
		<i>For Dark Oxidized Satin Bronze, Oil Rubbed, US10B (BHMA 613) Finish, Add</i>	10.12		
		<i>For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add</i>	13.32		
		<i>For Bright Stainless Steel US32 (BHMA 629) Finish, Add</i>	14.51		
08 71 11 00-2199	EA	Night Latch Pull Trim (NL) With Cylinder, Von Duprin Series 55..... Note: Anodized finish: dull brass or dull bronze.	491.12	23.49	
		<i>For Satin Chrome Plated US26D (BHMA 626) Finish, Add</i>	54.06		
		<i>For Dark Oxidized Satin Bronze, Oil Rubbed, US10B (BHMA 613) Finish, Add</i>	62.22		
		<i>For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add</i>	81.95		
		<i>For Bright Stainless Steel US32 (BHMA 629) Finish, Add</i>	89.25		
08 71 11 00-2200	EA	Thumbturn Trim (376T) With Cylinder, Von Duprin Series 55 Note: Anodized finish: dull brass or dull bronze.	526.71	33.24	
		<i>For Satin Chrome Plated US26D (BHMA 626) Finish, Add</i>	55.20		
		<i>For Dark Oxidized Satin Bronze, Oil Rubbed, US10B (BHMA 613) Finish, Add</i>	63.52		
		<i>For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add</i>	83.67		
		<i>For Bright Stainless Steel US32 (BHMA 629) Finish, Add</i>	91.12		
08 71 11 00-2201	EA	Thumbturn - Blank Escutcheon (376T-BE), Von Duprin Series 55..... Note: Anodized finish: dull brass or dull bronze.	429.19	33.24	
		<i>For Satin Chrome Plated US26D (BHMA 626) Finish, Add</i>	42.91		
		<i>For Dark Oxidized Satin Bronze, Oil Rubbed, US10B (BHMA 613) Finish, Add</i>	49.38		
		<i>For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add</i>	65.05		
		<i>For Bright Stainless Steel US32 (BHMA 629) Finish, Add</i>	70.83		
08 71 11 00-2202	EA	Lever Trim (371L) With Cylinder, Von Duprin Series 55 Note: Anodized finish: dull brass or dull bronze.	526.71	33.24	
		<i>For Satin Chrome Plated US26D (BHMA 626) Finish, Add</i>	55.20		
		<i>For Dark Oxidized Satin Bronze, Oil Rubbed, US10B (BHMA 613) Finish, Add</i>	63.52		
		<i>For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add</i>	83.67		
		<i>For Bright Stainless Steel US32 (BHMA 629) Finish, Add</i>	91.12		
08 71 11 00-2203	EA	Lever Trim (575L) With Cylinder, Von Duprin Series 55 Note: Anodized finish: dull brass or dull bronze.	606.22	33.24	
		<i>For Satin Chrome Plated US26D (BHMA 626) Finish, Add</i>	65.22		
		<i>For Dark Oxidized Satin Bronze, Oil Rubbed, US10B (BHMA 613) Finish, Add</i>	75.05		
		<i>For Bright Brass, Clear Coated US3 (BHMA 605) Or Bright Chrome Plated US26 (BHMA 625) Finish, Add</i>	98.86		
		<i>For Bright Stainless Steel US32 (BHMA 629) Finish, Add</i>	107.66		
08 71 11 00-2204		Cross Bar Exit Device, Von Duprin Series 88 (08 71 11 00-2087) Note: Grade 1, BHMA 156.3.			
08 71 11 00-2205	EA	42" Crossbar, Rim Type, Exit Device Note: Anodized finish: dull brass or dull bronze. Von Duprin Series 88.	1,078.32	99.73	
		<i>For Satin Chrome Plated US26D (BHMA 626) Finish, Add</i>	25.18		
		<i>For Dark Oxidized Satin Bronze, Oil Rubbed, US10B (BHMA 613) Finish, Add</i>	26.00		
		<i>For Bright Stainless Steel US32 (BHMA 629) Finish, Add</i>	221.78		
08 71 11 00-2206	EA	42" Crossbar, Fire Rated, Rim Type, Exit Device Note: Anodized finish: dull brass or dull bronze. Von Duprin Series 88-F.	1,257.60	99.73	
		<i>For Satin Chrome Plated US26D (BHMA 626) Finish, Add</i>	30.74		
		<i>For Dark Oxidized Satin Bronze, Oil Rubbed, US10B (BHMA 613) Finish, Add</i>	31.73		
		<i>For Bright Stainless Steel US32 (BHMA 629) Finish, Add</i>	270.72		



Openings	08	08
Hardware	08 70	
Door Hardware	08 71	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 71 11 00-2207	EA		42" Crossbar, Surface Vertical Rods, Exit Device..... Note: Anodized finish: dull brass or dull bronze. Von Duprin Series 8827. For Satin Chrome Plated US26D (BHMA 626) Finish, Add For Dark Oxidized Satin Bronze, Oil Rubbed, US10B (BHMA 613) Finish, Add For Bright Stainless Steel US32 (BHMA 629) Finish, Add	1,394.80 33.35 34.42 293.66	119.67
08 71 11 00-2208	EA		42" Crossbar, Fire Rated, Surface Vertical Rods, Exit Device Note: Anodized finish: dull brass or dull bronze. Von Duprin Series 8827-F. For Satin Chrome Plated US26D (BHMA 626) Finish, Add For Dark Oxidized Satin Bronze, Oil Rubbed, US10B (BHMA 613) Finish, Add For Bright Stainless Steel US32 (BHMA 629) Finish, Add	1,782.60 45.37 46.83 399.53	119.67
08 71 11 00-2209	EA		42" Crossbar, Concealed Vertical Rods, Exit Device..... Note: Anodized finish: dull brass or dull bronze. Von Duprin Series 8847. For Satin Chrome Plated US26D (BHMA 626) Finish, Add For Dark Oxidized Satin Bronze, Oil Rubbed, US10B (BHMA 613) Finish, Add For Bright Stainless Steel US32 (BHMA 629) Finish, Add	1,345.96 30.32 31.30 267.02	137.40
08 71 11 00-2210	EA		42" Crossbar, Fire Rated, Concealed Vertical Rods, Exit Device Note: Anodized finish: dull brass or dull bronze. Von Duprin Series 8847-F. For Satin Chrome Plated US26D (BHMA 626) Finish, Add For Dark Oxidized Satin Bronze, Oil Rubbed, US10B (BHMA 613) Finish, Add For Bright Stainless Steel US32 (BHMA 629) Finish, Add	1,698.60 41.25 42.58 363.29	137.40
08 71 11 00-2211	EA		42" Crossbar, Mortise Lock, Exit Device Note: Anodized finish: dull brass or dull bronze. Von Duprin Series 8875. For Satin Chrome Plated US26D (BHMA 626) Finish, Add For Dark Oxidized Satin Bronze, Oil Rubbed, US10B (BHMA 613) Finish, Add For Bright Stainless Steel US32 (BHMA 629) Finish, Add	1,442.60 34.42 35.53 303.08	124.11
08 71 11 00-2212	EA		42" Crossbar, Fire Rated, Mortise Lock, Exit Device Note: Anodized finish: dull brass or dull bronze. Von Duprin Series 8875-F. For Satin Chrome Plated US26D (BHMA 626) Finish, Add For Dark Oxidized Satin Bronze, Oil Rubbed, US10B (BHMA 613) Finish, Add For Bright Stainless Steel US32 (BHMA 629) Finish, Add	1,534.12 37.25 38.45 328.06	124.11
08 71 11 00-2213	EA		Dummy Trim (Von Duprin Series 88, DT) Note: Anodized finish: dull brass or dull bronze. For Satin Chrome Plated US26D (BHMA 626) Finish, Add For Dark Oxidized Satin Bronze, Oil Rubbed, US10B (BHMA 613) Finish, Add For Bright Stainless Steel US32 (BHMA 629) Finish, Add	162.85 3.67 3.79 32.36	16.62
08 71 11 00-2214	EA		Night Latch Pull Trim With Cylinder (Von Duprin Series 88, NL)..... Note: Anodized finish: dull brass or dull bronze. For Satin Chrome Plated US26D (BHMA 626) Finish, Add For Dark Oxidized Satin Bronze, Oil Rubbed, US10B (BHMA 613) Finish, Add For Bright Stainless Steel US32 (BHMA 629) Finish, Add	260.83 6.16 6.36 54.27	22.16
08 71 11 00-2215	EA		Thumbturn Trim With Cylinder (Von Duprin Series 88, 376T Or 377T)..... Note: Anodized finish: dull brass or dull bronze. For Satin Chrome Plated US26D (BHMA 626) Finish, Add For Dark Oxidized Satin Bronze, Oil Rubbed, US10B (BHMA 613) Finish, Add For Bright Stainless Steel US32 (BHMA 629) Finish, Add	453.20 11.30 11.67 99.52	33.24
08 71 11 00-2216	EA		Lever Trim With Cylinder (Von Duprin Series 88, 373L) Note: Anodized finish: dull brass or dull bronze. For Satin Chrome Plated US26D (BHMA 626) Finish, Add For Dark Oxidized Satin Bronze, Oil Rubbed, US10B (BHMA 613) Finish, Add For Bright Stainless Steel US32 (BHMA 629) Finish, Add	423.19 10.37 10.71 91.33	33.24
08 71 11 00-2217	EA		Knob Trim With Cylinder (Von Duprin Series 88, K) Note: Anodized finish: dull brass or dull bronze. For Satin Chrome Plated US26D (BHMA 626) Finish, Add For Dark Oxidized Satin Bronze, Oil Rubbed, US10B (BHMA 613) Finish, Add For Bright Stainless Steel US32 (BHMA 629) Finish, Add	321.93 7.23 7.47 63.69	33.24
08 71 11 00-2218	EA		Thumpiece Trim With Cylinder (Von Duprin Series 88, TP)..... Note: Anodized finish: dull brass or dull bronze. For Satin Chrome Plated US26D (BHMA 626) Finish, Add For Dark Oxidized Satin Bronze, Oil Rubbed, US10B (BHMA 613) Finish, Add For Bright Stainless Steel US32 (BHMA 629) Finish, Add	321.93 7.23 7.47 63.69	33.24
08 71 11 00-2219			Push Bar Exit Device, Precision Hardware Apex 2000 Series (08 71 11 00-2087) Note: Grade 1, BHMA 156.3. Anodized Aluminum Finish.		
08 71 11 00-2220	EA		3' Push Bar Exit Device, Rim Type (Precision Hardware 2100 Series)..... For 4' Push Bar, Add For Owner Furnished Material, Deduct	1,142.59 13.00 -876.65	99.73
08 71 11 00-2221	EA		3' Push Bar Exit Device, Rim Type, Fire Rated (Precision Hardware 2100 Series) For 4' Push Bar, Add For Owner Furnished Material, Deduct	1,202.82 13.00 -936.88	99.73
08 71 11 00-2222	EA		3' Push Bar Exit Device, Surface Vertical Rod (Top Only) (Precision Hardware 2200 Series) For 4' Push Bar, Add For Owner Furnished Material, Deduct	1,556.41 13.00 -1,237.29	119.67
08 71 11 00-2223	EA		3' Push Bar Exit Device, Surface Vertical Rod (Top Only), Fire Rated (Precision Hardware 2200 Series)..... For 4' Push Bar, Add For Owner Furnished Material, Deduct	1,616.65 13.00 -1,297.53	119.67
08 71 11 00-2224	EA		Exit Only, Cover Plate, Lever/Knob Trim (Precision 4901)..... For Owner Furnished Material, Deduct	140.08 -104.63	13.30
08 71 11 00-2225	EA		Exit Only, Dummy Trim, Lever/Knob Trim (Precision 4902A) For Owner Furnished Material, Deduct	362.17 -317.84	16.62
08 71 11 00-2226	EA		Key Retracts Latchbolt, Lever/Knob Trim (Precision 4903A) For Owner Furnished Material, Deduct	406.48 -317.84	33.24
08 71 11 00-2227	EA		Key Controls Lever/Knob, Lever/Knob Trim (Precision 4908A) For Owner Furnished Material, Deduct	485.75 -397.11	33.24
08 71 11 00-2228	EA		Key Controls Lever, Lever/Knob Trim (Precision V4908A) For Owner Furnished Material, Deduct	485.75 -397.11	33.24

08	08	Openings
	08 70	Hardware
	08 71	Door Hardware



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 71 11 00-2229	EA		Lever/Knob Always Active, Lever/Knob Trim (Precision 4914A).....	485.75	33.24
			<i>For Owner Furnished Material, Deduct</i>	-397.11	
08 71 11 00-2230	EA		Exit Only, Cover Plate, Pull Trim (Precision 1701).....	105.19	13.30
			<i>For Owner Furnished Material, Deduct</i>	-69.74	
08 71 11 00-2231	EA		Exit Only, Dummy Trim, Pull Trim (Precision 1702A).....	217.12	16.62
			<i>For Owner Furnished Material, Deduct</i>	-172.79	
08 71 11 00-2232	EA		Key Retracts Latchbolt, Pull Trim (Precision 1703A).....	234.84	22.16
			<i>For Owner Furnished Material, Deduct</i>	-172.79	
08 71 11 00-2233	EA		Key Controls Thumb Piece, Pull Trim (Precision 1705A).....	331.18	33.24
			<i>For Owner Furnished Material, Deduct</i>	-242.54	
08 71 11 00-2234	EA		Thumb Piece Always Active, Pull Trim (Precision 1715A).....	331.18	33.24
			<i>For Owner Furnished Material, Deduct</i>	-242.54	
08 71 11 00-2235			Door Closers <small>(08 71 11)</small>		
			Note: Includes standard cover and arm.		
08 71 11 00-2236	EA		Surface Mounted Standard Duty Door Closer (LCN 1460 Series).....	352.99	25.70
			<i>For Delayed Action, Add</i>	12.60	
			<i>For AVB (5 LB Per Push), Add</i>	6.60	
			<i>For Fusible Link Arm, Add</i>	39.60	
			<i>For Shock Absorbing Arm, Add</i>	19.80	
			<i>For Hold Open Arm, Add</i>	13.80	
			<i>For Plated Brass Finish, Add</i>	101.40	
			<i>For Plated Finish With Clear Coat, Add</i>	127.20	
			<i>For Parallel Arm, Add</i>	22.40	
08 71 11 00-2237	EA		Surface Mounted Heavy Duty Door Closer (LCN 4010/4020/4110 Series).....	427.91	25.70
			<i>For Delayed Action, Add</i>	12.60	
			<i>For AVB (5 LB Per Push), Add</i>	6.60	
			<i>For Fusible Link Arm, Add</i>	39.60	
			<i>For Shock Absorbing Arm, Add</i>	19.80	
			<i>For Hold Open Arm, Add</i>	13.80	
			<i>For Plated Brass Finish, Add</i>	101.40	
			<i>For Plated Finish With Clear Coat, Add</i>	127.20	
08 71 11 00-2238	EA		Surface Mounted Heavy Duty Door Closer (LCN 4040XP/4041 Series).....	439.82	25.70
			<i>For Delayed Action, Add</i>	12.60	
			<i>For AVB (5 LB Per Push), Add</i>	6.60	
			<i>For Fusible Link Arm, Add</i>	39.60	
			<i>For Shock Absorbing Arm, Add</i>	19.80	
			<i>For Hold Open Arm, Add</i>	13.80	
			<i>For Plated Brass Finish, Add</i>	101.40	
			<i>For Plated Finish With Clear Coat, Add</i>	127.20	
			<i>For Spring Cush Arm, Add</i>	67.20	
			<i>For Parallel Arm And PA Shoe, Add</i>	22.40	
			<i>For Stainless Steel Finish, Add</i>	145.00	
08 71 11 00-2239	EA		Surface Mounted High Security Door Closer With Metal Cover (LCN 4510).....	454.73	25.70
			<i>For Delayed Action, Add</i>	12.60	
			<i>For AVB (5 LB Per Push), Add</i>	6.60	
			<i>For Fusible Link Arm, Add</i>	39.60	
			<i>For Shock Absorbing Arm, Add</i>	19.80	
			<i>For Hold Open Arm, Add</i>	13.80	
			<i>For Plated Brass Finish, Add</i>	101.40	
			<i>For Plated Finish With Clear Coat, Add</i>	127.20	
08 71 11 00-2240	EA		Surface Mounted Standard Duty Door Closer (Norton 8301).....	296.88	25.70
			<i>For Parallel Arm, Add</i>	22.40	
08 71 11 00-2241	EA		Surface Mounted Standard Duty Door Closer (Norton 8501).....	299.39	25.70
			<i>For Parallel Arm, Add</i>	22.40	
08 71 11 00-2242	EA		Screen Door - Closer.....	37.26	9.62
08 71 11 00-2243	EA		Screen Door - Locking Handle.....	42.42	13.81
08 71 11 00-2244			Concealed Door Closers <small>(08 71 11)</small>		
08 71 11 00-2245	EA		Non Hold Open, Floor Concealed Door Closer (Rixson 27/28).....	997.28	76.24
08 71 11 00-2246	EA		Selective Hold Open, Floor Concealed Door Closer (Rixson 27/27).....	1,067.50	76.24
08 71 11 00-2247	EA		Concealed (In Door) Overhead Door Closer (LCN 3130).....	505.59	31.03
			<i>For Hold Open Arm, Add</i>	13.80	
			<i>For Plated Brass Finish, Add</i>	101.40	
			<i>For Plated Finish With Clear Coat, Add</i>	127.20	
08 71 11 00-2248	EA		Concealed (In Frame) Overhead Door Closer (LCN 5010).....	546.67	31.03
			<i>For Delayed Action, Add</i>	12.60	
			<i>For Hold Open Arm, Add</i>	13.80	
			<i>For Plated Brass Finish, Add</i>	101.40	
			<i>For Plated Finish With Clear Coat, Add</i>	127.20	
08 71 11 00-2249			Locks And Latches <small>(08 71 11)</small>		
			Note: All locksets are supplied with knob, lever or thumb piece, set of 3 keys and include a core. Multi purchase locksets can be keyed alike and to an existing master key (when required). The cost for boring hole or preparing mortise is included with the new door.		
08 71 11 00-2250			Locksmith Services <small>(08 71 11 00-2249)</small>		
08 71 11 00-2251	EA		Provide Extra Keys (Above The Three Provided For New Locks) Or Duplicate Keys.....	1.12	
			<i>For >5, Deduct</i>	-0.22	
08 71 11 00-2252	EA		Rekey Existing Cylinder To Match Existing Cylinders Or Master Key.....	106.42	
			<i>For >5, Deduct</i>	-10.64	



Openings	08	08
Hardware	08 70	
Door Hardware	08 71	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 71 11 00-2253	EA		Removal And Replacement Of Cylinder With Owner Supplied Cylinder.....	106.42	
			<i>For >5, Deduct</i>	-10.64	
08 71 11 00-2254	EA		Removal And Replacement Of Cylinder With New Cylinder.....	118.38	
			Note: Excludes core.		
			<i>For >5, Deduct</i>	-10.64	
08 71 11 00-2255	EA		Open Locked Doors.....	106.42	
08 71 11 00-2256	EA		Install Owner Furnished Cores And Cylinders.....	44.57	
08 71 11 00-2257			Mortise Locksets And Latchsets (08 71 11 00-2249)		
			Note: Satin chrome plated US 26D (BHMA 626) - BHMA 156.13 Grade 1. Levers or knobs.		
08 71 11 00-2258	EA		Passage/Closet F01 Mortise Latchset.....	572.43	22.16
			Note: Both sides always unlocked.		
			<i>For Bright Brass, Clear Coated US3 (BHMA 605) Finish, Add</i>	15.97	
			<i>For Oxidized Satin Bronze, Oil Rubbed US10B (BHMA 613) Finish, Add</i>	14.51	
			<i>For Satin Brass Clear Coat US4 (BHMA 606) Finish, Add</i>	24.19	
			<i>For Satin Stainless Steel US32D (BHMA 630) Finish, Add</i>	170.78	
08 71 11 00-2259	EA		Bath/Bedroom Privacy F02/F19 Mortise Lockset.....	679.93	22.16
			Note: Locked with thumb knob inside.		
			<i>For Bright Brass, Clear Coated US3 (BHMA 605) Finish, Add</i>	19.51	
			<i>For Oxidized Satin Bronze, Oil Rubbed US10B (BHMA 613) Finish, Add</i>	17.74	
			<i>For Satin Brass Clear Coat US4 (BHMA 606) Finish, Add</i>	29.56	
			<i>For Satin Stainless Steel US32D (BHMA 630) Finish, Add</i>	208.73	
08 71 11 00-2260	EA		Entrance/Office F04 Mortise Lockset.....	755.96	22.16
			Note: Locked with key outside and thumb knob inside.		
			<i>For Bright Brass, Clear Coated US3 (BHMA 605) Finish, Add</i>	22.02	
			<i>For Oxidized Satin Bronze, Oil Rubbed US10B (BHMA 613) Finish, Add</i>	20.02	
			<i>For Satin Brass Clear Coat US4 (BHMA 606) Finish, Add</i>	33.37	
			<i>For Satin Stainless Steel US32D (BHMA 630) Finish, Add</i>	235.56	
08 71 11 00-2261	EA		Classroom F05 Mortise Lockset.....	706.02	22.16
			Note: Locked with key outside. Inside always unlocked.		
			<i>For Bright Brass, Clear Coated US3 (BHMA 605) Finish, Add</i>	20.37	
			<i>For Oxidized Satin Bronze, Oil Rubbed US10B (BHMA 613) Finish, Add</i>	18.52	
			<i>For Satin Brass Clear Coat US4 (BHMA 606) Finish, Add</i>	30.87	
			<i>For Satin Stainless Steel US32D (BHMA 630) Finish, Add</i>	217.94	
			<i>For Security Function (Double Cylinder) With Visual Indicator, Add</i>	45.27	
08 71 11 00-2262	EA		Storeroom/Closet F07 Mortise Lockset.....	706.02	22.16
			Note: Locked with key outside. Inside always unlocked. Fixed outside handle.		
			<i>For Bright Brass, Clear Coated US3 (BHMA 605) Finish, Add</i>	20.37	
			<i>For Oxidized Satin Bronze, Oil Rubbed US10B (BHMA 613) Finish, Add</i>	18.52	
			<i>For Satin Brass Clear Coat US4 (BHMA 606) Finish, Add</i>	30.87	
			<i>For Satin Stainless Steel US32D (BHMA 630) Finish, Add</i>	217.94	
08 71 11 00-2263	EA		Entrance F08 Mortise Lockset.....	787.80	22.16
			Note: Locked with key outside and thumb knob inside.		
			<i>For Bright Brass, Clear Coated US3 (BHMA 605) Finish, Add</i>	23.07	
			<i>For Oxidized Satin Bronze, Oil Rubbed US10B (BHMA 613) Finish, Add</i>	20.97	
			<i>For Satin Brass Clear Coat US4 (BHMA 606) Finish, Add</i>	34.96	
			<i>For Satin Stainless Steel US32D (BHMA 630) Finish, Add</i>	246.80	
08 71 11 00-2264	EA		Dormitory/Exit F13 Mortise Lockset.....	679.18	22.16
			Note: Locked with key outside and thumb knob inside.		
			<i>For Bright Brass, Clear Coated US3 (BHMA 605) Finish, Add</i>	19.49	
			<i>For Oxidized Satin Bronze, Oil Rubbed US10B (BHMA 613) Finish, Add</i>	17.72	
			<i>For Satin Brass Clear Coat US4 (BHMA 606) Finish, Add</i>	29.53	
			<i>For Satin Stainless Steel US32D (BHMA 630) Finish, Add</i>	208.46	
08 71 11 00-2265			Locks And Latches (08 71 11 00-2249)		
08 71 11 00-2266			Preassembled Locks And Latches (08 71 11 00-2265)		
			Note: Satin chrome plated US 26D (BHMA 626) - BHMA 156.2-1989 Grade 1, with knob handles.		
08 71 11 00-2267	EA		Passage/Closet F36 Pre-Assembled Latchset (Corbin Russwin UT5210).....	1,043.75	22.16
			Note: Both sides always unlocked.		
			<i>For Oxidized Satin Bronze, Oil Rubbed US10B (BHMA 613) Finish, Add</i>	29.32	
			<i>For Satin Brass Clear Coat US4 (BHMA 606) Finish, Add</i>	48.86	
			<i>For Satin Stainless Steel US32D (BHMA 630) Finish, Add</i>	344.98	
			<i>For Bright Chrome Plated Finish US26 (BHMA 625) Finish, Add</i>	181.77	
			<i>For Grade 2, Deduct</i>	-380.16	
08 71 11 00-2268	EA		Bath/Bedroom Privacy F37 Pre-Assembled Lockset (Corbin Russwin UT5220).....	1,129.19	22.16
			Note: Locked with push button inside.		
			<i>For Oxidized Satin Bronze, Oil Rubbed US10B (BHMA 613) Finish, Add</i>	31.88	
			<i>For Satin Brass Clear Coat US4 (BHMA 606) Finish, Add</i>	53.14	
			<i>For Satin Stainless Steel US32D (BHMA 630) Finish, Add</i>	375.14	
			<i>For Bright Chrome Plated Finish US26 (BHMA 625) Finish, Add</i>	197.66	
			<i>For Grade 2, Deduct</i>	-413.39	
08 71 11 00-2269	EA		Entrance/Office F41 Pre-Assembled Lockset (Corbin Russwin UT5261).....	1,282.39	22.16
			Note: Locked with key outside and push button inside.		
			<i>For Oxidized Satin Bronze, Oil Rubbed US10B (BHMA 613) Finish, Add</i>	36.48	
			<i>For Satin Brass Clear Coat US4 (BHMA 606) Finish, Add</i>	60.80	
			<i>For Satin Stainless Steel US32D (BHMA 630) Finish, Add</i>	429.22	
			<i>For Bright Chrome Plated Finish US26 (BHMA 625) Finish, Add</i>	226.16	
			<i>For Grade 2, Deduct</i>	-472.99	

08 Openings**08 70 Hardware**

08 71 Door Hardware



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 71 11 00-2270 EA Classroom F42 Pre-Assembled Lockset (Corbin Russwin UT5255).....	1,282.39	22.16
Note: Locked with key outside. Inside always unlocked.		
For Oxidized Satin Bronze, Oil Rubbed US10B (BHMA 613) Finish, Add	36.48	
For Satin Brass Clear Coat US4 (BHMA 606) Finish, Add	60.80	
For Satin Stainless Steel US32D (BHMA 630) Finish, Add	429.22	
For Bright Chrome Plated Finish US26 (BHMA 625) Finish, Add	226.16	
For Grade 2, Deduct	-472.99	
08 71 11 00-2271 EA Storeroom/Closet F44 Pre-Assembled Lockset (Corbin Russwin UT5257).....	1,282.39	22.16
Note: Locked with key outside. Inside always unlocked. Fixed outside handle.		
For Oxidized Satin Bronze, Oil Rubbed US10B (BHMA 613) Finish, Add	36.48	
For Satin Brass Clear Coat US4 (BHMA 606) Finish, Add	60.80	
For Satin Stainless Steel US32D (BHMA 630) Finish, Add	429.22	
For Bright Chrome Plated Finish US26 (BHMA 625) Finish, Add	226.16	
For Grade 2, Deduct	-472.99	
08 71 11 00-2272 Bored Locks And Latches (08 71 11 00-2265)		
Note: Satin chrome plated US 26D (BHMA 626) - BHMA 156.2-1989, Grade 1, 6 pins or 7 pins. Levers or knobs.		
08 71 11 00-2273 EA Passage/Closet F75 Bored Latchset.....	200.26	22.16
Note: Both sides always unlocked.		
For Oxidized Satin Bronze, Oil Rubbed US10B (BHMA 613) Finish, Add	3.35	
For Satin Brass Clear Coat US4 (BHMA 606) Finish, Add	5.58	
For Satin Stainless Steel US32D (BHMA 630) Finish, Add	39.40	
For Bright Chrome Plated Finish US26 (BHMA 625) Finish, Add	20.76	
For Grade 2, Deduct	-5.58	
For Bright Brass, Clear Coated US3 (BHMA 605) Finish, Add	2.23	
For Interchangeable Core, Add	9.45	
08 71 11 00-2274 EA Bath/Bedroom Privacy F76 Bored Lockset.....	226.87	22.16
Note: Locked with push button inside.		
For Oxidized Satin Bronze, Oil Rubbed US10B (BHMA 613) Finish, Add	4.15	
For Satin Brass Clear Coat US4 (BHMA 606) Finish, Add	6.91	
For Satin Stainless Steel US32D (BHMA 630) Finish, Add	48.80	
For Bright Chrome Plated Finish US26 (BHMA 625) Finish, Add	25.71	
For Grade 2, Deduct	-6.91	
For Bright Brass, Clear Coated US3 (BHMA 605) Finish, Add	2.76	
For Interchangeable Core, Add	9.45	
08 71 11 00-2275 EA Entrance/Office F82 Bored Lockset.....	248.33	22.16
Note: Locked with key outside and push button inside.		
For Oxidized Satin Bronze, Oil Rubbed US10B (BHMA 613) Finish, Add	4.79	
For Satin Brass Clear Coat US4 (BHMA 606) Finish, Add	7.98	
For Satin Stainless Steel US32D (BHMA 630) Finish, Add	56.37	
For Bright Chrome Plated Finish US26 (BHMA 625) Finish, Add	29.70	
For Grade 2, Deduct	-7.98	
For Bright Brass, Clear Coated US3 (BHMA 605) Finish, Add	3.19	
For Interchangeable Core, Add	9.45	
08 71 11 00-2276 EA Classroom F84 Bored Lockset.....	248.33	22.16
Note: Locked with key outside. Inside always unlocked.		
For Oxidized Satin Bronze, Oil Rubbed US10B (BHMA 613) Finish, Add	4.79	
For Satin Brass Clear Coat US4 (BHMA 606) Finish, Add	7.98	
For Satin Stainless Steel US32D (BHMA 630) Finish, Add	56.37	
For Bright Chrome Plated Finish US26 (BHMA 625) Finish, Add	29.70	
For Grade 2, Deduct	-7.98	
For Bright Brass, Clear Coated US3 (BHMA 605) Finish, Add	3.19	
For Interchangeable Core, Add	9.45	
08 71 11 00-2277 EA Storeroom/Closet F86 Bored Lockset.....	248.33	22.16
Note: Locked with key outside. Inside always unlocked. Fixed outside handle.		
For Oxidized Satin Bronze, Oil Rubbed US10B (BHMA 613) Finish, Add	4.79	
For Satin Brass Clear Coat US4 (BHMA 606) Finish, Add	7.98	
For Satin Stainless Steel US32D (BHMA 630) Finish, Add	56.37	
For Bright Chrome Plated Finish US26 (BHMA 625) Finish, Add	29.70	
For Grade 2, Deduct	-7.98	
For Bright Brass, Clear Coated US3 (BHMA 605) Finish, Add	3.19	
For Interchangeable Core, Add	9.45	
08 71 11 00-2278 EA Corridor/Dormitory F90 Bored Lockset.....	248.33	22.16
Note: Locked with key outside and push button inside.		
For Oxidized Satin Bronze, Oil Rubbed US10B (BHMA 613) Finish, Add	4.79	
For Satin Brass Clear Coat US4 (BHMA 606) Finish, Add	7.98	
For Satin Stainless Steel US32D (BHMA 630) Finish, Add	56.37	
For Bright Chrome Plated Finish US26 (BHMA 625) Finish, Add	29.70	
For Grade 2, Deduct	-7.98	
For Bright Brass, Clear Coated US3 (BHMA 605) Finish, Add	3.19	
For Interchangeable Core, Add	9.45	
08 71 11 00-2279 Other Locks (08 71 11 00-2249)		
Note: BHMA A156.5.		
08 71 11 00-2280 EA Steel Exit Lock With Alarm, Single Door Satin Chrome Plated, BHMA E0421.....	670.70	115.24
08 71 11 00-2281 EA Exit Lock With Alarm At Active Leaf And Vertical Rod - Inactive Leaf Rod For Inactive Leaf (Pair Doors) Steel With Satin Chrome Plating BHMA - E0461.....	1,493.05	230.47
08 71 11 00-2282 Pushbutton Combination Locks (08 71 11 00-2249)		



Openings	08	08
Hardware	08 70	
Door Hardware	08 71	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 71 11 00-2283 Mechanical Pushbutton Combination Locks <small>(08 71 11 00-2282)</small> Note: Passage option allows access without using the lock entry code and is activated from the inside with a thumbturn or key. Lockout option disables the lock from the inside so that the entry code cannot be used to gain access.		
08 71 11 00-2284 Mechanical Pushbutton Combination Locks (Kaba® Simplex® 1000 Series) <small>(08 71 11 00-2283)</small> Note: Satin chrome or antique brass finish.		
08 71 11 00-2285 EA Five Button, Cylindrical Locking Device, Mechanical Pushbutton Combination Lock, Knob (Kaba® Simplex® 1000 Series)	519.69	55.71
For Bright Chrome Or Bright Brass Finish, Add	17.50	
08 71 11 00-2286 EA Five Button, Cylindrical Locking Device With Passage, Mechanical Pushbutton Combination Lock, Knob (Kaba® Simplex® 1000 Series)	554.61	55.71
For Bright Chrome Or Bright Brass Finish, Add	17.50	
08 71 11 00-2287 EA Five Button, Cylindrical Locking Device, Mechanical Pushbutton Combination Lock With Key Override, Knob (Kaba® Simplex® 1000 Series)	568.58	55.71
For Bright Chrome Or Bright Brass Finish, Add	17.50	
08 71 11 00-2288 EA Five Button, Cylindrical Locking Device With Passage, Mechanical Pushbutton Combination Lock With Key Override, Knob (Kaba® Simplex® 1000 Series)	603.50	55.71
For Bright Chrome Or Bright Brass Finish, Add	17.50	
08 71 11 00-2289 EA Five Button, Cylindrical Locking Device, Mechanical Pushbutton Combination Lock, Lever (Kaba® Simplex® L1000 Series)	579.05	55.71
For Bright Chrome Or Bright Brass Finish, Add	17.50	
08 71 11 00-2290 EA Five Button, Cylindrical Locking Device With Passage, Mechanical Pushbutton Combination Lock, Lever (Kaba® Simplex® L1000 Series)	613.98	55.71
For Bright Chrome Or Bright Brass Finish, Add	17.50	
08 71 11 00-2291 EA Five Button, Cylindrical Locking Device, Mechanical Pushbutton Combination Lock With Key Override, Lever (Kaba® Simplex® L1000 Series)	627.95	55.71
For Bright Chrome Or Bright Brass Finish, Add	17.50	
08 71 11 00-2292 EA Five Button, Cylindrical Locking Device With Passage, Mechanical Pushbutton Combination Lock With Key Override, Lever (Kaba® Simplex® L1000 Series)	662.87	55.71
For Bright Chrome Or Bright Brass Finish, Add	17.50	
08 71 11 00-2293 Mechanical Pushbutton Combination Locks (Kaba® Simplex® 5000 Series) <small>(08 71 11 00-2283)</small> Note: ANSI/BHMA Grade 1, Satin chrome finish or black with satin chrome accents.		
08 71 11 00-2294 EA Five Button, Cylindrical Locking Device, Mechanical Pushbutton Combination Lock With Key Override, Knob Or Lever (Kaba® Simplex® 5000 Series)	570.67	55.71
For Bright Chrome, Bright Brass Or Satin Brass Finish, Add	17.50	
For Dark Bronze Finish With Brass Accents, Add	70.00	
08 71 11 00-2295 EA Five Button, Cylindrical Locking Device With Passage, Mechanical Pushbutton Combination Lock With Key Override, Knob Or Lever (Kaba® Simplex® 5000 Series)	598.61	55.71
For Bright Chrome, Bright Brass Or Satin Brass Finish, Add	17.50	
For Dark Bronze Finish With Brass Accents, Add	70.00	
08 71 11 00-2296 EA Five Button, Mortise Locking Device, Mechanical Pushbutton Combination Lock With Key Override, Lever (Kaba® Simplex® 5000 Series)	654.49	55.71
For Bright Chrome, Bright Brass Or Satin Brass Finish, Add	17.50	
For Dark Bronze Finish With Brass Accents, Add	70.00	
08 71 11 00-2297 EA Five Button, Mortise Locking Device With Passage, Mechanical Pushbutton Combination Lock With Key Override, Lever (Kaba® Simplex® 5000 Series)	675.44	55.71
For Bright Chrome, Bright Brass Or Satin Brass Finish, Add	17.50	
For Dark Bronze Finish With Brass Accents, Add	70.00	
08 71 11 00-2298 EA Five Button, Mortise Locking Device With Deadbolt And Lockout, Mechanical Pushbutton Combination Lock With Key Override, Lever (Kaba® Simplex® 5000 Series)	675.44	55.71
For Bright Chrome, Bright Brass Or Satin Brass Finish, Add	17.50	
For Dark Bronze Finish With Brass Accents, Add	70.00	
08 71 11 00-2299 EA Five Button, Exit Trim, Mechanical Pushbutton Combination Lock With Key Override, Lever (Kaba® Simplex® 5000 Series)	640.52	55.71
For Bright Chrome, Bright Brass Or Satin Brass Finish, Add	17.50	
For Dark Bronze Finish With Brass Accents, Add	70.00	
08 71 11 00-2300 Mechanical Pushbutton Combination Locks (Kaba® Simplex® 8100 Series) <small>(08 71 11 00-2283)</small> Note: Satin chrome or antique brass finish.		
08 71 11 00-2301 EA Five Button, Mortise Locking Device With Passage And Lockout, Mechanical Pushbutton Combination Lock With Key Override, Lever (Kaba® Simplex® 8100 Series)	680.33	55.71
For Bright Chrome Or Bright Brass Finish, Add	17.50	
08 71 11 00-2302 EA Five Button, Mortise Locking Device With Deadbolt, Passage And Lockout, Mechanical Pushbutton Combination Lock With Key Override, Lever (Kaba® Simplex® 8100 Series)	701.29	55.71
For Bright Chrome Or Bright Brass Finish, Add	17.50	
08 71 11 00-2303 Mechanical Pushbutton Combination Locks (Kaba® Simplex® LD 450/470) <small>(08 71 11 00-2283)</small> Note: Satin stainless, bright brass or antique brass finish.		
08 71 11 00-2304 EA Twelve Button, Tubular Latch Locking Device, Light Duty, Mechanical Pushbutton Combination Lock, Knob (Kaba® Simplex® LD 450 Series)	319.23	55.71
08 71 11 00-2305 EA Twelve Button, Tubular Latch Locking Device With Passage, Light Duty, Mechanical Pushbutton Combination Lock, Lever (Kaba® Simplex® LD 470 Series)	411.42	55.71
08 71 11 00-2306 Electrical Pushbutton Combination Locks <small>(08 71 11 00-2282)</small> Note: Privacy option limits access to privileged users (master codes).		

08	08	Openings
	08 70	Hardware
	08 71	Door Hardware



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
-------	-----	-----	-------------	------------------------	----------------------

08 71 11 00-2307			Electrical Pushbutton Combination Locks (Kaba® E-Plex® 2000 Series) <small>(08 71 11 00-2306)</small> Note: ANSI/BHMA Grade 1. Satin chrome finish. Includes 100 access codes and 1,000 audit events.		
08 71 11 00-2308	EA		Twelve Button, Cylindrical Locking Device, Electrical Pushbutton Combination Lock, Lever (Kaba® E-Plex® 2000 Series)	537.15	55.71
			<i>For Satin Brass Finish, Add</i>	17.50	
08 71 11 00-2309	EA		Twelve Button, Mortise Locking Device, Electrical Pushbutton Combination Lock, Lever (Kaba® E-Plex® 2000 Series)	620.96	55.71
			<i>For Satin Brass Finish, Add</i>	17.50	
08 71 11 00-2310	EA		Twelve Button, Mortise Locking Device With Deadbolt, Electrical Pushbutton Combination Lock, Lever (Kaba® E-Plex® 2000 Series)	641.92	55.71
			<i>For Satin Brass Finish, Add</i>	17.50	
08 71 11 00-2311	EA		Twelve Button, Exit Trim, Electrical Pushbutton Combination Lock, Lever (Kaba® E-Plex® 2000 Series)	606.99	55.71
			<i>For Satin Brass Finish, Add</i>	17.50	
08 71 11 00-2312	EA		Twelve Button, Cylindrical Locking Device, Electrical Pushbutton Combination Lock With Key Override, Lever (Kaba® E-Plex® 2000 Series)	572.07	55.71
			<i>For Satin Brass Finish, Add</i>	17.50	
08 71 11 00-2313	EA		Twelve Button, Cylindrical Locking Device With Privacy, Electrical Pushbutton Combination Lock With Key Override, Lever (Kaba® E-Plex® 2000 Series)	641.92	55.71
			<i>For Satin Brass Finish, Add</i>	17.50	
08 71 11 00-2314	EA		Twelve Button, Mortise Locking Device, Electrical Pushbutton Combination Lock With Key Override, Lever (Kaba® E-Plex® 2000 Series)	655.89	55.71
			<i>For Satin Brass Finish, Add</i>	17.50	
08 71 11 00-2315	EA		Twelve Button, Mortise Locking Device With Deadbolt, Electrical Pushbutton Combination Lock With Key Override, Lever (Kaba® E-Plex® 2000 Series)	676.84	55.71
			<i>For Satin Brass Finish, Add</i>	17.50	
08 71 11 00-2316	EA		Twelve Button, Exit Trim, Electrical Pushbutton Combination Lock With Key Override, Lever (Kaba® E-Plex® 2000 Series)	641.92	55.71
			<i>For Satin Brass Finish, Add</i>	17.50	
08 71 11 00-2317			Narrow Stile Application, Electrical Pushbutton Combination Locks (Kaba® E-Plex® 3000 Series) <small>(08 71 11 00-2306)</small> Note: ANSI/BHMA Grade 1. Satin chrome finish. Includes 300 access codes and 9,000 audit events.		
08 71 11 00-2318	EA		Twelve Button, Mortise Locking Device, Narrow Stile Application, Electrical Pushbutton Combination Lock With Key Override, Lever (Kaba® E-Plex® 3000 Series)	676.84	55.71
			<i>For Dark Bronze Finish With Brass Accents, Add</i>	70.00	
			<i>For Remote Unlock, Add</i>	89.43	
			<i>Note: Excludes momentary contact switch.</i>		
08 71 11 00-2319	EA		Twelve Button, Mortise Locking Device With Deadbolt, Narrow Stile Application, Electrical Pushbutton Combination Lock With Key Override, Lever (Kaba® E-Plex® 3000 Series)	676.84	55.71
			<i>For Dark Bronze Finish With Brass Accents, Add</i>	70.00	
			<i>For Remote Unlock, Add</i>	89.43	
			<i>Note: Excludes momentary contact switch.</i>		
08 71 11 00-2320			Narrow Stile Application, Electrical Pushbutton Combination Locks (Kaba® E-Plex® 3200 Series) <small>(08 71 11 00-2306)</small> Note: ANSI/BHMA Grade 1. Satin chrome finish. Includes 3,000 access codes and 30,000 audit events.		
08 71 11 00-2321	EA		Twelve Button, Mortise Locking Device, Narrow Stile Application, Electrical Pushbutton Combination Lock With Key Override, Lever (Kaba® E-Plex® 3200 Series)	785.10	55.71
			<i>For Dark Bronze Finish With Brass Accents, Add</i>	70.00	
			<i>For Remote Unlock, Add</i>	89.43	
			<i>Note: Excludes momentary contact switch.</i>		
08 71 11 00-2322	EA		Twelve Button, Mortise Locking Device With Deadbolt, Narrow Stile Application, Electrical Pushbutton Combination Lock With Key Override, Lever (Kaba® E-Plex® 3200 Series)	785.10	55.71
			<i>For Dark Bronze Finish With Brass Accents, Add</i>	70.00	
			<i>For Remote Unlock, Add</i>	89.43	
			<i>Note: Excludes momentary contact switch.</i>		
08 71 11 00-2323			Electrical Pushbutton Combination Locks (Kaba® E-Plex® 5200 Series) <small>(08 71 11 00-2306)</small> Note: ANSI/BHMA Grade 1. Satin chrome finish. Includes 3,000 access codes and 30,000 audit events.		
08 71 11 00-2324	EA		Twelve Button, Cylindrical Locking Device, Electrical Pushbutton Combination Lock With Key Override, Lever (Kaba® E-Plex® 5200 Series)	840.98	55.71
			<i>For Bright Chrome, Bright Brass Or Satin Brass Finish, Add</i>	17.50	
			<i>For Dark Bronze Finish With Brass Accents, Add</i>	70.00	
			<i>For Remote Unlock, Add</i>	89.43	
			<i>Note: Excludes momentary contact switch.</i>		
08 71 11 00-2325	EA		Twelve Button, Cylindrical Locking Device With Privacy, Electrical Pushbutton Combination Lock With Key Override, Lever (Kaba® E-Plex® 5200 Series)	910.82	55.71
			<i>For Bright Chrome, Bright Brass Or Satin Brass Finish, Add</i>	17.50	
			<i>For Dark Bronze Finish With Brass Accents, Add</i>	70.00	
			<i>For Remote Unlock, Add</i>	89.43	
			<i>Note: Excludes momentary contact switch.</i>		
08 71 11 00-2326	EA		Twelve Button, Mortise Locking Device, Electrical Pushbutton Combination Lock With Key Override, Lever (Kaba® E-Plex® 5200 Series)	924.79	55.71
			<i>For Bright Chrome, Bright Brass Or Satin Brass Finish, Add</i>	17.50	
			<i>For Dark Bronze Finish With Brass Accents, Add</i>	70.00	
			<i>For Remote Unlock, Add</i>	89.43	
			<i>Note: Excludes momentary contact switch.</i>		



Openings	08	08
Hardware	08 70	
Door Hardware	08 71	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 71 11 00-2327	EA		Twelve Button, Mortise Locking Device With Deadbolt, Electrical Pushbutton Combination Lock With Key Override, Lever (Kaba® E-Plex® 5200 Series) <i>For Bright Chrome, Bright Brass Or Satin Brass Finish, Add</i> <i>For Dark Bronze Finish With Brass Accents, Add</i> <i>For Remote Unlock, Add</i> <i>Note: Excludes momentary contact switch.</i>	945.75 17.50 70.00 89.43	55.71
08 71 11 00-2328	EA		Twelve Button, Exit Trim, Electrical Pushbutton Combination Lock With Key Override, Lever (Kaba® E-Plex® 5200 Series) <i>For Bright Chrome, Bright Brass Or Satin Brass Finish, Add</i> <i>For Dark Bronze Finish With Brass Accents, Add</i> <i>For Remote Unlock, Add</i> <i>Note: Excludes momentary contact switch.</i>	910.82 17.50 70.00 89.43	55.71
08 71 11 00-2329			Electrical Pushbutton Combination Lock/Card Readers (Kaba® E-Plex® 5800 Series) <small>(08 71 11 00-2306)</small> Note: ANSI/BHMA Grade 1. Satin chrome or black with satin chrome accents finish. Includes 3,000 access codes and 30,000 audit events.		
08 71 11 00-2330	EA		Twelve Button, Cylindrical Locking Device, Electrical Pushbutton Combination Lock/Card Reader With Key Override, Lever (Kaba® E-Plex® 5800 Series) <i>For Bright Chrome, Bright Brass Or Satin Brass Finish, Add</i> <i>For Dark Bronze Finish With Brass Accents, Add</i> <i>For Remote Unlock, Add</i> <i>Note: Excludes momentary contact switch.</i>	1,172.75 17.50 70.00 89.43	55.71
08 71 11 00-2331	EA		Twelve Button, Cylindrical Locking Device With Privacy, Electrical Pushbutton Combination Lock/Card Reader With Key Override, Lever (Kaba® E-Plex® 5800 Series) <i>For Bright Chrome, Bright Brass Or Satin Brass Finish, Add</i> <i>For Dark Bronze Finish With Brass Accents, Add</i> <i>For Remote Unlock, Add</i> <i>Note: Excludes momentary contact switch.</i>	1,242.59 17.50 70.00 89.43	55.71
08 71 11 00-2332	EA		Twelve Button, Mortise Locking Device, Electrical Pushbutton Combination Lock/Card Reader With Key Override, Lever (Kaba® E-Plex® 5800 Series) <i>For Bright Chrome, Bright Brass Or Satin Brass Finish, Add</i> <i>For Dark Bronze Finish With Brass Accents, Add</i> <i>For Remote Unlock, Add</i> <i>Note: Excludes momentary contact switch.</i>	1,256.56 17.50 70.00 89.43	55.71
08 71 11 00-2333	EA		Twelve Button, Mortise Locking Device With Deadbolt, Electrical Pushbutton Combination Lock/Card Reader With Key Override, Lever (Kaba® E-Plex® 5800 Series) <i>For Bright Chrome, Bright Brass Or Satin Brass Finish, Add</i> <i>For Dark Bronze Finish With Brass Accents, Add</i> <i>For Remote Unlock, Add</i> <i>Note: Excludes momentary contact switch.</i>	1,277.51 17.50 70.00 89.43	55.71
08 71 11 00-2334	EA		Twelve Button, Exit Trim, Electrical Pushbutton Combination Lock/Card Reader With Key Override, Lever (Kaba® E-Plex® 5800 Series) <i>For Bright Chrome, Bright Brass Or Satin Brass Finish, Add</i> <i>For Dark Bronze Finish With Brass Accents, Add</i> <i>For Remote Unlock, Add</i> <i>Note: Excludes momentary contact switch.</i>	1,242.59 17.50 70.00 89.43	55.71
08 71 11 00-2335			Entry/Egress, Electrical Pushbutton Combination Lock/Card Readers (Kaba® E-Plex® 5886 Series) <small>(08 71 11 00-2306)</small> Note: ANSI/BHMA Grade 1. Satin chrome or black with satin chrome accents finish. Includes 3,000 access codes and 30,000 audit events.		
08 71 11 00-2336	EA		Twelve Button, Mortise Locking Device, Entry/Egress, Electrical Pushbutton Combination Lock/Card Reader With Key Override, Lever (Kaba® E-Plex® 5886 Series) <i>For Dark Bronze Finish With Brass Accents, Add</i> <i>For Bright Chrome, Bright Brass Or Satin Brass Finish, Add</i>	1,647.70 70.00 35.00	55.71
08 71 11 00-2337			Stand Alone Access Controller, Electrical Pushbutton Combination Lock/Card Readers (Kaba® E-Plex® 5870 Series) <small>(08 71 11 00-2306)</small> Note: ANSI/BHMA Grade 1. Satin chrome or black with satin chrome accents finish. Includes 3,000 access codes and 30,000 audit events.		
08 71 11 00-2338	EA		Twelve Button, Stand Alone Access Controller, Electrical Pushbutton Combination Lock/Card Reader (Kaba® E-Plex® 5870 Series) <i>For Bright Chrome, Bright Brass Or Satin Brass Finish, Add</i> <i>For Dark Bronze Finish With Brass Accents, Add</i>	1,050.52 17.50 70.00	55.71
08 71 11 00-2339			Electrical Pushbutton Combination Lock Accessories (Kaba® E-Plex®) <small>(08 71 11 00-2306)</small>		
08 71 11 00-2340	EA		Standard Software Implementation Kit (Kaba® E-Plex®)	527.50	
08 71 11 00-2341	EA		Enterprise Software Implementation Kit (Kaba® E-Plex®)	667.19	
08 71 11 00-2342	EA		E-Plex General FIPS Software Implementation Kit (Kaba® E-Plex®)	876.73	
08 71 11 00-2343	EA		USB FIPS/DESFire Card Reader/Enroller (Kaba® E-Plex®)	267.24	
08 71 11 00-2344	EA		High Capacity Battery Kit (Kaba® E-Plex® E5x00 Series) Note: Includes 4 C-cell battery pack.	80.95	
08 71 11 00-2345	EA		12-24 Volt DC Power Interface Kit (Kaba® E-Plex® E5x00 Series)	95.62	

08	08	Openings
	08 70	Hardware
	08 71	Door Hardware



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
-------	-----	-----	-------------	------------------------	----------------------

08 71 11 00-2346			Self-Powered, Electrical Pushbutton Combination Locks (Kaba® PowerPlex® 2000 Series) (08 71 11 00-2306) Note: ANSI/BHMA Grade 1. Satin chrome finish.		
08 71 11 00-2347	EA		Twelve Button, Cylindrical Locking Device, Self-Powered, Electrical Pushbutton Combination Lock, Lever (Kaba® PowerPlex® 2000 Series).....	659.38	55.71
			<i>For Satin Brass Finish, Add</i>	17.50	
			<i>For Owner Furnished Material, Deduct</i>	-436.54	
08 71 11 00-2348	EA		Twelve Button, Mortise Locking Device, Self-Powered, Electrical Pushbutton Combination Lock, Lever (Kaba® PowerPlex® 2000 Series).....	743.19	55.71
			<i>For Satin Brass Finish, Add</i>	17.50	
			<i>For Owner Furnished Material, Deduct</i>	-520.35	
08 71 11 00-2349	EA		Twelve Button, Mortise Locking Device With Deadbolt, Self-Powered, Electrical Pushbutton Combination Lock, Lever (Kaba® PowerPlex® 2000 Series).....	764.15	55.71
			<i>For Satin Brass Finish, Add</i>	17.50	
			<i>For Owner Furnished Material, Deduct</i>	-541.31	
08 71 11 00-2350	EA		Twelve Button, Exit Trim, Self-Powered, Electrical Pushbutton Combination Lock, Lever (Kaba® PowerPlex® 2000 Series).....	729.22	55.71
			<i>For Satin Brass Finish, Add</i>	17.50	
			<i>For Owner Furnished Material, Deduct</i>	-506.38	
08 71 11 00-2351	EA		Twelve Button, Cylindrical Locking Device, Self-Powered, Electrical Pushbutton Combination Lock With Key Override, Lever (Kaba® PowerPlex® 2000 Series).....	694.30	55.71
			<i>For Satin Brass Finish, Add</i>	17.50	
			<i>For Owner Furnished Material, Deduct</i>	-471.46	
08 71 11 00-2352	EA		Twelve Button, Cylindrical Locking Device With Privacy, Self-Powered, Electrical Pushbutton Combination Lock With Key Override, Lever (Kaba® PowerPlex® 2000 Series).....	764.15	55.71
			<i>For Satin Brass Finish, Add</i>	17.50	
			<i>For Owner Furnished Material, Deduct</i>	-541.31	
08 71 11 00-2353	EA		Twelve Button, Mortise Locking Device, Self-Powered, Electrical Pushbutton Combination Lock With Key Override, Lever (Kaba® PowerPlex® 2000 Series).....	778.12	55.71
			<i>For Satin Brass Finish, Add</i>	17.50	
			<i>For Owner Furnished Material, Deduct</i>	-555.28	
08 71 11 00-2354	EA		Twelve Button, Mortise Locking Device With Deadbolt, Self-Powered, Electrical Pushbutton Combination Lock With Key Override, Lever (Kaba® PowerPlex® 2000 Series).....	799.07	55.71
			<i>For Satin Brass Finish, Add</i>	17.50	
			<i>For Owner Furnished Material, Deduct</i>	-576.23	
08 71 11 00-2355	EA		Twelve Button, Exit Trim, Self-Powered, Electrical Pushbutton Combination Lock With Key Override, Lever (Kaba® PowerPlex® 2000 Series).....	764.15	55.71
			<i>For Satin Brass Finish, Add</i>	17.50	
			<i>For Owner Furnished Material, Deduct</i>	-541.31	

08 71 11 00-2356			Electrical Pushbutton Combination Locks (Schlage) (08 71 11 00-2306) Note: ANSI/BHMA Grade 1. Satin chrome finish.		
08 71 11 00-2357	EA		Class 100, Cylindrical, Classroom/Storeroom, Keypad, Sparta Lever, Standalone Electronic Lock (Schlage CO100CY70KP626BD-D).....	644.12	55.40
			<i>For Owner Furnished Material, Deduct</i>	-422.51	
08 71 11 00-2358	EA		Class 200, Cylindrical, Classroom/Storeroom, Keypad, Sparta Lever, Standalone Electronic Lock (Schlage CO200CY70KP-D).....	738.97	55.40
			<i>For Owner Furnished Material, Deduct</i>	-517.36	
08 71 11 00-2359	EA		Class 200, Cylindrical, Classroom/Storeroom, Magnetic Strip + Keypad, Sparta Lever, Standalone Electronic Lock (Schlage GO200CY70MSK626).....	828.27	55.40
			<i>For Owner Furnished Material, Deduct</i>	-606.66	
08 71 11 00-2360	EA		Class 200, Cylindrical, Classroom/Storeroom, Keypad, Sparta Lever, Standalone Electronic Lock (Schlage AD200CY70KP626).....	1,068.47	55.40
			<i>For Owner Furnished Material, Deduct</i>	-846.86	
08 71 11 00-2361	EA		Class 200, Cylindrical, Classroom/Storeroom, Magnetic Strip + Keypad, Sparta Lever, Standalone Electronic Lock (Schlage AD200CY70MKS626).....	1,163.94	55.40
			<i>For Owner Furnished Material, Deduct</i>	-942.33	
08 71 11 00-2362	EA		Class 400, Cylindrical, Classroom/Storeroom, Magnetic Strip + Keypad, Sparta Lever, Networked Wireless Electronic Lock (Schlage AD400CY70MSKSPA626).....	1,276.03	55.40
			<i>For Owner Furnished Material, Deduct</i>	-1,054.42	
08 71 11 00-2363	EA		Class 300, Cylindrical, Classroom/Storeroom, Magnetic Strip + Keypad, Sparta Lever, Networked Wireless Electronic Lock (Schlage AD300CY70MSKSPA626).....	1,176.25	55.40
			<i>For Owner Furnished Material, Deduct</i>	-954.64	

08 71 11 00-2364			Residential Locks And Latchsets (08 71 11 00-2249)		
08 71 11 00-2365	EA		Residential Entry Lockset With Knobs (Master Keyed).....	62.74	13.37
08 71 11 00-2366	EA		Residential Privacy Lockset With Knobs.....	61.70	13.37
08 71 11 00-2367	EA		Residential Passage Lockset With Knobs.....	61.56	13.37
08 71 11 00-2368	EA		Residential Dummy Lockset With Knobs.....	49.36	11.15
08 71 11 00-2369	EA		Residential Entry Lockset With Levers (Master Keyed).....	69.93	13.37
08 71 11 00-2370	EA		Residential Privacy Lockset With Levers.....	67.54	13.37
08 71 11 00-2371	EA		Residential Passage Lockset With Levers.....	65.82	13.37
08 71 11 00-2372	EA		Residential Dummy Lockset With Levers.....	50.18	11.15

08 71 11 00-2373			Deadbolts (08 71 11 00-2249)		
08 71 11 00-2374			Cylindrical Deadbolts, Grade 1, ANSI 156.5 (08 71 11 00-2373) Note: 2-3/8" or 2-3/4" backset.		
08 71 11 00-2375	EA		Single Cylinder Deadbolt, Key One Side, Knob One Side.....	131.99	22.16
			Note: Cylindrical, ANSI Grade 1, interchangeable core, bright brass or satin chromium finish.		
			<i>For Bright Chromium Or Oiled Rubbed Bronze Finish, Add</i>	4.20	



Openings	08	08
Hardware	08 70	
Door Hardware	08 71	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 71 11 00-2376	EA		Double Cylinder Deadbolt, Key Both Sides..... Note: Cylindrical, ANSI Grade 1, interchangeable core, bright brass or satin chromium finish. <i>For Bright Chromium Or Oiled Rubbed Bronze Finish, Add</i>	148.15 4.20	22.16
08 71 11 00-2377			Cylindrical Deadbolts, Grade 2, ANSI 156.5 (08 71 11 00-2373) Note: 2-3/8" or 2-3/4" backset.		
08 71 11 00-2378	EA		Single Cylinder Deadbolt, Key One Side, Knob One Side Note: Cylindrical, ANSI Grade 2, interchangeable core, bright brass or satin chromium finish. <i>For Bright Chromium Or Oiled Rubbed Bronze Finish, Add</i>	120.91 4.20	22.16
08 71 11 00-2379	EA		Double Cylinder Deadbolt, Key Both Sides..... Note: Cylindrical, ANSI Grade 2, interchangeable core, bright brass or satin chromium finish. <i>For Bright Chromium Or Oiled Rubbed Bronze Finish, Add</i>	138.57 4.20	22.16
08 71 11 00-2380			Small Case Mortised Deadbolts, Grade 1, ANSI 156.5 (08 71 11 00-2373) Note: Interchangeable cores with small case size, 4-1/2" x 3-1/2" nominal.		
08 71 11 00-2381	EA		Small Case Mortised Deadbolt, Key One Side, Knob One Side Note: ANSI Grade 1, interchangeable cores, all finishes. Case size 4-1/2" x 3-1/2" (nominal).	170.06	22.16
08 71 11 00-2382	EA		Small Case Mortised Deadbolt, Key Both Sides Note: ANSI Grade 1, interchangeable cores, all finishes. Case size 4-1/2" x 3-1/2" (nominal). Also used for Classroom version.	185.03	22.16
08 71 11 00-2383	EA		Small Case Mortised Deadbolt, Key One Side, Cover Plate One Side Note: ANSI Grade 1, interchangeable cores, all finishes. Case size 4-1/2" x 3-1/2" (nominal).	167.07	22.16
08 71 11 00-2384			Mortised Deadbolts, Grade 1, ANSI 156.5 (08 71 11 00-2373) Note: Interchangeable cores with standard case size, 4-1/2" x 6" nominal.		
08 71 11 00-2385	EA		Mortised Deadbolt, Key One Side, Knob One Side Note: ANSI Grade 1, interchangeable cores, all finishes. Case size 4-1/2" x 6" (nominal).	210.77	22.16
08 71 11 00-2386	EA		Mortised Deadbolt, Key Both Sides Note: ANSI Grade 1, interchangeable cores, all finishes. Case size 4-1/2" x 6" (nominal). Also used for Classroom version.	235.32	22.16
08 71 11 00-2387	EA		Mortised Deadbolt, Key One Side, Cover Plate One Side Note: ANSI Grade 1, interchangeable cores, all finishes. Case size 4-1/2" x 6" (nominal).	189.82	22.16
08 71 11 00-2388			Surface Mounted Deadbolts (08 71 11 00-2373)		
08 71 11 00-2389	EA		Single Cylinder Surface Mounted Deadbolt Note: Key one side, knob one side, bright brass finish. <i>For Brushed Chrome Finish, Add</i>	96.79 10.50	22.16
08 71 11 00-2390	EA		Double Cylinder Surface Mounted Deadbolt Note: Key both sides, bright brass finish. <i>For Brushed Chrome Finish, Add</i>	107.61 10.50	22.16
08 71 11 00-2391	EA		Single Cylinder Surface Mounted Interlocking Deadbolt Note: Jimmy proof, key one side, knob one side, bright brass finish. <i>For Brushed Chrome Finish, Add</i>	116.21 10.50	22.16
08 71 11 00-2392	EA		Double Cylinder Surface Mounted Interlocking Deadbolt Note: Jimmy proof, key both sides, bright brass finish. <i>For Brushed Chrome Finish, Add</i>	127.03 10.50	22.16
08 71 11 00-2393			Surface Mounted Deadlatches (08 71 11 00-2249)		
08 71 11 00-2394	EA		Single Cylinder Surface Mounted Deadlatch Note: Key one side, knob one side, bright brass finish. <i>For Brushed Chrome Finish, Add</i>	97.64 10.50	22.16
08 71 11 00-2395	EA		Single Cylinder Surface Mounted Interlocking Deadlatch Note: Jimmy proof, key one side, knob one side, bright brass finish. <i>For Brushed Chrome Finish, Add</i>	116.25 10.50	22.16
08 71 11 00-2396			Electric Strikes (08 71 11 00-2249)		
08 71 11 00-2397	EA		12/24 Volt DC, Fail Safe/Fail Secure, Aluminum/Steel Body Electric Strike (Von Duprin 5100)	241.28	44.33
08 71 11 00-2398	EA		12/24 Volt DC, Fail Secure, Dual Monitor Switch, Stainless Steel Body Electric Strike (Von Duprin 6111)	665.55	44.33
08 71 11 00-2399	EA		12/24 Volt DC, Fail Secure, Dual Monitor Switch, Stainless Steel Body Electric Strike (Von Duprin 6112)	636.84	44.33
08 71 11 00-2400	EA		24 Volt DC, Fail Secure, Stainless Steel Body Electric Strike (Von Duprin 6211)	495.78	44.33
08 71 11 00-2401	EA		24 Volt DC, Fail Secure, Dual Monitor Switch, Stainless Steel Body Electric Strike (Von Duprin 6212)	668.61	44.33
08 71 11 00-2402	EA		24 Volt DC, Fail Secure, Dual Monitor Switch, Stainless Steel Body Electric Strike (Von Duprin 6213)	656.16	44.33
08 71 11 00-2403	EA		24 Volt DC, Fail Secure, Dual Monitor Switch, Stainless Steel Body Electric Strike (Von Duprin 6214)	713.63	44.33
08 71 11 00-2404	EA		24 Volt DC, Fail Secure, Dual Monitor Switch, Stainless Steel Body Electric Strike (Von Duprin 6215)	666.07	44.33
08 71 11 00-2405	EA		12/24 Volt DC, 3,070 LB Static Strength, Stainless Steel Body, Dual Voltage Electric Strike (HES 1006)	417.21	44.33
08 71 11 00-2406	EA		12/24 Volt DC, 3,000 LB Static Strength, Stainless Steel Body, Fire Rated Electric Strike (HES 4500)	414.89	44.33
08 71 11 00-2407	EA		12/24 Volt DC, 1,500 LB Static Strength, Steel Body, Low Profile Electric Strike (HES 5000)	214.75	44.33
08 71 11 00-2408	EA		12/24 Volt DC, 1,500 LB Static Strength, Steel Body, Adjustable Electric Strike (HES 5200)	214.75	44.33
08 71 11 00-2409	EA		12/24 Volt DC, 1,500 LB Static Strength, Cylindrical Or Rim Exit Device, Stainless Steel Body, Electric Strike With Preload (HES 7000)	269.11	44.33

08 Openings**08 70 Hardware****08 71 Door Hardware**

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 71 11 00-2410 EA 12/24 Volt DC, 1,500 LB Static Strength, Stainless Steel Body, Cylindrical Lock Electric Strike (HES 7500).....	461.37	44.33
08 71 11 00-2411 EA 12/24 Volt DC, 1,500 LB Static Strength, Stainless Steel Body, Compact Concealed Electric Strike (HES 8000).....	239.93	44.33
08 71 11 00-2412 EA 12/24 Volt DC, 1,500 LB Static Strength, Stainless Steel Body, Fire Rated Compact Concealed Electric Strike (HES 8300).....	425.86	44.33
08 71 11 00-2413 EA 12/24 Volt DC, 1,500 LB Static Strength, Stainless Steel Body, Fire Rated Concealed Electric Strike (HES 8500).....	378.99	44.33
08 71 11 00-2414 EA 12/24 Volt DC, 1,500 LB Static Strength, Stainless Steel Body, Slim Line Surface Mounted Electric Strike (HES 9400).....	453.14	58.50
08 71 11 00-2415 EA 12/24 Volts DC, 1,500 LB Static Strength, Rim Exit Device, Stainless Steel Body, Fire Rated Surface Mounted Electric Strike (HES 9500).....	511.59	58.50
08 71 11 00-2416 EA 12/24 Volts DC, 1,500 LB Static Strength, Rim Exit Device, Stainless Steel Body, Surface Mounted Electric Strike (HES 9600).....	453.45	58.50
08 71 11 00-2417 Electric Hardware (08 71 11 00-2249)		
08 71 11 00-2418 EA Electrified Cylindrical Lock Option.....	128.42	
Note: Excludes the lock. This task is used in conjunction with other locks in the CTC to electrify the lock.		
08 71 11 00-2419 EA Electrified Mortise Lock Option.....	147.96	
Note: Excludes the lock. This task is used in conjunction with other locks in the CTC to electrify the lock.		
08 71 11 00-2420 EA 24" Long, 3/8" Flexible Aluminum Conduit, Armored Power Transfer Door Loop.....	81.25	22.16
08 71 11 00-2421 EA 1 Ampere At 12/24 Volt DC, Door Hardware Power Supply.....	244.86	22.16
08 71 11 00-2422 EA 3 Amperes At 12 Volt DC, 2 Amperes At 24 Volt DC, Door Hardware Power Supply.....	419.18	22.16
08 71 11 00-2423 EA 4-1/2 Amperes At 12 Volt DC, 3 Amperes At 24 Volt DC, Door Hardware Power Supply.....	637.67	22.16
08 71 11 00-2424 EA 6 Amperes At 12 Volt DC, 4 Amperes At 24 Volt DC, Door Hardware Power Supply.....	704.10	22.16
08 71 11 00-2425 EA 9 Amperes At 12 Volt DC, 6 Amperes At 24 Volt DC, Door Hardware Power Supply.....	839.35	22.16
08 71 11 00-2426 EA 15 Amperes At 12 Volt DC, 10 Amperes At 24 Volt DC, Door Hardware Power Supply.....	1,016.21	22.16
08 71 11 00-2427 EA 18" Long, 1/4" Flexible Aluminum Conduit, Armored Power Transfer Door Loop.....	69.87	22.16
08 71 11 00-2428 EA 24" Long, 1/4" Flexible Aluminum Conduit, Armored Power Transfer Door Loop.....	71.21	22.16
08 71 11 00-2429 EA 30" Long, 1/4" Flexible Aluminum Conduit, Armored Power Transfer Door Loop.....	79.45	22.16
08 71 11 00-2430 EA 45" Long, 1/4" Flexible Aluminum Conduit, Armored Power Transfer Door Loop.....	81.08	22.16
08 71 11 00-2431 EA 60" Long, 1/4" Flexible Aluminum Conduit, Armored Power Transfer Door Loop.....	81.91	22.16
08 71 11 00-2432 EA 72" Long, 1/4" Flexible Aluminum Conduit, Armored Power Transfer Door Loop.....	86.63	22.16
08 71 11 00-2433 EA 12" Long, 3/8" Flexible Aluminum Conduit, Armored Power Transfer Door Loop.....	70.72	22.16
08 71 11 00-2434 EA 18" Long, 3/8" Flexible Aluminum Conduit, Armored Power Transfer Door Loop.....	77.32	22.16
08 71 11 00-2435 EA 36" Long, 3/8" Flexible Aluminum Conduit, Armored Power Transfer Door Loop.....	82.55	22.16
08 71 11 00-2436 EA 49" Long, 3/8" Flexible Aluminum Conduit, Armored Power Transfer Door Loop.....	91.57	22.16
08 71 11 00-2437 EA 60" Long, 3/8" Flexible Aluminum Conduit, Armored Power Transfer Door Loop.....	94.08	22.16
08 71 11 00-2438 EA 12" Long, 1/2" Flexible Aluminum Conduit, Armored Power Transfer Door Loop.....	78.97	22.16
08 71 11 00-2439 EA 18" Long, 1/2" Flexible Aluminum Conduit, Armored Power Transfer Door Loop.....	88.21	22.16
08 71 11 00-2440 EA 18" Long, 1/4" Flexible Conduit, Stainless Steel Armored Power Transfer Door Loop.....	57.03	22.16
08 71 11 00-2441 EA 24" Long, 1/4" Flexible Conduit, Stainless Steel Armored Power Transfer Door Loop.....	64.17	22.16
08 71 11 00-2442 EA 30" Long, 1/4" Flexible Conduit, Stainless Steel Armored Power Transfer Door Loop.....	67.95	22.16
08 71 11 00-2443 EA 36" Long, 1/4" Flexible Conduit, Stainless Steel Armored Power Transfer Door Loop.....	72.00	22.16
08 71 11 00-2444 EA 60" Long, 1/4" Flexible Conduit, Stainless Steel Armored Power Transfer Door Loop.....	93.04	22.16
08 71 11 00-2445 EA 72" Long, 1/4" Flexible Conduit, Stainless Steel Armored Power Transfer Door Loop.....	101.84	22.16
08 71 11 00-2446 EA 12" Long, 3/8" Flexible Conduit, Stainless Steel Armored Power Transfer Door Loop.....	59.95	22.16
08 71 11 00-2447 EA 18" Long, 3/8" Flexible Conduit, Stainless Steel Armored Power Transfer Door Loop.....	62.70	22.16
08 71 11 00-2448 EA 24" Long, 3/8" Flexible Conduit, Stainless Steel Armored Power Transfer Door Loop.....	70.91	22.16
08 71 11 00-2449 EA 36" Long, 3/8" Flexible Conduit, Stainless Steel Armored Power Transfer Door Loop.....	83.96	22.16
08 71 11 00-2450 EA 48" Long, 3/8" Flexible Conduit, Stainless Steel Armored Power Transfer Door Loop.....	95.64	22.16
08 71 11 00-2451 EA 60" Long, 3/8" Flexible Conduit, Stainless Steel Armored Power Transfer Door Loop.....	114.82	22.16
08 71 11 00-2452 EA 12" Long, 1/2" Flexible Conduit, Stainless Steel Armored Power Transfer Door Loop.....	64.54	22.16
08 71 11 00-2453 EA 18" Long, 1/2" Flexible Conduit, Stainless Steel Armored Power Transfer Door Loop.....	68.77	22.16
08 71 11 00-2454 EA Two 18 Gauge Wire, Door Frame To Edge Of Door Electrical Power Transfer.....	434.68	22.16
08 71 11 00-2455 EA Ten 24 Gauge Wire, Door Frame To Edge Of Door Electrical Power Transfer.....	475.42	31.03
08 71 11 00-2456 Magnetic Locks (08 71 11 00-2249)		
08 71 11 00-2457 EA Electromagnetic Lock, 500 lb. Holding Force, Stainless Steel (Schlage 40).....	535.28	106.37
08 71 11 00-2458 EA Electromagnetic Lock, 500 lb. Holding Force, Stainless Steel (Schlage 40TJ).....	640.49	119.67
08 71 11 00-2459 EA Electromagnetic Lock, 1,000 lb. Holding Force, Stainless Steel (Schlage 70).....	622.10	106.37
08 71 11 00-2460 EA Electromagnetic Lock, 1,000 lb. Holding Force, Stainless Steel (Schlage 70TJ).....	727.14	119.67
08 71 11 00-2461 EA Electromagnetic Lock, 500 lb. Holding Force, Aluminum (Schlage M420).....	651.95	115.24
08 71 11 00-2462 EA Electromagnetic Lock, 1,000 lb. Holding Force, Aluminum (Schlage M450).....	711.50	115.24
08 71 11 00-2463 EA Electromagnetic Lock, 1500 lb. Holding Force, Aluminum (Schlage M490).....	757.85	115.24
08 71 11 00-2464 EA Electromagnetic Lock, 500 lb. Holding Force, Aluminum (Schlage M420P).....	833.97	132.97
Note: Includes magnetic bond sensor, door position switch and relock time delay.		
08 71 11 00-2465 EA Electromagnetic Lock, 1,000 lb. Holding Force, Aluminum (Schlage M450P).....	913.13	132.97
Note: Includes magnetic bond sensor, door position switch and relock time delay.		
08 71 11 00-2466 EA Electromagnetic Lock, 1500 lb. Holding Force, Aluminum (Schlage M490P).....	948.79	132.97
Note: Includes magnetic bond sensor, door position switch and relock time delay.		
08 71 11 00-2467 EA 2 Amperes Output Current, 12-24 Volt DC, 4 Relay with Fire Alarm (Schlage PS902).....	285.20	44.33
08 71 11 00-2468 EA 4 Amperes Output Current, 12-24 Volt DC, 4 Relay with Fire Alarm (Schlage PS904).....	463.05	44.33
08 71 11 00-2469 EA 6 Amperes Output Current, 12-24 Volt DC, 4 Relay with Fire Alarm (Schlage PS906).....	555.48	44.33
08 71 11 00-2470 Door Coordinators (08 71 11)		
08 71 11 00-2471 EA 32" Satin Chrome Finish, Door Coordinator (Ives COR 32" Series).....	325.20	27.71
Note: Satin chrome finish. Includes two mounting brackets.		
For Anodized Aluminum Finish, Deduct	-85.76	
08 71 11 00-2472 EA 42" Satin Chrome Finish, Door Coordinator (Ives COR 42" Series).....	341.34	28.81
Note: Satin chrome finish. Includes two mounting brackets.		
For Anodized Aluminum Finish, Deduct	-90.44	



Openings	08	08
Hardware	08 70	
Door Hardware	08 71	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 71 11 00-2473 EA 52" Satin Chrome Finish, Door Coordinator (Ives COR 52" Series).....	349.72	29.92
Note: Satin chrome finish. Includes two mounting brackets.		
For Anodized Aluminum Finish, Deduct	-92.02	
08 71 11 00-2474 EA 60" Satin Chrome Finish, Door Coordinator (Ives COR 60" Series).....	364.82	31.03
Note: Satin chrome finish. Includes two mounting brackets.		
For Anodized Aluminum Finish, Deduct	-96.28	
08 71 11 00-2475 EA 72" Satin Chrome Finish, Door Coordinator (Ives COR 72" Series).....	390.41	32.13
Note: Satin chrome finish. Includes two mounting brackets.		
For Anodized Aluminum Finish, Deduct	-104.75	
08 71 11 00-2476 EA Up To 20", Satin Chrome Finish, Filler Bar For Door Coordinator (Ives FL 20").....	78.03	8.86
For Anodized Aluminum Finish, Deduct	-17.03	
08 71 11 00-2477 EA Up To 32", Satin Chrome Finish, Filler Bar For Door Coordinator (Ives FL 32").....	86.07	9.97
For Anodized Aluminum Finish, Deduct	-18.47	
08 71 11 00-2478 EA Up To 44", Satin Chrome Finish, Filler Bar For Door Coordinator (Ives FL 44").....	98.67	11.08
For Anodized Aluminum Finish, Deduct	-21.74	
08 71 11 00-2479 EA Satin Chrome Finish, Carry Bar For Door Coordinator (Ives CB1).....	74.60	11.08
08 71 11 00-2480 EA 7" Projection COR Series Gravity Type Door Coordinator.....	110.39	16.62
For Anodized Aluminum Finish, Deduct	-17.56	
08 71 11 00-2481 EA 9" Projection COR Series Gravity Type Door Coordinator.....	117.41	16.62
For Anodized Aluminum Finish, Deduct	-20.37	
08 71 11 00-2482 Removal And Reinstallation Of Door Hardware (08 71 11)		
Note: Includes storage and cleaning. Excludes removal of door where required. See CSI section 08 05 13 00-0050 for removal and reinstallation of door.		
08 71 11 00-2483 EA Removal And Reinstallation Of Door Lockset, Entrance.....	66.48	
08 71 11 00-2484 EA Removal And Reinstallation Of Door Lockset, Mortise.....	106.37	
08 71 11 00-2485 EA Removal And Reinstallation Of Deadbolt Lock.....	70.92	
08 71 11 00-2486 PR Removal And Reinstallation Of Butts/Hinges.....	17.73	
08 71 11 00-2487 EA Removal And Reinstallation Of Door Bumper.....	6.21	
08 71 11 00-2488 EA Removal And Reinstallation Of Surface Mounted Panic Device.....	177.28	
08 71 11 00-2489 EA Removal And Reinstallation Of Kick Plate.....	22.16	
08 71 11 00-2490 EA Removal And Reinstallation Of Push Plate.....	17.73	
08 71 11 00-2491 EA Removal And Reinstallation Of Surface Mounted Door Closer Or Holder.....	88.64	
08 71 11 00-2492 EA Removal And Reinstallation Of Door Handles.....	13.30	
08 71 11 00-2493 Electromagnetic Door Release (08 71 11)		
08 71 11 00-2494 EA 120 Volt AC, 24 Volt AC/DC, 12 Volt DC, Wall Mount, Surface Wiring, Electro-Magnetic Door Release.....	404.13	55.85
08 71 11 00-2495 EA 120 Volt AC, 24 Volt AC/DC, 12 Volt DC, Wall Mount, Recessed Wiring, Electro-Magnetic Door Release.....	395.40	55.85
08 71 11 00-2496 EA 120 Volt AC, 24 Volt AC/DC, 12 Volt DC, Adjustable, Wall Mount, Recessed Wiring, Electro-Magnetic Door Release.....	439.44	55.85
08 71 11 00-2497 EA 24 Volt AC/DC, High Hold, Wall Mount, Surface Or Recessed Wiring, Electro-Magnetic Door Release.....	699.38	55.85
08 71 11 00-2498 EA 24 Volt DC, Sliding Door, Electro-Magnetic Door Release.....	676.20	55.85
08 71 11 00-2499 EA 120 Volt AC, 24 Volt AC/DC, 12 Volt DC, Overhead Door, Electro-Magnetic Door Release.....	676.20	55.85
08 71 11 00-2500 EA 120 Volt AC, 24 Volt AC/DC, 12 Volt DC, Floor Mount, Single Door, Electro-Magnetic Door Release.....	619.51	55.85
08 71 11 00-2501 EA 120 Volt AC, 24 Volt AC/DC, 12 Volt DC, Floor Mount, Back-to-Back Door, Electro-Magnetic Door Release.....	762.85	55.85
08 71 11 00-2502 EA Photo Electric Smoke Detector Suitable For Door Holder Release.....	734.80	55.85
08 71 11 00-2503 EA Ionization Type Smoke Detector Suitable For Door Holder Release.....	896.06	55.85
08 71 11 00-2504 EA Surface Wall Mount, Electromagnetic Door Holder (Sargent 1560).....	447.82	55.85
Note: 120 volt AC, 24 volt AC/DC, 12 volt DC		
08 71 11 00-2505 EA Flush Mount, Electromagnetic Door Holder (Sargent 1561).....	441.05	55.85
Note: 120 volt AC, 24 volt AC/DC, 12 volt DC		
08 71 11 00-2506 EA Floor Mount, Electromagnetic Door Holder (LCN SEM7820).....	652.86	55.85
Note: 120 volt AC, 24 volt AC/DC, 12 volt DC		
08 71 11 00-2507 EA Surface Wall Mount, Electromagnetic Door Holder (LCN SEM7830).....	469.48	55.85
Note: 120 volt AC, 24 volt AC/DC, 12 volt DC		
08 71 11 00-2508 EA Low Profile Recessed Wall Mount, Electromagnetic Door Holder (LCN SEM7840).....	469.48	55.85
Note: 120 volt AC, 24 volt AC/DC, 12 volt DC		
08 71 11 00-2509 EA Recessed Wall Mount, Electromagnetic Door Holder (LCN SEM7850).....	469.48	55.85
Note: 120 volt AC, 24 volt AC/DC, 12 volt DC		
08 71 13 Automatic Door Operators (08 71)		
08 71 13 00-0001 Automatic Door Operators (LCN) (08 71 13)		
08 71 13 00-0002 EA Automatic Door Operator, Surface Mount ADA Door Operator With Pull Arm (LCN 9531).....	2,384.86	
Note: Opens doors automatically for wheelchair access, and allows for manual operation for regular pedestrian traffic.		
08 71 13 00-0003 EA Automatic Door Operator, Surface Mount ADA Door Operator With Push Arm (LCN 9542).....	2,384.86	
Note: Opens doors automatically for wheelchair access, and allows for manual operation for regular pedestrian traffic.		
08 71 13 00-0004 Miscellaneous Devices (08 71 13)		
08 71 13 00-0005 EA Electric Power Transformer (Von Duprin EPT-2) For Magnetic Monitor Switches.....	341.87	33.24
08 71 13 00-0006 EA Magnetic Monitor Switch, SS Finish (Von Duprin MS 764).....	105.74	19.95
08 71 13 00-0007 EA 24 Volt AC, 3 Amperes, Transformer (Von Duprin PT 750).....	132.09	19.95
08 71 13 00-0008 EA Automatic Door Bottoms, Fully Mortise Cam Bottom Type To Fit 1-1/2" x 3/4" Mortise Channel At Door Bottom (National Guard Products 320S).....	77.78	19.95
08 71 53 Security Door Hardware (08 71)		

08	08	Openings
	08 70	Hardware
	08 71	Door Hardware



MINOR		TOTAL DIRECT		DEMOLITION	
CSI	UOM	DESCRIPTION	UNIT COST	UNIT COST	
08 71 53 00-0001		Door Exit Alarm Hardware <small>(08 71 53)</small>			
08 71 53 00-0002	EA	Door Or Wall Mount Exit Alarm, Audible Alarm, 9 Volt Battery Back-up (Detex EAX-500)	236.62		33.24
08 71 53 00-0003	EA	Weatherized Door Or Wall Mount Exit Alarm, Audible Alarm, 9 Volt Battery Back-up (Detex EAX-500W)	322.60		33.24
08 71 53 00-0004	EA	Door Or Wall Mount Exit Alarm, Audible Alarm, 9 Volt Battery Back-up (Detex EAX-300)	273.34		33.24
		Note: Door propped alarm for applications where doors may be used for egress or ingress, but may not be held or propped open. Door open times from 1 second to 4 minutes (15 second default) are field selectable.			
08 71 53 00-0005	EA	Weatherized Door Or Wall Mount Exit Alarm, Audible Alarm, 9 Volt Battery Back-up (Detex EAX-300W)	349.39		33.24
		Note: Door propped alarm for applications where doors may be used for egress or ingress, but may not be held or propped open. Door open times from 1 second to 4 minutes (15 second default) are field selectable.			
08 71 53 00-0006	EA	Wall Mount Exit Alarm, Audible Alarm, AC/DC (Detex EAX-2500).....	408.06		44.33
08 71 53 00-0007	EA	Surface Mounted Magnetic Switch (Detex MS-1039S or MS-1059S)	73.17		44.33
		Note: For use with Detex EAX exit alarms.			
08 72		Weatherstripping, Thresholds And Seals <small>(08 70)</small>			
08 72 33		Weatherstripping And Seals <small>(08 72)</small>			
08 72 33 00-0001		Weather-Stripping And Seals <small>(08 72 33)</small>			
08 72 33 00-0002		Astragals <small>(08 72 33 00-0001)</small>			
		Note: Astragal and meeting stile seals are used to seal the gap between a pair of doors.			
08 72 33 00-0003		Adhesive Backed Astragals <small>(08 72 33 00-0002)</small>			
08 72 33 00-0004	LF	7/16" Width, 9/32" Height, Edge Mount, Single Fin, Adhesive Backed Flexible Astragal (Pemko S771)	3.70		0.66
08 72 33 00-0005	LF	1/2" Width, 3/16" Height, Edge Mount, Double Fin, Adhesive Backed Flexible Astragal (Pemko S772).....	4.12		0.66
08 72 33 00-0006	LF	1-1/8" Width, 3/16" Height, Mullion Mount, Adhesive Backed Mullion Gasketing (Pemko 5110)	3.16		0.66
08 72 33 00-0007		Overlapping Astragals <small>(08 72 33 00-0002)</small>			
08 72 33 00-0008		Aluminum, Overlapping Astragals <small>(08 72 33 00-0007)</small>			
08 72 33 00-0009	LF	2" Width, 1/8" Height, Clear Anodized Aluminum, Overlapping Astragal (Pemko 357C)	14.86		3.99
		<i>For Color Anodized Finish, Add</i>	2.09		
08 72 33 00-0010		Stainless Steel, Overlapping Astragals <small>(08 72 33 00-0007)</small>			
08 72 33 00-0011	LF	2" Width, 1/8" Height, Stainless Steel, Overlapping Astragal (Pemko 357SS).....	29.75		3.99
08 72 33 00-0012		"T" Astragals <small>(08 72 33 00-0002)</small>			
08 72 33 00-0013		Aluminum, "T" Astragals <small>(08 72 33 00-0012)</small>			
08 72 33 00-0014	LF	1" Width, 11/16" Height, Mill Aluminum, "T" Astragal (Pemko 359A)	9.76		3.99
		<i>For Color Anodized Finish, Add</i>	0.66		
08 72 33 00-0015	LF	Vinyl Insert, 3/4" Width, 1/4" Height, Mill Aluminum, "T" Astragal (Pemko 356AV)	12.21		3.99
		<i>For Color Anodized Finish, Add</i>	0.87		
08 72 33 00-0016	LF	Vinyl Or Pile Insert, 1-3/8" Width, 1/4" Height, Clear Anodized Aluminum, "T" Astragal (Pemko 355CP).....	12.59		3.99
		<i>For Color Anodized Finish, Add</i>	1.65		
		<i>For Silicone Insert, Add</i>	0.63		
08 72 33 00-0017	LF	Neoprene Sponge Insert, 1-1/8" Width, 1/2" Height, Clear Anodized Aluminum, "T" Astragal (Pemko 352CR)	23.08		3.99
		<i>For Color Anodized Finish, Add</i>	5.32		
08 72 33 00-0018		Brass/Bronze, "T" Astragals <small>(08 72 33 00-0012)</small>			
08 72 33 00-0019	LF	Vinyl Or Pile Insert, 1-3/8" Width, 1/4" Height, Brass/Bronze, "T" Astragal (Pemko 355BP).....	56.32		3.99
		<i>For Silicone Insert, Add</i>	0.63		
08 72 33 00-0020		Locking Astragals <small>(08 72 33 00-0002)</small>			
08 72 33 00-0021		Outswing Locking Astragals <small>(08 72 33 00-0020)</small>			
		Note: Includes two units. A housing containing the locking bolt which fastens to the inactive leaf and a "T" astragal with a seal that fastens to the active leaf.			
08 72 33 00-0022		Aluminum, Outswing Locking Astragals <small>(08 72 33 00-0021)</small>			
08 72 33 00-0023	LF	Slide Bolt, 1-1/4" Width, 3/8" Height, Clear Anodized Aluminum, Slimline Style, Outswing Locking Astragal (Pemko 3443CS)	30.80		3.99
		Note: Includes pile seal at inner door edge and neoprene bottom seal.			
		<i>For Color Anodized Finish, Add</i>	4.58		
08 72 33 00-0024	LF	Locking Springbolt, 1-1/4" Width, 3/8" Height, Clear Anodized Aluminum, Slimline Style, Outswing Locking Astragal (Pemko 3444CS)	35.72		3.99
		Note: Includes pile seal at inner door edge and neoprene bottom seal.			
		<i>For Color Anodized Finish, Add</i>	5.57		
08 72 33 00-0025	LF	Slide Bolt, 1-13/32" Width, 11/16" Height, Gold Anodized Aluminum, Colonial Style, Outswing Locking Astragal (Pemko 3445BDQ).....	34.53		3.99
		Note: Includes pile seal at inner door edge and kerf-in foam bottom seal.			
		<i>For Thermal Break, Add</i>	1.60		
08 72 33 00-0026	LF	Locking Springbolt, 1-13/32" Width, 11/16" Height, Gold Anodized Aluminum, Colonial Style, Outswing Locking Astragal (Pemko 3446BDGQ).....	38.52		3.99
		Note: Includes pile seal at inner door edge and kerf-in foam bottom seal.			
		<i>For Thermal Break, Add</i>	1.84		



Openings	08	08
Hardware	08 70	
Weatherstripping, Thresholds And Seals	08 72	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 72 33 00-0027 Inswing Locking Astragals (08 72 33 00-0020) Note: Includes one unit containing the locking bolt and astragal with seal, which fastens to the inactive leaf.		
08 72 33 00-0028 Wood, Inswing Locking Astragals (08 72 33 00-0027)		
08 72 33 00-0029 LF Flush Bolt, 1-1/4" Width, 1/2" Height, Wood, Inswing Locking Astragal (Pemko 34832).....	36.02	3.99
08 72 33 00-0030 LF Flush Bolt, 1-1/4" Width, 1-3/16" Height, Wood, Inswing Locking Astragal (Pemko 3481Q)..... Note: Includes kerf-in foam seal.	35.84	3.99
08 72 33 00-0031 Aluminum, Inswing Locking Astragals (08 72 33 00-0027)		
08 72 33 00-0032 LF Slide Bolt, 1-3/8" Width, 9/32" Height, Clear Anodized Aluminum, Slimline Style, Inswing Locking Astragal (Pemko 3493CV)..... Note: Includes pile seal at inner door edge and neoprene bottom seal.	20.50	3.99
For Silicone Insert, Add	0.63	
For Color Anodized Finish, Add	2.52	
08 72 33 00-0033 LF Locking Springbolt, 1-3/8" Width, 9/32" Height, Clear Anodized Aluminum, Slimline Style, Inswing Locking Astragal (Pemko 3494CV)..... Note: Includes pile seal at inner door edge and neoprene bottom seal.	24.61	3.99
For Silicone Insert, Add	0.63	
For Color Anodized Finish, Add	3.35	
08 72 33 00-0034 LF Slide Bolt, 1-13/32" Width, 3/4" Height, Clear Anodized Aluminum, Colonial Style, Inswing Locking Astragal (Pemko 3495CQ)..... Note: Includes pile seal at inner door edge and kerf-in foam bottom seal.	22.06	3.99
For Magnetic Kerf-In Insert, Add	0.47	
For Color Anodized Finish, Add	2.84	
08 72 33 00-0035 LF Locking Springbolt, 1-13/32" Width, 3/4" Height, Clear Anodized Aluminum, Colonial Style, Inswing Locking Astragal (Pemko 3496CQ)..... Note: Includes pile seal at inner door edge and kerf-in foam bottom seal.	26.13	3.99
For Magnetic Kerf-In Insert, Add	0.47	
For Color Anodized Finish, Add	3.65	
08 72 33 00-0036 Security Astragals (08 72 33 00-0002)		
08 72 33 00-0037 LF Vinyl Seal, 1/2" Thick Cam, 1-3/4" Width, Clear Anodized Aluminum, Security Astragal (Pemko 378C)..... For Color Anodized Finish, Add	19.14 11.26	3.99
08 72 33 00-0038 LF 2-1/4" Width, 10 Gauge Galvanized Steel, Offset Security Bar, Security Astragal (Pemko 3572SP).....	32.06	3.99
08 72 33 00-0039 Meeting Stile Astragals (08 72 33 00-0002)		
08 72 33 00-0040 One Piece, Meeting Stile Astragals (08 72 33 00-0039) Note: Includes an astragal for one door only.		
08 72 33 00-0041 LF 1/4" Vinyl Or Pile Insert, 5/32" Width, 13/32" Height, Surface/Mortise Mount, Clear Anodized Aluminum, One Piece, Meeting Stile Astragal (Pemko 369AP)..... For Color Anodized Finish, Add	12.07 1.26	3.99
08 72 33 00-0042 LF 1/4" Neoprene Loop Insert, 7/16" Width, 3/4" Height, Surface/Mortise Mount, Mill Aluminum, One Piece, Meeting Stile Astragal (Pemko 313AN)..... For Color Anodized Finish, Add	18.82 2.79	5.93
08 72 33 00-0043 LF 9/16" Neoprene Loop Insert, 3/4" Width, 1-3/8" Height, Surface/Mortise Mount, Clear Anodized Aluminum, One Piece, Meeting Stile Astragal (Pemko 314CN)..... For Color Anodized Finish, Add	24.89 1.31	5.93
08 72 33 00-0044 LF 15/16" Neoprene Loop Insert, 1-1/8" Width, 1-3/4" Height, Surface/Mortise Mount, Clear Anodized Aluminum, One Piece, Meeting Stile Astragal (Pemko 358CN)..... For Color Anodized Finish, Add	25.67 3.46	5.93
08 72 33 00-0045 LF 1/8" Width, 1-1/2" Height, Side Mount, Spring Bronze, One Piece, Meeting Stile Astragal (Pemko B71).....	33.69	5.93
08 72 33 00-0046 Two Piece, Meeting Stile Split Astragals (08 72 33 00-0039) Note: Includes one astragal for each door.		
08 72 33 00-0047 LF 1/4" Vinyl Insert, 13/16" Width, 1/4" Height, Face Mount, Mill Aluminum, Two Piece, Meeting Stile Split Astragals (Pemko 297AV)..... For Silicone Insert, Add For Color Anodized Finish, Add	15.05 0.95 3.21	5.93
08 72 33 00-0048 LF 1/4" Vinyl Insert, 11/16" Width, 1/4" Height, Face Mount, Mill Aluminum, Two Piece, Meeting Stile Split Astragals (Pemko 316AV)..... For Color Anodized Finish, Add	15.05 3.21	5.93
08 72 33 00-0049 LF 1/4" Vinyl Insert, 7/8" Width, 1/4" Height, Face Mount, Mill Aluminum, Two Piece, Meeting Stile Split Astragals (Pemko 303AV)..... For Silicone Insert, Add For Color Anodized Finish, Add	15.05 0.95 3.21	5.93
08 72 33 00-0050 LF 3/8" Neoprene Insert, 7/8" Width, 3/16" Height, Face Mount, Clear Anodized Aluminum, Two Piece, Meeting Stile Split Astragals (Pemko 305CN)..... For Silicone Insert, Add For Color Anodized Finish, Add	23.57 0.63 2.35	5.93
08 72 33 00-0051 LF 3/8" Brush Insert, 3/4" Width, 1/4" Height, Face Mount, Clear Anodized Aluminum, Two Piece, Meeting Stile Split Astragals (Pemko 18041CNB)..... For Color Anodized Finish, Add	19.38 3.02	5.93
08 72 33 00-0052 LF 5/8" Brush Insert, 3/4" Width, 1/4" Height, Face Mount, Clear Anodized Aluminum, Two Piece, Meeting Stile Split Astragals (Pemko 18061CNB)..... For Color Anodized Finish, Add	19.94 3.24	5.93
08 72 33 00-0053 LF 3/16" Vinyl Or Pile Insert, 3/4" Width, 3/8" Height, Face Mount, Clear Anodized Aluminum, Two Piece, Meeting Stile Split Astragals With Concealed Fasteners (Pemko 29310CV)..... For Color Anodized Finish, Add For Silicone Insert, Add	24.13 6.15 0.95	5.93

08 Openings**08 70 Hardware****08 72 Weatherstripping, Thresholds And Seals**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 72 33 00-0054	LF		3/8" Brush Insert, 7/8" Width, 1/4" Height, Face Mount, Clear Anodized Aluminum, Two Piece, Meeting Stile Split Astragals With Concealed Fasteners (Pemko 29324CNCB).....	24.68	5.93
			<i>For Color Anodized Finish, Add</i>	5.14	
08 72 33 00-0055	LF		5/8" Brush Insert, 7/8" Width, 1/4" Height, Face Mount, Clear Anodized Aluminum, Two Piece, Meeting Stile Split Astragals With Concealed Fasteners (Pemko 29326CNCB).....	25.24	5.93
			<i>For Color Anodized Finish, Add</i>	5.36	
08 72 33 00-0056			Two Piece, Adjustable Meeting Stile Split Astragals (08 72 33 00-0039) Note: Includes one astragal for each door.		
08 72 33 00-0057			Aluminum, Two Piece, Meeting Stile Adjustable Split Astragals (08 72 33 00-0056)		
08 72 33 00-0058	LF		3/8" Vinyl Or Pile Insert, 21/32" Width, 9/16" Height, Face Mount, Clear Anodized Aluminum, Two Piece, Meeting Stile Adjustable Split Astragals (Pemko 354CP).....	45.07	5.93
			<i>For Color Anodized Finish, Add</i>	8.31	
			<i>For Silicone Insert, Add</i>	0.63	
08 72 33 00-0059	LF		3/8" Vinyl Or Pile Insert, 1" Width, 9/16" Height, Face Mount, Clear Anodized Aluminum, Two Piece, Meeting Stile Adjustable Split Astragals (Pemko 351CP).....	45.94	5.93
			<i>For Silicone Insert, Add</i>	0.63	
			<i>For Color Anodized Finish, Add</i>	6.82	
08 72 33 00-0060			Brass/Bronze, Two Piece, Meeting Stile Adjustable Split Astragals (08 72 33 00-0056)		
08 72 33 00-0061	LF		3/8" Vinyl Or Pile Insert, 21/32" Width, 9/16" Height, Mortise Mount, Brass/Bronze, Two Piece, Meeting Stile Adjustable Split Astragals (Pemko 354BP).....	175.89	5.93
			<i>For Silicone Insert, Add</i>	0.63	
08 72 33 00-0062	LF		3/8" Vinyl Or Pile Insert, 1" Width, 9/16" Height, Face Mount, Brass/Bronze, Two Piece, Meeting Stile Adjustable Split Astragals (Pemko 351BP).....	164.42	5.93
			<i>For Silicone Insert, Add</i>	0.63	
08 72 33 00-0063			Door Sweeps (08 72 33 00-0001)		
08 72 33 00-0064			Tack On Door Sweeps (08 72 33 00-0063)		
08 72 33 00-0065	LF		For Sealing Up To 3/4" Gap, Side Mount, Vinyl Tack On Door Sweep (Pemko V365).....	5.41	2.21
08 72 33 00-0066	LF		For Sealing Up To 5/8" Gap, Bottom Mount, Rubber Tack On Door Sweep (Pemko R364).....	5.50	2.21
08 72 33 00-0067	LF		For Sealing Up To 1-3/8" Gap, Bottom Mount, Vinyl Tack On Door Sweep (Pemko P361V).....	5.74	2.21
08 72 33 00-0068			Aluminum Retainer Door Sweeps (08 72 33 00-0063)		
08 72 33 00-0069			35 Degree, Aluminum Retainer Door Sweeps (08 72 33 00-0068) Note: The retainer mounts to the door face with the sweep positioned 35 degrees from the door. Includes clear anodized finish.		
08 72 33 00-0070	LF		5/16" Brush Insert, 35 Degree, Aluminum Retainer Door Sweep (Pemko 35041CNCB).....	12.91	4.43
			<i>For Color Anodized Finish, Add</i>	1.62	
08 72 33 00-0071	LF		1/2" Brush Insert, 35 Degree, Aluminum Retainer Door Sweep (Pemko 35061CNCB).....	13.33	4.43
			<i>For Color Anodized Finish, Add</i>	1.56	
08 72 33 00-0072			45 Degree, Aluminum Retainer Door Sweeps (08 72 33 00-0068) Note: The retainer mounts to the door face with the sweep positioned 45 degrees from the door. Includes clear anodized finish.		
08 72 33 00-0073	LF		1-3/4" Brush Insert, 45 Degree, Aluminum Retainer Door Sweep (Pemko 45175CNCB).....	20.03	4.43
			<i>For Color Anodized Finish, Add</i>	4.47	
08 72 33 00-0074	LF		2-1/2" Brush Insert, 45 Degree, Aluminum Retainer Door Sweep (Pemko 45250CNCB).....	21.70	4.43
			<i>For Color Anodized Finish, Add</i>	5.14	
08 72 33 00-0075	LF		4" Brush Insert, 45 Degree, Aluminum Retainer Door Sweep (Pemko 45400CNCB).....	25.33	4.43
			<i>For Color Anodized Finish, Add</i>	6.59	
08 72 33 00-0076			90 Degree, Aluminum Retainer Door Sweeps (08 72 33 00-0068) Note: The retainer mounts to the door bottom with the sweep positioned perpendicular to the threshold. Includes clear anodized finish.		
08 72 33 00-0077	LF		3/8" Brush Insert, 90 Degree, Aluminum Retainer Door Sweep (Pemko 90041CNCB).....	14.30	4.43
			<i>For Color Anodized Finish, Add</i>	0.54	
08 72 33 00-0078	LF		5/8" Brush Insert, 90 Degree, Aluminum Retainer Door Sweep (Pemko 90062CNCB).....	14.16	4.43
			<i>For Color Anodized Finish, Add</i>	0.53	
08 72 33 00-0079	LF		1" Brush Insert, 90 Degree, Aluminum Retainer Door Sweep (Pemko 90100CNCB).....	15.14	4.43
			<i>For Color Anodized Finish, Add</i>	2.20	
08 72 33 00-0080	LF		1-3/8" Brush Insert, 90 Degree, Aluminum Retainer Door Sweep (Pemko 90137CNCB).....	15.56	4.43
			<i>For Color Anodized Finish, Add</i>	2.68	
08 72 33 00-0081	LF		7/16" Neoprene Insert, 90 Degree, Aluminum Retainer Door Sweep (Pemko 315CN).....	13.89	4.43
			<i>For Color Anodized Finish, Add</i>	1.26	
08 72 33 00-0082	LF		11/16" Neoprene Insert, 90 Degree, Aluminum Retainer Door Sweep (Pemko 368CN).....	17.79	4.43
			<i>For Color Anodized Finish, Add</i>	1.79	
08 72 33 00-0083	LF		15/16" Neoprene Insert, 90 Degree, Aluminum Retainer Door Sweep (Pemko 321CN).....	14.72	4.43
			<i>For Color Anodized Finish, Add</i>	1.17	
08 72 33 00-0084	LF		9/16" Vinyl Insert, 90 Degree, Aluminum Retainer Door Sweep (Pemko 308AV).....	11.06	4.43
			Note: Includes mill finish.		
			<i>For Color Anodized Finish, Add</i>	1.10	
08 72 33 00-0085	LF		1" Vinyl Insert, 90 Degree, Aluminum Retainer Door Sweep (Pemko 307AV).....	11.16	4.43
			Note: Includes mill finish.		
			<i>For Color Anodized Finish, Add</i>	1.15	



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 72 33 00-0086 LF 1-9/16" Vinyl Insert, 90 Degree, Aluminum Retainer Door Sweep (Pemko 56AV)..... Note: Includes mill finish. <i>For Color Anodized Finish, Add</i>	12.35 1.22	4.43
08 72 33 00-0087 180 Degree, Aluminum Retainer Door Sweeps (08 72 33 00-0068) Note: The retainer mounts to the door face with the sweep positioned perpendicular to the threshold. Includes clear anodized finish.		
08 72 33 00-0088 180 Degree, Aluminum Retainer Door Sweeps (08 72 33 00-0087)		
08 72 33 00-0089 LF 3/8" Brush Insert, 180 Degree, Aluminum Retainer Door Sweep (Pemko 18041CNB)..... <i>For Color Anodized Finish, Add</i>	12.63 1.51	4.43
08 72 33 00-0090 LF 5/8" Brush Insert, 180 Degree, Aluminum Retainer Door Sweep (Pemko 18061CNB)..... <i>For Color Anodized Finish, Add</i>	12.91 1.62	4.43
08 72 33 00-0091 LF 1" Brush Insert, 180 Degree, Aluminum Retainer Door Sweep (Pemko 18100CNB)..... <i>For Color Anodized Finish, Add</i>	15.14 2.20	4.43
08 72 33 00-0092 180 Degree, Concealed Fastener, Aluminum Retainer Door Sweeps (08 72 33 00-0087)		
08 72 33 00-0093 LF 3/8" Brush Insert, 180 Degree, Concealed Fastener, Aluminum Retainer Door Sweep (Pemko 29324CNB)..... <i>For Color Anodized Finish, Add</i>	15.28 2.57	4.43
08 72 33 00-0094 LF 5/8" Brush Insert, 180 Degree, Concealed Fastener, Aluminum Retainer Door Sweep (Pemko 29326CNB)..... <i>For Color Anodized Finish, Add</i>	15.56 2.68	4.43
08 72 33 00-0095 LF 1" Brush Insert, 180 Degree, Concealed Fastener, Aluminum Retainer Door Sweep (Pemko 293100CNB)..... <i>For Color Anodized Finish, Add</i>	16.74 3.15	4.43
08 72 33 00-0096 Mortised, Aluminum Retainer Door Sweeps (08 72 33 00-0068) Note: The retainer is mortised into the door bottom with the sweep positioned perpendicular to the threshold. Includes mill finish. Excludes mortising.		
08 72 33 00-0097 LF 1/4" Brush Insert, Mortised, Aluminum Retainer Door Sweep (Pemko 5025ASB).....	11.37	4.43
08 72 33 00-0098 LF 13/32" Brush Insert, Mortised, Aluminum Retainer Door Sweep (Pemko 5041ANB).....	11.37	4.43
08 72 33 00-0099 LF 5/8" Brush Insert, Mortised, Aluminum Retainer Door Sweep (Pemko 5061ANB).....	11.51	4.43
08 72 33 00-0100 Aluminum Retainer Door Sweeps With Rain Drip (08 72 33 00-0063)		
08 72 33 00-0101 90 Degree, Aluminum Retainer Door Sweeps With Rain Drip (08 72 33 00-0100) Note: The retainer mounts to the door bottom with the sweep positioned perpendicular to the threshold. Includes mill finish.		
08 72 33 00-0102 LF 1/4" Vinyl Insert, 90 Degree, Aluminum Retainer Door Sweep (Pemko 3452AV)..... <i>For Color Anodized Finish, Add</i>	11.09 1.56	4.43
08 72 33 00-0103 LF 1/2" Vinyl Insert, 90 Degree, Aluminum Retainer Door Sweep (Pemko 345AV)..... <i>For Color Anodized Finish, Add</i>	12.91 1.62	4.43
08 72 33 00-0104 LF 3/8" Brush Insert, 90 Degree, Aluminum Retainer Door Sweeps With Rain Drip (Pemko 3452CNB)..... Note: Includes clear anodized finish. <i>For Color Anodized Finish, Add</i>	14.27 1.08	4.43
08 72 33 00-0105 LF 7/16" Brush Insert, 90 Degree, Aluminum Retainer Door Sweeps With Rain Drip (Pemko 345ANB)..... <i>For Color Anodized Finish, Add</i>	14.51 1.13	4.43
08 72 33 00-0106 Brass/Bronze Retainer Door Sweeps (08 72 33 00-0063)		
08 72 33 00-0107 90 Degree, Brass/Bronze Retainer Door Sweeps (08 72 33 00-0106) Note: The retainer mounts to the door bottom with the sweep positioned perpendicular to the threshold.		
08 72 33 00-0108 LF 7/16" Neoprene Insert, 90 Degree, Brass/Bronze Retainer Door Sweep (Pemko 315BN).....	17.24	4.43
08 72 33 00-0109 Oak Retainer Door Sweeps (08 72 33 00-0063)		
08 72 33 00-0110 90 Degree, Oak Retainer Door Sweeps (08 72 33 00-0109) Note: The retainer mounts to the door bottom with the sweep positioned perpendicular to the threshold.		
08 72 33 00-0111 LF 9/16" Brush Insert, 90 Degree, Oak Retainer Door Sweep (Pemko 18062WNB).....	14.03	4.43
08 72 33 00-0112 LF 15/16" Brush Insert, 90 Degree, Oak Retainer Door Sweep (Pemko 18100WNB).....	16.23	4.43
08 72 33 00-0113 Door Shoes And Bottoms (08 72 33 00-0001)		
08 72 33 00-0114 Door Shoes (08 72 33 00-0113)		
08 72 33 00-0115 Aluminum Retainer Door Shoes (08 72 33 00-0114)		
08 72 33 00-0116 Bottom Mount, Aluminum Retainer Door Shoes (08 72 33 00-0115)		
08 72 33 00-0117 LF Vinyl Insert, 1-3/16" Width, Bottom Mount, Aluminum Retainer Door Shoe (Pemko 234AV)..... <i>For Color Anodized Finish, Add</i> <i>For Thermo-Plastic Elastomer Insert, Add</i>	12.21 1.34 0.68	4.43
08 72 33 00-0118 LF Vinyl Insert, 1-3/8" Width, Bottom Mount, Aluminum Retainer Door Shoe (Pemko 209AV)..... <i>For Color Anodized Finish, Add</i>	12.63 1.51	4.43
08 72 33 00-0119 LF Notched Vinyl Insert, 1-3/16" Width, Bottom Mount, Aluminum Retainer Door Shoe (Pemko 2343AV)..... <i>For Color Anodized Finish, Add</i>	16.68 1.56	4.43
08 72 33 00-0120 Side Mount, Aluminum Retainer Door Shoes (08 72 33 00-0115)		

08 Openings**08 70 Hardware****08 72 Weatherstripping, Thresholds And Seals**

MINOR CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 72 33 00-0121	LF	Vinyl Insert, 1-3/4" Width, Side Mount, Aluminum Retainers Door Shoe (Pemko 318AV) <i>For Color Anodized Finish, Add</i> <i>For Thermo-Plastic Elastomer Insert, Add</i>	14.03 2.07 0.68	4.43
08 72 33 00-0122		L Or U Shaped, Aluminum Retainer Door Shoes (08 72 33 00-0115)		
08 72 33 00-0123	LF	Vinyl Insert, 1-1/4" Width, L-Shaped, Aluminum Retainer Door Shoe (Pemko 211AV) <i>For Color Anodized Finish, Add</i> <i>For Thermo-Plastic Elastomer Insert, Add</i>	12.91 2.03 0.42	4.43
08 72 33 00-0124	LF	Vinyl Insert, 1-3/8" Width, U-Shaped, Aluminum Retainer Door Shoe (Pemko 220AV) <i>For Color Anodized Finish, Add</i> <i>For Thermo-Plastic Elastomer Insert, Add</i>	13.75 1.96 0.42	4.43
08 72 33 00-0125	LF	Vinyl Insert, 1-3/4" Width, U-Shaped, Aluminum Retainer Door Shoe (Pemko 217AV) <i>For Color Anodized Finish, Add</i> <i>For Thermo-Plastic Elastomer Insert, Add</i>	14.03 2.07 0.42	4.43
08 72 33 00-0126	LF	Notched Vinyl Insert, 1-5/16" Width, L-Shaped, Aluminum Retainer Door Shoe (Pemko 2113AV) <i>For Color Anodized Finish, Add</i>	19.70 2.17	4.43
08 72 33 00-0127	LF	Notched Vinyl Insert, 1-3/4" Width, U-Shaped, Aluminum Retainer Door Shoe (Pemko 2173AV) <i>For Color Anodized Finish, Add</i>	19.98 2.22	4.43
08 72 33 00-0128		L Or U Shaped With Rain Drip, Aluminum Retainer Door Shoes (08 72 33 00-0115)		
08 72 33 00-0129	LF	Vinyl Insert, 1-1/4" Width, L-Shaped With Rain Drip, Aluminum Retainer Door Shoe (Pemko 210AV) <i>For Color Anodized Finish, Add</i> <i>For Thermo-Plastic Elastomer Insert, Add</i>	13.19 2.17 0.42	4.43
08 72 33 00-0130	LF	Vinyl Insert, 1-3/8" Width, U-Shaped With Rain Drip, Aluminum Retainer Door Shoe (Pemko 215AV) <i>For Color Anodized Finish, Add</i> <i>For Thermo-Plastic Elastomer Insert, Add</i>	14.03 2.07 0.42	4.43
08 72 33 00-0131	LF	Vinyl Insert, 1-3/4" Width, U-Shaped With Rain Drip, Aluminum Retainer Door Shoe (Pemko 216AV) <i>For Color Anodized Finish, Add</i> <i>For Thermo-Plastic Elastomer Insert, Add</i>	14.16 2.12 0.42	4.43
08 72 33 00-0132		Vinyl Door Shoes (08 72 33 00-0114)		
08 72 33 00-0133	LF	1-3/4" Width, L-Shaped, Vinyl Door Shoe (Pemko V80)	15.92	4.43
08 72 33 00-0134	LF	1-3/4" Width, U-Shaped, Vinyl Door Shoe (Pemko 2170DV)	19.10	4.43
08 72 33 00-0135		Door Bottoms (08 72 33 00-0113)		
08 72 33 00-0136		Automatic Door Bottoms (08 72 33 00-0135)		
08 72 33 00-0137		Aluminum Automatic Door Bottoms (08 72 33 00-0136)		
08 72 33 00-0138	LF	Sponge Neoprene Insert, 9/16" Width, 1-7/8" Height, Surface/Mortise Mount, Aluminum Retainer, Automatic Door Bottom (Pemko 4131CRL) <i>For Color Anodized Finish, Add</i>	27.24 3.68	4.43
08 72 33 00-0139	LF	Sponge Neoprene Insert, 31/32" Width, 2-1/8" Height, Surface/Mortise Mount, Aluminum Retainer, Automatic Door Bottom (Pemko 4301CRL) <i>For Color Anodized Finish, Add</i>	38.75 5.98	4.43
08 72 33 00-0140		Door Top Protection (08 72 33 00-0001)		
08 72 33 00-0141	LF	Aluminum, Door Top Cover For 1-3/8" Wood Doors (Pemko PA343) <i>For Dark Bronze Or Gold Anodized Aluminum Or Painted White, Add</i>	10.15 0.84	3.54
08 72 33 00-0142	LF	Aluminum, Door Top Cover For 1-3/4" Wood Doors (Pemko PA344) <i>For Dark Bronze Or Gold Anodized Aluminum Or Painted White, Add</i>	10.15 0.84	3.54
08 72 33 00-0143	LF	2-1/2" Aluminum Overhead Rain Drip With Slotted Holes (Pemko 346C) <i>For Dark Bronze Or Gold Anodized Aluminum Or Painted White, Add</i>	11.77 1.28	3.54
08 72 33 00-0144	EA	For 20 Oz Copper Drip Cap For Exterior Door	51.62	
08 72 33 00-0145		Perimeter Gasketing Weather-Strip (08 72 33 00-0001) Note: Perimeter gasketing is used to seal the gap around the top and the two sides of a door assembly.		
08 72 33 00-0146		Adhesive Backed Perimeter Gasketing Weather-Strip (08 72 33 00-0145)		
08 72 33 00-0147	LF	3/8" x 3/16", Silicon Compression Bulb, Adhesive Backed Perimeter Gasketing Weather-Strip (Pemko PK33) <i>For Intumescent Seal, Add</i>	3.20 1.50	2.21
08 72 33 00-0148	LF	1/2" x 3/16", Silicon Compression Bulb, Adhesive Backed Perimeter Gasketing Weather-Strip (Pemko PK55) <i>For Intumescent Seal, Add</i>	3.23 1.50	2.21
08 72 33 00-0149	LF	1/2" x 1/4", Silicon Compression Bulb, Adhesive Backed Perimeter Gasketing Weather-Strip (Pemko S88)	3.97	2.21
08 72 33 00-0150	LF	7/16" x 5/16", Silicone Single Fin, Adhesive Backed Perimeter Gasketing Weather-Strip (Pemko S44)	3.50	2.21
08 72 33 00-0151	LF	5/16" x 1/2", Silicone Single Fin, Adhesive Backed Perimeter Gasketing Weather-Strip (Pemko S77) <i>For Intumescent Seal, Add</i>	4.58 1.50	2.21
08 72 33 00-0152	LF	1/2" x 3/8", Silicone Triple Fin, Hospitality, Adhesive Backed Perimeter Gasketing Weather-Strip (Pemko S773) <i>For Intumescent Seal, Add</i>	4.26 1.50	2.21
08 72 33 00-0153	LF	7/16" x 5/16", Intumescent And Silicone Single Fin, Adhesive Backed Perimeter Gasketing Weather-Strip (Pemko HSS2000xS44)	5.60	2.21
08 72 33 00-0154	LF	1/2" x 1/4", Intumescent And Silicon Compression Bulb, Adhesive Backed Perimeter Gasketing Weather-Strip (Pemko HSS2000xS88)	5.18	2.21
08 72 33 00-0155		Kerf-In Perimeter Gasketing Weather-Strip (08 72 33 00-0145)		
08 72 33 00-0156	LF	3/8" x 1/4" Silicone Bulb, Kerf-In Perimeter Gasketing Weather-Strip (Pemko P50)	2.86	2.21



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 72 33 00-0157 LF 7/16" x 3/8" Silicone Bulb, Kerf-In Perimeter Gasketing Weather-Strip (Pemko S52).....	4.23	2.21
08 72 33 00-0158 LF 3/8" Foam, Kerf-In Perimeter Gasketing Weather-Strip (Pemko Q103).....	3.19	2.21
08 72 33 00-0159 LF 5/8" Foam, Kerf-In Perimeter Gasketing Weather-Strip (Pemko Q102).....	3.15	2.21
08 72 33 00-0160 LF 3/8" Magnetic, Kerf-In Perimeter Gasketing Weather-Strip (Pemko MAG349).....	4.08	2.21
08 72 33 00-0161 Cushion/Spring Perimeter Gasketing Weather-Strip (08 72 33 00-0145)		
08 72 33 00-0162 Spring Bronze Perimeter Gasketing Weather-Strip (08 72 33 00-0161)		
08 72 33 00-0163 LF 1-1/8" Spring Bronze Perimeter Gasketing Weather-Strip (Pemko B70C).....	7.56	2.21
08 72 33 00-0164 LF 1-1/4" Spring Bronze Perimeter Gasketing Weather-Strip (Pemko B70D).....	7.56	2.21
08 72 33 00-0165 LF 1-3/8" Spring Bronze Perimeter Gasketing Weather-Strip (Pemko B70E).....	8.19	2.21
08 72 33 00-0166 LF 1-1/2" Spring Bronze Perimeter Gasketing Weather-Strip (Pemko B70F).....	8.32	2.21
08 72 33 00-0167 Cushion "V", Spring Bronze Perimeter Gasketing Weather-Strip (08 72 33 00-0161)		
08 72 33 00-0168 LF 5/8" Cushion "V", Spring Bronze Perimeter Gasketing Weather-Strip (Pemko B73).....	7.22	2.21
08 72 33 00-0169 LF 7/8" Cushion "V", Spring Bronze Perimeter Gasketing Weather-Strip (Pemko B74).....	8.19	2.21
08 72 33 00-0170 LF 1-1/8" Cushion "V", Spring Bronze Perimeter Gasketing Weather-Strip (Pemko B75).....	9.24	2.21
08 72 33 00-0171 Aluminum Retainer, Perimeter Gasketing Weather-Strip (08 72 33 00-0145)		
08 72 33 00-0172 Aluminum Retainer, Perimeter Gasketing Weather-Strip (08 72 33 00-0171)		
08 72 33 00-0173 LF 1/4" Vinyl Insert, 13/16" Width, 1/4" Height, Mill Aluminum Retainer, Perimeter Gasketing Weather-Strip (Pemko 297AV).....	6.04	2.21
<i>For Silicone Insert, Add</i>	0.95	
<i>For Color Anodized Finish, Add</i>	1.61	
08 72 33 00-0174 LF 1/4" Vinyl Insert, 11/16" Width, 1/4" Height, Mill Aluminum Retainer, Perimeter Gasketing Weather-Strip (Pemko 316AV).....	6.04	2.21
<i>For Silicone Insert, Add</i>	0.95	
<i>For Color Anodized Finish, Add</i>	1.61	
08 72 33 00-0175 LF 1/4" Vinyl Insert, 7/8" Width, 1/4" Height, Mill Aluminum Retainer, Perimeter Gasketing Weather-Strip (Pemko 303AV).....	6.04	2.21
<i>For Silicone Insert, Add</i>	0.95	
<i>For Color Anodized Finish, Add</i>	1.61	
08 72 33 00-0176 LF 3/8" Neoprene Insert, 7/8" Width, 3/16" Height, Clear Anodized Aluminum Retainer, Perimeter Gasketing Weather-Strip (Pemko 305CN).....	10.29	2.21
<i>For Silicone Insert, Add</i>	0.63	
<i>For Color Anodized Finish, Add</i>	1.17	
08 72 33 00-0177 LF 3/16" Vinyl Or Pile Insert, 3/4" Width, 3/8" Height, Clear Anodized Aluminum Retainer, Perimeter Gasketing Weather-Strip With Concealed Fasteners (Pemko 29310CV).....	10.57	2.21
<i>For Color Anodized Finish, Add</i>	3.07	
<i>For Silicone Insert, Add</i>	0.95	
08 72 33 00-0178 LF Neoprene Sponge Insert, 1-5/8" Width, 7/16" Height, Clear Anodized Aluminum Retainer, Perimeter Gasketing Weather-Strip (Pemko 375CR).....	10.57	2.21
<i>For Color Anodized Finish, Add</i>	2.15	
08 72 33 00-0179 Heavy Duty, Aluminum Retainer, Perimeter Gasketing Weather-Strip (08 72 33 00-0171)		
08 72 33 00-0180 Standard Jamb, Heavy Duty, Aluminum Retainer, Perimeter Gasketing Weather-Strip (08 72 33 00-0179)		
08 72 33 00-0181 LF 1/4" Vinyl Insert, 1-1/2" Width, 1/4" Height, Standard Jamb, Heavy Duty, Mill Aluminum Retainer, Perimeter Gasketing Weather-Strip (Pemko 290AV).....	10.08	2.21
<i>For Silicone Insert, Add</i>	0.95	
08 72 33 00-0182 Head Section, Heavy Duty, Aluminum Retainer, Perimeter Gasketing Weather-Strip (08 72 33 00-0179)		
08 72 33 00-0183 LF 1/4" Vinyl Insert, 1-1/2" Width, 1/4" Height, Head Section, Heavy Duty, Mill Aluminum Retainer, Perimeter Gasketing Weather-Strip (Pemko 2891AV).....	11.19	2.21
08 72 33 00-0184 Brass/Bronze Retainer, Perimeter Gasketing Weather-Strip (08 72 33 00-0145)		
08 72 33 00-0185 Brass/Bronze Retainer, Perimeter Gasketing Weather-Strip (08 72 33 00-0184)		
08 72 33 00-0186 LF 3/8" Neoprene Insert, 7/8" Width, 3/16" Height, Brass/Bronze Retainer, Perimeter Gasketing Weather-Strip (Pemko 305BR).....	23.23	2.21
<i>For Silicone Insert, Add</i>	1.58	
08 72 33 00-0187 LF Neoprene Sponge Insert, 1-5/8" Width, 7/16" Height, Brass/Bronze Retainer, Perimeter Gasketing Weather-Strip (Pemko 375BR).....	40.08	2.21
08 72 33 00-0188 Heavy Duty, Brass/Bronze Retainer, Perimeter Gasketing Weather-Strip (08 72 33 00-0184)		
08 72 33 00-0189 Standard Jamb, Heavy Duty, Brass/Bronze Retainer, Perimeter Gasketing Weather-Strip (08 72 33 00-0188)		
08 72 33 00-0190 LF 1/4" Vinyl Insert, 1-1/2" Width, 1/4" Height, Standard Jamb, Heavy Duty, Brass/Bronze Retainer, Perimeter Gasketing Weather-Strip (Pemko 290BV).....	34.48	2.21
<i>For Silicone Insert, Add</i>	0.63	

08	08	Openings
	08 70	Hardware
	08 72	Weatherstripping, Thresholds And Seals



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 72 33 00-0191			Aluminum Interlock, Perimeter Gasketing Weather-Strip <small>(08 72 33 00-0145)</small>		
	08 72 33 00-0192	LF	Side Mount, Mill Aluminum, Interlock Perimeter Gasketing Weather-Strip (Pemko 335AR, 336A)..... Note: For weather-stripping latch or hinge side of door. Includes aluminum interlocking devices for door and door frame. <i>For Color Anodized Finish, Add</i>	14.64 2.31	4.43
	08 72 33 00-0193	LF	Top Mount, Mill Aluminum, Interlock Perimeter Gasketing Weather-Strip (Pemko 347A, 68AR)..... Note: For weather-stripping the top of doors. Includes rain drip shield and aluminum interlocking devices for door and door frame. <i>For Color Anodized Finish, Add</i>	15.13 2.51	4.43
08 72 33 00-0194			Adjustable Aluminum Retainer, Perimeter Gasketing Weather-Strip <small>(08 72 33 00-0145)</small>		
	08 72 33 00-0195	LF	Sponge Neoprene Insert, 7/8" Width, 1-3/8" Height, Adjustable, Clear Anodized Aluminum Retainer, Stop Gasketing Weather-Strip (Pemko 350CSR)..... <i>For Color Anodized Finish, Add</i>	18.19 2.75	2.21
	08 72 33 00-0196	LF	Sponge Neoprene Insert, 7/8" Width, 1-3/8" Height, Adjustable, Clear Anodized Aluminum Retainer, Jamb Gasketing Weather-Strip (Pemko 350CR)..... <i>For Color Anodized Finish, Add</i>	19.17 2.95	2.21
08 72 43			Thresholds <small>(08 72)</small>		
	08 72 43 00-0001		Thresholds <small>(08 72 43)</small> Note: Includes material, fasteners, installation, caulk and sealants.		
	08 72 43 00-0002		Metal Thresholds <small>(08 72 43 00-0001)</small>		
	08 72 43 00-0003		Saddle Thresholds <small>(08 72 43 00-0002)</small>		
	08 72 43 00-0004		Aluminum Saddle Thresholds <small>(08 72 43 00-0003)</small> Note: Includes mill finish.		
	08 72 43 00-0005		3/16" Height, Aluminum Saddle Thresholds <small>(08 72 43 00-0004)</small>		
	08 72 43 00-0006	LF	2-1/4" Width, 3/16" Height, Aluminum Saddle Threshold (Pemko 173A)..... <i>For Color Anodized Finish, Add</i>	23.02 2.12	7.09
	08 72 43 00-0007		1/4" Height, Aluminum Saddle Thresholds <small>(08 72 43 00-0004)</small>		
	08 72 43 00-0008	LF	3" Width, 1/4" Height, Aluminum Saddle Threshold (Pemko 151A)..... <i>For Color Anodized Finish, Add</i>	25.40 3.07	7.09
	08 72 43 00-0009	LF	4" Width, 1/4" Height, Aluminum Saddle Threshold (Pemko 270A)..... <i>For Color Anodized Finish, Add</i>	29.69 5.28	8.86
	08 72 43 00-0010	LF	5" Width, 1/4" Height, Aluminum Saddle Threshold (Pemko 271A)..... <i>For Color Anodized Finish, Add</i>	32.35 5.10	8.86
	08 72 43 00-0011	LF	6" Width, 1/4" Height, Aluminum Saddle Threshold (Pemko 272A)..... <i>For Color Anodized Finish, Add</i>	35.55 4.69	8.86
	08 72 43 00-0012	LF	7" Width, 1/4" Height, Aluminum Saddle Threshold (Pemko 276A)..... <i>For Color Anodized Finish, Add</i>	40.30 4.54	8.86
	08 72 43 00-0013	LF	8" Width, 1/4" Height, Aluminum Saddle Threshold (Pemko 2748A)..... <i>For Color Anodized Finish, Add</i>	48.37 5.45	10.63
	08 72 43 00-0014	LF	9" Width, 1/4" Height, Aluminum Saddle Threshold (Pemko 2749A)..... <i>For Color Anodized Finish, Add</i>	51.58 6.25	10.63
	08 72 43 00-0015	LF	10" Width, 1/4" Height, Aluminum Saddle Threshold (Pemko 2750A)..... <i>For Color Anodized Finish, Add</i>	56.70 7.53	10.63
	08 72 43 00-0016		5/16" Height, Aluminum Saddle Thresholds <small>(08 72 43 00-0004)</small>		
	08 72 43 00-0017	LF	2-1/2" Width, 5/16" Height, Aluminum Saddle Threshold (Pemko 166A)..... <i>For Color Anodized Finish, Add</i>	24.99 2.54	7.09
	08 72 43 00-0018		1/2" Height, Aluminum Saddle Thresholds <small>(08 72 43 00-0004)</small>		
	08 72 43 00-0019	LF	3" Width, 1/2" Height, Aluminum Saddle Threshold (Pemko 169A)..... <i>For Color Anodized Finish, Add</i>	25.13 3.70	7.09
	08 72 43 00-0020	LF	4" Width, 1/2" Height, Aluminum Saddle Threshold (Pemko 170A)..... <i>For Color Anodized Finish, Add</i>	30.81 6.06	8.86
	08 72 43 00-0021	LF	5" Width, 1/2" Height, Aluminum Saddle Threshold (Pemko 171A)..... <i>For Color Anodized Finish, Add</i>	33.53 5.69	8.86
	08 72 43 00-0022	LF	6" Width, 1/2" Height, Aluminum Saddle Threshold (Pemko 172A)..... <i>For Color Anodized Finish, Add</i>	35.83 4.79	8.86
	08 72 43 00-0023	LF	7" Width, 1/2" Height, Aluminum Saddle Threshold (Pemko 176A)..... <i>For Color Anodized Finish, Add</i>	40.30 4.54	8.86
	08 72 43 00-0024	LF	8" Width, 1/2" Height, Aluminum Saddle Threshold (Pemko 2548A)..... <i>For Color Anodized Finish, Add</i>	50.04 8.21	10.63
	08 72 43 00-0025	LF	9" Width, 1/2" Height, Aluminum Saddle Threshold (Pemko 2549A)..... <i>For Color Anodized Finish, Add</i>	52.97 10.55	10.63
	08 72 43 00-0026	LF	10" Width, 1/2" Height, Aluminum Saddle Threshold (Pemko 2550A)..... <i>For Color Anodized Finish, Add</i>	55.91 11.73	10.63



Openings	08	08
Hardware	08 70	
Weatherstripping, Thresholds And Seals	08 72	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 72 43 00-0027 Brass/Bronze Saddle Thresholds (08 72 43 00-0003)		
08 72 43 00-0028 3/16" Height, Brass/Bronze Saddle Thresholds (08 72 43 00-0027)		
08 72 43 00-0029 LF 2-1/4" Width, 3/16" Height, Brass/Bronze Saddle Threshold (Pemko 173B).....	68.88	7.09
08 72 43 00-0030 1/4" Height, Brass/Bronze Saddle Thresholds (08 72 43 00-0027)		
08 72 43 00-0031 LF 3" Width, 1/4" Height, Brass/Bronze Saddle Threshold (Pemko 151B).....	107.99	7.09
08 72 43 00-0032 LF 4" Width, 1/4" Height, Brass/Bronze Saddle Threshold (Pemko 270B).....	130.46	8.86
08 72 43 00-0033 LF 5" Width, 1/4" Height, Brass/Bronze Saddle Threshold (Pemko 271B).....	157.53	8.86
08 72 43 00-0034 LF 6" Width, 1/4" Height, Brass/Bronze Saddle Threshold (Pemko 272B).....	183.86	8.86
08 72 43 00-0035 LF 7" Width, 1/4" Height, Brass/Bronze Saddle Threshold (Pemko 276B).....	213.94	8.86
08 72 43 00-0036 LF 8" Width, 1/4" Height, Brass/Bronze Saddle Threshold (Pemko 274X4B).....	274.79	10.63
08 72 43 00-0037 1/2" Height, Brass/Bronze Saddle Thresholds (08 72 43 00-0027)		
08 72 43 00-0038 LF 4" Width, 1/2" Height, Brass/Bronze Saddle Threshold (Pemko 170B).....	142.49	8.86
08 72 43 00-0039 LF 5" Width, 1/2" Height, Brass/Bronze Saddle Threshold (Pemko 171B).....	172.58	8.86
08 72 43 00-0040 LF 6" Width, 1/2" Height, Brass/Bronze Saddle Threshold (Pemko 172B).....	202.66	8.86
08 72 43 00-0041 LF 7" Width, 1/2" Height, Brass/Bronze Saddle Threshold (Pemko 176B).....	240.27	8.86
08 72 43 00-0042 LF 8" Width, 1/2" Height, Brass/Bronze Saddle Threshold (Pemko 254X4B).....	341.23	10.63
08 72 43 00-0043 LF 10" Width, 1/2" Height, Brass/Bronze Saddle Threshold (Pemko 255X5B).....	323.98	10.63
08 72 43 00-0044 Stainless Steel Saddle Thresholds (08 72 43 00-0003)		
08 72 43 00-0045 1/2" Height, Stainless Steel Saddle Thresholds (08 72 43 00-0044)		
08 72 43 00-0046 LF 4" Width, 1/2" Height, Stainless Steel Saddle Threshold (Pemko 175SS).....	119.93	8.86
08 72 43 00-0047 LF 5" Width, 1/2" Height, Stainless Steel Saddle Threshold (Pemko 154SS).....	127.45	8.86
08 72 43 00-0048 Half Saddle Thresholds (08 72 43 00-0002)		
08 72 43 00-0049 Aluminum Half Saddle Thresholds (08 72 43 00-0048)		
Note: Includes mill finish.		
08 72 43 00-0050 3/4" Height, Aluminum Half Saddle Thresholds (08 72 43 00-0049)		
08 72 43 00-0051 LF 5" Width, 3/4" Height, Aluminum Half Saddle Threshold (Pemko 1875A).....	36.16	8.86
For Color Anodized Finish, Add	5.60	
08 72 43 00-0052 LF 7" Width, 3/4" Height, Aluminum Half Saddle Threshold (Pemko 1877A).....	46.30	8.86
For Color Anodized Finish, Add	2.42	
08 72 43 00-0053 Offset Saddle Thresholds (08 72 43 00-0002)		
08 72 43 00-0054 Aluminum Offset Saddle Thresholds (08 72 43 00-0053)		
Note: Includes mill finish.		
08 72 43 00-0055 1/2" Height, Aluminum Offset Saddle Thresholds (08 72 43 00-0054)		
08 72 43 00-0056 LF 5-1/2" Width, 1/2" Height, 1/4" Offset, Aluminum Offset Saddle Threshold (Pemko 158A).....	36.25	8.86
For Color Anodized Finish, Add	7.05	
08 72 43 00-0057 LF 7" Width, 1/2" Height, 1/4" Offset, Aluminum Offset Saddle Threshold (Pemko 2727A).....	39.88	8.86
For Color Anodized Finish, Add	6.21	
08 72 43 00-0058 3/4" Height, Aluminum Offset Saddle Thresholds (08 72 43 00-0054)		
08 72 43 00-0059 LF 5-1/2" Width, 3/4" Height, 1/2" Offset, Aluminum Offset Saddle Threshold (Pemko 157A).....	36.25	8.86
For Color Anodized Finish, Add	7.05	
08 72 43 00-0060 1" Height, Aluminum Offset Saddle Thresholds (08 72 43 00-0054)		
08 72 43 00-0061 LF 7" Width, 1" Height, 1/2" Offset, Aluminum Offset Saddle Threshold (Pemko 182A).....	41.28	8.86
For Color Anodized Finish, Add	6.70	
08 72 43 00-0062 Modular Ramp Thresholds (08 72 43 00-0001)		
Note: Includes mill finish.		
08 72 43 00-0063 Flush, Aluminum Modular Ramp Thresholds (08 72 43 00-0062)		
08 72 43 00-0064 LF 6-1/8" Length, 1/2" Height, Flush, Aluminum Modular Ramp Threshold (Pemko R.5FA).....	37.95	8.86
For Non-Slip Surfacing, Add	60.69	
08 72 43 00-0065 LF 9-1/4" Length, 3/4" Height, Flush, Aluminum Modular Ramp Threshold (Pemko R.75FA).....	47.19	9.75
For Non-Slip Surfacing, Add	77.56	
08 72 43 00-0066 LF 12-3/8" Length, 1" Height, Flush, Aluminum Modular Ramp Threshold (Pemko R1FA).....	59.83	11.07
For Non-Slip Surfacing, Add	105.50	
08 72 43 00-0067 LF 15-1/2" Length, 1-1/4" Height, Flush, Aluminum Modular Ramp Threshold (Pemko R1.25FA).....	75.72	11.51
For Non-Slip Surfacing, Add	142.24	
08 72 43 00-0068 LF 18-5/8" Length, 1-1/2" Height, Flush, Aluminum Modular Ramp Threshold (Pemko R1.5FA).....	87.99	12.41
For Non-Slip Surfacing, Add	189.54	
08 72 43 00-0069 LF 21-3/4" Length, 1-3/4" Height, Flush, Aluminum Modular Ramp Threshold (Pemko R1.75FA).....	108.78	13.74
For Non-Slip Surfacing, Add	211.41	
08 72 43 00-0070 LF 24-7/8" Length, 2" Height, Flush, Aluminum Modular Ramp Threshold (Pemko R2FA).....	121.29	15.06
For Non-Slip Surfacing, Add	237.02	

08 Openings**08 70 Hardware**

08 72 Weatherstripping, Thresholds And Seals



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 72 43 00-0071	LF		28" Length, 2-1/4" Height, Flush, Aluminum Modular Ramp Threshold (Pemko R2.25FA)..... <i>For Non-Slip Surfacing, Add</i>	128.64 241.85	15.95
08 72 43 00-0072			3-1/2" Top Plate, Offset, Aluminum Modular Ramp Thresholds (08 72 43 00-0062)		
08 72 43 00-0073	LF		12-3/4" Length, 1/2" Height, 3-1/2" Top Plate, Offset, Aluminum Modular Ramp Threshold (Pemko R.5OSSA)..... <i>For Non-Slip Surfacing, Add</i>	63.69 112.16	11.07
08 72 43 00-0074	LF		15-7/8" Length, 3/4" Height, 3-1/2" Top Plate, Offset, Aluminum Modular Ramp Threshold (Pemko R.75OSSA)..... <i>For Non-Slip Surfacing, Add</i>	74.57 139.13	11.51
08 72 43 00-0075	LF		18" Length, 1" Height, 3-1/2" Top Plate, Offset, Aluminum Modular Ramp Threshold (Pemko R1OSSA)..... <i>For Non-Slip Surfacing, Add</i>	93.10 172.95	13.30
08 72 43 00-0076	LF		22-1/8" Length, 1-1/4" Height, 3-1/2" Top Plate, Offset, Aluminum Modular Ramp Threshold (Pemko R1.25OSSA)..... <i>For Non-Slip Surfacing, Add</i>	109.23 210.26	14.18
08 72 43 00-0077	LF		25-1/4" Length, 1-1/2" Height, 3-1/2" Top Plate, Offset, Aluminum Modular Ramp Threshold (Pemko R1.5OSSA)..... <i>For Non-Slip Surfacing, Add</i>	125.28 247.39	15.06
08 72 43 00-0078	LF		28-3/8" Length, 1-3/4" Height, 3-1/2" Top Plate, Offset, Aluminum Modular Ramp Threshold (Pemko R1.75OSSA)..... <i>For Non-Slip Surfacing, Add</i>	136.90 273.00	15.95
08 72 43 00-0079	LF		31-1/2" Length, 2" Height, 3-1/2" Top Plate, Offset, Aluminum Modular Ramp Threshold (Pemko R2OSSA)..... <i>For Non-Slip Surfacing, Add</i>	167.36 347.59	16.84
08 72 43 00-0080			7" Top Plate, Offset, Aluminum Modular Ramp Thresholds (08 72 43 00-0062)		
08 72 43 00-0081	LF		16-1/4" Length, 1/2" Height, 7" Top Plate, Offset, Aluminum Modular Ramp Threshold (Pemko R.5OSA) <i>For Non-Slip Surfacing, Add</i>	73.57 138.99	11.97
08 72 43 00-0082	LF		19-3/8" Length, 3/4" Height, 7" Top Plate, Offset, Aluminum Modular Ramp Threshold (Pemko R.75OSA) <i>For Non-Slip Surfacing, Add</i>	86.20 166.94	13.30
08 72 43 00-0083	LF		22-1/2" Length, 1" Height, 7" Top Plate, Offset, Aluminum Modular Ramp Threshold (Pemko R1OSA) <i>For Non-Slip Surfacing, Add</i>	102.98 201.47	14.18
08 72 43 00-0084	LF		25-5/8" Length, 1-1/4" Height, 7" Top Plate, Offset, Aluminum Modular Ramp Threshold (Pemko R1.25OSA) <i>For Non-Slip Surfacing, Add</i>	115.25 229.82	15.06
08 72 43 00-0085	LF		28-3/4" Length, 1-1/2" Height, 7" Top Plate, Offset, Aluminum Modular Ramp Threshold (Pemko R1.5OSA) <i>For Non-Slip Surfacing, Add</i>	135.15 268.45	15.95
08 72 43 00-0086	LF		31-7/8" Length, 1-3/4" Height, 7" Top Plate, Offset, Aluminum Modular Ramp Threshold (Pemko R1.75OSA) <i>For Non-Slip Surfacing, Add</i>	146.77 294.06	16.84
08 72 43 00-0087	LF		35" Length, 2" Height, 7" Top Plate, Offset, Aluminum Modular Ramp Threshold (Pemko R2OSA) <i>For Non-Slip Surfacing, Add</i>	169.13 334.23	17.72
08 72 43 00-0088			Accessories For Aluminum Modular Ramp Thresholds (08 72 43 00-0062)		
08 72 43 00-0089			Wings/Miter Returns For Flush, Aluminum Modular Ramp Thresholds (08 72 43 00-0088)		
08 72 43 00-0090	PR		Up To 1" Height, Wings/Miter Returns For Flush, Aluminum Modular Ramp Thresholds <i>For Non-Slip Surfacing, Add</i>	172.22 18.01	11.07
08 72 43 00-0091	PR		>1" To 1-1/4" Height, Wings/Miter Returns For Flush, Aluminum Modular Ramp Thresholds <i>For Non-Slip Surfacing, Add</i>	264.13 29.04	11.07
08 72 43 00-0092	PR		>1-1/4" To 2-1/4" Height, Wings/Miter Returns For Flush, Aluminum Modular Ramp Thresholds <i>For Non-Slip Surfacing, Add</i>	521.96 58.91	15.51
08 72 43 00-0093			Wings/Miter Returns For Offset, Aluminum Modular Ramp Thresholds (08 72 43 00-0088)		
08 72 43 00-0094	PR		Up To 1/2" Height, Wings/Miter Returns For Offset, Aluminum Modular Ramp Thresholds..... <i>For Non-Slip Surfacing, Add</i>	172.22 18.01	11.07
08 72 43 00-0095	PR		>1/2" To 1" Height, Wings/Miter Returns For Offset, Aluminum Modular Ramp Thresholds..... <i>For Non-Slip Surfacing, Add</i>	264.13 29.04	11.07
08 72 43 00-0096	PR		>1" To 2" Height, Wings/Miter Returns For Offset, Aluminum Modular Ramp Thresholds..... <i>For Non-Slip Surfacing, Add</i>	521.96 58.91	15.51
08 72 43 00-0097			Latching Panic Exit Saddle Thresholds (08 72 43 00-0001) Note: Includes vinyl or pile seal.		
08 72 43 00-0098			Aluminum, Latching Panic Exit Saddle Thresholds (08 72 43 00-0097) Note: Includes mill finish.		
08 72 43 00-0099			Aluminum, Latching Panic Exit Saddle Thresholds (08 72 43 00-0098)		
08 72 43 00-0100			7/8" Height, Aluminum, Latching Panic Exit Saddle Thresholds (08 72 43 00-0099)		
08 72 43 00-0101	LF		4" Width, 7/8" Height, Aluminum, Latching Panic Exit Saddle Threshold (Pemko 252X226AP) <i>For Color Anodized Finish, Add</i> <i>For Thermoseal, Add</i>	43.51 7.48 0.63	8.86
08 72 43 00-0102	LF		5" Width, 7/8" Height, Aluminum, Latching Panic Exit Saddle Threshold (Pemko 177AP)..... <i>For Color Anodized Finish, Add</i> <i>For Thermoseal, Add</i>	36.39 7.12 0.63	8.86
08 72 43 00-0103	LF		6" Width, 7/8" Height, Aluminum, Latching Panic Exit Saddle Threshold (Pemko 254X226AP) <i>For Color Anodized Finish, Add</i> <i>For Thermoseal, Add</i>	47.98 9.04 0.63	8.86
08 72 43 00-0104	LF		7" Width, 7/8" Height, Aluminum, Latching Panic Exit Saddle Threshold (Pemko 255X226AP) <i>For Color Anodized Finish, Add</i> <i>For Thermoseal, Add</i>	49.93 9.72 0.63	8.86
08 72 43 00-0105			1" Height, Aluminum, Latching Panic Exit Saddle Thresholds (08 72 43 00-0099)		



Openings	08	08
Hardware	08 70	
Weatherstripping, Thresholds And Seals	08 72	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 72 43 00-0106	LF		3-5/8" Width, 1" Height, Aluminum, Latching Panic Exit Saddle Threshold (Pemko 185AP) <i>For Color Anodized Finish, Add</i> <i>For Thermoseal, Add</i>	34.71 6.28 0.63	8.86
08 72 43 00-0107	LF		5" Width, 1" Height, Aluminum, Latching Panic Exit Saddle Threshold (Pemko 181AP)..... <i>For Color Anodized Finish, Add</i> <i>For Thermoseal, Add</i>	36.67 7.26 0.63	8.86
08 72 43 00-0108			Thermal Barrier, Aluminum, Latching Panic Exit Saddle Thresholds (08 72 43 00-0098)		
08 72 43 00-0109			7/8" Height, Thermal Barrier, Aluminum, Latching Panic Exit Saddle Thresholds (08 72 43 00-0108)		
08 72 43 00-0110	LF		4-1/8" Width, 7/8" Height, Thermal Barrier, Aluminum, Latching Panic Exit Saddle Threshold (Pemko 252X226AFGP) <i>For Color Anodized Finish, Add</i> <i>For Thermoseal, Add</i>	38.76 6.64 0.63	8.86
08 72 43 00-0111	LF		5-1/8" Width, 7/8" Height, Thermal Barrier, Aluminum, Latching Panic Exit Saddle Threshold (Pemko 253X226AFGP) <i>For Color Anodized Finish, Add</i> <i>For Thermoseal, Add</i>	40.58 7.37 0.63	8.86
08 72 43 00-0112	LF		6-1/8" Width, 7/8" Height, Thermal Barrier, Aluminum, Latching Panic Exit Saddle Threshold (Pemko 254X226AFGP) <i>For Color Anodized Finish, Add</i> <i>For Thermoseal, Add</i>	43.23 7.38 0.63	8.86
08 72 43 00-0113	LF		7-1/8" Width, 7/8" Height, Thermal Barrier, Aluminum, Latching Panic Exit Saddle Threshold (Pemko 255X226AFGP) <i>For Color Anodized Finish, Add</i> <i>For Thermoseal, Add</i>	46.23 8.43 0.63	8.86
08 72 43 00-0114			Brass/Bronze, Latching Panic Exit Saddle Thresholds (08 72 43 00-0097)		
08 72 43 00-0115			Brass/Bronze, Latching Panic Exit Saddle Thresholds (08 72 43 00-0114)		
08 72 43 00-0116			7/8" Height, Brass/Bronze, Latching Panic Exit Saddle Thresholds (08 72 43 00-0115)		
08 72 43 00-0117	LF		4" Width, 7/8" Height, Brass/Bronze, Latching Panic Exit Saddle Threshold (Pemko 252X226BV)..... <i>For Thermoseal, Add</i>	204.17 0.63	8.86
08 72 43 00-0118	LF		5" Width, 7/8" Height, Brass/Bronze, Latching Panic Exit Saddle Threshold (Pemko 177BV)..... <i>For Thermoseal, Add</i>	189.12 0.63	8.86
08 72 43 00-0119	LF		6" Width, 7/8" Height, Brass/Bronze, Latching Panic Exit Saddle Threshold (Pemko 254X226BV)..... <i>For Thermoseal, Add</i>	273.36 0.63	8.86
08 72 43 00-0120	LF		7" Width, 7/8" Height, Brass/Bronze, Latching Panic Exit Saddle Threshold (Pemko 255X226BV)..... <i>For Thermoseal, Add</i>	244.18 0.63	8.86
08 72 43 00-0121			1" Height, Brass/Bronze, Latching Panic Exit Saddle Thresholds (08 72 43 00-0115)		
08 72 43 00-0122	LF		5" Width, 1" Height, Brass/Bronze, Latching Panic Exit Saddle Threshold (Pemko 181BV)..... <i>For Thermoseal, Add</i>	200.86 0.63	8.86
08 72 43 00-0123			Thermal Barrier, Brass/Bronze, Latching Panic Exit Saddle Thresholds (08 72 43 00-0114)		
08 72 43 00-0124			7/8" Height, Thermal Barrier, Brass/Bronze, Latching Panic Exit Saddle Thresholds (08 72 43 00-0123)		
08 72 43 00-0125	LF		4-1/8" Width, 7/8" Height, Thermal Barrier, Brass/Bronze, Latching Panic Exit Saddle Threshold (Pemko 252X226BFGV) <i>For Thermoseal, Add</i>	206.74 0.63	9.75
08 72 43 00-0126	LF		5-1/8" Width, 7/8" Height, Thermal Barrier, Brass/Bronze, Latching Panic Exit Saddle Threshold (Pemko 253X226BFGV) <i>For Thermoseal, Add</i>	217.12 0.63	9.75
08 72 43 00-0127	LF		6-1/8" Width, 7/8" Height, Thermal Barrier, Brass/Bronze, Latching Panic Exit Saddle Threshold (Pemko 254X226BFGV) <i>For Thermoseal, Add</i>	273.23 0.63	9.75
08 72 43 00-0128	LF		7-1/8" Width, 7/8" Height, Thermal Barrier, Brass/Bronze, Latching Panic Exit Saddle Threshold (Pemko 255X226BFGV) <i>For Thermoseal, Add</i>	248.12 0.63	10.19
08 72 43 00-0129			Carpet Separator Thresholds (08 72 43 00-0001)		
08 72 43 00-0130			Aluminum, Carpet Separator Thresholds (08 72 43 00-0129) Note: Includes mill finish.		
08 72 43 00-0131			3/8" Height, Aluminum, Carpet Separator Thresholds (08 72 43 00-0130)		
08 72 43 00-0132	LF		2-1/2" Width, 3/8" Height, Aluminum, Carpet Separator Threshold (Pemko 174C)..... <i>For Color Anodized Finish, Add</i>	26.24 3.41	7.09
08 72 43 00-0133			7/16" Height, Aluminum, Carpet Separator Thresholds (08 72 43 00-0130)		
08 72 43 00-0134	LF		1-3/4" Width, 7/16" Height, Aluminum, Carpet Separator Threshold (Pemko 236A)..... <i>For Color Anodized Finish, Add</i>	21.37 2.05	6.21
08 72 43 00-0135	LF		4" Width, 7/16" Height, Aluminum, Carpet Separator Threshold (Pemko 2364A)..... <i>For Color Anodized Finish, Add</i>	32.62 4.19	7.09

08 Openings**08 70 Hardware****08 72 Weatherstripping, Thresholds And Seals**

MINOR CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 72 43 00-0136	LF	6" Width, 7/16" Height, Aluminum, Carpet Separator Threshold (Pemko 2366A)..... <i>For Color Anodized Finish, Add</i>	38.48 6.53	7.09
08 72 43 00-0137		1/2" Height, Aluminum, Carpet Separator Thresholds (08 72 43 00-0130)		
08 72 43 00-0138	LF	1-3/8" Width, 1/2" Height, Aluminum, Carpet Separator Threshold (Pemko 1951A)..... <i>For Color Anodized Finish, Add</i>	19.56 1.01	6.21
08 72 43 00-0139		3/4" Height, Aluminum, Carpet Separator Thresholds (08 72 43 00-0130)		
08 72 43 00-0140	LF	1-3/4" Width, 3/4" Height, Aluminum, Carpet Separator Threshold (Pemko 246A)..... <i>For Color Anodized Finish, Add</i>	21.37 1.76	6.21
08 72 43 00-0141	LF	3" Width, 3/4" Height, Aluminum, Carpet Separator Threshold (Pemko 230A)..... <i>For Color Anodized Finish, Add</i>	33.04 4.36	8.86
08 72 43 00-0142	LF	4" Width, 3/4" Height, Aluminum, Carpet Separator Threshold (Pemko 2464A)..... <i>For Color Anodized Finish, Add</i>	34.71 3.77	8.86
08 72 43 00-0143		Brass/Bronze, Carpet Separator Thresholds (08 72 43 00-0129)		
08 72 43 00-0144		3/8" Height, Brass/Bronze, Carpet Separator Thresholds (08 72 43 00-0143)		
08 72 43 00-0145	LF	2-1/2" Width, 3/8" Height, Brass/Bronze, Carpet Separator Threshold (Pemko 174B).....	109.63	7.09
08 72 43 00-0146		7/16" Height, Brass/Bronze, Carpet Separator Thresholds (08 72 43 00-0143)		
08 72 43 00-0147	LF	1-3/4" Width, 7/16" Height, Brass/Bronze, Carpet Separator Threshold (Pemko 236B).....	145.82	6.21
08 72 43 00-0148	LF	4" Width, 7/16" Height, Brass/Bronze, Carpet Separator Threshold (Pemko 2364B).....	131.21	8.86
08 72 43 00-0149		Vinyl Transition Thresholds (08 72 43 00-0001) Note: Serves as a transition where carpet meets carpet, tile, VCT or concrete beneath a door.		
08 72 43 00-0150		Carpet To Carpet, Vinyl Transition Thresholds (08 72 43 00-0149) Note: Serves as a transition where carpet meets carpet beneath a door.		
08 72 43 00-0151	LF	2-3/4" Width, 23/32" Height, Carpet To Carpet, Vinyl Transition Threshold (Pemko V232BL).....	31.35	7.09
08 72 43 00-0152		Carpet To Tile, Vinyl Transition Thresholds (08 72 43 00-0149) Note: Serves as a transition where carpet meets tile beneath a door.		
08 72 43 00-0153	LF	2-3/4" Width, 23/32" Height, Carpet To Tile, Vinyl Transition Threshold (Pemko V2325BL).....	31.35	7.09
08 72 43 00-0154		Carpet To Concrete, Vinyl Transition Thresholds (08 72 43 00-0149) Note: Serves as a transition where carpet meets concrete beneath a door.		
08 72 43 00-0155	LF	3-1/2" Width, 23/32" Height, Carpet To Concrete, Vinyl Transition Threshold (Pemko V2320BL).....	33.75	8.86
08 72 43 00-0156		Carpet To VCT Tile, Vinyl Transition Thresholds (08 72 43 00-0149) Note: Serves as a transition where carpet meets VCT Tile beneath a door.		
08 72 43 00-0157	LF	3-7/16" Width, 23/32" Height, Carpet To VCT Tile, Vinyl Transition Threshold (Pemko V2322BL).....	36.02	8.86
08 72 43 00-0158		Residential Thresholds (08 72 43 00-0001)		
08 72 43 00-0159		Wood Residential Thresholds (08 72 43 00-0158)		
08 72 43 00-0160	LF	1-1/4" Width, 1/4" Height, Oak Residential Threshold (Pemko 2219W).....	13.63	4.43
08 72 43 00-0161	LF	1-3/4" Width, 5/16" Height, Oak Residential Threshold (Pemko 2175W).....	14.09	4.43
08 72 43 00-0162	LF	3" Width, 3/8" Height, Oak Residential Threshold (Pemko 2300W).....	18.90	4.72
08 72 43 00-0163	LF	3-1/2" Width, 1/2" Height, Oak Residential Threshold (Pemko 2350W).....	19.21	4.89
08 72 43 00-0164	LF	5" Width, 1/2" Height, Oak Residential Threshold (Pemko 2500W).....	28.87	5.03
08 72 43 00-0165		Vinyl Top, Wood Residential Thresholds (08 72 43 00-0158)		
08 72 43 00-0166	LF	1-5/8" Width, 15/16" Height, Vinyl Top, Wood Residential Threshold (Pemko 208OAK).....	16.19	4.43
08 72 43 00-0167	LF	3-1/2" Width, 1-1/8" Height, Vinyl Top, Wood Residential Threshold (Pemko 203OAK).....	19.63	4.89
08 72 43 00-0168	LF	3-5/8" Width, 1-3/8" Height, Vinyl Top, Wood Residential Threshold (Pemko 204OAK).....	35.96	4.89
08 72 43 00-0169		Vinyl Top, Aluminum Residential Thresholds (08 72 43 00-0158)		
08 72 43 00-0170	LF	1-3/8" Width, 1/2" Height, Vinyl Top, Aluminum Residential Threshold (Pemko 208AV)..... <i>For Color Anodized Finish, Add</i>	16.24 2.07	4.43
08 72 43 00-0171	LF	3-1/4" Width, 3/4" Height, Vinyl Top, Aluminum Residential Threshold (Pemko 206AV)..... <i>For Color Anodized Finish, Add</i>	18.93 2.68	4.89
08 72 43 00-0172	LF	3-1/2" Width, 1-1/8" Height, Vinyl Top, Aluminum Residential Threshold (Pemko 207AV)..... <i>For Color Anodized Finish, Add</i>	20.05 3.13	4.89
08 72 43 00-0173		Interlocking Residential Thresholds (08 72 43 00-0158)		
08 72 43 00-0174		Aluminum Interlocking Residential Thresholds (08 72 43 00-0173)		
08 72 43 00-0175		1/2" Height, Aluminum Interlocking Residential Thresholds (08 72 43 00-0174)		



Openings	08	08
Hardware	08 70	
Weatherstripping, Thresholds And Seals	08 72	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 72 43 00-0176	LF		4-1/4" Width, 1/2" Height, Aluminum Interlocking Residential Threshold (Pemko 114A) <i>For Color Anodized Finish, Add</i>	35.34 6.83	5.03
08 72 43 00-0177			5/8" Height, Aluminum Interlocking Residential Thresholds (08 72 43 00-0174)		
08 72 43 00-0178	LF		3" Width, 5/8" Height, Aluminum Interlocking Residential Threshold (Pemko 121A) <i>For Color Anodized Finish, Add</i>	23.66 3.56	4.72
08 72 43 00-0179	LF		3-1/2" Width, 5/8" Height, Aluminum Interlocking Residential Threshold (Pemko 110A) <i>For Color Anodized Finish, Add</i>	21.58 4.68	4.89
08 72 43 00-0180	LF		4-1/4" Width, 5/8" Height, Aluminum Interlocking Residential Threshold (Pemko 115A) <i>For Color Anodized Finish, Add</i>	25.00 3.73	5.03
08 72 43 00-0181			7/8" Height, Aluminum Interlocking Residential Thresholds (08 72 43 00-0174)		
08 72 43 00-0182	LF		4-1/2" Width, 7/8" Height, Aluminum Interlocking Residential Threshold (Pemko 120A) <i>For Color Anodized Finish, Add</i>	27.24 7.33	5.03
08 72 43 00-0183			Brass/Bronze Interlocking Residential Thresholds (08 72 43 00-0173)		
08 72 43 00-0184			1/2" Height, Brass/Bronze Interlocking Residential Thresholds (08 72 43 00-0183)		
08 72 43 00-0185	LF		4-1/4" Width, 1/2" Height, Brass/Bronze Interlocking Residential Threshold (Pemko 114B).....	151.73	5.03
08 72 43 00-0186			5/8" Height, Brass/Bronze Interlocking Residential Thresholds (08 72 43 00-0183)		
08 72 43 00-0187	LF		3-1/2" Width, 5/8" Height, Brass/Bronze Interlocking Residential Threshold (Pemko 110B).....	113.77	4.89
08 72 43 00-0188			7/8" Height, Brass/Bronze Interlocking Residential Thresholds (08 72 43 00-0183)		
08 72 43 00-0189	LF		4-1/2" Width, 7/8" Height, Brass/Bronze Interlocking Residential Threshold (Pemko 120B).....	155.49	5.03
08 72 43 00-0190	LF		5-3/4" Width, 7/8" Height, 3/4" Offset, Brass/Bronze Interlocking Residential Threshold (Pemko 123B).....	223.53	5.18
08 72 43 00-0191			Residential Door Sills (08 72 43 00-0001)		
08 72 43 00-0192			Fixed Aluminum Residential Door Sills (08 72 43 00-0191)		
08 72 43 00-0193	LF		4-9/16" Width, 1-1/4" Height, Fixed Aluminum Residential Door Sill (Pemko 84514A) <i>For Color Anodized Finish, Add</i>	20.54 3.98	5.03
08 72 43 00-0194	LF		5-5/8" Width, 1-1/4" Height, Fixed Aluminum Residential Door Sill (Pemko 85514A) <i>For Color Anodized Finish, Add</i>	21.98 3.62	5.18
08 72 43 00-0195			Adjustable Aluminum Top, Aluminum Residential Door Sills (08 72 43 00-0191)		
08 72 43 00-0196	LF		4-7/8" Width, 1-1/8" To 1-3/8" Height, Adjustable Aluminum Top, Aluminum Residential Door Sill (Pemko 94518A)..... <i>For Color Anodized Finish, Add</i>	29.06 5.77	5.03
08 72 43 00-0197	LF		5-3/4" Width, 1-1/8" To 1-3/8" Height, Adjustable Aluminum Top, Aluminum Residential Door Sill (Pemko 95518A)..... <i>For Color Anodized Finish, Add</i>	29.83 5.92	5.18
08 72 43 00-0198			Adjustable Wood Top, Aluminum Residential Door Sills (08 72 43 00-0191)		
08 72 43 00-0199	LF		3-3/4" Width, 1-1/8" To 1-3/8" Height, Adjustable Aluminum Top, Aluminum Residential Door Sill (Pemko 93518AW)..... <i>For Color Anodized Finish, Add</i>	29.38 6.00	4.89
08 72 43 00-0200	LF		4-7/8" Width, 1-1/8" To 1-3/8" Height, Adjustable Aluminum Top, Aluminum Residential Door Sill (Pemko 94518AW)..... <i>For Color Anodized Finish, Add</i>	29.73 4.29	5.03
08 72 43 00-0201	LF		5-3/4" Width, 1-1/8" To 1-3/8" Height, Adjustable Aluminum Top, Aluminum Residential Door Sill (Pemko 95518AW)..... <i>For Color Anodized Finish, Add</i>	31.01 4.52	5.18
08 72 43 00-0202			Extenders For Aluminum Residential Door Sills (08 72 43 00-0191)		
08 72 43 00-0203	LF		3/4" Extender For Aluminum Residential Door Sills (Pemko EXT3/4A) <i>For Color Anodized Finish, Add</i>	12.35 2.44	4.43
08 72 43 00-0204	LF		2" Extender For Aluminum Residential Door Sills (Pemko EXT2A) <i>For Color Anodized Finish, Add</i>	13.47 2.31	4.43
08 72 43 00-0205	LF		3" Extender For Aluminum Residential Door Sills (Pemko EXT3A) <i>For Color Anodized Finish, Add</i>	14.58 1.43	4.43
08 72 43 00-0206			Stone Thresholds (08 72 43 00-0001)		
08 72 43 00-0207			Marble Thresholds (08 72 43 00-0206)		
08 72 43 00-0208	LF		2" Width, 5/8" Height, Plain Marble Threshold	16.14	6.34
08 72 43 00-0209	LF		4" Width, 5/8" Height, Plain Marble Threshold	17.62	6.34
08 72 43 00-0210	LF		6" Width, 5/8" Height, Plain Marble Threshold	19.61	6.34
08 72 43 00-0211	LF		4" Width, 7/8" Height, Plain Marble Threshold	24.11	6.34
08 72 43 00-0212	LF		6" Width, 7/8" Height, Plain Marble Threshold	29.36	6.34
08 72 43 00-0213			Corian Thresholds (08 72 43 00-0206)		

08	08	Openings
	08 70	Hardware
	08 72	Weatherstripping, Thresholds And Seals



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
-------	-----	-----	-------------	------------------------	----------------------

08 72 43 00-0214	LF	Up To 5-3/4" Width, Corian Threshold	55.52	7.35
------------------	----	--------------------------------------	-------	------

08 75 Window Hardware (08 70)

08 75 13 Automatic Window Equipment (08 75)

08 75 13 00-0001		Window Opener Electric, With 1/2 HP Motor		
08 75 13 00-0002	EA	Gym Window Electronic Opener	1,293.97	188.81

08 78 Special Function Hardware (08 70)

08 78 00 00-0001 Pad Locks (08 78)

08 78 00 00-0002	EA	Combination Padlock	19.04	4.44
08 78 00 00-0003	EA	Resettable Combination Padlock With Control Key, 4 Digit, 2" Wide Case, 1" Shackle Height	45.13	4.44
08 78 00 00-0004	EA	Resettable Combination Padlock, 4 Digit, 2" Wide Case, 1" Shackle Height	41.59	4.44
08 78 00 00-0005	EA	Resettable Combination Padlock, 4 Digit, 2" Wide Case, 2-1/4" Shackle Height	45.97	4.44
08 78 00 00-0006	EA	Commercial U-Bar Lock	56.10	4.44
08 78 00 00-0007	EA	Weather Tough Padlocks Keyed Alike	46.85	4.44
08 78 00 00-0008	EA	High Security Padlocks	42.17	4.44
08 78 00 00-0009	EA	Standard Key, Medium Security Padlock Keyed Alike	21.61	4.44

08 79 Hardware Accessories (08 70)

08 79 13 Key Storage Equipment (08 79)

08 79 13 00-0001		Key Cabinet		
08 79 13 00-0002		Key Cabinets		
08 79 13 00-0003	EA	Wall Mounted Key Cabinet, Up To 30 Keys	319.80	15.95
08 79 13 00-0004	EA	Wall Mounted Key Cabinet, Up To 60 Keys	431.02	17.72
08 79 13 00-0005	EA	Wall Mounted Key Cabinet, Up To 240 Keys	964.64	26.58
08 79 13 00-0006	EA	Wall Mounted Key Cabinet, Up To 1,200 Keys	2,479.61	35.44
08 79 13 00-0007	EA	Drawer Type Key Cabinet, Up To 600 Keys	2,643.03	23.48
08 79 13 00-0008	EA	Drawer Type Key Cabinet, Up To 2,400 Keys	5,963.61	17.72
08 79 13 00-0009	EA	Tray Type Key Cabinet, Up To 20 Keys	134.62	7.09
08 79 13 00-0010	EA	Tray Type Key Cabinet, Up To 50 Keys	191.68	8.86

08 79 13 00-0011 Key Boxes Wall Mounted On Any Type Wall, With Anchor (08 79 13 00-0001)

08 79 13 00-0012	EA	Key Box, Metal, 30 Key Hooks, Key Lock Door 3" Deep x 10" Wide x 12" High	184.50	13.30
08 79 13 00-0013	EA	Key Box, Metal, 60 Key Hooks, Key Lock Door, 3" Deep x 10" Wide x 12" High	208.58	13.30
08 79 13 00-0014	EA	Relocate 10" Wide x 12" High x 3" Deep Metal Key Box Note: Including Storage And Cleaning	45.21	
08 79 13 00-0015	EA	Relocate Heavy Duty Key Box, With Combo Lock Door Note: Including Storage And Cleaning	101.94	

08 80 Glazing (08)

Note: Includes neoprene setting blocks and spacers and elastomeric sealants for all glazing tasks. Demolition for all glazing includes removal of glazing (broken or whole), sealant compound and/or astragal, taking down and resetting mullion where necessary.

08 81 Glass Glazing (08 80)

08 81 23 Exterior Glass Glazing (08 81)

08 81 23 13 Factory Installed Glass Glazing (08 81 23)

08 81 23 13-0001 Clear Float Factory Installed Glass (08 81 23 13)

08 81 23 13-0002 Clear Float Factory Installed Glass (08 81 23 13-0001)

08 81 23 13-0003	SF	1/8" Thick, Clear Float Factory Installed Glass	3.02	
		For >50 To 200, Deduct	-0.09	
		For >200 To 400, Deduct	-0.18	
		For >400, Deduct	-0.27	
		For Tinted Glass, Add	0.76	
		For Reflective Coated Glass, Add	1.36	
		For Low-E Coated Glass, Add	0.76	
08 81 23 13-0004	SF	3/16" Thick, Clear Float Factory Installed Glass	3.24	
		For >50 To 200, Deduct	-0.10	
		For >200 To 400, Deduct	-0.19	
		For >400, Deduct	-0.29	
		For Tinted Glass, Add	0.81	
		For Reflective Coated Glass, Add	1.46	
		For Low-E Coated Glass, Add	0.81	



Openings	08	08
Glazing	08 80	
Glass Glazing	08 81	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 81 23	13-0005	SF	1/4" Thick, Clear Float Factory Installed Glass	3.93	
			<i>For >50 To 200, Deduct</i>	-0.12	
			<i>For >200 To 400, Deduct</i>	-0.24	
			<i>For >400, Deduct</i>	-0.35	
			<i>For Tinted Glass, Add</i>	0.98	
			<i>For Reflective Coated Glass, Add</i>	1.77	
			<i>For Low-E Coated Glass, Add</i>	0.98	
08 81 23	13-0006	SF	5/16" Thick, Clear Float Factory Installed Glass	6.54	
			<i>For >50 To 200, Deduct</i>	-0.20	
			<i>For >200 To 400, Deduct</i>	-0.39	
			<i>For >400, Deduct</i>	-0.59	
			<i>For Tinted Glass, Add</i>	1.64	
			<i>For Reflective Coated Glass, Add</i>	2.94	
			<i>For Low-E Coated Glass, Add</i>	1.64	
08 81 23	13-0007	SF	3/8" Thick, Clear Float Factory Installed Glass	9.51	
			<i>For >50 To 200, Deduct</i>	-0.29	
			<i>For >200 To 400, Deduct</i>	-0.57	
			<i>For >400, Deduct</i>	-0.86	
			<i>For Tinted Glass, Add</i>	2.38	
			<i>For Reflective Coated Glass, Add</i>	4.28	
			<i>For Low-E Coated Glass, Add</i>	2.38	
08 81 23	13-0008	SF	1/2" Thick, Clear Float Factory Installed Glass	10.45	
			<i>For >50 To 200, Deduct</i>	-0.31	
			<i>For >200 To 400, Deduct</i>	-0.63	
			<i>For >400, Deduct</i>	-0.94	
			<i>For Tinted Glass, Add</i>	2.61	
			<i>For Reflective Coated Glass, Add</i>	4.70	
			<i>For Low-E Coated Glass, Add</i>	2.61	
08 81 23	13-0009	SF	5/8" Thick, Clear Float Factory Installed Glass	12.50	
			<i>For >50 To 200, Deduct</i>	-0.38	
			<i>For >200 To 400, Deduct</i>	-0.75	
			<i>For >400, Deduct</i>	-1.13	
			<i>For Tinted Glass, Add</i>	3.13	
			<i>For Reflective Coated Glass, Add</i>	5.63	
			<i>For Low-E Coated Glass, Add</i>	3.13	
08 81 23	13-0010	SF	3/4" Thick, Clear Float Factory Installed Glass	15.44	
			<i>For >50 To 200, Deduct</i>	-0.46	
			<i>For >200 To 400, Deduct</i>	-0.93	
			<i>For >400, Deduct</i>	-1.39	
			<i>For Tinted Glass, Add</i>	3.86	
			<i>For Reflective Coated Glass, Add</i>	6.95	
			<i>For Low-E Coated Glass, Add</i>	3.86	
08 81 23	13-0011		Heat Treated Factory Installed Glass <small>(08 81 23 13)</small>		
08 81 23	13-0012		Tempered, Clear Float Factory Installed Glass <small>(08 81 23 13-0011)</small>		
			Note: Type I, Class I, Quality Q3.		
08 81 23	13-0013	SF	1/8" Thick, Tempered, Clear Float Factory Installed Glass	4.38	
			<i>For >50 To 200, Deduct</i>	-0.13	
			<i>For >200 To 400, Deduct</i>	-0.26	
			<i>For >400, Deduct</i>	-0.39	
			<i>For Tinted Glass, Add</i>	1.10	
			<i>For Reflective Coated Glass, Add</i>	1.97	
			<i>For Low-E Coated Glass, Add</i>	1.10	
08 81 23	13-0014	SF	3/16" Thick, Tempered, Clear Float Factory Installed Glass	4.69	
			<i>For >50 To 200, Deduct</i>	-0.14	
			<i>For >200 To 400, Deduct</i>	-0.28	
			<i>For >400, Deduct</i>	-0.42	
			<i>For Tinted Glass, Add</i>	1.17	
			<i>For Reflective Coated Glass, Add</i>	2.11	
			<i>For Low-E Coated Glass, Add</i>	1.17	
08 81 23	13-0015	SF	1/4" Thick, Tempered, Clear Float Factory Installed Glass	5.70	
			<i>For >50 To 200, Deduct</i>	-0.17	
			<i>For >200 To 400, Deduct</i>	-0.34	
			<i>For >400, Deduct</i>	-0.51	
			<i>For Tinted Glass, Add</i>	1.43	
			<i>For Reflective Coated Glass, Add</i>	2.57	
			<i>For Low-E Coated Glass, Add</i>	1.43	
08 81 23	13-0016	SF	5/16" Thick, Tempered, Clear Float Factory Installed Glass	9.49	
			<i>For >50 To 200, Deduct</i>	-0.28	
			<i>For >200 To 400, Deduct</i>	-0.57	
			<i>For >400, Deduct</i>	-0.85	
			<i>For Tinted Glass, Add</i>	2.37	
			<i>For Reflective Coated Glass, Add</i>	4.27	
			<i>For Low-E Coated Glass, Add</i>	2.37	
08 81 23	13-0017	SF	3/8" Thick, Tempered, Clear Float Factory Installed Glass	13.79	
			<i>For >50 To 200, Deduct</i>	-0.41	
			<i>For >200 To 400, Deduct</i>	-0.83	
			<i>For >400, Deduct</i>	-1.24	
			<i>For Tinted Glass, Add</i>	3.45	
			<i>For Reflective Coated Glass, Add</i>	6.21	
			<i>For Low-E Coated Glass, Add</i>	3.45	

08 Openings**08 80 Glazing****08 81 Glass Glazing**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 81 23 13-0018	SF		1/2" Thick, Tempered, Clear Float Factory Installed Glass	15.15	
			<i>For >50 To 200, Deduct</i>	-0.45	
			<i>For >200 To 400, Deduct</i>	-0.91	
			<i>For >400, Deduct</i>	-1.36	
			<i>For Tinted Glass, Add</i>	3.79	
			<i>For Reflective Coated Glass, Add</i>	6.82	
			<i>For Low-E Coated Glass, Add</i>	3.79	
08 81 23 13-0019	SF		5/8" Thick, Tempered, Clear Float Factory Installed Glass	18.13	
			<i>For >50 To 200, Deduct</i>	-0.54	
			<i>For >200 To 400, Deduct</i>	-1.09	
			<i>For >400, Deduct</i>	-1.63	
			<i>For Tinted Glass, Add</i>	4.53	
			<i>For Reflective Coated Glass, Add</i>	8.16	
			<i>For Low-E Coated Glass, Add</i>	4.53	
08 81 23 13-0020	SF		3/4" Thick, Tempered, Clear Float Factory Installed Glass	22.39	
			<i>For >50 To 200, Deduct</i>	-0.67	
			<i>For >200 To 400, Deduct</i>	-1.34	
			<i>For >400, Deduct</i>	-2.02	
			<i>For Tinted Glass, Add</i>	5.60	
			<i>For Reflective Coated Glass, Add</i>	10.08	
			<i>For Low-E Coated Glass, Add</i>	5.60	
08 81 23 13-0021			Patterned Factory Installed Glass (08 81 23 13)		
08 81 23 13-0022			Rough Obscure, Factory Installed Glass (08 81 23 13-0021)		
			Note: Class II, Form 3, Finish F1.		
08 81 23 13-0023	SF		1/4" Thick, Rough Obscure, Factory Installed Glass	8.60	
08 81 23 13-0024			Patterned, Figured Factory Installed Glass (08 81 23 13-0021)		
			Note: Kind HS, Type II, Class I, Form 3, Quality Q8, Finish F2, Pattern P4.		
08 81 23 13-0025	SF		1/8" Thick, Patterned, Figured Factory Installed Glass	5.22	
08 81 23 13-0026	SF		7/32" Thick, Patterned, Figured Factory Installed Glass	5.22	
08 81 23 13-0027			Wired Factory Installed Glass (08 81 23 13)		
08 81 23 13-0028			Square Or Diamond Pattern, Wired Factory Installed Glass (08 81 23 13-0027)		
			Note: Class I, Form 2, Mesh M1 Or M2, Pattern P2.		
08 81 23 13-0029	SF		1/4" Thick, Square Pattern, Wired Factory Installed Glass	13.52	
08 81 23 13-0030	SF		1/4" Thick, Diamond Pattern, Wired Factory Installed Glass	13.52	
08 81 23 13-0031			Polished, Wired Factory Installed Glass (08 81 23 13-0027)		
08 81 23 13-0032	SF		1/4" Thick, Polished, Wired Factory Installed Glass	14.78	
08 81 23 13-0033			Frosted Factory Installed Glass (08 81 23 13)		
08 81 23 13-0034			Frosted Factory Installed Glass (08 81 23 13-0033)		
08 81 23 13-0035	SF		1/8" Thick, Frosted Factory Installed Glass	6.84	
			<i>For >50 To 200, Deduct</i>	-0.21	
			<i>For >200 To 400, Deduct</i>	-0.41	
			<i>For >400, Deduct</i>	-0.62	
08 81 23 13-0036	SF		3/16" Thick, Frosted Factory Installed Glass	8.97	
			<i>For >50 To 200, Deduct</i>	-0.27	
			<i>For >200 To 400, Deduct</i>	-0.54	
			<i>For >400, Deduct</i>	-0.81	
08 81 23 13-0037	SF		1/4" Thick, Frosted Factory Installed Glass	11.34	
			<i>For >50 To 200, Deduct</i>	-0.34	
			<i>For >200 To 400, Deduct</i>	-0.68	
			<i>For >400, Deduct</i>	-1.02	
08 81 23 13-0038	SF		3/8" Thick, Frosted Factory Installed Glass	16.95	
			<i>For >50 To 200, Deduct</i>	-0.51	
			<i>For >200 To 400, Deduct</i>	-1.02	
			<i>For >400, Deduct</i>	-1.53	
08 81 23 13-0039			Fire Rated Factory Installed Glass (08 81 23 13)		
08 81 23 13-0040			Fire Rated Factory Installed Glass (08 81 23 13-0039)		
08 81 23 13-0041	SF		20 Minute, Fire Rated Factory Installed Glass	18.56	
08 81 23 13-0042	SF		45 Minute, Fire Rated Factory Installed Glass	36.96	
08 81 23 13-0043	SF		60 Minute, Fire Rated Factory Installed Glass	57.12	
08 81 23 13-0044	SF		90 Minute, Fire Rated Factory Installed Glass	75.60	
08 81 23 13-0045			Laminated Factory Installed Glass (08 81 23 13)		
08 81 23 13-0046			Laminated Glass With PVB Interlayer, Factory Installed Glass (08 81 23 13-0045)		
			Note: Type I, Class I, Quality Q3.		



Openings	08	08
Glazing	08 80	
Glass Glazing	08 81	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 81 23 13-0047 SF 1/4" Thick, Laminated Glass With PVB Interlayer, Factory Installed Glass.....	12.05	
For >50 To 200, Deduct	-0.36	
For >200 To 400, Deduct	-0.72	
For >400, Deduct	-1.08	
For Tinted Glass, Add	3.01	
For Reflective Coated Glass, Add	5.42	
For Low-E Coated Glass, Add	3.01	
For One Piece Heat Strengthened Glass, Add	2.41	
For One Piece Fully Tempered Glass, Add	2.41	
08 81 23 13-0048 SF 3/8" Thick, Laminated Glass With PVB Interlayer, Factory Installed Glass.....	15.04	
For >50 To 200, Deduct	-0.45	
For >200 To 400, Deduct	-0.90	
For >400, Deduct	-1.35	
For Tinted Glass, Add	3.76	
For Reflective Coated Glass, Add	6.77	
For Low-E Coated Glass, Add	3.76	
For One Piece Heat Strengthened Glass, Add	3.01	
For One Piece Fully Tempered Glass, Add	3.01	
08 81 23 13-0049 SF 1/2" Thick, Laminated Glass With PVB Interlayer, Factory Installed Glass.....	20.44	
For >50 To 200, Deduct	-0.61	
For >200 To 400, Deduct	-1.23	
For >400, Deduct	-1.84	
For Tinted Glass, Add	5.11	
For Reflective Coated Glass, Add	9.20	
For Low-E Coated Glass, Add	5.11	
For One Piece Heat Strengthened Glass, Add	4.09	
For One Piece Fully Tempered Glass, Add	4.09	
08 81 23 13-0050 Insulated Factory Installed Glass <small>(08 81 23 13)</small>		
08 81 23 13-0051 Insulated, Factory Installed Glass <small>(08 81 23 13-0050)</small>		
Note: Type I, Class I, Quality Q3.		
08 81 23 13-0052 3/16" Air Space, Insulated, Factory Installed Glass <small>(08 81 23 13-0051)</small>		
Note: Type I, Class I, Quality Q3.		
08 81 23 13-0053 SF 3/8" Thick, Insulated Factory Installed Glass.....	7.98	
Note: Two 3/32" lites with 3/16" air space.		
For >50 To 200, Deduct	-0.24	
For >200 To 400, Deduct	-0.48	
For >400, Deduct	-0.72	
For Tinted Glass, Add	2.00	
For Reflective Coated Glass, Add	3.59	
For Low-E Coated Glass, Add	2.00	
For One Piece Heat Strengthened Glass, Add	1.60	
For One Piece Fully Tempered Glass, Add	1.60	
For One Piece Obscure Glass, Add	3.39	
For Argon Gas, Add	1.10	
08 81 23 13-0054 SF 1/2" Thick, Insulated Factory Installed Glass.....	8.72	
Note: One 3/16" lite and one 1/8" lite with 3/16" air space.		
For >50 To 200, Deduct	-0.26	
For >200 To 400, Deduct	-0.52	
For >400, Deduct	-0.78	
For Tinted Glass, Add	2.18	
For Reflective Coated Glass, Add	3.92	
For Low-E Coated Glass, Add	2.18	
For One Piece Heat Strengthened Glass, Add	1.74	
For One Piece Fully Tempered Glass, Add	1.74	
For One Piece Obscure Glass, Add	3.71	
For Argon Gas, Add	1.20	
08 81 23 13-0055 SF 9/16" Thick, Insulated Factory Installed Glass.....	8.74	
Note: Two 3/16" lites with 3/16" air space.		
For >50 To 200, Deduct	-0.26	
For >200 To 400, Deduct	-0.52	
For >400, Deduct	-0.79	
For Tinted Glass, Add	2.19	
For Reflective Coated Glass, Add	3.93	
For Low-E Coated Glass, Add	2.19	
For One Piece Heat Strengthened Glass, Add	1.75	
For One Piece Fully Tempered Glass, Add	1.75	
For One Piece Obscure Glass, Add	3.71	
For Argon Gas, Add	1.20	
08 81 23 13-0056 1/4" Air Space, Insulated, Factory Installed Glass <small>(08 81 23 13-0051)</small>		
Note: Type I, Class I, Quality Q3.		

08	08	Openings
	08 80	Glazing
	08 81	Glass Glazing



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 81 23 13-0057 SF 7/16" Thick, Insulated Factory Installed Glass8.22 Note: Two 3/32" lites with 1/4" air space.		
For >50 To 200, Deduct	-0.25	
For >200 To 400, Deduct	-0.49	
For >400, Deduct	-0.74	
For Tinted Glass, Add	2.06	
For Reflective Coated Glass, Add	3.70	
For Low-E Coated Glass, Add	2.06	
For One Piece Heat Strengthened Glass, Add	1.64	
For One Piece Fully Tempered Glass, Add	1.64	
For One Piece Obscure Glass, Add	3.49	
For Argon Gas, Add	1.13	
08 81 23 13-0058 SF 1/2" Thick, Insulated Factory Installed Glass8.72 Note: Two 1/8" lites with 1/4" air space.		
For >50 To 200, Deduct	-0.26	
For >200 To 400, Deduct	-0.52	
For >400, Deduct	-0.78	
For Tinted Glass, Add	2.18	
For Reflective Coated Glass, Add	3.92	
For Low-E Coated Glass, Add	2.18	
For One Piece Heat Strengthened Glass, Add	1.74	
For One Piece Fully Tempered Glass, Add	1.74	
For One Piece Obscure Glass, Add	3.71	
For Argon Gas, Add	1.20	
08 81 23 13-0059 SF 5/8" Thick, Insulated Factory Installed Glass8.82 Note: Two 3/16" lites with 1/4" air space.		
For >50 To 200, Deduct	-0.26	
For >200 To 400, Deduct	-0.53	
For >400, Deduct	-0.79	
For Tinted Glass, Add	2.21	
For Reflective Coated Glass, Add	3.97	
For Low-E Coated Glass, Add	2.21	
For One Piece Heat Strengthened Glass, Add	1.76	
For One Piece Fully Tempered Glass, Add	1.76	
For One Piece Obscure Glass, Add	3.75	
For Argon Gas, Add	1.21	
08 81 23 13-0060 SF 5/8" Thick, Insulated Factory Installed Glass8.82 Note: One 1/4" lite and one 1/8" lite with 1/4" air space.		
For >50 To 200, Deduct	-0.26	
For >200 To 400, Deduct	-0.53	
For >400, Deduct	-0.79	
For Tinted Glass, Add	2.21	
For Reflective Coated Glass, Add	3.97	
For Low-E Coated Glass, Add	2.21	
For One Piece Heat Strengthened Glass, Add	1.76	
For One Piece Fully Tempered Glass, Add	1.76	
For One Piece Obscure Glass, Add	3.75	
For Argon Gas, Add	1.21	
08 81 23 13-0061 SF 3/4" Thick, Insulated Factory Installed Glass9.24 Note: Two 1/4" lites with 1/4" air space.		
For >50 To 200, Deduct	-0.28	
For >200 To 400, Deduct	-0.55	
For >400, Deduct	-0.83	
For Tinted Glass, Add	2.31	
For Reflective Coated Glass, Add	4.16	
For Low-E Coated Glass, Add	2.31	
For One Piece Heat Strengthened Glass, Add	1.85	
For One Piece Fully Tempered Glass, Add	1.85	
For One Piece Obscure Glass, Add	3.93	
For Argon Gas, Add	1.27	
08 81 23 13-0062 3/8" Air Space, Insulated, Factory Installed Glass (08 81 23 13-0051) Note: Type I, Class I, Quality Q3.		
08 81 23 13-0063 SF 5/8" Thick, Insulated Factory Installed Glass8.82 Note: Two 1/8" lites with 3/8" air space.		
For >50 To 200, Deduct	-0.26	
For >200 To 400, Deduct	-0.53	
For >400, Deduct	-0.79	
For Tinted Glass, Add	2.21	
For Reflective Coated Glass, Add	3.97	
For Low-E Coated Glass, Add	2.21	
For One Piece Heat Strengthened Glass, Add	1.76	
For One Piece Fully Tempered Glass, Add	1.76	
For One Piece Obscure Glass, Add	3.75	
For Argon Gas, Add	1.21	



Openings	08	08
Glazing	08 80	
Glass Glazing	08 81	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 81 23 13-0064 SF 3/4" Thick, Insulated Factory Installed Glass9.24 Note: Two 3/16" lites with 3/8" air space. For >50 To 200, Deduct -0.28 For >200 To 400, Deduct -0.55 For >400, Deduct -0.83 For Tinted Glass, Add 2.31 For Reflective Coated Glass, Add 4.16 For Low-E Coated Glass, Add 2.31 For One Piece Heat Strengthened Glass, Add 1.85 For One Piece Fully Tempered Glass, Add 1.85 For One Piece Obscure Glass, Add 3.93 For Argon Gas, Add 1.27	9.24	
08 81 23 13-0065 SF 7/8" Thick, Insulated Factory Installed Glass10.25 Note: Two 1/4" lites with 3/8" air space. For >50 To 200, Deduct -0.31 For >200 To 400, Deduct -0.62 For >400, Deduct -0.92 For Tinted Glass, Add 2.56 For Reflective Coated Glass, Add 4.61 For Low-E Coated Glass, Add 2.56 For One Piece Heat Strengthened Glass, Add 2.05 For One Piece Fully Tempered Glass, Add 2.05 For One Piece Obscure Glass, Add 4.36 For Argon Gas, Add 1.41	10.25	
08 81 23 13-0066 1/2" Air Space, Insulated, Factory Installed Glass (08 81 23 13-0051)		
08 81 23 13-0067 SF 3/4" Thick, Insulated Factory Installed Glass9.24 Note: Two 1/8" lites with 1/2" air space. For >50 To 200, Deduct -0.28 For >200 To 400, Deduct -0.55 For >400, Deduct -0.83 For Tinted Glass, Add 2.31 For Reflective Coated Glass, Add 4.16 For Low-E Coated Glass, Add 2.31 For One Piece Heat Strengthened Glass, Add 1.85 For One Piece Fully Tempered Glass, Add 1.85 For One Piece Obscure Glass, Add 3.93 For Argon Gas, Add 1.27	9.24	
08 81 23 13-0068 SF 7/8" Thick, Insulated Factory Installed Glass10.25 Note: Two 3/16" lites with 1/2" air space. For >50 To 200, Deduct -0.31 For >200 To 400, Deduct -0.62 For >400, Deduct -0.92 For Tinted Glass, Add 2.56 For Reflective Coated Glass, Add 4.61 For Low-E Coated Glass, Add 2.56 For One Piece Heat Strengthened Glass, Add 2.05 For One Piece Fully Tempered Glass, Add 2.05 For One Piece Obscure Glass, Add 4.36 For Argon Gas, Add 1.41	10.25	
08 81 23 13-0069 SF 7/8" Thick, Insulated Factory Installed Glass10.25 Note: One 1/4" lite and one 1/8" lite with 1/2" air space. For >50 To 200, Deduct -0.31 For >200 To 400, Deduct -0.62 For >400, Deduct -0.92 For Tinted Glass, Add 2.56 For Reflective Coated Glass, Add 4.61 For Low-E Coated Glass, Add 2.56 For One Piece Heat Strengthened Glass, Add 2.05 For One Piece Fully Tempered Glass, Add 2.05 For One Piece Obscure Glass, Add 4.36 For Argon Gas, Add 1.41	10.25	
08 81 23 13-0070 SF 1" Thick, Insulated Factory Installed Glass11.21 Note: Two 1/4" lites with 1/2" air space. For >50 To 200, Deduct -0.34 For >200 To 400, Deduct -0.67 For >400, Deduct -1.01 For Tinted Glass, Add 2.80 For Reflective Coated Glass, Add 5.04 For Low-E Coated Glass, Add 2.80 For One Piece Heat Strengthened Glass, Add 2.24 For One Piece Fully Tempered Glass, Add 2.24 For One Piece Obscure Glass, Add 4.76 For Argon Gas, Add 1.54	11.21	
08 81 23 23 Field Installed Glass Glazing (08 81 23)		
08 81 23 23-0001 Clear Float Field Installed Glass (08 81 23 23)		
08 81 23 23-0002 Clear Float Field Installed Glass (08 81 23 23-0001) Note: Type I, Class I, Quality Q3.		

08	08	Openings
	08 80	Glazing
	08 81	Glass Glazing



MINOR CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 81 23 23-0003	SF	1/8" Thick, Clear Float Field Installed Glass.....	14.30	
		<i>For >50 To 200, Deduct</i>	-0.09	
		<i>For >200 To 400, Deduct</i>	-0.18	
		<i>For >400, Deduct</i>	-0.27	
		<i>For Glass Removal And Preparing Opening For New Glazing, Add</i>	11.28	
		<i>For Tinted Glass, Add</i>	0.76	
		<i>For Reflective Coated Glass, Add</i>	1.36	
		<i>For Low-E Coated Glass, Add</i>	0.76	
08 81 23 23-0004	SF	3/16" Thick, Clear Float Field Installed Glass.....	15.38	
		<i>For >50 To 200, Deduct</i>	-0.10	
		<i>For >200 To 400, Deduct</i>	-0.19	
		<i>For >400, Deduct</i>	-0.29	
		<i>For Glass Removal And Preparing Opening For New Glazing, Add</i>	12.14	
		<i>For Tinted Glass, Add</i>	0.81	
		<i>For Reflective Coated Glass, Add</i>	1.46	
		<i>For Low-E Coated Glass, Add</i>	0.81	
08 81 23 23-0005	SF	1/4" Thick, Clear Float Field Installed Glass.....	16.94	
		<i>For >50 To 200, Deduct</i>	-0.12	
		<i>For >200 To 400, Deduct</i>	-0.24	
		<i>For >400, Deduct</i>	-0.35	
		<i>For Glass Removal And Preparing Opening For New Glazing, Add</i>	13.01	
		<i>For Tinted Glass, Add</i>	0.98	
		<i>For Reflective Coated Glass, Add</i>	1.77	
		<i>For Low-E Coated Glass, Add</i>	0.98	
08 81 23 23-0006	SF	5/16" Thick, Clear Float Field Installed Glass.....	21.28	
		<i>For >50 To 200, Deduct</i>	-0.20	
		<i>For >200 To 400, Deduct</i>	-0.39	
		<i>For >400, Deduct</i>	-0.59	
		<i>For Glass Removal And Preparing Opening For New Glazing, Add</i>	14.74	
		<i>For Tinted Glass, Add</i>	1.64	
		<i>For Reflective Coated Glass, Add</i>	2.94	
		<i>For Low-E Coated Glass, Add</i>	1.64	
08 81 23 23-0007	SF	3/8" Thick, Clear Float Field Installed Glass.....	25.99	
		<i>For >50 To 200, Deduct</i>	-0.29	
		<i>For >200 To 400, Deduct</i>	-0.57	
		<i>For >400, Deduct</i>	-0.86	
		<i>For Glass Removal And Preparing Opening For New Glazing, Add</i>	16.48	
		<i>For Tinted Glass, Add</i>	2.38	
		<i>For Reflective Coated Glass, Add</i>	4.28	
		<i>For Low-E Coated Glass, Add</i>	2.38	
08 81 23 23-0008	SF	1/2" Thick, Clear Float Field Installed Glass.....	28.66	
		<i>For >50 To 200, Deduct</i>	-0.31	
		<i>For >200 To 400, Deduct</i>	-0.63	
		<i>For >400, Deduct</i>	-0.94	
		<i>For Glass Removal And Preparing Opening For New Glazing, Add</i>	18.21	
		<i>For Tinted Glass, Add</i>	2.61	
		<i>For Reflective Coated Glass, Add</i>	4.70	
		<i>For Low-E Coated Glass, Add</i>	2.61	
08 81 23 23-0009	SF	5/8" Thick, Clear Float Field Installed Glass.....	35.05	
		<i>For >50 To 200, Deduct</i>	-0.38	
		<i>For >200 To 400, Deduct</i>	-0.75	
		<i>For >400, Deduct</i>	-1.13	
		<i>For Glass Removal And Preparing Opening For New Glazing, Add</i>	22.55	
		<i>For Tinted Glass, Add</i>	3.13	
		<i>For Reflective Coated Glass, Add</i>	5.63	
		<i>For Low-E Coated Glass, Add</i>	3.13	
08 81 23 23-0010	SF	3/4" Thick, Clear Float Field Installed Glass.....	42.32	
		<i>For >50 To 200, Deduct</i>	-0.46	
		<i>For >200 To 400, Deduct</i>	-0.93	
		<i>For >400, Deduct</i>	-1.39	
		<i>For Glass Removal And Preparing Opening For New Glazing, Add</i>	26.88	
		<i>For Tinted Glass, Add</i>	3.86	
		<i>For Reflective Coated Glass, Add</i>	6.95	
		<i>For Low-E Coated Glass, Add</i>	3.86	
08 81 23 23-0011		Heat Treated Field Installed Glass <small>(08 81 23 23)</small>		
08 81 23 23-0012		Tempered, Clear Float Field Installed Glass <small>(08 81 23 23-0011)</small>		
		Note: Type I, Class I, Quality Q3.		
08 81 23 23-0013	SF	1/8" Thick, Tempered, Clear Float Field Installed Glass.....	15.66	
		<i>For >50 To 200, Deduct</i>	-0.13	
		<i>For >200 To 400, Deduct</i>	-0.26	
		<i>For >400, Deduct</i>	-0.39	
		<i>For Glass Removal And Preparing Opening For New Glazing, Add</i>	11.28	
		<i>For Tinted Glass, Add</i>	1.10	
		<i>For Reflective Coated Glass, Add</i>	1.97	
		<i>For Low-E Coated Glass, Add</i>	1.10	
08 81 23 23-0014	SF	3/16" Thick, Tempered, Clear Float Field Installed Glass.....	16.83	
		<i>For >50 To 200, Deduct</i>	-0.14	
		<i>For >200 To 400, Deduct</i>	-0.28	
		<i>For >400, Deduct</i>	-0.42	
		<i>For Glass Removal And Preparing Opening For New Glazing, Add</i>	12.14	
		<i>For Tinted Glass, Add</i>	1.17	
		<i>For Reflective Coated Glass, Add</i>	2.11	
		<i>For Low-E Coated Glass, Add</i>	1.17	



Openings	08	08
Glazing	08 80	
Glass Glazing	08 81	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 81 23 23-0015 SF 1/4" Thick, Tempered, Clear Float Field Installed Glass	18.71	
For >50 To 200, Deduct	-0.17	
For >200 To 400, Deduct	-0.34	
For >400, Deduct	-0.51	
For Glass Removal And Preparing Opening For New Glazing, Add	13.01	
For Tinted Glass, Add	1.43	
For Reflective Coated Glass, Add	2.57	
For Low-E Coated Glass, Add	1.43	
08 81 23 23-0016 SF 5/16" Thick, Tempered, Clear Float Field Installed Glass	24.23	
For >50 To 200, Deduct	-0.28	
For >200 To 400, Deduct	-0.57	
For >400, Deduct	-0.85	
For Glass Removal And Preparing Opening For New Glazing, Add	14.74	
For Tinted Glass, Add	2.37	
For Reflective Coated Glass, Add	4.27	
For Low-E Coated Glass, Add	2.37	
08 81 23 23-0017 SF 3/8" Thick, Tempered, Clear Float Field Installed Glass	30.27	
For >50 To 200, Deduct	-0.41	
For >200 To 400, Deduct	-0.83	
For >400, Deduct	-1.24	
For Glass Removal And Preparing Opening For New Glazing, Add	16.48	
For Tinted Glass, Add	3.45	
For Reflective Coated Glass, Add	6.21	
For Low-E Coated Glass, Add	3.45	
08 81 23 23-0018 SF 1/2" Thick, Tempered, Clear Float Field Installed Glass	33.36	
For >50 To 200, Deduct	-0.45	
For >200 To 400, Deduct	-0.91	
For >400, Deduct	-1.36	
For Glass Removal And Preparing Opening For New Glazing, Add	18.21	
For Tinted Glass, Add	3.79	
For Reflective Coated Glass, Add	6.82	
For Low-E Coated Glass, Add	3.79	
08 81 23 23-0019 SF 5/8" Thick, Tempered, Clear Float Field Installed Glass	40.68	
For >50 To 200, Deduct	-0.54	
For >200 To 400, Deduct	-1.09	
For >400, Deduct	-1.63	
For Glass Removal And Preparing Opening For New Glazing, Add	22.55	
For Tinted Glass, Add	4.53	
For Reflective Coated Glass, Add	8.16	
For Low-E Coated Glass, Add	4.53	
08 81 23 23-0020 SF 3/4" Thick, Tempered, Clear Float Field Installed Glass	49.27	
For >50 To 200, Deduct	-0.67	
For >200 To 400, Deduct	-1.34	
For >400, Deduct	-2.02	
For Glass Removal And Preparing Opening For New Glazing, Add	26.88	
For Tinted Glass, Add	5.60	
For Reflective Coated Glass, Add	10.08	
For Low-E Coated Glass, Add	5.60	
08 81 23 23-0021 Patterned Field Installed Glass (08 81 23 23)		
08 81 23 23-0022 Rough Obscure Field Installed Glass (08 81 23 23-0021)		
Note: Class II, Form 3, Finish F1.		
08 81 23 23-0023 SF 1/4" Thick, Rough Obscure Field Installed Glass	21.61	
For Glass Removal And Preparing Opening For New Glazing, Add	13.01	
08 81 23 23-0024 Patterned, Figured Field Installed Glass (08 81 23 23-0021)		
Note: Kind HS, Type II, Class I, Form 3, Quality Q8, Finish F2, Pattern P4.		
08 81 23 23-0025 SF 1/8" Thick, Patterned, Figured Field Installed Glass	16.50	
For Glass Removal And Preparing Opening For New Glazing, Add	11.28	
08 81 23 23-0026 SF 7/32" Thick, Patterned, Figured Field Installed Glass	17.80	
For Glass Removal And Preparing Opening For New Glazing, Add	12.58	
08 81 23 23-0027 Wired Field Installed Glass (08 81 23 23)		
08 81 23 23-0028 Square Or Diamond Pattern, Wired Field Installed Glass (08 81 23 23-0027)		
Note: Class I, Form 2, Mesh M1 Or M2, Pattern P2.		
08 81 23 23-0029 SF 1/4" Thick, Square Pattern, Wired Field Installed Glass	26.53	
For Glass Removal And Preparing Opening For New Glazing, Add	13.01	
08 81 23 23-0030 SF 1/4" Thick, Diamond Pattern, Wired Field Installed Glass	26.53	
For Glass Removal And Preparing Opening For New Glazing, Add	13.01	
08 81 23 23-0031 Polished, Wired Field Installed Glass (08 81 23 23-0027)		
08 81 23 23-0032 SF 1/4" Thick, Polished, Wired Field Installed Glass	27.79	
For Glass Removal And Preparing Opening For New Glazing, Add	13.01	
08 81 23 23-0033 Frosted Field Installed Glass (08 81 23 23)		
08 81 23 23-0034 Frosted Field Installed Glass (08 81 23 23-0033)		

08 Openings**08 80 Glazing****08 81 Glass Glazing**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 81 23 23-0035	SF		1/8" Thick, Frosted Field Installed Glass	18.12	
			For >50 To 200, Deduct	-0.21	
			For >200 To 400, Deduct	-0.41	
			For >400, Deduct	-0.62	
			For Glass Removal And Preparing Opening For New Glazing, Add	11.28	
08 81 23 23-0036	SF		3/16" Thick, Frosted Field Installed Glass	21.11	
			For >50 To 200, Deduct	-0.27	
			For >200 To 400, Deduct	-0.54	
			For >400, Deduct	-0.81	
			For Glass Removal And Preparing Opening For New Glazing, Add	12.14	
08 81 23 23-0037	SF		1/4" Thick, Frosted Field Installed Glass	24.35	
			For >50 To 200, Deduct	-0.34	
			For >200 To 400, Deduct	-0.68	
			For >400, Deduct	-1.02	
			For Glass Removal And Preparing Opening For New Glazing, Add	13.01	
08 81 23 23-0038	SF		3/8" Thick, Frosted Field Installed Glass	33.43	
			For >50 To 200, Deduct	-0.51	
			For >200 To 400, Deduct	-1.02	
			For >400, Deduct	-1.53	
			For Glass Removal And Preparing Opening For New Glazing, Add	16.48	
08 81 23 23-0039			Fire Rated Field Installed Glass (08 81 23 23)		
08 81 23 23-0040			Fire Rated Field Installed Glass (08 81 23 23-0039)		
08 81 23 23-0041	SF		20 Minute, Fire Rated Field Installed Glass	31.57	
			For Glass Removal And Preparing Opening For New Glazing, Add	13.01	
08 81 23 23-0042	SF		45 Minute, Fire Rated Field Installed Glass	49.97	
			For Glass Removal And Preparing Opening For New Glazing, Add	13.01	
08 81 23 23-0043	SF		60 Minute, Fire Rated Field Installed Glass	70.13	
			For Glass Removal And Preparing Opening For New Glazing, Add	13.01	
08 81 23 23-0044	SF		90 Minute, Fire Rated Field Installed Glass	88.61	
			For Glass Removal And Preparing Opening For New Glazing, Add	13.01	
08 81 23 23-0045			Laminated Field Installed Glass (08 81 23 23)		
08 81 23 23-0046			Laminated Glass With PVB Interlayer, Field Installed Glass (08 81 23 23-0045)		
			Note: Type I, Class I, Quality Q3.		
08 81 23 23-0047	SF		1/4" Thick, Laminated Glass With PVB Interlayer, Field Installed Glass	25.06	
			For >50 To 200, Deduct	-0.36	
			For >200 To 400, Deduct	-0.72	
			For >400, Deduct	-1.08	
			For Glass Removal And Preparing Opening For New Glazing, Add	13.01	
			For Tinted Glass, Add	3.01	
			For Reflective Coated Glass, Add	5.42	
			For Low-E Coated Glass, Add	3.01	
			For One Piece Heat Strengthened Glass, Add	2.41	
			For One Piece Fully Tempered Glass, Add	2.41	
08 81 23 23-0048	SF		3/8" Thick, Laminated Glass With PVB Interlayer, Field Installed Glass	31.52	
			For >50 To 200, Deduct	-0.45	
			For >200 To 400, Deduct	-0.90	
			For >400, Deduct	-1.35	
			For Glass Removal And Preparing Opening For New Glazing, Add	16.48	
			For Tinted Glass, Add	3.76	
			For Reflective Coated Glass, Add	6.77	
			For Low-E Coated Glass, Add	3.76	
			For One Piece Heat Strengthened Glass, Add	3.01	
			For One Piece Fully Tempered Glass, Add	3.01	
08 81 23 23-0049	SF		1/2" Thick, Laminated Glass With PVB Interlayer, Field Installed Glass	38.65	
			For >50 To 200, Deduct	-0.61	
			For >200 To 400, Deduct	-1.23	
			For >400, Deduct	-1.84	
			For Glass Removal And Preparing Opening For New Glazing, Add	18.21	
			For Tinted Glass, Add	5.11	
			For Reflective Coated Glass, Add	9.20	
			For Low-E Coated Glass, Add	5.11	
			For One Piece Heat Strengthened Glass, Add	4.09	
			For One Piece Fully Tempered Glass, Add	4.09	
08 81 23 23-0050	SF		9/16" Thick, Laminated Glass With PVB Interlayer, Field Installed Glass	41.63	
			For >50 To 200, Deduct	-0.69	
			For >200 To 400, Deduct	-1.38	
			For >400, Deduct	-2.07	
			For Glass Removal And Preparing Opening For New Glazing, Add	18.64	
			For Tinted Glass, Add	5.75	
			For Reflective Coated Glass, Add	10.35	
			For Low-E Coated Glass, Add	5.75	
			For One Piece Heat Strengthened Glass, Add	4.60	
			For One Piece Fully Tempered Glass, Add	4.60	
08 81 23 23-0051			Insulated Field Installed Glass (08 81 23 23)		
08 81 23 23-0052			Insulated Glass, Field Installed Glass (08 81 23 23-0051)		
			Note: Type I, Class I, Quality Q3.		



Openings	08	08
Glazing	08 80	
Glass Glazing	08 81	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 81 23 23-0053 3/16" Air Space, Insulated, Field Installed Glass <small>(08 81 23 23-0052)</small> Note: Type I, Class I, Quality Q3.		
08 81 23 23-0054 SF 3/8" Thick, Insulated Field Installed Glass22.55 Note: Two 3/32" lites with 3/16" air space.		
For >50 To 200, Deduct	-0.24	
For >200 To 400, Deduct	-0.48	
For >400, Deduct	-0.72	
For Glass Removal And Preparing Opening For New Glazing, Add	14.57	
For Tinted Glass, Add	2.00	
For Reflective Coated Glass, Add	3.59	
For Low-E Coated Glass, Add	2.00	
For One Piece Heat Strengthened Glass, Add	1.60	
For One Piece Fully Tempered Glass, Add	1.60	
For One Piece Obscure Glass, Add	3.39	
For Argon Gas, Add	1.10	
08 81 23 23-0055 SF 1/2" Thick, Insulated Field Installed Glass23.89 Note: One 3/16" lite and one 1/8" lite with 3/16" air space.		
For >50 To 200, Deduct	-0.26	
For >200 To 400, Deduct	-0.52	
For >400, Deduct	-0.78	
For Glass Removal And Preparing Opening For New Glazing, Add	15.17	
For Tinted Glass, Add	2.18	
For Reflective Coated Glass, Add	3.92	
For Low-E Coated Glass, Add	2.18	
For One Piece Heat Strengthened Glass, Add	1.74	
For One Piece Fully Tempered Glass, Add	1.74	
For One Piece Obscure Glass, Add	3.71	
For Argon Gas, Add	1.20	
08 81 23 23-0056 SF 9/16" Thick, Insulated Field Installed Glass24.17 Note: Two 3/16" lites with 3/16" air space.		
For >50 To 200, Deduct	-0.26	
For >200 To 400, Deduct	-0.52	
For >400, Deduct	-0.79	
For Glass Removal And Preparing Opening For New Glazing, Add	15.43	
For Tinted Glass, Add	2.19	
For Reflective Coated Glass, Add	3.93	
For Low-E Coated Glass, Add	2.19	
For One Piece Heat Strengthened Glass, Add	1.75	
For One Piece Fully Tempered Glass, Add	1.75	
For One Piece Obscure Glass, Add	3.71	
For Argon Gas, Add	1.20	
08 81 23 23-0057 1/4" Air Space, Insulated, Field Installed Glass <small>(08 81 23 23-0052)</small> Note: Type I, Class I, Quality Q3.		
08 81 23 23-0058 SF 7/16" Thick, Insulated Field Installed Glass23.05 Note: Two 3/32" lites with 1/4" air space.		
For >50 To 200, Deduct	-0.25	
For >200 To 400, Deduct	-0.49	
For >400, Deduct	-0.74	
For Glass Removal And Preparing Opening For New Glazing, Add	14.83	
For Tinted Glass, Add	2.06	
For Reflective Coated Glass, Add	3.70	
For Low-E Coated Glass, Add	2.06	
For One Piece Heat Strengthened Glass, Add	1.64	
For One Piece Fully Tempered Glass, Add	1.64	
For One Piece Obscure Glass, Add	3.49	
For Argon Gas, Add	1.13	
08 81 23 23-0059 SF 1/2" Thick, Insulated Field Installed Glass23.89 Note: Two 1/8" lites with 1/4" air space.		
For >50 To 200, Deduct	-0.26	
For >200 To 400, Deduct	-0.52	
For >400, Deduct	-0.78	
For Glass Removal And Preparing Opening For New Glazing, Add	15.17	
For Tinted Glass, Add	2.18	
For Reflective Coated Glass, Add	3.92	
For Low-E Coated Glass, Add	2.18	
For One Piece Heat Strengthened Glass, Add	1.74	
For One Piece Fully Tempered Glass, Add	1.74	
For One Piece Obscure Glass, Add	3.71	
For Argon Gas, Add	1.20	
08 81 23 23-0060 SF 5/8" Thick, Insulated Field Installed Glass25.02 Note: Two 3/16" lites with 1/4" air space.		
For >50 To 200, Deduct	-0.26	
For >200 To 400, Deduct	-0.53	
For >400, Deduct	-0.79	
For Glass Removal And Preparing Opening For New Glazing, Add	16.20	
For Tinted Glass, Add	2.21	
For Reflective Coated Glass, Add	3.97	
For Low-E Coated Glass, Add	2.21	
For One Piece Heat Strengthened Glass, Add	1.76	
For One Piece Fully Tempered Glass, Add	1.76	
For One Piece Obscure Glass, Add	3.75	
For Argon Gas, Add	1.21	

08 Openings**08 80 Glazing****08 81 Glass Glazing**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 81 23 23-0061	SF		5/8" Thick, Insulated Field Installed Glass.....	25.02	
			Note: One 1/4" lite and one 1/8" lite with 1/4" air space.		
			For >50 To 200, Deduct	-0.26	
			For >200 To 400, Deduct	-0.53	
			For >400, Deduct	-0.79	
			For Glass Removal And Preparing Opening For New Glazing, Add	16.20	
			For Tinted Glass, Add	2.21	
			For Reflective Coated Glass, Add	3.97	
			For Low-E Coated Glass, Add	2.21	
			For One Piece Heat Strengthened Glass, Add	1.76	
			For One Piece Fully Tempered Glass, Add	1.76	
			For One Piece Obscure Glass, Add	3.75	
			For Argon Gas, Add	1.21	
08 81 23 23-0062	SF		3/4" Thick, Insulated Field Installed Glass.....	26.91	
			Note: Two 1/4" lites with 1/4" air space.		
			For >50 To 200, Deduct	-0.28	
			For >200 To 400, Deduct	-0.55	
			For >400, Deduct	-0.83	
			For Glass Removal And Preparing Opening For New Glazing, Add	17.67	
			For Tinted Glass, Add	2.31	
			For Reflective Coated Glass, Add	4.16	
			For Low-E Coated Glass, Add	2.31	
			For One Piece Heat Strengthened Glass, Add	1.85	
			For One Piece Fully Tempered Glass, Add	1.85	
			For One Piece Obscure Glass, Add	3.93	
			For Argon Gas, Add	1.27	
08 81 23 23-0063			3/8" Air Space, Insulated, Field Installed Glass (08 81 23 23-0052)		
			Note: Type I, Class I, Quality Q3.		
08 81 23 23-0064	SF		5/8" Thick, Insulated Field Installed Glass.....	25.02	
			Note: Two 1/8" lites with 3/8" air space.		
			For >50 To 200, Deduct	-0.26	
			For >200 To 400, Deduct	-0.53	
			For >400, Deduct	-0.79	
			For Glass Removal And Preparing Opening For New Glazing, Add	16.20	
			For Tinted Glass, Add	2.21	
			For Reflective Coated Glass, Add	3.97	
			For Low-E Coated Glass, Add	2.21	
			For One Piece Heat Strengthened Glass, Add	1.76	
			For One Piece Fully Tempered Glass, Add	1.76	
			For One Piece Obscure Glass, Add	3.75	
			For Argon Gas, Add	1.21	
08 81 23 23-0065	SF		3/4" Thick, Insulated Field Installed Glass.....	26.91	
			Note: Two 3/16" lites with 3/8" air space.		
			For >50 To 200, Deduct	-0.28	
			For >200 To 400, Deduct	-0.55	
			For >400, Deduct	-0.83	
			For Glass Removal And Preparing Opening For New Glazing, Add	17.67	
			For Tinted Glass, Add	2.31	
			For Reflective Coated Glass, Add	4.16	
			For Low-E Coated Glass, Add	2.31	
			For One Piece Heat Strengthened Glass, Add	1.85	
			For One Piece Fully Tempered Glass, Add	1.85	
			For One Piece Obscure Glass, Add	3.93	
			For Argon Gas, Add	1.27	
08 81 23 23-0066	SF		7/8" Thick, Insulated Field Installed Glass.....	28.29	
			Note: Two 1/4" lites with 3/8" air space.		
			For >50 To 200, Deduct	-0.31	
			For >200 To 400, Deduct	-0.62	
			For >400, Deduct	-0.92	
			For Glass Removal And Preparing Opening For New Glazing, Add	18.04	
			For Tinted Glass, Add	2.56	
			For Reflective Coated Glass, Add	4.61	
			For Low-E Coated Glass, Add	2.56	
			For One Piece Heat Strengthened Glass, Add	2.05	
			For One Piece Fully Tempered Glass, Add	2.05	
			For One Piece Obscure Glass, Add	4.36	
			For Argon Gas, Add	1.41	
08 81 23 23-0067			1/2" Air Space, Insulated, Field Installed Glass (08 81 23 23-0052)		
			Note: Type I, Class I, Quality Q3.		
08 81 23 23-0068	SF		3/4" Thick, Insulated Field Installed Glass.....	26.91	
			Note: Two 1/8" lites with 1/2" air space.		
			For >50 To 200, Deduct	-0.28	
			For >200 To 400, Deduct	-0.55	
			For >400, Deduct	-0.83	
			For Glass Removal And Preparing Opening For New Glazing, Add	17.67	
			For Tinted Glass, Add	2.31	
			For Reflective Coated Glass, Add	4.16	
			For Low-E Coated Glass, Add	2.31	
			For One Piece Heat Strengthened Glass, Add	1.85	
			For One Piece Fully Tempered Glass, Add	1.85	
			For One Piece Obscure Glass, Add	3.93	
			For Argon Gas, Add	1.27	



Openings	08	08
Glazing	08 80	
Glass Glazing	08 81	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 81 23 23-0069 SF 7/8" Thick, Insulated Field Installed Glass Note: Two 3/16" lites with 1/2" air space.	28.29	
For >50 To 200, Deduct	-0.31	
For >200 To 400, Deduct	-0.62	
For >400, Deduct	-0.92	
For Glass Removal And Preparing Opening For New Glazing, Add	18.04	
For Tinted Glass, Add	2.56	
For Reflective Coated Glass, Add	4.61	
For Low-E Coated Glass, Add	2.56	
For One Piece Heat Strengthened Glass, Add	2.05	
For One Piece Fully Tempered Glass, Add	2.05	
For One Piece Obscure Glass, Add	4.36	
For Argon Gas, Add	1.41	
08 81 23 23-0070 SF 7/8" Thick, Insulated Field Installed Glass Note: One 1/4" lite and one 1/8" lite with 1/2" air space.	28.29	
For >50 To 200, Deduct	-0.31	
For >200 To 400, Deduct	-0.62	
For >400, Deduct	-0.92	
For Glass Removal And Preparing Opening For New Glazing, Add	18.04	
For Tinted Glass, Add	2.56	
For Reflective Coated Glass, Add	4.61	
For Low-E Coated Glass, Add	2.56	
For One Piece Heat Strengthened Glass, Add	2.05	
For One Piece Fully Tempered Glass, Add	2.05	
For One Piece Obscure Glass, Add	4.36	
For Argon Gas, Add	1.41	
08 81 23 23-0071 SF 1" Thick, Insulated Field Installed Glass Note: Two 1/4" lites with 1/2" air space.	29.42	
For >50 To 200, Deduct	-0.34	
For >200 To 400, Deduct	-0.67	
For >400, Deduct	-1.01	
For Glass Removal And Preparing Opening For New Glazing, Add	18.21	
For Tinted Glass, Add	2.80	
For Reflective Coated Glass, Add	5.04	
For Low-E Coated Glass, Add	2.80	
For One Piece Heat Strengthened Glass, Add	2.24	
For One Piece Fully Tempered Glass, Add	2.24	
For One Piece Obscure Glass, Add	4.76	
For Argon Gas, Add	1.54	
08 81 23 23-0072 Laminated Insulated Glass, Field Installed Glass (08 81 23 23-0051)		
08 81 23 23-0073 SF 1-5/16" Thick, Laminated Insulating Glass, Field Installed Glass Note: Insulated glass units consisting of 1/4" thick inner pane, 1/2" air gap, and outer laminated pane of .060" PVB film between two layers 1/4" thick glass.	68.67	
For >50 To 200, Deduct	-1.34	
For >200 To 400, Deduct	-2.69	
For >400, Deduct	-4.03	
For Glass Removal And Preparing Opening For New Glazing, Add	23.85	
For Tinted Glass, Add	11.21	
For Reflective Coated Glass, Add	20.17	
For Low-E Coated Glass, Add	11.21	
For Argon Gas, Add	6.16	
08 81 23 23-0074 Spandrel Field Installed Glass (08 81 23 23)		
08 81 23 23-0075 Monolithic Float Glass Panels Ceramic Back, Coated, Field Installed Glass (08 81 23 23-0074)		
08 81 23 23-0076 SF 1/4" - 5/16" Spandrel Glass, Up To 1,000 SF, Field Installed Glass For Glass Removal And Preparing Opening For New Glazing, Add	24.20 14.45	
08 81 23 23-0077 SF 1/4" - 5/16" Spandrel Glass, >1,000 SF, Field Installed Glass For Glass Removal And Preparing Opening For New Glazing, Add	22.11 14.45	
08 81 23 23-0078 Insulating Float Glass Panels Ceramic Back, Coated, Tempered, Field Installed Glass (08 81 23 23-0074)		
08 81 23 23-0079 1/4" Glass With 1" Fiberglass Insulation, Field Installed Glass (08 81 23 23-0078) Note: Also with aluminum foil vapor barrier.		
08 81 23 23-0080 SF 1/4" Spandrel Glass With 1" Fiberglass Insulation Up To 20,000 SF, Foil Vapor Barrier, Field Installed Glass For Glass Removal And Preparing Opening For New Glazing, Add	26.38 14.45	
08 81 23 23-0081 SF 1/4" Spandrel Glass With 1" Fiberglass Insulation >20,000 SF, Foil Vapor Barrier, Field Installed Glass For Glass Removal And Preparing Opening For New Glazing, Add	24.01 14.45	
08 81 23 23-0082 1/4" Glass With 3/4 To 7/8" Insulation, Field Installed Glass (08 81 23 23-0078)		
08 81 23 23-0083 SF 1/4" Spandrel Glass, 3/4" - 7/8" Insulation 24 Gauge Steel Interfacing, Field Installed Glass For Glass Removal And Preparing Opening For New Glazing, Add	30.49 14.45	
08 81 23 23-0084 SF 1/4" Spandrel Glass, 3/4" - 7/8" Insulation 16 Gauge Steel Interfacing, Field Installed Glass For Glass Removal And Preparing Opening For New Glazing, Add	25.84 14.45	
08 83 Mirrors (08 80) Note: Kind FT, Type I, Class I, Quality Q1.		

08	08	Openings
	08 80	Glazing
	08 83	Mirrors



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 83 13			Mirrored Glass Glazing (08 83)		
08 83 13 00-0001			Mirror Glass (08 83 13)		
08 83 13 00-0002			One-Way Vision Glass (Transparent Mirrors) (08 83 13 00-0001)		
08 83 13 00-0003	SF		1/4" One-Way Vision Glass (Transparent Mirrors).....	40.07	6.50
			For >50 To 200, Deduct	-0.82	
			For >200 To 400, Deduct	-1.36	
			For >400, Deduct	-2.18	
08 83 13 00-0004			Tempered, One-Way Vision Glass (Transparent Mirrors) (08 83 13 00-0001)		
08 83 13 00-0005	SF		1/4" Tempered, One-Way Vision Glass (Transparent Mirrors).....	52.57	6.50
			For >50 To 200, Deduct	-1.19	
			For >200 To 400, Deduct	-1.99	
			For >400, Deduct	-3.18	
08 83 13 00-0006			Clear Mirror Glass (08 83 13 00-0001)		
08 83 13 00-0007	SF		1/8" Clear Mirror Glass.....	16.45	5.20
			For >50 To 200, Deduct	-0.18	
			For >200 To 400, Deduct	-0.30	
			For >400, Deduct	-0.48	
08 83 13 00-0008	SF		3/16" Clear Mirror Glass.....	19.28	6.07
			For >50 To 200, Deduct	-0.22	
			For >200 To 400, Deduct	-0.37	
			For >400, Deduct	-0.59	
08 83 13 00-0009	SF		1/4" Clear Mirror Glass.....	21.01	6.50
			For >50 To 200, Deduct	-0.24	
			For >200 To 400, Deduct	-0.41	
			For >400, Deduct	-0.65	
08 83 13 00-0010			Tempered, Clear Mirror Glass (08 83 13 00-0001)		
08 83 13 00-0011	SF		1/8" Tempered, Clear Mirror Glass.....	23.37	5.20
			For >50 To 200, Deduct	-0.39	
			For >200 To 400, Deduct	-0.65	
			For >400, Deduct	-1.04	
08 83 13 00-0012	SF		3/16" Tempered, Clear Mirror Glass.....	26.61	6.07
			For >50 To 200, Deduct	-0.44	
			For >200 To 400, Deduct	-0.73	
			For >400, Deduct	-1.17	
08 83 13 00-0013	SF		1/4" Tempered, Clear Mirror Glass.....	29.18	6.50
			For >50 To 200, Deduct	-0.49	
			For >200 To 400, Deduct	-0.82	
			For >400, Deduct	-1.31	
08 83 13 00-0014			Clear Mirror Glass With Laminated Safety Backing (08 83 13 00-0001)		
08 83 13 00-0015	SF		1/4" Clear Mirror Glass With Laminated Safety Backing.....	26.83	6.50
			For >50 To 200, Deduct	-0.42	
			For >200 To 400, Deduct	-0.70	
			For >400, Deduct	-1.12	
08 83 13 00-0016			Laminated Safety Mirror Glass (08 83 13 00-0001)		
			Note: Clear glass laminated to face of mirror with PVB interlayer.		
08 83 13 00-0017	SF		1/4" Laminated Safety Mirror Glass.....	48.61	6.50
			For >50 To 200, Deduct	-1.07	
			For >200 To 400, Deduct	-1.79	
			For >400, Deduct	-2.86	
08 83 13 00-0018			Accessories For Mirror Glass (08 83 13)		
08 83 13 00-0019	LF		1/8" Aluminum J-Channel For Mounting Mirror Glass.....	4.21	
08 83 13 00-0020	LF		3/16" Aluminum J-Channel For Mounting Mirror Glass.....	4.29	
08 83 13 00-0021	LF		1/4" Aluminum J-Channel For Mounting Mirror Glass.....	5.38	
08 83 13 00-0022	LF		Aluminum Frame For Mounting Mirror Glass.....	6.91	
08 84			Plastic Glazing (08 80)		
08 84 00 00-0001			Clear Polycarbonate Glazing (GE Lexan) (08 84)		
08 84 00 00-0002	SF		1/8" Thick, Clear Polycarbonate Glazing (GE Lexan).....	14.72	
			For >50 To 200, Deduct	-0.33	
			For >200 To 400, Deduct	-0.65	
			For >400, Deduct	-0.98	
			For Glass Removal And Preparing Opening For New Glazing, Add	8.18	
08 84 00 00-0003	SF		3/16" Thick, Clear Polycarbonate Glazing (GE Lexan).....	15.50	
			For >50 To 200, Deduct	-0.35	
			For >200 To 400, Deduct	-0.70	
			For >400, Deduct	-1.05	
			For Glass Removal And Preparing Opening For New Glazing, Add	8.50	



Openings	08	08
Glazing	08 80	
Plastic Glazing	08 84	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 84 00 00-0004 SF 1/4" Thick, Clear Polycarbonate Glazing (GE Lexan)	18.33	
For >50 To 200, Deduct	-0.47	
For >200 To 400, Deduct	-0.95	
For >400, Deduct	-1.42	
For Glass Removal And Preparing Opening For New Glazing, Add	8.84	
08 84 00 00-0005 SF 3/8" Thick, Clear Polycarbonate Glazing (GE Lexan)	26.13	
For >50 To 200, Deduct	-0.85	
For >200 To 400, Deduct	-1.70	
For >400, Deduct	-2.56	
For Glass Removal And Preparing Opening For New Glazing, Add	9.09	
08 84 00 00-0006 SF 1/2" Thick, Clear Polycarbonate Glazing (GE Lexan)	32.90	
For >50 To 200, Deduct	-1.16	
For >200 To 400, Deduct	-2.32	
For >400, Deduct	-3.47	
For Glass Removal And Preparing Opening For New Glazing, Add	9.75	
08 84 00 00-0007 Mar-Resistant, Clear Polycarbonate Glazing (GE Lexan MR10) (08 84)		
08 84 00 00-0008 SF 1/8" Thick, Mar-Resistant, Clear Polycarbonate Glazing (GE Lexan MR10).....	21.62	
For >50 To 200, Deduct	-0.67	
For >200 To 400, Deduct	-1.34	
For >400, Deduct	-2.02	
For Glass Removal And Preparing Opening For New Glazing, Add	8.18	
08 84 00 00-0009 SF 3/16" Thick, Mar-Resistant, Clear Polycarbonate Glazing (GE Lexan MR10).....	25.03	
For >50 To 200, Deduct	-0.83	
For >200 To 400, Deduct	-1.65	
For >400, Deduct	-2.48	
For Glass Removal And Preparing Opening For New Glazing, Add	8.50	
08 84 00 00-0010 SF 1/4" Thick, Mar-Resistant, Clear Polycarbonate Glazing (GE Lexan MR10).....	26.43	
For >50 To 200, Deduct	-0.88	
For >200 To 400, Deduct	-1.76	
For >400, Deduct	-2.64	
For Glass Removal And Preparing Opening For New Glazing, Add	8.84	
08 84 00 00-0011 SF 3/8" Thick, Mar-Resistant, Clear Polycarbonate Glazing (GE Lexan MR10).....	43.07	
For >50 To 200, Deduct	-1.70	
For >200 To 400, Deduct	-3.40	
For >400, Deduct	-5.10	
For Glass Removal And Preparing Opening For New Glazing, Add	9.09	
08 84 00 00-0012 SF 1/2" Thick, Mar-Resistant, Clear Polycarbonate Glazing (GE Lexan MR10).....	45.77	
For >50 To 200, Deduct	-1.80	
For >200 To 400, Deduct	-3.60	
For >400, Deduct	-5.40	
For Glass Removal And Preparing Opening For New Glazing, Add	9.75	
08 84 00 00-0013 Clear Acrylic Glazing (Plexiglas) (08 84)		
08 84 00 00-0014 SF 1/10" Thick, Clear Acrylic Glazing (Plexiglas)	11.43	
For >50 To 200, Deduct	-0.18	
For >200 To 400, Deduct	-0.36	
For >400, Deduct	-0.54	
For Glass Removal And Preparing Opening For New Glazing, Add	7.81	
For Colored, Add	0.72	
For Shatterproof, Add	2.17	
For Mirrored, Add	2.90	
08 84 00 00-0015 SF 1/8" Thick, Clear Acrylic Glazing (Plexiglas)	11.85	
For >50 To 200, Deduct	-0.18	
For >200 To 400, Deduct	-0.37	
For >400, Deduct	-0.55	
For Glass Removal And Preparing Opening For New Glazing, Add	8.18	
For Colored, Add	0.73	
For Shatterproof, Add	2.20	
For Mirrored, Add	2.94	
08 84 00 00-0016 SF 3/16" Thick, Clear Acrylic Glazing (Plexiglas)	14.22	
For >50 To 200, Deduct	-0.29	
For >200 To 400, Deduct	-0.57	
For >400, Deduct	-0.86	
For Glass Removal And Preparing Opening For New Glazing, Add	8.50	
For Colored, Add	1.14	
For Shatterproof, Add	3.43	
For Mirrored, Add	4.58	
08 84 00 00-0017 SF 1/4" Thick, Clear Acrylic Glazing (Plexiglas)	16.38	
For >50 To 200, Deduct	-0.38	
For >200 To 400, Deduct	-0.75	
For >400, Deduct	-1.13	
For Glass Removal And Preparing Opening For New Glazing, Add	8.84	
For Colored, Add	1.51	
For Shatterproof, Add	4.52	
For Mirrored, Add	6.03	
08 84 00 00-0018 SF 5/16" Thick, Clear Acrylic Glazing (Plexiglas)	16.79	
For >50 To 200, Deduct	-0.40	
For >200 To 400, Deduct	-0.79	
For >400, Deduct	-1.19	
For Glass Removal And Preparing Opening For New Glazing, Add	8.89	
For Colored, Add	1.58	
For Shatterproof, Add	4.74	
For Mirrored, Add	6.32	

08	08	Openings
	08 80	Glazing
	08 84	Plastic Glazing



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 84 00 00-0019 SF 3/8" Thick, Clear Acrylic Glazing (Plexiglas)	17.35	
For >50 To 200, Deduct	-0.41	
For >200 To 400, Deduct	-0.83	
For >400, Deduct	-1.24	
For Glass Removal And Preparing Opening For New Glazing, Add	9.09	
For Colored, Add	1.65	
For Shatterproof, Add	4.96	
For Mirrored, Add	6.61	
08 84 00 00-0020 SF 1/2" Thick, Clear Acrylic Glazing (Plexiglas)	20.67	
For >50 To 200, Deduct	-0.55	
For >200 To 400, Deduct	-1.09	
For >400, Deduct	-1.64	
For Glass Removal And Preparing Opening For New Glazing, Add	9.75	
For Colored, Add	2.18	
For Shatterproof, Add	6.55	
For Mirrored, Add	8.74	
08 84 00 00-0021 SF 3/4" Thick, Clear Acrylic Glazing (Plexiglas)	29.36	
For >50 To 200, Deduct	-0.85	
For >200 To 400, Deduct	-1.70	
For >400, Deduct	-2.55	
For Glass Removal And Preparing Opening For New Glazing, Add	12.35	
08 84 00 00-0022 SF 1" Thick, Clear Acrylic Glazing (Plexiglas)	39.57	
For >50 To 200, Deduct	-1.31	
For >200 To 400, Deduct	-2.62	
For >400, Deduct	-3.92	
For Glass Removal And Preparing Opening For New Glazing, Add	13.41	

08 85 Glazing Accessories (08 80)

Note: Applicable to reglazing tasks only, new window installations include the gasket.

08 85 00 00-0001 Framing For Glass Windscreens (08 85)

Note: Excludes glazing.

08 85 00 00-0002 LF 1-1/4" x 1-1/2" Aluminum Framed Window Walls	28.29	1.83
For Bronze Anodized Aluminum, Add	3.49	
For Stainless Steel, Add	14.20	
For Black Anodized Finish, Add	6.28	
08 85 00 00-0003 LF 1-1/2" x 2" Aluminum Framed Window Walls	35.05	2.29
For Bronze Anodized Aluminum, Add	4.43	
For Stainless Steel, Add	18.01	
For Black Anodized Finish, Add	7.98	
08 85 00 00-0004 LF 1-1/2" x 3" Aluminum Framed Window Walls	41.74	1.83
For Bronze Anodized Aluminum, Add	5.30	
For Stainless Steel, Add	21.51	
For Black Anodized Finish, Add	9.54	
08 85 00 00-0005 LF 1-1/2" x 4" Aluminum Framed Window Walls	50.46	2.75
For Bronze Anodized Aluminum, Add	6.33	
For Stainless Steel, Add	25.74	
For Black Anodized Finish, Add	11.40	
08 85 00 00-0006 LF 2" x 3" Aluminum Framed Window Walls	51.75	2.29
For Bronze Anodized Aluminum, Add	6.73	
For Stainless Steel, Add	27.27	
For Black Anodized Finish, Add	12.12	
08 85 00 00-0007 LF 2" x 4" Aluminum Framed Window Walls	62.77	2.75
For Bronze Anodized Aluminum, Add	8.04	
For Stainless Steel, Add	32.62	
For Black Anodized Finish, Add	14.47	

08 87 Glazing Surface Films (08 80)

08 87 13 Solar Control Films (08 87)

Note: Applied directly to one side of glazing with adhesive.

08 87 13 00-0001 Window Tinting And Film (08 87 13)

Note: Applied directly to one side of glazing with adhesive. Includes cleaning of window glazing prior to installation.

08 87 13 00-0002 SF 20% VLT, Bronze Window Tinting Film	7.95
08 87 13 00-0003 SF 50% VLT, Bronze Window Tinting Film	7.95
08 87 13 00-0004 SF Tinted, Abrasion Resistant, Solar Control Window Film (3M Scotchtint™)	12.02
08 87 13 00-0005 SF Low E, Abrasion Resistant, Solar Control Window Film (3M Scotchtint™)	12.38

08 87 23 Safety And Security Films (08 87)

08 87 23 16 Security Films (08 87 23)

Note: Applied directly to one side of glazing with adhesive and secured at window frame with clear silicone adhesive.

08 87 23 16-0001 High Performance, Security And Safety Glazing Films (08 87 23 16)

Note: Includes cleaning of window glazing prior to installation.

08 87 23 16-0002 Clear, High Performance, Security And Safety Glazing Films (08 87 23 16-0001)

08 87 23 16-0003 SF 0.002" Clear, High Performance, Security And Safety Glazing Film (3M Scotchshield™ SCLARL150)	12.19
For >1,000 To 5,000, Deduct	-0.56
For >5,000, Deduct	-0.77



Openings	08	08
Glazing	08 80	
Glazing Surface Films	08 87	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 87 23 16-0004	SF		0.004" Clear, High Performance, Security And Safety Glazing Film (3M Scotchshield™ SCLARL400) <i>For >1,000 To 5,000, Deduct</i> <i>For >5,000, Deduct</i>	12.87 -0.59 -0.83	
08 87 23 16-0005	SF		0.006" Clear, High Performance, Security And Safety Glazing Film (3M Scotchshield™ Ultra600)..... <i>For >1,000 To 5,000, Deduct</i> <i>For >5,000, Deduct</i>	13.82 -0.62 -0.93	
08 87 23 16-0006			Tinted, High Performance Sun/Solar, Security And Safety Glazing Films (08 87 23 16-0001)		
08 87 23 16-0007	SF		0.004" Silver, 20% Transmission, High Performance Sun/Solar, Security And Safety Glazing Film (3M Scotchshield™ S20SIAR400) <i>For >1,000 To 5,000, Deduct</i> <i>For >5,000, Deduct</i>	13.63 -0.62 -0.91	
08 87 23 16-0008	SF		0.004" Neutral, 35% Transmission, High Performance Sun/Solar, Security And Safety Glazing Film (3M Scotchshield™ S35NEAR400) <i>For >1,000 To 5,000, Deduct</i> <i>For >5,000, Deduct</i>	13.63 -0.62 -0.91	
08 87 23 16-0009	SF		0.004" Neutral, 50% Transmission, High Performance Sun/Solar, Security And Safety Glazing Film (3M Scotchshield™ S50NEAR400) <i>For >1,000 To 5,000, Deduct</i> <i>For >5,000, Deduct</i>	13.63 -0.62 -0.91	
08 87 23 16-0010			Security And Safety Glazing Films (08 87 23 16) Note: Includes cleaning of window glazing prior to installation.		
08 87 23 16-0011	SF		0.007" Clear Security And Safety Glazing Film (3M Scotchshield™ SH7CLARL) <i>For >1,000 To 5,000, Deduct</i> <i>For >5,000, Deduct</i>	11.43 -0.54 -0.69	
08 87 23 16-0012	SF		0.008" Clear Security And Safety Glazing Film (3M Scotchshield™ SH8CLARL) <i>For >1,000 To 5,000, Deduct</i> <i>For >5,000, Deduct</i>	11.62 -0.54 -0.71	
08 87 23 16-0013	SF		0.014" Clear Security And Safety Glazing Film (3M Scotchshield™ SH14CLARL) <i>For >1,000 To 5,000, Deduct</i> <i>For >5,000, Deduct</i>	13.34 -0.61 -0.88	
08 87 23 16-0014			Anti-Graffiti Glazing Films (08 87 23 16) Note: Includes cleaning of window glazing prior to installation.		
08 87 23 16-0015	SF		0.004" Clear Anti-Graffiti Glazing Film (3M Scotchgard™ AG-4) <i>For >1,000 To 5,000, Deduct</i> <i>For >5,000, Deduct</i>	11.43 -0.54 -0.69	
08 87 23 16-0016	SF		0.007" Clear Anti-Graffiti Glazing Film (3M Scotchgard™ AG-7) <i>For >1,000 To 5,000, Deduct</i> <i>For >5,000, Deduct</i>	11.62 -0.54 -0.71	
08 88			Special Function Glazing (08 88)		
08 88 53			Security Glazing (08 88)		
08 88 53 00-0001			Forced Entry And/Or Ballistic Resistant All Glass Laminate (08 88 53)		
08 88 53 00-0002			Ballistic Resistant Glass (08 88 53 00-0001)		
08 88 53 00-0003	SF		1.28" All Glass Laminate Ballistic Resistant Glass, 16.2 LB/SF, For A Single Piece, Up To 15 SF <i>For Glass Removal And Preparing Opening For New Glazing, Add</i>	105.29 53.77	21.68
08 88 53 00-0004	SF		1.28" All Glass Laminate Ballistic Resistant Glass, 16.2 LB/SF, For A Single Piece, >15 SF <i>For Glass Removal And Preparing Opening For New Glazing, Add</i>	122.74 53.77	21.68
08 88 53 00-0005	SF		1.55" All Glass Laminate Ballistic Resistant Glass, 21.2 LB/SF, For A Single Piece, Up To 15 SF <i>For Glass Removal And Preparing Opening For New Glazing, Add</i>	139.18 60.71	24.28
08 88 53 00-0006	SF		1.55" All Glass Laminate Ballistic Resistant Glass, 21.2 LB/SF, For A Single Piece, >15 SF <i>For Glass Removal And Preparing Opening For New Glazing, Add</i>	153.76 60.71	24.28
08 88 53 00-0007	SF		2.05" All Glass Laminate Ballistic Resistant Glass, 26.1 LB/SF, For A Single Piece, Up To 15 SF <i>For Glass Removal And Preparing Opening For New Glazing, Add</i>	174.79 69.37	27.75
08 88 53 00-0008	SF		2.05" All Glass Laminate Ballistic Resistant Glass, 26.1 LB/SF, For A Single Piece, >15 SF <i>For Glass Removal And Preparing Opening For New Glazing, Add</i>	186.51 69.37	27.75
08 88 53 00-0009			Forced Entry Resistant Glass (08 88 53 00-0001)		
08 88 53 00-0010	SF		5/16" Forced Entry Resistant Laminated Glass Sheet <i>For Glass Removal And Preparing Opening For New Glazing, Add</i>	34.96 13.55	6.50
08 88 53 00-0011	SF		1/2" Forced Entry Resistant Laminated Glass Sheet <i>For Glass Removal And Preparing Opening For New Glazing, Add</i>	39.48 14.45	6.94
08 88 53 00-0012	SF		11/16" Forced Entry Resistant Laminated Glass Sheet <i>For Glass Removal And Preparing Opening For New Glazing, Add</i>	44.81 15.48	7.38
08 88 53 00-0013	SF		7/8" Forced Entry Resistant Laminated Glass Sheet <i>For Glass Removal And Preparing Opening For New Glazing, Add</i>	50.41 16.68	8.24
08 88 53 00-0014			Glass Clad Polycarbonate (08 88 53)		
08 88 53 00-0015	SF		0.75" Ballistic Resistant Glass/Poly, 7.84 LB/SF <i>For Glass Removal And Preparing Opening For New Glazing, Add</i>	152.80 65.91	26.02
08 88 53 00-0016	SF		0.8125" Ballistic Resistant Glass/Poly, 8.99 LB/SF <i>For Glass Removal And Preparing Opening For New Glazing, Add</i>	171.11 76.32	30.53

08	08	Openings
	08 80	Glazing
	08 88	Special Function Glazing



MINOR CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 88 53 00-0017	SF	0.9375" Ballistic Resistant Glass/Poly, 11.11 LB/SF..... <i>For Glass Removal And Preparing Opening For New Glazing, Add</i>	217.62 86.72	34.69
08 88 53 00-0018		Ballistic Resistant Acrylic <small>(08 88 53)</small>		
08 88 53 00-0019	SF	1.25" Ballistic Resistant Acrylic Glass, 7.7 LB/SF <i>For Glass Removal And Preparing Opening For New Glazing, Add</i>	257.75 65.91	26.02
08 88 53 00-0020	SF	1.378" Ballistic Resistant Acrylic Glass, 8.5 LB/SF <i>For Glass Removal And Preparing Opening For New Glazing, Add</i>	302.01 76.32	30.36
08 88 53 00-0021	SF	1.25" Ballistic Resistant Acrylic Glass, 7.5 LB/SF <i>For Glass Removal And Preparing Opening For New Glazing, Add</i>	402.69 86.72	34.69
08 88 53 00-0022		Ballistic Resistant Fiberglass <small>(08 88 53)</small>		
08 88 53 00-0023	SF	5/16" Ballistic Resistant Fiberglass, Level 1, 3.2 LB/SF <i>For Glass Removal And Preparing Opening For New Glazing, Add</i>	65.00 32.95	16.48
08 88 53 00-0024	SF	3/8" Ballistic Resistant Fiberglass, Level 2, 3.5 LB/SF <i>For Glass Removal And Preparing Opening For New Glazing, Add</i>	76.82 38.16	19.08
08 88 53 00-0025	SF	7/16" Ballistic Resistant Fiberglass, Level 3, 4.5 LB/SF <i>For Glass Removal And Preparing Opening For New Glazing, Add</i>	87.14 43.36	21.68
08 88 53 00-0026		Forced Entry And/Or Ballistic Resistant Polycarbonate <small>(08 88 53)</small>		
08 88 53 00-0027		Forced Entry Resistant Monolithic Polycarbonate <small>(08 88 53 00-0026)</small> Note: GE-Lexan MR10.		
08 88 53 00-0028	SF	1/2" Overall Nominal Thickness, H.P. White TP-0500.01..... Note: Level 1 or ASTM F1233, Class II (Step 5). <i>For Glass Removal And Preparing Opening For New Glazing, Add</i>	83.44 52.56	39.37
08 88 53 00-0029		Forced Entry Resistant Glass Clad Polycarbonate Laminate <small>(08 88 53 00-0026)</small> Note: Chemically strengthened clear glass laminated to each side of a polycarbonate core. GE-Insulgard.		
08 88 53 00-0030	SF	9/16" Overall Nominal Thickness, H.P. White TP-0500.01..... <i>For Glass Removal And Preparing Opening For New Glazing, Add</i>	103.18 65.05	26.01
08 88 53 00-0031		Forced Entry Resistant Polycarbonate Laminate <small>(08 88 53 00-0026)</small> Note: GE-Lexgard MPC-500.		
08 88 53 00-0032	SF	1/2" Overall Nominal Thickness, H.P. White TP-0500.01..... Note: Level II (Step 12) Or ASTM 1233 Class III (Step 15). <i>For Glass Removal And Preparing Opening For New Glazing, Add</i>	124.41 69.37	49.94
08 88 53 00-0033		Fire Resistant, Forced Entry Resistant Polycarbonate Laminate <small>(08 88 53 00-0026)</small> Note: Wire glass clad. Chemically strengthened wire glass laminated to each side of a polycarbonate core. GE-Firegard.		
08 88 53 00-0034	SF	7/8" Overall Nominal Thickness, H.P. White TP-0500.01..... Note: UL-9 Fire Resistant. <i>For Glass Removal And Preparing Opening For New Glazing, Add</i>	135.82 73.71	30.81
08 88 53 00-0035		Insulated, Forced Entry Resistant Polycarbonate Laminate <small>(08 88 53 00-0026)</small> Note: Glass clad. Chemically strengthened wire glass laminated to each side of a polycarbonate core. GE-Insulgard.		
08 88 53 00-0036	SF	1-5/16" Overall Nominal Thickness, H.P. White TP-0500.01 Note: Level I (1/4" tempered float glass, 1/2" airspace). <i>For Glass Removal And Preparing Opening For New Glazing, Add</i>	116.81 65.05	26.01
08 88 53 00-0037		Ballistic And Forced Entry Resistant Polycarbonate Laminate <small>(08 88 53 00-0026)</small>		
08 88 53 00-0038	SF	1" Nominal Thickness, Ballistic Or Forced Entry Resistant Note: 1" is the overall nominal thickness. (GE-Lexgard MP-1000) forced entry resistance: H.P. White TP-0500.01, level V (step 42) or ASTM 1233 class V (Step 40) ballistic resistance: UL 752, level 2-high powered small arms (.357 Magnum handgun). <i>For Glass Removal And Preparing Opening For New Glazing, Add</i>	268.10 143.96	57.93
08 88 53 00-0039	SF	1-1/4" Nominal Thickness, Ballistic Or Forced Entry Resistant Note: 1 1/4" is the overall nominal thickness. (GE-Lexgard MP-1000) forced entry resistance: H.P. White TP-0500.01, level V (Step 42) or ASTM 1233 class V (step 40) ballistic resistance: UL 752, level 3-super high powered small arms (.44 Magnum handgun). <i>For Glass Removal And Preparing Opening For New Glazing, Add</i>	271.04 143.96	57.93
08 88 53 00-0040		Ballistic Resistant Glass Clad Polycarbonate Laminate <small>(08 88 53 00-0026)</small> Note: Chemically strengthened clear glass laminated to attack side of a polycarbonate core.		
08 88 53 00-0041	SF	1-5/16" Overall Nominal Thickness, Ballistic Resistant Note: UL 752, Level 4 - Super High Powered Rifle (.30-06 Rifle), (GE-Armor-Gard). <i>For Glass Removal And Preparing Opening For New Glazing, Add</i>	178.74 97.13	36.72

08 90 Louvers And Vents (08)



Openings	08	08
Louvers And Vents	08 90	
Louvers	08 91	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 91 Louvers <small>(08 90)</small>		
08 91 13 Motorized Wall Louvers <small>(08 91)</small>		
08 91 13 00-0001 Motorized Wall Louver Actuator <small>(08 91 13)</small>		
See CSI section 08 91 16 00-0001 for adjustable intake wall louvers.		
08 91 13 00-0002 EA 115 Volt Actuator For Adjustable Intake Louver.....	1,225.31	77.83
08 91 13 00-0003 EA 230 Volt Actuator For Adjustable Intake Louver.....	1,863.90	77.83
08 91 13 00-0004 EA 24 Volt Actuator For Adjustable Intake Louver.....	1,316.34	77.83
08 91 13 00-0005 EA 115 Volt Hazardous Location Actuator For Adjustable Intake Louver.....	5,064.65	77.83
08 91 16 Operable Wall Louvers <small>(08 91)</small>		
08 91 16 00-0001 Adjustable Intake Wall Louvers <small>(08 91 16)</small>		
See CSI section 08 91 16 00-0137 for adjustable intake wall louver operators.		
08 91 16 00-0002 EA 12" Wide x 12" High Adjustable Intake Louver, Galvanized Aluminum.....	333.48	20.60
Note: Includes bird screen. Excludes actuator.		
For Flange Frame, Add	29.23	
For Clear Lacquer Finish, Add	58.45	
For Baked Enamel Standard Colors, Add	87.68	
For Anodized Finish, Add	116.91	
For Kynar® Standard Colors Finish, Add	160.75	
08 91 16 00-0003 EA 12" Wide x 18" High Adjustable Intake Louver, Galvanized Aluminum.....	416.59	25.18
Note: Includes bird screen. Excludes actuator.		
For Flange Frame, Add	36.62	
For Clear Lacquer Finish, Add	73.25	
For Baked Enamel Standard Colors, Add	109.87	
For Anodized Finish, Add	146.49	
For Kynar® Standard Colors Finish, Add	201.43	
08 91 16 00-0004 EA 12" Wide x 24" High Adjustable Intake Louver, Galvanized Aluminum.....	492.59	29.76
Note: Includes bird screen. Excludes actuator.		
For Flange Frame, Add	43.31	
For Clear Lacquer Finish, Add	86.61	
For Baked Enamel Standard Colors, Add	129.92	
For Anodized Finish, Add	173.23	
For Kynar® Standard Colors Finish, Add	238.19	
08 91 16 00-0005 EA 12" Wide x 30" High Adjustable Intake Louver, Galvanized Aluminum.....	576.41	34.34
Note: Includes bird screen. Excludes actuator.		
For Flange Frame, Add	50.77	
For Clear Lacquer Finish, Add	101.55	
For Baked Enamel Standard Colors, Add	152.32	
For Anodized Finish, Add	203.10	
For Kynar® Standard Colors Finish, Add	279.26	
08 91 16 00-0006 EA 12" Wide x 36" High Adjustable Intake Louver, Galvanized Aluminum.....	649.57	38.91
Note: Includes bird screen. Excludes actuator.		
For Flange Frame, Add	57.17	
For Clear Lacquer Finish, Add	114.35	
For Baked Enamel Standard Colors, Add	171.52	
For Anodized Finish, Add	228.70	
For Kynar® Standard Colors Finish, Add	314.46	
08 91 16 00-0007 EA 12" Wide x 42" High Adjustable Intake Louver, Galvanized Aluminum.....	766.10	43.49
Note: Includes bird screen. Excludes actuator.		
For Flange Frame, Add	67.91	
For Clear Lacquer Finish, Add	135.82	
For Baked Enamel Standard Colors, Add	203.74	
For Anodized Finish, Add	271.65	
For Kynar® Standard Colors Finish, Add	373.52	
08 91 16 00-0008 EA 12" Wide x 48" High Adjustable Intake Louver, Galvanized Aluminum.....	872.68	48.07
Note: Includes bird screen. Excludes actuator.		
For Flange Frame, Add	77.65	
For Clear Lacquer Finish, Add	155.31	
For Baked Enamel Standard Colors, Add	232.96	
For Anodized Finish, Add	310.62	
For Kynar® Standard Colors Finish, Add	427.10	
08 91 16 00-0009 EA 12" Wide x 54" High Adjustable Intake Louver, Galvanized Aluminum.....	969.61	54.94
Note: Includes bird screen. Excludes actuator.		
For Flange Frame, Add	85.97	
For Clear Lacquer Finish, Add	171.95	
For Baked Enamel Standard Colors, Add	257.92	
For Anodized Finish, Add	343.90	
For Kynar® Standard Colors Finish, Add	472.86	
08 91 16 00-0010 EA 12" Wide x 60" High Adjustable Intake Louver, Galvanized Aluminum.....	1,034.95	59.52
Note: Includes bird screen. Excludes actuator.		
For Flange Frame, Add	91.59	
For Clear Lacquer Finish, Add	183.18	
For Baked Enamel Standard Colors, Add	274.78	
For Anodized Finish, Add	366.37	
For Kynar® Standard Colors Finish, Add	503.76	
08 91 16 00-0011 EA 12" Wide x 66" High Adjustable Intake Louver, Galvanized Aluminum.....	1,116.65	64.09
Note: Includes bird screen. Excludes actuator.		
For Flange Frame, Add	98.85	
For Clear Lacquer Finish, Add	197.69	
For Baked Enamel Standard Colors, Add	296.54	
For Anodized Finish, Add	395.38	
For Kynar® Standard Colors Finish, Add	543.65	

08 Openings**08 90 Louvers And Vents****08 91 Louvers**

MINOR CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 91 16 00-0012	EA	12" Wide x 72" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	1,188.38	68.67
		<i>For Flange Frame, Add</i>	105.10	
		<i>For Clear Lacquer Finish, Add</i>	210.21	
		<i>For Baked Enamel Standard Colors, Add</i>	315.31	
		<i>For Anodized Finish, Add</i>	420.42	
		<i>For Kynar® Standard Colors Finish, Add</i>	578.07	
08 91 16 00-0013	EA	12" Wide x 78" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	1,280.03	73.25
		<i>For Flange Frame, Add</i>	113.35	
		<i>For Clear Lacquer Finish, Add</i>	226.71	
		<i>For Baked Enamel Standard Colors, Add</i>	340.06	
		<i>For Anodized Finish, Add</i>	453.41	
		<i>For Kynar® Standard Colors Finish, Add</i>	623.44	
08 91 16 00-0014	EA	12" Wide x 84" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	1,368.11	77.83
		<i>For Flange Frame, Add</i>	121.25	
		<i>For Clear Lacquer Finish, Add</i>	242.49	
		<i>For Baked Enamel Standard Colors, Add</i>	363.74	
		<i>For Anodized Finish, Add</i>	484.98	
		<i>For Kynar® Standard Colors Finish, Add</i>	666.85	
08 91 16 00-0015	EA	12" Wide x 90" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	1,477.84	84.70
		<i>For Flange Frame, Add</i>	130.85	
		<i>For Clear Lacquer Finish, Add</i>	261.69	
		<i>For Baked Enamel Standard Colors, Add</i>	392.54	
		<i>For Anodized Finish, Add</i>	523.38	
		<i>For Kynar® Standard Colors Finish, Add</i>	719.65	
08 91 16 00-0016	EA	12" Wide x 96" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	1,559.14	91.56
		<i>For Flange Frame, Add</i>	137.60	
		<i>For Clear Lacquer Finish, Add</i>	275.20	
		<i>For Baked Enamel Standard Colors, Add</i>	412.81	
		<i>For Anodized Finish, Add</i>	550.41	
		<i>For Kynar® Standard Colors Finish, Add</i>	756.81	
08 91 16 00-0017	EA	18" Wide x 12" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	374.63	25.18
		<i>For Flange Frame, Add</i>	32.43	
		<i>For Clear Lacquer Finish, Add</i>	64.85	
		<i>For Baked Enamel Standard Colors, Add</i>	97.28	
		<i>For Anodized Finish, Add</i>	129.71	
		<i>For Kynar® Standard Colors Finish, Add</i>	178.35	
08 91 16 00-0018	EA	18" Wide x 18" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	472.98	32.04
		<i>For Flange Frame, Add</i>	40.89	
		<i>For Clear Lacquer Finish, Add</i>	81.78	
		<i>For Baked Enamel Standard Colors, Add</i>	122.67	
		<i>For Anodized Finish, Add</i>	163.56	
		<i>For Kynar® Standard Colors Finish, Add</i>	224.89	
08 91 16 00-0019	EA	18" Wide x 24" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	554.68	36.62
		<i>For Flange Frame, Add</i>	48.14	
		<i>For Clear Lacquer Finish, Add</i>	96.29	
		<i>For Baked Enamel Standard Colors, Add</i>	144.43	
		<i>For Anodized Finish, Add</i>	192.57	
		<i>For Kynar® Standard Colors Finish, Add</i>	264.79	
08 91 16 00-0020	EA	18" Wide x 30" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	690.32	45.78
		<i>For Flange Frame, Add</i>	59.88	
		<i>For Clear Lacquer Finish, Add</i>	119.75	
		<i>For Baked Enamel Standard Colors, Add</i>	179.63	
		<i>For Anodized Finish, Add</i>	239.50	
		<i>For Kynar® Standard Colors Finish, Add</i>	329.32	
08 91 16 00-0021	EA	18" Wide x 36" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	784.81	50.36
		<i>For Flange Frame, Add</i>	68.41	
		<i>For Clear Lacquer Finish, Add</i>	136.82	
		<i>For Baked Enamel Standard Colors, Add</i>	205.23	
		<i>For Anodized Finish, Add</i>	273.64	
		<i>For Kynar® Standard Colors Finish, Add</i>	376.26	
08 91 16 00-0022	EA	18" Wide x 42" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	879.30	54.94
		<i>For Flange Frame, Add</i>	76.94	
		<i>For Clear Lacquer Finish, Add</i>	153.89	
		<i>For Baked Enamel Standard Colors, Add</i>	230.83	
		<i>For Anodized Finish, Add</i>	307.77	
		<i>For Kynar® Standard Colors Finish, Add</i>	423.19	
08 91 16 00-0023	EA	18" Wide x 48" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	992.29	59.52
		<i>For Flange Frame, Add</i>	87.33	
		<i>For Clear Lacquer Finish, Add</i>	174.65	
		<i>For Baked Enamel Standard Colors, Add</i>	261.98	
		<i>For Anodized Finish, Add</i>	349.30	
		<i>For Kynar® Standard Colors Finish, Add</i>	480.29	



Openings	08	08
Louvers And Vents	08 90	
Louvers	08 91	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 91 16 00-0024	EA		18" Wide x 54" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	1,100.60	66.38
			<i>For Flange Frame, Add</i>	96.78	
			<i>For Clear Lacquer Finish, Add</i>	193.57	
			<i>For Baked Enamel Standard Colors, Add</i>	290.35	
			<i>For Anodized Finish, Add</i>	387.13	
			<i>For Kynar® Standard Colors Finish, Add</i>	532.31	
08 91 16 00-0025	EA		18" Wide x 60" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	1,187.58	73.25
			<i>For Flange Frame, Add</i>	104.11	
			<i>For Clear Lacquer Finish, Add</i>	208.22	
			<i>For Baked Enamel Standard Colors, Add</i>	312.32	
			<i>For Anodized Finish, Add</i>	416.43	
			<i>For Kynar® Standard Colors Finish, Add</i>	572.59	
08 91 16 00-0026	EA		18" Wide x 66" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	1,270.69	77.83
			<i>For Flange Frame, Add</i>	111.50	
			<i>For Clear Lacquer Finish, Add</i>	223.01	
			<i>For Baked Enamel Standard Colors, Add</i>	334.51	
			<i>For Anodized Finish, Add</i>	446.02	
			<i>For Kynar® Standard Colors Finish, Add</i>	613.27	
08 91 16 00-0027	EA		18" Wide x 72" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	1,348.82	82.40
			<i>For Flange Frame, Add</i>	118.40	
			<i>For Clear Lacquer Finish, Add</i>	236.80	
			<i>For Baked Enamel Standard Colors, Add</i>	355.20	
			<i>For Anodized Finish, Add</i>	473.60	
			<i>For Kynar® Standard Colors Finish, Add</i>	651.21	
08 91 16 00-0028	EA		18" Wide x 78" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	1,449.71	86.98
			<i>For Flange Frame, Add</i>	127.58	
			<i>For Clear Lacquer Finish, Add</i>	255.15	
			<i>For Baked Enamel Standard Colors, Add</i>	382.73	
			<i>For Anodized Finish, Add</i>	510.30	
			<i>For Kynar® Standard Colors Finish, Add</i>	701.66	
08 91 16 00-0029	EA		18" Wide x 84" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	1,547.05	91.56
			<i>For Flange Frame, Add</i>	136.39	
			<i>For Clear Lacquer Finish, Add</i>	272.79	
			<i>For Baked Enamel Standard Colors, Add</i>	409.18	
			<i>For Anodized Finish, Add</i>	545.57	
			<i>For Kynar® Standard Colors Finish, Add</i>	750.16	
08 91 16 00-0030	EA		18" Wide x 90" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	1,666.03	98.43
			<i>For Flange Frame, Add</i>	146.92	
			<i>For Clear Lacquer Finish, Add</i>	293.83	
			<i>For Baked Enamel Standard Colors, Add</i>	440.75	
			<i>For Anodized Finish, Add</i>	587.67	
			<i>For Kynar® Standard Colors Finish, Add</i>	808.04	
08 91 16 00-0031	EA		18" Wide x 96" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	1,756.56	105.29
			<i>For Flange Frame, Add</i>	154.60	
			<i>For Clear Lacquer Finish, Add</i>	309.19	
			<i>For Baked Enamel Standard Colors, Add</i>	463.79	
			<i>For Anodized Finish, Add</i>	618.39	
			<i>For Kynar® Standard Colors Finish, Add</i>	850.28	
08 91 16 00-0032	EA		24" Wide x 12" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	419.35	29.76
			<i>For Flange Frame, Add</i>	35.98	
			<i>For Clear Lacquer Finish, Add</i>	71.97	
			<i>For Baked Enamel Standard Colors, Add</i>	107.95	
			<i>For Anodized Finish, Add</i>	143.93	
			<i>For Kynar® Standard Colors Finish, Add</i>	197.91	
08 91 16 00-0033	EA		24" Wide x 18" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	531.92	36.62
			<i>For Flange Frame, Add</i>	45.87	
			<i>For Clear Lacquer Finish, Add</i>	91.73	
			<i>For Baked Enamel Standard Colors, Add</i>	137.60	
			<i>For Anodized Finish, Add</i>	183.47	
			<i>For Kynar® Standard Colors Finish, Add</i>	252.27	
08 91 16 00-0034	EA		24" Wide x 24" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	658.72	43.49
			<i>For Flange Frame, Add</i>	57.17	
			<i>For Clear Lacquer Finish, Add</i>	114.35	
			<i>For Baked Enamel Standard Colors, Add</i>	171.52	
			<i>For Anodized Finish, Add</i>	228.70	
			<i>For Kynar® Standard Colors Finish, Add</i>	314.46	
08 91 16 00-0035	EA		24" Wide x 30" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	777.30	52.65
			<i>For Flange Frame, Add</i>	67.20	
			<i>For Clear Lacquer Finish, Add</i>	134.40	
			<i>For Baked Enamel Standard Colors, Add</i>	201.60	
			<i>For Anodized Finish, Add</i>	268.80	
			<i>For Kynar® Standard Colors Finish, Add</i>	369.61	

08 Openings**08 90 Louvers And Vents****08 91 Louvers**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 91 16 00-0036	EA		24" Wide x 36" High Adjustable Intake Louver, Galvanized Aluminum	881.05	57.22
			Note: Includes bird screen. Excludes actuator.		
			<i>For Flange Frame, Add</i>	76.66	
			<i>For Clear Lacquer Finish, Add</i>	153.32	
			<i>For Baked Enamel Standard Colors, Add</i>	229.98	
			<i>For Anodized Finish, Add</i>	306.64	
			<i>For Kynar® Standard Colors Finish, Add</i>	421.62	
08 91 16 00-0037	EA		24" Wide x 42" High Adjustable Intake Louver, Galvanized Aluminum	990.47	61.80
			Note: Includes bird screen. Excludes actuator.		
			<i>For Flange Frame, Add</i>	86.69	
			<i>For Clear Lacquer Finish, Add</i>	173.37	
			<i>For Baked Enamel Standard Colors, Add</i>	260.06	
			<i>For Anodized Finish, Add</i>	346.74	
			<i>For Kynar® Standard Colors Finish, Add</i>	476.77	
08 91 16 00-0038	EA		24" Wide x 48" High Adjustable Intake Louver, Galvanized Aluminum	1,125.80	68.67
			Note: Includes bird screen. Excludes actuator.		
			<i>For Flange Frame, Add</i>	98.85	
			<i>For Clear Lacquer Finish, Add</i>	197.69	
			<i>For Baked Enamel Standard Colors, Add</i>	296.54	
			<i>For Anodized Finish, Add</i>	395.38	
			<i>For Kynar® Standard Colors Finish, Add</i>	543.65	
08 91 16 00-0039	EA		24" Wide x 54" High Adjustable Intake Louver, Galvanized Aluminum	1,240.82	77.83
			Note: Includes bird screen. Excludes actuator.		
			<i>For Flange Frame, Add</i>	108.52	
			<i>For Clear Lacquer Finish, Add</i>	217.03	
			<i>For Baked Enamel Standard Colors, Add</i>	325.55	
			<i>For Anodized Finish, Add</i>	434.07	
			<i>For Kynar® Standard Colors Finish, Add</i>	596.84	
08 91 16 00-0040	EA		24" Wide x 60" High Adjustable Intake Louver, Galvanized Aluminum	1,329.62	82.40
			Note: Includes bird screen. Excludes actuator.		
			<i>For Flange Frame, Add</i>	116.48	
			<i>For Clear Lacquer Finish, Add</i>	232.96	
			<i>For Baked Enamel Standard Colors, Add</i>	349.44	
			<i>For Anodized Finish, Add</i>	465.92	
			<i>For Kynar® Standard Colors Finish, Add</i>	640.65	
08 91 16 00-0041	EA		24" Wide x 66" High Adjustable Intake Louver, Galvanized Aluminum	1,427.58	91.56
			Note: Includes bird screen. Excludes actuator.		
			<i>For Flange Frame, Add</i>	124.45	
			<i>For Clear Lacquer Finish, Add</i>	248.89	
			<i>For Baked Enamel Standard Colors, Add</i>	373.34	
			<i>For Anodized Finish, Add</i>	497.78	
			<i>For Kynar® Standard Colors Finish, Add</i>	684.45	
08 91 16 00-0042	EA		24" Wide x 72" High Adjustable Intake Louver, Galvanized Aluminum	1,517.81	96.14
			Note: Includes bird screen. Excludes actuator.		
			<i>For Flange Frame, Add</i>	132.55	
			<i>For Clear Lacquer Finish, Add</i>	265.11	
			<i>For Baked Enamel Standard Colors, Add</i>	397.66	
			<i>For Anodized Finish, Add</i>	530.21	
			<i>For Kynar® Standard Colors Finish, Add</i>	729.04	
08 91 16 00-0043	EA		24" Wide x 78" High Adjustable Intake Louver, Galvanized Aluminum	1,640.04	100.71
			Note: Includes bird screen. Excludes actuator.		
			<i>For Flange Frame, Add</i>	143.86	
			<i>For Clear Lacquer Finish, Add</i>	287.72	
			<i>For Baked Enamel Standard Colors, Add</i>	431.58	
			<i>For Anodized Finish, Add</i>	575.44	
			<i>For Kynar® Standard Colors Finish, Add</i>	791.23	
08 91 16 00-0044	EA		24" Wide x 84" High Adjustable Intake Louver, Galvanized Aluminum	1,743.76	105.29
			Note: Includes bird screen. Excludes actuator.		
			<i>For Flange Frame, Add</i>	153.32	
			<i>For Clear Lacquer Finish, Add</i>	306.63	
			<i>For Baked Enamel Standard Colors, Add</i>	459.95	
			<i>For Anodized Finish, Add</i>	613.27	
			<i>For Kynar® Standard Colors Finish, Add</i>	843.24	
08 91 16 00-0045	EA		24" Wide x 90" High Adjustable Intake Louver, Galvanized Aluminum	1,874.83	112.16
			Note: Includes bird screen. Excludes actuator.		
			<i>For Flange Frame, Add</i>	165.05	
			<i>For Clear Lacquer Finish, Add</i>	330.10	
			<i>For Baked Enamel Standard Colors, Add</i>	495.15	
			<i>For Anodized Finish, Add</i>	660.20	
			<i>For Kynar® Standard Colors Finish, Add</i>	907.78	
08 91 16 00-0046	EA		24" Wide x 96" High Adjustable Intake Louver, Galvanized Aluminum	1,971.77	119.03
			Note: Includes bird screen. Excludes actuator.		
			<i>For Flange Frame, Add</i>	173.37	
			<i>For Clear Lacquer Finish, Add</i>	346.74	
			<i>For Baked Enamel Standard Colors, Add</i>	520.11	
			<i>For Anodized Finish, Add</i>	693.48	
			<i>For Kynar® Standard Colors Finish, Add</i>	953.54	
08 91 16 00-0047	EA		30" Wide x 12" High Adjustable Intake Louver, Galvanized Aluminum	467.61	34.34
			Note: Includes bird screen. Excludes actuator.		
			<i>For Flange Frame, Add</i>	39.89	
			<i>For Clear Lacquer Finish, Add</i>	79.79	
			<i>For Baked Enamel Standard Colors, Add</i>	119.68	
			<i>For Anodized Finish, Add</i>	159.58	
			<i>For Kynar® Standard Colors Finish, Add</i>	219.42	



Openings	08
Louvers And Vents	08 90
Louvers	08 91

08

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 91 16 00-0048	EA		30" Wide x 18" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	622.77	45.78
			<i>For Flange Frame, Add</i>	53.12	
			<i>For Clear Lacquer Finish, Add</i>	106.24	
			<i>For Baked Enamel Standard Colors, Add</i>	159.36	
			<i>For Anodized Finish, Add</i>	212.48	
			<i>For Kynar® Standard Colors Finish, Add</i>	292.17	
08 91 16 00-0049	EA		30" Wide x 24" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	738.90	52.65
			<i>For Flange Frame, Add</i>	63.36	
			<i>For Clear Lacquer Finish, Add</i>	126.72	
			<i>For Baked Enamel Standard Colors, Add</i>	190.08	
			<i>For Anodized Finish, Add</i>	253.44	
			<i>For Kynar® Standard Colors Finish, Add</i>	348.49	
08 91 16 00-0050	EA		30" Wide x 30" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	865.71	59.52
			<i>For Flange Frame, Add</i>	74.67	
			<i>For Clear Lacquer Finish, Add</i>	149.34	
			<i>For Baked Enamel Standard Colors, Add</i>	224.00	
			<i>For Anodized Finish, Add</i>	298.67	
			<i>For Kynar® Standard Colors Finish, Add</i>	410.67	
08 91 16 00-0051	EA		30" Wide x 36" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	978.69	64.09
			<i>For Flange Frame, Add</i>	85.05	
			<i>For Clear Lacquer Finish, Add</i>	170.10	
			<i>For Baked Enamel Standard Colors, Add</i>	255.15	
			<i>For Anodized Finish, Add</i>	340.20	
			<i>For Kynar® Standard Colors Finish, Add</i>	467.78	
08 91 16 00-0052	EA		30" Wide x 42" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	1,096.24	70.95
			<i>For Flange Frame, Add</i>	95.43	
			<i>For Clear Lacquer Finish, Add</i>	190.86	
			<i>For Baked Enamel Standard Colors, Add</i>	286.30	
			<i>For Anodized Finish, Add</i>	381.73	
			<i>For Kynar® Standard Colors Finish, Add</i>	524.88	
08 91 16 00-0053	EA		30" Wide x 48" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	1,236.24	75.53
			<i>For Flange Frame, Add</i>	108.52	
			<i>For Clear Lacquer Finish, Add</i>	217.03	
			<i>For Baked Enamel Standard Colors, Add</i>	325.55	
			<i>For Anodized Finish, Add</i>	434.07	
			<i>For Kynar® Standard Colors Finish, Add</i>	596.84	
08 91 16 00-0054	EA		30" Wide x 54" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	1,356.65	82.40
			<i>For Flange Frame, Add</i>	119.18	
			<i>For Clear Lacquer Finish, Add</i>	238.37	
			<i>For Baked Enamel Standard Colors, Add</i>	357.55	
			<i>For Anodized Finish, Add</i>	476.74	
			<i>For Kynar® Standard Colors Finish, Add</i>	655.51	
08 91 16 00-0055	EA		30" Wide x 60" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	1,455.40	86.98
			<i>For Flange Frame, Add</i>	128.14	
			<i>For Clear Lacquer Finish, Add</i>	256.29	
			<i>For Baked Enamel Standard Colors, Add</i>	384.43	
			<i>For Anodized Finish, Add</i>	512.58	
			<i>For Kynar® Standard Colors Finish, Add</i>	704.79	
08 91 16 00-0056	EA		30" Wide x 66" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	1,564.74	96.14
			<i>For Flange Frame, Add</i>	137.25	
			<i>For Clear Lacquer Finish, Add</i>	274.49	
			<i>For Baked Enamel Standard Colors, Add</i>	411.74	
			<i>For Anodized Finish, Add</i>	548.98	
			<i>For Kynar® Standard Colors Finish, Add</i>	754.85	
08 91 16 00-0057	EA		30" Wide x 72" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	1,668.78	103.01
			<i>For Flange Frame, Add</i>	146.28	
			<i>For Clear Lacquer Finish, Add</i>	292.55	
			<i>For Baked Enamel Standard Colors, Add</i>	438.83	
			<i>For Anodized Finish, Add</i>	585.11	
			<i>For Kynar® Standard Colors Finish, Add</i>	804.52	
08 91 16 00-0058	EA		30" Wide x 78" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	1,798.83	107.58
			<i>For Flange Frame, Add</i>	158.37	
			<i>For Clear Lacquer Finish, Add</i>	316.73	
			<i>For Baked Enamel Standard Colors, Add</i>	475.10	
			<i>For Anodized Finish, Add</i>	633.46	
			<i>For Kynar® Standard Colors Finish, Add</i>	871.01	
08 91 16 00-0059	EA		30" Wide x 84" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	1,911.81	112.16
			<i>For Flange Frame, Add</i>	168.75	
			<i>For Clear Lacquer Finish, Add</i>	337.50	
			<i>For Baked Enamel Standard Colors, Add</i>	506.25	
			<i>For Anodized Finish, Add</i>	675.00	
			<i>For Kynar® Standard Colors Finish, Add</i>	928.12	

08 Openings

08 90 Louvers And Vents

08 91 Louvers



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 91 16 00-0060	EA		30" Wide x 90" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	2,049.28	119.03
			<i>For Flange Frame, Add</i>	181.12	
			<i>For Clear Lacquer Finish, Add</i>	362.24	
			<i>For Baked Enamel Standard Colors, Add</i>	543.37	
			<i>For Anodized Finish, Add</i>	724.49	
			<i>For Kynar® Standard Colors Finish, Add</i>	996.17	
08 91 16 00-0061	EA		30" Wide x 96" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	2,159.01	125.89
			<i>For Flange Frame, Add</i>	190.72	
			<i>For Clear Lacquer Finish, Add</i>	381.44	
			<i>For Baked Enamel Standard Colors, Add</i>	572.17	
			<i>For Anodized Finish, Add</i>	762.89	
			<i>For Kynar® Standard Colors Finish, Add</i>	1,048.97	
08 91 16 00-0062	EA		36" Wide x 12" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	512.32	38.91
			<i>For Flange Frame, Add</i>	43.45	
			<i>For Clear Lacquer Finish, Add</i>	86.90	
			<i>For Baked Enamel Standard Colors, Add</i>	130.35	
			<i>For Anodized Finish, Add</i>	173.80	
			<i>For Kynar® Standard Colors Finish, Add</i>	238.97	
08 91 16 00-0063	EA		36" Wide x 18" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	693.07	50.36
			<i>For Flange Frame, Add</i>	59.24	
			<i>For Clear Lacquer Finish, Add</i>	118.47	
			<i>For Baked Enamel Standard Colors, Add</i>	177.71	
			<i>For Anodized Finish, Add</i>	236.94	
			<i>For Kynar® Standard Colors Finish, Add</i>	325.80	
08 91 16 00-0064	EA		36" Wide x 24" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	809.94	57.22
			<i>For Flange Frame, Add</i>	69.55	
			<i>For Clear Lacquer Finish, Add</i>	139.10	
			<i>For Baked Enamel Standard Colors, Add</i>	208.64	
			<i>For Anodized Finish, Add</i>	278.19	
			<i>For Kynar® Standard Colors Finish, Add</i>	382.51	
08 91 16 00-0065	EA		36" Wide x 30" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	948.82	64.09
			<i>For Flange Frame, Add</i>	82.06	
			<i>For Clear Lacquer Finish, Add</i>	164.13	
			<i>For Baked Enamel Standard Colors, Add</i>	246.19	
			<i>For Anodized Finish, Add</i>	328.25	
			<i>For Kynar® Standard Colors Finish, Add</i>	451.35	
08 91 16 00-0066	EA		36" Wide x 36" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	1,077.14	69.59
			<i>For Flange Frame, Add</i>	93.80	
			<i>For Clear Lacquer Finish, Add</i>	187.59	
			<i>For Baked Enamel Standard Colors, Add</i>	281.39	
			<i>For Anodized Finish, Add</i>	375.19	
			<i>For Kynar® Standard Colors Finish, Add</i>	515.88	
08 91 16 00-0067	EA		36" Wide x 42" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	1,197.84	75.53
			<i>For Flange Frame, Add</i>	104.68	
			<i>For Clear Lacquer Finish, Add</i>	209.35	
			<i>For Baked Enamel Standard Colors, Add</i>	314.03	
			<i>For Anodized Finish, Add</i>	418.71	
			<i>For Kynar® Standard Colors Finish, Add</i>	575.72	
08 91 16 00-0068	EA		36" Wide x 48" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	1,354.20	80.12
			<i>For Flange Frame, Add</i>	119.40	
			<i>For Clear Lacquer Finish, Add</i>	238.79	
			<i>For Baked Enamel Standard Colors, Add</i>	358.19	
			<i>For Anodized Finish, Add</i>	477.59	
			<i>For Kynar® Standard Colors Finish, Add</i>	656.68	
08 91 16 00-0069	EA		36" Wide x 54" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	1,489.53	86.98
			<i>For Flange Frame, Add</i>	131.56	
			<i>For Clear Lacquer Finish, Add</i>	263.11	
			<i>For Baked Enamel Standard Colors, Add</i>	394.67	
			<i>For Anodized Finish, Add</i>	526.23	
			<i>For Kynar® Standard Colors Finish, Add</i>	723.56	
08 91 16 00-0070	EA		36" Wide x 60" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	1,599.97	93.85
			<i>For Flange Frame, Add</i>	141.23	
			<i>For Clear Lacquer Finish, Add</i>	282.46	
			<i>For Baked Enamel Standard Colors, Add</i>	423.68	
			<i>For Anodized Finish, Add</i>	564.91	
			<i>For Kynar® Standard Colors Finish, Add</i>	776.75	
08 91 16 00-0071	EA		36" Wide x 66" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	1,713.28	100.71
			<i>For Flange Frame, Add</i>	151.18	
			<i>For Clear Lacquer Finish, Add</i>	302.37	
			<i>For Baked Enamel Standard Colors, Add</i>	453.55	
			<i>For Anodized Finish, Add</i>	604.74	
			<i>For Kynar® Standard Colors Finish, Add</i>	831.51	



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 91 16 00-0072	EA		36" Wide x 72" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	1,830.12	107.58
			<i>For Flange Frame, Add</i>	161.50	
			<i>For Clear Lacquer Finish, Add</i>	322.99	
			<i>For Baked Enamel Standard Colors, Add</i>	484.49	
			<i>For Anodized Finish, Add</i>	645.98	
			<i>For Kynar® Standard Colors Finish, Add</i>	888.22	
08 91 16 00-0073	EA		36" Wide x 78" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	1,972.25	112.16
			<i>For Flange Frame, Add</i>	174.79	
			<i>For Clear Lacquer Finish, Add</i>	349.59	
			<i>For Baked Enamel Standard Colors, Add</i>	524.38	
			<i>For Anodized Finish, Add</i>	699.17	
			<i>For Kynar® Standard Colors Finish, Add</i>	961.36	
08 91 16 00-0074	EA		36" Wide x 84" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	2,093.77	116.74
			<i>For Flange Frame, Add</i>	186.03	
			<i>For Clear Lacquer Finish, Add</i>	372.06	
			<i>For Baked Enamel Standard Colors, Add</i>	558.09	
			<i>For Anodized Finish, Add</i>	744.12	
			<i>For Kynar® Standard Colors Finish, Add</i>	1,023.16	
08 91 16 00-0075	EA		36" Wide x 90" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	2,249.01	123.61
			<i>For Flange Frame, Add</i>	200.18	
			<i>For Clear Lacquer Finish, Add</i>	400.36	
			<i>For Baked Enamel Standard Colors, Add</i>	600.54	
			<i>For Anodized Finish, Add</i>	800.72	
			<i>For Kynar® Standard Colors Finish, Add</i>	1,100.99	
08 91 16 00-0076	EA		36" Wide x 96" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	2,365.14	130.47
			<i>For Flange Frame, Add</i>	210.42	
			<i>For Clear Lacquer Finish, Add</i>	420.84	
			<i>For Baked Enamel Standard Colors, Add</i>	631.26	
			<i>For Anodized Finish, Add</i>	841.68	
			<i>For Kynar® Standard Colors Finish, Add</i>	1,157.31	
08 91 16 00-0077	EA		42" Wide x 12" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	586.19	43.49
			<i>For Flange Frame, Add</i>	49.92	
			<i>For Clear Lacquer Finish, Add</i>	99.84	
			<i>For Baked Enamel Standard Colors, Add</i>	149.76	
			<i>For Anodized Finish, Add</i>	199.68	
			<i>For Kynar® Standard Colors Finish, Add</i>	274.57	
08 91 16 00-0078	EA		42" Wide x 18" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	747.74	54.94
			<i>For Flange Frame, Add</i>	63.79	
			<i>For Clear Lacquer Finish, Add</i>	127.57	
			<i>For Baked Enamel Standard Colors, Add</i>	191.36	
			<i>For Anodized Finish, Add</i>	255.15	
			<i>For Kynar® Standard Colors Finish, Add</i>	350.83	
08 91 16 00-0079	EA		42" Wide x 24" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	877.40	61.80
			<i>For Flange Frame, Add</i>	75.38	
			<i>For Clear Lacquer Finish, Add</i>	150.76	
			<i>For Baked Enamel Standard Colors, Add</i>	226.14	
			<i>For Anodized Finish, Add</i>	301.52	
			<i>For Kynar® Standard Colors Finish, Add</i>	414.58	
08 91 16 00-0080	EA		42" Wide x 30" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	1,025.84	70.95
			<i>For Flange Frame, Add</i>	88.39	
			<i>For Clear Lacquer Finish, Add</i>	176.78	
			<i>For Baked Enamel Standard Colors, Add</i>	265.18	
			<i>For Anodized Finish, Add</i>	353.57	
			<i>For Kynar® Standard Colors Finish, Add</i>	486.16	
08 91 16 00-0081	EA		42" Wide x 36" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	1,162.28	75.53
			<i>For Flange Frame, Add</i>	101.12	
			<i>For Clear Lacquer Finish, Add</i>	202.24	
			<i>For Baked Enamel Standard Colors, Add</i>	303.36	
			<i>For Anodized Finish, Add</i>	404.48	
			<i>For Kynar® Standard Colors Finish, Add</i>	556.17	
08 91 16 00-0082	EA		42" Wide x 42" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	1,291.62	80.12
			<i>For Flange Frame, Add</i>	113.14	
			<i>For Clear Lacquer Finish, Add</i>	226.28	
			<i>For Baked Enamel Standard Colors, Add</i>	339.42	
			<i>For Anodized Finish, Add</i>	452.56	
			<i>For Kynar® Standard Colors Finish, Add</i>	622.26	
08 91 16 00-0083	EA		42" Wide x 48" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	1,461.48	84.70
			<i>For Flange Frame, Add</i>	129.21	
			<i>For Clear Lacquer Finish, Add</i>	258.42	
			<i>For Baked Enamel Standard Colors, Add</i>	387.63	
			<i>For Anodized Finish, Add</i>	516.84	
			<i>For Kynar® Standard Colors Finish, Add</i>	710.66	

08 Openings**08 90 Louvers And Vents****08 91 Louvers**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 91 16 00-0084	EA		42" Wide x 54" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	1,598.96	91.56
			<i>For Flange Frame, Add</i>	141.58	
			<i>For Clear Lacquer Finish, Add</i>	283.17	
			<i>For Baked Enamel Standard Colors, Add</i>	424.75	
			<i>For Anodized Finish, Add</i>	566.34	
			<i>For Kynar® Standard Colors Finish, Add</i>	778.71	
08 91 16 00-0085	EA		42" Wide x 60" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	1,722.92	98.43
			<i>For Flange Frame, Add</i>	152.61	
			<i>For Clear Lacquer Finish, Add</i>	305.21	
			<i>For Baked Enamel Standard Colors, Add</i>	457.82	
			<i>For Anodized Finish, Add</i>	610.42	
			<i>For Kynar® Standard Colors Finish, Add</i>	839.33	
08 91 16 00-0086	EA		42" Wide x 66" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	1,839.05	105.29
			<i>For Flange Frame, Add</i>	162.85	
			<i>For Clear Lacquer Finish, Add</i>	325.69	
			<i>For Baked Enamel Standard Colors, Add</i>	488.54	
			<i>For Anodized Finish, Add</i>	651.38	
			<i>For Kynar® Standard Colors Finish, Add</i>	895.65	
08 91 16 00-0087	EA		42" Wide x 72" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	1,965.85	112.16
			<i>For Flange Frame, Add</i>	174.15	
			<i>For Clear Lacquer Finish, Add</i>	348.31	
			<i>For Baked Enamel Standard Colors, Add</i>	522.46	
			<i>For Anodized Finish, Add</i>	696.61	
			<i>For Kynar® Standard Colors Finish, Add</i>	957.84	
08 91 16 00-0088	EA		42" Wide x 78" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	2,118.66	116.74
			<i>For Flange Frame, Add</i>	188.52	
			<i>For Clear Lacquer Finish, Add</i>	377.04	
			<i>For Baked Enamel Standard Colors, Add</i>	565.55	
			<i>For Anodized Finish, Add</i>	754.07	
			<i>For Kynar® Standard Colors Finish, Add</i>	1,036.85	
08 91 16 00-0089	EA		42" Wide x 84" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	2,251.54	121.32
			<i>For Flange Frame, Add</i>	200.89	
			<i>For Clear Lacquer Finish, Add</i>	401.78	
			<i>For Baked Enamel Standard Colors, Add</i>	602.67	
			<i>For Anodized Finish, Add</i>	803.56	
			<i>For Kynar® Standard Colors Finish, Add</i>	1,104.90	
08 91 16 00-0090	EA		42" Wide x 90" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	2,425.29	128.19
			<i>For Flange Frame, Add</i>	216.89	
			<i>For Clear Lacquer Finish, Add</i>	433.78	
			<i>For Baked Enamel Standard Colors, Add</i>	650.68	
			<i>For Anodized Finish, Add</i>	867.57	
			<i>For Kynar® Standard Colors Finish, Add</i>	1,192.91	
08 91 16 00-0091	EA		42" Wide x 96" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	2,546.41	135.05
			<i>For Flange Frame, Add</i>	227.63	
			<i>For Clear Lacquer Finish, Add</i>	455.26	
			<i>For Baked Enamel Standard Colors, Add</i>	682.89	
			<i>For Anodized Finish, Add</i>	910.52	
			<i>For Kynar® Standard Colors Finish, Add</i>	1,251.97	
08 91 16 00-0092	EA		48" Wide x 12" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	634.46	48.07
			<i>For Flange Frame, Add</i>	53.83	
			<i>For Clear Lacquer Finish, Add</i>	107.66	
			<i>For Baked Enamel Standard Colors, Add</i>	161.50	
			<i>For Anodized Finish, Add</i>	215.33	
			<i>For Kynar® Standard Colors Finish, Add</i>	296.08	
08 91 16 00-0093	EA		48" Wide x 18" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	805.97	59.52
			<i>For Flange Frame, Add</i>	68.69	
			<i>For Clear Lacquer Finish, Add</i>	137.39	
			<i>For Baked Enamel Standard Colors, Add</i>	206.08	
			<i>For Anodized Finish, Add</i>	274.78	
			<i>For Kynar® Standard Colors Finish, Add</i>	377.82	
08 91 16 00-0094	EA		48" Wide x 24" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	953.71	68.67
			<i>For Flange Frame, Add</i>	81.64	
			<i>For Clear Lacquer Finish, Add</i>	163.27	
			<i>For Baked Enamel Standard Colors, Add</i>	244.91	
			<i>For Anodized Finish, Add</i>	326.55	
			<i>For Kynar® Standard Colors Finish, Add</i>	449.00	
08 91 16 00-0095	EA		48" Wide x 30" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	1,105.39	75.53
			<i>For Flange Frame, Add</i>	95.43	
			<i>For Clear Lacquer Finish, Add</i>	190.86	
			<i>For Baked Enamel Standard Colors, Add</i>	286.30	
			<i>For Anodized Finish, Add</i>	381.73	
			<i>For Kynar® Standard Colors Finish, Add</i>	524.88	



Openings	08
Louvers And Vents	08 90
Louvers	08 91

08

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 91 16 00-0096	EA		48" Wide x 36" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	1,256.07	80.12
			<i>For Flange Frame, Add</i>	109.58	
			<i>For Clear Lacquer Finish, Add</i>	219.17	
			<i>For Baked Enamel Standard Colors, Add</i>	328.75	
			<i>For Anodized Finish, Add</i>	438.34	
			<i>For Kynar® Standard Colors Finish, Add</i>	602.71	
08 91 16 00-0097	EA		48" Wide x 42" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	1,401.75	84.70
			<i>For Flange Frame, Add</i>	123.24	
			<i>For Clear Lacquer Finish, Add</i>	246.47	
			<i>For Baked Enamel Standard Colors, Add</i>	369.71	
			<i>For Anodized Finish, Add</i>	492.95	
			<i>For Kynar® Standard Colors Finish, Add</i>	677.80	
08 91 16 00-0098	EA		48" Wide x 48" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	1,583.32	91.56
			<i>For Flange Frame, Add</i>	140.02	
			<i>For Clear Lacquer Finish, Add</i>	280.04	
			<i>For Baked Enamel Standard Colors, Add</i>	420.06	
			<i>For Anodized Finish, Add</i>	560.08	
			<i>For Kynar® Standard Colors Finish, Add</i>	770.11	
08 91 16 00-0099	EA		48" Wide x 54" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	1,733.59	98.43
			<i>For Flange Frame, Add</i>	153.67	
			<i>For Clear Lacquer Finish, Add</i>	307.35	
			<i>For Baked Enamel Standard Colors, Add</i>	461.02	
			<i>For Anodized Finish, Add</i>	614.69	
			<i>For Kynar® Standard Colors Finish, Add</i>	845.20	
08 91 16 00-0100	EA		48" Wide x 60" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	1,863.94	105.29
			<i>For Flange Frame, Add</i>	165.34	
			<i>For Clear Lacquer Finish, Add</i>	330.67	
			<i>For Baked Enamel Standard Colors, Add</i>	496.01	
			<i>For Anodized Finish, Add</i>	661.34	
			<i>For Kynar® Standard Colors Finish, Add</i>	909.34	
08 91 16 00-0101	EA		48" Wide x 66" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	1,996.43	112.16
			<i>For Flange Frame, Add</i>	177.21	
			<i>For Clear Lacquer Finish, Add</i>	354.42	
			<i>For Baked Enamel Standard Colors, Add</i>	531.63	
			<i>For Anodized Finish, Add</i>	708.84	
			<i>For Kynar® Standard Colors Finish, Add</i>	974.66	
08 91 16 00-0102	EA		48" Wide x 72" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	2,126.08	119.03
			<i>For Flange Frame, Add</i>	188.80	
			<i>For Clear Lacquer Finish, Add</i>	377.60	
			<i>For Baked Enamel Standard Colors, Add</i>	566.41	
			<i>For Anodized Finish, Add</i>	755.21	
			<i>For Kynar® Standard Colors Finish, Add</i>	1,038.41	
08 91 16 00-0103	EA		48" Wide x 78" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	2,298.79	123.61
			<i>For Flange Frame, Add</i>	205.16	
			<i>For Clear Lacquer Finish, Add</i>	410.32	
			<i>For Baked Enamel Standard Colors, Add</i>	615.47	
			<i>For Anodized Finish, Add</i>	820.63	
			<i>For Kynar® Standard Colors Finish, Add</i>	1,128.37	
08 91 16 00-0104	EA		48" Wide x 84" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	2,442.35	128.19
			<i>For Flange Frame, Add</i>	218.60	
			<i>For Clear Lacquer Finish, Add</i>	437.20	
			<i>For Baked Enamel Standard Colors, Add</i>	655.79	
			<i>For Anodized Finish, Add</i>	874.39	
			<i>For Kynar® Standard Colors Finish, Add</i>	1,202.29	
08 91 16 00-0105	EA		48" Wide x 90" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	2,619.34	132.77
			<i>For Flange Frame, Add</i>	235.38	
			<i>For Clear Lacquer Finish, Add</i>	470.76	
			<i>For Baked Enamel Standard Colors, Add</i>	706.14	
			<i>For Anodized Finish, Add</i>	941.52	
			<i>For Kynar® Standard Colors Finish, Add</i>	1,294.60	
08 91 16 00-0106	EA		48" Wide x 96" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	2,752.54	139.63
			<i>For Flange Frame, Add</i>	247.33	
			<i>For Clear Lacquer Finish, Add</i>	494.66	
			<i>For Baked Enamel Standard Colors, Add</i>	741.98	
			<i>For Anodized Finish, Add</i>	989.31	
			<i>For Kynar® Standard Colors Finish, Add</i>	1,360.30	
08 91 16 00-0107	EA		54" Wide x 12" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	736.37	54.94
			<i>For Flange Frame, Add</i>	62.65	
			<i>For Clear Lacquer Finish, Add</i>	125.30	
			<i>For Baked Enamel Standard Colors, Add</i>	187.95	
			<i>For Anodized Finish, Add</i>	250.60	
			<i>For Kynar® Standard Colors Finish, Add</i>	344.58	

08 Openings

08 90 Louvers And Vents

08 91 Louvers



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 91 16 00-0108	EA		54" Wide x 18" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	943.45	66.38
			<i>For Flange Frame, Add</i>	81.07	
			<i>For Clear Lacquer Finish, Add</i>	162.14	
			<i>For Baked Enamel Standard Colors, Add</i>	243.20	
			<i>For Anodized Finish, Add</i>	324.27	
			<i>For Kynar® Standard Colors Finish, Add</i>	445.87	
08 91 16 00-0109	EA		54" Wide x 24" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	1,105.71	77.83
			<i>For Flange Frame, Add</i>	95.01	
			<i>For Clear Lacquer Finish, Add</i>	190.01	
			<i>For Baked Enamel Standard Colors, Add</i>	285.02	
			<i>For Anodized Finish, Add</i>	380.02	
			<i>For Kynar® Standard Colors Finish, Add</i>	522.53	
08 91 16 00-0110	EA		54" Wide x 30" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	1,269.18	82.40
			<i>For Flange Frame, Add</i>	110.44	
			<i>For Clear Lacquer Finish, Add</i>	220.87	
			<i>For Baked Enamel Standard Colors, Add</i>	331.31	
			<i>For Anodized Finish, Add</i>	441.75	
			<i>For Kynar® Standard Colors Finish, Add</i>	607.40	
08 91 16 00-0111	EA		54" Wide x 36" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	1,446.86	86.98
			<i>For Flange Frame, Add</i>	127.29	
			<i>For Clear Lacquer Finish, Add</i>	254.58	
			<i>For Baked Enamel Standard Colors, Add</i>	381.87	
			<i>For Anodized Finish, Add</i>	509.16	
			<i>For Kynar® Standard Colors Finish, Add</i>	700.10	
08 91 16 00-0112	EA		54" Wide x 42" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	1,606.07	91.56
			<i>For Flange Frame, Add</i>	142.30	
			<i>For Clear Lacquer Finish, Add</i>	284.59	
			<i>For Baked Enamel Standard Colors, Add</i>	426.89	
			<i>For Anodized Finish, Add</i>	569.18	
			<i>For Kynar® Standard Colors Finish, Add</i>	782.62	
08 91 16 00-0113	EA		54" Wide x 48" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	1,816.79	98.43
			<i>For Flange Frame, Add</i>	161.99	
			<i>For Clear Lacquer Finish, Add</i>	323.99	
			<i>For Baked Enamel Standard Colors, Add</i>	485.98	
			<i>For Anodized Finish, Add</i>	647.97	
			<i>For Kynar® Standard Colors Finish, Add</i>	890.96	
08 91 16 00-0114	EA		54" Wide x 54" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	2,021.81	105.29
			<i>For Flange Frame, Add</i>	181.12	
			<i>For Clear Lacquer Finish, Add</i>	362.24	
			<i>For Baked Enamel Standard Colors, Add</i>	543.37	
			<i>For Anodized Finish, Add</i>	724.49	
			<i>For Kynar® Standard Colors Finish, Add</i>	996.17	
08 91 16 00-0115	EA		54" Wide x 60" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	2,175.63	112.16
			<i>For Flange Frame, Add</i>	195.13	
			<i>For Clear Lacquer Finish, Add</i>	390.26	
			<i>For Baked Enamel Standard Colors, Add</i>	585.39	
			<i>For Anodized Finish, Add</i>	780.52	
			<i>For Kynar® Standard Colors Finish, Add</i>	1,073.22	
08 91 16 00-0116	EA		54" Wide x 66" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	2,327.33	119.03
			<i>For Flange Frame, Add</i>	208.93	
			<i>For Clear Lacquer Finish, Add</i>	417.85	
			<i>For Baked Enamel Standard Colors, Add</i>	626.78	
			<i>For Anodized Finish, Add</i>	835.71	
			<i>For Kynar® Standard Colors Finish, Add</i>	1,149.10	
08 91 16 00-0117	EA		54" Wide x 72" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	2,473.02	123.61
			<i>For Flange Frame, Add</i>	222.58	
			<i>For Clear Lacquer Finish, Add</i>	445.16	
			<i>For Baked Enamel Standard Colors, Add</i>	667.74	
			<i>For Anodized Finish, Add</i>	890.32	
			<i>For Kynar® Standard Colors Finish, Add</i>	1,224.20	
08 91 16 00-0118	EA		54" Wide x 78" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	2,665.64	128.19
			<i>For Flange Frame, Add</i>	240.93	
			<i>For Clear Lacquer Finish, Add</i>	481.85	
			<i>For Baked Enamel Standard Colors, Add</i>	722.78	
			<i>For Anodized Finish, Add</i>	963.71	
			<i>For Kynar® Standard Colors Finish, Add</i>	1,325.10	
08 91 16 00-0119	EA		54" Wide x 84" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	2,826.27	132.77
			<i>For Flange Frame, Add</i>	256.07	
			<i>For Clear Lacquer Finish, Add</i>	512.15	
			<i>For Baked Enamel Standard Colors, Add</i>	768.22	
			<i>For Anodized Finish, Add</i>	1,024.30	
			<i>For Kynar® Standard Colors Finish, Add</i>	1,408.41	



Openings	08
Louvers And Vents	08 90
Louvers	08 91

08

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 91 16 00-0120	EA		54" Wide x 90" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	3,033.12	137.34
			<i>For Flange Frame, Add</i>	275.84	
			<i>For Clear Lacquer Finish, Add</i>	551.69	
			<i>For Baked Enamel Standard Colors, Add</i>	827.53	
			<i>For Anodized Finish, Add</i>	1,103.37	
			<i>For Kynar® Standard Colors Finish, Add</i>	1,517.14	
08 91 16 00-0121	EA		54" Wide x 96" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	3,188.37	144.20
			<i>For Flange Frame, Add</i>	290.00	
			<i>For Clear Lacquer Finish, Add</i>	579.99	
			<i>For Baked Enamel Standard Colors, Add</i>	869.99	
			<i>For Anodized Finish, Add</i>	1,159.98	
			<i>For Kynar® Standard Colors Finish, Add</i>	1,594.97	
08 91 16 00-0122	EA		60" Wide x 12" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	781.79	59.52
			<i>For Flange Frame, Add</i>	66.28	
			<i>For Clear Lacquer Finish, Add</i>	132.55	
			<i>For Baked Enamel Standard Colors, Add</i>	198.83	
			<i>For Anodized Finish, Add</i>	265.10	
			<i>For Kynar® Standard Colors Finish, Add</i>	364.52	
08 91 16 00-0123	EA		60" Wide x 18" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	1,006.24	73.25
			<i>For Flange Frame, Add</i>	85.97	
			<i>For Clear Lacquer Finish, Add</i>	171.95	
			<i>For Baked Enamel Standard Colors, Add</i>	257.92	
			<i>For Anodized Finish, Add</i>	343.90	
			<i>For Kynar® Standard Colors Finish, Add</i>	472.86	
08 91 16 00-0124	EA		60" Wide x 24" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	1,171.76	82.40
			<i>For Flange Frame, Add</i>	100.70	
			<i>For Clear Lacquer Finish, Add</i>	201.39	
			<i>For Baked Enamel Standard Colors, Add</i>	302.09	
			<i>For Anodized Finish, Add</i>	402.78	
			<i>For Kynar® Standard Colors Finish, Add</i>	553.82	
08 91 16 00-0125	EA		60" Wide x 30" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	1,351.57	86.98
			<i>For Flange Frame, Add</i>	117.76	
			<i>For Clear Lacquer Finish, Add</i>	235.52	
			<i>For Baked Enamel Standard Colors, Add</i>	353.28	
			<i>For Anodized Finish, Add</i>	471.04	
			<i>For Kynar® Standard Colors Finish, Add</i>	647.69	
08 91 16 00-0126	EA		60" Wide x 36" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	1,540.24	93.85
			<i>For Flange Frame, Add</i>	135.26	
			<i>For Clear Lacquer Finish, Add</i>	270.51	
			<i>For Baked Enamel Standard Colors, Add</i>	405.77	
			<i>For Anodized Finish, Add</i>	541.02	
			<i>For Kynar® Standard Colors Finish, Add</i>	743.90	
08 91 16 00-0127	EA		60" Wide x 42" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	1,708.70	98.43
			<i>For Flange Frame, Add</i>	151.18	
			<i>For Clear Lacquer Finish, Add</i>	302.37	
			<i>For Baked Enamel Standard Colors, Add</i>	453.55	
			<i>For Anodized Finish, Add</i>	604.74	
			<i>For Kynar® Standard Colors Finish, Add</i>	831.51	
08 91 16 00-0128	EA		60" Wide x 48" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	1,934.34	105.29
			<i>For Flange Frame, Add</i>	172.38	
			<i>For Clear Lacquer Finish, Add</i>	344.75	
			<i>For Baked Enamel Standard Colors, Add</i>	517.13	
			<i>For Anodized Finish, Add</i>	689.50	
			<i>For Kynar® Standard Colors Finish, Add</i>	948.06	
08 91 16 00-0129	EA		60" Wide x 54" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	2,145.06	112.16
			<i>For Flange Frame, Add</i>	192.07	
			<i>For Clear Lacquer Finish, Add</i>	384.15	
			<i>For Baked Enamel Standard Colors, Add</i>	576.22	
			<i>For Anodized Finish, Add</i>	768.30	
			<i>For Kynar® Standard Colors Finish, Add</i>	1,056.41	
08 91 16 00-0130	EA		60" Wide x 60" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	2,309.55	119.03
			<i>For Flange Frame, Add</i>	207.15	
			<i>For Clear Lacquer Finish, Add</i>	414.30	
			<i>For Baked Enamel Standard Colors, Add</i>	621.45	
			<i>For Anodized Finish, Add</i>	828.60	
			<i>For Kynar® Standard Colors Finish, Add</i>	1,139.32	
08 91 16 00-0131	EA		60" Wide x 66" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	2,471.20	125.89
			<i>For Flange Frame, Add</i>	221.94	
			<i>For Clear Lacquer Finish, Add</i>	443.88	
			<i>For Baked Enamel Standard Colors, Add</i>	665.82	
			<i>For Anodized Finish, Add</i>	887.76	
			<i>For Kynar® Standard Colors Finish, Add</i>	1,220.68	

08 Openings**08 90 Louvers And Vents****08 91 Louvers**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 91 16 00-0132	EA		60" Wide x 72" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	2,626.13	130.47
			<i>For Flange Frame, Add</i>	236.52	
			<i>For Clear Lacquer Finish, Add</i>	473.04	
			<i>For Baked Enamel Standard Colors, Add</i>	709.56	
			<i>For Anodized Finish, Add</i>	946.08	
			<i>For Kynar® Standard Colors Finish, Add</i>	1,300.85	
08 91 16 00-0133	EA		60" Wide x 78" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	2,835.12	135.05
			<i>For Flange Frame, Add</i>	256.50	
			<i>For Clear Lacquer Finish, Add</i>	513.00	
			<i>For Baked Enamel Standard Colors, Add</i>	769.50	
			<i>For Anodized Finish, Add</i>	1,026.00	
			<i>For Kynar® Standard Colors Finish, Add</i>	1,410.76	
08 91 16 00-0134	EA		60" Wide x 84" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	3,003.56	139.63
			<i>For Flange Frame, Add</i>	272.43	
			<i>For Clear Lacquer Finish, Add</i>	544.86	
			<i>For Baked Enamel Standard Colors, Add</i>	817.29	
			<i>For Anodized Finish, Add</i>	1,089.72	
			<i>For Kynar® Standard Colors Finish, Add</i>	1,498.37	
08 91 16 00-0135	EA		60" Wide x 90" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	3,221.08	144.20
			<i>For Flange Frame, Add</i>	293.27	
			<i>For Clear Lacquer Finish, Add</i>	586.53	
			<i>For Baked Enamel Standard Colors, Add</i>	879.80	
			<i>For Anodized Finish, Add</i>	1,173.06	
			<i>For Kynar® Standard Colors Finish, Add</i>	1,612.96	
08 91 16 00-0136	EA		60" Wide x 96" High Adjustable Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	3,380.99	148.78
			<i>For Flange Frame, Add</i>	308.34	
			<i>For Clear Lacquer Finish, Add</i>	616.68	
			<i>For Baked Enamel Standard Colors, Add</i>	925.03	
			<i>For Anodized Finish, Add</i>	1,233.37	
			<i>For Kynar® Standard Colors Finish, Add</i>	1,695.88	
08 91 16 00-0137			Adjustable Intake Wall Louvers Operators (08 91 16)		
08 91 16 00-0138	EA		5' Chain Actuator For Adjustable Intake Louver.....	199.38	22.89
08 91 16 00-0139	EA		Panel Crank For Adjustable Intake Louver.....	429.34	9.15
08 91 19			Fixed Louvers (08 91)		
08 91 19 00-0001			Fixed Intake Wall Louvers (08 91 19)		
08 91 19 00-0002	EA		12" Wide x 12" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	255.97	20.60
			<i>For Flange Frame, Add</i>	21.48	
			<i>For Clear Lacquer Finish, Add</i>	42.95	
			<i>For Baked Enamel Standard Colors, Add</i>	64.43	
			<i>For Anodized Finish, Add</i>	85.90	
			<i>For Kynar® Standard Colors Finish, Add</i>	118.12	
08 91 19 00-0003	EA		12" Wide x 18" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	304.23	25.18
			<i>For Flange Frame, Add</i>	25.39	
			<i>For Clear Lacquer Finish, Add</i>	50.77	
			<i>For Baked Enamel Standard Colors, Add</i>	76.16	
			<i>For Anodized Finish, Add</i>	101.55	
			<i>For Kynar® Standard Colors Finish, Add</i>	139.63	
08 91 19 00-0004	EA		12" Wide x 24" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	353.21	29.76
			<i>For Flange Frame, Add</i>	29.37	
			<i>For Clear Lacquer Finish, Add</i>	58.74	
			<i>For Baked Enamel Standard Colors, Add</i>	88.11	
			<i>For Anodized Finish, Add</i>	117.48	
			<i>For Kynar® Standard Colors Finish, Add</i>	161.53	
08 91 19 00-0005	EA		12" Wide x 30" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	414.27	34.34
			<i>For Flange Frame, Add</i>	34.56	
			<i>For Clear Lacquer Finish, Add</i>	69.12	
			<i>For Baked Enamel Standard Colors, Add</i>	103.68	
			<i>For Anodized Finish, Add</i>	138.24	
			<i>For Kynar® Standard Colors Finish, Add</i>	190.08	
08 91 19 00-0006	EA		12" Wide x 36" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	466.10	38.91
			<i>For Flange Frame, Add</i>	38.83	
			<i>For Clear Lacquer Finish, Add</i>	77.65	
			<i>For Baked Enamel Standard Colors, Add</i>	116.48	
			<i>For Anodized Finish, Add</i>	155.31	
			<i>For Kynar® Standard Colors Finish, Add</i>	213.55	



Openings	08	08
Louvers And Vents	08 90	
Louvers	08 91	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 91	19 00-0007	EA	12" Wide x 42" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	549.21 46.22 92.45 138.67 184.89 254.23	43.49
08 91	19 00-0008	EA	12" Wide x 48" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	595.35 49.92 99.84 149.76 199.68 274.57	48.07
08 91	19 00-0009	EA	12" Wide x 54" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	665.97 55.61 111.22 166.83 222.44 305.86	54.94
08 91	19 00-0010	EA	12" Wide x 60" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	708.55 58.95 117.90 176.86 235.81 324.24	59.52
08 91	19 00-0011	EA	12" Wide x 66" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	766.06 63.79 127.57 191.36 255.15 350.83	64.09
08 91	19 00-0012	EA	12" Wide x 72" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	816.46 67.91 135.82 203.74 271.65 373.52	68.67
08 91	19 00-0013	EA	12" Wide x 78" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	876.11 72.96 145.92 218.88 291.84 401.29	73.25
08 91	19 00-0014	EA	12" Wide x 84" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	932.19 77.65 155.31 232.96 310.62 427.10	77.83
08 91	19 00-0015	EA	12" Wide x 90" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	982.90 81.35 162.70 244.06 325.41 447.44	84.70
08 91	19 00-0016	EA	12" Wide x 96" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	1,049.98 86.69 173.37 260.06 346.74 476.77	91.56
08 91	19 00-0017	EA	18" Wide x 12" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	297.83 24.75 49.49 74.24 98.99 136.11	25.18
08 91	19 00-0018	EA	18" Wide x 18" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	357.78 29.37 58.74 88.11 117.48 161.53	32.04

08 Openings**08 90 Louvers And Vents****08 91 Louvers**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 91	19 00-0019	EA	18" Wide x 24" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	414.59	36.62
			<i>For Flange Frame, Add</i>	34.13	
			<i>For Clear Lacquer Finish, Add</i>	68.27	
			<i>For Baked Enamel Standard Colors, Add</i>	102.40	
			<i>For Anodized Finish, Add</i>	136.54	
			<i>For Kynar® Standard Colors Finish, Add</i>	187.74	
08 91	19 00-0020	EA	18" Wide x 30" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	519.65	45.78
			<i>For Flange Frame, Add</i>	42.81	
			<i>For Clear Lacquer Finish, Add</i>	85.62	
			<i>For Baked Enamel Standard Colors, Add</i>	128.43	
			<i>For Anodized Finish, Add</i>	171.24	
			<i>For Kynar® Standard Colors Finish, Add</i>	235.45	
08 91	19 00-0021	EA	18" Wide x 36" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	595.65	50.36
			<i>For Flange Frame, Add</i>	49.49	
			<i>For Clear Lacquer Finish, Add</i>	98.99	
			<i>For Baked Enamel Standard Colors, Add</i>	148.48	
			<i>For Anodized Finish, Add</i>	197.98	
			<i>For Kynar® Standard Colors Finish, Add</i>	272.22	
08 91	19 00-0022	EA	18" Wide x 42" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	663.12	54.94
			<i>For Flange Frame, Add</i>	55.33	
			<i>For Clear Lacquer Finish, Add</i>	110.65	
			<i>For Baked Enamel Standard Colors, Add</i>	165.98	
			<i>For Anodized Finish, Add</i>	221.30	
			<i>For Kynar® Standard Colors Finish, Add</i>	304.29	
08 91	19 00-0023	EA	18" Wide x 48" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	711.39	59.52
			<i>For Flange Frame, Add</i>	59.24	
			<i>For Clear Lacquer Finish, Add</i>	118.47	
			<i>For Baked Enamel Standard Colors, Add</i>	177.71	
			<i>For Anodized Finish, Add</i>	236.94	
			<i>For Kynar® Standard Colors Finish, Add</i>	325.80	
08 91	19 00-0024	EA	18" Wide x 54" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	791.98	66.38
			<i>For Flange Frame, Add</i>	65.92	
			<i>For Clear Lacquer Finish, Add</i>	131.84	
			<i>For Baked Enamel Standard Colors, Add</i>	197.76	
			<i>For Anodized Finish, Add</i>	263.68	
			<i>For Kynar® Standard Colors Finish, Add</i>	362.57	
08 91	19 00-0025	EA	18" Wide x 60" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	849.09	73.25
			<i>For Flange Frame, Add</i>	70.26	
			<i>For Clear Lacquer Finish, Add</i>	140.52	
			<i>For Baked Enamel Standard Colors, Add</i>	210.78	
			<i>For Anodized Finish, Add</i>	281.04	
			<i>For Kynar® Standard Colors Finish, Add</i>	386.42	
08 91	19 00-0026	EA	18" Wide x 66" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	922.24	77.83
			<i>For Flange Frame, Add</i>	76.66	
			<i>For Clear Lacquer Finish, Add</i>	153.32	
			<i>For Baked Enamel Standard Colors, Add</i>	229.98	
			<i>For Anodized Finish, Add</i>	306.64	
			<i>For Kynar® Standard Colors Finish, Add</i>	421.62	
08 91	19 00-0027	EA	18" Wide x 72" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	978.33	82.40
			<i>For Flange Frame, Add</i>	81.35	
			<i>For Clear Lacquer Finish, Add</i>	162.70	
			<i>For Baked Enamel Standard Colors, Add</i>	244.06	
			<i>For Anodized Finish, Add</i>	325.41	
			<i>For Kynar® Standard Colors Finish, Add</i>	447.44	
08 91	19 00-0028	EA	18" Wide x 78" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	1,040.82	86.98
			<i>For Flange Frame, Add</i>	86.69	
			<i>For Clear Lacquer Finish, Add</i>	173.37	
			<i>For Baked Enamel Standard Colors, Add</i>	260.06	
			<i>For Anodized Finish, Add</i>	346.74	
			<i>For Kynar® Standard Colors Finish, Add</i>	476.77	
08 91	19 00-0029	EA	18" Wide x 84" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	1,106.15	91.56
			<i>For Flange Frame, Add</i>	92.30	
			<i>For Clear Lacquer Finish, Add</i>	184.61	
			<i>For Baked Enamel Standard Colors, Add</i>	276.91	
			<i>For Anodized Finish, Add</i>	369.21	
			<i>For Kynar® Standard Colors Finish, Add</i>	507.67	
08 91	19 00-0030	EA	18" Wide x 90" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	1,164.69	98.43
			<i>For Flange Frame, Add</i>	96.78	
			<i>For Clear Lacquer Finish, Add</i>	193.57	
			<i>For Baked Enamel Standard Colors, Add</i>	290.35	
			<i>For Anodized Finish, Add</i>	387.13	
			<i>For Kynar® Standard Colors Finish, Add</i>	532.31	



	MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 91	19 00-0031	EA		18" Wide x 96" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	1,245.27	105.29
				<i>For Flange Frame, Add</i>	103.47	
				<i>For Clear Lacquer Finish, Add</i>	206.94	
				<i>For Baked Enamel Standard Colors, Add</i>	310.40	
				<i>For Anodized Finish, Add</i>	413.87	
				<i>For Kynar® Standard Colors Finish, Add</i>	569.07	
08 91	19 00-0032	EA		24" Wide x 12" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	344.68	29.76
				<i>For Flange Frame, Add</i>	28.52	
				<i>For Clear Lacquer Finish, Add</i>	57.03	
				<i>For Baked Enamel Standard Colors, Add</i>	85.55	
				<i>For Anodized Finish, Add</i>	114.06	
				<i>For Kynar® Standard Colors Finish, Add</i>	156.84	
08 91	19 00-0033	EA		24" Wide x 18" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	411.03	36.62
				<i>For Flange Frame, Add</i>	33.78	
				<i>For Clear Lacquer Finish, Add</i>	67.56	
				<i>For Baked Enamel Standard Colors, Add</i>	101.33	
				<i>For Anodized Finish, Add</i>	135.11	
				<i>For Kynar® Standard Colors Finish, Add</i>	185.78	
08 91	19 00-0034	EA		24" Wide x 24" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	508.67	43.49
				<i>For Flange Frame, Add</i>	42.17	
				<i>For Clear Lacquer Finish, Add</i>	84.34	
				<i>For Baked Enamel Standard Colors, Add</i>	126.51	
				<i>For Anodized Finish, Add</i>	168.68	
				<i>For Kynar® Standard Colors Finish, Add</i>	231.93	
08 91	19 00-0035	EA		24" Wide x 30" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	600.23	52.65
				<i>For Flange Frame, Add</i>	49.49	
				<i>For Clear Lacquer Finish, Add</i>	98.99	
				<i>For Baked Enamel Standard Colors, Add</i>	148.48	
				<i>For Anodized Finish, Add</i>	197.98	
				<i>For Kynar® Standard Colors Finish, Add</i>	272.22	
08 91	19 00-0036	EA		24" Wide x 36" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	686.20	57.22
				<i>For Flange Frame, Add</i>	57.17	
				<i>For Clear Lacquer Finish, Add</i>	114.35	
				<i>For Baked Enamel Standard Colors, Add</i>	171.52	
				<i>For Anodized Finish, Add</i>	228.70	
				<i>For Kynar® Standard Colors Finish, Add</i>	314.46	
08 91	19 00-0037	EA		24" Wide x 42" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	765.75	61.80
				<i>For Flange Frame, Add</i>	64.21	
				<i>For Clear Lacquer Finish, Add</i>	128.43	
				<i>For Baked Enamel Standard Colors, Add</i>	192.64	
				<i>For Anodized Finish, Add</i>	256.86	
				<i>For Kynar® Standard Colors Finish, Add</i>	353.18	
08 91	19 00-0038	EA		24" Wide x 48" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	832.82	68.67
				<i>For Flange Frame, Add</i>	69.55	
				<i>For Clear Lacquer Finish, Add</i>	139.10	
				<i>For Baked Enamel Standard Colors, Add</i>	208.64	
				<i>For Anodized Finish, Add</i>	278.19	
				<i>For Kynar® Standard Colors Finish, Add</i>	382.51	
08 91	19 00-0039	EA		24" Wide x 54" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	922.24	77.83
				<i>For Flange Frame, Add</i>	76.66	
				<i>For Clear Lacquer Finish, Add</i>	153.32	
				<i>For Baked Enamel Standard Colors, Add</i>	229.98	
				<i>For Anodized Finish, Add</i>	306.64	
				<i>For Kynar® Standard Colors Finish, Add</i>	421.62	
08 91	19 00-0040	EA		24" Wide x 60" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	981.18	82.40
				<i>For Flange Frame, Add</i>	81.64	
				<i>For Clear Lacquer Finish, Add</i>	163.27	
				<i>For Baked Enamel Standard Colors, Add</i>	244.91	
				<i>For Anodized Finish, Add</i>	326.55	
				<i>For Kynar® Standard Colors Finish, Add</i>	449.00	
08 91	19 00-0041	EA		24" Wide x 66" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	1,078.42	91.56
				<i>For Flange Frame, Add</i>	89.53	
				<i>For Clear Lacquer Finish, Add</i>	179.06	
				<i>For Baked Enamel Standard Colors, Add</i>	268.59	
				<i>For Anodized Finish, Add</i>	358.12	
				<i>For Kynar® Standard Colors Finish, Add</i>	492.42	
08 91	19 00-0042	EA		24" Wide x 72" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	1,139.49	96.14
				<i>For Flange Frame, Add</i>	94.72	
				<i>For Clear Lacquer Finish, Add</i>	189.44	
				<i>For Baked Enamel Standard Colors, Add</i>	284.16	
				<i>For Anodized Finish, Add</i>	378.88	
				<i>For Kynar® Standard Colors Finish, Add</i>	520.97	

08 Openings**08 90 Louvers And Vents****08 91 Louvers**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 91	19 00-0043	EA	24" Wide x 78" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	1,218.34	100.71
			<i>For Flange Frame, Add</i>	101.69	
			<i>For Clear Lacquer Finish, Add</i>	203.38	
			<i>For Baked Enamel Standard Colors, Add</i>	305.07	
			<i>For Anodized Finish, Add</i>	406.76	
			<i>For Kynar® Standard Colors Finish, Add</i>	559.30	
08 91	19 00-0044	EA	24" Wide x 84" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	1,295.76	105.29
			<i>For Flange Frame, Add</i>	108.52	
			<i>For Clear Lacquer Finish, Add</i>	217.03	
			<i>For Baked Enamel Standard Colors, Add</i>	325.55	
			<i>For Anodized Finish, Add</i>	434.07	
			<i>For Kynar® Standard Colors Finish, Add</i>	596.84	
08 91	19 00-0045	EA	24" Wide x 90" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	1,355.71	112.16
			<i>For Flange Frame, Add</i>	113.14	
			<i>For Clear Lacquer Finish, Add</i>	226.28	
			<i>For Baked Enamel Standard Colors, Add</i>	339.42	
			<i>For Anodized Finish, Add</i>	452.56	
			<i>For Kynar® Standard Colors Finish, Add</i>	622.26	
08 91	19 00-0046	EA	24" Wide x 96" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	1,453.36	119.03
			<i>For Flange Frame, Add</i>	121.53	
			<i>For Clear Lacquer Finish, Add</i>	243.06	
			<i>For Baked Enamel Standard Colors, Add</i>	364.59	
			<i>For Anodized Finish, Add</i>	486.12	
			<i>For Kynar® Standard Colors Finish, Add</i>	668.42	
08 91	19 00-0047	EA	30" Wide x 12" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	386.54	34.34
			<i>For Flange Frame, Add</i>	31.79	
			<i>For Clear Lacquer Finish, Add</i>	63.57	
			<i>For Baked Enamel Standard Colors, Add</i>	95.36	
			<i>For Anodized Finish, Add</i>	127.15	
			<i>For Kynar® Standard Colors Finish, Add</i>	174.83	
08 91	19 00-0048	EA	30" Wide x 18" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	500.45	45.78
			<i>For Flange Frame, Add</i>	40.89	
			<i>For Clear Lacquer Finish, Add</i>	81.78	
			<i>For Baked Enamel Standard Colors, Add</i>	122.67	
			<i>For Anodized Finish, Add</i>	163.56	
			<i>For Kynar® Standard Colors Finish, Add</i>	224.89	
08 91	19 00-0049	EA	30" Wide x 24" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	583.87	52.65
			<i>For Flange Frame, Add</i>	47.86	
			<i>For Clear Lacquer Finish, Add</i>	95.72	
			<i>For Baked Enamel Standard Colors, Add</i>	143.57	
			<i>For Anodized Finish, Add</i>	191.43	
			<i>For Kynar® Standard Colors Finish, Add</i>	263.22	
08 91	19 00-0050	EA	30" Wide x 30" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	680.81	59.52
			<i>For Flange Frame, Add</i>	56.18	
			<i>For Clear Lacquer Finish, Add</i>	112.36	
			<i>For Baked Enamel Standard Colors, Add</i>	168.53	
			<i>For Anodized Finish, Add</i>	224.71	
			<i>For Kynar® Standard Colors Finish, Add</i>	308.98	
08 91	19 00-0051	EA	30" Wide x 36" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	783.84	64.09
			<i>For Flange Frame, Add</i>	65.57	
			<i>For Clear Lacquer Finish, Add</i>	131.13	
			<i>For Baked Enamel Standard Colors, Add</i>	196.70	
			<i>For Anodized Finish, Add</i>	262.26	
			<i>For Kynar® Standard Colors Finish, Add</i>	360.61	
08 91	19 00-0052	EA	30" Wide x 42" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	871.53	70.95
			<i>For Flange Frame, Add</i>	72.96	
			<i>For Clear Lacquer Finish, Add</i>	145.92	
			<i>For Baked Enamel Standard Colors, Add</i>	218.88	
			<i>For Anodized Finish, Add</i>	291.84	
			<i>For Kynar® Standard Colors Finish, Add</i>	401.29	
08 91	19 00-0053	EA	30" Wide x 48" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	936.86	75.53
			<i>For Flange Frame, Add</i>	78.58	
			<i>For Clear Lacquer Finish, Add</i>	157.16	
			<i>For Baked Enamel Standard Colors, Add</i>	235.74	
			<i>For Anodized Finish, Add</i>	314.32	
			<i>For Kynar® Standard Colors Finish, Add</i>	432.18	
08 91	19 00-0054	EA	30" Wide x 54" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator.	1,028.82	82.40
			<i>For Flange Frame, Add</i>	86.40	
			<i>For Clear Lacquer Finish, Add</i>	172.80	
			<i>For Baked Enamel Standard Colors, Add</i>	259.20	
			<i>For Anodized Finish, Add</i>	345.60	
			<i>For Kynar® Standard Colors Finish, Add</i>	475.21	



Openings	08
Louvers And Vents	08 90
Louvers	08 91

08

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 91	19 00-0055	EA	30" Wide x 60" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	1,101.97 92.80 185.60 278.40 371.20 510.41	86.98
08 91	19 00-0056	EA	30" Wide x 66" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	1,214.16 102.19 204.38 306.56 408.75 562.03	96.14
08 91	19 00-0057	EA	30" Wide x 72" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	1,286.20 108.02 216.04 324.06 432.08 594.10	103.01
08 91	19 00-0058	EA	30" Wide x 78" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	1,370.03 115.49 230.97 346.46 461.94 635.17	107.58
08 91	19 00-0059	EA	30" Wide x 84" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	1,453.14 122.88 245.76 368.65 491.53 675.85	112.16
08 91	19 00-0060	EA	30" Wide x 90" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	1,523.76 128.57 257.14 385.71 514.28 707.14	119.03
08 91	19 00-0061	EA	30" Wide x 96" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	1,634.21 138.24 276.48 414.73 552.97 760.33	125.89
08 91	19 00-0062	EA	36" Wide x 12" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	429.12 35.13 70.26 105.39 140.52 193.21	38.91
08 91	19 00-0063	EA	36" Wide x 18" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	562.94 46.22 92.45 138.67 184.89 254.23	50.36
08 91	19 00-0064	EA	36" Wide x 24" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	650.64 53.62 107.24 160.85 214.47 294.90	57.22
08 91	19 00-0065	EA	36" Wide x 30" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. Excludes actuator. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	754.69 62.65 125.30 187.95 250.60 344.58	64.09
08 91	19 00-0066	EA	36" Wide x 36" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	870.91 73.17 146.35 219.52 292.70 402.46	69.59

08 Openings**08 90 Louvers And Vents****08 91 Louvers**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 91	19 00-0067	EA	36" Wide x 42" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen.	961.75	75.53
			<i>For Flange Frame, Add</i>	81.07	
			<i>For Clear Lacquer Finish, Add</i>	162.14	
			<i>For Baked Enamel Standard Colors, Add</i>	243.20	
			<i>For Anodized Finish, Add</i>	324.27	
			<i>For Kynar® Standard Colors Finish, Add</i>	445.87	
08 91	19 00-0068	EA	36" Wide x 48" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen.	1,039.89	80.12
			<i>For Flange Frame, Add</i>	87.97	
			<i>For Clear Lacquer Finish, Add</i>	175.93	
			<i>For Baked Enamel Standard Colors, Add</i>	263.90	
			<i>For Anodized Finish, Add</i>	351.86	
			<i>For Kynar® Standard Colors Finish, Add</i>	483.81	
08 91	19 00-0069	EA	36" Wide x 54" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen.	1,144.64	86.98
			<i>For Flange Frame, Add</i>	97.07	
			<i>For Clear Lacquer Finish, Add</i>	194.14	
			<i>For Baked Enamel Standard Colors, Add</i>	291.20	
			<i>For Anodized Finish, Add</i>	388.27	
			<i>For Kynar® Standard Colors Finish, Add</i>	533.87	
08 91	19 00-0070	EA	36" Wide x 60" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen.	1,224.50	93.85
			<i>For Flange Frame, Add</i>	103.68	
			<i>For Clear Lacquer Finish, Add</i>	207.36	
			<i>For Baked Enamel Standard Colors, Add</i>	311.04	
			<i>For Anodized Finish, Add</i>	414.72	
			<i>For Kynar® Standard Colors Finish, Add</i>	570.25	
08 91	19 00-0071	EA	36" Wide x 66" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen.	1,349.90	100.71
			<i>For Flange Frame, Add</i>	114.85	
			<i>For Clear Lacquer Finish, Add</i>	229.69	
			<i>For Baked Enamel Standard Colors, Add</i>	344.54	
			<i>For Anodized Finish, Add</i>	459.38	
			<i>For Kynar® Standard Colors Finish, Add</i>	631.65	
08 91	19 00-0072	EA	36" Wide x 72" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen.	1,433.32	107.58
			<i>For Flange Frame, Add</i>	121.82	
			<i>For Clear Lacquer Finish, Add</i>	243.63	
			<i>For Baked Enamel Standard Colors, Add</i>	365.45	
			<i>For Anodized Finish, Add</i>	487.26	
			<i>For Kynar® Standard Colors Finish, Add</i>	669.98	
08 91	19 00-0073	EA	36" Wide x 78" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen.	1,522.83	112.16
			<i>For Flange Frame, Add</i>	129.85	
			<i>For Clear Lacquer Finish, Add</i>	259.70	
			<i>For Baked Enamel Standard Colors, Add</i>	389.55	
			<i>For Anodized Finish, Add</i>	519.40	
			<i>For Kynar® Standard Colors Finish, Add</i>	714.18	
08 91	19 00-0074	EA	36" Wide x 84" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen.	1,615.90	116.74
			<i>For Flange Frame, Add</i>	138.24	
			<i>For Clear Lacquer Finish, Add</i>	276.48	
			<i>For Baked Enamel Standard Colors, Add</i>	414.73	
			<i>For Anodized Finish, Add</i>	552.97	
			<i>For Kynar® Standard Colors Finish, Add</i>	760.33	
08 91	19 00-0075	EA	36" Wide x 90" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen.	1,696.47	123.61
			<i>For Flange Frame, Add</i>	144.93	
			<i>For Clear Lacquer Finish, Add</i>	289.85	
			<i>For Baked Enamel Standard Colors, Add</i>	434.78	
			<i>For Anodized Finish, Add</i>	579.70	
			<i>For Kynar® Standard Colors Finish, Add</i>	797.09	
08 91	19 00-0076	EA	36" Wide x 96" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen.	1,821.14	130.47
			<i>For Flange Frame, Add</i>	156.02	
			<i>For Clear Lacquer Finish, Add</i>	312.04	
			<i>For Baked Enamel Standard Colors, Add</i>	468.06	
			<i>For Anodized Finish, Add</i>	624.08	
			<i>For Kynar® Standard Colors Finish, Add</i>	858.11	
08 91	19 00-0077	EA	42" Wide x 12" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen.	498.72	43.49
			<i>For Flange Frame, Add</i>	41.17	
			<i>For Clear Lacquer Finish, Add</i>	82.35	
			<i>For Baked Enamel Standard Colors, Add</i>	123.52	
			<i>For Anodized Finish, Add</i>	164.70	
			<i>For Kynar® Standard Colors Finish, Add</i>	226.46	
08 91	19 00-0078	EA	42" Wide x 18" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen.	611.92	54.94
			<i>For Flange Frame, Add</i>	50.21	
			<i>For Clear Lacquer Finish, Add</i>	100.41	
			<i>For Baked Enamel Standard Colors, Add</i>	150.62	
			<i>For Anodized Finish, Add</i>	200.82	
			<i>For Kynar® Standard Colors Finish, Add</i>	276.13	



Openings	08
Louvers And Vents	08 90
Louvers	08 91

08

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 91	19 00-0079	EA	42" Wide x 24" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	708.86 58.53 117.05 175.58 234.10 321.89	61.80
08 91	19 00-0080	EA	42" Wide x 30" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	828.86 68.69 137.39 206.08 274.78 377.82	70.95
08 91	19 00-0081	EA	42" Wide x 36" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	954.64 80.36 160.71 241.07 321.43 441.96	75.53
08 91	19 00-0082	EA	42" Wide x 42" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	1,055.53 89.53 179.06 268.59 358.12 492.42	80.12
08 91	19 00-0083	EA	42" Wide x 48" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	1,142.90 97.35 194.70 292.06 389.41 535.44	84.70
08 91	19 00-0084	EA	42" Wide x 54" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	1,247.67 106.46 212.91 319.37 425.82 585.50	91.56
08 91	19 00-0085	EA	42" Wide x 60" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	1,337.50 114.06 228.13 342.19 456.26 627.35	98.43
08 91	19 00-0086	EA	42" Wide x 66" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	1,476.38 126.58 253.16 379.74 506.32 696.18	105.29
08 91	19 00-0087	EA	42" Wide x 72" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	1,566.20 134.19 268.38 402.56 536.75 738.03	112.16
08 91	19 00-0088	EA	42" Wide x 78" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	1,667.10 143.36 286.72 430.09 573.45 788.49	116.74
08 91	19 00-0089	EA	42" Wide x 84" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	1,768.69 152.61 305.21 457.82 610.42 839.33	121.32
08 91	19 00-0090	EA	42" Wide x 90" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	1,863.50 160.71 321.43 482.14 642.85 883.92	128.19

08 Openings**08 90 Louvers And Vents****08 91 Louvers**

MINOR CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 91 19 00-0091	EA	42" Wide x 96" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	1,997.42 172.73 345.46 518.19 690.92 950.02	135.05
08 91 19 00-0092	EA	48" Wide x 12" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	545.57 44.94 89.89 134.83 179.77 247.19	48.07
08 91 19 00-0093	EA	48" Wide x 18" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	668.73 54.97 109.94 164.91 219.88 302.34	59.52
08 91 19 00-0094	EA	48" Wide x 24" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	783.04 64.57 129.14 193.71 258.28 355.14	68.67
08 91 19 00-0095	EA	48" Wide x 30" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	900.59 74.95 149.90 224.86 299.81 412.24	75.53
08 91 19 00-0096	EA	48" Wide x 36" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	1,044.15 88.39 176.78 265.18 353.57 486.16	80.12
08 91 19 00-0097	EA	48" Wide x 42" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	1,160.68 99.13 198.26 297.39 396.52 545.22	84.70
08 91 19 00-0098	EA	48" Wide x 48" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	1,257.62 107.45 214.90 322.35 429.80 590.98	91.56
08 91 19 00-0099	EA	48" Wide x 54" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	1,409.32 121.25 242.49 363.74 484.98 666.85	98.43
08 91 19 00-0100	EA	48" Wide x 60" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	1,476.38 126.58 253.16 379.74 506.32 696.18	105.29
08 91 19 00-0101	EA	48" Wide x 66" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	1,624.52 140.02 280.04 420.06 560.08 770.11	112.16
08 91 19 00-0102	EA	48" Wide x 72" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	1,727.86 148.98 297.96 446.94 595.92 819.39	119.03



	MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 91	19 00-0103	EA		48" Wide x 78" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen.	1,840.12	123.61
				<i>For Flange Frame, Add</i>	159.29	
				<i>For Clear Lacquer Finish, Add</i>	318.58	
				<i>For Baked Enamel Standard Colors, Add</i>	477.87	
				<i>For Anodized Finish, Add</i>	637.16	
				<i>For Kynar® Standard Colors Finish, Add</i>	876.10	
08 91	19 00-0104	EA		48" Wide x 84" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen.	1,952.39	128.19
				<i>For Flange Frame, Add</i>	169.60	
				<i>For Clear Lacquer Finish, Add</i>	339.20	
				<i>For Baked Enamel Standard Colors, Add</i>	508.81	
				<i>For Anodized Finish, Add</i>	678.41	
				<i>For Kynar® Standard Colors Finish, Add</i>	932.81	
08 91	19 00-0105	EA		48" Wide x 90" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen.	2,046.17	132.77
				<i>For Flange Frame, Add</i>	178.06	
				<i>For Clear Lacquer Finish, Add</i>	356.13	
				<i>For Baked Enamel Standard Colors, Add</i>	534.19	
				<i>For Anodized Finish, Add</i>	712.26	
				<i>For Kynar® Standard Colors Finish, Add</i>	979.35	
08 91	19 00-0106	EA		48" Wide x 96" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen.	2,200.00	139.63
				<i>For Flange Frame, Add</i>	192.07	
				<i>For Clear Lacquer Finish, Add</i>	384.15	
				<i>For Baked Enamel Standard Colors, Add</i>	576.22	
				<i>For Anodized Finish, Add</i>	768.30	
				<i>For Kynar® Standard Colors Finish, Add</i>	1,056.41	
08 91	19 00-0107	EA		54" Wide x 12" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen.	604.81	54.94
				<i>For Flange Frame, Add</i>	49.49	
				<i>For Clear Lacquer Finish, Add</i>	98.99	
				<i>For Baked Enamel Standard Colors, Add</i>	148.48	
				<i>For Anodized Finish, Add</i>	197.98	
				<i>For Kynar® Standard Colors Finish, Add</i>	272.22	
08 91	19 00-0108	EA		54" Wide x 18" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen.	742.20	66.38
				<i>For Flange Frame, Add</i>	60.94	
				<i>For Clear Lacquer Finish, Add</i>	121.89	
				<i>For Baked Enamel Standard Colors, Add</i>	182.83	
				<i>For Anodized Finish, Add</i>	243.77	
				<i>For Kynar® Standard Colors Finish, Add</i>	335.19	
08 91	19 00-0109	EA		54" Wide x 24" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen.	868.90	77.83
				<i>For Flange Frame, Add</i>	71.33	
				<i>For Clear Lacquer Finish, Add</i>	142.65	
				<i>For Baked Enamel Standard Colors, Add</i>	213.98	
				<i>For Anodized Finish, Add</i>	285.30	
				<i>For Kynar® Standard Colors Finish, Add</i>	392.29	
08 91	19 00-0110	EA		54" Wide x 30" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen.	993.98	82.40
				<i>For Flange Frame, Add</i>	82.92	
				<i>For Clear Lacquer Finish, Add</i>	165.83	
				<i>For Baked Enamel Standard Colors, Add</i>	248.75	
				<i>For Anodized Finish, Add</i>	331.67	
				<i>For Kynar® Standard Colors Finish, Add</i>	456.04	
08 91	19 00-0111	EA		54" Wide x 36" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen.	1,165.26	86.98
				<i>For Flange Frame, Add</i>	99.13	
				<i>For Clear Lacquer Finish, Add</i>	198.26	
				<i>For Baked Enamel Standard Colors, Add</i>	297.39	
				<i>For Anodized Finish, Add</i>	396.52	
				<i>For Kynar® Standard Colors Finish, Add</i>	545.22	
08 91	19 00-0112	EA		54" Wide x 42" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen.	1,284.64	91.56
				<i>For Flange Frame, Add</i>	110.15	
				<i>For Clear Lacquer Finish, Add</i>	220.30	
				<i>For Baked Enamel Standard Colors, Add</i>	330.46	
				<i>For Anodized Finish, Add</i>	440.61	
				<i>For Kynar® Standard Colors Finish, Add</i>	605.64	
08 91	19 00-0113	EA		54" Wide x 48" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen.	1,397.94	98.43
				<i>For Flange Frame, Add</i>	120.11	
				<i>For Clear Lacquer Finish, Add</i>	240.22	
				<i>For Baked Enamel Standard Colors, Add</i>	360.32	
				<i>For Anodized Finish, Add</i>	480.43	
				<i>For Kynar® Standard Colors Finish, Add</i>	660.59	
08 91	19 00-0114	EA		54" Wide x 54" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen.	1,563.14	105.29
				<i>For Flange Frame, Add</i>	135.26	
				<i>For Clear Lacquer Finish, Add</i>	270.51	
				<i>For Baked Enamel Standard Colors, Add</i>	405.77	
				<i>For Anodized Finish, Add</i>	541.02	
				<i>For Kynar® Standard Colors Finish, Add</i>	743.90	

08 Openings**08 90 Louvers And Vents****08 91 Louvers**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 91	19 00-0115	EA	54" Wide x 60" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	1,679.98 145.57 291.13 436.70 582.26 800.61	112.16
08 91	19 00-0116	EA	54" Wide x 66" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	1,853.01 161.50 322.99 484.49 645.98 888.22	119.03
08 91	19 00-0117	EA	54" Wide x 72" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	1,964.56 171.74 343.47 515.21 686.94 944.54	123.61
08 91	19 00-0118	EA	54" Wide x 78" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	2,091.77 183.54 367.08 550.62 734.16 1,009.47	128.19
08 91	19 00-0119	EA	54" Wide x 84" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	2,214.00 194.85 389.69 584.54 779.39 1,071.66	132.77
08 91	19 00-0120	EA	54" Wide x 90" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	2,315.60 204.09 408.18 612.27 816.36 1,122.50	137.34
08 91	19 00-0121	EA	54" Wide x 96" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	2,494.31 220.59 441.18 661.77 882.36 1,213.24	144.20
08 91	19 00-0122	EA	60" Wide x 12" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	650.24 53.12 106.24 159.36 212.48 292.17	59.52
08 91	19 00-0123	EA	60" Wide x 18" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	802.15 65.57 131.13 196.70 262.26 360.61	73.25
08 91	19 00-0124	EA	60" Wide x 24" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	931.40 76.66 153.32 229.98 306.64 421.62	82.40
08 91	19 00-0125	EA	60" Wide x 30" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	1,075.66 90.17 180.34 270.51 360.68 495.94	86.98
08 91	19 00-0126	EA	60" Wide x 36" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	1,255.08 106.74 213.48 320.22 426.96 587.06	93.85



Openings	08
Louvers And Vents	08 90
Louvers	08 91

08

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 91	19 00-0127	EA	60" Wide x 42" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	1,388.70 119.18 238.37 357.55 476.74 655.51	98.43
08 91	19 00-0128	EA	60" Wide x 48" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	1,506.96 129.64 259.27 388.91 518.55 713.00	105.29
08 91	19 00-0129	EA	60" Wide x 54" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	1,683.54 145.92 291.84 437.77 583.69 802.57	112.16
08 91	19 00-0130	EA	60" Wide x 60" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	1,808.92 157.09 314.17 471.26 628.34 863.97	119.03
08 91	19 00-0131	EA	60" Wide x 66" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	1,996.17 174.44 348.88 523.31 697.75 959.41	125.89
08 91	19 00-0132	EA	60" Wide x 72" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	2,114.83 185.39 370.78 556.17 741.56 1,019.64	130.47
08 91	19 00-0133	EA	60" Wide x 78" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	2,249.87 197.98 395.95 593.93 791.90 1,088.87	135.05
08 91	19 00-0134	EA	60" Wide x 84" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	2,382.04 210.28 420.56 630.83 841.11 1,156.53	139.63
08 91	19 00-0135	EA	60" Wide x 90" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	2,494.31 220.59 441.18 661.77 882.36 1,213.24	144.20
08 91	19 00-0136	EA	60" Wide x 96" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	2,680.53 238.30 476.59 714.89 953.18 1,310.63	148.78
08 91	19 00-0137	EA	66" Wide x 12" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	748.29 62.01 124.02 186.03 248.04 341.06	64.09
08 91	19 00-0138	EA	66" Wide x 18" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	925.08 76.94 153.89 230.83 307.77 423.19	77.83

08 Openings**08 90 Louvers And Vents****08 91 Louvers**

MINOR CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 91 19 00-0139	EA	66" Wide x 24" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	1,078.42 89.53 179.06 268.59 358.12 492.42	91.56
08 91 19 00-0140	EA	66" Wide x 30" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	1,235.49 104.32 208.64 312.96 417.28 573.77	96.14
08 91 19 00-0141	EA	66" Wide x 36" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	1,443.77 124.23 248.47 372.70 496.93 683.28	100.71
08 91 19 00-0142	EA	66" Wide x 42" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	1,589.45 137.89 275.77 413.66 551.54 758.37	105.29
08 91 19 00-0143	EA	66" Wide x 48" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	1,730.47 150.62 301.23 451.85 602.46 828.38	112.16
08 91 19 00-0144	EA	66" Wide x 54" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	1,895.68 165.76 331.52 497.29 663.05 911.69	119.03
08 91 19 00-0145	EA	66" Wide x 60" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	2,035.99 178.42 356.84 535.26 713.68 981.31	125.89
08 91 19 00-0146	EA	66" Wide x 66" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	2,251.29 198.12 396.24 594.35 792.47 1,089.65	135.05
08 91 19 00-0147	EA	66" Wide x 72" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	2,386.62 210.28 420.56 630.83 841.11 1,156.53	141.92
08 91 19 00-0148	EA	66" Wide x 78" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	2,529.46 223.65 447.29 670.94 894.59 1,230.06	146.50
08 91 19 00-0149	EA	66" Wide x 84" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	2,675.16 237.30 474.60 711.90 949.20 1,305.16	151.07
08 91 19 00-0150	EA	66" Wide x 90" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	2,801.64 249.03 498.07 747.10 996.14 1,369.69	155.65



	MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 91	19 00-0151	EA		66" Wide x 96" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen.	3,009.20	160.23
				<i>For Flange Frame, Add</i>	268.87	
				<i>For Clear Lacquer Finish, Add</i>	537.75	
				<i>For Baked Enamel Standard Colors, Add</i>	806.62	
				<i>For Anodized Finish, Add</i>	1,075.50	
				<i>For Kynar® Standard Colors Finish, Add</i>	1,478.81	
08 91	19 00-0152	EA		72" Wide x 12" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen.	790.15	68.67
				<i>For Flange Frame, Add</i>	65.28	
				<i>For Clear Lacquer Finish, Add</i>	130.56	
				<i>For Baked Enamel Standard Colors, Add</i>	195.84	
				<i>For Anodized Finish, Add</i>	261.12	
				<i>For Kynar® Standard Colors Finish, Add</i>	359.05	
08 91	19 00-0153	EA		72" Wide x 18" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen.	975.49	82.40
				<i>For Flange Frame, Add</i>	81.07	
				<i>For Clear Lacquer Finish, Add</i>	162.14	
				<i>For Baked Enamel Standard Colors, Add</i>	243.20	
				<i>For Anodized Finish, Add</i>	324.27	
				<i>For Kynar® Standard Colors Finish, Add</i>	445.87	
08 91	19 00-0154	EA		72" Wide x 24" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen.	1,136.65	96.14
				<i>For Flange Frame, Add</i>	94.44	
				<i>For Clear Lacquer Finish, Add</i>	188.87	
				<i>For Baked Enamel Standard Colors, Add</i>	283.31	
				<i>For Anodized Finish, Add</i>	377.75	
				<i>For Kynar® Standard Colors Finish, Add</i>	519.40	
08 91	19 00-0155	EA		72" Wide x 30" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen.	1,307.53	103.01
				<i>For Flange Frame, Add</i>	110.15	
				<i>For Clear Lacquer Finish, Add</i>	220.30	
				<i>For Baked Enamel Standard Colors, Add</i>	330.46	
				<i>For Anodized Finish, Add</i>	440.61	
				<i>For Kynar® Standard Colors Finish, Add</i>	605.84	
08 91	19 00-0156	EA		72" Wide x 36" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen.	1,530.74	107.58
				<i>For Flange Frame, Add</i>	131.56	
				<i>For Clear Lacquer Finish, Add</i>	263.11	
				<i>For Baked Enamel Standard Colors, Add</i>	394.67	
				<i>For Anodized Finish, Add</i>	526.23	
				<i>For Kynar® Standard Colors Finish, Add</i>	723.56	
08 91	19 00-0157	EA		72" Wide x 42" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen.	1,684.25	112.16
				<i>For Flange Frame, Add</i>	145.99	
				<i>For Clear Lacquer Finish, Add</i>	291.99	
				<i>For Baked Enamel Standard Colors, Add</i>	437.98	
				<i>For Anodized Finish, Add</i>	583.97	
				<i>For Kynar® Standard Colors Finish, Add</i>	802.96	
08 91	19 00-0158	EA		72" Wide x 48" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen.	1,834.52	119.03
				<i>For Flange Frame, Add</i>	159.65	
				<i>For Clear Lacquer Finish, Add</i>	319.29	
				<i>For Baked Enamel Standard Colors, Add</i>	478.94	
				<i>For Anodized Finish, Add</i>	638.58	
				<i>For Kynar® Standard Colors Finish, Add</i>	878.05	
08 91	19 00-0159	EA		72" Wide x 54" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen.	2,004.39	123.61
				<i>For Flange Frame, Add</i>	175.72	
				<i>For Clear Lacquer Finish, Add</i>	351.44	
				<i>For Baked Enamel Standard Colors, Add</i>	527.15	
				<i>For Anodized Finish, Add</i>	702.87	
				<i>For Kynar® Standard Colors Finish, Add</i>	966.45	
08 91	19 00-0160	EA		72" Wide x 60" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen.	2,151.10	130.47
				<i>For Flange Frame, Add</i>	189.02	
				<i>For Clear Lacquer Finish, Add</i>	378.03	
				<i>For Baked Enamel Standard Colors, Add</i>	567.05	
				<i>For Anodized Finish, Add</i>	756.06	
				<i>For Kynar® Standard Colors Finish, Add</i>	1,039.59	
08 91	19 00-0161	EA		72" Wide x 66" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen.	2,386.62	141.92
				<i>For Flange Frame, Add</i>	210.28	
				<i>For Clear Lacquer Finish, Add</i>	420.56	
				<i>For Baked Enamel Standard Colors, Add</i>	630.83	
				<i>For Anodized Finish, Add</i>	841.11	
				<i>For Kynar® Standard Colors Finish, Add</i>	1,156.53	
08 91	19 00-0162	EA		72" Wide x 72" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen.	2,535.46	148.78
				<i>For Flange Frame, Add</i>	223.79	
				<i>For Clear Lacquer Finish, Add</i>	447.58	
				<i>For Baked Enamel Standard Colors, Add</i>	671.37	
				<i>For Anodized Finish, Add</i>	895.16	
				<i>For Kynar® Standard Colors Finish, Add</i>	1,230.84	

08 Openings**08 90 Louvers And Vents****08 91 Louvers**

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 91 19 00-0163 EA 72" Wide x 78" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen.	2,682.58	153.37
For Flange Frame, Add	237.59	
For Clear Lacquer Finish, Add	475.17	
For Baked Enamel Standard Colors, Add	712.76	
For Anodized Finish, Add	950.34	
For Kynar® Standard Colors Finish, Add	1,306.72	
08 91 19 00-0164 EA 72" Wide x 84" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen.	2,831.82	157.95
For Flange Frame, Add	251.59	
For Clear Lacquer Finish, Add	503.19	
For Baked Enamel Standard Colors, Add	754.78	
For Anodized Finish, Add	1,006.38	
For Kynar® Standard Colors Finish, Add	1,383.77	
08 91 19 00-0165 EA 72" Wide x 90" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen.	2,971.83	162.52
For Flange Frame, Add	264.68	
For Clear Lacquer Finish, Add	529.36	
For Baked Enamel Standard Colors, Add	794.04	
For Anodized Finish, Add	1,058.72	
For Kynar® Standard Colors Finish, Add	1,455.73	
08 91 19 00-0166 EA 72" Wide x 96" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen.	3,192.89	167.10
For Flange Frame, Add	285.87	
For Clear Lacquer Finish, Add	571.74	
For Baked Enamel Standard Colors, Add	857.61	
For Anodized Finish, Add	1,143.48	
For Kynar® Standard Colors Finish, Add	1,572.29	
08 91 19 00-0167 EA 78" Wide x 12" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen.	840.55	73.25
For Flange Frame, Add	69.41	
For Clear Lacquer Finish, Add	138.81	
For Baked Enamel Standard Colors, Add	208.22	
For Anodized Finish, Add	277.62	
For Kynar® Standard Colors Finish, Add	381.73	
08 91 19 00-0168 EA 78" Wide x 18" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen.	1,030.86	86.98
For Flange Frame, Add	85.69	
For Clear Lacquer Finish, Add	171.38	
For Baked Enamel Standard Colors, Add	257.07	
For Anodized Finish, Add	342.76	
For Kynar® Standard Colors Finish, Add	471.30	
08 91 19 00-0169 EA 78" Wide x 24" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen.	1,195.59	100.71
For Flange Frame, Add	99.42	
For Clear Lacquer Finish, Add	198.83	
For Baked Enamel Standard Colors, Add	298.25	
For Anodized Finish, Add	397.66	
For Kynar® Standard Colors Finish, Add	546.78	
08 91 19 00-0170 EA 78" Wide x 30" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen.	1,377.85	107.58
For Flange Frame, Add	116.27	
For Clear Lacquer Finish, Add	232.54	
For Baked Enamel Standard Colors, Add	348.80	
For Anodized Finish, Add	465.07	
For Kynar® Standard Colors Finish, Add	639.47	
08 91 19 00-0171 EA 78" Wide x 36" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen.	1,613.85	112.16
For Flange Frame, Add	138.95	
For Clear Lacquer Finish, Add	277.91	
For Baked Enamel Standard Colors, Add	416.86	
For Anodized Finish, Add	555.81	
For Kynar® Standard Colors Finish, Add	764.24	
08 91 19 00-0172 EA 78" Wide x 42" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen.	1,773.77	116.74
For Flange Frame, Add	154.03	
For Clear Lacquer Finish, Add	308.06	
For Baked Enamel Standard Colors, Add	462.09	
For Anodized Finish, Add	616.12	
For Kynar® Standard Colors Finish, Add	847.16	
08 91 19 00-0173 EA 78" Wide x 48" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen.	1,934.70	123.61
For Flange Frame, Add	168.75	
For Clear Lacquer Finish, Add	337.50	
For Baked Enamel Standard Colors, Add	506.25	
For Anodized Finish, Add	675.00	
For Kynar® Standard Colors Finish, Add	928.12	
08 91 19 00-0174 EA 78" Wide x 54" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen.	2,114.53	128.19
For Flange Frame, Add	185.82	
For Clear Lacquer Finish, Add	371.63	
For Baked Enamel Standard Colors, Add	557.45	
For Anodized Finish, Add	743.26	
For Kynar® Standard Colors Finish, Add	1,021.99	



Openings	08	08
Louvers And Vents	08 90	
Louvers	08 91	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 91	19 00-0175	EA	78" Wide x 60" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	2,271.91 200.18 400.36 600.54 800.72 1,100.99	135.05
08 91	19 00-0176	EA	78" Wide x 66" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	2,522.35 222.94 445.87 668.81 891.74 1,226.15	146.50
08 91	19 00-0177	EA	78" Wide x 72" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	2,678.32 237.16 474.32 711.48 948.64 1,304.37	153.37
08 91	19 00-0178	EA	78" Wide x 78" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	2,841.38 252.09 504.18 756.28 1,008.37 1,386.51	160.23
08 91	19 00-0179	EA	78" Wide x 84" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	2,990.62 266.10 532.20 798.30 1,064.40 1,463.56	164.81
08 91	19 00-0180	EA	78" Wide x 90" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	3,139.87 280.11 560.22 840.33 1,120.44 1,540.61	169.38
08 91	19 00-0181	EA	78" Wide x 96" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	3,375.17 302.72 605.45 908.17 1,210.90 1,664.98	173.96
08 91	19 00-0182	EA	84" Wide x 12" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	881.70 72.61 145.21 217.82 290.42 399.33	77.83
08 91	19 00-0183	EA	84" Wide x 18" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	1,079.84 89.67 179.34 269.02 358.69 493.20	91.56
08 91	19 00-0184	EA	84" Wide x 24" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	1,261.63 105.10 210.21 315.31 420.42 578.07	105.29
08 91	19 00-0185	EA	84" Wide x 30" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	1,449.58 122.53 245.05 367.58 490.10 673.89	112.16
08 91	19 00-0186	EA	84" Wide x 36" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	1,700.52 146.70 293.41 440.11 586.82 806.87	116.74

08 Openings

08 90 Louvers And Vents

08 91 Louvers



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 91	19 00-0187	EA	84" Wide x 42" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen.	1,869.67	121.32
			<i>For Flange Frame, Add</i>	162.70	
			<i>For Clear Lacquer Finish, Add</i>	325.41	
			<i>For Baked Enamel Standard Colors, Add</i>	488.11	
			<i>For Anodized Finish, Add</i>	650.82	
			<i>For Kynar® Standard Colors Finish, Add</i>	894.87	
08 91	19 00-0188	EA	84" Wide x 48" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen.	2,034.17	128.19
			<i>For Flange Frame, Add</i>	177.78	
			<i>For Clear Lacquer Finish, Add</i>	355.56	
			<i>For Baked Enamel Standard Colors, Add</i>	533.34	
			<i>For Anodized Finish, Add</i>	711.12	
			<i>For Kynar® Standard Colors Finish, Add</i>	977.79	
08 91	19 00-0189	EA	84" Wide x 54" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen.	2,228.22	132.77
			<i>For Flange Frame, Add</i>	196.27	
			<i>For Clear Lacquer Finish, Add</i>	392.54	
			<i>For Baked Enamel Standard Colors, Add</i>	588.81	
			<i>For Anodized Finish, Add</i>	785.08	
			<i>For Kynar® Standard Colors Finish, Add</i>	1,079.48	
08 91	19 00-0190	EA	84" Wide x 60" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen.	2,393.42	139.63
			<i>For Flange Frame, Add</i>	211.42	
			<i>For Clear Lacquer Finish, Add</i>	422.83	
			<i>For Baked Enamel Standard Colors, Add</i>	634.25	
			<i>For Anodized Finish, Add</i>	845.66	
			<i>For Kynar® Standard Colors Finish, Add</i>	1,162.79	
08 91	19 00-0191	EA	84" Wide x 66" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen.	2,658.80	151.07
			<i>For Flange Frame, Add</i>	235.67	
			<i>For Clear Lacquer Finish, Add</i>	471.33	
			<i>For Baked Enamel Standard Colors, Add</i>	707.00	
			<i>For Anodized Finish, Add</i>	942.66	
			<i>For Kynar® Standard Colors Finish, Add</i>	1,296.16	
08 91	19 00-0192	EA	84" Wide x 72" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen.	2,820.44	157.95
			<i>For Flange Frame, Add</i>	250.46	
			<i>For Clear Lacquer Finish, Add</i>	500.91	
			<i>For Baked Enamel Standard Colors, Add</i>	751.37	
			<i>For Anodized Finish, Add</i>	1,001.82	
			<i>For Kynar® Standard Colors Finish, Add</i>	1,377.51	
08 91	19 00-0193	EA	84" Wide x 78" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen.	2,997.73	164.81
			<i>For Flange Frame, Add</i>	266.81	
			<i>For Clear Lacquer Finish, Add</i>	533.62	
			<i>For Baked Enamel Standard Colors, Add</i>	800.44	
			<i>For Anodized Finish, Add</i>	1,067.25	
			<i>For Kynar® Standard Colors Finish, Add</i>	1,467.47	
08 91	19 00-0194	EA	84" Wide x 84" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen.	3,186.81	169.38
			<i>For Flange Frame, Add</i>	284.80	
			<i>For Clear Lacquer Finish, Add</i>	569.61	
			<i>For Baked Enamel Standard Colors, Add</i>	854.41	
			<i>For Anodized Finish, Add</i>	1,139.22	
			<i>For Kynar® Standard Colors Finish, Add</i>	1,566.42	
08 91	19 00-0195	EA	84" Wide x 90" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen.	3,357.39	173.96
			<i>For Flange Frame, Add</i>	300.95	
			<i>For Clear Lacquer Finish, Add</i>	601.89	
			<i>For Baked Enamel Standard Colors, Add</i>	902.84	
			<i>For Anodized Finish, Add</i>	1,203.78	
			<i>For Kynar® Standard Colors Finish, Add</i>	1,655.20	
08 91	19 00-0196	EA	84" Wide x 96" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen.	3,610.46	178.54
			<i>For Flange Frame, Add</i>	325.34	
			<i>For Clear Lacquer Finish, Add</i>	650.67	
			<i>For Baked Enamel Standard Colors, Add</i>	976.01	
			<i>For Anodized Finish, Add</i>	1,301.35	
			<i>For Kynar® Standard Colors Finish, Add</i>	1,789.35	
08 91	19 00-0197	EA	90" Wide x 12" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen.	935.97	84.70
			<i>For Flange Frame, Add</i>	76.66	
			<i>For Clear Lacquer Finish, Add</i>	153.32	
			<i>For Baked Enamel Standard Colors, Add</i>	229.98	
			<i>For Anodized Finish, Add</i>	306.64	
			<i>For Kynar® Standard Colors Finish, Add</i>	421.62	
08 91	19 00-0198	EA	90" Wide x 18" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen.	1,136.96	98.43
			<i>For Flange Frame, Add</i>	94.01	
			<i>For Clear Lacquer Finish, Add</i>	188.02	
			<i>For Baked Enamel Standard Colors, Add</i>	282.03	
			<i>For Anodized Finish, Add</i>	376.04	
			<i>For Kynar® Standard Colors Finish, Add</i>	517.06	



Openings	08	08
Louvers And Vents	08 90	
Louvers	08 91	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 91	19 00-0199	EA	90" Wide x 24" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	1,325.84 110.15 220.30 330.46 440.61 605.84	112.16
08 91	19 00-0200	EA	90" Wide x 30" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	1,519.50 128.14 256.29 384.43 512.58 704.79	119.03
08 91	19 00-0201	EA	90" Wide x 36" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	1,787.50 154.03 308.06 462.09 616.12 847.16	123.61
08 91	19 00-0202	EA	90" Wide x 42" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	1,962.35 170.60 341.20 511.79 682.39 938.29	128.19
08 91	19 00-0203	EA	90" Wide x 48" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	2,129.38 186.39 372.77 559.16 745.54 1,025.12	132.77
08 91	19 00-0204	EA	90" Wide x 54" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	2,334.09 205.94 411.88 617.82 823.76 1,132.67	137.34
08 91	19 00-0205	EA	90" Wide x 60" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	2,507.83 221.94 443.88 665.82 887.76 1,220.68	144.20
08 91	19 00-0206	EA	90" Wide x 66" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	2,788.13 247.68 495.37 743.05 990.73 1,362.26	155.65
08 91	19 00-0207	EA	90" Wide x 72" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	2,956.90 263.19 526.37 789.56 1,052.74 1,447.52	162.52
08 91	19 00-0208	EA	90" Wide x 78" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	3,149.83 281.11 562.21 843.32 1,124.42 1,546.08	169.38
08 91	19 00-0209	EA	90" Wide x 84" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	3,350.28 300.24 600.47 900.71 1,200.94 1,651.29	173.96
08 91	19 00-0210	EA	90" Wide x 90" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	3,521.18 315.95 631.90 947.85 1,263.80 1,737.73	180.83

08 Openings**08 90 Louvers And Vents****08 91 Louvers**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 91	19 00-0211	EA	90" Wide x 96" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	3,789.17 341.84 683.67 1,025.51 1,367.34 1,880.09	185.41
08 91	19 00-0212	EA	96" Wide x 12" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	983.13 80.00 160.00 240.00 320.00 440.01	91.56
08 91	19 00-0213	EA	96" Wide x 18" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	1,191.22 98.06 196.13 294.19 392.25 539.35	105.29
08 91	19 00-0214	EA	96" Wide x 24" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	1,389.36 115.13 230.26 345.39 460.52 633.22	119.03
08 91	19 00-0215	EA	96" Wide x 30" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	1,593.67 134.19 268.38 402.56 536.75 738.03	125.89
08 91	19 00-0216	EA	96" Wide x 36" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	1,870.20 160.93 321.85 482.78 643.70 885.09	130.47
08 91	19 00-0217	EA	96" Wide x 42" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	2,074.22 180.41 360.82 541.23 721.64 992.26	135.05
08 91	19 00-0218	EA	96" Wide x 48" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	2,251.91 197.27 394.53 591.80 789.06 1,084.96	139.63
08 91	19 00-0219	EA	96" Wide x 54" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	2,446.67 215.83 431.65 647.48 863.30 1,187.04	144.20
08 91	19 00-0220	EA	96" Wide x 60" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	2,627.20 232.96 465.93 698.89 931.85 1,281.30	148.78
08 91	19 00-0221	EA	96" Wide x 66" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	2,928.14 260.77 521.54 782.30 931.85 1,434.22	160.23
08 91	19 00-0222	EA	96" Wide x 72" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	2,337.41 200.32 400.64 600.97 801.29 1,101.77	167.10



Openings	08
Louvers And Vents	08 90
Louvers	08 91

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 91	19 00-0223	EA	96" Wide x 78" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	3,299.79 295.19 590.37 885.56 1,180.74 1,623.52	173.96
08 91	19 00-0224	EA	96" Wide x 84" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	3,507.35 315.03 630.05 945.08 1,260.10 1,732.64	178.54
08 91	19 00-0225	EA	96" Wide x 90" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	3,686.77 331.60 663.19 994.79 1,326.38 1,823.77	185.41
08 91	19 00-0226	EA	96" Wide x 96" High Fixed Intake Louver, Galvanized Aluminum Note: Includes bird screen. <i>For Flange Frame, Add</i> <i>For Clear Lacquer Finish, Add</i> <i>For Baked Enamel Standard Colors, Add</i> <i>For Anodized Finish, Add</i> <i>For Kynar® Standard Colors Finish, Add</i>	3,975.71 359.12 718.23 1,077.35 1,436.46 1,975.14	192.28
08 91	19 00-0227		Gable Louver Vents (08 91 19) Note: 1" deep, residential/light commercial grade louvers.		
08 91	19 00-0228		Aluminum Gable Louver Vents (08 91 19 00-0227) Note: Includes screen.		
08 91	19 00-0229		Rectangular Aluminum Gable Louver Vents (08 91 19 00-0228) Note: Includes screen.		
08 91	19 00-0230	EA	12" x 18" Rectangular Fixed Aluminum Gable Louver Vent	161.12	8.43
08 91	19 00-0231	EA	12" x 24" Rectangular Fixed Aluminum Gable Louver Vent	176.49	9.67
08 91	19 00-0232	EA	18" x 24" Rectangular Fixed Aluminum Gable Louver Vent	203.52	10.92
08 91	19 00-0233	EA	18" x 30" Rectangular Fixed Aluminum Gable Louver Vent	223.01	11.62
08 91	19 00-0234	EA	24" x 30" Rectangular Fixed Aluminum Gable Louver Vent	254.13	12.30
08 91	19 00-0235	EA	24" x 36" Rectangular Fixed Aluminum Gable Louver Vent	284.76	14.75
08 91	19 00-0236	EA	30" x 36" Rectangular Fixed Aluminum Gable Louver Vent	330.71	18.44
08 91	19 00-0237	EA	30" x 42" Rectangular Fixed Aluminum Gable Louver Vent	369.01	21.51
08 91	19 00-0238	EA	36" x 42" Rectangular Fixed Aluminum Gable Louver Vent	422.63	25.83
08 91	19 00-0239	EA	42" x 48" Rectangular Fixed Aluminum Gable Louver Vent	529.85	34.42
08 91	19 00-0240		Square Aluminum Gable Louver Vents (08 91 19 00-0228) Note: Includes screen.		
08 91	19 00-0241	EA	12" x 12" Square Fixed Aluminum Gable Louver Vent	147.50	7.76
08 91	19 00-0242	EA	18" x 18" Square Fixed Aluminum Gable Louver Vent	182.79	9.84
08 91	19 00-0243	EA	24" x 24" Square Fixed Aluminum Gable Louver Vent	228.81	11.61
08 91	19 00-0244	EA	30" x 30" Square Fixed Aluminum Gable Louver Vent	292.41	15.37
08 91	19 00-0245	EA	36" x 36" Square Fixed Aluminum Gable Louver Vent	376.67	22.13
08 91	19 00-0246	EA	42" x 42" Square Fixed Aluminum Gable Louver Vent	476.17	30.10
08 91	19 00-0247	EA	48" x 48" Square Fixed Aluminum Gable Louver Vent	591.14	39.34
08 91	19 00-0248		Round Aluminum Gable Louver Vents (08 91 19 00-0228) Note: Includes screen.		
08 91	19 00-0249	EA	12" Diameter Round Fixed Aluminum Gable Louver Vent	147.50	7.76
08 91	19 00-0250	EA	18" Diameter Round Fixed Aluminum Gable Louver Vent	182.79	9.84
08 91	19 00-0251	EA	24" Diameter Round Fixed Aluminum Gable Louver Vent	228.81	11.61
08 91	19 00-0252	EA	30" Diameter Round Fixed Aluminum Gable Louver Vent	292.41	15.37
08 91	19 00-0253	EA	36" Diameter Round Fixed Aluminum Gable Louver Vent	376.67	22.13
08 91	19 00-0254	EA	42" Diameter Round Fixed Aluminum Gable Louver Vent	476.25	30.12
08 91	19 00-0255		Octagonal Aluminum Gable Louver Vents (08 91 19 00-0228) Note: Includes screen.		
08 91	19 00-0256	EA	12" x 12" Octagonal Fixed Aluminum Gable Louver Vent	147.50	7.76
08 91	19 00-0257	EA	12" x 18" Octagonal Fixed Aluminum Gable Louver Vent	161.12	8.43
08 91	19 00-0258	EA	12" x 24" Octagonal Fixed Aluminum Gable Louver Vent	176.49	9.67
08 91	19 00-0259	EA	18" x 18" Octagonal Fixed Aluminum Gable Louver Vent	182.79	9.84
08 91	19 00-0260	EA	18" x 24" Octagonal Fixed Aluminum Gable Louver Vent	203.52	10.92
08 91	19 00-0261	EA	18" x 30" Octagonal Fixed Aluminum Gable Louver Vent	223.01	11.62
08 91	19 00-0262	EA	24" x 24" Octagonal Fixed Aluminum Gable Louver Vent	228.81	11.61
08 91	19 00-0263	EA	24" x 30" Octagonal Fixed Aluminum Gable Louver Vent	254.13	12.30
08 91	19 00-0264	EA	24" x 36" Octagonal Fixed Aluminum Gable Louver Vent	284.76	14.75
08 91	19 00-0265	EA	30" x 30" Octagonal Fixed Aluminum Gable Louver Vent	292.41	15.37
08 91	19 00-0266	EA	30" x 36" Octagonal Fixed Aluminum Gable Louver Vent	330.71	18.44

08 Openings**08 90 Louvers And Vents****08 91 Louvers**

MINOR
CSI UOM DESCRIPTION

TOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

08 91 19 00-0267	EA	30" x 42" Octagonal Fixed Aluminum Gable Louver Vent.....	369.01	21.51
08 91 19 00-0268	EA	36" x 36" Octagonal Fixed Aluminum Gable Louver Vent.....	376.67	22.13
08 91 19 00-0269	EA	36" x 42" Octagonal Fixed Aluminum Gable Louver Vent.....	422.63	25.83
08 91 19 00-0270	EA	36" x 48" Octagonal Fixed Aluminum Gable Louver Vent.....	468.58	29.51
08 91 19 00-0271	EA	42" x 42" Octagonal Fixed Aluminum Gable Louver Vent.....	476.25	30.12
08 91 19 00-0272	EA	42" x 48" Octagonal Fixed Aluminum Gable Louver Vent.....	529.85	34.42
08 91 19 00-0273	EA	48" x 48" Octagonal Fixed Aluminum Gable Louver Vent.....	591.14	39.34

08 91 19 00-0274 Round Top Aluminum Gable Louver Vents (08 91 19 00-0228)

Note: Includes screen.

08 91 19 00-0275	EA	12" x 12" Round Top Fixed Aluminum Gable Louver Vent.....	147.50	7.76
08 91 19 00-0276	EA	12" x 18" Round Top Fixed Aluminum Gable Louver Vent.....	161.12	8.43
08 91 19 00-0277	EA	12" x 24" Round Top Fixed Aluminum Gable Louver Vent.....	176.49	9.67
08 91 19 00-0278	EA	18" x 18" Round Top Fixed Aluminum Gable Louver Vent.....	182.79	9.84
08 91 19 00-0279	EA	18" x 24" Round Top Fixed Aluminum Gable Louver Vent.....	203.52	10.92
08 91 19 00-0280	EA	18" x 30" Round Top Fixed Aluminum Gable Louver Vent.....	223.01	11.62
08 91 19 00-0281	EA	24" x 24" Round Top Fixed Aluminum Gable Louver Vent.....	228.81	11.61
08 91 19 00-0282	EA	24" x 30" Round Top Fixed Aluminum Gable Louver Vent.....	254.13	12.30
08 91 19 00-0283	EA	24" x 36" Round Top Fixed Aluminum Gable Louver Vent.....	284.76	14.75
08 91 19 00-0284	EA	30" x 30" Round Top Fixed Aluminum Gable Louver Vent.....	292.41	15.37
08 91 19 00-0285	EA	30" x 36" Round Top Fixed Aluminum Gable Louver Vent.....	330.71	18.44
08 91 19 00-0286	EA	30" x 42" Round Top Fixed Aluminum Gable Louver Vent.....	369.01	21.51
08 91 19 00-0287	EA	36" x 36" Round Top Fixed Aluminum Gable Louver Vent.....	376.67	22.13
08 91 19 00-0288	EA	36" x 42" Round Top Fixed Aluminum Gable Louver Vent.....	422.63	25.83
08 91 19 00-0289	EA	36" x 48" Round Top Fixed Aluminum Gable Louver Vent.....	468.58	29.51
08 91 19 00-0290	EA	42" x 42" Round Top Fixed Aluminum Gable Louver Vent.....	476.25	30.12
08 91 19 00-0291	EA	42" x 48" Round Top Fixed Aluminum Gable Louver Vent.....	529.85	34.42
08 91 19 00-0292	EA	48" x 48" Round Top Fixed Aluminum Gable Louver Vent.....	591.14	39.34

08 91 19 00-0293 Triangle Aluminum Gable Louver Vents (08 91 19 00-0228)

Note: Includes screen.

08 91 19 00-0294	EA	36" Base x 30" High Triangle Fixed Aluminum Gable Louver Vent.....	304.39	9.67
08 91 19 00-0295	EA	36" Base x 36" High Triangle Fixed Aluminum Gable Louver Vent.....	345.08	11.61
08 91 19 00-0296	EA	48" Base x 30" High Triangle Fixed Aluminum Gable Louver Vent.....	370.39	12.30
08 91 19 00-0297	EA	48" Base x 36" High Triangle Fixed Aluminum Gable Louver Vent.....	424.28	14.75
08 91 19 00-0298	EA	48" Base x 42" High Triangle Fixed Aluminum Gable Louver Vent.....	472.63	15.37
08 91 19 00-0299	EA	60" Base x 24" High Triangle Fixed Aluminum Gable Louver Vent.....	388.84	18.44
08 91 19 00-0300	EA	60" Base x 30" High Triangle Fixed Aluminum Gable Louver Vent.....	456.21	21.51
08 91 19 00-0301	EA	60" Base x 36" High Triangle Fixed Aluminum Gable Louver Vent.....	516.19	22.13
08 91 19 00-0302	EA	60" Base x 42" High Triangle Fixed Aluminum Gable Louver Vent.....	585.41	25.83
08 91 19 00-0303	EA	72" Base x 24" High Triangle Fixed Aluminum Gable Louver Vent.....	468.58	29.51
08 91 19 00-0304	EA	72" Base x 30" High Triangle Fixed Aluminum Gable Louver Vent.....	540.19	30.12
08 91 19 00-0305	EA	72" Base x 36" High Triangle Fixed Aluminum Gable Louver Vent.....	622.86	34.42
08 91 19 00-0306	EA	72" Base x 42" High Triangle Fixed Aluminum Gable Louver Vent.....	707.41	39.34
08 91 19 00-0307	EA	72" Base x 48" High Triangle Fixed Aluminum Gable Louver Vent.....	794.78	45.21

08 91 19 00-0308 Vinyl Gable Louver Vents (08 91 19 00-0227)

Note: Includes screen.

08 91 19 00-0309	EA	12" x 12" Square Fixed Vinyl Gable Louver Vent.....	50.15	7.76
08 91 19 00-0310	EA	12" x 18" Rectangular Fixed Vinyl Gable Louver Vent.....	60.22	8.43
08 91 19 00-0311	EA	18" x 24" Rectangular Fixed Vinyl Gable Louver Vent.....	81.95	10.92
08 91 19 00-0312	EA	24" x 30" Rectangular Fixed Vinyl Gable Louver Vent.....	111.16	12.30
08 91 19 00-0313	EA	18" Diameter Round Fixed Vinyl Gable Louver Vent.....	79.03	9.84
08 91 19 00-0314	EA	22" Diameter Round Fixed Vinyl Gable Louver Vent.....	91.43	11.61
08 91 19 00-0315	EA	30" Diameter Round Fixed Vinyl Gable Louver Vent.....	128.51	15.37
08 91 19 00-0316	EA	36" Diameter Round Fixed Vinyl Gable Louver Vent.....	187.68	22.13
08 91 19 00-0317	EA	18" x 18" Octagonal Fixed Vinyl Gable Louver Vent.....	79.03	9.84
08 91 19 00-0318	EA	22" x 22" Octagonal Fixed Vinyl Gable Louver Vent.....	89.39	10.92
08 91 19 00-0319	EA	27" x 27" Octagonal Fixed Vinyl Gable Louver Vent.....	114.59	12.30
08 91 19 00-0320	EA	32" x 32" Octagonal Fixed Vinyl Gable Louver Vent.....	163.12	18.44
08 91 19 00-0321	EA	40" x 40" Octagonal Fixed Vinyl Gable Louver Vent.....	381.86	29.51
08 91 19 00-0322	EA	14" x 22" Round Top Fixed Vinyl Gable Louver Vent.....	77.46	9.67
08 91 19 00-0323	EA	22" x 32" Round Top Fixed Vinyl Gable Louver Vent.....	107.49	12.30
08 91 19 00-0324	EA	34" x 22" Half Round Fixed Vinyl Gable Louver Vent.....	112.19	14.75
08 91 19 00-0325	EA	52" Base x 26" High Triangle Fixed Vinyl Gable Louver Vent.....	251.17	18.44
08 91 19 00-0326	EA	56" Base x 23" High Triangle Fixed Vinyl Gable Louver Vent.....	251.17	18.44
08 91 19 00-0327	EA	56" Base x 26" High Triangle Fixed Vinyl Gable Louver Vent.....	251.17	18.44
08 91 19 00-0328	EA	62" Base x 23" High Triangle Fixed Vinyl Gable Louver Vent.....	251.17	18.44
08 91 19 00-0329	EA	62-1/2" Base x 21" High Triangle Fixed Vinyl Gable Louver Vent.....	251.17	18.44
08 91 19 00-0330	EA	70-1/2" Base x 17" High Triangle Fixed Vinyl Gable Louver Vent.....	284.40	29.51
08 91 19 00-0331	EA	70-1/2" Base x 20-1/2" High Triangle Fixed Vinyl Gable Louver Vent.....	284.40	29.51
08 91 19 00-0332	EA	72-1/2" Base x 18" High Triangle Fixed Vinyl Gable Louver Vent.....	284.40	29.51
08 91 19 00-0333	EA	74" Base x 14-1/2" High Triangle Fixed Vinyl Gable Louver Vent.....	284.40	29.51

08 95 Vents (08 90)**08 95 13 Soffit Vents (08 95)**



Openings	08	08
Louvers And Vents	08 90	
Vents	08 95	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
08 95 13 00-0001 Aluminum Soffit Vents <small>(08 95 13)</small>		
08 95 13 00-0002 LF 2-1/2" Wide Aluminum Soffit Vent.....	5.74	2.10
08 95 13 00-0003 LF 3" Wide Aluminum Soffit Vent.....	10.37	4.12
08 95 13 00-0004 EA 4" x 16" Under Eave Vent, Mill Finish.....	16.75	5.49
08 95 13 00-0005 EA 8" x 16" Under Eave Vent, Mill Finish.....	17.33	5.49
08 95 13 00-0006 Vinyl Soffit Vents <small>(08 95 13)</small>		
08 95 13 00-0007 LF Up To 2" Vinyl Soffit Vent, Perforated, White.....	5.30	2.32
<i>For Colors, Add</i>	<i>0.07</i>	
08 95 13 00-0008 LF 3" To 4" Vinyl Soffit Vent, Perforated, White.....	5.31	2.32
<i>For Colors, Add</i>	<i>0.07</i>	
08 95 16 Wall Vents <small>(08 95)</small>		
08 95 16 00-0001 Foundation Vents <small>(08 95 16)</small>		
08 95 16 00-0002 SI Galvanized Steel Foundation Vent.....	.041	0.16
08 95 16 00-0003 SI Aluminum Foundation Vent.....	.066	0.16
08 95 16 00-0004 SI Stainless Steel Foundation Vent.....	.072	0.16
08 95 16 00-0005 SI Plastic Foundation Vent.....	.034	0.16

END OF SECTION 08

NOT FOR BIDDING

08	08	Openings
	08 90	Louvers And Vents
	08 95	Vents



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
------------------------------	---------------------------	-------------------------

THIS PAGE INTENTIONALLY LEFT BLANK

NOT FOR BID



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
------------------------------	---------------------------	-------------------------

09 Finishes

09 01 Maintenance Of Finishes (09)

09 01 20 Maintenance Of Plaster And Gypsum Board (09 01)

09 01 20 91 Plaster Restoration (09 01 20)

09 01 20 91-0001	Cut And Patch Hole In Gypsum Board To Match Existing <small>(09 01 20 91)</small> Note: Includes cutting of existing gypsum board, cutting new board to fit opening, taping, gypsum board finishing, and disposal of debris into dumpster. Per location. See CSI section 09 29 00 00-0000 for "Gypsum Board" repairs > 32 SF.	
09 01 20 91-0002	SF Up To 2 SF, Cut And Patch Hole In Gypsum Board To Match Existing Note: Per location.	16.89
09 01 20 91-0003	SF >2 To 4 SF, Cut And Patch Hole In Gypsum Board To Match Existing Note: Per location.	13.62
09 01 20 91-0004	SF >4 To 8 SF, Cut And Patch Hole In Gypsum Board To Match Existing Note: Per location.	12.21
09 01 20 91-0005	SF >8 To 16 SF, Cut And Patch Hole In Gypsum Board To Match Existing Note: Per location.	10.75
09 01 20 91-0006	SF >16 To 32 SF, Cut And Patch Hole In Gypsum Board To Match Existing Note: Per location. See CSI section 09 29 10 00-0001 for "Gypsum Board" repairs > 32 SF.	9.62

09 01 20 91-0007	Patch/Finish Gypsum Board To Match Existing <small>(09 01 20 91)</small> Note: Includes taping, gypsum board finishing. Per location. See CSI section 09 01 20 91-0001 for patching walls requiring gypsum board to be cut and installed.	
09 01 20 91-0008	EA Tape, Spackle And Finish Gypsum Board To Patch/Finish Small Diameter Holes Or Screw Head Pops <i>For ASTM C840 Level 1 Finish, Deduct</i> <i>For ASTM C840 Level 2 Finish, Deduct</i> <i>For ASTM C840 Level 3 Finish, Deduct</i> <i>For ASTM C840 Level 5 High Quality Finish, Add</i>	1.48 -0.72 -0.36 -0.14 1.10

09 01 20 91-0009	Plaster/Stucco Repair <small>(09 01 20 91)</small> Note: Per location.	
09 01 20 91-0010	Clean And Repair Crack In Plaster/Stucco <small>(09 01 20 91-0009)</small> Note: Includes plaster weld.	
09 01 20 91-0011	LF Up To 10', Chip, Clean And Repair Crack In Plaster/Stucco.....	16.52
09 01 20 91-0012	LF >10' To 50', Chip, Clean And Repair Crack In Plaster/Stucco	13.25
09 01 20 91-0013	LF >50' To 100', Chip, Clean And Repair Crack In Plaster/Stucco	10.79
09 01 20 91-0014	LF >100' To 250', Chip, Clean And Repair Crack In Plaster/Stucco	8.34
09 01 20 91-0015	LF >250' To 500', Chip, Clean And Repair Crack In Plaster/Stucco	6.69
09 01 20 91-0016	LF >500', Chip, Clean And Repair Crack In Plaster/Stucco	5.06

09 01 20 91-0017	Cut And Patch Hole In Plaster To Match Existing <small>(09 01 20 91-0009)</small> Note: Includes plaster weld.	
09 01 20 91-0018	SF Up To 10 SF, Cut And Patch Hole In Plaster To Match Existing	15.52
09 01 20 91-0019	SF >10 To 50 SF, Cut And Patch Hole In Plaster To Match Existing	13.70
09 01 20 91-0020	SF >50 To 100 SF, Cut And Patch Hole In Plaster To Match Existing	12.60
09 01 20 91-0021	SF >100 To 250 SF, Cut And Patch Hole In Plaster To Match Existing	11.68
09 01 20 91-0022	SF >250 To 500 SF, Cut And Patch Hole In Plaster To Match Existing	10.89
09 01 20 91-0023	SF >500 SF, Cut And Patch Hole In Plaster To Match Existing	10.01

09 01 20 91-0024	Chip, Clean And Repair Plaster/Stucco <small>(09 01 20 91-0009)</small> Note: Includes plaster weld.	
09 01 20 91-0025	SF Up To 10 SF, Chip, Clean And Repair Plaster/Stucco	29.56
09 01 20 91-0026	SF >10 To 50 SF, Chip, Clean And Repair Plaster/Stucco.....	21.37
09 01 20 91-0027	SF >50 To 250 SF, Chip, Clean And Repair Plaster/Stucco.....	15.64
09 01 20 91-0028	SF >250 SF, Chip, Clean And Repair Plaster/Stucco.....	12.37

09 01 30 Maintenance of Tiling (09 01)

09 01 30 91 Tile Restoration (09 01 30)

09 01 30 91-0001	SF Regrout Floor Tile Including Removal Of Loose Grout	5.84
09 01 30 91-0002	SF Regrout Wall Tile Including Removal Of Loose Grout.....	7.28
09 01 30 91-0003	SF Up To 1 SF, Cut And Patch Hole In Wall Tile To Match Existing	39.58

Note: Per location.

09 01 60 Maintenance Of Flooring (09 01)

09 01 60 91 Flooring Restoration (09 01 60)

09 01 60 91-0001	Grinding, Polishing And Sealing Terrazzo <small>(09 01 60 91)</small>	
09 01 60 91-0002	CSF Grinding, Polishing And Sealing Existing Terrazzo	251.99

09 Finishes
09 01 Maintenance Of Finishes
09 01 60 Maintenance Of Flooring



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
09 01 60 91-0003	SF		Removal Of Setting Bed And Clean Area For Terrazzo Repair	3.86	
09 01 60 91-0004	SF		Repair Existing Terrazzo	17.10	
09 01 60 91-0005	LF		Repair Cracks In Existing Terrazzo	3.95	
09 01 60 91-0006			Standard Flooring Maintenance (09 01 60 91)		
09 01 60 91-0007	CSF		Steam Clean Carpet	38.42	
09 01 60 91-0008	CSF		Wax And Polish Tile And VCT Flooring	41.26	
			For Additional Coat, Add	34.14	
			For Stripping Existing Wax From Floor, Add	38.66	
09 01 60 91-0009	CSF		Wax And Polish Wood Flooring	23.42	
			For Additional Coat, Add	20.26	
			For Stripping Existing Wax From Floor, Add	38.66	
09 01 60 91-0010	MSF		Vacuum Floors	21.94	
09 01 60 91-0011			Prepare Existing Concrete Floor Prior To Installation Of Flooring (09 01 60 91)		
09 01 60 91-0012	SY		Grinding Of Existing Concrete Floor Prior To Installation Of Flooring	11.59	
09 01 60 91-0013	SY		Chemical Prepare Existing Concrete Floor Prior To Installation Of Flooring	6.80	
09 01 60 91-0014			Floor Sealants (09 01 60 91)		
09 01 60 91-0015	SF		Water-Based Emulsion, Masonry/Tile/Stone/Terrazzo Floor Sealant/Finish, Per Coat	1.05	
			Note: For terrazzo, concrete, quarry tile, brick and unglazed ceramic tile.		
09 01 60 91-0016	SF		Water-Based, Clear Acrylic, Concrete Floor Sealant/Finish, Per Coat	1.16	
			Note: For interior/exterior concrete surfaces.		
09 01 60 91-0017	SF		Fluorochemical Acrylate Copolymer Masonry/Tile/Stone/Terrazzo Floor Sealant	1.19	
09 01 60 91-0018	GAL		Masonry/Tile/Stone/Terrazzo Floor Sealant (Extra To Be Provided To Owner)	28.79	
09 01 80			Maintenance Of Acoustic Treatment (09 01)		
09 01 80 00-0001			Removal Of Acoustical Ceiling Treatment (09 01 80)		
09 01 80 00-0002	SF		Removal Of Acoustical And Popcorn Ceilings Treatment	1.96	
09 01 90			Maintenance Of Painting And Coating (09 01)		
09 01 90 52			Maintenance Repainting (09 01 90)		
09 01 90 52-0001			Cleaning And Preparation Of Painted And Unpainted Surfaces (09 01 90 52)		
			Note: In excess of surface preparation required. Water blast and pressure washing includes mild detergent and rinsing of surface until detergent free. Sand blast and water blast includes canvas/plastic for protection of existing surfaces as well as for containment.		
09 01 90 52-0002			Concrete And Masonry Surfaces, Surface Preparation (09 01 90 52-0001)		
09 01 90 52-0003	SF		Calcimine Removal/Washing, Concrete And Masonry Surfaces, Surface Preparation	0.35	
			For Up To 100, Add	0.58	
			For >100 To 250, Add	0.15	
			For >250 To 500, Add	0.07	
			For >5,000 To 10,000, Deduct	-0.02	
			For >10,000 To 15,000, Deduct	-0.03	
			For >15,000 To 30,000, Deduct	-0.05	
			For >30,000, Deduct	-0.07	
09 01 90 52-0004	SF		Chemical Clean, Brush And Wash, Concrete And Masonry Surfaces, Surface Preparation	0.56	
			For Up To 100, Add	0.92	
			For >100 To 250, Add	0.23	
			For >250 To 500, Add	0.12	
			For >5,000 To 10,000, Deduct	-0.03	
			For >10,000 To 15,000, Deduct	-0.05	
			For >15,000 To 30,000, Deduct	-0.08	
			For >30,000, Deduct	-0.11	
09 01 90 52-0005	SF		Hand Scrape, Concrete And Masonry Surfaces, Surface Preparation	0.49	
			For Up To 100, Add	0.98	
			For >100 To 250, Add	0.25	
			For >250 To 500, Add	0.12	
			For >5,000 To 10,000, Deduct	-0.02	
			For >10,000 To 15,000, Deduct	-0.05	
			For >15,000 To 30,000, Deduct	-0.07	
			For >30,000, Deduct	-0.10	
09 01 90 52-0006	SF		Steam Clean, Concrete And Masonry Surfaces, Surface Preparation	0.68	
			For Up To 100, Add	1.18	
			For >100 To 250, Add	0.30	
			For >250 To 500, Add	0.15	
			For >5,000 To 10,000, Deduct	-0.03	
			For >10,000 To 15,000, Deduct	-0.06	
			For >15,000 To 30,000, Deduct	-0.10	
			For >30,000, Deduct	-0.13	



	MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
	09 01 90 52-0007	SF		Up To 5,000 PSI Pressure Wash, Concrete And Masonry Surfaces, Surface Preparation.....	0.44	
				<i>For Up To 100, Add</i>	0.72	
				<i>For >100 To 250, Add</i>	0.18	
				<i>For >250 To 500, Add</i>	0.09	
				<i>For >5,000 To 10,000, Deduct</i>	-0.02	
				<i>For >10,000 To 15,000, Deduct</i>	-0.04	
				<i>For >15,000 To 30,000, Deduct</i>	-0.06	
				<i>For >30,000, Deduct</i>	-0.08	
	09 01 90 52-0008	SF		10,000 To 12,000 PSI Water Blast, Concrete And Masonry Surfaces, Surface Preparation	1.25	
				<i>For Up To 100, Add</i>	2.26	
				<i>For >100 To 250, Add</i>	0.57	
				<i>For >250 To 500, Add</i>	0.28	
				<i>For >5,000 To 10,000, Deduct</i>	-0.06	
				<i>For >10,000 To 15,000, Deduct</i>	-0.12	
				<i>For >15,000 To 30,000, Deduct</i>	-0.18	
				<i>For >30,000, Deduct</i>	-0.24	
	09 01 90 52-0009	SF		30,000 To 40,000 PSI Water Blast, Concrete And Masonry Surfaces, Surface Preparation	2.10	
				<i>For Up To 100, Add</i>	3.96	
				<i>For >100 To 250, Add</i>	0.99	
				<i>For >250 To 500, Add</i>	0.50	
				<i>For >5,000 To 10,000, Deduct</i>	-0.10	
				<i>For >10,000 To 15,000, Deduct</i>	-0.21	
				<i>For >15,000 To 30,000, Deduct</i>	-0.31	
				<i>For >30,000, Deduct</i>	-0.41	
	09 01 90 52-0010	SF		Sand Blasting, Concrete And Masonry Surfaces, Surface Preparation	2.76	
				<i>For Heavy Condition Where Multiple Pass Is Required, Add</i>	1.38	
				<i>For Up To 100, Add</i>	4.98	
				<i>For >100 To 250, Add</i>	1.25	
				<i>For >250 To 500, Add</i>	0.62	
				<i>For >5,000 To 10,000, Deduct</i>	-0.13	
				<i>For >10,000 To 15,000, Deduct</i>	-0.27	
				<i>For >15,000 To 30,000, Deduct</i>	-0.41	
				<i>For >30,000, Deduct</i>	-0.54	
	09 01 90 52-0011	Drywall <small>(09 01 90 52-0001)</small>				
		Note: Patch holes other than nail/screw holes and greater than 1/2" diameter.				
	09 01 90 52-0012	SF		Hand Wash Drywall Surfaces With Mild Detergent Or Degreaser (No Sanding, Repairing Or Scraping).....	0.27	
				<i>For Up To 100, Add</i>	0.54	
				<i>For >100 To 250, Add</i>	0.14	
				<i>For >250 To 500, Add</i>	0.07	
	09 01 90 52-0013	SF		Hand Wash, Minor Repair And Light Sanding Drywall Surfaces.....	0.47	
				<i>For Up To 100, Add</i>	0.94	
				<i>For >100 To 250, Add</i>	0.24	
				<i>For >250 To 500, Add</i>	0.12	
	09 01 90 52-0014	SF		Scrape, Repair And Sand Severely Damaged Drywall Surfaces	0.87	
				<i>For Up To 100, Add</i>	1.64	
				<i>For >100 To 250, Add</i>	0.41	
				<i>For >250 To 500, Add</i>	0.21	
	09 01 90 52-0015	Metal Surfaces, Surface Preparation <small>(09 01 90 52-0001)</small>				
	09 01 90 52-0016	SF		Chemical Clean, Brush And Wash, Metal Surfaces, Surface Preparation	0.56	
				<i>For Up To 100, Add</i>	0.35	
				<i>For >100 To 250, Add</i>	0.16	
				<i>For >250 To 500, Add</i>	0.07	
				<i>For >5,000 To 10,000, Deduct</i>	-0.03	
				<i>For >10,000 To 15,000, Deduct</i>	-0.05	
				<i>For >15,000 To 30,000, Deduct</i>	-0.08	
				<i>For >30,000, Deduct</i>	-0.11	
	09 01 90 52-0017	SF		Hand Scraping And Sanding, Metal Surfaces, Surface Preparation	0.49	
				<i>For Up To 100, Add</i>	0.37	
				<i>For >100 To 250, Add</i>	0.17	
				<i>For >250 To 500, Add</i>	0.07	
				<i>For >5,000 To 10,000, Deduct</i>	-0.02	
				<i>For >10,000 To 15,000, Deduct</i>	-0.05	
				<i>For >15,000 To 30,000, Deduct</i>	-0.07	
				<i>For >30,000, Deduct</i>	-0.10	
	09 01 90 52-0018	SF		Up To 5,000 PSI Pressure Wash, Metal Surfaces, Surface Preparation	0.42	
				<i>For Up To 100, Add</i>	0.27	
				<i>For >100 To 250, Add</i>	0.13	
				<i>For >250 To 500, Add</i>	0.05	
				<i>For >5,000 To 10,000, Deduct</i>	-0.02	
				<i>For >10,000 To 15,000, Deduct</i>	-0.04	
				<i>For >15,000 To 30,000, Deduct</i>	-0.06	
				<i>For >30,000, Deduct</i>	-0.08	
	09 01 90 52-0019	SF		Power Tool Cleaning, Metal Surfaces, Surface Preparation	1.10	
				<i>For Up To 100, Add</i>	0.83	
				<i>For >100 To 250, Add</i>	0.39	
				<i>For >250 To 500, Add</i>	0.17	
				<i>For >5,000 To 10,000, Deduct</i>	-0.06	
				<i>For >10,000 To 15,000, Deduct</i>	-0.11	
				<i>For >15,000 To 30,000, Deduct</i>	-0.17	
				<i>For >30,000, Deduct</i>	-0.22	

09 Finishes**09 01 Maintenance Of Finishes****09 01 90 Maintenance Of Painting And Coating**MINOR
CSI UOM DESCRIPTIONTOTAL DIRECT DEMOLITION
UNIT COST UNIT COST

09 01 90 52-0020	SF	Steam Cleaning, Metal Surfaces, Surface Preparation	0.42	
		<i>For Up To 100, Add</i>	0.25	
		<i>For >100 To 250, Add</i>	0.12	
		<i>For >250 To 500, Add</i>	0.05	
		<i>For >5,000 To 10,000, Deduct</i>	-0.02	
		<i>For >10,000 To 15,000, Deduct</i>	-0.04	
		<i>For >15,000 To 30,000, Deduct</i>	-0.06	
		<i>For >30,000, Deduct</i>	-0.08	
09 01 90 52-0021	SF	Loose Mill Scale With Fine Powder, Commercial Blast, Metal Surfaces, Surface Preparation	0.90	
		<i>For Up To 100, Add</i>	0.59	
		<i>For >100 To 250, Add</i>	0.27	
		<i>For >250 To 500, Add</i>	0.12	
		<i>For >5,000 To 10,000, Deduct</i>	-0.04	
		<i>For >10,000 To 15,000, Deduct</i>	-0.09	
		<i>For >15,000 To 30,000, Deduct</i>	-0.13	
		<i>For >30,000, Deduct</i>	-0.17	
09 01 90 52-0022	SF	Tight Mill Scale With Fine Powder Rust, Commercial Blast, Metal Surfaces, Surface Preparation	1.22	
		<i>For Up To 100, Add</i>	0.78	
		<i>For >100 To 250, Add</i>	0.36	
		<i>For >250 To 500, Add</i>	0.16	
		<i>For >5,000 To 10,000, Deduct</i>	-0.06	
		<i>For >10,000 To 15,000, Deduct</i>	-0.11	
		<i>For >15,000 To 30,000, Deduct</i>	-0.18	
		<i>For >30,000, Deduct</i>	-0.24	
09 01 90 52-0023	SF	Exterior Coating Blistered Pitted, Rust, Commercial Blast, Metal Surfaces, Surface Preparation	1.80	
		<i>For Up To 100, Add</i>	1.17	
		<i>For >100 To 250, Add</i>	0.55	
		<i>For >250 To 500, Add</i>	0.23	
		<i>For >5,000 To 10,000, Deduct</i>	-0.09	
		<i>For >10,000 To 15,000, Deduct</i>	-0.17	
		<i>For >15,000 To 30,000, Deduct</i>	-0.26	
		<i>For >30,000, Deduct</i>	-0.35	
09 01 90 52-0024	SF	Badly Pitted With Rust Nodules, Commercial Blast, Metal Surfaces, Surface Preparation	3.00	
		<i>For Up To 100, Add</i>	1.95	
		<i>For >100 To 250, Add</i>	0.91	
		<i>For >250 To 500, Add</i>	0.39	
		<i>For >5,000 To 10,000, Deduct</i>	-0.14	
		<i>For >10,000 To 15,000, Deduct</i>	-0.28	
		<i>For >15,000 To 30,000, Deduct</i>	-0.44	
		<i>For >30,000, Deduct</i>	-0.58	
09 01 90 52-0025	SF	Loose Mill Scale With Fine Powder Rust, Near White Blast, Metal Surfaces, Surface Preparation	2.27	
		<i>For Up To 100, Add</i>	1.46	
		<i>For >100 To 250, Add</i>	0.68	
		<i>For >250 To 500, Add</i>	0.29	
		<i>For >5,000 To 10,000, Deduct</i>	-0.11	
		<i>For >10,000 To 15,000, Deduct</i>	-0.21	
		<i>For >15,000 To 30,000, Deduct</i>	-0.33	
		<i>For >30,000, Deduct</i>	-0.44	
09 01 90 52-0026	SF	Tight Mill Scale Little Rust, Near White Blast, Metal Surfaces, Surface Preparation	2.82	
		<i>For Up To 100, Add</i>	1.80	
		<i>For >100 To 250, Add</i>	0.84	
		<i>For >250 To 500, Add</i>	0.36	
		<i>For >5,000 To 10,000, Deduct</i>	-0.13	
		<i>For >10,000 To 15,000, Deduct</i>	-0.27	
		<i>For >15,000 To 30,000, Deduct</i>	-0.41	
		<i>For >30,000, Deduct</i>	-0.54	
09 01 90 52-0027	SF	Exterior Coat Blistered Pitted Rust, Near White Blast, Metal Surfaces, Surface Preparation	3.65	
		<i>For Up To 100, Add</i>	2.34	
		<i>For >100 To 250, Add</i>	1.09	
		<i>For >250 To 500, Add</i>	0.47	
		<i>For >5,000 To 10,000, Deduct</i>	-0.17	
		<i>For >10,000 To 15,000, Deduct</i>	-0.34	
		<i>For >15,000 To 30,000, Deduct</i>	-0.53	
		<i>For >30,000, Deduct</i>	-0.70	
09 01 90 52-0028	SF	Badly Pitted Rust Nodules, Near White Blast, Metal Surfaces, Surface Preparation	4.57	
		<i>For Up To 100, Add</i>	2.93	
		<i>For >100 To 250, Add</i>	1.37	
		<i>For >250 To 500, Add</i>	0.59	
		<i>For >5,000 To 10,000, Deduct</i>	-0.22	
		<i>For >10,000 To 15,000, Deduct</i>	-0.43	
		<i>For >15,000 To 30,000, Deduct</i>	-0.67	
		<i>For >30,000, Deduct</i>	-0.88	
09 01 90 52-0029		Tile Surfaces (09 01 90 52-0001)		
09 01 90 52-0030	CSF	Chemical Alkaline Cleaner, Brush And Wash Tile Surface	30.90	
		<i>For Up To 100, Add</i>	23.02	
		<i>For >100 To 250, Add</i>	10.74	
		<i>For >250 To 500, Add</i>	4.60	
		<i>For >5,000 To 10,000, Deduct</i>	-1.54	
		<i>For >10,000 To 15,000, Deduct</i>	-3.08	
		<i>For >15,000 To 30,000, Deduct</i>	-4.63	
		<i>For >30,000, Deduct</i>	-6.17	



	MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
	09 01 90 52-0031	SF		Up To 5,000 PSI, Pressure Wash Tile Surface	0.31	
				<i>For Up To 100, Add</i>	0.20	
				<i>For >100 To 250, Add</i>	0.09	
				<i>For >250 To 500, Add</i>	0.04	
				<i>For >5,000 To 10,000, Deduct</i>	-0.01	
				<i>For >10,000 To 15,000, Deduct</i>	-0.03	
				<i>For >15,000 To 30,000, Deduct</i>	-0.05	
				<i>For >30,000, Deduct</i>	-0.06	
	09 01 90 52-0032			Wood Surfaces (09 01 90 52-0001)		
	09 01 90 52-0033	SF		Prepare New Wood Floor For Finish, Multi Grit Sanding/Screening	1.15	
				<i>For Up To 100, Add</i>	0.83	
				<i>For >100 To 250, Add</i>	0.39	
				<i>For >250 To 500, Add</i>	0.17	
				<i>For >5,000 To 10,000, Deduct</i>	-0.06	
				<i>For >10,000 To 15,000, Deduct</i>	-0.11	
				<i>For >15,000 To 30,000, Deduct</i>	-0.17	
				<i>For >30,000, Deduct</i>	-0.23	
	09 01 90 52-0034	SF		Chemical Clean, Brush And Wash Wood Surface	0.45	
				<i>For Up To 100, Add</i>	0.26	
				<i>For >100 To 250, Add</i>	0.12	
				<i>For >250 To 500, Add</i>	0.05	
				<i>For >5,000 To 10,000, Deduct</i>	-0.02	
				<i>For >10,000 To 15,000, Deduct</i>	-0.04	
				<i>For >15,000 To 30,000, Deduct</i>	-0.06	
				<i>For >30,000, Deduct</i>	-0.09	
	09 01 90 52-0035	SF		Hand Scrape Wood Surface	0.75	
				<i>For Up To 100, Add</i>	0.56	
				<i>For >100 To 250, Add</i>	0.26	
				<i>For >250 To 500, Add</i>	0.11	
				<i>For >5,000 To 10,000, Deduct</i>	-0.04	
				<i>For >10,000 To 15,000, Deduct</i>	-0.08	
				<i>For >15,000 To 30,000, Deduct</i>	-0.11	
				<i>For >30,000, Deduct</i>	-0.15	
	09 01 90 52-0036	SF		Steam Clean Wood Surface	0.67	
				<i>For Up To 100, Add</i>	0.44	
				<i>For >100 To 250, Add</i>	0.20	
				<i>For >250 To 500, Add</i>	0.09	
				<i>For >5,000 To 10,000, Deduct</i>	-0.03	
				<i>For >10,000 To 15,000, Deduct</i>	-0.06	
				<i>For >15,000 To 30,000, Deduct</i>	-0.10	
				<i>For >30,000, Deduct</i>	-0.13	
	09 01 90 52-0037	SF		Up To 5,000 PSI, Pressure Wash Wood Surface	0.46	
				<i>For Up To 100, Add</i>	0.30	
				<i>For >100 To 250, Add</i>	0.14	
				<i>For >250 To 500, Add</i>	0.06	
				<i>For >5,000 To 10,000, Deduct</i>	-0.02	
				<i>For >10,000 To 15,000, Deduct</i>	-0.04	
				<i>For >15,000 To 30,000, Deduct</i>	-0.07	
				<i>For >30,000, Deduct</i>	-0.09	
	09 01 90 52-0038	SF		Sanding Wood Paneling, Boards, Doors, Etcetera	0.64	
				<i>For Up To 100, Add</i>	0.45	
				<i>For >100 To 250, Add</i>	0.21	
				<i>For >250 To 500, Add</i>	0.09	
				<i>For >5,000 To 10,000, Deduct</i>	-0.03	
				<i>For >10,000 To 15,000, Deduct</i>	-0.06	
				<i>For >15,000 To 30,000, Deduct</i>	-0.09	
				<i>For >30,000, Deduct</i>	-0.13	
	09 01 90 52-0039	SF		Sanding Wood Trim	0.86	
				<i>For Up To 100, Add</i>	0.62	
				<i>For >100 To 250, Add</i>	0.29	
				<i>For >250 To 500, Add</i>	0.12	
				<i>For >5,000 To 10,000, Deduct</i>	-0.04	
				<i>For >10,000 To 15,000, Deduct</i>	-0.08	
				<i>For >15,000 To 30,000, Deduct</i>	-0.13	
				<i>For >30,000, Deduct</i>	-0.17	
	09 01 90 52-0040	SF		Prime Wood Surfaces With Linseed Oil, 1 Coat.....	0.57	
				<i>For Up To 100, Add</i>	0.37	
				<i>For >100 To 250, Add</i>	0.17	
				<i>For >250 To 500, Add</i>	0.07	
				<i>For >5,000 To 10,000, Deduct</i>	-0.03	
				<i>For >10,000 To 15,000, Deduct</i>	-0.05	
				<i>For >15,000 To 30,000, Deduct</i>	-0.08	
				<i>For >30,000, Deduct</i>	-0.11	
	09 01 90 52-0041	SF		Paint Wood Surfaces With Linseed Oil, 1 Coat.....	0.66	
				<i>For Up To 100, Add</i>	0.44	
				<i>For >100 To 250, Add</i>	0.20	
				<i>For >250 To 500, Add</i>	0.09	
				<i>For >5,000 To 10,000, Deduct</i>	-0.03	
				<i>For >10,000 To 15,000, Deduct</i>	-0.06	
				<i>For >15,000 To 30,000, Deduct</i>	-0.10	
				<i>For >30,000, Deduct</i>	-0.13	

09 01 90 52-0042 Vinyl Siding Surfaces (09 01 90 52-0001)

09 Finishes
09 01 Maintenance Of Finishes
09 01 90 Maintenance Of Painting And Coating



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
09 01 90 52-0043	SF		Hand Wash, Vinyl Siding Surfaces.....	0.49	
			For Up To 100, Add	0.35	
			For >100 To 250, Add	0.16	
			For >250 To 500, Add	0.07	
			For >5,000 To 10,000, Deduct	-0.02	
			For >10,000 To 15,000, Deduct	-0.05	
			For >15,000 To 30,000, Deduct	-0.07	
			For >30,000, Deduct	-0.10	
09 01 90 52-0044	SF		Up To 5,000 PSI Pressure Wash, Vinyl Siding Surfaces	0.38	
			For Up To 100, Add	0.23	
			For >100 To 250, Add	0.11	
			For >250 To 500, Add	0.05	
			For >5,000 To 10,000, Deduct	-0.02	
			For >10,000 To 15,000, Deduct	-0.04	
			For >15,000 To 30,000, Deduct	-0.05	
			For >30,000, Deduct	-0.07	
09 01 90 52-0045	SF		Steam Clean, Vinyl Siding Surfaces.....	0.70	
			For Up To 100, Add	0.44	
			For >100 To 250, Add	0.20	
			For >250 To 500, Add	0.09	
			For >5,000 To 10,000, Deduct	-0.03	
			For >10,000 To 15,000, Deduct	-0.07	
			For >15,000 To 30,000, Deduct	-0.10	
			For >30,000, Deduct	-0.13	
09 01 90 52-0046			Prep Work (09 01 90 52-0001)		
09 01 90 52-0047	SF		Citrus Strip, Single Applications	0.83	
09 01 90 52-0048			Plaster/Stucco (09 01 90 52-0001)		
			Note: Based on total project quantity.		
09 01 90 52-0049	SF		Up To 5,000 PSI Pressure Wash Stucco Surfaces	0.49	
			For Up To 100, Add	0.31	
			For >100 To 250, Add	0.14	
			For >250 To 500, Add	0.06	
			For >5,000 To 10,000, Deduct	-0.02	
			For >10,000 To 15,000, Deduct	-0.05	
			For >15,000 To 30,000, Deduct	-0.07	
			For >30,000, Deduct	-0.09	
09 01 90 52-0050			Corrosive Inhibitor Sealant For Concrete (09 01 90 52-0001)		
09 01 90 52-0051	SF		Corrosive Inhibitor Sealant For Concrete	0.53	
			For Up To 100, Add	0.27	
			For >100 To 250, Add	0.13	
			For >250 To 500, Add	0.06	
09 01 90 61			Repainting (09 01 90)		
09 01 90 61-0001			Touchup and "Spot" Painting Of Surfaces (09 01 90 61)		
			Note: For use on individual areas less than 10 SF.		
09 01 90 61-0002	SF		"Spot" Paint Surfaces, Per Coat.....	1.06	
09 01 90 91			Paint Restoration (09 01 90)		
09 01 90 91-0001			Paint Removal, Strip To Bare Wood (09 01 90 91)		
09 01 90 91-0002	SF		Flat Surfaces, Paint Removal, Strip To Bare Wood	5.63	
09 01 90 91-0003	SF		Cornices And Decorative Trim To 12" Wide, Paint Removal, Strip To Bare Wood	6.01	
09 05			Common Work Results For Finishes (09)		
09 05 61			Common Work Results for Flooring Preparation (09 05)		
09 05 61 13			Moisture Vapor Emission Control (09 05 61)		
09 05 61 13-0001			Moisture Vapor Reduction (Koester VAP) (09 05 61 13)		
09 05 61 13-0002	EA		Up To 200 SF, Water Vapor Emission Control System (Koester VAP 1-2000).....	1,987.61	
			Note: Clear		
09 05 61 13-0003	SF		>200 To 500 SF, Water Vapor Emission Control System (Koester VAP 1-2001)	10.52	
			Note: Clear		
09 05 61 13-0004	SF		>500 To 1,000 SF, Water Vapor Emission Control System (Koester VAP 1-2002)	7.02	
			Note: Clear		
09 05 61 13-0005	SF		>1,000 To 3,000 SF, Water Vapor Emission Control System (Koester VAP 1-2003)	5.85	
			Note: Clear		
09 05 61 13-0006	SF		>3,000 SF, Water Vapor Emission Control System (Koester VAP 1-2004).....	4.68	
			Note: Clear		
09 05 61 13-0007			Moisture Vapor Transmission Control (Dependable Cutdown® II) (09 05 61 13)		



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
09 05 61 13-0008 SF 8# Two Coats, Moisture Vapor Transmission Control (Dependable Cutdown® II)	2.99	
09 05 61 13-0009 SF 15# Two Coats, Moisture Vapor Transmission Control (Dependable Cutdown® II)	4.04	
09 05 71 Acoustic Underlayment (09 05)		
09 05 71 00-0001 Tile And Stone Acoustical Underlayment (09 05 71)		
09 05 71 00-0002 SF 5 Mil Tile And Stone Acoustical Underlayment (EasyMat)	2.81	
<i>For Chemical Resistant Epoxy Grout, Add</i>	0.46	
09 05 71 00-0003 Resilient Floor Acoustical Underlayment (09 05 71)		
09 05 71 00-0004 SF Vinyl, Linoleum, LVT And Vinyl Strip Flooring Acoustical Underlayment (Impacta, Soundseal VC300)	2.02	
09 05 71 00-0005 SF 2 MM Thick Resilient Plank Floor Acoustical Underlayment (Floormuffler)	1.19	
09 05 71 00-0006 SF 0.055" Thick High Density Polyurethane Foam Floor Acoustical Underlayment (Silencer LVT)	1.46	
09 20 Plaster And Gypsum Board (09)		
09 22 Supports For Plaster And Gypsum Board (09 20)		
Note: Per SF of wall area measures one side. Do not deduct for opens of less than 25 SF when calculating total wall square footage.		
09 22 13 Metal Furring (09 22)		
09 22 13 13 Metal Channel Furring (09 22 13)		
09 22 13 13-0001 Hat Furring Channel (09 22 13 13)		
Note: Includes clips where required.		
09 22 13 13-0002 Installed On Walls, Hat Furring Channel (09 22 13 13-0001)		
09 22 13 13-0003 SF 7/8", 25 Gauge, 16" On Center, Installed On Walls, Hat Furring Channel	3.12	1.33
<i>For Walls >10' High, Add</i>	0.40	
<i>For 24" On Center, Deduct</i>	-0.36	
<i>For 12" On Center, Add</i>	0.49	
<i>For 22 Gauge, Add</i>	0.23	
<i>For 20 Gauge, Add</i>	0.70	
09 22 13 13-0004 SF 1-1/2", 25 Gauge, 16" On Center, Installed On Walls, Hat Furring Channel	3.30	1.33
<i>For Walls >10' High, Add</i>	0.40	
<i>For 24" On Center, Deduct</i>	-0.39	
<i>For 12" On Center, Add</i>	0.53	
<i>For 22 Gauge, Add</i>	0.32	
<i>For 20 Gauge, Add</i>	0.82	
09 22 13 13-0005 Installed On Columns And Beams, Hat Furring Channel (09 22 13 13-0001)		
09 22 13 13-0006 SF 7/8", 25 Gauge, 16" On Center, Installed On Columns And Beams, Hat Furring Channel	4.55	2.05
<i>For Columns And Beams >10' High, Add</i>	0.82	
<i>For 24" On Center, Deduct</i>	-0.50	
<i>For 12" On Center, Add</i>	0.71	
<i>For 22 Gauge, Add</i>	0.23	
<i>For 20 Gauge, Add</i>	0.92	
09 22 13 13-0007 SF 1-1/2", 25 Gauge, 16" On Center, Installed On Columns And Beams, Hat Furring Channel	4.73	2.05
<i>For Columns And Beams >10' High, Add</i>	0.82	
<i>For 24" On Center, Deduct</i>	-0.54	
<i>For 12" On Center, Add</i>	0.74	
<i>For 22 Gauge, Add</i>	0.32	
<i>For 20 Gauge, Add</i>	1.04	
09 22 13 13-0008 Installed On Ceilings, Hat Furring Channel (09 22 13 13-0001)		
09 22 13 13-0009 SF 7/8", 25 Gauge, 16" On Center, Installed On Ceilings, Hat Furring Channel	4.04	1.64
<i>For Ceilings >10' High, Add</i>	0.49	
<i>For 24" On Center, Deduct</i>	-0.48	
<i>For 12" On Center, Add</i>	0.64	
<i>For 22 Gauge, Add</i>	0.38	
<i>For 20 Gauge, Add</i>	0.99	
09 22 13 13-0010 SF 1-1/2", 25 Gauge, 16" On Center, Installed On Ceilings, Hat Furring Channel	4.22	1.64
<i>For Ceilings >10' High, Add</i>	0.49	
<i>For 24" On Center, Deduct</i>	-0.52	
<i>For 12" On Center, Add</i>	0.68	
<i>For 22 Gauge, Add</i>	0.47	
<i>For 20 Gauge, Add</i>	1.11	
09 22 13 13-0011 Z Furring Channel (09 22 13 13)		
09 22 13 13-0012 Installed On Walls, Z Furring Channel (09 22 13 13-0011)		
09 22 13 13-0013 SF 1", 25 Gauge, 16" On Center, Installed On Walls, Z Furring Channel	2.84	1.33
<i>For Walls >10' High, Add</i>	0.40	
<i>For 24" On Center, Deduct</i>	-0.30	
<i>For 12" On Center, Add</i>	0.44	
<i>For 22 Gauge, Add</i>	0.09	
<i>For 20 Gauge, Add</i>	0.52	

09 Finishes**09 20 Plaster And Gypsum Board****09 22 Supports For Plaster And Gypsum Board**

MINOR		TOTAL DIRECT	DEMOLITION
CSI	UOM DESCRIPTION	UNIT COST	UNIT COST
09 22 13 13-0014	SF 1-1/2", 25 Gauge, 16" On Center, Installed On Walls, Z Furring Channel.....	2.88	1.33
	<i>For Walls >10' High, Add</i>	0.40	
	<i>For 24" On Center, Deduct</i>	-0.31	
	<i>For 12" On Center, Add</i>	0.44	
	<i>For 22 Gauge, Add</i>	0.11	
	<i>For 20 Gauge, Add</i>	0.54	
09 22 13 13-0015	SF 2", 25 Gauge, 16" On Center, Installed On Walls, Z Furring Channel.....	2.91	1.33
	<i>For Walls >10' High, Add</i>	0.40	
	<i>For 24" On Center, Deduct</i>	-0.32	
	<i>For 12" On Center, Add</i>	0.45	
	<i>For 22 Gauge, Add</i>	0.13	
	<i>For 20 Gauge, Add</i>	0.56	
09 22 13 13-0016	SF 2-1/2", 25 Gauge, 16" On Center, Installed On Walls, Z Furring Channel.....	2.94	1.33
	<i>For Walls >10' High, Add</i>	0.40	
	<i>For 24" On Center, Deduct</i>	-0.32	
	<i>For 12" On Center, Add</i>	0.46	
	<i>For 22 Gauge, Add</i>	0.14	
	<i>For 20 Gauge, Add</i>	0.58	
09 22 13 13-0017	SF 3", 25 Gauge, 16" On Center, Installed On Walls, Z Furring Channel.....	2.96	1.33
	<i>For Walls >10' High, Add</i>	0.40	
	<i>For 24" On Center, Deduct</i>	-0.33	
	<i>For 12" On Center, Add</i>	0.46	
	<i>For 22 Gauge, Add</i>	0.15	
	<i>For 20 Gauge, Add</i>	0.60	
09 22 13 23	Resilient Channel Furring (09 22 13)		
09 22 13 23-0001	Single-Leg Resilient Channel, RC1 Furring Channel (09 22 13 23)		
	Note: Includes clips where required.		
09 22 13 23-0002	Installed On Walls, Single-Leg Resilient Channel, RC1 Furring Channel (09 22 13 23-0001)		
09 22 13 23-0003	SF 25 Gauge, 16" On Center, Installed On Walls, Single-Leg Resilient Channel, RC1 Furring Channel.....	3.04	1.33
	<i>For Walls >10' High, Add</i>	0.40	
	<i>For 24" On Center, Deduct</i>	-0.34	
	<i>For 12" On Center, Add</i>	0.48	
	<i>For 20 Gauge, Add</i>	0.65	
09 22 13 23-0004	Installed On Ceilings, Single-Leg Resilient Channel, RC1 Furring Channel (09 22 13 23-0001)		
09 22 13 23-0005	SF 25 Gauge, 16" On Center, Installed On Ceilings, Single-Leg Resilient Channel, RC1 Furring Channel.....	3.66	1.64
	<i>For Ceilings >10' High, Add</i>	0.49	
	<i>For 24" On Center, Deduct</i>	-0.40	
	<i>For 12" On Center, Add</i>	0.57	
	<i>For 20 Gauge, Add</i>	0.74	
09 22 13 23-0006	Double-Leg Resilient Channel, RC2 Furring Channel (09 22 13 23)		
	Note: Includes clips where required.		
09 22 13 23-0007	Installed On Walls, Double-Leg Resilient Channel, RC2 Furring Channel (09 22 13 23-0006)		
09 22 13 23-0008	SF 25 Gauge, 16" On Center, Installed On Walls, Double-Leg Resilient Channel, RC2 Furring Channel.....	3.19	1.33
	<i>For Walls >10' High, Add</i>	0.40	
	<i>For 24" On Center, Deduct</i>	-0.37	
	<i>For 12" On Center, Add</i>	0.51	
	<i>For 20 Gauge, Add</i>	0.75	
09 22 13 23-0009	Installed On Ceilings, Double-Leg Resilient Channel, RC2 Furring Channel (09 22 13 23-0006)		
09 22 13 23-0010	SF 25 Gauge, 16" On Center, Installed On Ceilings, Double-Leg Resilient Channel, RC2 Furring Channel.....	3.81	1.64
	<i>For Ceilings >10' High, Add</i>	0.49	
	<i>For 24" On Center, Deduct</i>	-0.43	
	<i>For 12" On Center, Add</i>	0.60	
	<i>For 20 Gauge, Add</i>	0.84	
09 22 16	Non-Structural Metal Framing (09 22)		
	Note: Includes studs, bridging, fasteners, and metal stiffener at half height. Do not deduct for openings of less than 25 SF.		
09 22 16 13	Non-Structural Metal Stud Framing (09 22 16)		
09 22 16 13-0001	Non Load Bearing Wall Framing, 25 Gauge (09 22 16 13)		



Finishes	09	
Plaster And Gypsum Board	09 20	09
Supports For Plaster And Gypsum Board	09 22	

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
09 22 16	13-0002	SF	1-5/8" Width, 16" On Center, 25 Gauge, Non Load Bearing, Non Structural, Galvanized Steel Stud Framing With Tracks And Runners	1.91	0.55
			<i>For Powder-Actuated Fasteners Every 2', Add</i>	0.04	
			<i>For Walls >10' High, Add</i>	0.38	
			<i>For Soffit, Columns Or Beams Up To 10' High, Add</i>	1.30	
			<i>For Soffit, Columns Or Beams >10' High, Add</i>	1.72	
			<i>For Horizontal Installation Up To 10' High, Add</i>	0.40	
			<i>For Horizontal Installation >10' High, Add</i>	0.54	
			<i>For Curved Wall, Add</i>	0.42	
			<i>For 12" On Center, Add</i>	0.31	
			<i>For 24" On Center, Deduct</i>	-0.31	
			<i>For Up To 100, Add</i>	0.66	
			<i>For >100 To 300, Add</i>	0.33	
			<i>For >1,000, Deduct</i>	-0.15	
09 22 16	13-0003	SF	2-1/2" Width, 16" On Center, 25 Gauge, Non Load Bearing, Non Structural, Galvanized Steel Stud Framing With Tracks And Runners	2.02	0.58
			<i>For Powder-Actuated Fasteners Every 2', Add</i>	0.04	
			<i>For Walls >10' High, Add</i>	0.40	
			<i>For Soffit, Columns Or Beams Up To 10' High, Add</i>	1.36	
			<i>For Soffit, Columns Or Beams >10' High, Add</i>	1.80	
			<i>For Horizontal Installation Up To 10' High, Add</i>	0.42	
			<i>For Horizontal Installation >10' High, Add</i>	0.56	
			<i>For Curved Wall, Add</i>	0.44	
			<i>For 12" On Center, Add</i>	0.33	
			<i>For 24" On Center, Deduct</i>	-0.33	
			<i>For Up To 100, Add</i>	0.69	
			<i>For >100 To 300, Add</i>	0.35	
			<i>For >1,000, Deduct</i>	-0.16	
09 22 16	13-0004	SF	3-5/8" Width, 16" On Center, 25 Gauge, Non Load Bearing, Non Structural, Galvanized Steel Stud Framing With Tracks And Runners	2.19	0.60
			<i>For Powder-Actuated Fasteners Every 2', Add</i>	0.04	
			<i>For Walls >10' High, Add</i>	0.44	
			<i>For Soffit, Columns Or Beams Up To 10' High, Add</i>	1.44	
			<i>For Soffit, Columns Or Beams >10' High, Add</i>	1.90	
			<i>For Horizontal Installation Up To 10' High, Add</i>	0.45	
			<i>For Horizontal Installation >10' High, Add</i>	0.60	
			<i>For Curved Wall, Add</i>	0.46	
			<i>For 12" On Center, Add</i>	0.36	
			<i>For 24" On Center, Deduct</i>	-0.36	
			<i>For Up To 100, Add</i>	0.74	
			<i>For >100 To 300, Add</i>	0.37	
			<i>For >1,000, Deduct</i>	-0.18	
09 22 16	13-0005	SF	4" Width, 16" On Center, 25 Gauge, Non Load Bearing, Non Structural, Galvanized Steel Stud Framing With Tracks And Runners	2.33	0.64
			<i>For Powder-Actuated Fasteners Every 2', Add</i>	0.04	
			<i>For Walls >10' High, Add</i>	0.47	
			<i>For Soffit, Columns Or Beams Up To 10' High, Add</i>	1.51	
			<i>For Soffit, Columns Or Beams >10' High, Add</i>	1.99	
			<i>For Horizontal Installation Up To 10' High, Add</i>	0.47	
			<i>For Horizontal Installation >10' High, Add</i>	0.63	
			<i>For Curved Wall, Add</i>	0.48	
			<i>For 12" On Center, Add</i>	0.39	
			<i>For 24" On Center, Deduct</i>	-0.39	
			<i>For Up To 100, Add</i>	0.79	
			<i>For >100 To 300, Add</i>	0.39	
			<i>For >1,000, Deduct</i>	-0.19	
09 22 16	13-0006	SF	6" Width, 16" On Center, 25 Gauge, Non Load Bearing, Non Structural, Galvanized Steel Stud Framing With Tracks And Runners	2.57	0.67
			<i>For Powder-Actuated Fasteners Every 2', Add</i>	0.04	
			<i>For Walls >10' High, Add</i>	0.51	
			<i>For Soffit, Columns Or Beams Up To 10' High, Add</i>	1.60	
			<i>For Soffit, Columns Or Beams >10' High, Add</i>	2.11	
			<i>For Horizontal Installation Up To 10' High, Add</i>	0.51	
			<i>For Horizontal Installation >10' High, Add</i>	0.68	
			<i>For Curved Wall, Add</i>	0.50	
			<i>For 12" On Center, Add</i>	0.43	
			<i>For 24" On Center, Deduct</i>	-0.43	
			<i>For Up To 100, Add</i>	0.85	
			<i>For >100 To 300, Add</i>	0.43	
			<i>For >1,000, Deduct</i>	-0.22	
09 22 16	13-0007		Non Load Bearing Wall Framing, 20 Gauge <small>(09 22 16 13)</small>		
09 22 16	13-0008	SF	1-5/8" Width, 16" On Center, 20 Gauge, Non Load Bearing, Non Structural, Galvanized Steel Stud Framing With Tracks And Runners	2.11	0.56
			<i>For Powder-Actuated Fasteners Every 2', Add</i>	0.04	
			<i>For Walls >10' High, Add</i>	0.42	
			<i>For Soffit, Columns Or Beams Up To 10' High, Add</i>	1.35	
			<i>For Soffit, Columns Or Beams >10' High, Add</i>	1.77	
			<i>For Horizontal Installation Up To 10' High, Add</i>	0.42	
			<i>For Horizontal Installation >10' High, Add</i>	0.57	
			<i>For Curved Wall, Add</i>	0.43	
			<i>For 12" On Center, Add</i>	0.35	
			<i>For 24" On Center, Deduct</i>	-0.35	
			<i>For Up To 100, Add</i>	0.71	
			<i>For >100 To 300, Add</i>	0.35	
			<i>For >1,000, Deduct</i>	-0.17	

09 Finishes

09 20 Plaster And Gypsum Board

09 22 Supports For Plaster And Gypsum Board



MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
09 22 16 13-0009	SF		2-1/2" Width, 16" On Center, 20 Gauge, Non Load Bearing, Non Structural, Galvanized Steel Stud Framing With Tracks And Runners	2.29	0.59
			<i>For Powder-Actuated Fasteners Every 2', Add</i>	0.04	
			<i>For Walls >10' High, Add</i>	0.46	
			<i>For Soffit, Columns Or Beams Up To 10' High, Add</i>	1.42	
			<i>For Soffit, Columns Or Beams >10' High, Add</i>	1.87	
			<i>For Horizontal Installation Up To 10' High, Add</i>	0.45	
			<i>For Horizontal Installation >10' High, Add</i>	0.60	
			<i>For Curved Wall, Add</i>	0.45	
			<i>For 12" On Center, Add</i>	0.38	
			<i>For 24" On Center, Deduct</i>	-0.38	
			<i>For Up To 100, Add</i>	0.76	
			<i>For >100 To 300, Add</i>	0.38	
			<i>For >1,000, Deduct</i>	-0.19	
09 22 16 13-0010	SF		3-5/8" Width, 16" On Center, 20 Gauge, Non Load Bearing, Non Structural, Galvanized Steel Stud Framing With Tracks And Runners	2.52	0.62
			<i>For Powder-Actuated Fasteners Every 2', Add</i>	0.04	
			<i>For Walls >10' High, Add</i>	0.50	
			<i>For Soffit, Columns Or Beams Up To 10' High, Add</i>	1.51	
			<i>For Soffit, Columns Or Beams >10' High, Add</i>	1.98	
			<i>For Horizontal Installation Up To 10' High, Add</i>	0.49	
			<i>For Horizontal Installation >10' High, Add</i>	0.64	
			<i>For Curved Wall, Add</i>	0.47	
			<i>For 12" On Center, Add</i>	0.43	
			<i>For 24" On Center, Deduct</i>	-0.43	
			<i>For Up To 100, Add</i>	0.82	
			<i>For >100 To 300, Add</i>	0.41	
			<i>For >1,000, Deduct</i>	-0.22	
09 22 16 13-0011	SF		4" Width, 16" On Center, 20 Gauge, Non Load Bearing, Non Structural Structural, Galvanized Steel Framing With Tracks And Runners	2.67	0.65
			<i>For Powder-Actuated Fasteners Every 2', Add</i>	0.04	
			<i>For Walls >10' High, Add</i>	0.53	
			<i>For Soffit, Columns Or Beams Up To 10' High, Add</i>	1.58	
			<i>For Soffit, Columns Or Beams >10' High, Add</i>	2.07	
			<i>For Horizontal Installation Up To 10' High, Add</i>	0.51	
			<i>For Horizontal Installation >10' High, Add</i>	0.68	
			<i>For Curved Wall, Add</i>	0.49	
			<i>For 12" On Center, Add</i>	0.45	
			<i>For 24" On Center, Deduct</i>	-0.45	
			<i>For Up To 100, Add</i>	0.86	
			<i>For >100 To 300, Add</i>	0.43	
			<i>For >1,000, Deduct</i>	-0.24	
09 22 16 13-0012	SF		6" Width, 16" On Center, 20 Gauge, Non Load Bearing, Non Structural, Galvanized Steel Stud Framing With Tracks And Runners	3.55	0.68
			<i>For Powder-Actuated Fasteners Every 2', Add</i>	0.04	
			<i>For Walls >10' High, Add</i>	0.71	
			<i>For Soffit, Columns Or Beams Up To 10' High, Add</i>	1.73	
			<i>For Soffit, Columns Or Beams >10' High, Add</i>	2.25	
			<i>For Horizontal Installation Up To 10' High, Add</i>	0.61	
			<i>For Horizontal Installation >10' High, Add</i>	0.79	
			<i>For Curved Wall, Add</i>	0.52	
			<i>For 12" On Center, Add</i>	0.62	
			<i>For 24" On Center, Deduct</i>	-0.62	
			<i>For Up To 100, Add</i>	1.05	
			<i>For >100 To 300, Add</i>	0.53	
			<i>For >1,000, Deduct</i>	-0.36	
09 22 16 13-0013			Non Load Bearing Wall Framing, 18 Gauge (09 22 16 13)		
09 22 16 13-0014	SF		2-1/2" Width, 16" On Center, 18 Gauge, Non Load Bearing, Non Structural, Galvanized Steel Stud Framing With Tracks And Runners	3.02	0.60
			<i>For Powder-Actuated Fasteners Every 2', Add</i>	0.04	
			<i>For Walls >10' High, Add</i>	0.60	
			<i>For Soffit, Columns Or Beams Up To 10' High, Add</i>	1.53	
			<i>For Soffit, Columns Or Beams >10' High, Add</i>	1.99	
			<i>For Horizontal Installation Up To 10' High, Add</i>	0.53	
			<i>For Horizontal Installation >10' High, Add</i>	0.68	
			<i>For Curved Wall, Add</i>	0.46	
			<i>For 12" On Center, Add</i>	0.53	
			<i>For 24" On Center, Deduct</i>	-0.53	
			<i>For Up To 100, Add</i>	0.91	
			<i>For >100 To 300, Add</i>	0.46	
			<i>For >1,000, Deduct</i>	-0.30	
09 22 16 13-0015	SF		3-5/8" Width, 16" On Center, 18 Gauge, Non Load Bearing, Non Structural, Galvanized Steel Stud Framing With Tracks And Runners	3.32	0.64
			<i>For Powder-Actuated Fasteners Every 2', Add</i>	0.04	
			<i>For Walls >10' High, Add</i>	0.66	
			<i>For Soffit, Columns Or Beams Up To 10' High, Add</i>	1.62	
			<i>For Soffit, Columns Or Beams >10' High, Add</i>	2.10	
			<i>For Horizontal Installation Up To 10' High, Add</i>	0.57	
			<i>For Horizontal Installation >10' High, Add</i>	0.73	
			<i>For Curved Wall, Add</i>	0.48	
			<i>For 12" On Center, Add</i>	0.58	
			<i>For 24" On Center, Deduct</i>	-0.58	
			<i>For Up To 100, Add</i>	0.99	
			<i>For >100 To 300, Add</i>	0.49	
			<i>For >1,000, Deduct</i>	-0.34	



Finishes	09	2
Plaster And Gypsum Board	09 20	
Supports For Plaster And Gypsum Board	09 22	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
09 22 16 13-0016 SF 4" Width, 16" On Center, 18 Gauge, Non Load Bearing, Non Structural, Galvanized Steel Stud Framing With Tracks And Runners	3.54	0.67
For Powder-Actuated Fasteners Every 2', Add	0.04	
For Walls >10' High, Add	0.71	
For Soffit, Columns Or Beams Up To 10' High, Add	1.70	
For Soffit, Columns Or Beams >10' High, Add	2.20	
For Horizontal Installation Up To 10' High, Add	0.61	
For Horizontal Installation >10' High, Add	0.77	
For Curved Wall, Add	0.50	
For 12" On Center, Add	0.62	
For 24" On Center, Deduct	-0.62	
For Up To 100, Add	1.04	
For >100 To 300, Add	0.52	
For >1,000, Deduct	-0.36	
09 22 16 13-0017 SF 6" Width, 16" On Center, 18 Gauge, Non Load Bearing, Non Structural, Galvanized Steel Stud Framing With Tracks And Runners	4.50	0.70
For Powder-Actuated Fasteners Every 2', Add	0.04	
For Walls >10' High, Add	0.90	
For Soffit, Columns Or Beams Up To 10' High, Add	1.87	
For Soffit, Columns Or Beams >10' High, Add	2.40	
For Horizontal Installation Up To 10' High, Add	0.72	
For Horizontal Installation >10' High, Add	0.89	
For Curved Wall, Add	0.53	
For 12" On Center, Add	0.81	
For 24" On Center, Deduct	-0.81	
For Up To 100, Add	1.25	
For >100 To 300, Add	0.63	
For >1,000, Deduct	-0.50	
09 22 16 13-0018 SF 8" Width, 16" On Center, 18 Gauge, Non Load Bearing, Non Structural, Galvanized Steel Stud Framing With Tracks And Runners	4.88	0.74
For Powder-Actuated Fasteners Every 2', Add	0.04	
For Walls >10' High, Add	0.98	
For Soffit, Columns Or Beams Up To 10' High, Add	1.97	
For Soffit, Columns Or Beams >10' High, Add	2.52	
For Horizontal Installation Up To 10' High, Add	0.77	
For Horizontal Installation >10' High, Add	0.95	
For Curved Wall, Add	0.56	
For 12" On Center, Add	0.88	
For 24" On Center, Deduct	-0.88	
For Up To 100, Add	1.35	
For >100 To 300, Add	0.67	
For >1,000, Deduct	-0.55	
09 22 16 13-0019 Non Load Bearing Wall Framing, 16 Gauge <small>(09 22 16 13)</small>		
09 22 16 13-0020 SF 2-1/2" Width, 16" On Center, 16 Gauge, Non Load Bearing, Non Structural, Galvanized Steel Stud Framing With Tracks And Runners	3.19	0.62
For Powder-Actuated Fasteners Every 2', Add	0.04	
For Walls >10' High, Add	0.64	
For Soffit, Columns Or Beams Up To 10' High, Add	1.58	
For Soffit, Columns Or Beams >10' High, Add	2.05	
For Horizontal Installation Up To 10' High, Add	0.55	
For Horizontal Installation >10' High, Add	0.71	
For Curved Wall, Add	0.47	
For 12" On Center, Add	0.56	
For 24" On Center, Deduct	-0.56	
For Up To 100, Add	0.95	
For >100 To 300, Add	0.48	
For >1,000, Deduct	-0.32	
09 22 16 13-0021 SF 3-5/8" Width, 16" On Center, 16 Gauge, Non Load Bearing, Non Structural, Galvanized Steel Stud Framing With Tracks And Runners	3.69	0.65
For Powder-Actuated Fasteners Every 2', Add	0.04	
For Walls >10' High, Add	0.74	
For Soffit, Columns Or Beams Up To 10' High, Add	1.68	
For Soffit, Columns Or Beams >10' High, Add	2.17	
For Horizontal Installation Up To 10' High, Add	0.62	
For Horizontal Installation >10' High, Add	0.78	
For Curved Wall, Add	0.49	
For 12" On Center, Add	0.66	
For 24" On Center, Deduct	-0.66	
For Up To 100, Add	1.07	
For >100 To 300, Add	0.53	
For >1,000, Deduct	-0.39	
09 22 16 13-0022 SF 4" Width, 16" On Center, 16 Gauge, Non Load Bearing, Non Structural, Galvanized Steel Stud Framing With Tracks And Runners	3.90	0.68
For Powder-Actuated Fasteners Every 2', Add	0.04	
For Walls >10' High, Add	0.78	
For Soffit, Columns Or Beams Up To 10' High, Add	1.77	
For Soffit, Columns Or Beams >10' High, Add	2.28	
For Horizontal Installation Up To 10' High, Add	0.65	
For Horizontal Installation >10' High, Add	0.82	
For Curved Wall, Add	0.52	
For 12" On Center, Add	0.69	
For 24" On Center, Deduct	-0.69	
For Up To 100, Add	1.12	
For >100 To 300, Add	0.56	
For >1,000, Deduct	-0.41	

09	09 Finishes
	09 20 Plaster And Gypsum Board
	09 22 Supports For Plaster And Gypsum Board



MINOR		TOTAL DIRECT		DEMOLITION	
CSI	UOM	DESCRIPTION	UNIT COST	UNIT COST	UNIT COST
09 22 16 13-0023	SF	6" Width, 16" On Center, 16 Gauge, Non Load Bearing, Non Structural, Galvanized Steel Stud Framing With Tracks And Runners	4.83		0.72
		<i>For Powder-Actuated Fasteners Every 2', Add</i>	0.04		
		<i>For Walls >10' High, Add</i>	0.97		
		<i>For Soffit, Columns Or Beams Up To 10' High, Add</i>	1.93		
		<i>For Soffit, Columns Or Beams >10' High, Add</i>	2.47		
		<i>For Horizontal Installation Up To 10' High, Add</i>	0.75		
		<i>For Horizontal Installation >10' High, Add</i>	0.94		
		<i>For Curved Wall, Add</i>	0.54		
		<i>For 12" On Center, Add</i>	0.88		
		<i>For 24" On Center, Deduct</i>	-0.88		
		<i>For Up To 100, Add</i>	1.33		
		<i>For >100 To 300, Add</i>	0.66		
		<i>For >1,000, Deduct</i>	-0.54		
09 22 16 13-0024	SF	8" Width, 16" On Center, 16 Gauge, Non Load Bearing, Non Structural, Galvanized Steel Stud Framing With Tracks And Runners	5.29		0.76
		<i>For Powder-Actuated Fasteners Every 2', Add</i>	0.04		
		<i>For Walls >10' High, Add</i>	1.06		
		<i>For Soffit, Columns Or Beams Up To 10' High, Add</i>	2.05		
		<i>For Soffit, Columns Or Beams >10' High, Add</i>	2.62		
		<i>For Horizontal Installation Up To 10' High, Add</i>	0.81		
		<i>For Horizontal Installation >10' High, Add</i>	1.00		
		<i>For Curved Wall, Add</i>	0.57		
		<i>For 12" On Center, Add</i>	0.96		
		<i>For 24" On Center, Deduct</i>	-0.96		
		<i>For Up To 100, Add</i>	1.44		
		<i>For >100 To 300, Add</i>	0.72		
		<i>For >1,000, Deduct</i>	-0.60		
09 22 16 13-0025		Galvanized Steel Backing Plates <small>(09 22 16 13)</small>			
		Note: Used to attach fixtures, cabinets, shelves or handrails to metal stud walls.			
09 22 16 13-0026	LF	3" Wide, 25 Gauge Galvanized Steel Backing Plate	1.02		
09 22 16 13-0027	LF	4" Wide, 25 Gauge Galvanized Steel Backing Plate	1.23		
09 22 16 13-0028	LF	6" Wide, 25 Gauge Galvanized Steel Backing Plate	1.55		
09 22 16 13-0029	LF	8" Wide, 25 Gauge Galvanized Steel Backing Plate	1.89		
09 22 16 13-0030	LF	10" Wide, 25 Gauge Galvanized Steel Backing Plate	2.21		
09 22 16 13-0031	LF	12" Wide, 25 Gauge Galvanized Steel Backing Plate	2.64		
09 22 16 13-0032	LF	3" Wide, 20 Gauge Galvanized Steel Backing Plate	1.27		
09 22 16 13-0033	LF	4" Wide, 20 Gauge Galvanized Steel Backing Plate	1.56		
09 22 16 13-0034	LF	6" Wide, 20 Gauge Galvanized Steel Backing Plate	2.04		
09 22 16 13-0035	LF	8" Wide, 20 Gauge Galvanized Steel Backing Plate	2.54		
09 22 16 13-0036	LF	10" Wide, 20 Gauge Galvanized Steel Backing Plate	3.04		
09 22 16 13-0037	LF	12" Wide, 20 Gauge Galvanized Steel Backing Plate	3.62		
09 22 16 13-0038	LF	3" Wide, 16 Gauge Galvanized Steel Backing Plate	1.70		
09 22 16 13-0039	LF	4" Wide, 16 Gauge Galvanized Steel Backing Plate	2.09		
09 22 16 13-0040	LF	6" Wide, 16 Gauge Galvanized Steel Backing Plate	2.81		
09 22 16 13-0041	LF	8" Wide, 16 Gauge Galvanized Steel Backing Plate	3.52		
09 22 16 13-0042	LF	10" Wide, 16 Gauge Galvanized Steel Backing Plate	4.30		
09 22 16 13-0043	LF	12" Wide, 16 Gauge Galvanized Steel Backing Plate	5.05		
09 22 16 13-0044	LF	3" Wide, 14 Gauge Galvanized Steel Backing Plate	1.98		
09 22 16 13-0045	LF	4" Wide, 14 Gauge Galvanized Steel Backing Plate	2.46		
09 22 16 13-0046	LF	6" Wide, 14 Gauge Galvanized Steel Backing Plate	3.37		
09 22 16 13-0047	LF	8" Wide, 14 Gauge Galvanized Steel Backing Plate	4.26		
09 22 16 13-0048	LF	10" Wide, 14 Gauge Galvanized Steel Backing Plate	5.23		
09 22 16 13-0049	LF	12" Wide, 14 Gauge Galvanized Steel Backing Plate	6.16		
09 22 36		Lath <small>(09 22)</small>			
09 22 36 13		Gypsum Lath <small>(09 22 36)</small>			
09 22 36 13-0001		Plaster Base Gypsum Panels <small>(09 22 36 13)</small>			
09 22 36 13-0002	SF	3/8" Thick, Installed On Studs Or Furred Walls, Plaster Base Gypsum Panel	1.05		0.37
		<i>For Walls >10' High, Add</i>	0.09		
		<i>For Up To 100, Add</i>	0.37		
		<i>For >100 To 500, Add</i>	0.18		
		<i>For >5,000, Deduct</i>	-0.07		
09 22 36 13-0003	SF	1/2" Thick, Installed On Studs Or Furred Walls, Plaster Base Gypsum Panel	1.43		0.42
		<i>For Walls >10' High, Add</i>	0.11		
		<i>For Up To 100, Add</i>	0.43		
		<i>For >100 To 500, Add</i>	0.21		
		<i>For >5,000, Deduct</i>	-0.09		
09 22 36 13-0004	SF	5/8" Thick, Installed On Studs Or Furred Walls, Plaster Base Gypsum Panel	1.80		0.49
		<i>For Walls >10' High, Add</i>	0.12		
		<i>For Up To 100, Add</i>	0.49		
		<i>For >100 To 500, Add</i>	0.24		
		<i>For >5,000, Deduct</i>	-0.10		
09 22 36 13-0005	SF	3/8" Thick, Installed On Ceiling, Plaster Base Gypsum Panel	1.36		0.51
		<i>For Ceilings >10' High, Add</i>	0.16		
		<i>For Up To 100, Add</i>	0.52		
		<i>For >100 To 500, Add</i>	0.26		
		<i>For >5,000, Deduct</i>	-0.10		



MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
09 22 36 13-0006 SF 1/2" Thick, Installed On Ceiling, Plaster Base Gypsum Panel <i>For Ceilings >10' High, Add</i> <i>For Up To 100, Add</i> <i>For >100 To 500, Add</i> <i>For >5,000, Deduct</i>	1.78 0.18 0.60 0.30 -0.12	0.59
09 22 36 13-0007 SF 5/8" Thick, Installed On Ceiling, Plaster Base Gypsum Panel <i>For Ceilings >10' High, Add</i> <i>For Up To 100, Add</i> <i>For >100 To 500, Add</i> <i>For >5,000, Deduct</i>	2.20 0.21 0.69 0.34 -0.14	0.68
09 22 36 13-0008 SF 3/8" Thick, Installed On Columns And Beams, Plaster Base Gypsum Panel..... <i>For Columns And Beams >10' High, Add</i> <i>For Up To 100, Add</i> <i>For >100 To 500, Add</i> <i>For >5,000, Deduct</i>	1.65 0.20 0.67 0.33 -0.13	0.66
09 22 36 13-0009 SF 1/2" Thick, Installed On Columns And Beams, Plaster Base Gypsum Panel..... <i>For Columns And Beams >10' High, Add</i> <i>For Up To 100, Add</i> <i>For >100 To 500, Add</i> <i>For >5,000, Deduct</i>	2.12 0.23 0.77 0.39 -0.15	0.76
09 22 36 13-0010 SF 5/8" Thick, Installed On Columns And Beams, Plaster Base Gypsum Panel..... <i>For Columns And Beams >10' High, Add</i> <i>For Up To 100, Add</i> <i>For >100 To 500, Add</i> <i>For >5,000, Deduct</i>	2.59 0.26 0.88 0.44 -0.18	0.88
09 22 36 13-0011 Firestop Plaster Base Gypsum Panels (09 22 36 13)		
09 22 36 13-0012 SF 3/8" Thick, Installed On Studs Or Furred Walls, Firestop Plaster Base Gypsum Panel <i>For Walls >10' High, Add</i> <i>For Up To 100, Add</i> <i>For >100 To 500, Add</i> <i>For >5,000, Deduct</i>	1.42 0.09 0.37 0.18 -0.07	0.37
09 22 36 13-0013 SF 1/2" Thick, Installed On Studs Or Furred Walls, Firestop Plaster Base Gypsum Panel <i>For Walls >10' High, Add</i> <i>For Up To 100, Add</i> <i>For >100 To 500, Add</i> <i>For >5,000, Deduct</i>	1.66 0.11 0.43 0.21 -0.09	0.42
09 22 36 13-0014 SF 3/8" Thick, Installed On Ceilings, Firestop Plaster Base Gypsum Panel..... <i>For Ceilings >10' High, Add</i> <i>For Up To 100, Add</i> <i>For >100 To 500, Add</i> <i>For >5,000, Deduct</i>	1.73 0.16 0.52 0.26 -0.10	0.51
09 22 36 13-0015 SF 1/2" Thick, Installed On Ceilings, Firestop Plaster Base Gypsum Panel..... <i>For Ceilings >10' High, Add</i> <i>For Up To 100, Add</i> <i>For >100 To 500, Add</i> <i>For >5,000, Deduct</i>	2.01 0.18 0.60 0.30 -0.12	0.59
09 22 36 13-0016 SF 3/8" Thick, Installed On Columns And Beams, Firestop Plaster Base Gypsum Panel..... <i>For Columns And Beams >10' High, Add</i> <i>For Up To 100, Add</i> <i>For >100 To 500, Add</i> <i>For >5,000, Deduct</i>	2.02 0.20 0.67 0.33 -0.13	0.66
09 22 36 13-0017 SF 1/2" Thick, Installed On Columns And Beams, Firestop Plaster Base Gypsum Panel..... <i>For Columns And Beams >10' High, Add</i> <i>For Up To 100, Add</i> <i>For >100 To 500, Add</i> <i>For >5,000, Deduct</i>	2.35 0.23 0.77 0.39 -0.15	0.76
09 22 36 13-0018 Foil Back Plaster Base Gypsum Panels (09 22 36 13)		
09 22 36 13-0019 SF 3/8" Thick, Installed On Studs Or Furred Walls, Foil Back Plaster Base Gypsum Panel <i>For Walls >10' High, Add</i> <i>For Up To 100, Add</i> <i>For >100 To 500, Add</i> <i>For >5,000, Deduct</i>	1.42 0.09 0.37 0.18 -0.07	0.37
09 22 36 13-0020 SF 1/2" Thick, Installed On Studs Or Furred Walls, Foil Back Plaster Base Gypsum Panel <i>For Walls >10' High, Add</i> <i>For Up To 100, Add</i> <i>For >100 To 500, Add</i> <i>For >5,000, Deduct</i>	1.66 0.11 0.43 0.21 -0.09	0.42
09 22 36 13-0021 SF 3/8" Thick, Installed On Ceiling, Foil Back Plaster Base Gypsum Panel..... <i>For Ceilings >10' High, Add</i> <i>For Up To 100, Add</i> <i>For >100 To 500, Add</i> <i>For >5,000, Deduct</i>	1.73 0.16 0.52 0.26 -0.10	0.51
09 22 36 13-0022 SF 1/2" Thick, Installed On Ceiling, Foil Back Plaster Base Gypsum Panel..... <i>For Ceilings >10' High, Add</i> <i>For Up To 100, Add</i> <i>For >100 To 500, Add</i> <i>For >5,000, Deduct</i>	2.01 0.18 0.60 0.30 -0.12	0.59
09 22 36 13-0023 SF 3/8" Thick, Installed On Columns And Beams, Foil Back Plaster Base Gypsum Panel <i>For Columns And Beams >10' High, Add</i> <i>For Up To 100, Add</i> <i>For >100 To 500, Add</i> <i>For >5,000, Deduct</i>	2.02 0.20 0.67 0.33 -0.13	0.66

09 Finishes**09 20 Plaster And Gypsum Board****09 22 Supports For Plaster And Gypsum Board**

MINOR	CSI	UOM	DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
09 22 36 13-0024	SF		1/2" Thick, Installed On Columns And Beams, Foil Back Plaster Base Gypsum Panel	2.35	0.76
			<i>For Columns And Beams >10' High, Add</i>	0.23	
			<i>For Up To 100, Add</i>	0.77	
			<i>For >100 To 500, Add</i>	0.39	
			<i>For >5,000, Deduct</i>	-0.15	
09 22 36 23			Metal Lath (09 22 36)		
09 22 36 23-0001			Flat Diamond, Expanded Metal Lath (09 22 36 23)		
09 22 36 23-0002	SF		1.75 LB/SY, Installed On Studs Or Furred Walls, Flat Diamond, Expanded Metal Lath.....	1.67	0.51
			<i>For Walls >10' High, Add</i>	0.14	
			<i>For Paper Backed Lath, Add</i>	0.06	
			<i>For Up To 100, Add</i>	0.57	
			<i>For >100 To 500, Add</i>	0.29	
			<i>For >5,000, Deduct</i>	-0.11	
09 22 36 23-0003	SF		2.0 LB/SY, Installed On Studs Or Furred Walls, Flat Diamond, Expanded Metal Lath.....	1.75	0.51
			<i>For Walls >10' High, Add</i>	0.14	
			<i>For Paper Backed Lath, Add</i>	0.06	
			<i>For Up To 100, Add</i>	0.57	
			<i>For >100 To 500, Add</i>	0.29	
			<i>For >5,000, Deduct</i>	-0.11	
09 22 36 23-0004	SF		2.5 LB/SY, Installed On Studs Or Furred Walls, Flat Diamond, Expanded Metal Lath.....	1.82	0.51
			<i>For Walls >10' High, Add</i>	0.14	
			<i>For Paper Backed Lath, Add</i>	0.06	
			<i>For Up To 100, Add</i>	0.57	
			<i>For >100 To 500, Add</i>	0.29	
			<i>For >5,000, Deduct</i>	-0.11	
09 22 36 23-0005	SF		3.4 LB/SY, Installed On Studs Or Furred Walls, Flat Diamond, Expanded Metal Lath.....	2.09	0.54
			<i>For Walls >10' High, Add</i>	0.15	
			<i>For Paper Backed Lath, Add</i>	0.06	
			<i>For Up To 100, Add</i>	0.61	
			<i>For >100 To 500, Add</i>	0.31	
			<i>For >5,000, Deduct</i>	-0.12	
09 22 36 23-0006	SF		1.75 LB/SY, Installed On Ceiling, Flat Diamond, Expanded Metal Lath.....	1.83	0.58
			<i>For Ceilings >10' High, Add</i>	0.20	
			<i>For Paper Backed Lath, Add</i>	0.06	
			<i>For Up To 100, Add</i>	0.65	
			<i>For >100 To 500, Add</i>	0.33	
			<i>For >5,000, Deduct</i>	-0.13	
09 22 36 23-0007	SF		2.0 LB/SY, Installed On Ceiling, Flat Diamond, Expanded Metal Lath.....	1.91	0.58
			<i>For Ceilings >10' High, Add</i>	0.20	
			<i>For Paper Backed Lath, Add</i>	0.06	
			<i>For Up To 100, Add</i>	0.65	
			<i>For >100 To 500, Add</i>	0.33	
			<i>For >5,000, Deduct</i>	-0.13	
09 22 36 23-0008	SF		2.5 LB/SY, Installed On Ceiling, Flat Diamond, Expanded Metal Lath.....	1.98	0.58
			<i>For Ceilings >10' High, Add</i>	0.20	
			<i>For Paper Backed Lath, Add</i>	0.06	
			<i>For Up To 100, Add</i>	0.65	
			<i>For >100 To 500, Add</i>	0.33	
			<i>For >5,000, Deduct</i>	-0.13	
09 22 36 23-0009	SF		3.4 LB/SY, Installed On Ceiling, Flat Diamond, Expanded Metal Lath.....	2.17	0.58
			<i>For Ceilings >10' High, Add</i>	0.20	
			<i>For Paper Backed Lath, Add</i>	0.06	
			<i>For Up To 100, Add</i>	0.65	
			<i>For >100 To 500, Add</i>	0.33	
			<i>For >5,000, Deduct</i>	-0.13	
09 22 36 23-0010	SF		1.75 LB/SY, Installed On Columns And Beams, Flat Diamond, Expanded Metal Lath	2.42	0.81
			<i>For Columns And Beams >10' High, Add</i>	0.27	
			<i>For Paper Backed Lath, Add</i>	0.06	
			<i>For Up To 100, Add</i>	0.91	
			<i>For >100 To 500, Add</i>	0.46	
			<i>For >5,000, Deduct</i>	-0.18	
09 22 36 23-0011	SF		2.0 LB/SY, Installed On Columns And Beams, Flat Diamond, Expanded Metal Lath	2.49	0.81
			<i>For Columns And Beams >10' High, Add</i>	0.27	
			<i>For Paper Backed Lath, Add</i>	0.06	
			<i>For Up To 100, Add</i>	0.91	
			<i>For >100 To 500, Add</i>	0.46	
			<i>For >5,000, Deduct</i>	-0.18	
09 22 36 23-0012	SF		2.5 LB/SY, Installed On Columns And Beams, Flat Diamond, Expanded Metal Lath	2.57	0.81
			<i>For Columns And Beams >10' High, Add</i>	0.27	
			<i>For Paper Backed Lath, Add</i>	0.06	
			<i>For Up To 100, Add</i>	0.91	
			<i>For >100 To 500, Add</i>	0.46	
			<i>For >5,000, Deduct</i>	-0.18	
09 22 36 23-0013	SF		3.4 LB/SY, Installed On Columns And Beams, Flat Diamond, Expanded Metal Lath	3.20	1.03
			<i>For Columns And Beams >10' High, Add</i>	0.34	
			<i>For Paper Backed Lath, Add</i>	0.06	
			<i>For Up To 100, Add</i>	1.14	
			<i>For >100 To 500, Add</i>	0.57	
			<i>For >5,000, Deduct</i>	-0.23	
09 22 36 23-0014			Self Furring, Flat Diamond, Expanded Metal Lath (09 22 36 23)		



Finishes	09	2
Plaster And Gypsum Board	09 20	
Supports For Plaster And Gypsum Board	09 22	

MINOR CSI UOM DESCRIPTION	TOTAL DIRECT UNIT COST	DEMOLITION UNIT COST
09 22 36 23-0015 SF 1.75 LB/SY, Installed On Solid Surface, Self Furring, Flat Diamond, Expanded Metal Lath.....	1.75	0.54
For Walls >10' High, Add	0.15	
For Paper Backed Lath, Add	0.06	
For Up To 100, Add	0.61	
For >100 To 500, Add	0.31	
For >5,000, Deduct	-0.12	
09 22 36 23-0016 SF 2.0 LB/SY, Installed On Solid Surface, Self Furring, Flat Diamond, Expanded Metal Lath.....	1.83	0.54
For Walls >10' High, Add	0.15	
For Paper Backed Lath, Add	0.06	
For Up To 100, Add	0.61	
For >100 To 500, Add	0.31	
For >5,000, Deduct	-0.12	
09 22 36 23-0017 SF 2.5 LB/SY, Installed On Solid Surface, Self Furring, Flat Diamond, Expanded Metal Lath.....	1.90	0.54
For Walls >10' High, Add	0.15	
For Paper Backed Lath, Add	0.06	
For Up To 100, Add	0.61	
For >100 To 500, Add	0.31	
For >5,000, Deduct	-0.12	
09 22 36 23-0018 SF 3.4 LB/SY, Installed On Solid Surface, Self Furring, Flat Diamond, Expanded Metal Lath.....	2.09	0.54
For Walls >10' High, Add	0.15	
For Paper Backed Lath, Add	0.06	
For Up To 100, Add	0.61	
For >100 To 500, Add	0.31	
For >5,000, Deduct	-0.12	
09 22 36 23-0019 SF 1.75 LB/SY, Installed On Columns And Beams, Self Furring, Flat Diamond, Expanded Metal Lath.....	2.87	1.03
For Columns And Beams >10' High, Add	0.34	
For Paper Backed Lath, Add	0.06	
For Up To 100, Add	1.14	
For >100 To 500, Add	0.57	
For >5,000, Deduct	-0.23	
09 22 36 23-0020 SF 2.0 LB/SY, Installed On Columns And Beams, Self Furring, Flat Diamond, Expanded Metal Lath.....	2.94	1.03
For Columns And Beams >10' High, Add	0.34	
For Paper Backed Lath, Add	0.06	
For Up To 100, Add	1.14	
For >100 To 500, Add	0.57	
For >5,000, Deduct	-0.23	
09 22 36 23-0021 SF 2.5 LB/SY, Installed On Columns And Beams, Self Furring, Flat Diamond, Expanded Metal Lath.....	3.02	1.03
For Columns And Beams >10' High, Add	0.34	
For Paper Backed Lath, Add	0.06	
For Up To 100, Add	1.14	
For >100 To 500, Add	0.57	
For >5,000, Deduct	-0.23	
09 22 36 23-0022 SF 3.4 LB/SY, Installed On Columns And Beams, Self Furring, Flat Diamond, Expanded Metal Lath.....	3.53	1.18
For Columns And Beams >10' High, Add	0.39	
For Paper Backed Lath, Add	0.06	
For Up To 100, Add	1.30	
For >100 To 500, Add	0.65	
For >5,000, Deduct	-0.26	
09 22 36 23-0023 High Rib Metal Lath <small>(09 22 36 23)</small>		
09 22 36 23-0024 SF 2.75 LB/SY, Installed On Ceiling, 1/8" High Rib Metal Lath.....	2.04	0.58
For Ceilings >10' High, Add	0.20	
For Up To 100, Add	0.65	
For >100 To 500, Add	0.33	
For >5,000, Deduct	-0.13	
09 22 36 23-0025 SF 3.4 LB/SY, Installed On Ceiling, 1/8" High Rib Metal Lath.....	2.15	0.58
For Ceilings >10' High, Add	0.20	
For Up To 100, Add	0.65	
For >100 To 500, Add	0.33	
For >5,000, Deduct	-0.13	
09 22 36 23-0026 SF 3.4 LB/SY, Installed On Ceiling, 3/8" High Rib Metal Lath.....	2.21	0.58
For Ceilings >10' High, Add	0.20	
For Up To 100, Add	0.65	
For >100 To 500, Add	0.33	
For >5,000, Deduct	-0.13	
09 22 36 23-0027 SF 4.0 LB/SY, Installed On Ceiling, 3/8" High Rib Metal Lath.....	2.34	0.58
For Ceilings >10' High, Add	0.20	
For Up To 100, Add	0.65	
For >100 To 500, Add	0.33	
For >5,000, Deduct	-0.13	
09 22 36 33 Fiberglass Lath <small>(09 22 36)</small>		
09 22 36 33-0001 Non-Metallic, Fiberglass Lath <small>(09 22 36 33)</small>		
09 22 36 33-0002 SF 1/8" Thick, Installed On Ceiling, Non-Metallic, Fiberglass Lath.....	2.21	0.58
For Ceilings >10' High, Add	0.20	
For Up To 100, Add	0.65	
For >100 To 500, Add	0.33	
For >5,000, Deduct	-0.13	
09 22 36 33-0003 SF 1/4" Thick, Installed On Ceiling, Non-Metallic, Fiberglass Lath.....	2.35	0.58
For Ceilings >10' High, Add	0.20	
For Up To 100, Add	0.65	
For >100 To 500, Add	0.33	
For >5,000, Deduct	-0.13	