

ADDENDUM NO. 1

Seven Oaks Road

August 11, 2025

Page 1 of 4

**ADDENDUM NO. 1
SEVEN OAKS ROAD
WORK ORDER: H15239
AREA: BARTON FLATS
ROAD NO.: 742650 010**

BIDS OPEN 10:00 AM, THURSDAY AUGUST 21, 2025

By Email via ePro System

The bid opening will be publicly viewable via goto.com, details are available in the Notice to Bidders pages of the Project Special Provisions.

Amend the Project Plan Set as follows:

Delete Plan Set Sheets 3, 4 and 10, and **Replace** with Plan Set Addendum No. 1 Sheets 3, 4 and 10 (**Attachment A**).

Amend the Project Special Provision as follows:

1. DIVISION I GENERAL PROVISIONS

a. **Delete** Page SP-4 and **Replace** with Addendum No. 1 SP-4 (**Attachment B**).

b. **Add** to section 9-1.03:

The completion period as specified in this contract is 60 working days. The contractor shall be responsible for the cost of demobilization/remobilization should the work extend beyond construction seasons due to cold weather and there shall be no additional compensation provided by the County.

2. DIVISION II GENERAL CONSTRUCTION

a. **Delete** third paragraph in Section 12-4.02C(1): "Construction on Seven Oaks Road shall be performed on Monday through Friday only (7:00 A.M. to 4:00 P.M.) for the duration of the project." And **Replace** with the following:

"Construction on Seven Oaks Road shall have no restrictions on the working hours or workdays for the duration of the project. However, the contractor shall notify the Owner 48-hours in advance should decision was made to work beyond normal working hours of 7:00 A.M. to 4:00 P.M. and on weekends."

3. DIVISION III EARTHWORK AND LANDSCAPE

a. **Add** to the end of Section 19-1.01:

GENERAL 19-1.01E Quality Control Testing

Where the Quality Characteristics in the table below are specified, the Contractor must test materials per the California Tests, at the Sampling Locations, and at the Minimum Testing Frequencies shown in the table below.

ADDENDUM NO. 1

Seven Oaks Road

August 11, 2025

Page 2 of 4

Where the California Tests in the table below are specified, the Contractor must test materials at the Sampling Locations, and at the Minimum Testing Frequencies shown in the table below.

Quality Characteristic	California Test	Sampling Location	Minimum Testing Frequency
Gradation (sieve analysis)	California Test 202	Materials site or stockpile	1 per 500 cu yd but at least one per day of placement
Sand Equivalent	California Test 217	Materials site or stockpile	1 per 500 cu yd but at least one per day of placement
Relative Compaction	California Test 231	Project site in accordance with California Test 231	1 per 500 sq yd and test compaction at every 8 in. of thickness at each location structure backfill is placed
R-Value	California Test 301	Project Site	Test to verify R-value if differing site conditions are encountered
		Import borrow source	1 per source before use
Plasticity Index	California Test 204	Materials site or stockpile	1 per source before use
pH	California Test 643	Materials site or stockpile	1 per source before use
Percentage Crushed Particles	California Test 205	Materials site or stockpile	1 per source before use
Durability Index	California Test 229	Materials site or stockpile	1 per source before use
Unit Weight	California Test 212 Rodding Method	Materials site or stockpile	1 per source before use

For each instance of relative compaction testing with California Test 231 per the table above, the Contractor must test for wet density per California test 216 at the same location. The Contractor must abide by California Test 125 for all sampling procedures.

Amend ATTACHMENTS as follow:

1. FEDERAL PREVAILING WAGE RATES.....PINK PAGES

Delete Federal Prevailing Wage Rates General Decision Number: CA20240026 03/28/2025 and
Replace with:

Federal Prevailing Wage rates General Decision Number: CA20240026 06/06/2025
(Attachment C)

ADDENDUM NO. 1

Seven Oaks Road

August 11, 2025

Page 3 of 4

2. STANDARD AND SPECIAL DRAWINGS.....GREEN PAGES

Add "Addendum No. 1 - Supplemental Details" (**Attachment D**)

- 3. Delete** Proposal Page P-4 and **Replace** with Proposal page Addendum No. 1 P-4 (**Attachment E**).
- 4. Delete** Contract Page 1 of 4 thru Page 4 of 4 and **Replace** with Contract pages Addendum No. 1 Page 1 of 5 thru page 5 of 5 (**Attachment F**).
- 5. Delete** Exhibit A – Prevailing Wage Requirements pages Page 1 of 25 thru Page 11 of 25 and **Replace** with Exhibit A – Prevailing Wage Requirements pages Addendum No. 1 Page 1 of 25 thru Page 11 of 25 (**Attachment G**).

Attachments:

Attachment A: Plan Set Addendum No. 1 Sheets 3, 4 and 10

Attachment B: Addendum No. 1 SP-4

Attachment C: Revised Federal Prevailing Wage Rates

Attachment D: Addendum No. 1 Supplemental Details

Attachment E: Proposal Pages Addendum No. 1 P-4

Attachment F: Contract Pages Addendum No. 1 Page 1 of 4 thru Page 3 of 4

Attachment G: Exhibit A – Addendum No. 1 Page 1 of 25 thru Page 11 of 25

ADDENDUM NO. 1

Seven Oaks Road

August 11, 2025

Page 4 of 4

The addition of these requirements shall be considered in concert with existing documents in preparation of bids. **THE BIDDER'S CERTIFICATION FOR THIS ADDENDUM NO. 1 SHALL BE SIGNED BY THE SAME PERSON WHO SIGNS THE PROPOSAL AND SHALL BE SUBMITTED WITH THE PROPOSAL. ANY proposal not accompanied by a signed BIDDER'S CERTIFICATION (below) acknowledging receipt of this Addendum No. 1 will NOT be accepted.**

Noel Castillo, Director
Department of Public Works

By: 

Andy Silao, P.E., Chief
Contracts Division

AS:mt

BIDDER'S CERTIFICATION:

By my signature hereunder, I acknowledge receipt of Addendum No. 1 and I fully understand the intent and detail of Addendum No. 1, which I have considered in my preparation of the attached proposal.

Bidder's Signature

Date

Note: The page containing the executed BIDDER'S CERTIFICATION (just this page), must be included with the proposal.